

Schema Reference

iPlanet Directory Server

Version 5.1

816-2673
December 2001

Copyright © 2001 Sun Microsystems, Inc. Some preexisting portions Copyright © 2001 Netscape Communications Corporation. All rights reserved.

Sun, Sun Microsystems, the Sun logo, Solaris, SunTone, the SunTone Certified logo, iPlanet, and the iPlanet logo are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States and other countries. Netscape and the Netscape N logo are registered trademarks of Netscape Communications Corporation in the U.S. and other countries. Other Netscape logos, product names, and service names are also trademarks of Netscape Communications Corporation, which may be registered in other countries.

UNIX is a registered trademark in the United States and other countries, exclusively licensed through X/Open Company, Ltd.

Portions of the Software copyright © 1995 PEER Networks, Inc. All rights reserved. The software contains the Taligent^{1/4}® Unicode Collation Classes™ from Taligent, Inc. and IBM Corp. Portions of the Software copyright ©1992-1998 Regents of the University of Michigan. All rights reserved.

Federal Acquisitions: Commercial Software—Government Users Subject to Standard License Terms and Conditions

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation. No part of the product or this document may be reproduced in any form by any means without prior written authorization of the Sun-Netscape Alliance and its licensors, if any.

THIS DOCUMENTATION IS PROVIDED “AS IS” AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright © 2001 Sun Microsystems, Inc. Pour certaines parties préexistantes, Copyright © 2001 Netscape Communications Corp. Tous droits réservés.

Sun, Sun Microsystems, le logo Sun, Solaris, SunTone, le logo SunTone Certified, iPlanet et le logo iPlanet sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux Etats-Unis et d'autre pays. Netscape et the Netscape N logo sont des marques déposées de Netscape Communications Corporation aux Etats-Unis et d'autre pays. Les autres logos, les noms de produit, et les noms de service de Netscape sont des marques déposées de Netscape Communications Corporation dans certains autres pays.

UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company Ltd.

Certains composants du Logiciel sont copyright © 1995 PEER Networks ,Inc. Tous droits réservés. Ce Logiciel contient les modules Taligent® Unicode Collation Classes™ provenant de Taligent, Inc. et IBM Corp. Certains composants du Logiciel sont copyright © 1992-1998 Regents of the University of Michigan. Tous droits réservés.

Le produit décrit dans ce document est distribué selon des conditions de licence qui en restreignent l'utilisation, la copie, la distribution et la décompilation. Aucune partie de ce produit ni de ce document ne peut être reproduite sous quelque forme ou par quelque moyen que ce soit sans l'autorisation écrite préalable de l'Alliance Sun-Netscape et, le cas échéant, de ses bailleurs de licence.

CETTE DOCUMENTATION EST FOURNIE “EN L'ÉTAT”, ET TOUTES CONDITIONS EXPRESSES OU IMPLICITES, TOUTES REPRÉSENTATIONS ET TOUTES GARANTIES, Y COMPRIS TOUTE GARANTIE IMPLICITE D'APTITUDE À LA VENTE, OU À UN BUT PARTICULIER OU DE NON CONTREFAÇON SONT EXCLUES, EXCEPTÉ DANS LA MESURE OÙ DE TELLES EXCLUSIONS SERAIENT CONTRAIRES À LA LOI.



Contents

Purpose of this Guide	9
Contents of this Guide	10
Prerequisite Reading	10
Conventions Used in This Book	10
Related Information	11
Chapter 1 About Schema	13
Schema Definition	13
Object Classes	13
Required and Allowed Attributes	14
Object Class Inheritance	15
Attributes	15
Attribute Syntax	15
Single-Valued and Multi-Valued Attributes	17
Schema Supported by Directory Server 5.1	17
Object Identifiers (OIDs)	19
Extending Server Schema	20
Schema Checking	20
Chapter 2 Object Class Reference	21
account	22
alias	23
cosClassicDefinition	24
cosDefinition	25
cosIndirectDefinition	26
cosPointerDefinition	27
cosSuperDefinition	28
cosTemplate	29
country	30
dcObject	31

device	32
document	33
documentSeries	35
domain	36
domainRelatedObject	38
dSA	39
extensibleObject	40
friendlyCountry	41
groupOfCertificates	42
groupOfNames	43
groupOfUniqueNames	44
groupOfURLs	45
inetOrgPerson	46
labeledURIObject	49
locality	50
newPilotPerson	51
nsComplexRoleDefinition	53
nsFilteredRoleDefinition	54
nsLicenseUser	55
nsManagedRoleDefinition	56
nsNestedRoleDefinition	57
nsRoleDefinition	58
nsSimpleRoleDefinition	59
organization	60
organizationalPerson	62
organizationalRole	64
organizationalUnit	66
person	68
pilotObject	69
pilotOrganization	70
residentialPerson	72
RFC822LocalPart	74
room	76
strongAuthenticationUser	77
simpleSecurityObject	78
Chapter 3 Attribute Reference	79
abstract	80
aliasedObjectName	80
associatedDomain	80
associatedName	81
audio	81
authorCn	82

authorSn	82
authorityRevocationList	83
buildingName	83
businessCategory	83
c (countryName)	84
CACertificate	84
carLicense	85
certificateRevocationList	85
cn (commonName)	86
co (friendlyCountryName)	86
cosAttribute	87
cosIndirectSpecifier	87
cosPriority	88
cosSpecifier	88
cosTargetTree	88
cosTemplateDn	89
crossCertificatePair	89
dc (domainComponent)	90
deltaRevocationList	90
departmentNumber	91
description	91
destinationIndicator	91
displayName	92
dITRedirect	92
dmdName	93
dn (distinguishedName)	93
dNSRecord	94
documentAuthor	94
documentIdentifier	94
documentLocation	95
documentPublisher	95
documentStore	96
documentTitle	96
documentVersion	96
drink (favouriteDrink)	97
dSAQuality	97
employeeNumber	98
employeeType	98
enhancedSearchGuide	98
fax (facsimileTelephoneNumber)	99
generationQualifier	99
givenName	100
homePhone	100

homePostalAddress	101
host	101
houseIdentifier	102
info	102
initials	102
internationaliSDNNumber	103
janetMailbox	103
jpegPhoto	104
keyWords	104
knowledgeInformation	104
l (localityName)	105
labeledURI	105
lastModifiedBy	106
lastModifiedTime	106
mail	107
mailPreferenceOption	107
manager	108
member	108
memberCertificateDescription	109
memberURL	110
mobile	110
multiLineDescription	111
name	111
nsLicensedFor	112
nsLicenseEndTime	112
nsLicenseStartTime	113
o (organizationName)	113
objectClass	113
obsoletedByDocument	114
obsoletesDocument	114
organizationalStatus	115
otherMailbox	115
ou (organizationUnitName)	116
owner	116
pager	116
personalSignature	117
personalTitle	117
photo	118
physicalDeliveryOfficeName	118
postalAddress	119
postalCode	119
postOfficeBox	120
preferredDeliveryMethod	120

preferredLanguage	120
presentationAddress	121
protocolInformation	121
ref	122
registeredAddress	122
roleOccupant	122
roomNumber	123
searchGuide	123
secretary	124
seeAlso	124
serialNumber	125
singleLevelQuality	125
sn (surname)	125
st (stateOrProvinceName)	126
street	126
subject	127
subtreeMaximumQuality	127
subtreeMinimumQuality	128
supportedAlgorithms	128
supportedApplicationContext	128
telephoneNumber	129
teletexTerminalIdentifier	129
telexNumber	130
textEncodedORAddress	130
title	131
ttl (timeToLive)	131
uid (userID)	132
uniqueIdentifier	132
uniqueMember	133
updatedByDocument	133
updatesDocument	134
userCertificate	134
userClass	135
userPassword	135
userPKCS12	136
userSMIMECertificate	136
x121Address	136
x500UniqueIdentifier	137
Chapter 4 Operational Attributes, Special Attributes and Special Object Classes	139
Operational Attributes	140
accountUnlockTime	140
aci	140

altServer	140
attributeTypes	141
copiedFrom	141
copyingFrom	142
dITContentRules	142
dITStructureRules	142
ldapSyntaxes	143
matchingRules	143
matchingRuleUse	144
nameForms	144
namingContexts	144
nsds5replconflict	145
nsRole	145
nsRoleDN	146
numSubordinates	147
objectClasses	147
passwordAllowChangeTime	147
passwordExpirationTime	148
passwordExpWarned	148
passwordHistory	148
passwordRetryCount	149
retryCountResetTime	149
subschemaSubentry	149
supportedControl	150
supportedExtension	150
supportedLDAPVersion	151
supportedSASLMechanisms	151
Special Object Classes	152
changeLogEntry	152
passwordObject	153
subschema	154
Special Attributes	155
changes	155
changeLog	155
changeNumber	155
changeTime	156
changeType	156
deleteOldRdn	157
newRdn	157
newSuperior	157
targetDn	158
Index	159

About this Reference Guide

iPlanet Directory Server 5.1 is a powerful and scalable distributed directory server based on the industry-standard Lightweight Directory Access Protocol (LDAP). iPlanet Directory Server is the cornerstone for building a centralized and distributed data repository that can be used in your intranet, over your extranet with your trading partners, or over the public Internet to reach your customers.

For the latest information about new features and enhancements in this release of iPlanet Directory Server, please see the online release notes at:

<http://docs.iplanet.com/docs/manuals/directory.html>

Purpose of this Guide

This *Schema Reference Guide* guide describes the standard schema for user directories provided with the iPlanet Directory Server. The schema defines the structure of the data stored in a directory. It determines the name and syntax of each attributes and which attributes are required or allowed in each object class.

This document lists all the object classes and attributes defined by the standard schema. It also lists the operational attributes in the server. The information provided here is intended for the administrator who manages and maintains the schema. For information about server specific schema, please refer to the *iPlanet Directory Server Configuration, Command, and File Reference*.

Contents of this Guide

Chapter 1, “About Schema” provides an overview of some of the basic concepts of the directory schema, and lists the files in which the schema is described. It describes object classes, attributes and Object Identifiers (OIDs), and briefly discusses extending server schema and schema checking.

Chapter 2, “Object Class Reference” contains an alphabetical list of the object classes accepted by the default schema. It gives a definition of each object class, and lists its required and allowed attributes.

Chapter 3, “Attribute Reference” contains an alphabetic list of the standard attributes. It gives a definition of each attribute, and gives the attribute syntax and OID.

Chapter 4, “Operational Attributes, Special Attributes and Special Object Classes” contains an alphabetical list of the operational attributes used by the server, and of some special object classes and attributes used by the server. It gives a definition of each attribute, and gives the attribute syntax and OID. It also gives a definition of each object class, and gives the list of required and allowed attributes.

Prerequisite Reading

This guide describes the standard schema and the standard object classes and attributes. However, this guide does not describe how to design, customize or maintain your schema, nor does it give any information on replication. Those concepts are described in the *iPlanet Directory Server Deployment Guide*. You should read that book before continuing with this manual.

When you are familiar with directory server schema concepts, and have done some preliminary planning for your directory service, you can install the iPlanet Directory Server. The instructions for installing the various Directory Server components are contained in the *iPlanet Directory Server Installation Guide*.

Preliminary planning includes deciding how to represent the data you store. You should choose predefined schema elements to meet as many of your needs as possible. These predefined schema elements are listed in this guide.

Conventions Used in This Book

This section explains the typographic conventions used in this book.

Monospaced font - This typeface is used for literal text, such as the names of attributes and object classes when they appear in text. It is also used for filenames and examples.

Italic font - In this reference guide, this typeface is used for attribute names and their description when they are inherited by an object class. It is also used for text that you must substitute for actual values, such as placeholders in path names.

NOTE Notes, Cautions and Tips highlight important conditions or limitations. Be sure to read this information before continuing.

This book uses the following format for paths and file names:

installDir/slapd-*serverID*/...

The actual path and server identifier will depend on your platform, your installation, and your configuration. The default path is platform-dependent:

Solaris 9 platform	<code>/var/ds5/slapd-<i>serverID</i>/...</code>
Other UNIX platforms	<code>/usr/iplanet/servers/slapd-<i>serverID</i>/...</code>
Windows platform	<code>C:\iPlanet\Servers\slapd-<i>serverID</i>\...</code>

Schema files are stored in the *installDir*/slapd-*serverID*/config/schema directory.

If you have installed the Directory Server in a different location, you should adapt the path accordingly. *serverID* represents the server identifier you gave the server when you installed it. For example, if you gave the name `phonebook` to your directory server, then the actual path would be:

Solaris 9 platform	<code>/var/ds5/slapd-phonebook/...</code>
Other UNIX platforms	<code>/usr/iplanet/servers/slapd-phonebook/...</code>
Windows platform	<code>C:\iPlanet\Servers\slapd-phonebook\...</code>

Most paths and commands specified in this manual are in UNIX format. If you are using a Windows-based version of Directory Server, use equivalent paths and commands. All commands on Windows platforms have the same name with the `.exe` or `.bat` extension.

Related Information

The document set for iPlanet Directory Server also contains the following guides:

iPlanet Directory Server Installation Guide. Procedures for installing your Directory Server as well as procedures for migrating your Netscape Directory Server to iPlanet Directory Server.

iPlanet Directory Server Deployment Guide. Provides an overview for planning your deployment of the Directory Server. Includes deployment examples.

iPlanet Directory Server Configuration, Command, and File Reference. Provides reference information on the command-line scripts, configuration attributes, and log files shipped with Directory Server.

iPlanet Server Administrator's Guide. Procedures for managing directory contents and maintaining your directory server. Includes information on configuring server-side plug-ins.

Other useful information can be found on the following Web sites:

- **iPlanet product documentation online:**
<http://docs.iplanet.com/docs/manuals/>
- **iPlanet product status:**
http://www.iplanet.com/support/technical_resources/
- **iPlanet Professional Services information:**
http://www.iplanet.com/services/professional_services_3_3.html
- **Sun Enterprise Services for Solaris patches and support:**
<http://www.sun.com/service/>
- **iPlanet developer information:**
<http://developer.iplanet.com/>
- **iPlanet learning solutions:**
<http://www.iplanet.com/learning/index.html>
- **iPlanet product data sheets:**
<http://www.iplanet.com/products/index.html>

About Schema

This chapter provides an overview of some of the basic concepts of the directory schema, and lists the files in which the schema is described. It describes object classes, attributes and Object Identifiers (OIDs), and briefly discusses extending server schema and schema checking.

Schema Definition

The directory schema is a set of rules that defines how the data can be stored in the directory. The data is stored in the form of directory entries. Each entry is a set of attributes and their values. Each entry must have an object class. The object class specifies the kind of object the entry describes and defines the set of attributes it contains. The schema defines the type of entries allowed, their attribute structure and the syntax of the attributes. The schema can be modified and extended if it does not meet your required needs.

To find detailed information about object classes, attributes, and how the Directory Server uses the schema, please refer to the *iPlanet Directory Server Deployment Guide*.

Object Classes

In LDAP, an object class defines the set of attributes that can be used to define an entry. The LDAP standard provides some basic types of object classes, including:

- Groups, including unordered lists of individual objects or groups of objects.
- Locations, such as the country name and description.
- Organizations.
- People.

- Devices.

Object classes may be subdivided into three types:

- **Structural:** indicates the attributes that the entry may have and where each entry may occur in the DIT. This object class represents the corresponding real world object. Entries must belong to a structural object class, so most object classes are structural object classes.
- **Auxiliary:** indicates the attributes that the entry may have. Does not represent a real world object, but represents additional attributes that can be associated with some structural object class to supplement its specification. Each entry, while belonging to only a single structural object class, may belong to zero or more auxiliary object classes.
- **Abstract:** defined purely for the purpose of serving as a superclass or template for other (structural) object classes. It is a way of conveniently collecting together a set of attributes which it is known will be common to a set of structural object classes, in order that these classes may be derived as subclasses of the abstract class rather than being defined from scratch. Note that an entry may not belong to an abstract object class.

Note that the Directory Server currently does not distinguish between structural and auxiliary object classes.

Required and Allowed Attributes

Every object class includes a number of required attributes and of allowed attributes. Required attributes include the attributes that must be present in entries using the object class. All entries require the `objectClass` attribute, which defines the object classes assigned to the entry.

Allowed attributes include the attributes that may be present in entries using the object class.

Example: Object Class = person

Required Attributes

```
objectClass
cn (common name)
sn (surname)
```

Allowed Attributes

```
description
seeAlso
telephoneNumber
userPassword
```

Object Class Inheritance

Each entry should be assigned to one structural object class. All object classes inherit from `top`. They can also inherit from other object classes. The server's object class structure determines the list of required and allowed attributes for a particular entry. For example, a person entry is usually defined with the following object class structure:

```
objectClass: top
objectClass: person
objectClass: organizationalPerson
objectClass: inetOrgperson
```

In this structure, the `inetOrgperson` inherits from the `organizationalPerson` and `person` object classes. Therefore, when you assign the `inetOrgperson` object class to an entry, it automatically inherits the required and allowed attributes from the superior object class.

Note: Object class inheritance is dependant on the order in which the object classes appear in the `.ldif` file. The order in which object classes appear in the `.ldif` file must be consistent with the object class hierarchy, otherwise the server will not start. An object class which inherits from another object class must therefore appear *after* this object class in the `.ldif` file.

Attributes

Directory data is represented as attribute-value pairs. Any piece of information in the directory is associated with a descriptive attribute.

For instance, the `commonName`, or `cn`, attribute is used to store a person's name. A person named Barbara (Babs) Jensen can be represented in the directory as

```
cn: Babs Jensen
```

Each person entered in the directory can be defined by the collection of attributes in the `inetorgperson` object class. Other attributes used to define this entry could include:

```
givenname: Barbara
surname: Jensen
mail: bjensen@siroe.com
```

Attribute Syntax

Each attribute has a syntax definition that describes the type of information provided by the attribute.

Attribute syntax is used by the Directory Server to perform sorting and pattern matching.

Table 1-1 lists the different syntax methods that can be applied to attributes, and gives an OID and a definition for each syntax method.

Table 1-1 Attribute Syntax

Syntax and OID	Definition
Binary 1.3.6.1.4.1.1466.115.121.1.5	Indicates that values for this attribute are binary.
Boolean 1.3.6.1.4.1.1466.115.121.1.7	Indicates that this attribute has one of only two values: <code>True</code> or <code>False</code> .
Country String 1.3.6.1.4.1.1466.115.121.1.11	Indicates that values for this attribute are limited to exactly two printable string characters, for example <code>fr</code> .
DN 1.3.6.1.4.1.1466.115.121.1.12	Indicates that values for this attribute are DNs (distinguished names).
DirectoryString 1.3.6.1.4.1.1466.115.121.1.15	Indicates that values for this attribute are not case sensitive.
GeneralizedTime 1.3.6.1.4.1.1466.115.121.1.24	Indicates that values for this attribute are encoded as printable strings. The time zone must be specified. It is strongly recommended to use GMT.
IA5String 1.3.6.1.4.1.1466.115.121.1.26	Indicates that values for this attribute are case sensitive.
INTEGER 1.3.6.1.4.1.1466.115.121.1.27	Indicates that valid values for this attribute are numbers.
OctetString 1.3.6.1.4.1.1466.115.121.1.40	Same behavior as binary.
Postal Address 1.3.6.1.4.1.1466.115.121.1.41	Indicates that values for this attribute are encoded as <div style="text-align: center;"><i>dstring</i>[\$ <i>dstring</i>] *</div> where each <i>dstring</i> component is encoded as a value with DirectoryString syntax. Backslashes and dollar characters within <i>dstring</i> must be quoted, so that they will not be mistaken for line delimiters. Many servers limit the postal address to 6 lines of up to thirty characters. For example: <div style="text-align: center;">1234 Main St.\$Anytown, TX 12345\$USA</div>
TelephoneNumber 1.3.6.1.4.1.1466.115.121.1.50	Indicates that values for this attribute are in the form of telephone numbers. It is recommended to use telephone numbers in international form.

Table 1-1 Attribute Syntax

Syntax and OID	Definition
URI 1.3.6.1.4.1.250.1.57	Indicates that the values for this attribute are in the form of a URL, introduced by a string such as <code>http://</code> , <code>https://</code> , <code>ftp</code> , <code>LDAP</code> . The URI has the same behavior as <code>IA5String</code> . See RFC 2396.

Single-Valued and Multi-Valued Attributes

By default, most attributes are multi-valued. This means that an entry can contain the same attribute with multiple values. For example, `cn`, `tel` and `objectClass` are all attributes that can have more than one value. Attributes that are single-valued—that is, only one instance of the attribute can be specified—are noted as such. For example, `uidNumber` can only have one possible value.

Schema Supported by Directory Server 5.1

The schema provided with iPlanet Directory Server 5.1 is described in a set of files stored in the following directory:

- `/var/ds5/slapd-serverID/config/schema` on the Solaris 9 platform
- `/usr/iplanet/servers/slapd-serverID/config/schema` on Solaris 8 and other UNIX platforms
- `C:\iPlanet\Servers\slapd-serverID\config\schema` on Windows platforms

You can modify the schema by creating new object classes and attributes. These modifications are stored in a separate file called `99user.ldif`. You should not modify the standard files provided with the Directory Server, because you incur the risk of breaking compatibility with other iPlanet products, or of causing interoperability problems with directory servers from other vendors than iPlanet.

For more information about how the Directory Server stores information and suggestions for planning directory schema, refer to the *iPlanet Directory Server Deployment Guide*.

The following tables list the schema files that are provided with iPlanet Directory Server. Table 1-2 lists the schema files that are used by the Directory Server. Table 1-3 lists the schema files that are used by other iPlanet products.

Table 1-2 Schema Files used by Directory Server

Schema Filename	Purpose
00core.ldif	Recommended core schema from the X.500 and LDAP standards (RFCs), and schema used by the Directory Server itself
05rfc2247.ldif	Schema from RFC 2247 and related pilot schema "Using Domains in LDAP/X.500 Distinguished Names"
05rfc2927.ldif	Schema from RFC 2927 "MIME Directory Profile for LDAP Schema"
10rfc2307.ldif	Schema from RFC 2307 "An Approach for Using LDAP as a Network Information Service"
20subscriber.ldif	Common schema elements for iPlanet-Nortel subscriber interoperability
25java-object.ldif	Schema from RFC 2713 "Schema for Representing Java(tm) Objects in an LDAP Directory"
28pilot.ldif	Schema from the pilot RFCs, especially RFC 1274, that is no longer recommended by iPlanet for use in new deployments.
30ns-common.ldif	Common iPlanet schema
50ns-directory.ldif	Additional schema used by iPlanet Directory Server 4.x
50ns-value.ldif	iPlanet servers "value item" schema
99user.ldif	Customer modifications to the schema

Table 1-3 Schema Files used by other iPlanet Products

Schema Filenames	Purpose
50iplanet-servicemgt.ldif	iPlanet service management schema elements
50ns-admin.ldif	Schema used by iPlanet Administration Services
50ns-calendar.ldif	iPlanet Calendar Server schema
50ns-certificate.ldif	Schema for iPlanet Certificate Management System
50ns-compass.ldif	Schema for the Netscape Compass Server
50ns-delegated-admin.ldif	Schema for iPlanet Delegated Administrator 4.5

Table 1-3 Schema Files used by other iPlanet Products

Schema Filenames	Purpose
50ns-legacy.ldif	Legacy Netscape Schema
50ns-mail.ldif	Schema for iPlanet Messaging Server
50ns-mcd-browser.ldif	Schema for Netscape Mission Control Desktop - Browser
50ns-mcd-config.ldif	Schema for Netscape Mission Control Desktop - Configuration
50ns-mcd-li.ldif	Schema for Netscape Mission Control Desktop - Location Independence
50ns-mcd-mail.ldif	Schema for Netscape Mission Control Desktop - Mail
50ns-media.ldif	Schema for Netscape Media Server
50ns-mlm.ldif	Schema for iPlanet Mailing List Manager
50ns-msg.ldif	Schema for iPlanet Web Mail
50ns-netshare.ldif	Schema for iPlanet Netshare
50ns-news.ldif	Schema for iPlanet Collabra Server.
50ns-proxy.ldif	Schema for iPlanet Proxy Server
50ns-wcal.ldif	Schema for iPlanet Web Calendaring
50ns-web.ldif	Schema for iPlanet Web Server

Object Identifiers (OIDs)

Object identifiers (OIDs) are assigned to all attributes and object classes to conform to the LDAP and X.500 standards. An OID is a sequence of integers, typically written as a dot-separated string. When no OID is specified, the Directory Server automatically uses *ObjectClass_name-oid* and *attribute_name-oid*.

The Netscape base OID is 2.16.840.1.113730.

The base OID for the iPlanet Directory Server is 2.16.840.1.113730.3.

All iPlanet-defined attributes have the base OID of 2.16.840.1.113370.3.1.

All iPlanet-defined object classes have the base OID of 2.16.840.1.113730.3.2.

For more information about OIDs, or to request a prefix for your enterprise, please go to the IANA (Internet Assigned Number Authority) website at <http://www.iana.org/>.

Extending Server Schema

The Directory Server schema includes hundreds of object classes and attributes that can be used to meet most of your requirements. This schema can be extended with new object classes and attributes that meet evolving requirements for the directory service in the enterprise.

When adding new attributes to the schema, a new object class should be created to contain them (adding a new attribute to an existing object class can compromise the Directory Server's compatibility with existing LDAP clients that rely on the standard LDAP schema and may cause difficulties when upgrading the server).

For more information about extending server schema, refer to the *iPlanet Directory Server Deployment Guide*.

Schema Checking

You should run Directory Server with schema checking turned on.

The schema checking capability of iPlanet Directory Server checks entries when you add them to the directory or when you modify them, to verify that:

- Object classes and attributes in the entry are defined in the directory schema
- Attributes required for an object class are contained in the entry
- Only attributes allowed by the object class are contained in the entry

Schema checking also occurs when importing a database using LDIF. For more information, refer to the *iPlanet Directory Server Administrator's Guide*.

Object Class Reference

This chapter contains an alphabetical list of the object classes accepted by the default schema. It gives a definition of each object class, and lists its required and allowed attributes. The object classes listed in this chapter are available for you to use to support your own information in the Directory Server. Object classes that are used by the Directory Server or other iPlanet products for internal operations are not documented here. For information about these object classes, please refer to the *iPlanet Directory Server Configuration, Command, and File Reference*. When an object class inherits attributes from other object classes, the inherited attributes are shown in italics. An object class which inherits from another object class must appear *after* this object class in the `.ldif` file, otherwise the server will not start.

account

Definition

Used to define entries representing computer accounts.

This object class is defined in RFC 1274.

Superior Class

top

OID

0.9.2342.19200300.100.4.5

Required Attributes

<i>objectClass</i>	<i>Defines the object class for the entry.</i>
uid (userID)	Identifies the account's user ID.

Allowed Attributes

description	Text description of the entry.
host	Hostname of the computer on which the account resides.
l (localityName)	Place in which the account is located.
o (organizationName)	Organization to which the account belongs.
ou (organizationUnitName)	Organizational unit to which the account belongs.
seeAlso	DN to information relevant to the account.

alias

Definition

Used to point to other entries in the directory tree.

Note: Alias dereferencing is not supported in iPlanet Directory Server.

This object class is defined in RFC 2256.

Superior Class

top

OID

2.5.6.1

Required Attributes

objectClass

Defines the object classes for the entry.

aliasedObjectName

Distinguished name of the entry for which this entry is an alias.

cosClassicDefinition

Definition

Identifies the template entry using both the template entry's DN (as specified in the `cosTemplateDn` attribute) and the value of one of the target entry's attributes (as specified in the `cosSpecifier` attribute).

This object class is defined in iPlanet Directory Server.

Superior Class

`cosSuperDefinition`

OID

2.16.840.1.113730.3.2.100

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
<i>cosAttribute</i>	<i>Provides the name of the attribute for which you want to generate a value. You can specify more than one cosAttribute value.</i>

Allowed Attributes

<i>cn (commonName)</i>	<i>Common name of the entry.</i>
<i>cosSpecifier</i>	<i>Specifies the attribute value used by a classic CoS, which, along with the template entry's DN, identifies the template entry.</i>
<i>cosTemplateDn</i>	<i>Provides the DN of the template entry associated with the CoS definition.</i>
<i>description</i>	<i>Text description of the entry.</i>

cosDefinition

Definition

Defines the Class of Services you are using. This object class is supported in order to provide compatibility with the DS4.1 CoS Plugin.

This object class is defined in iPlanet Directory Server

Superior Class

top

OID

2.16.840.1.113730.3.2.84

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
--------------------	--

Allowed Attributes

aci	Evaluates what rights are granted or denied when the directory server receives an LDAP request from a client.
cn (commonName)	Common name of the entry.
cosAttribute	Provides the name of the attribute for which you want to generate a value. You can specify more than one <code>cosAttribute</code> value.
cosSpecifier	Specifies the attribute value used by a classic CoS, which, along with the template entry's DN, identifies the template entry.
cosTargetTree	Determines the subtrees of the DIT to which the CoS schema applies.
cosTemplateDn	Provides the DN of the template entry associated with the CoS definition.
uid (userID)	Identifies the user id.

cosIndirectDefinition

Definition

Identifies the template entry using the value of one of the target entry's attributes. The attribute of the target entry is specified in the `cosIndirectSpecifier` attribute.

This object class is defined in iPlanet Directory Server.

Superior Class

`cosSuperDefinition`

OID

2.16.840.1.113730.3.2.102

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
<i>cosAttribute</i>	<i>Provides the name of the attribute for which you want to generate a value. You can specify more than one cosAttribute value.</i>

Allowed Attributes

<i>cn (commonName)</i>	<i>Common name of the entry.</i>
<i>cosIndirectSpecifier</i>	<i>Specifies the attribute value used by an indirect CoS to identify the template entry.</i>
<i>description</i>	<i>Text description of the entry.</i>

cosPointerDefinition

Definition

Identifies the template entry associated with the CoS definition using the template entry's DN value. The DN of the template entry is specified in the `cosTemplateDn` attribute.

This object class is defined in iPlanet Directory Server.

Superior Class

`cosSuperDefinition`

OID

2.16.840.1.113730.3.2.101

Required Attributes

objectClass

Defines the object classes for the entry.

cosAttribute

Provides the name of the attribute for which you want to generate a value. You can specify more than one cosAttribute value.

Allowed Attributes

cn (commonName)

Common name of the entry.

cosTemplateDn

Provides the DN of the template entry associated with the CoS definition.

description

Text description of the entry.

cosSuperDefinition

Definition

All CoS definition object classes inherit from the `cosSuperDefinition` object class.

This object class is defined in iPlanet Directory Server.

Superior Class

`ldapSubEntry`

OID

2.16.840.1.113730.3.2.99

Required Attributes

objectClass

Defines the object classes for the entry.

`cosAttribute`

Provides the name of the attribute for which you want to generate a value. You can specify more than one `cosAttribute` value

Allowed Attributes

cn (commonName)

Common name of the entry.

`description`

Text description of the entry.

cosTemplate

Definition

Contains a list of the shared attribute values.

This object class is defined in iPlanet Directory Server.

Superior Class

top

OID

2.16.840.1.113730.3.2.128

Required Attributes

objectClass

Defines the object classes for the entry.

Allowed Attributes

cn (commonName)

Common name of the entry.

cosPriority

Specifies which template provides the attribute value, when CoS templates compete to provide an attribute value.

country

Definition

Used to define entries that represent countries.

This object class is defined in RFC 2256.

Superior Class

top

OID

2.5.6.2

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
c (countryName)	Contains the two-character code representing country names, as defined by ISO, in the directory.

Allowed Attributes

description	Text description of the country.
searchGuide	Specifies information for suggested search criteria when using the entry as the base object in the directory tree for a search operation.

dcObject

Definition

Defines a domain component, such as a network domain that is associated with the entry. This object class is defined as auxiliary because it is commonly used in combination with another object class, such as `organization`, `organizationUnit`, or `locality`. For example:

```
dn: ou=Engineering,dc=siroe,dc=com
objectClass: top
objectClass: organizationalUnit
objectClass: dcObject
ou: Engineering
dc: eng
```

This object class is defined in RFC 2247.

NOTE Suffixes often contain the `dc` attribute, such as `dc=siroe,dc=com` in the example above. Suffixes use the `dc` attribute to suggest that the directory they represent is associated with a certain domain. However, the suffix is a string associated with a database and is not related to the `dcObject` object class.

Superior Class

`top`

OID

1.3.6.1.4.1.1466.344

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
<code>dc</code> (domainComponent)	One component of a domain name.

See Also

`domain`

device

Definition

Used to store information about network devices, such as printers, in the directory.

This object class is defined in RFC 2256.

Superior Class

top

OID

2.5.6.14

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
cn (commonName)	The common name of the series.

Allowed Attributes

description	Text description of the device.
l (localityName)	Place in which the device is located.
o (organizationName)	Organization to which the device belongs.
ou (organizationUnitName)	Organizational unit to which the device belongs.
owner	Distinguished name of the person responsible for the device.
seeAlso	DN to information relevant to the device.
serialNumber	Serial number of the device.

document

Definition

Used to define entries which represent documents in the directory.

This object class is defined in RFC 1274.

Superior Class

top

OID

0.9.2342.19200300.100.4.6

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
documentIdentifier	Unique identifier for a document.

Allowed Attributes

abstract	Abstract of the document.
audio	Stores a sound file in binary format.
authorCn	Author's common or given name.
authorSn	Author's surname.
cn (commonName)	Common name of the document.
description	Text description of the document.
dITRedirect	Distinguished name to use as a redirect for the entry.
documentAuthor	Distinguished name of the document author.
documentLocation	Location of the original document.
documentPublisher	Person or organization that published the document.
documentStore	Not defined.
documentTitle	The document's title.
documentVersion	The document's version number.
info	Information about the object.
jpegPhoto	Photo in jpeg format.

keyWords	Keywords that describe the document.
l (localityName)	Place in which the document is located.
lastModifiedBy	Distinguished name of the last user to modify the document.
lastModifiedTime	Last time the document was modified.
manager	Distinguished name of the object's manager.
o (organizationName)	Organization to which the document belongs.
obsoletedByDocument	Distinguished name of a document that obsoletes this document.
obsoletesDocument	Distinguished name of a document that is obsoleted by this document.
ou (organizationUnitName)	Organizational unit to which the document belongs.
photo	Photo of the document, in binary form.
seeAlso	DN to information relevant to the document.
subject	Subject of the document.
uniqueIdentifier	Specific item used to distinguish between two entries when a distinguished name has been reused.
updatedByDocument	Distinguished name of a document that is an updated version of this document.
updatesDocument	Distinguished name of a document for which this document is an updated version.

documentSeries

Definition

Used to define an entry that represents a series of documents.

This object class is defined in RFC 1274.

Superior Class

top

OID

0.9.2342.19200300.100.4.9

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
cn (commonName)	The common name of the series.

Allowed Attributes

description	Text description of the series.
l (localityName)	Place in which the series is located.
o (organizationName)	Organization to which the series belongs.
ou (organizationUnitName)	Organizational unit to which the series belongs.
seeAlso	DN to information relevant to the series.
telephoneNumber	Telephone number of the person responsible for the series.

domain

Definition

Used to represent Internet Domains (for example, `siroe.com`). The `domainComponent` attribute should be used for naming entries of this object class.

The domain object class can only be used with an entry that does not correspond to an organization, organizational unit or other type of object for which an object class has been defined. The domain object class requires that the `domainComponent` attribute be present, and allows several other attributes to be present in the entry. These allowed attributes are used to describe the object represented by the domain, and may also be useful when searching.

This object class is defined in RFC 2247.

Superior Class

top

OID

0.9.2342.19200300.100.4.13

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
dc (domainComponent)	One component of a domain name.

Allowed Attributes

associatedName	Entry in the organizational directory tree associated with a DNS domain.
businessCategory	Type of business in which this domain is engaged.
description	Text description of the domain.
destinationIndicator	Country and city associated with the entry needed to provide Public Telegram Service.
fax (facsimileTelephoneNumber)	Domain's fax number.
internationaliSDNNumber	Domain's ISDN number.
l (localityName)	Place in which the domain is located.

<code>o (organizationName)</code>	Organization to which the domain belongs.
<code>physicalDeliveryOfficeName</code>	Location where physical deliveries can be made.
<code>postOfficeBox</code>	Domain's post office box.
<code>postalAddress</code>	Domain's mailing address.
<code>postalCode</code>	The postal code for this address (such as a United States zip code).
<code>preferredDeliveryMethod</code>	Domain's preferred method of contact or delivery.
<code>registeredAddress</code>	Postal address suitable for reception of expedited documents, where the recipient must verify delivery.
<code>searchGuide</code>	Specifies information for suggested search criteria when using the entry as the base object in the directory tree for a search operation.
<code>seeAlso</code>	DN to information relevant to the domain.
<code>st (stateOrProvinceName)</code>	State or province in which the domain is located.
<code>street</code>	Street address in which the domain is located.
<code>telephoneNumber</code>	Domain's telephone number.
<code>teletexTerminalIdentifier</code>	Identifier for a domain's teletex terminal.
<code>telexNumber</code>	Domain's telex number.
<code>userPassword</code>	Password with which the entry can bind to the directory.
<code>x121Address</code>	X.121 address of the domain.

See Also

`dcObject`

domainRelatedObject

Definition

Used to define entries which represent DNS/NRS domains which are “equivalent” to an X.500 domain, for example, an organization or organizational unit.

This object class is defined in RFC 1274.

Superior Class

top

OID

0.9.2342.19200300.100.4.17

Required Attributes

objectClass

Defines the object classes for the entry.

associatedDomain

Specifies a DNS domain associated with an object in the directory tree.

dSA

Definition

Used to define entries representing Directory Server Agents.

This object class is defined in RFC 1274.

Superior Class

top

OID

2.5.6.13

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
cn (commonName)	The Directory Server Agent's common name.
presentationAddress	Contains an OSI presentation address for the entry.

Allowed Attributes

description	Text description of the series.
knowledgeInformation	This attribute is no longer used.
l (localityName)	Place in which the series is located.
o (organizationName)	Organization to which the series belongs.
ou (organizationUnitName)	Organizational unit to which the series belongs.
seeAlso	DN to information relevant to the series.
supportedApplicationContext	This attribute contains the identifiers of OSI application contexts.

extensibleObject

Definition

When present in an entry, permits the entry to optionally hold any attribute. The allowed attribute list of this class is implicitly the set of all attributes known to the server.

This object class is defined in RFC 2252.

Superior Class

top

OID

1.3.6.1.4.1.1466.101.120.111

Required Attributes

objectClass

Defines the object classes for the entry.

Allowed Attributes

All attributes known to the server.

friendlyCountry

Definition

Used to define country entries in the directory tree. This object class is used to allow more user-friendly country names than those allowed by the country object class.

This object class is defined in RFC 1274.

Superior Class

top

OID

0.9.2342.19200300.100.4.18

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
co (friendlyCountryName)	Stores the name of a country.
c (countryName)	Contains the two-character code representing country names, as defined by ISO, in the directory.

Allowed Attributes

description	Text description of the country.
searchGuide	Specifies information for suggested search criteria when using the entry as the base object in the directory tree for a search operation.

groupOfCertificates

Definition

Used to describe a set of X.509 certificates. Any certificate that matches one of the memberCertificateDescription values is considered a member of the group.

This object class is defined in iPlanet Directory Server.

Superior Class

top

OID

2.16.840.1.113730.3.2.31

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
cn (commonName)	The group's common name.

Allowed Attributes

businessCategory	Type of business in which the group is engaged.
description	Text description of the group's purpose.
memberCertificateDescription	Values used to determine if a particular certificate is a member of this group.
o (organizationName)	Organization to which the group of certificates belongs.
ou (organizationUnitName)	Organizational unit to which the group belongs.
owner	Distinguished name of the person responsible for the group.
seeAlso	DN to information relevant to the group.

groupOfNames

Definition

Used to define entries for a group of names.

Note: The definition in iPlanet Directory Server differs from the standard definition. In the standard definition, member is a required attribute. In iPlanet Directory Server member is an allowed attribute. iPlanet Directory Server therefore allows a group to have no member.

This object class is defined in RFC 2256.

Superior Class

top

OID

2.5.6.9

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
cn (commonName)	The group's common name.

Allowed Attributes

businessCategory	Type of business in which the group is engaged.
description	Text description of the group's purpose.
member	Distinguished name of a group member.
o (organizationName)	Organization to which the group belongs.
ou (organizationUnitName)	Organizational unit to which the group belongs.
owner	Distinguished name of the person responsible for the group.
seeAlso	DN to information relevant to the group.

groupOfUniqueNames

Definition

Used to define entries for a group of unique names.

This object class is defined in RFC 2256.

Superior Class

top

OID

2.5.6.17

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
cn (commonName)	The group's common name.

Allowed Attributes

businessCategory	Type of business in which the group is engaged.
description	Text description of the group's purpose.
o (organizationName)	Organization to which the group belongs.
ou (organizationUnitName)	Organizational unit to which the group belongs.
owner	Distinguished name of the person responsible for the group.
seeAlso	DN to information relevant to the group.
uniqueMember	Distinguished name of a unique group member.

groupOfURLs

Definition

An auxiliary object class of groupOfUniqueNames or groupOfNames. The group consists of a list of labeled URLs. Not supported by Netscape Directory Server 3.0.

This object class is defined in iPlanet Directory Server.

Superior Class

top

OID

2.16.840.1.113730.3.2.33

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
cn (commonName)	The group's common name.

Allowed Attributes

businessCategory	Type of business in which the group is engaged.
description	Text description of the group's purpose.
memberURL	URL associated with each member of the group.
o (organizationName)	Organization to which the group belongs.
ou (organizationUnitName)	Organizational unit to which the group belongs.
owner	Distinguished name of the person responsible for the group.
seeAlso	DN to information relevant to the group.

inetOrgPerson

Definition

Used to define entries representing people in an organization's enterprise network.

This object class is defined in RFC 2798.

Superior Class

organizationalPerson

OID

2.16.840.1.113730.3.2.2

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
<i>cn (commonName)</i>	<i>The person's common name.</i>
<i>sn (surname)</i>	<i>The person's surname, or last name.</i>

Allowed Attributes

audio	Stores a sound file in binary format.
businessCategory	Type of business in which the person is engaged.
carLicense	The license plate number of the person's vehicle.
departmentNumber	Department for which the person works.
<i>description</i>	<i>Text description of the person.</i>
<i>destinationIndicator</i>	<i>Country and city associated with the entry needed to provide Public Telegram Service.</i>
displayName	Preferred name of a person to be used when displaying entries.
employeeNumber	The person's employee number.
employeeType	The person's type of employment (for example, full time).
<i>fax (facsimileTelephoneNumber)</i>	<i>The person's fax number.</i>
givenName	The person's given, or first, name.
homePhone	The person's home phone number.

homePostalAddress	The person's home mailing address.
initials	The person's initials.
<i>internationalISDNNumber</i>	<i>The person's ISDN number.</i>
jpegPhoto	Photo in JPEG format.
<i>l (localityName)</i>	<i>Place in which the person is located.</i>
labeledURI	Universal Resource Identifier that is relevant to the person.
mail	The person's email address.
manager	Distinguished name of the object's manager.
mobile	The person's mobile phone number.
o (organizationName)	Organization to which the person belongs.
<i>ou (organizationUnitName)</i>	<i>Organizational unit to which the person belongs.</i>
pager	The person's pager number.
photo	Photo of the person, in binary form.
<i>physicalDeliveryOfficeName</i>	<i>Location where physical deliveries can be made to the person.</i>
<i>postOfficeBox</i>	<i>The person's post office box.</i>
<i>postalAddress</i>	<i>The person's mailing address.</i>
<i>postalCode</i>	<i>The postal code for this address (such as a United States zip code).</i>
<i>preferredDeliveryMethod</i>	<i>The person's preferred method of contact or delivery.</i>
preferredLanguage	The person's preferred written or spoken language.
<i>registeredAddress</i>	<i>Postal address suitable for reception of courier documents, where the recipient must verify delivery.</i>
roomNumber	The room number in which the person is located.
secretary	Distinguished name of the person's secretary or administrative assistant.
<i>seeAlso</i>	<i>DN to information relevant to the person.</i>
<i>st (stateOrProvinceName)</i>	<i>State or province in which the person is located.</i>
<i>street</i>	<i>Street address at which the person is located.</i>
<i>telephoneNumber</i>	<i>The person's telephone number.</i>
<i>teletexTerminalIdentifier</i>	<i>Identifier for the person's teletex terminal.</i>
<i>telexNumber</i>	<i>The person's telex number.</i>

<i>title</i>	<i>The person's job title.</i>
uid (userID)	Identifies the person's user id (usually the logon ID).
userCertificate	Stores a user's certificate in clear text (not used).
<i>userPassword</i>	<i>Password with which the entry can bind to the directory.</i>
userSMIMECertificate	Stores a user's certificate in binary form. Used by Netscape Communicator for S/MIME.
<i>x121Address</i>	<i>X.121 address of the person.</i>
x500UniqueIdentifier	Reserved.

labeledURIObject

Definition

This object class can be added to existing directory objects to allow for inclusion of URI values. This approach does not preclude including the labeledURI attribute type directly in other object classes as appropriate.

This object class is defined in RFC 2079.

Superior Class

top

OID

1.3.6.1.4.1.250.3.1

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
--------------------	--

Allowed Attributes

labeledURI	Universal Resource Identifier that is relevant to the entry.
------------	--

locality

Definition

Used to define entries that represent localities or geographic areas.

This object class is defined in RFC 2256.

Superior Class

top

OID

2.5.6.3

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
--------------------	--

Allowed Attributes

description	Text description of the locality.
l (localityName)	Place in which the entry is located.
searchGuide	Specifies information for a suggested search criteria when using the entry as the base object in the directory tree for a search operation.
seeAlso	DN to information relevant to the locality.
st (stateOrProvinceName)	State or province to which the locality belongs.
street	Street address associated with the locality.

newPilotPerson

Definition

Used as a subclass of person, to allow the use of a number of additional attributes to be assigned to entries of the person object class. Inherits cn and sn from the person object class.

This object class is defined in Internet White Pages Pilot.

Superior Class

person

OID

0.9.2342.19200300.100.4.4

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
<i>cn (commonName)</i>	<i>The person's common name.</i>
<i>sn (surname)</i>	<i>The person's surname, or last name.</i>

Allowed Attributes

businessCategory	Type of business in which this person is engaged.
<i>description</i>	<i>Text description of the person.</i>
drink (favouriteDrink)	The person's favorite drink.
homePhone	The person's home phone number.
homePostalAddress	The person's home mailing address.
janetMailbox	The person's email address.
mail	The person's email address.
mailPreferenceOption	Indicates a preference for inclusion of the person's name on mailing lists (electronic or physical). Not valid in Messaging server 4.0.
mobile	The person's mobile phone number.
organizationalStatus	The person's type of employment (for example, full time).

otherMailbox	Values for electronic mailbox types other than X.400 and rfc822.
pager	The person's pager number.
personalSignature	The person's signature file.
personalTitle	The person's personal title.
preferredDeliveryMethod	The person's preferred method of contact or delivery.
roomNumber	The person's room number.
secretary	Distinguished name of the person's secretary or administrative assistant.
<i>seeAlso</i>	<i>DN to information relevant to the person.</i>
<i>telephoneNumber</i>	<i>The person's telephone number.</i>
textEncodedORAddress	The person's text-encoded Originator/Recipient (X.400) address.
uid (userID)	Identifies the person's user id (usually the logon ID).
userClass	Category of user.
<i>userPassword</i>	<i>Password with which the entry can bind to the directory.</i>

nsComplexRoleDefinition

Definition

Any role that is not a simple role is, by definition, a complex role.

This object class is defined in iPlanet Directory Server.

Superior Class

nsRoleDefinition

OID

2.16.840.1.113730.3.2.95

Required Attributes

objectClass Defines the object classes for the entry.

Allowed Attributes

cn (commonName) The entry's common name.

description Text description of the entry.

nsFilteredRoleDefinition

Definition

Specifies assignment of entries to the role, depending upon the attributes contained by each entry.

This object class is defined in iPlanet Directory Server.

Superior Class

nsComplexRoleDefinition

OID

2.16.840.1.113730.3.2.97

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
nsRoleFilter	Specifies the filter assigned to an entry.

Allowed Attributes

<i>cn (commonName)</i>	<i>The entry's common name.</i>
<i>description</i>	<i>Text description of the entry.</i>

nsLicenseUser

Definition

Used to track licenses for Netscape servers that are licensed on a per-client basis. nsLicenseUser is intended to be used with the inetOrgPerson object class. You can manage the contents of this object class through the Users and Groups area of the Netscape Administration Server.

This object class is defined in iPlanet Administration Services.

Superior Class

top

OID

2.16.840.1.113730.3.2.7

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
--------------------	--

Allowed Attributes

nsLicensedFor	Netscape server that the user is licensed to use.
nsLicenseEndTime	Reserved for future use.
nsLicenseStartTime	Reserved for future use.

nsManagedRoleDefinition

Definition

Specifies assignment of a role to an explicit, enumerated list of members.

This object class is defined in iPlanet Directory Server.

Superior Class

nsSimpleRoleDefinition

OID

2.16.840.1.113730.3.2.96

Required Attributes

objectClass *Defines the object classes for the entry.*

Allowed Attributes

cn (commonName) *The entry's common name.*

description *Text description of the entry.*

nsNestedRoleDefinition

Definition

Specifies containment of one or more roles of any type within the role.

This object class is defined in iPlanet Directory Server.

Superior Class

nsComplexRoleDefinition

OID

2.16.840.1.113730.3.2.98

Required Attributes

objectClass

Defines the object classes for the entry.

nsRoleDN

Specifies the roles assigned to an entry.

Allowed Attributes

cn (commonName)

The entry's common name.

description

Text description of the entry.

nsRoleDefinition

Definition

All role definition object classes inherit from the `nsRoleDefinition` object class.

This object class is defined in iPlanet Directory Server.

Superior Class

`ldapSubEntry`

OID

2.16.840.1.113730.3.2.93

Required Attributes

objectClass *Defines the object classes for the entry.*

Allowed Attributes

cn (commonName) *The entry's common name.*

description Text description of the entry.

nsSimpleRoleDefinition

Definition

Roles containing this object class are called simple roles because they have a deliberately limited flexibility, which makes it easy to:

- Enumerate the members of a role.
- Determine whether a given entry possesses a particular role.
- Enumerate all the roles possessed by a given entry.
- Assign a particular role to a given entry.
- Remove a particular role from a given entry.

This object class is defined in iPlanet Directory Server.

Superior Class

nsRoleDefinition

OID

2.16.840.1.113730.3.2.94

Required Attributes

objectClass *Defines the object classes for the entry.*

Allowed Attributes

cn (commonName) *The entry's common name.*

description *Text description of the entry.*

organization

Definition

Used to define entries that represent organizations. An organization is generally assumed to be a large, relatively static grouping within a larger corporation or enterprise.

This object class is defined in RFC 2256.

Superior Class

top

OID

2.5.6.4

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
o (organizationName)	The name of the organization.

Allowed Attributes

businessCategory	Type of business in which the organization is engaged.
description	Text description of the organization.
destinationIndicator	Country and city associated with the entry needed to provide Public Telegram Service.
fax (facsimileTelephoneNumber)	The organization's fax number.
internationaliSDNNNumber	The organization's ISDN number.
l (localityName)	Place in which the organization is located.
physicalDeliveryOfficeName	Location where physical deliveries can be made to the organization.
postalAddress	The organization's mailing address.
postalCode	The postal code for this address (such as a United States zip code).
postOfficeBox	The organization's post office box.

preferredDeliveryMethod	The organization's preferred method of contact or delivery.
registeredAddress	Postal address suitable for reception of expedited documents, where the recipient must verify delivery.
searchGuide	Specifies information for suggested search criteria when using the entry as the base object in the directory tree for a search operation.
seeAlso	DN to information relevant to the organization.
st (stateOrProvinceName)	State or province in which the organization is located.
street	Street address at which the organization is located.
telephoneNumber	The organization's telephone number.
teletexTerminalIdentifier	Identifier for the organization's teletex terminal.
telexNumber	The organization's telex number.
userPassword	Password with which the entry can bind to the directory.
x121Address	X.121 address of the organization.

organizationalPerson

Definition

Used to define entries for people employed by or associated with an organization.

This object class is defined in RFC 2256.

Superior Class

person

OID

2.5.6.7

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
<i>cn (commonName)</i>	<i>The person's common name.</i>
<i>sn (surname)</i>	<i>The person's surname, or last name.</i>

Allowed Attributes

<i>description</i>	<i>Text description of the person.</i>
<i>destinationIndicator</i>	Country and city associated with the person needed to provide Public Telegram Service.
<i>fax (facsimileTelephoneNumber)</i>	The person's fax number.
<i>internationaliSDNNumber</i>	The person's ISDN number.
<i>l (localityName)</i>	Place in which the person is located.
<i>ou (organizationUnitName)</i>	Organizational unit to which the person belongs.
<i>physicalDeliveryOfficeName</i>	Location where physical deliveries can be made to this person.
<i>postalAddress</i>	The person's mailing address.
<i>postalCode</i>	The postal code for this address (such as a United States zip code).
<i>postOfficeBox</i>	The person's post office box.
<i>preferredDeliveryMethod</i>	The person's preferred method of contact or delivery.

registeredAddress	Postal address suitable for reception of expedited documents, where the recipient must verify delivery.
<i>seeAlso</i>	<i>DN to information relevant to the person.</i>
st (stateOrProvinceName)	State or province in which the person is located.
street	Street address at which the person is located.
<i>telephoneNumber</i>	<i>The person's telephone number.</i>
teletexTerminalIdentifier	Identifier for the person's teletex terminal.
telexNumber	The person's telex number.
title	The person's job title.
<i>userPassword</i>	<i>Password with which the entry can bind to the directory.</i>
x121Address	X.121 address of the person.

organizationalRole

Definition

Used to define entries that represent roles held by people within an organization.

This object class is defined in RFC 2256.

Superior Class

top

OID

2.5.6.8

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
cn (commonName)	The role's common name.

Allowed Attributes

description	Text description of the role.
destinationIndicator	Country and city associated with the entry needed to provide Public Telegram Service.
fax (facsimileTelephoneNumber)	Fax number of the person in the role.
internationaliSDNNumber	ISDN number of the person in the role.
l (localityName)	Place in which the person in the role is located.
ou (organizationUnitName)	Organizational unit to which the person in the role belongs.
physicalDeliveryOfficeName	Location where physical deliveries can be made to the person in the role.
postalAddress	The mailing address for the person in the role.
postalCode	The postal code for this address (such as a United States zip code).
postOfficeBox	The post office box for the person in the role.
preferredDeliveryMethod	Preferred method of contact or delivery of the person in the role.

registeredAddress	Postal address suitable for reception of expedited documents, where the recipient must verify delivery.
roleOccupant	Distinguished name of the person in the role.
seeAlso	DN to information relevant to the person in the role.
st (stateOrProvinceName)	State or province in which the person in the role is located.
street	Street address at which the person in the role is located.
telephoneNumber	Telephone number of the person in the role.
teletexTerminalIdentifier	Identifier for the teletex terminal of the person in the role.
telexNumber	Telex number of the person in the role.
x121Address	X.121 address of the person in the role.

organizationalUnit

Definition

Used to define entries that represent organizational units. An organizational unit is generally assumed to be a relatively static grouping within a larger organization.

This object class is defined in RFC 2256.

Superior Class

top

OID

2.5.6.5

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
ou (organizationUnitName)	The name of the organizational unit.

Allowed Attributes

businessCategory	Type of business in which the organizational unit is engaged.
description	Text description of the organizational unit.
destinationIndicator	Country and city associated with the organizational unit needed to provide Public Telegram Service.
fax (facsimileTelephoneNumber)	The organizational unit's fax number.
internationaliSDNNNumber	The organizational unit's ISDN number.
l (localityName)	Place in which the organizational unit is located.
physicalDeliveryOfficeName	Location where physical deliveries can be made to the organizational unit.
postalAddress	The organizational unit's mailing address.
postalCode	The postal code for this address (such as a United States zip code).
postOfficeBox	The organizational unit's post office box.

<code>preferredDeliveryMethod</code>	The organizational unit's preferred method of contact or delivery.
<code>registeredAddress</code>	Postal address suitable for reception of expedited documents, where the recipient must verify delivery.
<code>searchGuide</code>	Specifies information for suggested search criteria when using the entry as the base object in the directory tree for a search operation.
<code>seeAlso</code>	DN to information relevant to the organizational unit.
<code>st (stateOrProvinceName)</code>	State or province in which the organizational unit is located
<code>street</code>	Street address at which the organizational unit is located.
<code>telephoneNumber</code>	The organizational unit's telephone number.
<code>teletexTerminalIdentifier</code>	Identifier for the organizational unit's teletex terminal.
<code>telexNumber</code>	The organizational unit's telex number.
<code>userPassword</code>	Password with which the entry can bind to the directory.
<code>x121Address</code>	X.121 address of the organizational unit.

person

Definition

Used to define entries that generically represent people. This object class is the base class for the organizationalPerson object class.

This object class is defined in RFC 2256.

Superior Class

top

OID

2.5.6.6

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
cn (commonName)	The person's common name.
sn (surname)	The person's surname, or last name.

Allowed Attributes

description	Text description of the person.
seeAlso	DN to information relevant to the person.
telephoneNumber	The person's telephone number.
userPassword	Password with which the entry can bind to the directory.

pilotObject

Definition

Used as a subclass to allow additional attributes to be assigned to entries of all other object classes.

This object class is defined in RFC 1274.

Superior Class

top

OID

0.9.2342.19200300.100.4.3

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
--------------------	--

Allowed Attributes

audio	Stores a sound file in binary format.
dITRedirect	Distinguished name to use as a redirect for the entry.
info	Information about the object.
jpegPhoto	Photo in jpeg format.
lastModifiedBy	Distinguished name of the last user to modify the object.
lastModifiedTime	Last time the object was modified.
manager	Distinguished name of the object's manager.
photo	Photo of the object.
uniqueIdentifier	Specific item used to distinguish between two entries when a distinguished name has been reused.

pilotOrganization

Definition

Used as a subclass to allow additional attributes to be assigned to organization and organizationalUnit object class entries.

This object class is defined in RFC 1274.

Superior Class

top

OID

0.9.2342.19200300.100.4.20

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
o (organizationName)	Organization to which the entry belongs.
ou (organizationUnitName)	Organizational unit to which the entry belongs.

Allowed Attributes

buildingName	Name of the building in which the entry is located.
businessCategory	Type of business in which the entry is engaged.
description	Text description of the entry.
destinationIndicator	Country and city associated with the pilot organization needed to provide Public Telegram Service.
fax (facsimileTelephoneNumber)	The pilot organization's fax number.
internationaliSDNNumber	The pilot organization's ISDN number.
l (localityName)	Place in which the pilot organization is located.
physicalDeliveryOfficeName	Location where physical deliveries can be made to the pilot organization.
postalAddress	The pilot organization's mailing address.
postalCode	The postal code for this address (such as a United States zip code).

postOfficeBox	The pilot organization's post office box.
preferredDeliveryMethod	The pilot organization's preferred method of contact or delivery
registeredAddress	Postal address suitable for reception of expedited documents, where the recipient must verify delivery.
searchGuide	Specifies information for suggested search criteria when using the entry as the base object in the directory tree for a search operation.
seeAlso	DN to information relevant to the pilot organization.
st (stateOrProvinceName)	State or province in which the pilot organization is located.
street	Street address at which the pilot organization is located.
telephoneNumber	The pilot organization's telephone number.
teletexTerminalIdentifier	Identifier for the pilot organization's teletex terminal.
telexNumber	The pilot organization's telex number.
userPassword	Password with which the entry can bind to the directory.
x121Address	X.121 address of the pilot organization.

residentialPerson

Definition

Used by the directory server to contain a person's residential information.

This object class is defined in RFC 2256.

Superior Class

person

OID

2.5.6.10

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
<i>cn (commonName)</i>	<i>The person's common name.</i>
<i>l (localityName)</i>	<i>Place in which the person resides.</i>
<i>sn (surname)</i>	<i>The person's surname, or last name.</i>

Allowed Attributes

<i>businessCategory</i>	Type of business in which the person is engaged.
<i>description</i>	<i>Text description of the person.</i>
<i>destinationIndicator</i>	Country and city associated with the entry needed to provide Public Telegram Service.
<i>fax (facsimileTelephoneNumber)</i>	The person's fax number.
<i>internationaliSDNNNumber</i>	The person's ISDN number.
<i>physicalDeliveryOfficeName</i>	Location where physical deliveries can be made to the person.
<i>postalAddress</i>	The person's business mailing address.
<i>postalCode</i>	The postal code for this address (such as a United States zip code).
<i>postOfficeBox</i>	The person's business post office box.
<i>preferredDeliveryMethod</i>	The person's preferred method of contact or delivery.

registeredAddress	Postal address suitable for reception of expedited documents, where the recipient must verify delivery.
<i>seeAlso</i>	<i>DN to information relevant to the person.</i>
st (stateOrProvinceName)	State or province in which the person resides.
street	Street address at which the person is located.
<i>telephoneNumber</i>	<i>The person's telephone number.</i>
teletexTerminalIdentifier	Identifier for the person's teletex terminal.
telexNumber	The person's telex number.
<i>userPassword</i>	<i>Password with which the entry can bind to the directory.</i>
x121Address	X.121 address of the person.

RFC822LocalPart

Definition

Used to define entries that represent the local part of RFC822 mail addresses. The directory treats this part of an RFC822 address as a domain.

This object class is defined in Internet directory pilot.

Superior Class

domain

OID

0.9.2342.19200300.100.4.14

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
<i>dc (domainComponent)</i>	<i>Domain component of the entry.</i>

Allowed Attributes

<i>associatedName</i>	<i>Entry in the organizational directory tree associated with a DNS domain.</i>
<i>businessCategory</i>	<i>Type of business in which this local part is engaged.</i>
<i>cn (commonName)</i>	<i>The local part's common name.</i>
<i>description</i>	<i>Text description of the local part.</i>
<i>destinationIndicator</i>	<i>Country and city associated with the entry needed to provide Public Telegram Service.</i>
<i>fax (facsimileTelephoneNumber)</i>	<i>The local part's fax number.</i>
<i>internationalISDNNumber</i>	<i>The local part's ISDN number.</i>
<i>l (localityName)</i>	<i>Place in which the local part is located.</i>
<i>o (organizationName)</i>	<i>Organization to which the local part belongs.</i>
<i>physicalDeliveryOfficeName</i>	<i>Location where physical deliveries can be made to the local part.</i>
<i>postOfficeBox</i>	<i>The local part's post office box.</i>
<i>postalAddress</i>	<i>The local part's mailing address.</i>

<i>postalCode</i>	<i>The postal code for this address (such as a United States zip code).</i>
<i>preferredDeliveryMethod</i>	<i>Local part's preferred method of contact or delivery.</i>
<i>registeredAddress</i>	<i>Postal address suitable for reception of courier documents, where the recipient must verify delivery.</i>
<i>searchGuide</i>	<i>Specifies information for suggested search criteria when using the entry as the base object in the directory tree for a search operation.</i>
<i>seeAlso</i>	<i>DN to information relevant to the local part.</i>
<i>sn (surname)</i>	<i>The entry's surname, or last name.</i>
<i>st (stateOrProvinceName)</i>	<i>State or province in which the local part is located.</i>
<i>street</i>	<i>Street address at which the local part is located.</i>
<i>telephoneNumber</i>	<i>Telephone number associated with the local part.</i>
<i>teletexTerminalIdentifier</i>	<i>Identifier for a telex terminal associated with the local part.</i>
<i>telexNumber</i>	<i>Telex number associated with the local part.</i>
<i>userPassword</i>	<i>Password with which the entry can bind to the directory.</i>
<i>x121Address</i>	<i>X.121 address associated with the local part.</i>

room

Definition

Used to store information in the directory about a room.

This object class is defined in RFC 1274.

Superior Class

top

OID

0.9.2342.19200300.100.4.7

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
cn (commonName)	Common name of the room.

Allowed Attributes

description	Text description of the room.
roomNumber	The room's number.
seeAlso	DN to information relevant to the room.
telephoneNumber	The room's telephone number.

strongAuthenticationUser

Definition

Used to store a user's certificate entry in the directory. This is an auxiliary object class and is used with other object classes, such as the person and organization object classes.

This object class is defined in RFC 2256.

Superior Class

top

OID

2.5.6.15

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
userCertificate	Stores a user's certificate, usually in binary form.

simpleSecurityObject

Definition

Used to allow an entry to contain the userPassword attribute when an entry's principal object classes do not allow userPassword as an attribute type. Reserved for future use.

This object class is defined in RFC 1274.

Superior Class

top

OID

0.9.2342.19200300.100.4.19

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
userPassword	Password with which the entry can bind to the directory.

Attribute Reference

This chapter contains an alphabetic list of the standard autarkies. It gives a definition of each attribute, and gives the attribute syntax and OID.

abstract

Definition

Provides an abstract of a document entry.

This attribute is defined in Internet White Pages Pilot.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.102.1.9

aliasedObjectName

Definition

Used by the directory server to identify alias entries in the directory. Contains the distinguished name of the entry for which it is an alias.

Note: Alias dereferencing is not supported in iPlanet Directory Server.

For example:

```
aliasedObjectName: cn=jdoe, dc=siroe, dc=com
```

This attribute is defined in RFC 2256.

Syntax

DN, single-valued.

OID

2.5.4.1

associatedDomain

Definition

Specifies a DNS domain associated with an object in the directory tree. For example, the entry in the directory tree with a distinguished name `c=US, o=Siroe Corporation` might be associated to the domain `siroe.com`. Note that all domains should be represented in `rfc822` order.

For example:

```
associatedDomain: siroe.com
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.37

associatedName

Definition

Specifies an entry in the organizational directory tree associated with a DNS domain.

For example:

```
associatedName: c=us
```

This attribute is defined in RFC 1274.

Syntax

DN, multi-valued.

OID

0.9.2342.19200300.100.1.38

audio

Definition

Contains a sound file in binary format. The attribute uses a u-law encoded sound file.

For example:

```
audio:: AAAAAA==
```

This attribute is defined in RFC 1274.

Syntax

Binary, multi-valued.

OID

0.9.2342.19200300.100.1.55

authorCn

Definition

Contains the common name of the author of a document entry.

For example:

```
authorCn: Kacey
```

This attribute is defined in Internet White Pages Pilot.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.102.1.11

authorSn

Definition

Contains the surname of the author of a document entry.

For example:

```
authorSn: Doe
```

This attribute is defined in Internet White Pages Pilot.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.102.1.12

authorityRevocationList

Definition

Contains a list of CA certificates that have been revoked. This attribute is to be stored and requested in the binary form, as `authorityRevocationList;binary`.

For example:

```
authorityrevocationlist;binary:: AAAAAA==
```

This attribute is defined in RFC 2256.

Syntax

Binary, multi-valued.

OID

2.5.4.38

buildingName

Definition

Defines the building name associated with the entry.

For example:

```
buildingName: B14
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.48

businessCategory

Definition

Identifies the type of business in which the entry is engaged. This should be a broad generalization such as is made at the corporate division level.

For example:

`businessCategory: Engineering`

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.15

c (countryName)

Definition

Contains the two-character code representing country names, as defined by ISO, in the directory.

For example:

`countryName: IE`

or

`c: IE`

This attribute is defined in RFC 2256.

Syntax

DirectoryString, single-valued.

OID

2.5.4.6

CACertificate

Definition

Contains the CA's certificate. This attribute is to be stored and requested in the binary form, as `CACertificate;binary`.

For example:

`CACertificate;binary:: AAAAAA==`

This attribute is defined in RFC 2256.

Syntax
Binary, multi-valued.

OID
2.5.4.37

carLicense

Definition
Identifies the entry's automobile license plate number.

For example:

```
carLicense: 4MCS389
```

This attribute is defined in RFC 2798.

Syntax
DirectoryString, multi-valued.

OID
2.16.840.1.113730.3.1.1

certificateRevocationList

Definition
Contains a list of revoked user certificates. This attribute is to be stored and requested in the binary form, as `certificateRevocationList;binary`.

For example:

```
certificaterevocationlist;binary:: AAAAAA==
```

This attribute is defined in RFC 2256.

Syntax
Binary, multi-valued.

OID
2.5.4.39

cn (commonName)

Definition

Identifies the name of an object in the directory. When the object corresponds to a person, the cn is typically the person's full name.

When identifying the entry's common name or full name:

```
commonName: Bill Anderson
```

or

```
cn: Bill Anderson
```

When in reference to LDAPReplica or LDAPServer object classes:

```
commonName: replicater.iplanet.com:17430/dc%3DSiroe%2Cdc%3Dcom
```

or

```
cn: replicater.iplanet.com:17430/dc%3DSiroe%2Cdc%3Dcom
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.3

co (friendlyCountryName)

Definition

Contains the name of a country. Often, the country attribute is used to describe a two-character code for a country, and the friendlyCountryName attribute is used to describe the actual country name.

For example:

```
friendlyCountryName: Ireland
```

or

```
co: Ireland
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.43

cosAttribute

Description

Provides the name of the attribute for which you want to generate a value. You can specify more than one `cosAttribute` value. This attribute is used by all types of CoS definition entries.

This attribute is defined in iPlanet Directory Server.

Syntax

Directory String, multi-valued.

OID

2.16.840.1.113730.3.1.550

cosIndirectSpecifier

Description

Specifies the attribute values used by an indirect CoS to identify the template entry.

This attribute is defined in iPlanet Directory Server.

Syntax

DirectoryString, single-valued.

OID

2.16.840.1.113730.3.1.577

cosPriority

Definition

Specifies which template provides the attribute value, when CoS templates compete to provide an attribute value. This attribute represents the global priority of a particular template. A priority of zero is the highest priority.

This attribute is defined in iPlanet Directory Server.

Syntax

INTEGER, single-valued.

OID

2.16.840.1.113730.3.1.569

cosSpecifier

Description

Specifies the attribute value used by a classic CoS, which, along with the template entry's DN, identifies the template entry.

This attribute is defined in iPlanet Directory Server.

Syntax

DirectoryString, single-valued.

OID

2.16.840.1.113730.3.1.551

cosTargetTree

Definition

Determines the subtrees of the DIT to which the CoS schema applies. The values for this attribute for the schema and for multiple CoS schema may overlap their target trees in an arbitrary fashion.

This attribute is defined in iPlanet Directory Server.

Syntax

DirectoryString, single-valued.

OID
2.16.840.1.113730.3.1.552

cosTemplateDn

Definition

Provides the name of the attribute for which you want to generate a value. You can specify more than one `cosAttribute` value. This attribute is used by all types of CoS definition entries.

This attribute is defined in iPlanet Directory Server.

Syntax

DirectoryString, single-valued.

OID
2.16.840.1.113730.3.1.553

crossCertificatePair

Definition

This attribute contains a pair of cross signed certificates. It is to be stored and requested in the binary form, as `crossCertificatePair;binary`.

For example:

```
crosscertificatepair;binary:: AAAAAA==
```

This attribute is defined in RFC 2256.

Syntax

Binary, multi-valued.

OID
2.5.4.40

dc (domainComponent)

Definition

Specifies one component of a domain name.

For example:

```
domainComponent: siroe
```

or

```
dc: siroe
```

This attribute is defined in RFC 2247.

Syntax

DirectoryString, single-valued.

OID

0.9.2342.19200300.100.1.25

deltaRevocationList

Definition

This attribute contains the “delta revocation list”, a list of newly revoked certificates. It is to be stored and requested in the binary form, as

```
deltaRevocationList;binary.
```

For example:

```
deltaRevocationList;binary:: AAAAAA==
```

This attribute is defined in RFC 2256.

Syntax

Binary, multi-valued.

OID

2.5.4.53

departmentNumber

Definition

Identifies the entry's department number.

For example:

```
departmentNumber: 2604
```

This attribute is defined in RFC 2798.

Syntax

DirectoryString, multi-valued.

OID

2.16.840.1.113730.3.1.2

description

Definition

Provides a human-readable description of the object. For people and organizations this often includes their role or work assignment.

For example:

```
description: Quality control inspector for the ME2873 product line
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.13

destinationIndicator

Definition

The country and city associated with the entry needed to provide Public Telegram Service. Generally used in conjunction with `registeredAddress`.

For example:

`destinationIndicator: Stow, Ohio, USA`

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.27

displayName

Definition

Preferred name of a person to be used when displaying entries. Especially useful in displaying a preferred name for an entry within a one-line summary list. Since other attribute types, such as cn, are multivalued, they can not be used to display a preferred name.

For example:

`displayName: Michigan Smith`

This attribute is defined in RFC 2798.

Syntax

DirectoryString, single-valued.

OID

2.16.840.1.113730.3.1.241

dITRedirect

Definition

Used to indicate that the object described by one entry now has a newer entry in the directory tree. This attribute may be used when an individual's place of work changes, and the individual acquires a new organizational DN.

For example:

`dITRedirect: cn=jdoe, dc=siroe, dc=com`

This attribute is defined in RFC 1274.

Syntax

DN

OID

0.9.2342.19200300.100.1.54

dmdName

Definition

The value of this attribute specifies a directory management domain (DMD), the administrative authority which operates the directory server.

For example:

```
dmdName: siroe.com
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.54

dn (distinguishedName)

Definition

Defines the distinguished name (dn) for the entry.

For example:

```
dn: cn=Jane Doe, ou=Quality Control, dc=siroe, dc=com
```

This attribute is defined in RFC 2256.

Syntax

DN

OID

2.5.4.49

dNSRecord

Definition

Specifies DNS resource records, including type A (Address), type MX (Mail Exchange), type NS (Name Server), and type SOA (Start Of Authority) resource records.

For example:

```
dNSRecord: IN NS ns.uu.net
```

This attribute is defined in Internet directory pilot.

Syntax

IA5String, multi-valued.

OID

0.9.2342.19200300.100.1.26

documentAuthor

Definition

Contains the distinguished name of the author of a document entry.

For example:

```
documentAuthor: cn=John Doe, dc=siroe, dc=com
```

This attribute is defined in RFC 1274.

Syntax

DN, multi-valued.

OID

0.9.2342.19200300.100.1.14

documentIdentifier

Definition

Specifies a unique identifier for a document.

For example:

`documentIdentifier: L3204REV1`

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.11

documentLocation

Definition

Defines the location of the original copy of a document entry.

For example:

`documentLocation: Department Library`

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.15

documentPublisher

Definition

The person and/or organization that published a document.

For example:

`documentPublisher: Southeastern Publishing`

This attribute is defined in RFC 1274.

Syntax

DirectoryString, single-valued.

OID

0.9.2342.19200300.100.1.56

documentStore

Definition

This attribute is defined in Internet White Pages Pilot.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.102.1.10

documentTitle

Definition

Contains the title of a document entry.

For example:

```
documentTitle: Directory Administrator's Guide
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.12

documentVersion

Definition

Defines the version of a document entry.

For example:

```
documentVersion: 1.1
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID
0.9.2342.19200300.100.1.13

drink (favouriteDrink)

Definition
Describes the favorite drink of a person entry.

For example:

```
drink: soda
```

or

```
favouriteDrink: soda
```

This attribute is defined in RFC 1274.

Syntax
DirectoryString, multi-valued.

OID
0.9.2342.19200300.100.1.5

dSAQuality

Definition
Specifies the purported quality of a DSA. This attribute allows a DSA manager to indicate the expected level of availability of the DSA.

For example:

```
dSAQuality: high
```

This attribute is defined in RFC 1274.

Syntax
DirectoryString, single-valued.

OID
0.9.2342.19200300.100.1.49

employeeNumber

Definition

Identifies the entry's employee number.

For example:

```
employeeNumber: 3440
```

This attribute is defined in RFC 2798.

Syntax

DirectoryString, single-valued.

OID

2.16.840.1.113730.3.1.3

employeeType

Definition

Identifies the entry's type of employment.

For example:

```
employeeType: Full time
```

This attribute is defined in RFC 2798.

Syntax

DirectoryString, multi-valued.

OID

2.16.840.1.113730.3.1.4

enhancedSearchGuide

Definition

Used by X.500 clients when constructing search filters.

For example:

```
enhancedSearchGuide: (uid=mhughes)
```

This attribute is defined in RFC 2798.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.47

fax (facsimileTelephoneNumber)

Definition

Identifies the fax number at which the entry can be reached. Abbreviation: fax

For example:

```
facsimileTelephoneNumber: 415-555-1212
```

or:

```
fax: 415-555-1212
```

This attribute is defined in RFC 2256.

Syntax

PhoneNumber, multi-valued.

OID

2.5.4.23

generationQualifier

Definition

Contains the generation Qualifier part of the name, typically appearing in the suffix.

For example:

```
generationQualifier: Jr
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID
2.5.4.44

givenName

Definition

Identifies the entry's given name, usually a person's first name.

For example:

```
givenName: Hecuba
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID
2.5.4.42

homePhone

Definition

Identifies the entry's home phone number.

For example:

```
homeTelephoneNumber: 415-555-1212
```

or

```
homePhone: 415-555-1212
```

This attribute is defined in RFC 1274.

Syntax

PhoneNumber, multi-valued.

OID
0.9.2342.19200300.100.1.20

homePostalAddress

Definition

Identifies the entry's home mailing address. This field is intended to include multiple lines, but each line within the entry should be separated by a dollar sign (\$). To represent an actual dollar sign (\$) or backslash (\) within this text, use the escaped hex values \24 and \5c respectively.

To identify an entry's home mailing address:

```
homePostalAddress: 1234 Ridgeway Drive$Santa Clara, CA$99555
```

Additionally, to represent the string:

```
The dollar ($) value can be found  
in the c:\cost file.
```

provide the string:

```
The dollar (\24) value can be found$in the c:\5ccost file.
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.39

host

Definition

Defines the hostname of a computer.

For example:

```
host: mozilla
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.9

houseIdentifier

Definition

Identifies a building in a location.

For example:

```
houseIdentifier: B105
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.51

info

Definition

Specifies any general information pertinent to an object. It is recommended that specific usage of this attribute type is avoided, and that specific requirements are met by other (possibly additional) attribute types.

For example:

```
info: not valid
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.4

initials

Definition

Identifies the entry's initials. Does not identify the entry's surname.

For example:

`initials: BFA`

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.43

internationaliSDNNumber

Definition

Contains the ISDN number of the entry. This is in the internationally agreed format for ISDN addresses given in CCITT Rec. E. 164.

For example:

`interntionaliSDNNumber: +SO 812467`

This attribute is defined in RFC 2256.

Syntax

IA5String, multi-valued.

OID

2.5.4.25

janetMailbox

Definition

Specifies an email address. This attribute is intended for the convenience of UK users unfamiliar with rfc822 mail addresses. Entries using this attribute must also include an rfc822Mailbox attribute.

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.46

jpegPhoto

Definition

Contains a JPEG photo of the entry.

For example:

```
jpegPhoto:: AAAAAA==
```

This attribute is defined in RFC 2798.

Syntax

Binary, multi-valued.

OID

0.9.2342.19200300.100.1.60

keyWords

Definition

Contains keywords for the entry.

For example:

```
keyWords: directory LDAP X.500
```

This attribute is defined in Internet White Pages Pilot.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.102.1.7

knowledgeInformation

Definition

This attribute is no longer used.

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.2

l (localityName)

Definition

Identifies the county, city, or other geographical area in which the entry is located or with which it is in some other way associated.

For example:

```
localityName: Santa Clara
```

or

```
l: Santa Clara
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.7

labeledURI

Definition

Specifies a Uniform Resource Identifier (URI) that is relevant in some way to the entry. Values placed in the attribute should consist of a URI (currently only URLs are supported) optionally followed by one or more space characters and a label.

For example:

```
labeledURI: http://home.iplanet.com
```

```
labeledURI: http://home.iplanet.com iPlanet website
```

This attribute is defined in RFC 2079.

Syntax

IA5String, multi-valued.

OID

1.3.6.1.4.1.250.1.57

lastModifiedBy

Definition

Specifies the distinguished name of the last user to modify the associated entry.

For example:

```
lastModifiedby: cn=Jane Doe,ou=Quality Control,dc=siroe, dc=com
```

This attribute is defined in RFC 1274.

Syntax

DN, multi-valued.

OID

0.9.2342.19200300.100.1.24

lastModifiedTime

Definition

Defines the last time, in UTC format, that a change was made to the entry.

For example:

```
lastModifiedTime: Thursday, 22-Sep-93 14:15:00 GMT
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.23

mail

Definition

Identifies a user's primary email address (the email address retrieved and displayed by "white-pages" lookup applications).

For example:

```
mail: banderson@siroe.com
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.3

mailPreferenceOption

Definition

Not used in Messaging Server 4.0.

Indicates a preference for inclusion of user names on mailing lists (electronic or physical). Accepted values include:

- 0: user doesn't want to be included in mailing lists.
- 1: user consents to be added to any mailing list.
- 2: user only wants to be added to mailing lists which the list provider views as relevant to the user's professional interests.

The absence of this attribute for a person should be interpreted as if the attribute was present with value "no-list-inclusion". This attribute should be interpreted by anyone using the directory to derive mailing lists, and its value respected.

For example:

```
mailPreferenceOption:0
```

This attribute is defined in RFC 1274.

Syntax

INTEGER, single-valued.

OID

0.9.2342.19200300.100.1.47

manager

Definition

Identifies the distinguished name of the entry's manager.

For example:

```
manager:cn=Jane Doe, ou=Quality Control, dc=siroe, dc=com
```

This attribute is defined in RFC 1274.

Syntax

DN, multi-valued.

OID

0.9.2342.19200300.100.1.10

member

Definition

Identifies the distinguished names for each member of the group.

For example:

```
member: cn=John Doe, dc=siroe, dc=com
```

This attribute is defined in RFC 2256.

Syntax

DN, multi-valued.

OID

2.5.4.31

memberCertificateDescription

Definition

This attribute is a multivalued attribute, where each value is a description, a pattern, or a filter matching the subject DN of a certificate (usually certificates used for SSL client authentication).

memberCertificateDescription matches any certificate that contains a subject DN with the same AVAs as the description. The description may contain multiple "ou=" AVAs. A matching DN must contain those same "ou=" AVAs, in the same order, although it may contain other AVAs (including other "ou=" AVAs) interspersed. For any other attribute type (not ou), there should be at most one AVA of that type in the description. If there are several, all but the last are ignored.

A matching DN must contain that same AVA, but no other AVA of the same type nearer the root (later, syntactically).

AVAs are considered the same if they contain the same attribute description (case-insensitive comparison) and the same attribute value (case-insensitive comparison, leading and trailing whitespace ignored, and consecutive whitespace characters treated as a single SP).

In order to be considered a member of a group with the following memberCertificateDescription, a certificate would need to include ou=x, ou=A, and o=siroe, but not o=company.

```
memberCertificateDescription: {ou=x, ou=A, o=company, o=siroe}
```

In order to match the group's requirements, a certificate's subject DNs must contain the same ou attribute types in the same order as defined in the memberCertificateDescription attribute.

This attribute is defined in iPlanet Directory Server.

Syntax

IA5String, multi-valued.

OID

2.16.840.1.113730.3.1.199

memberURL

Definition

Identifies an URL associated with each member of a group. Any type of labeled URL can be used.

For example:

```
memberURL: ldap:///cn=jdoe,dc=siroe,dc=com
```

This attribute is defined in iPlanet Directory Server.

Syntax

IA5String, multi-valued.

OID

2.16.840.1.113730.3.1.198

mobile

Definition

Identifies the entry's mobile or cellular phone number. Abbreviation: mobile

For example:

```
mobileTelephoneNumber: 415-555-4321
```

or

```
mobile: 415-555-4321
```

This attribute is defined in RFC 1274.

Syntax

TelephoneNumber, multi-valued.

OID

0.9.2342.19200300.100.1.41

multiLineDescription

Definition

Provides descriptive text for a mail user. When represented in LDIF format, each line should be separated by a dollar sign (\$). The Directory Server expects 0 or 1 occurrences of this attribute per mail account.

For example:

```
multiLineDescription: Account Administrator and$directory manager.
```

To represent an actual dollar sign (\$) or backslash (\) within this text, use the escaped hex values \24 and \5c respectively. For example, to represent the string:

```
The dollar ($) value can be found in the c:\cost file.
```

provide the string:

```
The dollar (\24) value can be found$in the c:\5ccost file.
```

This attribute is defined in Internet White Pages Pilot.

Syntax

DirectoryString, multi-valued.

OID

1.3.6.1.4.1.250.1.2

name

Definition

Identifies the attribute supertype from which string attribute types used for naming may be formed. It is unlikely that values of this type will occur in an entry. LDAP server implementations that do not support attribute subtyping do not need to recognize this attribute in requests. Client implementations should not assume that LDAP servers are capable of performing attribute subtyping.

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.41

nsLicensedFor

Definition

Identifies the Netscape server the user is licensed to use. The Netscape Administration Server expects each `nsLicenseUser` entry to contain zero or more instances of this attribute. Valid keywords for this attribute are currently:

- `mail`: the user is a licensed client of the Messaging Server.
- `new`: the user is a licensed client of the Collabra Server.
- `slapd`: the user is a licensed client of the Directory Server.
- `cal`: the user is a licensed client of the Calendar Server.

For example:

```
nsLicensedFor: slapd
```

This attribute is defined in iPlanet Administration Services.

Syntax

DirectoryString, multi-valued.

OID

2.16.840.1.113730.3.1.36

nsLicenseEndTime

Definition

Reserved for future use.

This attribute is defined in iPlanet Administration Services.

Syntax

DirectoryString, multi-valued.

OID

2.16.840.1.113730.3.1.38

nsLicenseStartTime

Definition

Reserved for future use.

This attribute is defined in iPlanet Administration Services.

Syntax

DirectoryString, multi-valued.

OID

2.16.840.1.113730.3.1.37

o (organizationName)

Definition

Identifies the name of the organization.

For example:

```
organizationName: Siroe, Inc.
```

or

```
o: Siroe, Inc
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.10

objectClass

Definition

Specifies the object classes of the object. Must include the object.

For example:

```
objectClass: person
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.0

obsoletedByDocument

Definition

Contains the distinguished name of a document that obsoletes the document entry.

For example:

```
obsoletedbyDocument: cn=Document Version 2, ou=Document Library,  
dc=siroe, dc=com
```

This attribute is defined in Internet White Pages Pilot.

Syntax

DN, multi-valued.

OID

0.9.2342.19200300.102.1.4

obsoletesDocument

Definition

Contains the distinguished name of a document that is obsoleted by the document entry.

For example:

```
obsoletesDocument: cn=Document Version 1, ou=Document Library,  
dc=siroe, dc=com
```

This attribute is defined in Internet White Pages Pilot.

Syntax

DN, multi-valued.

OID
0.9.2342.19200300.102.1.3

organizationalStatus

Definition

Specifies a category by which a person is often referred to in an organization.

For example:

```
organizationalStatus: researcher
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID
0.9.2342.19200300.100.1.45

otherMailbox

Definition

Specifies values for electronic mailbox types other than X.400 and rfc822.

For example:

```
otherMailbox: Telemail: x378: Joe
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID
0.9.2342.19200300.100.1.22

ou (organizationUnitName)

Definition

Identifies the name of an organizational unit.

For example:

```
organizationUnitName: Marketing
```

or

```
ou: Marketing
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.11

owner

Definition

Identifies the distinguished name of the person responsible for the entry.

For example:

```
owner: cn=Babs Jensen, dc=siroe, dc=com
```

This attribute is defined in RFC 2256.

Syntax

DN, multi-valued.

OID

2.5.4.32

pager

Definition

Identifies the entry's pager phone number. Abbreviation: pager.

For example:

```
pagerTelephoneNumber: 415-555-6789
```

or

```
pager: 415-555-6789
```

This attribute is defined in RFC 1274.

Syntax

TelephoneNumber, multi-valued.

OID

0.9.2342.19200300.100.1.42

personalSignature

Definition

A signature file, in binary format, for the entry.

For example:

```
personalSignature:: AAAAAA==
```

This attribute is defined in RFC 1274.

Syntax

Binary, multi-valued.

OID

0.9.2342.19200300.100.1.53

personalTitle

Definition

Specifies a personal title for a person. Examples of personal titles are "Ms", "Dr", "Prof" and "Rev".

For example:

```
personalTitle: Mr
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.40

photo

Definition

Contains a photo, in binary form, of the entry.

For example:

```
photo:: AAAAAA==
```

This attribute is defined in RFC 1274.

Syntax

Binary, multi-valued.

OID

0.9.2342.19200300.100.1.7

physicalDeliveryOfficeName

Definition

Identifies the name of the city or village in which a physical delivery office is located.

For example:

```
physicalDeliveryOfficeName: Santa Clara
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.19

postalAddress

Definition

Identifies the entry's mailing address. This field is intended to include multiple lines. When represented in LDIF format, each line should be separated by a dollar sign (\$).

For example:

```
P.O. Box 3541$Santa Clara, CA$99555
```

To represent an actual dollar sign (\$) or backslash (\) within the text, use the escaped hex values `\24` and `\5c` respectively.

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.16

postalCode

Definition

Identifies the entry's zip code in the United States.

For example:

```
postalCode: 44224
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.17

postOfficeBox

Definition

Specifies a postal mailing address.

For example:

```
postOfficeBox: P.O. Box 1234
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.18

preferredDeliveryMethod

Definition

Identifies the entry's preferred contact or delivery method.

For example:

```
preferredDeliveryMethod: telephone
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, single-valued.

OID

2.5.4.28

preferredLanguage

Definition

Defines a person's preferred written or spoken language. The value for this attribute should conform to the syntax for HTTP Accept-Language header values.

For example:

preferredLanguage: en-us

This attribute is defined in RFC 2798.

Syntax

DirectoryString, single-valued.

OID

2.16.840.1.113730.3.1.39

presentationAddress

Definition

Contains an OSI presentation address for the entry. The presentation address consists of an OSI Network Address and up to three selectors, one each for use by the transport, session, and presentation entities.

For example:

```
presentationAddress: TELEX+00726322+RFC-1006+02+130.59.2.1
```

This attribute is defined in RFC 2256.

Syntax

IA5String, single-valued.

OID

2.5.4.29

protocolInformation

Definition

Used in conjunction with the presentationAddress attribute to provide additional information to the OSI network service.

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.48

ref

Description

Used in LDAPv3 to support smart referrals. Contains an LDAP URL in the format:

```
ldap://<servername>:<portnumber>/<dn>
```

The port number is optional.

For example:

```
ref: ldap://server.acme.com:389/ou=People,o=acme.com
```

This attribute is defined in LDAPv3 referrals Internet Draft.

Syntax

IA5String, multi-valued.

OID

2.16.840.1.113730.3.1.34

registeredAddress

Definition

This attribute contains a postal address for receiving telegrams or expedited documents. The recipient's signature is usually required on delivery.

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.26

roleOccupant

Definition

Contains the distinguished name of the person acting in the role defined in the `organizationalRole` entry.

For example:

```
roleOccupant: uid=jdoe, dc=siroe, dc=com
```

This attribute is defined in RFC 2256.

Syntax

DN, multi-valued.

OID

2.5.4.33

roomNumber

Definition

Specifies the room number of an object. Note that the `commonName` attribute should be used for naming room objects.

For example:

```
roomNumber: 230
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.6

searchGuide

Definition

Specifies information for a suggested search criteria when using the entry as the base object in the directory tree for a search operation. When constructing search filters, use `enhancedSearchGuide` instead.

This attribute is defined in RFC 2256.

Syntax

IA5String, multi-valued.

OID
2.5.4.14

secretary

Definition

Identifies the entry's secretary or administrative assistant.

For example:

```
secretary: cn=John Doe, dc=siroe, dc=com
```

This attribute is defined in RFC 1274.

Syntax

DN, multi-valued.

OID
0.9.2342.19200300.100.1.21

seeAlso

Definition

Identifies another directory server entry that may contain information related to this entry.

For example:

```
seeAlso: cn=Quality Control Inspectors,ou=manufacturing,  
dc=siroe, dc=com
```

This attribute is defined in RFC 2256.

Syntax

DN, multi-valued.

OID
2.5.4.34

serialNumber

Definition

Specifies the serial number of a device.

For example:

```
serialNumber: 555-1234-AZ
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.5

singleLevelQuality

Definition

Specifies the purported data quality at the level immediately below in the DIT.

This attribute is defined in RFC 1274.

Syntax

DirectoryString, single-valued.

OID

0.9.2342.19200300.100.1.50

sn (surname)

Definition

Identifies the entry's surname, also referred to as last name or family name.

For example:

```
surname: Anderson
```

or

```
sn: Anderson
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.4

st (stateOrProvinceName)

Definition

Identifies the state or province in which the entry resides. Abbreviation: st.

For example:

```
stateOrProvinceName: California
```

or

```
st: California
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.8

street

Definition

Identifies the entry's house number and street name.

For example:

```
streetAddress: 1234 Ridgeway Drive
```

or

```
street: 1234 Ridgeway Drive
```

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID

2.5.4.9

subject

Definition

Contains information about the subject matter of the document entry.

For example:

```
subject: employee option grants
```

This attribute is defined in Internet White Pages Pilot.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.102.1.8

subtreeMaximumQuality

Definition

Specifies the purported maximum data quality for a DIT subtree.

This attribute is defined in RFC 1274.

Syntax

DirectoryString, single-valued.

OID

0.9.2342.19200300.100.1.52

subtreeMinimumQuality

Definition

Specifies the purported minimum data quality for a DIT subtree.

This attribute is defined in RFC 1274.

Syntax

DirectoryString, single-valued.

OID

0.9.2342.19200300.100.1.51

supportedAlgorithms

Definition

This attribute is to be stored and requested in the binary form, as `supportedAlgorithms;binary`.

For example:

```
supportedAlgorithms:: AAAAAA==
```

This attribute is defined in RFC 2256.

Syntax

Binary, multi-valued.

OID

2.5.4.52

supportedApplicationContext

Definition

This attribute contains the identifiers of OSI application contexts.

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID
2.5.4.30

telephoneNumber

Definition
Identifies the entry's phone number.

For example:

```
telephoneNumber: 415-555-2233
```

This attribute is defined in RFC 2256.

Syntax
TelephoneNumber, multi-valued.

OID
2.5.4.20

teletexTerminalIdentifier

Definition
Identifies the entry's teletex terminal identifier. The format of the attribute is as follows:

```
teletex-id = ttx-term 0*("$" ttx-param)
ttx-term   = printablestring
ttx-param  = ttx-key ":" ttx-value
ttx-key    = "graphic" / "control" / "misc" / "page" / "private"
ttx-value  = octetstring
```

In the above, the first printable string is the encoding of the first portion of the teletex terminal identifier to be encoded, and the subsequent 0 or more octet strings are subsequent portions of the teletex terminal identifier.

This attribute is defined in RFC 2256.

Syntax
DirectoryString, multi-valued.

OID
2.5.4.22

telexNumber

Definition

Defines the telex number of the entry. The format of the telex number is as follows:

actual-number "\$" country "\$" answerback

where:

- actual-number: the syntactic representation of the number portion of the TELEX number being encoded.
- country: the TELEX country code.
- answerback: the answerback code of a TELEX terminal.

This attribute is defined in RFC 2256.

Syntax

DirectoryString, multi-valued.

OID
2.5.4.21

textEncodedORAddress

Definition

Defines the text-encoded Originator/Recipient (X.400) address of the entry as defined in RFC987.

For example:

textEncodedORAddress: /S=doe/OU=eng/O=siroe/ADMD=telemail/C=us/

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID
0.9.2342.19200300.100.1.2

title

Definition
Identifies the title of a person in the organization.

For example:

```
title: Senior QC Inspector
```

This attribute is defined in RFC 2256.

Syntax
DirectoryString, multi-valued.

OID
2.5.4.12

ttl (timeToLive)

Definition
Contains the time, in seconds, that cached information about an entry should be considered valid. Once the specified time has elapsed, the information is considered out of date. A value of zero (0) indicates that the entry should not be cached. Abbreviation: ttl.

For example:

```
timeToLive: 120
```

or

```
ttl: 120
```

This attribute is defined in LDAP Caching Internet Draft.

Syntax
DirectoryString, multi-valued.

OID
1.3.6.1.4.1.250.1.60

uid (userID)

Definition

Identifies the entry's userid (usually the logon ID). Abbreviation: uid.

For example:

```
userid: banderson
```

or

```
uid: banderson
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.1

uniqueIdentifier

Definition

Identifies a specific item used to distinguish between two entries when a distinguished name has been reused. This attribute is intended to detect instance of a reference to a distinguished name that has been deleted. This attribute is assigned by the server.

For example:

```
uniqueIdentifier: 17B
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.44

uniqueMember

Definition

Identifies a group of names associated with an entry where each name was given a uniqueIdentifier to ensure its uniqueness. A value for the uniqueMember attribute is a DN followed by the uniqueIdentifier.

For example:

```
uniqueMember: cn=John Doe, dc=siroe, dc=com 17
```

This attribute is defined in RFC 2256.

Syntax

DN, multi-valued.

OID

2.5.4.50

updatedByDocument

Definition

Contains the distinguished name of a document that is an updated version of the document entry.

For example:

```
updatedbyDocument: cn=Document Version 2, ou=Document Library,  
dc=siroe, dc=com
```

This attribute is defined in Internet White Pages Pilot.

Syntax

DN, multi-valued.

OID

0.9.2342.19200300.102.1.6

updatesDocument

Definition

Contains the distinguished name of a document for which this document is an updated version.

For example:

```
updatesDocument: cn=Document Version 1, ou=Document Library,  
dc=siroe, dc=com
```

This attribute is defined in Internet White Pages Pilot.

Syntax

DN, multi-valued.

OID

0.9.2342.19200300.102.1.5

userCertificate

Definition

This attribute contains a certificate. It is to be stored and requested in the binary form, as `userCertificate;binary`.

For example:

```
userCertificate;binary:: AAAAAA==
```

This attribute is defined in RFC 2256.

Syntax

Binary, multi-valued.

OID

2.5.4.36

userClass

Definition

Specifies a category of computer user. The semantics of this attribute are arbitrary. The organizationalStatus attribute makes no distinction between computer users and others users and may be more applicable.

For example:

```
userClass: intern
```

This attribute is defined in RFC 1274.

Syntax

DirectoryString, multi-valued.

OID

0.9.2342.19200300.100.1.8

userPassword

Definition

Identifies the entry's password and encryption method in the following format:

```
{encryption method}encrypted password
```

Transfer of clear text passwords is strongly discouraged where the underlying transport service cannot guarantee confidentiality. Transfer of clear text may result in disclosure of the password to unauthorized parties.

For example:

```
userPassword: {ssh}9LsFG7RT+dFnPErwsfxDlaQTn6dbIFGklMNFRr==
```

This attribute is defined in RFC 2256.

Syntax

Binary, multi-valued.

OID

2.5.4.35

userPKCS12

Definition

This attribute provides a format for the exchange of personal identity information. The attribute is to be stored and requested in binary form, as `userPKCS12;binary`. The attribute values are PFX PDUs stored as binary data.

This attribute is defined in RFC 2798.

Syntax

Binary, multi-valued.

OID

2.16.840.1.113730.3.1.216

userSMIMECertificate

Definition

Used by Netscape Communicator for S/MIME. This attribute is to be stored and requested in the binary form, as `userSMIMECertificate;binary`.

For example:

```
userSMIMECertificate;binary:: AAAAAA==
```

This attribute is defined in RFC 2798.

Syntax

Binary, multi-valued.

OID

2.16.840.1.113730.3.1.40

x121Address

Definition

Defines the X.121 address of a person.

This attribute is defined in RFC 2256.

Syntax

IA5String, multi-valued.

OID

2.5.4.24

x500UniqueIdentifier

Definition

Reserved for future use. A binary method of identification useful for differentiating objects when a distinguished name has been reused.

For example:

```
x500UniqueIdentifier: 17B
```

This attribute is defined in RFC 2256.

Syntax

Binary, multi-valued.

OID

2.5.4.45

Operational Attributes, Special Attributes and Special Object Classes

This chapter describes operational attributes used by the directory server. Operational attributes may be available for use on every entry in the directory, regardless of whether they are defined for the object class of the entry. Operational attributes are only returned in an `ldapsearch` operation if specifically requested. This chapter also describes some special attributes and object classes, that are used by the server. When an object class inherits attributes from other object classes, the inherited attributes are shown in italics.

Operational Attributes

accountUnlockTime

Definition

This refers to the exact time after which the entry can be used for authentication.

This attribute is defined in iPlanet Directory Server.

Syntax

GeneralizedTime, single-valued

OID

2.16.840.1.113730.3.1.95

aci

Definition

Used by the directory server to evaluate what rights are granted or denied when it receives an LDAP request from a client.

This attribute is defined in iPlanet Directory Server.

Syntax

IA5String, multi-valued

OID

2.16.840.1.113730.3.1.55

altServer

Definition

The values of this attribute are URLs of other servers which may be contacted when this server becomes unavailable. If the server does not know of any other servers which could be used, this attribute is absent. You may cache this information in case your preferred LDAP server later becomes unavailable.

This attribute is defined in RFC 2252.

Syntax

IA5String, multi-valued.

OID

1.3.6.1.4.1.1466.101.120.6

attributeTypes

Definition

Multi-valued attribute that specifies the attribute types used within a subschema. Each value describes a single attribute.

This attribute is defined in RFC 2252.

Syntax

DirectoryString, multi-valued.

OID

2.5.21.5

copiedFrom

Definition

Used by read-only replica to recognize master data source. Contains a reference to the server that holds the master data. Note that this attribute is only used for legacy replication. It is not used for multi master replication.

This attribute is defined in iPlanet Directory Server.

Syntax

DirectoryString, single-valued.

OID

2.16.840.1.113730.3.1.613

copyingFrom

Definition

Used by read-only replica to recognize master data source while replication is in progress. Contains a reference to the server that holds the master data. Note that this attribute is only used for legacy replication. It is not used for multi master replication.

This attribute is defined in iPlanet Directory Server.

Syntax

DirectoryString, single-valued.

OID

2.16.840.1.113730.3.1.614

dITContentRules

Definition

Multi-valued attribute that defines the DIT content rules which are in force within a subschema. Each value defines one DIT content rule. Each value is tagged by the object identifier of the structural object class to which it pertains.

Note: iPlanet Directory Server does not support or use this attribute.

This attribute is defined in RFC 2252.

Syntax

DirectoryString, multi-valued.

OID

2.5.21.2

dITStructureRules

Definition

Multi-valued attribute that defines the DIT structure rules which are in force within a subschema. Each value defines one DIT structure rule.

Note: iPlanet Directory Server does not support or use this attribute.

This attribute is defined in RFC 2252.

Syntax

DirectoryString, multi-valued.

OID

2.5.21.1

ldapSyntaxes

Definition

This attribute identifies the syntaxes implemented, with each value corresponding to one syntax.

This attribute is defined in RFC 2252.

Syntax

DirectoryString, multi-valued.

OID

1.3.6.1.4.1.1466.101.120.16

matchingRules

Definition

Multi-valued attribute that defines the matching rules used within a subschema. Each value defines one matching rule.

This attribute is defined in RFC 2252.

Syntax

DirectoryString, multi-valued.

OID

2.5.21.4

matchingRuleUse

Definition

Used to indicate the attribute types to which a matching rule applies in a subschema.

This attribute is defined in RFC 2252.

Syntax

DirectoryString, multi-valued.

OID

2.5.21.8

nameForms

Definition

Multi-valued attribute that defines the name forms used in a subschema. Each value defines one name form.

Note: iPlanet Directory Server does not support or use this attribute.

This attribute is defined in RFC 2252.

Syntax

DirectoryString, multi-valued.

OID

2.5.21.7

namingContexts

Definition

Corresponds to a naming context the server is mastering or shadowing. When the directory server does not master any information (for example, it is an LDAP gateway to a public X.500 directory), this attribute is absent. When the directory server believes it contains the entire directory, the attribute has a single value, and that value is the empty string (indicating the null DN of the root). This attribute permits a client contacting a server to choose suitable base objects for searching.

This attribute is defined in RFC 2252.

Syntax

DN, multi-valued.

OID

1.3.6.1.4.1.1466.101.120.5

nsds5replconflict

Definition

This attribute is a conflict marker attribute. It is included on entries that have a change conflict that cannot be resolved automatically by the replication process.

This attribute is defined in iPlanet Directory Server.

Syntax

DirectoryString, multi-valued.

OID

2.16.840.1.113730.3.1.973

nsRole

Definition

This attribute is a computed attribute that is not stored with the entry itself. It identifies which roles an entry belongs to.

This attribute is defined in iPlanet Directory Server.

Syntax

DN, multi-valued.

OID

2.16.840.1.113730.3.1.574

nsRoleDN

Definition

This attribute contains the distinguished name of each managed role to which the entry belongs. Membership of a managed role is conferred upon an entry by adding the role's DN to the entry's nsRoleDN attribute.

This attribute is not to be confused with the generated nsRole attribute that contains the DN of *all* roles to which the entry belongs, as computed by the Directory Server. Use nsRoleDN to set managed role membership, and use nsRole to read all roles.

For example:

```
dn: cn=staff,ou=People,dc=siroe,dc=com
objectclass: LDAPsubentry
objectclass: nsRoleDefinition
objectclass: nsSimpleRoleDefinition
objectclass: nsManagedRoleDefinition

dn: uid=bjensen,ou=People,dc=siroe,dc=com
objectclass: top
objectclass: person
sn: Jensen
cn: Babs Jensen
uid: bjensen
nsroledn: cn=staff,ou=People,dc=siroe,dc=com
```

A nested role specifies containment of one or more roles of any type. In that case, nsRoleDN defines the DN of the contained roles.

For example:

```
dn: cn=everybody,o=iPlanet,o=airius.com
objectclass: LDAPsubentry
objectclass: nsRoleDefinition
objectclass: nsComplexRoleDefinition
objectclass: nsNestedRoleDefinition
nsroledn: cn=manager,ou=People,dc=siroe,dc=com
nsroledn: cn=staff,ou=People,dc=siroe,dc=com
```

This attribute is defined in iPlanet Directory Server.

Syntax

DN, multi-valued.

OID

2.16.840.1.113730.3.1.575

numSubordinates

Description

Indicates how many immediate subordinates an entry has.

For example, `numSubordinates=0` in a leaf entry.

This attribute is defined in numSubordinates Internet Draft.

Syntax

INTEGER, single-valued.

OID

1.3.1.1.4.1.453.16.2.103

objectClasses

Definition

Multi-valued attribute that defines the object classes used in a subschema. Each value defines one object class.

This attribute is defined in RFC 2252.

Syntax

DirectoryString, multi-valued.

OID

2.5.21.6

passwordAllowChangeTime

Definition

Used to specify the exact time after which the user is allowed to change their password.

This attribute is defined in iPlanet Directory Server.

Syntax

GeneralizedTime, single-valued.

OID

2.16.840.1.113730.3.1.214

passwordExpirationTime

Definition

Used to specify the exact time after which the user's password expires.

This attribute is defined in iPlanet Directory Server.

Syntax

GeneralizedTime, single-valued.

OID

2.16.840.1.113730.3.1.91

passwordExpWarned

Definition

Used to indicate that a password expiration warning has been sent to the user.

This attribute is defined in iPlanet Directory Server.

Syntax

DirectoryString, single-valued.

OID

2.16.840.1.113730.3.1.92

passwordHistory

Definition

Contains the history of the user's previous passwords.

This attribute is defined in iPlanet Directory Server.

Syntax

Binary, multi-valued.

OID
2.16.840.1.113730.3.1.96

passwordRetryCount

Definition

Used to count the number of consecutive failed attempts at entering the correct password.

This attribute is defined in iPlanet Directory Server.

Syntax

INTEGER, single-valued.

OID
2.16.840.1.113730.3.1.93

retryCountResetTime

Definition

Specifies the exact time after which the passwordRetryCount is reset.

This attribute is defined in iPlanet Directory Server.

Syntax

GeneralizedTime, single-valued.

OID
2.16.840.1.113730.3.1.94

subschemaSubentry

Definition

DN of the entry that contains schema information for this entry. This attribute is present for every entry in the directory.

For example:

```
subschemaSubentry: cn=schema
```

This attribute is defined in RFC 2252.

Syntax

DN, single-valued.

OID

2.5.18.10

supportedControl

Definition

The values of this attribute are the object identifiers (OIDs) that identify the controls supported by the server. When the server does not support controls, this attribute is absent.

This attribute is defined in RFC 2252.

Syntax

DirectoryString, multi-valued.

OID

1.3.6.1.4.1.1466.101.120.13

supportedExtension

Definition

The values of this attribute are the object identifiers (OIDs) that identify the supported extended operations supported by the server. When the server does not support extensions, this attribute is absent.

This attribute is defined in RFC 2252.

Syntax

DirectoryString, multi-valued.

OID

1.3.6.1.4.1.1466.101.120.7

supportedLDAPVersion

Definition

Identifies the versions of the LDAP protocol implemented by the server.

This attribute is defined in RFC 2252.

Syntax

INTEGER, multi-valued.

OID

1.3.6.1.4.1.1466.101.120.15

supportedSASLMechanisms

Definition

Identifies the names of supported SASL mechanisms supported by the server.
When the server does not support SASL attributes, this attribute is absent.

This attribute is defined in RFC 2252.

Syntax

DirectoryString, multi-valued.

OID

1.3.6.1.4.1.1466.101.120.14

Special Object Classes

changeLogEntry

Definition

Used to represent changes made to the directory server. You can configure iPlanet Directory Server 5.1 to maintain a change log that is compatible with the change log implemented in Directory Server 4.1, 4.1, 4.11, 4.12, and 4.13 by enabling the Retro Changelog plug-in. Each entry in the change log has the object class `changeLogEntry`.

This object class is defined in Changelog Internet Draft.

Superior Class

top

OID

2.16.840.1.113730.3.2.1

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
changeNumber	Number assigned arbitrarily to the changelog.
changeTime	The time at which a change took place.
changeType	The type of change performed on an entry.
targetDn	The distinguished name of an entry added, modified or deleted on a supplier server.

Allowed Attributes

changes	Changes made to the directory server.
deleteOldRdn	A flag that defines whether the old Relative Distinguished Name (RDN) of the entry should be kept as a distinguished attribute of the entry, or should be deleted.
newRdn	New RDN of an entry that is the target of a modRDN or modDN operation.

newSuperior Name of the entry that becomes the immediate superior of the existing entry, when processing a modDN operation.

passwordObject

Definition

Stores password information for a user in the directory.

This object class is defined in iPlanet Directory Server.

Superior Class

top

OID

2.16.840.1.113730.3.2.12

Required Attributes

objectClass Defines the object classes for the entry.

Allowed Attributes

accountUnlockTime	Refers to the amount of time that must pass after an account lockout before the user can bind to the directory again.
passwordAllowChangeTime	Used to specify the length of time that must pass before the user is allowed to change their password.
passwordExpirationTime	Used to specify the length of time that passes before the user's password expires.
passwordExpWarned	Used to indicate that a password expiration warning has been sent to the user.
passwordHistory	Contains the history of the user's previous passwords.
passwordRetryCount	Used to count the number of consecutive failed attempts at entering the correct password.
retryCountResetTime	Specifies the length of time that passes before the passwordRetryCount is reset.

subschema

Definition

An auxiliary object class subentry used to administer the subschema for the subschema administrative area. It holds the operational attributes representing the policy parameters used to express the subschema.

This object class is defined in RFC 2252.

Superior Class

top

OID

2.5.20.1

Required Attributes

<i>objectClass</i>	<i>Defines the object classes for the entry.</i>
--------------------	--

Allowed Attributes

attributeTypes	Attribute types used within a subschema.
dITContentRules	Defines the DIT content rules which are in force within a subschema.
dITStructureRules	Defines the DIT structure rules which are in force within a subschema.
matchingRules	Defines the matching rules used within a subschema
matchingRuleUse	Indicates the attribute types to which a matching rule applies in a subschema.
nameForms	Defines the name forms used in a subschema.
objectClasses	Defines the object classes used in a subschema.

Special Attributes

changes

Description

For add and modify operations, contains the changes made to the entry, in LDIF format.

This attribute is defined in Changelog Internet Draft.

Syntax

Binary, multi-valued.

OID

2.16.840.1.113730.3.1.8

changeLog

Description

The distinguished name of the entry which contains the set of entries comprising the servers changelog.

This attribute is defined in Changelog Internet Draft.

Syntax

DN, multi-valued.

OID

2.16.840.1.113730.3.1.35

changeNumber

Description

This single-valued attribute is always present. It contains an integer which uniquely identifies each change made to a directory entry. This number is related to the order in which the change occurred. The higher the number, the later the change.

This attribute is defined in Changelog Internet Draft.

Syntax

INTEGER, multi-valued.

OID

2.16.840.1.113730.3.1.5

changeTime

Description

Defines a time, in a YYMMDDHHMMSS format, when the entry was added.

This attribute is defined in iPlanet Directory Server.

Syntax

DirectoryString, multi-valued.

OID

2.16.840.1.113730.3.1.77

changeType

Description

Specifies the type of LDAP operation. This attribute can have one of the following values: **add**, **delete**, **modify**, or **modrdn**.

For example:

```
changeType: modify
```

This attribute is defined in Changelog Internet Draft.

Syntax

DirectoryString, multi-valued.

OID

2.16.840.1.113730.3.1.7

deleteOldRdn

Description

In the case of `modrdn` operations, specifies whether the old RDN was deleted.

This attribute is defined in Changelog Internet Draft.

Syntax

Boolean, multi-valued.

OID

2.16.840.1.113730.3.1.10

newRdn

Description

In the case of `modrdn` operations, specifies the new RDN of the entry.

This attribute is defined in Changelog Internet Draft.

Syntax

DN, multi-valued.

OID

2.16.840.1.113730.3.1.9

newSuperior

Description

In the case of `modrdn` operations, specifies the `newSuperior` attribute of the entry.

This attribute is defined in Changelog Internet Draft.

Syntax

DN, multi-valued.

OID

2.16.840.1.113730.3.1.11

targetDn

Description

Contains the DN of the entry that was affected by the LDAP operation. In the case of a `modrdn` operation, the `targetDn` attribute contains the DN of the entry before it was modified or moved.

This attribute is defined in Changelog Internet Draft.

Syntax

DN, multi-valued.

OID

2.16.840.1.113730.3.1.6

Index

A

abstract attribute 80
account object class 22
accountUnlockTime operational attribute 140
aci operational attribute 140
alias object class 23
aliasedObjectName attribute 80
altServer operational attribute 140
associatedDomain attribute 80
associatedName attribute 81
attributeTypes operational attribute 141
audio attribute 81
authorCn attribute 82
authorityRevocationList attribute 83
authorSn attribute 82

B

buildingName attribute 83
businessCategory attribute 83

C

c attribute 84
cACertificate attribute 84
carLicense attribute 85

certificateRevocationList attribute 85
changeLog attribute 155
changeLogEntry object class 152
changeNumber attribute 155
changes attribute 155
changeTime attribute 156
changeType attribute 156
cn attribute 86
co attribute 86
commonName attribute, *See* cn attribute
copiedFrom operational attribute 141
copyingFrom operational attribute 142
cosAttribute attribute 87
cosClassicDefinition object class 24
cosDefinition object class 25
cosIndirectDefinition object class 26
cosIndirectSpecifier attribute 87
cosPointerDefinition object class 27
cosPriority attribute 88
cosSpecifier attribute 88
cosSuperDefinition object class 28
cosTargetTree attribute 88
cosTemplate object class 29
cosTemplateDn attribute 89
country object class 30
countryName attribute, *See* c attribute
crossCertificatePair attribute 89

D

- dc attribute 90
- dcObject object class 31
- deleteOldRdn attribute 157
- deltaRevocationList attribute 90
- departmentNumber attribute 91
- description attribute 91
- destinationIndicator attribute 91
- device object class 32
- displayName attribute 92
- distinguishedName attribute, *See* dn attribute
- dITContentRules operational attribute 142
- dITRedirect attribute 92
- dITStructureRules operational attribute 142
- dmdname attribute 93
- dn attribute 93
- dNSRecord attribute 94
- document object class 33
- documentAuthor attribute 94
- documentIdentifier attribute 94
- documentLocation attribute 95
- documentPublisher attribute 95
- documentSeries object class 35
- documentStore attribute 96
- documentTitle attribute 96
- documentVersion attribute 96
- domain object class 36
- domainComponent attribute, *See* dc attribute
- domainRelatedObject object class 38
- drink attribute 97
- dSA object class 39
- dSAQuality attribute 97

E

- employeeNumber attribute 98
- employeeType attribute 98
- enhancedSearchGuide attribute 98

F

- facsimileTelephoneNumber attribute, *See* fax attribute
- favouriteDrink attribute, *See* drink attribute
- fax attribute 99
- friendlyCountry object class 41
- friendlyCountryName attribute, *See* co attribute

G

- generationQualifier attribute 99
- givenName attribute 100
- groupOfCertificates object class 42
- groupOfNames object class 43
- groupOfUniqueNames object class 44
- groupOfURLs object class 45

H

- homeDirectory attribute 100
- homePhone attribute 100
- homePostalAddress attribute 101
- homeTelephoneNumber attribute, *See* homePhone attribute
- host attribute 101
- houseIdentifier attribute 102

I

- inetOrgPerson object class 46
- info attribute 102
- initials attribute 102
- internationalIsdnNumber attribute 103

J

janetMailbox attribute 103
jpegPhoto attribute 104

K

keyWords attribute 104
knowledgeInformation attribute 104

L

l attribute 105
labeledURI attribute 105
labeledURIObject object class 49
lastModifiedBy attribute 106
lastModifiedTime attribute 106
locality object class 50
localityName attribute, *See* l attribute

M

mail attribute 107
mailPreferenceOption attribute 107
manager attribute 108
matchingRules operational attribute 143
matchingRuleUse operational attribute 144
member attribute 108
memberCertificateDescription attribute 109
memberURL attribute 110
mobile attribute 110
mobileTelephoneNumber attribute, *See* mobile attribute
multiLineDescription attribute 111

N

name attribute 111
nameForms operational attribute 144
namingContexts operational attribute 144
newPilotPerson object class 51
newRdn attribute 157
newSuperior attribute 157
nsComplexRoleDefinition object class 53
nsds5replconflict operational attribute 145
nsFilteredRoleDefinition object class 54
nsLicensedFor attribute 112
nsLicenseEndTime attribute 112
nsLicenseStartTime attribute 113
nsLicenseUser object class 55
nsManagedRoleDefinition object class 56
nsNestedRoleDefinition object class 57
nsRole operational attribute 145
nsRoleDefinition object class 58
nsRoleDn operational attribute 146
nsSimpleRoleDefinition object class 59
numSubordinates operational attribute 147

O

o attribute 113
objectClass attribute 113
objectClasses operational attribute 147
obsoletedByDocument attribute 114
obsoletesDocument attribute 114
Operational attributes 140
organization object class 60
organizationalPerson object class 62
organizationalRole object class 64
organizationalStatus attribute 115
organizationalUnit object class 66
organizationalUnitName attribute, *See* ou attribute
organizationName attribute, *See* o attribute
otherMailbox attribute 115
ou attribute 116

owner attribute 116

P

pager attribute 116
pagerTelephoneNumber attribute, *See* pager attribute
passwordAllowChangeTime operational attribute 147
passwordExpirationTime operational attribute 148
passwordExpWarned operational attribute 148
passwordHistory operational attribute 148
passwordRetryCount operational attribute 149
person object class 68
personalSignature attribute 117
personalTitle attribute 117
photo attribute 118
physicalDeliveryOfficeName attribute 118
pilotObject object class 69
pilotOrganization object class 70
postalAddress attribute 119
postalCode attribute 119
postOfficeBox attribute 120
preferredDeliveryMethod attribute 120
preferredLanguage attribute 120
presentationAddress attribute 121
protocolInformation attribute 121

R

registeredAddress attribute 122
residentialPerson object class 72
retryCountResetTime operational attribute 149
RFC822LocalPart object class 74
roleOccupant attribute 122
room object class 76
roomNumber attribute 123

S

searchGuide attribute 123
secretary attribute 124
seeAlso attribute 124
serialNumber attribute 125
shadowFlag attribute 125
simpleSecurityObject object class 78
singleLevelQuality attribute 125
sn attribute 125
Special attributes 155
Special object classes 152
st attribute 126
stateOrProvinceName attribute, *See* st attribute
street attribute 126
streetAddress attribute, *See* street attribute
strongAuthenticationUser object class 77
subject attribute 127
subschema object class 154
subschemaSubentry operational attribute 149
subtreeMaximumQuality attribute 127
subtreeMinimumQuality attribute 128
supportedAlgorithms attribute 128
supportedApplicationContext attribute 128
supportedControl operational attribute 150
supportedExtension operational attribute 150
supportedLDAPVersion operational attribute 151
supportedSASLMechanisms operational attribute 151
surname attribute, *See* sn attribute

T

targetDn attribute 158
telephoneNumber attribute 129
teletexTerminalIdentifier attribute 129
telexNumber attribute 130
textEncodedORAddress attribute 130
timeToLive attribute, *See* ttl attribute
title attribute 131
ttl attribute 131

U

- uid attribute 132
- uniqueIdentifier attribute 132
- uniqueMember attribute 133
- updatedByDocument attribute 133
- updatesDocument attribute 134
- userCertificate attribute 134
- userClass attribute 135
- userId attribute, *See* uid attribute
- userPassword attribute 135
- userPKCS12 attribute 136
- userSMIMECertificate attribute 136

X

- x121Address attribute 136
- x500UniqueIdentifier attribute 137

