

# Master Index

*iPlanet™ Integration Server EAI*

**Version 3.1**

817-4009-10  
September 2003

Copyright (c) 2003 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, U.S.A. All rights reserved.

U.S. Government Rights - Commercial software. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements. Use is subject to license terms.

Sun, Sun Microsystems, the Sun logo, Java, Solaris, Sun[tm] ONE and the Sun[tm] ONE logo are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries.

Products bearing SPARC trademarks are based upon architecture developed by Sun Microsystems, Inc.

UNIX is a registered trademark in the U.S. and other countries, exclusively licensed through X/Open Company, Ltd.

This product is covered and controlled by U.S. Export Control laws and may be subject to the export or import laws in other countries. Nuclear, missile, chemical biological weapons or nuclear maritime end uses or end users, whether direct or indirect, are strictly prohibited. Export or reexport to countries subject to U.S. embargo or to entities identified on U.S. export exclusion lists, including, but not limited to, the denied persons and specially designated nationals lists is strictly prohibited.

---

Copyright (c) 2003 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, Etats-Unis. Tous droits réservés.

L'utilisation est soumise aux termes de la Licence. Sun, Sun Microsystems, le logo Sun, Java, Solaris, Sun[tm] ONE et le logo Sun[tm] ONE sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays.

Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc.

UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Ce produit est soumis à la législation américaine en matière de contrôle des exportations et peut être soumis à la réglementation en vigueur dans d'autres pays dans le domaine des exportations et importations. Les utilisations, ou utilisateurs finaux, pour des armes nucléaires, des missiles, des armes biologiques et chimiques ou du nucléaire maritime, directement ou indirectement, sont strictement interdites. Les exportations ou réexportations vers les pays sous embargo américain, ou vers des entités figurant sur les listes d'exclusion d'exportation américaines, y compris, mais de manière non exhaustive, la liste de personnes qui font objet d'un ordre de ne pas participer, d'une façon directe ou indirecte, aux exportations des produits ou des services qui sont régis par la législation américaine en matière de contrôle des exportations et la liste de ressortissants spécifiquement désignés, sont rigoureusement interdites.

# IS EAI 3.1 Master Index

## A

- abort router handling PD-179
- AbortActivity command, Conductor Script PS-273
- AbortActivity method PD-275
- AbortAllProcesses command, Conductor Script PS-274
- ABORTED
  - activity state PD-165, PS-163, PS-199, PS-357
  - process instance state PS-173, PS-198, PS-357
- aborting
  - activities PS-186
  - process instances PS-181
- AbortProcess command, Conductor Script PS-274
- access rules, *See* assignment rules
- ACTIVE
  - activity state PD-165, PS-163, PS-199, PS-357
  - process instance state PS-198, PS-357
  - session state PS-158, PS-199, PS-357
- ActiveX process client API
  - activities, aborting CP-210
  - activities, completing CP-209
  - activities, rolling back CP-209
  - activities, starting CP-208
  - activities, suspended/terminated sessions CP-199
  - activity lists, getting CP-201
  - activity lists, suspended sessions CP-199
  - activity update caching CP-203
  - arrays, using CP-190
  - attribute accessors CP-42
  - configuring Visual Basic project CP-187
  - control methods and constants CP-188
  - control properties CP-189
  - controls, browsing CP-188
  - controls, creating CP-192
  - controls, referencing CP-191
  - data types CP-194
  - DCOM, setting up CP-186
  - Disconnect Action values CP-199
  - engine connection CP-196, CP-199
  - engine name, determining CP-195
  - engine session, opening CP-195
  - error handling CP-193
  - event handling, activity updates CP-203
  - exception handling CP-193
  - heads-down interface, activities CP-199, CP-200
  - heads-up interface, activities CP-208
  - heads-up interface, work list CP-202
  - installing and configuring CP-187
  - name service CP-195
  - offered activities CP-199, CP-201
  - offered activities, starting CP-208
  - overview CP-185
  - polling the engine CP-203
  - process attributes, initializing CP-210
  - process attributes, terminating session CP-198
  - process instances, creating CP-210

### iPlanet Integration Server EAI Master Index Key

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

ActiveX process client API (*continued*)

- process recovery level, setting CP-212
- queued activities CP-200
- queued activities, empty queues CP-206
- queued activities, handling CP-206
- queued activities, sample code CP-200
- Reconnect Action values CP-199
- sessions, establishing with engine CP-197
- sessions, initializing CP-30
- sessions, opening CP-195
- sessions, starting/reconnecting CP-199
- sessions, suspended CP-198
- sessions, suspending on close CP-207
- sessions, terminating CP-206
- sessions, terminating on suspension CP-198
- synchronizing objects CP-34
- update limit CP-205
- Visual Basic and CP-194
- work lists, displaying CP-202
- work lists, updating CP-203

ActiveX Expense Reporting example

- description PD-364
- using PD-365

activities

- See also* offered activities; queued activities; subprocess activities
- aborting within methods PD-275
- about PD-164–PD-174, PS-162
- application dictionary items and PD-51, PD-200
- assignment rules and PD-47, PD-118
- automatic PD-170, PD-221
- Comments property PD-200
- creating PS-167
- defined PD-43, PD-161
- first PD-172, PD-173
- junction PD-54, PD-171
- last PD-173
- linking PD-200
- methods, execution of PS-164
- Name property PD-198
- state transitions PS-168

- status, checking PS-185
- termination PS-171
- timer links and PD-163
- types PD-161

activity description

- defined PD-146
- specifying PD-153

activity execution

- automatic activities PS-171
- offered activities PS-168
- queued activities PS-169
- subprocess activities PS-170

activity information, supplying to applications IG-48

activity link properties

- offered activities PD-199
- subprocess activities PD-218

activity links

- defined PD-163
- Evaluate method, assignment rules and PD-167, PD-200
- Evaluate method, assignment rules example PD-134
- GetOtherInfo method, UserProfile class, and PD-109
- information from other activities PD-167
- linked users PD-167
- SetOtherInfo method, UserProfile class, and PD-113
- setting PD-200
- subprocess activities PD-218
- ValidateUser method, Validation class, and PD-249

activity methods

- diagram PD-168
- Evaluate PD-130
- OnAbort PD-210
- OnActive PD-206
- OnComplete PD-207
- overview PD-165
- Ready PD-205
- Trigger PD-202

**iPlanet Integration Server EAI Master Index Key**

**AD** = *iIS Adapter Development Guide*  
**CO** = *iIS Conceptual Overview*  
**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*  
**PD** = *iIS Process Development Guide*  
**PS** = *iIS Process System Guide*  
**SG** = *iIS Backbone System Guide*

- activity queues
  - reprioritizing PS-189
  - status, checking PS-188
- activity states
  - ABORTED PD-165, PS-163, PS-199, PS-357
  - ACTIVE PD-165, PS-163, PS-199, PS-357
  - changing PS-186
  - COMPLETED PD-165, PS-163, PS-199, PS-357
  - defined PD-164
  - DELETED PS-199, PS-357
  - diagram PD-168
  - PENDING PD-164, PS-162, PS-199, PS-357
  - process execution and PS-167
  - READY PD-165, PS-162, PS-199, PS-357
  - summary PD-43
  - transitions PS-164, PS-168
- activity types PS-165
- AD, application dictionary project extension PD-91
- adapter
  - about AD-11, CO-11
  - and its application SG-58
  - building C AD-39
  - building TOOL AD-25
  - C example AD-38
  - functions SG-28
  - operations, C AD-35
  - operations, generic AD-13
  - operations, TOOL AD-19
  - SDK, C AD-37
  - SDK, TOOL AD-21
  - TOOL example AD-21
- AddAplRole command, Fusion Script SG-82, SG-123
- AddAplURL command, Fusion Script SG-78, SG-124
- AddCRole command, Fusion Script SG-126
- AddListener command, Fusion Script SG-127
- AddProxy command, Fusion Script SG-129
- AddServiceDefinition command, Fusion Script SG-129
- AddToJmsPath command, Fusion Script SG-135
- AddToJvmArgs command, Fusion Script SG-136
- administering an iIS backbone SG-90
- Advanced Expense Reporting example
  - described PD-334
  - using PD-339
- advertising the server (TOOL) AD-25
- alarms
  - about PS-204
  - list and descriptions PS-205
  - monitoring PS-206
  - viewing PS-208
- Alarms window PS-205
- aliases
  - about PS-143
  - registration PS-144, PS-148
  - subprocess activity and PS-143
  - unregistration PS-150
- application and process logic concepts PD-41
- application code
  - defined PD-146
  - specifying PD-153
- application developer, project team PD-38
- application dictionary
  - about PD-145
  - as design element PD-51
  - modifying PD-58
  - saving PD-156
  - using PD-156
- application dictionary items
  - activities and PD-51
  - activity description PD-146
  - application code PD-146
  - associating with activities PD-200
  - attribute accessor PD-146
  - creating PD-149
  - defined PD-51
  - editing PD-149
  - offered activities PD-200
  - queued activities PD-213
  - service information PD-146
- Application Dictionary workshop
  - opening PD-147
- application integrator, project team PD-38

**iPlanet Integration Server EAI Master Index Key****AD** = *iIS Adapter Development Guide***CO** = *iIS Conceptual Overview***CP** = *iIS Process Client Programming Guide***IG** = *iIS Backbone Integration Guide***PD** = *iIS Process Development Guide***PS** = *iIS Process System Guide***SG** = *iIS Backbone System Guide*

- application interface, proxy SG-37
- application logic PD-41
- application operations
  - C AD-37
  - TOOL AD-20
- application or adapter URL SG-124, SG-137
- application roles
  - adding SG-123
  - removing SG-152
  - specifying SG-82
- application system designer, project team PD-39
- application, *See* iIS application
- applications
  - and adapters SG-58
  - availability, ensuring SG-78
  - independent proxies, using IG-55, IG-147
  - load balancing SG-78
  - non-partner IG-53
  - recovery SG-78, SG-97
  - recovery use case IG-141
  - resynchronizing with proxy SG-97
  - retrying SG-78
  - user profile SG-61
- AR, assignment rule dictionary project
  - extension PD-91
- architecture
  - iIS application PD-29, SG-27
  - process controller PD-31
  - traditional monolithic PD-29
- arithmetic operators, TOOL PD-302
- arrays, TOOL PD-309
- assignment rule dictionary
  - about PD-115
  - compiling PD-136
  - defined PD-48
  - modifying and upgrading PD-57, PD-137
  - registration PS-144
  - registration, order of PD-63
  - saving PD-135
- Assignment Rule property
  - offered activities PD-201
  - queued activities PD-213
- assignment rule role list, accessing PD-132
- Assignment Rule workshop
  - Compile command PD-136
  - Distribute command PD-136, PD-156
  - Method Definition dialog PD-127
  - opening PD-121
- assignment rules
  - about PD-115
  - activities and PD-118
  - Assignment Rule property PD-201, PD-213
  - associating with activities PD-201
  - Comments property PD-125
  - complexity, adding PD-117
  - creating PD-123
  - cut/copy/paste PD-78
  - as design element PD-47
  - editing PD-123
  - Evaluate method PD-127
  - Instances property PD-125
  - Name property PD-125
  - object attributes PD-127
  - offered activities and PD-120
  - permissions PD-47
  - properties PD-124
  - queued activities and PD-120
  - registration overview PD-62
  - roles, specifying PD-125
  - service objects, accessing PD-127
  - specifying, for process creation PD-194
  - user profile supplier PD-124
  - user profiles and PD-47, PD-93
- asynchronous processing, HTTP AD-14, SG-41
- Asynchronous/Synchronous property, subprocess
  - activities PD-217
- attribute access list, specifying PD-265
- attribute accessors
  - application dictionary item, specifying PD-150
  - definition PD-146

**iPlanet Integration Server EAI Master Index Key**

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

- attribute values, user-defined SG-104
- attributes, *See* process attributes
- attributes, XML SG-104
- audit trace PS-211
- authentication
  - See also* session authentication
  - HTTP session authentication SG-42
  - JNDI simple authentication SG-47
  - using SSL SG-41
- authentication documents SG-109
- automatic activities
  - described PS-165
  - execution of PS-171
- automatic restart property, proxy SG-162
- automatic start property, proxy SG-162
- auto-reconnect mechanism, sessions PS-159

## B

- backbone
  - about SG-27
  - administering SG-90
  - certificate changes, controlling SG-143
  - certificates, registering SG-149
  - configuration file, showing SG-178
  - configuration file, validating SG-186
  - configuring, overview SG-59
  - configuring, procedures SG-72
  - creating SG-142
  - deleting SG-143
  - engine usage on/off SG-58
  - example SG-27, SG-72
  - finding SG-145
  - listing all SG-147
  - managing SG-90
  - partitioning SG-54
  - planning SG-32, SG-53
  - process attribute handling SG-105
  - sample system SG-55

- shutting down SG-91, SG-180
- starting SG-90, SG-183
- status, showing SG-179
- stylesheet base SG-59
- stylesheets, controlling SG-144
- stylesheets, listing SG-148
- stylesheets, registering SG-151
- backbone level commands SG-115
- backbone manager
  - finding SG-146
  - node memory settings SG-140, SG-167
  - node, clearing SG-140
  - node, setting SG-167
  - shutting down SG-182
  - starting SG-184
  - status, showing SG-179
- backup engine unit
  - defined PS-33
  - partitioning guidelines PS-86

- Basic authentication SG-83, SG-161

- boolean

- attribute data type, simple PD-271
- constant, TOOL PD-295
- data type, TOOL PD-295
- expression, TOOL PD-295

- BooleanData attribute data type PD-271

- BOTH governor state PS-106

- Branch command, Repository workshop PD-89

- BroadcastMessage command, Conductor Script PS-275

- business object model PD-41

- business process model PD-41
- See also* process definitions

## C

- C++ process client API

- activities, aborting CP-112
- activities, completing CP-111

### iPlanet Integration Server EAI Master Index Key

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

C++ process client API (*continued*)

- activities, rolling back CP-112
- activities, starting CP-109
- activities, suspended/terminated sessions CP-100
- activity lists, getting CP-104
- activity lists, suspended sessions CP-101
- activity queues CP-111
- activity update caching CP-106
- assignment rules CP-98
- attribute accessors CP-42, CP-105, CP-110
- attribute accessors, recovering CP-117
- class constructors CP-88
- client partition CP-94
- compiler, setting up CP-91
- conductr.h header file CP-92, CP-95
- data types CP-89
- Disconnect Action values CP-101
- engine connection CP-115
- engine connection, reestablishing CP-116
- engine list, getting CP-97
- engine name CP-98
- engine object, getting CP-96
- exception handling CP-90
- GetAttributeAccessor method, and work lists CP-105
- handle object CP-89
- header file, conductr.h CP-92, CP-95
- heads-down interface, activities CP-102, CP-109
- heads-up interface, activities CP-104, CP-109
- libraries, linking CP-92
- LockType attribute ignored CP-112
- LostContact exception CP-116
- memory management CP-88
- name service CP-98
- offered activities CP-105
- overview CP-87
- password, obtaining CP-99
- polling the engine CP-106
- process attributes, initializing CP-112
- process instances, creating CP-112
- process recovery levels, setting CP-113
- project, setting up CP-91
- queued activities, empty queues CP-111
- queued activities, getting CP-109
- queued activities, starting with sample code CP-110
- Reconnect Action values CP-101
- session activity lists CP-104
- sessions, initializing CP-30
- sessions, opening CP-96, CP-102
- sessions, starting CP-101
- sessions, suspended CP-100
- sessions, suspending on close CP-115
- sessions, terminated CP-100
- sessions, terminating CP-114
- synchronizing objects CP-34
- system, setting up CP-91
- task handles CP-88
- task handles, starting client partition CP-95
- threads, queued activities CP-111
- try/catch blocks CP-90
- user profiles, customizing CP-99
- user profiles, offered activities CP-102
- user profiles, setting up CP-98
- user roles, validating CP-98
- WFActivityListException, starting an activity CP-109
- WFUserProfileDesc object CP-100
- work lists, building CP-105
- work lists, updating CP-106
- C++ ExpenseReporting example description PD-359 using PD-362
- case statement, TOOL PD-311
- casting
  - numeric types, TOOL PD-304
  - to UserProfile class type PD-133, PD-138, PD-253
- cconsole command PS-67
- CDATA sections
  - C AD-47
  - delimiters SG-103
  - TOOL AD-29
- central development repository PD-37
- central server CP-40

**iPlanet Integration Server EAI Master Index Key**

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*



- central server node
  - definition PS-51
  - installation PS-57
- certificates, *See* SSL certificates
- ChannelDisconnect alarm PS-205
- char data type, TOOL PD-294
- character data, XML SG-103
- Checkout command, Repository workshop PD-89
- child elements, XML SG-103
- Cleanup method, Validation class PD-254
- ClearAplProfile command, Fusion Script SG-137
- ClearAplSession command, Fusion Script SG-137
- ClearAplURL command, Fusion Script SG-137
- ClearAuthScheme command, Fusion Script SG-138
- ClearCEngine command, Fusion Script SG-138
- ClearCProfile command, Fusion Script SG-139
- ClearCredentials command, Fusion Script SG-139
- ClearCSession command, Fusion Script SG-139
- ClearListeners command, Fusion Script SG-140
- ClearMemoryFlags command, Fusion Script SG-140
- ClearNode command, Fusion Script SG-140
- ClearPort command, Fusion Script SG-141
- ClearRule command, Fusion Script SG-141
- ClearServiceDefinitions command, Fusion Script SG-142
- client applications
  - See also* iIS application
  - about PS-45
  - development node PS-52
  - overview CP-26
- client, HTTP SG-40, SG-61
- Close command, Repository workshop PD-76
- code, generating PD-91
- command documents
  - described IG-172, SG-105–SG-107
  - element hierarchy IG-183
- command processor, proxy SG-37
- command summary
  - Conductor Script PS-261
  - iIS Console PS-78
- command summary, Fusion Script SG-111
- commands, backbone
  - backbone level SG-115
  - command summary tables SG-112
  - component level SG-118
  - environment level SG-114
  - generic SG-114
  - navigating command hierarchy SG-113
- comment elements, XML SG-104
- comment statement, TOOL PD-290
- Comments property
  - activities PD-200
  - assignment rules PD-125
  - process definitions PD-193
  - routers PD-233
  - timers PD-224, PD-229
- CommitTransaction command, Conductor Script PS-275
- CompareRoles method, UserProfile class PD-108
- comparison expressions, TOOL PD-296
- comparison operators, TOOL PD-296
- Compile All Plans command, Repository workshop PD-91
- Compile command
  - Assignment Rule workshop PD-136
  - Process Definition workshop PD-236
  - Validation workshop PD-250
- compiling PD-91
- CompleteActivity command, Conductor Script PS-276
- COMPLETED
  - activity state PD-165, PS-163, PS-199, PS-357
  - process instance state PS-173, PS-198, PS-357
- component level commands, Fusion Script SG-118
- component mode Conductor Script
  - commands PS-271
- Conductor engine, *See* process engine

**iPlanet Integration Server EAI Master Index Key****AD** = *iIS Adapter Development Guide***CO** = *iIS Conceptual Overview***CP** = *iIS Process Client Programming Guide***IG** = *iIS Backbone Integration Guide***PD** = *iIS Process Development Guide***PS** = *iIS Process System Guide***SG** = *iIS Backbone System Guide*

Conductor Script

- about PS-41
- command summary PS-261
- component mode commands PS-271
- engine management commands PS-264
- engine status, showing PS-309
- environment mode commands PS-263
- iIS distributions PS-144
- process execution management
  - commands PS-266
- starting PS-228

Conductor Script commands

- AbortActivity PS-273
- AbortAllProcesses PS-274
- AbortProcess PS-274
- BroadcastMessage PS-275
- CommitTransaction PS-275
- CompleteActivity PS-276
- ConsultActivity PS-276
- CreateActivity PS-278
- CreateFilter PS-279
- DelegateActivity PS-281
- DeleteFilter PS-283
- FindDBService PS-283
- FindEngine PS-284
- FindGovernor PS-284
- FindNode PS-285
- FindParentEngine PS-285
- FindPrimary PS-285
- FindUnit PS-286
- FlushLog PS-286
- IIOPServer PS-287
- ListActivities PS-287
- ListActivityQueues PS-287
- ListConductorDistributions PS-288
- ListEngines PS-289
- ListFilters PS-289
- ListProcesses PS-289
- ListRegistrations PS-290
- ListSessions PS-291
- ListTimers PS-291
- ListTransactions PS-291
- MakeConductorDistribution PS-292

- ModLogFlags PS-292
- ReadyActivity PS-293
- RegisterAlias PS-294
- RegisterAssignmentRules PS-294
- RegisterProcessDefinition PS-295
- RegisterUserProfile PS-295
- RegisterValidation PS-296
- RemoveReadLock PS-297
- RemoveWriteLock PS-297
- Rollback Transaction PS-298
- RollbackActivity PS-298
- SendMessage PS-299
- SetAttributeValue PS-300
- SetPassword PS-300
- SetPrimary PS-301
- SetQueuedActivityPriority PS-301
- SetState PS-302
- SetTimer PS-302
- SetTimerDeadline PS-303
- SetTimerElapsed PS-304
- ShowActivity PS-304
- ShowActivityQueue PS-305
- ShowConfiguration PS-306
- ShowEngine PS-306
- ShowLogFlags PS-307
- ShowProcess PS-307
- ShowSession PS-308
- ShowStatus PS-309
- ShowTimer PS-313
- Shutdown PS-314
- StartActivity PS-314
- StartDBService PS-315
- StartEngine PS-315
- StartGovernor PS-316
- StartTimer PS-317
- StartUnit PS-317
- StopTimer PS-319
- SuspendAllSessions PS-319
- SuspendSession PS-320
- TerminateAllSessions PS-321
- TerminateSession PS-321
- Uninstall PS-321
- UnRegisterAlias PS-322

**iPlanet Integration Server EAI Master Index Key**

- AD** = *iIS Adapter Development Guide*
- CO** = *iIS Conceptual Overview*
- CP** = *iIS Process Client Programming Guide*

- IG** = *iIS Backbone Integration Guide*
- PD** = *iIS Process Development Guide*
- PS** = *iIS Process System Guide*
- SG** = *iIS Backbone System Guide*

- Conductor Script (*continued*)
  - UnRegisterAssignmentRules PS-322
  - UnRegisterProcessDefinition PS-323
  - UnRegisterUserProfile PS-324
  - WaitForStartup PS-324
- Conductor, *See* engine
- configuration file, engine PS-90
- configuring CO-24
  - backbone SG-59
  - proxy SG-60
- constant statement, TOOL PD-313
- constants, TOOL
  - boolean PD-295
  - naming PD-308
- ConsultActivity command, Conductor Script PS-276
- CORBA/IOP process client API
  - activities, aborting CP-146, CP-148
  - activities, completing CP-145
  - activities, rolling back CP-145
  - activities, starting CP-142
  - activities, suspended/terminated sessions CP-134
  - activity lists, getting CP-138
  - activity lists, suspended sessions CP-134
  - activity queues CP-145
  - activity update caching CP-140
  - assignment rules CP-131
  - assignment rules, offered activities CP-135
  - attribute accessors CP-42, CP-139, CP-144
  - attribute accessors, recovering on
    - reconnect CP-151
  - data types CP-120
  - DateTimeData type CP-121
  - Disconnect Action values CP-134
  - engine connection CP-149
  - engine connection, reestablishing CP-151
  - engine name CP-124, CP-131
  - engine object, getting CP-129
  - engine session, suspended CP-133
  - engines, list of CP-130
  - error handling CP-122
  - event handling, activity updates CP-140
  - heads-down interface, offered activities CP-135
  - heads-down interface, queued activities CP-143
  - heads-up interface, activities CP-138, CP-142
  - IDL file, location CP-123
  - IntervalData type CP-121
  - IOR file CP-123
  - LostContact exception CP-149
  - name service CP-124, CP-131
  - offered activities CP-139
  - offered activities, getting CP-138
  - offered activities, starting CP-142
  - ORB, starting CP-123
  - overview CP-119
  - passwords, obtaining CP-132
  - polling the engine CP-140
  - process attributes, initializing CP-146
  - process attributes, terminating session CP-133
  - process instances, creating CP-146
  - process recovery levels, setting CP-147
  - project, setting up CP-123
  - queued activities CP-143, CP-144
  - queued activities, empty queues CP-145
  - queued activities, getting CP-143
  - queued activities, starting with sample
    - code CP-143
  - Reconnect Action values CP-135
  - servers, multiple CP-126
  - session activity lists CP-134, CP-138
  - sessions, closing CP-148
  - sessions, initializing CP-30
  - sessions, opening CP-129, CP-135
  - sessions, suspended CP-133
  - sessions, suspending on close CP-148
  - sessions, terminating CP-148
  - sessions, terminating on suspension CP-133
  - synchronizing objects CP-34
  - try/catch blocks CP-122
  - user profiles, customizing CP-132
  - user profiles, offered activities CP-135
  - user profiles, populating CP-132
  - user profiles, setting up CP-131
  - user roles, validating CP-131
  - ValidateUser method CP-132

**iPlanet Integration Server EAI Master Index Key****AD** = *iIS Adapter Development Guide***CO** = *iIS Conceptual Overview***CP** = *iIS Process Client Programming Guide***IG** = *iIS Backbone Integration Guide***PD** = *iIS Process Development Guide***PS** = *iIS Process System Guide***SG** = *iIS Backbone System Guide*

CORBA/IIOP process client API (*continued*)

- WFActivityListException, starting activities CP-142
- work lists, building CP-138
- work lists, updating CP-140
- CPA
  - Action SG-51
  - attachments SG-52
  - MIME types SG-52
  - Name SG-51
  - Service SG-51
- CreateActivity command, Conductor Script PS-278
- CreateBackbone command, Fusion Script SG-142
- CREATED states PS-198, PS-357
- CreateFilter command, Conductor Script PS-279
- Cscript, *See* Conductor Script
- current state tables
  - engine database PS-124, PS-327
  - schema PS-332

## D

- data file, dump/restore facility PS-128
- Data Type property, process attribute PD-129, PD-152, PD-196
- data types, process attribute PD-270, PD-271
- data types, TOOL
  - boolean PD-295
  - float PD-300
  - integers PD-299
  - numeric PD-299
  - numeric constants PD-301
  - numeric expressions PD-304
  - string PD-293
- database
  - See also* engine database
  - Dump/Restore facilities PS-126
  - engine PS-32

- enterprise PS-45
- organization PS-46
- database service
  - configuring PS-98, PS-99
  - defined PS-32
  - monitoring PS-121
  - partitioning guidelines PS-87
  - startup PS-109
- database service state PS-109
- DatabaseDisconnect alarm PS-205
- databases PD-36
- DateTimeData attribute data type PD-271
- deadline timers
  - DeadlineInit method PD-177
  - described PD-177
  - properties PD-228
  - using PD-228
- DeadlineInit method, deadline timers
  - described PD-229
  - example PD-177
- DecimalData attribute data type PD-271
- DelegateActivity command, Conductor Script PS-281
- DeleteBackbone command, Fusion Script SG-143
- DELETED states PS-199, PS-357
- DeleteFilter command, Conductor Script PS-283
- DeRegisterCertificate command, Fusion Script SG-143
- deregistering
  - certificates for backbone SG-143
  - stylesheets for backbone SG-144
- DeRegisterRule command, Fusion Script SG-144
- design elements
  - about PD-42
  - dependencies PD-54
  - iIS application PD-58
  - summary of PD-58
- design workshops
  - cut/copy/paste PD-78
  - dialog area PD-78
  - elements, illustrated PD-77

**iPlanet Integration Server EAI Master Index Key**

- AD** = *iIS Adapter Development Guide*
- CO** = *iIS Conceptual Overview*
- CP** = *iIS Process Client Programming Guide*

- IG** = *iIS Backbone Integration Guide*
- PD** = *iIS Process Development Guide*
- PS** = *iIS Process System Guide*
- SG** = *iIS Backbone System Guide*

design workshops (*continued*)  
 list view PD-78  
 online help PD-79  
 user interface overview PD-77  
 work, undoing PD-79  
 development client node, installation PS-59  
 development engines PS-83  
 development repository PS-45  
 disconnect parameters, sessions PS-160  
 Distribute command  
 Assignment Rule workshop PD-136, PD-156  
 Process Definition workshop PD-236  
 Validation workshop PD-251  
 distributions  
 iIS PS-144  
 making with Conductor Script PS-243  
 Document Object Model (DOM) AD-21  
 Documentation Roadmap CO-25  
 double simple attribute data types PD-271  
 DoubleData attribute data type PD-271  
 DrDump command, Conductor Script PS-130  
 DrRestore command, Conductor Script PS-135  
 Dump/Restore facilities PS-41, PS-63, PS-126  
 DumpStatus command, Fusion Script SG-145

## E

E1 governor state PS-106  
 E2 governor state PS-106  
 ebscript SG-51  
 ebXML  
 Accessing ebXML Services SG-57  
 environment variables SG-69  
 Initiator service SG-49  
 proxies, configuring SG-49, SG-86  
 Receiver service SG-50  
 Sender service SG-49  
 third party components SG-68

ebXML agreement SG-50  
 Action SG-51  
 attachments SG-52  
 CPA Name SG-51  
 MIME types SG-52  
 Service SG-51  
 elapsed timers  
 ElapsedOff method PD-177, PD-225  
 ElapsedOn method PD-177, PD-224  
 OnExpiration method PD-226  
 properties PD-223  
 using PD-222  
 ElapsedOff method  
 defining PD-225  
 described PD-177  
 syntax PD-225  
 ElapsedOn method  
 defining PD-224  
 described PD-177  
 syntax PD-224  
 element hierarchy  
 authentication documents IG-186  
 command documents IG-183  
 state documents IG-185  
 elements, XML SG-103  
 else statement, TOOL PD-316  
 EMBRYONIC engine unit state PS-107  
 empty element, XML SG-104  
 engine  
 access, restricting PS-71  
 configuring for backbone SG-138, SG-163  
 defined SG-27  
 described PS-27  
 development engines PS-83  
 failover PS-33  
 functions PS-36  
 interface to proxy SG-39  
 management tasks PS-37  
 management tools PS-40  
 monitoring with Conductor Script PS-239  
 monitoring with iIS Console PS-118  
 optional usage for backbone SG-76

### iPlanet Integration Server EAI Master Index Key

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

engine (*continued*)

- performance PS-89
- performance tuning PS-116
- process execution and PS-28
- production engines PS-83
- proxy sessions, clearing SG-139
- proxy sessions, setting SG-165
- reconfiguration PS-113
- recovery PS-34, PS-166
- registration manager PS-142
- relation to iIS process management system PS-45
- relocating PS-62
- shutting down PS-124
- shutting down components PS-243
- starting with Conductor Script PS-235
- starting with iIS Console PS-110
- startup, monitoring PS-112
- states, changing with Conductor Script PS-242
- states, changing with iIS Console PS-122
- status, showing PS-309
- usage for backbone SG-58

engine component

- backup engine unit PS-33
- compiled vs. interpreted PS-50
- database service PS-32
- engine database PS-32
- engine unit PS-32
- governor PS-34
- icons, state indicators PS-69
- monitoring with Conductor Script PS-240
- monitoring with iIS Console PS-119
- partitioning PS-85
- partners PS-33
- shutting down PS-124

engine component log file PS-210

engine configuration

- about PS-85
- component memory settings PS-89, PS-101
- configuration file PS-90
- deleting PS-104
- duplicating PS-104

- failover PS-33
- failover and load balancing PS-35
- minimal, no failover PS-31
- multiple PS-29
- properties PS-88, PS-91
- recover cursor size PS-102

engine database

*See also* current state tables; history log tables; registration log tables

- about PD-36
- configuration file PS-90
- configuration properties PS-89, PS-97
- controlling growth PS-125
- defined PS-32
- Dump/Restore facilities PS-41
- failure PS-125
- logging settings PS-89, PS-98, PS-115
- managing PS-124
- recovery options PS-125
- relation to iIS process management system PS-45
- schema PS-331

engine database tables

- about PS-124
- list, alphabetical PS-329
- list, category PS-327
- registration table entries PS-140
- registration tables PS-346

engine environment CP-40

Engine Event Filter window PS-217

engine instrumentation

- performance chart PS-222
- ShowStatus command PS-311

engine management, Conductor Script

- commands PS-264

engine partitioning PS-86, PS-99

engine property SG-58

engine server node

- defined PS-52
- installation PS-58

engine sessions, *See* sessions

**iPlanet Integration Server EAI Master Index Key**

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

- engine state
  - changing PS-122
  - monitoring PS-117
- engine unit
  - configuring PS-99
  - defined PS-32
  - failover PS-33
  - failure PS-159
  - monitoring PS-120
  - startup PS-106
  - state, changing PS-122
  - states PS-107
- engine, *See* process engine
- EngineUnitForceStandby alarm PS-205
- EngineUnitOnline alarm PS-205
- EngineUnitShutdown alarm PS-205
- enterprise process management
  - defined PD-28
  - iIS approach PD-28
- enumerated attribute values, XML SG-104
- environment level commands, Fusion Script SG-114
- Environment Manager CP-40
- environment mode, Conductor Script
  - commands PS-263
- environment variables
  - FORTE\_JAVA\_VM SG-69
  - FORTE\_NS\_ADDRESS CP-40
  - FORTE\_STA\_POLL\_INTERVAL SG-69
  - FORTE\_STA\_ROOT SG-69
- Evaluate method
  - about PD-130–PD-135
  - activity links and PD-167, PD-200
  - assignment rules and PD-127
  - defining PD-127
  - example, linked user PD-134
  - example, otherInfo PD-134
  - example, process attribute checking PD-133
  - process attributes, specifying PD-128
  - syntax PD-130
  - user profile methods, useful PD-130
- evaluation order, numeric expressions,
  - TOOL PD-303
- events, engine interface to proxy SG-39
- example applications
  - ActiveX Expense Reporting PD-364
  - Advanced Expense Reporting PD-334
  - C++ ExpenseReporting PD-359
  - customized installation PD-324
  - Expense Reporting PD-328
  - installing PD-322
  - JExpense PD-339
  - JExpenseNB PD-353
  - JExpenseNS PD-344
  - JExpenseSO PD-347
  - OrganizationDatabase PD-367
  - overview PD-325
  - script file, installation PD-324
  - starting engine for PD-322
- example programs
  - C adapter AD-38
  - TOOL adapter AD-21
- exception alarm PS-205
- exceptions, logged PS-210
- execution options PS-103
- Exit command
  - iIS Console PS-71
  - Repository workshop PD-76
- Expense Reporting example
  - description PD-328
  - implementing display methods CP-67
  - using PD-331
- expiration router PD-232
- EXPIRED timer state PS-199, PS-357
- Export command, Repository workshop PD-90
- expressions
  - boolean, TOOL PD-295
  - comparison, TOOL PD-296
  - logical, TOOL PD-297
  - numeric, TOOL PD-302
- extended user profiles PD-94, PD-133

**iPlanet Integration Server EAI Master Index Key****AD** = *iIS Adapter Development Guide***CO** = *iIS Conceptual Overview***CP** = *iIS Process Client Programming Guide***IG** = *iIS Backbone Integration Guide***PD** = *iIS Process Development Guide***PS** = *iIS Process System Guide***SG** = *iIS Backbone System Guide*



- F**
- failover, engine unit PS-33
  - failure
    - engine PS-34, PS-159
    - engine database PS-125
    - network connection PS-159
  - file management script commands SG-190
  - filtering
    - engine events PS-217
    - iIS Console lists PS-73
  - FindBackbone command, Fusion Script SG-145
  - FindDBService command, Conductor Script PS-283
  - FindEngine command, Conductor Script PS-236, PS-239, PS-284
  - FindGovernor command, Conductor Script PS-284
  - FindManager command, Fusion Script SG-146
  - FindNode command, Conductor Script PS-236, PS-285
  - FindObject method, WFObjctWrapper class PD-287
  - FindParent command, Fusion Script SG-146
  - FindParentEngine command, Conductor Script PS-285
  - FindPlan command, Conductor Script PS-244
  - FindPrimary command, Conductor Script PS-285
  - FindProxy command, Fusion Script SG-146
  - FindUnit command, Conductor Script PS-286
  - first activity, description PS-165
  - float constant, TOOL PD-302
  - float data type, TOOL PD-300
  - FlushLog command, Conductor Script PS-286
  - FNscript
    - See also* commands, backbone command reference SG-112
    - Help SG-112
    - navigating command hierarchy SG-113
    - starting SG-111
  - for statement, TOOL PD-313
  - Force Compile command, Repository workshop PD-91
  - Forte command
    - development repository, selecting PD-74
    - workspace, selecting PD-75
  - FORTE\_JAVA\_VM environment variable SG-69
  - FORTE\_NS\_ADDRESS environment variable CP-40
  - FORTE\_STA\_POLL\_INTERVAL environment variable SG-69
  - FORTE\_STA\_ROOT environment variable SG-69
  - Fusion Script utility SG-111
  - FusionXML authentication SG-83, SG-161

- G**
- GenerateDistribution command, Conductor Script PS-292
  - generic commands, Fusion Script SG-114
  - GetAvailableEngines method CP-40
  - GetManager method PD-273
  - GetOtherInfo method, UserProfile class PD-109
  - GetPreviousState method PD-274
  - GetRoles method
    - assignment rules PD-132
    - UserProfile class PD-110
  - Getting attribute values PD-269
  - GetUserName method, UserProfile class PD-110
  - governor
    - configuring PS-99
    - defined PS-34
    - monitoring PS-121
    - partitioning guidelines PS-87
    - startup PS-105
    - states PS-106
  - GovernorDisconnect alarm PS-205

<p><b>iPlanet Integration Server EAI Master Index Key</b></p> <p><b>AD</b> = <i>iIS Adapter Development Guide</i></p> <p><b>CO</b> = <i>iIS Conceptual Overview</i></p> <p><b>CP</b> = <i>iIS Process Client Programming Guide</i></p>	<p><b>IG</b> = <i>iIS Backbone Integration Guide</i></p> <p><b>PD</b> = <i>iIS Process Development Guide</i></p> <p><b>PS</b> = <i>iIS Process System Guide</i></p> <p><b>SG</b> = <i>iIS Backbone System Guide</i></p>
--	---



**H**

- Headers
  - accessing transport headers IG-54
- heads-down model, activities CP-27
- heads-up model, activities CP-27
- Help command, FNscript SG-112
- hexadecimal constant, TOOL PD-301
- Hide Name property, router PD-233
- hierarchy of elements
  - authentication documents IG-186
  - command documents IG-183
  - state documents IG-185
- history log schema, graphical representation PS-198
- history log tables
  - database schema PS-347
  - engine database PS-124, PS-327
  - graphical representation PS-198
- HTTP
  - asynchronous and synchronous AD-14, SG-41
  - FNscript commands SG-121
  - messages IG-51
  - messages, examples IG-52
  - methods, Get and Post IG-50
  - proxies, configuring SG-81
  - sessions SG-40, SG-61
- HTTP client, building
  - C AD-45
  - TOOL AD-27
- HTTP server, building
  - C AD-39
  - TOOL AD-25
- HTTPSupport API
  - interfaces and classes AD-23
  - using in iIS AD-22

**I**

- icons, launching Process Development
  - workshops PD-76
- IDLE governor state PS-106
- if statement, TOOL
  - boolean expressions PD-316
  - statement blocks PD-316
- IIOPServer command, Conductor Script PS-287
- iIS
  - See also* XSL stylesheets
  - about SG-25
  - administration SG-90
  - architecture SG-27, CO-9
  - backbone configuration guidelines SG-54
  - Backbone partitions and libraries SG-53
  - conceptual overview CO-7
  - documentation roadmap CO-25
  - Enterprise Edition CO-18
  - example application IG-27
  - features CO-8
  - integration tasks SG-32, SG-105
  - message processing IG-171
  - Professional Edition CO-17
  - profiles, deleting from proxy SG-139
  - profiles, specifying for proxy SG-163
  - proxy SG-35
  - roles, application SG-82, SG-123, SG-152
  - roles, setting for proxy SG-76, SG-126
  - stylesheet examples IG-27
  - UDS environment CO-21
  - user profile, proxy SG-61
- iIS application
  - architecture PD-29
  - coupling to the process engine PD-28
  - design elements PD-42, PD-58
  - development PD-34–PD-37
  - process logic, concepts PD-42
- iIS application architecture PD-29
- iIS backbone system
  - See also* backbone
  - overview CO-9

**iPlanet Integration Server EAI Master Index Key****AD** = *iIS Adapter Development Guide***CO** = *iIS Conceptual Overview***CP** = *iIS Process Client Programming Guide***IG** = *iIS Backbone Integration Guide***PD** = *iIS Process Development Guide***PS** = *iIS Process System Guide***SG** = *iIS Backbone System Guide*

iIS Console

- command summary PS-78
- engine list PS-69
- exiting PS-71
- list views PS-77
- lists, filtering PS-73
- lists, sorting PS-76
- main window PS-68
- menu bar PS-70
- online help PS-70
- overview PS-40, PS-65
- password protection PS-71
- popup menu PS-70
- starting PS-67
- window refresh behavior PS-72
- iIS distributions, registration PS-144
- iIS plans
  - branching/checking out PD-89
  - compiling PD-91
  - creating PD-70, PD-87
  - cut/copy/paste PD-78
  - editing PD-90
  - exporting/importing PD-90
  - saving PD-88
- iIS process client application
  - application dictionary and PD-51
  - defined PD-36
  - design concepts PD-50–PD-54
- iIS process client application upgrades
  - monolithic PD-106, PD-138
  - rolling PD-95, PD-138, PD-252
- iIS process engine, *See* engine
- iIS process management system
  - See also* system maintenance
  - about PS-46
  - components PS-45
  - configuration PS-51
  - installation program PS-56
  - multiple engines PS-29
  - overview CO-9
  - resource considerations PS-54
  - setup preparation PS-44
  - setup procedure PS-55
  - system software PS-47
  - uninstalling PS-64
- iIS proxy, *See* proxies, supplying XML documents
- iIS system
  - components, illustrated PD-34
  - creating and using PD-38–PD-41
  - described CO-24
  - implementation PD-37
  - overview PD-34–PD-37
  - software PD-37
  - UDS environment CO-21
- implicit unregistration PS-142, PS-144
- Import command, Repository workshop PD-90
- independent proxy use cases
  - with session authentication IG-147
  - without session authentication IG-163
- individual workshops, launching PD-76
- Initial Value property, process attribute PD-196
- Initialize method, Validation class PD-255
- initiator, ebXML SG-68
- Input/Output Attributes property, subprocess activities PD-218
- installation
  - central server PS-57
  - development client node PS-59
  - engine server node PS-58
  - runtime client node PS-60
- installing iIS examples PD-324
- Instances property, assignment rules PD-125
- instrument data, logged PS-211
- integer constants, TOOL PD-301
- integer data types, TOOL PD-299
- integer simple attribute data types PD-271
- IntegerData attribute data type PD-271
- integration
  - styles or options SG-29
  - tasks SG-32
- IntervalData attribute data type PD-272

**iPlanet Integration Server EAI Master Index Key**

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

- iPlanet UDS
    - name service CP-40
    - node manager CP-40
  - iPlanet UDS environment
    - connecting environments CP-41
    - overview CP-40
  - Is Required property, process attribute PD-196
  - IsEqualRoles method, UserProfile class PD-111
  - IsEqualUser method, UserProfile class PD-111
  - IsIntersectRoles method, UserProfile class PD-112
  - IsSubsetRoles method, UserProfile class PD-112
- ## J
- JavaBeans process client API
    - activities, aborting CP-182
    - activities, completing CP-181
    - activities, rolling back CP-181
    - activities, starting CP-180
    - activities, suspended/terminated sessions CP-170
    - activity lists, getting CP-172
    - activity lists, suspended sessions CP-170
    - activity queues CP-178
    - activity update caching CP-174
    - architecture overview CP-154
    - arrays, using CP-163
    - attribute accessors CP-42
    - client, setting up CP-159
    - data types CP-165
    - Disconnect Action values CP-170
    - engine connection CP-168
    - engine name CP-167
    - engine notification CP-171
    - event handling, activity updates CP-174
    - exception handling CP-164
    - heads-down interface, activities CP-171
    - heads-down interface, offered activities CP-171
    - heads-up interface, activities CP-180
    - heads-up interface, work list CP-173
    - installing and configuring CP-154
    - instances, creating CP-161
    - name service CP-167
    - offered activities CP-172
    - offered activities, starting CP-180
    - ORB code, generating CP-155
    - overview CP-153
    - polling the engine CP-174
    - process attributes, initializing CP-183
    - process attributes, terminating session CP-170
    - process instances, creating CP-182
    - process recovery levels, generating CP-184
    - properties CP-161
    - queued activities, getting CP-171
    - Reconnect Action values CP-171
    - server, designating CP-167
    - server, starting CP-158
    - session activity lists CP-170
    - sessions, initializing CP-30
    - sessions, opening CP-166
    - sessions, starting CP-170
    - sessions, suspended CP-169
    - sessions, suspending on close CP-179
    - sessions, terminating CP-178
    - sessions, terminating on suspension CP-170
    - synchronizing objects CP-34
    - try/catch blocks CP-164
    - WFDirectoryService bean CP-161
    - work lists, updating CP-174
  - JExpense example
    - description PD-339
    - using PD-342
  - JExpenseNB example
    - description PD-353
    - using PD-358
  - JExpenseNS example
    - description PD-344
    - using PD-347
  - JExpenseSO example
    - description PD-347
    - using PD-352

### iPlanet Integration Server EAI Master Index Key

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

## JMS

- about SG-45
- proxies, configuring SG-79
- third party components SG-64

JNDI simple authentication SG-47

## L

last activity, description PS-165

library distribution

- registering PD-71
- registration PD-62, PS-139

linkedUser parameter, Evaluate method PD-167

linking activities PD-167, PD-200

list view, design workshops PD-78

ListActivities command, Conductor Script PS-287

ListActivityQueues command, Conductor Script PS-287

ListBackbones command, Fusion Script SG-147

ListCertificates command, Fusion Script SG-147

ListConductorDistributions command, Conductor Script PS-288

listener, JMS SG-65

ListEngines command, Conductor Script PS-239, PS-240, PS-289

ListFilters command, Conductor Script PS-289

ListPlans command, Conductor Script PS-244

ListProcesses command, Conductor Script PS-289

ListProxies command, Fusion Script SG-148

ListRegistrations command, Conductor Script PS-290

ListRule command, Fusion Script SG-148

ListRules command, Fusion Script SG-149

ListServiceDefinitions command, Fusion Script SG-149

ListSessions command, Conductor Script PS-291

ListTimers command, Conductor Script PS-291

ListTransactions command, Conductor Script PS-291

load balancing PS-35

local authentication

- credentials, clearing SG-139
- credentials, setting SG-164

local constants, TOOL PD-307

Lock Type property, process attribute PD-129, PD-152, PD-268

locks, attribute CP-43

log file

- about PS-210
- engine component PS-212
- registration PS-145

logging settings, engine database PS-98

logical expressions, TOOL PD-297

logical operators, TOOL PD-297

## M

manager, monitoring proxy status SG-96

Maximum number of processes option PS-103

Maximum number of sessions option PS-103

memory options, engine component PS-101

memory requirements PS-116

Memory-resident process limit PS-103

message broker SG-37

message filters

- iIS PS-214
- specifying PS-212, PS-218

message selectors, JMS SG-46

messages

- broadcasting PS-179
- examples IG-52
- HTTP IG-51
- sending to sessions PS-177
- type, specifying IG-50

messaging models, JMS SG-46

### iPlanet Integration Server EAI Master Index Key

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

## methods

- See also* activity methods; *specific method names*
- attribute access list, specifying PD-265
- attributes, accessing PD-269
- compiling PD-236
- default method implementation, invoking PD-132
- service objects, accessing PD-276
- UserProfile class PD-106, PD-108
- Validation class PD-254

ModLogFlags command, Conductor Script PS-292

## monitoring

- engine startup PS-112
- engine state PS-118
- process execution PS-179, PS-266
- sessions PS-174
- two-phase commit operations PS-258

## monolithic architecture

- description PD-30
- limitations PD-31

monolithic upgrades PD-106, PD-138

multiple instance assignment rules PD-119

**N**

## Name property

- assignment rules PD-125
- offered activity PD-198
- process attribute PD-129, PD-196
- process definition PD-192
- timers PD-223

## name service

- about CP-40
- service object access PD-277

named constants, TOOL PD-307, PD-308

names, TOOL PD-291

navigating FNscript levels SG-113

network failure PS-159

New Workspace command, Repository  
workshop PD-86

## nodes

- central server CP-40
- manager CP-40
- memory settings SG-140, SG-167
- setting for manager or proxy SG-167

## numeric data types, TOOL

- casting numeric types PD-304
- evaluation order PD-303
- expressions PD-302
- float PD-300
- integer constants PD-301
- integers PD-299

**O**

octal constants, TOOL PD-301

OFF timer state PS-199, PS-357

## offered activities

- activity link properties PD-199
- Application Dictionary Item property PD-200
- Assignment Rule property PD-201
- assignment rules and PD-120
- defined PD-54
- described PD-167, PS-165
- elements, diagrammed PD-169
- execution of PS-168
- properties PD-198
- Session Suspend Action property PD-199
- using PD-197

On Activity State property, timer control PD-231

ON timer state PS-199, PS-357

## OnAbort method

- about PD-166
- defining PD-210
- syntax PD-211

OnAbort router PD-232

## OnActive method

- about PD-166, PD-206
- defining PD-206

**iPlanet Integration Server EAI Master Index Key**

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

OnActive method (*continued*)  
 return value PD-207, PD-221  
 syntax PD-207

OnComplete method  
 about PD-166, PD-207  
 attribute access list PD-208  
 syntax PD-209

OnComplete methods  
 defining PD-207

OnComplete router PD-232

OnExpiration method, timer  
 attribute access list PD-227  
 defining PD-226  
 syntax PD-227

ONLINE engine unit state PS-107

online help  
 iIS Console PS-70  
 iIS Process Development PD-79

Open Workspace command, Repository  
 workshop PD-86

operating system script commands SG-190

operators  
 arithmetic, TOOL PD-302  
 comparison, TOOL PD-296  
 logical, TOOL PD-297

organization database PD-37

Organization Database example PD-367

otherInfo parameter, Evaluate method PD-167

otherInfo, Evaluate method, example PD-134

## P

partitioning engine components PS-85

partner PS-33

password  
 Conductor Script PS-300  
 iIS Console PS-71

password parameter, ValidateUser method PD-258

PD, process definition project extension PD-91

PDF files, viewing and searching PD-25

PENDING activity state PD-164, PS-162, PS-199, PS-357

performance chart PS-221, PS-224

performance indicators PS-222

performance, engine PS-89, PS-116

permission, *See* assignment rules

ping interval, session PS-159

plans, *See* iIS plans

port, proxy SG-60, SG-141, SG-168

PREPARE state, two-phase commit PS-201

Primary Attribute property, process attribute PD-196

primary engine unit, partitioning guidelines PS-86

primary process attributes  
 about PD-196  
 defined PD-195

process attributes  
 accessing from methods PD-269  
 and application documents IG-47  
 application dictionary item, specifying PD-150  
 assignment rule, adding to PD-129  
 attribute access list PD-265  
 Data Type property PD-129, PD-152, PD-196  
 data types PD-270, PD-271  
 defined PD-163  
 defining PD-194  
 deleting PD-197  
 described CP-42  
 handling in stylesheets IG-43  
 Initial Value property PD-196  
 initialization, requiring PD-196  
 Is Required property PD-196  
 Lock Type property PD-129, PD-152, PD-268  
 lock type, specifying PD-268  
 locking behavior PD-152, PD-265  
 locks CP-43  
 locks, removing PS-194  
 Name property PD-129, PD-196  
 primary PD-195  
 Primary Attribute property PD-196  
 properties PD-151

### iPlanet Integration Server EAI Master Index Key

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

- process attributes (*continued*)
  - properties, changing PD-197
  - properties, setting PD-196
  - system PD-195
  - transforming lists of IG-45
  - transforming values of IG-46
  - using PD-269, CP-46
  - value, changing PS-194
  - value/lock state, checking PS-189
- process client applications, *See* client applications
- process controller architecture PD-31
- process controller, *See* process engine
- process creation PS-166
- Process Definition workshop
  - Compile command PD-236
  - Distribute command PD-236
  - illustrated PD-186
  - layout area PD-185
  - menu bar PD-187
  - objects, adding to layout PD-186
  - opening PD-184
  - overview PD-185–PD-189
  - Process Attributes list PD-186, PD-196
  - property inspectors PD-188
  - Save All command PD-235
  - Supplier Components list PD-185
  - work, undoing PD-188
- process definition, registration PS-145
- process definitions
  - about PD-161–PD-164
  - assignment rules, specifying PD-194
  - business process model as PD-41
  - Comments property PD-193
  - compiling PD-236
  - defined PD-36, PD-159
  - elements, described PD-164–PD-183
  - elements, illustrated PD-161
  - library distributions PD-236
  - Name property PD-192
  - process attributes, defining PD-194
  - properties, setting PD-192
  - registering a new version PD-237
  - registering library distributions PD-236
  - registration order PD-63
  - registration overview PD-62
  - saving PD-235
  - Scope property PD-193
  - supplier plans, adding PD-189
  - using PD-184–PD-237
- process developer, project team PD-39
- process development node PS-52
- process development workshops
  - about PS-45
  - before using PD-72
  - closing PD-76
  - defined PD-36
  - function and relationship table PD-67
  - iIS plans and PD-70
  - library distributions and PD-71
  - overview PD-65
  - Repository workshop and PD-76
  - road map to PD-69
  - starting PD-72
  - TOOL projects and PD-71
  - workshop icons PD-76
  - workshop products PD-70
- process engine
  - database for PD-36
  - defined PD-36
  - functions PD-61
  - overview PD-60–PD-63
  - registration overview PD-61
  - starting up for example applications PD-322
- process engine, *See* engine
- process execution
  - about PS-165
  - activity creation PS-167
  - activity execution PS-168
  - activity termination PS-171
  - analysis PS-197
  - assignment rules PD-119
  - bottlenecks, checking PS-196
  - configuration options PS-89
  - historical data PS-197

**iPlanet Integration Server EAI Master Index Key****AD** = *iIS Adapter Development Guide***CO** = *iIS Conceptual Overview***CP** = *iIS Process Client Programming Guide***IG** = *iIS Backbone Integration Guide***PD** = *iIS Process Development Guide***PS** = *iIS Process System Guide***SG** = *iIS Backbone System Guide*



process execution (*continued*)

- managing PS-116, PS-179, PS-197, PS-266
- monitoring PS-179, PS-266
- monitoring and management tasks PS-180
- objects in engine, diagram PS-179
- offered activities PD-120
- process creation PS-166
- process termination PS-173
- queued activities PD-120
- recovering state PS-34, PS-123
- recovery levels PS-123
- reports PS-197
- tuning PS-116
- process history PS-197
- process instance states
  - ABORTED PS-173, PS-198, PS-357
  - ACTIVE PS-198, PS-357
  - COMPLETED PS-173, PS-198, PS-357
  - CREATED PS-198, PS-357
- process instances
  - aborting PS-181
  - execution options PS-102
  - stalled PS-173
  - status, checking PS-181
  - swapping PS-116
- process logic
  - about PD-41
  - modifying and upgrading PD-56
- process management PD-27
  - See also* iIS application; process definitions
- process model PD-41
  - See also* process definitions
- process step, *See* activities
- process, analysis of PS-197
- ProcessAbort alarm PS-205
- production engines PS-83
- production loads and memory PS-116
- profile attributes, *See* user profile attributes
- profiles, iIS SG-139, SG-163

programs

- C adapter example AD-38
- TOOL adapter example AD-21

project team roles PD-38

properties

- assignment rules PD-124
- automatic activities PD-220
- database configuration PS-97
- deadline timers PD-228
- elapsed timers PD-223
- engine configuration PS-88
- offered activities PD-198
- performance chart PS-224
- process attributes PD-151, PD-196
- process definitions PD-192
- queued activities PD-213
- routers PD-232
- subprocess activities PD-215
- timer controls PD-230
- validation PD-244

proxies

- adding SG-129
- automatic restart SG-162
- automatic start SG-162
- certificates, setting SG-84
- components SG-28, SG-35
- configuring access to ebXML services SG-49, SG-86
- configuring access to SOAP services SG-48, SG-85
- configuring basic properties SG-75
- configuring for HTTP SG-81
- configuring for JMS SG-79
- configuring, overview SG-60
- as ebXML initiator, sender, or receiver SG-68
- finding SG-146
- as HTTP client or server SG-40, SG-61
- HTTP client functioning IG-177
- HTTP server functioning IG-173
- independent SG-36, SG-185, IG-55
- independent, session authentication IG-163
- independent, use case IG-147
- as JMS listener or sender SG-65

**iPlanet Integration Server EAI Master Index Key**

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*



proxies (*continued*)

- listing all SG-148
- node, clearing SG-140
- node, setting SG-167
- operating without an engine SG-185
- overview CO-11
- port SG-141, SG-168
- port number SG-60
- process-based SG-36
- recovery SG-52, SG-97
- recovery, use case IG-131
- reliability SG-52
- removing SG-156
- resynchronizing SG-97
- sessions SG-79, SG-173
- shut down all SG-183
- shut down options SG-181
- shutting down SG-92, SG-180
- SSL properties SG-84
- starting all SG-184
- status, showing SG-179
- stylesheets, setting SG-171
- supplying XML documents CP-52
- terminating session SG-182
- XML document format SG-165
- XSL stylesheets, specifying SG-77

## proxy documents

- about SG-36
- application documents SG-105
- authentication documents SG-109
- command documents SG-105
- comment elements SG-104
- elements SG-103
- flow SG-101
- hierarchy diagrams IG-183
- processing IG-171
- state documents SG-107
- types SG-99
- understanding SG-102

**Q**

- Queue Prioritizing property, queued activities PD-213
- queued activities
  - about PD-168
  - Application Dictionary Item property PD-213
  - Assignment Rule property PD-213
  - assignment rules and PD-120
  - defined PD-54
  - described PS-165
  - elements, diagrammed PD-169
  - execution of PS-169
  - properties, viewing PD-213
  - Queue Prioritizing property PD-213
  - Session Suspend Action property PD-214
  - using PD-212
- Quit command, iIS Console PS-71

**R**

- READY activity state PD-165, PS-162, PS-199, PS-357
- Ready method
  - about PD-166, PD-205
  - attribute access list PD-202
  - defining PD-205
  - syntax PD-205
- ReadyActivity command, Conductor Script PS-293
- receiver, ebXML SG-68
- reconfiguring
  - engine PS-113
  - engine database logging PS-115
- reconnect parameters, sessions PS-160
- recover cursor size, process instances PS-102
- recovery
  - application use case IG-141
  - applications SG-78, SG-97

**iPlanet Integration Server EAI Master Index Key****AD** = *iIS Adapter Development Guide***CO** = *iIS Conceptual Overview***CP** = *iIS Process Client Programming Guide***IG** = *iIS Backbone Integration Guide***PD** = *iIS Process Development Guide***PS** = *iIS Process System Guide***SG** = *iIS Backbone System Guide*

recovery (*continued*)

- engine PS-34
- engine database options PS-125
- FNscript commands SG-121
- levels PS-123
- proxy SG-52, SG-97
- proxy use case IG-131
- state information PS-34, PS-123, PS-166
- refresh behavior PS-72
- RegisterAlias command, Conductor Script PS-294
- RegisterAssignmentRules command, Conductor Script PS-294
- RegisterCertificate command, Fusion Script SG-149
- registering
  - Conductor distributions PS-145
  - engine with alarm service PS-206
  - SSL certificates SG-74
  - XSL stylesheets SG-73
- RegisterProcessDefinition command, Conductor Script PS-295
- RegisterRule command, Fusion Script SG-151
- RegisterUserProfile command, Conductor Script PS-295
- RegisterValidation command, Conductor Script PS-296
- RegisterWrapperObj method, WFObjWrapper class PD-287
- registration
  - about PS-137–PS-142
  - aliases PS-144, PS-148
  - assignment rule dictionary PS-144
  - engine registration manager PS-142
  - entities registered PS-138
  - iIS distributions PS-144, PS-243
  - implicit unregistration PS-142, PS-144
  - library distributions, and PD-62, PS-139
  - order PS-145
  - overview PD-61–PD-63
  - performing PS-145
  - process definition PS-145
  - registration manager PD-63
  - registration sequence PD-63
  - steps PS-139
  - unregistration PS-142, PS-147
  - viewing PS-150
- registration log tables
  - about PS-124
  - entries, engine database PS-140
  - list, alphabetical PS-346
  - list, category PS-327
- reliable messaging, JMS SG-47
- RemoveApIRole command, Fusion Script SG-152
- RemoveApIURL command, Fusion Script SG-152
- RemoveCRole command, Fusion Script SG-153
- RemoveFromJmsClasspath command, Fusion Script SG-154
- RemoveFromJvmAgrs command, Fusion Script SG-154 SG-154
- RemoveListener command, Fusion Script SG-155
- RemoveProxy command, Fusion Script SG-156
- RemoveReadLock command, Conductor Script PS-297
- RemoveServiceDefinition command, Fusion Script SG-156
- RemoveWriteLock command, Conductor Script PS-297
- reports
  - generating PS-197
  - options PD-80
  - previewing PD-83
  - printing PD-80
  - title pages PD-82
- repository
  - central PS-38
  - central development PD-37
  - management tools PS-41
  - setting up PS-54
- repository server
  - server node PS-52
  - managing PS-62

**iPlanet Integration Server EAI Master Index Key**

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

- Repository workshop
    - Branch command PD-89
    - Checkout command PD-89
    - Compile All Plans command PD-91
    - Export command PD-90
    - Force Compile command PD-91
    - iIS plans PD-87
    - Import command PD-90
    - launchpad for other workshops PD-75
    - New Workspace command PD-86
    - Open Workspace command PD-86
    - Save All command PD-88
    - Undo Checkout/Branch command PD-90
    - Update Workspace command PD-87
  - requested message output, logged PS-210
  - Reset Timer Value property, timer control PD-231
  - restoring
    - See also* recovery
    - engine database tables PS-41
    - session connections PS-159
  - resynchronizing proxies and applications SG-97
  - return statement PD-263
  - roles
    - application SG-82, SG-123, SG-152
    - application, specifying PD-125
    - application and assignment rules, and PD-117
    - iIS SG-76, SG-126
    - iIS project team PD-38
  - RollbackActivity command, Conductor Script PS-298
  - RollbackTransaction command, Conductor Script PS-298
  - rolling upgrades PD-95, PD-138, PD-252
  - root elements, XML SG-103
  - Router methods
    - about PD-178
    - attribute access list PD-234
    - custom PD-235
    - defined PD-46
    - defining PD-233
    - simple PD-234
  - routers
    - about PD-178
    - Comments property PD-233
    - defined PD-46, PD-163
    - Hide Name property PD-233
    - OnComplete execution, specifying PD-209
    - properties, displaying PD-232
    - timer controls PD-175
    - types PD-232
    - using PD-231
  - rules, *See* XSL stylesheets
  - runtime client node
    - defined PS-52
    - installation PS-60
- ## S
- Save All command, Repository workshop PD-88
  - SAX AD-21
  - schema, *See* engine database
  - Scope property, process definition PD-193
  - scope, TOOL PD-289, PD-291, PD-305
  - script commands
    - file management SG-190
    - for general functions SG-187
    - operating system SG-190
  - scripts
    - comments in PS-232
    - running using the cscript -i flag PS-230
  - scripts, writing and executing SG-188
  - SDK
    - C AD-37
    - TOOL AD-21
  - Secure Trading Agent
    - about SG-50
    - documentation SG-50
  - security options for HTTP proxies SG-174

**iPlanet Integration Server EAI Master Index Key****AD** = *iIS Adapter Development Guide***CO** = *iIS Conceptual Overview***CP** = *iIS Process Client Programming Guide***IG** = *iIS Backbone Integration Guide***PD** = *iIS Process Development Guide***PS** = *iIS Process System Guide***SG** = *iIS Backbone System Guide*

sender

- ebXML SG-68
- JMS SG-65

sending messages to applications IG-49

SendMessage command, Conductor Script PS-299

server

- central CP-40
- HTTP SG-40, SG-61

Service Definitions, accessing SOAP services SG-56

service objects

- access to, implementing PD-278
- accessing from assignment rules PD-127
- accessing from Conductor methods PD-276
- accessing from validation PD-246
- explicit name service registration PD-277, PD-278
- handle to, saving PD-285
- iPlanet UDS environments CP-40
- referencing PD-277, PD-281
- replicated PD-284

service provider operations

- C AD-35
- generic AD-15
- TOOL AD-19

service provider use cases

- asynchronous IG-89
- session authentication IG-123
- synchronous IG-74

service requestor operations

- C AD-36
- generic AD-15
- TOOL AD-20

service requestor use cases

- application IG-59
- session authentication IG-113

services

- name service CP-40
- node manager CP-40

session

- suspended PD-199
- validation PD-240

session authentication

- about SG-42
- application roles SG-123
- Basic scheme SG-161
- C AD-47
- clearing SG-137, SG-152
- commands SG-121
- configuring SG-81, SG-159, SG-174
- FusionXML scheme SG-161
- local credentials, clearing SG-138
- overriding SG-169
- schemes SG-83
- setting locally SG-164
- TOOL AD-30
- user profiles SG-137, SG-158

session authentication, HTTP

- for independent proxies IG-57, IG-163
- service provider application IG-126
- service requestor application IG-116

session states

- ACTIVE PS-158, PS-199, PS-357
- SUSPENDED PS-158, PS-199, PS-357
- TERMINATED PS-199, PS-357

Session Suspend Action property

- offered activities PD-199
- queued activities PD-214

session, initializing/opening CP-30

SessionClose method, Validation class PD-255

SessionOpen method, Validation class PD-256

sessions

- about PS-158
- asynchronous and synchronous, HTTP AD-14, SG-41
- auto-reconnect PS-159
- disconnect parameters PS-160
- disruptions PS-159
- HTTP SG-40, SG-61
- iIS process engine, about SG-40
- iIS process engine, commands SG-139, SG-165
- JMS SG-45
- limit values SG-79
- management SG-39, SG-79, PS-174

**iPlanet Integration Server EAI Master Index Key**

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

sessions (*continued*)

- messages, broadcasting to PS-179
- messages, sending to PS-177
- monitoring PS-174
- reconnect parameters PS-160
- setting maximum number PS-103
- suspending PS-161, PS-176
- terminating PS-161, PS-176
- Set Timer property, timer control PD-231
- SetAplProfile command, Fusion Script SG-82, SG-158
- SetAplRetry command, Fusion Script SG-78, SG-158
- SetAplSession command, Fusion Script SG-82, SG-159
- SetAplUsage command, Fusion Script SG-78, SG-160
- SetAttributeValue command, Conductor Script PS-300
- SetAuthentication command, Fusion Script SG-83, SG-160
- SetAuthScheme command, *See* SetAuthentication command, Fusion Script
- SetAutoRestart command, Fusion Script SG-162
- SetAutoStart command, Fusion Script SG-162
- SetCEngine command, Fusion Script SG-163
- SetCProfile command, Fusion Script SG-163
- SetCredentials command, Fusion Script SG-164
- SetCSession command, Fusion Script SG-165
- SetDocumentFormat command, Fusion Script SG-165
- SetHttpProxy command, Fusion Script SG-166
- SetMemoryFlags command, Fusion Script SG-167
- SetNode command, Fusion Script SG-167
- SetOtherInfo method, UserProfile class PD-113
- SetPassword command, Conductor Script PS-300
- SetPort command, Fusion Script SG-168
- SetPrimary command, Conductor Script PS-301
- SetProtocol command, Fusion Script SG-169
- SetQueuedActivityPriority, Conductor Script PS-301
- SetRoles method, UserProfile class PD-112
- SetRule command, Fusion Script SG-171
- SetServiceDefinition command, Fusion Script SG-173
- SetSessionMaximum command, Fusion Script SG-79, SG-83, SG-173
- SetSessionTimeout command, Fusion Script SG-79, SG-83, SG-174
- SetSSL command, Fusion Script SG-174
- SetState command, Conductor Script PS-242, PS-302
- SetTimer command, Conductor Script PS-302
- SetTimerDeadline command, Conductor Script PS-303
- SetTimerElapsed command, Conductor Script PS-304
- Setting attribute values PD-269
- SetUserName method, UserProfile class PD-113
- ShowActivity command, Conductor Script PS-304
- ShowActivityQueue command, Conductor Script PS-305
- ShowConfiguration command, Fusion Script SG-178
- ShowConfiguration command, Conductor Script PS-306
- ShowEngine command, Conductor Script PS-306
- ShowLogFlags command, Conductor Script PS-307
- ShowProcess command, Conductor Script PS-307
- ShowServiceDefinition command, Fusion Script SG-178
- ShowSession command, Conductor Script PS-308
- ShowStatus command, Fusion Script SG-179
- ShowStatus command, Conductor Script PS-239, PS-240, PS-309
- ShowTimer command, Conductor Script PS-313
- shutdown PS-124, PS-243
- Shutdown command, Fusion Script SG-180
- Shutdown command, Conductor Script PS-243, PS-314
- shutdown options, proxy SG-181
- ShutdownManager command, Fusion Script SG-182
- ShutdownProxies command, Fusion Script SG-183
- Simple API for XML (SAX) AD-21
- simple data types, TOOL PD-292
- single instance assignment rules PD-119

**iPlanet Integration Server EAI Master Index Key****AD** = *iIS Adapter Development Guide***CO** = *iIS Conceptual Overview***CP** = *iIS Process Client Programming Guide***IG** = *iIS Backbone Integration Guide***PD** = *iIS Process Development Guide***PS** = *iIS Process System Guide***SG** = *iIS Backbone System Guide*

SOAP

- Accessing SOAP Services SG-56
- proxies, configuring SG-48, SG-85
- service definitions SG-56
- service information in application dictionaries PD-146
- sorting lists, iIS Console PS-76
- SSL certificates
  - about SG-60
  - deregistering SG-143
  - listing SG-147
  - managing SG-95
  - overwriting and updating SG-149
  - registering for backbone SG-74, SG-149
  - setting for proxy SG-174
- SSL options, setting for proxy SG-84, SG-174
- stall, process instance PS-173
- standard user profiles PD-94
- STANDBY engine unit state PS-107
- StartActivity command, Conductor Script PS-314
- StartBackbone command, Fusion Script SG-183
- StartDBService command, Conductor Script PS-315
- StartEngine command, Conductor Script PS-235, PS-315
- StartGovernor command, Conductor Script PS-316
- StartManager command, Fusion Script SG-184
- StartProxies command, Fusion Script SG-184
- StartTimer command, Conductor Script PS-317
- StartUnit command, Conductor Script PS-317
- StartUp command, Fusion Script SG-185
- startup phases, primary engine unit PS-108
- startup, process development workshops PD-72
- StartupFailure alarm PS-205
- state
  - database service PS-109
  - engine unit PS-107
  - process state values PS-198, PS-357
  - process state, recovering PS-34
  - recovering process execution state PS-123
- state document SG-107
- state transitions, activities PS-164
- statement block, TOOL PD-289
- statement, TOOL
  - case PD-311
  - constant PD-313
  - else PD-316
  - elseif PD-315
  - for PD-313
  - if PD-315
  - return PD-263
  - syntax of PD-289
  - while PD-317
- states, activity PD-43, PD-164
- status
  - printing to log file SG-145
  - showing SG-179
- StopTimer command, Conductor Script PS-319
- string data types
  - simple attribute PD-272
  - TOOL PD-293
- stylesheets, *See* XSL stylesheets
- subprocess activities
  - activity links, setting PD-218
  - aliases and PS-143
  - defined PD-54, PD-169
  - described PS-165
  - elements, diagrammed PD-170
  - execution of PS-170
  - In/Out Attribute property PD-218
  - properties PD-218
  - properties, viewing PD-215
  - Subprocess Name property PD-218
  - Synchronous/Asynchronous property PD-217
  - using PD-215
- Subprocess Name property, subprocess activity PD-218
- suppliers
  - adding to process definition PD-189
  - defined PD-164
- SuspendAllSessions command, Conductor Script PS-319

**iPlanet Integration Server EAI Master Index Key**

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

SUSPENDED session state PS-158, PS-199, PS-357  
 suspending sessions PD-199, PS-161, PS-176  
 SuspendSession command, Conductor Script PS-320  
 swap-out interval PS-103, PS-116  
 synchronizing transactions PS-200  
 synchronous processing, HTTP AD-14, SG-41  
 Synchronous/Asynchronous property, subprocess activities PD-217  
 system design PS-51  
 system libraries PS-47  
 system maintenance  
   engine, relocating PS-62  
   iIS system, uninstalling PS-64  
   nodes, adding PS-61  
   private repository, creating PS-63  
   repository server PS-62  
 system management node PS-52  
 system manager, project team PD-39  
 system process attributes PD-195

## T

templates  
   default IG-39  
   reusing IG-42  
 TerminateAllSessions command, Conductor Script PS-320  
 TERMINATED session state PS-199, PS-357  
 TerminateSession command, Conductor Script PS-321  
 terminating  
   process instances PS-173  
   sessions PS-161  
 TextData attribute data type PD-272  
 timeout, HTTP proxy sessions SG-79  
 timer controls  
   activity states and PD-176  
   defined PD-163  
   properties, setting PD-230  
   relation to activities PD-175  
   relation to timers PD-175  
   using PD-230  
 Timer methods  
   DeadlineInit PD-229  
   ElapsedOff PD-225  
   ElapsedOn PD-224  
   OnExpiration PD-226  
 Timer on at Start property  
   deadline timers PD-228  
   elapsed timers PD-223  
 Timer Type property  
   deadline timer PD-228  
   elapsed timer PD-223  
 Timer Value property  
   deadline timer PD-229  
   elapsed timer PD-224  
 timers  
   about PD-174  
   Comments property PD-224, PD-229  
   deadline PD-177  
   defined PD-162  
   elapsed PD-177  
   expiration time, changing PS-192  
   Name property PD-223  
   resetting, impact of PD-231  
   state, changing PS-192  
   states PS-199, PS-357  
   status, checking PS-191  
   types PD-176  
   using PD-222  
 title pages in reports, creating PD-82  
 TOOL  
   elements PD-288  
   fixed arrays PD-309  
   generating TOOL code PD-91  
   named constants PD-307  
   names PD-291  
   projects PD-71  
   simple data types PD-292  
   statements and comments PD-289

### iPlanet Integration Server EAI Master Index Key

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*



TOOL (*continued*)

- statements for Conductor methods PD-311
  - variables PD-305
- TOOL process client API
- activities, aborting CP-72
  - activities, completing CP-72
  - activities, rolling back CP-72
  - activities, starting CP-67
  - activities, suspended/terminated sessions CP-58
  - activity lists, getting CP-61
  - activity lists, suspended sessions CP-58
  - activity queues CP-70, CP-72
  - ActivityListUpdate event CP-59
  - assignment rules CP-55
  - attribute accessors CP-42, CP-62, CP-69
  - attribute accessors, recovering on reconnect CP-84
  - Disconnect Action values CP-58
  - engine connection CP-81
  - engine connection, reestablishing CP-82
  - engine list, getting CP-54
  - engine name CP-54
  - engine notification CP-59
  - engine object, getting CP-53
  - event handling, activity updates CP-64
  - exception handling CP-84
  - heads-down interface, offered activities CP-59
  - heads-down interface, queued activities CP-68
  - heads-up interface, activities CP-61, CP-67
  - libraries, linking CP-52
  - LockType attribute ignored CP-77
  - LostContact exception CP-81
  - multitasking calls CP-72
  - name service CP-54
  - offered activities CP-62
  - offered activities, getting CP-61
  - password, obtaining CP-56
  - polling the engine CP-64
  - process attributes CP-62
  - process attributes, initializing CP-77
  - process attributes, terminated session CP-57
  - process instances, creating CP-77
  - process recovery levels, setting CP-79
  - project, setting up CP-52
  - queued activities CP-68, CP-69
  - queued activities, empty queues CP-70
  - queued activities, starting with sample code CP-68
  - Reconnect Action values CP-59
  - session activity lists CP-61
  - sessions, initializing CP-30
  - sessions, opening CP-52
  - sessions, opening from multiple partitions CP-54
  - sessions, starting CP-58
  - sessions, starting with sample code CP-60
  - sessions, suspended CP-57
  - sessions, suspending on close CP-80
  - sessions, terminating CP-80
  - sessions, terminating on suspension CP-57
  - synchronizing objects CP-34
  - threads, queued activities CP-71
  - two-phase commit CP-76
  - UsageException exception CP-84
  - user name, initially getting CP-56
  - user profiles, customizing CP-56
  - user profiles, populating CP-56
  - user profiles, setting up CP-55
  - user role, validating CP-55
  - WFActivityListException exception CP-85
  - WFActivityListException, starting an activity CP-67
  - WFException exception CP-84
  - work lists CP-62, CP-65
  - work lists, updating CP-64
  - tools, system management PD-36
  - Trace window
    - about PS-212
    - client messages, writing to PS-217
    - message filters, setting PS-215
    - using PS-215
  - transactions, *See* two-phase commit
  - Transport headers
    - accessing IG-54

**iPlanet Integration Server EAI Master Index Key**

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*



- Trigger method
  - about PD-166, PD-203
  - attribAccessor parameter PD-204
  - attribute access list PD-202
  - custom PD-204
  - defined PD-47
  - defining PD-202
  - triggering logic, common cases PD-203
  - type, specifying PD-203
- trigger, defined PD-46
- troubleshooting
  - engine event messages, displaying PS-217
  - engine problems PS-204
- tuning process execution PS-116
- two-phase commit
  - about PS-199
  - described CP-38
  - managing transactions PS-202
  - monitoring transactions PS-258
  - PREPARE state PS-201

## U

- UDS environment
  - overview CO-21
- UDS runtime environment PS-44
- Undo Checkout/Branch command, Repository workshop PD-90
- Uninstall command, Conductor Script PS-321
- uninstalling iIS PS-64
- UnRegisterAlias command, Conductor Script PS-322
- UnRegisterAssignmentRules command, Conductor Script PS-322
- UnRegisterProcessDefinition command, Conductor Script PS-323
- UnRegisterUserProfile command, Conductor Script PS-324
- unregistration
  - about PS-142
  - aliases PS-150
  - Conductor distributions PS-147
  - iIS distributions PS-142
  - implicit PS-142, PS-144
- UP, user profile project extension PD-91
- Update Workspace command, Repository workshop PD-87
- upgrading
  - assignment rule dictionaries PD-57, PD-137
  - Conductor system software PS-63
  - monolithic PD-138, PS-154
  - rolling PD-138, PS-155
  - user profiles PD-57
  - validations PD-252
- URL
  - adding SG-124
  - clearing SG-152
  - removing SG-137
  - specifying for application SG-78
- use cases
  - application recovery IG-141
  - asynchronous service provider IG-89
  - independent proxy IG-147
  - independent proxy with session authentication IG-163
  - overview IG-25
  - proxy recovery IG-131
  - service provider with session authentication IG-123
  - service requestor IG-59
  - service requestor with session authentication IG-113
  - synchronous service provider IG-74
- UseProcessEngine command, Fusion Script SG-185
- user interface elements, design workshops PD-77
- user interface model PD-42
- user parameter, ValidateUser method PD-258

### iPlanet Integration Server EAI Master Index Key

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

- user profile SG-61
- user profile registration PS-144
- User Profile workshop
  - opening PD-96
- user profiles
  - about PD-93–PD-96
  - assignment rules and PD-93
  - attributes PD-100
  - compiling PD-102
  - creating PD-98
  - as design element PD-47
  - design concepts PD-48
  - distributing PD-103
  - editing PD-98
  - extended PD-94
  - extended, as supplier PD-95
  - methods PD-106
  - methods, customizing PD-102
  - modifying/upgrading PD-57
  - properties PD-99
  - registering PD-103
  - registration overview PD-62
  - registration, order of PD-63
  - saving PD-102
  - standard PD-94
  - as supplier PD-124
  - suppliers as PD-244
  - upgrading PD-105
  - validation and PD-49, PD-93
- user validation PD-239
- UserAccess alarm PS-205
- user-defined attribute values SG-104
- UserProfile class
  - CompareRoles method PD-108
  - GetOtherInfo method PD-109
  - GetRoles method PD-110
  - GetUserName method PD-110
  - IsEqualRoles method PD-111
  - IsEqualUser method PD-111
  - IsIntersectRoles method PD-112
  - IsSubsetRoles method PD-112

- SetOtherInfo method PD-113
- SetRoles method PD-112
- SetUserName method PD-113
- using methods PD-108
- using list views, iIS Console PS-77
- UV, validation project extension PD-91

## V

- Validate command, Fusion Script SG-186
- ValidateUser method, Validation class
  - description PD-246
  - example, external validation PD-250
  - example, internal validation PD-249
  - password parameter PD-258
  - profile methods, useful PD-248
  - return value PD-247
  - syntax PD-247
  - user parameter PD-258
- validation
  - about PD-239
  - attributes PD-244
  - compiling PD-251
  - creating PD-242
  - as design element PD-49
  - editing PD-242
  - methods PD-240, PD-254
  - modifying/upgrading PD-252
  - object attributes PD-246
  - properties PD-244
  - registering PD-251
  - registration overview PD-62
  - registration, order of PD-63
  - saving PD-250
  - service objects, accessing PD-246
  - session PD-240
  - user PD-239
  - user profile supplier PD-244
  - user profiles and PD-93

### iPlanet Integration Server EAI Master Index Key

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

Validation class  
 Cleanup method PD-254  
 Initialize method PD-255  
 method summary PD-253  
 SessionClose method PD-255  
 SessionOpen method PD-256  
 using methods PD-254  
 ValidateUser method PD-257

Validation workshop  
 Compile command PD-250  
 Distribute command PD-251  
 opening PD-241

validation, registration PS-144

variables, TOOL  
 described PD-305  
 value, assigning PD-307

Visual Basic, *See* ActiveX process client API

## W

WaitForStartup command, Conductor Script PS-324

WFDirectoryService service object and iPlanet UDS environments CP-40

WFEnvAgent, registration service PS-139

WFOBJECTWrapper class PD-287

WFOBJECTWrapper methods PD-287

while statement, TOOL  
 about PD-317  
 boolean expressions PD-318  
 statement block PD-318

work definition, *See* application dictionary items

work item, *See* activities

work lists  
 displaying CP-32  
 process attributes and CP-47

work rules, *See* assignment rules

work unit, *See* activities

work, undoing in design workshops PD-79

workshop products PD-70

workspaces PD-86

## X

XML attributes SG-104

XML documents  
 application SG-105  
 attributes SG-104  
 proxy SG-102  
 processing IG-171  
 supplying to iIS proxy CP-52

XML operations  
 C AD-36, AD-42  
 TOOL AD-28

XML output type IG-36

XML processing  
 TOOL AD-28

XML/XSL Workshop IG-33

XML/XSLT Workshop  
*See also the XML/XSL Workshop section of the iIS Backbone online help*

XmlData  
 attribute data type PD-272  
 described PD-195

XMLData process attribute CP-52

XSL stylesheets  
 activity information for applications IG-48  
 application documents as process attributes IG-47  
 attributes, creating in results document IG-38  
 clearing for proxy SG-141  
 contents, displaying SG-148  
 creating IG-33  
 declarations required IG-36  
 default, overriding for text nodes IG-40  
 deregistering SG-144

### iPlanet Integration Server EAI Master Index Key

**AD** = *iIS Adapter Development Guide*

**CO** = *iIS Conceptual Overview*

**CP** = *iIS Process Client Programming Guide*

**IG** = *iIS Backbone Integration Guide*

**PD** = *iIS Process Development Guide*

**PS** = *iIS Process System Guide*

**SG** = *iIS Backbone System Guide*

XSL stylesheets (*continued*)

- in example application IG-27
- guidelines, iIS-related IG-35
- inbound IG-32, IG-173
- inbound or outbound SG-60
- for independent proxies IG-55
- listing for backbone SG-149
- managing SG-94, SG-95
- message type IG-50
- messages, sending to applications IG-49
- outbound IG-32, IG-179
- overwriting and updating SG-151
- process attribute lists, transforming IG-45
- process attribute values, transforming IG-46
- process attributes, handling IG-43
- processing instructions IG-36
- registering for backbone SG-73, SG-151
- setting for proxy SG-77, SG-171
- stylesheet base SG-59
- templates, default IG-39
- templates, reusing IG-42
- XML output type IG-36

XSL transformations

- about IG-28
- inbound IG-32
- outbound IG-32

XSLT processor SG-36

<b>iPlanet Integration Server EAI Master Index Key</b>	<b>IG = iIS Backbone Integration Guide</b>
<b>AD = iIS Adapter Development Guide</b>	<b>PD = iIS Process Development Guide</b>
<b>CO = iIS Conceptual Overview</b>	<b>PS = iIS Process System Guide</b>
<b>CP = iIS Process Client Programming Guide</b>	<b>SG = iIS Backbone System Guide</b>