

Oracle AutoVue 20.1

ActiveX Migration Guide

AutoVue Desktop Deployment

Copyright © 1999, 2011, Oracle and/or its affiliates. All rights reserved.

Portions of this software Copyright 1996-2007 Glyph & Cog, LLC.

Portions of this software Copyright Unisearch Ltd, Australia.

Portions of this software are owned by Siemens PLM © 1986-2008. All rights reserved.

This software uses ACIS® software by Spatial Technology Inc. ACIS® Copyright © 1994-1999 Spatial Technology Inc. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third party content, products and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third party content, products or services.

Table of Contents

Preface.....	4
Audience.....	4
Documentation Accessibility.....	4
Accessibility of Code Examples in Documentation.....	4
Accessibility of Links to Extern Web Sites in Documentation.....	4
TTY Access to Oracle Support Services.....	4
Introduction.....	5
Deployment.....	5
Initialization.....	5
Markups.....	5
Configurations.....	6
APIs.....	6
AutoVueX Control.....	6
AvMarkupX Control.....	10
AvPrintX Control.....	12
AvCompareX Control.....	12
Feedback.....	15

Preface

The *ActiveX Migration Guide* provides information on migrating to the new AutoVue Desktop Deployment ActiveX wrapper from the Desktop Version ActiveX solution.

For the most up-to-date version of this document, go to the AutoVue Documentation Web site on the Oracle Technology Network at <http://www.oracle.com/technetwork/documentation/autovue-091442.html>.

Audience

This document is intended for those who wish to migrate to the newest release of Oracle AutoVue's ActiveX wrapper. This guide serves as a good starting point for developers and professional services to become more familiar with the ActiveX wrapper.

Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible to all users, including users that are disabled. To that end, our documentation includes features that make information available to users of assistive technology.

Accessibility standards will continue to evolve over time, and Oracle is actively engaged with other market-leading technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers. For more information, visit the Oracle Accessibility Program Web site at <http://www.oracle.com/accessibility/>.

Accessibility of Code Examples in Documentation

Screen readers may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, some screen readers may not always read a line of text that consists solely of a bracket or brace.

Accessibility of Links to Extern Web Sites in Documentation

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.

TTY Access to Oracle Support Services

Oracle provides dedicated Text Telephone (TTY) access to Oracle Support Services within the United States of America 24 hours a day, 7 days a week. For TTY support, call 800.446.2398. Outside the United States, call +1.407.458.2479.

Introduction

This ActiveX migration guide provides essential information for system integrators who wish to migrate to the new Oracle AutoVue Desktop Deployment ActiveX wrapper from the Oracle AutoVue Desktop Version ActiveX solution. This new ActiveX control can be used to integrate Oracle AutoVue Desktop Deployment with your application.

For more detailed descriptions of the methods mentioned in this document, refer to the `ActiveXAPI.html` document that is located at `<AutoVue Desktop Deployment Installation>\docs`.

Deployment

To properly deploy the ActiveX wrapper integration with your application, you must take note of the following:

- AutoVue ActiveX Control (`jVueAX.ocx`) is shipped as part of AutoVue Desktop Deployment and is registered with Windows during installation.
- The Desktop Version ActiveX contained 4 controls: “AutoVueX”, “AvMarkupX”, “AvPrintX” and “AvCompareX”. The new Desktop Deployment ActiveX has a single control: “AutoVue ActiveX”.
- AutoVue Desktop Deployment contains Java-based technology. As a result, Java Virtual Machine will be loaded into the process of the application that integrates with the ActiveX. The location and initialization of the JVM are handled by the `autovue.jre.path` and `autovue.cmdline` keys, respectively, in `autovue.properties`.
- All the JARs and native binaries needed by the ActiveX are located in the `<AutoVue Desktop Deployment installation directory>\bin` directory.
- Integration to a 64-bit Windows application is not supported as the ActiveX wrapper contains 32-bit native binaries.

Initialization

When calling the `initActiveX` method, you have the option to pass client parameters (for example, a GUI customization parameter). To do so, you must first call the `setValue` method to pass the parameters and then make a call to `initActiveX`.

The GUI customization parameter, `GUIFILE`, contains definitions of the application UI. These definitions must be created and placed in the `<AutoVue Desktop Deployment installation>\Profiles` directory. Note that you must set the `GUIFILE` parameter to the filename of the GUI file.

Markups

By default, Oracle AutoVue Desktop Deployment stores markups in an `avred` sub-folder at the location of the document marked up by AutoVue. This behavior is the same as the default behavior of AutoVue Desktop Version. To save markups at a central location, you must set

`jvueserver.markups.local.directory` to a path where you want to store all the markup files.

Configurations

AutoVue Desktop Version ActiveX control uses a configuration file “<%WINDIR%>\avx.ini”. In contrast, AutoVue Desktop Deployment ActiveX stores configurations at <AutoVue installation directory>\Profiles\<username>.ini. There’s also an INI option in autovue.properties to specify a custom location for profiles.

You can also set options in files default.ini or allusers.ini. The first time a user launches AutoVue, the contents of default.ini are written to <username>.ini. The contents of allusers.ini are written to <username>.ini every time a user launches AutoVue.

Refer to the *Viewing Configuration Guide* for more information on INI files and INI options. Refer to *AutoVue Desktop Deployment Installation and Configuration Guide* for additional information on configuring AutoVue.

A migration guide is available for customers that are planning to move from the Desktop Version to the Desktop Deployment. Contact an Oracle Customer Support representative for a copy of the migration guide.

APIs

The Desktop Version contains the following controls:

- [AutoVueX](#)
- [AvMarkupX](#)
- [AvPrintX](#)
- [AvCompareX](#)

The tables in following sections map Desktop Version ActiveX Controls’ methods and properties to an equivalent Desktop Deployment ActiveX API.

AutoVueX Control

Properties in Desktop Version ActiveX	Replacement APIs in Desktop Deployment ActiveX
SRC	setFile method
ShowScrollBars	N/A
ShowMainToolBar ShowAuxToolBar MrkMainToolBar MrkPensToolBar MrkEntitiesToolBar MrkColorsToolBar ShowStatusBar	Done through GUI file customization
EnablePopupMenu	N/A
MrkFileLocation	“Markups” INI option under [Directory] in VueCore.ini
BgColor	N/A
Rotate	N/A

Flip	
Page	setPage/getPage methods
Extents	invokeSubAction method on action "VueActionViewFit" and sub-action "FitHoriz" or "FitBoth"
ExtMinX ExtMinY ExtMaxX ExtMaxY	setViewExtents/getViewExtentsMinX, getViewExtentsMinY, getViewExtentsMaxX, getViewExtentsMaxY methods

Methods in Desktop Version ActiveX	Replacement APIs in Desktop Deployment ActiveX
SetContrast	invokeSubAction method on action "VueActionViewContrast" and sub-action "Darkest", "Dark", "Normal" or "Light"
GetContrast	getImageEx method
SetAntiAlias	invokeAction method on action "VueActionViewAntiAlias"
	invokeAction method on the following action respectively:
ShowLayersDlg	"VueActionViewLayers"
ShowBlocksDlg	"VueActionViewBlocks"
ShowNamedViewsDlg	"VueActionViewViews"
ShowXRefDlg	"VueActionViewXRefs"
ShowEntityTypeFilterDlg	"EcadActionViewEntityTypeFilter"
ShowVerifyDesignDlg	"EcadActionDesignRuleChecks"
ShowEntityBrowserDlg	"EcadActionViewEntityBrowser"
ShowBillOfMaterialDlg	"EcadActionViewBillOfMaterial"
ShowEntityPropertiesDlg	"EcadActionEntityProperties"
ShowImportDesignDlg	"SMActionFileImportModel"
ShowPMIFilteringDlg	"SMActionPMI"
ShowLightingDlg	"SMActionLight"
ShowUserCoordSystemsDlg	"SMActionCoordinateSystem"
ShowPartAlignmentDlg	"SMActionPartAlignment"
ShowInterferenceCheckDlg	"SMActionCollisionDetection"
ShowConvertDialog	"VueActionFileConvert"
ShowExplodeDialog	"SMActionExplode"
Show3DSearchDialog	"SMActionSearch"
	invokeSubAction method on the following action and sub-action respectively:
ShowDefineSectionDlg	"SMActionViewSection", "Define"
ShowModelTransformDlg	"SMActionTransform", "Apply"
ShowFileVersionInfoDlg	N/A
	invokeSubAction method on the following action and sub-action respectively:
ZoomFit	"VueActionViewFit", "FitBoth"
ZoomPrevious	"VueActionViewZoom", "Previous"
ZoomWidth	"VueActionViewFit", "FitHoriz"
ZoomHeight	"VueActionViewFit", "FitVer"
ZoomFullResolution	"VueActionViewZoom", "FullRes"

ZoomSelected	invokeAction method on action: "SMActionZoomSel" for 3D "EcadActionZoomSelected" for EDA
ZoomByFactor	setZoom method
PrintIt	printIt method
PrintPreview	invokeSubAction method on action "VueActionFilePrint" and sub-action "PrintPreview"
SetPrintOptions	setPrintOptions Please note the following options are not supported: "PRINT_OPT_DISABLE_HEADERSFOOTERS" "PRINT_OPT_DISABLE_WATERMARK" "PRINT_OPT_DISABLE_MARGINS" "PRINT_OPT_DISABLE_STAMPS" "PRINT_OPT_DISABLE_PENSETTINGS" "PRINT_OPT_DISABLE_PRINTTOFILE" "PRINT_OPT_DISABLE_PRINT" "PRINT1PAGEONLY" "OUTPUTFILE" "PDFPAPERSIZE"
GetVcetHandle	N/A
	invokeSubAction method on the following action and sub-action respectively:
EnterMarkupMode ExitMarkupMode	"VueActionFileMarkup", "New" "MrkActionFileMarkup", "Exit"
MrkObj PrnObj	N/A
GetMode	isMarkupModeEnabled method for markup mode
PageNext PagePrevious PageSelect	invokeSubAction method on action "VueActionViewPage" and sub-action "Next", "Previous", "Number" respectively
GetMousePos	N/A
ZoomInWorld	setViewExtents method
SetLicenseFilePath	N/A
EnableMarkup EnablePanMode EnableZoomBoxMode EnableRotateMode EnableManipulators	N/A
GetNumCrossProbeEntities GetCrossProbeEntityType GetCrossProbeEntityName ClearCrossProbeEntities AddCrossProbeEntity GetEcadDesignName GetEcadDesignPageType GetEcadDesignPageName	N/A

GetNumCrossProbeHits ShowCrossProbeHit	
ShowNetConnectivity	invokeAction method on action "EcadActionShowNetConnectivity"
GetNumEcadEntities GetEcadEntityName GetEcadEntityNAttr GetEcadEntityAttrName GetEcadEntityAttrValue GetNumEcadEntityDefs GetEcadEntityDefName GetEcadEntityDefFlags GetEcadEntityDefNAttr GetEcadEntityDefAttrName GetEcadEntityDefAttrFlags GetEcadEntityDefAttrType	N/A
SetPageByTitle SetNamedView SetNamedViewByName	N/A
ReCenter	invokeSubAction method on action "SMActionRecenter" and sub-action "RecenterAll", "Selected" or "RecenterTo"
ResetTransformation	invokeSubAction method on action "SMActionTransform" and sub-action "ResetAll"
AddOverlay RemoveOverlays	addOverlay method removeOverlays method
SelectOverlay LoadOverlay SetOverlayParameters GetOverlayFileName GetOverlayPosX GetOverlayPosY GetOverlayScale GetOverlayParameters	N/A
DumpModelTree	N/A
ConvertIt SetConvertOptions	convertIt method setConvertOptions method
Export3DBom ExportEdaBom	export3DBom exportEdaBom
SaveViewStateToFile RestoreViewStateFromFile	N/A
GetNumPages	getPagesNumber method

Events in Desktop Version ActiveX	Replacement APIs in Desktop Deployment ActiveX
ModeChanged	onMarkupEvent event with event ID "ONENTERMARKUPMODE" or "ONEXITMARKUPMODE"

	Notification for entering/exiting print preview is not available
StatusChanged HelpString	onStateEvent event with event ID "ONMESSAGE"
ExtentsChanged	onViewEvent event with event ID "ONVIEWEXTENTS"
PageChanged	onFileEvent event with event ID "ONSETPAGE"
RotateChanged FlipChanged	N/A
OnLMButtonDown OnLMButtonUp OnLMButtonDbIClk OnRMButtonDown OnRMButtonUp OnRMButtonDbIClk OnMMButtonDown OnMMButtonUp OnMMButtonDbIClk	N/A
OnMouseMove	N/A
OnNewDocument	onFileEvent event with event ID "ONSETFILE"
CrossProbeEvent	N/A
BasefileHyperlinkEvent	onViewEvent event with event ID "ONLINKCLICKED"

AvMarkupX Control

Properties in Desktop Version ActiveX	Replacement APIs in Desktop Deployment ActiveX
EntityColor	N/A
PenStyle	N/A
LineWidth	N/A

Methods in Desktop Version ActiveX	Replacement APIs in Desktop Deployment ActiveX
Open CreateNew	invokeSubAction method on action "VueActionFileMarkup" and sub-action "Open" and "New"
OpenMarkup	openMarkup method
Save SaveAs	invokeSubAction method on action "VueActionFileMarkup" and sub-action "Save" and "Save As"
	invokeAction method on the following action respectively:
DrawLine	"MrkActionLine"
DrawPolyline	"MrkActionPolyLine"
DrawArc	"MrkActionArc"
DrawBox	"MrkActionBox"
DrawCircle	"MrkActionCircle"
DrawFilledBox	"MrkActionBox"
DrawFilledCircle	"MrkActionCircle"
DrawFilledPolygon	"MrkActionPolygon"
DrawLeader	"MrkActionLeader"
DrawFreeStyle	"MrkActionFreeStyle"

DrawCloud	"MrkActionCloud"
DrawText	"MrkActionText"
DrawHighlight	"MrkActionHighlight"
DrawNote	"MrkActionNote"
DrawSymbol	"MrkActionSymbol"
MeasureDistance MeasureCumDistance MeasureArea Draw3DVertexCoord Draw3DDistance Draw3DArc Draw3DAngle	invokeSubAction method on action "MrkActionAnalysisMeasure" and sub-action "Distance", "Area", "Vertex", "Distance", "Arc" and "Angle" respectively
DrawOle	N/A
IsCurrentEntity	N/A
ModifyLayers ModifyFont	invokeAction method on action "MrkActionModifyEntityLayer" and "MrkActionModifyEntityFont"
Undo Redo	invokeSubAction method on action "MrkActionUndo" and sub-action "Undo" and "Redo"
IsUndoAvailable IsRedoAvailable	N/A
GetControlHandle	N/A
Rotate	invokeSubAction method on action "MrkActionViewRotateMarkup" and sub-action "CW" or "CCW"
Flip	invokeSubAction method on action "MrkActionViewFlipMarkup" and sub-action "Horizontal" or "Vertical"
RotateRelative ResetAction	N/A
ShowInfo	invokeSubAction method on action "MrkActionFileMarkup" and sub-action "Information"
DeleteSelEntities	invokeSubAction method on action "MrkActionModifyDelete" and sub-action "Delete"
CopyToClipboard PasteFromClipboard	invokeSubAction method on action "MrkActionClipboard" and sub-action "Copy" and "Paste"
OnMarkupConsolidate	invokeSubAction method on action "MrkActionFileMarkup" and sub-action "Consolidate"
OnModifyMarkupOnoff	invokeAction method on action "MrkActionModifyHideMarkups"
GetFillStyle SetFillStyle	N/A
GetCtISnapType SetCtISnapType	N/A
GetAction SetAction	N/A
EditText	N/A

EditNote EditDimension	
HideDimensions DeleteDimensions	N/A
IsThisEntityAvailable IsThisEntityTypeAvailable IsThisEntitySelected IsThisEntityTypeHidden GetEntityPageIndex IsEntityEditable EditEntity GetEntityLineStyle GetEntityLineWidth	N/A
GetSelCount	N/A
IsThisMarkupVisible ShowThisMarkup	N/A

AvPrintX Control

Methods in Desktop Version ActiveX	Replacement APIs in Desktop Deployment ActiveX
PrintIt	printIt method
PrintPreview	invokeSubAction method on action "VueActionFilePrint" and sub-action "PrintPreview"
PrintFile PrintPreviewFile	N/A
PreviewPrint PreviewNextPage PreviewPrevPage PreviewNumPage PreviewZoomIn PreviewZoomOut PreviewClose	N/A
SetPrintPageOrientation	setPrintOptions method
EnablePrintOptions	N/A

Events in Desktop Version ActiveX	Replacement APIs in Desktop Deployment ActiveX
EndPrintPreview EndPrint	N/A

AvCompareX Control

Properties in Desktop Version ActiveX	Replacement APIs in Desktop Deployment ActiveX
File1	setFile method
File2	setCompareFile method
ShowScrollBars	N/A
ShowMainToolBar ShowAuxToolBar	GUI file customization

ShowStatusBar	
EnablePopupMenu	N/A
CtlBgColor	N/A
Rotate Flip	N/A
Page	setPage/getPage methods
ZoomType	N/A
Extents	invokeSubAction method on action "VueActionViewFit" and sub-action "FitHoriz" or "FitBoth"
ExtMinX ExtMinY ExtMaxX ExtMaxY	setViewExtents/getViewExtentsMinX, getViewExtentsMinY, getViewExtentsMaxX, getViewExtentsMaxY methods
ViewAdditions ViewDeletions ViewUnchanged	invokeSubAction method on action "VueActionOptionCompare" and sub-action "ViewAdditions", "ViewDeletions" and "ViewUnchanged" respectively

Methods in Desktop Version ActiveX	Replacement APIs in Desktop Deployment ActiveX
ZoomFit ZoomPrevious ZoomWidth ZoomHeight ZoomByFactor ZoomFullResolution Print PrintPreview PageNext PagePrevious PageSelect SetContrastLight SetContrastNormal SetContrastDark SetContrastDarkest GetContrast SetAntiAlias InvertImage ShowLayersDlg ShowBlocksDlg ShowNamedViewsDlg ShowXRefDlg	Please refer to the respective entry in the methods section of AutoVueX control

Events in Desktop Version ActiveX	Replacement APIs in Desktop Deployment ActiveX
StatusChanged HelpString ExtentsChanged	Please refer to the respective entry in the events section of AutoVueX control

PageChanged RotateChanged FlipChanged	
---	--

Feedback

We appreciate your feedback, comments or suggestions. Contact us by e-mail or telephone. Let us know what you think.

For any questions regarding a particular class or method, please contact Oracle Customer Support or post your question to the My Oracle Support AutoVue Community Web site. Customer Support can answer all questions related to specific topics documented in the VueBean Javadocs.

General Inquiries:

Telephone: +1.514.905.8400 or +1.800.363.5805

E-mail: autovuesales_ww@oracle.com

Web Site: <http://www.oracle.com/us/products/applications/autovue/index.html>

Sales Inquiries:

Telephone: +1.514.905.8400 or +1.800.363.5805

E-mail: autovuesales_ww@oracle.com

Oracle Customer Support:

Web Site: <http://www.oracle.com/support/index.html>

My Oracle Support AutoVue Community:

Web Site: <https://communities.oracle.com/portal/server.pt>

