



---

# **JD Edwards World Inventory Management Guide**

---

**Version A9.1**

**Revised - May 16, 2008**

Copyright © 2006, Oracle. All rights reserved.

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

#### U.S. GOVERNMENT RIGHTS

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software--Restricted Rights (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Oracle, JD Edwards, PeopleSoft, and Retek are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

#### Open Source Disclosure

Oracle takes no responsibility for its use or distribution of any open source or shareware software or documentation and disclaims any and all liability or damages resulting from use of said software or documentation. The following open source software may be used in Oracle's PeopleSoft products and the following disclaimers are provided.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Copyright (c) 1999-2000 by The Apache Software Foundation. All rights reserved. THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

---

# Send Us Your Comments

JD Edwards World Release A9.1 Documentation, Revised - May 16, 2008

JD Edwards World welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, please indicate the title and part number of the documentation and the chapter, section, and page number (if available). You can send comments to us by e-mail at:

[jde\\_world\\_doc\\_ww@oracle.com](mailto:jde_world_doc_ww@oracle.com)

If you would like a reply, please give your name, address, telephone number, and electronic mail address (optional).

Contact a JD Edwards World representative by calling Oracle Global Support Center at 1-800-289-2999 for current information or if you have any questions regarding this document.



---

---

# Contents

## 1 Overview

<b>Overview to Inventory Management.....</b>	<b>1-1</b>
System Integration with Distribution/Logistics Systems .....	1-1
System Integration with Manufacturing Systems .....	1-3
Features .....	1-6
Menu Overview .....	1-12

## 2 Item Entry

<b>Overview to Item Entry .....</b>	<b>2-1</b>
About Item Entry .....	2-1
<b>Enter Item Master Information .....</b>	<b>2-5</b>
Entering Item Master Information.....	2-5
Entering Basic Item Information.....	2-7
Entering Item Text .....	2-12
Assigning Item Responsibility .....	2-14
Entering Item Classification Codes .....	2-16
Entering Item Unit of Measure Information .....	2-20
Entering Item Manufacturing Information .....	2-26
Entering Item Grade and Potency Information .....	2-32
Transferring Item Number Changes to Other Files .....	2-35
<b>Enter Branch/Plant Information.....</b>	<b>2-37</b>
Entering Branch/Plant Information.....	2-37
Assigning an Item to a Branch/Plant.....	2-38
Working with Item Locations .....	2-39
Entering Item Tax Information .....	2-45
Locating Item Sources .....	2-45
Entering Item Reorder Quantities .....	2-46
Entering Item Branch/Plant Manufacturing Information .....	2-48
Duplicating Item Information for Multiple Branch/Plants .....	2-51
<b>Enter Item Cost Information .....</b>	<b>2-53</b>
Entering Item Cost Information.....	2-53
Assigning a Cost Level to an Item.....	2-54

Assigning a Cost Method to an Item .....	2-55
Entering Item Costs.....	2-58
Entering Manufacturing Setup Cost Information.....	2-59
<b>Enter Sales Price Information .....</b>	<b>2-61</b>
Entering Sales Price Information.....	2-61
 <b>3 Inventory Transactions</b>	
<b>Overview to Inventory Transactions .....</b>	<b>3-1</b>
About Inventory Transactions.....	3-1
<b>Issue Inventory .....</b>	<b>3-5</b>
Issuing Inventory.....	3-5
<b>Adjust Inventory.....</b>	<b>3-13</b>
Adjusting Inventory.....	3-13
<b>Transfer Inventory .....</b>	<b>3-19</b>
Transferring Inventory .....	3-19
 <b>4 Item and Quantity Information</b>	
<b>Overview to Item and Quantity Information.....</b>	<b>4-1</b>
About Item and Quantity Information.....	4-1
<b>Locate Item Information .....</b>	<b>4-7</b>
Locating Item Information .....	4-7
Defining Search Criteria .....	4-8
Entering Search Text .....	4-10
<b>Locate Quantity Information.....</b>	<b>4-13</b>
Locating Quantity Information.....	4-13
Locating Summary Quantity Information .....	4-14
Locating Detailed Quantity Information.....	4-17
Locating Quantity Information by Lot .....	4-20
Locating On-Hand Quantity Information.....	4-23
<b>Review Supply and Demand Information.....</b>	<b>4-27</b>
Reviewing Supply and Demand Information .....	4-27
<b>Review Performance Information .....</b>	<b>4-31</b>
Reviewing Performance Information .....	4-31

Reviewing Inventory Quantities.....	4-31
Reviewing Sales History .....	4-34
Reviewing Open Purchase Orders .....	4-35
<b>Work with Transaction Records.....</b>	<b>4-37</b>
Working with Transaction Records.....	4-37
Creating Balance Forward Records.....	4-38
Reviewing “As-Of” Balance Forward Records.....	4-39
Entering Individual Transactions .....	4-41
Reviewing Multiple Transactions and Balances.....	4-43
Reviewing Transactions on General Ledger Reports.....	4-46
<b>Summarize Inventory.....</b>	<b>4-51</b>
Why Summarize Inventory Files? .....	4-51
Summarizing Inventory .....	4-51
Running Summary/As-Of Generation .....	4-52
Running the Summary Inquiry.....	4-52
Running Summary Inquiry Reports.....	4-53
 <b>5 Reports</b>	
<b>Overview to Reports.....</b>	<b>5-1</b>
About Reports .....	5-1
<b>Review Inventory Status Reports .....</b>	<b>5-3</b>
Reviewing Inventory Status Reports.....	5-3
Reviewing the Stock Status Report.....	5-3
Reviewing the Item Master Directory Report.....	5-4
Reviewing the Buyers Guide Report.....	5-5
Reviewing the Inventory Journal Report.....	5-8
Reviewing the Price Book Report .....	5-9
<b>Review Inventory Analysis Reports .....</b>	<b>5-11</b>
Reviewing Inventory Analysis Reports .....	5-11
Reviewing the ABC Analysis Report .....	5-11
Reviewing the Cost Analysis Report.....	5-13
Reviewing the Margin Analysis Report.....	5-14
Reviewing the Valuation Analysis Report .....	5-14
Reviewing the Inventory Turn Report.....	5-15
Reviewing the Supply and Demand Report .....	5-18
Printing Stock Tags.....	5-19
<b>Review Inventory Integrity Reports .....</b>	<b>5-21</b>
Reviewing Inventory Integrity Reports.....	5-21

Reviewing the Item Ledger/Account Integrity Report .....	5-21
Reviewing the Item Balance/Ledger Integrity Report.....	5-22

## **Review Inventory Audit Reports .....5-25**

Reviewing Inventory Audit Reports.....	5-25
Reviewing the Item Master Audit Report.....	5-26
Reviewing the Item Branch Audit Report.....	5-27

## **6 Physical Inventories**

### **Overview to Physical Inventories .....6-1**

About Physical Inventories .....	6-1
----------------------------------	-----

### **Process a Cycle Count .....6-3**

Processing a Cycle Count .....	6-3
Running the Select Items for Count Program.....	6-4
Reviewing the Cycle Count Status.....	6-6
Printing Cycle Count Sheets .....	6-8
Canceling the Cycle Count.....	6-8
Entering the Cycle Count Results .....	6-9
Reviewing the Cycle Count Variances .....	6-12
Revising the Cycle Count Quantity .....	6-14
Printing the Variance Report .....	6-15
Updating the Cycle Count Status.....	6-16

### **Process a Tag Count.....6-17**

Processing a Tag Count .....	6-17
Running the Select Items for Count Program.....	6-17
Printing Inventory Tags.....	6-18
Recording Tag Distribution Information .....	6-19
Recording Tag Receipt Information.....	6-21
Entering the Tag Count Results.....	6-22
Reviewing the Tag Status .....	6-25
Reviewing the Tag Count Variances.....	6-26
Running Tag Count Updates.....	6-28
Running a Quantity Count Comparison.....	6-29

## **7 Cost Updates**

### **Overview to Cost Updates .....7-1**

About Updating Costs .....	7-1
----------------------------	-----



<b>Update Item Costs .....</b>	<b>7-3</b>
Updating Item Costs.....	7-3
Updating Costs for an Item across Multiple Branch/Plants.....	7-4
Updating Costs for Multiple Items across Multiple Branch/Plants .....	7-6
Updating Average Costs for Items .....	7-6
Updating Current Item Costs with Future Costs .....	7-7
 <b>8 Supplemental Database</b>	
<b>Overview to Supplemental Database .....</b>	<b>8-1</b>
About the Supplemental Database .....	8-1
<b>Define Data Types.....</b>	<b>8-3</b>
Defining Data Types.....	8-3
 <b>9 Kits</b>	
<b>Overview to Kits.....</b>	<b>9-1</b>
About Kits.....	9-1
<b>Enter Kit Information.....</b>	<b>9-5</b>
Entering Kit Information .....	9-5
Entering Item Master Records for Kits.....	9-5
Setting Up Locations for Kits .....	9-7
Entering Kit Pricing Information.....	9-8
<b>Enter a Bill of Material .....</b>	<b>9-11</b>
Entering a Bill of Material.....	9-11
 <b>10 System Setup</b>	
<b>Set Up Constants .....</b>	<b>10-1</b>
Setting Up Constants.....	10-1
Defining Branch/Plant Constants .....	10-1
Defining Item Availability.....	10-11
Defining System Constants .....	10-12
Defining Batch Control Constants.....	10-14
Defining the Location Format .....	10-16
<b>Set Up Warehouse Locations.....</b>	<b>10-19</b>
Setting Up Warehouse Locations.....	10-19

<b>Set Up Automatic Accounting Instructions.....</b>	<b>10-23</b>
Setting Up Automatic Accounting Instructions.....	10-23
<b>Set Up Messages .....</b>	<b>10-29</b>
Setting Up Messages.....	10-29
Defining a Message .....	10-30
Defining Print Information for Messages.....	10-34
<b>Set Up Default Location Information.....</b>	<b>10-37</b>
Setting Up Default Location Information .....	10-37
Defining a Default Location and Approval Route Code.....	10-37
Assigning Default Print Queues.....	10-39
<b>Set Up Standard Units of Measure .....</b>	<b>10-41</b>
Setting Up Standard Units of Measure.....	10-41
<b>Set Up Item Cross-Reference .....</b>	<b>10-47</b>
Setting Up Item Cross-References.....	10-47
<b>Set Up Audit Information.....</b>	<b>10-53</b>
Setting Up Audit Information.....	10-53
Setting Up IBM Information for the Audit Process .....	10-53
Setting Up the Audit Process.....	10-59
Activating the Audit Process .....	10-63
<b>Work with Speed Location Maintenance .....</b>	<b>10-65</b>
Working with Speed Location Maintenance .....	10-65
 <b>11 Lot Processing</b>	
<b>Overview to Lot Processing.....</b>	<b>11-1</b>
About Lot Processing.....	11-1
<b>Enter Lot Information .....</b>	<b>11-3</b>
Entering Lot Information.....	11-3
Entering Lot Information for Items.....	11-3
Entering Date Information for Lots.....	11-7
Entering Information for Lots.....	11-8
<b>Work with Lot Availability .....</b>	<b>11-15</b>
Working with Lot Availability .....	11-15
Viewing Lot Availability .....	11-15
Working with Lot Quantities.....	11-18

Working with Lot Activity Dates .....	11-21
Working with Lot Statuses .....	11-25
<b>View Lot Transactions.....</b>	<b>11-29</b>
Viewing Lot Transactions.....	11-29
Print Trace and Track Reports .....	11-30
Reviewing Trace and Track Information.....	11-30
Setting up Trace and Track Inclusion Rules.....	11-33
Defining a Trace and Track Mode .....	11-35
<b>Reclassify Lots.....</b>	<b>11-37</b>
Reclassifying Lots .....	11-37
 <b>12 System Updates</b>	
<b>Overview to System Updates .....</b>	<b>12-1</b>
About System Updates.....	12-1
<b>Update Item Search Information .....</b>	<b>12-3</b>
Updating Item Search Information.....	12-3
<b>Update Item Information .....</b>	<b>12-5</b>
Updating Master Item Information.....	12-5
Updating Item Master and Branch/Plant Information .....	12-5
Updating Category Codes and Item Numbers.....	12-5
<b>Revise Location Format .....</b>	<b>12-7</b>
Revising Location Format.....	12-7
Setting Up a Model Branch.....	12-8
Updating the Location Format.....	12-9
 <b>13 Purges</b>	
<b>Overview to Purges .....</b>	<b>13-1</b>
About Purges.....	13-1
<b>Purge Data .....</b>	<b>13-3</b>
Purging Data.....	13-3
Running the General Purge .....	13-4
Running the Special Purge .....	13-4

## 14 Data Conversions

### **Overview to Data Conversions..... 14-1**

About Converting Data in Inventory Management ..... 14-1

### **Convert Display Decimals..... 14-3**

Converting Display Decimals..... 14-3

Reviewing Data Items..... 14-4

Converting Data Items..... 14-6

### **Convert Cost Levels ..... 14-9**

Converting Cost Levels ..... 14-9

## 15 Processing Options

### **Item Entry Processing Options..... 15-1**

Item Master Revisions (P4101)..... 15-1

Item / Branch Duplication (P41015) ..... 15-2

Manufacturing Values Entry (P41013)..... 15-4

### **Inventory Transactions Processing Options ..... 15-5**

Simple Inventory Issues (P4112)..... 15-5

Inventory Adjustments (P4114) ..... 15-6

Inventory Transfers (P4113)..... 15-8

### **Item and Quantity Information Processing Options ..... 15-11**

Item Search with Word Search (P41200) ..... 15-11

Item Availability (P41202) ..... 15-11

Detailed Availability (P41023) ..... 15-13

Lot Availability (P41280) ..... 15-13

Supply & Demand (P4021)..... 15-14

Buyer's Inquiry (P4115)..... 15-17

Item Ledger "As-Of" Generation (P41542) ..... 15-18

Item Ledger by G/L Class Code Print (P41541)..... 15-18

As-Of Maintenance (P41112)..... 15-19

G/L by Object Account (P09421) ..... 15-19

T/B by Object (P094121) ..... 15-21

Item Ledger - Costs (P4111) ..... 15-22

Item Ledger - Locations (P4111) ..... 15-23

Item Ledger - Lot Status/Grade/Potency (P4111)..... 15-24

Item Ledger - Running Quantity Balance (P4111) ..... 15-25

As-Of Maintenance (P41112)..... 15-26

Inventory Summary Inquiry (P41118) ..... 15-26

**Reports Processing Options ..... 15-29**

Stock Status - All Warehouses & Items (P41530) .....	15-29
Stock Status - Specific Warehouse(s) (P41530) .....	15-30
Item Master Directory - Sales Report Code 1 (P41560) .....	15-31
Buyers Guide (P4152) .....	15-31
Inventory Journal - All Branches (P41550) .....	15-32
ABC Analysis - Sales (P4164) .....	15-32
Unit Cost Warnings Plus or Minus 5% (P41580) .....	15-33
Margin less than 50% based on Last In (P41700) .....	15-33
3-Way Valuation Analysis (P41590) .....	15-34
Inventory Turn Report (P41116) .....	15-34
Supply & Demand Report (P4051) .....	15-34
Stock Tags (P41531) .....	15-37
Item Ledger/Account Integrity (P41543) .....	15-38
Item Variance (P41544) .....	15-39

**Physical Inventories Processing Options..... 15-41**

Select Items for Count - All Items (P41411) .....	15-41
Cycle Count Review (P41240) .....	15-41
Print Count Sheets - By Item, Branch (P41410) .....	15-42
Cycle Count Entry - By Item, Branch (P4141) .....	15-42
Variance Detail Print (P41403P) .....	15-43
Cycle Count Update (P41413) .....	15-44
Tag Status Review (P41604) .....	15-44
Tag Inventory Update (P41610) .....	15-44
Print Inventory Tags (P41607) .....	15-45
Tag Inventory Count Entry (P41602) .....	15-45
Print Tag Inventory Variances (P41608) .....	15-46

**Cost Updates Processing Options ..... 15-47**

Item Cost Revisions (P4105) .....	15-47
Batch Cost Maintenance - Cost Level 1 (P41802) .....	15-47
Future Cost Update - Cost Level 1 (P41052) .....	15-48

**Kits Processing Options ..... 15-51**

Bill of Material Revisions (P3002) .....	15-51
--	-------

**System Setup Processing Options ..... 15-53**

AAI Revisions (P40901) .....	15-53
Print Messages/Item Notes (P4016) .....	15-53

**Lot Processing – Processing Options ..... 15-55**

Lot Master Revisions (P4108) .....	15-55
Lot Availability (P41280) .....	15-56

Speed Lot Update (P41080) .....	15-57
Lot Tracing and Tracking (P41203) .....	15-57
Item Reclassifications (P4116) .....	15-57

## **System Updates Processing Options ..... 15-61**

Update Item Master Fields (P41804) .....	15-61
Update Item Branch Fields (P41805) .....	15-62
Global Category Code Update (P41803) .....	15-63
Location Redefinition (P41822) .....	15-64

## **Purges Processing Options ..... 15-65**

Batch File Purge (P00PURGE) .....	15-65
Purge Item Master File (F4101) (P4101P) .....	15-65
Purge Item Branch File (F4102) (P4102P) .....	15-66

## **Data Conversions Processing Options ..... 15-67**

Data Decimal Conversion (P40CVT) .....	15-67
Item Cost Level Conversion (P41815) .....	15-67
Item Cost Level Conversion (P41815) .....	15-68

# **16 Appendices**

## **Appendix A – Functional Servers..... 16-1**

About Functional Servers .....	16-1
--------------------------------	------

---

# 1 Overview





---

---


# Overview to Inventory Management

This section contains the following:

- [System Integration with Distribution/Logistics Systems](#)
- [System Integration with Manufacturing Systems](#)
- [Features](#)
- [Menu Overview](#)

## System Integration with Distribution/Logistics Systems

The JD Edwards World Inventory Management system works with the following distribution/logistics and manufacturing systems to ensure that the right item is in the right place, at the right time, to meet customer demand.



The following provides information about how the Inventory Management system integrates with general accounting and other distribution systems.

- General Accounting
- Inventory Management
- Bulk Stock Control
- Procurement

- Sales Order Management
- Address Book

## General Accounting

The JD Edwards World General Accounting system allows you to track inventory accounting.

## Inventory Management

The Inventory Management system stores item information for the Sales Order Management, Procurement, and manufacturing systems. It also stores sales and purchasing costs and quantities available by location and places holds on locations from which you do not sell items.

You update the general ledger inventory account balances with any change in inventory valuation, count variances, or movement.

## Bulk Stock Control

This system controls the storage, measurement, and movement of dynamic bulk inventory. You can use it to:

- Control the storage and movement of liquids from one container to another.
- Control other aspects of Container Management
- Calculate the volume for each transaction for each product and for each container.
- Provide efficient inventory control, based on volumes at a standard temperature.
- Calculate product gain/loss accurately for each transaction
- Use international standard algorithms to perform volume and density conversions to any base temperature.
- Track inventory balances for each product in various units of measure and show the details of the transactions that created the balance.
- Track a product that has Commingled/Custody Stock in a tank and manage the transactions associated with that product on an owner- by-owner basis.

## Procurement

The Procurement system retrieves item costs for purchase orders from the Inventory Management system. After you receive and create vouchers for purchased goods, the system updates the general ledger and creates accounts payable entries for payment.

## Sales Order Management


The Sales Order Management system retrieves item prices and costs from the Inventory Management system for sales orders. The system updates the general

ledger and creates accounts receivable entries to record inventory, cost of goods sold, revenue, and tax transactions for cash receipts processing.

### Address Book

The Inventory Management system works with the Address Book system to retrieve up-to-date customer, supplier, and warehouse address information.

## System Integration with Manufacturing Systems



The following information describes how the Inventory Management system integrates with manufacturing functions and systems.

- Bills of Material
- Product Data Management
- Shop Floor Control
- Equipment/Plant Maintenance
- Master Production Schedule (MPS)/Material Requirements Planning (MRP)/Distribution Requirements Planning (DRP) and Enterprise Requirements Planning and Execution (ERPM)

### Bills of Material

Both the Inventory Management and the Product Data Management system use bills of material. Bills of material allow you to:

- Define kits and the quantities of components that you need to assemble or manufacture a parent item during sales order entry.
- Select components during purchase order entry.

Inventory Management and Shop Floor Control transactions initiate the issue of bill of material components, create general ledger entries, and update inventory on-hand quantities.

The following allow flexibility for manufacturing planning and costing processes:

- Parent/component structures
- Quantities of components per kit
- Feature planning
- Costing percentages
- Date effectivity

### Product Data Management

The Product Data Management (PDM) system provides the foundation on which you define manufacturing data, including:

- Bills of material
- Routing instructions
- Product cost rollups
- Engineering change management

PDM is the repository for data that controls your material and product planning processes, including:

- Distribution Requirements Planning
- Master Production Scheduling
- Material Requirements Planning
- Enterprise Resource Planning

### Shop Floor Control

The Shop Floor Control system lets you transact product assembly and manufacturing activities through either work order or rate-based production processes.

Shop floor transactions are the basis for:

- General ledger entries
- Updates to on-hand inventory quantities
- Payroll time entries

These transactions:

- Issue material components
- Record hours of direct or setup labor

- Track machine activity hours
- Allow completion of finished or semi-finished items into inventory

### Equipment/Plant Maintenance

The Equipment/Plant Maintenance system lets you transact equipment and plant maintenance activities through work order activity processes.

You use maintenance transactions to:

- Issue material components
- Record hours of direct or setup labor
- Track machine activity hours
- Track and record costs to the Fixed Asset and General Accounting systems

These transactions also update on-hand inventory quantities.

### MPS/MRP/DRP and ERP


These systems use information about on-hand inventory quantities, current and forecast demands for:

- Product sales or replacement parts
- Inter-branch inventory needs
- Parts requirements for equipment/plant maintenance
- Incoming item availability from purchase orders or shop floor production

These systems perform planning activities that:

- Recommend internal transfer orders
- Suggest purchase orders or blanket/contract purchase order releases
- Propose the release of shop floor work orders or changes to shop floor production rate schedules to meet inventory demands

## Inventory Management System Integration



## Features

This overview provides some of the business considerations related to inventory management. You can use the following features to help you fully utilize your Inventory Management system:

- Stocking considerations
- Item identification
- Location and lot considerations
- Physical and logical warehouses
- Item count and cost computation

## Stocking Considerations

Consider the types of inventory that you have, what you use them for, and where and how you store them. Then consider your company's needs based on your business activities and your suppliers' and customers' requirements.

Typically, your company maintains one or both of the following types of inventory:

- Stock items
- Non-stock items

Stock items are stored products or parts that are ready for sale. Non-stock items are typical items that are used by your company, such as office supplies. Non-stock items may also include:

- Kit components
- Consignment items
- Customer supplies
- Standing-order items

If your company stores both stock and non-stock items, you must determine the most efficient method to identify, store, and track them. You must also decide how to use the Inventory Management system to determine:

- How should stock and non-stock items be identified and where should they be stored?
- How should the company account for stock and non-stock items?
- How should items that are priced in multiple currencies be identified and tracked?
- How should items that require special handling, such as refrigeration, be identified and stored?
- How should items that require quality analysis or testing be identified?
- How should obsolete items be identified?
- How should broken or defective parts be identified?

## Item Identification

Consider how you want to identify inventory items in the system.

### Item Numbering and Description

JD Edwards World provides multiple methods of identifying items within the software. You can use actual item numbers, numbers that you designate, or a combination of both. By using actual item numbers, you can identify pertinent information about an item such as:

- Material used
- Year produced
- Specific contract

- Special processes of manufacture
- Country of origin
- Tests or quality analyses performed

Identify each item with up to three inventory item numbers:

- Primary number
- Secondary number (for vendor, manufacturing, or industry standards)
- System-assigned number

The Inventory Management system's cross-reference capabilities allow you to have unlimited item identifiers within the system.

Besides identifying items numerically, you also can describe each item with additional information, such as:

- Standard description
- Technical description with specifications
- Warning messages
- Vendor information and availability

You can use any of the item descriptions or numbers interchangeably on forms, reports, or in transaction processing.

### Item Cross-Referencing

Typically, customers use several methods of identification when they order inventory. For example, assume that customers order inventory with their own part numbers, or that vendors require that you order items using their part numbers. Using the Inventory Management system, you can establish these numbers as cross-reference numbers that are interchangeable on forms, reports, or transaction processing.

Cross-referencing is also useful if you have contracts that require parts or items from a specific customer. This is true of government contracts, in which items that are used in contracts must be kept separate in the storage, manufacturing, and accounting processes.

## Location and Lot Considerations

After you determine how to store your inventory, you must set up physical locations to fully utilize the available storage space. A physical location, also known as an item location, is where you actually store an item.

Lot processing allows you to manage and maintain information about groups of items. Often, a lot consists of a group of items that are components of a final product (for example, parts of a bicycle).

You must also determine how to identify item locations and lots in the system to allow you to locate items quickly and perform daily operations efficiently.



## Item Locations

The Inventory Management system allows you to track your items through a vast number of item locations that you create in the system. The branch/plants, which are the actual item locations that you set up, can represent everything from warehouses to stores to trucks.

Each branch/plant can define its own set of rules, which allow you to separate divisions of universal items for which you can implement unique rules, costs, prices, and so forth. Within each branch/plant, you can create locations online that closely resemble the structure of your physical locations (for example, aisles, bins, and shelves) within the branch/plant. For example, you can define locations by classifying them into groups that accommodate:

- Consignment items
- Items requiring rework or repair
- Returned items
- Special items belonging to a particular customer

After you establish item locations, you can use the information to:

- Verify specific locations
- Display item descriptions
- Review available quantities
- Review lot statuses

After you establish a branch/plant, you can further define it by identifying locations, which include zones, aisles, bins, lots, and so on.

## Lots

You can identify and segregate inventory by lots within locations for special lot control or layered costing. These features allow you to provide unique descriptions, cost information, and expiration dates. You can:

- Assign a lot number to an item or have the system assign it upon receipt of the item
- Place a lot on hold when there's a problem within the lot
- Assign a status to a lot, such as one in quarantine or inspection
- Review transactions by lot
- Identify perishable lots so that you can sell the oldest goods first
- Track items bought or produced at the same time in case you have to retrieve those goods from your customers

## Physical and Logical Warehouses

If you typically receive large shipments of items that take up a lot of space, it will no longer be necessary to transfer or consolidate similar items to open up one large

physical space. Instead, you can portion out the item into physical and logical warehouses, and easily track each item using the Inventory Management system.

### Physical Warehouses

Using the Inventory Management system, you can maximize the dimensions and layout of your physical warehouse to:

- Use overflow areas more efficiently
- Assign locations
- Track work in process
- Identify and track items in transit
- Identify similar items

### Logical Warehouses

A logical warehouse is a location that does not actually exist. You designate a logical warehouse to resemble the actual physical warehouse, and can define your locations in whatever format is required to fit your needs. You can define:

- Pseudo locations, which represent a physical location, for products you sell but do not stock (such as products that are stocked at your supplier's facility and shipped from there)
- Locations for placement of damaged goods
- Locations for demo inventory
- Consigned items
- Customer inventory
- Returns
- Rework
- Expensed inventory

## Item Count and Cost Computation

### Item Counts

You can use the Inventory Management system to identify discrepancies between your online amounts and cycle and tag counts. You can conduct as many cycle and/or tag counts as you need at any time. You can also:

- Print count sheets
- Enter and verify counts
- Review variances online or by report
- Update correct counts

You also can use the Inventory Management system to print bar codes on certain reports such as the Inventory Count Sheet report. A bar code is a symbol that

consists of a series of patterns. A pattern consists of lines and spaces. Each pattern represents data, such as quantities, item numbers, item descriptions, and so on.

Printing a bar code for each item allows you to enter item information and track the items more efficiently through processes such as scanning.

In Inventory Management, you choose whether to print bar codes through processing options for certain reports. The processing options also allow you to specify which type of bar code to print. There are two types of bar codes, both of which represent the alphanumeric information in the Inventory Management system:

- Code 39
- Code 128

The difference between the two codes is the way that the bar code pattern appears. You can choose which code applies to the type of bar codes that your company uses.

You can quickly access the following quantity information for inventory:

- On-hand
- Committed to orders
- On back order
- On purchase orders

The Inventory Management system allows you to use its interactive and batch capabilities to compute reorder points and quantities.

### Item Costs

Maintaining accurate and complete records on the value of inventory is one of the major concerns of most businesses today. With automatic unit cost computation, you can maintain an unlimited number of costs by item and location. The Inventory Management system can automatically compute weighted average and last-in costs after goods are received or adjusted.

The Inventory Management system, with its variety of cost bases, can also help you maintain appropriate valuation of your inventory. Various methods of valuation can help you take into account differences in value because of:

- Age
- Changing costs
- Design changes
- Technology changes

With ABC analysis, you can identify the items in greatest demand and most profitable inventory. The ABC report details total sales, gross margin, or on-hand value for each item, for one or all locations.

## Menu Overview

### Menu Overview - Inventory Management

#### Inventory Management G41




#### Daily Processing

- \* Inventory Master/Transactions G4111
- \* Item Revisions G4112
- \* Lot Control G4113
- \* Bulk Stock Control G4150
- \* Bill of Materials G4114



#### Periodic Processing

- \* Inventory Count Alternatives G4121
- \* As Of Processing G4122
- \* Inventory Price and Cost Updates
- \* Item Supplemental Data/CIF G4124




#### Reports and Inquiries

- \* Inventory Reports G41111
- \* Inventory Inquiries G41112



#### Inventory Advanced and Technical Operations

- \* Inventory Advanced and Technical Operations G4131
- \* Global Updates and Purges G41311



#### Inventory System Setup

- \* Inventory System Setup G4141
- \* Inventory User Defined Codes G41411
- \* Bulk Stock Control Setup G415041

---

## 2 Item Entry



---

---

# Overview to Item Entry

## Objectives

- To provide the system with details about the stock and non-stock items in inventory

## About Item Entry


Prior to working with your inventory, you must provide the system with information about the items you stock. When you enter each inventory item, you provide the system with details such as:

- Item identifiers
- Item descriptions (foreign and domestic)
- Item rules
- Item costs and prices
- Item weights and measures

You must also provide the system with information about the location of each item, including:


- The branch/plant where each item resides
- The locations used within each branch/plant

The system uses this information to help track and process each item through your distribution and manufacturing systems.



Entering an item includes two steps:

1. Enter item master information, which includes basic information about an item.
2. Customize the item master information to suit each branch or plant that the item occupies.



When you enter item master information, the system creates a record in the Item Master table (F4101). When you enter branch/plant information for an item, the system creates records in the Item Branch Master table (F4102) and the Item Location Information table (F41021).



**Item Branch Master**

Item information that applies throughout the branch, such as:

- \* Category codes
- \* Planner/buyer numbers

**Item Location**

Item information specific to certain locations. For example:

- \* On-hand quantities
- \* General Ledger class code

To enter item information, complete the following steps:

- Enter item master information
- Enter branch/plant information
- Enter item cost information
- Enter sales price information

## Before You Begin

- Read System Setup
- Set up G/L class codes
- Review and modify branch/plant constants
- Set up next numbers
- Set up default locations and printers
- Set up applicable user defined code tables, including:
  - G/L posting categories
  - Stocking type codes
  - Units of measure
  - Classification code categories
  - Cost method codes
  - Language preference codes



---

---

# Enter Item Master Information

## Entering Item Master Information

You must enter general information for all stock and non-stock items. The system uses this information to identify and process each item in the distribution and manufacturing systems.

To enter item information, complete the following tasks:

- [Entering Basic Item Information](#)
- [Entering Item Text](#)
- [Assigning Item Responsibility](#)
- [Entering Item Classification Codes](#)
- [Entering Item Unit of Measure Information](#)
- [Entering Item Manufacturing Information](#)
- [Entering Item Grade and Potency Information](#)
- [Transferring Item Number Changes to Other Files](#)

When you enter a new item, the system creates an item master record in the Item Master Information table (F4101).

This program supports import functionality. See the *Technical Foundation Guide* for more information.

## What You Should Know About

### Setting up a template

You might want to set up a template that contains common values for fields. Enter an item with the common field values, then locate the item, and enter the new item information as necessary.

### Deleting item master information

Before you can delete an item, make sure that the item has zero commitments and the item's availability is equal to its on-hand balance. Process or cancel all orders for the item and bring any remaining inventory balance to zero.

You cannot delete master information for an item if any of the following exists:

- Item branch records
- Bills of material
- Item cross-reference numbers
- Supplier relationships
- Sales prices

### Displaying additional item information

You can set processing options to display additional item information subsequent to item master information (for example, item branch/plant information).

### Displaying EDI transaction information

You can either set processing options to display the Item Master Information-UCC (Uniform Code Council) form or access the Exit to Item Master Maintenance UCC128 function from Item Master Information.

For more information on UCC128 processing, see *Setting Up UCC 128 Processing* in the *Sales Order Management* guide.

## See Also

- *Entering Item Cost Information (P4105)* for information about entering master information that pertains to item costs
- *Entering Sales Price Information (P4106)* for information about entering master information that pertains to item prices

## Entering Basic Item Information



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Item Master Information**

To enter basic item information, complete the following tasks:

- Enter item identifiers
- Enter item descriptions and search text
- Enter item processing information

Each item can have up to three identifiers. You use the identifiers to locate the item. These identifiers can represent universal product codes (UPCs), bar codes, supplier numbers, or a user-defined value.

In Branch/Plant Constants, you must specify a primary item identifier. In the item master, you must also enter an item description and the text on which a user is most likely to search when trying to locate the item. You can also translate item descriptions and search text into multiple languages to accommodate those users who must locate items using alternate languages.

Item processing information consists of values that control how the system processes the item. These values pertain to stocking, packaging, accounting transactions, system interfaces, and so on.

## What You Should Know About

### Locating other identifiers

To locate an item using an identifier other than the primary identifier, you can perform a wildcard search by typing a special symbol, such as an asterisk (\*), before the identifier. This only applies for forms that contain the Item Number field.

## See Also

- *Defining Branch/Plant Constants (P41204)* for more information about specifying the primary item identifier

## To enter item identifiers

On Item Master Information


Complete the following fields:

- Item Number – Short
- Product No (Product Number)
- Catalog No (Catalog Number)

## To enter item descriptions and search text

On Item Master Information

1. To enter descriptions and search text in your native language, complete the following fields:
  - Desc (Description)
  - Srch (Search)
2. To enter descriptions and search text in alternative languages, press F11 to access Item Alternative Description.



LP	Description	Search Text

3. On Item Alternative Description, complete the following fields:
  - LP (Language Preference)
  - Description
  - Search Text

## To enter item processing information

On Item Master Information

Complete the following fields:

- Stocking Type
- G/L Class

- Line Type
- Bulk/Packed Flag
- Backorders Allowed
- Unit of Measure
- Check Availability Y/N
- ABC Codes

Field	Explanation
Item Number - Short	<p>An identifier for an item.</p> <p><i>Form-specific information</i></p> <p>The first of three identifiers you can assign to an item. The system assigns this number if you activate the Next Number program. This field is numeric only.</p> <p>If you leave the other two item identifier fields blank, the system copies this number to those fields.</p>
Product No	<p>An identifier for an item.</p> <p><i>Form-specific information</i></p> <p>The second of three identifiers that you can assign to an item. This field is alphanumeric.</p> <p>If you leave the third identifier field blank, the system copies this number to that field.</p>
Catalog No	<p>An identifier for an item.</p> <p><i>Form-specific information</i></p> <p>The third of three identifiers you can assign to an item. This field is alphanumeric.</p> <p>If you leave the third identifier field blank, the system copies the value from the second identifier to this field.</p>
Description:	A brief description of an item, a remark, or an explanation.
Srch:	<p>A field that specifies how the system searches for an item. Your entry should be specific and descriptive of the item. Type the words in the order in which you are likely to enter them.</p> <p>In single-byte environments, where computer storage space can contain only Latin-based language character sets, the system inserts the first 30 characters from the item's description if you do not enter search text.</p> <p>In double-byte environments where computer storage space can contain more complex language character sets (in languages such as Japanese, Chinese, and Korean), you must complete this field. This is a single-byte field that you complete with single-byte characters to phonetically represent the item description (which can be single-byte, double-byte, or both).</p>


Field	Explanation
Stocking Type	<p>A user-defined code (41/I) that indicates how you stock an item (for example, as finished goods, or as raw materials). The following stocking types are hard-coded and you should not change them:</p> <p>B     Bulk floor stock</p> <p>C     Configured item</p> <p>F     Feature</p> <p>K     Kit parent item</p> <p>N     Non-stock</p> <p>In addition, you can use stocking types U or O for obsolete items. Use U for items that you may continue to use until inventory is exhausted. Use O for items that are no longer sold or purchased.</p>
G/L Class	<p>A user-defined code (system 41/type 9) that controls which general ledger accounts receive the dollar amount of inventory transactions for this item.</p>
Line Type	<p>A code that controls how the system processes lines on a transaction. It controls the systems with which the transaction interfaces (General Ledger, Job Cost, Accounts Payable, Accounts Receivable, and Inventory Management). It also specifies the conditions under which a line prints on reports and is included in calculations. Codes include:</p> <p>S     Stock item</p> <p>J     Job cost</p> <p>N     Non-stock item</p> <p>F     Freight</p> <p>T     Text information</p> <p>M     Miscellaneous charges and credits</p> <p>W     Work order</p>
Bulk/Packed Flag	<p>A code that indicates if the item is a bulk liquid product. If it is a bulk product, you must perform temperature and density/gravity conversions. To record the movement of bulk products, you must use forms designed specifically for bulk products. If you try to record movement using standard inventory forms, the system prevents the movement. Valid values are:</p> <p>P     Packaged</p> <p>B     Bulk liquid</p> <p>If you leave this field blank, the system uses P.</p>



Field	Explanation
Backorders Allowed	<p>A code that indicates whether you allow backorders for this item. You can allow backorders by item (through Item Master or Item Branch/Plant), or by customer (through Billing Instructions).</p> <p>Y     Yes, allow backorders for this item.</p> <p>N     No, do not allow backorders for this item, regardless of the backorders code assigned to the customer.</p> <p><b>Note:</b> The system does not use this information if you have set the option on Branch/Plant Constants to indicate that you do not allow backorders in your operating environment.</p>
Unit of Measure	<p>A user-defined code (system 00/type UM) that indicates the primary unit of measure for the item. The primary unit of measure should also be the smallest unit of measure in which you handle the item.</p> <p style="text-align: right;"><i>Form-specific information</i></p> <p>The default for this field is the primary unit of measure you specify in processing options.</p>
Check Availability Y/N	<p>This field controls whether availability checking is performed throughout the Sales Order Management system. You might want to check availability for some items. For other items, you can assume that an adequate supply is available. Valid values are:</p> <p>Y     Check availability</p> <p>N     Do not check availability</p>

Field	Explanation
ABC Codes	<p>A code that specifies this item's ABC ranking by sales amount.</p> <p>Valid values are:</p> <ul style="list-style-type: none"><li>A Assign this item to the first (largest) amount ranking.</li><li>B Assign this item to the second (intermediate) amount ranking.</li><li>C Assign this item to the third (smallest) amount ranking.</li><li>D Do not include this item when you run ABC Analysis.</li></ul> <p>There are three types of ABC analysis, which include sales, margin, and on-hand value. Within each type of analysis, you can have three groups, including A, B, and C.</p> <p>The ABC Code fields contain a percentage that defines the A, B, and C groups for categorizing items during ABC analysis. Each group measures a total within the type of analysis.</p> <p>For all groups, the system compares the appropriate sales, margin, or on-hand value totals of a single item to the appropriate total for all items and calculates the value of each item. An item's value is its percentage of the appropriate total. The system arranges the values of all items from highest to lowest value and accumulates the percentages. Then, depending on the group, the system processes the information as follows:</p> <ul style="list-style-type: none"><li>A: If an item's value causes the accumulated total to exceed the A accumulated percentage, the system assigns the item to the B group.</li><li>B: When the accumulated total reaches the percentage you entered for items in the A group, it continues to add values until it reaches the percentage you entered for items in the B group. The system assigns all items whose value falls between the A and B percentages to the B group.</li><li>C: The C group consists of items whose accumulated value exceeds the B percentage. The percentage that you usually enter for the C group is .999.</li></ul>

## Entering Item Text

	<p>From Inventory Management (G41), choose <b>Inventory Master/Transactions</b></p> <p>From Inventory Master/Transactions (G4111), choose <b>Item Master Information</b></p>
---	--

You might want to enter text about an item that others can view or print when working with the item. When you enter item master information, you can use one of two methods to enter item text:

- Attach messages to an item
- Enter notes for an item

Item messages are predefined, so you can attach the same message to multiple items.

Unlike item messages, item notes are not predefined. If notes already exist for an item, the words *See Memo* appear as highlighted text at the top of Item Master Information.

## Before You Begin

- Before you can attach a predefined message to an item, you must create text for the message. Where you create this text depends on the message type.

## To attach messages to an item

On Item Master Information

### 1. Complete the following fields:

- Item Flash Message
- Print Message


Field	Explanation
Print Message	A user-defined code (system 40/type PM) that represents a predefined message set up on Print Message Revisions. You can print the message on sales orders, purchase orders, and so forth.

Field	Explanation
Item Flash Message	<p>A user-defined code (system 40/type FL) that directs the system to display a specific message each time someone works with the item. The message is the description for the user-defined code.</p> <p>If you work with an item that has a flash message, the message displays next to the item number or the system highlights the item number. If the number is highlighted, you can access the message by placing the cursor on the item number and performing the appropriate function for the program.</p>

## To enter notes for an item

### On Item Master Information

1. Press F14 to access the Text Messages screen.



2. On Text Messages, enter the appropriate text.

## Assigning Item Responsibility



From Inventory Management (G41), choose **Inventory Master/Transactions**  
 From Inventory Master/Transactions (G4111), choose **Item Master Information**

When you enter master information for an item, you can specify those persons or businesses that are responsible for the item, including the buyer, planner, and preferred carriers.

Before you can assign a responsible person or business to an item, each must have an address book number in the Address Book system.

## To assign item responsibility

On Item Master Information

- Complete the following fields:
  - Planner Number
  - Buyer Number
- Press F5 to access Classification Codes from Item Master Information.

- On Classification Codes, complete the following fields:
  - Sales: Preferred Carrier
  - Purchasing: Preferred Carrier

Field	Explanation
Planner Number	The address number of the material planner for this item.
Buyer Number	The address number of the person responsible for setting up and maintaining the correct stocking levels for the item.
Preferred Carrier	<p>The address number for the preferred carrier of the item. The customer or your organization might prefer a certain carrier due to route or special handling requirements.</p> <p>This value serves as the carrier default when you enter a sales order for the item.</p>

## See Also

- *Entering Basic Address Book Information (P01051)* in the Address Book system for more information about adding address numbers

## Entering Item Classification Codes



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Item Master Information**

You might want to group items with similar characteristics so that you can work with the entire group at the same time. For example, for sales analysis, you can group items together for reporting purposes.

To group items, you assign classification codes to them. You can assign classification codes to items when you enter item master information or when you enter item branch/plant information.

There are several categories of classification codes. Each category represents a different item classification or property type, such as shipping conditions. From the shipping conditions category, you can select a code that indicates the condition under which you ship an item, such as fragile.

You can assign one of four groups of classification codes. Each group relates to one of the following JD Edwards World systems:

- Sales Order Management
- Procurement
- Inventory Management
- Advanced Warehouse Management

Complete the following optional tasks:

- Enter sales classification codes
- Enter purchasing classification codes
- Enter inventory classification codes
- Enter warehouse classification codes

### To enter sales classification codes

On Item Master Information

1. Press F5 to access Classification Codes.

41011 Classification Code

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Reposition Window  
Return to Previous Panel  
Item Availability  
Clear Screen

41011 Classification Codes

Action Code C  
Product No 10001

Markette Red Highlighter

**Sales:**

Sales Catalog Section	DPD
Sub Section	FRN
Sales Category Code 3	RRR
Sales Category Code 4	
Sales Category Code 5	
Preferred Carrier	

**Purchasing:**

Commodity Class	DPD
Commodity Sub Class	
Supplier Rebate Code	
Master Planning Family	
Landed Cost Rule	
Preferred Carrier	

**Other Codes:**

Shipping Conditions Code	
Shipping Commodity Class	
Cycle Count Category	
Item Dimension Group	MRRXR
Warehouse Process Grp 1	DFC
Warehouse Process Grp 2	PEN
Warehouse Process Grp 3	
Item Pool Code	
Category Code 6	
Category Code 7	
Category Code 8	
Category Code 9	
Category Code 10	

F3=Exit F12=Previous F24=More Keys

2. On Classification Codes, complete the following fields:

- Sales Catalog Section
- Sub Section
- Sales Category Code 3
- Sales Category Code 4
- Sales Category Code 5
- Preferred Carrier
- Category Code 6
- Category Code 7
- Category Code 8
- Category Code 9
- Category Code 10

## To enter purchasing classification codes

### On Item Master Information

1. Press F5 to access Classification Codes.
2. On Classification Codes, enter a classification code for each of the following fields:
  - Commodity Class
  - Commodity Sub Class
  - Supplier Rebate Code

- Master Planning Family
- Landed Cost Rule

## To enter inventory classification codes

On Item Master Information

1. Press F5 to access Classification Codes.
2. On Classification Codes, enter a classification code for each of the following fields:
  - Shipping Conditions Code
  - Shipping Commodity Class
  - Cycle Count Category

## To enter warehouse classification codes

On Item Master Information

1. Press F5 to access Classification Codes.
2. On Classification Codes, enter a classification code for each of the following fields:
  - Item Dimension Group
  - Warehouse Process Group 1
  - Warehouse Process Group 2
  - Warehouse Process Group 3


Field	Explanation
Sales Catalog Section	<p>A user-defined code (system 41/type S1) that represents an item property type or classification, such as color, material content, or so forth. The system uses this code to sort and process like items.</p> <p>This field is one of ten classification categories available primarily for sales purposes.</p>
Sub Section	<p>A user-defined code (system 41/type S2) that represents an item property type or classification, such as color, material content, use, or so forth. The system uses this code to sort and process like items.</p> <p>This field is one of ten classification categories available primarily for sales purposes.</p>
Sales Category Code 3	<p>A user-defined code (system 41/type S3) that represents an item property type or classification, such as color, material content, use, or so forth. The system uses this code to sort and process like items.</p> <p>This field is one of ten classification categories available primarily for sales purposes.</p>



Field	Explanation
Category Code 6	<p>A user-defined code (system 41/type S6) that represents an item property type or classification, such as color, material content, use, or so forth. The system uses this code to sort and process like items.</p> <p>This field is one of ten classification categories available primarily for sales purposes.</p>
Commodity Class	<p>A user-defined code (system 41/type P1) that represents an item property type or classification, such as commodity type, planning family, or so forth. The system uses this code to sort and process like items.</p> <p>This field is one of six classification categories available primarily for purchasing purposes.</p>
Commodity Sub Class	<p>A user-defined code (system 41/type P2) that represents an item property type or classification, such as commodity type, planning family, or so forth. The system uses this code to sort and process like items.</p> <p>This field is one of six classification categories available primarily for purchasing purposes.</p>
Supplier Rebate Code	<p>A user-defined code (system 41/type P3) that represents an item property type or classification, such as commodity type, planning family, or so forth. The system uses this code to sort and process like items.</p> <p>This field is one of six classification categories available primarily for purchasing purposes.</p>
Master Planning Family	<p>A user-defined code (system 41/type P4) that represents an item property type or classification, such as commodity type, planning family, or so forth. The system uses this code to sort and process like items.</p> <p>This field is one of six classification categories available primarily for purchasing purposes.</p>
Landed Cost Rule	<p>A user-defined code (system 41/type P5) that indicates the landed cost rule for an item. The landed cost rule determines purchasing costs that exceed the actual price of an item, such as broker fees, commissions, and so forth. You set up landed cost rules on Landed Cost Revisions.</p> <p><i>Form-specific information</i></p> <p>When you enter a purchase order for the item, this is the default landed cost rule. If you enter a landed cost rule for the entire purchase order, it overrides the landed cost rule for the item.</p> <p>This is the only purchasing classification category that is hard coded. You can use it for landed cost rules only. This field corresponds to purchasing reporting code 5.</p>


Field	Explanation
Shipping Conditions Code	<p>A user-defined code (system 41/type C) that represents an item property type or classification, such as special shipping conditions. The system uses this code to sort and process like items.</p> <p>This field is one of three classification categories available primarily for inventory and shipping purposes.</p>
Shipping Commodity Class	<p>A user-defined code (system 41/type E) that represents an item property type or classification, such as international shipment handling. The system uses this code to sort and process like items.</p> <p>This field is one of three classification categories available primarily for inventory and shipping purposes.</p>
Cycle Count Category	<p>A user-defined code (system 41/type 8) that represents the family or cycle in which an item is counted. Cycle counting means that you count different inventory items at different times. Cycle codes commonly represent item values, item locations, time frames, or product groups.</p> <p><i>Form-specific information</i></p> <p>This inventory classification category is hard coded. You can use it for cycle count codes only.</p>
Item Dimension Group	<p>A user-defined code (system 41/type 01) that identifies a group of items that share the same size specifications, such as height and width. An item dimension group defines the size specifications for all items that belong to the group. After you set up an item dimension group, you can assign items to the group through Classification Codes.</p>
Warehouse Process Grp 1	<p>A user-defined code (system 41/type 02) that identifies a group of items that you want to move the same way. An item's process group determines the movement instructions the system uses to put away, pick, and replenish the item. You assign items to process groups using Classification Codes.</p> <p><i>Form-specific information</i></p> <p>You must define at least one process group for each item to have warehouse processes take place.</p> <p>You use Process Selection to define putaway, picking, and replenishment instructions for warehouse process groups.</p>

## Entering Item Unit of Measure Information

	<p>From Inventory Management (G41), choose <b>Inventory Master/Transactions</b></p> <p>From Inventory Master/Transactions (G4111), choose <b>Item Master Information</b></p>
---	--

You must provide the system with the item units of measure that are most common to each of your distribution processes, such as sales, purchasing, and so on. For example, you might purchase an item in pallets, stock it in boxes, and ship it in individual containers.

If you work with an item in multiple units of measure, you must specify how to convert one unit of measure to another. For example, if you stock items in boxes and crates, you must specify the number of individual items in a box and the number of boxes in a crate.



In some instances, the system must work with an item in its smallest (primary) unit of measure. The item conversions you specify must enable the system to trace all units of measure back to the primary unit of measure.

You can set up unit of measure conversions that are specific to an item or to an item and branch/plant combination. You specify whether item conversions are specific to a branch/plant in System Constants. You can also set up units of measure that are standard for all items.

You must set up all units of measure for an item in the Unit of Measure Conversion table (F41002) or the Standard Unit of Measure Conversion table (F41003). The system verifies the item unit of measure conversions before using standard unit of measure conversions.

Complete the following tasks:

- Enter default units of measure for items
- Define item unit of measure conversions

## See Also

- *Setting Up Standard Units of Measure (P41003)*

To enter default units of measure for items

On Item Master Information

1. Press F8 to access Default Units of Measure.

41012 Default Units of Meas

Oracle JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Reposition Window  
Exit to Unit of Measure  
Return to Previous Panel  
Exit to Item Availability  
Clear Screen

41012 Default Units of Measure

Action Code [C]  
Item Number R0001  
Markette Red Highlighter

Unit of Measure:

Primary	EA	Each
Secondary	CA	Case
Purchasing	DZ	Dozen
Pricing	DZ	Dozen
Shipping	CA	Case
Production	EA	Each
Component	EA	Each
Weight	LB	Pounds
Volume	FC	Cubic Feet

F8=Conversions F12=Previous F24=More

2. On Default Units of Measure, complete the following field to locate the item:
  - Item Number
3. Complete the following fields:
  - Primary
  - Secondary
  - Purchasing
  - Pricing
  - Shipping
  - Production
  - Component
  - Weight
  - Volume

## To define item unit of measure conversions

On Item Master Information

1. Press F8 to access Default Units of Measure.
2. On Default Units of Measure, access Item Units of Measure.

3. On Item Units of Measure, complete the following fields:

- Structured Only
- Item Number

The Branch field displays only if item unit of measure conversions are specific to branch/plants.

4. For each unit of measure that the system must convert for the item, complete the following fields:


- UM (Unit of Measure To)
- Quantity
- UM (Unit of Measure From)

Field	Explanation
Primary	<p>A user-defined code (system 00/type UM) that indicates the primary unit of measure for the item. The primary unit of measure should also be the smallest unit of measure in which you handle the item.</p> <p><i>Form-specific information</i></p> <p>This is the primary stock accounting unit (PSAU) of measure that the system uses to store all inventory. If you change the primary unit of measure, the conversion factors in the item-level conversion table will no longer be valid.</p> <p>The default for this field is the unit of measure that you specify for the item on Item Master Information.</p>
Secondary	<p>A code that indicates an alternate unit of measure for the item. See user-defined code (system 00/type UM).</p> <p><i>Form-specific information</i></p> <p>The default for this field is the primary unit of measure that you specify in processing options for Item Master Information.</p>
Purchasing	<p>A user-defined code (system 00/type UM) that identifies the unit of measure in which you usually purchase the item.</p> <p><i>Form-specific information</i></p> <p>The default for this field is the primary unit of measure that you specify in processing options for Item Master Information.</p>
Pricing	<p>A user-defined code (system 00/type UM) that indicates the unit of measure in which you usually price the item.</p> <p><i>Form-specific information</i></p> <p>The default for this field is the primary unit of measure that you specify in processing options for Item Master Information.</p>
Shipping	<p>A user-defined code (system 00/type UM) that indicates the unit of measure in which you usually ship the item.</p> <p><i>Form-specific information</i></p> <p>The default for this field is the primary unit of measure that you specify in processing options for Item Master Information.</p>

Field	Explanation
Production	<p>A user-defined code (system 00/type UM) that indicates the unit of measure in which you produce the item.</p> <p><i>Form-specific information</i></p> <p>The default for this field is the primary unit of measure that you specify in processing options for Item Master Information.</p> <p>This code serves as the default for:</p> <ul style="list-style-type: none"> <li>▪ The order quantity when you create a work order</li> <li>▪ The batch quantity when you create a new bill of material or routing</li> <li>▪ The rate schedule quantity in Rate Schedule Revision</li> </ul>
Component	<p>A user-defined code (system 00/type UM) that indicates the unit of measure for an item when it serves as a component.</p> <p><i>Form-specific information</i></p> <p>The default for this field is the primary unit of measure that you specify in the processing options for Item Master Information.</p> <p>This code serves as the default value for:</p> <ul style="list-style-type: none"> <li>▪ The quantity per parent when you add the component item to a bill of material or work order parts list</li> <li>▪ The quantity in the assembly inclusion rules in Configuration Management</li> </ul>
Weight	<p>A user-defined code (system 00/type UM) that identifies the unit of measure that the system uses to display weight for this item. You can specify ounces, grams, kilograms, and so on, as weight standards. The system uses this unit of measure for the item or overrides it for an individual item or container.</p> <p><i>Form-specific information</i></p> <p>The default for this field is the weight unit of measure you specify in processing options for Item Master Information.</p>
Volume	<p>A user-defined code (system 00/table UM) that indicates the unit of measure by metric conversion for ambient volume. For example, the unit of measure code for a gallon might be GL, or for a liter might be LT.</p>

Field	Explanation
Structured Only	<p>A code that determines whether the system displays all units of measure for an item and branch/plant or only the structured units of measure that have been set up for the Advanced Warehouse Management system.</p> <p><i>Form-specific information</i></p> <p>If you use the Advanced Warehouse Management system, you must structure conversions from large to small. For example:</p> <ul style="list-style-type: none"> <li>▪ 1 Pallet (24 Cases ) - Structure Code 1</li> <li>▪ 1 Case (36 Boxes ) - Structure Code 2</li> <li>▪ 1 Box (6 Eaches) - Structure Code 3</li> </ul> <p>You assign structure code 1 to the largest unit of measure and codes 2, 3, and so on, to the smaller units of measure.</p> <p><b>Note:</b> You do not have to define the primary unit of measure within a structure. This value is always the default for the lowest level.</p>
UM	<p>A user-defined code (system 00/type UM) that identifies the unit of measure for an item. For example, it can be eaches, cases, boxes, and so on.</p> <p><i>Form-specific information</i></p> <p>This unit of measure to which you are converting.</p>
Quantity	<p>The factor that the system uses to convert one unit of measure to another unit of measure.</p> <p><i>Form-specific information</i></p> <p>The quantity and the unit of measure from which you are converting must equal the unit of measure to which you are converting.</p>

## Entering Item Manufacturing Information

	<p>From Inventory Management (G41), choose <b>Inventory Master/Transactions</b></p> <p>From Inventory Master/Transactions (G4111), choose <b>Item Master Information</b></p>
---	--

You can define manufacturing information about an item when you enter item master information. This information includes:

Information	Description
Requirements planning information	You enter requirements planning information to develop a planning forecast for the items that you use to run your distribution and manufacturing operations.
Lead time information	You enter lead time information to calculate the time frames that are necessary to assemble or manufacture an item.



Information	Description
Engineering information	You enter reference information about the drawing plans for an item, so that you can refer back to the plans as necessary.

Complete the following tasks:

- Enter requirements planning information
- Enter lead time information
- Enter engineering information

## To enter requirements planning information

On Item Master Information

1. Press F10 to access Manufacturing Values Entry.
2. On Manufacturing Values Entry, complete the following fields:
  - Value Order Policy
  - Planning Code
  - Planning Fence Rule
  - Accounting Cost Qty
  - Round to Whole Number
  - Planning Fence
  - Freeze Fence
  - Message Display Fence

## To enter lead time information

On Item Master Information

1. Press F10 to access Manufacturing Values Entry.
2. On Manufacturing Values Entry, complete the following fields:
  - MFG Leadtime Quantity
  - Fixed/Variable
  - Leadtime Level
  - Leadtime Manufacturing
  - Leadtime Cumulative
  - Leadtime Per Unit
  - Issue Type Code

## To enter engineering information

On Item Master Information

1. Press F10 to access Manufacturing Values Entry.
2. On Manufacturing Values Entry, complete the following fields:
  - Drawing Size
  - Drawing Rev. Level (Drawing Revision Level)
  - Drawing Number

Field	Explanation
Value Order policy	<p>A field that the system uses in conjunction with the order policy code. It can show three types of data:</p> <ul style="list-style-type: none"><li>▪ The value of the fixed order quantity when you select order policy code 2 (fixed order quantity).</li><li>▪ The number of additional days of supply after demand is encountered when you select order policy code 4 (periods of supply).</li><li>▪ The desired inventory level when you select order policy code 5 (rate scheduled item). If the ending available quantity does not meet or exceed the desired inventory level, then MPS/MRP/DRP generation issues an “increase rate to” or a “decrease rate to” message.</li></ul>


Field	Explanation
Planning Code	<p>A code that indicates how Master Production Schedule (MPS), Material Requirements Planning (MRP), or Distribution Requirements Planning (DRP) processes this item. Valid codes are:</p> <ul style="list-style-type: none"> <li>0 Not Planned by MPS, MRP, or DRP</li> <li>1 Planned by MPS or DRP</li> <li>2 Planned by MRP</li> <li>3 Planned by MRP with additional independent forecast</li> <li>4 Planned by MPS, Parent in Planning Bill</li> <li>5 Planned by MPS, Component in Planning Bill</li> </ul> <p>These codes are hard-coded.</p>
Planning Fence Rule	<p>A user-defined code (system 34/type TF) that the system uses in conjunction with the Planning Time Fence Days field to determine how forecast demand or actual customer demand is used.</p> <p>For example:</p> <ul style="list-style-type: none"> <li>S Use customer demand before the time fence and forecast after the time fence</li> <li>F Use forecast before the time fence and forecast plus customer demand after the time fence</li> </ul> <p>For example, if you enter 5 in the Planning Time Fence Days field and S in this field, then the system uses only customer demand for the regeneration for the first 5 days. After 5 days, the system uses the forecast for the regeneration.</p> <p>Valid codes are:</p> <ul style="list-style-type: none"> <li>C Customer demand before, greater of forecast or customer demand after</li> <li>F Forecast before, forecast plus customer demand after</li> <li>G Greater of forecast or customer demand before, forecast after</li> <li>S Customer demand before, forecast after</li> <li>1 Zero before, forecast after</li> <li>3 Zero before, forecast plus customer demand after</li> </ul>
Accounting Cost Qty	<p>An amount that the system uses in the cost rollup program to determine the allocation of setup costs. The system totals the setup costs and divides the sum by this quantity to determine a unit setup cost. The default is 1.</p>

Field	Explanation
Round to Whole Number	<p>A code that determines if an item should be rounded to the closest whole number for planning purposes. Valid codes are:</p> <p>R     Round to the closest whole number.</p> <p>Blank Do not round.</p> <p>For example, if the calculated requirements for an item are 4.6 and this field contains a Round to Whole Number code of R, the system rounds the quantity required to 5. If the calculated requirements are 4.4, the system rounds the quantity required to 4.</p>
Planning Fence	<p>The number of days that the system uses in conjunction with the time fence rule to determine how the forecast is used. Enter the number of days from the start date, after which the time fence rule changes from the first rule to the second rule.</p> <p>For example, if the time fence rule is S (customer demand before the time fence, forecast after the time fence), and the planning time fence is 5 days, the system plans for the first 5 days using customer demand. After the fifth day, the system plans using the forecast.</p>
Freeze Fence	<p>The number of days from the generation start date within which the system should not generate order messages.</p> <p>For example, if the generation start date is 01/01/99, and the freeze time fence is 6 days, the planning system does not issue messages with dates less than or equal to 01/07/99.</p>
Message Display Fence	<p>The number of days after the generation start date that the system should not generate order messages.</p> <p>For example, if the generation start date is 01/01/99, and the message time fence is 60 days, the system does not issue messages with dates greater than or equal to 03/01/99. However, the planning horizon for orders continues past this date and is reflected in available to promise totals.</p>
MFG Leadtime Quantity	<p>The quantity that determines the lead time level for a manufactured item. Each of the routing steps for the item is extended by this quantity. For the system to calculate the lead time level, the quantity in this field must be a value other than zero.</p>

Field	Explanation
Fixed/Variable	<p>A code that determines whether the system uses fixed or variable lead times. This code works in conjunction with the value from either the Level Leadtime field or the Leadtime Per Unit field. Valid codes are:</p> <p>F Fixed lead time - The system calculates work order start dates using the value from the Leadtime Level field.</p> <p>V Variable lead time - The system calculates work order start dates using the value from the Leadtime Per Unit field.</p>
Level Leadtime	<p>A value that represents the lead time for an item at its assigned level in the production process, as defined on Plant Manufacturing Data. The system uses this value to calculate the start dates for work orders using fixed lead times. Level lead time is different for purchased and manufactured items:</p> <p>You can enter level lead time manually on Manufacturing Values Entry, or you can use the Leadtime Rollup program to calculate it. To calculate level lead time using the Leadtime Rollup program, you must first enter a quantity in the Manufacturing Leadtime Quantity field in the Item Branch table (F4102).</p>
Manufacturing Leadtime	<p>The total number of days required to build an item from its lowest level components to the final assembly. This value is the total of the level lead times for all manufactured items, plus the highest manufacturing lead time for all its components.</p> <p>If all components are purchased, the manufacturing lead time equals the item's level lead time. Purchased item lead times are not included in the calculation of manufacturing lead times.</p> <p>You can enter the manufacturing lead time manually or you can have the system calculate it when you run the Leadtime Rollup program.</p>
Cumulative Leadtime	<p>The total number of days required to build an item from its lowest level components to the final assembly. The system calculates the value differently for manufactured and purchased items.</p> <p>Manufactured - The total of all level lead times for all manufactured items, plus the highest cumulative lead time of all its components.</p> <p>Purchased - The item's level lead time. Purchased item lead times are included in the calculation of cumulative lead times.</p> <p>You can enter this value manually or you can have the system calculate it when you run the Leadtime Rollup program.</p>

Field	Explanation
Leadtime Per Unit	<p>The total number of hours required to build one unit as specified on the routing. This value is factored by the time basis code.</p> <p>You can enter this value manually, or you can have the system calculate it when you run the Leadtime Rollup program. The system overwrites this value when you run the Leadtime Rollup program.</p> <p>The system uses this field to calculate start dates for work orders when you use variable lead times.</p>
Issue Type Code	<p>A code that defines how the system issues each component in the bill of material from stock. In shop floor control, it indicates how the system issues a part to a work order. Valid codes are:</p> <p>I     Manual issue (default)</p> <p>F     Floor stock (no issue)</p> <p>B     Backflush (when part is reported as complete)</p> <p>P     Preflush (when parts list is generated)</p> <p>U     Super backflush (at pay-point operation)</p> <p>S     Sub-contract item (send to supplier)</p> <p>Blank Shippable end item</p> <p>You can issue a component in more than one way within a specific branch/plant by using a different code on the bill of material and work order parts list. The bill of material code overrides the branch/plant value.</p>
Drawing Size	<p>A code that represents the engineering drawing size. For example:</p> <p>A     A-size drawing</p> <p>D     D-size drawing</p>
Drawing Rev. Level	<p>This number is a subset to the drawing number. It provides an additional description of the drawing and is useful should the system use an engineering drawing as a reference for this item.</p>
Drawing Number	<p>An engineering drawing number that might be the same as the part or item number.</p>

## Entering Item Grade and Potency Information

	<p>From Inventory Management (G41), choose <b>Inventory Master/Transactions</b></p> <p>From Inventory Master/Transactions (G4111), choose <b>Item Master Information</b></p>
---	--

After you enter item master information or item branch/plant information, you specify whether grade or potency applies to an item. Grades enable you to classify

items (for example, grade A eggs and grade B eggs). Potency allows you to specify the active ingredient in a product (for example, the percentage of alcohol in liquor).

When you activate grade or potency control for an item, you can enter a standard grade or potency for the item and a range of acceptable values. If you receive or issue items that are not within the range, the system provides a warning message. You cannot perform sales on items that are not within the range.

Item grade and potency are applicable only to items that are produced in lots. You cannot use both grade control and potency control for the same item.

## See Also

- *Entering Information for Lots (P4108)* for information about specifying grade and potency values for lots

## To enter item grade and potency information

On Item Master Information

1. Press F10 to access Manufacturing Values Entry.
2. On Manufacturing Values Entry, complete the following fields:
  - Grade/Potency Pricing
  - Potency Control
  - Standard Potency
  - From Potency
  - Thru Potency
  - Grade Control
  - Standard Grade
  - From Grade
  - Thru Grade

Field	Explanation
Grade/Potency Pricing	<p>A code that indicates whether you price the item by grade or potency range. You must control the item by grade to price it by grade, just as you must control the item by potency to price it by potency. Valid values are:</p> <p>Blank No potency or grade pricing</p> <p>1 Potency pricing</p> <p>2 Grade pricing</p>
Potency Control	A code that indicates whether you control the item by potency.
Standard Potency	The percentage of active ingredients normally found in an item.

Field	Explanation
From Potency	<p>A number that indicates the minimum potency, or percentage of active ingredients, acceptable for an item.</p> <p>The system displays a warning message if you try to purchase or issue items that do not meet the minimum acceptable potency. The system does not allow you to sell items that do not meet the minimum acceptable potency.</p>
Thru Potency	<p>A number that indicates the maximum potency, or percentage of active ingredients, that is acceptable for an item.</p> <p>The system displays a warning message if you try to purchase or issue items that have a potency that exceeds the maximum potency acceptable. The system does not allow you to sell items that have a potency that exceeds the maximum potency acceptable.</p>
Grade Control	<p>A code that indicates whether you control the item by grade.</p>
Standard Grade	<p>A user-defined code (system 40/type LG) that represents the normal grade for an item.</p>
From Grade	<p>A user-defined code (system 40/type LG) that indicates the minimum grade that is acceptable for an item.</p> <p>The system displays a warning message if you try to purchase or issue items with grades that do not meet the minimum grade acceptable. The system does not allow you to sell items with grades that do not meet the minimum acceptable level.</p>
Thru Grade	<p>A user-defined code (system 40/type LG) that indicates the maximum grade that is acceptable for an item.</p> <p>The system displays a warning message if you try to purchase or issue items with grades that exceed the maximum grade acceptable. The system does not allow you to sell items with grades that exceed the maximum grade acceptable.</p>

## What You Should Know About

<b>Lots</b>	<p>You can specify the grade or potency of all items in a specific lot on Lot Master Revisions. If you do not specify a grade or potency, the system uses the standard grade or potency from Item Master or Item Branch Information.</p>
<b>Grade and potency ranges for sales purposes</b>	<p>You can specify an acceptable grade or potency range for each of your customers using preference profiles.</p> <p>For more information, see <i>Setting Up Preference Types</i> in the <i>Sales Order Management Guide</i>.</p>



## See Also

- *Entering Information for Lots (P4108)* for information about specifying grade and potency values for lots

## Processing Options

See [Item Master Revisions \(P4101\)](#).

## Transferring Item Number Changes to Other Files

If you make changes to the second or third item number in the Item Master, you can transfer those changes to other files in Distribution, either interactively or in batch mode.

### To transfer changes interactively

On Item Master Information

Do one of the following:

- Set processing option 7 behind P4101 to 1 to update the Item Branch File F4102.
- Set processing option 7 behind P4101 to 2 to update other Distribution files. This interactively runs the Global Item Number Update (P40821).

### To transfer changes in batch mode

Do one of the following:

- On Item Master Information, press F19 to run for that single item.
- Run from the Versions List.
- Set processing option 7 behind P4101 to 2 to update other Distribution files. This interactively runs the Global Item Number Update (P40821).

## See Also

- *Update Item Search Information*
- *Work with PC Import/Export in the Technical Foundation Guide*



---

# Enter Branch/Plant Information


## Entering Branch/Plant Information

Information about an item might differ from warehouse to warehouse. For example, taxes might be applicable to an item in one warehouse, but not in another. You might also have different quantity requirements for each item based on the warehouse.

After you enter master information for an item, you can assign the item to different warehouses or branch/plants. You can then customize the item information for each branch/plant. You can also specify the locations in the branch/plant in which the item is stored.


### Item A

Master Information



Every JD Edwards World system that retrieves item information must search for the item's branch/plant information before it can use that item's master information.

You can enter item information for a single branch/plant, or copy existing item information and duplicate it for multiple branch/plants.



To enter item branch/plant information, complete the following tasks:

- [Assigning an Item to a Branch/Plant](#)
- [Working with Item Locations](#)
- [Entering Item Tax Information](#)
- [Locating Item Sources](#)
- [Entering Item Reorder Quantities](#)
- [Entering Item Branch/Plant Manufacturing Information](#)
- [Duplicating Item Information for Multiple Branch/Plants](#)

After you enter item information for a specific branch/plant, the system creates a record in the Item Branch table (F4102).

Item Branch/Plant Information (P41026) supports import functionality. Item Location Information (P41024) supports import/export functionality. See the *Technical Foundations Guide* for more information.

## What You Should Know About

### Default values

Most fields on Item Branch/Plant Information are identical to those on Item Master Information. The system uses the default values from Item Master Information. The only fields that do not exist on Item Master Information are:

- Branch/Plant
- Sales Taxable
- Purchasing Taxable
- Country of Origin
- Supplier
- Margin Maintenance (%)
- Mix Lots/Serial Numbers

### Accessing other branch/plant information

Use processing options to specify that other item information displays subsequent to item branch/plant information, such as item unit of measure defaults.

## Assigning an Item to a Branch/Plant



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Item Branch/Plant Information**

After you enter master information for an item, you must assign the item to a specific branch/plant. After assigning the branch/plant, you can locate the item and branch/plant to customize the master information.

## To assign an item to a branch/plant

On Item Branch/Plant Information

Complete the following fields:

- Branch/Plant
- Item Number

Field	Explanation
Branch/Plant	A code that identifies a separate entity within a business for which you want to track items and costs. This entity might be a warehouse location, job, project, work center, or branch/plant. The Business Unit field is alphanumeric.
	<i>Form-specific information</i>
	This is the branch/plant or warehouse to which this item information is applicable.

## Working with Item Locations



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Item Branch/Plant Information**

After you assign an item to a branch/plant, you can indicate multiple locations in which the item resides. For each branch/plant, you can assign:

- A primary location
- Multiple secondary locations

The system usually processes an item through its primary location. For example, when you receive an item, the system assigns the item to its primary location, unless you specify a secondary location.

The system prompts you for the primary location immediately after you assign an item to a branch/plant. You can assign secondary locations to an item when you enter branch/plant information. The system automatically assigns a secondary location if you enter a location other than the primary location for an item when you receive it.

If you specify location control in Branch/Plant Constants, you can assign an item to only those locations set up on Branch/Plant Location Master. If you do not specify location control, you can assign an item to any location.

Each time you enter a location for an item, the system creates a record in the Item Location table (F41021).

In addition to assigning locations to an item and branch/plant, you can assign multiple lot numbers to each location. You can enter lot numbers manually when you enter item locations or when you receive the items.

You can prevent the assignment of an item that belongs to multiple lots and has multiple statuses within a lot to a single location. For example, assume that a pharmaceutical company receives a portion of a lot, approves the received portion, and stores it in a warehouse. The remainder of the lot arrives but needs to be approved. The pharmaceutical company stores the unapproved portion of the lot in a staging location, rather than storing the unapproved portion with the approved portion.

Complete the following tasks:

- Assign a primary location to an item.
- Assign a secondary location to an item.
- Change the primary location for an item.

## What You Should Know About

### Creating a lot

When you assign locations, you might be able to create a lot if you have set the branch/plant constants appropriately.

For more information, see *Setting Up Constants (P41204)*.

## See Also

- *Entering Information for Lots (P4108)* for information about defining lot details
- *Working with Lot Statuses (P00051)* for information about putting lots and locations on hold
- *Work with PC Import/Export* in the *Technical Foundation Guide*

## To assign a primary location to an item

On Item Branch/Plant Information

1. Choose Item/Location Information (F11).
2. Choose Change Primary (F10).

3. On Primary Location, complete the following fields to assign a branch/plant to an item:
  - Location
  - Lot/SN (Lot/Serial Number)

## To assign a secondary location to an item

On Item Branch/Plant Information

1. Choose Item/Location Information (F11).

2. On Item/Location Information, S in the following field identifies the secondary (S) locations for an item:
  - P/S (Primary/Secondary Location)

3. For each secondary location and lot, complete the following fields:

- Location
- Lot
- Lot Status

## To change the primary location for an item

On Item Branch/Plant Information

1. Choose Item/Location Information (F11).
2. Choose Primary Location (F10).
3. In the Primary Location window, complete the following fields:
  - Location
  - Lot
4. Press Enter to save information and return to Item/Location Information.

After you change the primary location for an item, the previous primary location becomes a secondary location.

## To change the status of a location

On Item Branch/Plant Information

1. Choose Item/Location Information (F11).
2. Choose Location Master (F6).

The screenshot displays the 'Location Master Definition' window in Oracle JD Edwards World. The window title is '4100 Location Master Definition'. It features a menu bar with 'Tools' and 'Help'. Below the menu bar is a toolbar with various icons. The main area contains a table with the following columns: 'Location', 'Put Zone', 'Pick Zone', 'Replen Zone', and 'Location Codes' (with sub-columns 5, 6, 7, 8, 9, 10). The table is currently empty. A message box is displayed over the table, stating 'No Location Control for Branch/Plant Memphis Mfg. Plant'. The bottom of the window shows a status bar with the text 'Opt: 1=Items 3=Duplicate F10=Warehouse Definition F24=More Keys'.

3. Access the detail area (F4).



4100 Location Master Definition

ORACLE JD Edwards World

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Display More Information  
Redisplay Previously C  
Exit to Warehouse Defin  
Create / View Location  
Display Warehouse Util  
Clear Screen

4100 Location Master Definition

Action Type: 1  
Branch/Plant: R30 Memphis Mfg. Plant  
Skip To Location:

Put Pick Replen . . . Location Codes

Location	Lot	Zone	Zone	Zone	5	6	7	8	9	10
R1										
R1										
R1										

Opt: 1=Items 3=Duplicate F10=Warehouse Definition F24=More Keys

4. Complete the following field:

- Hold

Field	Explanation
Location	<p>A code that identifies inventory locations in a branch/plant. You define the format of the location identifier by branch/plant.</p> <p><i>Form-specific information</i></p> <p>If you do not specify a location in this field, the system uses the blank location set up for the branch/plant in Branch/Plant Location Master.</p>
Lot/SN	<p>A number that identifies a lot or a serial number. A lot is a group of items with similar characteristics.</p>
P S	<p>A value that indicates if this is the primary or secondary location for this item within this stocking location. Valid values are:</p> <p>P Primary storage location</p> <p>S Secondary storage location</p> <p><b>Note:</b> You can only have one storage area within each branch or warehouse marked as primary. In some cases, the system uses the primary storage area as the default.</p>

Field	Explanation
Lot Status	<p>A user-defined code (system 41/type L) that indicates the status of the lot. If you leave this field blank, it indicates that the lot is approved. All other codes indicate that the lot is on hold.</p> <p>You can assign a different status code to each location in which a lot resides on Item/Location Information or Location Lot Status Change.</p> <p><i>Form-specific information</i></p> <p>The default for this field comes from the lot status code (including a blank value) that you assign to the item on Item Master Information or Item Branch/Plant Information.</p> <p>The code that you enter here serves as the lot status default when you assign an item to a secondary location.</p>


## What You Should Know About

<b>Effects on quantities</b>	<p>If you change an item's primary location and any of the following quantities exist, the quantities transfer to the new primary location:</p> <ul style="list-style-type: none"><li>▪ Quantity on backorder</li><li>▪ Quantity on purchase order</li><li>▪ Quantity on work order</li><li>▪ Other purchasing 1</li><li>▪ Quantity on soft commit</li></ul>
<b>Deleting a primary location</b>	<p>To delete a primary location, you must first change it to a secondary location. No quantities can exist in the locations that you delete.</p>
<b>Reviewing lot information</b>	<p>To display more specific information about the lot, access the Lot Information form. This form displays the item that belongs to the lot, the branch/plant to which the lot is assigned, the lot expiration date, the lot status, and so on.</p> <p>For more information, see Viewing Lot Availability (P41280).</p>

## See Also

- *Working With Detail Information (P4211)* in the Sales Order Management Guide.
- *Entering Tax Information for a Purchase Order Detail Line (P4311)* in the Procurement Guide
- *Work with PC Import/Export* in the Technical Foundation Guide

## Entering Item Tax Information

	From Inventory Management (G41), choose <b>Inventory Master/Transactions</b> From Inventory Master/Transactions (G4111), choose <b>Item Branch/Plant Information</b>
---	---

You can specify whether an item is subject to tax when you enter branch/plant information. The system uses the values that you enter as default information in the Sales Order Management and Procurement systems.

### To enter tax information


#### On Item Branch/Plant Information

Complete the following fields:

- Sales Taxable
- Purchasing Taxable

Field	Explanation
Sales Taxable	A code that indicates whether the item is subject to sales tax when you sell it. The system calculates tax on the item only if the customer is also taxable.
Purchasing Taxable	A code that indicates whether the item is subject to sales tax when you purchase it. The system calculates tax on the item only if the supplier is also taxable.

## Locating Item Sources

	From Inventory Management (G41), choose <b>Inventory Master/Transactions</b> From Inventory Master/Transactions (G4111), choose <b>Item Branch/Plant Information</b>
---	---

You can locate the country in which an item originates and the preferred supplier for an item. Locating these sources allows you to distinguish items based on a country or supplier. You specify this information when you enter branch/plant information for an item.

### To locate item sources

#### On Item Branch/Plant Information

Complete the following fields:

- Country of Origin
- Supplier

Field	Explanation
Country of Origin	A user-defined code (system 00/type CN) that identifies the country in which the item originates. This is useful for organizations that must periodically separate their inventory by source.
Supplier	<p>The address book number of the preferred provider of this item.</p> <p>You can enter the number for the supplier or you can have the system enter it each time that you receive the item from a supplier. You specify whether the system enters the supplier using processing options for Enter Receipts.</p>

## Entering Item Reorder Quantities



From Inventory Management (G41), choose **Inventory Master/Transactions**  
 From Inventory Master/Transactions (G411), choose **Item Branch/Plant Information**

You can specify the minimum, maximum, and normal reorder quantities for an item during your entry of branch/plant information. You can also specify the level of stock at which reordering takes place. The system uses these values for the Enterprise Requirements Planning and Execution system.

### To enter item reorder quantities

#### On Item Branch/Plant Information

1. Choose Item Branch Quantities (F8).

The screenshot shows the 'Item Branch Quantities' form in Oracle JD Edwards World. The form is titled '41022 Item Branch Quantities Br'. It includes a menu bar with 'Tools' and 'Help', a toolbar with various icons, and a status bar at the bottom with function keys F3-Exit, F12-Previous, and F24-More Keys. The form displays the following fields:


- Field Sensitive Help
- Display Error Message
- Display Functions
- Exit Program
- Reposition Window
- Return to Previous Panel
- Clear Screen
- Action Code
- Item Number
- Reorder Quantity
- Maximum Reorder Qty.
- Minimum Reorder Qty.
- Reorder Point
- Multiple Order Qty.
- Units Per Container (set to 1)
- Safety Stock

2. On Item Branch Quantities, complete the following fields:

- Reorder Quantity
- Maximum Reorder Qty
- Minimum Reorder Qty
- Reorder Point
- Multiple Order Qty
- Units Per Container
- Safety Stock

Field	Explanation
Reorder Quantity	The estimated reorder quantity for an item. You can enter this quantity if there is not enough sales history available for the system to accurately calculate a reorder quantity.
Maximum Reorder Qty	The maximum order quantity for an item. You can base the quantity on factors other than usage, such as perishability, storage capacity, and so forth.
Minimum Reorder Qty	The minimum order quantity for an item. You can base the quantity on factors other than usage, such as perishability, storage capacity, and so forth.
Reorder Point	<p>A quantity for an item that specifies when replenishment occurs. Typically, this occurs when the total quantity on-hand plus the quantity on order equal or do not meet a specified quantity. You can enter this quantity or the system can calculate it if there is sufficient sales history.</p> <p>If there is no safety stock quantity defined, the system first calculates the safety stock by multiplying the square root of the average lead time quantity. Then, the system adds the calculated safety stock quantity to the average lead time quantity to determine the reorder point.</p> <p><i>Form-specific information</i></p> <p>Define the quantity that specifies when replenishment occurs. If you leave this field blank, the system calculates the replenishment quantity by adding the safety stock quantity (defined in the Item Location table (F41021)) to the average lead time quantity.</p>
Multiple Order Qty	A multiple for rounding up planned order quantities in MPS/MRP. The system rounds up the planned order quantity to the nearest multiple that you enter in this field.
Units Per Container	The standard quantity of containers that you use in the manufacturing process (typically, in a repetitive manufacturing environment). The quantity that you enter determines the number of bar code labels that you will need for shipping. It also modifies order release quantities.
Safety Stock	The quantity of stock kept on hand to cover high-side variations in demand.

## Entering Item Branch/Plant Manufacturing Information

	From Inventory Management (G41), choose <b>Inventory Master/Transactions</b> From Inventory Master/Transactions (G4111), choose <b>Item Branch/Plant Information</b>
---	---

You can define manufacturing information for an item that is specific to each branch/plant. This information includes:

- Requirements – Enter information about inventory shrinkage for the item to plan for the quantity you need to replace due to shrinkage.
- Lead time information – Enter lead time information to calculate the timeframes that are necessary to assemble or manufacture an item.
- Engineering information – Enter reference information about the drawing plans for an item, so that you can refer back to the plans.

Complete the following tasks:

- Enter requirements planning information.
- Enter lead time information.
- Enter engineering information.

### What You Should Know About

#### Default values

Most of the items on Plant Manufacturing Data are identical to those on Manufacturing Values Entry. The system uses the default values from Manufacturing Values Entry.

### To enter requirements planning information

On Item Branch/Plant Information

1. Choose Plant Manufacturing Data (F10).

41027 Plant Manufacturing Data Branch

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Reposition Window  
Branch/Plant Item Inform  
Return to Previous Panel  
ECO Workbench  
Clear Screen

41027 Plant Manufacturing Data Branch/Plant 30

Action Code [C]  
Item Number [R001] Markette Red Highlighter

Order Policy Code [1] Issue Type Code [1]  
Value Order policy [ ] Planning Code [2]  
MFG Leadtime Quantity [ ] Planning Fence Rule [ ]  
Accounting Cost Qty [1] Fixed/Variable [F]  
Planning Fence [ ]  
Freeze Fence [ ] Level Leadtime [ ]  
Message Display Fence [ ] Manufacturing Leadtime [ ]  
Time Basis [4] Cumulative Leadtime [ ]  
Total Queue/Move Hours [ ] Leadtime Per Unit [ ]  
Setup Labor [ ] Replenishment Leadtime [ ]  
Issue and Receipt [0] Shrink Factor [ ]  
ECO Reason [ ] Shrink Factor Method [5]  
ECO Number [ ] Drawing Rev. Level [ ]  
ECO Date [ ] Item Revision Level [ ]

Potency Control [N] Grade Control [N]  
Standard Potency [ ] Standard Grade [ ]  
From - Thru Potency [ ] - [ ] From - Thru Grade [ ] - [ ]

F3=Exit F12=Previous F24=More Keys

2. On Plant Manufacturing Data, complete the following fields:

- Shrink Factor
- Shrink Factor Method

## To enter lead time information

On Item Branch/Plant Information

1. Choose Plant Manufacturing Data (F10).
2. On Plant Manufacturing Data, complete the following fields:
  - Time Basis
  - Queue Hours
  - Standard Setup Hours

## To enter engineering information

On Item Branch/Plant Information

1. Choose Plant Manufacturing Data (F10).
2. On Plant Manufacturing Data, complete the following fields:
  - ECO Reason
  - ECO Number
  - ECO Date
  - Item Revision Level

Field	Explanation
Shrink Factor	<p>A fixed quantity or percentage that the system uses to determine inventory shrinkage for an item. The system increases the planned order quantity by this amount in MPS/MRP/DRP generation. The shrink factor method you specify for the item determines whether the shrink factor is a percentage or a fixed quantity.</p> <p>If you are entering a percentage, enter 5% as 5.00 and 50% as 50.00.</p>
Shrink Factor Method	<p>A value that determines whether the shrink factor you enter for this item is a percentage or a fixed quantity. Valid values are:</p> <p>%     Percentage of order or requested quantity</p> <p>F     Fixed amount to be added to quantity</p>
Time Basis	<p>A user-defined code (system 30/type TB) that identifies the time basis or rate for machine or labor hours entered for any routing step. You can set rates per unit, per 10, per 1000, and so on.</p> <p>The system uses the values in the Description-2 field on the User Defined Codes form for costing and scheduling calculations. The description is what the code represents, but is not used in calculations.</p>
Total Queue/Move Hours	<p>The total time (in hours) that an order is expected to be in queue at work centers and moving between work centers.</p> <p>The system stores this value in the Item Branch table (F4102). You can calculate this value using the Leadtime Rollup program or you can enter it manually. When you run the Leadtime Rollup program, the system overrides manual entries with calculated values.</p>
Setup Labor	<p>The standard setup hours you expect to incur in the normal completion of this item.</p>
ECO Reason	<p>A user-defined code (system 40/type CR) that identifies the reason for the engineering change order.</p>
ECO Number	<p>The number assigned to an engineering change order.</p>
ECO Date	<p>The date of the engineering change order.</p>
Item Revision Level	<p>The revision level for an item. If you enter a revision level, verify that the revision level of the routing for an item matches the revision level on the bill of material for the item.</p>



## Duplicating Item Information for Multiple Branch/Plants



From Inventory Management (G41), enter 27

From Inventory Advanced and Technical Operations (G4131), choose **Item/Branch Duplication**

You might have items for which the same information applies across multiple branch/plants. You can enter item information for one branch/plant and then duplicate that information for up to ten other branch/plants by doing the following:

- Use Item Branch Duplication to select individual items for duplication
- Use the Item Branch Duplication batch program to define criteria for items that you want to duplicate

For both procedures, you use processing options to specify the branches to which you are duplicating information. You can also specify additional information to duplicate, such as costs, prices, units of measure, and so on.

If you use Item Branch Duplication to select individual items for duplication, you can set processing options to display up to four search fields that allow you to locate items for a particular branch/plant.

### Before You Begin

- Set up a blank location at the branch or branches to which you want to duplicate items.
- Specify the branch or multiple branches to which you want to duplicate items in the processing options for the Item/Branch Duplication program (P41015).

### To duplicate item information for multiple branch/plants

On Item/Branch Duplication

Item	Description
AL-P2368	Aluminum Planks
B00M	Forklift Boom
B00M-OLD	Forklift Boom
B100	Standard Pump
B1001	Projection Bulb
B1000	Projection Bulb
B105	2 Speed Pump
B110	Rack
B125	Chain
B1701	Packaging Material//9001
CD FEATURE	CD Options for Stereo system
CD-SINGLE LOAD	Compact Disk - single load
CD-5 DISK TRAY	Compact Disk - 5 Disk Tray
COMP-933	Compressor - VBM
CUSTOM PAINT	Contract for Custom Paint

1. To specify the branch/plant from which to duplicate information, complete the following field:
  - Branch/Plant
2. Enter 1 (Select to Duplicate) in the Option field next to each item to duplicate.
3. Press Enter to activate the batch job and exit the screen.

## What You Should Know About

### Primary locations

The system does not duplicate the primary location for an item. The system uses the blank location that you have set up for the branch/plant to which you are duplicating information.

For information about blank locations for branch/plants, see *Setting Up Warehouse Locations (P4100)*.

## Processing Options

See [Item Branch Revisions \(P4101\)](#).

See [Item/Branch Duplication \(P41015\)](#).

---

---

# Enter Item Cost Information

## Entering Item Cost Information

You must provide item cost information for the system to track inventory costs. This information determines:

- Whether the system maintains one overall cost for the item or a different cost for each branch/plant
- Which cost method the system uses to track inventory costs
- Which cost method the system uses for purchase orders

You can also add prorated setup costs for manufacturing.

For each cost method you assign to an item, you must also specify a cost. For example, to use the last-in, first-out (LIFO) cost method for an item, you must enter an initial cost for that cost method. The system updates the LIFO cost based on the cost of the item as of the last receipt date.

Item Master Information (P4101) supports import functionality. Cost Revisions (P4105) supports import/export functionality. See the *Technical Foundation Guide* for more information.

Complete the following tasks:

- [Assigning a Cost Level to an Item](#)
- [Assigning a Cost Method to an Item](#)
- [Entering Item Costs](#)
- [Entering Manufacturing Setup Cost Information](#)

The system stores inventory cost records in the Cost Ledger table (F4105).

## See Also

- *Updating Costs for an Item Across Multiple Branch/Plants (P4105)*
- *Updating Costs for Multiple Items Across Multiple Branch/Plants (P41802)*
- *Updating Weighted Average Costs for Items (P41051)*
- *Updating Current Item Costs to Future Costs (P41052)*
- *Work with PC Import/Export in the Technical Foundation Guide*

## Assigning a Cost Level to an Item



From Inventory Management (G41), choose **Inventory Master/Transactions**  
 From Inventory Master/Transactions (G4111), choose **Item Master Information**

You determine whether the system maintains one overall cost for an item or a different cost for each branch/plant. The system can also maintain a different cost for each location and lot within a branch/plant. The cost level that you assign to an item indicates the level at which the system maintains costs.

Costs are not currency-based. The value of an item's cost lies in the base currency of the company to which the item belongs. For this reason, costs in multi-currency are set at the item/branch or item/branch/location levels.

You can also indicate the table for the system to retrieve an item cost from for an item that is used when you enter a purchase order. The purchase price level you specify for an item indicates which of the following costs to use:

- The inventory cost for the item, which the system stores in the Cost Ledger table (F4105)
- The supplier's cost for the item, if supplier costs are set up in the Purchase Price table (F41061)

### To assign a cost level to an item

On Item Master Information

Complete the following fields:

- Inventory Cost Level
- Purchase Price Level

Field	Explanation						
Inventory Cost Level	<p>A code that indicates whether the system maintains one overall inventory cost for the item, a different cost for each branch/plant, or a different cost for each location and lot within a branch/plant. The system maintains inventory costs in the Inventory Cost table (F4105).</p> <p>Valid codes are:</p> <table> <tr> <td>1</td><td>Item level</td></tr> <tr> <td>2</td><td>Item/Branch level</td></tr> <tr> <td>3</td><td>Item/Branch/Location level</td></tr> </table>	1	Item level	2	Item/Branch level	3	Item/Branch/Location level
1	Item level						
2	Item/Branch level						
3	Item/Branch/Location level						

Field	Explanation
Purchase Price Level	<p>A code that indicates where to retrieve the purchase price for an item when you enter a purchase order. Valid codes are:</p> <ol style="list-style-type: none"> <li>1 Use the supplier/item price from the Purchase Price table (F41061).</li> <li>2 Use the supplier/item/branch price from the Purchase Price table (F41061).</li> <li>3 Use the inventory cost from the Inventory Cost table (F4105). This cost is based on the inventory cost level and the purchasing cost method you specify for the item.</li> </ol> <p>The first two codes are applicable only if you set up supplier costs in the Purchase Management system. If you do not set up supplier costs, the system uses the inventory cost as the default for the purchase order.</p>

## What You Should Know About

### Locating an item to assign cost methods and costs

The cost level you enter for an item determines how you locate the item to assign cost methods and enter item costs. For example, you locate the item based on:

- The item
- The item and branch/plant
- The item, branch/plant, and location

## See Also

- *Defining Supplier Prices and Discount Rules in the Procurement Guide*

## Assigning a Cost Method to an Item



From Inventory Management (G41), choose **Inventory Master/Transactions**  
 From Inventory Master/Transactions (G4111), choose **Item Master Information**

You must specify the cost method that the system uses to determine an item's cost for:

- Sales and costs of goods sold
- Purchase orders

For example, you can use the weighted average cost method to determine the cost of goods sold for an item, and the last-in cost method to determine the item's unit cost for purchase orders.

The system provides eight predefined cost methods:

- Last-in
- Weighted average
- Memo
- Current
- Future
- Lot
- Standard
- Purchasing – base cost, no adds

In addition to these methods, you can define your own cost methods with user-defined codes.

You can enter cost methods for items when you enter either item master information or item branch information.

## To assign a cost method to an item

On Item Master Information

### 1. Choose Cost Revisions (F6).

The screenshot shows the '4105 Cost Revisions' window in Oracle JD Edwards World. The window has a menu bar with 'Look' and 'Help'. Below the menu bar is a toolbar with various icons. The main area is divided into several sections. On the left, there is a 'Field Sensitive Help' section with a list of actions: Display Error Message, Display Functions, Exit Program, Reposition Window, Cost Revisions/Speed, Return to Previous Pent, Previous, Next, and Clear Screen. The central area contains a form with the following fields: Action Type (R), Item Number (R001), Branch/Plant, Location, and Lot/SN. To the right of these fields is a 'Markette Red Highlighter' section with 'Cost Methods' listed as 'Sales/Inventory' (02) and 'Purchasing' (08). Below the form is a table with two columns: 'Cost Method' and 'Unit Cost'. The table has 10 rows, with the first row containing a '0' in the 'Cost Method' column. At the bottom of the window, there is a status bar with the text: 'Opt: 1=Components 9=Delete F10=Speed F19=Previous F20=Next F24=More'.

### 2. On Cost Revisions, complete the following fields:

- Sales/Inventory
- Purchasing

Field	Explanation
Sales/Inventory	<p>A user-defined code (system 40/type CM) that indicates the cost method that the system uses to determine the cost of the item for purchase orders. Cost methods 01-08 are hard-coded.</p> <p><i>Form-specific information</i></p> <p>If you maintain costs at the item level, the system retrieves the default value for this field from the data dictionary. If you maintain costs at the item and branch/plant level, the system retrieves the default value from Branch/Plant Constants.</p>
Purchasing	<p>A user-defined code (system 40/type CM) that indicates the cost method that the system uses to calculate the cost of goods sold for the item. Cost methods 01-08 are hard-coded.</p> <p><i>Form-specific information</i></p> <p>If you maintain costs at the item level, the system retrieves the default value for this field from the data dictionary. If you maintain costs at the item and branch/plant level, the system retrieves the default value from Branch/Plant Constants.</p>

## What You Should Know About

<b>Assigning a cost method without specifying a cost</b>	If you do not enter an item cost for the cost methods you assign to sales, inventory, or purchasing, the system displays a warning message. If you ignore the warning, the system assigns a zero cost for the cost method.
<b>Reserved cost methods</b>	<p>JD Edwards World reserves cost methods 01 – 19.</p> <p>For more information, see Setting Up Item Costs (P4105) in the Product Costing and Manufacturing Accounting Guide.</p>
<b>Weighted average cost</b>	<p>The formula for calculating weighted average cost uses quantity on hand.</p> <p><b>Caution:</b> Do NOT use the weighted average cost method in an environment where negative on-hand quantities are possible.</p>

## Entering Item Costs



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Item Master Information**

You establish costs for an item by entering an amount for each cost method. When you review costs for the item, the system displays only those methods that you entered an amount.

### To enter item costs

On Item Master Information

1. Choose Cost Revisions (F6).
2. On Cost Revisions, complete the following field for each applicable cost method:
  - Unit Cost

Field	Explanation
Unit Cost	The amount per unit (the total cost divided by the unit quantity).
	<i>Form-specific information</i>
	The cost for one unit of this item, based on the corresponding cost method.

## What You Should Know About

### Changing unit costs

You can change the amount for any cost method at any time. For example, if you change the amount for the cost method that you use to track costs of goods sold, the system applies the new amount to your on-hand quantity of the item. It also creates journal entries to record the difference between the old and the new amounts.



**Updating unit costs**

Certain programs update the amount for cost methods 01 - 08. For example, the system updates last-in and weighted average amounts as follows:

- Last-in – The system interactively updates this amount based on the last cost of the item at the time of receipt.
- Weighted Average – The system calculates and updates this amount by adding transaction quantities together, adding transaction costs together, and dividing the total cost by the total quantity.

Also, the system updates the following costs:

- Last-in, Purchasing, and Lot – The Receipts program updates these costs.
- Purchasing – The Voucher Match program updates this cost.

If you create additional cost methods, you must update their amounts manually.

**Deleting a cost method**

You can delete a cost method for an item if it is no longer applicable. If you try to delete your sales, inventory, or purchasing cost method, the system displays a warning message. The system does not delete the cost method, but updates it to a zero cost.

## Entering Manufacturing Setup Cost Information



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Item Master Information**

If you use JD Edwards World Manufacturing systems, you can prorate setup costs for an item based on the quantity of the item that you plan to produce.

### To enter manufacturing setup cost information

On Item Master Information

1. Choose Manufacturing Values Entry (F10).

41013 Manufacturing Values Entry

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Reposition Window  
Return to Previous Panel  
ECO Workbench  
Clear Screen

41013 Manufacturing Values Entry

Action Code [C]  
Item Number [R001] Markette Red Highlighter

Order Policy Code [1]  
Value Order policy [ ]  
MFG Leadtime Quantity [ ]  
Accounting Cost Qty [1]

Planning Fence [ ]  
Freeze Fence [ ]  
Message Display Fence [ ]

Drawing Size [ ]  
Drawing Rev. Level [ ]  
Drawing Number [ ]

Grade/Potency Pricing [ ]  
Potency Control [N]  
Standard Potency [ ]  
From - Thru Potency [ ] - [ ]

Issue Type Code [1]  
Planning Code [R]  
Planning Fence Rule [ ]  
Fixed/Variable [F]  
Round to Whole Number [R]  
Material Status [ ]  
Issue and Receipt [ ]  
Level Leadtime [ ]  
Manufacturing Leadtime [ ]  
Cumulative Leadtime [ ]  
Leadtime Per Unit [ ]  
Replenishment Leadtime [ ]

Grade Control [N]  
Standard Grade [ ]  
From - Thru Grade [ ] - [ ]

F12=Previous F24=More Keys

2. On Manufacturing Values Entry, complete the following field:

- Accounting Cost Qty

Field	Explanation
Accounting Cost Qty	An amount that the system uses in the cost rollup program to determine the allocation of setup costs. The system totals the setup costs and divides the sum by this quantity to determine a unit setup cost. The default is 1.

## Processing Options

See [Manufacturing Values Entry \(P41013\)](#).

---

---

# Enter Sales Price Information

## Entering Sales Price Information



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Item Master Information**

If you use the Sales Order Management system in conjunction with the Inventory Management system, you must provide sales price information for each of your items. You can have a different sales price for each unit of measure and currency in which you sell an item. You can also specify the effective dates for each sales price.

You determine whether the system maintains overall sales prices for an item, or different prices for each branch/plant. The system can also maintain different prices for each location and lot within a branch/plant. The sales price level that you assign to an item indicates the level at which the system maintains prices.

You can also specify how the system calculates the sales price for a kit item. You can have the system add prices for all components that make up the kit, or you can use one price for the entire kit.

During your entry of sales price information, you can specify that the system maintain overall prices for an item or different prices for each branch/plant. You can also assign items with similar characteristics to price groups to which the system applies discounts and markups from the Sales Order Management system.

You can assign price groups to items on Item Master Information or Item Branch/Plant Information.

You enter sales prices for an item by entering an amount for the unit of measure, currency, and effective dates for which the price is applicable. The system stores sales prices in the Price table (F4106).

Item Master Information (P4101) supports import functionality. Base Price Revisions (P4106) supports import/export functionality. See the *Technical Foundation Guide* for more information.

Complete the following tasks:

- Assign price levels to an item.
- Assign price groups to an item.
- Enter item prices.

## See Also

- *Entering a Bill of Material (P3002)* for information about setting up kits

- *Setting Up Item Price Groups (P4271) in the Sales Order Management Guide* for more information about item price groups

## To assign price levels to an item

On Item Master Information

Complete the following fields:

- Sales Price Level
- Kit Pricing Method

Field	Explanation
Sales Price Level	<p>A code that indicates whether the system maintains standard sales prices for an item, different sales prices for each branch/plant, or different sales prices for each location and lot within a branch/plant. The system maintains sales prices in the Base Price table (F4106). Valid codes are:</p> <ol style="list-style-type: none"><li>1 Item level</li><li>2 Item/Branch level</li><li>3 Item/Branch/Location level</li></ol>
Kit Pricing Method	<p>A code that indicates how the system determines the sales price of a kit or configured item. Valid codes are:</p> <ol style="list-style-type: none"><li>1 The system totals list prices of components to determine the kit or product family price.</li><li>2 The list price of the final kit. This is the kit or product family price from the Base Price table (F4106).</li><li>3 The price inclusion rules for the product family determine the product family price (for configured items only).</li><li>4 The kit or product family price is the sum of the components' discounted prices. There is no discount on the parent.</li></ol>

## What You Should Know About

### Changing price levels

To change an item's price level after you have entered prices, you must use Sales Price Level Conversion.

For more information, see *Working with Base Pricing (P4106)* in the Sales Order Management Guide.

### Locating an item to enter prices

The sales price level that you enter for an item determines how you locate the item to assign price methods and enter item prices. For example, you locate the item based on:

- The item
- The item and branch/plant
- The item, branch/plant, and location

## To assign price groups to an item

On Item Master Information

Complete the following fields:

- Item Price Group
- Basket Reprice Group
- Order Reprice Group

Field	Explanation
Item Price Group	<p>A user-defined code (system 40/type PI) that identifies an inventory price group for an item.</p> <p>Inventory price groups have unique pricing structures that direct the system to incorporate discounts or markups on items on sales and purchase orders. The discounts or markups are based on the quantity, dollar amount, or weight of the item ordered. After you assign a price group to an item, the item uses the same pricing structure that was defined for the inventory price group.</p> <p>You must assign an inventory price group to the supplier or customer, as well as to the item, for the system to interactively calculate discounts and markups on sales orders and purchase orders.</p>
Basket Reprice Group	<p>A user-defined code (system 40/type PI) that identifies a price group for an item.</p> <p>Basket reprice groups have unique pricing structures that direct the system to incorporate discounts or markups for items on sales orders. The discounts or markups are based on the quantity, dollar amount, or weight of the item ordered. When you run the Standard Order/Basket Reprice program, the system identifies ordered items that belong to a common basket reprice group and implements the appropriate discounts or markups to the cost of each item.</p>
Order Reprice Group	<p>A user-defined code (system 40/type PI) that identifies a price group for an item.</p> <p>Order reprice groups have unique pricing structures that direct the system to incorporate discounts or markups for items on sales orders. The discounts or markups are based on the item quantity, dollar amount, or weight on the sales order as a whole. When you run the Standard Order/Basket Reprice procedure, the system identifies ordered items that belong to a common order reprice group and implements the appropriate discount as a flat dollar amount in a new discount line for the order.</p>

## To enter item prices

### On Item Master Information

#### 1. Choose Base Price Revisions (F9).

Oracle JD Edwards World - Base Price Revisions

4106

Action Type: [C]  
 Item Number: [4106]  
 Branch/Plant: [30]  
 Location: [ ]  
 Lot/SN: [ ]

Cur Cod	Unit	Price	Date From	Date Thru
SEF	EA	35.7303	01/01/07	12/31/29
CAD	EA	1.4762	01/01/07	12/31/29
GBP	EA	.7927	01/01/07	12/31/29
ITL	EA	1,575.5329	01/01/07	12/31/29
USD	OZ	12.2500	01/01/07	12/31/29
USD	EA	1.1900	01/01/07	12/31/29

F6=Price Group Search F9=Redisplay F24=More Keys

#### 2. On Base Price Revisions, complete the following fields:

- UM
- Unit Price
- Date From
- Date Thru

Field	Explanation
Unit Price	The price that the system charges for one unit of this item.
Date From	The date on which a transaction, text message, contract, obligation, or preference becomes effective. <i>Form-specific information</i> The date on which this price becomes effective.
Date Thru	The date on which a transaction, text message, agreement, obligation, or preference has expired or been completed. <i>Form-specific information</i> The date on which this price expires.

## What You Should Know About

### **Specifying prices by currency**

You can enter a currency code for a price if you use multi-currency.

## See Also

- *Work with PC Import/Export in the Technical Foundation Guide.*





---

## **3 Inventory Transactions**



---

---

# Overview to Inventory Transactions

## Objectives

- To recognize each of the transactions that you use to move and track inventory
- To perform inventory transactions
- To review transaction records

## About Inventory Transactions

Inventory transactions help you manage the complex recording and accounting functions that are involved in moving inventory into and out of locations. For example, you can use the issue transaction to remove damaged or obsolete goods from your inventory. Or, you might use the transfer transaction to move inventory from one branch/plant to another.


If needed, you can also create new lot or serial numbers during a transaction. You must first enable this option in Branch/Plant Constants.

After you move inventory by issuing, adjusting, or transferring it, the system adjusts the quantity balance for the item and creates the appropriate general ledger entries for the transaction.

You can move inventory using the following programs:

- Issues
- Adjustments
- Transfers

When you issue inventory, you remove it from a location. When you adjust inventory, typically you move it from one location to another to reconcile a discrepancy between the number of items that are recorded at a location and the actual count. Another scenario is adjusting inventory out of a location when there are damages to items. When you transfer inventory, you move it from one location to another.




How you enter transaction information depends on the item and your specific business environment. For example, you can issue, adjust, or transfer items by entering quantity, cost amount, or quantity and cost amount information. Performing transactions by the cost amount helps you accommodate variances that are due to different costing methods that are used in different branch/plants.

Complete the following tasks:

- Issue inventory
- Adjust inventory
- Transfer inventory

## Where Does the System Record Transactions?

The system records each transaction in the Item Ledger table (F4111) and updates information in the following tables:



## Which Accounting Information Does the System Update?

After you have set the branch/plant constant for the general ledger interface, the system updates the general ledger with all of the accounting information that is related to transactions using automatic accounting instructions (AAIs). AAIs direct inventory transactions to a specific account in the general ledger. AAIs are composed of a combination of values, including document type, company number, and G/L class.

## What Types of Accounting Information Can I Review?

From any transaction, you can access three programs:

Program	Description
G/L Journal Review	Provides information on two levels: <ul style="list-style-type: none"> <li>Summary or detailed batch level – The summary level displays batch information by user, status, number, and entry date. The detailed level shows batch information by journal entry, such as the transaction type for the document.</li> <li>Individual document level – The individual document level displays information for each journal entry, such as the updated account and the amount posted to the journal entry.</li> </ul>
Journal Entries	Displays the general ledger accounts that a transaction is written to before it is posted.
Item Ledger Inquiry	Displays all of the transactions for an item.

## Before You Begin

- Verify that the following information is set up in the system:
  - Item and branch/plant information in the Item Branch table (F4102) and the Item Location table (F41021)
  - General ledger accounts in the Account Master table (F0901)
  - AAIs for distribution transactions

## See Also

- Setting Up AAIs (P40950)* for more information about the AAIs used in the Inventory Management system



---

---

# Issue Inventory

## Issuing Inventory



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Issues**

Typically, an inventory issue involves removing items from a branch/plant or location, adjusting the inventory balance, and recording the transaction in the general ledger. Occasionally, an issue involves removing the cost amounts only from an inventory record, which occurs when you devalue items.

You can perform a variety of tasks that relate to issuing inventory items, such as:

- Record the use of inventory items by an operating department in your company
- Remove obsolete or damaged goods
- Issue inventory to a job
- Charge inventory that is used in the repair or maintenance of equipment
- Copy a bill of materials list for an issue

To issue inventory, you must enter transaction, item, and accounting information. You can also enter issue-related information for each branch/plant in which an item is stored.

You can choose from several online formats to record and track different types of issues:

- Standard format – Issue inventory items from a branch/plant.
- Equipment format – Record inventory that is issued to a specific piece of equipment.
- Subledger format – Debit a specific general ledger account for an issue.
- Equipment and subledger format – Record the specific piece of equipment that was issued to a job and debit a specific general ledger account for an issue.

You can choose alternate formats and default values in the processing options. Cost, lot, and accounting information might not display, depending on how you have set up the processing options. If lot information displays, the format depends on how you have set up duplicate lot processing in System Constants.

If you work with a kit, you can issue all of the kit components at once by accessing the Copy Bill of Material function from the Issues form. This function allows you to issue components without affecting the parent item quantity. If you do not use this function, the parent item quantity might be affected, but the component quantities will remain the same. However, never enter an issue for a kit that contains a feature.

Depending on how you set the processing options, you may be able to issue a quantity for the parent item in a kit that is greater than the on-hand quantity. The system displays the parent quantity as a negative number.

## What You Should Know About

### Creating a lot

When you issue inventory, you might be able to create a lot if you have set the branch/plant constants appropriately.

For more information, see *Setting Up Constants (P41204)*.

## See Also

- *About Kits* for information on parent and component items

## To issue inventory

### On Issues

The screenshot shows the 'Issues' form (4112) in Oracle JD Edwards World. The form has a menu bar with 'Tools' and 'Help'. Below the menu bar, there are tabs for 'URL', 'Document', 'Email', 'World Resources', and 'Support'. The main area is divided into two sections. The top section contains fields for transaction information: 'Branch/Plant' (M30), 'Trans. Date' (06/30/17), 'Action Type' (R), 'Document Number' (11), 'Document Type' (II), 'G/L Date' (06/30/17), 'Explanation' (Office use), 'Account No', 'Subledger', 'Type', and 'Phase'. The bottom section is a table with columns: 'Item', 'Quantity', 'UN', 'Location', and 'Lot'. The table has one row with 'R001' in the 'Item' column and '10' in the 'Quantity' column. The table is titled '4112 Issues'.

1. To enter transaction information, complete the following fields:
  - Branch/Plant (Business Unit)
  - Trans. Date (Transaction Date)
  - Document Type
  - Explanation
2. To enter issue information for each branch/plant that the item is stored, access the detail area.



3. Complete the following fields:

- Item (Number)
- Quantity
- UM
- Location
- Lot
- Unit Cost (Amount-Unit Cost)
- Reason Code
- Extended (Amount of Extended Cost)

4. If you are using subledger-based accounting, complete the following additional fields:

- Account No. (Account Number-Input)
- G/L Date (Date-For G/L)
- Subledger (Subledger-G/L)
- Type (Subledger Type)
- Phase

The system processes the transaction and displays a document number, document type, and the batch number for the transaction.

---

**Note:** The screens used in this step have subledger-based accounting set up in the program processing options. If the processing options are set up for standard issues, the fields in step 4 do not appear.

---

Field	Explanation
Trans. Date	The date that the transaction occurred.
Document Number	A number that identifies a document, such as a purchase order, invoice, or sales order.
Document Type	<p>A user-defined code (system 00/type DT) that identifies the origin and purpose of the transaction.</p> <p>JD Edwards World reserves several prefixes for document types, such as vouchers, invoices, receipts, and timesheets.</p> <p>The reserved document type prefixes for codes are:</p> <p>P     Accounts payable documents</p> <p>R     Accounts receivable documents</p> <p>T     Payroll documents</p> <p>I     Inventory documents</p> <p>O     Order processing documents</p> <p>J     General ledger/joint interest billing documents</p> <p>The system creates offsetting entries as appropriate for these document types when you post batches.</p>
Explanation	<p>This text identifies the reason that a transaction occurred.</p> <p><i>Form-specific information</i></p> <p>A specific explanation for a particular issue. If you leave this field blank, the system automatically supplies this explanation from the descriptions that are associated with the document type that you specified.</p>
Reason Code	A user-defined code (system 42/type RC) that explains the purpose for a transaction. For example, you can indicate the reason that you are returning items, such as the goods were damaged in shipment or too many goods were shipped.
Unit Cost	The amount per unit (the total cost divided by the unit quantity).
Extended	For accounts receivable and accounts payable, this is the invoice (gross) amount. For sales orders and purchase orders, this is the unit cost times the number of units.

Field	Explanation
Account No	<p>A field that identifies an account in the general ledger. You can use one of the following formats for account numbers:</p> <ul style="list-style-type: none"> <li>▪ Standard account number (business unit.object.subsidiary or flexible format)</li> <li>▪ Third G/L number (maximum of 25 digits)</li> <li>▪ 8-digit short account ID number</li> </ul> <p>The first character of the account indicates the format of the account number. You define the account format in the General Accounting Constants program.</p> <p style="text-align: center;"><i>Form-specific information</i></p> <p>If you leave this field blank, the system uses an account number from automatic accounting instructions for an issue or a reversal transaction. If you enter an account number in this field and perform an issue or reversal, the system uses the account number to override the account information from automatic accounting instructions.</p> <p>For Work Orders speed code entry:</p> <p>To apply charges to a work order using speed code entry, enter a back slash, followed by a work order number, and a period (\WO.YARD).</p> <p>For example: \1919.YARD</p>
Equipment	<p>An identification code for an asset that you can enter in one of the following formats:</p> <ol style="list-style-type: none"> <li>1 Item number (a computer-assigned, 8-digit, numeric control number)</li> <li>2 Unit number (a 12-character alphanumeric field)</li> <li>3 Serial number (a 25-character alphanumeric field)</li> </ol> <p>Every asset has an item number. You can use unit number and serial number to further identify assets as needed.</p> <p>If this is a data entry field, the first character you enter indicates whether you are entering the primary (default) format that is defined for your system, or one of the other two formats. A special character (such as "/" or "*") in the first position of this field indicates which asset number format you are using. You assign special characters to asset number formats on the Fixed Assets system constants form.</p>
G/L Date	<p>A date that identifies the financial period to which the transaction is to be posted. The general accounting constants specify the date range for each financial period. You can have up to 14 periods. Generally, period 14 is for audit adjustments.</p> <p>The system edits this field for PBCO (posted before cutoff), PYEB (prior year ending balance), and so on.</p>

Field	Explanation
Subledger	A code that identifies a detailed auxiliary account within a general ledger account. A subledger can be an equipment item number, an address book number, and so forth. If you enter a subledger, you must also specify the subledger type.
Phase	<p>A user-defined code (system 00/type W1) that indicates the current stage or phase of development for a work order. You can assign a work order to only one phase code at a time.</p> <p><b>Note:</b> Certain forms contain a processing option that allows you to enter a default value for this field. If you enter a default value on a form for which you have set this processing option, the system displays the value in the appropriate fields on any work orders that you create. The system also displays the value on the Project Setup form. You can either accept or override the default value.</p> <p><i>Form-specific information</i></p> <p>You can charge inventory costs to a particular phase of a project.</p>

## What You Should Know About

<b>Issuing a kit through a bill of material</b>	To issue an entire kit at one time, access the Copy Bill of Material function from the Issues form. By entering the parent item in the B.O.M. (Bill of Material) field, you can display all components from the bill of material for the kit. When you use this function, the system automatically issues the kit components.
<b>Reviewing lot information</b>	<p>You can review expiration date and status information for a lot by accessing the detail area of Issues. You also can access the Lot Information form from the Lot field. This form displays item and location information for a lot as well as the lot expiration date, the lot status, and so on.</p> <p>For more information, see Viewing Lot Availability (P41280).</p>
<b>Correcting errors</b>	You can correct an issue made in error by creating a reversing entry. Because records of each inventory transaction are kept for accounting purposes, you cannot delete the record. A reversal enters a positive quantity and cost amount back into the item information.
<b>Recording document numbers</b>	In addition to a document type and batch number, the system displays a document number when you enter a transaction. Record this document number so you can locate the transaction later.

## See Also

- *Entering a Bill of Material (P3002)* for kit information

## Processing Options

See [Simple Inventory Issues \(P4112\)](#).



---

---

# Adjust Inventory

## Adjusting Inventory



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Adjustments**

You can enter adjustments to increase or decrease the on-hand quantity and the cost of inventory items in a branch/plant without performing a complete physical inventory. For example, you can adjust inventory when there is a discrepancy between the number of items that are recorded for a location and the actual count.

If you are using lot processing, adjustments provide a means for adding lots into inventory and for placing them on hold.

If you are working with a kit, typically you add the entire kit into inventory by entering an adjustment for each component. The Adjustments program does allow you to enter an adjustment for the parent item, although the system will not update quantity information for the components.

To adjust inventory, you must enter transaction, item, and lot information. You can enter adjustment information for each branch/plant in which an item is stored.

You can set up processing options to provide default values and to display cost and lot information. The lot information that displays depends on how you set up duplicate lot processing in System Constants.

## What You Should Know About

### Assigning lots to a single location through adjustments

You can prevent the system from allowing you to assign lots to a single location if the lots meet the following criteria:

- When the items in the lots are the same
- When a single lot contains items with different statuses

For more information, see *Working with Item Locations* (P41026).

### Creating a lot

When you adjust inventory, you might be able to create a lot if you have set the branch/plant constants appropriately.

For more information, see *Setting Up Constants* (P41204).

### Zero balance adjustments

You cannot have an inventory value if there is no quantity on hand. The system automatically creates a zero balance adjustment in the General Ledger if your inventory balance for an item falls to zero while there is still a cost value associated with the item.

## See Also

- *Confirming Shipments (P4205) and Updating Customer Sales (P42800) in the Sales Order Management Guide*
- *About Kits* for information on components

## To adjust inventory

### On Adjustments

The screenshot shows the Oracle JD Edwards World 4114 Adjustments screen. The interface includes a menu bar with 'Tools' and 'Help'. Below the menu bar, there are fields for 'Branch/Plant' and 'Trans. Date'. The main form area contains fields for 'Action Type', 'Document Number', 'Document Type', and 'G/L Date'. There is also an 'Explain' field. Below these fields is a table with columns for 'Item', 'Quantity', 'Location', and 'Lot'. The table has multiple rows for data entry. At the bottom of the screen, there are keyboard shortcuts: 'Opt: 1-Item Search', '2-Reverse', 'F13-Journal Entries', and 'F24-More Keys'.

1. To enter transaction information, complete the following fields:
  - Branch/Plant (Business Unit)
  - Trans. Date
  - Document Number
  - Document Type
  - G/L Date
  - Explanation
2. To enter adjustment information for each branch/plant that the item is stored, access the detail area.



3. Complete the following fields:

- Item
- Quantity
- UM
- Location
- Reason Code
- Unit Cost
- Extended Cost

4. To enter lot information, complete the following fields:

- Lot
- Grade
- Potency
- Lot Description
- Lot Exp Date
- Lot Status Code

The system processes the transaction and displays a document number, document type, and the batch number for the transaction.

Field	Explanation
Grade	<p>This field contains the grade of a lot expressed as an alphanumeric code. The grade is used to indicate the quality of the lot. For example:</p> <p>A1    Premium grade</p> <p>A2    Secondary grade</p> <p>The grade for a lot is stored in Lot Master table (F4108).</p>
Potency	<p>A code that indicates the potency of the lot, which is expressed as a percentage of active or useful material (for example, the percentage of alcohol in a solution). The actual potency of a lot is defined in the Lot Master table (F4108).</p>
Lot Description	<p>A brief description of a specific lot.</p>
Lot Exp Date	<p>The date on which a lot of items expires.</p> <p>The system automatically enters this date if you have specified the shelf life days for the item on Item Master Information or Item Branch/Plant Information. The system calculates the expiration date by adding the number of shelf life days to the date that you receive the item.</p> <p>You can commit inventory based on the lot expiration date for items. You choose how the system commits inventory for an item on Item Master Information or Item Branch/Plant Information.</p>

## What You Should Know About

<b>Reviewing lot information</b>	<p>You can review expiration date and status information for a lot by accessing the detail area of Adjustments. You also can access the Lot Information form from the Lot field. This form displays item and location information for a lot as well as the lot expiration date, the lot status, and so on.</p> <p>For more information, see Viewing Lot Availability (P41280).</p>
<b>Overriding lot dates</b>	<p>You can specify or override a lot expiration date using the Options field. If a lot expiration date was previously assigned, you can also specify a Sell By date, Lot Effective date, or User Lot date.</p>
<b>Correcting errors</b>	<p>You can correct an adjustment that was made in error by entering a reversing entry. Because the system records each inventory transaction for accounting purposes, you cannot delete the record. A reversal enters a negative quantity and cost amount back into the item information.</p>
<b>Recording document numbers</b>	<p>In addition to a document type and batch number, the system displays a document number when you enter a transaction. Record this document number so that you can locate the transaction later.</p>

## Processing Options

See [Inventory Adjustments \(P4114\)](#).



---

---

# Transfer Inventory

## Transferring Inventory



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Transfers**

You can use transfer transactions to record two types of inventory movement:

- Between different locations in the same branch/plant
- Between different branch/plants

An inventory transfer creates two journal entries in the general ledger. The first journal entry decreases inventory at the original location. The second entry increases inventory at the destination location.

To transfer inventory, you must enter transaction and item information for both the original and destination locations. You can set up processing options to provide default values and to display cost information.

If you transfer a kit, you must enter a transfer for each component in the kit. The Transfers program does allow you to transfer the parent item, although the system will not update quantity information for the components.

## What You Should Know About

### Assigning items with multiple lot or serial numbers to a location

When you transfer inventory, you might be able to assign items with multiple lot or serial numbers to a location.

For more information, see *Assigning an Item to a Branch I Plant (P41026)*.

### Assigning lots to a single location through transfers

You can prevent the system from allowing you to assign lots to a single location if the lots meet the following criteria:

- When the items in the lots are the same
- When a single lot contains items with different statuses

For more information, see *Working with Item Locations (P41026)*.

### Creating a lot

When you transfer inventory, you might be able to create a lot if you have set the branch/plant constants appropriately.

For more information, see *Setting Up Constants (P41204)*.

## Example: Transfer Transaction

If you transfer an item that costs more at one branch/plant than at another, automatic accounting instructions (AAIs) direct the cost variance to a general ledger account. In this example, an item that costs 25.50 is transferred from Branch/Plant A to Branch/Plant B, where it costs 25.00. This creates a credit of 25.50 to Branch/Plant A, a debit of 25.00 to Branch/Plant B, and a standard cost variance of .50. The .50 difference is recorded in a variance account.

From Branch/Plant A	To Branch/Plant B
Credit 25.50 (standard cost)	Debit 25.00 (standard cost variance of .50 recorded in variance account)

**Caution:** The Transfers program in the Inventory Management system does not create any sales or purchase order documents. It updates only the costing method for the branch/plant. Also, it does not provide an adequate audit trail for transferring as a result of sales or purchase orders. Use this program for inventory purposes only.

## See Also

*About Kits* for information on parent and component items

## To transfer inventory

On Transfers

4113 Transfers

Tools: help

ORACLE JD Edwards World

Trans. Date: 06/30/17

Action Type: R

Document: IT

Document Type: IT

G/L Date: 06/30/17

Explanation:

From Branch/Plant: 00 To Branch/Plant: 10

FROM	Item	Quantity	Location	Lot
	H001	10		

Opt: 1=Item Search 2=Reverse F13=Journal Entries F24=More Keys

1. To enter transaction information, complete the following fields:

- From Branch/Plant (Business Unit)
  - To Branch/Plant (BU for Account Duplication)
  - Trans. Date (Date-Order Transaction)
  - Document Number (Document)
  - Document Type
  - Explanation (Explanation-Transaction)
  - G/L Date (Date-For G/L)
2. To enter transfer information for each branch/plant in which the item is stored and to create a new location and lot record at the destination location, select Additional Information.

The screenshot displays the '4113 Transfers' window in Oracle JD Edwards World. The window has a title bar with '4113 Transfers' and standard window controls. Below the title bar is a menu bar with 'Oracle JD Edwards World' and several icons. A toolbar with various function icons is located below the menu bar. On the left side, there is a 'Field Sensitive Help' menu with options like 'Display Error Message', 'Display Functions', 'Exit Program', 'Additional Information', 'Journal Entries', 'Warehouse Movement', and 'Clear Screen'. The main area of the form contains the following fields and sections:

- Trans. Date:** 06/30/17
- Action Type:** A
- Document:** [empty]
- Document Type:** 11
- Explanation:** [empty]
- G/L Date:** 06/30/17
- From Branch/Plant:** 30
- To Branch/Plant:** 10
- FROM:**
  - Item: 0
  - Item Number: 1001
  - Quantity: 15
  - Location: [empty]
  - Lot: [empty]
  - Reason Code: [empty]
  - Unit Cost: [empty]
  - Extended Cost: [empty]
  - G/L Date: [empty]
- TO:**
  - Item Number: [empty]
  - Quantity: [empty]
  - UM: [empty]
  - Location: [empty]
  - Lot: [empty]
  - Unit Cost: [empty]
  - Extended Cost: [empty]
  - Lot Status: [empty]

At the bottom of the window, there is a status bar with the text: 'Opt: 1=Item Search 2=Reverse F13=Journal Entries F24=More Keys'.

3. Complete the following fields:
- Item Number
  - Quantity
  - UM (Unit of Measure)
  - Location (From)
  - Lot (From)
  - Location (To)
  - Lot (To)
  - Reason Code
  - Unit Cost (Amount-Unit Cost)
  - Extended Cost (Amount-Extended Cost)

The system processes the transaction and displays a document number, document type, and the batch number for the transaction.

## What You Should Know About

<b>Reviewing lot information</b>	<p>You can review expiration date and status information for a lot by accessing the detail area of Transfers. You also can access the Lot Information form from the Lot field. This form displays item and location information for a lot as well as the lot expiration date, the lot status, and so on.</p> <p>For more information, see <i>Viewing Lot Availability (P41280)</i>.</p>
<b>Correcting errors</b>	<p>You can correct a transfer that was made in error by entering a reversing entry. Because the system records each inventory transaction for account purposes, you cannot delete the record. A reversal enters a positive quantity and cost back into the item information at the original location and a negative quantity and amount to the item at the destination location.</p>
<b>Balancing for locations with no inventory</b>	<p>If you transfer inventory from a location that results in a quantity of zero, but is still associated with an amount, the system automatically creates journal entries to the appropriate accounts to balance the amount to zero.</p>
<b>Recording document numbers</b>	<p>In addition to a document type and batch number, the system displays a document number when you enter a transaction. Record this document number so that you can locate the transaction later.</p>

## Processing Options

See [Inventory Transfers \(P4113\)](#).



---

## **4 Item and Quantity Information**



---

---

# Overview to Item and Quantity Information

## Objectives

- To locate master information about an item
- To access both summarized and detailed information about item quantities
- To access information about an item's sales performance
- To access supply and demand information for an item
- To access item ledger information and locate all of the transactions for an item
- To understand how, when, and why you create balance forward records
- To understand the different types of information in each of the general ledger (G/L) reports

## About Item and Quantity Information

You can accurately plan for future stocking needs by reviewing information that the system provides about both the item and the quantity. For example, you can:

- Quickly access information about the items that you stock.
- Access summary and detailed information about on-hand, committed, and available items.
- Access and monitor supply and demand information to help you plan for future stocking needs.
- Access item information about previous sales, current inventory quantities, and future receipts.
- Review balance forward records for a specific fiscal year.
- Reconcile inventory balances with the G/L and access detailed item transaction information.
- Compare your inventory balances at the end of one period with the same period end for the G/L.

To use quantity information to determine your current and future inventory needs, you must understand the following:

- Available versus on-hand quantities
- The four types of commitments and how the Inventory Management system commits inventory

Complete the following tasks:

- Locate item information
- Locate quantity information
- Review supply and demand information
- Review performance information
- Work with transaction records

## Types of Quantities and Commitments

Quantity	Description
Available quantity	<p>The number of items that you can use based on user defined calculations. You determine how the system calculates item availability by defining the factors that subtract from, or add to, the available quantity of an item. This calculation can include quantities that do not immediately affect on-hand amounts.</p> <p>For example, you can set up the availability calculation to subtract any quantities that are committed to sales or work orders and add any quantities that are on purchase orders or in transit.</p>
On-hand quantity	<p>The number of items that are physically in stock in the primary unit of measure. The following affect the on-hand quantity of items:</p> <ul style="list-style-type: none"><li>▪ Variances that are recorded following a physical inventory</li><li>▪ Daily removals, additions, or transfers of items</li><li>▪ Shipment confirmations or updated sales information</li><li>▪ Locations with lots on hold, such as items requiring inspection or placed in quarantine</li></ul>


Quantity	Description
Available to promise (ATP)	<p>The number of items that are uncommitted (available for sales or distribution) until the next replenishment orders arrive.</p> <p>You can choose whether to use the basic method or the cumulative method to determine ATP.</p> <p>The basic method assumes the following:</p> <ul style="list-style-type: none"> <li>▪ Customer demand only, such as sales orders</li> <li>▪ Demand for all periods until the next replenishment order arrives, such as purchase orders</li> <li>▪ Complete consumption of existing quantities during the current period, resulting in no carry-over quantities for the next period</li> </ul> <p>The cumulative method is a running total that is based on the following:</p> <ul style="list-style-type: none"> <li>▪ Does not assume consumption within the current period</li> <li>▪ Does not allow a negative ATP within a period, however, does allow a negative cumulative ATP</li> </ul>

After you enter a sales order, the system commits inventory for it. At the time of order entry, you can choose the type of commitment that you want to use.

Commitment	Description
Soft commitment	<p>When you use soft commitments, the system:</p> <ul style="list-style-type: none"> <li>▪ Does not specify a location from where to remove inventory</li> <li>▪ Uses the primary location as the default location</li> </ul>
Hard commitment	<p>When you use hard commitments, the system:</p> <ul style="list-style-type: none"> <li>▪ Specifies a location from where to remove inventory</li> </ul> <p>Note that this occurs most frequently during shipment confirmation, but can occur at any time during the sales order process.</p>
Future commitment	<p>When you use future commitments, the system:</p> <ul style="list-style-type: none"> <li>▪ Uses a future date that you define for completing a sales order</li> </ul>
Other Quantity 1 and 2	<p>When you commit inventory for other quantities, the system:</p> <ul style="list-style-type: none"> <li>▪ Assigns inventory to different types of sales and procurement documents, such as quote and blanket orders, that do not affect availability</li> </ul>

## How the System Commits Inventory

The following diagram shows how the Inventory Management system typically commits inventory. You can use additional commitment methods if you are using lot processing. For example, you can define the commitment method by lot number or lot expiration date.



## System Calculations for Supply and Demand Quantities

The system uses supply and demand inclusion rules to calculate the supply and demand quantities for an item.

Inclusion Rule	Description
Sources of supply	<p>Starting with the requested date on purchase orders, the system calculates the supply quantity from the following sources:</p> <ul style="list-style-type: none"> <li>On-hand inventory – The quantity on hand less hard commitments and quantities on sales and work orders</li> <li>Purchase orders – The quantity entered on purchase orders</li> <li>Manufacturing work orders – The quantity entered on a work order less the quantity shipped</li> </ul>

Inclusion Rule	Description
Sources of demand	<p>Starting with the requested date on sales orders, the system calculates the demand quantity from the following sources:</p> <ul style="list-style-type: none"> <li>▪ Sales orders – The quantity entered on sales orders less the quantity shipped and the quantity canceled</li> <li>▪ Safety stock – Any quantity reserved as protection against fluctuations in demand and supply</li> <li>▪ Work order requirements and parts lists – Starting with the requested date on sales orders, the system calculates the demand quantity for sources such as the quantity required less the quantity issued</li> </ul>

## Reconcile Item Balances with the G/L

You can compare your inventory balances to the G/L at the end of a period. Because inventory transactions continue after G/L periods close, the system provides a method for you to reconcile your inventory balances to the G/L for any fiscal period.

You can use this information to create the following:

- Summary level reports according to the G/L classification code
- Running balance information on Item Ledger (the Cardex)
- Balance forward records
- Integrity reports

## See Also

- *Defining Item Availability (P41001)* for information about the factors that define availability calculations
- *Defining Branch/Plant Constants (P41001)* for information about the factors that define availability calculations and defining the commitment method





---

---

# Locate Item Information

## Locating Item Information

You can locate item information using criteria that you define for each branch/plant. After you locate the item information, you can also access quantity information, which includes the available and the on-hand amounts for items.

There are two methods that you can use to locate information:

- [Defining Search Criteria](#)
- [Entering Search Text](#)

You can define specific criteria for an item search. Use this type of search when you know what the item is but you want to limit your search. For example, you can limit the search for an item to a specific branch/plant and supplier.

You can enter a partial name, full name, or a description to display a list of all items that contain the same text. Use this type of search when you don't know the exact name of the item, but you want to try to locate it. For example, if you're looking for paper, you can enter "pa." The system displays all of the items with text that begins with "pa."


The system retrieves information from the following tables:

- Item Master (F4101)
- Item Branch Master (F4102)
- Item Location (F41021)
- Lot Master (F4108)

## Before You Begin

- Verify that you have run the Item Search Rebuild program before you locate items using search text.
- Verify that search text is in the master item information records for your inventory items.
- Verify that you have set up the item cross-reference types for cross-reference numbers in user-defined code (system 41/type DT).
- Verify that you have set up any external item numbers, such as supplier or substitute numbers, on Item Cross-Reference Revisions.
- Verify that you have set up any internal item numbers, such as the second or third item numbers, on Item Master Information.

## Defining Search Criteria

	From Inventory Management (G41), choose <b>Inventory Inquiries</b> From Inventory Inquiries (G41112), choose <b>Item Search</b>
---	--

You can also access Item Search from the Inventory Master/Transactions Menu (G4111). Choose Inventory Inquiries followed by Item Search from the Inventory Inquiries menu (G41112).


You can locate item information using criteria that you define for each branch/plant. After you locate the item information, you can also access quantity information.

When you define search criteria, the system searches the following tables for items with matching information.

- Item Master (F4101) – Search text, description, drawing number (when using manufacturing systems)
- Item Branch (F4102) – Item number (short, second, or third), branch/plant, supplier, purchasing or sales category codes 1-5 (depending on the processing option that you select)
- Item Alternative Description (F4101D) – Language for the description
- Item Cross-Reference (F4104) – Internal and external cross-reference numbers

### To define search criteria

#### On Item Search



Complete one or more of the following fields:

- Search Text

- Item Number
- Branch/Plant
- Category Codes
- Language
- Supplier
- X-Ref Type
- Ext (External)


Field	Explanation
Search Text	<p>A field that specifies how the system searches for an item. Your entry should be specific and descriptive of the item. Type the words in the order in which you are likely to enter them.</p> <p>In single-byte environments, where computer storage space can contain only Latin-based language character sets, the system inserts the first 30 characters from the item's description if you do not enter search text.</p> <p>In double-byte environments where computer storage space can contain more complex language character sets (in languages such as Japanese, Chinese, and Korean), you must complete this field. This is a single-byte field that you complete with single-byte characters to phonetically represent the item description (which can be single-byte, double-byte, or both).</p>
Category Codes	<p>A user-defined code (system 41/type S1) that represents an item property type or classification, such as color, material content, or so forth. The system uses this code to sort and process like items.</p> <p>This field is one of ten classification categories available primarily for sales purposes.</p> <p style="text-align: center;"><i>Form-specific information</i></p> <p>This code is a sales or purchasing category code, depending on the processing options.</p> <p>The asterisk (*) is the default and causes the system to select all sales codes or purchasing category codes for an item.</p>
Language	<p>A user-defined code (system 01/type LP) that specifies a language to use in forms and printed reports.</p> <p>If you leave the Language field blank, the system uses the language that you specify in your user preferences. If you do not specify a language in your user preferences, the system uses the default language for the system.</p> <p>Before any translations can become effective, a language code must exist at either the system level or in your user preferences.</p>

Field	Explanation
Supplier	<p>The address book number of the preferred provider of this item.</p> <p>You can enter the number for the supplier or you can have the system enter it each time that you receive the item from a supplier. You specify whether the system enters the supplier using processing options for Enter Receipts.</p>
X-Ref Type	<p>A user-defined code (system 41\type DT) that identifies the type of cross-reference you have set up for this customer. The system contains examples for:</p> <ul style="list-style-type: none"> <li>Substitutes</li> <li>Replacements</li> <li>Bar Codes</li> <li>Customer Numbers</li> <li>Supplier Numbers</li> </ul> <p><i>Form-specific information</i></p> <p>Use this code in conjunction with the Item Number field and the Ext (External) field.</p> <p>The asterisk (*) is the default and instructs the system to select all cross-reference types for an item.</p>
Ext	<p>A code that indicates whether the cross-reference items are from the customer/supplier (external) or your company (internal). When you enter an item number for an inquiry, the system verifies the code in this field to determine which type of item number to access.</p> <p>Valid codes are:</p> <ul style="list-style-type: none"> <li>Y Customer/supplier (external) item number</li> <li>N Your company (internal) item number (default)</li> </ul>

## What You Should Know About

**Reviewing lot information** You can review expiration date and status information for a lot by accessing the detail area of Item Search.

## Entering Search Text

	<p>From Inventory Management (G41), choose <b>Inventory Inquiries</b></p> <p>From Inventory Inquiries (G41112), choose <b>Item Search</b></p>
---	---

Search text is descriptive information about an item that has been entered in the item master records. The information in the item master records allows you to locate stock or nonstock items through Item Search. When you search for an item, the

system first searches the Word Search tables (F009141 and F00X41) for all words that contain the text that you enter.

The system accesses information from the following tables:

- Item Location (F41021) – Location, lot number, and lot status code
- Lot Master (F4108) – Lot, lot description, serial number, expiration date
- Location Master (F4100) – Picking zone, putaway zone, replenishment zone

## To enter search text

### On Item Search

41200 Item Search

Oracle JD Edwards World

Search Text: Marker

Item Number:

Supplier:

Branch/Plant: 30

Category Codes: 1 1 1

Language:

X-Ref Type: Ext.

Item Number	Description
6307	Markette Red Highlighter
9418	Markette Blue Highlighter
5060	Markette Green Highlighter

Opt: I=Detail Avail F4=Fold F5=X-Ref F16=Query F17=Stock/Non-Stock F24=More

1. Complete the following fields:
  - Branch/Plant
  - Search Text
  - Item Number (optional)
2. Choose Query (F16) to display items matching these search selections.
3. Choose Stock/Non-Stock (F17) to toggle between stock and non-stock items.

The screenshot shows the 'Item Search' window in Oracle JD Edwards World. The title bar indicates '41200 Item Search'. The window has a menu bar with 'Tools' and 'Help'. Below the menu bar is a toolbar with icons for search, print, and other functions. The main area is divided into several sections:

- Search Criteria:** Includes fields for 'Search Text' (containing 'marker'), 'Item Number', 'Supplier', 'Branch/Plant' (set to '30'), 'Category Codes', 'Language', 'X-Ref Type', and 'Ext.'.
- Item List:** A table displaying search results with columns for 'P', 'Available', 'On Order', 'UM', 'Item Number', and 'Description'.
 

P	Available	On Order	UM	Item Number	Description
<input type="checkbox"/>	6387	26400	EA	M001	Markette Red Highlighter
<input type="checkbox"/>	9418	1200	EA	M002	Markette Blue Highlighter
<input type="checkbox"/>	5060	39600	EA	M003	Markette Green Highlight
- Footer:** A line of text indicating processing options: 'Opt: 1=Detail Avail F4=Fold F5=X-Ref F16=Query F17=Stock/Non-Stock F24=More'.

## What You Should Know About

### Performing a wildcard search

You can perform a wildcard search for both criteria or text searches by entering a partial name or description followed by an asterisk (\*). For example, when you enter "pen\*," the system finds "pen," "pencil," and "Pennsylvania."

When you use the search criteria method, the system matches up to 12 characters in the text string. When you use the search text method, the system displays any items with text that matches any portion of the text string.

### Displaying category codes

You can set up processing options to display sales or purchasing category codes that are applicable to items.

### Reviewing lot information

You can review item and location information for a lot by accessing Lot Information. This form also displays the lot expiration date, the lot status, and so on.

For more information, see Viewing Lot Availability (P41280).

## Processing Options

See [Item Search with Word Search \(P41200\)](#).

---

---

# Locate Quantity Information

## Locating Quantity Information

Quantity information includes the available and the on-hand amounts for items. You use quantity information to determine your current and future inventory needs.

The following table lists the types of quantity calculations that the system can perform:

- Days available – Reflects the number of days in the future that an item will be available.
- On-hand – Reflects the total number of items in a particular branch/plant.
- Commitments – Includes soft commitments, hard commitments, and quantities on work orders.
- Available – Defines how the system performs this calculation. Typically, it includes on-hand quantities minus any outstanding commitments, reservations, and backorders
- On receipt – Calculation reflects quantities that are on open purchase orders.
- Reorder point – Specifies the minimum item quantity for which replenishment should occur or have the system calculate it.
- Economic Order Quantity (EOQ) – Calculation determines a minimum quantity for an item based on an economic analysis of the cost of placing an order and keeping inventory.

Locating quantity information includes the following tasks:

- Locating Summary Quantity Information
- Locating Detailed Quantity Information
- Locating Quantity Information by Lot
- Locating On-Hand Quantity Information

## Before You Begin

- If you are using the Inventory Management system, verify that your system is set up to calculate availability for inventory items. See *Defining Branch/Plant Constants (P41204)*.
- If you are using the Product Data Management system, verify that your system is set up to calculate availability for manufacturing processes. See *Working with Bills of Material* in the *Product Data Management Guide*.

## Locating Summary Quantity Information



From Inventory Management (G41), choose **Inventory Inquiries**  
From Inventory Inquiries (G41112), choose **Summary Availability**

You can access summary quantity information about each item that is based on the item number and branch/plant. You can also view the total quantity of items in any of the following categories:

- On-hand
- Held
- Hard- and soft-committed
- Available
- Purchase and work orders
- Backorders

You can locate all of the items in a specific location within a branch/plant and review detailed information for each item in the location.

### To locate summary quantity information

#### On Summary Availability

Location	On Hand	Committed	Available	On Receipt
Totals: 00	4893	250	4643	
Totals: 10	4893	250	4643	
Totals: 20	1246		1246	
Totals: 30	1246	96	1246	96
Totals: 40	18432		18432	
Totals: 50	18432		18432	

#### 1. Complete the following fields:

- Branch/Plant
- Item Number
- U/M (Unit of Measure)



- S/D (Summary/Detail)
  - Lot Pot (Lot Potency From) - Lot Pot (Lot Potency Thru)
2. Press Enter.
  3. To locate quantity information for each location that an item is stored, access the detail area (F4).

4. Review the following fields:
  - Location
  - On Hand
  - Committed
  - Available
  - On Receipt
  - Hard Commit SO+WO (in WMS)
  - Soft Commit SO/WO
  - Hard Commit WO (not in WMS)
  - Future Commit
  - Qty on PO
  - Qty on WO
  - PO/WO Routing
  - Backordered
5. To review additional information, such as item availability by location, access the list of available options (F1) in the following field:
  - O (Option)

Field	Explanation
U/M	<p>A user-defined code (system 00/type UM) that identifies the unit of measure in which you usually purchase the item.</p> <p><i>Form-specific information</i></p> <p>If you leave this field blank, the system uses the primary unit of measure.</p>
Lot Grade	<p>This field contains the grade of a lot expressed as an alphanumeric code. The grade is used to indicate the quality of the lot. For example:</p> <p>A1    Premium grade</p> <p>A2    Secondary grade</p> <p>The grade for a lot is stored in Lot Master table (F4108).</p>
Lot Potency	<p>A code that indicates the potency of the lot, which is expressed as a percentage of active or useful material (for example, the percentage of alcohol in a solution). The actual potency of a lot is defined in the Lot Master table (F4108).</p>
Location	<p>A code that identifies inventory locations in a branch/plant. You define the format of the location identifier by branch/plant.</p>
On Hand	<p>The number of units that are physically in stock. The quantity on-hand displays in the primary unit of measure.</p>
Committed	<p>The number of units that are soft-committed to sales orders or work orders in the primary units of measure.</p>
Available	<p>The quantity available can be the on-hand balance minus commitments, reservations, and backorders. Availability is user defined and can be set up in branch/plant constants.</p>
On Receipt	<p>The total number of items on receipt for a specific location. The total is based on the total number of items entered in the Quantity on Purchase Order Receipts and the Quantity on Work Order Receipt fields.</p>
Hard Commit SO+WO (in WMS)	<p>The number of units committed to a specific location and lot.</p>
Soft Commit SO/WO	<p>The number of units that are soft-committed to sales orders or work orders in the primary units of measure.</p>
Future Commit	<p>The quantity on the sales order whose requested shipment date is beyond the standard commitment period that is specified in the Inventory Management system constants for that branch. As an example, if you typically ship most orders within 90 days, then an order for an item with a requested ship date one year from now would reflect the quantity in this field.</p>
Qty on PO	<p>The number of units specified on the purchase order, in primary units of measure.</p>

Field	Explanation
Qty on WO	The number of units on work orders, in primary units of measure.
PO/WO Routing	The number of units in the purchase order routing process, in the primary unit of measure. This includes the quantity in transit, the quantity in inspection, and the quantities in user defined operations 1 and 2.
Backordered	The number of units backordered, in primary units of measure.

## What You Should Know About

<b>Reviewing lot information</b>	You can review expiration date and status information for a lot by accessing the detail area of Summary Availability.
<b>Reviewing item quantity by location</b>	You can review availability for an item in a specific location by accessing Item Availability.

## Processing Options

See [Item Availability \(P41202\)](#).

## Locating Detailed Quantity Information



From Inventory Management (G41), choose **Inventory Inquiries**  
From Inventory Inquiries (G4112), choose **Detailed Availability**

You can view detailed quantity information about an item in a specific storage area and verify the quantity committed compared to the quantity in the storage area.

## To locate detailed quantity information

### On Detailed Availability

41023 Detailed Availability Br

Tools Help

ORACLE JD Edwards World URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Display Configured Item  
Open Purchase Orders  
Customer Service Inquire  
Manufacturing Schedule  
Clear Screen

41023 Detailed Availability

Item Number P001

Location

Branch/Plant 30

Unit of Measure EA

Quantity on Hand + 10019 Grade

Quantity on Soft Commit SO/WO - 12512 Potency

Quantity on Hard Commit SO - Exp. Dt.

Quantity on Future Commit SO Status

Quantity on Hard Commit WO - Approved

Quantity on SO - Other 1 11490

Quantity on SO - Other 2

Quantity Held -

Safety Stock

Quantity on Purchase Order 26400

Quantity on PO - Other 1 51600

Quantity on Work Order Receipt

Quantity in Transit

Quantity in Inspection

Quantity in Operation 1 Inbound

Quantity in Operation 2 Outbound

Total Quantity : Available 6307

On Receipt 26400

F14=Open PO's F15=Customer Svc. F16=Scheduling Workbench F24=More Keys

1. Complete the following fields:
  - Branch/Plant
  - Item Number
  - Unit of Measure
2. To view item information for a location other than the primary location, complete the following field:
  - Location
3. Press Enter.
4. Review the following fields:
  - Status
  - Quantity on Soft Commit SO/WO
  - Quantity on Hard Commit SO
  - Quantity on Future Commit SO
  - Quantity on Hard Commit WO
  - Quantity on SO-Other 1
  - Quantity on SO-Other 2
  - Quantity Held
  - Safety Stock
  - Quantity on Purchase Order

- Quantity on PO-Other 1
- Quantity on Work Order Receipt
- Quantity in Transit
- Quantity in Inspection
- Quantity in Operation 1
- Quantity in Operation 2

Field	Explanation
Status	<p>A user-defined code (system 41/type L) that indicates the status of the lot. If you leave this field blank, it indicates that the lot is approved. All other codes indicate that the lot is on hold.</p> <p>You can assign a different status code to each location in which a lot resides on Item/Location Information or Location Lot Status Change.</p>
Quantity on SO - Other 1	The first of two quantities that can be specified as additional offsets (subtractions from on-hand) in the determination of quantities available for sale. The system displays the quantity in the primary unit of measure.
Quantity on SO - Other 2	The second of two quantities that can be specified as additional offsets (subtractions from on-hand) in the determination of quantities available for sale. The system displays the quantity in the primary unit of measure.
Quantity Held	The number of units held. The system displays the units in the primary unit of measure for the item.
Safety Stock	The quantity of stock kept on hand to cover high-side variations in demand.
Quantity on Purchase Order	The number of units specified on the purchase order, in primary units of measure.
Quantity on PO - Other 1	The quantity that appears on documents such as bid requests, which do not require your company to buy.
Quantity on Work Order Receipt	The number of units on work orders, in primary units of measure.
Quantity in Transit	The quantity currently in transit from the supplier.
Quantity in Inspection	The quantity currently being inspected. This quantity has been received, but is not considered on hand.
Quantity in Operation 1	The quantity which is currently at a user-defined operation within the dock-to-stock process. The quantity has been received, but may or may not be considered to be on hand.
Quantity in Operation 2	The quantity which is currently at a user-defined operation within the dock-to-stock process. The quantity has been received, but may or may not be considered to be on hand.

## What You Should Know About

### Displaying availability information

You can display item availability information based on the calculations that are set up for your system:

- Plus (+) and minus (-) appear by fields that add to, or subtract from, the on-hand quantity.
- Fields without a plus (+) or a minus (-) are not included in the availability calculation.
- The on-hand quantity is the current physical amount of the item in the location.

### Defining availability calculations

You can define availability calculations to meet your needs.

See [Defining Item Availability \(P410011\)](#) and [Defining Branch/Plant Constants \(P41204\)](#) for information about the factors that define availability calculations.

### Reviewing lot information

You can review item and location information for a lot by accessing [Lot Information](#). This form also displays the lot expiration date, the lot status, and so on.

For more information, see [Viewing Lot Availability \(P41280\)](#).

## Processing Options

See [Detailed Availability \(P41023\)](#).

## Locating Quantity Information by Lot

	From Inventory Management (G41), choose <b>Lot Control</b> From Lot Control (G4113), choose <b>Lot Availability</b>
---	--

You can review the number of items that are in a specific lot, as well as the activity dates, item quantities, and hold statuses that pertain to the lot. The activity date and quantity information reflect transactions such as issues, receipts, and sales.

## To locate quantity information by lot

### On Lot Availability

41280 Lot Availability

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
 Display Error Message  
 Display Functions  
 Exit Program  
 More Details  
 Additional Selection Cntl  
 Exit to Item Master  
 Create / View Lot Master  
 Exit to Lot Master  
 Exit to Speed Lot Update  
 Exit to Trace/Track Inqui  
 Exit to Item Ledger Inqui  
 Exit to Work Order Entry  
 Clear Screen

41280 Lot Availability

Branch/Plant 30  
 History (Y/N) N  
 Grade -  
 Potency -

Action Code A  
 Lot/SN  
 Item Number M001

Markette Red Highlighter

Lot Number	Status	Rea	Expires	Quantity on Hand / Held	Available
0	Approved			18819	6307

Opt: 1=Item/Branch 2=Trace/Track 3=Lot Master 4=Detail Avail. F24=More

#### 1. Complete the following fields:

- Branch/Plant
- History (Y/N)
- From Grade
- Thru Grade
- From Potency
- Thru Potency
- Lot/SN
- Item Number

#### 2. Press Enter.

#### 3. Review the following fields:

- Status
- Rea (Reason Code)
- Expires
- Quantity on Hand/Held
- Available
- Lot/Serial

Field	Explanation
History (Y/N)	<p>A code that determines whether to display information for all locations and lots or only for those with on-hand balances. Valid codes are:</p> <p>N     Display only locations and lots with on-hand balances</p> <p>Y     Display all locations and lots</p>
Status	<p>A user-defined code (system 41/type L) that indicates the status of the lot. If you leave this field blank, it indicates that the lot is approved. All other codes indicate that the lot is on hold.</p> <p>You can assign a different status code to each location in which a lot resides on Item/Location Information or Location Lot Status Change.</p>
Reason Code	<p>A user-defined code (system 42/type RC) that indicates the reason for a change in the status of a lot, such as goods that are damaged in shipment or goods that are placed in quarantine.</p>
Expires	<p>The date on which a lot of items expires.</p> <p>The system automatically enters this date if you have specified the shelf life days for the item on Item Master Information or Item Branch/Plant Information. The system calculates the expiration date by adding the number of shelf life days to the date that you receive the item.</p> <p>You can commit inventory based on the lot expiration date for items. You choose how the system commits inventory for an item on Item Master Information or Item Branch/Plant Information.</p>
Hand / Held	<p>The number of units that are physically in stock. The quantity on-hand displays in the primary unit of measure.</p> <p><i>Form-specific information</i></p> <p>The number of items in stock or on hold. If the item is on hold, the system highlights the field.</p>

## What You Should Know About

<b>Viewing the same item or lot</b>	If the same item or lot appears more than once, the item exists in multiple locations.
<b>Reviewing lot information</b>	<p>You can review item and location information for a lot by accessing Lot Information. This form also displays the lot expiration date, the lot status, and so on.</p> <p>For more information, see Viewing Lot Availability (P41280).</p>



## See Also

- *Locating Detailed Quantity Information (P41202)* for information on how the Inventory Management system calculates item availability

## Processing Options

See [Lot Availability \(P41280\)](#).

## Locating On-Hand Quantity Information




From Inventory Management (G41), choose **Inventory Inquiries**  
From Inventory Inquiries (G41112), choose **Item Ledger (The Cardex)**

After you conduct a physical inventory of your warehouse, you can review any variances in the on-hand quantity for an item. On-hand quantity is the number of items that are physically in stock.

In addition, you can locate on-hand quantity and accounting information for a specific transaction date and document number in the Item Ledger (The Cardex). The Item Ledger contains transaction history, such as sales, receipts, or transfers for each of the items in your inventory. Each entry represents a transaction that affects the on-hand quantity for an item.

You can review a transaction to determine both item quantities and the related costs in any branch, location, or lot as of a particular date. Also, you can see any transactions for that item that have taken place as of a specific date.



## To locate on-hand quantity information

### On Item Ledger (The Cardex)

4111 Item Ledger (The Cardex)

Oracle JD Edwards World

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Exit to Item Search  
Ledger/Running Balance  
Inquire By Document No.  
Amount/Quantity (Running)  
General Ledger/Origins  
Bulk Product Transaction  
Clear Screen

Item Number: 41021  
Branch/Plant: 10  
Location: 10  
Lot/SN: 10

Quantity on Hand: 245045  
Value: 166,670.61

Document	Ty	Date	Branch/Plant	Quantity	UM	Unit Cost	Ext. Cost
41021	03/13/15	00	EA	.0000			
4	II	07/10/17	10	7-	EA	.5500	3.85-
209	II	06/30/17	10	5000	EA	.6006	3,003.00
1	II	06/15/17	10	25-	EA	.5500	13.75-
13	IA	04/30/17	10	75	EA	.5500	41.25
050	RI	10/24/12	10	150-	EA	.5500	82.50-
41015	06/28/12	10	EA	.0000			
2292	OP	07/15/17	20	250	DZ	6.6000	1,650.00
4	II	07/10/17	20	9-	EA	.5600	5.05-
1	II	06/15/17	20	50-	EA	.5600	28.04-
2313	OP	05/31/17	20	250	DZ	6.6000	1,716.00

Opt: 5=Details F5=Item Search F10=Ledger/Running Balance F24=More Keys

- To locate the on-hand quantity information for a specific transaction date, complete the following fields:
  - Item Number
  - Dt From/Trans (Date From/Transaction)
  - Dt Thru/Trans (Date Thru/Transaction)
- Press Enter.
- Review the following fields:
  - Quantity On Hand
  - Value
- To locate on-hand quantity information for a specific branch/plant, location and lot, complete the following fields:
  - Branch/Plant
  - Location
  - Lot/SN
- Press Enter.
- Review the following fields:
  - Quantity On Hand
  - Value

7. To locate transaction information for a specific document number, choose **Inquire by Document Number**. The **Document** field displays.

8. Complete the following field:
- Document
9. Press Enter.
10. Review the transactions for the document.

Field	Explanation
Dt From/Trans	The beginning date in the date range. This is the date from which you want the system to display information.
Dt Thru/Trans	The ending date in the date range. This is the date through which you want the system to display information. If you leave this field blank, the system uses the current period.
Value	A number that represents the number of units multiplied by the unit cost.
Document	The original document number for the transaction.

## What You Should Know About

**Locating running balances** You can set up the processing options to display running balances for quantities during a specific fiscal period or year end.

See *Reviewing Multiple Transactions and Balances (P4111)* for more information about viewing the running balance format on the Item Ledger (The Cardex).

**Locating deductions from on-hand quantities** You can locate information about quantities that are deducted from the on-hand quantity.

See *Locating Detailed Quantity Information (P41023)* for more information about these deductions.

## See Also

- *Working with Transaction Records (P41542)* for more information about locating running balance and transaction-related information using the Item Ledger (The Cardex)

---

# Review Supply and Demand Information

## Reviewing Supply and Demand Information



From Inventory Management (G41), choose **Inventory Inquiries**  
From Inventory Inquiries (G41112), choose **Supply/Demand Inquiry**

Information about the supply and demand for an item helps you to accurately plan for future needs. You can monitor information about how many items are on demand, available in supply, and available to be promised (ATP). For example:

- Personnel in sales order entry can provide customers with an expected order ship date.
- Purchase agents can evaluate future orders and stocking needs.
- Warehouse resources can be planned around receipts and order picking.

The system calculates ATP to show a company's uncommitted available inventory to sell or distribute within a time period until the next replenishment orders arrive. Depending on how you set the processing options, the system can use one of the following methods to determine ATP:

- Standard ATP, which only accounts for customer demand (such as sales orders) for all periods until the next replenishment supply (such as purchase orders) arrives. Standard ATP assumes that the entire quantity will be sold or distributed within a period.
- Cumulative ATP, which calculates a running total of the ATP and does not assume entire consumption within a period.

You can review general product/item performance for a given branch/plant. You can also review past sales performance, current demand, and other item information. The information is based on inventory, purchasing, and sales history.

The system displays information from the following tables:

- Item Location Information table (F41021)
- Sales Order Detail table (F4211)
- Purchase Order Detail table (F4311)

## Before You Begin

- Verify that the supply and demand inclusion rules are set up in the Enterprise Resource Planning system if you use them in conjunction with the Inventory Management system. See *Setting Up Supply and Demand Inclusion Rules (P34004)* in the *Manufacturing and Distribution Planning Guide*.

## To review supply and demand information

### On Supply/Demand Inquiry

**ORACLE JD Edwards World**

4021 Supply/Demand Inquiry

Branch/Plant: [Blank]  
Unit of Measure: [Blank]  
Thru Date: [Blank]

Item Number: 10001  
Leadtime Level: Fixed

Demand	Supply	Available	Date	Order No	Ty	Customer/Supplier Name
	246846	246846	11/13/06			On Hand Balance
	1200	247246	06/01/17	2410	OP	Value Worldwide Paper Sup
		234398	06/01/17			Available to Promise
96		247150	06/11/17	136952	W0	
1500		245650	06/10/17	19254	S0	Corporate Office Systems
1		245649	06/30/17	112837	S0	Corporate Office Systems
1		245640	06/30/17	112837	S0	Corporate Office Systems
1000		244640	07/10/17	18972	S0	Corporate Office Systems
250		244398	07/31/17	1895	S0	Corporate Office Systems
10000		234390	00/05/17	1003	S0	Corporate Office Systems

Opt: 1=W0 3=S0 4=P0 7=Rate F10=Sched F14=Msg F16=Peg F24=More

1. To locate a specific item, complete the following fields:
  - Branch/Plant
  - Item Number
2. To limit the items that display, complete the following fields:
  - Unit of Measure
  - Thru Date
3. Review the following fields:
  - Demand
  - Supply
  - Available
  - Promise Date
  - Order No
  - Ty (Type)
  - Customer/Supplier Name
4. Press Enter.
5. To review information for each location and lot, access the detail area.

4021 Supply/Demand Inquiry

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
More Details  
Item Search  
Part Availability  
Scheduling Workbench  
Message Detail  
Time Series / ATP Inquiry  
Pegging Inquiry  
Item Availability  
Manufacturing Values  
Clear Screen

4021 Supply/Demand Inquiry

Branch/Plant  
Unit of Measure  
Thru Date

Item Number  
Leadtime Level

Fixed

Promise

Demand	Supply	Available	Date	Order No	Ty	Customer/Supplier Name
	246045	246045	11/13/95			On Hand Balance
Parent V.O			Branch/Plant			
Parent B/P			Cust/Supp			Lot/SN Exp
Parent Item						Lot/SN Sts
Record Type	On Hand Balance					Location
	1288	247246	06/01/17	2418	OP	Value Worldwide Paper Sup
Parent V.O			Branch/Plant			39
Parent B/P			Cust/Supp			4345
Parent Item						Lot/SN Exp
Record Type	Purchase Order					Lot/SN Sts
	234398		06/01/17			Location
Parent V.O			Branch/Plant			Available to Promise
Parent B/P			Cust/Supp			
Parent Item						Lot/SN Exp
Record Type	Available to Promise					Lot/SN Sts

Opt: 1=W0 3=D0 4=P0 7=Rate F10=Sched F14=Msg F15=Peg F24=More

Field	Explanation
Thru Date	A numeric code that identifies either the period number or the date that you want to locate. If you leave this field blank, the system uses the ending date of the current period that is set up for the company. Valid period numbers are 1 through 14.
	<i>Form-specific information</i>
	Identifies the date through which the system displays records. If you leave this field blank, all records display.
Demand	The quantity subtracted from the available balance as a result of the record processed. Typically, the sources of demand are safety stock, sales orders, or work order parts lists. When using system forecasting, you can set up a processing option to include quantities used for forecast demands.
Supply	The quantity added to the available balance as a result of the record processed on each line. Sources of supply are typically on-hand inventory, purchase order receipts, or manufacturing work orders. A processing option allows for the inclusion of planned order receipts when using MPS/MRP/DRP.

Field	Explanation
Promise Date	<p>The promised shipment date for either a sales order or purchase order. The supply and demand programs use this date to calculate available to promise (ATP) information. This value can be automatically calculated during sales order entry. This date represents the day that the item can be shipped from the warehouse.</p> <p><i>Form-specific information</i></p> <p>If this line is a work order, this date is the requested date (DRQJ) of the work order. Otherwise, this date is the promised shipment date for either a sales order or purchase order.</p>
Customer/Supplier Name	<p>The text that names or describes an address. This 40-character alphabetic field appears on a number of forms and reports. You can enter dashes, commas, and other special characters, but the system cannot search on them when you use this field to search for a name.</p> <p><i>Form-specific information</i></p> <p>The customer or supplier name on a sales or purchase order.</p>

## Processing Options

See [Supply & Demand \(P4021\)](#).



---

---

# Review Performance Information

## Reviewing Performance Information

When you review performance information for an item, you can review the current quantities for items in your inventory, previous sales activity, and open purchase orders. This information is useful in helping you to plan for your inventory needs.

Reviewing performance information includes the following tasks:

- [Reviewing Inventory Quantities](#)
- [Reviewing Sales History](#)
- [Reviewing Open Purchase Orders](#)

### See Also

- *Locating Quantity Information* for the types of quantity calculations that the system can perform

## Reviewing Inventory Quantities



From Inventory Management (G41), choose **Inventory Inquiries**  
From Inventory Inquiries (G41112), choose **Buyer's Information**

You can also access Buyer's Information from the Inventory Master/Transactions menu (G4111). Choose Inventory Inquiries, followed by Buyer's Information from the Inventory Inquiries menu (G41112).

You can review item and quantity information to plan for your current and future inventory needs.

## To review inventory quantities

### On Buyer's Information

The screenshot shows the 'Buyer's Information' window in Oracle JD Edwards World. The window title is '4115 Buyer's Information'. The main area displays data for item '0001' (Markette Red Highlighter). The data is organized into several sections:

- Item Information:** Item Number 0001, Input U/M 07, Brn/Plt. 30.
- Inventory Data:**
  - Day/Avail: 6
  - On Hand: 1558
  - Comm: 1042
  - Avail: 525
  - On PO: 2288
  - Avail/Rec: 2725
- Purchase Orders:**
  - Open Purchase Orders: 12P0>
  - ..Purchase Order: Tre .00
  - Table with columns: O Ty, Number, Line, Supplier, Quantity, Trans. D.
 

O Ty	Number	Line	Supplier	Quantity	Trans. D
OP	2418	1.000	Value Worldwide Paper Supply	100	05/15/17
OP	364	2.000	Planner, Mark	2100	02/28/14
OP	466	2.000	Planner, Mark	2100	05/22/17


At the bottom, there are options: Opt: 1=Open PO's, F5=Item Search, F24=More Keys.

1. Complete the following fields:
  - Item Number
  - Brn/Plt
  - Input U/M
2. Press Enter.
3. Review the following fields:
  - Day/Avail
  - On Hand
  - Comm
  - Avail
  - Avail/Rec (Available on Receipt)
  - On PO Reor Pt
  - EOQ (Quantity-Economic Order)
  - Cumulative Sales-This Yr

Field	Explanation
Input U/M	<p>A user-defined code (system 00/type UM) that identifies the unit of measure in which you usually purchase the item.</p> <p><i>Form-specific information</i></p> <p>If you leave this field blank, the system uses the purchasing unit of measure.</p>
Day/Avail	<p>A number that indicates how many days of inventory are available. This number of days is calculated by dividing the total number of units sold during the previous two months by the number of working days in a two-month period (43.5). The system divides the number of days by the current quantity available.</p> <p>Example:</p> <p>Current Period is 11</p> <p>Period 9 (150 sales) + Period 10 (140 sales) = 290 cumulative sales for two periods</p> <p>Divide by 43.5</p> <p>Average working days within two months = 6.6666667</p> <p>Quantity Available = 610</p> <p>Divide by 6.6666667</p> <p>Days Available = 91.5</p>
On Hand	<p>The number of units that are physically in stock. The quantity on-hand displays in the primary unit of measure.</p> <p><i>Form-specific information</i></p> <p>The total number of items (counted in the primary unit of measure) that are stored in both the primary and secondary locations of a particular cost center. This information is stored in the Item Location Information table (F41021).</p> <p>The total number of items (counted in the primary unit of measure) that are stored in both the primary and secondary locations of a particular cost center. This information is stored in the Item Location Information table (F41021).</p>
On PO	<p>The number of units specified on the purchase order, in primary units of measure.</p> <p><i>Form-specific information</i></p> <p>The system retrieves this number from the Item Location table (F41021) for the primary and all secondary locations of the item in the specified branch/plant.</p>
Avail/Rec	<p>The number of units that are currently available (in the primary unit of measure) plus the quantity on purchase or work orders.</p>

Field	Explanation
Reor Pt	<p>A quantity for an item that specifies when replenishment occurs. Typically, this occurs when the total quantity on-hand plus the quantity on order equal or do not meet a specified quantity. You can enter this quantity or the system can calculate it if there is sufficient sales history.</p> <p>If there is no safety stock quantity defined, the system first calculates the safety stock by multiplying the square root of the average leadtime quantity. Then, the system adds the calculated safety stock quantity to the average leadtime quantity to determine the reorder point.</p>
EOQ	<p>A fixed order quantity for an item that the system calculates to minimize the combined costs of acquiring and carrying inventory. The system calculates this number based on an economic analysis of the cost of placing an order and carrying the inventory.</p>

## Reviewing Sales History

	<p>From Inventory Management (G41), choose <b>Inventory Inquiries</b></p> <p>From Inventory Inquiries (G4112), choose <b>Buyer's Information</b></p>
---	--

You can also access Buyer's Information from the Inventory Master/Transactions menu (G4111). Choose Inventory Inquiries, followed by Buyer's Information from the Inventory Inquiries menu (G4112).

You can use sales history information to determine previous and projected sales. For example, you can review the cumulative sales to date and the projected sales for the remainder of the year. You can also compare item sales for different fiscal periods.

### To review sales history

On Buyer's Information

- Complete the following fields:
  - Item Number
  - Brn/Plt
  - Input U/M
- Press Enter.
- Review the following fields:
  - ABC RK (ABC Ranking)
  - Per End
  - Cumulative Sales-This Yr
  - Cumulative Sales-Last Yr

- 12 PD (Quantity Projected-Total)
- Trd (Trend Percent)
- Reor Pt
- Lst Cst
- Avg Cst
- Lst Rec

Field	Explanation
ABC Rk	A grade that indicates the level of sales activity for a customer or inventory item. This code documents the 80/20 principle (80% of the significant results is attributable to 20% of the business effort). The possible grades are A (best) to F (worst).
Cumulative Sales	The number of units, in primary units of measure, that you sold during a prior month. The system maintains the units history for a period of twenty-five months.
12PD>	<p>The total projected sales quantity for the next 12 months, i.e., the current month and the next 11 months.</p> <p><b>Note:</b> The Buyer's Inquiry (V41150) itemizes projections for only the current month and the next nine months. Projections are designated by the symbol &gt; next to the name of the month.</p> <p>The total projected sales quantity for the current month and the next 11 months, for a total of 12 months.</p>

## Reviewing Open Purchase Orders



From Inventory Management (G41), choose **Inventory Inquiries**  
 From Inventory Inquiries (G41112), choose **Buyer's Information**

You can also access Buyer's Information from the Inventory Master/Transactions menu (G4111). Select Inventory Inquiries, followed by Buyer's Information from the Inventory Inquiries menu (G41112).

If your Inventory Management system is set up to work in conjunction with the Procurement system, you can review all of the open purchase orders that meet the following criteria:

- Do not have an open quantity that is equal to zero
- Do not have a next status that is below 900

### To review open purchase orders

On Buyer's Information

1. Complete the following fields:

- Item Number
  - Brn/Plt
  - Input U/M
2. Press Enter.
  3. Review the following fields:
    - Type
    - Number
    - Line
    - Supplier Name
    - Quantity
    - Date

## Processing Options

See [Buyer's Inquiry \(P4115\)](#).

---

---

# Work with Transaction Records

## Working with Transaction Records

You can use transaction records for the following purposes:

- Keep accurate balance forward records from year to year
- Compare and reconcile your inventory balances for different fiscal periods
- Access information about an item's quantity and cost in any location

You can create balance forward records for a fiscal year by running the Item Ledger As Of Generation program. This program summarizes item transactions for each general ledger category code and provides the most accurate and efficient method of updating the records in the As Of table (F41112).

After you run the As Of Generation program, you can compare and reconcile your inventory balances at the end of one period with the same period end for the general ledger. This is helpful because the system continues to record inventory transactions after the general ledger periods close.

Information in the balance forward records allow you to review specific transactions and review how much of an item (both the quantity and cost amount) that you have in any specific branch, location, or lot as of specific date. Also, you can also review any transactions for that item that have taken place after that date.

Complete the following tasks:

- [Working with Transaction Records](#)
- [Creating Balance Forward Records](#)
- [Reviewing "As-Of" Balance Forward Records](#)
- [Entering Individual Transactions](#)
- [Reviewing Multiple Transactions and Balances](#)
- [Reviewing Transactions on General Ledger Reports](#)

## Before You Begin

- Verify that no records have been purged from the Item Ledger table (F4111).
- Verify that you allow an adequate amount of time for the As Of Generation program to run. These procedures can be very lengthy, depending on the number of items that you want to convert.
- Read *Locating On-Hand Quantity Information (P4111)* for information about reviewing current transaction information on the Item Ledger (The Cardex).

## Creating Balance Forward Records



From Inventory Management (G41), choose **As Of Processing**  
From As Of Processing (G4122), choose **Item Ledger As Of Generation**

You can keep accurate balance forward records from year to year. You create the balance forward records for item transactions by running the Item Ledger As Of Generation program. You can run this program using either the complete regeneration method or the partial regeneration method.

The system records a transaction for the following information, using the primary unit of measure:

- Data for the entire year, based on your fiscal date pattern
- Cumulative quantity and cost amount totals from the previous years

The system creates a record for each unique combination of the following levels:

- Item number
- Branch/plant
- Location
- Lot
- G/L class
- Fiscal year

After you enter individual transactions to the As Of table (F41112), you create a record for each of the unique combinations of the levels. When one of these records changes, the system creates a new balance forward record at each level. However, the system bypasses the item ledger and G/L transaction accounts.

Use the following data sequence when you run the As of Generation program:

- Item Number-Short
- Branch/Plant
- Location
- Lot
- G/L Class
- G/L Date




## What You Should Know About

<b>Complete regeneration</b>	<p>Typically, you only run the Item Ledger As Of Generation program the first time that you create the As Of table (F41112). However, if you change the fiscal date patterns on the general ledger, you must completely regenerate this table. During a complete regeneration, the system processes the information as follows:</p> <ul style="list-style-type: none"> <li>▪ Verifies records, including those that were in the previous complete regeneration</li> <li>▪ Builds the table based on transactions in the Item Ledger (The Cardex) table (F4111) as of the current date</li> <li>▪ Marks all transactions in the table as “summarized” so that they will not be included in any partial regeneration</li> </ul>
<b>Partial regeneration</b>	<p>After you create the As Of table (F41112) for the first time, you can run this process at the end of each general ledger period to enter new transactions and keep your balance forward records current.</p>
<b>Loading incomplete records</b>	<p>The system cannot load purged Item Ledger records into the As Of table (F41112). Loading the item ledger records after a purge results in inaccurate totals.</p>
<b>Loading sales orders</b>	<p>The system loads only the records for sales orders that have been processed through sales update during the As Of Generation program.</p>
<b>Deleting information</b>	<p>You can delete information from the As Of table (F41112) with the following results:</p> <ul style="list-style-type: none"> <li>▪ Updates the balance forward information but not the Item Ledger (The Cardex) and other general ledger transaction accounts.</li> <li>▪ Marks any transactions that you delete as “summarized” in the Item Ledger and does not reselect them if you run a partial regeneration of the As Of Generation table.</li> </ul>

## Processing Options

See [Item Ledger "As Of" Generation \(P41542\)](#).

## Reviewing “As-Of” Balance Forward Records

	<p>From Inventory Management (G41), choose <b>Inventory Inquiries</b>  From Inventory Inquiries (G41112), choose <b>Item As Of Inquiry</b></p>
---	--

After you run the Item Ledger As Of Generation program, you can inquire on the Inventory As-Of file in running balance mode. This allows you to review a balance forward record as of a period end date you choose. The inquiry lists all transactions after that date and calculates the inventory balance after each transaction. The

inquiry cannot provide accurate information after the detail F4111 records have been purged, but it does allow you to inquire on on-hand balances during the period for which those records have been purged.

## To review “As-Of” file records

### On Item As Of Inquiry

**41113 Item As Of Inquiry**

Item Number: 1001, Branch/Plant: 10, Fiscal Year: 17, G/L Class: A, U/M: EA

Period	Transaction Qty	Cumulative Qty	Transaction Amt	Cumulative Amt
Bal Fwd	10-	10-	52.50-	52.50-
01/31/17		10-		52.50-
02/28/17		10-		52.50-
03/31/17		10-		52.50-
04/30/17	45	35	236.25	103.75
05/31/17	691	726	3,627.75	3,811.50
06/30/17	1766	2492	26,562.00	30,313.50
07/31/17	15-	2477	78.75-	30,234.75
08/31/17		2477		30,234.75
09/30/17		2477		30,234.75
10/31/17	5010	7487	5,052.50	35,287.25
11/30/17		7487		35,287.25
12/31/17		7487		35,287.25
12/31/17		7487		35,287.25

Opt: 5=Details 6=Item Ledger Inquiry F10=Summary Availability F24=More Keys

- Complete the following:
  - Item Number
  - Branch/Plant
  - Fiscal Year
  - Location (Optional)
  - Lot/SN (Optional)
- Use Option 5 to view Item As Of Detail (P41114) for a specific period.

41114 Item ASOF Detail

Item Number: 1001    Branch/Plant: 10    Location: \*    Lot/SN: \*

Period End: 06/30/17    G/L Class: IN10    U/M: EA

G/L	Class	Quantity
	IN10	1750
	IN10	16
Total		1766

Opt: 6=Item Ledger F2=Amount/Quantity F10=Bottom/Total F24=More Keys

3. Do one of the following from Item As Of Inquiry to review more information:
- Press F8 to exit to the Item Ledger (P4111)
  - Press F10 to review Summary Availability (P41202)

## Entering Individual Transactions



From Inventory Management (G41), choose **As Of Processing**  
 From As Of Processing (G4122), choose **Direct As Of Entry**

You might find that you need to enter individual transactions if the Item Ledger table (F41112) has been purged or if some records were damaged. You can use the Item Ledger As Of Generation program to enter these transactions.

**Caution:** Enter only those item quantities that actually exist in the Item Ledger table. Any entries that do not match the Item Ledger table will cause errors in the Item Balance/Item Ledger Integrity report. In addition, there might not be an adequate audit trail for you to reconcile any differences.

## To enter individual transactions

### On Direct As Of Entry

41112 Direct As Of Entry

Oracle JD Edwards World

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Item Ledger  
Clear Screen

Action Type: [1]  
Item Number: [0001]  
Location: [ ]  
Lot/SN: [ ]  
G/L Class: IN00

Fiscal Year: 17  
Branch/Plant: 38

Markette Red Highlighter  
Cumulative

Period Ending	Quantity	Amount
01/31/17		
02/28/17		
03/31/17		
04/30/17	19300	13,136.06
05/31/17	23760	13,058.00
06/30/17	3115	2,120.07
07/31/17	23974	13,182.30
08/31/17	45000	30,627.00
09/30/17		
10/31/17		
11/30/17		
12/31/17		
12/31/17		

F5=Item Ledger F24=More Keys

#### 1. Complete the following fields:

- Item Number
- Fiscal year
- Branch/Plant
- Location

The system displays the total item transaction quantity and amount information for each fiscal period.

#### 2. Complete the following fields next to the applicable G/L period:

- Quantity
- Amount

#### 3. To enter cumulative transaction information for an item if the system does not display it, complete the following fields:

- Quantity
- Amount

Field	Explanation
Fiscal Year	<p>A number that identifies the fiscal year. Generally, you can either enter a number in this field or leave it blank to indicate the current fiscal year (as defined on the Company Numbers and Names form).</p> <p>Specify the year at the end of the first period rather than the year at the end of the fiscal period. For example, a fiscal year begins October 1, 2017 and ends September 30, 2018. The end of the first period is October 31, 2017. Specify the year 17 rather than 18.</p>
Quantity	The net transaction quantity from all transactions for an Item for Period 01.
Amount	A number that represents the net amount posted during the accounting period. The system uses the accounting periods from the Company Constants table (F0010). The net amount posted is the total of all debits and credits beginning with the first day of the period through the last day of the period.

## What You Should Know About

<b>Reviewing information for a fiscal period</b>	You can review item transaction and balance information for a specific fiscal period on Direct As Of Entry after the As Of table (F41112) has been generated.
<b>Entering cumulative quantities and amounts</b>	If cumulative amounts and quantities for the previous year are in the system, the system displays them after you enter the fiscal year, branch/plant, and item number on Direct As Of Entry. If the system does not display this information because there are no balance forward records for the previous year, you can enter them manually. However, any amounts that you enter must match the previous year's totals.

## Processing Options

See [As Of Maintenance \(P41112\)](#).

## Reviewing Multiple Transactions and Balances



From Inventory Management (G41), choose **Inventory Inquiries**  
From Inventory Inquiries (G41112), choose **Item Ledger (The Cardex)**

You can review transaction history, such as sales, receipts, or transfers for each item in your inventory. This is helpful when you are preparing to reconcile your inventory and need to review a number of transactions. It is also helpful when you are tracking the original versus the G/L document type for a transaction.

Also, you can reconcile your inventory quantities by reviewing running balances for items on Item Ledger (Running Balance).

## To review multiple transactions and balances

On Item Ledger (The Cardex)

4111 Item Ledger (The Cardex)

Item Number: 1001  
Branch/Plant: 1  
Location: 1  
Lot/SN: 1

Quantity on Hand: 265946  
Value: 166,670.61

Document	Ty	Date	Branch/Plant	Quantity	UM	Unit Cost	Ext. Cost
IB		03/02/15	27			.0000	
IB		03/02/15	27			.0000	
IB		03/02/15	27			.0000	
IB		03/02/15	27			.0000	
IB		03/02/15	27			.0000	
IB		03/02/15	27			.0000	
IB		03/02/15	27			.0000	
IB		03/02/15	27			.0000	
41026		12/15/13	27		EA	.0000	
2292	OP	07/15/17	30	2000	OZ	6.6000	13,200.00
4	II	07/18/17	30	26-	EA	.6806	17.70-
209	IT	06/30/17	30	5000-	EA	.6806	3,403.00-

Opt: 5=Details F5=Item Search F10=Ledger/Running Balance F24=More Keys

- Complete the following fields:
  - Item Number
  - Branch/Plant
  - Location
  - Lot/SN
- To locate the specific period and document type, complete the following fields:
  - Dt From/Trans
  - Dt Thru/Trans
  - Document Type
- Press Enter.
- Review the following fields:
  - Quantity On Hand
  - Value (Extended Cost)
- To access Item Ledger information, enter 5 in the following field next to a specific document:
  - Option
- Press Enter.

The screenshot shows the 'Item Ledger Information' window with the following data:

Branch/Plant	30	Lot Status Code	Approved
Item Number	M001	Lot Grade	
Description	Markette Red Highlighter	Lot Potency	
Location		Quantity Balance	
Lot/SN		Amount Balance	
Quantity	2000 DZ		
Unit Cost	6.6000		
Extended Cost	13,200.00		
Document	2292 OP	Trans Date	07/15/17
Document Company		Creation Date	06/30/12
J/E Line Number		Time of Day	07:40:45
G/L Date	07/31/17	User ID	DEMO
Batch Number	3392	Work Station	V3476DEF01
Reference	00000001	Program ID	P4312
Document Number			
Reason Code			
Explanation	Inventory Receipt		
Supplier	4345 Value Worldwide Paper Supply		

7. On Item Ledger Information, review the following fields:

- J/E Line Number
- G/L Date
- Batch Number
- User ID
- Work Station ID
- Reference
- Program ID
- Document Number
- Reason Code
- Explanation
- Supplier

Field	Explanation
J/E Line Number	A number that designates a line within a journal entry. The system uses this field to sequence the journal entry for review purposes.
G/L Date	Determines the date used for the journal entry. If you leave this field blank, the system uses the current period date. If the Current Period Date field is blank, the system uses the financial reporting date.
Batch Number	A number that identifies a group of transactions that the system processes and balances as a unit. When you enter a batch, you can either assign a batch number or let the system assign it through Next Numbers. When you change, locate, or delete a batch, you must specify the batch number.

Field	Explanation
User ID	The IBM-defined user profile.
Work Station ID	The workstation ID number.
Reference	A general purpose reference number that provides an audit trail for specific transactions.
Program ID	The RPG program name defined in the Software Versions Repository Master table. See also JD Edwards World Standards. T     SS XXX T     Specific member ID number SS    System number (for example, 01 for Address Book) XXX   Member type (for example, P for Program, R for Report, and so on)
Reason Code	A user-defined code (system 42/type RC) that explains the purpose for a transaction. For example, you can indicate the reason that you are returning items, such as the goods were damaged in shipment or too many goods were shipped.

## Processing Options

See [Item Ledger – Costs \(P4111\)](#).

See [Item Ledger – Running Quantity Balance \(P4111\)](#).

See [Item Ledger – Locations \(P4111\)](#).

See [Item Ledger – Lot Status/Grade/Potency \(P4111\)](#).

## Reviewing Transactions on General Ledger Reports

You can review inventory transactions on four general ledger reports.

Complete the following tasks:

- Review the Item Ledger Detail Print report
- Review the Item Ledger by G/L Class Code Print report
- Review the General Ledger by Object Account report
- Review the Trial Balance by Object Account report

## Reviewing the Item Ledger Detail Print Report



From Inventory Management (G41), choose **Inventory Reports**  
From Inventory Reports (G41111), choose **Item Ledger**



Item Ledger Detail Print is a report that lists the cumulative transactions from balance forward records prior to the G/L date that you select in the processing options. It is based on the user-defined G/L dates that you set up in the processing options.

41540	JD Edwards World					Page - 3	
	Item Ledger Detail Print					Date - 07/04/17	
						Branch - 30	
From - 06/30/17 To 06/30/17							
Item No / Description Location/Lot	Cls Code	G/L Date	Explanation	Document Ty	Quantity	Transaction. Cost	Extended Amount
M001 Markette Red Highlighter	IN30	06/30/17	Balance Forward	BF	43060 EA		128776041.79
		Grade Potency					
	IN30	06/30/17	Inventory Receipt	2364 OP	200 DZ	8.1672	1,633.44
		Grade Potency					
	IN30	06/30/17	Inventory Receipt	2410 OP	50 DZ	8.1672	408.36
		Grade Potency					
	IN30	06/30/17	Office Systems Serv	774 SO	1000- EA	.6806	680.60-
		Grade Potency					
	IN30	06/30/17	Clark Office System	780 SO	100- EA	.6806	68.06-
		Grade Potency					
	IN30	06/30/17	Transfer Stock	209 IT	5000- EA	.6806	3,403.00-
		Grade Potency					
	IN30	06/30/17	Inventory Issue	1 II	15- EA	.6806	10.21-
		Grade Potency					
					Location. . . . .	-	128,773,921.72
					Components	-	128,773,921.72
					Item Number (Short). . . . .	-	128,773,921.72
					Location. . . . .	-	
					Inventory	-	
P002 Green Bar - Continuous Fo	IN30	06/30/17	Balance Forward	BF	1445 CR		43953.15
		Grade Potency					
	IN30	06/30/17	Inventory Receipt	2364 OP	10 CR	30.1049	301.05
		Grade Potency					
	IN30	06/30/17	Office Systems Serv	774 SO	700- CR	30.1049	21,073.43-
		Grade Potency					
					Location. . . . .	-	23,180.77
P002 Green Bar - Continuous Fo 1 .B .1	IN30	06/30/17	Balance Forward	BF	50 CR		1512.50
		Grade Potency					

## Reviewing the Item Ledger by G/L Class Print Report



From Inventory Management (G41), choose **As Of Processing**  
From As Of Processing (G4122), choose **Item Ledger by G/L Class Rpt**

Item Ledger by G/L Class Code Print is a report that you use to review the high level totals of transactions for specific G/L class and category codes. Each line of the report displays a G/L classification code total for the fiscal year and period that you specify in the processing options.

The As Of Generation program creates the quantity and amounts for the fiscal periods that this program uses.

Do not change the sequence order of this report:

- Branch/Plant
- G/L Class

41541	JD Edwards World				Page - . . . .	2
	Item Ledger By G/L Class Code Print				Date - . . . .	06/30/17
					Branch/Plant	30
G/L Class	Description	Fiscal Yea Per	Quantity	Balance . . . . .	Amount	
IN30	Components	17 06	10924	702,696.60		

## Processing Options

See [Item Ledger by G/L Class Code Print \(P41541\)](#).

## Reviewing the General Ledger by Object Account Report



From Inventory Management (G41), choose **As Of Processing**  
From As Of Processing (G4122), choose **G/L by Object Account**

General Ledger by Object Account is a report that prints your general ledger in object account sequence. You can select specific transaction documents or all transaction documents. The system accesses information for this report from the Financial Report Master table (F1011). The report format includes:

- Balance forward summaries
- Account mode selection
- Subledger selection
- Object account summaries

09421	JD Edwards World						Page - 3	
	Period General Ledger by Object Account						Date - 07/01/17	
							From Date - 06/01/17	
							Thru Date - 06/30/17	
G/L Account	Account Description Explanation	Do Document Ty	G/L Date	Co.	Amounts		Current Balance	LT P C
					Debit	Credit		
1.1105	Petty Cash			00001				
	Balance Forward				2,272.48			
	6/17 Balances-Co 001 JA	1553	06/30/17		185.44			AA P
	6/17 Assets							
	Period Totals				185.44			
	Account Totals				2,457.92		2,457.92	
MD.1105	Petty Cash			00001				
	Object 1105 Total				2,457.92		2,457.92	
1.1110.BEAR	Bear Creek Nation			00001				
	6/17 Balances-Co 001 JA	1553	06/30/17		16,758.26			AA P
	6/17 Assets							
	6/17 Balances-Co 001 JA	1553	06/30/17			2,575.50-		AA P
	6/17 Assets							
	6/17 Balances-Co 001 JA	1553	06/30/17			70.70-		AA P
	6/17 Assets							
	6/17 Balances-Co 001 JA	1553	06/30/17			555.50-		AA P
	6/17 Assets							
	6/17 Balances-Co 001 JA	1553	06/30/17			252.50-		AA P
	6/17 Assets							
	6/17 Balances-Co 001 JA	1553	06/30/17			353.50-		AA P
	6/17 Assets							
	6/17 Balances-Co 001 JA	1553	06/30/17			151.50-		AA P
	6/17 Assets							
	Bank Deposit RK	2049	06/15/17		500.00			AA P
	Edwards & Edwards PN	1950	06/10/17			300.00-		AA P
	Office Warehouse, In PN	1018	06/07/17			100.00-		AA P
	Centrum Incorporated RK	123	06/01/17		2,540.00			AA P
	Bank Deposit RK	1913	06/01/17		1,015.72			AA P
	Bank Deposit RK	1914	06/01/17		6,970.00			AA P
	Fashion Malls, Ltd PV	671	06/01/17					AA
	Period Totals				27,783.98	4,359.20-		
	Account Totals				27,783.98	4,359.20-	23,424.78	
MD.1110.BEAR	Bear Creek Nation			00001				
1.1110.FIB	First Interstate			00001				
	6/17 Balances-Co 001 JA	1553	06/30/17		11,229.18			AA P
	6/17 Assets							
	Period Totals				11,229.18			
	Account Totals				11,229.18		11,229.18	
1.1110.FRANCE	First Bank of Par			00001				
1.1110.LONDON	First Bank of Lon			00001				

## Processing Options

See [G/L by Object Account \(P09421\)](#).

## Reviewing the Trial Balance by Object Account Report



From Inventory Management (G41), choose **As Of Processing**  
From As Of Processing (G4122), choose **T/B by Object Account**

Trial Balance by Object Account is a report that prints trial balances with total postings and account balances by object account sequence. The system selects information for this report from the Financial Reporting table (F1011). The report format includes:

- Trial balance by object account
- Account mode selection
- Subledger selection
- Object account summaries

094121		JD Edwards World				Page	-	4
		Trial Balance By Object Account				Date	-	07/01/17
						As Of	-	06/30/17
Co.	Account Codes	L D	Description	Prior Year-End Balance	Postings. This Period	Year-To-Date	Current Balance	
00001	MD.1200	5	Accounts Receivable	-----	-----	-----	-----	
			Object Account . . . . .	-----	-----	-----	-----	
00001	1.1210	6	Trade Accounts Receiv	2,441,853.76	258,230.94	697,085.59	3,138,939.35	
00001	MD.1210	6	Trade Accounts Receiv	-----	-----	-----	-----	
			Object Account . . . . .	2,441,853.76	258,230.94	697,085.59	3,138,939.35	
00001	MD.1211	6	Tenant Receivables	-----	-----	-----	-----	
			Object Account . . . . .	-----	-----	-----	-----	
00001	MD.1212	6	Deferred Tenant A/R	-----	-----	-----	-----	
			Object Account . . . . .	-----	-----	-----	-----	
00001	1.1215	6	Allow for Doubtful Ac	183,870.50	14,040.99	41,572.34	225,442.84	
00001	MD.1215	6	Allow for Doubtful Ac	-----	-----	-----	-----	
			Object Account . . . . .	183,870.50	14,040.99	41,572.34	225,442.84	
00001	MD.1218	6	Finance Charges Recei	-----	-----	-----	-----	
			Object Account . . . . .	-----	-----	-----	-----	
00001	MD.1220	6	Notes Receivable	-----	-----	-----	-----	
			Object Account . . . . .	-----	-----	-----	-----	
00001	1.1222	6	Drafts Receivable	88,167.50	8,600.61	25,464.56	113,632.06	
00001	MD.1222	6	Drafts Receivable	-----	-----	-----	-----	
			Object Account . . . . .	88,167.50	8,600.61	25,464.56	113,632.06	
00001	1.1224	6	Remittances Receivabl	90,686.00	6,622.65	19,608.24	110,294.24	
00001	MD.1224	6	Remittances Receivabl	-----	-----	-----	-----	
			Object Account . . . . .	90,686.00	6,622.65	19,608.24	110,294.24	
00001	MD.1225	6	Retainages Receivable	-----	-----	-----	-----	
			Object Account . . . . .	-----	-----	-----	-----	
00001	1.1230	6	Employee Receivables	100,840.50	8,477.80	25,100.93	125,941.43	
00001	MD.1230	6	Employee Receivables	-----	-----	-----	-----	
			Object Account . . . . .	100,840.50	8,477.80	25,100.93	125,941.43	
00001	1.1240	6	VAT Recoverable	-----	-----	-----	-----	
00001	MD.1240	6	VAT Recoverable	-----	-----	-----	-----	
			Object Account . . . . .	-----	-----	-----	-----	
00001	1.1290	6	Other Accounts Receiv	1,007,420.00	72,267.84	213,969.49	1,221,389.49	

## Processing Options

See [T/B by Object \(P094121\)](#).

---

---

# Summarize Inventory

## Why Summarize Inventory Files?

All companies must periodically purge records from the Item Ledger (Cardex). The Inventory Summarization program summarizes pertinent information from the Cardex (F4111) and stores it in the Inventory Summary file (F41118) by century, fiscal year, and period number. This serves as a supporting file for the Item As-Of file (F41112) when transaction records are purged from the Cardex.

Having summarized inventory files for backup provides an audit trail for Inventory Management similar to the one in the General Ledger system.

This section includes the following:

- [Summarizing Inventory](#)
- [Running Summary/As-Of Generation](#)
- [Running the Summary Inquiry](#)
- [Running Summary Inquiry Reports](#)

## Summarizing Inventory



From Inventory Management (G41), choose <b>As Of Processing</b> From As Of Processing (G4122), choose <b>Inventory Summarization</b> From Inventory Summarization (G41221), choose <b>Inventory Summarization</b>
---

The Inventory Summarization program creates and updates the Inventory Summary file (F4111). It consolidates inventory transaction based on century, fiscal year, document type, item, branch, location, lot/serial number, and G/L category code, summing the quantities and amount to period balances. It also flags the record in the Item Ledger as being summarized. You can also set a processing option to set the “to be purged” flag in the Item Ledger.

---

**Caution:** Always run Inventory Summarization before you purge the Item Ledger. This will prevent the loss of transaction records.

---

## Running Summary/As-Of Generation



From Inventory Management (G41), choose **As Of Processing**  
 From As Of Processing (G4122), choose **Inventory Summarization**  
 From Inventory Summarization (G41221), choose **Summary/ASOF Generation**

Run the Summary/As Of Generation program to regenerate the As-Of file (F41112) after Item Ledger files have been purged.

If you are using Inventory Summarization, be sure to run the Inventory Summary program using the same criteria before you run Summary/As Of Generation.

## Processing Options

See [As-Of Maintenance \(P41112\)](#).

## Running the Summary Inquiry



From Inventory Management (G41), choose **As Of Processing**  
 From As Of Processing (G4122), choose **Inventory Summarization**  
 From Inventory Summarization (G41221), choose **Inventory Summary Inquiry**

The Summary Inquiry program (P41118) allows you to review the Inventory Summary file. You can also use the program to drill down to view the corresponding Item Ledger and As Of records.

## To inquire on the Inventory Summary file

### On Summary Inquiry

41118 Inventory Summary Inquiry

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
 Display Error Message  
 Display Functions  
 Exit Program  
 As Of Inquiry  
 Clear Screen

41118 Inventory Summary Inquiry

Century 20  
 Fiscal 17  
 Document Type A

Item Number  
 Branch R30  
 Location  
 G/L Class  
 Lot/SN

Doc	Ty	Pd	Branch	Location	G/L	Clas	Quantity	Amount

Options: 1-Item Ledger Inq 2-Audit Info F8-AsOf Inquiry F24-More

1. Complete the following:
  - Item Number
  - Branch
  - Fiscal Year
  - Location (Optional)
  - Lot/SN (Optional)
2. Review the following:
  - Branch
  - Location
  - G/L Class
  - Quantity
  - Amount
3. Do any of the following (optional):
  - Enter 1 in the Option field to exit to Item Ledger Inquiry.
  - Press F8 to exit to As Of Inquiry.

## Processing Options

See [Inventory Summary Inquiry \(P41118\)](#).

## Running Summary Inquiry Reports



From Inventory Management (G41), choose **As Of Processing**  
 From As Of Processing (G4122), choose **Inventory Summarization**  
 From Inventory Summarization (G41221), choose a summarization report

## The Item Ledger/Inventory Summary Integrity Report

Run the Item Ledger/Inventory Summary Integrity report to compare the records contained in the Item Ledger file and Inventory Summary file.

41421	JD Edwards World									
Century 20	Fiscal Year 17	AsOf File/Inventory Summary Integrity								Page 1
Item Number	Branch									Date - 9/12/17
PD Location	Lot Serial	G/L Cat	Quantity UM	Amount	Quantity UM	Amount	Quantity UM	Amount	Quantity UM	Amount
04 1001	AWC	IN20	10 EA	0.00	9 EA	0.00	1-	0.00		
05 1001	AWC	IN20	500 EA	500.00						
05 1001	AWC	IN20	230- EA	230.00-	269 EA	269.00	1	1.00		
05 ANNS	AWC	IN20	500 EA	500.00						
05 ANNS	A.1	IN20	9422 EA	9422.00	9924 EA	9924.00	2	2.00		
05 ANNS	A.1									
AWC			2	3.00						
Total			2	3.00						



## **The As Of Inventory Summary Integrity Report**

Run the As Of Inventory Summary Integrity report to compare the records contained in the Inventory Summary file and the As Of file.

41421	JD Edwards World									
Century 20	Fiscal Year 17	AsOf File/Inventory Summary Integrity								Page 1
Item Number	Branch									Date - 9/12/17
PD Location	Lot Serial	G/L Cat	AsOf File--	Quantity UM	Amount	Item Summary File--	Quantity UM	Amount	Variance	
									Quantity	Amount
04 1001	AWC	IN20		10 EA	0.00		9 EA	0.00	1-	0.00
A.2										
05 1001	AWC	IN20		500 EA	500.00					
A.2										
05 1001	AWC	IN20		230- EA	230.00-		269 EA	269.00	1	1.00
A.2										
05 ANNS	AWC	IN20		500 EA	500.00					
A.1										
05 ANNS	AWC	IN20		9422 EA	9422.00		9924 EA	9924.00	2	2.00
A.1										
AWC										
	2				3.00					
Total	2				3.00					

---

## 5 Reports



---

---

# Overview to Reports

## Objectives

- To understand which reports provide information about the status of your inventory
- To understand which reports provide analytical information
- To understand which reports identify discrepancies among inventory and accounting tables
- To understand which reports track changes to item information in the Inventory Management system

## About Reports

You can generate inventory reports to review and analyze information about your inventory.

Use inventory status reports to review the status of your inventory by location, time period, and so forth.

Use inventory analysis reports to review the profitability, turnover, demand, and so forth, for your inventory.

Use inventory integrity reports to review discrepancies between item information and accounting information.

Use inventory audit reports to review the results of the audit process and monitor changes to item information in the Inventory Management system.

Complete the following tasks:

- Review inventory status reports
- Review inventory analysis reports
- Review inventory integrity reports
- Review inventory audit reports



---

# Review Inventory Status Reports

## Reviewing Inventory Status Reports

Inventory status reports provide you with the following information:

- Status by location
- Item master records
- Product/item performance by location
- Transactions during a specific time period
- Pricing of your inventory

This section contains the following:

- [Reviewing the Stock Status Report](#)
- [Reviewing the Item Master Directory Report](#)
- [Reviewing the Buyers Guide Report](#)
- [Reviewing the Inventory Journal Report](#)
- [Reviewing the Price Book Report](#)

## Reviewing the Stock Status Report



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Inventory Reports**  
From Inventory Reports (G41111), choose **Stock Status**

Stock Status is a DREAM Writer report that lists the location and status of your inventory items in a specific branch, plant, or warehouse, including:

- Inventory on hold by location
- Commitments by location
- Cost information by location


41530	JD Edwards World Stock Status Specific Warehouse(s)						Page - 4 Date - 4/04/17 Branch - 30	
FDB .								
Food & Beverages		Blank - Sales Rpt Code 2 41/S2						
Item Number Description	Location/Lot	UM	On Hand	Held	Committed/ Selected/ Work Order	Available	On P.O./	Unit Cost
MIN001 Mineral Water	. . Grade	BT	24020 Potency		500	23520		0.7500
S001 Front Loading Stapler	. . Grade	EA	775 Potency		50	725	25	6.7500
S002 Stanley Staple Remover	. . Grade	EA	3500 Potency		1850	1650	130	0.2000
S003 1/2 inch Tackmaster Staple for Front Loading Staplers	. . Grade	BX	2000 Potency			2000		0.0000
V001 Natureway High Energy Vita 100 Capsules	. . Grade	EA	18050 Potency		5000	13050	2544	16.1500
V001 Natureway High Energy Vita 100 Capsules	1 .A .1 00000004	Grade	EA Potency	1-		1-		16.1500
V001 Natureway High Energy Vita 100 Capsules	1 .A .1 00000006	Grade	EA Potency					16.0000
V001 Natureway High Energy Vita 100 Capsules	1 .A .2 00000005	Grade	EA Potency	10		10		16.0000
V002 Natureway High Energy Vita 250 Capsules	. . Grade	EA	5245 Potency		1000	4245		35.1200
P001 Premium Xerographic Paper	. . Grade	RM	16188 Potency		5500	10688		2.6829
TS001 Issel Pump Court Shoes	. . Grade	PR	1469 Potency		275 50	1144	150	82.0000
TS002 Air-Shaq Children's X-Trai	. . Grade	PR	1467 Potency		275 50	1142	180	66.0000
TS002 Air-Shaq Children's X-Trai	1 .C .1 Grade	PR	350 Potency			350		43.9573
1001 Pen & Pencil Set	. . Grade	EA	3870 Potency		251	3619	96	5.2500
1001 Pen & Pencil Set	1 .B .1 Grade	EA	16 Potency			16		5.2500
1001 Pen & Pencil Set	1 .B .2 Grade	EA	16 Potency			16		5.2500
P002 Green Bar - Continuous For	. . Grade	CR	305 Potency		100	205	200	30.1049

## Processing Options

See [Stock Status - All Warehouses & Items \(P41530\)](#).

See [Stock Status - Specific Warehouse\(s\) \(P41530\)](#).

## Reviewing the Item Master Directory Report

	From Inventory Management (G41), choose <b>Inventory Master/Transactions</b>
	From Inventory Master/Transactions (G4111), choose <b>Inventory Reports</b>
	From Inventory Reports (G41111), choose <b>Item Master Directory</b>

Item Master Directory is a DREAM Writer report that lists the item master records.



41560	JD Edwards World	Page	-	4
	Item Master Directory by	Date	-	4/04/17
	Sales Catalog Section			
Blank -Sales Rpt Code 1 41/S1 Blank - Sales Rpt Code 2 41/S2				
2nd Item	Description	Stk Bck	Typ	Ord UM
12731	Vitamin B1	P	Y	GM
12749	Vitamin B2	P	Y	GM
12757	Vitamin B6	P	Y	GM
12765	Vitamin B12	P	Y	GM
12773	Vitamin C	P	Y	GM
12781	Minerals, complex	M	Y	GM
12790	Magnesium	P	Y	GM
12802	Iron	P	Y	GM
12811	Selenium	M	Y	GM
12829	Parselenium	P	Y	MG
12837	Zinc	P	Y	GM
12845	Buffer, inert	P	Y	GM
PRIMARY VALVE	Gate Valve, Primary	K	Y	EA
VS001	Primary Valve Stem	P	Y	EA
GB001	Gland Bushing, Primary Valve	P	Y	EA
GBP001	Gland Bushing Packing	P	Y	EA
SB002	Stuffing Box Bushing	P	Y	EA
PVG003	Primary Valve Gasket	P	Y	EA
BSB004	Back Seat Bushing	P	Y	EA
SR005	Seat Ring	P	Y	EA
GATE PUMP PM	Gate Pump Preventive Maint.	K	Y	EA
GFP001	Gate Fuel Pump	K	Y	EA
GFP006	Gate Fuel Pump Motor	P	Y	EA
GFPF009	Gate Fuel Pump Filter	P	Y	EA
GFP001	Gate Fuel Pump Connector	P	Y	EA
GC0001	Grease Cartridge	P	Y	EA

## Processing Options

See [Item Master Directory - Sales Report Code 1 \(P41560\)](#).

## Reviewing the Buyers Guide Report



From Inventory Management (G41), choose **Inventory Master/Transactions**  
 From Inventory Master/Transactions (G4111), choose **Inventory Reports**  
 From Inventory Reports (G41111), choose **Buyer's Guide**

The Buyers Guide is a DREAM Writer report that lists product and item performance information.

Field	Explanation
Last Cost	This is the Last-in Cost (Cost method 01) for the Item from the F4105. It is <i>not</i> the Last-in Cost from the Supplier Item relationships file (F43090). This cost field is updated at purchase order receipt.
Average Cost	This is the Average Cost (Cost method 02) for the Item from the F4105. The average cost for an item needs to be maintained for the EOQ Calculation.
Receipt	This is the date of the last receipt of the item, and is for information purposes only. The date is retrieved from the F41021 primary location.
Order	This is the date of the last usage of this item. The system retrieves this value from F4115, where the date of the last usage transaction to be written to this file is held (DLI).

Field	Explanation
Margin	<p>This is the accumulated Sales margin for the item for the fiscal year in which the report is run.</p> <p>Example Calculation:</p> <p>Annual Revenue for Item (F4115);(Data Item CYC)</p> <p>Annual Cost for Item; Data Item CYC)</p> <p>Margin = <math>((34,800 - 20,000) / 34,800) * 100 = 43\%</math></p>
A-B-C	<p>These are the three ABC codes from the Item Branch file.</p>
Ann Sale	<p>This is the last 12 complete months of sales (Usage) from the F4115 file. The period is determined from the branch/plant period. For example, if the date today is April 12th, the system will use sales (Usage) figures ending in March. March becomes period 12 of the accumulated 12 months.</p> <p>If 12 months prior history is not available in F4115, the system will only total the data that is present, so that this number will only be accurate after 12 months of running the system.</p>
Avail	<p>This is the quantity available according to the branch/plant availability definition. If you exclude held stock, all hold codes will be considered unavailable in this report.</p>
On PO	<p>To calculate the quantities shown in the "on PO" column, the program adds the quantity on purchase order and work order to the quantity available.</p>
LT Days	<p>To produce data in the "LT Days" column the program uses the average lead time for this item. It is calculated in the Receipts programs by subtracting the PO order date from the Receipt date. The average lead time is retrieved from the Supplier/Item file (F43090) and is recalculated using units (F43121) times the current lead time days. The resulting total days is divided by the total units received to find the average lead time.</p>
L Times	<p>Lead times of cover calculation. The 'Lead-times' field reflects the number of lead times' worth of inventory that is held. The system calculates the average quantity consumed during the lead time, and then divides the on hand inventory by this number. If this number is less than 1, the buyer will know to consider reordering this item.</p>
ROP	<p>This is the suggested reorder point for the item. The system will use the value entered in the "Reorder Point" field (IBROPI) for the item branch record in the item branch file (F4102). This value will override the history calculation for the reorder point, even if 12 months or more of annual sales history exists.</p>


Field	Explanation
EOQ	<p>The Economic Order Quantity. If a reorder quantity has been specified on the Item Branch Plant, then this is used. However, if there is no reorder quantity, an EOQ will be calculated as follows:</p> <p>The annual sales quantity is divided by the average cost from the Item Cost ledger record. The Purchase Order Issue Cost (From the Inventory Constants (F41001)) is multiplied by two. If the inventory carrying cost (Also from the inventory constants) is greater than zero, then this multiplication is divided by the ICC.</p> <p>The result of this division is then multiplied by the result of the Sales divided by Average Cost above. If the result of this multiplication is greater than zero, the square root of the result is taken. The result of this square root is then the EOQ.</p>
SOQ	<p>The Suggested Order Quantity. If 'On Receipt' value is included in the availability definition then the SOQ calculation is:</p> $SOQ = ROP - Avail$ <p>If 'On Receipt' is not included in the availability definition, it will be added to availability in the calculation of the SOQ as shown below</p> $SOQ = ROP - (Avail + On Receipt)$ <p>If a reorder maximum has been specified, then this quantity is used.</p>
Safe	<p>This is the safety stock as specified on the Item Branch Plant record. This is the quantity of stock kept on hand to cover high-side variations in demand.</p>

4152	JD Edwards World Buyers Guide						Page	-	2	
							Date	-	4/04/17	
Item Number/ Supplier	Description / Branch	UM	Last Cost Average Cost	Receipt Order	Margin A-B-C	Ann Sale Avg Mth	Avail On	Lt Days L Times	ROP EOQ	SOQ Safety
1001	Pen & Pencil Set	30	EA 5.2500	06/08/17	0%		3,651	6.52		
4345 Value Worldwide			5.2568	07/25/17	C-C-C		96			
	Memphis Distribution Center						3,651			
							96			
	Item Number (Short).						3,651			
							96			
STEREO	JD Edwards World STEREO SYSTEM	30	EA 675.0000	07/25/17	0%		60			0.00
	High quality performance system for the music enthusiast.		0.0000	07/25/17	C-C-C					
	Memphis Distribution Center						60			
	Item Number (Short).						60			
RECEIVER	350 Channel Mega Watt	30	EA 200.0000	06/30/17	0%		950	0.00		
	Component for the JD Edwards World Stereo System package.		200.0000	07/25/17	C-C-B		60			
	Memphis Distribution Center						950			
							60			
	Item Number (Short).						950			
							60			

## Processing Options

See [Buyers Guide \(P4152\)](#).

## Reviewing the Inventory Journal Report

	From Inventory Management (G41), choose <b>Inventory Master/Transactions</b>
	From Inventory Master/Transactions (G4111), choose <b>Inventory Reports</b>
	From Inventory Reports (G41111), choose <b>Inventory Journal</b>

The Inventory Journal is a DREAM Writer report that you use to review the transactions against your inventory. The information is grouped by the source of the transactions over a specific period of time. This report lists all the basic information about the items in a specific branch, plant, or warehouse. You can also use this report to verify the amount of your inventory against the general ledger.

The Inventory Journal retrieves records from the Item Ledger table (F4111).

41550	JD Edwards World					Page -	58		
	Inventory Journal - All Branches					Date -	4/04/17		
						Branch -	30		
From - 01/01/17 To - 12/31/18									
Source Code - IA - Inventory Adjustments									
Item Number	Description	Document	Date	Reference	Quantity	Cost	Exten	Quantity In	Pr
								Prim UM	UM
1001									
Pen & Pencil Set		13	04/30/17	Inventory Adjustment	75 EA	525.00	393.75	75	EA
					Item Number Total. . . . .		393.75		
P001									
Premium Xerographic Paper		13	04/30/17	Inventory Adjustment	50 RM	268.29	134.15	50	RM
					Item Number Total. . . . .		134.15		
M001									
Markette Red Highlighter		13	04/30/17	Inventory Adjustment	100 EA	68.06	68.06	100	EA
					Item Number Total. . . . .		68.06		
P002									
Green Bar - Continuous For		13	04/30/17	Inventory Adjustment	30 CR	3,010.49	903.15	30	CR
					Item Number Total. . . . .		903.15		
M002									
Markette Blue Highlighter		13	04/30/17	Inventory Adjustment	100 EA	68.06	68.06	100	EA
					Item Number Total. . . . .		68.06		
E001									
Commercial Business Envelo		13	04/30/17	Inventory Adjustment	50 BX	663.78	331.89	50	BX
					Item Number Total. . . . .		331.89		
M003									
Markette Green Highlighter		13	04/30/17	Inventory Adjustment	100 EA	68.06	68.06	100	EA
					Item Number Total. . . . .		68.06		
TS001									
Issel Pump Court Shoes		13	04/30/17	Inventory Adjustment	60 EA	5,122.57	3,073.54	30	PR
					Item Number Total. . . . .		3,073.54		
TS002									
Air-Shaq Children's X-Trai		13	04/30/17	Inventory Adjustment	65 EA	4,395.73	2,857.22	33	PR
					Item Number Total. . . . .		2,857.22		
MIN001									
Mineral Water		13	04/30/17	Inventory Adjustment	20 BT	75.00	15.00	20	BT
					Item Number Total. . . . .		15.00		
					Document Type Total. . . . .		7,912.88		

## Processing Options

See [Inventory Journal - All Branches \(P41550\)](#).

## Reviewing the Price Book Report



From Inventory Management (G41), choose **Inventory Master/Transactions**  
 From Inventory Master/Transactions (G4111), choose **Inventory Reports**  
 From Inventory Reports (G41111), choose **Price Book**

The Price Book is a DREAM Writer report that lists the current prices for your inventory.

The system retrieves this information from the following tables:

- Item Branch Location (F4106)
- Price by Item (F4207)
- Price by Customer (F4208)

# Review Inventory Status Reports

41510	JD Edwards World		Page	-	31							
	Price Book		Date	-	4/4/17							
			Branch	-	30							
			Inv Rule-	SPO								
			Cust Rule-									
SPO.Supplies, Office												
.Blank - Sales Rpt Code 2 41/S2												
Item Number	Description	Lvl	Effect	Expire	Qty	Ovr	Ride	Pr	Fc	Dsc	Price	Um
M001	Markette Red Highlighter		**	List Price	**						13.9900	DZ
		1	01/01/13	12/31/18	12					NO DISC	13.9900	
		2	01/01/13	12/31/18	24					5% OFF	13.2905	
		3	01/01/13	12/31/17	36					8% OFF	12.8708	
		4	01/01/13	12/31/18	48					10% OFF	12.5910	
M002	Markette Blue Highlighter		**	List Price	**						13.9900	DZ
		1	01/01/13	12/31/18	12					NO DISC	13.9900	
		2	01/01/13	12/31/18	24					5% OFF	13.2905	
		3	01/01/13	12/31/17	36					8% OFF	12.8708	
		4	01/01/13	12/31/18	48					10% OFF	12.5910	
M003	Markette Green Highlighter		**	List Price	**						13.9900	DZ
		1	01/01/13	12/31/18	12					NO DISC	13.9900	
		2	01/01/13	12/31/18	24					5% OFF	13.2905	
		3	01/01/13	12/31/17	36					8% OFF	12.8708	
		4	01/01/13	12/31/18	48					10% OFF	12.5910	

---

---

# Review Inventory Analysis Reports

## Reviewing Inventory Analysis Reports

Inventory analysis reports provide the following information about items in your inventory:

- Which items are in the greatest demand
- Differences in transaction costs versus current costs
- Profitability
- Value
- Turnover
- Supply and demand
- Tag information for each item

Complete the following tasks:

- [Reviewing the ABC Analysis Report](#)
- [Reviewing the Cost Analysis Report](#)
- [Reviewing the Margin Analysis Report](#)
- [Reviewing the Valuation Analysis Report](#)
- [Reviewing the Inventory Turn Report](#)
- [Reviewing the Supply and Demand Report](#)
- [Printing Stock Tags](#)

## Reviewing the ABC Analysis Report



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Inventory Reports**  
From Inventory Reports (G41111), choose **ABC Analysis**

The ABC Analysis report is based on the principle that a small number of items will account for the largest part of a company's business. A slightly larger number of items will account for a smaller, but significant amount of business. The remaining large number of items, taken together, will account for only a small amount of business.

You can generate an ABC Analysis report based on an item's total sales, gross margin, or on-hand value. The ABC analysis report ranks inventory items with a

letter grade of A, B, or C (where A represents the items with highest total sales, largest gross margin, or largest on-hand value). You can also use different ranking percentages in each category. For example, the system could rank Item A based on percentage of sales and Item C based on gross margin. The information that the ABC Analysis report provides helps you to determine which items control your inventory costs and profits.

You can use the ABC Analysis as the basis for inventory cycle counts (in which A items are counted more often than C items).

You can run this report in proof or final mode, based on how you set up the processing options. The first time you run the ABC Analysis report, you should run it in proof mode. Proof mode allows you to review the information without updating the item master and branch/plant records with the new ABC ratings.

Determine the natural breaks in your inventory item listing to determine where to set the percentage breaks in the branch/plant constants.

## Before You Begin

- Set up the ABC code percentage breaks on Branch/Plant Constants.
- If you plan to run the sales version or the gross margin version of the ABC Analysis report, verify that you have set the processing options for the Sales Update program so that the system updates the Item History table (F4115).
- If you decide to include forecasted records in the ABC calculations, you must first run DRP (Distribution Requirements Planning).
- Determine which inventory items to exclude from the ABC analysis rankings. To exclude an item when you run this report, you must set the code on Branch/Plant Information to bypass the item. See *Entering Basic Item Information (P4101)* for information on the ABC codes.

4164	JD Edwards World			Page	-	2
	ABC Analysis - Sales			Date	-	04.04.17
	By Sales			Brn/Plt	-	10
Item Number	Description	Sales	Item % of Total	Cumulative % of Total	ABC Code	
MPDRPST02	Napa Valley Soft Side CD Case			100,0000		
MPDRPST01	Napa Valley Soft Side CD Case			100,0000		
MPDRP	Napa Valley Soft Side CD Case			100,0000		
MIN001	Mineral Water			100,0000		
LOCK CRT	CRT Lock Option			100,0000		
KEYBOARD 3180	CRT 3180 Style Keyboard			100,0000		
KEYBOARD FEATURE	CRT Keyboard Feature			100,0000		
KEYBOARD AT	CRT AT Style Keyboard			100,0000		
GOLD 24K	24 Carat Gold			100,0000		
E001	Commercial Business Envelope			100,0000		
D1091	Desk Set			100,0000		
DRP4	Napa Valley Soft Side CD Case			100,0000		
DRP3	Napa Valley VCR Box			100,0000		
DRP2	Napa Valley CD Box			100,0000		
DRP1	Napa Valley Cassette Box			100,0000		
CRT CRATE	CRT Packing Crate			100,0000		
CRT CHASSIS	CRT Chassis, Final Assembly			100,0000		
CRT	CRT-AS/400 Compatible Kit			100,0000		
CD-5 DISK TRAY	Compact Disk - 5 Disk Tray			100,0000		
CD-SINGLE LOAD	Compact Disk - single load			100,0000		
CD FEATURE	CD Options for Stereo system			100,0000		
CABLE CONNECTORS	CRT Cable Connector			100,0000		
BIKE15G	15 Speed Bike-Green			100,0000		
BIKE15B	15 Speed Bike-Blue			100,0000		
BIKE15	15 Speed Bike			100,0000		
BIKE10G	10 Speed Bike-Green			100,0000		
BIKE10B	10 Speed Bike-Blue			100,0000		
BIKE10	10 Speed Bike			100,0000		
BIKE	Bike Parent			100,0000		
10 Total		257806,50	100,0000			



## Processing Options

See [ABC Analysis - Sales \(P4164\)](#).

## Reviewing the Cost Analysis Report



From Inventory Management (G41), choose **Inventory Master/Transactions**  
 From Inventory Master/Transactions (G4111), choose **Inventory Reports**  
 From Inventory Reports (G41111), choose **Cost Analysis**

Cost Analysis is a DREAM Writer report that lists items with a transaction cost that is different from the current average cost that you specified in the processing options.

JD Edwards World recommends that you print this report at least once a month so that you are aware of transactions that vary significantly in costs from the average cost per item.

The Cost Analysis report retrieves records from the Item Ledger (F4111) and Item Cost Information (F4105) tables.

41580		JD Edwards World	Page	-	4		
		Unit Cost Warnings	Date	-	4/04/17		
Memphis Distribution Center		Variance from Average Cost R5%	Brn/Plt.	.	30		
Item . . . . .		Document . . . . .		Unit Cost . . . . .		Variance . . . . .	
Item Number	Description	Number	Date	This Trans	Wtd Avg	Amount	Percent
-----							
P001	Premium Xerographic Paper	2284	06/30/17	27.5000	2.6829	24.8171	925.0102
		2364	07/15/17	26.8290	2.6829	24.1461	900.0000
		2321	04/30/17	26.8293	2.6829	24.1464	900.0111
		2313	05/31/17	27.5000	2.6829	24.8171	925.0102
		2292	07/15/17	27.5000	2.6829	24.8171	925.0102
		2292	07/15/17	27.5000	2.6829	24.8171	925.0102
M001	Markette Red Highlighter	2364	07/15/17	8.1672	6,806.0000	6,797.8328-	99.8800-
		2410	07/15/17	8.1672	6,806.0000	6,797.8328-	99.8800-
		851	10/25/17	0.6806	6,806.0000	6,805.3194-	99.9900-
		853	10/25/17	0.6806	6,806.0000	6,805.3194-	99.9900-
		2321	04/30/17	8.1675	6,806.0000	6,797.8325-	99.8799-
		13	04/30/17	0.6806	6,806.0000	6,805.3194-	99.9900-
		2313	05/31/17	6.6000	6,806.0000	6,799.4000-	99.9030-
		1	06/15/17	0.6806	6,806.0000	6,805.3194-	99.9900-
		774	06/30/17	0.6806	6,806.0000	6,805.3194-	99.9900-
		780	06/30/17	0.6806	6,806.0000	6,805.3194-	99.9900-
		209	06/30/17	0.6806	6,806.0000	6,805.3194-	99.9900-
		4	07/10/17	0.6806	6,806.0000	6,805.3194-	99.9900-
		2292	07/15/17	6.6000	6,806.0000	6,799.4000-	99.9030-
M002	Markette Blue Highlighter	2364	07/15/17	8.1672	0.6806	7.4866	,100.0000
		2410	07/15/17	8.1672	0.6806	7.4866	,100.0000
		2321	04/30/17	8.1675	0.6806	7.4869	,100.0440
		2313	05/31/17	6.6000	0.6806	5.9194	869.7325
		2292	07/15/17	6.6000	0.6806	5.9194	869.7325
		2292	07/15/17	6.6000	0.6806	5.9194	869.7325
E001	Commercial Business Envelope	2364	07/15/17	66.3780	6.6378	59.7402	900.0000
		2321	04/30/17	66.3777	6.6378	59.7399	899.9954
		2313	05/31/17	64.1000	6.6378	57.4622	865.6814
		2292	07/15/17	64.1000	6.6378	57.4622	865.6814
		2292	07/15/17	64.1000	6.6378	57.4622	865.6814
M003	Markette Green Highlighter	2364	07/15/17	8.1672	0.6806	7.4866	,100.0000
		2410	07/15/17	8.1672	0.6806	7.4866	,100.0000
		2321	04/30/17	8.1675	0.6806	7.4869	,100.0440
		2313	05/31/17	6.6000	0.6806	5.9194	869.7325
		2292	07/15/17	6.6000	0.6806	5.9194	869.7325
		2292	07/15/17	6.6000	0.6806	5.9194	869.7325

## Processing Options

See [Unit Cost Warnings Plus or Minus 5% \(P41580\)](#).

## Reviewing the Margin Analysis Report



From Inventory Management (G41), choose **Inventory Master/Transactions**  
 From Inventory Master/Transactions (G4111), choose **Inventory Reports**  
 From Inventory Reports (G41111), choose **Margin Analysis**

Margin Analysis is a DREAM Writer report that you use to identify profit margin based on current information. This report allows you to periodically analyze your cost and price values. It also identifies margin exception items.

The Margin Analysis report retrieves records from the Item Cost Information (F4105) and the Item Pricing Information (F4106) tables.

The two asterisks (\*\*) next to the unit of measure indicate that the margin percentage does not meet the minimum margin that you specified in the processing options.

41700	JD Edwards World					Page	-	2
	Inventory Cost/Price Comparison					Date	-	04.04.17
	50% Margin							
	Based on Last In Cost							
Item Number/ Description	Branch	Location	Lot	Selling Price	Cost	% Mrgn	UM	
DISPLAY								
Plastic Display Unit		DC R. .					EA **	
DIS001								
End Aisle Display		DC R. .					EA **	
POSTER								
Promotional Poster		DC . .					EA **	
S001								
Front Loading Stapler		DC R. .					EA **	
S002								
Stanley Staple Remover		DC R. .					EA **	
P001								
Premium Xerographic Paper		DC R. .					RM **	
E001								
Commercial Business Envel		DC R. .					BX **	
M002								
Markette Blue Highlighter		DC R. .					EA **	
M003								
Markette Green Highlighte		DC R. .					EA **	
1001								
Pen & Pencil Set		DC R. .					EA **	
M001								
Markette Red Highlighter		DC R. .					EA **	

## Processing Options

See [Margin less than 50% based on Last In \(P41700\)](#).

## Reviewing the Valuation Analysis Report



From Inventory Management (G41), choose **Inventory Master/Transactions**  
 From Inventory Master/Transactions (G4111), choose **Inventory Reports**  
 From Inventory Reports (G41111), choose **Valuation Analysis**

Valuation Analysis is a DREAM Writer report that you use to review the extended value of on-hand inventory, based on the following cost bases:

- Weighted average unit cost
- Last-in unit cost
- Lot cost (associated with each storage area for an item)

You can compare these costs to your inventory account or the inventory accounts in your general ledger.

You can create a version of this report using the G/L class code to produce totals that correspond directly to the accounts in your general ledger.

You must use the following data sequence:

- Warehouse
- Sales reporting code 1
- Sales reporting code 2

41590

JD Edwards World

Inventory Valuation Analysis

Last In - Weighted Average - Standard

Branch - DC

Page - 2

Date - 21.05.17

Blank -Sales Rpt Code 1 41/S1

Blank - Sales Rpt Code 2 41/S2

Item Number	Location/Lot	Description	UM	Quantity	Weighted Aver	Unit Cost . . . . . Last In Lot	Extended Dollars . . . Weighted Aver Lot	Last In Lot
CD		Compact Disk-Various Artists	EA		5,0000	0,0000		
. .						0,0000		
			EA		5,0000	5,0000		
R. .						0,0000		
			EA	144	5,0000	5,0000	720,00	720,00
1.B.2						0,0000		
			EA	32	5,0000	5,0000	160,00	160,00
1.G.1						0,0000		
			EA	6	5,0000	5,0000	30,00	30,00
1.H.1						0,0000		
			EA	10	5,0000	5,0000	50,00	50,00
2.D.2						0,0000		
			EA	120	5,0000	5,0000	600,00	600,00
3.B.1						0,0000		
			EA	96	5,0000	5,0000	480,00	480,00
4.C.2						0,0000		
HP		Headphones	EA		8,0000	0,0000		
. .						0,0000		
PS		Portable CD Player	EA		50,0000	0,0000		
. .						0,0000		
POSTER		Promotional Poster	EA		1,0000	0,0000		
. .						0,0000		
CASSETTE		Cassette Tape-Popular Melodies	EA		3,0000	0,0000		
. .						0,0000		
DIS001		End Aisle Display	EA		0,0000	0,0000		
R. .						0,0000		
DISPLAY		Plastic Display Unit	EA		119,3400	0,0000		
R. .						0,0000		
							2.040,00	2.040,00

## Processing Options

See [3-Way Valuation Analysis \(P41590\)](#).

## Reviewing the Inventory Turn Report

Inventory Turn is a report that you use to analyze the following:



- Transaction Type
- Document Type

Field	Explanation
Transaction Type	This field is used to locate different document transaction types such as I for Inventory Transaction documents, O for Purchase Order documents, and S for Sales Order documents.
Document Type	<p>A user-defined code (system 00/type DT) that identifies the origin and purpose of the transaction.</p> <p>JD Edwards World reserves several prefixes for document types, such as vouchers, invoices, receipts, and timesheets.</p> <p>The reserved document type prefixes for codes are:</p> <p>P     Accounts payable documents</p> <p>R     Accounts receivable documents</p> <p>T     Payroll documents</p> <p>I     Inventory documents</p> <p>O     Order processing documents</p> <p>J     General ledger/joint interest billing documents</p> <p>The system creates offsetting entries as appropriate for these document types when you post batches.</p>

## Running the Inventory Turn Report



From Inventory Management (G41), choose **Inventory Master/Transactions**  
 From Inventory Master/Transactions (G4111), choose **Inventory Reports**  
 From Inventory Reports (G41111), choose **Inventory Turn Report**

You can print this report for a cost center, an item, and a date range combination that you specify.

The Inventory Turn report:

- Retrieves records from the Item Ledger table (F4111)
- Clears the existing workfile, rebuilds it, and accesses records to produce the report

You must use the following data sequence:

- Transaction date
- Branch/plant
- Item number-short

41116	JD Edwards World Inventory Turn Report 01/01/17 - 04/04/17			Page - 4 Date - 08.08.17 Branch - M30 From - 01.01.17 Thru - 04.04.17
Item.	Beginning	Ending	Average	Turns
Number	Inventory			Usage
Description	Inventory			Factor
5666	CHAIR, 5 LEG, W/TILT	135.000,00	631.650,00	383.325,00
333	OAK SHELF UNIT	7.901.430,78-	1.545.418,15	3.178.006,31-
212	OAK SHELF SIDES	15.322,28	15.322,28	15.322,28
121	OAK SHELF TOP/BOTTOM	2.093.636,58	2.093.636,58	2.093.636,58
111	1x10x6' OAK S4S	9.542,00	9.087,00	9.314,50
424	OAK SHELVES	28.898,24	28.898,24	28.898,24
444	OAK SHELF CABINET INSERT ASSY			
443	CABINET SIDES, DOOR, BACK	265.014,42		132.507,21
123	HARDWARE KIT	780,00	600,00	690,00
122	BULK HARDWARE	13.917,12	41.813,52	27.865,32
1261	Multivitamin Tablets	740.051,80-	35.205,20	352.423,30-
1008A	Drawer Labels	1.165,17-	1.165,17-	1.165,17-
12706	Vitamin A	3.540,55	3.268,19	3.404,37
12714	Retinyl Palmitate	539,00-	970,20-	754,60-
12722	Beta Carotene	625,50-	1.125,90-	875,70-
12731	Vitamin B1	599,80	599,79	599,79
12749	Vitamin B2	900,30	900,29	900,29
12757	Vitamin B6	1.510,80	1.510,80	1.510,80
12765	Vitamin B12	3.077,85	3.077,85	3.077,85
12773	Vitamin C	246,30	246,30	246,30
12781	Minerals, complex	110,81	110,81	110,81
12790	Magnesium	16,90-	21,13-	19,01-
12802	Iron	1.486,08-	1.857,60-	1.671,84-
12811	Selenium			
12837	Zinc	685,00-	856,25-	770,62-
12845	Buffer, inert	1.495,99	1.495,98	1.495,98

## What You Should Know About

### Columnar information

The system calculates beginning, ending, and average inventory as follows:

- Beginning inventory is the amount for all transactions prior to the first date that you specified in data selection.
- Ending inventory is the amount of the beginning inventory plus or minus the amount of the item ledger transactions for the period that you specified in the processing options.
- Usage is the amount of all the item ledger records that match the transaction family document types that you specify in the processing options for the report.

## Processing Options

See [Inventory Turn Report \(P41116\)](#).

## Reviewing the Supply and Demand Report



From Inventory Management (G41), choose **Inventory Master/Transactions**  
 From Inventory Master/Transactions (G4111), choose **Inventory Reports**  
 From Inventory Reports (G41111), choose **Supply/Demand**

Supply and Demand is a DREAM Writer report that provides information about an item's demand, supply, and available quantities. The report lists the following information:

- Quantities on hand
- Safety stock
- Sales orders
- Purchase orders
- Forecasts
- Work orders

You can print a report for supply and demand information using the following criteria:

- Branch/plant
- Item number
- Date

## Before You Begin

- Ensure that you have correctly identified all sources of supply and demand and have specified all sources in the supply and demand inclusion rules.
- Review the formulas for determining supply and demand and available to promise. See *Reviewing Supply and Demand Information (P4021)* and *Reviewing Performance Information (P4115)*.

4051	JD Edwards World Supply and Demand					Page - 10 Date - 04/04/17
Item Number. . . M001		Markette Red Highlighter			Unit of Measure. . EA	
Branch	Location	Lot	Dema	Supply	Request Available Date	Order No Ty Description / Vendor Name
30				18,919	18,919	On Hand Balance
30					17,919	Available to Promise
30			1,000		17,919 01/04/17	801 ST Sales Order
30				1,200	19,119 06/01/17	2410 OP Value Worldwide Paper Sup
30					300- 06/01/17	Available to Promise
30		1,500			17,619 06/18/17	19254 SO Sales Order
30				600	18,219 06/30/17	2007 OP Vector Manufacturing Co
30				600	18,819 06/30/17	2008 OP Vector Manufacturing Co
30					9,800- 06/30/17	Available to Promise
30			1,000		17,819 07/10/17	18972 SO Sales Order
30			10,000		7,819 08/05/17	1883 SO Sales Order

## Processing Options

See [Supply & Demand Report \(P4051\)](#).

## Printing Stock Tags



From Inventory Management (G41), choose **Inventory Master/Transactions**  
 From Inventory Master/Transactions (G4111), choose **Inventory Reports**  
 From Inventory Reports (G41111), choose **Stock Tags**

You can print generic DREAM Writer stock tags for inventory in the warehouse. The stock tags include bar codes for the item, location, and lot.

## Before You Begin

- To print bar code information, verify that you have a printer capable of printing from an Intelligent Printer Data Stream (IPDS) device file.
- Set the Intelligent Printer Y/N field on DREAM Writer Printer File Overrides to Y.
- Ensure that you have not changed any printer file override information. Any changes to information such as report length or width might affect the appearance of the report.

S T O C K T A G		12/9/17	12:15:42
Item Number. . .	P002	Branch/Plant . .	40
Description. . .	Green Bar - Continuous Form	Lot. . . . .	
Location . . .	3 .C .		
Qty On-Hand. .	150 CR		

## Processing Options

See [Stock Tags \(P41531\)](#).



---

---

# Review Inventory Integrity Reports

## Reviewing Inventory Integrity Reports

Inventory integrity reports provide information about discrepancies between item and accounting information.

Complete the following tasks:

- [Reviewing the Item Ledger/Account Integrity Report](#)
- [Reviewing the Item Balance/Ledger Integrity Report](#)

## Reviewing the Item Ledger/Account Integrity Report



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Inventory Reports**  
From Inventory Reports (G41111), choose **Item Ledger/Account Integrity**

Item Ledger/Account Integrity is a DREAM Writer report that displays discrepancies between the Item Ledger (F4111) and Account Ledger (F0911) tables.

The report displays the following types of discrepancies:

- Item ledger detail exists with no corresponding general ledger detail.
- Item ledger does not balance with the corresponding general ledger detail.

The report displays summary lines that represent specific totals:

- Document type
- Document number
- Key company

The report also displays the solution to the discrepancies. A blank report indicates that there are no discrepancies.

You must use the following data sequence:

- Document type
- Document
- Document company

## Before You Begin


- Verify that exception rules are set up.

41543		JD Edwards World						Page - . . . . 2	
		Item Ledger/Account Integrity						Date - . . . . 4/05/17	
From - 06/01/17 To - 06/30/17									
Document Type/Number	Key Co	Amount Item Ledger	Amount Account Ledger	Variance	G/L Date	Error Number	Error Message		
IA 1500	100	3,535.00	11,200.00	7,665.00-	06/30/17	3038	Item Ledger	and G/L	do not balance
II 1	100	10.21-	52.00-	41.79	06/30/17	3038	Item Ledger	and G/L	do not balance
II 3	100	5.37-	30.47-	25.10	06/30/17	3038	Item Ledger	and G/L	do not balance
IT 127	100	143.85		143.85	06/30/17	3038	Item Ledger	and G/L	do not balance
JE 1504	100	415,340.00-	2,088,705.00-	1,673,365.00	06/01/17	3038	Item Ledger	and G/L	do not balance
OP 2284		13,750.00		13,750.00	06/30/17	3036	No existing	General Ledger	records
OP 2292		722,000.00		722,000.00	06/30/17	3036	No existing	General Ledger	records
OP 2364		11,880.84		11,880.84	06/30/17	3036	No existing	General Ledger	records
OP 2401		6,950.00		6,950.00	06/01/17	3036	No existing	General Ledger	records
OP 2410		1,225.08		1,225.08	06/30/17	3036	No existing	General Ledger	records
OP 2444		168.75		168.75	06/30/17	3036	No existing	General Ledger	records
OP 2516	100	4,395.73		4,395.73	06/14/17	3036	No existing	General Ledger	records
OP 2559	100	17,442.00-		17,442.00-	06/15/17	3036	No existing	General Ledger	records
OP 2591	100	17,280.00-		17,280.00-	06/15/17	3036	No existing	General Ledger	records
OP 2604	100	840.25		840.25	06/03/17	3036	No existing	General Ledger	records
OP 2621	100				06/15/17	3036	No existing	General Ledger	records

## Processing Options

See [Item Ledger/Account Integrity \(P41543\)](#).

## Reviewing the Item Balance/Ledger Integrity Report

	From Inventory Management (G41), choose <b>Inventory Master/Transactions</b>
	From Inventory Master/Transactions (G4111), choose <b>Inventory Reports</b>
	From Inventory Reports (G41111), choose <b>Item Balance/Account Integrity</b>

Item Balance/Ledger Integrity is a DREAM Writer report that displays discrepancies for both quantity and amount between the Item Balance (F41021) and Item Ledger (F4111) tables, in combination with the Item As Of table (F41112).

The report displays summary lines that represent specific totals:

- Branch/plant
- Item number
- Location
- Lot number

A blank report indicates that there are no discrepancies, unless you have set the processing option to print all records.

41544			JD Edwards World			Page - . . . 2				
			Item Variance			Date - . . . 7.05.17				
Branch/Plant . .			10 Modesto Distribution Center							
Item	Location	Lot or	Item Balance	Quantity	Item Ledger	Variance	Item Balance	Amount	Variance	Percent
M001	.	.	4893	4893	5000-		2,691.15	3,344.15	653.00-	19.52
E001	.	.	5000	10000	125		32,050.00	32,050.00		
TS001	.	.	250	125	173		12,562.50	12,562.50		
TS002	.	.	346	173	24-		14,919.52	14,919.52		
TS002	1 .C .1	.	240	264			10,440.00	10,440.00		
V001	1 .A .1	9310140004	100	100	522		1,600.00	1,615.00	15.00-	0.92
DRP1	.	.	22	500-	1057		110.00	2,500.00-	2,610.00	104.40
DRP2	.	.	57	1000-	101		342.00	6,000.00-	6,342.00	105.70
DRP3	.	.	1	100-	27		7.00	700.00-	707.00	101.00
D1091	.	.	27		36		271.59		271.59	
372-OAK	.	.	36		43		3,254.26	3,254.26		
CRT CHASSIS	.	.	43		23		5,009.50	5,009.50		
AMBER SCREEN	.	.	23		28		1,380.00	1,380.00		
GREEN SCREEN	.	.	28		53		1,680.00	1,680.00		
CRT LOCK	.	.	53		25		1,166.00	1,166.00		
KEYBOARD 3180	.	.	25		23		1,050.00	1,050.00		
KEYBOARD AT	.	.	23		44		966.00	966.00		
CABLE CONNECTORS	.	.	44		52		792.00	792.00		
CRT CRATE	.	.	52				1,508.00	1,508.00		
MIN001	.	.	24360	12180	12180		21,315.00	18,315.00	3,000.00	16.38

## Processing Options

See [Item Variance \(P41544\)](#).

---

---

# Review Inventory Audit Reports

## Reviewing Inventory Audit Reports

Inventory audit reports contain the results of the audit process. The audit process monitors and records changes to item master and item/branch information. For example, if you enter or change an item in the Item Master table (F4101), the system stores both the old and new information in the Item Master Audit table (F41019). If you change an item's location in the Item/Branch table (F4102), the system stores both the old and new information in the Item Branch Audit table (F41029).

It is important to understand the meaning of "change" in the audit process. For example, a change could represent any of the following actions:

- Addition of a record or field
- Change to a record or field
- Deletion of a record or field

The audit reports display these changes. In addition, the reports provide information such as who made the change, when the change took place, and from where.

You cannot change the data sequencing for the audit reports. The system sequences records by item number. However, based on your data selection, you can display records by:

- Cost center
- Item
- Date
- Time

Complete the following tasks:

- [Reviewing the Item Master Audit Report](#)
- [Reviewing the Item Branch Audit Report](#)

## What You Should Know About

### **Purging records**

You must purge records to control the size of the reports.

See *Purging Data* for information on purging the audit tables.

**Entering new information**

After you enter new information to the item master or item branch, the system records the information and prints it on the report. However, the report does not list information in the “from” column because the information did not previously exist.

## Reviewing the Item Master Audit Report



From Inventory Management (G41), choose **Inventory Master/Transactions**  
 From Inventory Master/Transactions (G4111), choose **Inventory Reports**  
 From Inventory Reports (G41111), choose **Item Master Audit Report**

Item Master Audit is a DREAM Writer report that lists the changes that personnel have made to item master information.

410199	A Model Financial Co (Trng)						Page - . . . 2
	Item Master Audit Report						Date - . . . 4/29/17
Item Item Number	Job No.	A	Date	Time	User	Program	Stn ID Work
333	701552	C	04/29/17	13:43:20	SL288278	P4101	V3197JI53
Description		From		To			
Item Number (Short) . . . . .				00000000		00007165	
2nd Item Number . . . . .						333	
3rd Item Number . . . . .						SHELF UNIT	
Description . . . . .						OAK SHELF UNIT	
Search Text . . . . .						SHELF	
Search Text - Compressed . . . . .						SHELF	
Sales Catalog Section . . . . .						OFS	
Sub Section . . . . .						FRN	
Commodity Class . . . . .						OFS	
Master Planning Family . . . . .						999	
Buyer Number . . . . .				00000000		00008200	
Drawing Number . . . . .						12287	
Unit of Measure . . . . .						EA	
Secondary UOM . . . . .						EA	
Purchasing UOM . . . . .						EA	
Pricing UOM . . . . .						EA	
Shipping UOM . . . . .						EA	
Production UOM . . . . .						EA	
Component UOM . . . . .						EA	
Unit of Measure - Weight . . . . .						LB	
Cycle Count Category . . . . .						VOL	
G/L Category . . . . .						IN20	
Sales Price Level . . . . .						3	
Purchase Price Level . . . . .						3	
Inventory Cost Level . . . . .						3	
Grade/Potency Pricing . . . . .						N	
Check Availability Y/N . . . . .						Y	
Bulk/Packed Flag . . . . .						P	
Potency Control . . . . .						N	
Grade Control . . . . .						N	
Stocking Type . . . . .						M	
Line Type . . . . .						S	
Backorders Allowed (Y/N) . . . . .						Y	
Item Flash Message . . . . .						EC	
Print Message . . . . .						ENG455	
ABC Code 1 - Sales . . . . .						A	
ABC Code 2 - Margin . . . . .						A	
ABC Code 3 - Investment . . . . .						A	
Serial No. Required . . . . .						N	
Planner Number . . . . .				00000000		00009200	
Planning Code . . . . .						1	
Round to Whole Number . . . . .						R	
Leadtime Level . . . . .				00000		00003	
Order Policy Code . . . . .						1	
Accounting Cost Quantity . . . . .				0000000000000000		000000000000100	
Planning Fence Rule . . . . .						G	
Fixed/Variable Leadtime . . . . .						F	
Issue Type Code . . . . .						I	
Order With (Y/N) . . . . .						N	
Low Level Code . . . . .				000		001	

## Reviewing the Item Branch Audit Report



From Inventory Management (G41), choose **Inventory Master/Transactions**  
 From Inventory Master/Transactions (G4111), choose **Inventory Reports**  
 From Inventory Reports (G41111), choose **Item Branch Audit Report**

Item Branch Audit is a DREAM Writer report that lists the changes that personnel have made to item branch information.

410299		A Model Financial Co (Trng)				Page - . . .		2
		Item Branch Audit Report				Date - . . .		4/29/17
Item Item Number	Branch Plant	Job No.	A	Date	Time	User	Program	Stn ID Work
1001	30	701552	C	04/29/17	13:41:58	SL288278	P41026	V3197J153
Description		From		To				
Item Number (Short) . . . . .		00000000		1001		00001001		
2nd Item Number . . . . .				P100-PPS-41				
3rd Item Number . . . . .						30		
Business Unit . . . . .						SPO		
Sales Catalog Section . . . . .						IMP		
Landed Cost Rule . . . . .						OFC		
Warehouse Process Grp 1 . . . . .						PEN		
Warehouse Process Grp 2 . . . . .						00004345		
Primary / Last Supplier Number		00000000				IN30		
G/L Category . . . . .						Y		
Check Availability Y/N . . . . .						N		
Potency Control . . . . .						N		
Grade Control . . . . .						Y		
Backorders Allowed (Y/N) . . . . .						C		
ABC Code 1 - Sales . . . . .						C		
ABC Code 2 - Margin . . . . .						C		
ABC Code 3 - Investment . . . . .						S		
Stocking Type . . . . .						N		
Serial No. Required . . . . .						Y		
Purchasing Taxable (Y/N) . . . . .						Y		
Sales Taxable . . . . .						1		
Net Change Flag . . . . .						N		
Order With (Y/N) . . . . .						1		
Commitment Method . . . . .								





---

## 6 Physical Inventories



---

---

# Overview to Physical Inventories

## Objectives

- To understand the methods for keeping accurate inventory

## About Physical Inventories

Accurate inventories help you:

- Reduce backorders
- Reduce dollars invested in inventory
- Reduce downtime attributed to stock outages
- Increase on-time deliveries

Complete the following tasks:

- Process a cycle count
- Process a tag count

You can use both cycle and tag counts to satisfy a variety of needs. Both help you to reconcile your online inventory records and physical inventory.

A cycle count is the item-based method of counting. Using the cycle count process, you select items to be counted at various intervals throughout the year.

A tag count is the location-based method of counting. It is designed for an end-of-year, wall-to-wall physical inventory.



---

---

# Process a Cycle Count

## Processing a Cycle Count

A cycle count is the item-based method of counting inventory. You record data such as item numbers, descriptions, and locations on printed inventory count sheets, which you later use to update the online inventory records.

The cycle count method allows you to:

- Group items to be counted at specific intervals throughout the year
- Track variances
- Reduce costs and backorders

Consider using a cycle count in conjunction with a tag count to ensure accuracy.

Cycle Count Selection and Cycle Count Update support batch export functionality. See the *Technical Foundation Guide* for more information.

Complete the following tasks:


- [Running the Select Items for Count Program](#)
- [Reviewing the Cycle Count Status](#)
- [Printing Cycle Count Sheets](#)
- [Canceling the Cycle Count](#)
- [Entering the Cycle Count Results](#)
- [Reviewing the Cycle Count Variances](#)
- [Revising the Cycle Count Quantity](#)
- [Printing the Variance Report](#)
- [Updating the Cycle Count Status](#)

## Before You Begin

- Read Locating Detailed On-Hand Quantity Information (P41023) and Entering Branch/Plant Information (P41026) for setup information.
- Verify that the following AAIs are set up:
  - AAI table 4152, which provides the inventory account to offset against any count variance.
  - AAI table 4154, which provides the cost of goods sold account to update.

- Define the selection criteria with the cycle count category code or ABC Analysis code.
- Identify which items to count by reviewing the fields in the Item Branch (F4102) or Item Location (F41021) tables.
- Specify status codes in the processing options to further specify the information that displays.

## Running the Select Items for Count Program

	From Inventory Management (G41), choose <b>Inventory Count Alternatives</b> From Inventory Count Alternatives (G4121), choose <b>Select Items for Count (Cycle)</b>
---	--

Before you start the cycle count process, you must run the Select Items for Count program. Select Items for Count is a DREAM Writer program that builds a record for each inventory item to be counted and records the current on-hand quantity and cost for each item. Next, the system generates the Items Selected for Count report, which lets you compare your actual on-hand quantity with the online records.

The system processes the information as follows:

- Selects items to be counted based on your data selection
- Copies the current on-hand balance to the Quantity On-hand at Count field in the Cycle Count Transaction table (F4141)
- Creates a cycle count header in the Cycle Count Header table (F4140) that contains the status codes for the processes that have been completed for Cycle Count items
- Updates the following data in the Cycle Count Detail table for each item in the selected locations:
  - Item information
  - Quantity on-hand
  - Amount on-hand
- Produces a report, Items Selected for Count, that lists the selected items for each location and the item quantity on-hand at the time of the count

You can group items by:

- Cycle count categories (for example, monthly and semi-annually)
- ABC codes (for example, count “A” items monthly)

You cannot change the following sequence for the Items Selected for Count report:

- Item number-(short)
- Lot
- Location

41411	JD Edwards World				Page - . . . 2
	Items Selected for Count				Date - . 7.05.17
Cycle Count Number . . . 226					
Cycle Count Description. ALL ITEMS					
Item	Description	Branch	Location	Lot or	On Hand
1001	Pen & Pencil Set	30	.	.	3870
1001	Pen & Pencil Set	30 1 .B	.1		16
1001	Pen & Pencil Set	30 1 .B	.2		16
P001	Premium Xerographic Paper	30	.	.	16188
M001	Markette Red Highlighter	30	.	.	18819
P002	Green Bar - Continuous Form	30	.	.	305
P002	Green Bar - Continuous Form	30 1 .B	.1		50
M002	Markette Blue Highlighter	30	.	.	21918
E001	Commercial Business Envelope	30	.	.	13445
E001	Commercial Business Envelope	30	DA.MAG.ED		10
M003	Markette Green Highlighter	30	.	.	17560
S001	Front Loading Stapler	30	.	.	775
S002	Stanley Staple Remover	30	.	.	2900
TS001	Issel Pump Court Shoes	30	.	.	1469
STEREO	JD Edwards World STEREO SYSTEM		30	.	
TS002	Air-Shaq Children's X-Trainer	30	.	.	1467
TS002	Air-Shaq Children's X-Trainer	30 1 .C	.1		350
RECEIVER	350 Channel Mega Watt	30	.	.	950
SPEAKERS	Dual Tower Speakers - Black	30	.	.	1900
V001	Natureway High Energy Vitamins	30	.	.	18050
V001	Natureway High Energy Vitamins	30 1 .A	.1	00000004	1-
V001	Natureway High Energy Vitamins	30 1 .A	.2	00000005	10
V001	Natureway High Energy Vitamins	30 1 .A	.1	00000006	
CD FEATURE	CD Options for Stereo system	30	.	.	
V002	Natureway High Energy Vitamins	30	.	.	5245
CD-SINGLE LOAD	Compact Disk - single load	30	.	.	930
CD-5 DISK TRAY	Compact Disk - 5 Disk Tray	30	.	.	1870
TAPE DECK	High Density - Dual Head Deck	30	.	.	950
WIRING KIT	Wiring package for Stereo	30	.	.	950
DRP1	Napa Valley Cassette Box	30	.	.	22
DRP2	Napa Valley CD Box	30	.	.	2957
DRP3	Napa Valley VCR Box	30	.	.	1254
1200	Model 1200 Security System	30	.	.	
3106-000	1200 Base Unit	30	.	.	
23-12	12 Volt Battery Back-up	30	.	.	
23-09	9 Volt Battery Back-up	30	.	.	
18163-000-J3	In-line Breakers	30	.	.	
20010-000	Magnetic Breakers	30	.	.	
56089-000	No Service Key Pad	30	.	.	
70089-010	Three Service Key Pad	30	.	.	
23/1200	1200 Baud Monitor Modem	30	.	.	
99000-000	Wire	30	.	.	
1122	CRT AS/400 Compatible	30	.	.	
2434	CRT Chassis Subassembly	30	.	.	
2556	Printed Circuit Board 12227	30	.	.	
2556	Printed Circuit Board 12227	30	.	.	CB980001 1
2556	Printed Circuit Board 12227	30	.	.	CB980002 1
2556	Printed Circuit Board 12227	30	.	.	CB980003 1
2556	Printed Circuit Board 12227	30	.	.	CB980004 1
2556	Printed Circuit Board 12227	30	.	.	CB980005 1
2556	Printed Circuit Board 12227	30	.	.	CB980006 1
2556	Printed Circuit Board 12227	30	.	.	CB980007 1
2556	Printed Circuit Board 12227	30	.	.	CB980008 1
2556	Printed Circuit Board 12227	30	.	.	CB980009 1

## See Also

- *Work with PC Import/Export in the Technical Foundation Guide*

## Processing Options

See [Select Items for Count - All Items \(P41411\)](#).

## Reviewing the Cycle Count Status



From Inventory Management (G41), choose **Inventory Count Alternatives**  
From Inventory Count Alternatives (G4121), choose **Cycle Count Review**

Before you perform the cycle count, review the online status of each cycle count and access detailed information, such as descriptions of each item in the count.

### To review the cycle count status

#### On Cycle Count Review

Count	Number	Count Description	Status	Date	Locations	Items
1	1	MONTHLY CYCLE COUNT	20-Printed	10/24/12	132	50

1. To select the cycle count information to review, complete the following fields:
  - Date From
  - Date Through
2. Enter 1 in the following field for each cycle count number:
  - Option
3. On Cycle Count Detail Review, review the information, as needed.



Item	Description	On Hand	Quantity Counted	Variance
BIKE10	10 Speed Bike	0	0	0
	Total Quantity	0	0	0
BIKE10B	10 Speed Bike-BL	0	0	0
	Total Quantity	0	0	0
BIKE10G	10 Speed Bike-Gr	0	0	0
	Total Quantity	0	0	0
BIKE15	15 Speed Bike	0	0	0
	Total Quantity	0	0	0
BIKE15B	15 Speed Bike-BL	0	0	0
	Total Quantity	0	0	0
BIKE15G	15 Speed Bike-Gr	0	0	0
	Total Quantity	0	0	0
CABLE CONNECTORS	CRT Cable Connec	44	0	0
CABLE CONNECTORS	CRT Cable Connec	36	0	0
	Total Quantity	80	0	0

Field	Explanation
Date From	The beginning date in the date range. This is the date from which you want the system to display information.
Date Thru	The ending date in the date range. This is the date through which you want the system to display information. If you leave this field blank, the system uses the current period.


## What You Should Know About

<b>Resetting the cycle count quantity</b>	You can reset the cycle count quantity on hand that was located in the Item Location table before you began the cycle count. Use the Reset Count option in the O (Option) field.
<b>Cycle status</b>	The status codes that appear in the Cycle Status field default from the processing options. You can change the status code entries at any time for reviewing the cycle status.

## Processing Options

See [Cycle Count Review \(P41240\)](#).

## Printing Cycle Count Sheets

	From Inventory Management (G41), choose <b>Inventory Count Alternatives</b> From Inventory Count Alternatives (G4121), choose <b>Print Cycle Count Sheets</b>
---	--

After you choose the items to include in the cycle count and have reviewed them online, you can print the cycle count sheets that you will use to perform the actual count.

Run the Print Cycle Count Sheets DREAM Writer program to print information from the Cycle Count table (F4141) on the count sheets. You must specify the count number that you want to print. The system uses the DREAM Writer version that you specified in the processing options.

JD Edwards World recommends that you use the following sequence on the Print Cycle Count Sheet report:

- Cycle Count Number
- Item Number
- Branch/Plant

### Before You Begin

- To print bar code information, verify that you have a printer capable of printing from an Intelligent Printer Data Stream (IPDS) device file.
- Ensure that you have not changed any printer file override information. Any changes to information such as report length or width might affect the appearance of the report.


### What You Should Know About

<b>Status</b>	After you print the count sheets, the Status field displays <i>Canceled</i> .
---------------	---

### Processing Options

See [Print Count Sheets - by Item, Branch \(P41410\)](#).

## Canceling the Cycle Count

	From Inventory Management (G41), choose <b>Inventory Count Alternatives</b> From Inventory Count Alternatives (G4121), choose <b>Cycle Count Review</b>
---	--

You can cancel a cycle count at any time before you update it. For example, if there are several days between the time that you print cycle count sheets and actually perform the cycle count, you can cancel the cycle count and reprint it later.

## What You Should Know About

### Status

After you cancel the cycle count number, the Status field displays *Canceled*.

## Entering the Cycle Count Results



From Inventory Management (G41), choose **Inventory Count Alternatives**  
From Inventory Count Alternatives (G4121), choose **Cycle Count Review**

After you have performed the cycle count and recorded the information on the cycle count sheets, transfer the results to your online inventory records.

### Before you begin

- Run the Cycle Count Update

### To enter the cycle count results

#### On Cycle Count Review

The screenshot shows the 'Cycle Count Review' window in Oracle JD Edwards World. The window title is '41240 Cycle Count Review'. The main area displays a table with the following data:

Count	Count Description	Status	Count Date	To Count Locations	To Count Items
1	MONTHLY CYCLE COUNT	20-Printed	10/24/12	132	50

At the bottom of the window, there is a prompt: 'Opt: 1=Detail 2=Print 3=Entry 4=Approve 5=Update 6=Canceled F24=More'.

1. Choose Entry (Option 3).

4141 Inventory Count Entry

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
More Details  
Clear Screen

4141 Inventory Count Entry

Branch/Plant S  
Counted By ER  
Count Date 11/14/17  
Count Code A

Action Code 1  
Cycle Count Number 1  
Skip to Item Number.

MONTHLY CYCLE COUNT

Number	Location	Lot	Quantity	UM	0
BIKE10	.	.		ER	
BIKE10B	.	.		ER	
BIKE10G	.	.		ER	
BIKE15	.	.		ER	
BIKE15B	.	.		ER	
BIKE15G	.	.		ER	
CABLE CONNECTORS	.	.		ER	
CABLE CONNECTORS	.	.		ER	
CD-SINGLE LOAD	.	.		ER	
CD-SINGLE LOAD	.	.		ER	
CD-SINGLE LOAD	.	.		ER	
CD-5 DISK TRAY	.	.		ER	

Opt: 1-Replace Count F24-More Keys

2. Access the detail area (F4).

4141 Inventory Count Entry

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
More Details  
Clear Screen

4141 Inventory Count Entry

Branch/Plant S  
Counted By ER  
Count Date 11/14/17  
Count Code A

Action Code 1  
Cycle Count Number 1  
Skip to Item Number.

MONTHLY CYCLE COUNT

Number	Location	Lot	Quantity	UM	0
BIKE10	Dr/P	10 Qty. Counted		ER	
10 Speed Bike	Memo Lot 1	Memo Lot 2		ER	
Reason Code				ER	
BIKE10B	Dr/P	10 Qty. Counted		ER	
10 Speed Bike-Blue	Memo Lot 1	Memo Lot 2		ER	
Reason Code				ER	
BIKE10G	Dr/P	10 Qty. Counted		ER	
10 Speed Bike-Green	Memo Lot 1	Memo Lot 2		ER	
Reason Code				ER	

Opt: 1-Replace Count F24-More Keys

3. On Inventory Count Entry, locate a cycle count.

4. Enter C in the following field:

- Action Code

5. Complete the following field to update each quantity on-hand for the item:

- Quantity
- Reason Code

Field	Explanation
Quantity	The number of units that the system counts in the primary unit of measure.

## What You Should Know About

<b>Entering a new location</b>	When you enter a new location, the system creates a new branch/plant record and a variance for the entire quantity/amount.
<b>Assigning lots to a single location through cycle count entry</b>	<p>You can prevent the system from allowing you to assign lots to a single location if the lots meet the following criteria:</p> <ul style="list-style-type: none"> <li>▪ When the items in the lots are the same</li> <li>▪ When a single lot contains items with different statuses</li> </ul> <p>For more information, see <i>Working with Item Locations (P41026)</i>.</p>
<b>Creating a lot</b>	<p>When you enter the cycle count results, you might be able to create a lot if you have set the branch/plant constants appropriately.</p> <p>For more information, see <i>Setting Up Constants (P41204)</i>.</p>
<b>Reviewing lot information</b>	<p>You can review expiration date and status information for a lot by accessing the detail area of Cycle Count Entry. You also can access the Lot Information form from the Lot field. This form displays item and location information for a lot as well as the lot expiration date, the lot status, and so on.</p> <p>For more information, see <i>Viewing Lot Availability (P41280)</i>.</p>
<b>Entering an expiration date at cycle count entry</b>	<p>You can add an expiration date for a new location at cycle count entry. You might need this functionality if you do not enter shelf dates for an item in the Item Master or Item Branch records. As a result, the system expires the item when you run the cycle count.</p> <p>To use this functionality, access Cycle Count Entry (P4141) from the menu rather than from Cycle Count Review to make sure the Lot Expiration Date field displays..</p>

## Processing Options

See [Cycle Count Entry - by Item Branch \(P4141\)](#).

## Reviewing the Cycle Count Variances



From Inventory Management (G41), choose **Inventory Count Alternatives**  
From Inventory Count Alternatives (G4121), choose **Cycle Count Review**

After you enter the results of the cycle count, the system automatically calculates variances. A variance is the difference between the on-hand quantity and the counted quantity. Use the information to help you resolve discrepancies online.

You can review the following information for each item:

- On-hand quantity
- Counted quantity
- Variance

The system records variances to the Item Ledger (F4111), Account Ledger (F0911), and Location Balance (F4102) tables.

### To review the cycle count variances

#### On Cycle Count Review

1. Enter 1 (Detail Cycle Count Information) in the following field:

- Option

**41241 Cycle Count Detail Review**

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
More Details  
Item Ledger Inquiry  
Variance Detail Print  
Clear Screen

41241 Cycle Count Detail Review

Variance Type  
Rel ☐ Amt ☐  
Amount Type ☐

Cycle Count Number  MONTHLY CYCLE COUNT

Skip to Item Number

Item	Description	On Hand	Counted	Variance
BIKE10	10 Speed Bike	0	0	
	Total Quantity	0	0	
BIKE100	10 Speed Bike-Bl	0	0	
	Total Quantity	0	0	
BIKE106	10 Speed Bike-Gr	0	0	
	Total Quantity	0	0	
BIKE15	15 Speed Bike	0	0	
	Total Quantity	0	0	
BIKE150	15 Speed Bike-Bl	0	0	
	Total Quantity	0	0	
BIKE156	15 Speed Bike-Gr	0	0	
	Total Quantity	0	0	
CABLE CONNECTORS	CRT Cable Connec	44		
CABLE CONNECTORS	CRT Cable Connec	36		
	Total Quantity	80	0	

F10=Item Ledger Inquiry F21=Variance Detail Print F24=More Keys

2. On cycle Count Detail Review, complete any of the following fields to limit your view:

- Variance Type
- Rel (Relationship)

- Amt (Amount)
  - Amount Type
3. Press Enter.
  4. Choose Replace Count (F1). The Cycle Count Number screen displays.




5. Enter the number of the count in the following field:
  - Enter Value

Field	Explanation
Variance Type	A code that indicates whether the system displays a quantity variance or an amount variance.

Field	Explanation
Relationship	<p>A code that indicates the relationship between the range of variances that you display. Valid codes are:</p> <p>EQ Equal to</p> <p>LT Less than</p> <p>LE Less than or equal to</p> <p>GT Greater than</p> <p>GE Greater than or equal to</p> <p>NE Not equal to</p> <p>NL Not less than</p> <p>NG Not greater than</p> <p>CT Contains (only allowed in selection for Open Query File function)</p> <p>CU Same as “CT” but converts all input data to uppercase letters</p> <p><i>Form-specific information</i></p> <p>You can only use codes EQ, LT, LE, GT, and GE on this form.</p>
Variance	The calculated difference between the quantity on hand at count contained in the Item Location file (F41021) and the Item Ledger records.
Amount Type	A code that determines whether the variance is an amount or a percentage variance from the expected quantity or amount.

## Revising the Cycle Count Quantity

	<p>From Inventory Management (G41), choose <b>Inventory Count Alternatives</b></p> <p>From Inventory Count Alternatives (G4121), choose <b>Cycle Count Entry</b></p>
---	--

After you enter and review your cycle variance information, you might decide to recount some items and subsequently revise the cycle count quantity. After you recount and revise, you can review variances again, both online and through the Detail Variance Print report (P41403P).

You can revise the cycle count quantity using one of the following methods:

- Replace the count
- Add and subtract quantities

If you are counting by item location, replacing the count is the preferable method.



## To replace the count

On Cycle Count Entry

Complete the following field with the Replace Count option:

- O (Option)

Field	Explanation
O	Selection exit codes are options and function keys that are used to perform a specific function for a selected line or form of data. The most commonly used selection exits for each program are displayed in highlighted text at the bottom of the form. To display all available selection exits, press F24. Press F1 in the Option field to display all available Options for the program.

## To add and subtract quantities

On Cycle Count Entry

Complete the following field:

- Quantity

Field	Explanation
Quantity	The number of units that the system counts in the primary unit of measure.

## See Also

- *Entering the Cycle Count Results (P4141)*

## Printing the Variance Report



From Inventory Management (G41), choose **Inventory Count Alternatives**  
From Inventory Count Alternatives (G4121), choose **Variance Detail Print**


You can print a report of the variances between the results of the cycle count and the inventory records to resolve discrepancies.

41403P	JD Edwards World					Page	-	2
	Detail Variance Print					Date	-	4/12/17
Cycle Count Number . . .		190 ALL ITEMS		Variance Type . . . . . Q				
				Relationship . . . . . GE				
				Variance Amount . . . . . 5				
				Amount Type . . . . . %				
Item Number	Description	UM	Physical Quantity	Physical Amount	Perpetual Quantity	Perpetual Amount	Variance Quantity	Variance Amount
DRP1	Napa Valley Cassette EA	EA	25	125.00	22	110.00	3	1500.00
Branch/Plant	30 Location . . . . .			Lot				
				2nd Item Number . . . . .			3	15.00
				Cycle Count Number . . . . .			3	15.00
							3	15.00

## Processing Options

See [Variance Detail Print \(P41403P\)](#).

## Updating the Cycle Count Status

	From Inventory Management (G41), choose <b>Inventory Count Alternatives</b> From Inventory Count Alternatives (G4121), choose <b>Cycle Count Review</b>
---	--

After you enter and review your cycle count and have it approved by the appropriate person, you must update the cycle count status, which the system stores in the Location Balance table (F4102).

### To update the cycle count status

On Cycle Count Review

Complete the following field with the Update option:

- ☐ O (option)

## Processing Options

See [Cycle Count Update \(P41413\)](#).

---

---

# Process a Tag Count

## Processing a Tag Count

A tag count is the method for counting all items in a location. When you perform a tag count, you physically tag and count all items twice by location, typically at the end of the year. That is, two teams independently perform the same physical inventory and record their data on two different parts of the tag. Later, you use each team's data to compare results and resolve variances.

Consider using a tag count in conjunction with a cycle count to ensure accuracy.

Complete the following tasks:

- [Running the Select Items for Count Program](#)
- [Printing Inventory Tags](#)
- [Recording Tag Distribution Information](#)
- [Recording Tag Receipt Information](#)
- [Entering the Tag Count Results](#)
- [Reviewing the Tag Status](#)
- [Reviewing the Tag Count Variances](#)
- [Running Tag Count Updates](#)
- [Running a Quantity Count Comparison](#)

### See Also

- *Processing a Cycle Count (P41411)* if you are considering processing both cycle and tag counts

## Running the Select Items for Count Program



From Inventory Management (G41), choose **Inventory Count Alternatives**  
From Inventory Count Alternatives (G4121), choose **Select Items for Count (Tag)**

Before you start the tag count process, you must run the Select Items for Count program. Select Items for Count is a DREAM Writer program that builds a Cycle Count Transaction record for each inventory item to be counted and records the current on-hand quantity and unit cost for each item.

## What You Should Know About

### Excluding stock from a tag count

Exclude the following stocking types because they represent non-stock items:

- K (kits)
- F (features)
- Any other user-defined stocking types

## Printing Inventory Tags



From Inventory Management (G41), choose **Inventory Count Alternatives**  
From Inventory Count Alternatives (G4121), choose **Print Inventory Tags**

Although you can print tags at any time, you typically print tags at the beginning of the tag count process and distribute them to the teams who are counting items.

Run the Print Inventory Tags DREAM Writer program to print inventory tags for each location. The tag is a two-part form that includes the following information:

- Branch/plant
- Date printed
- Tag number

You can vary the tag's format to accommodate your business needs. The system stores the tag number and tag status in the Tag Inventory table (F4160).

41607	JD Edwards World Print Inventory Tags	Number - 21 Date - 7.05.17 Brn - 30	
Item : _____		Counted Qty: _____	
Desc : _____		Counted UOM: _____	
Location : _____		Lot : _____	
Remarks : _____			
Count Date : _____ Counted By : _____			
=====			
		Number - 21 Date - 7.05.17 Brn - 30	
Item : _____		Counted Qty: _____	
Desc : _____		Counted UOM: _____	
Location : _____		Lot : _____	
Remarks : _____			
_____			
Date	Order	Person	In Out
-----	-----	-----	-----
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

## What You Should Know About

### Multiple tags for a single item

If your warehouse stores the same item in several physical locations, you can print multiple tags for a single location in the system. The Tag Count Entry program (P41602) allows the entry of multiple tags for a single system location. When your warehouse personnel enter counts on separate tags for the same item location, the system will tally those counts and apply them to a single location.

## Processing Options

See [Print Inventory Tags \(P41607\)](#).

## Recording Tag Distribution Information



From Inventory Management (G41), choose **Inventory Count Alternatives**  
From Inventory Count Alternatives (G4121), choose **Tag Issues and Receipts**

Before you distribute tags to the teams, you must record who is responsible for each tag number. You use this information to track:

- Who tagged each item
- Who returned the parts of each tag

## To record tag distribution information

### On Tag Issues and Receipts

The screenshot shows the '41601 Tag Issues and Receipts' form in the Oracle JD Edwards World application. The form has a header bar with the Oracle logo and navigation links. Below the header, there are several input fields and a table. The 'From Tag' field is highlighted. The 'Update' section contains fields for 'New Status', 'Tag Team ID - Is', and 'Tag Team ID - Re'. At the bottom, there is a table with columns for 'Tag Num', 'Issue No', 'Issued Name', 'Rec No.', and 'Received Name'.

Complete the following fields:

- Brn/Plt (Branch/Plant)
- From Tag
- To Tag
- Status
- New Status
- Tag Team ID-Is (Tag Team Identification-Issued)
- Tag Team ID-Re (Tag Team Identification-Received)

Field	Explanation
From Tag	A number that the system assigns to the tag using the Print Tag program, based on the next available tag number.
	<i>Form-specific information</i>
	In the From Tag field, this is the beginning tag number. If you enter a tag number in this field, the system displays the tags that are equal to or after this number.

Field	Explanation
To Tag	<p>A number that the system assigns to a specific location that contains inventory. You can use prenumbered, multi-part tags.</p> <p><i>Form-specific information</i></p> <p>The ending tag number. If you enter a number in this field, the system displays the tags that are equal to or after the beginning tag number and equal to or before the ending tag number.</p>
Status	A user-defined code (system 41/type TS) for the status of a tag in the tag inventory count process.
New Status	Use this field to change the maintenance status of selected records.
Tag Team ID - Issued	<p>The address book number of the individual or team to whom you issued the tags.</p> <p><i>Form-specific information</i></p> <p>You use the Update: Issued to field in conjunction with the Update: New Status field. This is the address book number of the person to whom you issued tags.</p>

## What You Should Know About

<b>Entering additional tags</b>	<p>You cannot enter additional tags to an existing group. Print a new group of sequentially-numbered tags using the Print Inventory Tags program.</p> <p>See <i>Printing Inventory Tags (P41607)</i> for more information.</p>
<b>Deleting tags</b>	<p>You cannot delete tags on Tag Issues and Receipts because all tag numbers must be accounted for. You can, however, change the status of a tag to DS (destroyed) to indicate that the tag should not be used.</p>
<b>Additions to and movement of inventory</b>	<p>Inform personnel of receipts, shipments, and item breakage that occur during the count. Counters must record by location all items that are added and moved during the count.</p>

## Recording Tag Receipt Information



From Inventory Management (G41), choose **Inventory Count Alternatives**  
 From Inventory Count Alternatives (G4121), choose **Tag Issues and Receipts**

After you receive the tags back from the counters, you need to record the following information:

- The team who returned the tag
- The tag number from the team

## To record tag receipt information

On Tag Issues and Receipts

Complete the following fields:

- New Status
- Tag Team ID-Re (Tag Team Identification-Received)

Field	Explanation
Tag Team ID - Received	The address book number of the individual or team that you received tags from.  <i>Form-specific information</i>  You use this field in conjunction with the Update: New Status field.

## Entering the Tag Count Results



From Inventory Management (G41), choose **Inventory Count Alternatives**  
From Inventory Count Alternatives (G4121), choose **Tag Count Entry**

After the count is complete, you must enter the information from each tag into the system.



## To enter the tag count results

To enter tag information, you must first inquire on a tag. Enter the program, populate the Brn/Plt and Tag No. fields, place I in the action code field and press Enter. The action code will change to A and the Tag No. field will be blanked out. You may also see information for previously entered tags in the lower portion of the screen. You can now populate the tag information and hit enter to record the count for the tag. Continue entering tags until complete. If you exit the program and reenter, you will again have to inquire on a tag before adding one.

### On Tag Count Entry

Complete the following fields:

- Brn/Plt (Branch/Plant)
- Skip to Tag
- Tag No.
- Item Number
- Quantity
- UM
- Location
- Remark
- Lot
- Location

Field	Explanation
Skip to Tag	<p>A number that the system assigns to a specific location that contains inventory. You can use prenumbered, multi-part tags.</p> <p><i>Form-specific information</i></p> <p>In the Skip to Tag field, this is the tag number you want the system to display. For example, if you enter 5, the system displays only the tags numbered 5 and after.</p>
Tag No	<p>A number that the system assigns to the tag using the Print Tag program, based on the next available tag number.</p> <p><i>Form-specific information</i></p> <p>This is the tag number printed on the tag.</p>
UM	<p>A user-defined code (system 00/type UM) that indicates the quantity in which to express an inventory item, for example, CS (case) or BX (box).</p>
Remark	<p>A generic field that you use for a remark, description, name, or address.</p>
Lot/SN	<p>A number that identifies a lot or a serial number. A lot is a group of items with similar characteristics.</p>

## What You Should Know About

### Assigning lots to a single location through tag count entry

You can prevent the system from allowing you to assign lots to a single location if the lots meet the following criteria:

- When the items in the lots are the same
- When a single lot contains items with different statuses

For more information, see *Working with Item Locations (P41026)*.

### Creating a lot

When you enter the tag count results, you might be able to create a lot if you have set the branch/plant constants appropriately.

For more information, see *Setting Up Constants (P41204)*.

### Reviewing lot information

You can review expiration date and status information for a lot by accessing the detail area of Tag Count Entry. You also can access the Lot Information form from the Lot field. This form displays item and location information for a lot as well as the lot expiration date, the lot status, and so on.

For more information, see *Viewing Lot Availability (P41280)*.

## Processing Options

See [Tag Inventory Count Entry \(P41602\)](#).

## Reviewing the Tag Status



From Inventory Management (G41), choose **Inventory Count Alternatives**  
From Inventory Count Alternatives (G4121), choose **Tag Status Review**

You can review the current status of any tag to check for lost or incomplete tags.

Complete the following tasks:

- Review the tag status
- Review the tag status summary

### To review the tag status

On Tag Status Review

Complete the following fields:

- Brn/Plt (Branch/Plant)
- Tag Status
- From Tag
- To Tag
- Item Number
- Issued to

Field	Explanation
Issued To	The address book number of the individual or team to whom you issued the tags.

## To review the tag status summary

### On Tag Status Review

1. Choose Access Tag Status Summary (F11).

41603 Tag Status Summary

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Print Detail for Status  
Clear Screen

41603 Tag Status Summary Brn/Plt 30

Tag Status	Number of Tags
<input type="checkbox"/> Closed	
<input type="checkbox"/> Destroyed	
<input type="checkbox"/> Entered	
<input type="checkbox"/> Held	
<input type="checkbox"/> Issued	
<input type="checkbox"/> Error - No Item Bala	
<input type="checkbox"/> Printed	20
<input type="checkbox"/> Ready for Entry	

Opt: 4=Return with Status F5=Print Detail for Status F24=More Keys

2. Complete the following field:

- Brn/Plt (Branch/Plant)

## Processing Options

See [Tag Status Review \(P41604\)](#).

## Reviewing the Tag Count Variances

	From Inventory Management (G41), choose <b>Inventory Count Alternatives</b> From Inventory Count Alternatives (G4121), choose <b>Tag Status Review</b>
--	---

After you enter the results of the tag count, you can review the variance between the amount and cost of inventory online and the amount of inventory that the teams counted.

You can print the Tag Variance Review by pressing (F6) from Tag Variance Review or by accessing the program from the menu (G4121).

## To review the tag count variances

### On Tag Status Review

1. Choose Tag Var Review (F10).

2. On Tag Variance Review, complete the following fields:

- Brn/Plt (Branch/Plant)
- Quantity/Amt (Quantity/Amount)
- Amount/Percent
- Relationship
- Amount

3. Access the detail area (F4)

4. Review the following:

Field	Explanation
Quantity/Amt	A code that indicates whether the system displays a quantity variance or an amount variance.
Amount/Percent	A code that determines whether the variance is an amount or a percentage variance from the expected quantity or amount.

Field	Explanation
Relationship	A code that indicates the relationship between the range of variances that you display. Valid codes are:  EQ    Equal to LT    Less than LE    Less than or equal to GT    Greater than GE    Greater than or equal to NE    Not equal to NL    Not less than NG    Not greater than CT    Contains (only allowed in selection for Open Query File function) CU    Same as "CT" but converts all input data to uppercase letters
Variance Amount	The calculated difference between the amount on hand at count contained in the Item Location file (F41021) and the Item Ledger records.

## Processing Options

See [Print Tag Inventory Variances \(P41608\)](#).

## Running Tag Count Updates



From Inventory Management (G41), choose **Inventory Count Alternatives**  
From Inventory Count Alternatives (G4121), choose **Tag Count Update**

After you have entered the tag count results and reviewed variances, run the Tag Count Update program to perform the following functions:

- Compare the online on-hand count to the physical count
- Calculate the quantity and amount of variances
- Update the new quantity information in the item location record and item ledger
- Create entries to the general ledger based on automatic accounting instructions

The system does not accept any additional count entries for the group of tags that were used for the update.

The system updates the status in the Tag Inventory table to CL (Closed) or deletes the record, depending on how you set the processing options.

Verify the results of the update on Item Ledger Inquiry and General Journal Review.

## Data Sequence

JD Edwards World recommends that you use the following sequence for the Tag Count Update program:

- Item Number-Short
- Branch/Plant
- Location
- Lot

## Processing Options

See [Tag Inventory Update \(P41610\)](#).

## Running a Quantity Count Comparison



From Inventory Management (G41), choose **Inventory Count Alternatives**  
From Inventory Count Alternatives (G4121), choose **Quantity Count Comparison**

After you process the tag count, you can run the Quantity Count Comparison program to reconcile the inventory with the online records. Quantity Count Comparison is a World Writer report that shows items that were entered in the system, but not counted.

When the update is processed, every record in the F4141 with a count/tag entered in Tag Count Entry will be deleted from the F4141. The remaining records in the F4141 represent items/locations that have been selected for count but have no count entered. These items/locations will need to be selected for count again and the physical quantity, even if zero, should be entered in Tag Count Entry. Then run the update again. When the Quantity Count Comparison shows no records, all items/locations selected for count have an associated tag/count entered in the system.

# Process a Tag Count

Quantity Count Comparison Validation Against F4141					Page	-	1
					Date	-	07.05.17
Business Unit	2nd Item Number	Location	Lot Number	Total Prim Qty on Hand	Unit Cost		
10	CABLE CONNECTORS			44	18,0000		
10	CD-5 DISK TRAY			275	225,0000		
10	CRT CHASSIS			43	116,5000		
10	CRT CRATE			52	29,0000		
10	DRP1			22	5,0000		
10	DRP2			57	6,0000		
10	DRP3			1	7,0000		
10	D1091			27	10,0592		
10	E001			5.000	6,4100		
10	KEYBOARD AT			23	42,0000		
10	KEYBOARD 3180			25	42,0000		
10	LOCK CRT			53	22,0000		
10	MIN001			24.240	0,8750		
10	M001			4.850	0,5500		
10	M002			7.050	0,5500		
10	M003			7.050	0,5500		
10	P001			6.500	2,7500		
10	P002			650	30,7500		
10	P002	1 B 1		100	30,3750		
10	RECEIVER			275	200,0000		
10	SCREEN AMBER			23	60,0000		
10	SCREEN GREEN			28	60,0000		
10	SPEAKERS			550	65,0000		
10	S001			650	6,7500		
10	TAPE DECK			275	160,0000		
10	TS001			250	50,2500		
10	TS002			346	43,1200		
10	TS002	1 C 1		240	43,5000		
10	TV001			15	475,0000		
10	V001			1.525	16,1500		
10	V002			1.525	35,1200		
10	WIRING KIT			275	45,0000		
10	1001			685	5,2500		
10	1001	1 B 2		64	5,2500		
10	372-OAK			36	90,3963		
20	CABLE CONNECTORS			36	18,0000		
20	CRT CHASSIS			35	116,5000		
20	CRT CRATE			44	29,0000		
20	D1091			178	9,7757		
20	E001			4.750	6,5663		
20	KEYBOARD AT			15	42,0000		
20	KEYBOARD 3180			15	42,0000		
20	LOCK CRT			45	22,0000		
20	MIN001			24.000	0,7500		
20	M001			1.280	0,5608		
20	M002			2.360	0,5608		
20	M003			780	0,5608		
20	P001			9.400	2,8373		
20	P002			705	31,4333		
20	P002	1 B 1		50	30,8417		
20	SCREEN AMBER			15	60,0000		
20	SCREEN GREEN			18	60,0000		
20	S001			650	6,7500		
20	TS001			225	50,2500		
20	TS002			271	43,1200		



---

## 7 Cost Updates



---

---

# Overview to Cost Updates

## Objectives

- To update item costs

## About Updating Costs

Cost updates allow you to update costs for items simultaneously, rather than on a cost-by-cost basis. For example, you can implement a percentage increase in the standard cost for a group of items. If you use the average cost method to determine inventory costs, you can update the average cost for all items.

Cost maintenance procedures allow you to update costs for individual items or for multiple items in the branch/plants, locations, and lots that you choose. You select the cost method to use for updating costs.

The system stores item costs in the Cost Ledger table (F4105). After you update item costs, the system updates the Cost Ledger table. After you update costs for an item's sales/inventory cost method, the system creates general ledger and item ledger records.

## Before You Begin

- Verify the current cost information for items
- Verify that you have set up automatic accounting instructions for changes to inventory costs

## See Also

- *Assigning Cost Methods to Items (P4105)* for information about assigning an item's sales/inventory cost method
- *Setting Up AAIs (P40950)* for information about specifying the general ledger accounts for changes to inventory costs



---

---

# Update Item Costs

## Updating Item Costs

You can update costs for items in the branch/plants, locations, and lots that you choose. You can increase or decrease costs by a percentage or dollar amount, or you can specify a new dollar amount. You specify the cost method for which you want to update costs.

You can also have the system update average costs or future costs for all items that you select.

This program supports import/export functionality. See the *Technical Foundation Guide* for more information.

Complete the following tasks:

- [Updating Costs for an Item across Multiple Branch/Plants](#)
- [Updating Costs for Multiple Items across Multiple Branch/Plants](#)
- [Updating Average Costs for Items](#)
- [Updating Current Item Costs with Future Costs](#)

## What You Should Know About

### Deleting item costs

If you delete costs for an item's sales/inventory cost method, the system displays a warning message. Deleting costs will force the inventory value to zero, but leave a record in the Cost Ledger table (F4105).

## See Also

- *Assigning a Cost Method to an Item (P4105)* for information about assigning an item's sales/inventory cost method

## Updating Costs for an Item across Multiple Branch/Plants



From Inventory Management (G41), choose **Inventory Price/Cost Updates**  
 From Inventory Price/Cost Updates (G4123), choose **Speed Cost Maintenance**

You can update costs for a single item across multiple branch/plants, locations, and lots. You select the cost method for which you want to update item costs. For example, you can update an item's last-in costs, average costs, and so on. Changes you make to costs take place immediately.

You can increase or decrease costs by:

- A specified amount
- A specified percentage

You can also enter a new dollar amount to override the previous cost.

### To update costs for an item across multiple branch/plants

On Speed Cost Maintenance

4105 Speed Cost Maintenance Cos

Oracle JD Edwards World

Field Sensitive Help  
 Display Error Message  
 Display Functions  
 Exit Program  
 Reposition Window  
 Cost Revisions/Speed I  
 Return to Previous Panel  
 Previous  
 Next  
 Clear Screen

4105 Speed Cost Maintenance

Action Code: I  
 Item Number: R001  
 Branch/Plant: 30

Cost Method to Update: Last In  
 Markette Red Highlighter  
 Memphis Distribution Center

Increase / Decrease Amount:  
 Amount:   
 Amount Type (A % \*): R

Location	Lot	Unit Cost	On Hand	Extended Cost.
		.6806	18819	12,808.21
Weighted Average		.6806	18819	12,808.21

Opt: 1=Components 9=Delete F10=Speed F19=Previous F20=Next F24=More

1. To locate current cost information for an item, complete the following fields:

- Item Number
- Branch/Plant (if applicable)
- Cost Method to Update

2. Complete the following fields and click OK:

- Increase/Decrease Amount
- Amount Type (A % \*)

- Unit Cost

Field	Explanation
Cost Method	A user-defined code (system 40/type CM) that identifies a cost method. Cost methods 01 through 08 are hard-coded.
Increase / Decrease Amount:	<p>The dollar amount or percentage by which you want to increase or decrease unit costs for items. You can also indicate a different amount to override current unit costs. The value you specify in the Amount Type field determines whether you enter an amount or a percentage.</p> <p><b>Note:</b> Enter percentages as whole numbers. For example, enter 10 to increase costs by 10%. To decrease costs, enter a negative sign before the number. For example, enter -10 to decrease costs by 10%.</p> <p><i>Form-specific information</i></p> <p>The system changes all costs for all locations.</p>
Amount Type (A % *)	<p>A code that indicates whether the number in the Increase/Decrease Amount field is an actual amount or a percentage value. Valid codes are:</p> <p>A     Amount</p> <p>%     Percentage</p> <p>*     Cost Override Amount</p>
Unit Cost	<p>The amount per unit (the total cost divided by the unit quantity).</p> <p><i>Form-specific information</i></p> <p>The cost for one unit of this item, based on the corresponding cost method.</p>

## What You Should Know About

<b>Information that displays</b>	<p>The information that displays on Speed Cost Maintenance depends on the cost level for the item. For example, if an item has a cost level of 2, the system displays costs for all branch/plants. If an item has a cost level of 3, the system displays costs for all locations at the branch/plant you specify.</p> <p>See <i>Assigning a Cost Level to an Item (P4101)</i> for information about cost levels for items.</p>
----------------------------------	--

## See Also

- *Work with PC Import/Export in the Technical Foundation Guide*

## Processing Options

See [Item Cost Revisions \(P4105\)](#).

## Updating Costs for Multiple Items across Multiple Branch/Plants



From Inventory Management (G41), choose **Inventory Price/Cost Updates**  
From Inventory Price/Cost Updates (G4123), choose **Batch Cost Maintenance**

You can update costs for numerous items across multiple branch/plants, locations, and lots using the Batch Cost Maintenance DREAM Writer program. You can increase or decrease item costs by a specific amount or percentage, or, you can indicate a new cost.

You can update item costs for the cost methods you select. For example, you can update last-in costs, weighted average costs, and so forth.

You can preview your changes by running this program in proof mode and reviewing the report. After you are satisfied with the results, you can run the program in final mode.

41802		JD Edwards World Cost Revisions Update				Page - 2 Run Date - 8/15/17		
Item Number	Branch/Plant	Location	Lot Number	On-Hand Quantity	Um	Old Cost	New Cost	Cost Method
1001	10	* *		41000533983	EA	10.0000	11.0000	01 Last In
1001	10	* *		41000533983	EA	.1771	1.1771	02 Weighted Ave
1001	10	* *		41000533983	EA	20.0000	21.0000	03 Memo
1001	10	* *		41000533983	EA	10.0000	11.0000	06 Lot
1001	10	* *		41000533983	EA	7.0000	8.0000	07 Standard
1001	10	* *		41000533983	EA	250.0000	251.0000	99 Standard
1001	10	* *			EA	12.0000-	11.0000-	01 Last In
1001	10	* *			EA	12.0000-	11.0000-	01 Last In
1001	10	* *	L1L1		EA	77.0000	78.0000	02 Weighted Ave
1001	10	* *	L1L1		EA	10.0000	11.0000	06 Lot
1001	10	* *	L1L1		EA	75.0000	76.0000	20 Historical A
1001	10	* *	L1L1L1		EA	66.0000	67.0000	02 Weighted Ave
1001	10	* *	L1L1L1		EA	10.0000	11.0000	06 Lot
1001	10	* *	L1L1L1		EA	75.0000	76.0000	20 Historical A
1001	10	* *	W1	21	EA	.0000	1.0000	02 Weighted Ave
1001	10	* *	010199	101	EA	45.0000	46.0000	02 Weighted Ave
1001	10	* *	46522		EA	14.0000	15.0000	03 Memo
1001	10	* *	46522		EA	10.0000	11.0000	07 Standard
1001	10 A	* *		30030	EA	.0000	1.0000	01 Last In
1001	10 A	* *		30030	EA	69.9825	70.9825	02 Weighted Ave
1001	10 A	* *	11		EA	40.0000	41.0000	08 Purchasing-B

## Processing Options

See [Batch Cost Maintenance - Cost Level 1 \(P41802\)](#).

## Updating Average Costs for Items



From Inventory Management (G41), choose **Inventory Price/Cost Updates**  
From Inventory Price/Cost Updates (G4123), choose **Update Average Cost**

There are two methods you can use to update average costs for items:

- Interactive



- Batch

To specify that the system updates average costs interactively, you use System Constants. To update average costs in batch mode, you use the Average Cost Update program. You specify the items, branch/plants, locations, and lots for which to update average costs.

Each time a transaction affects the current cost of an item, the system updates the Average Cost Workfile. When you run the Average Cost Update program, the system:

- Accesses current cost information from the Average Cost Workfile table (F41051)
- Calculates the average cost for each item
- Updates the Cost Ledger table (F4105)
- Deletes transactions from the work file

## What You Should Know About

### Cost levels

Before you run the Update Average Cost program, you should be familiar with the cost level of the items you want to update.

- For all items with a cost level 1, you must specify ALL for the branch/plant and locations.
- For all items with a cost level of 2, you specify ALL for the locations only.
- If you choose to run the update over items from all three cost levels, you should only select by item number.

See *Assigning a Cost Level to an Item (P4101)* for information about cost levels for items.

### Updating the work file

You can specify the programs that update the work file by using Define Average Cost, which contains user-defined code (system 40/Type AV).

## See Also

- *Defining System Constants (P4009W)* for information about updating average costs interactively

## Updating Current Item Costs with Future Costs



From Inventory Management (G41), choose **Inventory Price/Cost Updates**  
From Inventory Price/Cost Updates (G4123), choose **Future Cost Update**

You can replace current costs with future costs using the Future Cost Update program. You choose the cost level of the items for which to update future costs.

After you run this program, the system prints a report that lists the new costs and the old costs. The report also lists any errors that detail invalid cost methods.

41052		JD Edwards World			Page - . . . 3	
		Future Cost Update			Date - . 4/04/17	
		Cost Level Three Items Only				
Branch	Item	Description	Location	Lot	New Unit Cost	Previous Unit Cost
Plant					Method	
30	1001	Pen & Pencil Set	. . .		6.0000 01	5.2500
30	1001	Pen & Pencil Set	1 .B .1		6.2500 01	5.2500
30	1001	Pen & Pencil Set	1 .B .2		6.5000 02	5.2500
S	44557	Calloway 4457			1.2500 07	1.0000
30	1001	Pen & Pencil Set	1 .B .2		5.2500 02	6.5000
40	1001	Pen & Pencil Set	. . .		5.2500 02	5.2569
10	P002	Green Bar - Continuous Form	1 .B .1		30.2500 02	30.3750
20	P002	Green Bar - Continuous Form	1 .B .1		30.2500 02	30.8417
40	P002	Green Bar - Continuous Form	1 .B .1		30.1049 02	30.5610
40	P002	Green Bar - Continuous Form	D . .		30.1049 02	30.2500
40	TS002	Air-Shag Children's X-Trainer	. . .		43.9573 02	43.7336
40	V001	Natureway High Energy Vitamins	. . .		16.1500 02	16.1455
40	V001	Natureway High Energy Vitamins	. . .	000000009	16.1500 02	16.1455
40	V001	Natureway High Energy Vitamins	D . .	000000007	16.1500 02	16.0000
10	372-OAK	Oak Filing Cabinet	. . .		110.5000 02	90.3963
DEN	10	Pen & Pencil Set	. . .		3.5000 02	2.2700
10	1001	Pen & Pencil Set	. . .		5.4127 01	10.0000
27	1001	Pen & Pencil Set	. . .		5.2568 01	5.2500
30	1001	Pen & Pencil Set	. . .		5.2568 01	6.0000
30	1001	Pen & Pencil Set	1 .B .1		5.2500 01	6.2500
20	P001	Premium Xerographic Paper	. . .		2.7794 01	2.8373
27	P001	Premium Xerographic Paper	. . .		2.7860 01	2.6829
30	P001	Premium Xerographic Paper	. . .		2.7860 01	2.6829
40	P001	Premium Xerographic Paper	. . .		2.7860 01	2.6829
M10	P001	Premium Xerographic Paper	. . .		2.7793 01	2.8373
M20	P001	Premium Xerographic Paper	. . .		2.7793 01	2.8373
M30	P001	Premium Xerographic Paper	. . .		2.7793 01	2.8373
M40	P001	Premium Xerographic Paper	. . .		2.7793 01	2.8373
10	M001	Markette Red Highlighter	. . .		.6834 01	.5500
10	M001	Markette Red Highlighter	1 .A .		.5500 .0000	.0000
10	M001	Markette Red Highlighter	2 .A .		.5500 .0000	.0000
20	M001	Markette Red Highlighter	3 .A .1		.5077 01	.5608
27	M001	Markette Red Highlighter	. . .		.3556 01	.6806
30	M001	Markette Red Highlighter	. . .		.3556 01	.6806
40	M001	Markette Red Highlighter	. . .		.3556 01	.6806
M10	M001	Markette Red Highlighter	. . .		.5091 01	.5608
M20	M001	Markette Red Highlighter	. . .		.5091 01	.5608
M30	M001	Markette Red Highlighter	. . .		.5091 01	.5608
M40	M001	Markette Red Highlighter	. . .		.5091 01	.5608
20	P002	Green Bar - Continuous Form	. . .		.5091 01	.5608
27	P002	Green Bar - Continuous Form	. . .		30.9778 01	31.4333
30	P002	Green Bar - Continuous Form	. . .		32.7591 01	30.1049
40	P002	Green Bar - Continuous Form	. . .		32.7591 01	30.1049
M10	P002	Green Bar - Continuous Form	. . .		30.9681 01	31.4333
M20	P002	Green Bar - Continuous Form	. . .		30.9681 01	31.4333
M30	P002	Green Bar - Continuous Form	. . .		30.9681 01	31.4333
M40	P002	Green Bar - Continuous Form	. . .		30.9681 01	31.4333

## Processing Options

See [Future Cost Update – Cost Level 1 \(P41052\)](#).

---

## 8 Supplemental Database



---

---

# Overview to Supplemental Database

## Objectives

- To enter, review, and report on additional user defined inventory information
- To classify supplemental data by using codes, free-form text, or links to other programs

## About the Supplemental Database

The Supplemental Database is an optional feature that allows you to store information about an item that you do not include in the standard master tables.

For example, perhaps you need to track detailed information for your engineering change specifications. Using the supplemental database, you could enter information such as the departments and people who are responsible for specific duties.

In another example, you could use the supplemental database to track costs for an advertising campaign. For each end item, you could enter campaign information such as dates, costs, the type of campaign, and so forth.

Supplemental data can include:

- Quality performance information
- Legal descriptions
- Repair and replacement records
- Government procurement information
- Hazardous material regulations

## What You Should Know About

### **Updating the supplemental database**

You might need to run the following programs to update your supplemental database:

- Profile Data Copy/Move, after you have changed data types and you need to transfer information from one data type to another.
- Build the Word Search File, to update supplemental data information for online searches.
- Purge Supplemental Data, to purge information from supplemental data files.
- CIF (Central Information File) Sequence Revisions, to define security for supplemental database users. You can customize the supplemental database display for each user, user group, and data type.

You can access these programs from Item Supplemental Data/CIF.



---

---

# Define Data Types

## Defining Data Types



From Inventory Management (G41), choose **Item Supplemental Data/CIF**  
From Item Supplemental Data/CIF (G4124), choose **Profile Data Types**

Data types are user defined codes that classify supplemental data. When you define data types, you specify the mode for entering supplemental data. You can specify various modes, including Code (C), Narrative (N), Program (P), or Message (M).

Use the Code (C) mode to enter dates, amounts, and so forth. Codes also allow you to specify the format in which the data types appear in the system, and whether the system verifies that the user defined codes exist in a code table.

Use the Narrative (N) mode to enter the supplemental data as free-form text. For example, you could use data type EN to record detailed text information about an engineering specification for an item.

Use the Program (P) mode to directly exit to the program that you specify for the data type.

Use the Message (M) mode to directly exit to the form for entering information about the data type code.

Although your security clearance may allow you to work with the supplemental database, you might not be able to access other programs through the database.

## Before You Begin

- Before you define data types, decide whether to track information at the item level or the item and branch/plant level.
  - To track information at the item and branch/plant level, set the system constants (which are located in branch/plant constants) appropriately. For more information, see *Defining System Constants*.
  - To track by item only, set the field to N (no).
- Set up data type classification codes in user-defined code (system 41/type CL).
- Set up data types in user-defined code (system 41/type RT).

---

**Caution:** After you have set the Supplemental Database by Branch field and entered data in the Supplemental Database, do not change the field value. If you change the value, you lose the ability to view data for the item/branch.

---

## To define data types

### On Profile Data Types

Complete the following fields:

- Ty Dt (Type Data)
- Description
- Mde (Mode)
- CLS (Class)
- Code Title
- Amt Title (Amount Title)

Field	Explanation
Ty Dt	<p>A code that distinguishes the type of data that you can enter in the Supplemental Database. This user defined code is often an abbreviation for the data it represents.</p> <p>For example, you could define “AT” to represent “Advertising Types” and “SP” to represent “Special Promotions.”</p>
Description	A user defined name or remark.
Data Type Class	A code that groups similar data types within the Supplemental Database.

Field	Explanation
Mde	<p>The format of a data type. This code determines the display mode for supplemental data. Valid codes are:</p> <p>C    Code format, which displays the form for entering code-specific information. These codes are associated with User Defined Codes table (F0005).</p> <p>N    Narrative format, which displays the form for entering narrative text.</p> <p>P    Program exit, which allows you to exit to the program you specified in the Pgm ID field.</p> <p>M    Message format, which displays the form for entering code-specific information. However, the system can edit the code values you enter against values in the Generic Rates and Messages table (F00191). This code is not used by the Human Resources or Financials systems.</p>
Code Title	<p>The heading for a column on Supplemental Data Entry that relates to user defined codes. Enter the user defined codes for the supplemental data type in this column. For example, if the supplemental data type relates to the educational degrees of employees (BA, MBA, PHD, and so on), the heading could be Degree.</p> <p><i>Form-specific information</i></p> <p>The heading for a column on Profile Data Entry.</p>
Amt Title	<p>The heading for a column on Supplemental Data Entry that relates to an amount. This column contains statistical or measurable information. For example, if the data type relates to bid submittals, the heading could be Bid Amounts.</p> <p><i>Form-specific information</i></p> <p>The heading for a column on Profile Data Entry.</p>

## What You Should Know About

### Deleting data types

You cannot delete a data type that is associated with supplemental data.







---

---

# Overview to Kits

## Objective

- To understand kits and how to set them up in Inventory Management

## About Kits

A kit is a collection of inventory items that are associated with a parent item. Kits provide a way to:

- Package items together to be sold under a parent name
- Assemble a parent item from multiple inventory items

For example, you might store together several computer components, such as a monitor, hard drive, keyboard, and mouse. When you sell the items, you might sell them collectively as a computer system. In another example, you might store the same computer components in different locations within a warehouse. By entering the components in the system as kit components, you can easily locate each item and assemble the final product. You do not stock the parent item as an inventory item.

The bill of material defines which items form the kit. If the kit has features or options, such as an optional glare-resistant screen, you can specify these. If the kit has required components, the system orders them automatically.

You can view kit components on Sales Order Entry and Purchase Order Entry detail if you have set up the processing options.

Complete the following tasks:

- Enter kit information
- Enter a bill of material


## Kit Components

A kit is typically made up of several types of inventory items.

Item Type	Description
Parent item	A parent item represents the assembled item. Generally, the system does not carry inventory for a parent item. You must set up a parent item in the Item Master and designate it with a stocking type of K (for kit). The Item Master determines how the system calculates the price.
Components	Components are the actual inventory items that are contained in the kit. You set up components in the Item Master as regular stock items.
Features and options	Features and options are additional items for the kit. Feature items have a stocking type of F (for feature). The system recognizes feature items as second-level parent items, because the system does not carry inventory for the feature items. You set up the actual inventory items in the bill of material.



## Example: Kit



### Example: Feature

Assume that a compact disk (CD) player is a feature in the kit, and there are two versions of the feature:

- 5-platter CD player
- Single CD player

5-Platter  
Compact  
Disk Player  
(Option)



Single  
Compact  
Disk Player  
(Option)



## Kits in Distribution Systems

It is important to remember that in distribution systems, the word “kit” has a different meaning than in the manufacturing environment:

- Distribution systems use the bill of material to locate and assemble a group of items.
- Manufacturing systems use the bill of material to create a parts list for a work order. When you create a work order, you are preparing to produce a product. The parts list indicates the material and quantity that you will need.

---

---

# Enter Kit Information

## Entering Kit Information

Kits and bills of material can have up to 999 levels. A level consists of components, features, and options. Each can consist of various parts. For example, you define a feature in a parent kit's component and then enter the feature as a parent. Thus, the feature becomes a second level.

Complete the following tasks:

- [Entering Item Master Records for Kits](#)
- [Setting Up Locations for Kits](#)
- [Entering Kit Pricing Information](#)

## Entering Item Master Records for Kits



From Inventory Management (G41), choose <b>Inventory Master/Transactions</b> From Inventory Master/Transactions (G4111), choose <b>Item Master Information</b>
---

After you have decided which kits you need and what each kit will contain, enter the items on Item Master Information.

## To enter item master records for kits

### On Item Master Information

Complete the following fields:

- Stocking Type
- Kit Pricing Method

Field	Explanation
Stocking Type	A user-defined code (system41/type I) that indicates how you stock an item (for example, as finished goods, or as raw materials). The following stocking types are hard-coded and you should not change them:
B	Bulk floor stock
C	Configured item
F	Feature
K	Kit parent item
N	Non-stock

Field	Explanation
Kit Pricing Method	<p>A code that indicates how the system determines the sales price of a kit or configured item. Valid codes are:</p> <ol style="list-style-type: none"> <li>1 The system totals list prices of components to determine the kit or product family price.</li> <li>2 The list price of the final kit. This is the kit or product family price from the Base Price table (F4106).</li> <li>3 The price inclusion rules for the product family determine the product family price (for configured items only).</li> <li>4 The kit or product family price is the sum of the components' discounted prices. There is no discount on the parent.</li> </ol>

## What You Should Know About

<b>Item Master validation</b>	The system checks component item numbers against the Item Master table if you assign a line type to the component, feature, or option. Kits can also contain non-stock components. In this case, the system does not validate the item numbers against the Item Master table. An example of a non-stock component is a flyer or catalog.
-------------------------------	--

## See Also

- *Entering Item Master Information (P4101)* for more information on entering item master records

## Setting Up Locations for Kits



From Inventory Management (G41), choose **Inventory Master/Transactions**  
 From Inventory Master/Transactions (G4111), choose **Item Branch/Plant Information**

After you enter the kit's components, you must identify the location where the kit is stored.

### To set up locations for kits

On Item Branch/Plant Information

Complete the following field:

- Branch/Plant

## See Also

- *Entering Branch/Plant Information (P41026)*

## Entering Kit Pricing Information



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Item Master Information**

You must specify how to price kits in the item master. If you decide to price the kit at the parent level, you enter only pricing information for the parent item. To price the kit by the sum of the component prices, you must enter pricing information for each component.

### To enter kit pricing information

On Item Master Information

Complete the following fields:

- Sales Price Level
- Purchase Price Level
- Kit Pricing Method

Field	Explanation
Sales Price Level	A code that indicates whether the system maintains standard sales prices for an item, different sales prices for each branch/plant, or different sales prices for each location and lot within a branch/plant. The system maintains sales prices in the Base Price table (F4106). Valid codes are:  1     Item level 2     Item/Branch level 3     Item/Branch/Location level

Field	Explanation
Purchase Price Level	<p>A code that indicates where to retrieve the purchase price for an item when you enter a purchase order. Valid codes are:</p> <ol style="list-style-type: none"><li>1 Use the supplier/item price from the Purchase Price table (F41061).</li><li>2 Use the supplier/item/branch price from the Purchase Price table (F41061).</li><li>3 Use the inventory cost from the Inventory Cost table (F4105). This cost is based on the inventory cost level and the purchasing cost method you specify for the item.</li></ol> <p>The first two codes are applicable only if you set up supplier costs in the Purchase Management system. If you do not set up supplier costs, the system uses the inventory cost as the default for the purchase order.</p>

## What You Should Know About

<b>Feature parent items</b>	Do not enter pricing information for a feature parent item.
-----------------------------	---





---

---

# Enter a Bill of Material

## Entering a Bill of Material



From Inventory Management (G41), choose <b>Bill of Material Processing</b> From Bill of Material Processing (G4114), choose <b>Enter/Change Bill of Material</b>
---

You must enter a bill of material to specify how to assemble kit components to create the parent item. By entering a bill of material, you also provide the system with information such as:

- Whether there are feature items and options that are included with the kit
- Whether the feature items are optional
- The number of items that you need to assemble the kit

To enter a bill of material, you must set up your inventory kit.

### Before You Begin

- Verify that the parent, components, features, and options for the kit are set up in Item Master Information
- Verify that a valid parent item number exists in the Item Master table
- Determine whether you need to enter branch/plant information for kits

## To enter a bill of material

### On Enter/Change Bill of Material

1. Complete the following fields:
  - Parent Item
  - Component Item
  - Quantity Per
  - UM (Unit of Measure)
2. To establish multiple levels, choose Next Level (F2).
3. Access the detail area (F4).
 

The bill of material can have several levels.
4. Complete the following fields:
  - Standard/Optional/Feature
  - Required

Field	Explanation
Quantity Per	The number of units to which the system applies the transaction.
<i>Form-specific information</i>	
A number that indicates how many components you use to manufacture the parent item. A quantity of zero is valid. The default value is 1.	

Field	Explanation
UM	A user-defined code (system 00/type UM) that identifies the unit of measure for an item. For example, it can be eaches, cases, boxes, and so on.

## What You Should Know About

<b>Levels</b>	Enter each level in the kit separately.
<b>Component records</b>	If you have set a processing option so that the system does not validate the existence of an item/branch record, you do not have to set up the location of a component in the branch/plant where the kit is created. However, the item information must exist in the item master.

## See Also

- *Working with Bills of Material (P3002) in the Product Data Management Guide*

## Processing Options

See [Bill of Material Revisions \(P3002\)](#).



---

## 10 System Setup



---

---

# Set Up Constants

## Setting Up Constants

A constant is a piece of information that you associate with either the entire system or a specific branch/plant. The system uses constants as default information in many JD Edwards World systems.

After you determine the information that you want to use throughout your system, you can enter the appropriate values or change any predefined values.

Complete the following tasks:

- [Defining Branch/Plant Constants](#)
- [Defining Item Availability](#)
- [Defining System Constants](#)
- [Defining Batch Control Constants](#)
- [Defining the Location Format](#)

### See Also

- *Setup for Advanced Pricing (P40091W) in Advanced Pricing* for more information on additional system constants that you can define

### Before You Begin

- Create an address book record for the branch/plant
- Set up a branch/plant named *ALL*
- Set up the branch/plant as a business unit

## Defining Branch/Plant Constants



From Inventory Management (G41), enter **29**  
From Inventory System Setup (G4141), choose **Branch/Plant Constants**

Branch/plant constants allow you to customize the processing of daily transactions for each branch/plant in your distribution and manufacturing systems.

## To define branch/plant constants

### On Branch/Plant Constants

41204 Branch/Plant Constants

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Application Constants  
System Constants  
Clear Screen

Skip to Branch/Plant:

P	Branch/Plant	Description	Back	Loc	Ware	G/L	Period	Inu.	Approval Route Code
1	DC	Distribution Center	Y	Y	Y	Y	07		
	10	Modesto Distribution Cent	Y	Y	N	Y	06		
	19	Phoenix Branch	Y	N	N	Y	06		
	20	Valley Forge Distribution	Y	Y	N	Y	06		
	27	Eastern Area Distribution	Y	Y	Y	Y	06		
	30	Memphis Distribution Cent	Y	N	N	Y	06		
	40	Ft. Worth Distribution Ct	Y	Y	Y	Y	06		
	55	Portland Branch	Y	N	N	Y	06		
	56	Cheyenne Branch	Y	N	N	Y	06		
	00	Boston Branch	Y	N	N	Y	06		
	95	Miami Branch	Y	N	N	Y	06		
	M10	Modesto Distribution Ctr	Y	N	N	Y	06		
	M19	Phoenix Branch	Y	N	N	Y	07		
	M20	Valley Forge Mfg/Dist. Ct	Y	N	N	Y	07		
	M21	Subcontract Material Loca	Y	N	N	Y	07		

Opt: 1=Constants 2=Page 2 3=Availability 4=Locations F0=Batch F24=More

1. Choose Constants (Option 1) to select a branch/plant.

41001 Branch/Plant Constants - Pg 1

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Exit to Branch/Plant Con  
Exit to Branch/Plant Con  
Define Availability  
Clear Screen

Action Code:

Branch/Plant:  DC Distribution Center

Brch/Plt Address Number:  0041 Distribution Center

Symbol to Identify Short No.:

Symbol to Identify 2nd No.:

Symbol to Identify 3rd No.:

Symbol for Customer/Supplier:

Interface G/L (Y/N):  Y

General Ledger Explanation:  1

Update Units to G/L:  N

Commitment Method:  1

Specific Commitment (Days):  999

Number of Days in Year:  360

Approval Route Code:

ABC Codes:  .700 .950 .999

Sales %:  .500 .750 .999

Gross Margin %:  .800 .900 .999

Average Invest %:

Backorders Allowed (Y/N):  Y

Customer Cross Ref. Code:  0

Supplier Cross Ref. Code:  0

Current Inventory Period:  07

Purchase Order Issue Cost:  12.00

Inventory Carrying Cost (%):  10.000

Sales/Inventory Cost Method:  02

Purchasing Costing Method:  02

Location Control (Y/N):  Y

Warehouse Control (Y/N):  Y

Foreign Depot:

Quality Management (Y/N):

Branch/Plant Type:

Item Branch Creation:

Location Lot Creation:

F5=Page-2 F8=Page-3 F13=Define Availability F24=More Keys

2. On Branch/Plant Constants – Page 1, complete the following fields:

- Branch/Plant
- Brch/Plt Address Number (Branch/Plant Address Number)



3. To enter identification symbols for items in the branch/plant, complete the following fields:
  - Symbol to Identify Short No. (Symbol to Identify Short Number)
  - Symbol to Identify 2nd No. (Symbol to Identify Second Number)
  - Symbol to Identify 3rd No. (Symbol to Identify Third Number)
  - Symbol for Customer/Supplier
4. To enter cross-reference information for items in the branch/plant, complete the following fields:
  - Customer Cross Ref. Code (Customer Cross-Reference Code)
  - Supplier Cross Ref. Code (Supplier Cross-Reference Code)
5. To enter accounting information for items in the branch/plant, complete the following fields:
  - Current Inventory Period
  - Interface G/L (Y/N) (Interface General Ledger (Y/N))
  - General Ledger Explanation
  - Update Units to G/L (Update Units to General Ledger)
6. To enter cost information for items in the branch/plant, complete the following fields:
  - Purchase Order Issue Cost
  - Inventory Carrying Cost
  - Sales/Inventory Cost Method
  - Purchasing Costing Method
7. To enter commitment and sales information for items in the branch/plant, complete the following fields:
  - Commitment Method
  - Specific Commitment (Days)
  - Number of Days in Year
  - Approval Route Code
  - ABC Codes Sales
  - ABC Codes Margin
  - ABC Codes Average Investment % (ABC Codes Average Investment Percentage)
8. To complete the definitions for the branch/plant constants, complete the following fields:
  - Location Control (Y/N)
  - Warehouse Control (Y/N)
  - Foreign Depot

- Quality Management (Y/N)
- Branch/Plant Type
- Item Branch Creation
- Location Lot Creation

9. Enter A in the following field, and press Enter:

- Action Code

Field	Explanation
Branch/Plant	A code that identifies a separate entity within a business for which you want to track items and costs. This entity might be a warehouse location, job, project, work center, or branch/plant. The Business Unit field is alphanumeric.
Brch/Plt Address Number	The address number of the customer or supplier.
Symbol to Identify Short No	<p>A blank here indicates that the 8-character item number will be the one used most often during entry and inquiry. Otherwise a special symbol should be entered to indicate that this number is not primary; this symbol must then be the first character entered if inquiry or entry using this number is desired.</p> <p><b>Note:</b> Only one symbol may be left blank. The other two must have a symbol, so that all three item numbers are unique. Be sure that this symbol is not significant for any other purposes of entry (such as a period or a comma). Suggested symbols would be /, *, &amp;, and so forth.</p>
Symbol to Identify 2nd No	<p>A blank here indicates that the 25-character second item number will be the one used most often during entry and inquiry. Otherwise a special symbol should be entered to indicate that this number is not primary; this symbol must then be the first character entered if inquiry or entry using this number is desired.</p> <p><b>Note:</b> Only one symbol may be left blank. The other two must have a symbol, so that all three item numbers are unique. Be sure that this symbol is not significant for any other purposes of entry (such as a period or a comma). Suggested symbols would be /, *, &amp;, and so forth.</p>
Symbol to Identify 3rd No	<p>A blank here indicates that the 25-character third item number will be the one used most often during entry and inquiry. Otherwise a special symbol should be entered to indicate that this number is not primary; this symbol must then be the first character entered if inquiry or entry using this number is desired.</p> <p><b>Note:</b> Only one symbol may be left blank. The other two must have a symbol, so that all three item numbers are unique. Be sure that this symbol is not significant for any other purposes of entry (such as a period or a comma). Suggested symbols would be /, *, &amp;, and so forth.</p>

Field	Explanation
Symbol for Customer/Supplier	A character that you use to identify the customer's or supplier's number in your system. When you enter a number preceded by this character, the system recognizes the number as the customer's or supplier's number. The system then goes to the cross-reference table to match the number to your item number. You cannot leave this field blank if you want the system to perform cross-referencing.
Customer Cross Ref. Code	<p>A user-defined code (system 41\table DT) that identifies the type of cross-reference you have set up for this customer. The system contains examples for:</p> <p>Substitutes</p> <p>Replacements</p> <p>Bar Codes</p> <p>Customer Numbers</p> <p>Supplier Numbers</p>
Supplier Cross Ref. Code	<p>User-defined code (system 41/type DT) identifying the type of cross-reference you have set up for this supplier. Example cross-references have been set up for:</p> <ol style="list-style-type: none"> <li>1. Substitutes</li> <li>2. Replacements</li> <li>3. Bar Codes</li> <li>4. Customer Numbers</li> <li>5. Supplier Numbers</li> </ol>
Current Inventory Period	<p>A number that identifies the current accounting period (from 1 to 14). The system uses this number to generate error messages, such as PBCO (Posted Before Cut Off) and PACO (Posted After Cut Off).</p> <p><i>Form-specific information</i></p> <p>The current inventory period for a branch/plant should equal the accounting period for its parent company.</p>
Interface G/L (Y/N)	<p>A code that indicates whether inventory transactions that are processed through this branch/plant create general ledger entries. Valid codes are:</p> <p>Y     Yes</p> <p>N     No</p>
General Ledger Explanation	<p>A code that the Inventory Management system uses to select the default description that appears on the second line of a general ledger journal entry.</p> <p>Valid codes are:</p> <ol style="list-style-type: none"> <li>1     item master description (the default)</li> <li>2     primary item number</li> </ol>

Field	Explanation
Update Units to G/L	<p>A code that indicates whether the system should move units to the general ledger after the system records a journal entry for the following programs:</p> <p>P4114 (Inventory Adjustments)</p> <p>P41413 (Cycle Count Update)</p> <p>P4113 (Inventory Transfers)</p> <p>P41610 (Tag Update)</p> <p>P4112 (Inventory Issues)</p> <p>P4116 (Item Re-Classification)</p> <p>P4312 (Receipts)</p> <p>P42800 (Sales Update)</p> <p>P4314 (Voucher Match)</p> <p>P31111 (Work Order Inventory Issues)</p> <p>P31112 (Work Order Completions)</p> <p>P31802 (Work Order Journal Entries)</p> <p>P31842 (Rate Base Journal Entries)</p>
Purchase Order Issue Cost	<p>The amount that the Purchase Management system uses to calculate the Economic Order Quantity (EOQ). This cost should be the estimate of the cost of materials, labor, and overhead that you incur when you issue a single purchase order. The default value is .00. For example:</p> <p>S     Purchase Order Issue Cost = 15.0</p> <p>I     Inventory Carrying Cost = .09 (9%)</p> <p>Y     Annual Sales in Units = 3,000</p> <p>C     Unit cost of Item = 10.0</p> <p>Economic Order Quantity = Square root of <math>((2S/I) \times (Y/C))</math></p> <p>Square root of <math>[(2)(15) \text{ divided by } 0.09] \times 3,000 \text{ divided by } 10.0 = 316.23</math></p>

Field	Explanation
Inventory Carrying Cost (%)	<p>The percentage of inventory investment that the Purchase Management system uses to calculate Economic Order Quantity (EOQ). The default is .00. Enter a percentage as a decimal value.</p> <p>The following example shows how EOQ is determined using the Inventory Carrying Cost Percentage:</p> <p>S      Purchase Order Issue Cost = 15.0</p> <p>I      Inventory Carrying Cost = .09 (9%)</p> <p>Y      Annual Sales in Units = 3,000</p> <p>C      Unit Cost of Item = 10.0</p> <p>EOQ = Square root of <math>((2S/I) \times (Y/C))</math> = the square root of <math>(2(15) \text{ divided by } .09) \times (3000 \text{ divided by } 10) = 316.23</math></p> <p><b>Note:</b> Access field help for the Economic Order Quantity field for information on the EOQ formula.</p>
Sales/Inventory Cost Method	A user-defined code (system 40/type CM) that indicates the cost method that the system uses to calculate the cost of goods sold for the item. Cost methods 01-08 are hard-coded.
Purchasing Costing Method	A user-defined code (system 40/type CM) that indicates the cost method that the system uses to determine the cost of the item for purchase orders. Cost methods 01-08 are hard-coded.
Commitment Method	<p>A code that indicates the method that the system uses to commit lot items from inventory. Valid codes are:</p> <ol style="list-style-type: none"> <li>1      The normal commitment method for inventory (default). The system commits inventory from the primary location and then from secondary locations. The system commits inventory from the locations with the most inventory before committing inventory from locations with the least. The system commits backorders to the primary location.</li> <li>2      The inventory commitment method by lot number. The system commits inventory by lot number, starting with the lowest lot number and committing orders to available lots.</li> <li>3      The inventory commitment method by lot expiration date. The system commits inventory from the locations with the earliest expiration date first. The system considers only locations with expiration dates greater than or equal to the sales order or parts list requested date.</li> </ol>

Field	Explanation
Specific Commitment (Days)	Number used to determine when to commit inventory to an order in sales order processing. This value in days is added to today's date and compared with the Promised Ship Date for the order line. If the Promised Date is greater than the calculated date, then the order line will be future committed in the Item Location record (F41021). Entering '999' eliminates future commits.
Number of Days in Year	The number of days that you are open for business in a year. This number must be between 252 and 365. The Purchase Management system uses this number to calculate economic order quantity (EOQ). This is a required field.
Approval Route Code	A code that determines to whom an order is routed for approval.
ABC Codes Sales %	<p>Percentage that tells the system how to define the A group during ABC analysis. This number is the total of the A percentage added to the percentage you want the system to use when it assigns items to the B group. For example, you want items that make up the top 75% of your selling items in the A group and items that make up the next 20% in the B group. You would enter 95% in this field, which is the total of 75% and 20%. You enter each percentage as a decimal amount. For example, enter 75% as .75.</p> <p>During ABC analysis, the system compares the total sales of a single item to the total sales of all items to calculate the "value" of each item. An item's value is its percentage of the total sales. The system then arranges the values of all items from those of highest value to those of lowest value and adds the values together beginning with the highest. After it reaches the limit for A items, it continues to add values until it reaches the limit for B items. All items whose value is included in the total between the A limit and the B limit are B items. If an item's value causes the total to go over the B limit, the system assigns that item to the C group.</p>

Field	Explanation
Gross Margin %	<p>Percentage that tells the system how to define the A group during ABC analysis. This number is the total of the A percentage added to the percentage you want the system to use when it assigns items to the B group. For example, you want items that make up the top 75% of your selling items in the A group and items that make up the next 20% in the B group. You would enter 95% in this field, which is the total of 75% and 20%. You enter each percentage as a decimal amount. For example, enter 75% as .75.</p> <p>During ABC analysis, the system compares the total sales of a single item to the total sales of all items to calculate the “value” of each item. An item’s value is its percentage of the total sales. The system then arranges the values of all items from those of highest value to those of lowest value and adds the values together beginning with the highest. After it reaches the limit for A items, it continues to add values until it reaches the limit for B items. All items whose value is included in the total between the A limit and the B limit are B items. If an item’s value causes the total to go over the B limit, the system assigns that item to the C group.</p>
Average Invest %	<p>Percentage that tells the system how to define the A group during ABC analysis. This number is the total of the A percentage added to the percentage you want the system to use when it assigns items to the B group. For example, you want items that make up the top 75% of your selling items in the A group and items that make up the next 20% in the B group. You would enter 95% in this field, which is the total of 75% and 20%. You enter each percentage as a decimal amount. For example, enter 75% as .75.</p> <p>During ABC analysis, the system compares the total sales of a single item to the total sales of all items to calculate the “value” of each item. An item’s value is its percentage of the total sales. The system then arranges the values of all items from those of highest value to those of lowest value and adds the values together beginning with the highest. After it reaches the limit for A items, it continues to add values until it reaches the limit for B items. All items whose value is included in the total between the A limit and the B limit are B items. If an item’s value causes the total to go over the B limit, the system assigns that item to the C group.</p>

Field	Explanation
Location Control (Y/N)	<p>A code that indicates what type of location control the system requires. You should use location control if you want to use only locations that are in the Location Master table.</p> <p>Valid codes are:</p> <p>Y Yes, use only locations in Location Master (F4100).</p> <p>N No, do not restrict locations to those in Location Master. Use all locations, as long as they conform to the location format defined on Branch/Plant Constants - Page 2.</p> <p>If Warehouse Control is set to Yes, Location Control also must be set to Yes.</p>
Warehouse Control (Y/N)	<p>A code that determines whether the system creates warehouse transactions for the branch/plant.</p>
Foreign Depot	<p>This flag indicates whether or not this branch/plant is owned by another company. This field is checked by the Bulk and Packed Load Confirmation programs to determine if the depot from which product is being loaded is a foreign depot. If it is a foreign depot, a valid borrow agreement is required to be entered during load confirmation.</p>
Quality Management (Y/N)	<p>This flag indicates whether to activate the Quality Management system (System 37) for your branch/plant.</p>
Branch/Plant Type	<p>Possible types are:</p> <p>C Consigned</p> <p>M Manufacturing/Distribution</p> <p>V VMI Facility</p>
Item Branch Creation	<p>A flag to indicate whether new item branch records may be created "on the fly."</p> <p>0 (Y) New item branch records may be created</p> <p>1 (N) New lots may not be created if the location exists</p> <p>This flag works in conjunction with the Location Lot Creation flag (see next).</p>
Location Lot Creation	<p>A flag to indicate whether the creation of new Item Location records are allowed:</p> <p>0 (Y) New location/lot records are allowed</p> <p>1 (N) New lots are not allowed, but new locations are allowed</p> <p>2 Neither new lots nor locations are allowed</p> <p>3 Neither new lots nor locations are allowed</p> <p>This flag works in conjunction with the Item Branch Creation flag.</p>



## What You Should Know About

### Defining warehouse control specifications

If you use the Advanced Warehouse Management system, you must define the warehouse information on Branch/Plant Constants - Page 2.

## Defining Item Availability



From Inventory Management (G41), enter **29**  
From Inventory System Setup (G4141), choose **Branch/Plant Constants**

You must define how you want the system to calculate item availability for each branch/plant. This calculation impacts how the system calculates backorders, cancellations, and customer delivery time.

### To define item availability

On Branch/Plant Constants

1. Enter 3 (Item Availability Definition) in the following field next to the branch plant:
  - Option

2. On Item Availability Definition, enter a plus (+) or minus (-) sign in the following field to add or subtract from the appropriate quantity on hand.

- Option

## What You Should Know About

### Availability calculations for configured items

You must use the Sales Order Management system to calculate availability for configured items.

## See Also

- *Reviewing Performance Information (P4115)* for more information about quantities

## Defining System Constants



From Inventory Management (G41), enter **29**  
From Inventory System Setup (G4141), choose **Branch/Plant Constants**


Set up system constants to determine which functions to perform. For example, assume that you have several branch/plants and you use different units of measure for the items in each branch/plant. You can set a system constant to automatically convert units of measure by branch.

System constants apply to all branch/plants. You cannot customize the settings for each branch/plant.

### To define system constants

On Branch/Plant Constants

1. Choose System Constants (F10).



2. On System Constants, complete the following fields:


- Unit of Measure Conversions by Branch
- Supplemental Data Base by Branch
- Allow Duplicate Lots
- Update Average Cost On-Line
- Sales Price Retrieval Unit of Measure

- Purchase Price Retrieval Unit of Measure
- Sales Price Based On Date
- Purchase Rebate Category Code
- ECS Control (Y/N)

Field	Explanation
Unit Of Measure Conversions by Branch	<p>A code that indicates how the system uses the branch/plant within the Item Specific Unit of Measure Conversion tables. Valid values are:</p> <p>Y     The system displays the item specific conversion table when you add an item to a specific branch/plant.</p> <p>N     The system displays the item specific conversion table for all branch/plants from the Item Master table.</p>
Supplemental Data Base by Branch	<p>A code that indicates how the system uses the branch/plant within the Inventory Management Supplemental Database. Valid values are:</p> <p>Y     The supplemental data is unique by item and branch.</p> <p>N     The supplemental data is unique by item only.</p>
Allow Duplicate Lots	<p>A flag that determines whether the system can assign the same lot to multiple items. Valid values are:</p> <p>1     Do not allow duplicate lots. The lot is restricted to one item and one branch/plant.</p> <p>2     Allow duplicate lots. You can create a lot that contains multiple items and branch/plants.</p> <p>3     Do not allow duplicate lots. The lot is restricted to one item, but can contain quantities in multiple branch/plants.</p>
Update Average Cost On- Line	<p>A code that indicates when the system calculates the new average cost for an item. Valid values are:</p> <p>Y     The system calculates a new average cost online immediately after any transaction that affects the average cost of an item.</p> <p>N     All processes that affect average cost create transactions to an Average Cost Work table (F41051). The system calculates a new average cost when you run the Average Cost Update program.</p>

Field	Explanation
Sales Price Retrieval UOM	<p>A value that specifies the unit of measure that the system uses for retrieving base prices and price adjustments during sales order processing. The system allows you to define your base prices in the Base Price table (F4106) and price adjustments in the Adjustment Detail table (F4072) in various units of measure.</p> <p>If you specify the Transaction or Pricing UOM and the system does not find a record in that unit of measure, the system repeats the process using the primary UOM of the item.</p>
Purchase Price Retrieval UOM	<p>A value that represents the unit of measure that the system retrieves for the purchase base price (F41061) during purchase order processing.</p> <p>If you specify the Transaction or Purchasing UOM and the system does not find a record in that unit of measure, the system repeats the process using the primary UOM of the item.</p>
Sales Price Based On Date	A value that determines how the system updates the Price Effective Date in the Sales Order Header (F4201) and Detail (F4211) tables. In the Sales Order Management system, the system uses the Price Effective Date to retrieve the base price from F4106 and price adjustments from F4072.
Purchase Rebate Category Code	A number in the system constants that determines which category code the system uses in the criteria for inclusion comparison.
ECS Control (Y/N)	The Energy and Chemical System Control code that you use to indicate whether to use the ECS application.

## Defining Batch Control Constants

	From Inventory Management (G41), enter <b>29</b> From Inventory System Setup (G4141), choose <b>Branch/Plant Constants</b>
---	---

Defining batch control constants prevents the system from applying changes that unauthorized personnel make to the general ledger. Also, you can define a constant that requires you to enter batch control information before the system runs a batch processing job. You might enter batch control information to compare the anticipated size of the job to the end result.

You must define management approval and batch control separately for each distribution and manufacturing system that you use.

## To define batch control constants

### On Branch/Plant Constants

1. Choose Application Constants (F8).



2. On Application Constants, complete the following fields:

- Mgmt Apprv (Management Approval)
- Batch Ctrl (Batch Control)

Field	Explanation
Mgmt Apprv	<p>A code that indicates whether you want to require approval of batches before they can be posted to the general ledger. Valid values are:</p> <p>Y Yes, assign a status of Pending to each batch that you create within the listed systems.</p> <p>N No, assign a status of Approved to each batch.</p>
Batch Ctrl	<p>A code that indicates whether to require entry of batch control information. For each batch, the system displays a batch control form where you must enter information about the number of documents and the total amount of the transactions that you expect in the batch. The system uses these totals to edit and display differences from the actual transactions you entered. This field applies only to the Inventory Management and the Purchase Order Management systems. Valid values are:</p> <p>Y Yes. In Inventory Management, Y displays a batch control form before you issue, adjust, or transfer inventory. In Purchase Order Management, Y displays a batch control form before you enter receipts.</p> <p>N No, do not require entry of batch control information.</p>

## Defining the Location Format



From Inventory Management (G41), enter **29**  
From Inventory System Setup (G4141), choose **Branch/Plant Constants**

Defining the location format allows you to determine how to set up item locations. For example, assume that you store pencils in branch/plant A. You can define elements that contain more specific information about the actual location. For example, an element can represent an aisle, bin, shelf, or any other location that you use in a branch/plant.

You can define a location's format using up to 10 different elements, such as aisle, shelf, and bin. For each element, you can define the following:

- Length
- Justification
- Separator character

If you are using the Advanced Warehouse Management system, you must also define default units of measure for volumes, dimensions, and weights.

### To define the location format

On Branch/Plant Constants

1. Enter 2 (Page 2) in the following field:
  - Option

410012 Branch/Plant Constants - Pg 2

Action Code: [F] Branch/Plant: [DC] Distribution Center

Location Format Specifications:

Separator Character	Length of Aisle	Bin	Code 3	Code 4	Code 5	Length of Code 6	Code 7	Code 8	Code 9	Code 10
[ ]	[1] L/R [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]
[ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]
[ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]
[ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]	[1] [ ]

Warehouse Control Specifications:

Request Inclusion Vers	[WMS] Warehouse Management
Dimen. Display U/M	[IN] Inches
Volume Display U/M	[FC] Cubic Feet
Weight Display U/M	[LB] Pounds
Default Receiving Locn	[R.]
Default Shipping Locn	[D.]

F24=More

2. On Branch/Plant Constants - Page 2, complete the following fields for each element:

- Length (of Aisle, of Bin, of Code 3 - 10)
- L/R (Left/Right)
- Separator Character

This defines the location format.

Field	Explanation
Length of Aisle	Identifies the number of characters to represent the tank (or aisle for packaged stock). Valid values are numbers 1 through 8.
L/R	Left or Right justification for Code 6 in the location format specification.
Separator Character	<p>A character that divides the elements of the location when you display them on forms or reports. For example, you might use a slash (/) as a separator character to divide elements such as aisle, bin, and shelf in a location code.</p> <p>Separators are not stored in the tables, but are used to edit a location on a form or report. If you do not want to use separators, leave this field blank. However, you must enter characters and spaces to equal the correct length of each element in the location code. The system then displays the location as one string of characters.</p> <p><i>Form-specific information</i></p> <p>The system uses the character you enter in this field to separate the combination of tank/owner and aisle/bin as it appears on forms or reports. Companies commonly use a period (.) as the separator character.</p>

## What You Should Know About

<b>Location length</b>	The total length of all elements, including separators, cannot exceed 20 characters. The system does not store separators in the tables, but uses separators to edit a location on a form or report. If you do not want to use separators, leave the separator field blank. The system displays the location as one string of characters.
------------------------	---

## See Also

- *Setting Up Locations (P41204) in the Warehouse Management Guide*





---

---

# Set Up Warehouse Locations

## Setting Up Warehouse Locations



From Inventory Management (G41), enter **29**  
From Inventory System Setup (G4141), choose **Define Warehouse Locations**

After you have defined the format for your locations, you must define all of the locations in a warehouse. To locate items more easily, you can create a hierarchy of locations within the warehouse and enter information about zones.

You can also define a primary location to store basic information about items in a warehouse. A primary location is not an actual physical location. For example, you could designate a primary location as “Location A,” and then assign every item in the warehouse to a location that begins with “A.”

You can also define a blank location as the primary location for inventory items. How the system displays the primary location depends on the location format specifications that you defined for the branch/plant.

### Before You Begin

- Define the location format in Branch/Plant Constants
- Verify that location control is activated in Branch/Plant Constants

### See Also

- *Setting Up Locations (P41204)* in the *Warehouse Management Guide*

## To set up warehouse locations

### On Define Warehouse Locations

4100 Define Warehouse Locations

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Display More Information  
Redisplay Previously C  
Exit to Warehouse Defin  
Create / View Location  
Display Warehouse Util  
Clear Screen

4100 Define Warehouse Locations

Zone  
Detail Level

Action Type  
Branch/Plant  
Skip To Location

No Location Control for Branch/Plant

30 Memphis Distribution Center

Location	LOD	Put Zone	Pick Zone	Replen Zone	Location Codes					
					5	6	7	8	9	10
1 - -	1									
1 - -	2									
1 .A -	3									
1 .A .1	4									
1 .A .2	4									
1 .B -	3									
1 .B .1	4									
1 .B .2	4									
1 .C -	3									
1 .C .1	4									
1 .C .2	4									
2 - -	2									

Opt: 1=Items 3=Duplicate F10=Warehouse Definition F24=More Keys

- Complete the following fields:
  - Branch/Plant
  - Location
- To create a hierarchy of locations within a warehouse, complete the following field:
  - LOD (Level of Detail)
- To define a primary location, complete the following field, but do not use a separator character:
  - Location

The system displays an asterisk (\*) to indicate the primary location.

Field	Explanation
Location	<p>A code that identifies inventory locations in a branch/plant. You define the format of the location identifier by branch/plant.</p> <p><i>Form-specific information</i></p> <p>A location format is composed of elements and, optionally, a separator character. The total length of all elements in this field, including separators, cannot exceed 20 characters.</p> <p>If you leave this field blank and do not use a separator character, the system displays the location as an asterisk. If you use a separator character, the system displays the location with the correct number of spaces for each element, followed by the separator character.</p>
Detail Level	<p>A code that summarizes or classifies locations and provides a hierarchy of locations for review purposes. For instance, you can assign aisles to level 3, and individual racks within the aisle as level 4.</p> <p><i>Form-specific information</i></p> <p>Use the Detail Level field to specify the beginning level of detail that you want the system to display.</p> <p>Use the Level of Detail field in the lower portion of the form to identify the level of detail for the location.</p>

## See Also

- *Setting Up Locations (P41204) in the Warehouse Management Guide*
- *Setting Up Constants (P41204) for information on defining location format for each branch/plant*



---

# Set Up Automatic Accounting Instructions

## Setting Up Automatic Accounting Instructions



From Inventory Management (G41), enter **29**  
From Inventory System Setup (G4141), choose **Automatic Accounting Instr.**

Automatic accounting instructions (AAIs) define your day-to-day functions, chart of accounts, and financial reports. The system uses AAIs to determine how to distribute G/L entries that the system generates. For example, in the Inventory Management system, AAIs indicate how to record the transaction after you issue inventory from a location.

AAIs for Distribution are stored in F4095, and are set up on any distribution setup menu. The fast path is DMAAI. You can establish an AAI for any unique combination of:

- Company number
- Document type
- G/L Class code

If the system cannot find an AAI for a specific combination, then the system will use Company 00000 and G/L class code \*\*\*\* as defaults. The document type must match. For example, for a particular document type, the system performs AAI searches in the following sequence:

For company 00100, with a G/L class of IN20:

1. The system first searches for Company 00100, G/L class IN20.
2. If not found, the system then searches for Company 00100, G/L class \*\*\*\*.
3. If not found, the system then searches for Company 00000, G/L class IN20.
4. If not found, the system then searches for Company 00000, G/L class \*\*\*\*.
5. If not found, the system gives an error message.

---

**Note:** Financial AAIs are stored in F0012, and the fast path to setup is AAI. Financial AAIs PC and RC (for A/P and A/R) have a default search sequence similar to Distribution's AAIs, with the last default of Company 00000, item PC\_\_\_\_ or RC\_\_\_\_. (PC\_\_\_\_/RC\_\_\_\_ means that they can be blank).

---

## G/L Class Codes

For inventory transactions, the GL class comes from the Item Location file, F41021, or, for non-stock, the Item Master file, F4101. For sales and purchasing transactions, the G/L class used is determined by the inventory interface for the line type. There are exceptions to this for advanced pricing, taxes, and landed cost.

<b>Inventory Interface of Line Type</b>	<b>The G/L Class comes from:</b>
Y and D	Item Location File (F41021)
N	The fold of the Line Type
A	Debits the account number entered on the PO for the purchase, but pulls the G/L class code for RNV and Variances from the Line Type
B	Debits the account number entered on the PO for the purchase, but pulls the G/L class code for RNV and Variances from the Item Master Location File (F41021)

## AAIs for the Inventory Management System

The following table shows the predefined AAI items available in the Inventory Management system.

<b>AAI</b>	<b>Description</b>
4122	An inventory AAI that provides the balance sheet inventory valuation account for inventory transactions, specifically Inventory Issues (P4112), Inventory Transfers (P4113), Inventory Adjustments (P4114) and Reclassifications (P4116).
4124	An inventory AAI that provides the expense or cost of goods sold account for inventory transactions, specifically Inventory Issues (P4112), Inventory Transfers (P4113), Inventory Adjustments (P4114) and Reclassifications (P4116).
4126	A zero balance adjustment AAI that provides the inventory offset account. This is used when quantity equals zero, but dollars remain. It is used by Inventory Issues (P4112), Inventory Transfers (P4113), Inventory Adjustments (P4114) & Reclassifications (P4116).
4128	A zero balance adjustment AAI that provides the expense or cost of goods offset account. This is used when quantity equals zero, but dollars remain. It is used by Inventory Issues (P4112), Inventory Transfers (P4113), Inventory Adjustments (P4114) & Reclassifications (P4116).
4134	An item balance cost change AAI that determines the inventory offset account. This is used when an item's cost is changed in Quantity Revisions (P41022), Item Branch Plant Information (P41026) & Batch Cost Maintenance (P41802).

AAI	Description
4136	An item balance cost change AAI that determines the expense or cost of goods offset account. This is used when an item's cost is changed in Quantity Revisions (P41022), Item Branch Plant Information (P41026) & Batch Cost Maintenance (P41802).
4141	A standard cost variance AAI that determines the cost of goods offset account when the To branch has a different standard cost than the From branch in an Inventory Transfers (P4113).
4152	A physical inventory update AAI that determines the inventory offset account. This AAI is used to record a change in the value of inventory when the quantity counted does not equal the quantity on hand in physical inventory. This AAI is used in conjunction with Cycle Count Update (P41413) and Tag Count Update (P41610).
4154	A physical inventory update AAI that determines the cost of goods offset account. This AAI is used to record a change in the value of inventory when the quantity counted does not equal the quantity on hand in physical inventory. This AAI is used in conjunction with Cycle Count Update (P41413) and Tag Count Update (P41610).
4172	A batch cost maintenance AAI that determines the inventory offset account when unit cost of an item is changed through Future Cost Update (P41052).
4174	A batch cost maintenance AAI that determines the expense or cost of goods offset account when unit cost of an item is changed through Future Cost Update (P41052).
4182	A bulk product gain/loss AAI that determines the bulk inventory offset account.
4184	A bulk product gain/loss AAI that determines the expense or cost of goods offset account.

## Before You Begin

- Set up companies
- Determine transaction types
- Set up document types
- Set up G/L class codes
- Determine the account numbers for recording transactions
- Set up account master information

## To set up automatic accounting instructions

### On Automatic Accounting Instructions

40901 Automatic Accounting Instr.

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
More Details  
AAI Types  
Write/View Memo  
Print AAI Tables  
Clear Screen

40901 Automatic Accounting Instr.

Skip To AAI 4100 Inventory

Description	Description-2	
Sales Order Processing	Sales Activity	
Cost of Goods Sold	- SOC	See Memo
Deferred Cost of Goods Sold		See Memo
COGS - Accommodations		
Deferred COGS - Accommodations		
Revenue	- SOC	See Memo
Deferred Revenue		See Memo
Unbilled R/R		See Memo
Inventory	- SOI	See Memo
Inventory In Transit		See Memo
Accommodations		See Memo
Accommodations in Transit		
Accounts Receivable Trade	- SOR	
Tax Liability	- SOT	See Memo

Opt 1-AAI Revisions F5-AAI Types F14-Memo F21-Print F24-More Keys

- Enter 1 (AAI Revisions) in the following field next to the appropriate description:

- Option

40950 Distribution Automatic Account

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Write/View Memo  
Print AAI Tables  
Clear Screen

40950 Distribution Automatic Account

Action Code See Memo

AAI Table Number 4242 Accommodations

Company

Document Type

Co.	Ty	Cls.	Description	Bus. Unit	Object	Sub
000249	S4	IN20	/ Inventory		1411	EXCHANGE
			/			
			/			
			/			
			/			
			/			
			/			
			/			
			/			
			/			

F14-Memo F21-Print F24-More Keys

- On Distribution Automatic Account, complete the following fields:

- Co.



- Do Ty (Document Type)
- G/L Cls (General Ledger Class)
- Object
- Sub (Subsidiary)

Field	Explanation
Company	<p>A code that identifies a specific organization, fund, entity, and so on. This code must already exist in the Company Constants table (F0010). It must identify a reporting entity that has a complete balance sheet. At this level, you can have intercompany transactions.</p> <p><b>Note:</b> You can use company 00000 for default values, such as dates and automatic accounting instructions (AAIs). You cannot use it for transaction entries.</p> <p style="text-align: center;"><i>Form-specific information</i></p> <p>In the inquiry field at the top of the form, the asterisk (*) is the default value. It causes the system to display AAIs for all companies.</p>
Document Type	<p>A user-defined code (system 00/type DT) that identifies the origin and purpose of the transaction.</p> <p>JD Edwards World reserves several prefixes for document types, such as vouchers, invoices, receipts, and timesheets.</p> <p>The reserved document type prefixes for codes are:</p> <p>P     Accounts payable documents</p> <p>R     Accounts receivable documents</p> <p>T     Payroll documents</p> <p>I     Inventory documents</p> <p>O     Order processing documents</p> <p>J     General ledger/joint interest billing documents</p> <p>The system creates offsetting entries as appropriate for these document types when you post batches.</p> <p style="text-align: center;"><i>Form-specific information</i></p> <p>In the inquiry field at the top of the form, the asterisk (*) is the default and causes the system to display all document types.</p>
G/L	<p>A user-defined code (system 41/type 9) that controls which general ledger accounts receive the dollar amount of inventory transactions for this item.</p>

Field	Explanation
Object Account	The object account portion of a general ledger account. The term "object account" refers to the breakdown of the Cost Code (for example, labor, materials, and equipment) into subcategories (for example, dividing labor into regular time, premium time, and burden). If you are using a flexible chart of accounts and the object is set to 6 digits, JD Edwards World recommends that you use all 6 digits. For example, entering 000456 is not the same as entering 456, because the system enters three blank spaces to fill a 6-digit object.
Sub	<p>A subdivision of an object account. Subsidiary accounts include more detailed records of the accounting activity for an object account.</p> <p><i>Form-specific information</i></p> <p>If you leave this field blank, the system uses the value you entered on the work order in the Cost Code field.</p>

## AAI Error Messages:

Message	Description
3429 – Invalid Distribution/Manufacturing AAI	Interactive error message for inventory or purchasing. Specifies what AAIs are not set up. It can be fixed on the fly by drilling into the error with a 2 and then pressing F13 to set up the AAI.
0028 – Account Number Invalid	AAI is pointing to an account number that is not set up in the chart of accounts. Set up a valid account on the chart of accounts (G09411).

## What You Should Know About

### Entering memo text

You can enter memo text for each AAI table on the generic text form.

See the *Technical Foundation Guide*.

## Processing Options

See [AAI Revisions \(P40901\)](#).

---

---

# Set Up Messages

## Setting Up Messages

You can define two types of messages throughout JD Edwards World systems:

- Print messages, which are messages that you attach to different document types, customers, or suppliers
- Item notes, which are messages that you attach to items

Setting up both the print message and item note are the same. This chapter shows you how to set up a print message. An easy and efficient method for setting up a print message is to choose an existing message as a base and modify the description and text. Using a base message is also helpful when you need to define the same message or note in multiple languages.

Complete the following tasks:

- [Defining a Message](#)
- [Defining Print Information for Messages](#)

## What You Should Know About

### Displaying messages

You can display:

- Print messages or item notes
- Current messages
- All messages, including those that have expired
- Messages for a specific language

### Printing messages

To print a message, you can select an existing version from the versions list or create your own version.

### Deleting messages

Before you delete a message, consider the following:

- If you delete a message in a specific language, the system deletes only that message. No other languages are affected.
- If you delete the base message, the system deletes all messages that are related to the base message.
- The system removes the message code, detail information, and text lines from the text tables.

## Defining a Message



From Inventory Management (G41), enter **29**  
From Inventory System Setup (G4141), choose **Print Message Revisions**

To define a message using a base message

On Print Message Revisions

Message	Description	Effective From	Effective Thru	Print Before
BRAZIL		01/01/10	12/31/25	Y
CONTAINER	Container Invoice	01/01/10	12/31/22	Y
DELIVERY	Delivery Instructions	01/01/10	12/31/22	Y
DIFFPROD	Compartment must be cleaned	01/01/10	12/31/22	Y
ENG455	Engineering Changes Number 455	01/01/10	01/01/11	N
INVENTORY	Closed for Inventory Notice	06/01/17	06/30/10	Y
QUALITY	Quality Requirements	01/01/10	12/31/22	Y
RETURN	Office Supply Return Policy	01/01/14	12/31/22	N

1. Enter 2 (Details) in the following field next to the appropriate message:

- Option

2. On Text Detail Revisions, use Action Code of A to add a new text message or Action Code of C to change an existing message. Then change the following fields, and press Enter:

- Print Message
- Description
- Effective From
- Effective Thru


- Print Before

## To define a new message

### On Print Message Revisions

1. Enter 1 (Text) in the following field:

- Option



2. On Text Messages, enter the text for the message.

Field	Explanation
Print Message	A user-defined code (system 40/type PM) that represents a predefined message set up on Print Message Revisions. You can print the message on sales orders, purchase orders, and so forth.
Description	A user-defined name or remark.
Effective From	The date on which a transaction, text message, contract, obligation, or preference becomes effective.
Effective Thru	The date on which a transaction, text message, agreement, obligation, or preference has expired or been completed.
Print Before	A one-character code that indicates whether the print message/item note text prints before or after the detail line on the order. The default is to print after the detail line.

## To define a base message in another language

On Print Message Revisions:


1. Enter 2 (Details) in the following field next to the appropriate message:
  - Option

2. On Text Detail Revisions using Action Code of A, change the following fields, and press Enter:
  - Language
  - Print Message
  - Description
  - Effective From
  - Effective Thru

## To define a new message in another language

On Print Message Revisions

1. Complete the following field:
  - Language
2. Enter 1 (Text) in the following field:
  - Option



3. On Text Messages, enter the text for the message.

Field	Explanation
Language	<p>A user-defined code (system 01/type LP) that specifies a language to use in forms and printed reports.</p> <p>If you leave the Language field blank, the system uses the language that you specify in your user preferences. If you do not specify a language in your user preferences, the system uses the default language for the system.</p> <p>Before any translations can become effective, a language code must exist at either the system level or in your user preferences.</p>

## What You Should Know About

<b>Messages in other languages</b>	You can use any base message that you create as a “template” for the same message in other languages. Also, you can use the same message code for all languages.
------------------------------------	--

## See Also

- *Enter Item Master Information* for information about attaching notes to items
- *Working with User Defined Text Models in the Technical Foundations Guide* for more information about defining messages

## Defining Print Information for Messages

	From Inventory Management (G41), enter <b>29</b> From Inventory System Setup (G4141), choose <b>Print Message Revisions</b>
--	--

To define print information, complete the following tasks:

- Define documents on which to print messages
- Define document type exceptions

## Defining Documents on Which to Print Messages

	From Inventory Management (G41), enter <b>29</b> From Inventory System Setup (G4141), choose <b>Print Message Revisions</b>
--	--


You must define the documents on which to print messages. For example, you might print special delivery instructions on every work order.

You can specify a program for each type of print message.

### To define documents on which to print messages

On Print Message Revisions

1. Enter 3 (Documents) in the following field next to the appropriate message:
  - Option



2. On Document Selection, complete the following field:
  - Y/N

Field	Explanation
Y/N	This flag indicates whether or not the print message/item note text should print on a specific report. Valid values are:
Y	Yes, the text will print on the report
N	No, the text will not print on the report



## What You Should Know About

<b>New print programs</b>	To display new print programs on Document Selection, you must set them up in the user-defined code (system 40/type OR). Additionally, you must customize these programs to recognize the Y/N field in Document Selection.
<b>Printing item notes</b>	You cannot define individual print programs for item notes. All item notes print on all documents.

## Defining Document Type Exceptions



From Inventory Management (G41), enter **29**  
From Inventory System Setup (G4141), choose **Print Message Revisions**

Sometimes a print program generates a document that is used for multiple purposes. For example, you can use the Purchase Order Print program to print both purchase orders and other documents such as blanket orders and sales bids. In this example, you might have a message that you only print on blanket orders. For each print program, you can define the document types that exclude messages.


### To define document type exceptions

#### On Print Message Revisions

- Enter 3 (Documents) in the following field next to the appropriate message:
  - Option



- On Document Selection, select the document line that you do not want to print messages.
- Select Options, Exit to Document Type Exceptions.



4. On Document Type Exceptions, enter the document type in the following field:
  - Option

## Processing Options

See [Print Message Revisions \(P4016\)](#).

---

---

# Set Up Default Location Information

## Setting Up Default Location Information

By setting up default location information, you assign a branch/plant and print queue to a terminal that the system uses every time that you sign on.

Complete the following tasks:

- [Defining a Default Location and Approval Route Code](#)
- [Assigning Default Print Queues](#)

### Before You Begin

- Verify that you have set up branch/plants
- Verify that you have set up print queue codes in the user-defined code (system 40/type PP).

## Defining a Default Location and Approval Route Code



From Inventory Management (G41), enter 29  
From Inventory System Setup (G4141), choose **Default Location and Printers**

A default location is the branch/plant that is assigned to your user ID or terminal ID. If the system uses a default location, it automatically displays the branch/plant. If there is no branch/plant assigned to your user ID or terminal ID, you must enter a branch/plant manually.

You can define an approval route code if you use approval routing for purchase orders.

## To define a default location and approval route code

### On Default Location & Printers

Complete the following fields:

- Terminal/User ID
- Branch/Plant
- Approval Route Code

Field	Explanation
Terminal/ User ID	<p>The workstation ID number.</p> <p><i>Form-specific information</i></p> <p>Header Field: Use the Skip to Terminal/User ID field in the upper portion of the form as an inquiry field in which you can enter the number of a terminal or the IBM user ID of a specific person whose profile you want the system to display at the top of the list. When you first access this form, the system automatically enters the user ID of the person signed on to the system.</p> <p>Detail Field: The Terminal/User ID field in the lower portion of the form contains the user ID of the person whose profile appears on the same line.</p>

Field	Explanation
Approval Route Code	A code that determines to whom an order is routed for approval.
	<i>Form-specific information</i>
	A code that identifies the approval route through which an order entered by you or at this terminal is routed for approval. The system uses this code for approval processing if you specified it in the processing options for purchase order entry.

## Assigning Default Print Queues




From Inventory Management (G41), enter 29  
From Inventory System Setup (G4141), choose **Default Location and Printers**

Default print queues represent the location where the system sends certain types of documents. You can assign a default print queue so that each time you print, the system sends the document to the default print queue. If you have not assigned a default print queue, the system first accesses the print queues that were assigned in the DREAM Writer version, and then accesses the print queue that is assigned to your user profile.

### To assign default print queues

On Default Location & Printers

- Complete the following fields:
  - Terminal/User ID
  - Branch/Plant
- Enter 1 (Print Queues) in the following field:
  - Option



**3. On Default Print Queues, complete the following field:****▪ Print Queue**

Field	Explanation
Print Queue	<p>The waiting area a job goes to after it has processed. Output Queues are sometimes attached to printers. If an OUTQ is not specified, it defaults from the user's job description.</p> <p><i>Form-specific information</i></p> <p>The name of the print queue that you want the system to use for the adjacent document.</p>

## What You Should Know About

**Print programs**

Print programs that you have defined automatically access the print queue table (F40096). To display other print programs, modify them to access the print queue table and then set them up as user defined codes.

## See Also

- *Working with the Subsystem (P40420)* in the *Sales Order Management Guide* for information about the subsystem

---

---

# Set Up Standard Units of Measure

## Setting Up Standard Units of Measure



From Inventory Management (G41), enter **29**  
From Inventory System Setup (G4141), choose **Standard Units of Measure**

You must define units of measure for each inventory item. Use the standard unit of measure information as a template for customizing your unit of measure information. You specify the primary unit of measure and unit of measure conversions for each item. You can do this:

- For each item or item/branch combination
- For all items using standard units of measure

Specify the primary unit of measure information for individual items or item/branch combinations when you set up item or branch information. The system stores unit of measure information in the Unit of Measure Conversion table (F41002). After you assign a primary unit of measure to an item, you should not change it.

When you specify the primary unit of measure information for all items, the system stores the information in the Standard Unit of Measure Conversion table (F41003). You can also use unit of measure conversion information that you set up here for non-stock items in other distribution systems.

After you enter a transaction, the system uses the following hierarchy to determine the unit of measure for an item:

1. The system first searches for the item or item/branch combination in the Unit of Measure Conversion table (F41002).
2. If none are found in the Unit of Measure Conversion table, the system checks for system-wide standard units of measure for the item or item/branch in the Standard Unit of Measure Conversion table (F41003).
3. If none are found in either the Unit of Measure Conversion table or the Standard Unit of Measure Conversion table, the system displays an error message.

When you define standard units of measure, you can create any number of conversion factors for any number of units of measure. You can also set up conversion factors that associate each unit of measure with the primary unit of measure.

This program supports import/export functionality. See the *Technical Foundation Guide* for more information

## Example: Conversion Factors for Units of Measure

1 box = 2 eaches

1 crate = 2 boxes

1 pallet = 2 crates




1 box

equals



2 eaches




1 crate

equals




2 boxes



1 pallet


equals



2 crates



To determine the primary unit of measure, the system performs the following calculation:



### Before You Begin

- Review the setup information for units of measure in Entering Basic Item Information
- Verify that you have set up units of measure in the user-defined code (system 00/type UM).

## To set up standard units of measure

### On Standard Units of Measure

41003 Standard Units of Measure

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Hard Copy  
Clear Screen

41003 Standard Units of Measure

Action Code

Skip to Unit of Measure

UM	Quantity	UM	Quantity	UM
1 BX =	5.0000000	1 ER =	.2000000	BX
1 CR =	20.0000000	1 ER =	.0500000	CR
1 CF =	1,720.0000000	1 CI =	.0005707	CF
1 DZ =	12.0000000	1 ER =	.0033333	DZ
1 ER =	144.0000000	1 GR =	.0009444	ER
1 FR =	16.0000000	1 LB =	.1000000	FR
1 FC =	1,720.0000000	1 CI =	.0005707	FC
1 FO =	1,720.0000000	1 IN =	.0005707	FO
1 FT =	30.4800000	1 CR =	.0320004	FT
1 FT =	12.0000000	1 IN =	.0033333	FT
1 GR =	3.7900000	1 LT =	.2630522	GR
1 GR =	.0037900	1 M3 =	263.6522427	GR
1 GR =	4.0000000	1 QT =	.2500000	GR
1 IN =	2.5400000	1 CM =	.3937000	IN
1 KG =	1,000.0000000	1 CM =	.0010000	KG
1 KG =	2.2046200	1 LB =	.4535929	KG

F21=Print F24=More Keys

Complete the following fields:

- UM (Unit of Measure)
- Quantity

Field	Explanation
UM	A user-defined code (system 00/type UM) that indicates a secondary unit of measure.
Quantity	The factor that the system uses to convert one unit of measure to another unit of measure.
	<i>Form-specific information</i>
	Enter the conversion factor, or numeric quantity. The system uses the conversion factor during various inventory transactions to convert the previous unit of measure to another unit of measure. The system stores all conversion factors in a table for automatic conversion under program control.

## What You Should Know About

- Deleting unnecessary lines** Enter revised information or clear fields to delete unnecessary lines.

## See Also

- *Work with PC Import/Export in the Technical Foundation Guide*



---

---

# Set Up Item Cross-Reference

## Setting Up Item Cross-References



From Inventory Management (G41), enter **Inventory Inquiries**  
From Inventory Inquiries (G41112), choose **Item Cross-Reference Inquiry**

Cross-references associate your internal item numbers with those from other entities. Examples of cross-item numbers include:

Vendor item numbers – Use when vendors require their part numbers for orders or communications.

Customer item numbers – Use when customers prefer to order with their part number.

Substitute items – Use when the item ordered has no quantity on hand.

Replacement items – Use when you or your vendors discontinue an item and replace it with a new item.

Bar codes - Use to associate bar code input with a specific item.

Associated items – Use to recommend it as part of the sale.

Complete the following tasks:

- Enter cross-references
- Review cross-references

### Before You Begin

- Set up the user-defined code (system 41/type DT) for the cross-reference types you define

## To enter cross-references

You can choose an existing cross-reference number and change the information. Use the same process to change cross-reference information.

Depending on how you set the processing options, the Item Cross Reference Revisions form displays information by either address or item number.

### On Item Cross-Reference Inquiry

41040 Item Cross-Reference Inquiry

Tools Help

ORACLE JD Edwards World URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
More Details  
Clear Screen

41040 Item Cross-Reference Inquiry Date Valid



Item Number: M001  
X-Ref Type Code: \*  
Address Number:  
X-Ref Number:

Markette Red Highlighter

O Ty	Address	Name	Our Item Number	X-Ref Item Number
C	4242	Corporate Of	M001	RED43-1
VN	4345	Value World	M001	M26-00-R

Opt: 1=Item X-Ref Revisions F24=More Keys

1. To access Item Cross-Reference Revisions, enter 1 in the following field next to an item cross-reference number:
  - O (Option)



- Effective Date
- Expired Date

Field	Explanation
Type	A user-defined code (system 41\type DT) that identifies the type of cross-reference you have set up for this customer. The system contains examples for: Substitutes Replacements Bar Codes Customer Numbers Supplier Numbers
Address Number	The address number of the customer or supplier.
X-Ref Item Number	The cross-reference item number that the system assigns to an item number. A cross-reference number allows you to use a supplier's item number if it is different from your own item number when you are processing or printing an order.
X-Ref Description	A brief description of an item, a remark, or an explanation.
Effective Date	The date on which a transaction, text message, contract, obligation, or preference becomes effective.
Expired Date	The date on which a transaction, text message, agreement, obligation, or preference has expired or been completed.

## What You Should Know About

<b>Deleting cross-references</b>	To delete cross-references, you must clear all existing fields.
<b>Cross-references for kits</b>	You cannot create cross-references for parent or component items.

## To review cross-references

You can review all the cross-references that you have set up for an item in the Cross-Reference table.

### On Item Cross-Reference Inquiry

To limit your inquiry, complete the following fields:

- Item Number
- X-Ref Type Code (Cross-Reference Type Code)
- Address Number
- X-Ref Number (Cross-Reference Number)



## What You Should Know About

### Displaying data

Cost center security does not function on Item Cross-Reference Revisions. If you review an item, the system displays all items in all cost centers.



---

---

# Set Up Audit Information

## Setting Up Audit Information

You must set up the audit process to track changes that personnel have made to the Item Master (F4101) and Item Branch (F4102) tables. The audit process provides you with information about who made a change, the type of change, when the change took place, and so forth.

After you activate the audit process, the programs run continuously in a subsystem. The audit process copies all information contained in the Item Master (F4101) and Item Branch (F4102) tables into two audit tables, the Item Master Audit (F41019) and Item Branch Audit (F41029). These tables contain fields that monitor and record any changes to the Item Master and Item Branch tables. To review the changes, you must run audit reports.

To set up audit information, you must provide the system with information about how to run the audit process in your environment.

Complete the following tasks:

- [Setting Up IBM Information for the Audit Process](#)
- [Setting Up the Audit Process](#)
- [Activating the Audit Process](#)

## What You Should Know About

### Purging audit tables

It is very important to note that after you activate the audit process, the size of the audit tables and the journal can increase dramatically, based on use. First, consider how much data you need to purge. If you purge all audit information, you will lose historical information that the system may need to use in the future to compare old versus new (changed) information.

See *Purging Data*.

## See Also

- *Reviewing Inventory Audit Reports (P410199 and P410299)*

## Setting Up IBM Information for the Audit Process

Complete the following IBM journaling (DDP) tasks:

- Create a journal receiver
- Create a journal
- Activate the journal physical file
- Create a data queue
- Create a job description
- Create a user profile

## Creating a Journal Receiver

A journal receiver contains the journal entries that the system writes after you add, change, or delete a record. You must create one journal receiver for the files for which the system will record journal entries.

### To create a journal receiver

On the command line

1. Enter CRTJRNRCV and press F4 to access Create Journal Receiver.

Oracle JD Edwards World

Create Journal Receiver (CRTJRNRCV)

Type choices, press Enter.

Journal receiver	JDEADR0001	Name	
Library	CURLIB	Name, *CURLIB	
ASP number	LIBASP	1-32, *LIBASP	
Journal receiver threshold	1500000	1-100000000, *NONE	
Text 'description'	BLANK		

Bottom

F3=Exit F4=Prompt F5=Refresh F10=Additional parameters F12=Cancel  
F13=How to use this display F24=More keys

2. On Create Journal Receiver, enter JDEADR0001 in the following field:
  - Journal Receiver
3. Enter the name of your library where the journal receiver will reside in the following field:
  - Library
4. Complete the following field with your own narrative text:
  - Text 'Description'

## Creating a Journal

A journal is a file that contains the compilation of the journal entries to which the IBM operating system writes information.

### To create a journal

On the command line

1. Enter CRTJRN and press F4 to access Create Journal.

Field Sensitive Help  
Display Error Message  
Display Functions

Create Journal (CRTJRN)

Type choices, press Enter.

Journal	JDEAD	Name
Library	*CURLIB	Name, *CURLIB
Journal receiver	JDEADR0001	Name
Library	*LIBL	Name, *LIBL, *CURLIB
ASP number	*LIBRSP	1-32, *LIBRSP
Journal message queue	*SYSOPR	Name
Library	*LIBL	Name, *LIBL, *CURLIB
Manage receivers	*SYSTEM	*USER, *SYSTEM
Delete receivers	*NO	*NO, *YES
Receiver size options	*RNOOPT1	*NONE, *RMVINTENT
+ for more values		
Minimize entry specific data	*NONE	*NONE, *FILE, *DTARRR
Journal caching	*NO	*NO, *YES

F3=Exit F4=Prompt F5=Refresh F10=Additional parameters F12=Cancel  
F13=How to use this display F24=More keys

2. On Create Journal, enter JDEAD in the following field:
  - Journal
3. Enter the name of the library in which the journal will reside in the following field:
  - Library
4. Enter JDEADR0001 in the following field:
  - Journal Receiver

## Activating the Journal Physical File

When you activate the journal physical file, you enable the system to write the journal entries to the journal file. Because you are preparing to audit two tables, the Item Master and Item Branch, you must perform this procedure for each table.

---

**Caution:** Before you activate the journal physical file, make sure that no users are working with or running batch programs for the Item Master and Item Branch tables.

---

## To activate the journal physical file

On the command line

1. Enter STRJRNPF and press F4 to access Start Journal Physical File.

Start Journal Physical File (STRJRNPF)

Type choices, press Enter.

Physical file to be journaled	F4101	Name	
Library	*LIBL	Name, *LIBL, *CURLIB	
* for more values			
Journal	JDEAD	Name	
Library	*LIBL	Name, *LIBL, *CURLIB	
Record images	*AFTER	*AFTER, *BOTH	
Journal entries to be omitted	*NONE	*NONE, *OPNCLO	

Field Sensitive Help  
Display Error Message  
Display Functions

Bottom

F3=Exit F4=Prompt F5=Refresh F12=Cancel F13=How to use this display  
F24=More keys

2. On Start Journal Physical File, enter F4101 or F4102 in the following field:
  - Physical File to be Journaled
3. Complete the following field with the name of the production library where the Item Master (F4101) or Item Branch (F4102) tables reside:
  - Library
4. Enter JDEAD in the following field:
  - Journal
5. In the Journal section of the form, complete the following field with the name of the library in which the journal resides:
  - Library
6. Change the default from \*AFTER to \*BOTH in the following field:
  - Record Images
7. Change the default from \*NONE to \*OPNCLO in the following field:
  - Journal Entries to be Omitted

Complete the above steps for both the Item Master (F4101) and Item Branch (F4102) files.

## Creating a Data Queue

A data queue temporarily holds and sequences the journal entries until the system is ready to continue processing. Consider the size of your largest journal and account for the increase in file size to create sufficient space in the data queue.

### To create a data queue

On the command line

1. Enter CRTDTAQ and press F4 to access Create Data Queue.

The screenshot shows the 'Create Data Queue (CRTDTAQ)' window in Oracle JD Edwards World. The window has a title bar 'Create Data Queue [CRTDTAQ]' and a menu bar with 'Tools' and 'Help'. The main area contains the text 'Create Data Queue (CRTDTAQ)' and 'Type choices, press Enter.'. Below this, there are three input fields: 'Data queue' with the value 'DTAQAUDIT', 'Library' with the value '\*CURLIB', and 'Type' with the value '\*STD'. To the right of these fields, there is a 'Name' field with the value '\*STD, \*DDN'. At the bottom of the window, there is a list of function keys: F3=Exit, F4=Prompt, F5=Refresh, F10=Additional parameters, F12=Cancel, F13=How to use this display, and F24=More keys. The window also has a 'Bottom' button in the bottom right corner.

2. On Create Data Queue, enter DTAQAUDIT in the following field:
  - Data Queue
3. Enter the name of the library in which the journal resides in the following field:
  - Library
4. Complete the following field with a number that equals twice the size of your largest table's record length, plus 350 characters:
  - Maximum Entry Length

## Creating a Job Description

The job description provides the system with information about the library in which you are working.

## To create a job description

On the command line

1. Enter CRTJOB and press F4 to access Create Job Description.

Field Sensitive Help  
Display Error Message  
Display Functions

Create Job Description (CRTJOB)

Type choices, press Enter.

Job description	JDEDDP	Name	
Library	#CURLIB	Name	#CURLIB
Job queue	JOBATCH	Name	
Library	#LIBL	Name	#LIBL, #CURLIB
Job priority (on JOBQ)	5	1-9	
Output priority (on OUTQ)	5	1-9	
Print device	#USRPRF	Name	#USRPRF, #SYSVAL
Output queue	#USRPRF	Name	#USRPRF, #DEV, #WRKSTN
Library		Name	#LIBL, #CURLIB
Text 'description'	BLANK		

F3=Exit F4=Prompt F5=Refresh F10=Additional parameters F12=Cancel  
F13=How to use this display F24=More keys

Bottom

2. On Create Job Description, enter JDEDDP in the following field:

- Job Description

## Creating a User Profile

A user profile allows multiple computers to transmit data and ensures that the system places the data in the correct data queue.

## To create a user profile

On the command line

1. Enter CRTUSRPRF and press F4 to access Create User Profile.



Create User Profile (CRTUSRPRF)

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions

Create User Profile (CRTUSRPRF)

Type choices, press Enter.

User profile: JDEDDP Name

User password: AUSRPRF

Set password to expired: #NO #NO, #YES

Status: #ENABLED #ENABLED, #DISABLED

User class: #USER #USER, #SYSOPR, #PQMR

Assistance level: #SYSVAL #SYSVAL, #BASIC, #INTERMED

Current library: #CRTDFT Name, #CRTDFT

Initial program to call: #NONE Name, #NONE

Library: Name, #LIBL, #CURLIB

Initial menu: #MAIN Name, #SIGNOFF

Library: #LIBL Name, #LIBL, #CURLIB

Limit capabilities: #NO #NO, #PARTIAL, #YES


Text 'description': #BLANK

F3=Exit F4=Prompt F5=Refresh F10=Additional parameters F12=Cancel  
F13=How to use this display F24=More keys

Bottom

2. On Create User Profile, enter JDEDDP in the following field:
- User Profile


## Setting Up the Audit Process

	From Inventory Management (G41), enter 29 From Inventory System Setup (G4141), choose an audit option
---	--

After you have set up IBM information, you must set up the audit process.  
Complete the following tasks:

- Create an audit job
- Create audit locations

## Creating an Audit Job

	From Inventory Management (G41), enter 29 From Inventory System Setup (G4141), choose Create Inventory Audit Jobs
---	--

You must create an audit job to identify the location of the library that receives the audit information.

## To create an audit job

### On Create Inv. Audit Jobs

84820 Create Inv. Audit Job

ORACLE JD Edwards World

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Clear Screen

84820 Create Inv. Audit Jobs

Skip to Job:

Driver ID: P640RV01

Job	User	Date
Name	ID	Updated
DEM00001	J.D. Edwards Audit Log Process	TFRCTL4 04/02/15

Opt: 1=Run 2=Chg 3=Add 5=Disp 9=Del F24=More

1. Enter 2 in the following field, and press Enter to change the demonstration version of the audit process that provided by JD Edwards World (DEMO0001):

- OP (Option)

The system displays Create Audit Jobs.

84821 Create Audit Jobs

ORACLE JD Edwards World

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
More Details  
Setup Journal Informatic  
Return to Previous Panel  
Clear Screen

84821 Create Audit Jobs

Action Code: C

Driver Program ID: P640RV01

Job Name: DEM00001

Description: J.D. Edwards Audit Log Process

Collect Job History: ☐

Input Wait Seconds: 60

Display Seq	System Name	Script Verbs	Parameter 1 Type	Parameter 1 Value	Parameter 2 Type	Parameter 2 Value
1.00	JOED	READ	*JRN	*ALLFILE		
2.00	JOED	WRITE	*DTRQ	DTRQAUDIT		
3.00	JOED	READ	*DTRQ	DTRQAUDIT		
4.00	JOED	PROCESS	*PGM	J40RPRG		

F6=Journal Information F3=Return F24=More

2. On Create Audit Jobs, replace the default system name with your system name in the following field:
  - System Name
3. Choose Journal Information (F6).

The screenshot shows the 'Audit Journal Information' screen in Oracle JD Edwards World. The title bar indicates '84820J Audit Journal Information'. The screen has a menu bar with 'Tools' and 'Help'. On the left, there is a list of functions: 'Field Sensitive Help', 'Display Error Message', 'Display Functions', 'Exit Program', and 'Clear Screen'. The main area contains a form with the following fields: 'Action Code' (with a dropdown arrow), 'Driver ID' (P04DRV01), 'Audit Job Name' (JENR0001), 'Journal Receiver' (JDEDR0001), 'Receiver Library' (JDEDEFAULT), and 'Receiver Seq Nbr' (1). The 'Receiver Library' field is highlighted. At the bottom right, there is a button labeled 'F24=More'.

4. On Audit Journal Information, change the default value in the following field:
  - Receiver Library
5. Exit Audit Journal Information when you are finished.

Field	Explanation
Receiver Library	This is the library containing the IBM journal and journal receivers used to capture record changes that are to be updated at remote locations.

## Creating Audit Locations



From Inventory Management (G41), enter 29  
From Inventory System Setup (G4141), choose **Create Audit Locations**

After you have created an audit job, you must define the source and target systems by creating audit locations. That is, you must define from where the audit information is accessed and to where it will eventually reside.

JD Edwards World provides most of the audit location information, which defaults into the fields on Create Audit Locations.

## To create audit locations

### On Create Audit Locations

The screenshot shows the 'Create Audit Location' window in Oracle JD Edwards World. The window has a title bar with '84025 Create Audit Location' and a menu bar with 'Tools Help'. The main area contains a form with the following fields and values:

Field	Value
Action Code	A
Source System	JDED
Target System	JDED
Description	JDED
Machine Type	400
User ID	JOEDDP
Job Description	JOEDDP
Jobq	JEDNRS
Jobq Library	JGFL
Conn Program	
Conn Input Queue	
Conn Job Name	
Conn Status	4
Input Wait	50
Collect History	

1. Enter JDED in the following fields:
  - Source System
  - Target System
2. Change the default entries with your own entries in the following fields:
  - Source System
  - Target System
  - Description
  - Jobq
  - Jobq Library

Field	Explanation
Source System	The machine that originates a network file transfer or a remote location record update.

Field	Explanation
Target System	<p>The IBM network name for a computer in your network. This field is used as follows:</p> <ul style="list-style-type: none"> <li>Each remote location in your network will have its own Journal Entry Receiver job which processes independently from the other remote locations in your network. This is done so that in the event a communication line fails to one remote location, the other remote locations can continue processing.</li> <li>This field is used in the RMTLOCNAME parameter of the CHGDDMF command to establish a DDM conversation with the remote location.</li> </ul>
Description	A description, remark, name, or address.
Jobq	The job queue that the Distributed Data Processing (DDP) jobs will be submitted to.
Jobq Library	The subsystem that the Distributed Data Processing (DDP) jobs will run. This subsystem is retrieved to display the active DDP jobs.

## What You Should Know About

<b>User ID</b>	JD Edwards World provides the user ID for the audit process. Do not confuse this code with your own personal user ID. You cannot change the default entry on Create Audit Locations.
----------------	--

## Activating the Audit Process



From Inventory Management (G41), enter 29  
From Inventory System Setup (G4141), choose **Work With Inventory Audit Jobs**

After you have set up both the IBM audit process and the Inventory Management audit process, you must activate the Inventory Management audit process. When you activate the audit process, the system runs a series of programs in a subsystem. In the event of a system failure, you might have to reactivate the audit process.

To activate the audit process, run the demonstration version of the audit subsystem.

## What You Should Know About

<b>Stopping the audit process</b>	<p>The only time you must stop the audit process is when you want to purge the journal and audit tables.</p> <p><i>See Purging Data.</i></p>
-----------------------------------	--



---

---

# Work with Speed Location Maintenance

## Working with Speed Location Maintenance



From Inventory Management (G41), enter **29**  
From Inventory System Setup (G4141), choose **Speed Location Maintenance**

Working with speed location maintenance in Inventory Management allows you to enter multiple locations simultaneously, rather than setting up each location individually through the Branch/Plant Location Master.

Working with speed location maintenance in Advanced Warehouse Management allows you to use a location that exists in the Location Master table (F4100) as a model for entering new locations.

You can use speed location maintenance to enter new location information. New location information consists of:

- Elements, which represent specific locations in the warehouse such as an aisle or bin
- Steps that numerically increment the locations that you are creating
- Limits for defining the minimum and maximum values for each element in the location code

### Elements

Elements are parts of a location code that represent specific locations in the warehouse. You can define up to ten elements for a location code.

### Steps

A step is a number that the system uses to create locations from a specified range of locations. After the system creates each new location, it increments each location by the step number that you enter. Therefore, by entering a range of locations in combination with a step, you can enter many locations at once.

For example, assume that you want to enter new locations for a flow zone in Warehouse A. The flow zone consists of aisles and bins. There are two aisles marked A and B, and six bins marked 1 through 6. By entering a step number of 1, you are telling the system to create locations that increment by one, such as A1, A2, A3, A4, A5, A6, B1, B2, and so on. If you enter a step number of 2, the system increments the locations as A1, A3, A5, B1, B3, and so on.

## Limits

A limit is a code that specifies where the system must begin, finish, and continue creating the locations during the stepping process, which is the automatic incrementing that the system performs to create the new locations.

During the stepping process, the system considers the minimum and maximum values for location elements.

The minimum and maximum values that you can have for an alphabetic location element are blank or A, and Z, respectively.

The minimum and maximum values that you can have for a numeric location element are 0 or 1, and 9, respectively.

You can enter four types of step limits:

- A blank limit. The system creates the first location with a “from” value up to a “to” value, and then continue creating locations by starting again with the “from” value.
- The upper limit. The system creates the first location with a “from” value up to a “to” value, and then continues creating locations by starting again with the lowest value in that element of the location code.
- The lower limit. The system creates the first location with a “from” value up to the highest value in that element for the location code, and then continues creating locations by starting again with that same “from” value.
- No limit. The system creates the first location with a “from” value up to the highest value in that element for the location code, and continues creating locations by starting again with the lowest value.

## Examples: Working with Speed Location Maintenance

Assume that Warehouse A consists of:

- 6 aisles, A through F
- 9 bins, 1 through 9

The following examples demonstrate how the system creates new locations when you enter from and to information, steps, and limits.

### Example 1: Speed Location Maintenance Using Blank Limit Method

Assume the following values on Speed Location Maintenance:

- From aisle A, bin 06
  - To aisle B, bin 09
  - Step by 01
- (The LM field is blank)



4100A Speed Location Maintenance Branch/Plant 30

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Select Fields to Copy  
Warehouse Profile  
Add/Change Locations  
Clear Screen

Action Code R

Copy From Location

Copy to Locations:

	From	To	Step by	L	Code	R
Aisle	R	R			2	L
Bin	06	09	01		3	L
Location Code 03					2	L
Location Code 04					0	
Location Code 05					0	
Location Code 06					0	
Location Code 07					0	
Location Code 08					0	
Location Code 09					0	
Location Code 10					0	

Putaway Sequence Start Step by Latitude Start Step by

Pick Sequence 0 0 Longitude 0 0

Replen Sequence 0 0 Height 0 0

F5-Select Fields to Copy F10-Warehouse Profile F24-More Keys

The system creates the following new locations:

- A06
- A07
- A08
- A09
- B06
- B07
- B08
- B09

## Example 2: Speed Location Maintenance Using Upper Limit Method

Assume the following values on Speed Location Maintenance:

- From aisle A, bin 1
- To aisle B, bin 3
- Step by 1
- Limit of 1

4100A Speed Location Maintenance Branch

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

4100A Speed Location Maintenance Branch/Plant 30

Action Code

Copy From Location

Copy to Locations:

	From	To	Step by	L	Code	R	Length
Aisle	A	B			2	L	
Bin	1	3	1		3	L	
Location Code 03					2	L	
Location Code 04					0		
Location Code 05					0		
Location Code 06					0		
Location Code 07					0		
Location Code 08					0		
Location Code 09					0		
Location Code 10					0		

Putaway Sequence Start Step by Latitude Longitude Height

Pick Sequence

Replen Sequence

F5-Select Fields to Copy F10-Warehouse Profile F24-More Keys

The system creates the following new locations:

- A1
- A2
- A3
- B1
- B2
- B3

### Example 3: Speed Location Maintenance Using Lower Limit Method

Assume the following values on Speed Location Maintenance:

- From aisle A, bin 2
- To aisle B, bin 4
- Step by 1
- Limit of 2

4100A Speed Location Maintenance Branch

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Select Fields to Copy  
Warehouse Profile  
Add/Change Locations  
Clear Screen

4100A Speed Location Maintenance Branch/Plant 30

Action Code R No Location Control for Branch/Plant

Copy From Location

Copy to Locations:

	From	To	Step by	L	M	Length	R
Aisle	R	R				2	L
Bin	2	4	1			2	L
Location Code 03						0	
Location Code 04						0	
Location Code 05						0	
Location Code 06						0	
Location Code 07						0	
Location Code 08						0	
Location Code 09						0	
Location Code 10						0	

Putaway Sequence Start Step by Latitude Longitude Height

Pick Sequence Start Step by

Replen Sequence Start Step by

F5-Select Fields to Copy F10-Warehouse Profile F24-More Keys

The system creates the following new locations:

- A2
- A3
- A4
- A5
- A6
- A7
- A8
- A9
- B2
- B3
- B4

#### Example 4: Speed Location Maintenance Using No Limit Method

Assume the following values on Speed Location Maintenance:

- From aisle B, bin 6
- To aisle D, bin 8
- Step by 1
- Limit of 3

The system creates the following new locations:

- B6 through B9
- C1 through C9
- D1 through D8

## Before You Begin

- Verify that you have defined the format of locations in Branch/Plant Constants

## See Also

- *Setting Up Constants (P41204) and Defining the Location Format* to set up location information
- *Defining the Location Format (P410012)*
- *Working with Speed Location Maintenance in the Advanced Warehouse Management Guide*

## To work with speed location maintenance

### On Speed Location Maintenance

1. To locate the branch/plant for which you are entering locations, complete the following field:
  - Branch/Plant
2. Verify that location control is on for the branch/plant by reviewing the message in the upper right corner of Speed Location Maintenance.
3. For each element in the new location, complete the following fields:
  - From
  - To
  - Step By
  - LM (Limit)
4. Choose Add/Change Locations (F13) to enter the new locations in the Location Master (F4100).

Field	Explanation
Aisle	A code that identifies a location in a warehouse. This code is used in conjunction with a bin and lot identifier, to indicate a specific, tangible storage area within a warehouse or yard.

Field	Explanation
Step by	<p>A number (alphabetic or numeric) that the system uses to create locations within a range of locations that you specify in Speed Location Maintenance. When the system creates each new location, it increments the next new location by the step number that you entered and separates locations within a specified range of locations.</p> <p>For example:</p> <p>To create new locations:</p> <p>From Location: 1</p> <p>To Location: 7</p> <p>Step by: 2</p> <p>The new locations are: 1, 3, 5, and 7.</p>
L M	<p>A code that indicates what limits are used in the stepping process:</p> <p>blank Upper &amp; Lower Limit. You create location codes beginning with the From value, ending with the To value, then starting again at the From value.</p> <p>1 Upper Limit. You create location codes beginning with the From value, ending with the To value, then starting again at the lowest value for that location code.</p> <p>2 Lower Limit. You create location codes beginning with the From value, ending with the highest value for that location code, then starting again at the From value.</p> <p>3 No Limit. You create location codes beginning with the From value, ending with the highest value for that location code, and then starting again at the lowest value for that location code.</p>

## What You Should Know About

### Numeric format

Be consistent with the numeric format of your entries for both location elements as well as steps. If you use 0 (zero) to precede the location element numbers 1 through 9 (01 - 09), use 0 (zero) to precede the step number so that the stepping process works correctly.

### Number of locations

When you are entering locations, the message in the upper right corner of the form indicates the number of locations that the system will create, based on the location range information that you have entered. Ensure that this is the number of locations that you want the system to create before you enter them.

**Additional function keys**

Do not use the function keys at the bottom of the Speed Location Maintenance form. These function keys are used only in the Warehouse Management system.

**Deleting mistakes**

If you set up an incorrect location through Speed Location Maintenance, you can either:

- Delete your mistakes through Location Master Revisions, provided that you have few mistakes.
- Purge a range of locations if you have a large quantity of mistakes. If you purge files, you must use extreme caution.

You cannot delete locations using Speed Location Maintenance.

See *Purging Data*.





---

## 11 Lot Processing



---

---

# Overview to Lot Processing

## Objectives

- To create lots
- To define information for lots and lot items
- To review lot activity and availability

## About Lot Processing

Lot processing allows you to manage and maintain information about groups of items. For example, you can have the system assign lot numbers to groups of perishable items based on receipt dates to identify the items that you must sell first. You can view current information about each lot, such as the quantity of available items and the transactions that have affected the lot.

Lot control is beneficial for identifying groups of items that are components of a final product. For example, if you assign lot numbers to both bicycle tires and bicycles assembled from the tires, you can:

- Identify the lot number for the tires that were used to build a specific bicycle
- Identify all bicycles that were assembled from a specific lot of tires

If you later find that a particular lot of tires is defective, you can immediately identify and recall all bicycles that were assembled with the defective tires.

A lot usually contains one type of item, but you can set up system constants to allow different types of items in the same lot. If a lot contains different items, the system maintains lot information for each lot number and item. You can also set up system constants to restrict a lot to one type of item and still allow that lot to exist in multiple warehouses.

There are several methods you can use to assign lot number to items. You can:

- Have the system assign lot numbers
- Assign your own lot numbers
- Assign supplier lot numbers

After you create a lot, the system adds a record to the Lot Master table (F4108).

Complete the following tasks:

- Enter lot information
- Work with lot availability

- View lot transactions
- Reclassify lots

## See Also

- *Defining System Constants (P4009W)* for more information about allowing different types of items in the same lot

---

---

# Enter Lot Information

## Entering Lot Information

You can group items and monitor them through your inventory system by assigning them to lots. To work with lots, you must define:

- Lot information for items
- Information for lots

When you enter lot information for an item, you specify whether a lot number is mandatory, how the system assigns the number, and so forth. When you enter information for a lot, you specify the type of item that is contained in the lot, the expiration date for the lot, and so on.

This program supports import functionality. See the *Technical Foundation Guide* for more information.

Complete the following tasks:

- [Entering Lot Information for Items](#)
- [Entering Date Information for Lots](#)
- [Entering Information for Lots](#)

## Entering Lot Information for Items



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Item Master Information**

When you enter master information or branch/plant information for an item, you can specify:

- Whether the item requires a lot number at the time of receipt
- Whether the system commits the item's inventory based on lot numbers

You can also specify:

- The method by which lot numbers are assigned to the item
- The number of days that the item can remain in inventory before expiring
- The date by which a lot should be completely sold
- The last date on which the products in a lot should be consumed
- The date on which a lot becomes available
- User defined dates

You can further specify lots by assigning serial numbers to items within the lots.

## To enter lot information for items

### On Item Master Information

Complete the following fields:

- Lot Status Code
- Lot Process Type
- Commitment Method
- Shelf Life Days
- Serial No. Required

Field	Explanation
Lot Status Code	<p>A user-defined code (system 41/type L) that indicates the status of the lot. If you leave this field blank, it indicates that the lot is approved. All other codes indicate that the lot is on hold.</p> <p>You can assign a different status code to each location in which a lot resides on Item/Location Information or Location Lot Status Change.</p> <p style="text-align: right;"><i>Form-specific information</i></p> <p>The default value for the lots to which you assign this item.</p>

Field	Explanation
Lot Process Type	<p>A code that indicates whether lot or serial number is assigned. Lot and serial number processes use the Lot Master table (F4108).</p> <p>Valid codes are:</p> <ul style="list-style-type: none"> <li>0 Lot assignment is optional. You can manually assign numbers. Quantity can be greater than one (default).</li> <li>1 Lot assignment is required. The system assigns numbers using the system date in YYMMDD format. Quantity can be greater than one.</li> <li>2 Lot assignment is required. The system assigns numbers in ascending order using Next Numbers. Quantity can be greater than one.</li> <li>3 Lot assignment is required. You must manually assign numbers. Quantity can be greater than one.</li> <li>4 Serial number assignment is optional except during shipment confirmation. Quantity must not exceed one.</li> <li>5 Serial number assignment is required. The system assigns numbers using the system date in YYMMDD format. Quantity must not exceed one.</li> <li>6 Serial number assignment is required. The system assigns numbers in ascending order using Next Numbers. Quantity must not exceed one.</li> <li>7 Serial number assignment is required. You must manually assign numbers. Quantity must not exceed one.</li> </ul> <p style="text-align: center;"><i>Form-specific information</i></p> <p>Use codes 4 through 7 for advanced serial number processing. In Purchase Management, you add serial numbers using the Lot field on Purchase Order Detail. Each item must have a unique serial number.</p> <p>For items requiring serial numbers as well as lot assignments, use the Lot Process Type field in conjunction with the Serial No Required field. Codes 3 through 5 for the Serial No Required field indicate the setup requirements necessary for these items.</p>

Field	Explanation
Commitment Method	<p>A code that indicates the method that the system uses to commit lot items from inventory. Valid codes are:</p> <ol style="list-style-type: none"><li>1 The normal commitment method for inventory (default). The system commits inventory from the primary location and then from secondary locations. The system commits inventory from the locations with the most inventory before committing inventory from locations with the least. The system commits backorders to the primary location.</li><li>2 The inventory commitment method by lot number. The system commits inventory by lot number, starting with the lowest lot number and committing orders to available lots.</li><li>3 The inventory commitment method by lot expiration date. The system commits inventory from the locations with the earliest expiration date first. The system considers only locations with expiration dates greater than or equal to the sales order or parts list requested date.</li></ol>
Shelf Life Days	<p>The number of days that an item can remain in inventory before it expires. The system adds this number to the date that the item is received to determine the expiration date for the item. If you do not enter a value here, you must enter an expiration date each time you receive the lot item.</p>



Field	Explanation
Serial No. Required	<p>A code that indicates whether you must attach a serial number to this item at the time of receipt or sale for basic serial number processing, or if memo lot information is required for advanced serial number processing.</p> <p>You can use basic serial number processing for informational purposes only. For example, you can add a serial number for an item, and review the number later.</p> <p>For basic serial number processing, valid values are:</p> <p>Y Yes, the system requires a serial number for all transactions pertaining to this item in related inventory, sales, and purchase order programs</p> <p>N No, the system does not require a serial number</p> <p>The system does not use this information if you use advanced serial number processing. Advanced serial number processing allows you to track an item through purchasing and sales based on a serial number. To specify serial number requirements, you must use the Lot Process Type field on Item Master Information.</p> <p>Values 3 through 5 indicate whether lot assignment is required for items with serial numbers. You can require assignment of up to three lot numbers, including Supplier Lot, Memo Lot 1, and Memo Lot 2. To specify lots for items with serial numbers, you must use the following values:</p> <p>3 Supplier lot number required (purchasing only)</p> <p>4 Supplier lot number required (purchasing only), and Memo Lot 1 required</p> <p>5 Supplier lot number required (purchasing only), Memo Lot 1 required, and Memo Lot 2 required</p>

## Entering Date Information for Lots

Item Master Lot/SN Set Up (P4101A) allows you to enter additional lot date options. These date fields provide more flexibility in controlling lot availability. “Lot Effective” date logic provides the ability to mark lots as becoming available for use on some future date. Also, there are more options for calculating the Lot Expiration Date in the Manufacturing system.

### To enter date information for lots

On Item Master Setup

1. Access Item Master Lot/SN Set Up (F20).

2. Enter the following:

- Shelf Life Days (Expiration)
- Sell By
- Best Before
- Manufacturing Effective
- Purchasing Effective
- User Date 1 - 5

Item Master Lot/SN Set Up has a second screen format that contains no action code. If the Item Master processing option for Lot Processing is set with a 1, the window format with no action code will be accessed when a new item is created or a change to an existing item is made.

---

**Note:** Item Master Lot/SN Set Up (P4101A) can also be accessed from the Lot Control menu G4113.

---

## Entering Information for Lots

	From Inventory Management (G41), choose <b>Lot Control</b> From Lot Control (G4113), choose <b>Lot Master Revisions</b>
--	--

After you assign a new lot number to an item, the system creates a lot. You can enter information for the new lot on Lot Master Revisions.

You might create a lot for items that you expect to receive in the future. You can create a lot manually by entering the lot number and specifying lot information on Lot Master Revisions.

Lot information can include the expiration date, grade and potency values, supplier information, and so forth. You can also assign up to ten category codes to each lot for reporting purposes.

The system maintains separate lot information for each type of item in a lot. For example, if Lot 1 contains Item A and Item B, you can enter separate lot information for each item. A lot can contain multiple items only if you set up system constants to allow more than one type of item in a lot.

Also, you can set up system constants to process a lot that contains only one item, yet those quantities are located in multiple warehouses. For example, Lot 234 consists of one item, bicycle tires. In addition, Warehouse A represents the bulk warehouse, where the majority of the tires are stored. However, Warehouses B and C receive partial quantities of the same item so that Warehouse A has adequate space. When you receive the tires at Warehouses B and C, you can assign them to Lot 234 and track them through the unique lot number.

This program supports import functionality. See the *Technical Foundation Guide* for more information.

Complete the following tasks:

- Create lots
- Enter lot control information
- Enter supplier information

## To add date information for lots

### On Lot Master Revisions

#### 1. Access Lot Dates Revisions (F11).

#### 2. Complete the following fields:

- Sell By Date
- Best Before Date
- Lot Effective Date
- User Lot Dates 1 - 5

## What You Should Know About

<b>Assigning new lot numbers to items</b>	You can assign new lot numbers to items when you receive purchase order receipts, adjust inventory, and complete work orders, if such functionality is set up in Branch/Plant Constants.
<b>Assigning grades or potencies to lots</b>	If you do not specify a grade or potency for items that require this information, the system uses the standard grade or potency from Item Master Information or Item Branch Information.
<b>Item/Lot Ledger</b>	You can track changes to lot status, grade, and potency on the Item/Lot Ledger form.

## See Also

- *Working with Item Locations (P41024)* for information about adding new lots to item locations
- *Entering Item Grade and Potency Information (P41013)* for information about item grades and potencies
- *Locating On Hand Quantity Information (P4111)* for information about viewing the Item/Lot Ledger
- *Defining System Constants (P4009W)* for information about allowing duplicate lots

## To create a lot

### On Lot Master Revisions

Complete the following fields:

- Branch/Plant
- Lot/SN
- Item Number
- Lot Expiration

The Lot Dates and Quantities screen appears, where you can enter availability information.

Field	Explanation
Lot/SN	A number that identifies a lot or a serial number. A lot is a group of items with similar characteristics.
	<i>Form-specific information</i>
	If a lot number has leading zeros, you must type them as part of the lot number.

Field	Explanation
Lot Expiration	<p>The date on which a lot of items expires.</p> <p>The system automatically enters this date if you have specified the shelf life days for the item on Item Master Information or Item Branch/Plant Information. The system calculates the expiration date by adding the number of shelf life days to the date that you receive the item.</p> <p>You can commit inventory based on the lot expiration date for items. You choose how the system commits inventory for an item on Item Master Information or Item Branch/Plant Information.</p> <p><i>Form-specific information</i></p> <p>Although you can change this date, the system automatically updates this field based on how you set up user-defined code (system 40/type LD).</p>

## To enter lot control information

On Lot Master Revisions

Complete the following fields:

- Lot Description
- Lot Status Code
- Lot Potency
- Lot Grade
- Status Change Reason
- Potency Change Reason
- Grade Change Reason

Field	Explanation
Lot Description	A brief description of a specific lot.

Field	Explanation
Lot Status Code	<p>A user-defined code (system 41/type L) that indicates the status of the lot. If you leave this field blank, it indicates that the lot is approved. All other codes indicate that the lot is on hold.</p> <p>You can assign a different status code to each location in which a lot resides on Item/Location Information or Location Lot Status Change.</p> <p><i>Form-specific information</i></p> <p>The default for this field comes from the lot status code (including a blank value) that you assign to the item on Item Master Information or Item Branch/Plant Information.</p> <p>This code serves as the lot status default when you create a new item location for the lot.</p>
Lot Potency	<p>A code that indicates the potency of the lot, which is expressed as a percentage of active or useful material (for example, the percentage of alcohol in a solution). The actual potency of a lot is defined in the Lot Master table (F4108).</p>
Lot Grade	<p>This field contains the grade of a lot expressed as an alphanumeric code. The grade is used to indicate the quality of the lot. For example:</p> <p>A1    Premium grade</p> <p>A2    Secondary grade</p> <p>The grade for a lot is stored in Lot Master table (F4108).</p>
Status Change Reason	<p>A user-defined code (system 42/type RC) that indicates the reason for a change in the status of a lot, such as goods that are damaged in shipment or goods that are placed in quarantine.</p>
Potency Change Reason	<p>A user-defined code (system 42/type RC) that indicates the reason for a potency change to a lot. For example, you might change the lot potency because the actual potency of the items was lower than expected or because the potency was affected by evaporation.</p>
Grade Change Reason	<p>A user-defined code (system 42/type RC) that indicates the reason for a grade change to a lot. For example, you might change the grade because either the actual grade was lower than expected or the lot was downgraded because of aging.</p>

## To enter supplier information

### On Lot Master Revisions

Complete the following fields:

- Supplier
- Supplier Lot

- Order Number

Field	Explanation
Supplier	<p>The address book number of the preferred provider of this item.</p> <p>You can enter the number for the supplier or you can have the system enter it each time that you receive the item from a supplier. You specify whether the system enters the supplier using processing options for Enter Receipts.</p>
Supplier Lot	<p>The supplier's lot number for the item.</p>
Order Number	<p>A number that identifies a document, such as a purchase order, invoice, or sales order.</p> <p><i>Form-specific information</i></p> <p>The purchase order number for the lot item. The system enters the purchase order number when you enter a receipt for the item in Purchase Order Management.</p>

## See Also

- *Work with PC Import/Export in the Technical Foundation Guide.*

## Processing Options

See [Lot Master Revisions \(P4108\)](#).



---

---

# Work with Lot Availability

## Working with Lot Availability

You can view the availability of items in a lot, as well as the activity dates, item quantities, and hold statuses that pertain to the lot. Activity dates and item quantities reflect receipts, issues, sales, and so forth for items in a lot.

To work with lot availability, refer to the following topics:

- [Viewing Lot Availability](#)
- [Working with Lot Quantities](#)
- [Working with Lot Activity Dates](#)
- [Working with Lot Statuses](#)

## Viewing Lot Availability



From Inventory Management (G41), choose **Lot Control**  
From Lot Control (G4113), choose **Lot Availability**

You can view availability for:

- All items in a lot
- All lots that contain the item you specify

You can choose to display only those items or lots for which there are on-hand balances.

## To view lot availability

### On Lot Availability

41200 Lot Availability

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
 Display Error Message  
 Display Functions  
 Exit Program  
 More Details  
 Additional Selection Crt  
 Exit to Item Master  
 Create / View Lot Master  
 Exit to Lot Master  
 Exit to Speed Lot Update  
 Exit to Trace/Track Inqui  
 Exit to Item Ledger Inqui  
 Exit to Work Order Entry  
 Clear Screen

41200 Lot Availability

Branch/Plant  
 History (Y/N)  
 Grade  
 Potency

Action Code  
 Lot/SN  
 Item Number: 1261

Multivitamin Tablets

Lot Number	Status	Rea	Expires	Hand / Held	Available
9601120003	Approved		01/12/16	5000	5000
9603010009	Approved		03/01/16	5000	5000
9603000009	Approved		03/08/16	5000	5000
9603150010	Approved		03/15/16	5000	5000
9603220009	Approved		03/22/16	5000	5000
9603290009	Approved		03/29/16	5000	5000
9605030008	Approved		05/03/16	5000	5000
9605100000	Approved		05/10/16	5000	5000
9605170005	Approved		05/17/16	5000	5000
9605240002	Approved		05/24/16	3000	3000
9701260000	Approved		01/26/17	11000	11000
9702030000	Approved		02/03/17	5000	5000

Opt: 1=Item/Branch 2=Trace/Track 3=Lot Master 4=Detail Avail. F24=More

#### 1. Complete the following fields for the item or lot that you want to view:

- Branch/Plant
- History (Y/N)
- Grade (from)
- Grade (thru)
- Potency (From)
- Potency (Thru)
- Lot/SN
- Item Number

#### 2. Review the following fields:

- Status (Lot Status Code)
- Rea (Status Change Reason)
- Expires (Expiration Date)
- Quantity on Hand/Held
- Available

Field	Explanation
History (Y/N)	<p>A code that determines whether to display information for all locations and lots or only for those with on-hand balances. Valid codes are:</p> <p>N     Display only locations and lots with on-hand balances</p> <p>Y     Display all locations and lots</p>
Expires	<p>The date on which a lot of items expires.</p> <p>The system automatically enters this date if you have specified the shelf life days for the item on Item Master Information or Item Branch/Plant Information. The system calculates the expiration date by adding the number of shelf life days to the date that you receive the item.</p> <p>You can commit inventory based on the lot expiration date for items. You choose how the system commits inventory for an item on Item Master Information or Item Branch/Plant Information.</p>
Status	<p>A user-defined code (system41/type L) that indicates the status of the lot. If you leave this field blank, it indicates that the lot is approved. All other codes indicate that the lot is on hold.</p> <p>You can assign a different status code to each location in which a lot resides on Item/Location Information or Location Lot Status Change.</p>
Potency	<p>A number that indicates the minimum potency, or percentage of active ingredients, acceptable for an item.</p> <p>The system displays a warning message if you try to purchase or issue items that do not meet the minimum acceptable potency. The system does not allow you to sell items that do not meet the minimum acceptable potency.</p> <p><i>Form-specific information</i></p> <p>This is the minimum potency acceptable for items in this lot.</p>
Grade	<p>A user-defined code (system 40/type LG) that indicates the minimum grade that is acceptable for an item.</p> <p>The system displays a warning message if you try to purchase or issue items with grades that do not meet the minimum grade acceptable. The system does not allow you to sell items with grades that do not meet the minimum acceptable level.</p>
Quantity on Hand	<p>The number of units that are physically in stock. The quantity on-hand displays in the primary unit of measure.</p> <p><i>Form-specific information</i></p> <p>The number of items in stock or on hold. If the item is on hold, the system highlights the field.</p>

Field	Explanation
Available	The quantity available can be the on-hand balance minus commitments, reservations, and backorders. Availability is user defined and can be set up in branch/plant constants.

## What You Should Know About

<b>Viewing the same item or lot multiple times</b>	If the same item or lot appears more than once, each item or lot exists in a different location.
--	--


## See Also

- *Locating Detailed Quantity Information (P41023)* for information on how the system calculates item availability
- *Locating Summary Quantity Information (P41202)* for information on viewing detailed item availability by location and lot

## Processing Options

See [Lot Availability \(P41280\)](#).

## Working with Lot Quantities

	From Inventory Management (G41), choose <b>Lot Control</b> From Lot Control (G4113), choose <b>Lot Master Revisions</b>
---	--

You can view the on-hand quantity, the available quantity, and the quantity held for each lot. You can also view up to six other quantity types, which you set up on user-defined code (system 40/type LQ). These quantity types might reflect the quantity of items:

- Received
- Issued
- Adjusted
- Completed
- Approved
- Sold

You set up user-defined code (system 40/type LQ) to indicate for which document types the system tracks lot quantities. You must associate each document type with one of the quantity type categories that appear on Lot Master Revisions.

For example, you specify the Received category for the document type OP (purchase orders). Then, each time you receive items on a purchase order, the system records the quantity to the Received category for the lot.

- Reviewing lot quantities
- Setting up the system to track lot quantities

## On Lot Master Revisions

4108 Lot Master Revisions Branch

Tools Help

# ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Display Audit Information  
Lot Category Codes  
Lot Dates Revisions  
Create / View Lot Master  
Exit to Location Lot Status  
Exit to Test Results Inquiry  
Test Results Revision  
Clear Screen

4108 Lot Master Revisions Branch/Plant R30

Action Code  
Lot/SN 560120002  
Item Number 1261 Multivitamin Tablets

Lot Description  
Lot Expiration 01/12/16  
Memo Lot 1  
Memo Lot 2  
Memo Lot 3

% Life Remaining .00 Days Until Expire: 0  
Lot Status Code Approved  
Status Change Reason  
Lot Potency  
Potency Change Reason  
Lot Grade Not Graded  
Grade Change Reason  
Supplier  
Supplier Lot  
Order Number 110251 #0

Quantities  
Quantity on Hand  
Available  
Quantity Held  
Received  
Issued  
Adjusted  
Completed 10,000  
Approved  
Sold 10,000

Dates  
Received/Created 11/20/13  
Issued  
Recalibrated  
Completed 01/12/15  
Approved  
Sold 12/05/13

F10-Category Codes F11-Lot Dates F15-Loc. Lot Status Window F24-More

## To set up the system to track lot quantities



From Inventory Management (G41), choose **Lot Control**  
From Lot Control (G4113), choose **Lot Quantities**

### On Lot Quantities

Code	Description	Description-2
IR	3	Adjustments
IC	4	Completions
II	3	Misc. Issues
IM	2	Issues to Work Orders
IS	4	Scrap Quantities
IZ	5	Lot Status Change
OP	1	Purchase Order
OV	1	Purchase Order
RI	5	Sales Order
SO	6	Sales Order

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
More Details  
User Defined Code Typ  
Repository Services  
Redisplay Previously C  
Memo (Cursor Sensitive  
Where Used  
Alternate Long Desc (C  
Print User Defined Code  
Clear Screen

00051 Lot Quantities

System Code 40  
User Defined Codes  
Skip To Code  
Lot Quantities

F5=Code Types F14=Memo F15=Where Used F10=Translate F21=Print F24=More


- Complete the following fields for each document type:
  - 02 Character Code
  - Description
- Assign one of the following categories to each document type by entering the number in parentheses in the Description-2 field:
  - Received (1)
  - Issued (2)
  - Adjusted (3)
  - Completed (4)
  - Approved (5)
  - Sold (6)

## What You Should Know About

### Assigning grades or potencies to lots

If you do not specify a grade or potency for items that require this information, the system uses the standard grade or potency from Item Master Information or Item Branch Information.

## Working with Lot Activity Dates

	From Inventory Management (G41), choose <b>Lot Control</b> From Lot Control (G4113), choose <b>Lot Master Revisions</b>
---	--

You can view up to six activity dates for a lot. You determine the activity dates that display by setting up user-defined code (system 40/type LD). These activity dates might reflect the last time that an item was:

- Received/Created
- Issued
- Recalibrated
- Completed
- Approved
- Sold

You set up user-defined code (system 40/type LD) to indicate for which document types the system tracks lot activity dates. You must associate each document type with one of the date categories above.

For example, you specify the Sold category for the document type SO (sales orders). Then, each time you confirm shipments for a sales order, the system records the date to the Sold category for the lot.

You can also enter lot activity dates manually instead of having the system track them for you.

Complete the following tasks:

- Change activity dates for a single lot
- Change activity dates for multiple lots
- Set up the system to track lot dates

## To change activity dates for a single lot

### On Lot Master Revisions

The screenshot displays the 'Lot Master Revisions' window in Oracle JD Edwards World. The window title is '4108 Lot Master Revisions Branch'. The left sidebar contains a list of functions: Field Sensitive Help, Display Error Message, Display Functions, Exit Program, Display Audit Information, Lot Category Codes, Lot Dates Revisions, Create / View Lot Master, Exit to Location Lot Stat, Exit to Test Results Inqu, Test Results Revision, and Clear Screen. The main area is divided into several sections: 'Lot Master Revisions' with fields for Action Code, Lot/SM (9601120002), Item Number (1261), Lot Description (Multivitamin Tablets), Lot Expiration (01/12/16), % Life Remaining (.00), Lot Status Code (Approved), Lot Potency (Not Graded), Supplier Lot (110251), and Order Number (110251). Below this is a 'Dates' section with fields for Received/Created (11/20/13), Issued, Recalibrated, Completed (01/12/15), Approved, and Sold (12/05/13). To the right of the dates is a 'Quantities' section with fields for Quantity on Hand, Available, Held, Received, Issued, Adjusted, Completed (10,000), Approved, and Sold (10,000). The bottom of the window shows function keys: F10=Category Codes, F11=Lot Dates, F15=Loc. Lot Status Window, and F24=More.

1. To view dates for a specific lot, complete the following fields:
  - Branch/Plant
  - Lot/SN
  - Item Number
2. Change the following dates for the appropriate lots, if necessary:
  - Date Received/Created
  - Date Issued
  - Date Recalibrated
  - Date Completed
  - Date Approved
  - Date Sold



## To change activity dates for multiple lots



From Inventory Management (G41), choose **Lot Control**  
From Lot Control (G4113), choose **Speed Lot Update**

### On Speed Lot Update

**41000 Speed Lot Update**

Branch/Plant:  History (Y/N):

Action Code:  Item Number:  Supplier Lot:

Multivitamin Tablets

Lot/3N	Date Received	Date Issued	Date Tested	Date Complete	Quantity On Hand	Quantity Available
9601120009	11/20/13			01/12/15	5000	5000
9603010009	11/29/13			03/02/15	5000	5000
9603000009	11/29/13			03/09/15	5000	5000
9603150010	11/29/13			03/16/15	5000	5000
9603220009	11/29/13			03/23/15	5000	5000
9603290009	11/29/13			03/30/15	5000	5000
9605030000	11/29/13			05/04/15	5000	5000
9605100000	11/29/13			05/11/15	5000	5000
9605170000	11/29/13			05/18/15	5000	5000
9605240002	11/29/13			05/25/15	3000	3000
9701260000	12/15/13			01/26/16	11000	11000
9702030000	12/15/13			02/03/16	5000	5000
9702030001	12/15/13			02/03/16	5000	5000
9704090000	12/15/13			04/08/16	10000	10000
9704100000	12/15/13			04/09/16	10000	10000

Opt: 1=Lot Master 2=Trace/Track 3=Location Lot Status Window F24=More Keys

- Complete the following fields:
  - Branch/Plant
  - History (Y/N)
  - Item Number
  - Supplier Lot
- Change the following dates for the appropriate lots, if needed:
  - Date Received
  - Date Issued
  - Date Tested (or recalibrated)
  - Date Complete

Field	Explanation
Date Received	<p>The last date that a particular activity occurred. You determine the type of activity that the category represents (for example, receipts).</p> <p>This field represents date category 1. You specify the document types that update this category in user-defined code (system 40/type LD).</p> <p><i>Form-specific information</i></p> <p>You can add or change this date on the screen.</p>
Date Issued	<p>The last date that a particular activity occurred. You determine the type of activity that the category represents (for example, issues to work orders).</p> <p>This field represents date category 2. You specify the document types that update this category in user-defined code (system 40/type LD).</p> <p><i>Form-specific information</i></p> <p>You can add or change this date on the screen.</p>
Date Tested	<p>The last date that a particular activity occurred. You determine the type of activity that the category represents (for example, recalibration dates).</p> <p>This field represents date category 3. You specify the document types that update this category in user-defined code (system 40/type LD).</p> <p><i>Form-specific information</i></p> <p>You can add or change this date on the screen.</p>
Date Completed	<p>The last date that a particular activity occurred. You determine the type of activity that the category represents (for example, inventory completions).</p> <p>This field represents date category 4. You specify the document types that update this category in user-defined code (system 40/type LD).</p> <p><i>Form-specific information</i></p> <p>You can add or change this date on the screen.</p>

## Processing Options

See [Speed Lot Update \(P41080\)](#).

### To set up the system to track lot dates



From Inventory Management (G41), choose **Lot Control**  
 From Lot Control (G4113), choose **Lot Dates**

## On Lot Dates

00051 Lot Dates

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
More Details  
User Defined Code Type  
Repository Services  
Redisplay Previously C  
Memo (Cursor Sensitive)  
Where Used  
Alternate Lang Desc (C  
Print User Defined Code  
Clear Screen

00051 Lot Dates

Action Code

System Code 40  
User Defined Codes LD  
Skip To Code  
Lot Dates

02 Character	Code	Description	Description-2
		Default - Lot Dates 48/LD	
	1A	3	Adjustments
	1B	4	Completions
	1C	3	Misc. Issues
	1D	2	Issues to Work Orders
	1E	4	Scrap Quantities
	1F	5	Lot Status Change
	1G	1	Purchase Orders
	1H	1	Purchase Orders
	1I	6	Sales Orders
	1J	6	Sales Orders

F5=Code Types F14=Memo F15=Where Used F18=Translate F21=Print F24=More

- Complete the following fields for each document type:
  - 02 Character Code
  - Description
- Assign one of the following categories to each document type by entering the number in parentheses in the Description-2 field:
  - Date Received/Created (1)
  - Date Issued (2)
  - Date Recalibrated (3)
  - Date Completed (4)
  - Date Approved (5)
  - Date Sold (6)

## Working with Lot Statuses

You set up lot status codes to identify the reasons that a lot is on hold. After you set up the codes, you can assign them to items and lots on Item Master Information, Branch/Plant Information, Lot Master Revisions, Enter Receipts, and so forth. You cannot process items from lots on hold.

You can assign different status codes to a single lot based on the different locations in which the lot resides. Complete the following tasks:

- Set up lot status codes
- Assign status codes to different lots

You can run the Lot Status Update DREAM Writer program to place expired lots on hold. You can preview a list of all lots that will be placed on hold by running the program in proof mode.

41082	JD Edwards World Hold Expired Lots	Page No. . . . . 3 Date . . . . . 9/10/17		
		Branch/Plant . . . . 30 Lot Expiration Date. 08/30/17 Mode - Processing. . Proof Lot Status Code. . . Q		
Item Number	Description	Location	Lot Number	Date Expires
V001	Natureway High Energy Vitamins	. .	00000004	05/16/17
V001	Natureway High Energy Vitamins	. .	00000005	08/26/17
12829	Parselenium		9309150009	08/14/17
V001	Natureway High Energy Vitamins	. .	9310140000	08/15/17
V001	Natureway High Energy Vitamins	. .	9310140001	08/16/17
V001	Natureway High Energy Vitamins	. .	9310140002	08/26/17
V001	Natureway High Energy Vitamins	. .	9310140003	08/26/17
I0006-I	Spray Dry Powder 1200 Grams		9503120000	02/19/17
12845	Buffer, inert		9601050000	01/04/17
12845	Buffer, inert		9601110000	01/10/17

## To set up lot status codes



From Inventory Management (G41), choose **Lot Control**  
From Lot Control (G4113), choose **Lot Status Codes**

## On Lot Status Codes

00051 Lot Status Codes

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
More Details  
User Defined Code Typ  
Repository Services  
Redisplay Previously C  
Memo (Cursor Sensitive)  
Where Used  
Alternate Lang Desc (C)  
Print User Defined Code  
Clear Screen

00051 Lot Status Codes

Action Code [C]

System Code [41]  
User Defined Codes [L]  
Skip To Code [ ]  
Lot Status Codes

Code	Description
	Approved
A	Damaged Goods
D	Hold for Inspection-Vendor
F	Failed Quality Inspection
H	HOLD: claim exist
I	Hold for Inspection-Insurer
P	Pass Quality Inspection
Q	Under Quarantine
R	Reserved for Internal Use
T	Hold for Test Results

F5=Code Types F14=Memo F15=Where Used F18=Translate F21=Print F24=More

Complete the following fields for each status code:

- 01 Character Code
- Description

## To assign status codes to different lots

On Lot Master Revisions

1. Locate the appropriate lot and item.
2. Choose Loc (F15).

3. On Lot Status Change, complete the following fields for each location that you want to change the status code:
  - New (New Lot Status)
  - Rsn (Reason for Changing Lot Status)

Field	Explanation
Rsn	A user-defined code (system 42/type RC) that indicates the reason for a change in the status of a lot, such as goods that are damaged in shipment or goods that are placed in quarantine.

## What You Should Know About

### Assigning status codes to locations

You can assign status codes to locations as well as lots. The system verifies that a lot is on hold before verifying that the location is on hold.

The system might process items out of locations on hold depending on the program in which you are working and the way that processing options are set.

**Putting locations on hold**

You can put a single location on hold, independent of the item, as long as the hold code is set up on Lot Status Codes.

Select the location from the Location Master (P4100). You can access the Location Master by exiting from Item Lot/Location Master Information (P41024) or from the Advanced Warehouse Management Setup menu (G4641).

See *Enter Branch/Plant Information*.

---


# View Lot Transactions

## Viewing Lot Transactions


You might want to view the transactions that have affected a lot, such as:

- The receipts, inventory issues, and so on, that were generated as a result of assigning items to the lot
- The inventory issues, work order completions, sales, and so on, that were generated as a result of removing items from the lot

Use Lot Tracing to view the transactions in which items were assigned to the lot. If the lot contains kit or assembled items, you can identify the parts that were used to assemble items in the lot and the lots from which the parts came.



You use lot tracking to view the transactions in which items were removed from the lot. You can identify items that have been assembled using parts from the lot, and the lots to which the assembled items were assigned.



You provide information about how you want the system to trace and track lots. For example, you specify the document types that the system monitors to trace and

track lots. You also specify whether you want to view transactions for assembled items or non-assembled items by specifying a trace/track mode.

Complete the following tasks:

- [Print Trace and Track Reports](#)
- [Reviewing Trace and Track Information](#)
- [Setting up Trace and Track Inclusion Rules](#)
- [Defining a Trace and Track Mode](#)

## Print Trace and Track Reports



From Inventory Management (G41), choose **Lot Control**  
From Lot Control (G4113), choose **Trace/Track Print**

You can print a DREAM Writer report that provides trace and track information, such as the level by which the system traces or tracks lots.

41505	Idaho Power						Page	-	2
	Lot Tracing Report						Date	-	8/08/17
Parent Lot									
Lot Number	Item Number	Branch	Level	Trans Qty	Date	Trans Description	Order No	Ty	Customer/Vendor
13363	TELEPHONE	10	Lot Grade	Lot Potency					
51013827	TELEPHONE UNIT	10	1	10-	03/08/17	Inventory Issue	13363	IM	
			Lot Grade	Lot Potency					
51013827	TELEPHONE UNIT	10	.2	100	03/08/17	Inventory Receipt	34	OV	JD Edwards World
			Lot Grade	Lot Potency					
51013828	TELEPHONE CORD	10	1	10-	03/08/17	Inventory Issue	13363	IM	
			Lot Grade	Lot Potency					
51013828	TELEPHONE CORD	10	.2	100	03/08/17	Inventory Receipt	34	OV	JD Edwards World
			Lot Grade	Lot Potency					
51013829	TELEPHONE RECEIVER	10	1	10-	03/08/17	Inventory Issue	13363	IM	
			Lot Grade	Lot Potency					
51013829	TELEPHONE RECEIVER	10	.2	100	03/08/17	Inventory Receipt	34	OV	JD Edwards World
			Lot Grade	Lot Potency					

41505	Idaho Power						Page	-	2
	Lot Tracking Report						Date	-	8/08/17
Lot Number									
Parent Lot	Item Number	Branch	Level	Trans Qty	Date	Trans Description	Order No	Ty	Customer/Vendor
-----									
13363	TELEPHONE	10	Lot Grade	Lot Potency					
13363	TELEPHONE	10	1	10	03/08/17	Inventory Complet	13363	IC	
			Lot Grade	Lot Potency					

## Reviewing Trace and Track Information



From Inventory Management (G41), choose **Lot Control**  
From Lot Control (G4113), choose **Trace/Track Inquiry**

You can review trace and track information online. You determine whether the system displays tracing or tracking information by using processing options for the Trace/Track Inquiry program.



## To review trace and track information

### On Lot Tracing or Lot Tracking

41203 Lot Tracing (down)

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
More Details  
Exit to Lot Master  
Create / View Lot Master  
Trace/Track Toggle  
Clear Screen

41203 Lot Tracing (down) Mode

Lot/SN 00000004 Natureway High Energy Vitamins  
Item Number V001 Natureway High Energy Vitamins  
Branch/Plant 30 100 Capsules  
Lot Grade  
Lot Potency

Level	Lot/SN	Number	Quantity	Trn Date	Explanation
1	00000004	V001	1080	05/15/17	Inventory Receipt
1	00000004	V001	1080	05/15/17	Inventory Receipt

Opt: 1-Lot Master F15=Trace/Track F24=More Keys

1. Complete the following fields for the lot that you want to trace or track:


- Mode
- Lot/SN

Depending on how you have set the Allow Duplicate Lots field in system constants, you might have to enter an item number and branch/plant.

2. Review the following fields, as necessary:

- Level
- Serial Number
- Item Number
- Quantity
- Trn Date (Transaction Date)
- Explanation (Transaction Explanation)

3. Access the detail area (F4).



4. Review the following fields, as needed:

- Order
- Branch/Plant
- Lot Grade
- Lot Potency
- Sup Lot (Supplier Lot)
- Cust/Supp. (Supplier)

Field	Explanation								
Mode	<p>A code that indicates how you want the system to display lot trace and track information. Valid codes are:</p> <table border="0"> <tr> <td>1</td><td>Single level trace/track</td></tr> <tr> <td>2</td><td>No intermediate levels (displays only top or bottom levels)</td></tr> <tr> <td>3</td><td>Multi-level trace/track</td></tr> <tr> <td>4</td><td>Multi-level indented trace/track</td></tr> </table>	1	Single level trace/track	2	No intermediate levels (displays only top or bottom levels)	3	Multi-level trace/track	4	Multi-level indented trace/track
1	Single level trace/track								
2	No intermediate levels (displays only top or bottom levels)								
3	Multi-level trace/track								
4	Multi-level indented trace/track								
Level	The number indicating the level of the component item relative to its parent. Components are direct components of the parent item at level 1 and sub-assemblies at level 2, level 3, and so on.								
Trn Date	The date that the transaction occurred.								
Explanation	This text identifies the reason that a transaction occurred.								

## What You Should Know About

**Reviewing lot information** You can review expiration date and status information for a lot by accessing the Lot Information form from the Lot/SN field on Lot Tracing and Lot Tracking. The Lot Information form displays item and location information for a lot as well as the lot expiration date, the lot status, and so on.

For more information, see *Viewing Lot Availability (P41280)*.

## Processing Options

See [Lot Tracing and Tracking \(P41203\)](#).

## Setting up Trace and Track Inclusion Rules

Before you use lot tracing and lot tracking, you must set up trace and track inclusion rules. These rules let you specify the document types that the system monitors to trace and track lots. You must specify whether each document type applies to lot tracing, lot tracking, or both.

For example, if you use the Procurement system, you would specify that document type OP (purchase orders) applies to lot tracing. Then, each time you receive a lot item, the receipt transaction displays on Lot Tracing.

### To set up trace/track inclusion rules



From any JD Edwards World menu, enter **UDC** on the command line

## On General User Defined Codes

00051 General User Defined Codes

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
More Details  
User Defined Code Type  
Repository Services  
Redisplay Previously C  
Memo (Cursor Sensitive)  
Where Used  
Alternate Lang Desc (C)  
Print User Defined Codes  
Clear Screen

00051 General User Defined Codes

Action Code: IT

System Code: 40  
User Defined Codes: DC  
Skip To Code:  
Trace/Track Document Types

Code	Description	Description-2
IR	Inventory Adjustment	
IC	Work Order Completions	M WO Completions
II	Simple Issues	
IM	Work Order Issues	I Issue
IR	Inv. Receipts/Adjustments	
IS	Work Order Scrap	S WO Scrapped
IT	Inventory Transfers	
UP	Receipts	B Bottom
UV	Receipts	B Bottom
RI	Sales Invoice	
RO	Sales Orders	C Completions
SW	Software	

F5=Code Types F14=Memo F15=Where Used F18=Translate F21=Print F24=More

1. Access user-defined code (system 40/type DC).
2. For each document type, complete the following fields:
  - 02 Character Code
  - Description
3. Assign one of the following values to each document type in the Description-2 field:
  - B (for bottom level, or tracing transactions)
  - C (for completion level, or tracking transactions)
  - Blank (for intermediate level transactions, which apply to both tracing and tracking)
  - I (for issue transactions)
  - M (for work order completions)

## What You Should Know About

**Issue transactions**

You must include the issues document type (IM) in inclusion rules if you perform multi-level tracing and tracking. You must also assign the issues document type a value of I (issue transactions).

**Receipt, adjustment, and sales transactions**

Receipt and adjustment transactions cannot have a value of C (completion) but should have a value of B (bottom level) on Trace/Track Inclusion rules. Sales transactions cannot have a value of B, and should have a value of C. A sale is the last transaction that can occur for lot tracking.

**How the system traces and tracks lot transactions**

The system traces and tracks a lot by associating together corresponding transactions, such as a receipt, an issue, a completion, and a sales order. If the association is terminated, the system stops tracing and tracking. For example, if you do not include the completion document type in inclusion rules, the system stops tracking at the completion transaction.

## Defining a Trace and Track Mode



From Inventory Management (G41), choose **Lot Control**  
From Lot Control (G4113), choose **Trace/Track Inquiry**

You determine the types of lot transactions that display on Lot Tracing and Lot Tracking by defining a mode:

- Mode 1 – Single level transactions
- Mode 2 – Only origination and completion transactions
- Mode 3 – Multi-level transactions for kit, parent, or manufacturing assembly items
- Mode 4 – Multi-level transactions for kit, parent, or manufacturing assembly items that are displayed in a hierarchical format

You use mode 1 and mode 2 for non-assembled items. For tracing, you can review the transactions that resulted in items that were assigned to the lot, such as receipts. For tracking, you can see the transactions that resulted in items that were distributed, such as sales. Mode 2 does not display intermediate level transactions, which are transactions that apply to both tracing and tracking.

You use modes 3 and 4 for items that are made up of several components. You can see all transactions that affect the lot, including receipts, issues, completions, and sales.

### To define a trace and track mode

On Lot Tracing or Lot Tracking

Complete the following field:

- Mode



---

---

# Reclassify Lots

## Reclassifying Lots



From Inventory Management (G41), choose **Inventory Master/Transactions**  
From Inventory Master/Transactions (G4111), choose **Reclassifications**

You can reclassify an item and any associated lot when the item's properties change. When you reclassify, you create new item numbers and combine or split existing lots within locations.

You also may be able to create new lots if you have set the Inventory Lot Creation (Y/N) field in branch/plant constants to allow you to do so.

For example, property changes that occur over time in technical grade sulfuric acid can result in a less potent grade of acid. You can create a new lot from this acid by specifying a different potency and grade.


In a similar example, if you blend several lots of sulfuric acid together and dilute them with water, you can create a new lot with a new potency and grade.

You can change a lot and any of the associated items as follows:

- Change the item number, location, lot, and lot status
- Create a new lot from an existing lot
- Combine several lots into a single lot
- Split one lot into several lots
- Combine several lots and create several new lots

### Example: Types of Reclassifications

The following graphic illustrates how you can combine, blend, and split lots.



After you reclassify an item and lot, the system adjusts inventory balances and performs related tracking and accounting tasks.

The system updates the following tables with item and lot change information:

- Item Ledger (F4111)
- Account Ledger (F0911)
- Item Location (F41021)
- Warehouse Location (F4602, only if you are using the Advanced Warehouse Management system with the Inventory Management system)

You can view detailed or summarized journal entries for these transactions on the Journal Entries and the Item Ledger Inquiry forms.

## What You Should Know About

### Assigning lots to a single location through reclassifications

You can prevent the system from allowing you to assign lots to a single location if the lots meet the following criteria:

- When the items in the lots are the same
- When a single lot contains items with different statuses

For more information, see *Working with Item Locations (P41026)*.

### Creating a lot

When you reclassify inventory, you might be able to create a lot if you have set the branch/plant constants appropriately.

For more information, see *Setting Up Constants (P41204)*.

## Before You Begin

- Verify that you have set up the general ledger accounts in the Account Master table (F0901)
- Verify that you have set up the automatic accounting instructions (AAs) for distribution
- Review uncommitted quantity information for the item and related lot that you are reclassifying on Item Availability

---

**Caution:** Use the Item/Lot Change Transactions program *only* for reclassifying items and lots. Using any of these programs to reclassify items or lots can adversely affect information throughout the Sales Order Management and Procurement systems.

---



## To reclassify items and lots

### On Reclassifications

4116 Reclassifications

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Additional Information  
Journal Entries  
Warehouse Movement  
Clear Screen

4116 Reclassifications

Trans. Date 06/30/17

Action Type [A]  
Document Number 127  
Document Type IT  
G/L Date  
Explanation Combine Lots  
Batch Number 77518  
From Branch/Plant 30  
To Branch/Plant 30

Item	Quantity	UN	Location	Lot
F V001	10	EA 1	.A .1	00000004
T V001	10	EA 1	.A .2	00000005

Opt: 1-Item Search 2-Reverse 0-New Transaction F19=J/E F24=More

1. To enter reclassification information, complete the following fields:
  - From Branch/Plant
  - To Branch/Plant (BU for Account Duplication)
  - Trans. Date (Date-Order Transaction)
  - Document Number (Document)
  - Document Type
  - Explanation
  - G/L Date
2. Access the detail area (F4).

4116 Reclassifications

Tools Help

ORACLE JD Edwards World

URL Document Email World Resources Support

Field Sensitive Help  
Display Error Message  
Display Functions  
Exit Program  
Additional Information  
Journal Entries  
Warehouse Movement  
Clear Screen

4116 Reclassifications

Trans. Date 06/30/17

Action Type F  
Document Number 127  
Document Type IT  
G/L Date  
Explanation Combine Lots  
Batch Number 77518  
From Branch/Plant 30 To Branch/Plant 30

F	T	Item	Quantity	UM	Location	Lot
F	V001		1	EA 1 .A .1		00000004
		Reason Code.	Unit Cost		16.1500	Grade
		G/L Date 06/30/17	Extended Cost.		16.15	Potency
		Trans. Line. 1.00	Branch/Plant		30	Lot Status
		Lot Expires. 05/15/17	Lot Desc		Natureway High Energy Vitamins	
		Memo Lot 1	Memo Lot 2			
T	V001		10	EA 1 .A .2		00000005
		Reason Code.	Unit Cost		16.0000	Grade
		G/L Date 06/30/17	Extended Cost.		160.00	Potency
		Trans. Line. 1.00	Branch/Plant		30	Lot Status
		Lot Expires. 08/25/17	Lot Desc		Natureway High Energy Vitamins	
		Memo Lot 1	Memo Lot 2			

Opt: 1=Item Search 2=Reverse 0=New Transaction F13=J/E F24=More

3. Complete the following fields for each branch/plant in which the item is stored:

- F/T (From/To)
- Item Number
- Quantity
- UM
- Location
- Reason Code
- Unit Cost
- Extended Cost
- Trans. Line (Transaction Line Number)

4. To create a new location and record for the lot, complete the following fields:

- Lot
- Grade
- Potency
- Lot Desc
- Lot Expires
- Lot Status

The system processes the transaction and displays a document number, document type, and the batch number for the transaction.

Field	Explanation
To Branch/Plant	<p>The destination business unit that you want to copy accounts to.</p> <p><i>Form-specific information</i></p> <p>The destination branch/plant that you want to move inventory to.</p>
From/To	<p>Indicates whether this line in the transaction is a From line or a To line. This field allows you to combine multiple existing products/locations into a single product/location, for example, three From lines and one To line. You can also split one existing product/location into several new products/locations, for example, one From line and two To lines. The information in a From transaction line is always existing item location information.</p>
Trans. Line	<p>The transaction line number keeps the different From and To lines for one transaction (for example, combining multiple lots into one or splitting one lot into several new ones) together by giving them the same transaction line number.</p>
Prev Voucher:	<p>The number of the last voucher that was entered.</p>

## What You Should Know About

<b>Reviewing lot information</b>	<p>You can review expiration date and status information for a lot by accessing the detail area of Reclassifications. You also can access the Lot Information form from the Lot field. This form displays item and location information for a lot as well as the lot expiration date, the lot status, and so on.</p> <p>For more information, see <i>Viewing Lot Availability (P41280)</i>.</p>
<b>Correcting errors</b>	<p>You can correct a reclassification made in error by entering a reversing entry. Because the system stores records of each reclassification for accounting purposes, you cannot delete the record. The system reverses the item in the same document number and batch as the original reclassification.</p>
<b>Recording document numbers</b>	<p>After you enter a reclassification, the system displays the document type, batch number, and document number for the transaction. Record the document number for locating the transaction.</p>
<b>Grouping reclassifications</b>	<p>After you enter several reclassifications, you can group them together for processing.</p> <p>After you group transactions, the system assigns the same number to each transaction in the group and processes all of the From and To lines with the same transaction number.</p> <p>Depending on how the processing options are set, the system validates that the From and To quantities balance.</p>

**Reclassifying uncommitted quantities of items**

You can reclassify only uncommitted quantities of items and lots.

See *About Item and Quantity Information* for information about how to determine uncommitted quantities for an item.

**Reclassifying bulk inventory**

You cannot use the Item/Lot Change Transactions program to reclassify bulk inventory. Instead, use the Bulk Stock Movement program to reclassify bulk inventory.

## Processing Options

See [Item Reclassifications \(P4116\)](#).

---

## 12 System Updates



---

---

# Overview to System Updates

## Objectives

- To perform updates that are effective system-wide

## About System Updates

Ideally, your system would never change after the initial system setup. However, to customize the system to meet your company's changing needs, updates are often necessary. For example, your company might change the format that you have been using to set up locations in your branch/plants. Rather than making these changes on an individual basis, JD Edwards World provides updates that you can use to make system-wide changes.

For most updates, you enter changes through processing options and then run an update for the entire system.

Complete the following tasks:

- Update item search information
- Update item information
- Revise location format

## Before You Begin

- Verify that only the users who have been designated to perform system updates have security access to system update programs.





---

---

# Update Item Search Information

## Updating Item Search Information



From Inventory Management (G41), enter **27**  
From Inventory Advanced and Technical Operations (G4131), choose **Global Updates and Purges**  
From Global Updates and Purges (G41311), choose **Rebuild Item Search**

Run the Rebuild Item Search program to update the Item Search table. When you run a query search by item in Inventory Management, the system accesses the Item Search table (F41200) for item information. When you change item information through item master, item branch/plant, or item cross-reference information, those changes do not update the Item Search table.

After you enter or change item master information, you must update the item search information. However, you can access items that have been entered or changed using other search modes. You can run the Rebuild Item Search program as often as necessary.

The Rebuild Item Search program (P41BDWRD) reads the Item Master file (F4101), the Item Alternate Description file (F4101D), and the Item Cross-Reference file (F4104) and writes to the Item Word Search Master file (F00X41). In the F00X41, it creates one record for each unique branch-plant/location/lot-serial-number combination as listed below:

- Each word in the second item number field, LITM
- Each word in the description fields DSC1 and DSC2
- Each word in the catalog number, AITM
- Each word in the search field, SRTX
- The short item number, ITM
- Each word in each alternate description, DSC1 and DSC2 (F11 from Item Master)
- Each word in each alternate description search text (F11 from Item Master)
- Each branch plant in which the item is set up.

### Files Used

- F4101 - Item Master
- F4101D - Item Alternate Description
- F4101 - Item Cross Reference
- F00X41 - Item Word Search Master

- **F009141 - Word Search Occurrences Master**

---

---


# Update Item Information

## Updating Master Item Information

Changes to item or branch/plant information often require you to make global updates to your system. Complete the following tasks:

- [Updating Item Master and Branch/Plant Information](#)
- [Updating Category Codes and Item Numbers](#)

## Updating Item Master and Branch/Plant Information

	From Inventory Management (G41), enter 27 From Inventory Advanced and Technical Operations (G4131), choose <b>Global Updates and Purges</b> From Global Updates and Purges (G41311), choose <b>Update Item Master Fields</b> or <b>Update Item Branch Fields</b>
---	--

Update Item Master Fields and Update Item Branch Fields are programs that you use to update fields in the Item Master (F4101) and Item Branch (F4102) tables.


You can select a version of either program from the version list. Modify the selection criteria by specifying which fields you want to update in the processing options. You also can change the value for the field.

### Processing Options

See [Update Item Master Fields \(P41804\)](#).

See [Update Item Branch Fields \(P41805\)](#).

## Updating Category Codes and Item Numbers

	From Inventory Management (G41), enter 27 From Inventory Advanced and Technical Operations (G4131), choose <b>Global Updates and Purges</b> From Global Updates and Purges (G41311), choose <b>Global Category Code Update</b>
---	--

You can run the Global Category Code Update program to update:

- Category codes from the Item Master table (F4101) to the Item Branch table (F4102)
- Second (product number) and third (catalog number) item numbers from the Item Master table (F4101) to the following tables:
  - Item Branch (F4102)

- Bill of Materials Master (F3002)
- Routing Master (F3003)
- Lot Master (F4108)
- Cost Ledger (F4105)

Through the processing options, you can specify the scope of the update:

- A single warehouse only
- A combination of warehouses
- All except one warehouse

Verify your changes on Item/Branch Revisions.

---

**Caution:** Use caution when using this update. You are changing values that may affect processing and history.

---

## Processing Options

See [Global Category Code Update \(P41803\)](#).

---

---

# Revise Location Format

## Revising Location Format

You can change the location formats that are set up in branch/plant constants. Using the Location Field Update program, you can globally update the location format for multiple locations, rather than having to update each location's format on an individual basis.

Complete the following tasks:

- [Setting Up a Model Branch](#)
- [Updating the Location Format](#)

## Before You Begin

- Back up all of your files.
- Do not allow any other users on the system until the batch job is complete.

## What You Should Know About

### Time allotment

Be sure to allow enough time for the batch job to complete.

### Correcting errors

When you update the Location field, the system prints a report listing errors. The procedure that you use to correct errors depends on the table where the error occurred. Generally, the procedure is:

- Restore all files.
- Correct the problem.
- Rerun the conversion for all files.

## Setting Up a Model Branch



From Inventory Management (G41), enter 27  
 From Inventory Advanced and Technical Operations (G4131), choose **Global Updates and Purges**  
 From Global Updates and Purges (G41311), choose **Location Field Update**

You must set up a model branch with your new location format before you can change the location format in other branch/plants.

### To set up a model branch

On Location Field Update

1. Locate a branch with the location format you want to use as your model.
2. Complete the following fields:
  - Aisle
  - Bin
  - Location Code 3 (location codes 3-10)

Field	Explanation
Aisle	A code that identifies a location in a warehouse. This code is used in conjunction with a bin and lot identifier, to indicate a specific, tangible storage area within a warehouse or yard.
Bin	A specific storage location within a warehouse or store. The system uses the bin with an aisle location to identify a storage area whose width, depth, and height can be readily measured.

Field	Explanation
Location Code 03	<p>A code that the system uses for one of two purposes:</p> <ul style="list-style-type: none"> <li>▪ To identify a specific location within a Branch/Plant as part of the location identifier.</li> <li>▪ To use as a general reporting code for location information.</li> </ul>

## What You Should Know About

**Length of location elements** The New Size column indicates the number of characters you should enter in the adjacent location code field. You define the number of characters for each element in the location format through branch/plant constants.

## Updating the Location Format



From Inventory Management (G41), enter **27**  
 From Inventory Advanced and Technical Operations (G4131), choose **Global Updates and Purges**  
 From Global Updates and Purges (G41311), choose **Location Field Update**

You run the Location Field Update program after you set up the model branch. You can run the update in proof or final mode.

Specify the following in the processing options for the Location Field Update:

- Whether you want to run the update in proof or final mode
- Which tables you want to update

**Caution:** Always submit the job from Location Field Update. Never submit the job for processing through the DREAM Writer versions list because the system may not include the tables you want to update.

## What You Should Know About

**Update the location format** You can update the location format on Branch/Plant Constants - Page 2, if necessary.

## Processing Options

See [Location Redefinition \(P41822\)](#).





---

## 13 Purges



---

---

# Overview to Purges

## Objectives

- To understand the different types of purges

## About Purges

After data becomes obsolete or you need more disk space, you can use purge programs to remove data from files.

Purging data consists of:

- Specifying the information to delete
- Running the purge program
- Running the file reorganization program to rebuild file structure

---

**Caution:** You must know the proper procedures and consequences of purging data to avoid serious damage to your system and data.

---

## Before You Begin

- Back up the files that will be affected prior to running the purge program
- Determine the data that you want to purge

## What You Should Know About

### Customizing a purge

You can create a customized purge by changing the DREAM Writer data selection to meet your needs.

For example, you could use a range of fiscal years rather than all dates. Custom purges are not available in the Item Deletion program, which has no processing options.

### Processing options

You can set processing options that save tables in a special library and allow you to reorganize the purged tables. These options are very similar in all purge programs except Item Deletion and Supplemental Data.



---

---

# Purge Data

## Purging Data

There are two types of purges within the distribution systems:

- General purges
- Special purges

General purges include the Item History purge, which is a version of the general purge program. The general purge program removes data from the Item History file (F4115). You can create versions of the general purge program to purge data from any JD Edwards World file, although JD Edwards World recommends that you do not use general purges for files that have their own special purge programs. General purges are not designed for files that are associated with data in other files. Running a general purge for such files could cause you to lose important data.

JD Edwards World provides special purges for removing data from files. Special purges are programs that allow you to provide more specific information. Special purges have built-in criteria that the system checks before removing any data. For example, you might want to purge an Item Master record that has an associated record in the Item Location file (F41021). The built-in selection criteria prevent the system from purging the Item Location record.

Each distribution system comes with special purge programs. In Inventory Management, the special purge programs include the following:

- Item Deletion (all files associated with items-F4101, F4102, F4111, F4211, and F4311)
- Item Master (F4101)
- Item Balance (F4102)

Complete the following tasks:

- [Running the General Purge](#)
- [Running the Special Purge](#)

## Before You Begin

- Verify that no users are working with the data that you want to purge and reorganize


## What You Should Know About

### Technical considerations

The following technical considerations apply to both general and special purges:

- If File Output Type on the DREAM Writer Additional Parameters form for the DREAM Writer version you are using is set to 1 (for OPNQRYF), you must also set the Open for Delete (Y/N) field to Y. Also, you must specify at least one field in Data Sequencing.
- If File Output Type on the DREAM Writer Additional Parameters form for the DREAM Writer version you are using is set to 2 (for logical file), the purge will reorganize the purged file based on the logical file that the system builds. This might increase the time the system takes to perform the file reorganization.

## Running the General Purge

	From Inventory Management (G41), enter 27 From Inventory Advanced and Technical Operations (G4131), choose <b>Global Updates and Purges</b> From Global Updates and Purges (G41311), choose <b>Item History</b>
---	---

To perform a general purge, run the Item History Purge. The Item History Purge is a program that you run when you want to remove a large amount of data and do not need to be concerned with implications for other files. You can use this program to perform either a global or specific purge. To perform a specific purge, specify selection criteria.

## Processing Options

See [Batch File Purge \(P00PURGE\)](#).

## Running the Special Purge

Running special purges includes the following tasks:

- Running the Item Deletion purge
- Running the Item Master purge
- Running the Item Balance purge

## Running the Item Deletion Purge



From Inventory Management (G41), enter **27**  
 From Inventory Advanced and Technical Operations (G4131), choose **Global Updates and Purges**  
 From Global Updates and Purges (G41311), choose **Item Deletion (All Files)**

Run the Item Deletion Purge to permanently remove an item's records from all files in the system except the sales order files (F4211 and F4201). The system deletes any existing sales order detail lines and adjusts the total order amount on the sales order header to account for the deletion. The system also adjusts the "on order" amount in the Billing Instructions file (F4205).

---

**Note:** Item Deletion is an RPGSQL program. Therefore, you must run it in an AS/400 environment.

---

The system deletes the item that you specify from the following files:

Field	Explanation
F0018	Sales/Use/V.A.T. Tax
F3002	Bill of Materials Master
F30026	Item Cost Component Information
F3011	Bill of Materials Change
F3411	MPS/MRP/DRP Message
F3412	MPS/MRP/DRP Lower Level Requirements
F3413	MPS/MRP/DRP Summary
F3460	Forecast
F4008	Tax Areas
F41002	Unit of Measure Conversion Factors
F4101	Item Master
F4102	Item Branch Master
F41021	Item Location
F4104	Item Cross-Reference
F4105	Item Cost Ledger
F4106	Item Price
F4111	Item Ledger
F4115	Item History
F4116	WF - Inventory Turn Report

Field	Explanation
F41291	Item Cost Components
F4141	Cycle Count Transactions
F4160	Tag Inventory
F42005	Sales Commission
F4201	Sales Order Header
F4209	Held Orders
F4211	Sales Order Detail
F4213	Sales Order Reprice
F4220	Serial Number - Warranty
F4229	Sales Summary - History
F4301	Purchase Order Header
F4311	Purchase Order Detail
F43121	Purchase Order Receiver
F4801	Work Order Master

## To run the Item Deletion purge

### On Item Deletion

**1.** Complete the following field:

- Item No

**2.** Delete the item.

The system displays a caution message and indicates the amount by which you will need to adjust the general ledger records if you confirm the deletion.

**3.** Confirm the deletion or return to the first form in Item Deletion.

Field	Explanation
Item No	An identifier for an item.



## Running the Item Master Purge



From Inventory Management (G41), enter **27**  
 From Inventory Advanced and Technical Operations (G4131), choose **Global Updates and Purges**  
 From Global Updates and Purges (G41311), choose **Item Master (F4101)**

The Item Master purge allows you to select and purge specific information from the Item Master file (F4101).

Before purging the records you specify from the Item Master file, the system verifies that the records are not associated with other files. The system will not purge any item information that exists in the following files:

- Item Location (F41021)
- Item Branch (F4102)
- Cost Ledger (F4105)
- Lot Master (F4108)
- Item Bill of Material (F3002)
- Item Routing (F3003)

## Processing Options

See [Purge Item Master File \(F4101\) \(P4101P\)](#).

## Running the Item Balance Purge



From Inventory Management (G41), enter **27**  
 From Inventory Advanced and Technical Operations (G4131), choose **Global Updates and Purges**  
 From Global Updates and Purges (G41311), choose **Item Balance (F4102)**

The Item Balance purge allows you to select and purge records that you specify from the Item Branch file (F4102).

Before purging the specified records from the Item Branch file, the system verifies the records using the following criteria. The system will not purge the records if:

- Work orders exist in the Work Order Master file (F4801)
- A parts list exists in the Work Order Parts List file (F3111)
- A bill of materials exists in the Bill of Materials Master file (F3002)
- Any secondary locations exist in the Item Location file
- There are deleted records from files
- There is information in any of the following fields for the item location record:
  - On-hand
  - Hard Commitments
  - Soft Commitments
  - Back Order Quantity

- On Order Quantity
- Quantity Outbound (EDI)
- Quantity Inbound (EDI)

The system also checks all quantity fields for primary and secondary locations.

After the system determines which Item Balance records are to be purged, the following occurs:

- The system verifies the records in the Item Branch file.
- The system verifies that all records in the Item Location file (F41021) with the same item and branch have zero quantities.
- Next, the system checks the Item Bill of Material, Work Order Parts List, and the Work Order Master files. If it does not use this item and business unit combination in any of these files, the system continues.
- The system then starts the purge process.
- The system first purges the Item Branch record. If the cost level for this item is 2, the system purges the cost records for this item and branch.
- The system then purges the Unit of Measure Conversion records for this item and branch.
- Finally, the system purges the Item Location records. If the cost level for this item is 3, the system purges the cost records for this item, branch, location, and lot.

If you have set the processing option to delete all Item Branch information, the following occurs:

- The system checks the Item Branch file.
- The system starts the purge process.
- The system verifies the Item Location file (F41021) to ensure that records with the same item and branch have zero quantities and are not primary bins. If these conditions exist, the system purges these records.
- If the cost level for this item is 3, the system purges the cost records for item, branch, location, and lot.

## What You Should Know About

### **Saved purged records processing option**

If you set this processing option to save, purges performed on the same file and on the same day will be added to the existing library and file.

### **Reorganize file processing option**

If you do not set this processing option to automatically submit the Reorganize Files program, you can run it manually at a later time.

## Processing Options

See [Purge Item Branch File \(F4102\) \(P4102P\)](#).



---

## 14 Data Conversions



---

---

# Overview to Data Conversions

## Objectives

- To change decimal positions for fields
- To change cost levels for items

## About Converting Data in Inventory Management

You might need to convert certain data on the system to reflect your current business situation. Data item conversion procedures enable you to:

- Convert display decimals
- Convert item cost levels

You convert display decimals to change the number of decimal positions for fields. For example, you can change all quantity fields to have four decimal positions instead of two decimal positions.

You convert item cost levels to change the level at which you maintain costs for an item. For example, if you maintain costs for an item at the branch/plant level, you can change the item's cost level to maintain costs at the branch/plant and location level.

---

**Caution:** Data item conversion processes are highly technical and change data throughout the Inventory Management system.

---

## Before You Begin

- Do a complete backup of your data files before you begin the data conversion process. If the results of the conversion are unsatisfactory, you can use the backup files to restore data files to their original format.
- Verify that you are allowing an adequate amount of time for the programs to run. These procedures can be very lengthy depending on the number of items that you want to convert.





---

---

# Convert Display Decimals

## Converting Display Decimals

You can change the number of decimal positions for data items in data item class QTYINV in Manufacturing and Distribution. For example, you can change the Quantity Available field to display four decimal positions instead of two decimal positions. However, this only applies if all of those data items have the same number of display decimals. Note also that this only applies to display decimals. Do not change the number of file decimals.

You determine the data items to convert by specifying the data dictionary library in which the data items reside. The quantity data items are precoded in the data dictionary. You specify the data items to convert by selecting all quantity data items with the same value in the data dictionary.

The decimal conversion program does not update existing World Writer reports. If you want the reports to display decimals the same as the system, you will need to correct them manually after you run the conversion. You can also update them in the Output Field Specifications screen when you run the report.

---

**Caution:** JD Edwards World strongly recommends that you back up all libraries before you run the data item conversion. If a data conversion is unsuccessful, and you have changed the display decimals in the Data Dictionary and then entered new data, that data will be unusable.

---

Complete the following tasks:

- [Reviewing Data Items](#)
- [Converting Data Items](#)

## Before You Begin

- Verify that the cross-reference relationship tables F98001, F98001LA, and F98002LA already exist in your system before you change decimal positions for data items
- Verify that you have QSECOFR authority, which is required for changing decimal positions for data items
- Verify that no users are signed on to the JD Edwards World system while you run the batch job

## What You Should Know About

### **Converting display decimals**

The decimal conversion process is currently set up to work with quantitative fields only. You must convert all quantity fields (as opposed to selecting certain data items to convert).

### **Upgrading display decimals**

If you are working in a decimal environment, you might need to follow special instructions when you convert new quantity fields. Please call the JD Edwards World response line.

## Reviewing Data Items



From Inventory Management (G41), enter **27**

From Inventory Advanced and Technical Operations (G4131), choose **Review Data Item Fields**


Before running the Data Item Conversion procedure, you can review the data items to convert. The system displays the data items that are available to convert based on the information you specify, including:

- The data dictionary library in which the data items reside
- The data item category for the data items
- The number of decimal positions from which to convert

The system displays only those data items that currently have decimal positions other than the number of decimal positions to which you are converting.

## To review data items

### On Data Item Conversion



#### 1. Complete the following fields:

- Data Dictionary Library
- Data Item Class

Field	Explanation
Data Dictionary Library	The name of a library defined on the AS/400.
Data Item Class	Data item class. A class defines the essential attributes and characteristics of a data item. Informational only.
Display Decimals	Use this parameter to designate the number of decimals in the currency, amount, or quantity fields the system displays. For example, U.S. Dollars would be 2 decimals, Japanese Yen would be no decimals, and Cameroon Francs would be 3 decimals.

## Converting Data Items




From Inventory Management (G41), enter 27  
From Inventory Advanced and Technical Operations (G4131), choose **Data Item Conversions**

After you have reviewed the data items, you need to convert display decimals. When you run the data item conversion process, the system:

- Updates decimal positions for all data in the data file libraries that you specify in processing options
- Updates the Display Decimals field in the data dictionary for each data item
- Builds the cross-reference for each data file in each library that you specify in processing options

After you convert data items, you can view those files that are affected by a data item by accessing the Cross-Reference form. The list of cross-reference files is updated when you run the conversion procedure.



### To convert data items

#### On Data Item Conversion

1. Confirm that all data items for which you want to change decimal positions appear in the list.
2. Choose Submit (F6) to activate the conversion process.

The job that you submit will have the same name as the data item category specified.

After you run the conversion program, and before you allow users back onto the system, check your data thoroughly to ensure that the conversion worked for each of the data libraries.

## Processing Options

See [Data Decimal Conversion \(P40CVT\)](#).



---

---

# Convert Cost Levels

## Converting Cost Levels



From Inventory Management (G41), enter 27  
From Inventory Advanced and Technical Operations (G4131), choose **Item Cost Level Conversion**

When you set up a new item in the Item Master, you designate a cost level for that item. To change the level at which you maintain costs for an item, you must run the Item Cost Level Conversion program. For example, if you maintain costs for an item at the branch/plant level and you want to maintain costs at the branch/plant and location level, you must change the item's cost level.

### About Item Cost Level Conversion

When you change an item's cost level, the system deletes all existing cost records for the item in the Item Cost Ledger table (F4105) and creates new cost records that correspond to the level. The system uses the Sales/Inventory cost method for the item to create the new cost records.

This procedure does not change the cost valuation of items and does not create journal entries. For example if you change an item's cost level from branch/plant and location to branch/plant, all existing cost records for the branch/plant and location must contain the same Sales/Inventory cost method and cost.

You can run the Item Cost Level Conversion program in proof or final mode. When you run the procedure in proof mode, the system provides you with a report showing errors that need correction. You should always run the procedure in proof mode first to clear any discrepancies.

41815	JD Edwards World Item Cost Level Conversion					Page - 2
	*** Proof Mode ***					Date - 4/10/17
Item Number	Branch	Location	Lot	L CM	Unit Cost	Remark
E001	30			3 01	6.6378	Basing comparison on this record
E001	30 DAMAGED			3 01	6.4100	Cost not the same
P002	10			3 01	30.7500	Basing comparison on this record
P002	10 1 B 1			3 02	30.3750	Costing Method/Cost not the same
P002	20			3 01	31.4333	Basing comparison on this record
P002	20 1 B 1			3 02	30.8417	Costing Method/Cost not the same
P002	30			3 01	30.1049	Basing comparison on this record
P002	30 1 B 1			3 02	30.2500	Costing Method/Cost not the same
P002	40			3 02	30.5610	Basing comparison on this record
P002	40 D			3 02	30.2500	Cost not the same
P002	40 R			3 02	30.2500	Cost not the same
P002	40 1 B 1			3 02	30.2500	Cost not the same
P002	40 3 E			3 02	30.2500	Cost not the same
TS002	10			3 01	43.1200	Basing comparison on this record
TS002	10 1 C 1			3 02	43.5000	Costing Method/Cost not the same
TS002	20			3 01	43.1200	Basing comparison on this record
TS002	20 1 C 1			3 02	43.5000	Costing Method/Cost not the same
TS002	30			3 01	66.0000	Basing comparison on this record
TS002	30 1 C 1			3 01	43.9573	Cost not the same
TS002	40			3 02	43.7336	Basing comparison on this record
TS002	40 R			3 02	43.5000	Cost not the same
TS002	40 1 C 1			3 02	43.5000	Cost not the same
TS002	40 2 C 1			3 02	43.5000	Cost not the same
V001	10			3 01	16.1500	Basing comparison on this record
V001	10 1 A 1		9310140004	3 01	16.0000	Cost not the same
V001	10 1 A 2		9310140002	3 01	16.0000	Cost not the same
V001	20			3 01	16.1500	Basing comparison on this record
V001	20 1 A 1		9310140005	3 01	16.0000	Cost not the same
V001	20 1 A 2		9310140003	3 01	16.0000	Cost not the same
V001	30			3 01	16.1500	Basing comparison on this record
V001	30 1 A 1		00000006	3 01	16.0000	Cost not the same
V001	30 1 A 2		00000005	3 01	16.0000	Cost not the same
V001	40			3 02	16.1455	Basing comparison on this record
V001	40 D		00000007	3 02	16.0000	Cost not the same
V001	40 R		00000007	3 02	16.0000	Cost not the same
V001	40 1 A 1		00000007	3 02	16.0000	Cost not the same
V001	40 1 A 2		00000007	3 02	16.0000	Cost not the same
V001	40 3 F		00000007	3 02	16.0000	Cost not the same

The report includes the following information:

- Whether errors occurred or if the update process was successful
- The number of items successfully updated
- The number of items in error

If an error occurred, the report indicates:

- The record used for the comparison, if appropriate
- The specific error, which prints after the comparison line

If the cost level changed from a 3 to 2, 3 to 1, or 2 to 1, the report identifies:

- Cost level
- Costing method
- Cost columns

When you run the procedure in final mode, the system:

- Updates the Item Master table (F4101) Inventory Cost Level value (CLEV)
- Updates the Cost Ledger table (F4105)

## Before You Begin

- Verify that no users access the Item Master or Cost tables when you run this program in final mode



### See Also

- *Assigning a Cost Level to an Item (P4101)* for information about the applicable cost levels for items and what each cost level represents.

## Processing Options

See [Item Cost Level Conversion - Proof \(P41815\)](#).

See [Item Cost Level Conversion – Final \(P41815\)](#).



---

## 15 Processing Options



# Item Entry Processing Options

## Item Master Revisions (P4101)

Processing Option	Processing Options Requiring Further Description
<p>DEFAULT VALUES :</p> <ol style="list-style-type: none"> <li>1. Primary Unit of Measure (Blanks=EA)</li> <li>2. Weight Unit of Measure (Blanks=LB)</li> </ol>	
<p>PROCESS CONTROL :</p> <ol style="list-style-type: none"> <li>3. Specify the from and thru dates to be used for effective dates in the Item Notes File : From Date (Blank = System date) Thru Date (Blank = 12/31 with the year = to the default value for the data dictionary item Century Change Year (#CYR))</li> </ol>	
<ol style="list-style-type: none"> <li>4. Enter a '1' for each additional Item Master information screen to display when performing an add or change. If blank, the screen will not display. Classification Codes Cost Revisions (Conditional) Price Revisions (Conditional) Units &amp; Measures Manufacturing Values Bulk Product Information UCC Codes &amp; UOMs Lot Processing</li> </ol>	
<ol style="list-style-type: none"> <li>5. Enter a '1' to use the window version of the screens selected above. If left blank, the full screen versions will be displayed.</li> </ol>	

Processing Option	Processing Options Requiring Further Description
<p>6. Enter a '1' to automatically call the Item Branch Program (P41026) when adding a new item number and return to the Item Master Screen.</p> <p>Enter a '2' to call the Item Branch program automatically and remain on the Item Branch Screen.</p> <p>If left blank, the Item Branch Program will not be called.</p>	
<p>GLOBAL UPDATE:</p> <p>7. Enter a '1' to transfer changes made to the 2nd (LITM) and the 3rd (AITM) item numbers to the Item Branch (F4102) item records.</p> <p>(F19 from Item Master Revisions allows you to update other files).</p> <p>or</p> <p>Enter a '2' to transfer changes to records in the selected files (see User Defined Codes 40/IC).</p> <p>Press F1 to display the selected files.</p>	
<p>DREAM WRITER VERSIONS:</p> <p>Enter the version to be used for each program.</p> <p>If left blank, ZJDE0001 is used.</p> <p>8. Item Availability (P41202)</p> <p>9. Item Branch (P41026)</p> <p>10. Product Catalog Detail (P41903)</p>	
<p>DRAWING INFORMATION:</p> <p>11. Enter a '1' to protect item drawing information from update.</p>	

## Item / Branch Duplication (P41015)

Processing Option	Processing Options Requiring Further Description
DEFAULT VALUES:	

Processing Option	Processing Options Requiring Further Description
<p>1. Enter the branch/plants to which you want to duplicate the items:</p> <p>1)</p> <p>2)</p> <p>3)</p> <p>4)</p> <p>5)</p> <p>6)</p> <p>7)</p> <p>8)</p> <p>9)</p> <p>10)</p>	
<p>SCREEN DEFAULTS:</p> <p>2. Enter the data selection fields you want displayed on the video (Enter the data dictionary field name.):</p> <p>Data Item One</p> <p>Data Item Two</p> <p>Data Item Three</p> <p>Data Item Four</p> <p>3. Enter a '1' to pre-load all selection options with a '1' to duplicate those lines.</p>	
<p>FILE UPDATES:</p> <p>4. Enter a '1' next to each file to duplicate.</p> <p>If left blank, the file will not be duplicated:</p> <p>Cost Ledger File (F4105)</p> <p>Base Price File (F4106)</p> <p>UOM Conversion Factors (F41002)</p> <p>Bulk Depot/Product Info. (F41022)</p> <p>Warehouse Item Profile (F46010)</p> <p>Warehouse Item UOM/Profile (F46011)</p>	

## Manufacturing Values Entry (P41013)

Processing Option	Processing Options Requiring Further Description
REVISION LEVEL CONTROL:  1. Enter '1' to protect ECO revision information from update.	



# Inventory Transactions Processing Options

## Simple Inventory Issues (P4112)

Processing Option	Processing Options Requiring Further Description
<p>DEFAULT VALUES :</p> <ol style="list-style-type: none"> <li>Document Type</li> <li>Enter a '1' to default the Location and Lot from the Primary Location.</li> </ol>	
<p>SCREEN CONTROL :</p> <ol style="list-style-type: none"> <li>Enter a '1' for Equipment Based Issues, a '2' for Subledger Based Issues, or a '3' for Equipment and Subledger Issues. If left blank, the screen will default to Standard Issues.</li> <li>Enter '1' to require an account number when Subledger Based issues are selected.</li> <li>Enter '1' to use 15 character lot, leave blank to default to 12 characters.</li> </ol>	
<p>DREAM WRITER VERSIONS :</p> <p>Enter the version for each program to be used. If left blank, version ZJDE0001 will be used.</p> <ol style="list-style-type: none"> <li>Journal Entries (P09101)</li> <li>G/L Functional Server (XT0911Z1)</li> <li>Item Search (P41200)</li> <li>Item Ledger (P4111)</li> <li>Warehouse Requests (P46100)</li> </ol>	

Processing Option	Processing Options Requiring Further Description
<p>PROCESSING CONTROL :</p> <p>11. Enter a '1' to protect costs, or a '2' to make costs non-display. If left blank, the update of costs is allowed.</p> <p>12. Enter a '1' to run in summary mode. G/L accounts will be summarized within each document number. If run in detail, G/L accounts will be produced for each line.</p>	
<p>13. Enter a '1' to allow over issuing of an item.</p> <p>14. Enter a '1' to allow issues from held lots.</p> <p>15. Enter a '1' if you want issues to affect Item Sales History (F4115).</p> <p>16. Enter a '1' to protect Lot Number. If left blank Lot Number will remain input capable.</p>	
<p>17. Enter which Item Search Screen is to be used to return items :</p> <p>1 = Item Search window allowing the return of multiple items.</p> <p>2 = Full Item Search screen with query capabilities.</p> <p>(If left blank, the Item Search window allowing the return of a single item will be used.)</p>	

## Inventory Adjustments (P4114)

Processing Option	Processing Options Requiring Further Description
<p>DEFAULT VALUES :</p> <p>1. Document Type</p> <p>2. Enter a '1' to default the Location and Lot from the Primary Location. When using blank secondary locations, this processing option is invalid.</p>	

Processing Option	Processing Options Requiring Further Description
<p>DREAM WRITER VERSIONS :</p> <p>Enter the version for each program to be used. If left blank, ZJDE0001 is used.</p> <p>3. Journal Entries (P09101)</p> <p>4. G/L Functional Server (XT0911Z1)</p> <p>5. Item Search (P41200)</p>	
<p>6. Item Ledger (P4111)</p> <p>7. Warehouse Requests (P46100)</p>	
<p>PROCESSING CONTROL :</p> <p>8. Enter a '1' to protect costs or a '2' to make costs non-display.</p> <p>If left blank, the update of costs is allowed.</p> <p>9. Enter a '1' to protect the Lot Number, Lot Expiration Date, and Lot Status.</p> <p>If left blank, the fields will remain input capable.</p>	
<p>10. Enter a '1' to run in summary mode.</p> <p>G/L accounts will be summarized within each document number.</p> <p>If run in detail, G/L accounts will be produced for each line.</p> <p>11. Enter a '1' to turn on Lot/Layering information.</p> <p>12. Enter a '1' to allow adjustments to held lots.</p> <p>13. Enter a '1' to allow adjustments greater than quantity available.</p>	
<p>14. Enter which Item Search screen is to be used to return items :</p> <p>1 = Item Search window allowing the return of multiple items.</p> <p>2 = Full Item Search screen with Query capabilities.</p> <p>(If left blank, the Item Search window allowing the return of a single item will be used.)</p>	

Processing Option	Processing Options Requiring Further Description
<p>15. Enter a '1' to write Subledger Information based on Item Number into Journal Entries.</p> <p>If left blank, no Subledger Information will be written in Journal Entries</p> <p>16. Enter '1' to use 15 character lot, leave blank to default to 12 characters.</p>	

## Inventory Transfers (P4113)

Processing Option	Processing Options Requiring Further Description
<p>DEFAULT VALUES :</p> <p>1. Document Type</p> <p>2. Enter a '1' to default the Location and Lot from the Primary for the FROM location.</p> <p>3. Enter a '1' to default the Location and Lot from the Primary for the TO location.</p> <p><b>Note:</b> When using blank secondary locations, processing options 2 and 3 are invalid.</p>	
<p>DREAM WRITER VERSIONS :</p> <p>Enter the version for each program to be used.</p> <p>If left blank, ZJDE0001 will be used.</p> <p>4. Journal Entries (P09101)</p> <p>5. G/L Functional Server (XT0911Z1)</p> <p>6. Item Search (P41200)</p> <p>7. Item Ledger (P4111)</p> <p>8. Warehouse Requests (P46100)</p>	
<p>PROCESSING CONTROL :</p> <p>9. Enter a '1' to protect costs or a '2' to make costs non-display.</p> <p>If left blank, the update of costs is allowed.</p>	

Processing Option	Processing Options Requiring Further Description
<p>10. Enter a '1' to run in summary mode. G/L accounts will be summarized within each document number. If run in detail, G/L accounts will be produced for each line.</p>	
<p>11. Enter a '1' to allow transfers to and from held lots.</p> <p>12. Enter a '1' to allow transfers greater than quantity available. This option will allow your inventory balance to go negative.</p> <p><b>Note:</b> This option invalid for serial number processing.</p>	
<p>13. Enter which Item Search screen is to be used to return items: 1 = Item Search window allowing the return of multiple items. 2 = Full Item Search screen with Query capabilities. (If left blank, the Item Search window allowing the return of a single item will be used.)</p>	
<p>14. Enter a '1' to protect Lot Number and Lot Status. If left blank, the fields will remain input capable.</p> <p>15. Enter a '1' to suppress the lot status default from the "From" location to the "To" the location.</p> <p>16. Enter '1' to use 15 character lot, leave blank to default to 12 characters.</p>	
<p>QUALITY MANAGEMNET:</p> <p>17. Enter '1' to copy the associated test results when a product is transferred from one Branch Plant to another. If left blank, the test results will not be copied.</p>	



---

---

# Item and Quantity Information Processing Options

## Item Search with Word Search (P41200)

Processing Option	Processing Options Requiring Further Description
<p>PROCESS CONTROL :</p> <ol style="list-style-type: none"><li>1. Enter a '1' to omit item location records with no quantity available.</li><li>2. Enter a '1' to search by Purchasing Category Codes.  If left blank the search will be by Sales Category Codes.</li></ol>	
<p>PROCESS CONTROL :</p> <ol style="list-style-type: none"><li>3. Specify the from and thru dates to be used for effective dates in the Item Notes File :  From Date (Blank = System date)  Thru Date (Blank = 12/31 with the year = to the default value for the data dictionary item Century Change Year (#CYR))</li></ol>	

## Item Availability (P41202)

Processing Option	Processing Options Requiring Further Description
<p>PROCESS CONTROL:</p> <ol style="list-style-type: none"><li>1. Enter a '1' to omit locations with no quantity available.  If left blank, all locations will display.</li></ol>	

Processing Option	Processing Options Requiring Further Description
<p>DREAM WRITER VERSIONS:</p> <p>Enter the version for each program. If left blank, ZJDE0001 will be used.</p> <p>2. Item Master (P4101 )</p> <p>3. Text Message Code Review (P40010 )</p> <p>4. Item Search (P41200 )</p> <p>5. Purchase Order Inquiry (P430301)</p> <p>6. Customer Service Inquiry (P42045)</p> <p>7. Open Work Orders (P31225)</p> <p>8. Supply and Demand (P4021)</p> <p>9. Bill of Materials (P30200)</p> <p>10. Lot Availability (P41280)</p>	
<p>Enter the version for each program. If left blank, ZJDE0001 will be used.</p> <p>11. Item Ledger (P4111)</p> <p>12. Branch/Plant Item Info. (P41026)</p> <p>13. Availability by Location (P4190)</p> <p>14. Item / Location Information (P41024)</p>	
<p>GRADE AND POTENCY:</p> <p>15. Enter a '1' to display the grade range. If left blank, no grade will display for selection.</p> <p>16. Enter a '1' to display the potency range. If left blank, no potency will display for selection.</p>	
<p>PERCENTAGE OF LIFE REMAINING:</p> <p>17. Enter a '1' to calculate/display the Percentage of Life Remaining. If left blank, it will not be displayed.</p> <p>18. Enter a '1' to calculate/display Days Until Expiration. If left blank, it will not be displayed.</p>	



## Detailed Availability (P41023)

Processing Option	Processing Options Requiring Further Description
<b>PURCHASE ORDERS:</b>  1. Enter the version of Open Purchase Orders to be used.  If left blank, ZJDE0001 will be used.	
<b>SALES ORDERS:</b>  2. Enter the version of Customer Service Inquiry to be used.  If blank, ZJDE0001 will be used.	
<b>WORK ORDERS:</b>  3. Enter the version of Open Work Orders to be used.  If left blank, ZJDE0001 will be used.	

## Lot Availability (P41280)

Processing Option	Processing Options Requiring Further Description
<b>DREAM WRITER VERSIONS:</b>  1. Enter the Version of the Trace/Track Inquiry to call.  2. Enter the Version of Item Master Revisions (P4101) to call.  3. Enter the Version of Work Order Entry (P48013) to call.  4. Enter the Version of Branch/Plant Item Information (P41026) to call.  5. Enter the Version of Lot Master Revisions (P4108) to call.  6. Enter the Version of the Test Results Revision (P3711) to call.  If left blank, 'ZJDE0001' will be used.	
<b>FIELD DISPLAY:</b>  7. Enter a '1' to protect Lot Status from being updated.	
<b>GRADE AND POTENCY:</b>	

Processing Option	Processing Options Requiring Further Description
8. Enter a '1' to display the grade range. If left blank, no range will be displayed for selection.	
9. Enter a '1' to display the potency range. If left blank, no potency will be displayed for selection.	

## Supply & Demand (P4021)

Processing Option	Processing Options Requiring Further Description
<p>DISPLAY OPTIONS:</p> <p>1. Enter a '1' to deduct Safety Stock from Availability.</p> <p>2. Enter a '1' by the following Routing Quantities to be considered on hand. Any quantity not included will be displayed on the appropriate date. Quantity in Transit Quantity in Inspection User Defined Quantity 1 User Defined Quantity 2</p> <p>3. Enter a '1' to summarize all In Receipt Routing steps into one line.</p>	
<p>4. Enter a '1' to summarize Item Location records.</p> <p>5. Enter one of the following: ' ' = No Available to Promise Line '1' = Available to Promise Line '2' = Cumulative ATP Line</p> <p>6. Enter the version of Supply/Demand Inclusion Rules to be used.</p> <p>7. Enter a '1' to display the window format if called from another program.</p>	
8. Enter a '1' to use an alternate screen format which has long quantity fields.	

Processing Option	Processing Options Requiring Further Description
<p>DREAM WRITER VERSIONS:</p> <p>Enter the DREAM Writer version to use for each program listed.</p> <p>If left blank, version ZJDE0001 will be used.</p> <p>9. Purchase Order Entry (P4311)</p> <p>10. Purchase Order Inquiry (P430301)</p> <p>11. Sales Order Entry (P4211)</p> <p>12. Sales Order Inquiry (P42045)</p> <p>13. Scheduling Workbench (P31225)</p> <p>14. MPS/MRP/DRP Pegging Inq. (P3412)</p> <p>15. MPS/MRP/DRP Time Series (P3413)</p> <p>16. MPS/MRP/DRP Message Detail(P3411)</p>	
<p>OPTIONAL RECORDS:</p> <p>17. Enter a '1' to include Planned Orders from MPS/MRP/DRP generations.</p> <p>If left blank, Planned Orders will not be displayed.</p> <p>18. Enter the Forecast Type to include</p> <p>Forecast Type</p> <p>Forecast Type</p> <p>Forecast Type</p> <p>Forecast Type</p> <p>Forecast Type</p>	
<p>19. Enter the number of days (+/-) from today's date that you wish to begin including Forecast records.</p> <p>A blank will use today's date to begin including Forecast records.</p> <p>20. Enter a '1' to omit 'Bulk' Stocking Type records from screen.</p> <p>If left blank, 'Bulk' items will be included.</p>	
<p>21. Enter the rate based Schedule Type to use.</p> <p>If left blank, no rate based schedules will be displayed.</p> <p>22. Enter a '1' to include Past Due Rates as a supply.</p>	

Processing Option	Processing Options Requiring Further Description
<p>POTENCY:</p> <p>23. Enter '1' to convert Quantities to Standard Potency.</p>	
<p>LOT EXPIRATION:</p> <p>24A. Enter '1' to reduce Quantity available due to lot expiration.</p> <p><b>Note:</b> This option will not work with ATP. If you use this option, option 5 must be set to blank or 2.</p> <p>24B. Enter optional date to be used for expiration calculation when processing option 24A='1'.</p> <p>If left blank, Lot Expiration Date will be used.</p> <p>1=Sell By Date  2=Best Before Date  3=User Defined Date1  4=User Defined Date2  5=User Defined Date3  6=User Defined Date4  7=User Defined Date5  8=Commitment Date Method from Item/  Branch Master.</p>	
<p>LOT HOLD CODES:</p> <p>25. Enter the lot hold codes (up to 5) to be considered on hand, or enter an '*' to consider all held lots as on hand.</p> <p>If left blank, held lots will not be considered on hand.</p>	
<p>WORK ORDER ENTRY:</p> <p>26. Enter the Dream Writer version to use for the Manufacturing Work Order Entry program.</p> <p>If left blank, version ZJDE0001 will be used.</p>	
<p>BILL AVAILABILITY:</p> <p>27. Enter the version of Bill Availability (P30205) to be called.</p> <p>If left blank, version ZJDE0001 will be used.</p>	

Processing Option	Processing Options Requiring Further Description
<p>OVER DUE SUPPLY CONTROL:</p> <p>28. Enter a '1' to leave past due supply out of available calculations (past due orders will be displayed but will not be included in quantity available or ATP).</p>	
<p>FORECAST DISPLAY OPTIONS:</p> <p>29. Enter a '1' to override the planning fence rule and just use actual customer demand for the available calculation.</p> <p><b>Note:</b> forecast will still appear on the screen per processing option above.</p> <p>When left blank, the available calculation will be based on the planning fence and rule established in the item's branch plant manufacturing data.</p>	

## Buyer's Inquiry (P4115)

Processing Option	Processing Options Requiring Further Description
<p>PROCESS CONTROL :</p> <p>1. Enter a '1' to calculate quantities using the current period from Company Constants. Otherwise current period from Branch/Plant Constants will be used.</p> <p>2. Enter last 2 digits of Fiscal year you wish to see. If blank the Current Fiscal Year from Company Constants will be used.</p>	
<p>DREAM WRITER VERSION :</p> <p>3. Enter the version of Open Order Inquiry to call. If left blank, version ZJDE0001 will be used. (See Form ID P430301).</p>	

## Item Ledger "As-Of" Generation (P41542)

Processing Option	Processing Options Requiring Further Description
<p>GENERATION OPTIONS:</p> <ol style="list-style-type: none"> <li>Enter a '1' to regenerate the entire "As Of" file (F41112).</li> </ol> <p>If left blank, the "As Of" file will be updated with any transactions in the Item Ledger file (F4111) that have not yet been processed by the "As Of" generation.</p> <p><b>Note:</b> The intended use of a regeneration is in the case that your fiscal date patterns have changed. In order to regenerate the file correctly, all pertinent Item Ledger records must exist.</p>	<p>Run As Of <b>Regeneration</b> (complete rebuild, processing option = 1) to initially populate the F41112. The version creates records in the F41112 using every relevant record in the Cardex (F4111). You only need to run this version of the program once, as it will clear existing data from the file; however, you might need to run it again should you ever change your fiscal date patterns. Further, you should not run the Complete Regeneration if any records have been purged from the F4111, as it will create inaccuracies in the F41112. The <b>Regeneration</b> will clear the entire F41112 and then rebuild the file based on your data selection.</p> <p>Run As Of <b>Generation</b> (partial rebuild, processing option = blank), to update the F41112 with information from new Cardex records. You'll want to run this version of the program on a regular basis so your As Of file will reflect the most current information</p>
<p>If you have at any time purged your Item Ledger records the regeneration will not create accurate information in the "As Of" records.</p>	

## Item Ledger by G/L Class Code Print (P41541)

Processing Option	Processing Options Requiring Further Description
<p>REPORT OPTIONS:</p> <ol style="list-style-type: none"> <li>Enter the fiscal year and period for which the Item Ledger by G/L Class Code Report is to be prepared.</li> </ol> <p>If left blank, the financial reporting year and period will be used.</p> <p>Year:</p> <p>Period:</p>	

## As-Of Maintenance (P41112)

Processing Option	Processing Options Requiring Further Description
<p>DREAM WRITER VERSIONS:</p> <ol style="list-style-type: none"> <li>1. Enter the version of the Item Ledger to be use.</li> </ol> <p>If left blank 'ZJDE0001' is used.</p>	

## G/L by Object Account (P09421)

Processing Option	Processing Options Requiring Further Description
<p>REPORT DETAIL FROM:</p> <ol style="list-style-type: none"> <li>1. Select a from period at which to begin showing account balances in detail. Enter: <ul style="list-style-type: none"> <li>'0' for year-to-date (default)</li> <li>'1' for current period</li> <li>'2' for inception-to-date</li> <li>- OR -</li> </ul> <p>Enter a from date at which to begin showing account balances in detail.</p> <p>If this selection is left blank then the previous selection will be used.</p> <p>From Date:</p> </li> </ol>	
<p>REPORT DETAIL THRU:</p> <ol style="list-style-type: none"> <li>2. Enter a thru fiscal year and period for which the account balances are to be shown in detail. <ul style="list-style-type: none"> <li>Year:</li> <li>Period:</li> <li>- OR -</li> </ul> <p>Enter a thru date for which the account balances are to shown in detail.</p> <p>If selection is left blank the previous selection will be used.</p> <p>Thru Date:</p> </li> </ol>	
<p>PRINT OPTIONS:</p>	

Processing Option	Processing Options Requiring Further Description
<p>3. Select the account number to print:  '1' = account number (default)  '2' = short account i.d.  '3' = unstructured account</p> <p>4. Enter '1' to print units.  Leave blank to print amounts only.</p> <p>5. Enter '1' to omit accounts that have no balance or detail for the selected period.</p> <p>6. Enter a '1' to suppress commas when displaying amount fields. This will allow the printing of additional significant digits in each amount field.</p>	
<p>DOCUMENT SELECTION:</p> <p>7. Enter ledger type code to use, or leave blank for actual amounts (AA).</p> <p>8. Enter document type to use if a selective ledger is used.  Leave blank to include all document types.</p> <p>9. Enter a '1' to print both posted and unposted transactions.  Leave blank to print only posted transactions.</p>	
<p>SUBLEDGER OPTIONS:</p> <p>10. Enter subledger to use, or '*' to include all subledgers.</p> <p>11. If a specific subledger is entered in the option above, enter the subledger type.</p>	
<p>SUMMARIZATION:</p> <p>12. Enter the object account range for account summarization.  Beginning:  Ending:</p>	
<p>GENERIC TEXT:</p> <p>13. Enter a '1' to print the generic text journal entry lines in a 40 character width, a '2' to print text in an 80 character width.  If left blank, generic text will not be printed.</p>	



Processing Option	Processing Options Requiring Further Description
<p>CURRENCY:</p> <p>14. Enter a specific currency code or an '*' for all currency codes.</p>	
<p>AS-IF CURRENCY:</p> <p>15. Enter the currency code for as-if reporting. This option allows for amounts to print in a currency other than the currency they are stored in. Amounts will be translated and print in this as-if currency.</p> <p>If left blank, amounts will print in their database currency.</p> <p>16. Enter the "As Of" date for processing the current exchange rate for the as-if currency.</p> <p>If left blank, the Thru date will be used.</p>	

## T/B by Object (P094121)

Processing Option	Processing Options Requiring Further Description
<p>PERIOD INFORMATION:</p> <p>1. Enter the fiscal period and year for which the Trial Balance is to be prepared.</p> <p>If left blank, the current period and year of the Financial Reporting Date will be used.</p> <p>Year:</p> <p>Period:</p>	
<p>LEDGER TYPE:</p> <p>2. Enter a ledger type (leave blank if the General Ledger 'AA' is desired).</p>	
<p>PRINT OPTIONS:</p> <p>3. Enter a '1' to omit the printing of accounts with zero balances.</p>	

Processing Option	Processing Options Requiring Further Description
<p>4. To select which account number to print on the Trial Balance, enter a:</p> <p>'1' - account number (default)</p> <p>'2' - short account i.d.</p> <p>'3' - unstructured account</p> <p>5. Enter a '1' to suppress commas when displaying amount fields. This will allow the printing of additional significant digits in each amount field.</p>	
<p>SUBLEDGER OPTIONS:</p> <p>6. Enter specific subledger or '*' for all subledgers.</p> <p>7. Enter a subledger type if you have selected a specific subledger in the option above.</p>	
<p>CURRENCY CODE OPTIONS:</p> <p>8. Enter specific currency code or '*' for all currency codes.</p>	
<p>SUMMARIZATION:</p> <p>9. Enter the object account range for account summarization.</p> <p>Beginning:</p> <p>Ending:</p>	

## Item Ledger - Costs (P4111)

Processing Option	Processing Options Requiring Further Description
<p>DISPLAY OPTIONS:</p> <p>1. Enter the format to be displayed:</p> <p>1 = Running Quantity Balance format.</p> <p>2 = Running Dollar Balance format.</p> <p>3 = Cost Item Ledger format.</p> <p>4 = Location Item Ledger format.</p> <p>5 = Lot Status/Grade/Potency Item Ledger format.</p> <p>If left blank, the Cost Item Ledger format will be displayed.</p>	

Processing Option	Processing Options Requiring Further Description
<p>DEFAULT VALUES:</p> <p>2. Enter the default document type upon entering the video. If left blank, a '*' will default for all document types.</p> <p>3. Enter a '1' to display Item Ledger entries in ascending date and time order. If left blank, the entries will be displayed in descending date and time order. (This option does NOT apply to Running Balance formats.)</p> <p>4. Enter a '1' to search by Original Document Type. If left blank, the search will be done by G/L Document Type.</p>	
<p>DREAM WRITER VERSIONS:</p> <p>Enter a DREAM Writer Version for the following programs. (ZJDE0001) is the default.</p> <p>5. Load &amp; Delivery Ledger Inq P49511</p>	

## Item Ledger - Locations (P4111)

Processing Option	Processing Options Requiring Further Description
<p>DISPLAY OPTIONS:</p> <p>1. Enter the format to be displayed: 1 = Running Quantity Balance format. 2 = Running Dollar Balance format. 3 = Cost Item Ledger format. 4 = Location Item Ledger format. 5 = Lot Status/Grade/Potency Item Ledger format. If left blank, the Cost Item Ledger format will be displayed.</p>	
<p>DEFAULT VALUES:</p>	

Processing Option	Processing Options Requiring Further Description
<p>2. Enter the default document type upon entering the video. If left blank, a '*' will default for all document types.</p> <p>3. Enter a '1' to display Item Ledger entries in ascending date and time order. If left blank, the entries will be displayed in descending date and time order. (This option does NOT apply to Running Balance formats.)</p> <p>4. Enter a '1' to search by Original Document Type. If left blank, the search will be done by G/L Document Type.</p>	
<p>DREAM WRITER VERSIONS:</p> <p>Enter a DREAM Writer Version for the following programs. (ZJDE0001) is the default.</p> <p>5. Load &amp; Delivery Ledger Inq P49511</p>	

## Item Ledger - Lot Status/Grade/Potency (P4111)

Processing Option	Processing Options Requiring Further Description
<p>DISPLAY OPTIONS:</p> <p>1. Enter the format to be displayed: 1 = Running Quantity Balance format. 2 = Running Dollar Balance format. 3 = Cost Item Ledger format. 4 = Location Item Ledger format. 5 = Lot Status/Grade/Potency Item Ledger format. If left blank, the Cost Item Ledger format will be displayed.</p>	
<p>DEFAULT VALUES:</p> <p>2. Enter the default document type upon entering the video. If left blank, a '*' will default for all document types.</p>	

Processing Option	Processing Options Requiring Further Description
<p>3. Enter a '1' to display Item Ledger entries in ascending date and time order.</p> <p>If left blank, the entries will be displayed in descending date and time order.</p> <p>(This option does NOT apply to Running Balance formats.)</p> <p>4. Enter a '1' to search by Original Document Type.</p> <p>If left blank, the search will be done by G/L Document Type.</p>	
<p>DREAM WRITER VERSIONS:</p> <p>Enter a DREAM Writer Version for the following programs.</p> <p>(ZJDE0001) is the default.</p> <p>5. Load &amp; Delivery Ledger Inq P49511</p>	

## Item Ledger - Running Quantity Balance (P4111)

Processing Option	Processing Options Requiring Further Description
<p>DISPLAY OPTIONS:</p> <p>1. Enter the format to be displayed:</p> <p>1 = Running Quantity Balance format.</p> <p>2 = Running Dollar Balance format.</p> <p>3 = Cost Item Ledger format.</p> <p>4 = Location Item Ledger format.</p> <p>5 = Lot Status/Grade/Potency Item Ledger format.</p> <p>If left blank, the Cost Item Ledger format will be displayed.</p>	
<p>DEFAULT VALUES:</p> <p>2. Enter the default document type upon entering the video.</p> <p>If left blank, a '*' will default for all document types.</p>	

Processing Option	Processing Options Requiring Further Description
<p>3. Enter a '1' to display Item Ledger entries in ascending date and time order.</p> <p>If left blank, the entries will be displayed in descending date and time order.</p> <p>(This option does NOT apply to Running Balance formats.)</p> <p>4. Enter a '1' to search by Original Document Type.</p> <p>If left blank, the search will be done by G/L Document Type.</p>	
<p>DREAM WRITER VERSIONS:</p> <p>Enter a DREAM Writer Version for the following programs.</p> <p>(ZJDE0001) is the default.</p> <p>5. Load &amp; Delivery Ledger Inq P49511</p>	

## As-Of Maintenance (P41112)

Processing Option	Processing Options Requiring Further Description
<p>DREAM WRITER VERSIONS:</p> <p>1. Enter the version of the Item Ledger to be use.</p> <p>If left blank 'ZJDE0001' is used.</p>	

## Inventory Summary Inquiry (P41118)

Processing Option	Processing Options Requiring Further Description
<p>DREAMWRITER VERSIONS:</p> <p>Enter the Dream Writer version for the following programs. (ZJDE0001 is the default)</p> <p>1. Item Ledger Inquiry, P4111 version</p> <p>2. As Of Inquiry, P41113 version</p> <p>3. Item Ledger/Inventory Summary Detail P41422 version</p>	







# Reports Processing Options

## Stock Status - All Warehouses & Items (P41530)

Processing Option	Processing Options Requiring Further Description
<p>UNIT OF MEASURE OPTIONS:</p> <p>1. Enter the Unit of Measure (BX, DZ, CS, CA, etc.) to appear on the report.</p> <p>If the chosen Unit of Measure is not defined for an item, the Primary Unit of Measure will be used.</p> <p>If left blank, the Primary Unit of Measure will be displayed.</p>	
<p>PERCENTAGE OF LIFE REMAINING:</p> <p>2a. Enter a '1' to calculate/print Percent of Life Remaining.</p> <p>If left blank it will not be printed.</p> <p>2b. If the Percent of Life Remaining is chosen to print in option 2a, a "Threshold Percent" may be entered (from .01% to 99.99%) for which calculated percents that are equal to or less will be printed.</p> <p>If left blank, all Percent of Life Remaining values will print.</p>	
<p>3a. Enter a '1' to calculate/print Days Until Expiration.</p> <p>If left blank, it will not be printed.</p> <p>3b. If Days Until Expiration is chosen to print in option 3a, a "Threshold Number of Days" may be entered for which calculated days that are equal to or less will be printed.</p> <p>If left blank, all Days Until Expiration values will print.</p>	

Processing Option	Processing Options Requiring Further Description
<p>4. If either the Percent of Life Remaining or Days Until Expiration have been chosen to print (in processing options 2a or 3a above), a "User Supplied Date" may be entered to define the point in time to calculate the remaining life until the lot's expiration.</p> <p>If left blank, CURRENT DATE is the default.</p>	

## Stock Status - Specific Warehouse(s) (P41530)

Processing Option	Processing Options Requiring Further Description
<p>UNIT OF MEASURE OPTIONS:</p> <p>1. Enter the Unit of Measure (BX, DZ, CS, CA, etc.) to appear on the report.</p> <p>If the chosen Unit of Measure is not defined for an item, the Primary Unit of Measure will be used.</p> <p>If left blank, the Primary Unit of Measure will be displayed.</p>	
<p>PERCENTAGE OF LIFE REMAINING:</p> <p>2a. Enter a '1' to calculate/print Percent of Life Remaining.</p> <p>If left blank it will not be printed.</p> <p>2b. If the Percent of Life Remaining is chosen to print in option 2a, a "Threshold Percent" may be entered (from .01% to 99.99%) for which calculated percents that are equal to or less will be printed.</p> <p>If left blank, all Percent of Life Remaining values will print.</p>	
<p>3a. Enter a '1' to calculate/print Days Until Expiration.</p> <p>If left blank, it will not be printed.</p>	

Processing Option	Processing Options Requiring Further Description
<p>3b. If Days Until Expiration is chosen to print in option 3a, a "Threshold Number of Days" may be entered for which calculated days that are equal to or less will be printed.</p> <p>If left blank, all Days Until Expiration values will print.</p>	
<p>4. If either the Percent of Life Remaining or Days Until Expiration have been chosen to print (in processing options 2a or 3a above), a "User Supplied Date" may be entered to define the point in time to calculate the remaining life until the lot's expiration.</p> <p>If left blank, CURRENT DATE is the default.</p>	

## Item Master Directory - Sales Report Code 1 (P41560)

Processing Option	Processing Options Requiring Further Description
<p>1. Select Short, Long, or 3rd Item (Enter 1, 2 or 3)</p> <p>2. Enter a '1' to include Item Notes on report.</p> <p>3. Enter a '1' to include Print Messages on report.</p>	

## Buyers Guide (P4152)

Processing Option	Processing Options Requiring Further Description
<p>Enter a '1' to print all items or enter a '2' to print only those items at/or below reorder point.</p> <p>Enter a '1' to print item notes.</p>	

## Inventory Journal - All Branches (P41550)

Processing Option	Processing Options Requiring Further Description
<ol style="list-style-type: none"> <li>1. Enter the beginning date to print.</li> <li>2. Enter the ending date to print. If the beginning or ending date is left blank, the system date will default in.</li> </ol>	

## ABC Analysis - Sales (P4164)

Processing Option	Processing Options Requiring Further Description
<p>REPORT DISPLAY:</p> <ol style="list-style-type: none"> <li>1. Enter a '1' to rank and display the items by Sales Amount. Enter a '2' to rank and display the items by Gross Margin. Enter a '3' to rank and display the items by On Hand Value. If left blank, the items will be ranked and displayed by Sales Amount.</li> <li>2. If displaying the items by Sales or Gross Margin, enter a '1' to retrieve forecasted quantities from the MPS Summary file. If left blank, the Item History file will be used for past quantities.</li> <li>3. Enter the quantity type you want the forecasted information from the MPS Summary file to be based upon when retrieving forecasted information. If left blank, all the quantity types from the MPS Summary file will be included in the forecasted information. (This option applies only when processing option 2 is populated with a '1'.)</li> <li>4. If displaying the items by Sales or Gross Margin, enter the Date Range for Periods to be selected for processing. If left blank, the System Date will be used. From Date Thru Date</li> </ol>	

Processing Option	Processing Options Requiring Further Description
<p><b>COST CENTER PROCESSING:</b></p> <p>5. Enter which consolidation method to use:</p> <p>' ' - No consolidation of amount totals.</p> <p>'1' - Consolidate amount totals for all Cost Centers. ABC Code percents will be based on ABC Percentages for Cost Center 'ALL'.</p> <p>'2' - Consolidate amount totals for specific Cost Centers as defined in the Data Selection Criteria.</p>	
<p><b>FILE UPDATE OPTION:</b></p> <p>6. Enter a '1' to update files with the new ABC Codes.</p> <p>If left blank, no files will be updated.</p>	

## Unit Cost Warnings Plus or Minus 5% (P41580)

Processing Option	Processing Options Requiring Further Description
<p>Enter the variance percent (i.e., '5' will select any transaction where the transaction cost was 5% greater or 5% less than the current average cost for the item.)</p>	

## Margin less than 50% based on Last In (P41700)

Processing Option	Processing Options Requiring Further Description
<p>1. Enter an override sales costing code. (Mandatory for costing)</p> <p>2. Enter a warning minimum margin percent. Items below this percent will be denoted with "***".)</p> <p>3. Enter a '1' to only print those items that fall below the warning minimum margin percent.</p> <p>(Default of blanks will print all items.)</p>	

## 3-Way Valuation Analysis (P41590)

Processing Option	Processing Options Requiring Further Description
<p>DEFAULT VALUES:</p> <ol style="list-style-type: none"> <li>1. Enter the Costing Method you wish to print for cost number 1. (Default is Weighted Average - 2)</li> <li>2. Enter the Costing Method you wish to print for cost number 2. (Default is Last In - 1)</li> <li>3. Enter the Costing Method you wish to print for cost number 3. (Default is Layer - 6)</li> </ol> <p><b>Note:</b> Use F1 for a list of valid values.</p>	

## Inventory Turn Report (P41116)

Processing Option	Processing Options Requiring Further Description
<p>Enter the Transaction Family Document Types to include: (Based on user defined code table 41/TT and setup in P43115).</p>	

## Supply & Demand Report (P4051)

Processing Option	Processing Options Requiring Further Description
<p>INVENTORY OPTIONS:</p> <ol style="list-style-type: none"> <li>1. Enter a '1' to deduct Safety Stock from Availability.</li> </ol>	

Processing Option	Processing Options Requiring Further Description
<p>2. Enter a '1' by the following Routing Quantities to be considered on hand.</p> <p>Any quantity not included will be displayed on the appropriate date.</p> <p>1 - Quantity in Transit</p> <p>2 - Quantity in Inspection</p> <p>3 - User Defined Quantity 1</p> <p>4 - User Defined Quantity 2</p> <p>3. Enter a '1' to summarize all In Receipt Routing Steps into one line.</p>	
<p>4. Enter a '1' to summarize the Item Balance Quantity records.</p> <p>5. Enter the thru date for the period of transactions to appear on the report.</p> <p>If left blank, all transactions will be printed.</p> <p>6. Enter the version of Supply/Demand Inclusion Rules to be used for processing.</p>	
<p>PRINT OPTIONS:</p> <p>7. Enter one of the following:</p> <p>' ' = No ATP Line</p> <p>'1' = ATP Line</p> <p>'2' = Cumulative ATP Line</p>	
<p>OPTIONAL RECORDS:</p> <p>8. Enter a '1' to print Planned Orders from the MRP/MPS/DRP generations.</p> <p>If left blank, Planned Orders will not print.</p>	
<p>9. Enter the Forecast Type to include</p> <p>a. Forecast Type</p> <p>b. Forecast Type</p> <p>c. Forecast Type</p> <p>d. Forecast Type</p> <p>e. Forecast Type</p> <p>10. Enter the number of days (+/-) from today's date that you wish to begin including Forecast records.</p> <p>A blank will use today's date to begin including Forecast records.</p>	

Processing Option	Processing Options Requiring Further Description
<p>11. Enter the Rate Base Schedule Type to be included on the Supply/Demand report. If left blank, Rate Based Items will not appear.</p> <p>12. Enter a '1' to include Past Due Rates as a supply.</p> <p>13. Enter a '1' to omit 'Bulk' Stocking Type records from report. Blank is the default and 'Bulk' record types will be printed.</p> <p>14. Enter the Unit of Measure you would like to appear on the report. If left blank, Primary units will be used.</p>	
<p>POTENCY:</p> <p>15. Enter '1' to display all quantities at Standard Potency</p>	
<p>LOT EXPIRATION:</p> <p>16A. Enter '1' to reduce quantity available due to lot expiration.</p> <p><b>Note:</b> This option will not work with ATP. If this option has to work Option 7 must be set to blank or 2.</p>	
<p>16B. Enter optional date to be used for expiration calculation when processing option 16A='1'. If left blank, Lot Expiration Date will be used.</p> <p>1=Sell By Date 2=Best Before Date 3=User Defined Date1 4=User Defined Date2 5=User Defined Date3 6=User Defined Date4 7=User Defined Date5 8=Commitment Date Method from Item/ Branch Master</p>	
<p>LOT HOLD CODES:</p>	



Processing Option	Processing Options Requiring Further Description
<p>17. Enter the lot hold codes (up to 5) to be considered on hand, or enter an '*' to consider all held lots as on hand.</p> <p>If left blank, held lots will not be considered on hand.</p>	
<p>OVER DUE SUPPLY CONTROL:</p> <p>18. Enter a '1' to reduce Quantity available due to over due supply.</p> <p>(If you set '1', over due supply won't affect quantity available or ATP although it will be displayed.)</p>	
<p>FORECAST DISPLAY OPTIONS:</p> <p>19. Enter a '1' to override the planning fence rule and just use actual customer demand for the available calculation.</p> <p><b>Note:</b> Forecast will still appear on the screen per processing option above.</p> <p>When left blank, the available calculation will be based on the planning fence and rule established in the item's branch plant manufacturing data.</p>	

## Stock Tags (P41531)

Processing Option	Processing Options Requiring Further Description
<p>REPORT DISPLAY:</p> <p>1. Enter the item/location quantity to be printed on the tags:</p> <p>'1' = On-hand quantity</p> <p>'2' = On-hand + inbound - outbound - committed.</p> <p>(Warehouse Management users)</p> <p>If left blank, only the on-hand quantity will print.</p>	
<p>BARCODE OPTIONS:</p>	

Processing Option	Processing Options Requiring Further Description
<p>2. Enter the barcode symbology to print:</p> <p>'1' = Code 39 (3 of 9)</p> <p>'2' = Code 128</p> <p>If left blank, bar codes will not print.</p>	

## Item Ledger/Account Integrity (P41543)

Processing Option	Processing Options Requiring Further Description
<p>REPORT DISPLAY:</p> <p>1. Enter the beginning Item Ledger date.</p> <p>2. Enter the ending Item Ledger date.</p>	
<p>SUMMARIZED MANUFACTURING J/E's:</p> <p>3. Enter a '1' to indicate that Manufacturing J/E's are summarized by account.</p>	
<p>Enter Document Types associated with:</p> <p>4. Inventory Issues</p> <p>5. Inventory Completions</p> <p>6. Parent Scrap</p>	
<p>LOAD AND DELIVERY DOCUMENT TYPE:</p> <p>7. Enter the Load and Delivery document type. (This should be same value as used in the Load and Delivery Transaction Server XT49799 document type.)</p> <p>'CT' is the default.</p>	
<p>DIRECT SHIP LINE TYPE:</p> <p>8. Enter the Line Type for Direct Ship Sales Order lines.</p> <p>If left blank, there will not be a check for direct ship lines.</p>	

## Item Variance (P41544)

Processing Option	Processing Options Requiring Further Description
<p>REPORT DISPLAY:</p> <ol style="list-style-type: none"> <li>1. Enter a 'Y' to print all items on the report. Enter an 'N' to print only those items with a variance. If left blank, an 'N' will default.</li> <li>2. Enter the variance percent which will cause only items above this percent to print. If left blank, all variance items will print.</li> <li>3. Enter the variance count which will cause only the items with a greater variance to print. If left blank, all variance items will print.</li> </ol>	
<p>PROCESSING:</p> <ol style="list-style-type: none"> <li>4. Enter the costing method you want used to calculate the unit cost for each item. If left blank, the costing method for each item will be retrieved from the Cost Ledger (F4105).</li> <li>5. Enter the document type in the Item Ledger you want excluded from the comparison. If left blank, all document types will be used.</li> </ol>	



---

---

# Physical Inventories Processing Options

## Select Items for Count - All Items (P41411)

Processing Option	Processing Options Requiring Further Description
DEFAULT VALUES:  1. Enter the Cycle Count Description	
OPEN CYCLE COUNT CHECK:  2. Enter a '1' to exclude items that already exist in an OPEN cycle count.  Leave blank to include all items even though they may exist in an OPEN count.	

## Cycle Count Review (P41240)

Processing Option	Processing Options Requiring Further Description
DEFAULT VALUES:  1. 'From' Status Code  2. 'Thru' Status Code	
CYCLE COUNT PRINT (P41410):  3. Enter the DREAM Writer Version of Cycle Count Print to execute. (Default is Version ZJDE0001.)	
CYCLE COUNT DETAIL PRINT (P41403P):  4. Enter the DREAM Writer Version of Cycle Count Detail Print to execute from the Cycle Count Detail Inquiry. (Default is Version ZJDE0001.)	
CYCLE COUNT UPDATE (P41413):	

Processing Option	Processing Options Requiring Further Description
5. Enter the DREAM Writer Version of Cycle Count Update to Execute. (Default is Version ZJDE0001.)	
CYCLE COUNT ENTRY (P4141):	
6. Enter the DREAM Writer Version of Cycle Count Entry to Execute for Sequencing. 001- By Item, Brn, Location, Lot 002- By Brn, Location, Lot 003- By Sales Reporting Codes (Default is Version ZJDE0001.)	

## Print Count Sheets - By Item, Branch (P41410)

Processing Option	Processing Options Requiring Further Description
PRINT OPTIONS:	
1. Enter a '1' to print non-cancelled cycle sheets. If left blank, all cycle sheets will be printed.	
2. Enter which symbology to use when using bar codes. '1' = Code 3 of 9 (Code39) '2' = Code 128 If left blank, bar codes will not print.	

## Cycle Count Entry - By Item, Branch (P4141)

Processing Option	Processing Options Requiring Further Description
SINGLE CYCLE COUNT SEQUENCING:	
1. Enter one of the following for sequencing: 1 - Sequence by Item Number, Branch, Location and Lot 2 - Sequence by Branch, Location, and Lot 3 - Sequence by Sales Reporting Codes 1-5	

Processing Option	Processing Options Requiring Further Description
<p>WAREHOUSE PROCESSING:</p> <p>2. Enter a '1' to use the Location Detail Selection Window (P4605) to enter counts for specific Location Detail records (F4602).</p> <p>If left blank, the Location Detail records will be selected by the system.</p>	
<p>PROCESS CONTROL:</p> <p>3. Enter a '1' to protect Lot Number, Lot Expiration Date, and Lot Status.</p> <p>If left blank, the fields will remain input capable.</p> <p>4. Enter '1' to use 15 character lot, leave blank to default to 12 characters.</p> <p>5. Enter '1' to display On Hand Qty.</p>	

## Variance Detail Print (P41403P)

Processing Option	Processing Options Requiring Further Description
<p>VARIANCE SELECTION INFORMATION:</p> <p>1. Enter one of the following:</p> <p>'Q' to select on Quantity Variance</p> <p>'A' to select on Amount Variance</p> <p>2. Enter the Relation to use for the Variance selection. i.e., 'GT'</p> <p>3. Enter the Quantity or Amount used to compare the variance to for selection.</p> <p>4. Enter one of the following:</p> <p>'%' to compare the Percent Variance</p> <p>'A' to compare the unit variance</p>	

## Cycle Count Update (P41413)

Processing Option	Processing Options Requiring Further Description
<p>GENERAL LEDGER DATE:</p> <p>1. Enter the General Ledger Date for processing the Update.</p> <p>If blank Today's Date will default.</p>	
<p>NEXT COUNT DATE CALCULATION:</p> <p>2. Enter a '1' to calculate the 'Next Count Date' based on the Cycle Count Category.</p> <p>If blank the Sales ABC Codes will be used.</p>	
<p>FILE UPDATE:</p> <p>3. Enter a '1' if you wish to delete the Detail Records from the Cycle Count files (F4141/F4142).</p> <p>If blank the records will not be deleted.</p> <p>4. Enter a '1' if you wish to write Item Ledger records (F4111) when the variance is zero.</p>	

## Tag Status Review (P41604)

Processing Option	Processing Options Requiring Further Description
<p>PROCESSING CONTROL:</p> <p>1. Enter a '1' to allow multiple tags for an Item/Branch/Location/Lot.</p> <p>(Default is blank. Multiple tag processing will disable inquiry by team/address number.)</p>	

## Tag Inventory Update (P41610)

Processing Option	Processing Options Requiring Further Description
PROCESSING CONTROL:	



Processing Option	Processing Options Requiring Further Description
<ol style="list-style-type: none"> <li>1. Enter a '1' if you wish to delete tags from the file after update.  (Default of blanks will not delete the tags. It is recommended that the tags be deleted.)</li> <li>2. Enter the transaction date to be used on the G/L records written.  Blanks will default today's date.</li> </ol>	

## Print Inventory Tags (P41607)

Processing Option	Processing Options Requiring Further Description
<ol style="list-style-type: none"> <li>1. Enter the number of Tags you wish to print.</li> <li>2. Enter the Branch/Plant to print on the Tags.</li> </ol>	

## Tag Inventory Count Entry (P41602)

Processing Option	Processing Options Requiring Further Description
<ol style="list-style-type: none"> <li>1. Enter the Statuses that a Tag can be at to be valid for change.  Status One  Status Two  Status Three  Status Four</li> <li>2. Enter a '1' to default the Location and Lot from the Primary Location.  If you are using blank secondary locations then this processing option is invalid.</li> <li>3. Enter a '1' to allow for the addition of secondary location records.</li> </ol> <p>WAREHOUSE PROCESSING:</p>	

Processing Option	Processing Options Requiring Further Description
<p>4. Enter a '1' to use the Location Detail Selection Window (P4605) to enter counts for specific Location Detail Records (F4602).</p> <p>If left blank, the Location Detail records will be selected by the system.</p>	
<p>PROCESS CONTROL:</p> <p>5. Enter a '1' to protect Lot Number, Lot Expiration Date, and Lot Status.</p> <p>If left blank, the fields will remain input capable.</p> <p>6. Enter a '1' to allow multiple tags for an Item/Branch/Location/Lot.</p> <p><b>Caution:</b> This option should be used very cautiously, only if you are splitting quantity in one location over multiple Tags. Else, it might cause integrity issues in Inventory.</p>	

## Print Tag Inventory Variances (P41608)

Processing Option	Processing Options Requiring Further Description
<p>PROCESSING CONTROL:</p> <p>1. Enter a '1' to print all tags.</p> <p>(Default is to print only tags with a variance.)</p>	

---

---

# Cost Updates Processing Options

## Item Cost Revisions (P4105)

Processing Option	Processing Options Requiring Further Description
DISPLAY CONTROL:  1. Enter a '1' for Speed Cost Update. If left blank, the screen will default to Item Cost Revisions.	
DEFAULT VALUES:  2. Enter the default cost method to display when the Speed Cost Update format is selected.	
PROCESS CONTROL:  3. Enter a '1' to prevent the standard cost from being changed.  4. Enter a '1' to write Subledger Information based on Item Number, into Journal Entries. If left blank, no Subledger Information will be written in Journal Entries  5. Enter '1' to use 15 character lot, leave blank to default to 12 characters.	

## Batch Cost Maintenance - Cost Level 1 (P41802)

Processing Option	Processing Options Requiring Further Description
COST CHANGE OPTIONS:  1. Enter the cost change to use for update. (When entering a percentage, enter it as a whole number.)	

Processing Option	Processing Options Requiring Further Description
2. Enter the cost change type. (A=Amount, %=Percent, *=Actual)	
DEFAULT VALUES:  3. Reason code.  4. Document Type. If left blank, document type 'WD' will be used.  5. General Ledger Date	
REPORT CONTROL:  6. Enter a '1' to generate a report. If blank, no report will be generated.	
UPDATE OPTION:  7. Enter a '1' to run this program in final update mode. If blank, this program will perform no file updates.	

## Future Cost Update - Cost Level 1 (P41052)

Processing Option	Processing Options Requiring Further Description
PROCESS CONTROL:  1. Enter the Costing Method you wish to be updated with a future cost. If left blank, the cost to be updated is the one associated with your current Inventory/Sales costing method. (The cost associated with the Cost Method specified in your DATA SELECTION will be the 'future cost' used.)	
2. Enter the document type to be used when writing General Ledger and Item Ledger records. If left blank, document type 'WD' will be used.	

Processing Option	Processing Options Requiring Further Description
3. Enter the General Ledger date to be used when writing General Ledger and Item Ledger records. If left blank, the system date will be used.	



# Kits Processing Options

## Bill of Material Revisions (P3002)

Processing Option	Processing Options Requiring Further Description
<p>INVENTORY VALIDATION:</p> <p>1. Enter a '1' to validate for an existing Branch/Item record.</p>	
<p>DREAM WRITER VERSIONS:</p> <p>Enter the version for each program.</p> <p>If left blank, 'ZJDE0001' will be used.</p> <p><b>Note:</b> Options 2 and 3 are used ONLY to set Printer Overrides.</p> <p>2. Single-Level BOM Print (P30410)</p> <p>3. Multi-Level BOM Print (P30415)</p> <p>4. ECO Workbench (P30225)</p> <p>5. Component Maintenance (P3015)</p>	
<p>DREAM WRITER VERSION FROM WINDOW:</p> <p>6. Enter the version of ECO Revisions (P48020) to call from the Revisions Window (P30BBREV).</p> <p>If left blank, version 'ZJDE0001' will be used.</p>	
<p>COMPONENT BRANCH:</p> <p>7. Enter a '1' to change the Component Branch (Additions Only) to that which is displayed at the top of the screen.</p>	
<p>FIELD DISPLAY:</p>	

Processing Option	Processing Options Requiring Further Description
8. Enter a '1' by the following fields to activate them:  Bill Type  Batch Quantity	
DEFAULT VALUES:  9. Bill Type (Optional)	
DATE EFFECTIVITY:  10. Enter a date to default into the As of Date or '*' to display all dates.  If left blank, the system date will be used.	
COMPONENT SEQUENCING:  11. Enter the sequence to be displayed:  1 - Component Line Number  2 - Operation Sequence Number  <b>Note:</b> If left blank, components will be sequenced by Component Line Number.	
REVISION LEVEL CONTROL:  12. Enter a '1' to protect Component Revision Level from update.	



---

---

# System Setup Processing Options

## AAI Revisions (P40901)

Processing Option	Processing Options Requiring Further Description
DEFAULT INFORMATION:  1. Enter the default skip to AAI Number:	

## Print Messages/Item Notes (P4016)

Processing Option	Processing Options Requiring Further Description
0. PROCESSING CONTROL:  1. Enter a '1' to display Item Notes. If left blank, Print Messages will be displayed.  2. Enter a '1' to display only the messages that have not yet reached the expiration date. If left blank, all messages will be displayed.	



# Lot Processing – Processing Options

## Lot Master Revisions (P4108)

Processing Option	Processing Options Requiring Further Description
<p>PROCESS CONTROL:</p> <ol style="list-style-type: none"> <li>1. Enter a '1' to update the lot status for all lot locations when updating the lot status or a '2' to display all lot locations and indicate for which locations the lot status needs to be updated.  If left blank, only the lot master lot status will be updated.</li> <li>2. Enter a '1' to protect the lot status from being updated.</li> <li>3. Enter a '1' to protect the lot grade from being updated.</li> <li>4. Enter a '1' to protect the lot potency from being updated.</li> </ol>	
<p>DEFAULT PROCESSING:</p> <ol style="list-style-type: none"> <li>5. Enter the document type to be used when updating the lot grade.  If left blank, the default document type 'CG' will be used.</li> </ol>	
<ol style="list-style-type: none"> <li>6. Enter the document type to be used when updating the lot potency.  If left blank, the default document type 'CP' will be used.</li> </ol>	
<p>PERCENTAGE OF LIFE REMAINING:</p> <ol style="list-style-type: none"> <li>7. Enter a '1' to calculate/display the Percentage of Life Remaining.  If left blank, it will not be displayed.</li> </ol>	

Processing Option	Processing Options Requiring Further Description
<p>8. Enter a '1' to calculate/display Days Until Expiration. If left blank, it will not be displayed.</p>	
<p>QUALITY MANAGEMENT:</p> <p>9. Enter the version of Test Results Revisions (P3711) to call. If blank, 'ZJDE0001' will be used.</p>	

## Lot Availability (P41280)

Processing Option	Processing Options Requiring Further Description
<p>DREAM WRITER VERSIONS:</p> <p>1. Enter the Version of the Trace/Track Inquiry to call.</p> <p>2. Enter the Version of Item Master Revisions (P4101) to call.</p> <p>3. Enter the Version of Work Order Entry (P48013) to call.</p> <p>4. Enter the Version of Branch/Plant Item Information (P41026) to call.</p> <p>5. Enter the Version of Lot Master Revisions (P4108) to call.</p> <p>6. Enter the Version of the Test Results Revision (P3711) to call. If left blank, 'ZJDE0001' will be used.</p>	
<p>FIELD DISPLAY:</p> <p>7. Enter a '1' to protect Lot Status from being updated.</p>	
<p>GRADE AND POTENCY:</p> <p>8. Enter a '1' to display the grade range. If left blank, no range will be displayed for selection.</p> <p>9. Enter a '1' to display the potency range. If left blank, no potency will be displayed for selection.</p>	

## Speed Lot Update (P41080)

Processing Option	Processing Options Requiring Further Description
<p>PROCESS CONTROL:</p> <ol style="list-style-type: none"> <li>1. Enter a '1' to protect the lot grade from being updated.</li> <li>2. Enter a '1' to protect the lot potency from being updated.</li> </ol>	
<p>DEFAULT PROCESSING:</p> <ol style="list-style-type: none"> <li>3. Enter the document type to be used when updating the lot grade. If left blank, the default document type 'CG' will be used.</li> </ol>	
<ol style="list-style-type: none"> <li>4. Enter the document type to be used when updating the lot potency. If left blank, the default document type 'CP' will be used.</li> </ol>	

## Lot Tracing and Tracking (P41203)

Processing Option	Processing Options Requiring Further Description
<p>Enter a '1' to track lot usage. Default is to trace lot usage. Enter '1' to use 15 character lot, leave blank to default to 12 character</p>	

## Item Reclassifications (P4116)

Processing Option	Processing Options Requiring Further Description
<p>DEFAULT VALUES :</p> <ol style="list-style-type: none"> <li>1. Document type for item change.</li> <li>2. Enter a '1' to default the Location and Lot from the primary Location</li> </ol> <p><b>Note:</b> When using blank secondary locations, this processing option is invalid.</p>	

Processing Option	Processing Options Requiring Further Description
<p>PROCESS CONTROL :</p> <p>3. Method for assigning expiration date to newly created lots. (If left blank, method 1 will be used.) 1 = Assign manually. 2 = Newest From Expiration Date. 3 = Oldest From Expiration Date. 4 = Transaction date + shelf life.</p>	
<p>DREAM WRITER VERSIONS:</p> <p>Enter the version of each program to be used. If left blank, ZJDE0001 will be used.</p> <p>4. Journal Entries (P09101)</p> <p>5. G/L Functional Server (XT0911Z1)</p> <p>6. Item Search (P41200)</p> <p>7. Item Ledger (P4111)</p> <p>8. Warehouse Requests (P46100)</p>	
<p>PROCESSING CONTROL :</p> <p>9. Enter a '1' to protect costs or a '2' to make costs non-display. If left blank, the update of costs is allowed.</p> <p>10. Enter a '1' to protect Lot Number, Lot Expiration Date, and Lot Status. If left blank, the fields will remain input capable.</p>	
<p>11. Enter a '1' to run in summary mode. G/L accounts will be summarized within each document number. If run in detail, G/L accounts will be produced for each line.</p> <p>12. Enter a '1' to allow transfers from held lots.</p> <p>13. Enter a '1' to allow transfers greater than quantity available.</p> <p><b>Note:</b> This option will allow your inventory balance to go negative.</p>	

Processing Option	Processing Options Requiring Further Description
<p>14. Method of quantity validation for from and to quantities within a transaction.</p> <p>' ' - No validation performed.</p> <p>'1' - Warning if out of balance.</p> <p>'2' - Error if out of balance.</p>	
<p>15. Enter which item search screen is to be used to return items.</p> <p>1 = Item Search Window allowing the return of multiple items.</p> <p>2 = Full item search screen with query capability.</p> <p>(If left blank the item search screen allowing the return of multiple items will be used.)</p> <p>16. Enter '1' to use 15 character lot, leave blank to default to 12 characters.</p>	





---

---

# System Updates Processing Options

## Update Item Master Fields (P41804)

Processing Option	Processing Options Requiring Further Description
<p>Enter a "Y" to run proof mode: (A "Y" will NOT update the Item Master File)</p> <p>Enter the new value for the following fields.</p> <p>If left blank, the field will retain the current value.</p> <p>If a "*" is placed by a field then it will be blanked out.</p> <p>Sales Catalog Section</p> <p>Sub Section</p> <p>Sales Category Code 3</p> <p>Sales Category Code 4</p> <p>Sales Category Code 5</p> <p>Commodity Class</p> <p>Commodity Sub Class</p> <p>Vendor Rebate Code</p> <p>Master Planning Family</p> <p>Purchasing Category Code 5</p> <p>Buyer Number</p> <p>Level Lead time</p> <p>Planner Number</p> <p>Order Policy Code</p> <p>Issue Type Code</p>	

## Update Item Branch Fields (P41805)

Processing Option	Processing Options Requiring Further Description
<p>Enter a "Y" to run proof mode: (A "Y" will NOT update the Item Branch File)</p> <p>Enter the new value for the following fields.</p> <p>If left blank, the field will retain the current value.</p> <p>If a "*" is placed by a field then it will be blanked out.</p> <p>Sales Catalog Section</p> <p>Sub Section</p> <p>Sales Category Code 3</p> <p>Sales Category Code 4</p> <p>Sales Category Code 5</p> <p>Commodity Class</p> <p>Commodity Sub Class</p> <p>Vendor Rebate Code</p> <p>Master Planning Family</p> <p>Purchasing Category Code 5</p> <p>Buyer Number</p> <p>Level Lead time</p> <p>Planner Number</p> <p>Order Policy Code</p> <p>Issue Type Code</p>	

## Global Category Code Update (P41803)

Processing Option	Processing Options Requiring Further Description
<p>Enter a 'Y' to duplicate the following into the Item Branch Record.</p> <ul style="list-style-type: none"> <li>Update Sales Report Code 1</li> <li>Update Sales Report Code 2</li> <li>Update Sales Report Code 3</li> <li>Update Sales Report Code 4</li> <li>Update Sales Report Code 5</li> <li>Update Sales Report Code 6</li> <li>Update Sales Report Code 7</li> <li>Update Sales Report Code 8</li> <li>Update Sales Report Code 9</li> <li>Update Sales Report Code 0</li> <li>Update Inventory Pricing Rule</li> <li>Update Reprice Rule</li> <li>Update Order Reprice Rule</li> <li>Update Purchase Report Code 1</li> <li>Update Purchase Report Code 2</li> <li>Update Purchase Report Code 3</li> <li>Update MPS Planning Family</li> <li>Update Purchase Report Code 5</li> <li>Update Purchase Report Code 6</li> <li>Update Purchase Report Code 7</li> <li>Update Purchase Report Code 8</li> <li>Update Purchase Report Code 9</li> <li>Update Lifo Pool Category</li> <li>Update Buyer Number</li> <li>Update Shipping Condition Code</li> <li>Update Shipping Commodity Class</li> </ul>	

Processing Option	Processing Options Requiring Further Description
Update Cycle Count Category	
Update General Ledger Class Code	
Update Backorders Allowed	
Update Print Message	
Update Stocking Type	
Update ABC Code 1	
Update ABC Code 2	
Update ABC Code 3	
Update ABC Override Indicator	
Update Preferred Carrier - Sales	
Update Preferred Carrier - Purchasing	

## Location Redefinition (P41822)

Processing Option	Processing Options Requiring Further Description
BATCH REFORMAT VERSION:  1. Enter the version of the Batch Re-format program to be submitted (P41821). If left blank, version ZJDE0001 will be used.	

---

---

# Purges Processing Options

## Batch File Purge (P00PURGE)

Processing Option	Processing Options Requiring Further Description
SAVE PURGED RECORDS:  1. Enter a '1' to save the purged records to a special purge library. (Default of blanks will NOT save any purged records.)	
REORGANIZE FILE:  2. Enter a '1' to reorganize the purged file. (Default of blanks will NOT reorganize the file.)	

## Purge Item Master File (F4101) (P4101P)

Processing Option	Processing Options Requiring Further Description
Enter a '1' to save the purged records to a special purge library. (Default of blanks will NOT save any purged records.)  Enter a '1' to reorganize the purged file. (Default of blanks will NOT reorganize the file.)	

## Purge Item Branch File (F4102) (P4102P)

Processing Option	Processing Options Requiring Further Description
<p>1. Enter a '1' to save the purged records to a special purge library. (Default of blanks will NOT save any purged records.)</p>	<p>This gives you the opportunity to create a backup copy of the information prior to permanently removing it from your system. If you want to save the purged records, then a new physical file will be created in a special purge library. The special purge library name is generated by concatenating 'JDE' and the current date. The current date is in system value format without date separators. For example, if you purge the Item Balance File (F4102) on 01/31/06, then a new file will be created in the library: JDE013106. JDE (A constant value) 013106 (Current date in system value format). The new physical file created in the special purge library will be the same name as the purged file. In addition, if you purge the same file more than one time on the same day, the additional information will be added to the file, not replaced.</p>
<p>2. Enter a '1' to reorganize the purged files. (Default of blanks will NOT reorganize the files.)</p>	<p>You can set this processing option to reorganize the purged file after the process is run. This will allow you to regain any available disk space that is created from purging this information.</p>
<p>3. Enter a '1' to delete ALL Item Branch information eligible for purging. (If this option is blank only the Item Location records with all quantities zero will be purged).</p>	

---

---

# Data Conversions Processing Options

## Data Decimal Conversion (P40CVT)

Processing Option	Processing Options Requiring Further Description
<p>Enter ALL data file libraries to have their data items converted. All of the libraries related to the data dictionary library MUST be entered.</p> <p>Library 01 Library 02 Library 03 Library 04 Library 05 Library 06 Library 07 Library 08 Library 09 Library 10</p>	<p>Enter ALL of the data file libraries that use the data dictionary library shown on the previous screen (V40CVT). All of the libraries using that data dictionary library MUST be entered. These libraries will have their data items converted.</p>

## Item Cost Level Conversion (P41815)

Processing Option	Processing Options Requiring Further Description
<p>PROCESS CONTROL:</p> <ol style="list-style-type: none"><li>1. Enter the cost level to update to.</li><li>2. If updating to cost level '1', enter the branch to default the costs from.  If updating from a cost level '3', the costs will default from the primary location.</li><li>3. Enter a '1' to run in final mode and update files.  If blank, no file updates will occur.</li></ol>	

Processing Option	Processing Options Requiring Further Description
<p>4. Enter a '1' to print only exceptions on the edit report.</p> <p>A blank will print all items.</p>	

## Item Cost Level Conversion (P41815)

Processing Option	Processing Options Requiring Further Description
<p>PROCESS CONTROL:</p> <p>1. Enter the cost level to update to.</p> <p>2. If updating to cost level '1', enter the branch to default the costs from.</p> <p>If updating from a cost level '3', the costs will default from the primary location.</p> <p>3. Enter a '1' to run in final mode and update files.</p> <p>If blank, no file updates will occur.</p>	
<p>4. Enter a '1' to print only exceptions on the edit report.</p> <p>A blank will print all items.</p>	



---

## 16 Appendices



---

---

# Appendix A – Functional Servers

## About Functional Servers

Several JD Edwards World programs access functional servers. The purpose of functional servers is to provide a central location for standard business rules about entering documents, such as vouchers, invoices, and journal entries. These business rules establish the following:

- Data dictionary default values
- Field edits and valid values
- Error processing
- Relationships between fields or applications

The advantages of a functional server are:

- It reduces maintenance of entry programs because edit rules reside in one central location.
- You can standardize documents across all applications because you create them using the same business rules.
- Generally, the user interface (appearance and interaction) of a form is now separate from how a program works.

## To set up business rules for an entry program

The steps for setting up business rules for an entry program are:

1. Create a DREAM Writer version for a specific functional server program (for example, XT0411Z1 for voucher entry).
2. Set the processing options within the version according to your company requirements.
3. Specify the version you want the entry program to use in the processing options for that entry program.

You can have all your entry programs use the same DREAM Writer version (and thus, use the same rules) or you can set up different DREAM Writer versions. JD Edwards World provides DREAM Writer version ZJDE0001 as the default functional server version for your entry programs.

---

---


**Caution:** Only the person responsible for system-wide setup should make changes to the functional server version. For more information about how to set up DREAM Writer versions, see the *Technical Foundation Guide*.

---

---

## Example: Voucher Processing Functional Server

The following graphic shows the programs that use the voucher processing functional server. JD Edwards World provides two demo versions of the functional server, ZJDE0001 and ZJDE0002.



---

---

# Index

## A

AAIs, *See* Automatic accounting instructions

ABC analysis

- cycle counts, 5-12

- principle, 5-11

- report, 5-11

- setup steps

  - branch/plant constants, 5-12

- types of

  - gross margin, 5-12

  - on-hand value, 5-12

  - total sales, 5-12

ABC Analysis report

- sample, 5-12

Accounting

- for transactions, 3-3

Adjustments

- adjusting inventory, 3-13

- correcting errors, 3-16

- document numbers, 3-16

- form, 3-14

- overview, 3-13

Adjustments form

- sample, 3-14

Adjustments program (P4114), 3-14

Application Constants form

- sample, 10-15

As of processing

- defined, 4-37

As Of processing

- creating balance forward records, 4-38

- deleting records from table, 4-39

- entering individual transactions, 4-41

Audit information

- activating the audit process, 10-63

- creating an audit job

  - Audit Journal Information form, 10-61

- setting up IBM information for the audit process, 10-53

  - activating the journal physical file, 10-55

  - creating a data queue, 10-57

  - creating a job description, 10-57

  - creating a journal, 10-55

  - creating a journal receiver, 10-54

  - creating a user profile, 10-58

- setting up the audit process, 10-59

  - creating an audit job, 10-59

  - creating audit locations, 10-61

Audit process

- reports, 5-26, 5-27

Automatic accounting instructions

- Distribution Automatic Account form, 10-26

- setting up automatic accounting instructions

  - overview, 10-23

- setting up standard units of measure

  - overview, 10-41

Availability

- defining item availability

  - Item Availability Definition form, 10-11

- detail

  - viewing, 4-17

- lot quantity

  - viewing, 4-20

- summary

  - viewing, 4-14

Average Cost Update program (P41811), 7-7

Average costs

- updating average costs for items, 7-6

## B

Balance forward

- creating balance forward records, 4-38

Balances

- reviewing item transactions and balances, 4-43

Batch control constants

- Application Constants form, 10-15

Batch Cost Maintenance program (P41802), 7-6

Bill of Material Revisions program (P3002), 9-12

Bills of material, *See* Kits

Branch/plant constants

- Application Constants form, 10-15

- Branch Plant Constants form, 10-2

- Branch/Plant Constants - Pg 1 form, 10-2, 10-16

- Item Availability Definition form, 10-12

- setting up constants

  - defining batch control constants, 10-14

  - defining branch/plant constants, 10-1

  - defining item availability, 10-11

  - defining system constants, 10-12

  - defining the location format, 10-16

  - overview, 10-1

- System Constants form, 10-12

Branch/Plant Constants - Pg 1 form

- sample, 10-2

Branch/Plant Constants - Pg 2 form

- sample, 10-16

Branch/Plant Constants form  
  sample, 10-2  
Branch/plant information  
  assigning an item to a branch plant, 2-38  
  duplication of  
    form, 2-51  
    item information across multiple branch/plants, 2-51  
    primary locations, 2-52  
  entering branch/plant information, 2-37  
  entering item manufacturing information, 2-48  
  entering item reorder quantities  
    form, 2-46  
  entering item tax information, 2-45  
  form, 2-38  
  item locations  
    changing primary locations, 2-42  
    deleting primary locations, 2-44  
    effects on quantities, 2-44  
    form, 2-41  
  item manufacturing information  
    DRP/MPS/MRP, 2-48  
    form, 2-48  
  locating item sources, 2-45  
  overview, 2-37  
  taxes, 2-45  
  working with item locations, 2-39  
Buyer's information  
  calculations, 4-31  
  form, 4-31  
  overview, 4-27  
  reviewing open purchase orders, 4-35  
  reviewing sales history, 4-34  
Buyer's Information form  
  sample, 4-31  
Buyer's Information program (P4115), 4-31

## C

Classification Codes form  
  sample, 2-15, 2-16  
Classification Codes program (P41011), 2-16  
Commitments  
  in Inventory Management system, 4-4  
Constants, *See* Branch/plant constants  
Cost Analysis report  
  sample, 5-13  
Cost levels  
  considerations for item update, *See* Item cost information  
Cost methods  
  assigning to an item, 2-56  
Cost Revisions form  
  sample, 2-56  
Cost Revisions program (P4105), 2-56  
Cost Revisions Update report  
  sample, 7-7  
Cost updates, *See* Item cost information

  overview, 7-1  
  updating average costs for items  
    methods, 7-6  
  updating costs for an item across multiple branch/plants  
    form, 7-4  
    Speed Cost Maintenance program (P4105), 7-3  
  updating costs for multiple items across multiple branch/plants  
    Batch Cost Maintenance program (P41802), 7-6  
    report, 7-6  
  updating current item costs with future costs  
    report, 7-7  
  updating item costs  
    deleting item costs, 7-3  
Costs  
  changing unit, 2-58  
  entering item, 2-58  
  removing methods, 2-59  
  selecting methods, 7-3  
  updating unit, 2-59  
Counts, *See* Physical inventories  
Create Audit Jobs form  
  sample, 10-59  
Create Audit Locations form  
  sample, 10-61  
Create Data Queue form  
  sample, 10-57  
Create Job Description form  
  sample, 10-58  
Create Journal form  
  sample, 10-55  
Create Journal Receiver form  
  sample, 10-55  
Create User Profile form  
  sample, 10-59  
Cross-reference, *See* Item cross\_reference  
Cycle count  
  ABC analysis, 5-12  
  canceling the cycle count, 6-8  
  choosing items for the cycle count, 6-17  
  entering the cycle count results  
    form, 6-9  
  printing cycle count sheets, 6-8  
    report, 6-8  
  printing the variance report, 6-15  
  processing a cycle count, 6-3  
  reviewing the cycle count status, 6-6  
  reviewing the cycle count variances, 6-12  
  revising the cycle count quantity, 6-14  
  updating the cycle count status, 6-16  
Cycle Count Entry form  
  sample, 6-11, 6-24  
Cycle Count Entry program (P4141), 6-9  
Cycle Count Review form  
  sample, 6-6  
Cycle Count Review program (P41240), 6-6

## D

### Data

supplemental, *See* Supplemental database

### Data conversions

converting cost levels

running the Item Cost Level Conversion program,  
14-9

converting data

overview, 14-1

converting display decimals

converting data items, 14-6

Data Item Conversion form, 14-5

reviewing data items, 14-4

Data types, *See* Supplemental database

### Database

supplemental, *See* Supplemental database

### Default location information

assigning default print queues, 10-39

Default Print Queues form, 10-40

defining a default location and approval route  
code, 10-37

setting up default location information

overview, 10-37

### Default Units of Measure form

sample, 2-22

### Default Units of Measure program (P41012), 2-22

### Detailed availability

overview, 4-17

### Detailed Availability form

sample, 4-18

### Detailed Availability program (P41023), 4-18

### Direct As Of entry

entering individual transactions, 4-41

form, 4-42

### Direct As Of Entry form

sample, 4-42

### Direct As Of Entry program (P41112), 4-42

### Distribution Automatic Account form

sample, 10-26

Document type exceptions, *See* Print messages

## E

### Elements

location code, 10-16

### Enter/Change Bill of Material form

sample, 9-12

### Entering individual transactions

form, 4-42

## F

### Forms

Adjustments, 3-14

Application Constants, 10-15

Audit Journal Information, 10-61

Branch/Plant Constants, 10-2

Branch/Plant Constants - Pg 1, 10-2

Branch/Plant Constants - Pg 2, 10-16

Buyer's Information, 4-31

Classification Codes, 2-15, 2-16

Cost Revisions, 2-56

Create Audit Jobs, 10-59

Create Audit Locations, 10-61

Create Data Queue, 10-57

Create Job Description, 10-58

Create Journal, 10-55

Create Journal Receiver, 10-55

Create User Profile, 10-59

Cycle Count Entry, 6-11, 6-24

Cycle Count Review, 6-6

Data Item Conversion, 14-5

Default Print Queues, 10-40

Default Units of Measure, 2-22

Detailed Availability, 4-18

Direct As Of Entry, 4-42

Distribution Automatic Account, 10-26

Enter/Change Bill of Material, 9-12

Issues, 3-6

Item Alternative Description, 2-8

Item Availability Definition, 10-12

Item Branch Quantities, 2-46

Item Branch/Plant Information, 2-38

Item Cross-Reference Revisions, 10-49

Item Ledger (The Cardex), 4-24, 4-44

Item Ledger Information, 4-45

Item Master Information, 2-6, 9-6, 11-4

Item Search, 4-8

Item Units of Measure, 2-23

Item/Branch Duplication, 2-51

Item/Location Information, 2-42

Location Field Update, 12-8

Location Lot Status Change, 11-27

Lot Availability, 4-21, 11-16

Lot Dates, 11-25

Lot Master Revisions, 11-11

Lot Status Codes, 11-26

Lot Tracing, 11-31

Manufacturing Data, 2-48

Plant Manufacturing Data, 2-48

Primary Location, 2-41

Print Message Revisions, 10-30, 10-31, 10-32

Profile Data Types, 8-4

Reclassifications, 11-39

Speed Cost Maintenance, 7-4

Speed Location Maintenance, 10-71

Speed Lot Update, 11-23

Standard Units of Measure, 10-44

Summary Availability, 4-14

Supply/Demand Inquiry, 4-28

System Constants, 10-12

Tag Issues and Receipts, 6-20

Tag Status Review, 6-25

Tag Status Summary, 6-26

- Tag Variance Review, 6-27
- Text Messages, 2-14, 10-33
- Transaction Family Documents, 5-16
- Future Cost Update program (P41052), 7-7
- Future Cost Update report
  - sample, 7-7

## G

- General ledger
  - accounting for transactions, 3-3
- General Ledger reports
  - Item Ledger by G/L Class Print report, 4-47
  - Item Ledger Detail Print, 4-47
  - Period General Ledger by Object Account, 4-48
- Gross margin
  - ABC analysis, 5-12

## H

- Hold Expired Lots report
  - sample, 11-25

## I

- Inclusion rules
  - lot tracing/tracking, 11-33
- Inventory Journal
  - sample, 5-8
- Inventory Turn report
  - sample, 5-17
- Issues
  - correcting errors, 3-10
  - document numbers, 3-10
  - form, 3-6
  - issuing inventory, 3-5
  - overview, 3-5
- Issues form
  - sample, 3-6
- Issues program (P4112), 3-6
- Item Alternative Description form
  - sample, 2-8
- Item Alternative Description program (P41016W), 2-8
- Item and quantity information
  - locating item information, 4-7
  - locating quantity information, 4-13
  - overview, 4-1
  - reviewing supply and demand information, 4-27
  - supply and demand quantities, 4-4
  - working with transaction records, 4-37
- Item Availability Definition form
  - sample, 10-12
- Item Balance purge, *See* Purges
- Item Branch Audit report
  - sample, 5-27
- Item Branch Quantities form

- sample, 2-46
- Item Branch Quantities program (P41022), 2-46
- Item Branch/Plant Information form
  - sample, 2-38
- Item Branch/Plant Information program (P41026), 2-38
- Item cost information, *See* Cost updates
  - assigning a cost level to an item, 2-54
  - assigning a cost method to an item, 2-55
  - assigning cost methods
    - form, 2-56
  - changing unit costs, 2-58
  - entering
    - form, 2-58
  - entering item cost information, 2-53
  - overview, 2-53
  - removing cost methods, 2-59
  - updating unit costs, 2-59
- Item Cost Level Conversion program, *See* Data conversions
- Item cross-reference
  - entering cross-references, 10-47, 10-48
  - Item Cross-Reference Revisions form, 10-49
  - locating cross-references, 10-50
  - setting up item cross-reference
    - overview, 10-47
- Item Cross-Reference Revisions form
  - sample, 10-49
- Item Cross-Reference Revisions program (P41041), 10-49
- Item Deletion purge, *See* Purges
- Item Ledger
  - Item Ledger Detail Print report, 4-47
- Item Ledger (The Cardex) form
  - sample, 4-24, 4-44
- Item Ledger (The Cardex) program (P4111), 4-24
- Item Ledger by G/L Class Print Report
  - sample, 4-47
- Item Ledger Information form
  - sample, 4-45
- Item Ledger Information program (P4111W), 4-45
- Item ledger inquiry
  - reviewing multiple transactions and balances, 4-43
- Item Master Audit report
  - sample, 5-26
- Item Master Directory
  - sample, 5-4
- Item Master information
  - assigning item responsibility, 2-14
  - classification codes
    - purchasing, 2-17
    - warehouse, 2-18
  - deleting, 2-6
  - entering, 2-5
  - entering basic item information, 2-7
  - entering grade and potency information, 2-33
  - entering item classification codes, 2-16



- entering item units of measure information, 2-21
  - grade and potency information
    - for lots, 2-34
    - for sales, 2-34
  - item descriptions
    - form, 2-8
  - item identifiers, 2-8
  - item processing information, 2-8
  - item text
    - entering, 2-12
  - kits, 9-1
  - manufacturing information
    - requirements planning, 2-27
  - messages
    - attaching to an item, 2-12
  - notes
    - entering for an item, 2-12
  - overview, 2-5
  - processing information, 2-8
  - setting up a template, 2-6
  - units of measure information
    - conversions, 2-23
    - form, 2-22
  - Item Master Information form
    - sample, 2-6, 9-6
  - Item Master Information program (P4101), 2-7
  - Item Master purge, *See* Purges
  - Item notes, *See* Print messages
  - Item quantities
    - availability (detailed)
      - form, 4-18
    - availability (lot)
      - form, 4-21
    - availability (summary)
      - form, 4-14
    - detailed quantity information, 4-17
  - Item Ledger
    - form, 4-24
  - lot quantity information, 4-20
  - on-hand quantities, 4-23
  - summary quantity information, 4-14
  - supply and demand
    - form, 4-28
  - Item search
    - defining search criteria, 4-8
    - form, 4-8
    - locating item information, 4-7
    - query mode, 4-11
  - Item Search form
    - sample, 4-8
  - Item Search program (P41200), 4-8
  - Item Units of Measure form
    - sample, 2-23
  - Item Units of Measure program (P41002), 2-23
  - Item/Branch Duplication form
    - sample, 2-51
  - Item/Branch Duplication program (P41015), 2-51
  - Item/Location Information form
    - sample, 2-42
  - Item/Location Information program (P41024), 2-42
  - Items, *See* setting up items
- ## J
- Justification
    - location code, 10-16
- ## K
- Kits
    - entering a bill of materials
      - Enter/Change Bill of Material form, 9-12
      - overview, 9-11
    - entering Item Master records for kits
      - Item Master Information form, 9-6
    - entering kit information
      - entering kit pricing information, 9-8
      - overview, 9-5
      - setting up locations for kits, 9-7
    - example, 9-3
    - levels, 9-5
    - locations, 9-7
    - overview, 9-1
    - pricing, 9-8
- ## L
- Levels
    - cost, 2-54
    - for kits, 9-13
  - Limits
    - in speed location maintenance, 10-66
  - Locate quantity information
    - locating detailed quantity information, 4-17
    - locating on-hand quantity information, 4-23
    - locating quantity information
      - quantity calculations, 4-13
    - locating quantity information by lot, 4-20
    - locating summary quantity information, 4-14
    - overview, 4-13
  - Locating item information
    - defining search criteria, 4-8
    - form, 4-8
    - overview, 4-7
    - query mode, 4-11
    - wildcard searches, 4-12
  - Location Lot Status Change form
    - sample, 11-27
  - Locations, *See* Default location information
    - defining the location format, 10-16
    - setting up locations for kits, 9-7
    - setting up warehouse locations, *See* Branch/plant constants
  - Lot availability
    - overview, 4-20
  - Lot Availability form

- sample, 4-21, 11-16
- Lot Availability program (P41280), 4-21
- Lot Dates form
  - sample, 11-25
- Lot Dates program (P00051), 11-25
- Lot Master Revisions form
  - sample, 11-11, 11-19
- Lot Master Revisions program (P4108), 11-11, 11-19
- Lot processing
  - assigning lot numbers, 11-1
  - duplicate lots, 11-1
  - entering lot information
    - creating a lot, 11-11
    - entering information for lots, 11-8
    - entering lot information for items, 11-3
    - entering supplier information, 11-13
    - Item Master Information form, 11-4
    - Lot Master Revisions form, 11-11
    - overview, 11-3
  - overview, 11-1
  - reclassifying lots
    - bulk inventory, 11-42
    - correcting errors, 11-41
    - document numbers, 11-41
    - example, 11-37
    - grouping reclassifications, 11-41
    - overview, 11-37
    - Reclassifications form, 11-39
    - uncommitted quantities, 11-42
  - viewing lot availability, 11-15
    - Lot Availability form, 11-16
  - viewing lot transactions
    - Lot Tracing form, 11-31
    - Lot Tracing report, 11-30
    - Lot Tracking report, 11-30
    - overview, 11-29
    - printing trace and track reports, 11-30
    - reviewing trace and track information, 11-30
    - setting up trace/track inclusions rules, 11-33
    - specifying a trace/track mode, 11-35
  - working with lot activity dates, 11-21
    - changing activity dates for multiple lots, 11-23
    - Lot Dates form, 11-25
    - Lot Master Revisions form, 11-22
    - Speed Lot Update form, 11-23
    - tracking lot dates, 11-24
  - working with lot availability
    - overview, 11-15
  - working with lot quantities, 11-18
    - Lot Master Revisions form, 11-19
    - reviewing lot quantities, 11-19
  - working with lot statuses, 11-25
    - Hold Expired Lots report, 11-25
    - Location Lot Status Change form, 11-27
    - Lot Status Codes form, 11-26
  - Lot Status Codes form
    - sample, 11-26
  - Lot Status Codes program (P00051), 11-26
  - Lot Tracing form
    - sample, 11-31

- Lot Tracing report
  - sample, 11-30
- Lot Tracing/Tracking program (P41203), 11-31
- Lot Tracking report
  - sample, 11-30

## M

- Manufacturing Data form
  - sample, 2-48
- Manufacturing Values Entry program (P41013), 2-27
- Margin Analysis report
  - sample, 5-14
- Messages, *See* Print messages
  - attaching to an item, 2-12, 2-13

## N

- Notes
  - entering for an item, 2-12, 2-13

## O

- On-hand quantity
  - form, 4-24
  - locating on-hand quantity information, 4-23
- On-hand value
  - ABC analysis, 5-12

## P

- Period General Ledger by Object Account report
  - sample, 4-48
- Physical inventories
  - choosing items for the cycle count
    - header and detail tables, 6-4
  - cycle count, 6-3
  - overview, 6-1
  - process a cycle count
    - overview, 6-3
  - process a tag count
    - overview, 6-17
  - processing a cycle count
    - AAIs, 6-3
    - canceling the cycle count, 6-8
    - choosing items for the cycle count, 6-17
    - entering the cycle count results, 6-9
    - printing cycle count sheets, 6-8
    - printing the variance report, 6-15
    - reviewing the cycle count status, 6-6
    - reviewing the cycle count variances, 6-12
    - revising the cycle count quantity, 6-14
    - updating the cycle count status, 6-16
  - processing a tag count
    - entering the tag count results, 6-22
    - printing inventory tags, 6-18
    - recording tag distribution information, 6-19
    - recording tag receipt information, 6-21

- reviewing the tag status, 6-25
  - running tag count updates, 6-28
- tag count, 6-17
- Plant Manufacturing Data form
  - sample, 2-48
- Plant Manufacturing Data program (P41027), 2-48, 2-49
- Price Book
  - sample, 5-9
- Pricing
  - entering kit pricing information, 9-8
- Primary Location form
  - sample, 2-41
- Primary Location program (P41021W), 2-41
- Print Cycle Count Sheets program (P41410), 6-8
- Print Inventory Tags program (P41607), 6-18
- Print Message Revisions form
  - sample, 10-30, 10-31, 10-32
- Print Message Revisions program (P4016), 10-30, 10-32
- Print messages
  - defining a message, 10-29, 10-30
    - defining a base message in another language, 10-32
    - Text Detail Revisions form, 10-30, 10-32
    - Text Messages form, 10-33
    - using a base message, 10-30, 10-31, 10-32
  - defining document type exceptions, 10-35
  - defining print information for messages and item notes, 10-34
    - Document Selection form, 10-34, 10-35
  - deleting messages, 10-29
  - displaying messages, 10-29
  - printing messages, 10-29
  - setting up messages
    - overview, 10-29
    - Print Message Revisions form, 10-30, 10-31, 10-32
    - Text Detail Revisions, 10-30, 10-32
- Profile Data Types form
  - sample, 8-4
- Profile Data Types program (P41090), 8-4
- Programs and IDs
  - P00051 (lot dates), 11-25
  - P00051 (lot status codes), 11-26
  - P0016 (text messages), 2-14, 10-33
  - P3002 (bill of material revisions), 9-12
  - P400951 (default location & printers), 10-38
  - P40096 (default print queues), 10-40
  - P4009W (system constants), 10-12
  - P4016 (print message revisions), 10-30, 10-32
  - P4016W (text detail revisions), 10-30, 10-32
  - P4017 (document selection), 10-34, 10-35
  - P4021 (supply/demand inquiry), 4-28
  - P40950 (distribution automatic account), 10-26
  - P40CVT (data item conversion), 14-5
  - P41001 (branch/plant constants - page 1), 10-2
  - P410011 (item availability), 10-12
  - P410012 (branch/plant constants - page 2), 10-16
  - P41001S (application constants), 10-15
  - P41002 (item units of measure), 2-23
  - P41003 (standard units of measure), 10-44
  - P4100A (speed location maintenance), 10-71
  - P4101 (item master information), 2-7, 11-4
  - P41011 (classification codes), 2-16
  - P41012 (default units of measure), 2-22
  - P41013 (manufacturing values entry), 2-27
  - P41015 (item/branch duplication), 2-51
  - P41016W (item alternative description), 2-8
  - P41021W (primary location), 2-41
  - P41022 (item branch quantities), 2-46
  - P41023 (detailed availability), 4-18
  - P41024 (item/location information), 2-42
  - P41026 (item branch/plant information), 2-38
  - P41027 (plant manufacturing data), 2-48, 2-49
  - P41041 (item cross-reference revisions), 10-49
  - P4105 (cost revisions), 2-56
  - P4105 (speed cost maintenance), 7-4
  - P41052 (future cost update), 7-7
  - P4108 (lot master revisions), 11-11, 11-19, 11-22
  - P4108S (location lot status change), 11-27
  - P41090 (profile data types), 8-4
  - P4111 (item ledger - the cardex), 4-24
  - P41112 (direct as of entry), 4-42
  - P4111W (item ledger information), 4-45
  - P4112 (issues), 3-6
  - P4114 (adjustments), 3-14
  - P4115 (buyer's information), 4-31
  - P4116 (reclassifications), 11-39
  - P41200 (item search), 4-8
  - P41202 (summary availability), 4-14
  - P41203 (lot tracing), 11-31
  - P41204 (branch/plant constants), 10-2
  - P41240 (cycle count review), 6-6
  - P41280 (lot availability), 4-21, 11-16
  - P4141 (cycle count entry), 6-9
  - P41410 (print cycle count sheets), 6-8
  - P41601 (tag issues and receipts), 6-20, 6-22
  - P41603 (tag status summary), 6-26
  - P41604 (tag status review), 6-25
  - P41605 (tag variance review), 6-27
  - P41607 (print inventory tags), 6-18
  - P41610 (tag count update), 6-28
  - P41802 (batch cost maintenance), 7-6
  - P41811 (average cost update), 7-7
  - P41815 (item cost level conversion), 14-9
  - P41822 (location field update), 12-8
  - P43115 (transaction family documents), 5-16
  - P84820J (audit journal information), 10-61
  - P84821 (create audit jobs), 10-59
  - P84825 (create audit locations), 10-61
- Purchase orders
  - buyer's information, 4-35
- Purges
  - overview, 13-1

- processing options for, 13-8
- purging data
  - general purges, 13-3
  - running the general purge, 13-4
  - running the special purge, 13-4
  - special purges, 13-3
  - technical considerations, 13-4
- special purges
  - running the Item Balance purge, 13-7
  - running the Item Deletion purge, 13-5
  - running the Item Master purge, 13-7

## Q

- Quantity Count Comparison report
  - sample, 6-28
- Quantity information
  - overview, 4-13

## R

- Ranking items
  - ABC analysis, 5-12
- Reclassifications, *See* Reclassifying inventory, *See* Lot processing
- Reclassifications form
  - sample, 11-39
- Reclassifying inventory
  - overview, 11-37
- Reports
  - ABC Analysis, 5-12
  - analysis
    - ABC, 5-11
    - turnover, 5-15
  - Cost Revisions Update, 7-7
  - Future Cost Update, 7-7
  - Hold Expired Lots, 11-25
  - integrity
    - Item Balance/Ledger, 5-22
    - Item Ledger/Account, 5-21
  - Inventory Journal, 5-8
  - Item Balance/Ledger Integrity, 5-22
  - Item Branch Audit
    - overview, 5-27
  - Item Cost Level Conversion, 14-9
  - Item Ledger Detail Print, 4-47
  - Item Ledger/Account Integrity, 5-21
  - Item Master Audit
    - overview, 5-26
  - Item Master Directory, 5-4
  - Lot Tracing, 11-30
  - Lot Tracking, 11-30
  - overview, 5-1
  - Price Book, 5-9
  - Print Cycle Count Sheets, 6-8
  - Print Inventory Tags, 6-18
  - printing stock tags, 5-20
  - Quantity Count Comparison, 6-28

- reviewing inventory analysis reports
  - reviewing the ABC Analysis, 5-11
  - reviewing the Inventory Turn report, 5-15
- reviewing inventory integrity reports
  - reviewing the Item Balance/Ledger Integrity report, 5-22
  - reviewing the Item Ledger/Account Integrity report, 5-21
- reviewing inventory status reports
  - overview, 5-3
  - reviewing the Inventory Journal, 5-8
  - reviewing the Item Master Directory, 5-4
  - reviewing the Price Book, 5-9
  - reviewing the Stock Status report, 5-3
- reviewing the ABC Analysis, 5-12
- reviewing the Inventory Journal, 5-8
- reviewing the Inventory Turn report
  - grouping transaction types, 5-16
  - running the Inventory Turn report, 5-17
- reviewing the Item Master Directory, 5-4
- reviewing the Margin Analysis, 5-14
- reviewing the Valuation Analysis, 5-15
- Select Items for Count, 6-4
- status reports, 5-3
- Stock Status, 5-3
- Review performance information
  - form, 4-31
  - overview, 4-31, 4-34, 4-35
  - reviewing open purchase orders, 4-35
  - reviewing sales history, 4-34
- Review supply and demand information
  - overview, 4-27
- Reviewing transactions on general ledger reports
  - Item Ledger Detail Print report, 4-47

## S

- Sales price information
  - entering sales price information, 2-61
  - overview, 2-61
- Searches
  - wildcard, 4-12
- Searching for items
  - search text, 4-11
- Select Items for Count
  - report, 6-4
- Select Items for Count program (P41411), 6-4, 6-17
- Separator character
  - location code, 10-16
- setting up automatic accounting instructions
  - procedure, 10-25
- Setting up items
  - overview, 2-1
- Speed Cost Maintenance, *See* Cost updates
- Speed Cost Maintenance form
  - sample, 7-4
- Speed Cost Maintenance program (P4105), 7-4
- Speed location maintenance

- entering new location information
  - deleting locations, 10-73
- examples, 10-66
- working with speed location maintenance
  - limits, 10-66
  - Speed Location Maintenance form, 10-71
  - steps, 10-65
- Speed Lot Update form
  - sample, 11-23
- Standard units of measure
  - Standard Units of Measure form, 10-44
- Steps
  - in speed location maintenance, 10-65
- Stock Status report
  - sample, 5-3
- Stock tags
  - bar codes
    - requirements for printing, 5-20, 6-8
  - sample, 5-20
- Summary availability
  - overview, 4-14
- Summary Availability form
  - sample, 4-14
- Summary Availability program (P41202), 4-14
- Supplemental database
  - defining data types
    - form, 8-4
    - modes, 8-3
    - overview, 8-3
  - overview, 8-1
  - updating, 8-2
- Supply and demand
  - overview, 4-27
  - report, 5-19
  - reviewing supply and demand information, 4-27
- Supply/Demand Inquiry form
  - sample, 4-28
- Supply/Demand Inquiry program (P4021), 4-28
- System constants, *See* Branch/plant constants
- System Constants form
  - sample, 10-12
- System setup
  - defining batch control constants
    - Application Constants form, 10-15
  - defining branch/plant constants
    - Branch/Plant Constants - Pg 1 form, 10-2
    - Branch/Plant Constants - Pg 2 form, 10-16
    - Branch/Plant Constants form, 10-2
    - System Constants form, 10-12
  - defining item availability
    - Item Availability Definition form, 10-12
  - setting up audit information
    - activating the audit process, 10-63
    - Create Data Queue form, 10-57
    - Create Job Description form, 10-58
    - Create Journal form, 10-55
    - Create Journal Receiver form, 10-55
    - Create User Profile form, 10-59
    - setting up IBM information for the audit process, 10-53
    - setting up the audit process, 10-59
- setting up automatic accounting instructions
  - Distribution Automatic Account form, 10-26
  - overview, 10-23
- setting up constants
  - defining batch control constants, 10-14
  - defining branch/plant constants, 10-1
  - defining item availability, 10-11
  - defining system constants, 10-12
  - defining the location format, 10-16
  - overview, 10-1
- setting up default location information
  - assigning default print queues, 10-39
  - Default Print Queues form, 10-40
  - defining a default location and approval route code, 10-37
  - overview, 10-37
- setting up item cross-reference
  - entering cross-references, 10-47, 10-48
  - Item Cross-Reference Revisions form, 10-49
  - locating cross-references, 10-50
  - overview, 10-47
- setting up messages
  - defining a base message in another language, 10-32
  - defining a message, 10-29, 10-30
  - defining document type exceptions, 10-35
  - defining print information for messages and item notes, 10-34
  - Document Selection form, 10-34, 10-35
  - overview, 10-29
  - Print Message Revisions form, 10-30, 10-31, 10-32
  - Text Detail Revisions form, 10-30, 10-31, 10-32
  - Text Messages form, 10-33
  - using a base message, 10-30, 10-31, 10-32
- setting up standard units of measure
  - conversion factors, 10-42
  - overview, 10-41
  - Standard Units of Measure form, 10-44
- setting up the audit process
  - Audit Journal Information form, 10-61
  - creating an audit job, 10-59
  - creating audit locations, 10-61
- setting up warehouse locations
  - overview, 10-19
- working with speed location maintenance
  - deleting locations, 10-73
  - examples, 10-66
  - limits, 10-66
  - Speed Location Maintenance form, 10-71
  - steps, 10-65
- System updates
  - overview, 12-1
  - revising location format
    - correcting errors, 12-7
    - Location Field Update form, 12-8
    - setting up a model branch, 12-8
    - updating, 12-9

- updating item information
  - updating category codes and item numbers, 12-5
  - updating item master and branch/plant information, 12-5

## T

- Tag count
  - entering the tag count results, 6-22
  - printing inventory tags, 6-18
  - processing a tag count, 6-17
  - recording tag distribution information, 6-19
  - recording tag receipt information, 6-21
  - reviewing the tag status, 6-25
  - running tag count updates, 6-28
- Tag Count Update program (P41610), 6-28
- Tag Issues and Receipts form
  - sample, 6-20
- Tag Issues and Receipts program (P41601), 6-20, 6-22
- Tag Status Review form
  - sample, 6-25
- Tag Status Review program (P41604), 6-25
- Tag Status Summary form
  - sample, 6-26
- Tag Status Summary program (P41603), 6-26
- Tag Variance Review form
  - sample, 6-27
- Tag Variance Review program (P41605), 6-27
- Tags
  - for tag count, 6-18
- Text messages
  - defining documents on which to print, 10-34
- Text Messages form
  - sample, 2-14, 10-33
- Text Messages program (P0016), 2-14
- Total sales
  - ABC analysis, 5-12
- Tracing
  - lots, 11-30
    - inclusion rules, 11-33
    - mode, 11-35
- Tracking
  - lots, 11-30

- inclusion rules, 11-33
- mode, 11-35

## Transactions

- accounting for, 3-3
  - adjustments, 3-13
  - creating balance forward records, 4-38
  - issues, 3-5
  - on general ledger reports, 4-46
  - overview, 3-1
  - reclassifications, 11-37
  - reviewing multiple transactions and balances, 4-43
  - table updates, 3-2
  - working with transaction records, 4-37
- ## Turnover (of inventory)
- report, 5-15

## U

- Units of measure, *See* Standard units of measure
- User defined codes
  - tables
    - 40/OR, 10-35

## V

- Valuation Analysis report
  - sample, 5-15
- Variance
  - in cycle count, 6-12
  - report, 6-15

## W

- Warehouse locations, *See* System setup
- Work with transaction records, 4-37
  - creating balance forward records, 4-38
  - entering individual transactions, 4-41
  - overview, 4-37
  - reviewing multiple transactions and balances, 4-43
  - reviewing transactions on general ledger reports, 4-46