

Oracle® Virtual Desktop Infrastructure
Release Notes for Version 3.2.1

April 2011

ORACLE®

Copyright © 2011, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners. Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark licensed through X/Open Company, Ltd.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

1. Oracle Virtual Desktop Infrastructure 3.2.1 Release Notes	4
1.1 Oracle Virtual Desktop Infrastructure 3.2.1 Software Requirements	11

Oracle Virtual Desktop Infrastructure 3.2.1 Release Notes

Contents

- Oracle Virtual Desktop Infrastructure 3.2.1 Release Notes
 - Oracle Virtual Desktop Infrastructure Package Software
 - Bundled Software
 - Additional Supported Software
 - Localization
 - Third-Party Software
 - Hardware Requirements
 - Oracle Virtual Desktop Infrastructure 3.2.1 Software Requirements
 - Oracle VDI Core Host and Oracle VM VirtualBox Virtualization Host Operating Systems
 - Virtualization Platforms and Desktop Providers
 - Storage Servers
 - User Directories
 - Desktop Guest Systems
 - Web Browser for Oracle VDI Manager
 - Known Issues and Limitations
 - Fixed Bugs
 - Reporting Problems and Providing Feedback
 - Contacting Oracle Specialist Support
 - Further Information
-

Oracle Virtual Desktop Infrastructure 3.2.1 Release Notes

These notes contain important information about the Oracle VDI Core, including requirements and supported platforms as well as issues and workarounds. Be sure to read this document before you begin using Oracle Virtual Desktop Infrastructure 3.2.1.

Oracle Virtual Desktop Infrastructure Package Software

Oracle Virtual Desktop Infrastructure software is a layered software solution that requires a virtualization platform, user directory, database, desktop access software, and Oracle VDI Core software. For more information about the full Oracle Virtual Desktop Infrastructure architecture, refer to the [Architecture](#) page.

Bundled Software

The software includes the following core components.

- Oracle Virtual Desktop Infrastructure Software 3.2.1 (including Oracle VDI Core, Sun Ray Software 5 Patch 5, MySQL Cluster 7.0.8a)
- Oracle VM VirtualBox for Oracle VDI 3.2.1 (Solaris 10 x86 only)



Sun Ray Windows Connector (SRWC) 2.3 is not supported with Oracle Virtual Desktop Infrastructure Software, Release 3.2 or 3.2.1

Additional Supported Software

The additional software pieces can be downloaded by following the links below.

- [Oracle Secure Global Desktop \(SGD\) 4.5](#) and [Oracle Secure Global Desktop \(SGD\) 4.6](#)
- [Oracle VM VirtualBox for Oracle VDI 3.2.1](#) (additional platforms for creating desktop templates)
- [Oracle Solaris OS](#)

- [Oracle Virtual Desktop Client](#)

Localization

The Oracle Virtual Desktop Infrastructure 3.2.1 components are available in the following languages after installing the Oracle VDI Core software. No additional package installation is required.

- Oracle VDI Core Software:
 - Oracle VDI Manager: Chinese (simplified), English, French, Japanese, and Swedish
 - Oracle VDI Desktop Selector: Chinese (simplified), Chinese (traditional), English, French, German, Japanese, Korean, Spanish, and Swedish
 - Oracle VDI CLI: English
- Oracle VDI Documentation:
 - Installation and Administration pages: [Chinese \(simplified\)](#), English, [French](#), and [Japanese](#)
 - Demo Guides and Troubleshooting information: English

Third-Party Software

Oracle Virtual Desktop Infrastructure 3.2.1 includes software originating from third parties that is subject to GPL/LGPL licenses. The corresponding source code is available via the links below:

- [Oracle VM VirtualBox for Oracle VDI 3.2.1](#) contains modified GPL code.
The source code is available at: <http://download.virtualbox.org/virtualbox/3.2.10/VirtualBox-3.2.10-OSE.tar.bz2>

All correspondence relating to third-party software included in Oracle Virtual Desktop Infrastructure 3.2 should be addressed to Oracle Corporation, 500 Oracle Parkway, Redwood Shores, CA 94065.

Hardware Requirements

Oracle Virtual Desktop Infrastructure has very basic hardware requirements. Customers can use new or existing hardware as long as it meets the CPU requirements. Hardware sizing is a very important part of planning an Oracle Virtual Desktop Infrastructure installation. Refer to an Oracle Sales or Support representative for more details about sizing.



All Oracle VM VirtualBox servers must have the virtualization extensions from AMD (AMD-V) and Intel (VT-x).

Host	CPU Type
Oracle VDI Core hosts	all x86 CPU
Oracle VM VirtualBox host	x86 CPU
Microsoft Hyper-V host	x86 CPU
Oracle VM VirtualBox or Hyper-V storage server	x86 CPU
VMware Infrastructure hosts	x86 CPU
Microsoft Remote Desktop Server	x86 CPU



As of Oracle Virtual Desktop Infrastructure 3.2, Solaris SPARC is no longer supported as an Oracle VDI Core host platform.











Oracle Virtual Desktop Infrastructure 3.2.1 Software Requirements

This section includes support tables for Oracle VDI Core host operating systems, virtualization platforms, storage servers, desktop guest systems. For more information about how to configure the Oracle Virtual Desktop Infrastructure components, refer to the [Configurations](#) page.





















Oracle VDI Core Host and Oracle VM VirtualBox Virtualization Host Operating Systems

Software	Supported in Oracle Virtual Desktop Infrastructure 3.2.1
Oracle Solaris 10 5/09 x86 (64-bit) or later	

Virtualization Platforms and Desktop Providers

Software	Oracle VDI Hypervisor	VMware Infrastructure	Microsoft Hyper-V	Microsoft Remote Desktop	Not Supported
Oracle VM VirtualBox 3.0.12, 3.0.14, 3.2.8, 3.2.10					
All other Oracle VM VirtualBox versions					
VMware VirtualCenter server 2.5 (Including Updates 1,2,3,4)					
VMware vCenter server 4.0 (Including Updates 1,2), 4.1					
VMware ESX server 3.5, 4, 4.1					
VMware ESXi server 3.5, 4, 4.1					
Microsoft Hyper-V Server 2008 R2					
Microsoft Windows Server 2008 R2					
Microsoft Windows Server 2003					

Storage

Software	Oracle VDI Hypervisor	VMware Infrastructure	Microsoft Hyper-V
Oracle Solaris 10 10/09 x86 (64-bit) or later		Qualified by VMware	
Sun Unified Storage 7000 Series 2010.Q3.x		Qualified by VMware	
Sun Unified Storage 7000 Series 2010.Q1.2.1		Qualified by VMware	
Sun Unified Storage 7000 Series 2010.Q1.2.0		Qualified by VMware	
Sun Unified Storage 7000 Series 2010.Q1.1.0		Qualified by VMware	
Sun Unified Storage 7000 Series 2010.Q1.0.2		Qualified by VMware	
Sun Unified Storage 7000 Series 2010.Q1.0.1		Qualified by VMware	
Sun Unified Storage 7000 Series 2010.Q1.0.0		Qualified by VMware	
Sun Unified Storage 7000 Series 2009.Q2.5.1		Qualified by VMware	
Solaris 10 10/09 with Sun Modular Storage (ST2530, ST2540, ST6140, ST6180, ST6540, ST6580, ST6780)		Qualified by VMware	



Tip

For more information about the Sun Unified Storage 7000 Series, see the [Fishworks Documentation](#).

User Directories

Versions of Active Directory	Supported	Not Supported
Windows Server 2003	✓	
Windows Server 2003 R2	✓	
Windows Server 2008	✓	
Windows Server 2008 R2	✓	
LDAP Directories	Supported	Not Supported
Oracle Directory Server Enterprise Edition 6.3.1	✓	
Oracle Directory Server Enterprise Edition 7.0	✓	
Microsoft Active Directory on Windows Server 2003, 2003 R2, 2008, and 2008 R2	✓	
Novell eDirectory 8.8	✓	
OpenLDAP 2.4.19	✓	

Desktop Guest Systems

Software	Oracle VDI Hypervisor	VMware Infrastructure	Microsoft Hyper-V	Not Supported
Windows XP SP2/3 (32bit and 64bit)	✓	✓	✓	
Windows Vista Enterprise	✓	✓	✓	
Windows 7 (32bit and 64bit)	✓	✓	✓	
Windows 2000 SP4	✓			
Oracle Solaris 10 (10/09) or later	✓			
Ubuntu 8.10 (Intrepid Ibex)	✓			
Ubuntu 9.04 (Jaunty Jackalope)	✓			
Ubuntu 9.10 (Karmic Koala)	✓			
Ubuntu 10.04 (Lucid Lynx)	✓			
SUSE Linux Enterprise 11	✓			
Oracle Enterprise Linux 5.5	✓			

Web Browser for Oracle VDI Manager

	Firefox 3.6	Internet Explorer 8
Windows	✓	✓
Solaris	✓	N/A
Linux	✓	N/A

Known Issues and Limitations

Configuration of Apache log file rotation is missing on Oracle VM VirtualBox hosts. (Bug ID 6992706)

If the filesystem is not large, it can be filled up in a short period of time. This can lead to OS failures on the Oracle VM VirtualBox host.

Workaround: Run the following.

```
# /usr/sbin/logadm -w /var/apache2/logs/access_log -s 100m -C 3 -c -z 0
# /usr/sbin/logadm -w /var/apache2/logs/error_log -s 100m -C 3 -c -z 0
# /usr/sbin/logadm -w /var/apache2/logs/ssl_request_log -s 100m -C 3 -c -z 0

# cat /dev/null > /var/apache2/logs/access_log
# cat /dev/null > /var/apache2/logs/error_log
# cat /dev/null > /var/apache2/logs/ssl_request_log
```

Cloning does not work for pools with names including parenthesis. (Bug ID 6969378)

Cloning does not work for pools with names like 'WindowsXP(VMware)'.

Oracle VDI Core configuration fails to create database tables with remote Windows databases that use utf8. (Bug ID 6966719)

MySQL on Windows limits key sizes to 767 bytes. Due to this limit, the Oracle VDI Core configuration process will fail when run with a remote MySQL database on Windows that has utf8 enabled. There are two possible workarounds for this issue.

1. Modify the file `/etc/opt/SUNWvda/vda-schema-create.sql` on your primary Oracle VDI Core host. Change the line:

```
UNIQUE INDEX distinguished_name (`distinguished_name` ASC, `ud_id` ASC) ,
```

to:

```
UNIQUE INDEX distinguished_name (`distinguished_name`(250) ASC, `ud_id` ASC) ,
```

The Oracle VDI Core configuration process should now complete successfully. Note, this workaround may cause problems assigning users to pools or desktops where the `distinguished_name` of the user exceeds 250 characters.

2. Change the character set of the MySQL database to latin1 and run the Oracle VDI Core configuration process again. Note, this workaround will cause problems logging in users who have utf8 characters in their username.

Cloning fails if the Sysprep timezone setting does not match the host timezone. (Bug ID 6965449)

This issue is caused by the fact that our default Sysprep information uses a different timezone (GMT) than the virtualization host. Because the timezone setting of the template will have been removed during the system preparation process, there could be a mismatch between the guest and the host. This issue has the following workaround.

1. Disable cloning in the pool's Cloning tab.
2. Click Edit in the System Preparation section of the Cloning tab.
3. In the Edit System Preparation window, change the TimeZone setting from 85 to the appropriate code for your timezone (for example, India Standard Time is 190). Click Save.
4. Enable cloning in the pool and check if the problem is still reproducible.

Suspended Microsoft Hyper-V desktops are not restored in previous state after host or storage maintenance. (Bug ID 6919755)

When a host or storage associated with a Microsoft Hyper-V desktop provider is put into maintenance mode, any running desktops associated with that host or storage are suspended. If the maintenance work on the host or storage causes the disk number associated with the desktops disk to change, the Oracle VDI Core will need to reassign the disk when it next starts the desktop. As Microsoft Hyper-V desktops are read-only when suspended, the Oracle VDI Core has to power off the desktop in order to reassign the disk. This causes the state associated with the desktop to be lost.

All desktops should be powered off when putting a Microsoft Hyper-V host or storage into maintenance mode.

Printers are not being redirected on Windows 7. (Bug ID 6911352)

Printers are not being redirected, even though they have been specified using the "`-r printer:<name>`" option.

Oracle VDI Guest Sessions cannot always connect to Windows Vista desktops. (Bug ID 6901532)

Windows setup on Vista does not always honour the `NetworkLocation` setting in the `unattend.xml` file. If this happens you may experience problems obtaining kiosk sessions for cloned Vista desktops. To work around this problem, connect to the cloned desktop and set the Network Location using Control Panel, Network and Sharing Center, Customize.

Cacao does not automatically start after installing the latest Oracle Solaris 10 Update 7 patch cluster. (Bug ID 6896674)

After installing the latest Oracle Solaris 10 Update 7 patch cluster on an Oracle VDI Core host and rebooting, cacao doesn't start automatically and, as a result, Oracle VDI Core services are not available. In this case, cacao can be started manually using the "`cacaoadm start`" command. The problem does not occur after second and subsequent reboots of the Oracle VDI Core host.

Suspend/Resume functionality requires all hosts to execute Oracle VM VirtualBox with the same UID (User ID). (Bug ID 6878370)

When installing each Oracle VM VirtualBox host, take care to ensure that each user executing the Oracle VM VirtualBox web service has the same UID. Installing Oracle VM VirtualBox to run as 'root' (UID=0) is the easiest way of ensuring this. This is required for suspend and resume functionality to work as expected.

Microsoft RDS hosts appear unresponsive in the Oracle VDI Manager. (Bug ID 6876911)

One or more RDS hosts might be reported as unresponsive by the Oracle VDI Manager even if the host can be reached and serve new RDS sessions. If some but not all hosts from the Microsoft Remote Desktop provider are unresponsive, the status of the desktop provider on the summary page will be reported as "Major Issues. Some hosts are unresponsive."

If all hosts from the Microsoft Remote Desktop provider are unresponsive, the status of the desktop provider on the summary page will be reported as "Critical. The desktop provider cannot serve any desktops. Check hosts." Reboot the RDS hosts reported as unresponsive.

Suspend/Resume Functionality Requires Identical CPU Make and Model. (Bug ID 6872361)

To avoid errors when using the suspend and resume functionality, ensure that all Oracle VM VirtualBox hosts have identical CPU manufacturers and identical (or very similar) CPU models. Attempting to resume a virtual machine on hardware that is different from the hardware it was suspended on will often result in failures. These errors occur because the virtual machine may attempt to use a CPU flag or instruction that is no longer available upon being resumed.

Memory for ARC cache should be restricted to a lower limit when using ZFS on S10u7. (Bug ID 6844780)

When all Oracle Virtual Desktop Infrastructure components (Oracle VDI Core host, Oracle VM VirtualBox host, and ZFS storage) are installed on a single box, Oracle VM VirtualBox will not be able to start any desktops. ZFS uses any memory available (up to the limit) for an ARC cache. If other programs try to access the memory, ZFS should release it. Unfortunately, the Oracle VDI Core evaluates the memory before trying to start a virtual machine and recognizes that not enough memory is available to start the virtual machine. Full details are available here http://www.solarisinternals.com/wiki/index.php/ZFS_Evil_Tuning_Guide#ARCSIZE.

The memory for the ARC cache can be limited to a max value by adding an entry in `/etc/systems` file.

For example, to restrict the memory to 2GB, in `/etc/system` add:

```
set zfs:zfs_arc_max = 2147483648
```

It has been verified that keeping this value to as low as 512MB and importing a file of 2.7G will work as desired.

Adding a VMware vCenter desktop provider may fail on the first attempt. (Bug ID 6842069)

Sometimes, an initial attempt to add a VMware vCenter desktop provider may fail with the error "Unable to Contact VMware VirtualCenter" and the reason "The host is not reachable at port 443". To work around this issue, simply provide the relevant information again and add the desktop provider a second time.

When a desktop powers off, uttsc freezes for a long time. (Bug ID 6817710)

If a desktop is powered down while a user session is connected using `uttsc`, `uttsc` may fail to recognize that the desktop is no longer available and may freeze for a long period of time.

Users with "@" characters in their passwords cannot authenticate. (Bug ID 6801620)

Due to a Java SE 6 bug, users whose passwords contain the "@" character are unable to authenticate using the Oracle VDI Desktop Selector. To work around this problem, you can configure the Desktop Selector to use an alternative Java SE installation. You should choose either Java SE 5 or Java SE 6u14 or later.

The Java SE installation used by the Desktop Selector can be configured using the "-j" option of the Oracle VDI Sun Ray Kiosk Session. For more information on setting Oracle VDI Sun Ray Kiosk Session options, please see the [How to Adapt the Bundled Sun Ray Kiosk Session](#) page.

Using the Oracle VDI CLI in parallel with the Oracle VDI Manager. (Bug ID 6770476)

Using the [CLI](#) to modify some data, while having an Oracle VDI Manager session running, might generate errors in the Oracle VDI Manager and log you out. At the following login, the Oracle VDI Manager will work fine again.

Fixed Bugs

6967329 - RFE: Include Black/white list feature from Secure Global Desktop for Kerberos Authentication
 6971269 - VDI/VBox should use 'null' as the host audio adapter to improve start times
 6974815 - VDI servers not properly closing ssh session to storage
 6976572 - Multi tree forest users cannot be assigned to pools/desktops in VDI 3.2
 6977394 - ESC: Generic Desktops do not update their state from assigned_preparation after first connection
 6978084 - VDI vda-config wipes ntp.conf file even after saying it won't
 6978402 - Adding additional VDI server wipes changes to utpolicy
 6979758 - Solaris VM does not boot with SATA
 6979762 - Include Windows components v1.1 into 3.2.1
 6979770 - NPE in SshServer.openChannel
 6980506 - If personal Harddrive is enabled, Storage is not entering into maintenance mode
 6980555 - Unable to do migration from Giacomo(3.2) to Giacomo_Patch(3.2.1)
 6981164 - Cannot delete unresponsive desktop
 6981503 - Users cannot access sessions when VBox hosts become unresponsive
 6982506 - ESC - VDI 3.2 is throwing java.lang.NullPointerException: null when deleting desktop
 6982655 - Backup-Restore is not working in Giacomo_patch build 02
 6982735 - vCenter 4.1: UI does not show template list and logs out
 6982846 - vCenter 4.1: Storages not listed/available
 6984530 - VMWare: VC desktops gets recycled even if the user is working on it(Vsphere 4.1)
 6984840 - Slow CPU data collection from WTS hosts causes internal errors with VDI GUI and command line
 6986472 - ESC - vdi client intermittently returned VRPD port 0.
 6986642 - 20,000+ entries created in t_storage_dataset table when creation of initiator fails
 6986720 - VDI should honour templates keyboard attachment
 6986940 - VDI should increase the VRDP port range to reduce the chance of collisions in DB
 6987547 - Error preparing desktop 'WindowsXP-005' for use: Could not set new state for desktop ...
 6987584 - VERR_TIMEOUT opening image file 'iscsi:null/storage1/iqn.19....
 6987628 - ESC - 'No desktop found for' error after restart of services.
 6987825 - ESC - desk top duplication error "Copying of volume...failed on storage server"
 6988301 - Storage Maintenance Mode doesn't work if any desktop is running with personal hard drive enabled
 6988595 - Stale VBox connection is being used by thread during disconnect
 6988980 - Flash console does not start
 6989853 - VM restore doesn't detect iSCSI timeouts and retry
 6989854 - The timeout VDI waits for a VM to stop is too long
 6989864 - Password auth. can be bypassed by changing resolution when desktop locking enabled
 6990557 - ESC - Storage became unaccessible after changing it's Admin password
 6990929 - UI logs out after "Edit Storage"
 6993079 - Desktops cannot be cloned after replacing AmberRoad storage

Reporting Problems and Providing Feedback

To report a bug in the software or to ask a question, please contact the Oracle VDI Team and Community at the [Oracle VDI](#)

[Software Forum](#). If you need a fix for a bug, and have a Standard or Premium Support Agreement, you should open a case with Support.

If you are reporting a bug, please provide the following information where applicable:

- Description of the problem, including the situation, where the problem occurs, and its impact on your operation.
- Machine type, operating system version, browser type and version, locale and product version, including any patches you have applied, and other software that might be affecting the problem.
- Detailed steps on the method you have used, to reproduce the problem.
- Any error logs or core dumps.

Contacting Oracle Specialist Support

If you have a Sun Standard or Premium Support Agreement or Oracle Customer Support Identifier, we would like to encourage you to contact the Oracle Virtual Desktop Infrastructure Support team directly for immediate technical assistance. If unknown, you may first want to find the correct [Service Center](#) for your country, then contact Sun/Oracle Services to open a ticket directly.

The responding attendant will need the following information to get started:

- Your Sun Service Contract number. (ex: "NK11111111") or Oracle Customer Support Identifier
- The product you are calling about. ("Oracle Virtual Desktop Infrastructure")
- A brief description of the problem you would like assistance with. (ex: "I am having problems updating to an Oracle Virtual Desktop Infrastructure 3.2.1 installation")

Further Information

You may also be interested in these related Release Notes:


- [Sun Ray Server Software 4.2 Release Notes](#)
- [Oracle Virtual Desktop Client 2.0 Release Notes](#)
- [Sun Ray Windows Connector 2.2 Release Notes](#)
- [Oracle Secure Global Desktop 4.6 Release Notes](#)

Oracle Virtual Desktop Infrastructure 3.2.1 Software Requirements




Oracle Virtual Desktop Infrastructure 3.2.1 Software Requirements

This section includes support tables for Oracle VDI Core host operating systems, virtualization platforms, storage servers, desktop guest systems. For more information about how to configure the Oracle Virtual Desktop Infrastructure components, refer to the [Configurations](#) page.

Oracle VDI Core Host and Oracle VM VirtualBox Virtualization Host Operating Systems

Software	Supported in Oracle Virtual Desktop Infrastructure 3.2.1
Oracle Solaris 10 5/09 x86 (64-bit) or later	

Virtualization Platforms and Desktop Providers

Software	Oracle VDI Hypervisor	VMware Infrastructure	Microsoft Hyper-V	Microsoft Remote Desktop	Not Supported
Oracle VM VirtualBox 3.0.12, 3.0.14, 3.2.8, 3.2.10					
All other Oracle VM VirtualBox versions					
VMware VirtualCenter server 2.5 (Including Updates 1,2,3,4)					

VMware vCenter server 4.0 (Including Updates 1,2), 4.1		✓			
VMware ESX server 3.5, 4, 4.1		✓			
VMware ESXi server 3.5, 4, 4.1		✓			
Microsoft Hyper-V Server 2008 R2			✓		
Microsoft Windows Server 2008 R2			✓	✓	
Microsoft Windows Server 2003				✓	

Storage

Software	Oracle VDI Hypervisor	VMware Infrastructure	Microsoft Hyper-V
Oracle Solaris 10 10/09 x86 (64-bit) or later	✓	Qualified by VMware	✓
Sun Unified Storage 7000 Series 2010.Q3.x	✓	Qualified by VMware	✓
Sun Unified Storage 7000 Series 2010.Q1.2.1	✓	Qualified by VMware	✓
Sun Unified Storage 7000 Series 2010.Q1.2.0	✓	Qualified by VMware	✓
Sun Unified Storage 7000 Series 2010.Q1.1.0	✓	Qualified by VMware	✓
Sun Unified Storage 7000 Series 2010.Q1.0.2	✓	Qualified by VMware	✓
Sun Unified Storage 7000 Series 2010.Q1.0.1	✓	Qualified by VMware	✓
Sun Unified Storage 7000 Series 2010.Q1.0.0	✓	Qualified by VMware	✓
Sun Unified Storage 7000 Series 2009.Q2.5.1	✓	Qualified by VMware	✓
Solaris 10 10/09 with Sun Modular Storage (ST2530, ST2540, ST6140, ST6180, ST6540, ST6580, ST6780)	✓	Qualified by VMware	✓



Tip

For more information about the Sun Unified Storage 7000 Series, see the [Fishworks Documentation](#).

User Directories

Versions of Active Directory	Supported	Not Supported
Windows Server 2003	✓	
Windows Server 2003 R2	✓	
Windows Server 2008	✓	
Windows Server 2008 R2	✓	
LDAP Directories	Supported	Not Supported
Oracle Directory Server Enterprise Edition 6.3.1	✓	
Oracle Directory Server Enterprise Edition 7.0	✓	

Microsoft Active Directory on Windows Server 2003, 2003 R2, 2008, and 2008 R2	✓	
Novell eDirectory 8.8	✓	
OpenLDAP 2.4.19	✓	

Desktop Guest Systems

Software	Oracle VDI Hypervisor	VMware Infrastructure	Microsoft Hyper-V	Not Supported
Windows XP SP2/3 (32bit and 64bit)	✓	✓	✓	
Windows Vista Enterprise	✓	✓	✓	
Windows 7 (32bit and 64bit)	✓	✓	✓	
Windows 2000 SP4	✓			
Oracle Solaris 10 (10/09) or later	✓			
Ubuntu 8.10 (Intrepid Ibex)	✓			
Ubuntu 9.04 (Jaunty Jackalope)	✓			
Ubuntu 9.10 (Karmic Koala)	✓			
Ubuntu 10.04 (Lucid Lynx)	✓			
SUSE Linux Enterprise 11	✓			
Oracle Enterprise Linux 5.5	✓			

Web Browser for Oracle VDI Manager

	Firefox 3.6	Internet Explorer 8
Windows	✓	✓
Solaris	✓	N/A
Linux	✓	N/A