ORACLE®

JD EDWARDS WORLD

JD Edwards World

Quick Installation Guide

Version A9.2 Update 1

Revised – August 11, 2010

Copyright Notice
Copyright © 2009, Oracle. All rights reserved.
Trademark Notice
Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.
License Restrictions Warranty/Consequential Damages Disclaimer
This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.
Subject to patent protection under one or more of the following U.S. patents: 5,781,908; 5,828,376; 5,950,010; 5,960,204; 5,987,497; 5,995,972; 5,987,497; and 6,223,345. Other patents pending.
Warranty Disclaimer
The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.
Restricted Rights Notice
If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:
U.S. GOVERNMENT RIGHTS
Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal
Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.
Hazardous Applications Notice
This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.
Third Party Content, Products, and Services Disclaimer
This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third party content, products and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third party content, products or services.
Contains GNU libgmp library; Copyright 1991 Free Software Foundation, Inc. This library is free software which can be modified and redistributed under the terms of the GNU Library General Public License.
Includes Adobe PDF Library, Copyright 1993-2001 Adobe Systems, Inc. and DL Interface, Copyright 1999-2008 Datalogics Inc. All rights reserved. Adobe is a trademark of Adobe Systems Incorporated.
Portions of this program contain information proprietary to Microsoft Corporation. Copyright 1985-1999 Microsoft Corporation.
Portions of this program contain information proprietary to Tenberry Software, Inc. Copyright 1992-1995 Tenberry Software, Inc.
Portions of this program contain information proprietary to Premia Corporation. Copyright 1993 Premia Corporation.
This product includes code licensed from RSA Data Security. All rights reserved.
This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (http://www.openssl.org/).
This product includes cryptographic software written by Eric Young (eay@cryptsoft.com).
This product includes software written by Tim Hudson (tjh@cryptsoft.com). All rights reserved.
This product includes the Sentry Spelling-Checker Engine, Copyright 1993 Wintertree Software Inc. All rights reserved.
Open Source Disclosure
Oracle takes no responsibility for its use or distribution of any open source or shareware software or documentation and disclaims any and all liability or damages resulting from use of said software or documentation. The following open source software may be used in Oracle's JD Edwards World products and the following disclaimers are provided.
This product includes software developed by the Apache Software Foundation (http://www.apache.org/). Copyright (c) 1999-2000 The Apache Software Foundation. All rights reserved. THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Table of Contents

Overview 2

Step 1 – Review Your Order (DVD+RW Shipments Only) 3

Review your Packing Slip 3
Review the Contents of Each Media Pack 3

Step 2 – Prepare For Your Installation 4

Review the Minimum Technical Requirements 4
Review the Installation Steps 4
Review the World Upgrade Resources Web Site 4
Contact Global Customer Support 4

Step 3 – Install Your Software 5

Scenario One – Upgrade Using the Update Center 5
Scenario Two – Upgrade Using DVD+RW for PC 9

Appendix A – Create an IFS Directory 13

Overview

Thank you for using JD Edwards World for your business needs. This guide facilitates the following tasks:

- Identify the contents of your Media Pack(s)
- Install the software for JD Edwards World release A9.2 Update 1
- Find the additional software and installation documentation available to download

To install your JD Edwards World software, complete the following steps:

1. Review Your Order (DVD Shipments Only)
2. Prepare for Your Installation
3. Install Your Software

Review the *Appendix A* at the end of this guide for information to *Create an IFS Directory*.

Note: The name System i, as used in this guide, also includes computers from IBM sold under the names iSeries or AS/400.

Step 1 – Review Your Order (DVD+RW Shipments Only)

Review your Packing Slip

Your shipment might contain more than one Media pack. Inspect the contents of your shipment to make sure you have everything you need. Contact your local Global Customer Support Center if you have any questions about your shipment. To locate a Global Customer Support Center, access My Oracle Support (login required, http://www.oracle.com/support/contact.html).

Review the Contents of Each Media Pack

Based on your order, your Media Pack contains the following items:

JD Edwards World A9.2 Update 1 Upgrade Orders:

- JD Edwards World Quick Installation Guide, Version A9.2 Update 1 CD
- JD Edwards World A9.2 Update 1 (A92PC00001) Single Byte DVD

  Or

  JD Edwards World A9.2 Update 1 (A92PC000X1) Double Byte DVD

Step 2 – Prepare For Your Installation

Review the Minimum Technical Requirements

Review the current JD Edwards World A9.2 Minimum Technical Requirements document (https://support.us.oracle.com/oip/faces/secure/km/DocumentDisplay.jspx?id=745438.1) on My Oracle Support (login required) for information on both hardware and software requirements.

Review the Installation Steps

Read the installation instructions *Step 3 – Install Your Software* in this guide before you install JD Edwards World.

Review the World Upgrade Resources Web Site

Although it is not required to install the software, you can find helpful information for planning your upgrade on the World Upgrade Resources page (https://support.us.oracle.com/oip/faces/secure/km/DocumentDisplay.jspx?id=745436.1) on My Oracle Support (login required).

Contact Global Customer Support

JD Edwards World recommends that you to contact Global Customer Support to check for late-breaking news, which might affect your installation.

Step 3 – Install Your Software

This section contains step-by-step installation instructions for two scenarios:

- Scenario One – Upgrade Using the Update Center
- Scenario Two – Upgrade Using DVD+RW for PC

After you review the two scenarios, choose the appropriate scenario for your situation and follow the detailed instructions.

Scenario One – Upgrade Using the Update Center

When to Use this Scenario

Use this scenario if you have one or more existing JD Edwards World A9.2 environments, which you want to upgrade to release A9.2 Update 1 and you use the Update Center to obtain the software.

What to Expect When the Upgrade Installation is Complete

The JD Edwards World software libraries are saved to your System i in a temporary library named JDEA9201 for Single Byte or JDXA9201 for Double Byte and the Planner environment is installed at this time. This is the foundation to upgrade existing JD Edwards World databases.

You are able to log in to the A9.2 Update 1 Planner Environment to plan and prepare the upgrade.

Your existing World environments are not revised at this time. Existing environments are revised to A9.2 Update 1 only after an upgrade plan is created and executed for each environment. The A9.2 Update 1 upgrade process is explained in detail in the *JD Edwards World A9.2 Update 1 Upgrade Guide* (https://support.us.oracle.com/oip/faces/secure/km/DocumentDisplay.jspx?id=745439.1) on My Oracle Support (login required).

Before You Begin

Review the following items before you start the installation:

- The estimated time for downloading A9.2 Update 1 from the MyOracle Support Update Center is five hours if your download speed is between 40 and 70 kb/second
- Most browsers write download files to a temporary version in your Temporary Internet Files folder and then copy the temporary version to the folder you specify in the download. In addition, once the download files are unzipped, they take additional disk space. For these reasons, before you download and

unzip, verify that you have 3 GB of hard disk space open on the drive where you specify the download folder, assuming your Temporary Internet Files folder is on the same drive as the download folder you specify

- Be sure you have a login with QSECOFR level authority on the System i.
- On the System i, create the JDE user profile, if it does not already exist, using the following command:

  CRTUSRPRF USRPRF(JDE) PASSWORD(*mypassword*)

  Where *mypassword* is a valid password for your System i.

Process Overview

The following graphic displays the Scenario One – Upgrade Using the Update Center:



Installation Steps

Step 1

Create an IFS directory on your System i. Map your PC drive letter to this newly created IFS directory on the System i.

Refer to *Appendix A – Create an IFS Directory* for information on how to create an IFS directory on your System i if you are not familiar with this process.

Any drive letter can be used, however, the IFS folder name must be JDEWorldA921, or the install fails.

Step 2

Sign on to the Update Center and download A92PC00001 for Single Byte or A92PC000X1 for Double Byte. The File Download – Security Warning screen displays.

Step 3

For the A92PC00001 or A92PC000X1 file, click Save and then specify the mapped network drive you created.

Caution: Do not click Run.

Step 4

Use a zip utility to extract A92PC00001 or A92PC000X1 on the mapped network drive you created.

Note: To unzip, JD Edwards World strongly recommends using 7-Zip 4.65 or WinZip 11.2 SR1 or above. 7-Zip is available from www.7-zip.org. WinZip is available from www.winzip.com

Step 5

Close your zip application.

Step 6

Use Windows Explorer to review the files on your mapped network drive. You see the following files:

Single Byte

- #JDFD_9201
- #JDFO_9201
- #JDFS_9201
- instftp.txt
- JDEINSTAL
- JDEPKGLST
- JDFINS
- QTEMP
- SETUP.EXE

Double Byte

- #JDFD_92X1
- #JDFO_92X1
- #JDFS_92X1
- instftp.txt
- JDEINSTAL
- JDEPKGLST
- JDFINS
- QTEMP
- SETUP.EXE

Step 7

From your mapped network drive, double-click the file Setup.exe to run the file.

> **Caution:** Do not execute this program from within the zip utility preview window.

The system displays the FTP Connections setting screen.

Step 8

Enter your System i network name or IP Address, User Name for a QSECOFR level user, and Password. This is required to run the FTP program and initiate the System i portion of the installation.

Step 9

The System i portion of the JD Edwards World Upgrade Planner installation is submitted to your System i for processing. This job installs the A9.2 Update 1 Upgrade Planner environment.

Step 10

When this job completes, log into the JD Edwards World Planner Environment as user JDEINSTAL and proceed to create an upgrade plan. If the job creates the JDEINSTAL user profile, the password is JDEINSTAL. Otherwise, it is not changed. Complete the instructions in the J D Edwards World A9.2 Update 1 Upgrade Guide (https://support.us.oracle.com/oip/faces/secure/km/DocumentDisplay.jspx?id=745439.1) on My Oracle Support (login required).

Scenario Two – Upgrade Using DVD+RW for PC

When to Use this Scenario

Use this scenario if you have one or more existing JD Edwards World A9.2 environments, which you want to upgrade to release A9.2 Update 1, and use a DVD+RW for PC delivered from Oracle to obtain the software.

What to Expect When the Upgrade Installation is Complete

The JD Edwards World software libraries are saved to your System i in a temporary library named JDEA9201 for Single Byte or JDXA9201 for Double Byte and the Planner environment is installed at this time. This is the foundation to upgrade existing JD Edwards World databases.

You are able to log in to the A9.2 Update 1 Planner Environment to plan and prepare the upgrade.

> **Note:** Your existing World environments are not revised at this time.

Your existing World environments are revised to A9.2 Update 1 only after an upgrade plan is created and executed for each environment. The A9.2.1 upgrade process is explained in detail in the *J D Edwards World A9.2 Update 1 Upgrade Guide* (https://support.us.oracle.com/oip/faces/secure/km/DocumentDisplay.jspx?id=745439.1) on My Oracle Support (login required).

Before You Begin

Review the following items before you start the installation:

- Be sure you have a login with QSECOFR level authority on the System i
- On the System i, create the JDE user profile, if it does not already exist, use the following command:

  CRTUSRPRF USRPRF(JDE) PASSWORD(*mypassword*)

  Where *mypassword* is a valid password for your System i.

Process Overview

The following graphic displays the Scenario Two – Upgrade Using DVD+RW for PC:



Installation Steps

Step 1

Create an IFS directory on your System i. Map your PC drive letter to this newly created IFS directory on the System i.

Refer to *Appendix A – Create an IFS Directory* for information on how to create an IFS directory on your System i if you are not familiar with this process.

Any drive letter can be used, however, the IFS folder must be named JDEWorldA921, or the install fails.

Step 2

Load the install DVD+RW into your the DVD drive on your PC.

Step 3

Copy all objects from the DVD+RW to the JDEWorldA921 IFS directory.

Step 4

Use Windows Explorer to review the files on your mapped network drive. You see the following files:

Single Byte

- #JDFD_9201
- #JDFO_9201
- #JDFS_9201
- instftp.txt
- JDEINSTAL
- JDEPKGLST
- JDFINS
- QTEMP
- SETUP.EXE

Double Byte

- #JDFD_92X1
- #JDFO_92X1
- #JDFS_92X1
- instftp.txt
- JDEINSTAL
- JDEPKGLST
- JDFINS
- QTEMP
- SETUP.EXE

Step 5

From your mapped network drive, double-click the file Setup.exe to run the file.

The system displays the FTP Connections setting screen.



Step 6

Enter your System i network name or IP Address, User Name for a QSECOFR level user, and Password. This is required to run the FTP program and initiate the System i portion of the installation.

Step 7

The System i portion of the JD Edwards World Upgrade Planner installation is submitted to your System i for processing. This job installs the A9.2 Update 1 Upgrade Planner environment.

Step 8

When this job completes, log into the JD Edwards World Planner Environment as user JDEINSTAL and proceed to create an upgrade plan. If the job creates the JDEINSTAL user profile, the password is JDEINSTAL. Otherwise, it is not changed. Complete the instructions in the *J D Edwards World A9.2 Update 1 Upgrade Guide* (https://support.us.oracle.com/oip/faces/secure/km/DocumentDisplay.jspx?id=745439.1) on My Oracle Support (login required).

Appendix A – Create an IFS Directory

On the System i command line, enter:

CRTDIR DIR('/JDEWorldA921') DTAAUT(*RWX) OBJAUT(*ALL)

Choose either A or B below and then proceed to Map Network Drive.

A. To share an IFS directory using IBM iSeries Access for Windows

1. Use iSeries Navigator to allow sharing for the new directory.

   <System i> | File Systems | Integrated File System | Root | JDEWorldA921

   Replace <System i> with the name or IP address of your System i.

   Note: The system requires you to sign on to the System i.

2. Right-click the JDEWorldA921 directory.

3. Choose New Share from the Sharing menu, change the Access to Read/Write, and then click OK.

B. To share an IFS directory using an IBM System i API

If you do not have IBM iSeries Access for Windows installed on your system, you can share an IFS directory using a call to the Add File Server Share (QZLSADFS) API. See the following IBM V5R4 i5/OS NetServer API Reference for more details:

http://publib.boulder.ibm.com/infocenter/iseries/v5r4/index.jsp?topic=/rzahl/rzahlapiguide.htm

1. On the System i command line, enter CALL QZLSADFS and choose Command Entry Prompt (F4).

2. Enter the following parameters:

Parameter	Explanation
<UserID>	Share name. Use the name of the directory.
<Directory Path>	Path name. Specify the directory path in single quotes, such as '/JDE World A921'
<Length>	Length of path name. Enter as X'99999999' replacing the number nine with the actual length of the path name in hexadecimal.

Parameter	Explanation
<CCSID>	CCSID Encoding of path name. Enter X'00000000' to use the job default.
<Text Description>	Text description. Enter the directory name.
<Permissions>	Permissions. Enter X'00000002' to allow read / write access.
<Maximum Users>	Maximum users. Enter X'FFFFFFFF' to specify no maximum.
<Error Code>	Error Code. Enter X'00000000'

Using the UserIDTest sample directory, the format for the call with parameters is as follows:

CALL PGM(QZLSADFS) PARM(USERIDTEST /JDE World A91/USERIDTEST' X'00000010' X'00000000' USERIDTEST X'00000002' X'FFFFFFFF' X'00000000')

You must have the IOSYSCFG special authority to perform this command.

All customers: Map a network drive on your Windows PC

1. In Windows Explorer, choose Map Network Drive from the Tools menu.
2. Enter or choose a letter in Drive field.

   In the following example, the letter Q is the Drive letter.
3. Enter the directory path for the IFS directory in the Folder field and press Finish.

   Note: Use back slashes in Windows. In the following example, you can replace <System i> with the network machine name or IP Address of your System i or System i server.

   \\<System i>\JDEWORLDA921

   You might need to share any directory that you specify in the directory path. You typically do not need to specify the Root directory in the directory path when mapping to a shared folder.
4. The system might prompt you to enter your System i User ID and password. When doing so, you might need to enter the network Domain or IP address where the System i resides to qualify the User ID. Enter the password in lowercase.