

Oracle® Bill Presentment Architecture

User's Guide

Release 12.2

Part No. E48784-01

September 2013

Oracle Bill Presentment Architecture User's Guide, Release 12.2

Part No. E48784-01

Copyright © 2001, 2013, Oracle and/or its affiliates. All rights reserved.

Primary Author: Sudha Seshadri, Melanie Heisler, Shivranjini Krishnamurthy, Vijay Tiwary

Contributing Author: Amy Yang, Nami Hosomatsu, Libing Shao

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

Send Us Your Comments

Preface

1 Overview of Bill Presentment Architecture

Working with Bill Presentment Architecture.....	1-1
Bill Presentment Architecture Process Flow.....	1-2
Implementing Bill Presentment Architecture.....	1-4
Registering Attachment Categories.....	1-7
Configuring Profile Options.....	1-7
Setting Grouping Attributes.....	1-8
Generating Stylesheets.....	1-8
Registering Data Sources	1-9
Creating Database Views.....	1-12
Registering Data Source Views.....	1-16
Viewing Data Source Views.....	1-18
Configuring Hyperlinks.....	1-19

2 Template Management

Template Management.....	2-1
Balance Forward Billing Templates.....	2-2
Creating a New Template.....	2-2
Modifying Templates.....	2-11
Uploading External Templates.....	2-12

3 Assigning Templates

Assigning Templates.....	3-1
Default Rule.....	3-2
Creating a New Assignment Rule.....	3-3
Assigning a Template to a Rule.....	3-5
Reordering Rules.....	3-7
Viewing Online Bills.....	3-8
Viewing Attachments.....	3-8

4 Print Management

Print Management.....	4-1
Submitting Print Requests.....	4-2
Creating and Updating Page Setups	4-3

5 Page References

Bill Presentment Architecture Page References	5-1
Template Management Page Reference.....	5-3
Template Assignment Page Reference.....	5-4
Print Management Page Reference.....	5-5
Configuration Page Reference.....	5-5

A Bill Presentment Architecture Reference

Seeded Content Items in Bill Presentment Architecture.....	A-1
Oracle Receivables Content Items.....	A-1
Oracle Order Management Content Items.....	A-2
Oracle Service Contracts Content Items.....	A-2
Template Assignment Attributes.....	A-2
Debug Support.....	A-3

B Oracle Bill Presentment Architecture Profile Options

Profile Options Overview.....	B-1
Profile Options Description.....	B-1

Index

Send Us Your Comments

Oracle Bill Presentment Architecture User's Guide, Release 12.2

Part No. E48784-01

Oracle welcomes customers' comments and suggestions on the quality and usefulness of this document. Your feedback is important, and helps us to best meet your needs as a user of our products. For example:

- Are the implementation steps correct and complete?
- Did you understand the context of the procedures?
- Did you find any errors in the information?
- Does the structure of the information help you with your tasks?
- Do you need different information or graphics? If so, where, and in what format?
- Are the examples correct? Do you need more examples?

If you find any errors or have any other suggestions for improvement, then please tell us your name, the name of the company who has licensed our products, the title and part number of the documentation and the chapter, section, and page number (if available).

Note: Before sending us your comments, you might like to check that you have the latest version of the document and if any concerns are already addressed. To do this, access the new Oracle E-Business Suite Release Online Documentation CD available on My Oracle Support and www.oracle.com. It contains the most current Documentation Library plus all documents revised or released recently.

Send your comments to us using the electronic mail address: appsdoc_us@oracle.com

Please give your name, address, electronic mail address, and telephone number (optional).

If you need assistance with Oracle software, then please contact your support representative or Oracle Support Services.

If you require training or instruction in using Oracle software, then please contact your Oracle local office and inquire about our Oracle University offerings. A list of Oracle offices is available on our Web site at www.oracle.com.

Preface

Intended Audience

Welcome to Release 12.2 of the *Oracle Bill Presentment Architecture User's Guide*.

This guide assumes you have a working knowledge of the following:

- The principles and customary practices of your business area.
- Computer desktop application usage and terminology.

If you have never used Oracle E-Business Suite, we suggest you attend one or more of the Oracle E-Business Suite training classes available through Oracle University.

See Related Information Sources on page viii for more Oracle E-Business Suite product information.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Structure

- 1 Overview of Bill Presentment Architecture
- 2 Template Management
- 3 Assigning Templates

- 4 Print Management**
- 5 Page References**
- A Bill Presentment Architecture Reference**
- B Oracle Bill Presentment Architecture Profile Options**

Related Information Sources

This book is included in the Oracle E-Business Suite Documentation Library, which is supplied in the Release 12.2 Media Pack. If this guide refers you to other Oracle E-Business Suite documentation, use only the latest Release 12.2 versions of those guides.

Online Documentation

All Oracle E-Business Suite documentation is available online (HTML or PDF).

- **Online Help** - Online help patches (HTML) are available on My Oracle Support.
- **PDF Documentation** - See the Oracle E-Business Suite Documentation Library for current PDF documentation for your product with each release.
- **Release Notes** - For information about changes in this release, including new features, known issues, and other details, see the release notes for the relevant product, available on My Oracle Support.
- **Oracle Electronic Technical Reference Manual** - The Oracle Electronic Technical Reference Manual (eTRM) contains database diagrams and a detailed description of database tables, forms, reports, and programs for each Oracle E-Business Suite product. This information helps you convert data from your existing applications and integrate Oracle E-Business Suite data with non-Oracle applications, and write custom reports for Oracle E-Business Suite products. The Oracle eTRM is available on My Oracle Support.

Related Guides

You should have the following related books on hand. Depending on the requirements of your particular installation, you may also need additional manuals or guides.

Oracle Alert User's Guide

This guide explains how to define periodic and event alerts to monitor the status of your Oracle E-Business Suite data.

Oracle Application Framework Developer's Guide

This guide contains the coding standards followed by the Oracle E-Business Suite development staff to produce applications built with Oracle Application Framework. This guide is available in PDF format on My Oracle Support and as online documentation in JDeveloper 10g with Oracle Application Extension.

Oracle Application Framework Personalization Guide

This guide covers the design-time and run-time aspects of personalizing applications built with Oracle Application Framework.

Oracle Fusion Middleware Adapter for Oracle Applications User's Guide (Oracle Application Server Adapter for Oracle Applications User's Guide)

This guide covers the use of Adapter for Oracle Applications in developing integrations between Oracle E-Business Suite and trading partners.

Please note that the user's guide can be found in the following documentation libraries:

- As part of the Oracle Fusion Middleware and SOA Suite in 11g, *Oracle Fusion Middleware Adapter for Oracle Applications User's Guide* is available in the Oracle Fusion Middleware 11g Documentation Library.
- As part of the Oracle Application Server in 10g, *Oracle Application Server Adapter for Oracle Applications User's Guide* is available in the Oracle Application Server 10g Documentation Library.

Oracle Diagnostics Framework User's Guide

This manual contains information on implementing and administering diagnostics tests for Oracle E-Business Suite using the Oracle Diagnostics Framework.

Oracle E-Business Suite Concepts

This book is intended for all those planning to deploy Oracle E-Business Suite Release 12.2, or contemplating significant changes to a configuration. After describing the Oracle E-Business Suite architecture and technology stack, it focuses on strategic topics, giving a broad outline of the actions needed to achieve a particular goal, plus the installation and configuration choices that may be available.

Oracle E-Business Suite CRM System Administrator's Guide

This manual describes how to implement the CRM Technology Foundation (JTT) and use its System Administrator Console.

Oracle E-Business Suite Desktop Integration Framework Developer's Guide

Oracle E-Business Suite Desktop Integration Framework is a development tool that lets you define custom integrators for use with Oracle Web Applications Desktop Integrator. This guide describes how to define and manage integrators and all associated supporting objects, as well as how to download and upload integrator definitions.

Oracle E-Business Suite Developer's Guide

This guide contains the coding standards followed by the Oracle E-Business Suite development staff. It describes the Oracle Application Object Library components needed to implement the Oracle E-Business Suite user interface described in the *Oracle E-Business Suite User Interface Standards for Forms-Based Products*. It provides information to help you build your custom Oracle Forms Developer forms so that they integrate with Oracle E-Business Suite. In addition, this guide has information for customizations in features such as concurrent programs, flexfields, messages, and logging.

Oracle E-Business Suite Flexfields Guide

This guide provides flexfields planning, setup, and reference information for the Oracle E-Business Suite implementation team, as well as for users responsible for the ongoing maintenance of Oracle E-Business Suite product data. This guide also provides information on creating custom reports on flexfields data.

Oracle E-Business Suite Installation Guide: Using Rapid Install

This book is intended for use by anyone who is responsible for installing or upgrading Oracle E-Business Suite. It provides instructions for running Rapid Install either to carry out a fresh installation of Oracle E-Business Suite Release 12.2, or as part of an upgrade to Release 12.2.

Oracle E-Business Suite Maintenance Guide

This guide contains information about the strategies, tasks, and troubleshooting activities that can be used to help ensure an Oracle E-Business Suite system keeps running smoothly, together with a comprehensive description of the relevant tools and utilities. It also describes how to patch a system, with recommendations for optimizing typical patching operations and reducing downtime.

Oracle E-Business Suite Security Guide

This guide contains information on a comprehensive range of security-related topics, including access control, user management, function security, data security, and auditing. It also describes how Oracle E-Business Suite can be integrated into a single sign-on environment.

Oracle E-Business Suite Setup Guide

This guide contains information on system configuration tasks that are carried out either after installation or whenever there is a significant change to the system. The activities described include defining concurrent programs and managers, enabling Oracle Applications Manager features, and setting up printers and online help.

Oracle E-Business Suite User's Guide

This guide explains how to navigate, enter data, query, and run reports using the user interface (UI) of Oracle E-Business Suite. This guide also includes information on setting user profiles, as well as running and reviewing concurrent requests.

Oracle E-Business Suite User Interface Standards for Forms-Based Products

This guide contains the user interface (UI) standards followed by the Oracle E-Business Suite development staff. It describes the UI for the Oracle E-Business Suite products and how to apply this UI to the design of an application built by using Oracle Forms.

Oracle E-Business Suite Integrated SOA Gateway User's Guide

This guide describes the high level service enablement process, explaining how users can browse and view the integration interface definitions and services residing in Oracle Integration Repository.

Oracle E-Business Suite Integrated SOA Gateway Implementation Guide

This guide explains how integration repository administrators can manage and administer the Web service activities for integration interfaces including native packaged integration interfaces, composite services (BPEL type), and custom integration interfaces. It also describes how to invoke Web services from Oracle E-Business Suite by employing the Oracle Workflow Business Event System, and how to manage Web service security, configure logs, and monitor SOAP messages.

Oracle E-Business Suite Integrated SOA Gateway Developer's Guide

This guide describes how system integration developers can perform end-to-end service integration activities. These include orchestrating discrete Web services into meaningful end-to-end business processes using business process execution language (BPEL), and deploying BPEL processes at run time.

This guide also explains how to invoke Web services using the Service Invocation Framework. This includes defining Web service invocation metadata, invoking Web services, and testing the Web service invocation.

Oracle e-Commerce Gateway User's Guide

This guide describes the functionality of Oracle e-Commerce Gateway and the necessary setup steps in order for Oracle E-Business Suite to conduct business with trading partners through Electronic Data Interchange (EDI). It also describes how to run extract programs for outbound transactions, import programs for inbound transactions, and the relevant reports.

Oracle e-Commerce Gateway Implementation Guide

This guide describes implementation details, highlighting additional setup steps needed for trading partners, code conversion, and Oracle E-Business Suite. It also provides architecture guidelines for transaction interface files, troubleshooting information, and a description of how to customize EDI transactions.

Oracle iSetup Developer's Guide

This manual describes how to build, test, and deploy Oracle iSetup Framework interfaces.

Oracle iSetup User's Guide

This guide describes how to use Oracle iSetup to migrate data between different instances of the Oracle E-Business Suite and generate reports. It also includes configuration information, instance mapping, and seeded templates used for data migration.

Oracle Report Manager User's Guide

Oracle Report Manager is an online report distribution system that provides a secure and centralized location to produce and manage point-in-time reports. Oracle Report Manager users can be either report producers or report consumers. Use this guide for information on setting up and using Oracle Report Manager.

Oracle Web Applications Desktop Integrator Implementation and Administration Guide

Oracle Web Applications Desktop Integrator brings Oracle E-Business Suite functionality to a spreadsheet, where familiar data entry and modeling techniques can be used to complete Oracle E-Business Suite tasks. You can create formatted spreadsheets on your desktop that allow you to download, view, edit, and create Oracle E-Business Suite data, which you can then upload. This guide describes how to implement Oracle Web Applications Desktop Integrator and how to define mappings, layouts, style sheets, and other setup options.

Oracle Workflow Administrator's Guide

This guide explains how to complete the setup steps necessary for any product that includes workflow-enabled processes. It also describes how to manage workflow processes and business events using Oracle Applications Manager, how to monitor the progress of runtime workflow processes, and how to administer notifications sent to workflow users.

Oracle Workflow Developer's Guide

This guide explains how to define new workflow business processes and customize existing Oracle E-Business Suite-embedded workflow processes. It also describes how to define and customize business events and event subscriptions.

Oracle Workflow User's Guide

This guide describes how users can view and respond to workflow notifications and monitor the progress of their workflow processes.

Oracle Workflow API Reference

This guide describes the APIs provided for developers and administrators to access Oracle Workflow.

Oracle Workflow Client Installation Guide

This guide describes how to install the Oracle Workflow Builder and Oracle XML Gateway Message Designer client components for Oracle E-Business Suite.

Oracle XML Gateway User's Guide

This guide describes Oracle XML Gateway functionality and each component of the Oracle XML Gateway architecture, including Message Designer, Oracle XML Gateway Setup, Execution Engine, Message Queues, and Oracle Transport Agent. It also explains how to use Collaboration History that records all business transactions and messages exchanged with trading partners.

The integrations with Oracle Workflow Business Event System, and the Business-to-Business transactions are also addressed in this guide.

Oracle XML Publisher Report Designer's Guide

Oracle XML Publisher is a template-based reporting solution that merges XML data with templates in RTF or PDF format to produce a variety of outputs to meet a variety of business needs. Using Microsoft Word or Adobe Acrobat as the design tool, you can create pixel-perfect reports from the Oracle E-Business Suite. Use this guide to design your report layouts.

This guide is available through the Oracle E-Business Suite online help.

Oracle XML Publisher Administration and Developer's Guide

Oracle XML Publisher is a template-based reporting solution that merges XML data with templates in RTF or PDF format to produce a variety of outputs to meet a variety of business needs. Outputs include: PDF, HTML, Excel, RTF, and eText (for EDI and EFT transactions). Oracle XML Publisher can be used to generate reports based on existing Oracle E-Business Suite report data, or you can use Oracle XML Publisher's data extraction engine to build your own queries. Oracle XML Publisher also provides a robust set of APIs to manage delivery of your reports via e-mail, fax, secure FTP, printer, WebDav, and more. This guide describes how to set up and administer Oracle XML Publisher as well as how to use the Application Programming Interface to build custom solutions.

This guide is available through the Oracle E-Business Suite online help.

Oracle E-Business Suite Upgrade Guide: Release 12.0 and 12.1 to 12.2:

This guide provides information for DBAs and Applications Specialists who are responsible for upgrading Release 12.0 and 12.1 Oracle E-Business Suite system (techstack and products) to Release 12.2. In addition to information about applying the upgrade driver, it outlines pre-upgrade steps and post-upgrade steps, and provides descriptions of product-specific functional changes and suggestions for verifying the upgrade and reducing downtime.

Oracle Advanced Global Intercompany System User's Guide:

This guide describes the self service application pages available for Intercompany users. It includes information on setting up intercompany, entering intercompany transactions, importing transactions from external sources and generating reports.

Oracle Advanced Collections User Guide:

This guide describes how to use the features of Oracle Advanced Collections to manage your collections activities. It describes how collections agents and managers can use Oracle Advanced Collections to identify delinquent customers, review payment history and aging data, process payments, use strategies and dunning plans to automate the collections process, manage work assignments, and handle later-stage delinquencies.

Oracle Advanced Collections Implementation Guide:

This guide describes how to configure Oracle Advanced Collections and its integrated products. It contains the steps required to set up and verify your implementation of Oracle Advanced Collections.

Oracle Assets User Guide:

This guide provides you with information on how to implement and use Oracle Assets. Use this guide to understand the implementation steps required for application use, including defining depreciation books, depreciation method, and asset categories. It also contains information on setting up assets in the system, maintaining assets, retiring and reinstating assets, depreciation, group depreciation, accounting and tax accounting,

budgeting, online inquiries, impairment processing, and Oracle Assets reporting. The guide explains using Oracle Assets with Multiple Reporting Currencies (MRC). This guide also includes a comprehensive list of profile options that you can set to customize application behavior.

Oracle Bill Presentment Architecture User's Guide:

This guide provides you information on using Oracle Bill Presentment Architecture. Consult this guide to create and customize billing templates, assign a template to a rule and submit print requests. This guide also provides detailed information on page references, seeded content items and template assignment attributes.

Oracle Cash Management User Guide:

This guide describes how to use Oracle Cash Management to clear your receipts, as well as reconcile bank statements with your outstanding balances and transactions. This manual also explains how to effectively manage and control your cash cycle. It provides comprehensive bank reconciliation and flexible cash forecasting.

Oracle Credit Management User Guide:

This guide provides you with information on how to use Oracle Credit Management. This guide includes implementation steps, such as how to set up credit policies, as well as details on how to use the credit review process to derive credit recommendations that comply with your credit policies. This guide also includes detailed information about the public application programming interfaces (APIs) that you can use to extend Oracle Credit Management functionality.

Oracle Customer Data Librarian User Guide:

This guide describes how to use Oracle Customer Data Librarian to establish and maintain the quality of the Trading Community Architecture Registry, focusing on consolidation, cleanliness, and completeness. Oracle Customer Data Librarian has all of the features in Oracle Customers Online, and is also part of the Oracle Customer Data Management product family.

Oracle Customer Data Librarian Implementation Guide:

This guide describes how to implement Oracle Customer Data Librarian. As part of implementing Oracle Customer Data Librarian, you must also complete all the implementation steps for Oracle Customers Online.

Oracle Customers Online User Guide:

This guide describes how to use Oracle Customers Online to view, create, and maintain your customer information. Oracle Customers Online is based on Oracle Trading Community Architecture data model and functionality, and is also part of the Oracle Customer Data Management product family.

Oracle Customers Online Implementation Guide:

This guide describes how to implement Oracle Customers Online.

Oracle E-Business Suite Multiple Organizations Implementation Guide:

This guide describes the multiple organizations concepts in Oracle E-Business Suite. It describes in detail on setting up and working effectively with multiple organizations in Oracle E-Business Suite.

Oracle E-Business Tax User Guide:

This guide describes the entire process of setting up and maintaining tax configuration data, as well as applying tax data to the transaction line. It describes the entire regime-to-rate setup flow of tax regimes, taxes, statuses, rates, recovery rates, tax jurisdictions, and tax rules. It also describes setting up and maintaining tax reporting codes, fiscal classifications, tax profiles, tax registrations, configuration options, and third party service provider subscriptions. You also use this manual to maintain migrated tax data for use with E-Business Tax.

Oracle E-Business Tax Implementation Guide:

This guide provides a conceptual overview of the E-Business Tax tax engine, and describes the prerequisite implementation steps to complete in other applications in order to set up and use E-Business Tax. The guide also includes extensive examples of setting up country-specific tax requirements.

Oracle E-Business Tax Reporting Guide:

This guide explains how to run all tax reports that make use of the E-Business Tax data extract. This includes the Tax Reporting Ledger and other core tax reports, country-specific VAT reports, and Latin Tax Engine reports.

Oracle E-Business Tax: Vertex Q-Series and Taxware Sales/Use Tax System Implementation Guide

This guide explains how to setup and use the services of third party tax service providers for US Sales and Use tax. The tax service providers are Vertex Q-Series and Taxware Sales/Use Tax System. When implemented, the Oracle E-Business Tax service subscription calls one of these tax service providers to return a tax rate or amount whenever US Sales and Use tax is calculated by the Oracle E-Business Tax tax engine. This guide provides setup steps, information about day-to-day business processes, and a technical reference section.

Oracle Embedded Data Warehouse User Guide:

This guide describes how to use Embedded Data Warehouse reports and workbooks to analyze performance.

Oracle Embedded Data Warehouse Implementation Guide:

This guide describes how to implement Embedded Data Warehouse, including how to set up the intelligence areas.

Oracle Embedded Data Warehouse Install Guide:

This guide describes how to install Embedded Data Warehouse, including how to create database links and create the end user layer (EUL).

Oracle Financial Accounting Hub Implementation Guide:

This guide provides detailed implementation information that leverages the features of Oracle Subledger Accounting to generate accounting.

Oracle Financial Services Reference Guide:

This guide provides reference material for Oracle Financial Services applications in Release 12, such as Oracle Transfer Pricing, and includes technical details about application use as well as general concepts, equations, and calculations.

Oracle Financial Services Implementation Guide:

This guide describes how to set up Oracle Financial Services applications in Release 12.

Oracle Financial Services Reporting Administration Guide:

This guide describes the reporting architecture of Oracle Financial Services applications in Release 12, and provides information on how to view these reports.

Oracle Financials and Oracle Procurement Functional Upgrade Guide: Release 11i to Release 12:

This guides provides detailed information about the functional impacts of upgrading Oracle Financials and Oracle Procurement products from Release 11i to Release 12. This guide supplements the *Oracle E-Business Suite Upgrade Guide: Release 12.0 and 12.1 to 12.2*.

Oracle Financials Concepts Guide:

This guide describes the fundamental concepts of Oracle Financials. The guide is intended to introduce readers to the concepts used in the applications, and help them compare their real world business, organization, and processes to those used in the applications.

Oracle Financials Country-Specific Installation Supplement:

This guide provides general country information, such as responsibilities and report security groups, as well as any post-install steps required by some countries.

Oracle Financials for the Americas User Guide:

This guide describes functionality developed to meet specific business practices in countries belonging to the Americas region. Consult this user guide along with your financial product user guides to effectively use Oracle Financials in your country.

Oracle Financials for Asia/Pacific User Guide:

This guide describes functionality developed to meet specific business practices in countries belonging to the Asia/Pacific region. Consult this user guide along with your financial product user guides to effectively use Oracle Financials in your country.

Oracle Financials for Europe User Guide:

This guide describes functionality developed to meet specific business practices in countries belonging to the European region. Consult this user guide along with your financial product user guides to effectively use Oracle Financials in your country.

Oracle Financials for India User's Guide:

This guide provides information on how to use Oracle Financials for India. Use this guide to learn how to create and maintain setup related to India taxes, defaulting and calculation of taxes on transactions. This guide also includes information about accounting and reporting of taxes related to India.

Oracle Financials for India Implementation Guide:

This guide provides information on how to implement Oracle Financials for India. Use this guide to understand the implementation steps required for application use, including how to set up taxes, tax defaulting hierarchies, set up different tax regimes, organization and transactions.

Oracle Financials Glossary:

The glossary includes definitions of common terms that are shared by all Oracle Financials products. In some cases, there may be different definitions of the same term for different Financials products. If you are unsure of the meaning of a term you see in an Oracle Financials guide, please refer to the glossary for clarification. You can find the glossary in the online help or in the *Oracle Financials Implementation Guide*.

Oracle Financials Implementation Guide:

This guide provides information on how to implement the Oracle Financials E-Business Suite. It guides you through setting up your organizations, including legal entities, and their accounting, using the Accounting Setup Manager. It covers intercompany accounting and sequencing of accounting entries, and it provides examples.

Oracle Financials RXi Reports Administration Tool User Guide:

This guide describes how to use the RXi reports administration tool to design the content and layout of RXi reports. RXi reports let you order, edit, and present report information to better meet your company's reporting needs.

Oracle General Ledger Implementation Guide:

This guide provides information on how to implement Oracle General Ledger. Use this guide to understand the implementation steps required for application use, including how to set up Accounting Flexfields, Accounts, and Calendars.

Oracle General Ledger Reference Guide

This guide provides detailed information about setting up General Ledger Profile Options and Applications Desktop Integrator (ADI) Profile Options.

Oracle General Ledger User's Guide:

This guide provides information on how to use Oracle General Ledger. Use this guide to learn how to create and maintain ledgers, ledger currencies, budgets, and journal entries. This guide also includes information about running financial reports.

Oracle Incentive Compensation Implementation Guide:

This guide provides Compensation Administrators with guidance during implementation of Oracle Incentive Compensation. The procedures are presented in the recommended order that they should be performed for successful implementation.

Appendixes are included that describe system profiles, lookups, and other useful information.

Oracle Incentive Compensation User Guide:

This guide helps Compensation Managers, Compensation Analysts, and Plan administrators to manage Oracle Incentive Compensation on a day-to-day basis. Learn how to create and manage rules hierarchies, create compensation plans, collect transactions, calculate and pay commission, and use Sales Credit Allocation.

Oracle Internet Expenses Implementation and Administration Guide:

This book explains in detail how to configure Oracle Internet Expenses and describes its integration with other applications in the E-Business Suite, such as Oracle Payables and Oracle Projects. Use this guide to understand the implementation steps required for application use, including how to set up policy and rate schedules, credit card policies, audit automation, and the expenses spreadsheet. This guide also includes detailed information about the client extensions that you can use to extend Oracle Internet Expenses functionality.

Oracle iAssets User Guide

This guide provides information on how to implement and use Oracle iAssets. Use this guide to understand the implementation steps required for application use, including setting up Oracle iAssets rules and related product setup steps. It explains how to define approval rules to facilitate the approval process. It also includes information on using the Oracle iAssets user interface to search for assets, create self-service transfer requests and view notifications.

Oracle iProcurement Implementation and Administration Guide:

This manual describes how to set up and administer Oracle iProcurement. Oracle iProcurement enables employees to requisition items through a self-service, Web interface.

Oracle iReceivables Implementation Guide:

This guide provides information on how to implement Oracle iReceivables. Use this guide to understand the implementation steps required for application use, including how to set up and configure iReceivables, and how to set up the Credit Memo Request workflow. There is also a chapter that provides an overview of major features available in iReceivables.

Oracle iSupplier Portal User Guide:

This guide contains information on how to use Oracle iSupplier Portal to enable secure transactions between buyers and suppliers using the Internet. Using Oracle iSupplier Portal, suppliers can monitor and respond to events in the procure-to-pay cycle.

Oracle iSupplier Portal Implementation Guide:

This guide contains information on how to implement Oracle iSupplier Portal and enable secure transactions between buyers and suppliers using the Internet.

Oracle Loans User Guide:

This guide describes how to set up and use Oracle Loans. It includes information on how to create, approve, fund, amortize, bill, and service extended repayment plan and direct loans.

Oracle Partner Management Implementation and Administration Guide:

This guide helps Vendor administrators to set up and maintain relationships and programs in the Partner Management application. The main areas include setting up the partner and channel manager dashboards, partner setup, partner programs and enrollment, opportunity and referral management, deal registration, special pricing management, and partner fund management.

Oracle Partner Management Vendor User Guide:

This guide assists vendor users in using Partner Management on a daily basis. This includes interaction with the partner and channel manager dashboards, working with partners and partner programs, managing opportunities and referrals, registering deals, and working with special pricing and partner funds.

Oracle Payables User's Guide:

This guide describes how to use Oracle Payables to create invoices and make payments. In addition, it describes how to enter and manage suppliers, import invoices using the Payables open interface, manage purchase order and receipt matching, apply holds to invoices, and validate invoices. It contains information on managing expense reporting, procurement cards, and credit cards. This guide also explains the accounting for Payables transactions.

Oracle Payables Implementation Guide:

This guide provides you with information on how to implement Oracle Payables. Use this guide to understand the implementation steps required for how to set up suppliers, payments, accounting, and tax.

Oracle Payables Reference Guide:

This guide provides you with detailed information about the Oracle Payables open interfaces, such as the Invoice open interface, which lets you import invoices. It also includes reference information on purchase order matching and purging purchasing information.

Oracle Payments Implementation Guide:

This guide describes how Oracle Payments, as the central payment engine for the Oracle E-Business Suite, processes transactions, such as invoice payments from Oracle Payables, bank account transfers from Oracle Cash Management, and settlements against credit cards and bank accounts from Oracle Receivables. This guide also describes how Oracle Payments is integrated with financial institutions and payment systems for receipt and payment processing, known as funds capture and funds disbursement, respectively. Additionally, the guide explains to the implementer how to plan the implementation of Oracle Payments, how to configure it, set it up, test transactions, and how use it with external payment systems.

Oracle Payments User's Guide:

This guide describes how Oracle Payments, as the central payment engine for the Oracle E-Business Suite, processes transactions, such as invoice payments from Oracle Payables, bank account transfers from Oracle Cash Management, and settlements against credit cards and bank accounts from Oracle Receivables. This guide also describes to the Payment Administrator how to monitor the funds capture and funds disbursement processes, as well as how to remedy any errors that may arise.

Oracle Procurement Buyer's Guide to Punchout and Transparent Punchout:

This guide contains necessary information for customers implementing remote catalog content on a supplier's Web site or on Oracle Exchange.

Oracle Procurement Contracts Online Help:

This guide is provided as online help only from the Oracle Procurement Contracts application and includes information about creating and managing your contract terms library.

Oracle Procurement Contracts Implementation and Administration Guide:

This guide describes how to set up and administer Oracle Procurement Contracts. Oracle Procurement Contracts enables employees to author and maintain complex contracts through a self-service, Web interface.

Oracle Public Sector Financials User Guide:

This guide describes how to set up and administer Oracle Public Sector Advanced Features. It describes Encumbrance Reconciliation Reports, GASB 34/35 Asset Accounting, and Funds Available Enhancements.

Oracle Purchasing User's Guide:

This guide describes how to create and approve purchasing documents, including requisitions, different types of purchase orders, quotations, RFQs, and receipts. This guide also describes how to manage your supply base through agreements, sourcing rules, and approved supplier lists. In addition, this guide explains how you can automatically create purchasing documents based on business rules through integration with Oracle Workflow technology, which automates many of the key procurement processes.

Oracle Receivables User Guide:

This guide provides you with information on how to use Oracle Receivables. Use this guide to learn how to create and maintain transactions and bills receivable, enter and apply receipts, enter customer information, and manage revenue. This guide also includes information about accounting in Receivables. Use the Standard Navigation Paths appendix to find out how to access each Receivables window.

Oracle Receivables Implementation Guide:

This guide provides you with information on how to implement Oracle Receivables. Use this guide to understand the implementation steps required for application use, including how to set up customers, transactions, receipts, accounting, tax, and

collections. This guide also includes a comprehensive list of profile options that you can set to customize application behavior.

Oracle Receivables Reference Guide:

This guide provides you with detailed information about all public application programming interfaces (APIs) that you can use to extend Oracle Receivables functionality. This guide also describes the Oracle Receivables open interfaces, such as AutoLockbox which lets you create and apply receipts and AutoInvoice which you can use to import and validate transactions from other systems. Archiving and purging Receivables data is also discussed in this guide.

Oracle Sourcing Implementation and Administration Guide:

This guide contains information on how to implement Oracle Sourcing to enable participants from multiple organizations to exchange information, conduct bid and auction processes, and create and implement buying agreements. This allows professional buyers, business experts, and suppliers to participate in a more agile and accurate sourcing process.

Oracle Subledger Accounting Implementation Guide:

This guide provides setup information for Oracle Subledger Accounting features, including the Accounting Methods Builder. You can use the Accounting Methods Builder to create and modify the setup for subledger journal lines and application accounting definitions for Oracle subledger applications. This guide also discusses the reports available in Oracle Subledger Accounting and describes how to inquire on subledger journal entries.

Oracle Supplier Scheduling User's Guide:

This guide describes how you can use Oracle Supplier Scheduling to calculate and maintain planning and shipping schedules and communicate them to your suppliers.

Oracle iProcurement Implementation and Administration Guide:

This manual describes how to set up and administer Oracle iProcurement. Oracle iProcurement enables employees to requisition items through a self-service, Web interface.

Oracle Procurement Contracts Implementation and Administration Guide:

This manual describes how to set up and administer Oracle Procurement Contracts. Oracle Procurement Contracts enables employees to author and maintain complex contracts through a self-service, Web interface.

Oracle Trading Community Architecture User Guide:

This guide describes the Oracle Trading Community Architecture (TCA) and how to use features from the Trading Community Manager responsibility to create, update, enrich, and cleanse the data in the TCA Registry. It also describes how to use Resource Manager to define and manage resources.

Oracle Trading Community Architecture Administration Guide:

This guide describes how to administer and implement Oracle Trading Community Architecture (TCA). You set up, control, and manage functionality that affects data in the TCA Registry. It also describes how to set up and use Resource Manager to manage resources.

Oracle Trading Community Architecture Reference Guide:

This guide contains seeded relationship types, seeded Data Quality Management data, D&B data elements, Bulk Import interface table fields and validations, and a comprehensive glossary. This guide supplements the documentation for Oracle Trading Community Architecture and all products in the Oracle Customer Data Management family.

Oracle Trading Community Architecture Technical Implementation Guide:

This guide explains how to use the public Oracle Trading Community Architecture application programming interfaces (APIs) and develop callouts based on Oracle Workflow Business Events System (BES). For each API, this guide provides a description of the API, the PL/SQL procedure, and the Java method, as well as a table of the parameter descriptions and validations. For each BES callout, this guide provides the name of the logical entity, its description, and the ID parameter name. Also included are setup instructions and sample code.

Oracle U.S. Federal Financials User's Guide:

This guide describes the common concepts for an integrated financial management solution for federal agencies to comply with the requirements of the U.S. Federal government. It describes the product architecture and provides information on Budget Execution, Prompt Payment, Treasury payments, Third party payments, Interagency transactions, Receivables management, Federal reports, CCR Integration, and Year End Closing.

Oracle U.S. Federal Financials Implementation Guide:

This guide describes the common concepts for an integrated financial management solution for federal agencies. It includes a consolidated setup checklist by page and provides detailed information on how to set up, maintain, and troubleshoot the Federal Financial application for the following functional areas: Sub Ledger Accounting, Budget Execution, Prompt Payment, Treasury payments, Third party payments, Interagency transactions, Receivables management, Federal reports, CCR Integration, and Year End Closing.

Oracle Projects Documentation Set

Oracle Projects Implementation Guide:

Use this guide to implement Oracle Projects. This guide also includes appendixes covering function security, menus and responsibilities, and profile options.

Oracle Project Costing User Guide:

Use this guide to learn detailed information about Oracle Project Costing. Oracle Project Costing provides the tools for processing project expenditures, including calculating

their cost to each project and determining the General Ledger accounts to which the costs are posted.

Oracle Project Billing User Guide:

This guide shows you how to use Oracle Project Billing to define revenue and invoicing rules for your projects, generate revenue, create invoices, and integrate with other Oracle Applications to process revenue and invoices, process client invoicing, and measure the profitability of your contract projects.

Oracle Project Management User Guide:

This guide shows you how to use Oracle Project Management to manage projects through their lifecycles - from planning, through execution, to completion.

Oracle Project Portfolio Analysis User Guide:

This guide contains the information you need to understand and use Oracle Project Portfolio Analysis. It includes information about project portfolios, planning cycles, and metrics for ranking and selecting projects for a project portfolio.

Oracle Project Resource Management User Guide:

This guide provides you with information on how to use Oracle Project Resource Management. It includes information about staffing, scheduling, and reporting on project resources.

Oracle Grants Accounting Documentation

Oracle Grants Accounting User Guide:

This guide provides you with information about how to implement and use Oracle Grants Accounting. Use this guide to understand the implementation steps required for application use, including defining award types, award templates, allowed cost schedules, and burden set up. This guide also explains how to use Oracle Grants Accounting to track grants and funded projects from inception to final reporting.

Oracle Property Manager Documentation

Oracle Property Manager User Guide:

Use this guide to learn how to use Oracle Property Manager to create and administer properties, space assignments, and lease agreements.

Oracle Property Manager Implementation Guide:

Use this guide to learn how to implement Oracle Property Manager and perform basic setup steps such as setting system options and creating lookup codes, contacts, milestones, grouping rules, term templates, and a location hierarchy. This guide also describes the setup steps that you must complete in other Oracle applications before you can use Oracle Property Manager.

Integration Repository

The Oracle Integration Repository is a compilation of information about the service

endpoints exposed by the Oracle E-Business Suite of applications. It provides a complete catalog of Oracle E-Business Suite's business service interfaces. The tool lets users easily discover and deploy the appropriate business service interface for integration with any system, application, or business partner.

The Oracle Integration Repository is shipped as part of the E-Business Suite. As your instance is patched, the repository is automatically updated with content appropriate for the precise revisions of interfaces in your environment.

You can navigate to the Oracle Integration Repository through Oracle E-Business Suite Integrated SOA Gateway.

Do Not Use Database Tools to Modify Oracle E-Business Suite Data

Oracle **STRONGLY RECOMMENDS** that you never use SQL*Plus, Oracle Data Browser, database triggers, or any other tool to modify Oracle E-Business Suite data unless otherwise instructed.

Oracle provides powerful tools you can use to create, store, change, retrieve, and maintain information in an Oracle database. But if you use Oracle tools such as SQL*Plus to modify Oracle E-Business Suite data, you risk destroying the integrity of your data and you lose the ability to audit changes to your data.

Because Oracle E-Business Suite tables are interrelated, any change you make using an Oracle E-Business Suite form can update many tables at once. But when you modify Oracle E-Business Suite data using anything other than Oracle E-Business Suite, you may change a row in one table without making corresponding changes in related tables. If your tables get out of synchronization with each other, you risk retrieving erroneous information and you risk unpredictable results throughout Oracle E-Business Suite.

When you use Oracle E-Business Suite to modify your data, Oracle E-Business Suite automatically checks that your changes are valid. Oracle E-Business Suite also keeps track of who changes information. If you enter information into database tables using database tools, you may store invalid information. You also lose the ability to track who has changed your information because SQL*Plus and other database tools do not keep a record of changes.

Overview of Bill Presentment Architecture

This chapter covers the following topics:

- Working with Bill Presentment Architecture
- Implementing Bill Presentment Architecture

Working with Bill Presentment Architecture

Use Bill Presentment Architecture (BPA) to customize the content and format of billing data that your customers view online or print.

BPA provides the architecture to retrieve billing data from multiple sources, including transaction flexfields and other data not interfaced and stored in Oracle Receivables. Because bill presentment is not limited to transaction accounting information, you can present bills that are more comprehensive and meaningful to your customers.

With BPA, you first indicate the data sources that you want to collect billing data from. BPA provides a framework for collecting billing data stored in:

- Oracle Receivables
- Oracle applications seeded in BPA, such as Oracle Order Management and Oracle Service Contracts
- Other Oracle applications
- Legacy systems and other non-Oracle applications

You then design billing templates for each transaction class, choosing the layout and content to determine how you want billing data to appear in an online or printed bill, and assign the templates to customers or customer categories. You can print bills individually or in batches from your billing templates created within BPA or uploaded from external sources.

Customizing the bills that your customers see helps them reconcile bills with purchase requests and facilitates timely bill payment.

Your customers can view summarized billing information and drill down using hyperlinks to detailed billing information and other related details necessary to understand and pay the bill.

Related Topics

Bill Presentment Architecture Process Flow, page 1-2

Implementing Bill Presentment Architecture, page 1-4

Template Management, page 2-1

Assigning Templates, page 3-1

Print Management, page 4-1

Bill Presentment Architecture Process Flow

With Bill Presentment Architecture (BPA), you can customize the content and format of bills to be viewed online or printed by your customers and your internal users.

You can:

- Design layout and select content for a bill
- Display on bills information that is not stored in Oracle Receivables
- Create hyperlinks that enable access to related billing information
- Display summary and child lines
- Provide online drilldown to transaction line details
- Upload external templates
- Incorporate attachments on online bills
- Assign bill formats to specific customers or user-defined customer categories
- Print transactions and bills
- Preview billing templates using real-time data

You accomplish this by first configuring the BPA architecture, and then defining templates and assignment rules.

Configuring Bill Presentment Architecture

Your system administrator sets up the data sources, views, content items, and hyperlinks to be used in template design.

To enable access from an online bill to supporting information from Receivables, supplementary data source, or web page, add hyperlinks to content items in the templates that you define.

Defining Templates

BPA collects, formats, and presents billing data online and in printed bills, according to templates that you define.

A template defines the content areas and content items of a bill. Each data attribute on a bill is a *content item*. You specify the content items that appear in each content area of a template. For example, you can specify that the bill-to address appears in the upper left corner of the bill. A template also determines the placement and format of the content items.

You can design new templates, use the default templates provided with BPA, upload external templates, or modify templates to suit your company or customer business needs. Using the desktop icons, you can easily create or modify templates graphically. Content areas can be split into as many areas as needed to create the desired layout. Content areas can be moved, duplicated, formatted, updated, or deleted.

When you create or customize templates, you design the layout and contents of a primary bill page and, if needed, a details page. The primary bill page has three content areas:

Header: This area includes information typically seen at the top of an invoice, such as the company's logo, transaction number, date, customer name, bill-to address, ship-to address, and terms.

Lines and Tax: This area contains the billing items, and can optionally include tax, for all transactions included in the bill. This section typically includes the item number, item description, quantities, and cost amounts.

Footer: This area includes information typically available at the bottom of an invoice, such as the total for the bill, aging, additional notes to the customer, and other messages.

You can create a details page for a template if your supplementary data source has a registered details page view. The details page contains supporting billing information from your supplementary data source such as Oracle Service Contracts. See: Details Page Design, page 2-8.

Note: After creating your billing template, you can preview and print it using actual customer data.

See: Template Management, page 2-1.

Defining Assignment Rules

BPA assigns completed billing templates to customers based on the assignment rules

that you define. Each rule uses predefined criteria with user-defined conditional values to match templates with customers.

When a user selects a bill to view or print, BPA applies the online or printed rules, in the order you specify, to determine which template to use.

For example, you can define a rule to use a template to display bills that are more than \$10,000. Then, define a second rule to use a different template to display bills that are \$10,000 or less.

You can assign different templates to be used for online bills and printed bills. You can also specify different rule order for online and printed bills.

See: Assigning Templates, page 3-1.

Related Topics

Working with Bill Presentment Architecture, page 1-1

Implementing Bill Presentment Architecture, page 1-4

Implementing Bill Presentment Architecture

Before you begin working with Bill Presentment Architecture (BPA), gather the requirements for your templates and determine if you need to set up any additional data sources.

- How many templates do you require to satisfy your customers' needs?
- Do you need different templates for online bills and printed bills?
- Do you need different templates for each transaction class you use?
- Can you modify seeded templates to meet your requirements, or will you need to design new templates?
- Do you want to upload external templates to format printed bills?
- What content items do you need for each template? Organize the layout for the primary page, and details page if used, and determine the content items for each of the following content areas: Header, Lines and Tax, Footer, and Details.
- Will any bill information come from an application other than Oracle Receivables and the seeded applications in BPA? If yes, then you must register the applications as data sources, synchronize flexfield content items, register data source views, and enable these new data sources.
- Do you need to set up hyperlinks?
- Will you allow online access to attachments? Do you want to enable your customers

to update attachments? Will you allow printing of attachments?

- What assignment rules do you need to filter and match a template with appropriate customers or transactions?

After you respond to these questions, you can begin implementing BPA. Refer to the steps in the table below to help guide your implementation.

Step	Performed by	Task	Required?
Step 1	System Administrator	Create internal and external users and assign BPA responsibilities. See: <i>Oracle Applications System Administrator's Guide</i> .	Yes
Step 2	System Administrator	Add BPA Transaction Print Program to Oracle Receivables responsibilities. See: Bill Presentment All Request Group, page 4-1.	Required if printing BPA transactions from Oracle Receivables
Step 3	Application Developer	Register Attachment Categories, page 1-7.	Optional. Default is Miscellaneous.
Step 4	System Administrator	Set HZ: Enable DQM Party Search profile option. See: Oracle Bill Presentment Architecture Profile Options, page B-1.	Optional. Only if you want to do DQM search using customer name.
Step 5	System Administrator	Set AR: BPA Detail Access Enabled profile option to Yes to enable access to details page of an online bill. See: Oracle Bill Presentment Architecture Profile Options, page B-1.	Optional. Default is Yes.

Step	Performed by	Task	Required?
Step 6	System Administrator	Set AR: BPA Attachment Update Enabled profile option to enable users to update attachments on an online bill. See: Oracle Bill Presentment Architecture Profile Options, page B-1 .	Optional. Default is No.
Step 7	System Administrator	Set AR: BPA Print Attachment Category profile option to print PDF attachments while printing bills. See: Oracle Bill Presentment Architecture Profile Options, page B-1 .	Optional. BPA will not print attachments unless you set this profile option.
Step 8	System Administrator	Set grouping attribute in Receivables, page 1-8.	Required if you want to use default BPA contract template to view OKS invoices.
Step 9	System Administrator	Run Generate Stylesheet for BPA Templates concurrent program. See: Generating Stylesheets, page 1-8.	Required
Step 10	System Administrator	Register data sources, page 1-9.	Required for all nonseeded data sources.
Step 11	System Administrator	Synchronize flexfield content items, page 1-11.	Required if you use transaction flexfields.
Step 12	System Administrator	Enable Assignment Attributes, page 1-12.	Required if you want to designate content items as template assignment attributes.
Step 13	System Administrator	Create database views, page 1-12.	Optional

Step	Performed by	Task	Required?
Step 14	System Administrator	Register data source views, page 1-16.	Optional
Step 15	System Administrator	Enable data sources, page 1-10.	Required if you use supplementary data sources.
Step 16	System Administrator	Configure hyperlinks, page 1-19.	Optional
Step 17	Billing or accounting staff	Create custom content items, page 2-7.	Optional

Related Topics

Working with Bill Presentment Architecture, page 1-1

Bill Presentment Architecture Process Flow, page 1-2

Registering Attachment Categories

Use attachment categories to organize attachments. The default category is Miscellaneous. Register additional document categories that are specific to Bill Presentment Architecture (BPA).

To add additional categories for attachments, log in using the Application Developer responsibility and navigate to Attachment Functions.

Query:

- Function Name: ARBPA_TM_REAL_PREVIEW
- User Name: Bill Management: Real Preview

Click Category and search and select a category.

Note: For information about working with categories, see: Overview of Attachments, *Oracle Applications Developer's Guide*.

Configuring Profile Options

You can set up BPA profile options using the System Administrator responsibility in Oracle Receivables.

- AR: BPA Attachment Update Enabled, page B-2
- AR: BPA Details Access Enabled, page B-3
- AR: BPA Print Attachment Category, page B-3
- HZ: Enable DQM Party Search, page B-3

Setting the BPA profile options is discussed in detail under Oracle Bill Presentment Architecture Profile Options, page B-1.

Setting Grouping Attributes

If you use Oracle Service Contracts (OKS) as a supplementary data source and want to display grouped transaction lines that originate in that application, then you must set the INTERFACE_LINE_ATTRIBUTE1 column as AutoInvoice optional grouping attribute in Oracle Receivables.

OKS passes the contract number to Receivables using this attribute. See: Using Grouping Rules to Create Transactions, *Oracle Receivables User Guide*.

Related Topics

Selecting Content and Layout, page 2-4

Working with Bill Presentment Architecture, page 1-1

Implementing Bill Presentment Architecture, page 1-4

Generating Stylesheets

When you install Bill Presentment Architecture (BPA), you must run the Generate Stylesheet for BPA Templates concurrent program in order to be able to print transactions and bills. This program generates an XSL stylesheet (.xsl-fo file format) for all seeded templates. XML Publisher uses the stylesheet to format templates for printing.

When you create a new template and set the status to Complete, BPA automatically runs this program for you, to create the required stylesheets. Implementation is the only time you must run the program manually. See Bill Presentment All Request Group, page 4-1.

Note: If you want to use the new swan interface for an old template, you need to Incomplete and Complete your templates again.

Related Topics

Print Management, page 4-1

Registering Data Sources

To make content items and hyperlinks available for your template designers to include in a template, you must register and enable the supplementary data source where the content items reside.

Oracle Receivables and Oracle Receivables Balance Forward are already registered as primary data sources in Bill Presentment Architecture (BPA) and enabled for use. Oracle Receivables primary data source provides transactional billing data. Use the Oracle Receivables Balance Forward primary data source to provide consolidated billing information for a template. All other data sources are supplementary data sources. Currently, BPA only supports registering supplementary data source for Oracle Receivables. Other Oracle applications, such as Oracle Order Management and Oracle Service Contracts, are registered in BPA, *but you must first enable them for use*.

If you want to use an application or other source that is not seeded in BPA as a source of content items, then you must register and enable the source as a data source. You can register any application that interfaces billing transactions to Receivables. Applications that can be registered include Oracle applications, third party applications, and legacy systems.

If you want a template to include a details page, then you must register a supplementary data source and register a details page view to provide content items. For more information on registering data source view see: Registering Data Source Views, page 1-16. Only supplementary data sources associated with Oracle Receivables templates can be registered in BPA.

Note: Templates for balance forward bills cannot have a supplementary data source. For more information on entering details for consolidated bills, see: Balance Forward Billing Templates, page 2-2.

When you register a data source, you provide the following:

- Data Source Name
- Data Source Description
- Data Source Level
- Interface Context

Prerequisite

- Define context field values for line transaction flexfield segments. You specify an interface context for transaction flexfield segments using the Application Developer

responsibility. See: *Oracle E-Business Suite Developer's Guide*.

Selecting an Interface Context

When you register a data source, you select the interface context for the data source that you want to register.

All transactions imported into Receivables via AutoInvoice have an interface context. The interface context is the context field value for the transaction flexfield in the source application. A source application, such as Oracle Order Management, uses the interface context to identify each transaction.

BPA uses the interface context to synchronize the transaction flexfield. See: *Synchronizing Flexfield Content Items*, page 1-11.

Note: A Bill Presentment Architecture (BPA) template with a supplementary data source displays only those transactions, which have the same interface context as the supplementary data source.

For more information about transaction flexfields and the interface context, see: *Transaction Flexfields*, *Oracle Receivables User Guide*.

Enabling Data Sources

After you enable a data source, you can:

- Use the data source as a source of content items when defining templates
- Assign templates based on that data source to rules in Template Assignment
- Create hyperlinks by selecting transaction attributes from the data source.

To change the status of a data source, select a data source from the list of registered data sources. From the list of values, select Mark as Enabled and click Go. After a data source is enabled, you can view its details, but you cannot make any changes.

Note: The primary data sources will always appear enabled. Oracle Order Management and Oracle Service Contracts must be enabled before you can use them as supplementary data sources.

You can disable a data source at any time, with the exception of Oracle Receivables and Oracle Receivables Balance Forward. You cannot disable these data sources because they provide the basic transaction line billing information for Bill Presentment Architecture.

You can update, synchronize flexfields, and delete a data source only if its status is disabled. You can also view disabled data sources.

Warning: Do not disable a data source while creating or updating a template, or while assigning templates to rules.

Viewing Data Sources

You can view the following information about a data source by clicking on the data source name:

- The name, description, and interface context for the data source.
- Each view registered for the data source, including the technical view name and the area where the view can be displayed.
- The templates that currently use content items from the data source.

When viewing a data source, you can sort its associated views by clicking on a column heading. You can also drill down to view the details of the associated views, including the database view name and the content items for the view.

Synchronizing Flexfield Content Items

If you want to display transaction flexfields on a bill, then you must synchronize the transaction flexfield column information with Receivables transaction information. You can do this before or after you register views from the data source, but only if the status of the data source is disabled. To synchronize, select the content items to be available in Template Management.

Note: You do not have to synchronize the flexfield content items for the supplementary data source, Oracle Order Management. Content items from this seeded application have already been synchronized with Receivables.

For Oracle Service Contracts, only some content items have been synchronized. You can synchronize additional flexfield content items from this supplementary data source if you want to add them to a template.

You can unsynchronize flexfield content items that are not used in a template. Content items used in a template are grayed out. To unsynchronize a content item used in a template, you must first remove the item from the template and disable its data source.

Prerequisites

- Register a supplementary data source, page 1-9
- Select an interface context, page 1-10

For each content item, BPA displays the column name, item name, and item display

label. The template item column lets you to select the content items to include in your custom data source view.

Note: You can select the content items in Balance Forward Header view as both template items and assignment attributes.

BPA creates a default description for each content item using the format <Data Source Name>-Flexfield-<Item Name>. For example, the default description for the Amount content item is:

Oracle Service Contracts-Flexfield-Amount

This indicates the data source of the content item and identifies the item as a flexfield content item.

You can change the item display label on this page or in the Update Properties page.

Enabling Assignment Attributes

From the Configuration tab, you can designate content items from the Oracle Receivables Invoice Header View, Balance Forward Header View or the header level flexfield synchronization for supplementary data sources as template assignment attributes by checking the corresponding check box. To make a content item unavailable as a template assignment attribute uncheck it. Items currently in use as template assignment attribute in rules will have grayed check boxes and cannot be updated.

Related Topics

Registering Data Sources, page 1-9

Updating Properties, page 2-7

Working with Bill Presentment Architecture, page 1-1

Implementing Bill Presentment Architecture, page 1-4

Creating Database Views

To obtain billing data from a source other than the seeded ones, you must first register the application (or other source) as a new data source in Bill Presentment Architecture (BPA).

See: Registering Data Sources, page 1-9.

After registering new data sources, you must complete your BPA configuration by creating any specific database views required, and then registering those views as *data source views* in BPA. This lets you access additional billing information from the new data sources.

Some database views from Oracle Receivables and seeded applications, such as Oracle Service Contracts and Oracle Order Management, are seeded as data source views in

BPA. You can create other database views for these applications to provide any additional data required, but you must then register them as data source views in BPA.

You can create as many views as you need for the Header and Footer display area. The Lines and Tax display area and the Details Page display area may each have only one view.

Tip: When creating a database view, consider the type of information that you want the bill to display. When you later register the view in BPA, carefully set up the parameters so that the view will retrieve the correct information that you want the bill to display.

For example, suppose you create a view that will retrieve additional information for display on a bill. When you register the view in BPA, you might enter Transaction Number as the value for the Transaction Attribute parameter to successfully return the additional information. See: Selecting Parameters, page 1-17.

Create database views using a SQL query in the APPS schema.

SQL Template to Create a View for Lines and Tax Area

If you create a new database view to supply content items for the Lines and Tax area of a billing template, then you must use the following SQL template to create the view.

Note: If you create a new database view for the Header and Footer or Details Page display areas, do not use this template. Create a SQL statement that will create a view for your requirements.

This template creates a view with the Receivables columns in the sequence required to display billing lines in the Lines and Tax area. The view must include all columns from CUSTOMER_TRX_ID to INTERFACE_LINE_ATTRIBUTE15. You can add additional columns at the end of the query.

Use the following SQL statement to create a new database view:

```

CREATE OR REPLACE FORCE VIEW <User created line view name> as SELECT
    lines.customer_trx_id customer_trx_id,
    lines.customer_trx_line_id customer_trx_line_id,
    to_char(lines.line_number) line_number,
    lines.line_type line_type,

    nvl(AR_INVOICE_SQL_FUNC_PUB.get_description(lines.customer_trx_line_id
),
        lines.description) description,
    to_char(nvl(lines.quantity_invoiced, lines.quantity_credited))
quantity,
    uom.unit_of_measure unit_of_measure_name,
    to_char(nvl(lines.unit_selling_price,0),fnd_currency.get_format_mask
(trx.invoice_currency_code,40))
    unit_price,
    to_char(lines.extended_amount,fnd_currency.get_format_mask
(trx.invoice_currency_code,40))
    extended_amount,
    lines.sales_order,
    lines.uom_code,
    trx.trx_number,
    AR_INVOICE_SQL_FUNC_PUB.GET_taxyn (lines.customer_trx_line_id)
    tax_exists_for_this_line_flag,
    AR_BPA_UTILS_PKG.FN_GET_LINE_TAXRATE(lines.customer_trx_line_id)
line_tax_rate,
    AR_BPA_UTILS_PKG.FN_GET_LINE_TAXCODE(lines.customer_trx_line_id)
tax_code,
    AR_BPA_UTILS_PKG.FN_GET_LINE_TAXNAME(lines.customer_trx_line_id)
printed_tax_name,
    lines.interface_line_attribute1,
    lines.interface_line_attribute2,
    lines.interface_line_attribute3,
    lines.interface_line_attribute4,
    lines.interface_line_attribute5,
    lines.interface_line_attribute6,
    lines.interface_line_attribute7,
    lines.interface_line_attribute8,
    lines.interface_line_attribute9,
    lines.interface_line_attribute10,
    lines.interface_line_attribute11,
    lines.interface_line_attribute12,
    lines.interface_line_attribute13,
    lines.interface_line_attribute14,
    lines.interface_line_attribute15,
    to_char(nvl(lines.unit_selling_price,0)) unformatted_unit_price,
    lines.ATTRIBUTE1,
    lines.ATTRIBUTE2,
    lines.ATTRIBUTE3,
    lines.ATTRIBUTE4,
    lines.ATTRIBUTE5,
    lines.ATTRIBUTE6,
    lines.ATTRIBUTE7,
    lines.ATTRIBUTE8,
    lines.ATTRIBUTE9,
    lines.ATTRIBUTE10,
    lines.ATTRIBUTE11,
    lines.ATTRIBUTE12,
    lines.ATTRIBUTE13,
    lines.ATTRIBUTE14,
    lines.ATTRIBUTE15,
    lines.SET_OF_BOOKS_ID,

```

```

lines.REASON_CODE,
  lines.QUANTITY_ORDERED,
  lines.QUANTITY_CREDITED,
  lines.UNIT_STANDARD_PRICE,
  lines.SALES_ORDER_LINE,
  lines.SALES_ORDER_DATE,
  lines.ACCOUNTING_RULE_DURATION,
  lines.ATTRIBUTE_CATEGORY,
  lines.RULE_START_DATE,
  lines.INTERFACE_LINE_CONTEXT,
  lines.SALES_ORDER_SOURCE,
  lines.REVENUE_AMOUNT,
  lines.DEFAULT_USSGL_TRANSACTION_CODE,
  lines.DEFAULT_USSGL_TRX_CODE_CONTEXT,
  lines.LAST_PERIOD_TO_CREDIT,
  lines.ITEM_CONTEXT,
  lines.TAX_EXEMPT_FLAG,
  lines.TAX_EXEMPT_NUMBER,
  lines.TAX_EXEMPT_REASON_CODE,
  lines.TAX_VENDOR_RETURN_CODE,
  lines.GLOBAL_ATTRIBUTE_CATEGORY,
  lines.GROSS_UNIT_SELLING_PRICE,
  lines.GROSS_EXTENDED_AMOUNT,
  lines.EXTENDED_ACCTD_AMOUNT,
  lines.MRC_EXTENDED_ACCTD_AMOUNT,
  lines.ORG_ID,
  lines.GLOBAL_ATTRIBUTE1,
  lines.GLOBAL_ATTRIBUTE2,
  lines.GLOBAL_ATTRIBUTE3,
  lines.GLOBAL_ATTRIBUTE4,
  lines.GLOBAL_ATTRIBUTE5,
  lines.GLOBAL_ATTRIBUTE6,
  lines.GLOBAL_ATTRIBUTE7,
  lines.GLOBAL_ATTRIBUTE8,
  lines.GLOBAL_ATTRIBUTE9,
  lines.GLOBAL_ATTRIBUTE10,
  lines.GLOBAL_ATTRIBUTE11,
  lines.GLOBAL_ATTRIBUTE12,
  lines.GLOBAL_ATTRIBUTE13,
  lines.GLOBAL_ATTRIBUTE14,
  lines.GLOBAL_ATTRIBUTE15,
  lines.GLOBAL_ATTRIBUTE16,
  lines.GLOBAL_ATTRIBUTE17,
  lines.GLOBAL_ATTRIBUTE18,
  lines.GLOBAL_ATTRIBUTE19,
  lines.GLOBAL_ATTRIBUTE20,
  <Additional line column>,
  < >
  < >
FROM
  mtl_units_of_measure uom,
  ra_customer_trx_lines lines,
  ra_customer_trx trx,
  <Additional join table>
WHERE
  trx.customer_trx_id = lines.customer_trx_id
  AND trx.complete_flag = 'Y'
  AND lines.uom_code = uom.uom_code(+)
  and lines.line_type = 'LINE'
  and <Additional join condition>,
  and < >

```

Related Topics

Working with Bill Presentment Architecture, page 1-1

Implementing Bill Presentment Architecture, page 1-4

Registering Data Sources, page 1-9

Registering Data Source Views, page 1-16

Registering Data Source Views

When you register a data source view, you specify the content items that will be available for a specific display area of a bill. You must register views if you:

- Register a new data source for use with Bill Presentment Architecture (BPA)
- Want to use additional views in existing data sources as a source of content items

Before you can register a view, the status of the data source must be disabled.

To register a data source view:

- Select a display area for the view
- Select a database view

Note: BPA supports registration of one Lines and Tax data source view, one Details Page data source view, and multiple Header and Footer data source views.

- Select the content items to be available for creating templates

Prerequisites

- Register a data source, page 1-9
- Create database views, page 1-12

Selecting a View

To register a data source view for a data source, first identify the display area for the view, and click Register.

Then, use the search function to find the database view that you want to use as a source for content items. For each view, enter a description and display name for the view. Create a display name that easily identifies the source of the content items that can be selected from the view. Later, the template designer selects content items based on this view's display name.

Selecting Parameters

You can set parameters to retrieve specific values from the view when a bill is displayed at run time.

Select either Fixed Value or Transaction Attribute as a parameter type and click Go. Then select a database column and enter a value for this parameter. You can repeat the above steps to add more parameters.

For example, to have a view retrieve information associated with a particular *customer*, you can select the Fixed Value parameter type and the BILL_TO_CUSTOMER_NAME database column, and then enter the specific company name as the parameter value.

Or, to have a view retrieve information related to a *transaction*, you can select the Transaction Attribute parameter type and the CUSTOMER_TRX_ID database column, and then select the Transaction ID transaction attribute as the parameter value.

Available Parameters

For the Header and Footer, and Lines and Tax display areas, the available list of values for the Transaction Attribute parameter type includes all content items in the Invoice Header view of the Oracle Receivables data source, except for these attributes:

- Formatted Bill-To Address
- Formatted Remit-To Address
- Formatted Ship-To Address
- Outstanding Balance with Tokens

See: Oracle Receivables Content Items, page A-1.

For the Details Page display area, the available list of values for Transaction Attribute parameter type includes:

- All content items in the Billing Lines view of the Oracle Receivables data source
- All content items in the Billing Lines view of the supplementary data source that you are creating the view for.

Important: Ensure that you select proper parameters so that your registered views for the Header and Footer display area return only one row at run time. Even if a view returns multiple rows, the bill will display only the first row.

Selecting Content Items from Views

From the list of columns in the Content Items section, select the columns that you want

to be available as content items during template design.

You can select or deselect column names only if the data source for the view is disabled. The Oracle Receivables data source, however, is always enabled because it provides transaction information to BPA. You can access views and update content items even though this data source is enabled.

If a column name is already used as a content item in an existing template, then the check box is grayed out. To make the content item unavailable for template design, you must first delete the content item from all templates that use the content item. You can then deselect the column.

For each column, you can modify the default item name and item display label. BPA creates a description for each content item, using the following format:

Content item description = data source name-view display name-item name

The description appears in Template Management. It may be helpful to design a naming convention for data sources, views, and content items that easily identifies these components for your billing personnel.

Note: The Item Display Label can also be modified in Template Management. See: Updating Properties, page 2-7.

If you checked the Assignment Attribute checkbox against a content item from the Primary Data Source or header level flexfield content items from supplementary data source, it will be available as a template assignment attribute while creating template assignment rules.

Related Topics

Viewing Data Source Views, page 1-18

Registering Data Sources, page 1-9

Working with Bill Presentment Architecture, page 1-1

Implementing Bill Presentment Architecture, page 1-4

Assigning Templates, page 3-1

Viewing Data Source Views

You can view the content items that are available for a view in the View page. First, open the View Data Source page by selecting a data source name. Then select the view display name to open the View page. This page lists all items available in a view. Items are shown as:

- **Used in templates:** Item is checked and check box is grayed out.
- **Available for use in templates:** Item is checked and check box is active.

- **Not available:** Item is not checked.

You can also access the View page by clicking the Views icon.

Related Topics

Working with Bill Presentment Architecture, page 1-1

Implementing Bill Presentment Architecture, page 1-4

Registering Data Source View, page 1-16

Configuring Hyperlinks

The system administrator creates the hyperlinks that are available for a template designer to associate with content items in a template. These hyperlinks are the hyperlink addresses for the HTML pages that you can link to from an online bill.

- Give a name and description to each hyperlink. Pick a name for the hyperlink that easily identifies the hyperlink for the template designer. For example, if you create the hyperlink that links to your company home page, then you could provide a name such as *Company Home Page*.
- Enter the URL address. At run time, Bill Presentment Architecture (BPA) will automatically add the server name and port number to the beginning of the address.

If the hyperlink is linked to another Oracle application, you don't have to enter the full address. Otherwise, you must enter the full address.

You can also enter parameters for the hyperlink address.

- To add a fixed value parameter, such as *country=us* click Add Another Row under Fixed Values. Enter the name and value for the parameter.
- To select a transaction attribute, specify a data source level, data source and view. Click Add Another Row and search for the attribute you want to add. Select the Encrypt check box if you want to prevent external users from accessing to your internal web pages.

For information on associating hyperlinks to content items, see: Updating Properties, page 2-7.

Warning: If you associate a hyperlink to the Item Description content item in the Lines and Tax area, then you will override the default links that BPA automatically provides. The links from grouped transaction lines to transaction lines and from transaction lines to transaction details will no longer be functional.

Note: You can associate a hyperlink with a transaction attribute only to a content item of the same data source view. Hyperlinks with fixed value parameters, however, can be associated with any content item.

BPA provides four seeded hyperlinks that you can associate with content items:

- Oracle Header Level Sales Order link
- Oracle Lines Level Sales Order link
- Oracle Applied Transaction Number link
- Oracle Transaction Number Link

Related Topics

Creating a New Template, page 2-2

Working with Bill Presentment Architecture, page 1-1

Implementing Bill Presentment Architecture, page 1-4

Template Management

This chapter covers the following topics:

- Template Management
- Balance Forward Billing Templates
- Creating a New Template
- Modifying Templates
- Uploading External Templates

Template Management

Use Template Management to create, update, and manage templates to present bills online and for printing. Using the icon tools, you can graphically:

- Create templates, page 2-2
- Modify templates (duplicate and update), page 2-11
- Create custom content items, page 2-7
- Format text and layout, page 2-7
- Upload external templates, page 2-12
- Preview templates using existing customer transactions, page 2-9
- Delete templates

Related Topics

Creating a New Template, page 2-2

Modifying Templates, page 2-11

Uploading External Templates, page 2-12

Working with Bill Presentment Architecture, page 1-1

Balance Forward Billing Templates

Balance forward billing lets you track transactions that have occurred in the current billing period, together with any unpaid transactions from the previous billing period. The balance forward bill shows the previous balance carried over from the last billing period, payment received, current charges and activities, and current total outstanding balance. To create a balance forward template, select Balance Forward Billing as the primary data source and choose an appropriate format to suit your billing needs. Balance forward templates do not use a supplementary data source.

Related Topics

Creating a New Template, page 2-2

Modifying Templates, page 2-11

Uploading External Templates, page 2-12

Creating a New Template

Bill Presentment Architecture (BPA) guides you through the steps to create a new template by displaying a series of "train stations" that show you where you are in the process.

1. General Information, page 2-2
2. Primary Page Design, page 2-4
3. Details Page Design, page 2-8
4. Print Setup, page 2-8
5. Preview, page 2-9

At the end of the process, you save and complete the template. See: Saving and Completing Templates, page 2-10.

General Information

To create a new template, enter the general information for the template, such as template name and template description. Based on your primary data source selection the remaining fields to fill will differ. If you select Oracle Receivables as the primary source of billing data for your template, then select the transaction class. You can create a template for invoices, credit memos, debit memos, guarantees, chargebacks, or

deposits.

You can select one supplementary data source, such as Oracle Order Management, Oracle Service Contracts, Oracle Projects, other Oracle application, or a third-party application, from the list of enabled data sources registered with your installation. You can select a supplementary data source only for templates with a transaction class of invoice, credit memo, or debit memo.

If you want to create a details page, then you must select a supplementary data source with a registered details view. The available content items for the details page are drawn from the supplementary data source application.

Note: A Bill Presentment Architecture (BPA) template with a supplementary data source displays only those transactions, which have the same interface context as the supplementary data source.

You can format tax amounts on a bill based on the tax printing method selected in Receivables, or you can design a custom tax format.

- If you select the Oracle Receivables Tax Printing Option, then the tax amounts displayed on a bill are formatted according to the customer's tax printing format selected in Receivables to print tax amounts on invoices. See: Tax System Options, *Oracle Receivables User Guide*.

You cannot customize or modify these tax formats in Template Management.

- If you select Custom, then you can select and format the tax-related content items to display tax information on a bill. BPA ignores the customer's tax printing option selected in Receivables.

You can add tax items to the Billing Lines section of the Lines and Tax content area, include a summarized tax table below the lines, and display itemized tax by lines.

The tax content items available are:

- Inclusive Flag
- Tax Code
- Tax Extended Amount
- Tax Name
- Tax Precedence
- Tax Rate
- Taxable Amount

Note: You must include either Tax Code or Tax Name but not both content items.

See: Selecting Content and Layout, page 2-4.

If you select Oracle Receivables Balance Forward as the primary data source or when you upload an external balance forward bill, transaction classes and tax formats cannot be specified. Also, the supplementary data source is set to None. Select between Summary or Details Format; Summary to view a summary of all transactions and Detail to view detailed information of all transactions.

Note: The Transaction Class and Tax Format fields will disappear if you selected Oracle Receivables Balance Forward as your Primary data source.

Primary Page Design

To design the primary page of the template, you begin with three blank content areas: Header, Lines and Tax, and Footer. Use the icons to create the desired layout.

- You can divide the Header and Footer content areas, horizontally and vertically, into numerous content areas. You should create a content area for each logical group of content items that share the same format.

Within the Header and Footer content areas, content areas can be moved, swapped, or duplicated. If you duplicate or move one content area to replace another content area, then the action replaces any existing data in a content area and leaves the original area blank.

- The Lines and Tax content area, which displays the billing transactions and tax information, is a single content area that cannot be split into additional content areas.

The Lines and Tax content area is formatted as a table, where the selected content items are the columns, and each billing line is a row. For information about the display options available for billing lines, see: Selecting Content and Layout, page 2-4.

Selecting Content and Layout

For each content area, use the Select Content and Layout icon to choose content items and the layout format. Available content items are filtered by data source and view, and include predefined as well as custom content items. Transaction flexfield content items are available in the list of items for the supplementary data source. The description, including its source, displays for each content item.

To include an item in a content area, move it from Available Content Items to Selected Content Items and arrange the order in which it appears.

For each content area in the Header or Footer areas, you can select the layout type to format the appearance of the content items. You can format content items to appear as a single column, double columns, rows, or tables. You can include or hide item labels. To format properties, such as bold type, of a content item or its label, see: Updating Properties, page 2-7.

Select the items to appear in the Lines and Tax content area. If your primary data source is Oracle Receivables Balance Forward, the lines and tax view will depend on the value (Summary or Detail) you chose in the format field. The line and tax content area contains the billing lines and optionally tax for those items. This area cannot be divided into multiple content areas. The selected content items are displayed in a table, with the first item in the Selected Content Items box displayed in the first column. Column width is dynamically controlled based on column label text for the online bill. Columns are initially proportioned equally for the printed bill, but can be reset. See: Updating Properties, page 2-7.

Note: For the Lines and Tax area, you must include the Item Description content item. You use this content item to drill down from parent lines to child lines, and from billing lines to detail lines. If you add another hyperlink to this content item, it deletes the functionality for grouping, drilldown, and details page.

Transaction Description content item will be an optional item.

For billing lines, you have the following display options:

- **Sequence Number:** Check this box to automatically display sequence numbers for grouped transaction lines. If unchecked, then no numbering is displayed.

BPA assigns numbers to grouped transactions sequentially (1, 2, 3, and so on). The second-level transaction lines that make up each grouped transaction line are also sequentially numbered; BPA appends each second-level transaction line's sequence number to the top-level sequence number (1.1, 1.2, 1.3, 2.1, 2.2, and so on).

This option is available only for templates that use Oracle Service Contracts as a supplementary data source.

Note: You can also display a line number if you include the Receivables content item, Line Number, in the Lines and Tax area. If you display Line Number, then the numbers will correspond to the item numbers in Receivables and may not be in sequential order if line items are grouped, or if the order of the items is changed.

- **Itemized Tax by Line:** Check this box if you are using a custom tax format and

want to itemize tax by transaction line. Itemized tax information for each eligible line will appear below its associated billing line. Itemized tax lines show the description column, amount column, and any tax-related content items that were selected for the Billing Lines section when you created the template.

Grouped billing lines, available for Oracle Service Contracts, will have grouped itemized taxes.

This option is not available for registered data sources that have user-defined Lines and Tax data source views.

- **Summary Lines:** Check this box if you want to display summarized transaction lines. Grouped lines are presented in the Lines and Tax area of the primary bill page.

This option is available only for templates that use Oracle Service Contracts as a supplementary data source.

If you choose to display summarized transaction lines, customers can drill down to the child lines using hyperlinks in the Item Description column on the online bill. If you want to include child lines on printed bills, select the With Child Lines Printed box.

From a grouped billing line, you can link to the transaction lines that make up the group. From a transaction line, you can link to billing details available on the details page of a bill.

Grouped lines and their child lines share the same format and content items.

Note: You can also add hyperlinks to any attribute on a bill to enable your customer to further research billing details. See: Updating Properties, page 2-7.

If grouped lines are not available, or if they are available but the check box is not selected, then Bill Presentment Architecture (BPA) presents the transaction lines, not grouped transaction lines, as the top level of billing lines.

Note: BPA supports grouping, drilldown, and inclusion of data from multiple data sources only for bills created after implementing BPA. Bills created before your BPA implementation can be presented using default templates or assigned templates, but will not support any hyperlinks for grouping or drilldown. Data fields for content items from data sources other than Receivables will show no data.

- **Summarized Tax:** If you want to display a separate table with summarized taxes in the Lines and Tax content area, then select content items in the Summarized Tax section. Tax amounts are summarized based on either Tax Code or Tax Name. You

must include one of these content items but not both. Summarized tax information is displayed below the lines table in the Lines and Tax area as the total tax amount for all billing lines on the bill.

This section is available only for templates that use the Custom tax format.

Creating Custom Content Items

You can create custom content items for inclusion in templates. A custom content item can be a message or an image. For example, you can create a message telling your customers how to contact customer service, or an image of your company logo.

Note: You can use custom content items only in the Header and Footer areas of a template.

Enter a unique name, and optionally a description and display label, for each new content item. The display label will appear on the template.

You can select a hyperlink name, if you want to provide a link from the content item. You can associate custom content items only with hyperlinks with fixed parameters. These hyperlinks cannot contain transaction attributes from a transaction data source.

Enter the message, or browse and locate the image file name that will appear on the template. Your system administrator must create the image file and save it to the OA_MEDIA virtual directory.

Updating Properties

Select the Update Properties icon to change the format properties of a content area. You can:

- Adjust the amount of white space that appears in a content area between the border of the area and the content items. The default is 0 pixels, but you can change it to any number to increase the white space.
- Display content item display labels and data in bold or regular type.
- For the Lines and Tax area and any area using the Single Row layout, specify the column width for each content item on the printed bill. The total for all columns must equal 100% or less.

When you add content items to a new template, BPA proportions the column widths equally. You can reset them to format the printed bill according to your specifications. If you later add a content item, the column width for the new item is set to zero. Columns with zero width will not show on the printed bill. You must reset the widths for the columns so that every column has a width greater than zero and the total width equals 100% or less.

Note: For online bill presentation, BPA dynamically sets column widths based on the length of the column label and text displayed.

- The item value style is not available for the Attachment content item or for any custom image item.
- Rename content item display labels and group labels, or delete all text so the labels do not appear on the bill.
- Add or remove a hyperlink associated with a content item.

Note: The content item and its associated hyperlink must have the same data source view.

Details Page Design

During the third template design step, you optionally select the contents for the details page. Details Page is available for invoices or for balance forward templates. You can include a details page if you specified a supplementary data source with a registered details page view or for balance forward billing templates with summary format.

If you select content items for the details page, then a user can click a hyperlink that appears in the Item Description column of the Lines and Tax area of the online bill to view detail information for the billing line. You must also set the AR: BPA Details Access Enabled profile option to Yes. See: Bill Presentment Architecture Profile Options, page B-1. Select the Display on Printed Bill option to include child lines on printed bills.

Click the Update Properties icon and specify the column width for each content item on the printed bill. The total for all columns should equal 100% or less. You can also change content item display labels and add hyperlinks.

Select the Display on Printed Invoice box if you want to include the details page with the printed bill.

If you are not including a details page in your template, then BPA skips this step.

Print Setup

For printed bills, enter the information for the layout of the printed bill in the Print Setup step. In this step you can select one of the default layouts, which are based on standard envelope sizes, such as *legal* or *letter*. You can also customize a layout by modifying the page and layout dimensions. You cannot modify the unit of measure for the dimensions in Print Setup.

Note: To create custom page setups that can be selected in Template Management or modify units of measure, see: Creating and Updating Page Setups, page 4-3.

Select the font, font size, and page number location.

Select the format for the header and footer regions. You may display the Primary Header on the first page only, on every page, or choose to create and show a Secondary Header on all primary pages except the first page. You can choose to show the Footer on every primary page or just the last page. These secondary header and footer options apply only to primary pages, not detail pages.

To create a Secondary Header, you can select content items and layout or you can duplicate the Primary Header and update its properties to easily set up the second header format.

Preview

The last template design step involves previewing the final template. BPA displays the template as it will appear online to the end user, populated with "XXXX" where actual transaction data will appear. If changes are required, then go back and make the necessary corrections.

You can also view a template as an online bill or printed bill with real customer data by selecting the Interactive Preview icon for a specific template on the Templates page. This icon is available for templates with a status of Complete or Incomplete.

Note: A Bill Presentment Architecture (BPA) template with a supplementary data source displays only those transactions, which have the same interface context as the supplementary data source.

Note: To preview templates created from external files, use the Interactive Preview icon in External Templates.

Search the list of available transactions and select one to preview. Based on user responsibility assigned, you can search for transactions on multiple operating units. Only transactions with the same supplementary data source as the template will be available. If you select Online Preview, a secondary window opens to present the transaction as a bill formatted by the template, just as a customer would see it using Receivables, iReceivables, Collections, or other calling application. Additionally, the presented bill has working drilldown and hyperlinks.

If you select Print Preview, BPA generates a PDF file with standard PDF functionality, for review. You can also select one or more transactions in the Interactive Preview window and choose to print them. Template assignment rules are not used for this print request and the Print status flag in Oracle Receivables is not updated. To monitor your

print requests, go to the Requests page in Print Management.

Review the content and layout to verify that the template format is acceptable. Test the drilldown and hyperlinks using Online Preview to verify that they work properly.

Saving and Completing Templates

When creating or updating a template, you can save your work at any point during the process by clicking Save. This action saves the template and lets you continue working on the page. It does not change the status of the template.

You can also click Finish at any time which will save your work and exit you from the Create or Update process.

When you are satisfied with your template design, click Finish to save your work and exit the template design process.

A template can have a status of Incomplete or Complete.

- You can modify, update, preview, duplicate, or delete a template that has a status of Incomplete, but the template cannot be assigned to customers and used to present bills online.
- You cannot update or delete a template that has a status of Complete.

Completing a template is a separate step and should not be done until the template design process is finished, and you have previewed and tested the template with real data.

You can change the status of a template at any time.

Note: You cannot change the status of default templates to Incomplete.

Note: Only templates with a status of Complete can be assigned to a rule in Template Assignment.

Related Topics

Oracle Bill Presentment Architecture Profile Options, page B-1

Interactive Preview for External Templates, page 2-13

Modifying Templates, page 2-11

Uploading External Templates, page 2-12

Assigning Templates, page 3-1

Working with Bill Presentment Architecture, page 1-1

Modifying Templates

If you do not want to build an entirely new template, then you can copy an existing template and modify it to suit your requirements. Select the Duplicate icon next to the template you want to copy and enter a new template name and description.

Bill Presentment Architecture (BPA) provides nine default templates:

- Default Chargeback Template
- Default Credit Memo Template
- Default Debit Memo Template
- Default Deposit Template
- Default Guarantee Template
- Default Invoice Template
- Default Oracle Service Contracts Invoice Template
- Default Balance Forward Summary Template
- Default Balance Forward Detail template

After duplicating an existing template, you can select a different supplementary data source. In the new template, content items from the old supplementary data source are removed. For example, if you copy an Oracle Service Contracts (OKS) template and change the supplementary data source to Oracle Order Management, the content items specific to OKS are deleted from the new template.

If you are duplicating a Balance Forward template, you cannot change primary and supplementary data source; however, you can change the format between summary and detail.

If you duplicate an existing template and change the transaction class to chargeback, deposit, or guarantee, content items specific to a supplementary data source are removed. Templates for these transaction classes do not use supplementary data sources.

If you change the tax format in a duplicated template, any content items related to original tax format are deleted. For example, if you change the tax format from Custom to Oracle Receivables Tax Printing Option, the content items specific to the Custom format are removed.

Related Topics

Creating a New Template, page 2-2

Uploading External Templates

You can upload external files to be used as billing templates for printed bills including balance forward bills, instead of creating a new template. External templates can be any PDF or RTF file. You can upload multiple language versions of the file as needed for a single template. You can upload external files for templates for either summary or detail balance forward bills, but you cannot use an external template to create grouping or to drill down from summary to detail information. After uploading the file, you must map each field name in the template to a content item from a data source view in Bill Presentment Architecture (BPA).

Note: External templates can be used for printed bills only. You cannot modify the layout of these templates in BPA Template Management.

You can assign external templates in Template Assignment.

Follow XML Publisher guidelines when creating a file to be used as an external template in order to have fields that can be mapped in BPA to content items. For instructions on how to create a file that will be accepted by BPA, see: *Oracle XML Publisher User's Guide*.

General Information

Enter a name and description for the template as the first step in uploading an external file and select a primary data source. Select a supplementary data source if applicable. Select the template file type. You can upload only files in PDF or RTF formats.

You can update the general information for existing external templates. If you change the template type, BPA deletes all mapping information and you must re-map field names to content items for the template. If you change the supplementary data source, the mapping to content items from the supplementary data source is lost, but the mapping to content items from Oracle Receivables is maintained.

File Upload

Add the files you want to upload for this template.

If your environment runs multiple languages, you can add one version of the template for each language installed. Field names must be the same across language versions in order for mapping to work successfully. When printing bills, BPA selects the appropriate template file based on the language associated with the customer's address.

Click Browse to locate the file to upload and enter the language for the file.

You can also update or remove files for a template. If you remove all the files for a template, the mappings are lost and you must re-create the template entirely. If you delete files but retain at least one file, the content mappings will still exist for the template.

Item Mapping

To enable BPA to use your external file as a billing template, map the field names from the uploaded file to available content items in the data source views in BPA.

You can also display itemized tax for each billing line, if available from a supplementary data source.

For balance forward billing, depending on the format you select for your template, you can map field names to content items in the Oracle Receivables Balance Forward Summary Billing Lines View or the Oracle Receivables Balance Forward Detail Billing Lines View. You cannot map to content items in supplementary data source views for balance forward billing templates.

As with other templates, any content items added in Configuration, will be available for mapping to external templates field names. You must unmap a content item associated with an external template field name before you can delete it in the Configuration tab.

Review

Finally, review the item mapping for your uploaded template. The Review page shows the mapped content items grouped by bill sections, header and footer, and lines and tax. It also displays field names that are mapped to content items. Unmapped items have null values.

Interactive Preview for External Templates

You can preview how an external template presents a bill using actual transactions from Oracle Receivables by selecting the Interactive Preview icon for the template.

Note: You can preview external templates only from External Templates. To preview other templates, go to Templates.

You can select one or more transactions to print from the interactive preview. Only transactions with the same supplementary data source as the template will be available. The print flag will not be updated in Receivables, and the preview feature does not use template assignment rules to assign the template to the bill. BPA uses the template you selected to preview to format the transaction for printing, not the template assignment rules. Monitor your print requests on the Requests page in Print Management.

Note: The Interactive Preview button is enabled only if you have

uploaded an external template. If you upload an external template but not for the bill to language of the invoice, the checkbox for the transaction is disabled.

Related Topics

Selecting Content Items from Views, page 1-17

Registering Data Source Views, page 1-16

Assigning Templates, page 3-1

Working with Bill Presentment Architecture, page 1-1

Assigning Templates

This chapter covers the following topics:

- Assigning Templates
- Default Rule
- Creating a New Assignment Rule
- Assigning a Template to a Rule
- Reordering Rules
- Viewing Online Bills
- Viewing Attachments

Assigning Templates

Bill Presentment Architecture (BPA) uses rules to determine which template to use to display online or print a bill. When you define a rule, you specify one or more criteria for content item values. You can create different rules to assign templates to present online bills and printed bills.

Each criteria contains:

- **Attribute Name:** An LOV of content items based on selections made in the Header and Footer display area from the primary or supplementary data source. For details on selecting a content item as an assignment attribute, see *Selecting Content Items from Views*, page 1-17.
- **Condition:** A matching state such as equals, is greater than, greater than or equal to, less than or is less than or equal to.
- **Value:** A user-defined value that occurs on your transactions for the content item selected as the attribute. You can select a value from the list of values, or enter a value.

When you select a bill to view online or print, BPA reviews the rules in the order you specify until it finds a match, and then uses the template associated with the rule to format the bill.

For example, for ABC Company:

- If the Bill To City value on the invoice is Seattle, then you want to use Template ABC1.
- If the Bill To City is any city other than Seattle, then you want to use Template ABC2.

To do this, you can define one rule called ABC-Seattle, as shown in the following table, and assign it to Template ABC1:

Attribute Name	Condition	Value
Customer	equals	ABC Company
Bill To City	equals	Seattle

You define a second rule, shown in the table below, called ABC and assign it to Template ABC2:

Attribute Name	Condition	Value
Customer	equals	ABC Company

When you order the rules, list ABC-Seattle before the ABC rule.

Related Topics

[Creating a New Assignment Rule, page 3-3](#)

[Assigning a Template to a Rule, page 3-5](#)

[Reordering Rules, page 3-7](#)

[Viewing Online Bills, page 3-8](#)

Default Rule

BPA provides default rules that assign the default template by Transaction Class or Format depending on the primary data source selected. For example, it assigns the Default Invoice Template to present invoices. If no rule matches attributes and content item values, it applies one of the two default rules based on your primary data source

selection:

- **Default Transaction Rule:** The Default Transaction Rule applies if you selected Oracle Receivables as your primary data source and BPA uses the default template to present the bill. This is true for transactions for all supplementary data sources.
- **Default Balance Forward Rule:** The Default Balance Forward Rule applies if you selected Oracle Balance Forward Billing as your primary data source. BPA applies this rule and assigns the Default Balance Forward Summary Template or Default Balance Forward Detail Template depending on the choice of Format.

Note: If BPA does not find a match in any of the rules for a transaction with a supplementary data source other than None, then it reviews the rules associated with the supplementary data source None until a match is found.

You cannot update the Default Rule. If you want to change the template assigned to this rule, then create a new default rule with no attributes and order it before the seeded default rule.

Creating a New Assignment Rule

You can create as many rules as you need to assign templates to transactions. Each rule can be composed of one or more attribute matching criteria. You can specify that a bill must match at least one attribute criteria, or must match all criteria, in order to be displayed by the template associated with the rule.

You can create a rule for any enabled data source. You must select a supplementary data source or select None.

To create a new rule:

1. Enter the name, description, and supplementary data source.
2. Next, select the order the rule will be applied. You can create different rule order for online and printed bills.

Note: If you are adding the first rule for a data source, the Rule Order section will not be displayed.

3. Next, select matching criteria. See *Selecting Attribute Matching Criteria*, page 3-4.
4. Finally, assign a template to the rule. See *Assigning a Template to Rule*, page 3-5.

To change the order in which the rules are applied, see: *Reordering Rules*, page 3-7.

Tip: Create a default assignment rule for each supplementary data source that you use in BPA. Do not add any attributes to the rule. Assign a generic or default template to the rule. The default rule will apply when no other rules match.

Note: If you create a rule for supplementary data source None, then order it before the Default Rule. If the rule for the supplementary data source None follows the default rule, it will never be invoked to assign a template.

Selecting Attribute Matching Criteria

For a rule, you can set up matching criteria for one or more attributes. You can specify that all conditions of the rule must be met in order to assign a template to transactions or that the rule will assign a template if any condition is matched.

Important: You must have designated content items to be used as assignment attributes in a previous step. See: Enabling Assignment Attributes, page 1-12.

Select an attribute from the Add Attribute list of values and click Go. BPA filters the list of available conditions for the selected attribute. Next, select the condition for the rule. For information about selecting matching conditions, see Selecting Conditions for Rules, page 3-4.

Then, add the attribute values for the rule. Depending on the type of attribute used in the rule, you can select a value from a poplist, use the flashlight to search for an attribute value, or enter a value. For attributes with numerical or date values, such as Billing Date or Outstanding Balance, enter a value.

Selecting Conditions for Rules

When you set up the matching criteria for an attribute in a rule, you can select the condition for which a template is used to display or print bills. The condition must be met for a specified attribute that appears as a content item on your bills. The matching conditions available are:

- **Equals:** Use this condition to match alpha or numeric values exactly, such as *Operating Unit equals Vision Brazil*.
- **Greater than, greater than or equal to, less than, and less than or equal to:** Use these conditions to match numerical and date values, such as *Total Amount greater than or equal to \$2500.00* or *Billing Date less than 1-MAY-2004*. This condition can be used to match alpha values, but it is not recommended.

- **Starts with:** Use this condition to match attributes that begin with the same value, so you don't have to create multiple rules using the equals condition. For example, if you bill several companies affiliated with Business Inc., you can set up a matching criteria, *Customer Name like Business* to assign the same template to all the related companies. BPA assigns the template for this rule to all customers starting with *Business*, such Business East, Business North, and Business West.

This condition cannot be used to match numerical values.

- **Contains:** Use this condition to match attribute values that share a word or phrase. For example, if you want to assign a template to all customers with Business as part of the company name, you can set up a matching criteria, *Customer Name contains Business*. BPA assigns the template for this rule to all customers that have Business as part of the company name, such as Business World, World of Business, and International Business Corporation.

This condition can be used to match alpha values.

Related Topics

Assigning Templates, page 3-1

Assigning a Template to a Rule, page 3-5

Reordering Rules, page 3-7

Viewing Online Bills, page 3-8

Assigning a Template to a Rule

Select the templates that the rule applies to from the list of assigned templates. You must assign a template for at least one transaction class.

There is a tab for each transaction class. BPA filters the available templates based on the supplementary data source, transaction class, and presentment type you select. Since deposits, guarantees, and chargebacks have no supplementary data source, BPA does not display these tabs for rules with a supplementary data source other than None.

Important: For balance forward billing templates you do not choose a transaction class and hence no separate tabs will be seen on screen for balance forward rule.

You can assign the same template for both online and printed bills, or you can assign different templates. To assign the same template for printed bills, select the Duplicate Assignment for Printed Bill option. The list of templates available for the printed bill includes external templates.

When you assign a template to a rule, you enter a range of transaction dates. The bill creation date corresponds to the date when the transaction was created in Receivables.

- A bill creation date must be January 1, 1970 or later.
- Bill creation dates cannot overlap within a rule. For example, if you assign two templates, Template A and Template B, to a rule, then the bill creation dates for Template A cannot overlap the bill creation dates for Template B.
- The Bill Creation From date must be earlier than or equal to the Bill Creation To date.

Note: To assign a template to a rule, you must first click Add Another Row.

When you are assigning templates to rules, remember the following important points:

- Only templates with a status of Complete can be assigned to a rule.
- For each rule, you must assign at least one template for Online Bills or at least one template for Printed Bills.
- Rules that do not have an assigned template will not be available in the shuttle boxes for Reorder Assignment Rules. For example, if a rule has a template assigned for only Printed Bills, it will not appear in the Online Bill reordering box.
- If a template is already assigned to a rule and you change the template's status to Incomplete, then the template will no longer be available for assignment. You must reassign a template with a status of Complete to the rule.
- If you change the data source for a template that is already assigned to a rule, then the template will no longer be available for assignment.
- You cannot delete a template that is assigned to a rule.
- A rule, and the templates assigned to it, must have the same supplementary data source.

Related Topics

Assigning Templates, page 3-1

Creating a New Assignment Rule, page 3-3

Reordering Rules, page 3-7

Viewing Online Bills, page 3-8

Reordering Rules

BPA applies rules based on the rule order that you define for each supplementary data source. The assignment engine in BPA begins with the first rule and searches until it finds a match. You can change the order of the rules at any time.

If no match is found for a particular supplementary data source, the rules for the supplementary data source None are checked until a match is found. The Default Invoice Rule applies if no other matches are found.

To reorder rules, select the Primary Data Source of the rules to reorder and click Reorder Rules available on the Assignment Rules page. Use the shuttleboxes for online bills and printed bills to change rule order. The Supplementary Data Source LOV will be set to None in case of a Balance Forward Billing template. If an external template is assigned to a rule, then the rule appears only in the Print Bill Available Rules shuttlebox.

Note: If you register a supplementary data source that has the same interface context as a seeded data source, then BPA will apply the rules created for the custom data source before the rules associated with the seeded data source.

In other words, the assignment engine will review the list of rules for the custom data source before reviewing the rules for the seeded data source. The rule order for each data source, however, will still apply.

Note: Only rules with assigned templates appear in the reordering shuttleboxes

Note: If you create a rule initially only for online bills, but later update the rule to apply to printed bills also, the rule is placed at the bottom of the list of rules for printed bills. You can change the rule order using the Reorder button. This is true also if you initially assign a rule only for printed bills and later assign the rule for online bills.

Related Topics

Assigning Templates, page 3-1

Creating a New Assignment Rule, page 3-3

Assigning a Template to a Rule, page 3-5

Viewing Online Bills, page 3-8

Working with Bill Presentment Architecture, page 1-1

Viewing Online Bills

Internal users and external customers can view bills online using Oracle Receivables, Oracle *iReceivables*, Oracle Collections, or other calling application. When a user selects a transaction number, or icon if available, the assignment engine in Bill Presentment Architecture (BPA) determines which template to use to display the bill.

When viewing a bill, all the features and functionality of BPA's Interactive Preview, such as drilldown to transaction details, or *iReceivables*, such as creating a dispute, printing bills, or making a payment, are available to the user.

To learn more about *iReceivables*, see: *Oracle iReceivables Implementation Guide*.

Related Topics

Preview, Creating a New Template, page 2-9

Bill Presentment Architecture Profile Options, page B-1

Working with Bill Presentment Architecture, page 1-1

Viewing Attachments

Use attachments to let internal users and external customers attach and view documents on online bills. An attachment document can be an image or data file, hyperlink, or text. To include an attachment, add the Attachment content item to a template. This content item is available only for the Oracle Receivables Invoice Header data source view. Add this content item to the header or footer of a template.

When adding an attachment to a transaction, select the document category, or add additional categories for attachments specific to BPA. See About Attachments, *Oracle Applications User's Guide*.

You can control whether users can view, or view and update, attachments by setting the AR: BPA Attachments Update Enabled profile option.

Related Topics

Printing Attachments, page 4-3

Registering Attachment Categories, page 1-7

Print Management

This chapter covers the following topics:

- Print Management
- Submitting Print Requests
- Creating and Updating Page Setups

Print Management

Use the Print Management tab to generate printable transactions in Bill Presentment Architecture (BPA). You can print a single transaction or a batch of transactions. You can also print BPA transactions from Forms-based applications such as Oracle Receivables.

When you create a template, you assign a page setup that determines the page size, margins, and font used for the printed transaction.

When you run a print request, BPA generates a PDF file for each group of transactions, which is stored as the output file of the print request concurrent program.

Note: BPA also generates a PDF file for a bill when you click Print in Interactive Preview for a template.

Bill Presentment All Request Group

The Bill Presentment All request group is associated with responsibilities for Bill Presentment Architecture (BPA) and contains two concurrent programs:

- **BPA Transaction Print Program:** This program launches one child print program for each print job instance requested. The child program generates a PDF file for each transaction to be printed.

The transaction print program provides an additional parameter for Invoice Print

Master Program that allows users to specify the locale used by XML Publisher. XML Publisher uses this parameter to decide number and date format. If an item is not formatted at data source level, XML Publisher will format it based on this locale as well as the format information in the template. If this parameter is not passed, BPA will look for the language of the bill to site and convert it to locale and use that information.

If you want to use an Oracle Receivables responsibility to run the BPA Transaction Print Program, then add this program to the AR request group for the responsibility. For further information see: *Oracle Applications System Administrator's Guide*.

- **BPA Balance Forward Print Program:** This program launches a child print program for each balance forward bill print job requested.
- **Generate Stylesheet for BPA Templates:** This program runs automatically when you change the status of a template to Complete. It generates XSL formatting object files (.xsl-fo) that contain PDF formatting information used for printed bills.

You must run this program manually when you install BPA. See Generating Stylesheets, page 1-8

Related Topics

Submitting Print Requests, page 4-2

Creating and Updating Page Setups, page 4-3

Submitting Print Requests

Select the parameters for your print request.

When the BPA Transaction Print Program or BPA Balance Forward Print Program runs, it launches one or more child programs, depending on the number of transactions to print. Based on your responsibility, you can submit print request of transactions across operating units you have access to. The child program generates one PDF file for each group of transactions and stores it as the output file of the concurrent program. You can direct this file to a designated printer, using the standard functionality available for concurrent programs. You can view this file at any time and reprint it manually.

For a print request, you must specify at least one of the following parameters:

- Operating Unit
- Customer Number Low
- Customer Number High
- Bill To Site Low

- Bill To Site High
- Bill Number Low
- Bill Number High
- Concurrent Request ID
- Print Template

BPA launches a number of child programs based on the number of transactions to print. A new concurrent program parameter Job Size lets the user define the number of transaction to print per child program. The default value is 500.

For example, if there are 1000 transactions to print, by default BPA launches two child programs, each with an output file of 500 transactions. This may be altered by user to print all 1000 transactions in one single print program.

Printing Attachments

To print attachments while printing a transaction specify a document category in the AR: BPA Print Attachment Category profile option. You do not need to add the attachment content item to a template in order to print an attachment. When a transaction prints, any associated attachments in the specified document category prints automatically. This applies to templates created in BPA as well as external templates. Attachments must be in PDF format. For further details, see AR: BPA Print Attachment Category, page B-3 and Registering Attachment Categories, page 1-7.

Related Topics

Print Management, page 4-1

Creating and Updating Page Setups, page 4-3

Bill Presentment Architecture Profile Options, page B-1

Creating and Updating Page Setups

Use Page Setup to create new page setups or update existing setups. A page setup specifies the page layout parameters for printed bills, including page margins, paper size, font, font size, and the placement of the page number. When you create a template in Template Management, you assign a page setup to format transactions printed using that template.

Seeded page setups include A4, Legal, and Letter. You can modify seeded page setups.

If you modify a page setup in Print Management, your modifications replace any earlier parameters for the setup. New templates created after your page setup modifications will reflect the modified setup. Existing templates will not change.

You can also modify page parameters in Template Management, but your changes will not be saved permanently for the page setup. Your changes affect only page setup for the template using the page setup you modify.

Related Topics

[Print Management, page 4-1](#)

[Submitting Print Requests, page 4-2](#)

[Working with Bill Presentment Architecture, page 1-1](#)

Page References

This chapter covers the following topics:

- Bill Presentment Architecture Page References
- Template Management Page Reference
- Template Assignment Page Reference
- Print Management Page Reference
- Configuration Page Reference

Bill Presentment Architecture Page References

This section provides a brief description of some common fields throughout Bill Presentment Architecture (BPA).

For additional field descriptions, you can also refer to page-specific references:

- Template Management Page Reference, page 5-3
- Template Assignment Page Reference, page 5-4
- Print Management Page Reference, page 5-5
- Configuration Page Reference, page 5-5

Common Field References

Content Item: A content item is a data attribute selected from a data source, such as Receivables, that can be placed in a content area of a template.

Data Source Status: A data source can be enabled or disabled for use with a template.

Data Source View: A data source view is a database view that has been registered in BPA. BPA displays a name for each data source view by concatenating <data source name>-<view display name>. See: Registering Data Source Views, page 1-16.

Details Page: A page that contains supporting billing information for a billing line shown in the Lines and Tax area of a bill. Users drill down to the Details Page using a link in the Description column of a billing line. A Details Page view must be registered for the supplementary data source in order for a template to display a Details Page.

Display Area: The area on a template where each data source view returns content items for display. BPA has three display areas: Header and Footer, Lines and Tax, and Details Page.

Fixed Values: A parameter for a hyperlink, that returns one value. See: Configuring hyperlinks, page 1-19.

Footer: One of three predefined content areas of the primary page of a bill template. You can split the Footer into multiple content areas. You can add any Header and Footer-related content items to the Footer content areas. The same content items available for the Header content areas are available for the Footer content areas. See: Defining Templates, page 1-3.

Information most commonly displayed in the Footer content area includes total charges, balances, aging, and messages. For a list of available content items, see: Content Items, page A-1.

Header: One of three predefined content areas of the primary page of a bill template. You can split the Header into multiple content areas. You can add any Header and Footer-related content items to the Header content areas. The same content items available for the Header content areas are available for the Footer content areas. See: Defining Templates, page 1-3.

Information most commonly displayed in the Header content area includes company logo, addresses, customer information, shipping information, and general billing information. For a list of seeded content items, see: Content Items, page A-1.

Hyperlink Name: Create a user-friendly name for each hyperlink so that your template designer can easily identify the hyperlink to associate with a content item.

Item Display Label: The label that displays on a bill with a content item.

Item Name: A user defined name for a content item. It is not displayed on a presented bill.

Lines and Tax: One of the three predefined content areas of the primary page of a bill template. You can add content items related to billing lines and tax information to the Lines and Tax content area. See: Defining Templates, page 1-3.

Primary Data Source: The primary source of billing data for a template. The primary data source can be Oracle Receivables or Oracle Receivables Balance Forward. See: Registering Data Sources, page 1-9.

Supplementary Data Source: Applications that interface with Oracle Receivables for invoicing and Receivables accounting are supplementary data sources. Examples of such applications are Oracle Service Contracts, Oracle Order Management, other Oracle applications, legacy systems, and other third-party applications. See: Registering Data Sources, page 1-9.

Template Status: A template can have a status of Complete or Incomplete. See: Saving and Completing Templates, page 2-10.

Transaction Attributes: A transaction-based parameter for a hyperlink. See: Configuring Hyperlinks, page 1-19.

Related Topics

Working with Bill Presentment Architecture, page 1-1

Implementing Bill Presentment Architecture, page 1-4

Template Management, page 2-1

Assigning Templates, page 3-1

Print Management, page 4-1

Template Management Page Reference

Content Area: An area on a billing template where content can be added and formatted. Content areas are the building blocks for a template. Each content area has one layout for all its content items. You can create new content areas in the Header and Footer areas, based on how you want to group and display content items. The Lines and Tax area and the Details area cannot be split into multiple content areas. See: Primary Page Design, page 2-4.

Content Area Properties: Specify the width for the content area you are designing. You can set the amount of white space that appears around the border of the content area. You can also change the name of the content area. This name does not appear on a presented bill.

Content Item Properties: Select whether you want bold or regular type style for each content item and its display label in this content area. You can change the label for a content item or the content area. You can associate a URL with an item. See: Updating Properties, page 2-7.

Database View: A database view is a customized selection of one or more tables within a database, selected by a stored SQL query and made available to a user when they access the view. See: Creating Database Views, page 1-12.

Display sequence numbers: BPA can display a sequence number for each grouped transaction line, and the transaction lines that make up the group. See: Selecting Content and Layout, page 2-4.

Finish: Clicking Finish ends the template design process, saves your work, and returns you to the Templates page. See: Saving and Completing Templates, page 2-10.

Layout: You can format the items in a content area by selecting one of the six layout styles. You can select only one layout style for a content area.

Tax Format: The tax format determines the content items and format for tax presented

on a bill. If you select Oracle Receivables Tax Printing, then BPA presents tax information formatted according to the tax format that you select in Receivables. If you select Custom, then you can select from the following tax content items: Inclusive Flag, Tax Code, Tax Extended Amount, Tax Name, Tax Precedence, and Taxable Amount. You can have itemized tax by lines, summarized tax, or both. See: General Information, page 2-2.

Related Topics

Working with Bill Presentment Architecture, page 1-1

Bill Presentment Architecture Page References, page 5-1

Implementing Bill Presentment Architecture, page 1-4

Template Management, page 2-1

Assigning Templates, page 3-1

Print Management, page 4-1

Template Assignment Page Reference

Assigned Template: A template that is assigned to a rule. See: Assigning Templates, page 3-1.

Bill Creation From Date: Enter the earliest billing creation date for the range of transactions to be assigned to this template. The Bill Creation Date is the date when the transaction was created in Receivables. The date must be January, 1, 1970 or later. The Bill Creation From Date must be earlier than or equal to the Bill Creation To Date. See: Assigning a Template to a Rule, page 3-5.

Bill Creation To Date: Enter the latest billing date for the range of transactions to be assigned to this template. See: Assigning a Template to a Rule, page 3-5.

Reorder Rules: You can change the order of existing predefined and user-defined rules to change the sequence in which the rules are applied. You can reorder rules for any enabled supplementary data source. Select the data source and click Go. Use the icons to change the rule order. BPA applies rules in the order listed, starting with the first rule. See: Reordering Rules, page 3-7.

Related Topics

Working with Bill Presentment Architecture, page 1-1

Bill Presentment Architecture Page References, page 5-1

Implementing Bill Presentment Architecture, page 1-4

Template Management, page 2-1

Assigning Templates, page 3-1

Print Management, page 4-1

Print Management Page Reference

Page Setup Name: A unique identifier for a set of page layout parameters used to print transactions and bills.

Related Topics

Working with Bill Presentment Architecture, page 1-1

Bill Presentment Architecture Page References, page 5-1

Implementing Bill Presentment Architecture, page 1-4

Template Management, page 2-1

Assigning Templates, page 3-1

Print Management, page 4-1

Configuration Page Reference

Interface Context: The context value for a transaction flexfield when interfacing transactions to Oracle Receivables using AutoInvoice. See: Selecting an Interface Context, page 1-10.

Synchronize Flexfield Content Items: See: Synchronizing Flexfield Content Items, page 1-11.

View Display Name: A user defined name for a data source view, that can be easily recognized by your internal users. See: Registering Data Source Views, page 1-16.

Related Topics

Working with Bill Presentment Architecture, page 1-1

Bill Presentment Architecture Page References, page 5-1

Implementing Bill Presentment Architecture, page 1-4

Template Management, page 2-1

Assigning Templates, page 3-1

Print Management, page 4-1

Bill Presentment Architecture Reference

This appendix covers the following topics:

- Seeded Content Items in Bill Presentment Architecture
- Template Assignment Attributes
- Debug Support

Seeded Content Items in Bill Presentment Architecture

Bill Presentment Architecture (BPA) provides seeded content items for seeded views in its primary and supplementary data sources.

Oracle Receivables Content Items, page A-1

Oracle Order Management Content Items, page A-2

Oracle Service Contracts Content Items, page A-2

Related Topics

Template Assignment Attributes, page A-2

Working with Bill Presentment Architecture, page 1-1

Oracle Receivables Content Items

Oracle Receivables is the primary data source in Bill Presentment Architecture (BPA) and has two seeded views, Invoice Header View and Billing Lines View. The seeded content items can be viewed by navigating to: Configuration > Data Sources. Query for Primary data source level and choose Oracle Receivables. Select one of the two seeded data source views to view the content items seeded under them.

For detailed description of these content items in the AR tables, refer to the Oracle eBusiness Suite Electronic Technical Reference Manual (eTRM) on [OracleMetaLink](#).

Related Topics

Seeded Content Items in Bill Presentment Architecture, page A-1

Working with Bill Presentment Architecture, page 1-1

Oracle Order Management Content Items

Oracle Order Management (ONT) is a supplementary data source in Bill Presentment Architecture (BPA) and has two seeded views: Sales Order Header View and Billing Lines View. Additionally, BPA has synchronized all ONT flexfield content items. To view the content items in seeded views, navigate to Data Sources under the Configuration tab. Query for Supplementary data source level and choose Oracle Order Management. Select one of the two seeded data source views to view the content items seeded under them. To view a list of synchronized flexfield items available, click the Synchronize icon against the Oracle Order Management data source.

Related Topics

Seeded Content Items in Bill Presentment Architecture, page A-1

Working with Bill Presentment Architecture, page 1-1

Oracle Service Contracts Content Items

Oracle Service Contracts (OKS) is a supplementary data source in Bill Presentment Architecture (BPA) and has two seeded views: Billing Lines View and Detail Lines View. Additionally, BPA has synchronized some OKS flexfield content items. To view the content items in seeded views, navigate to Data Sources under the Configuration tab. Query for Supplementary data source level and choose Oracle Service Contracts. Select one of the two seeded data source views to view the content items seeded under them. To view a list of synchronized flexfield items available, click the Synchronize icon against the Oracle Service Contracts data source.

Related Topics

Seeded Content Items in Bill Presentment Architecture, page A-1

Working with Bill Presentment Architecture, page 1-1

Template Assignment Attributes

From the Configuration tab, you can designate content items from the Oracle Receivables Invoice Header View, Balance Forward Header View or the flexfield synchronization for supplementary data sources as template assignment attributes by checking the corresponding check box.

Related Topics

Seeded Content Items in Bill Presentment Architecture, page A-1

Working with Bill Presentment Architecture, page 1-1

Debug Support

In case your PDF output doesn't print or generates incomplete information, BPA helps you produce an XML output from the BPA printing programs. This XML output, containing delivery information, template information, index data and invoice data can be supplied to the BPA debug team to ensure relevant and efficient debug support. To generate the XML output file:

1. Choose System Administrator responsibility.
2. Select Define under Concurrent : Program and query BPA child print program.
3. Check "Trace Enabled" flag and set output type to "XML".
4. Run BPA master print program and the child program will produce XML output.

Ensure that you undo the steps above when you are ready to generate the PDF output.

Oracle Bill Presentment Architecture Profile Options

This appendix covers the following topics:

- Profile Options Overview
- Profile Options Description

Profile Options Overview

During implementation, administrators set a value for each Oracle Bill Presentment Architecture user profile option to specify how Bill Presentment Architecture controls access to and processes data.

See: Setting User Profile Options, *Oracle Applications System Administrator's Guide - Maintenance*.

Profile Options not Owned by Bill Presentment Architecture

- AR: BPA Attachment Update Enabled
- AR: BPA Details Access Enabled
- AR: Print Attachment Document Category
- HZ: Enable DQM Party Search

Profile Options Description

The following table provides profile option information:

- The Default column displays either the default profile option value in italics, or No Default if none exists.

- The User Access column indicates whether you can view or update the profile option.
- The System Administration: Site, Application, Responsibility, and User columns indicate at which levels the system administrator can update these profile options.

The key for each table is:

- Update: You can update the profile option.
- View Only: You can view the profile option but cannot change it.
- No Access: You cannot view or change the profile option.

Profile Options

Profile Option	Default	User Access	System Administration : Site	System Administration : Application	System Administration: Responsibility	System Administration : User
AR: BPA Attachment Update Enabled	No Default	View Only	Update	Update	Update	Update
AR: BPA Details Access Enabled	No	View Only	Update	Update	Update	Update
AR: BPA Print Attachment Category	No default	View Only	Update	Update	Update	Update
HZ: Enable DQM Party Search	No default	View Only	Update	Update	Update	Update

AR: BPA Attachment Update Enabled

To enable users to add, update, and delete attachments that are part of online bills, set the AR: BPA Attachment Update Enabled profile option. If set to Yes, users can view, add, update, and delete attachments. If set to No, users can only view attachments. You can set this profile option at the site, application, responsibility, and user level.

AR: BPA Details Access Enabled

This profile option determines the level of information internal users and customers can access online presented by Oracle Bill Presentment Architecture. If set to Yes, the user can access the details page of an online bill by clicking an active hyperlink in the Item Description column of the Lines and Tax table to view detail billing information from supplementary data sources. If set to No, no hyperlink is displayed and users cannot access a details page for billing detail. The user is unaware that a details page is available. The user can drill down from any grouped line on the primary page of a bill, but cannot view any detail information from supplementary data sources available on the details page.

This profile option can be set by the system administrator at the site, application, responsibility, and user level and cannot be updated by the user.

Note: For printed bills, use the Display on Printed Invoice option available on the Details Page Design: Select Content page to control whether or not the details page is included with the invoice. See: Details Page Design, page 2-8.

AR: BPA Print Attachment Category

To print attachments with printed bills, configure the AR: BPA Print Attachment Category profile option. While printing a transaction the profile option triggers printing associated PDF attachments that match the specified document category. This applies to both internal and external templates. You can set this profile option at the site, application, responsibility, and user level.

HZ: Enable DQM Party Search

To use the Interactive Preview feature to preview a bill template using customer name, set the HZ: Enable DQM Party Search profile option. When searching for a customer invoice to use in interactive preview, BPA always uses the SAMPLE:BASIC SEARCH RULE as the match rule. You can select one of the seeded match rules or create your own matching rule. You can set this profile option at the site, application, responsibility, or user level.

This match rule searches based on customer parameters. If you enter a transaction number or select a transaction class when searching for a transaction to preview, then this profile option is not required.

Index

A

- AR: BPA Attachment Update Enabled profile option, B-2
- AR: BPA Details Access Enabled profile option, B-3
- AR: BPA Print Attachment Category profile option, B-3
- attachments
 - printing, 4-3
 - register attachment categories, 1-7
 - viewing, 3-8
- AutoInvoice
 - Bill Presentment Architecture, 1-10

C

- content area
 - footer, 1-3
 - header, 1-3
 - lines and tax, 1-3
- content items, 5-1
 - synchronizing flexfield content items, 5-5

D

- data sources
 - enabling, 1-10
 - primary, 5-2
 - registering, 1-9
 - secondary, 5-2
 - viewing in BPA, 1-11
- data source view
 - registering, 1-16

- selecting a view, 1-16
- selecting parameters, 1-17
- viewing, 1-18

- details design, 2-8

E

- enable assignment attributes, 1-12

G

- generating stylesheets, 1-8

H

- hyperlinks
 - configuring drilldown URLs, 1-19
- HZ: Enable DQM Party Search profile option, B-3

I

- implementing Bill Presentment Architecture
 - configure hyperlinks, 1-19
 - configure profile options, 1-7
 - create database views, 1-12
 - enable assignment attributes, 1-12
 - enable data sources, 1-10
 - generate stylesheets, 1-8
 - register attachment categories, 1-7
 - register data sources, 1-9
 - register data source views, 1-16
 - select interface context, 1-10
 - set grouping attributes, 1-8
 - setup steps, 1-4
 - synchronize flexfield content items, 1-11

- view data sources, 1-11
- view data source views, 1-18

interface context, 1-10, 5-5

O

Oracle iReceivables

- viewing bills online, 3-8

P

parameters

- fixed value, 1-17
- selecting for a view, 1-17
- transaction attribute, 1-17

primary page design

- creating custom content items, 2-7
- displaying grouped transaction lines, 2-6
- displaying itemized tax by line, 2-5
- display sequence numbers, 2-5
- selecting content and layout, 2-4
- summarizing tax, 2-6
- updating properties, 2-7

printing

- attachments, 4-3
- create and update page setup, 4-3
- invoices, 4-1
- submitting requests, 4-2

process flow, 1-2

profile options

- AR: BPA Attachment Update Enabled, B-2
- AR: BPA Details Access Enabled, B-3
- AR: BPA Print Attachment Category, B-3
- configure, 1-7
- description, B-1
- HZ: Enable DQM Party Search, B-3
- overview, B-1

R

rules

- assigning templates, 3-5
- bill creation dates, 3-5
- changing order, 5-4
- changing rule order, 3-7
- create new rule
 - select attribute matching criteria, 3-4
 - select condition for rules, 3-4

- creating, 3-3
- reorder, 3-7

S

- setting grouping attributes, 1-8
- SQL template to create a view, 1-13
- synchronizing flexfield content items, 1-11

T

tax

- printing formats, 5-3

templates

- assigning, 3-1
- balance forward billing, 2-2
- bill creation dates, 5-4
- completing, 2-10
- creating, 2-2
 - details page design, 2-8
 - general information, 2-2
 - primary page design, 2-4
- default, 2-11
- footer, 5-2
- formatting tax, 2-3
- header, 5-2
- lines and tax, 5-2
- managing, 2-1
- modifying, 2-11
- preview, 2-9
- primary page design
 - create custom content items, 2-7
 - selecting content and layout, 2-4
 - update properties, 2-7

rules

- attribute name, 3-1
- attributes, 3-1
- conditions, 3-1
- default, 3-2
- values, 3-1

saving, 2-10

upload external

- file upload, 2-12
- general information, 2-12
- interactive preview, 2-13
- item mapping, 2-13
- review, 2-13

uploading external, 2-12

viewing attachments, 3-8

V

view attachments, 3-8

viewing bills online, 3-8

views

creating database views, 1-12

selecting content items, 1-17

