
PeopleSoft Asset Management 9.1 PeopleBook

January 2012

Copyright © 1992, 2012, Oracle and/or its affiliates. All rights reserved.

Trademark Notice

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

License Restrictions Warranty/Consequential Damages Disclaimer

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

Warranty Disclaimer

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

Hazardous Applications Notice

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Third Party Content, Products, and Services Disclaimer

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

Preface

PeopleSoft Asset Management Preface	xix
PeopleSoft Products	xix
PeopleSoft Application Fundamentals	xx
Pages With Deferred Processing	xx
PeopleBooks and the PeopleSoft Online Library	xx
Common Elements Used in This PeopleBook	xxi

Chapter 1

Getting Started With PeopleSoft Asset Management	1
PeopleSoft Asset Management Overview	1
PeopleSoft Asset Management Business Processes	2
PeopleSoft Asset Management Integration Touchpoints	3
Enabling ChartField Security for PeopleSoft Asset Management	5
Implementing PeopleSoft Asset Management	5

Chapter 2

Navigating in PeopleSoft Asset Management	15
Using Custom Navigation Center Pages in PeopleSoft Asset Management	15
Pages Used to Navigate in PeopleSoft Asset Management	15

Chapter 3

Implementing Asset Management	27
Understanding Asset Management	27
Understanding the Asset Management Implementation Process	28

Chapter 4

Converting to PeopleSoft Asset Management	31

Understanding Conversion to PeopleSoft Asset Management	31
Prerequisites	32
Converting with a Customized SQR	33
Running the Transaction Loader Edit Program	34
Pages Used to Run the Transaction Loader Edit Program	35
Using the Transaction Loader Edit Page	35
Viewing the Results of the Transaction Edit Program	36
Previewing and Approving Results	36
Populating Asset Management Tables with Asset Data	37
Using Transaction Loader Conversion Dates Options	37
Depreciating Converted Assets	38
Closing the Conversion Process	38
Page Used to Close the Conversion Process	39
Verifying the Conversion	39
Restoring Disk Space	39
Updating Security	40
Loading Retired Assets	40
Considerations for Retiring Assets	40
Populating Loader Tables	41
Reviewing Retired Asset Data	41
Converting Lease Information	43
Pages Used to Convert Lease Information	44

Chapter 5

Adding and Maintaining Assets	45
Understanding Adding and Maintaining Assets	45
Adding and Maintaining Asset Information	48
Pages Used to Add or Change Asset Information	49
Adding Asset Basic Information	52
Entering Asset Details	64
Entering Asset Acquisition Details	70
Viewing Asset Tax Information	74
Entering Document Sequencing Information	75
Entering Location, Comments, and Attributes Information	75
Entering Custodial, License, and Manufacturer Information	77
Entering Property Assets	79
Entering Property Taxes	82
Entering Asset Supplemental Data	83
Maintaining Asset Meters	84
Understanding Asset Meters	84
Pages Used to Maintain Asset Meters	84
Associating Meters with Assets	85

Entering Meter Readings	87
Reviewing Meter Reading History	89
Maintaining Warranties	91
Understanding Asset Warranties	91
Pages Used to Maintain Asset Warranties	91
Maintaining Asset Book Information	91
Pages Used to Maintain Asset Book Information	92
Identifying Asset Books and Other Depreciation Information	92
Adding Global Attributes	98
Adding Tax Information for the Book	99
Adding Assets with the Asset ExpressAdd Component	103
Pages Used to Add Assets with the Asset ExpressAdd Component	103
Capitalizing Assets	104
Copying an Asset	109
Page Used to Copy an Asset	109
Copying an Asset	109
Viewing and Managing the Component Asset Hierarchy	110
Understanding Component Asset Hierarchies	111
Pages Used to View and Manage the Asset Component Hierarchy	111
Viewing the Asset Component Hierarchy	112
Managing the Asset Component Hierarchy	113
Creating Parent-Child Asset Relationships	117
Understanding Parent-Child Asset Relationships	118
Pages Used to Create Parent-Child Asset Relationships	118
Creating an Asset Parent	119
Viewing Child Assets	119
Adding Parent and Child Component Assets	120
Using the Child Inherits Life of Parent Feature	120
Updating Parent-Child Basic Information	121
Selecting Child Assets	121
Viewing Parent and Child Assets	123
Calculating Asset Replacement Costs	123
Understanding Asset Replacement Cost	123
Page Used to Calculate Replacement Cost	123
Defining Asset Operational Information	123
Pages Used to Add and Maintain Asset Operational Information	124
Adding Operational Nonfinancial Assets	125
Searching for Asset Information	127
Page Used to Search for Asset Information	127
Searching for an Asset	127
Printing Asset Information	130
Page Used to Print Asset Information	130
Adding Assets with the Excel to Component Interface Utility	131
Understanding How to Import Asset Information with the Excel to Component Interface Utility	131
Pages Used to Add Assets with the Excel to Component Interface Utility	132

Entering Data to Import Assets	132
Previewing the Data to Be Imported Through a Spreadsheet	134

Chapter 6

Working with Asset Budgeting	135
Understanding Asset Budgeting	135
Understanding Capital Acquisition Planning	135
Defining New Capital Acquisition Plans	136
Pages Used to Define New Capital Acquisition Plans	136
Assigning Capital Acquisition Plan Name and ChartFields	137
Adjusting Capital Acquisition Plans	139
Linking Assets to Existing Capital Acquisition Plans	139
Viewing Capital Acquisition Plans	139
Pages Used to View Capital Acquisition Plans	140
Running Capital Acquisition Plan Reports	141
Page Used to Run Capital Acquisition Plan Reports	141

Chapter 7

Working With Leased Assets	143
Understanding Leased Assets	143
Capital and Operating Leases	143
Step Leases	144
Lease Payment Integration with PeopleSoft Payables	145
Defining Payment Schedules	145
Page Used to Define Payment Schedules	146
Defining Lease Payment Schedules	146
Adding Capital and Operating Leases	148
Pages Used to Add Capital and Operating Leases	148
Creating a Lease	149
(Optional) Entering Information About Cost, ChartFields, and Depreciation	158
Viewing or Updating a Step-Lease Payment Schedule (Optional)	159
Viewing or Updating a Lease Payment Schedule	160
Creating Lease Expense Schedules	161
Page Used to Run the Lease Expense Schedule Process	162
Running the Lease Expense Schedule Process	163
Integrating Lease Payments with PeopleSoft Payables	163
Page Used to Integrate Asset Management Lease Payments with PeopleSoft Payables	164
Enabling the Lease Payment Integration	164
Setting Up Clearing Accounts	165
Setting Up Lease Payment Integration Information by Asset	166

Reviewing and Approving Lease Payment Information	167
Uploading Lease Payments to Payables	169
Running the AP/AM Reconciliation Report	171
Transferring Operating Leases	171
Page Used to Transfer Operating Leases	172
Transferring an Operating Lease	172
Retiring or Reinstating Leases	172
Generating Lease Reports	173
Pages Used to Generate Lease Reports	173

Chapter 8

Adjusting, Transferring, and Evaluating Assets	175
Understanding Adjusting, Transferring, and Evaluating Assets	175
Adjusting Cost and Transferring Assets	176
Understanding Cost Adjustments and Asset Transfers	176
Pages Used to Adjust Cost and Transfer Assets	177
Defining Asset Transactions	178
Entering Cost Information for Transactions	181
Specifying Transfer To/From Books Information	189
Marking Assets Up or Down	192
Selecting a Child Asset for Adjustment or Transfer	192
Entering Child Asset Details	193
Adding Advanced Transaction Details	194
Transferring Parent-Child Assets to Other Business Units (Interunit Transfers) In Mass	195
Page Used to Transfer Parent-Child Assets to Other Business Units In Mass	195
Transferring Parent-Child Assets from One Business Unit to Another	195
Revaluing Assets Using the Revaluation Worksheet	197
Page Used to Revalue Assets Using the Revaluation Worksheet	197
Revaluing Assets Using the Revaluation Worksheet	197
Revaluing Assets In Mass	206
Page Used to Revalue Assets In Mass	207
Revaluing Assets Using Mass Revaluation	207
Capturing and Maintaining Asset Fair Value	208
Page Used to Capture and Maintain Asset FV	209
Capturing and Maintaining Asset FV	209
Updating Noncapitalized Costs	210
Page Used to Update Noncapitalized Costs	211
Viewing Cost History and Summarizing Cost Rows	211
Understanding Cost History	211
Understanding Cost Summarization	211
Pages Used to View Cost History and Summarize Cost Rows	212
Generating Cost Summarizations	213

Updating the General Ledger with Adjustments and Transfers	214
Modifying or Deleting Pending Asset Transactions	214
Pages Used to Modify or Delete Pending Asset Transactions	215
Modifying or Deleting Pending Transactions	215
Viewing Asset Transaction Details	215
Updating Transaction Information	216
Adjusting for Asset Impairment	216
Understanding Impairment Testing	217
Pages Used to Make Impairment Adjustments	218
Working With the Impairment Worksheet	219
Running the CGU Impairment Batch Process	225
View and Report Impairment Losses and Reversals	230

Chapter 9

Managing Asset Maintenance, Repair, Warranties, and Insurance	233
Understanding Asset Maintenance, Repair, Warranties, and Insurance	233
Checking Out Assets	235
Page Used to Check Out Assets	235
Checking Assets Out for Maintenance Events	235
Entering Asset Inspection Information	237
Page Used to Enter Asset Inspection Information	237
Entering Asset Maintenance Service and Repairs	237
Pages Used to Enter Asset Service and Repair	237
Describing Maintenance Events	238
Entering Statistical Information for Repairs	240
Entering Payment Information	242
Tracking Asset Maintenance Contracts	242
Understanding Asset Maintenance Contracts	243
Pages Used to Track Asset Maintenance Contracts	243
Adding or Modifying Maintenance Contracts	243
Adding Maintenance Contract Terms	243
Entering Warranty Information	244
Prerequisites	244
Pages Used to Enter Warranty Information	244
Entering Warranty Information	244
Applying Warranties from Template	246
Entering Asset Insurance Information	246
Prerequisites	247
Page Used to Set Up Asset Insurance Information	247
Setting Up Asset Insurance	247
Generating the Asset Warranties Report	250
Page Used to Generate the Asset Warranty Report	250

Reviewing Asset Maintenance History	250
Page Used to View Asset Maintenance History Summaries	251

Chapter 10

Using Group Asset Processing	253
Understanding Group Asset Processing	253
Asset Transactions	254
Depreciated Group Assets	254
Retired Group Members	254
Strategy for Asset Grouping	255
Prerequisites	256
Adding Group Member Assets	256
Adding Group Member Assets with Background Processing	257
Adding Group Member Assets Online	258
Adding Group Asset IDs with Background Processing	258
Performing Transactions on Group Member Assets	260
Transferring Group Members Among Group Assets	261
Consolidating Group Member Assets	261
Understanding Consolidation of Group Member Assets	261
Pages Used to Consolidate Group Member Assets	262
Running the Group Asset Consolidation Process	262
Calculating Depreciation for Group Assets	267
Page Used to Calculate Depreciation for Group Assets	267
Running the Group Asset Depreciation Process	268
Running the Group Member Estimated Net Book Value Report	268
Understanding the Estimated Net Book Value Calculation	268
Page Used to Run the Group Member Estimated Net Book Value Report	269
Running the Group Member Estimated Net Book Value Report	269
Changing Rates Retroactively	270
Pages Used to Change Rates Retroactively	270
Processing Retroactive Rate Changes	270
Reviewing Asset Book History	271
Pages Used to Review Asset Book History	271

Chapter 11

Using Composite Asset Processing	273
Understanding Composite Asset Processing	273
Adding a Composite Asset	274
Adding Composite Member Assets	275
Capitalizing Composite Members into Composite Assets	275

Retiring Composite Members from Composite Assets	276
Loading Composite Asset Transactions	276
Understanding the Effect of Capitalization into Composite	277
Understanding the Effect of Retirement from Composite	277
Performing Transactions on Composite Assets	277
Adjustments to Cost/Quantity	278
Recategorizations and Transfers	278

Chapter 12

Performing Asset Physical Inventory	279
Understanding Physical Inventories	279
Prerequisites	279
Physical Inventory Processing Steps	279
Physical Inventory Terminology	280
Hardware and Software for Physical Inventory Processing	281
Setting Up a Physical Inventory	283
Page Used to Set Up a Physical Inventory	283
Setting Up a Physical Inventory	284
Defining the Extract Scope, the Scan Scope, and the Physical Inventory Controls	284
Understanding Extract Scopes and Scan Scopes	285
Pages Used to Define Extract Scopes, Scan Scopes, and Physical Inventory Controls	285
Defining the Extract Scope and the Scan Scope	286
Defining Physical Inventory Control Parameters	287
Defining the Physical Inventory Control Transaction Defaults	289
Setting Up Physical Inventory Schedule Information	291
Processing a Physical Inventory	292
Pages Used to Process Physical Inventory	293
Extracting Asset Data (Step 1)	294
Viewing the Results of the Extract	295
Creating an Extract File (Step 2)	296
Loading Asset Inventory Data (Step 3)	297
Finding Duplicate Tags	297
Finding Duplicate Serial Numbers	298
Generating Physical Inventory Results (Step 4)	299
Reviewing Physical Inventory Results	299
Generating Physical Inventory Transactions (Step 5)	302
Deleting Physical Inventory Transactions (Step 6)	302
Deleting Physical Inventory Results (Step 7)	302
Deleting Physical Inventory Scanned Data (Step 8)	302
Deleting an Extract File (Step 9)	302
Viewing Physical Inventory History	303
Pages Used to View Physical Inventory History	303

Chapter 13

Working with Joint Venture Asset Processing	305
Understanding Joint Venture Processing	305
Prerequisites for Joint Venture Processing	307
Adding and Maintaining Joint Venture Assets	308
Changing Ownership Allocations for Existing Joint Ventures	308
Defining a Mass Change for Joint Venture Processing	309
Loading Joint Venture Transactions	311

Chapter 14

Processing Asset Depreciation	313
Prerequisites	313
Understanding Depreciation Processing	314
Steps for Processing Depreciation	315
Understanding Depreciation of Group Assets	317
Processing Depreciation	317
Understanding Depreciation Processing	318
Pages Used to Process Depreciation	318
Running the Depreciation Calculation Process (AM_DEPR_CALC)	318
Reviewing Open Transactions	319
Changing Depreciation Attributes	321
Reviewing the Depreciation Processing Error Log	322
Expanding Depreciation by Period	322
Page Used to Expand Depreciation by Period	323
Expanding the Depreciation Period	323
Creating Pending Depreciation Transactions	323
Page Used to Create Pending Depreciation Transactions	323
Creating Open Depreciation Transactions	323
Viewing Depreciation-Related Information	324
Pages Used to View Depreciation-Related Information	324
Viewing Basic Asset Depreciation Information	325
Viewing Net Book Value and Depreciation	326
Viewing Period Depreciation	327
Viewing Child Asset Depreciation	329
Adjusting Accumulated Depreciation	330
Page Used to Adjust Accumulated Depreciation	330
Running Depreciation Reports	330
Understanding Depreciation Reports	330
Pages Used to Run Depreciation Reports	331

Loading the Depreciation Reporting Table	331
Chapter 15	
Using User-Defined Asset Depreciation	333
Understanding User-Defined Depreciation	333
Creating or Selecting Variables	334
Page Used to Create or Select Variables	336
Creating or Selecting Variables	336
Creating a User-Defined Depreciation Method	337
Pages Used to Create a User-Defined Depreciation Method	338
Entering the User-Defined Depreciation Method	339
Generating a User-Defined Depreciation SQC Program	341
Page Used to Generate a User-Defined Depreciation SQC Program	341
Using the User Defined Method Generate Page	342
Copying a User-Defined Depreciation Method	342
Page Used to Copy a User-Defined Depreciation Method	343
Copying a User-Defined Method	343
Selecting a User-Defined Depreciation Method for an Asset	344
Chapter 16	
Reviewing Asset Depreciation Calculation Results	345
Understanding What If Depreciation	345
Performing What If Depreciation	345
Pages Used to Perform What If Depreciation	346
Performing What If Depreciation	346
Viewing What If Depreciation Results	347
Loading the Net Book Value Table for Reporting	348
Page Used to Load the Asset Net Book Value Reporting Table	349
Loading Depreciation Results for Reporting	349
Chapter 17	
Allocating Asset Depreciation Expenses	351
Understanding the Depreciation Allocation Business Process	351
Processing Allocations With Fund Accounting	351
Prerequisites	352
Setting Up the Depreciation Allocation Business Process	352
Pages Used to Set Up the Depreciation Allocation Business Process	353
Entering the Allocation Basis Definition	353

Defining the Source and Destinations	354
Defining Allocations for Assets	355
Performing the Depreciation Allocation Business Process	357
Page Used to Run the Depreciation Allocation Business Process	357
Running the Depreciation Allocation Process	357

Chapter 18

Creating PeopleSoft Asset Management Accounting Entries	359
Prerequisites	359
Understanding Asset Information Flow	359
Understanding Accounting Entry Setup	361
Business Unit and Book Accounting Entry Options	361
Accounting Entry Templates	362
Depreciation Close Status	371
Creating Accounting Entries	371
Understanding the Depreciation Close Process	371
Common Elements Used in This Section	373
Pages Used to Create Accounting Entries	374
Requesting Accounting Entry Creation	375
Running the Depreciation Close Process	375
Closing Accounting Periods	377
Running the Clearing Reconciliation Process	377

Chapter 19

Retiring Assets	379
Understanding Asset Retirement	379
Retirement Types	379
Retiring Financial Assets	380
Pages Used to Retire Financial Assets	381
Retiring an Asset	383
Defining Other Retirement Options	396
Selecting Retirement Transactions by ChartField	398
Selecting Child Assets	399
Reviewing a Capital Gain Summary for Retirements	402
Integrating Retired Asset Information with PeopleSoft Billing	402
Specifying How VAT Is Calculated for Asset Retirement	406
Auto-Retiring Fully Depreciated Assets	415
Initiating Asset Retirement Using the Disposal Worksheet	417
Putting Assets up for Auction	421
Retiring Non-Financial Assets	422

Page Used to Retire Non-Financial Assets	422
Retiring a Non-Financial Asset	422
Reinstating Assets	423
Understanding Reinstatement of Assets	423
Pages Used to Reinstate Assets	424
Reinstating an Asset	424
Running the Tax Retirement Capital Gains Report (AMTX3210)	424
Prerequisites	425
Pages Used to Run the Tax Retirement Capital Gains Report	425

Chapter 20

Processing Asset Mass Changes	427
Understanding Mass Changes in Asset Management	427
Defining Mass Changes	428
Pages Used to Define Mass Changes	429
Adding or Updating Mass Change Definitions	429
Specifying Mass Change Criteria and Defaults	430
Specifying Mass Change Fields Specific to Asset Management	432
Generating Mass Change SQL Text	433
Running Mass Changes	435
Page Used to Run Mass Changes	435
Running Mass Changes	435
Verifying Data in the Loader Tables	438
Pages Used to Verify Data in the Loader Tables	438
Viewing Data in the Financial Loader Tables	439
Previewing Physical Load Data	440
Approving Changes	441
Pages Used to Approve Changes	441
Approving Financial Loader Data	442
Approving Physical Loader Data	444
Populating Asset Management Tables with Mass Change Data	445
Page Used to Populate Asset Management Tables with Mass Change Data	445
Populating Asset Management Tables Using the Transaction Loader Process	445
Depreciating Changed Assets	447
Reviewing Asset Management Mass Change Templates and Types	447
Understanding Mass Change Templates and Types	447

Chapter 21

Using Asset Management Reporting Options	457
Understanding Asset Management Reporting Options	457

Prerequisites	458
Using Flexible Reporting and Formats	459
Pages Used to Run Reports With Format Templates	459
Running Flexible Reporting and Formats	460
Using Online Reporting	463
Page Used to Generate Online Reports	464
Generating Online Reports	464
Charting Financial Data	467
Page Used to Chart Financial Data	467
Using Asset Management Financial Charts	467

Chapter 22

Using Asset Management Self Service Web Components	471
Understanding Self Service Components in Asset Management	471
Security	472
Asset Management Roles	472
Prerequisites to Using Self Service Web Components	473
Using Self Service Application Pages	473
Pages Used to Use Self Service Application Pages	473
Using the Asset Self-Service Component	474

Chapter 23

Using the Global Features of PeopleSoft Asset Management	475
Understanding PeopleSoft Asset Management in Global Settings	475
Prerequisites	477
(AUS) Using PeopleSoft Asset Management Options to Meet Australian Requirements	481
Pages Used to Meet Australian Requirements	482
Defining Asset R&D Categorization	483
Using the Australian Tax Credit Allowance	484
Tracking Changes in CCP	486
Reporting Changes in CCP	487
Calculating CGT	488
Calculation of CGT	488
Generating Asset Revaluation (Net Method)	489
(CAN) Using Asset Management Options to Meet Canadian Requirements	490
Pages Used to Meet Canadian Requirements	491
Calculating CCA Reporting	491
Running the CCA Year-End Update Process	492
(FRA) Using PeopleSoft Asset Management Options to Meet French Requirements	492
Pages Used to Meet French Requirements	493

Reporting Business Tax	493
Depreciating Assets by Using the Derogatory Method	493
Revaluing Assets	495
Generating French Statutory Reports	495
(DEU) Using PeopleSoft Asset Management Options to Meet German Requirements	495
Pages Used to Meet German Requirements	496
Staffel Depreciation Method	497
Using a Half-Year Prorate Convention	499
Using Geometric Digressive Depreciation	499
Processing Low-Value Assets	500
Special Depreciation Terms and Methods	501
(IND) Using PeopleSoft Asset Management Options to Meet Indian Requirements	502
Understanding Asset Depreciation Processing for India	502
Pages Used to Meet Indian Requirements	503
Processing India Tax Depreciation	503
(ITA) Using PeopleSoft Asset Management Options to Meet Italian Requirements	507
Page Used to Meet Italian Requirements	507
Generating the Fixed-Asset Register for Italy	507
(JPN) Using PeopleSoft Asset Management Options to Meet Japanese Requirements	508
Prerequisites	509
Pages Used to Meet Japanese Requirements	510
Using Japanese Depreciation Methods	511
Using the Extended Depreciation Worksheet	515
Using Special Depreciation and Increased Depreciation	517
Using Advanced Depreciation	518
Using Composite Depreciation	518
Identifying Collateral Assets	520
Using Currency Rounding Options	520
Processing Local Tax Reports	521
Entering Consumption Tax	526

Chapter 24

Archiving Asset Information	527
Understanding Archiving	527
Archiving Inactive Assets	528
Page Used to Archive Data	528
Running the Asset Archive Process	528
Viewing Archived Data	529
Pages Used to View Archived Data	530
Restoring Archived Data	531
Page Used to Restore Archived Data	531
Running the Asset Restore Process	531

Archiving From Transaction Table Details	532

Appendix A

Understanding the Loader Table Data Dictionary	537
Understanding the Loader Tables	537
Loader Table INTFC_FIN	537
Loader Table INTFC_PHY_A	570
Loader Table INTFC_PHY_B	599
Transaction Loader Inserts	608
From INTFC_FIN	608
From INTFC_PHY_A	610
From INTFC_PHY_B	611
Interface Types (Load Types)	612

Appendix B

Understanding Depreciation Calculations	619
Understanding How PeopleSoft Asset Management Calculates Depreciation	619
Salvage Value	619
Tax Credits	620
Listed Property Assets	621
The Depreciation Calculation Process	621
Calculating the Begin Depreciation Date	622
Overriding the Begin Depreciation Field	623
Calculating Remaining Value	623
Remaining Value Calculation for Add Transactions	623
Life to Date Calculation for Add Transactions	624
Calculating Yearly Depreciation	625
Remaining Value Calculation for Add Transactions	625
Life to Date Calculation for Add Transactions	626
Calculating Period Allocation	627
Remaining Value Calculation for Add Transactions: Depreciate When In Service Off	628
Remaining Value Calculation for Add Transactions: Depreciate When In Service On	629
Life to Date Calculations for Add Transactions: Depreciate When in Service Off	630
Life to Date Calculation for Add Transactions: Calculate When in Service On	631
Calculating Prior Period Depreciation	632
Case 1: Add Transactions	632
Case 2: Add Transactions	634
Case 3: Add Transactions	635
Case 4: Add Transactions	636
Case 5: Add Transactions	638

Formula-Based Depreciation Methods	639
Straight Line	640
(IND) Straight Line Percent	641
Declining Balance with a Switch to Straight Line	646
Declining Balance with Depreciation Limit	647
Declining Balance	648
Flat Rate	649
Sum of the Years' Digits	651
Calculating Depreciation When Salvage Value Exceeds Net Book Value (NBV)	653
Stop Depreciation When Salvage Value Exceeds NBV	653
Allow Negative Depreciation	655

Appendix C

PeopleSoft Asset Management Reports	659
PeopleSoft Asset Management Reports	659
Asset Set Up Lists	660
Transaction Reports	660
Capital Acquisition Planning Reports	662
Depreciation Reports	662
Impairment Reports	665
Account Activity Reports	665
Accounting Entry Reports	666
Physical Inventory Reports	667
Lease Reports	668
Retirement Reports	669
U.S. Tax Reports	670
Global Reports	672
Using Oracle Business Intelligence (BI) Publisher Reports to Support Configured ChartFields	677
Asset Management Reporting Delivered as BI Publisher Reports	677

Index	679

PeopleSoft Asset Management Preface

This preface discusses:

- PeopleSoft application fundamentals.
- Pages with deferred processing.
- Common elements in this PeopleBook.

Note. This PeopleBook documents only page elements that require additional explanation. If a page element is not documented with the process or task in which it is used, then it either requires no additional explanation or is documented with the common elements for the section, chapter, or PeopleBook.

PeopleSoft Products

This PeopleBook makes reference to these products:

- PeopleSoft Billing.
- PeopleSoft Contracts.
- PeopleSoft Customer Relationship Management Help Desk.
- PeopleSoft General Ledger.
- PeopleSoft Human Capital Management.
- PeopleSoft IT Asset Management.
- PeopleSoft Maintenance Management.
- PeopleSoft Order Management.
- PeopleSoft Payables.
- PeopleSoft Project Costing.
- PeopleSoft Purchasing.
- PeopleSoft Real Estate Management.
- PeopleSoft Resource Management.
- PeopleSoft Strategic Sourcing.
- PeopleSoft Supply Chain Management.

PeopleSoft Application Fundamentals

The *PeopleSoft Asset Management PeopleBook* provides you with business process information for your Asset Management system. The *PeopleSoft Asset Lifecycle Management Fundamentals PeopleBook* provides you with implementation and background information for your Asset Management system. However, additional, essential information describing the setup and design of your system resides in companion documentation. The companion documentation consists of important topics that apply to many or all PeopleSoft applications across the Financials, Enterprise Service Automation, and Supply Chain Management product lines. You should be familiar with the contents of these PeopleBooks.

The following companion PeopleBooks apply specifically to Asset Management.

- *PeopleSoft Asset Lifecycle Management Fundamentals PeopleBook*
- *PeopleSoft Application Fundamentals PeopleBook*
- *PeopleSoft Setting Up Global Options and Reports*

Pages With Deferred Processing

Several pages in Asset Management operate in deferred processing mode. Most fields on these pages are not updated or validated until you save the page or refresh it by clicking a button, link, or tab. This delayed processing has various implications for the field values on the page—for example, if a field contains a default value, any value you enter before the system updates the page overrides the default. Another implication is that the system updates quantity balances or totals only when you save or otherwise refresh the page.

See the guidelines for designing pages in the *PeopleTools PeopleBook*, "PeopleSoft Application Designer Developer's Guide."

PeopleBooks and the PeopleSoft Online Library

A companion PeopleBook called *PeopleBooks and the PeopleSoft Online Library* contains general information, including:

- Understanding the PeopleSoft online library and related documentation.
- How to send PeopleSoft documentation comments and suggestions to Oracle.
- How to access hosted PeopleBooks, downloadable HTML PeopleBooks, and downloadable PDF PeopleBooks as well as documentation updates.
- Understanding PeopleBook structure.
- Typographical conventions and visual cues used in PeopleBooks.
- ISO country codes and currency codes.
- PeopleBooks that are common across multiple applications.

- Common elements used in PeopleBooks.
- Navigating the PeopleBooks interface and searching the PeopleSoft online library.
- Displaying and printing screen shots and graphics in PeopleBooks.
- How to manage the locally installed PeopleSoft online library, including web site folders.
- Understanding documentation integration and how to integrate customized documentation into the library.
- Application abbreviations found in application fields.

You can find *PeopleBooks and the PeopleSoft Online Library* in the online PeopleBooks Library for your PeopleTools release.

Common Elements Used in This PeopleBook

Account	ChartField that identifies the nature of a transaction for corporate accounts.
Accounting Date	Date for accounting entries for an activity.
Affiliate	ChartField used to map transactions between business units when using a single interunit account.
Alt Acct (alternate account)	ChartField that identifies the nature of a transaction for statutory accounts. This field appears only if you enable the Alternate Account option for your organization and for the general ledger business unit.
As of Date	The last date for which a report or process includes data.
Business Unit	An identification code that represents a high-level organization of business information. You can use a business unit to define regional or departmental units within a larger organization.
Category	ChartField value that represents the category for a project transaction in Project Costing. A category further defines a source type. For example, if you have a source type of labor, you might have categories for architect labor, carpenter labor, and plumber labor. This field is available only if you have Project Costing.
Chartfield 1 to Chartfield 3	ChartFields that you configure to meet your organization's requirements.
Class	ChartField that identifies a particular appropriation when you combine it with a Fund, Department, Program Code, and Budget Reference. Group of customers in a trade, such as grocers or mass merchandisers.
Currency	Code that identifies the type of currency for an amount, such as USD or EUR.

Dept (department)	ChartField that indicates who is responsible for or affected by the transaction.
Description	Freeflow text up to 30 characters.
Document Sequence or Document Sequencing	Click to open a page where you can enter document sequencing information. This option is available only if you enable the document sequencing feature for the PeopleSoft General Ledger business unit.
Effective Date	Date on which a table row becomes effective; the date that an action begins. For example, if you want to close out a ledger on June 30, the effective date for the ledger closing would be July 1. This date also determines when you can view and change the information. Pages or panels and batch processes that use the information use the current row.
EmplID (employee ID)	Unique identification code for an individual associated with your organization.
Exchange Rate	Rate that is used for currency conversion.
Fund	ChartField that represents structural units for education and government accounting. Can also represent a divisional breakdown in your organization.
Journal	Created when you edit journal lines (accounting entries) online in PeopleSoft General Ledger or you run the Journal Generator process for subsystem, imported, or batch accounting entries.
Language or Language Code	The language in which you want the field labels and report headings of your reports to print. The field values appear as you enter them. Language also refers to the language spoken by an employee, applicant, or non-employee.
Oper Unit (operating unit)	ChartField that is used to identify a location, such as a distribution warehouse or sales center.
Process Frequency	Designates the appropriate frequency in the Process Frequency group box: <i>Once</i> executes the request the next time the batch process runs. After the batch process runs, the process frequency is automatically set to Don't Run. <i>Always</i> executes the request every time the batch process runs. <i>Don't Run</i> ignores the request when the batch process runs.
Process Monitor	This link takes you to the Process List page, where you can view the status of submitted process requests.
Product	ChartField that captures additional information that is useful for profitability and cash flow analysis by product sold or manufactured.
Program	ChartField that identifies groups of related activities, cost centers, revenue centers, responsibility centers, and academic programs. Tracks revenue and expenditures for programs.

Project	ChartField that captures information for project or grants accounting.
Report ID	The report identifier.
Report Manager	This link takes you to the Report List page, where you can view report content, check the status of a report, and see content detail messages (which show you a description of the report and the distribution list).
Request ID	A request identification that represents a set of selection criteria for a report or process.
Run	This button takes you to the Process Scheduler request page, where you can specify the location where a process or job runs and the process output format.
Run Control ID	A request identification that represents a set of selection criteria for a report or process.
SetID	An identification code that represents a set of control table information or TableSets. A TableSet is a group of tables (records) necessary to define your company's structure and processing options.
Short Description	Freeflow text up to 15 characters.
Source Type	ChartField value that represents the source type for a project transaction in Project Costing. A source type identifies the purpose of the transaction, for example labor. This field is available only if you have Project Costing.
Statistics Code	ChartField that identifies nonmonetary statistical amounts.
Status	Indicates if a row in a table is active or inactive. You cannot display inactive rows or pages or use them for running batch processes. Use inactive rather than delete data you no longer use in order to maintain an audit trail.
User ID	The system identifier for the individual who generates a transaction.

See Also

PeopleTools PeopleBook, "PeopleSoft Process Scheduler," Understanding PeopleSoft Process Scheduler

PeopleTools PeopleBook, "PeopleSoft Applications User's Guide," Working with Pages, Using Effective Dates

Chapter 1

Getting Started With PeopleSoft Asset Management

This chapter provides an overview of PeopleSoft Asset Management and discusses:

- PeopleSoft Asset Management business processes.
- PeopleSoft Asset Management integration touchpoints.
- Implementing PeopleSoft Asset Management.
- ChartField security for PeopleSoft Asset Management.

PeopleSoft Asset Management Overview

This PeopleBook discusses the following functionality and business processes:


- Navigating in PeopleSoft Asset Management.
- Implementing PeopleSoft Asset Management.
- Converting to PeopleSoft Asset Management.
- Adding and maintaining assets.
- Working with asset budgeting.
- Working with leased assets.
- Adjusting, transferring and evaluating assets.
- Managing asset maintenance, warranties, repairs, and insurance.
- Using group asset processing.
- Using composite asset processing.
- Performing asset physical inventory.
- Working with joint venture assets.
- Processing depreciation.
- Using user-defined depreciation.

- Reviewing depreciation calculation results.
- Allocating depreciation expenses.
- Creating asset accounting entries.
- Retiring assets.
- Processing asset mass changes.
- Using PeopleSoft Asset Management reporting options.
- Using self-service web components.
- Using global features for asset management.
- Archiving asset information.
- Understanding depreciation calculations.
- Understanding the Loader Table Data Dictionary.
- PeopleSoft Asset Management reports.

PeopleSoft Asset Management Business Processes

The following graphic lists the PeopleSoft Asset Management business processes:

We cover these business processes in the business process chapters in this PeopleBook.



PeopleSoft Asset Management Business Processes

PeopleSoft Asset Management Integration Touchpoints

Asset Management is the core product of the PeopleSoft Asset Lifecycle Management suite, which also includes:

- PeopleSoft IT Asset Management
- PeopleSoft Maintenance Management
- PeopleSoft Real Estate Management

To use PeopleSoft Asset Management to full advantage, it is also important to understand the points of integration between PeopleSoft Asset Management and the other PeopleSoft applications that you have purchased, such as:


- PeopleSoft General Ledger.
- PeopleSoft Billing.
- PeopleSoft Budgeting.
- PeopleSoft Purchasing.
- PeopleSoft Project Costing.
- PeopleSoft Payables.

- PeopleSoft Strategic Sourcing.
- Third-party applications for computer-aided facilities management, tax provider systems applications.

Because applications share information, you must plan to work closely with the implementation teams that install other PeopleSoft applications to ensure that PeopleSoft provides the full functionality and efficiency that your company requires.

We discuss integration considerations in the implementation chapters in this PeopleBook. Supplemental information about third-party application integrations is on Oracle's My Oracle Support web site:

PeopleSoft Asset Management integrates with these PeopleSoft applications:



PeopleSoft Asset Management integration with other products

Enabling ChartField Security for PeopleSoft Asset Management

PeopleSoft ChartField security provides a flexible, rule-based approach to administer security at a data level. ChartField security is supported in PeopleSoft Asset Management and across other PeopleSoft Financials and Supply Chain Management (FSCM) applications. The ChartField security feature prevents unauthorized employees and contractors from viewing and editing sensitive financial data by restricting access to data stored with specific ChartField values.

The primary features for ChartField security are:

- Enforce security rules by user, role, or permission list.
- Enable ChartField security for all products or selectively by product.
- Enable or disable ChartField security selectively by component.
- Define rules to accommodate end-user areas of responsibility.
- Refine access rules by product feature or component.
- Support super user access to minimize setup
- Define components as exceptions to override security rules.

See *PeopleSoft Application Fundamentals 9.1 PeopleBook*, "Securing ChartFields" and *PeopleSoft Application Fundamentals 9.1 PeopleBook*, "Securing ChartFields," *Securing ChartFields for PeopleSoft Asset Management*.

Implementing PeopleSoft Asset Management

PeopleSoft Setup Manager enables you to review a list of setup tasks for your organization for the products that you are implementing. The setup tasks include the components that you must set up, listed in the order in which you must enter data into the component tables, and links to the corresponding PeopleBook documentation.

PeopleSoft Financials also provides component interfaces to help you load data from your existing system into PeopleSoft tables. Use the Excel to Component Interface utility with the component interfaces to populate the tables.

Component	Component Interface	Reference
Agencies (AGENCY_DEFN)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Pages Used to Define Asset Attributes.
Define AM Allocation Basis (ALLOC_BASIS_GRP)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Depreciation Processing."

Component	Component Interface	Reference
Area Definition (AM_AREA_TBL)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Setting Up Area Definitions.
Define Criticality Code (AM_CRIT_LEVEL)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Setting Up Criticality Codes.
Asset Indexes (AM_INDEX_TBL)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Pages Used to Define Financial Processing.
AM Location Definition (AM_LOCATION)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Pages Used to Define Asset Attributes.
Asset Owners (AM_OWNER_COMP)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Establishing Asset Ownership.
Asset Owner Operators (AM_OWNER_OPR_COMP)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Establishing Asset Ownership.
Accounting Entry Template IDs (AMAE_TMPL_ID_PNL)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Accounting Entries.
Asset Class (ASSET_CLASS)	ASSET_CLASS_CI	See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Setting Up Asset Classes.
Asset Hazardous Code (ASSET_FSC_DFN)	ASSET_FSC_DEFN_CI	See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Setting Up Hazardous Codes.
Bus Tax Rate for Asset/Location (ASSET_LOC_RATE)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Tax Processing and Tax Reporting," (FRA) Defining Business Tax by Location.
Asset Thresholds (ASSET_THRESHOLDS)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Tax Processing and Tax Reporting," (AUS) Defining VAT Thresholds.

Component	Component Interface	Reference
Define Asset Management Books (BOOK_DEFN1)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing PeopleSoft Asset Management Business Units," Defining Business Unit Processing Options.
BU Aggregate R&D Expenditure (BU_AGG_RD)		See Chapter 23, "Using the Global Features of PeopleSoft Asset Management," Defining Asset R&D Categorization , page 483.
Asset Management Business Unit (BU_DEFN)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing PeopleSoft Asset Management Business Units," Creating PeopleSoft Asset Management Business Units.
Capital Acquisition Plan Type (CAP_TYPE)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Pages Used to Define Financial Processing.
Asset Category (CATEGORY_DEFN)	CATEGORY_DEFN_C I	See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," (Required) Defining Asset Categories.
Depr Convention Builder (CONV_BLDR_PNLG)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Depreciation Processing," Setting Up Depreciation Conventions.
Copy All Depr Conventions (CONV_COPY_ALL_COMP)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Depreciation Processing," Setting Up Depreciation Conventions.
Copy Depreciation Conventions (CONV_COPY_PNLG)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Depreciation Processing," Setting Up Depreciation Conventions.
Cost Types (COST_TYPE_DEFN)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Pages Used to Define Financial Processing.
Capitalization Limits Codes (DEPR_CAP_LIMIT)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Setting Up Capitalization Limits.

Component	Component Interface	Reference
Capitalization Thresholds (CAP_THR_DEFN)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Setting Up Capitalization Thresholds.
Combination Editing Options (AM_CEDT_SSRC)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Enabling Combination Editing.
Depreciation Conventions (DEPR_CONVENTION)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Depreciation Processing," Setting Up Depreciation Conventions.
Depreciation Limits (DEPR_LIMIT_DEFN)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Depreciation Processing," Defining Depreciation Limits.
Depreciation Schedules (DEPR_SCHEDULE_DEFN)	DEPR_SCHEDULE_DEFN_CI	See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Depreciation Processing," Setting Up Depreciation Schedules.
Depreciation Terms Definition (DEPR_TERMS_DEFN)	DEPR_TERMS_DEFN_CI	See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Depreciation Processing," Defining Depreciation Terms and Rates.
Accounting Entry Templates (DIST_TEMPLATE_DEFN)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Accounting Entries.
Fair Value Valuation Methods (AM_FV_METHOD_DEFN)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Enabling Combination Editing.
Fair Value Groups (AM_FV_GROUP_DEFN)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Enabling Combination Editing.

Component	Component Interface	Reference
Fair Value Templates (AM_FV_TEMPLAT_DEFN)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Enabling Combination Editing.
FERC Code Definition (FERC_CD_DEFN)		See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Defining Financials and Supply Chain Management Common Definitions," Pages Used to Define Additional Common Information.
Financing Codes (FINANCE_CD)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Pages Used to Define Financial Processing.
Insurance Types (INSURANCE_TYPE)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Pages Used to Define Asset Attributes.
Inter Unit Transfer Definition (IU_TRF_DEFN_TBL)	IU_TRF_DEFN_TBL_CI	See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Accounting Entries.
Joint Venture BU Allocations (JV_BUS_ALLOC)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Defining Joint Venture Allocations.
Define Maintenance Types (MAINT_TYPE_DEFN)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Defining Maintenance Types.
Multi-Shift Definition (MULTI_SHIFT_DEFN)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Depreciation Processing," (DEU) Setting Up Multi-shift Codes.
Owner Information (OWNER_INFO_DEFN)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Establishing Asset Ownership.
Physical Inventory Scheduling (PI_SCHEDULE)		See Chapter 12, "Performing Asset Physical Inventory," Setting Up a Physical Inventory. page 283.
Physical Inventory Sys Setup (PI_SYSTEM_SETUP)		See Chapter 12, "Performing Asset Physical Inventory," Setting Up a Physical Inventory. page 283.

Component	Component Interface	Reference
Define Asset Profiles (PROFILE)	PROFILE_CI	See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Setting Up Asset Profiles.
Lease Schedule (PYMNT_SCHED_TBL)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Defining Lease Payment Schedules.
Qualified Investments (QIV)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Tax Processing and Tax Reporting," (USA) Defining Qualified Investment Codes.
Return Information (RETURN_INFO_DEFN)		See Chapter 23, "Using the Global Features of PeopleSoft Asset Management," Processing Local Tax Reports, page 521.
Define Report Drilldown (RPT_DRILL_FLD_G)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Establishing Drill-Down Field Groups.
Book Class Security (SEC_BUBOOK_CLS)		See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Securing Your System."
Book Operator Security (SEC_BUBOOK_OPR)		See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Securing Your System."
Asset Tax Classes (TAX_CLASS_DEFN)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Tax Processing and Tax Reporting," (CAN, IND, and USA) Defining and Maintaining Tax Classes.
Tax Credit Status (TAX_CR_STATUS)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Tax Processing and Tax Reporting," Defining Tax Credits.
Tax Credits (TAX_CREDITS)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Tax Processing and Tax Reporting," Defining Tax Credits.
Retirement Basis Reduction (TRAN_EXCLUDE_TBL)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Tax Processing and Tax Reporting," Setting Up Retirement Basis Reduction Codes.
Transaction Groups (TRANS_PNL_GRP)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Accounting Entries.

Component	Component Interface	Reference
Define Transaction Codes (TRANSACTION_CODE)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Setting Up Transaction Codes.
User Defined Depreciation Rate (UD_DEPR_RATE)	UD_DEPR_RATE_CI	See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Depreciation Processing," Defining Depreciation Terms and Rates.
User Defined Methods (UD_METHOD)		See Chapter 15, "Using User-Defined Asset Depreciation," Creating a User-Defined Depreciation Method, page 337.
User Defined Methods - Copy (UD_METHOD_COPY)		See Chapter 15, "Using User-Defined Asset Depreciation," Creating a User-Defined Depreciation Method, page 337.
User Defined Variables (UD_VARIABLE_DEFN)		See Chapter 15, "Using User-Defined Asset Depreciation," Creating or Selecting Variables, page 334.
Define Units of Production (UOP_DEFN)		See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Setting Up Units of Production Definitions.
Account (GL_ACCOUNT)	ACCOUNT_CF	See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Defining and Using ChartFields," Adding Account Values.
Alternate Account (ALTACCT)	ALTACCT_CF	See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Defining and Using ChartFields," Adding Alternate Account Values.
Operating Unit (OPERATING_UNIT)	OPER_UNIT_CF	See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Defining and Using ChartFields," Adding Operating Unit Values.
Department (DEPARTMENT)	DEPT_CF	See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Defining and Using ChartFields," Adding Department Values.
Project ID (PROJECT)	PROJECT_CF	See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Defining and Using ChartFields," Adding Project Values and Grant Values.
Product (PRODUCT)	PRODUCT_CF	See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Defining and Using ChartFields," Adding Product Values.

Component	Component Interface	Reference
Fund Code (FUND_DEFINITION)	FUND_CF	See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Defining and Using ChartFields," Adding Values for Expansion ChartFields 1, 2, and 3.
Chartfield 1 (CHARTFIELD1)	CHARTFIELD1	See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Defining and Using ChartFields," Adding Values for Expansion ChartFields 1, 2, and 3.
Chartfield 2 (CHARTFIELD2)	CHARTFIELD2	See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Defining and Using ChartFields," Adding Values for Expansion ChartFields 1, 2, and 3.
Chartfield 3 (CHARTFIELD3)	CHARTFIELD3	See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Defining and Using ChartFields," Adding Values for Expansion ChartFields 1, 2, and 3.
InterUnit Template (IU_INTER_TMPLT)	IU_INTER_TMPLT	See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Using Interunit and Intraunit Accounting and ChartField Inheritance," Defining Interunit Templates.
IntraUnit Template (IU_INTRA_TMPLT)	IU_INTRA_TMPLT	See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Using Interunit and Intraunit Accounting and ChartField Inheritance," Defining Intraunit Templates.
InterUnit Pair Maintenance (IU_INTER_PR_BASIC)	IU_INTER_PR_BASIC	See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Using Interunit and Intraunit Accounting and ChartField Inheritance," Using Mass Maintenance for Interunit Pairs.
Market Rates (RT_RATE_PNL)		See <i>PeopleSoft Global Options and Reports 9.1 PeopleBook</i> , "Processing Multiple Currencies," Establishing Market Rates.
Market Rate Definition (MARKET_RATE_DEF)		See <i>PeopleSoft Global Options and Reports 9.1 PeopleBook</i> , "Processing Multiple Currencies," Defining Market Rates.
Currency Quotation Method (CURR_QUOTE_PNL)		See <i>PeopleSoft Global Options and Reports 9.1 PeopleBook</i> , "Processing Multiple Currencies," Defining Currency Quotations.
Ledgers for a Unit (BUSINESS_UNIT_LED)	EM_BUS_UNIT_LED	See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Setting Up Ledgers," Defining Ledgers for a Business Unit.

Component	Component Interface	Reference
Value Added Tax Code (TAX_CODE_VAT)	TAX_CODE_VAT	See <i>PeopleSoft Global Options and Reports 9.1 PeopleBook</i> , "Working with VAT," Setting Up VAT Authorities, and Tax Codes.
VAT Accounts by Business Unit (TAX_BU_CODE_VAT)	TAX_BU_CODE_VAT	See <i>PeopleSoft Global Options and Reports 9.1 PeopleBook</i> , "Working with VAT," (Optional) Defining VAT Accounts by General Ledger Business Unit.
VAT Entity (VAT_ENTITY_ID)	VAT_ENTITY_ID	See <i>PeopleSoft Global Options and Reports 9.1 PeopleBook</i> , "Working with VAT," Setting Up VAT Entities.
Vat Defaults CI Component (VAT_DEF_CI)	VAT_DEF_CI	See <i>PeopleSoft Global Options and Reports 9.1 PeopleBook</i> , "Working with VAT," Establishing VAT Defaults.
Customer Group Table (CUST_GROUP_TBL)		See <i>PeopleSoft Order to Cash Common Information 9.1 PeopleBook</i> , "Maintaining Additional Customer Information," Establishing Customer Group Tables.
Contact Info (CONTACT_INFO)		See <i>PeopleSoft Order to Cash Common Information 9.1 PeopleBook</i> , "Maintaining Contacts."
General Information (CUSTOMER_GENERAL)		See <i>PeopleSoft Order to Cash Common Information 9.1 PeopleBook</i> , "Maintaining General Customer Information."
User Preferences (OPR_DEFAULT)	OPR_DEFAULT_FIN	See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i> , "Defining User Preferences."

Other Sources of Information

In the implementation planning phase, take advantage of all PeopleSoft sources of information, including the installation guides, data models, business process maps, and troubleshooting guidelines. A complete list of these resources is in the preface of *PeopleBooks and the PeopleSoft Online Library* with information on where to find the most up-to-date version of each.

See Also

PeopleTools PeopleBook: PeopleSoft Setup Manager

PeopleTools PeopleBook: PeopleSoft Component Interfaces

PeopleTools PeopleBook: PeopleBooks and the PeopleSoft Online Library

Chapter 2

Navigating in PeopleSoft Asset Management

This chapter discusses how to use custom Navigation Center pages in PeopleSoft Asset Management.

Using Custom Navigation Center Pages in PeopleSoft Asset Management

PeopleSoft Asset Management provides custom navigation center pages that contain groupings of folders that support a specific business process, task, or user role.

Note. In addition to the custom navigation center pages, PeopleSoft Asset Management provides menu navigation, standard navigation pages, and PeopleSoft Navigator.

Pages Used to Navigate in PeopleSoft Asset Management

This table lists the custom navigation Asset Definitions Center pages that are used to navigate implementation tasks in PeopleSoft Asset Management:

<i>Page Name</i>	<i>Navigation</i>	<i>Usage</i>
Asset Management	Main Menu, Asset Management	Access primary PeopleSoft Asset Management menu options and activities.
Asset Definitions Center	Main Menu, Asset Management	Access primary PeopleSoft Asset Management Center menu options and activities.
Asset Transactions	Click Asset Transactions on the Asset Management menu page.	Access the Asset Transaction folder to administer financial and nonfinancial asset transactions, including adds, adjustments, transfers, and retirements.
Owned Assets	Click Owned Assets on the Asset Transactions menu page.	Access the Owned Assets folder to enter, copy, update, and display owned asset information.

Page Name	Navigation	Usage
Express Add	Click Express Add on the Owned Assets page.	Access the Express Add page to create a new asset with only financial data.
Basic Add	Click Basic Add on the Owned Assets page.	Access the Basic Add page to enter or update financial assets with physical and financial details.
View Component Hierarchy	Click View Component Hierarchy on the Owned Assets page.	Access the Asset Component Hierarchy page to display an asset hierarchy in a grid.
Manage Component Hierarchy	Click Manage Component Hierarchy on the Owned Assets page.	Access the Asset Component Hierarchy page to display an asset hierarchy in a grid as well as to insert and remove assets from the hierarchy.
Copy Existing Asset	Click Copy Existing Asset on the Owned Assets page.	Access the Copy Existing Asset page to copy existing asset information to a new asset ID.
Calculate Replacement Cost	Click Calculate Replacement Cost on the Owned Assets page.	Access the Calculate Replacement Cost page to calculate and update indexed replacement costs.
Define Asset Operational Information	Click Define Asset Operational Info on the Owned Assets page.	Access the Define Asset Operational Information page to enter nonfinancial assets or update physical details of existing assets.
Maintain Property Occupants	Click Maintain Property Occupants on the Owned Assets page.	Access the Maintain Property Occupants page to enter property occupant information.
Leased Assets	Click Leased Assets on the Asset Transactions menu page.	Access the Leased Assets folder to enter and update leased asset information.
Express Add	Click Express Add on the Leased Assets page.	Access the Lease Express Add page to create capital or operating leases with appropriate payment and depreciation schedules.
Update Lease Information	Click Update Lease Information on the Leased Assets page.	Access the Update Lease Information page to enter or update leased assets with physical and financial details.
Create Expense Schedule	Click Create Expense Schedule on the Leased Assets page.	Access the Lease Expense Schedule page to generate new lease expense schedules.

Page Name	Navigation	Usage
Transfer Operating Lease	Click Transfer Operating Lease on the Leased Assets page.	Access the Transfer Operating Lease page to transfer an operating lease to a new ChartField.
Acquisition Details	Click Acquisition Details on the Asset Transactions menu page.	Access the Acquisition Details folder to review acquisition details from vouchers, purchase orders, and receipts.
Review Purchase Orders	Click Review Purchase Orders on the Acquisition Details page.	Access the Review Purchase Orders page to review purchase order data such as business unit, PO ID, and related contracts.
Review Receivers	Click Review Receivers on the Acquisition Details page.	Access the Review Receivers page to review receiving details such as business unit, item ID, or vendor receipt quantities.
Review Vouchers	Click Review Vouchers on the Acquisition Details page.	Access the Review Vouchers page to review acquisition details from vouchers.
Asset Book Information	Click Asset Book Information on the Asset Transactions menu page.	Access the Asset Book Information component to review, add, or update asset books.
Define Tax/Depr Criteria	Click Define Tax/Depr Criteria on the Asset Book Information page.	Access the Define Tax/Depr Criteria page to define asset book and tax depreciation attributes.
Add/Copy Asset Book	Click Add/Copy Asset Book on the Asset Book Information page.	Access the Add/Copy Asset Book page to copy to a new book or convert book currency in mass.
Parent-Child Relationship	Click Parent-Child Relationship on the Asset Transactions menu page.	Access the Parent-Child Relationship folder to review parent-child relationships.
Create Parent	Click Create Parent on the Parent-Child Relationship page.	Access the Create Parent page to create umbrella parent asset; description only asset.
Parent-Child Basic Information	Click Parent-Child Basic Information on the Parent-Child Relationship page.	Access the Parent-Child Basic Information page to enter and update basic physical and financial data for parent or child assets.
Review Parent-Child	Click Review Parent-Child on the Parent-Child Relationship page.	Access the Review Parent-Child page to review parent assets and the associated child asset information.

Page Name	Navigation	Usage
Review Parent-Child NBV	Click Review Parent-Child NBV on the Parent-Child Relationship page.	Access the Review Parent-Child NBV page to view parent-child net book value; select and deselect included children.
InterUnit Parent-Child Trans	Click InterUnit Parent-Child Trans on the Parent-Child Relationship page.	Access the InterUnit Parent-Child Trans page to run the process for interunit parent-child transfers.
Capital Acquisition Planning	Click Capital Acquisition Planning on the Asset Transactions menu page.	Access the Capital Acquisition Planning folder to create and administer Capital Acquisition Plans (CAP).
Create (CAP) Plan	Click Create (CAP) Plan on the Capital Acquisition Planning page.	Access the Create (CAP) Plan page to define and update capital acquisition plans (CAP).
Load Budgeting Asset Catalog	Click Load Budgeting Asset Catalog on the Capital Acquisition Planning page.	Access the Load Budgeting Asset Catalog page to load the budgeting asset catalog.
Send to Budgeting	Click Send to Budgeting on the Capital Acquisition Planning page.	Access the Send to Budgeting page to configure the interface for PeopleSoft Budgeting.
Run Report	Click Run Report on the Capital Acquisition Planning page.	Access the Run Report page to create capital acquisition plan (CAP) reports.
Financial Transactions	Click Financial Transactions on the Asset Transactions menu page.	Access the Financial Transactions folder to perform financial asset maintenance transactions like adjustments and transfers.
Cost Adjust/Transfer Asset	Click Cost Adjust/Transfer Asset on the Financial Transactions page.	Access the Cost Adjust/Transfer Asset page to perform cost additions/adjustments, transfers, recategorizations, revaluations, markups, and interunit transfers.
CGU Impairment	Click CGU Impairment on the Financial Transactions page.	Access the CGU Impairment page to process CGU impairments.
Impairment WorkSheet	Click Impairment Worksheet on the Financial Transactions page.	Access the Impairment Worksheet page to process impairments.
Revaluation WorkSheet	Click Revaluation Worksheet on the Financial Transactions page.	Access the Revaluation Worksheet page to revalue assets using different methods.
Fair Value	Click Fair Value on the Financial Transactions page.	Access the Fair Value page to assign the fair value for individual assets.

Page Name	Navigation	Usage
Revaluation in Mass	Click Revaluation in Mass on the Financial Transactions page.	Access the Revaluation in Mass page to collectively revalue assets.
Change/Delete Pending Trans	Click Change/Delete Pending Trans on the Financial Transactions page.	Access the Change/Delete Pending Trans page to update transactions in the Pending Transaction table before running depreciation processing.
Cost Summarization	Click Cost Summarization on the Financial Transactions page.	Access the Cost Summarization page to process cost summarization.
Update Non-Capitalized Cost	Click Update Non-Capitalized Cost Asset on the Financial Transactions page.	Access the Update Non-Capitalized Cost page to update noncapitalized cost.
Cap Threshold Validation	Click Cap Threshold Validation on the Financial Transactions page.	Access the Capitalization Threshold Validation page to check if an asset still belongs to the appropriate capitalization category after upcoming adjustments.
Capitalization Summary Report	Click Capitalization Summary Report on the Financial Transactions page.	Access the Capitalization Summary Report page to review trackable assets originated due to the threshold limit.
Asset Disposal	Click Asset Disposal on the Asset Transactions menu page.	Access the Asset Disposal folder to dispose of assets.
Retire/Reinstate Asset	Click Retire/Reinstate Asset on the Asset Disposal page.	Access the Retire/Reinstate Asset page to retire and reinstate financial assets.
Disposal Worksheet	Click Disposal Worksheet on the Asset Disposal page.	Access the Disposal Worksheet page to submit selected assets for disposal.
Approve Disposals	Click Approve Disposals on the Asset Disposal page.	Access the Approve Disposals page to approve pending asset disposal requests.
Auto-Retire Fully Depr Assets	Click Auto-Retire Fully Depr Assets on the Asset Disposal page.	Access the Auto-Retire Fully Depr Assets page to define auto-retire criteria to collectively retire fully depreciated assets.
Retire/Reinstate Non-Fin Asset	Click Retire/Reinstate Non-Fin Asset on the Asset Disposal page.	Access the Retire/Reinstate Non-Fin Asset page to retire and reinstate nonfinancial assets.
History	Click History on the Asset Transactions page.	Access the History folder to review book and cost history.

Page Name	Navigation	Usage
Review Book	Click Review Book on the History page.	Access the Review Book page to review book change history.
View Parent Component	Click View Parent Component on the History page.	Access the View Parent Component to view the Parent component.
Review Cost	Click Review Cost on the History page.	Access the Review Cost page to review capitalized and noncapitalized asset cost transactions.
Review Inflation	Click Review Inflation on the History page.	Access the Review Inflation page to review asset inflation history.
Archive Cost/Depreciation	Click Archive Cost/Depreciation on the History page.	Access the Archive Cost/Depreciation page to archive asset cost and depreciation information from production tables.
Restore Cost/Depreciation	Click Restore Cost/Depreciation on the History page.	Access the Restore Cost/Depreciation page to restore archived asset cost and depreciation data to production tables.
Depreciation	Click Depreciation on the Asset Management menu page	Access the Depreciation folder to process and review regular and group asset depreciation.
Open Transactions	Click Open Transactions on the Depreciation page.	Access the Open Transactions page to create, review, and purge open transaction data.
Processing	Click Processing on the Depreciation page.	Access the Processing page to calculate depreciation and run depreciation-related processes.
Group Asset Depreciation	Click Group Asset Depreciation on the Depreciation page.	Access the Group Asset Depreciation page to consolidate, apply, and calculate group asset depreciation.
What-If Scenarios	Click What-If Scenarios on the Depreciation page.	Access the What-If Scenarios page to request and review what-if depreciation scenarios.
Review Depreciation Info	Click Review Depreciation Info on the Depreciation page.	Access the Review Depreciation Info page to review depreciation information.
Depreciation Process Log	Click Depreciation Process Log on the Depreciation page.	Access the Depreciation Process Log page to review depreciation processing results for errors.

Page Name	Navigation	Usage
Accounting Entries	Click Accounting Entries on the Asset Management menu page.	Access the Accounting Entries folder to process and close accounting activities.
Create Accounting Entries	Click Create Accounting Entries on the Accounting Entries page.	Access the Create Accounting Entries page to create asset accounting entries.
Close Depreciation	Click Close Depreciation on the Accounting Entries page.	Access the Close Depreciation page to close period depreciation by generating accounting entries for the ledger.
Review Financial Entries	Click Review Financial Entries on the Accounting Entries page.	Access the Review Financial Entries page to review accounting entries.
Review Operating Leases	Click Review Operating Leases on the Accounting Entries page.	Access the Review Operating Leases page to review accounting entries for operating leases.
Close Accounting Period	Click Close Accounting Period on the Accounting Entries page.	Access the Close Accounting Period page to close an accounting period to prevent accounting entries in that period.
Review Asset Journals	Click Review Asset Journals on the Accounting Entries page.	Access the Review Asset Journals page to review asset journal information.
Calculate Inflation	Click Calculate Inflation on the Accounting Entries page.	Access the Calculate Inflation page to run the process to calculate inflation amounts for assets.
Revalue AUS	Click Revalue AUS on the Accounting Entries page.	Access the Revalue AUS page to revalue assets (Australia).
Review Expense Entries	Click Review Expense Entries on the Accounting Entries page.	Access the Review Expense Entries page to display accounts created by the Clearing Reconciliation process .
Allocate Depreciation Expense	Click Cost and Depreciation Summary on the Accounting Entries page.	Access the Allocate Depreciation Expense component to allocate depreciation expense.
Financial Reports	Click Financial Reports on the Asset Management menu page.	Access the Financial Reports folder to produce reports and load reporting tables.
Cost and Depreciation Summary	Click Cost and Depreciation Summary on the Financial Reports page.	Access the Cost and Depreciation Summary page to review summarized depreciation activity, cost activity, and net book value.

Page Name	Navigation	Usage
Load Reporting Tables	Click Load Reporting Tables on the Financial Reports page.	Access the Load Reporting Tables folder to load PeopleSoft Asset Management reporting tables.
Asset Details	Click Asset Details on the Financial Reports page.	Access the Asset Details folder to create asset information reports.
Leased Assets	Click Leased Assets on the Financial Reports page.	Access the Leased Assets folder to create lease asset reports.
Accounting Entries	Click Accounting Entries on the Financial Reports page.	Access the Accounting Entries folder to generate account activity summaries, alternate account activity, reverse and reserve amounts, and statutory reports.
Cost and Depreciation	Click Cost and Depreciation on the Financial Reports page.	Access the Cost and Depreciation folder to create asset depreciation reports.
Retirement	Click Retirement on the Financial Reports page.	Access the Retirement folder to create asset retirement reports.
Generate AM Charts	Click Generate AM Charts on the Financial Reports page.	Access the Generate AM Charts folder to generate PeopleSoft Asset Management charts.
Send/Receive Information	Click Send/Receive Information on the Asset Management menu.	Access the Send/Receive Information folder to send and receive PeopleSoft Asset Management data and transactions.
Preview AP/PO Information	Click Preview AP/PO Information on the Send/Receive Information page.	Access the Preview AP/PO Information page to review the PeopleSoft Purchasing/Payables interface tables.
Retrieve Info from AP/PO	Click Retrieve Info from AP/PO on the Send/Receive Information page.	Access the Retrieve Info from AP/PO page to run preinterface tables into the transaction loader.
Load Transactions	Click Load Transactions on the Send/Receive Information page.	Access the Load Transactions folder to load, consolidate, and unitize transactions to PeopleSoft Asset Management.
Load Interface	Click Load Interface on the Send/Receive Information page.	Access the Load Interface folder to send data to and receive data from PeopleSoft Asset Management tables.

Page Name	Navigation	Usage
Import Data via Spreadsheet	Click Import Data via Spreadsheet on the Send/Receive Information page.	Access the Import Data via Spreadsheet folder to import new assets from a spreadsheet using a Component Interface utility.
Approve Financial Information	Click Approve Financial Information on the Send/Receive Information page.	Access the Approve Financial Information folder to review and approve financial interface table transactions.
Approve Physical Information	Click Approve Physical Information on the Send/Receive Information page.	Access the Approve Physical Information folder to review and approve physical interface table A and B transactions.
Approve Lease Information	Click Approve Lease Information on the Send/Receive Information page.	Access the Approve Lease Information folder to review and approve lease interface table transactions.
Computer Aided Facility Mgmt	Click Computer Aided Facility Mgmt on the Send/Receive Information page.	Access the Computer Aided Facility Mgmt folder to integrate department, property, and employee information.
Taxes	Click Taxes on the Asset Management menu.	Access the Taxes folder to process and produce tax reports.
Update CCA	Click Update CCA on the Taxes page.	Access the Update CCA folder to update capital cost allowance balances.
Calculate Local Taxes	Click Calculate Local Taxes on the Taxes page.	Access the Calculate Local Taxes folder to update local tax information in local tax returns (Japan).
Depreciation	Click Depreciation on the Taxes page.	Access the Depreciation folder to calculate and update tax balances (India).
Reports	Click Reports on the Taxes page.	Access the Reports folder to create tax-related asset reports.
Asset Property Tax	Click Asset Property Tax on the Taxes page.	Access the Asset Property Tax page to enter asset property taxes.
Service and Maintenance	Click Service and Maintenance on the Asset Management menu.	Access the Service and Maintenance folder to create and maintain insurance and service/repair information.
Asset Insurance	Click Asset Insurance on the Service and Maintenance page.	Access the Asset Insurance page to define asset insurance information.

Page Name	Navigation	Usage
Asset Warranties	Click Asset Warranties on the Service and Maintenance page.	Access the Asset Warranties page to maintain asset warranty and service coverage information.
Maintenance Contract Terms	Click Maintenance Contract Terms on the Service and Maintenance page.	Access the Maintenance Contract Terms page to enter or update terms and coverage in maintenance contracts.
Review Maintenance History	Click Review Maintenance History on the Service and Maintenance page.	Access the Review Maintenance History page to review maintenance history.
Track Service and Repairs	Click Track Service and Repairs on the Service and Maintenance page.	Access the Track Service and Repairs page to enter or update asset service and repair information.
Asset Inspection	Click Asset Inspection on the Service and Maintenance page.	Access the Asset Inspection page to maintain asset inspection, cost, and coverage information.
Asset Checkout	Click Asset Checkout on the Service and Maintenance page.	Access the Asset Checkout page to check out assets for service and repair.
Asset Meter Information	Click Asset Meter Information on the Service and Maintenance page.	Access the Asset Meter Information folder to enter and update asset meter reading and to review meter reading history.
Reports	Click Reports on the Service and Maintenance page.	Access the Reports folder to create warranties and license information reports.
Physical Inventory	Click Physical Inventory on the Asset Management menu.	Access the Physical Inventory folder to access asset physical inventory processing.
Physical Inventory/Mass Change	Click Physical Inventory/Mass Change on the Physical Inventory page.	Access the Physical Inventory/Mass Change page to define mass change parameters for physical inventory processing.
Create Schedules	Click Create Schedules on the Physical Inventory page.	Access the Create Schedules page to create a physical inventory schedule.
Define Inventory Occurrence	Click Define Inventory Occurrence on the Physical Inventory page.	Access the Define Inventory Occurrence page to establish physical inventory (PI) control ID and default PI asset transactions.

Page Name	Navigation	Usage
Load/Match/Reconcile PI Info	Click Load/Match/Reconcile PI Info on the Physical Inventory page.	Access the Load/Match/Reconcile PI Info page to export or import asset data to or from a bar code scanning device.
Process CSV Files	Click Process CSV Files on the Physical Inventory page.	Access the Process CSV Files page to create a comma-separated values (CSV) file.
Verify Duplicate Tags	Click Verify Duplicate Tags on the Physical Inventory page.	Access the Verify Duplicate Tags page to identify duplicate asset tags scanned by physical inventory counts.
Verify Duplicate Serial ID	Click Verify Duplicate Serial ID on the Physical Inventory page.	Access the Verify Duplicate Serial ID page to identify duplicate asset tags scanned during physical inventory counts.
Verify Scanned Data	Click Verify Scanned Data on the Physical Inventory page.	Access the Verify Scanned Data page to enter search criteria for physical inventory.
Review Matching Results	Click Review Matching Results on the Physical Inventory page.	Access the Review Matching Results page to review discrepancies between asset data and scanned physical inventory data.
Review Inventory History	Click Review Inventory History on the Physical Inventory page.	Access the Review Inventory History page to review assets' physical inventory history.
Review Extracted Data	Click Review Extracted Data on the Physical Inventory page.	Access the Review Extracted Data page to review asset extract information.
Run Physical Inventory Reports	Click Run Physical Inventory Reports on the Physical Inventory page.	Access the Run Physical Inventory Reports page to create the Physical Inventory report.
Mass Change	Click Mass Change on the Asset Management menu.	Access the Mass Change folder to define Mass Change templates and process transactions.
Define Criteria	Click Define Criteria on the Mass Change page.	Access the Define Criteria page to define mass change selection criteria.
Run Request	Click Run Request on the Mass Change page.	Access the Run Request page to run the Mass Change process.
Print an Asset	Click Print an Asset on the Asset Management menu page.	Access the Print an Asset page to print asset detail information.

Page Name	Navigation	Usage
Search for an Asset	Click Search for an Asset on the Asset Management menu page.	Access the Search for an Asset page to locate an asset and view with drilldown detail functions.
Asset Definitions Center	Click Asset Definitions Center on the Asset Management menu.	Access the Asset Definitions Center folder to administer asset setup and configuration.

See Also

Chapter 1, "Getting Started With PeopleSoft Asset Management," page 1

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Navigating in PeopleSoft Asset Lifecycle Management"

Chapter 3

Implementing Asset Management

This chapter provides an overview of the steps to implement Asset Management

Understanding Asset Management

PeopleSoft provides a set of documentation components that complement each other to present all the information you need to implement Asset Management. Before you do, it is helpful to understand the various elements used in tandem with Asset Management.

Asset Management is the core financial product of the PeopleSoft Asset Lifecycle Management (ALM) Solution. The other products that compose the ALM product suite are:

- PeopleSoft IT Asset Management.
- PeopleSoft Maintenance Management.
- PeopleSoft Real Estate Management.

The Asset Repository Manager (ARM) is the central feature used in common by these products. The asset repository is essentially the asset database, the core of asset processing. From the asset repository, assets are made available to other products in pursuance of their respective business processes.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Understanding PeopleSoft Asset Lifecycle Management," Understanding the Asset Repository.

The products included in the ALM product suite also integrate directly with PeopleSoft Human Capital Management.

Finally, Asset Management integrates with other Financials and Supply Chain Management products, including:

- PeopleSoft Billing.
- PeopleSoft Budgeting.
- PeopleSoft General Ledger.
- PeopleSoft Project Costing.
- PeopleSoft Payables.
- PeopleSoft Purchasing.
- PeopleSoft Strategic Sourcing.

Understanding the Asset Management Implementation Process

To implement Asset Management, you will find the information required to set up the tables and options used by Asset Management and the other ALM products in the following resources:

- PeopleSoft Application Fundamentals PeopleBook.
- PeopleSoft Asset Lifecycle Management Fundamentals PeopleBook
- PeopleSoft IT Asset Management PeopleBook
- PeopleSoft Maintenance Management PeopleBook
- PeopleSoft Real Estate Management PeopleBook

Because the information you may need to fully implement Asset Management involves more than one PeopleSoft product, you need to refer to the *Getting Started* chapter in each PeopleBook for specific implementation and integration information.

Use the *PeopleSoft Application Fundamentals PeopleBook* to find detailed information about the following functionality and processes:

- Defining Financials and Supply Chain Management common definitions.
- Setting installation options for PeopleSoft applications.
- Defining user preferences.
- Securing your system.
- Defining and using ChartFields.
- Editing ChartField combinations.
- Configuring ChartFields.
- Summarizing ChartFields using trees.
- Using entry events.
- Using alternate accounts.
- Defining accounting calendars.
- Setting up ledgers.
- Using journal generator.
- Using interunit and intraunit accounting and ChartField inheritance.
- Processing allocations.
- Setting up on-demand processing.

Use the *Asset Lifecycle Management Fundamentals PeopleBook* to find detailed information about the following functionality and processes:

- Establishing asset business units and cash generating units
- Establishing asset processing, including defining asset attributes, profiles, ownership and reporting options.
- Setting up accounting entry and financial processing.
- Setting up depreciation processing.
- Setting up tax processing and tax reporting.
- Integrating with other products.
- Using delivered workflows for assets.
- Configuring background processing for assets.
- Working with the Loader Table Data Dictionary.

See Also

PeopleSoft Application Fundamentals 9.1 PeopleBook

PeopleSoft Global Options and Reports 9.1 PeopleBook

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook

PeopleSoft IT Asset Management 9.1 PeopleBook

PeopleSoft Maintenance Management 9.1 PeopleBook

PeopleSoft Real Estate Management 9.1 PeopleBook

PeopleSoft Financials, Enterprise Service Automation, Asset Lifecycle Management Portal Packs 9.1 PeopleBook

PeopleSoft Billing 9.1 PeopleBook

PeopleSoft General Ledger 9.1 PeopleBook

PeopleSoft Payables 9. PeopleBook

PeopleSoft Project Costing 9.1 PeopleBook

PeopleSoft Purchasing 9.1 PeopleBook

PeopleSoft Strategic Sourcing 9.1 PeopleBook

Chapter 4

Converting to PeopleSoft Asset Management

This chapter provides an overview of converting to PeopleSoft Asset Management and discusses how to:

- Convert with a customized Structured Query Report (SQR).
- Run the Transaction Loader Edit program.
- Preview and approve results.
- Populate PeopleSoft Asset Management tables with asset data.
- Depreciate converted assets.
- Close the conversion process.
- Load retired assets.
- Convert lease information.

Understanding Conversion to PeopleSoft Asset Management

You can convert data using any number of methods that are available to you. You may want to generate a custom program after mapping records and fields from the existing database to the new PeopleSoft database; or you can perform the steps that are outlined in this chapter, using the application engine processes that are available from Oracle to convert the data.

The general tasks are:

1. Set up the database tables that will store accounting structure and asset information.
2. Transfer data from the existing system to PeopleSoft Asset Management.

No strict rules exist for performing these tasks. The pace and flow of the implementation will be guided by the requirements of your business environment, available personnel resources, and any unexpected events that you may encounter during the process.

If you use the PeopleSoft application engine processes that are described in this chapter to convert your data, Asset Management business units and books must be established before you transfer data into the loader tables. The sequence of other table setups are more flexible. You may want to partially complete the conversion before doing some table setup. For example, as you set up the Location table, you can refer to the record layout from your conversion file to determine how many different locations you need to establish and what they should be called. In general, however, you should complete the table setup that provides your system structure to begin building your asset management database. Your table setup must be complete before you can finish converting your asset data. The final conversion step, depreciating converted assets, cannot be carried out until all PeopleSoft Asset Management tables are set up. Setting up the database tables that provide your accounting structure and store asset information is discussed in previous chapters. Please refer to these for more details of the tasks involved.

Data validation is an important step as you plan and implement the conversion. Before you begin converting asset data from the current system, look closely at the existing data. Depending on the integrity of the source data, your first step should be to validate the existing data before you begin converting. At various intervals of the data conversion process, you will have the opportunity to examine the data. Create checks and balances as part of your conversion plan to test data that is being loaded into the PeopleSoft database.

Note. The Excel to CI PeopleTools spreadsheet utility enables you to use a PeopleSoft Asset Management template to upload asset data from another source to the PeopleSoft database. *You should not plan to use this utility to convert your initial database.* This utility is designed to assist in situations in which manual data entry would be tedious. Because the Excel to CI utility is limited to importing 65K rows of data at a time, large volumes of data cannot be uploaded. Because this utility has no automatic error checking, you should carefully review all rows of data being uploaded and correct any problems as you discover them. Finally, the Asset Management template that is used for Excel to CI does not populate the INTFC_PHY_B tables. Data uploaded by this method may require additional manual data entry. Given these constraints, using the Excel to CI utility to convert legacy data to new PeopleSoft records is not recommended.

See Also

[Appendix A, "Understanding the Loader Table Data Dictionary," page 537](#)

Prerequisites

Before proceeding with the data conversion, you must set up your business units and tables.

We strongly recommend that you add and depreciate some assets online *before* beginning the conversion process.

Performing these actions is a good test of your table setup. They enable you to test your Asset Profiles to ensure that they are working the way you intended, and you can see how the depreciation program works and how it is affected by different variables and conventions. Knowing what to expect from the PeopleSoft Asset Management application before you begin the conversion will assist you in making decisions for planning and carrying out the conversion.

Converting with a Customized SQR

To transfer data from an existing system into PeopleSoft Asset Management loader tables, you can write a custom SQR and use the delivered Asset Management application engines in this way:

1. Write and run a program that transfers data from the existing system into the Asset Management loader tables.

The following table describes the interim tables in Asset Management:

<i>Table</i>	<i>Description</i>
INTFC_FIN	Contains financial asset data.
INTFC_PHY_A	Contains physical asset data.
INTFC_PHY_B	Contains physical asset data.

Note. When writing this SQR, note that for load types of CN1 that use NEXT in the ASSET_ID field, each load line should have a unique INTFC_ID. This unique value ensures that Asset IDs are generated correctly. In all other cases, you should use one INTFC_ID for each set of transactions with the same load type.

Note. The sample conversion program, AMCV1000.SQR, and its SQC links are not supported.

2. Run the Transaction Edit program (AMIFEDIT) to perform edit checks on the specified data fields to ensure that the information you load into PeopleSoft Asset Management is correct. The data fields that are edited include ChartFields, business units, and books.
3. Preview and approve data in the loader tables.

Use the Financials Transactions page, Physical Transactions A page, and Physical Transactions B page to see which data was loaded into the loader tables.

4. Use the Transaction Loader process (AMIF1000) to transfer information from the loader tables into your Asset Management tables.

This process reads data in the INTFC_FIN, INTFC_PHY_A and INTFC_PHY_B tables and then populates the Asset Management tables with the asset data. This data appears in Asset Management as open transactions.

The AMIF1000 process has two options for populating open transaction accounting and transaction date fields with respect to how costs and accumulated depreciation are loaded. Search for RJS2-34 in AMIF1000 and choose the option that matches your business needs before running the program.


See [Chapter 4, "Converting to PeopleSoft Asset Management," Using Transaction Loader Conversion Dates Options, page 37.](#)

5. Convert and depreciate the assets.

Note. When converting data from another system to PeopleSoft Asset Management, you should convert data as of the period *before* you want the system effective. You should calculate depreciation as of the *first period* that the system is effective.

For example, if you want the system to be effective on January 1, 2006, you should convert all your data as of December 31, 2005. The fiscal year, START_PD, and END_PD on the depreciation table should be 2005, 12, 12. The TRANS_DT and DTTM_STAMP should be December 31, 2005. However, you should calculate depreciation with OPEN_TRANS accounting and transaction dates of January 1, 2006.

The following diagram shows the Asset conversion process:



Asset conversion process

See Also

[Appendix A, "Understanding the Loader Table Data Dictionary," page 537](#)

Running the Transaction Loader Edit Program

Before running the Transaction Loader (AMIF1000) program, you must run the Transaction Loader Edit (AMIFEDIT) program to check for valid values. The Transaction Loader Edit program edits the fields you specify, validates values, and marks those values that are in error. Using one or both of two available queries, you can check the results and view messages for those fields that are in error. This process helps ensure that the data is correct when it is entered by the Transaction Loader into PeopleSoft Asset Management tables.

This section discusses how to:

- Use the Transaction Loader Edit page.
- View the results of the Transaction Edit program.

Pages Used to Run the Transaction Loader Edit Program

Page Name	Definition Name	Navigation	Usage
Transaction Loader Edit	RUN_AMIFEDIT1	Asset Management, Send/Receive Information, Load Transactions, Edit Transactions, Edit Transactions	Run the Transaction Edit program.
BU Book Chartfields Summarize	AMIFEDIT_CF_SEC	Click the Chartfields link on the Transaction Loader Edit page.	Select ChartField summary options for the transaction loader edit process.

Using the Transaction Loader Edit Page

Access the Transaction Loader Edit page (Asset Management, Send/Receive Information, Load Transactions, Edit Transactions, Edit Transactions).

Edit Transactions

Run Control ID: CF_AUDIT [Report Manager](#) [Process Monitor](#)

Language: English

Run Control Parameters Find | View All | First 1 of 1 | Last

Request ID: Process Frequency: Once Language Code: English

Interface ID: To Trans Load ID: System Source:

Interface Edit Options

☒ Business Unit	☒ Depreciation/Retire Convention	☒ Location
☒ Book	☒ Depreciation Schedule	☒ Profile ID
☒ Category	☒ UD Method	☒ Asset Class
☒ Cost Type	☒ Currency Cd	☒ CAP Number/Sequence
Chartfields	☒ Depreciation Limit	☒ FERC Code
	☒ UOP ID	☒ Financing Code
	☒ Tax Class	☒ Vendor Code

Find Trans Load ID (optional)

System Source: Load Type:

Load Status: Pending ☐ Financial Record ☐ Physical Records

Interface Information Customize | Find | First 1 of 1 | Last

Intfc ID	System Source	Load Type	Load Description	Load Status	Total Items in Query
1					

Edit Transactions page

Interface Edit Options

Select all the fields on which you want to perform the edit valuation. Deselect those fields that will have no values because you do not use the field (that is, optional fields Category and Tax Class.).

Note. The default condition is to run edit checks on all of these fields. They are all selected when you first display the page. To prevent an edit check on a particular field, deselect that check box.

Find Trans Load ID (transaction load ID)

System Source	Generates the transactions that you want to edit.
Load Type	A more detailed version of Trans Type. One trans type can generate several different load types.

Note. Whenever you rerun the Transaction Edit program, old message files from the previous run are deleted.

Viewing the Results of the Transaction Edit Program

To view results from the Transaction Edit program, run the following two queries:

- AM_INTFC_PHY_A_MSG (Interface Physical A Edit Messages) to see physical records.
- AM_INTFC_FIN_MSG (Interface Financial Edit Messages) to see financial records.

Previewing and Approving Results

After the asset data is in the loader tables, you will need to verify that the information in the loader tables is correct and approve all the load lines that you want to load into PeopleSoft Asset Management. This review and approval process is designed to prevent you from inadvertently loading massive amounts of invalid data into the system.

Use the Financials Transactions page, Physical Transactions A page, and Physical Transactions B page to see which data was loaded into INTFC_FIN, INTFC_PHY_A, and INTFC_PHY_B. If you find errors, you can either correct them online using the SQL query tool or modify your custom SQR and run the program again.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Integrating PeopleSoft Asset Management with Other Products," Previewing Data in the Loader Tables

Populating Asset Management Tables with Asset Data

This data conversion step populates PeopleSoft Asset Management database tables with the data that you just loaded into INTFC_FIN, INTFC_PHY_A, and INTFC_PHY_B by running the Transaction Loader Application Engine, AMIF1000.

The Transaction Loader is also used for mass transactions. After performing a mass change, run this Application Engine to create entries in Asset Management tables.

Note. You must run the Transaction Edit program (AMIFEDIT) before running the Transaction Loader, especially at conversion time. The Transaction Edit program performs edit checks on the data fields that you specify to help ensure that the information you load into PeopleSoft Asset Management is correct. Review the data that is loaded into INTFC_FIN, INTFC_PHY_A, and INTFC_PHY_B and look carefully at the Transaction Loader Application Engine (AMIF1000) before you run it. You may need to change some of the data defaults that it contains.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Integrating PeopleSoft Asset Management with Other Products," Running the Transaction Loader

Using Transaction Loader Conversion Dates Options

At conversion, you have two options when you use the Transaction Loader to populate open transaction accounting and transaction dates:

- Make the open transaction accounting and transaction dates the first day of the following period of the specified accounting date.
- Make the open transaction accounting and transaction date the same as the date that is specified in the Financial Interface table (INTFC_FIN).

First Day of the Following Accounting Period

To populate the open transaction accounting and transaction dates with the first day of the following accounting period, perform these steps.

1. Sign in to the Application Design.
2. Open Application Engine AMIF_FIN_PHY.
3. Scroll down to section 200120 and click the plus sign to expand the section.
4. Make sure that Step 100 and Step 120 are *Inactive* and Step 130 is *Active*.

Populate Dates as Specified in INTFC_FIN

To populate the open transaction accounting and transaction dates with the date that is specified in the INTFC_FIN table, perform these steps:

1. Sign in to the Application Design.
2. Open Application Engine AMIF_FIN_PHY.
3. Scroll down to section 200120 and click the plus sign to expand the section.
4. Make sure that Step 100 and Step 120 are *Active* and Step 130 is *Inactive*.

Depreciating Converted Assets

The final step in converting to PeopleSoft Asset Management is to process all the open transactions that were created by the Transaction Loader. You will run the programs to:

- Calculate depreciation (AM_DEPR_CALC).
- Create accounting entries (AM_AMAEDIST).
- Close depreciation (AM_DPCLOSE).

Note. When converting data from the current system to PeopleSoft Asset Management, you should convert data as of the period *before* you want the system effective. You should calculate depreciation as of the *first period* that the system is effective.

For example, if you want the system to be effective on 01/01/06, you should convert all of the data as of 12/31/05. The fiscal year, START_PD and END_PD on the depreciation table, should be 2005, 12, 12, respectively. The TRANS_DT and DTTM_STAMP should be 12/31/05. However, you should calculate depreciation with OPEN_TRANS accounting and transaction dates of 01/01/06.

For converted assets and assets that are loaded through the Transaction Loader, the default is to book accumulated depreciation to the *previous* period. However, any accumulated depreciation is booked to the *current* period:

1. If you populate the START_PD, END_PD and FISCAL_YEAR fields in the Financial Loader table (INTFC_FIN) with values for the current period.
2. If the amount in the DEPR field is not 0.

Closing the Conversion Process

At this point, the conversion has created all the data in the system, and all assets are depreciated. Before you can move into full production, you must now close the conversion process by completing these steps:

- Verify the conversion to approve conversion results.
- Restore disk space by removing unnecessary tables from the system.

- Update security to restrict access to the conversion SQRs now that they are no longer needed.

Page Used to Close the Conversion Process

Page Name	Definition Name	Navigation	Usage
Receive Conversion Data	RUN_AMCV2000	Asset Management, Send/Receive Information, Load Interface, Receive Conversion Data, Receive Conversion Data	Run the Interface Loader program to delete data from the loader tables.

Verifying the Conversion

You must run implementation checks to make sure that all the calculations used the correct values, followed the methods that you intended, and so forth. By balancing the conversion, you verify that the currency amounts in the system are those that you expect to see. If they are not, you need to verify your source system data and check the SQRs to determine where you might have inadvertently used the wrong depreciation method, an invalid date, or some other variable that affects calculations.

Restoring Disk Space

Access the Receive Conversion Data page (Asset Management, Send/Receive Information, Load Interface, Receive Conversion Data, Receive Conversion Data).

Receive Conversion Data

Run Control ID: PS_RECV_000001US0010000000033 [Report Manager](#) [Process Monitor](#)

Run Control Parameters Find | View All First 1 of 1 Last

Request Information

*Request ID: 1 Process Frequency: Don't
 Unit: CAN01 Book Name: ASSETS_CAI Trans Date: 12/31/2005 Acctg Date:
 Load / Delete Process Buttons
 Load Convert ==> Load Fin/Phy ==> Load Trans Delete Trans ==> Delete Fin/Phy ==> Delete Convert
Description
 Enter a file name and number to load into your conversion area. You may also choose to delete all the data from your conversion area.

Receive Conversion Data page

When the conversion is complete, you will want to release the disk space that is occupied by all the interim tables that you used in the process. Working backwards, you can delete data from the tables that were populated by using the Interface Loader.

Load/Delete Process Buttons

Select Delete Fin/Phy and run this request. Process Scheduler runs the AMCV2000 process at user-defined intervals.

Updating Security

You may want to restrict access to the Interface Loader and Transaction Loader after the conversion is completed and approved. Review the system security page settings and make changes as warranted.

See Also

PeopleTools PeopleBook, "Security Administration"

Loading Retired Assets

You can add retired assets and asset history to the database. The load type *ARA* is used specifically for loading historical information for assets that are already retired.

For this load type, the Transaction Loader inserts records into the Asset field and, if applicable, Asset Custodian, Asset Location, Warranty, Attribute, License, Comments, PI Asset History, Parent Asset, and Acquisition Detail fields. It creates Book and Cost rows, as well as one row of accumulated depreciation for each book, all using the transaction type *ADD*. After modifying some of the values in INTFC_FIN and changing the transaction type to *RET*, the Transaction Loader inserts Cost and Retirement rows. The status of the assets is set to *D* (Disposed) for retired assets.

To load retired assets:

- Consider prerequisites for retiring assets.
- Populate loader tables.
- Review the retired asset data.

Considerations for Retiring Assets

Before loading retired assets, note these considerations:

- Assets should be fully depreciated and retired.

You can add partially retired assets, but the remaining cost basis will not be depreciated or processed in any way.

- The depreciation process (AM_DEPR_CALC) need not be run after the retired assets are loaded.

- After you add retired assets, you can reinstate them.

Note. The *ARA* interface type was designed to load fully depreciated, retired, or historical assets in cases for which *AM_DEPR_CALC* would never run and the assets would never be reinstated. To accommodate reinstatement of historical assets in this case, change the *ARA* interface type as needed.

Populating Loader Tables

To load retired assets using the *ARA* load type, follow these instructions to populate the loader tables:

- If you have a valid asset profile that is effective-dated correctly and the assets have the same amounts for cost, depreciation, gain/loss, and so on for each book (use the same depreciation conventions), you can load the retired assets with the *DEFAULT_PROFILE_SW* set to *Y*.

In this case, you should set *DEFAULT_PROFILE_SW* to *Y* on *INTFC_FIN* and *INTFC_PHY_A*, enter the valid profile ID in *INTFC_PHY_A*, and make only one entry in *INTFC_FIN* for each asset. Leave the *BOOK* field blank.

- *If this is not the case*, set the *DEFAULT_PROFILE_SW* to *N* and load one record for each book for each asset into *INTFC_FIN*. Consequently, if one asset reports to two books, you will load two records for the asset into *INTFC_FIN*.

Enter the accumulated depreciation into *INTFC_FIN.DEPR*, one entry for every ChartField combination. Each entry in *INTFC_FIN* corresponds to a row in *PS_DEPRECIATION*.

To simplify populating the load tables, one entry in *INTFC_FIN* is used to create both an *ADD* and a *RET* cost row for each book.

The key difference between the *ADD* and the *RET* rows is the *DTTM_STAMP*. The Transaction Loader loads the *ADD* row first, and then it increments the *DTTM_STAMP* by one day, sets the *RETIRE_SW* to *1*, and multiplies *COST* and *QUANTITY* by negative 1 (–1). It then loads this as the *RET* row.

Note that when the Transaction Loader finishes successfully, values in all the *INTFC_FIN* rows for *ARA* *INTFC_TYPE* and *INTFC_ID* will have changed. If you want to rerun the transaction using the same *INTFC_ID* entries:

- Subtract one day from *DTTM_STAMP*.
- Set *RETIRE_SW* back to *0*.
- Set the *LOAD_STATUS* to *New* (pending).
- Multiply the *COST* and *QUANTITY* by negative 1 (–1).

These actions restore the rows to their original values.

Reviewing Retired Asset Data

After you load retired assets, pay close attention to these *INTFC_FIN* fields:

INTFC_FIN Field Name	Value
DEPR	<i>Accumulated depreciation.</i>
INTFC_TYPE	<i>ARA.</i>
RETIREMENT_DT	The asset historical retirement date.
DTTM_STAMP	Although you can set this to any value, we recommend that you set it to the earliest date/time stamp used for any of the assets that you are loading. This setting will ensure that it is earlier than all the retirement dates.
RETIRE_QUANTITY	Make sure it is a negative number.
RETIREMENT_AMT	Make sure it is a negative number.
FISCAL_YEAR	Represents the fiscal year (FY) of the accumulated depreciation.
START_PD	Starting period.
END_PD	Ending period.
GAIN_LOSS	Gain or loss.
END_DEPR_DT	Ending depreciation date.
BEGIN_DEPR_DT	Beginning depreciation date.
ACTIVITY_SW	<i>0</i>
RETIRE_SW	<i>0</i> (AMIF1000 handles the switch to 1 for the RET cost row).
RETIREMENT_RSV	Accumulated depreciation.

Also pay close attention to these INTFC_PHY_A fields:

<i>INTFC_PHY_A Field Name</i>	<i>Value</i>
CAPITALIZATION_SW	2
PROFILE_ID	Must be valid in PROFILE_DET_TBL if you set DEFAULT_PROFILE_SW = Y in INTFC_FIN and INTFC_PHY_A..

When using the Transaction Loader, you need not populate those fields that contain data in the PROFILE_DET_TBL if you provide a valid PROFILE_ID and set DEFAULT_PROFILE_SW to Y on both INTFC_FIN and INTFC_PHY_A.

Converting Lease Information

The interface load table INTFC_LEASE contains leased asset information for lease schedules that were already calculated. This lease interface table is used to add leases to PeopleSoft Asset Management tables using the Transaction Loader interface type *LAD* (Leased Asset Addition). The lease payment schedule information should be populated in the INTFC_LEASE table; it is not calculated by the Transaction Loader.

Before running the Transaction Loader, the INTFC_LEASE, INTFC_FIN and INTFC_PHY_A tables must be loaded with leased asset information. The new ASSET_IDs are calculated if the interface table ASSET_ID fields are set to *NEXT*. If *NEXT* ASSET_ID is used, each INTFC_LINE_NUM should represent one ASSET_ID, and the same INTFC_LINE_NUM should be used for all three interface tables.

These fields are required in INTFC_LEASE:

- PYMNT_DT
- PYMNT_SCHED_ID (Do not populate this field with *NEXT*; it will not be assigned automatically.)
- LEASE_TERM
- LEASE_TYPE
- IMPLICIT_RATE
- PV_MLP
- CAP_LEASE_AMT
- LEASE_DT
- MRP
- INTEREST_EXPENSE
- OBLIGATION_REDUCE
- EST_LIFE

These fields can have values of *zero* or *N*, or the default value from the profile (if you are using default profile switch = "Yes"):

- FV
- BPO
- BPO_PAYMENT
- BORROW_RATE
- ACTUAL_RESIDUAL
- GUAR_RESIDUAL
- TSFR_OWNERSHIP_FLAG
- RENEWAL_OPTION
- ITC_AMT
- EXECUTORY_COSTS

If LEASE_TYPE = O (Operating Lease), then DEFAULT_PROFILE_SW must equal N. If it is an operating lease asset, then the BOOK field in the LEASE_OPER record will be populated with the DEFAULT_BOOK in the BUS_UNIT_TBL_AM record.

All of the preceding fields affect the LEASE_BOOK. The INTFC_FIN.LIFE on the LEASE_BOOK should be calculated as $\text{FREQUENCY} \times \text{LEASE\_TERM}$. For example, if the PYMNT_SCHED_ID is monthly and LEASE_TERM = 24, then LIFE = 24 and ESTIMATED LIFE = 24. The preceding data is needed for lease adjustments in Asset Management.

When the INTFC_LEASE table is populated, you can use the Load Preview-Lease page to review and correct lease data before uploading to the PeopleSoft Asset Management tables.

Pages Used to Convert Lease Information

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Load Preview-Lease	INTFC_LEASE	Asset Management, Send/Receive Information, Approve Lease Information, Review	Review and, if necessary, correct lease data before uploading it to PeopleSoft Asset Management tables.
Load Approval - Lease	INTFC_LEASE_APPR	Asset Management, Send/Receive Information, Approve Lease Information, Approve	Approve lease data before uploading to PeopleSoft Asset Management tables.

Chapter 5

Adding and Maintaining Assets

This chapter provides an overview of adding and maintaining assets and discusses how to:

- Add and maintain asset information.
- Maintain asset meters.
- Maintain warranties.
- Maintain asset book information.
- Add assets with the Asset ExpressAdd component.
- Copy an asset.
- View and manage the component asset hierarchy.
- Create parent-child asset relationships.
- Calculate asset replacement costs.
- Define asset operational information.
- Search for assets.
- Print asset information.
- Add assets with the Excel to Component Interface utility.

Understanding Adding and Maintaining Assets

PeopleSoft Asset Management stores the following types of asset information:

- *Financial information* includes details about cost, books, depreciation method and convention, and useful life.
- *Physical information* includes asset tag numbers, specifications, location, custodian, and manufacturer.

Oracle's PeopleSoft Asset Lifecycle Management (ALM) solution provides complete access to the entire asset portfolio, regardless of asset class, and featuring visibility into total cost of ownership by enabling cost tracking associated with acquisition as well as lifetime maintenance and performance.

Working with other products within the PeopleSoft ALM solution, including PeopleSoft IT Asset Management, PeopleSoft Maintenance Management, and PeopleSoft Real Estate Management, PeopleSoft Asset Management provides functionality for the complete *plan to retire* business process, from the initial planning and acquisition of assets to the end-of-life disposal of assets.

PeopleSoft Asset Management provides a common Asset Repository Manager (ARM), accessible to all PeopleSoft ALM products and other PeopleSoft integrated products, which stores all asset data. The repository provides a single source for all physical, financial, or operational asset data.

Adding Assets

After you establish PeopleSoft Asset Management foundation tables, you can add assets. This section discusses the different ways to add assets. The approach that you use depends on the needs of your organization and how much information is available when the assets are added.

To add assets, you can:

- Use Express Add to add assets using an asset profile for default book and depreciation information.

When assets are capitalized, most of the critical information is derived from the asset profile by default, and detailed physical information can be entered later.

- Use Basic Add when much of the physical information is readily available at the start.

You can capitalize the asset immediately or later using the appropriate asset profile.

- Use Define Asset Operational Info to add nonfinancial assets.
- Use Excel to CI to add assets by uploading asset information from PeopleSoft's integrated Excel spreadsheet component interface.

This process enables you to add multiple assets to generate PeopleSoft-formatted data from a predefined Excel asset template.

The PeopleSoft system enables asset receiving when you use PeopleSoft Purchasing, PeopleSoft Payables, or PeopleSoft Project Costing. You can initially add an asset with only its physical information and then capitalize the asset when you receive financial information from the invoice. Conversely, you can initially add the asset's financial information when you order it and then add the physical information once it is received; or you can enter all of the information at once.

You can also add assets through PeopleSoft Project Costing, along with all of the pertinent project information.

See *PeopleSoft Project Costing 9.1 PeopleBook*, "Managing Assets," Setting Up and Using Express Capitalization.

PeopleSoft Asset Management allows you to use transaction currencies for multinational transactions. This enables you to maintain a base or local currency and conduct transactions with foreign entities by selecting a transaction currency for individual transactions. By establishing an exchange rate to convert the currencies, you can complete transactions in multiple currencies and convert them back to the base currency as needed.

Capitalization Threshold

PeopleSoft Asset Management can determine capitalization status of an asset based on its cost according to limits that you define. When adding new assets, either online or batch, the system automatically classifies them according to their cost into one of the following categories:

- **Capital Assets** - The system generates an asset ID and stores physical and financial information. Financial information is stored in the cost table. The system also stores acquisition details. Therefore, these assets are trackable from both a physical and financial standpoint. This term is interchangeable with Financial Assets.
- **Noncapital Assets** - The system generates an asset ID and stores physical but not financial information on the cost table (COST). The cost information is stored in the Non-capitalized cost table. The system also stores acquisition details. Therefore, these assets are trackable from a physical standpoint only. This term is synonymous with Trackable Assets or Nonfinancial Assets.
- **Expense Assets** - The system does not generate an asset ID. If an asset is entered online that does not meet the capitalization threshold, an error message appears saying that the asset has been catalogued as an expense due to its cost amount and could not be considered as an asset. If the asset is entered in batch, the system stores a message in an audit table that explains why that interface line was not processed. Because of their low cost, these assets are considered an expense when acquired and there is no interest to track them within the Asset Repository.

The Capitalization Threshold functionality is optional and can be enabled at the installation and business unit levels. Define the actual capitalization thresholds at the asset profile level. PeopleSoft Asset Management automatically catalogues the capitalization status for batch and online asset additions, provides processes to deal with adjustments to the original cost, balances out any potential clearing account with other feeder systems, and provides reports and audit trails to facilitate control of these transactions.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Setting Up Capitalization Thresholds.

Document Sequencing

Statutory requirements in some countries require that all financial transactions (documents) be classified into different transaction types, and that within each transaction type, all documents entered be numbered sequentially. The document sequencing feature helps you maintain established business practices by meeting both of these requirements.

Document sequencing is available for transactions that you create either online or through background (batch) processing. When you activate document sequencing, the system automatically assigns a sequence number to each document (invoice, voucher, journal, and so on) that you create. You can also enter sequence numbers manually. When you delete, change, or unpost a document, the system may generate additional document sequence numbers, as appropriate.

The document sequence page (AM_DOC_SEQ) is used throughout the PeopleSoft Asset Management application where a financial transaction occurs: Express Add, Basic Add, Cost Adjustment and Transfer, Leases, Copy Assets, Adjust Accumulated Depreciation, Update/Delete Pending Transactions, Impairment, and Retirement. Each page displays a document sequencing tab for the entry and enables you to view, enter, or override document sequence information.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Document Sequencing.

Financials Audit Framework (Audit Logging)

The introduction of the Financial Audit Framework (audit logging) enables improved audits and controls for transactions related to the AM_ASSET document. You can enable Asset Management to create audit trails for events ranging from asset adds, cost adjustments and transfers, depreciation, retirements and reinstatements, interunit transfers, recategorizations, asset copy, and revaluation. You can enable audit logging for Asset Management using the Enable Audit Logging page.

See *PeopleSoft Application Fundamentals 9.1 PeopleBook*, "Defining Financials and Supply Chain Management Common Definitions," Setting Up Financials Audit Framework (Audit Logging).

Once you have enabled audit logging for Asset Management and selected the events that you want to track, you can access the audit log for a given asset by clicking the Audit Logs link on the corresponding transaction pages, such as the Basic Add - General Information page.

Component Changeout

When you integrate PeopleSoft Asset Management with PeopleSoft Maintenance Management, component changeout functionality (swapping of older or broken components for newer replacement components) is enabled. The component changeout feature enables you to manage asset component swapping when failure or replacement is required to maintain an asset. A component is replaced with a "like-component" and the characteristics and attributes of the new component are associated with the overall larger asset. A component can be removed from one asset and marked for reuse in another asset. A component can also be served by parts. PeopleSoft Asset Management enables you to maintain an equipment parts list and associate it with an asset.

The Asset Repository manages the complete setup for component changeout functionality with predefined defaulting component hierarchy, and makes this information available to the work order operator to facilitate completion of the tasks associated with component changeout transactions.

The component changeout transaction installs, replaces, removes, and disposes component assets within the Asset Repository. The process allows asset transfer and disposal transactions, which are then passed to PeopleSoft Asset Management through the Transaction Loader process.

When the option to remove assets for reuse is selected, you map the ChartField accounts to be used for the transfer by entering the information on the Warehouse Mapping page through the Transaction Loader process. When the option to replace assets is selected, the transferred assets are updated with new replacement asset information through the Transaction Loader.

Meters and Warranties

Some assets are delivered with warranties or other maintenance contracts. As well, some assets may be insured where replacement of parts or service is covered under the insurance contract. PeopleSoft Asset Management enables you to track warranty, maintenance, and insurance information associated with assets.

Some assets make use of meters to track usage for maintenance or billing purposes. Asset Management provides meter types and meter reading pages to monitor asset usage for these purposes.

See [Chapter 9, "Managing Asset Maintenance, Repair, Warranties, and Insurance," page 233](#).

Adding and Maintaining Asset Information

This section discusses how to:

- Add asset basic information.
- Enter asset details.
- Enter asset acquisition details.
- View asset tax information.

- Enter document sequencing information.
- Enter asset location, comments, and attributes information.
- Enter custodial, license, and manufacturer information.
- Enter property assets.
- Enter property taxes.
- Enter asset supplemental data.
- Add attachments.

Pages Used to Add or Change Asset Information

Page Name	Definition Name	Navigation	Usage
General Information	ASSET_GENERAL_01	Asset Management, Asset Transactions, Owned Assets, Basic Add	Add asset basic information manually, or modify existing asset information.
Asset R&D Information (asset research and development information)	ASSET_RD_SP	Click the Set R and D Info link on the General Information page.	Enter information about R&D assets. In Australia, this information is used for tax reporting purposes; otherwise, it is informational only.
Warehouse Mapping	AM_WH_MAP_ASSET	Click the Asset Warehouse Mapping link on the General Information page.	Enter transfer information defaults for assets used in component changeout for PeopleSoft Maintenance Management. This page is used by PeopleSoft IT Asset Management and PeopleSoft Maintenance Management to transfer assets to a defined warehouse. Custodian, Location, and Employee ID are also available. Custodian will inherit the ChartFields defined for the warehouse.
Asset Management - Attachments	AM_ADD_ATTACH_SEC	Click the Attachments link on the General Information page.	Add relevant supporting documents to an asset transaction.

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Fair Value	AM_FMV_DEFN	Click the Fair Value Details link on the General Information page.	Update fair value (FV) information for each asset. The data is stored on the AM_FMV record and is used for revaluation of the asset in accordance with statutory requirements.
(JPN) Local Tax Return	LTAX_ADD_INFO_SEC	Click the Local Tax Information link on the General Information page.	Enter local tax information when you acquire depreciable fixed assets. Note. Report local tax return information for Japan.
Operation/Maintenance	ASSET_GENERAL_02	Asset Management, Asset Transactions, Owned Assets, Basic Add, Operation/Maintenance	Enter detailed physical information
Work Order Management	AM_WOM_OPT_ASSET	Click the Work Order Options for Components link on the Operation/Maintenance page.	Enter Work Order–related information relevant to the asset.
Hazardous Asset Codes	ASSET_FSC	Click the Hazardous Code Info link on the Operation/Maintenance page.	When an asset is defined as hazardous, describe it by selecting at least one hazardous code from the list.
Asset Acquisition Detail	ASSET_ACQ_DETAIL	Asset Management, Asset Transactions, Owned Assets, Basic Add, Asset Acquisition Detail	Store information about how the asset was acquired and keep track of the separate costs and acquisition details of components that make up an asset. Note. If PeopleSoft Asset Management is integrated with PeopleSoft Payables, PeopleSoft Receivables, PeopleSoft Purchasing, or PeopleSoft Project Costing, these source systems will enter the information automatically.

Page Name	Definition Name	Navigation	Usage
Acquisition Details	ASSET_ACQ_DET_AP	Click the Interfaces Info link on the Acquisition Detail page.	View or enter information about assets acquired through other PeopleSoft applications. If Asset Management is integrated with other PeopleSoft applications, the source systems send the asset information through delivered interfaces. If not, you can add the information here.
Acquisition Detail Chartfields	ASSET_ACQ_DET_CF	Click the Acquisition Detail Chartfields link on the Asset Acquisition Detail page.	Enter acquisition ChartField details for the asset.
Doc Sequencing (document sequencing)	AM_DOC_SEQ	Asset Management, Asset Transactions, Owned Assets, Basic Add, Doc Sequencing	Enter document sequencing information.
Tax	ASSET_ACQ_DET_VAT	Click the Tax link on the Asset Acquisition Detail page.	Enter tax information for the asset. This feature is available only if the business unit is activated for value-added tax (VAT) processing.
Location/Comments/Attributes	ASSET_IMAGE	Asset Management, Asset Transactions, Owned Assets, Basic Add, Location/Comments/Attributes	Record the location and physical properties of the asset (such as color, height, and weight) and store comments about it; view a stored image of the asset.
Assets by Location - Parameters	RUN_AMAS2200	Asset Management, Financial Reports, Asset Details, By Location	Generate a report of assets sorted by location.
Manufacture/License/Custodian	ASSET_CUSTODIAN	Asset Management, Asset Transactions, Owned Assets, Basic Add, Manufacture/License/Custodian Or click the More Manufacturer Info link on the Operation/Maintenance page.	Record custodial information, maintain license information, and store manufacturer-related information.

Page Name	Definition Name	Navigation	Usage
License Address	ASSET_LIC_ADDR_SEC	Click the Address button on the Manufacture/License/Custodian page in the License Information group box.	Enter address information associated with an asset license.
License Information - Parameters	RUN_AMAS1700	Asset Management, Service and Maintenance, Reports, License Information	Generate a report of asset licenses.
Asset Property	ASSET_PROPERTY	Asset Management, Asset Transactions, Owned Assets, Basic Add, Asset Property	Enter details to manage property assets and to maintain property-specific attributes such as identifying information, asset hierarchy, area and occupancy, and legal descriptions. This page tab appears when the asset type of <i>Property</i> is selected; however, if Lease Administration is not a selected product within Installation Options and Space Management Installed is not selected within the Asset Management Installation Options, the Property page is disabled.
Record Property Taxes	ASSET_PROP_TAX	Click the Enter Property Taxes link on the Asset Property page.	Enter property tax details including due dates, taxing authorities, and payments.
Asset Supplemental Data	AM_ASSET_SD	Asset Management, Asset Transactions, Owned Assets, Basic Add, Asset Supplemental Data	Record additional data based upon asset business unit, asset type, subtype, manufacturer, and model.

Adding Asset Basic Information

Access the General Information page (Asset Management, Asset Transactions, Owned Assets, Basic Add, General Information).

General Information

Operation/Maintenance

Asset Acquisition Detail

Location/Comments/Attributes

Manufacture/License/Custodian

Asset Supplemental Data

Unit: US001

Asset ID: SL550

Tag: In Service

Asset Information

Description:

CAP #:

☒ Taggable Asset

Asset Class:

Asset Type: Fleet

Asset Subtype:

*Asset Status: In Service

Acquisition Date: 01/03/2012

Placement Date: 01/03/2012

Collateral Asset:

*Acquisition Code: Purchased

FERC Code:

Financing Code:

Fair Value: 0.000

Replacement Cost:

Index Name:

SubIndex Name:

Parent/Child: None

Threshold ID:

Profile ID: AUTO

Short Desc:

Seq #:

Tag Number:

Auction Status: Not allowed to be Auctioned

Region Code:

☐ Capitalized Asset

☒ New Asset

☐ Available For Use

☐ In Physical Use

☐ Composite Asset

Composite Asset ID:

Appraisal Date:

Last Update:

Parent ID:

Book Page

Set R and D Info...

Asset Warehouse Mapping

Attachments (0)

Fair Value Details

Audit Logs

Basic Add - General Information page

Unit	Displays the business unit in which the asset is defined.
Asset ID	Select the default value <i>Next</i> to have the system automatically assign the next available number. You can also enter an alphanumeric value of your own. Note. When entering joint venture assets that are shared among several business units, it is recommended that you assign a unique asset ID. This ensures that the assets created at the participant level all have the same ID as the assets created at the joint venture business unit level. For example, you might use the prefix <i>JV</i>, which would generate an asset ID such as JV000022.
Tag	Displays the tag number for assets already entered.
Asset Status	Displays of the current status of the asset, such as <i>In Service</i> .
Description and Short Description	Enter identifying and descriptive information about the asset. The short description can be an abbreviated description.

CAP # (capital acquisition plan number) and Seq # (sequence number)	Enter a capital acquisition plan number and associated sequence number, if applicable. The capital acquisition plan number ties the asset to a capital acquisition plan. Only valid numbers set up in the Capital Acquisition Plan table are accepted. The sequence number defines the detailed elements of the capital acquisition plan.
Taggable Asset and Tag Number	If you use tags to track assets, enter the tag number assigned to the asset. This automatically selects the Taggable Asset check box. Asset Management performs physical inventory using the asset tag number. If the business unit for this asset is set up to allow a default tag number based on the asset ID, the default tag number appears here. Note. You must use tag numbers to perform physical inventory with the Asset Management physical inventory application. See Chapter 12, "Performing Asset Physical Inventory," page 279.
Asset Class	If you use classifications to define assets within categories, enter the asset class code here. The asset class enables you to identify assets for reporting purposes. The asset class is also used as a VAT driver.
Asset Type	Select a value to indicate a type of asset. The available options are: <i>Equipment</i> <i>Facility</i> <i>Fleet</i> <i>Furniture</i> <i>Hardware</i> <i>Intangible</i> <i>Machinery</i> <i>Other</i> <i>Property</i> <i>Software</i>
Asset Subtype	Select a value to indicate a subset of asset type. Subtypes are optionally user-defined and directly related to the asset type. Only asset subtypes of the selected asset type are available when defining the asset.

Asset Status

Select the appropriate asset status from the following options:

- *Budgeted*: Asset is budgeted but not placed in service.
- *Work in Progress*: Asset is acquired for a project under way.
- *Requisitioned*: Necessary paperwork has been completed for acquisition.
- *Commitment*: Budget has been approved and the asset is being acquired.
- *Received (not in service)*: Asset has been received but not yet placed in service.
- *In Service*: Indicates the date the asset is available for use. The transaction date is the default.
- *Disposed*: Asset has been disposed of.
- *Transferred*: The asset has been transferred from one business unit to another.
- *Suspended*: Depreciation has been suspended for the asset.

Acquisition Date

Enter the date when the asset was acquired. This field is automatically populated if the asset was added from a feeder system, such as Purchasing or Payables.

Placement Date

Enter the date that the asset is placed in service for physical purposes.

(JPN) Collateral Asset

Japanese accounting principles require that assets offered as collateral be treated according to financial reporting regulations under the commercial law. If this asset is such a collateral asset, select one of the available options that comply with Japanese requirements.

See [Chapter 23, "Using the Global Features of PeopleSoft Asset Management," \(JPN\) Using PeopleSoft Asset Management Options to Meet Japanese Requirements, page 508.](#)

Acquisition Code

The acquisition code indicates how you acquired the asset. Select one of the following options:

- *Donated*: Use for donated assets.
- *Constructed*: Use for constructed assets.
- *Leased*: Use to tie an asset to a capital or operating lease. You must also specify the capital or operating lease asset ID.
- *Like Exchange*: This option is not valid for this page. You must add like exchanges in the Asset ExpressAdd component.
- *Purchased*: This option is used for purchased assets. This is the default value.
- *Trade In*: This option is not valid for this page. You must add traded-in assets in the Asset ExpressAdd component.
- *Transferred*: Transferred, either within the same business unit or to another business unit.

FERC Code (Federal Energy Regulatory Commission code)

The FERC Code is used to identify depreciation according to FERC guidelines. This field is used in the U.S., usually to identify group assets, such as telephone poles, highway signs, or other assets used in mass quantities.

Financing Code

Enter the code as you have defined it. Financing codes enable you to analyze debit and credit relationships for capital-intensive and government projects.

In Physical Use

Select or deselect this check box to resolve discrepancies between the asset repository and IT asset discovery. Changes made to this page are incorporated in the main asset record within the asset repository. The physical use indicator is affected when adding, transferring, retiring or reinstating hardware assets within PeopleSoft Asset Management. Only those assets that have the physical use indicator selected are included in the ITAM comparison process.

See *PeopleSoft IT Asset Management 9.1 PeopleBook*, "Working with the Asset Repository," Understanding the Compare Asset Repositories Process.

Fair Value

This display-only field indicates the FV of the asset as updated from the Fair Value page. The FV is used in the calculation of asset revaluation.

See [Chapter 8, "Adjusting, Transferring, and Evaluating Assets," Capturing and Maintaining Asset Fair Value, page 208.](#)

Appraisal Date

This display-only field indicates the date when the current FV was updated. When the asset is added to the database, the appraisal date is the same as the acquisition date by default.

Replacement Cost	Indicates how much it would cost to replace the asset. When the asset is added to the database, the replacement cost is equal to the total base cost of the asset by default. The replacement cost can be derived by associating the asset to a cost index, such as the consumer price index (CPI) or inflation index. The association of the replacement cost index can be applied by default from the asset profile; the replacement cost is then calculated considering the base cost and the index amounts. The result is displayed here.
Last Update	If you are calculating the replacement cost using an index, the date that you performed the last update appears here. When the asset is added, this date is the accounting date.
Index Name and Subindex Name	Enter the adjustment of the replacement cost using an index, such as the consumer price index. When you calculate the replacement cost, the original replacement cost is adjusted by the index and subindex that you specify. Enter valid codes. These are established on the Indexes page during implementation.
Parent/Child and Parent ID	For a parent or child asset, select the appropriate option in the Parent/Child field. If it is a child asset, enter the parent ID with which it is associated. The default value is <i>None</i> . Parent and child assets cannot also be composite or group assets.
Profile ID	Enter a profile ID. Asset profiles are set up in the Asset Profile component.

Threshold ID

This value defaults from the capitalization Threshold ID that is associated with the asset profile for a given asset. When adding an asset, the system uses the capitalization definition for the applicable Threshold ID to determine the appropriate capitalization action to take. Upon clicking the Capitalize button on the Asset Acquisition Detail page, the system compares the cost of the asset with the cost and basis option as defined on the Capitalization Threshold page and then classifies the new asset into one of the following brackets:

- Capital Asset
- Non-Capital Asset (trackable)
- Expensed Asset

Note. This field appears only if the capitalization threshold option is enabled within Asset Management Installation Options and if the capitalization threshold option is enabled for a given business unit.

Note. You can select a Threshold ID other than the default value to use in the capitalization evaluation for an asset.

Note. Actions such as "To Capitalize Later" and "Never Capitalize" do not trigger the capitalization threshold evaluation.

See [Chapter 5, "Adding and Maintaining Assets," Capitalization Threshold, page 46.](#)

(JPN) Reporting Life

Enter the reporting life for Japanese composite assets. This life is used for calculating average life of the composite asset.

Set R and D Info (set research and development information)

Click to access the Asset R&D Information page, where you can enter identifying information for the asset.

(JPN) Local Tax Information

Click to access the Local Tax Return page. This link is visible when establishing setup options for Japan tax reporting.

See [Chapter 23, "Using the Global Features of PeopleSoft Asset Management," \(JPN\) Using PeopleSoft Asset Management Options to Meet Japanese Requirements, page 508.](#)

Asset Warehouse Mapping

Click to access the Warehouse Mapping page.

Auction Status

Displays the status of an asset that has been submitted to Strategic Sourcing for auction.

Region Code

Select a region to categorize property assets by regions. Used for reporting.

Capitalized Asset

Indicates whether the asset has been capitalized. This check box is display-only.

New Asset

Select if this is a new asset.

Available For Use	Select if the asset is available to be used.
Composite Asset and Composite Asset ID	Composite asset processing enables you to group assets so that their total cost is carried by one asset and depreciated that way. By selecting this option, you indicate that this single asset is a composite asset, and associated assets are known as composite members. This feature is frequently used by utility companies, and it meets the requirements to use the Japanese <i>Composite Depreciation Method</i>. When you select the Composite Asset check box on the Asset Information page, an Asset ID field appears. Associate the composite member by selecting the asset ID of a composite asset. See Chapter 11, "Using Composite Asset Processing," page 273.
(AUS) Schedule Type Code	If this is an Australian business unit, select a schedule type code.
(AUS) Calculate Last Date of Review	Click to generate the last date of mandatory review for the asset. Note. You cannot access the Schedule Type Code field, the Calculate Last Date of Review button, or the Last Date of Mandatory Review field if the last date of mandatory review has already been calculated, <i>unless</i> you are in correction mode.
(AUS) Last Review DT	Displays the last date of mandatory review for the asset. The last date of mandatory review is stored at the asset level. See Chapter 23, "Using the Global Features of PeopleSoft Asset Management," (AUS) Using PeopleSoft Asset Management Options to Meet Australian Requirements, page 481.
Book Page	Click to save the component and access the Book (ASSET_BOOK_01) page.

(AUS) Identifying R&D Assets

Access the Asset R&D Information page (click the Set R and D Info link on the General Information page).

Asset Management enables you to identify assets for the purpose of calculating research and development deductions.

R and D Plant (research and development plant)	Select to identify the asset as specifically allocated for research and development.
R and D Start Date (research and development start date)	Enter the start date for the asset.
Use NBV (use net book value)	Select to use net book value for your tax reporting purposes. Click the OK button to return to the Asset Information page.

See [Chapter 23, "Using the Global Features of PeopleSoft Asset Management," \(AUS\) Using PeopleSoft Asset Management Options to Meet Australian Requirements, page 481](#).

(JPN) Creating a Local Tax Return

Access the Local Tax Return page (click the Local Tax Information link on the General Information page).

Local Tax Return

Local Tax Add Information

New/Used:

Local Tax Office:

Asset Return Type:

Return Year:

Exception Rate

Numerator: Denominator:

Theoretical Net Book Value:

Assessment Value:

Local Tax Return page

Asset Management enables you to calculate and run reports as required by Japanese local tax laws, including all required information for the local depreciable asset tax return. When the Localization Country field on the User Preferences - Overall Preferences page is set to *JPN*, the Establish Business Units component for PeopleSoft Asset Management includes the Business Unit Info for Japan page. If you select Use JPN Local Tax from the AM Business Unit Definition page (JPN Info link), you enable access to the Local Tax Return page from the General Information page.

Complete the fields as necessary to generate the Japanese local tax return.

See [Chapter 23, "Using the Global Features of PeopleSoft Asset Management," \(JPN\) Using PeopleSoft Asset Management Options to Meet Japanese Requirements, page 508.](#)

Using Asset Warehouse Mapping

Access the Warehouse Mapping page (click the Asset Warehouse Mapping link on the General Information page).

Warehouse Mapping	
☒ Default Mapping from Asset	
Operating Unit:	CALIF
Fund Code:	F200
Department:	43000
Program Code:	
Class Field:	
Budget Reference:	
Product:	
Project:	
Location Code	US001
Custodian	Henco,Kelly
Empl ID	123456

Warehouse Mapping page

Default Mapping from Asset Select to apply the asset ChartFields, location and custodian from the asset ID. The option displays as not selected (unchecked) by default. If the option is not selected, the system will use the ChartFields mapped at the business unit level.

Operating Unit,Fund Code, Department,Program Code, Class Field,Budget Reference, Product,and Project Displays the ChartField account codes to be used for the transferred component (asset). Only the active ChartFields for your system appear.

Location Code Select the location code where the replaced or transferred asset will be physically stored.

Custodian Select the custodian or physical "owner" of the asset.

EmplID (employee ID) Enter the employee ID assigned to the asset.

Adding Attachments

Access the Asset Management - Attachments page (click the Attachments link on the General Information page).

Asset Management

Attachments

Unit US001 Asset ID 000000000001 SOLARIS WORKSTATION Tag Number In Service

Details

Customize | Find | View All | First 1 of 1 Last

File Name	Description	User	Name	Date/Time Stamp	
91_AM_FIA_FAS157.doc	supporting documentation	DVP1	Gina Angelini	09/21/2009 4:04:30PM	Delete

Adding large attachments can take some time to upload, therefore, it is advisable to save the transaction before adding large attachments.

[Add Attachment](#)

Asset Management - Attachments

- Add Attachment**

Click this button to attach files as supporting documentation for an asset. Supply a description of the file or files that you attach.
- User, Name, and Date/Time Stamp**

Once you add attachments and save the asset, the User, Name and Date/Time Stamp related to the user who added the attachments are automatically supplied.
- Delete**

Click to delete an attachment.

Adding Fair Value Details

Access the Fair Value page (click the Fair Value Details link on the General Information page).

Fair Value			
Unit: US001 Asset ID: 000000000001 SOLARIS WORKSTATION		Tag: In Service	
Fair Value Detail Find View All First 1 of 1 Last			
*Effective Date:	05/01/2000	Effective Sequence:	0
Appraisal Date:	05/01/2000	*Rate Type:	CRRNT
Fair Value:	7,500.00	Currency:	USD
Valuation Method			
Valuation Method:			
Valuation Premise:		Group By	
Input Level:		FV Group ID:	
Comment: 			

Fair Value page

Fair value is used in establishing revaluation of assets. PeopleSoft Asset Management stores this information for each asset and allows you to add a new fair value (FV) on a regular basis, leave it blank, or let it stay as original cost, depending upon your business requirements.

See [Chapter 8, "Adjusting, Transferring, and Evaluating Assets," Capturing and Maintaining Asset Fair Value, page 208.](#)

Viewing Asset Audit Logs

Access the Search Audit Logs page (click the Audit Logs link on the General Information page).

Search Audit Logs

Application Name:Asset Management

Document Name:AM ASSETS

Search Criteria

* Business Unit

is equal to

US001

* Asset Identification

is equal to

SL550

Event Code

is equal to

Event Date

is equal to

User ID

is equal to

Process Instance

is equal to

☐ Include Archive

☒ Include Batch Changes

☐ Include Purge Logs

Search

Clear

Search Results

PersonalizeFind

First1 of 1Last

Business Unit	Asset Identification	Event Code	Event Name	Event Date Time	User ID	Process Instance	Message Text
US001	SL550	ASSET_ADD	Asset Basic Addition	01/04/2012 5:59:19.000000AM	DVP1		This asset was added online through Basic Add. Its Asset Status is In Service having profile AUTO and its Acquisition was on 2012-01-03

Search Audit Logs page

The Audit Logs link on the General Information page appears only if you have enabled audit logging for Asset Management and after you have saved the asset. Click the link to access the audit logs that pertain to this particular asset. The search results present all events for this asset that you have selected for tracking when you enabled audit logging.

See *PeopleSoft Application Fundamentals 9.1 PeopleBook*, "Defining Financials and Supply Chain Management Common Definitions," Setting Up Financials Audit Framework (Audit Logging).

Entering Asset Details

Access the Operation/Maintenance page (Asset Management, Asset Transactions, Owned Assets, Basic Add, Operation/Maintenance).

64

Copyright © 1992, 2012, Oracle and/or its affiliates. All Rights Reserved.

General Information

Operation/Maintenance

Asset Acquisition Detail

Location/Comments/Attributes

Manufacture/License/Custodian

Unit: US001 Asset ID: 000000000001 SOLARIS WORKSTATION Tag: In Service

Asset Structure

Asset Type: Hardware ☐ Clustered Asset

Asset Subtype:

Component of:

[Work Order Options for Components](#)

Manufacturer Information

Serial ID: 000000000001

Mfg ID:

Model:

Version:

[More Manufacturer Info...](#)

Asset Resource Information

☐ Schedulable Charge Back: Default

☒ Allow Overbooking WO Unit:

☐ Use As Tool Shop:

Crew:

Maintenance Information

☐ Repairable Repair Status: None

Parts List:

WO Location:

Criticality: 02 Medium

☐ Offline

Other Information

☐ Hazardous Asset [Hazardous Code Info...](#)

☐ Non-Owned Asset

☐ Replacement Asset Asset ID:

☐ Asset is Available Contact:

☐ Linear Asset Phone #:

IT Asset Related information

IP Address:

CPU: 1

Operation/Maintenance page

Operation/Maintenance page

Asset Structure

This section discusses how to define the asset structure. Assets can be catalogued as assets of a certain type, with sequential subtypes, assets that are components of a higher level asset, or clustered assets, multiple assets that combine to establish a whole asset.

Asset Type	Displays the asset type for this asset from a list of valid definitions.
Asset Subtype	Displays the asset subtype to this asset type. Only one asset subtype can be applied to an asset type.
Component Of	Enter the asset ID that this asset is a component of.
Begin Date	Enter the date when the relationship begins. This field is only visible when a component is assigned or updated.
Clustered Asset	Select to indicate that the asset is part of a larger entity or cluster. A clustered asset is similar to a group asset. This field is used for reporting purposes only.
Work Order Options for Components	Go to the Work Order Options for Components page to define options for work orders.

Manufacturer Information

This section provides information to define asset manufacturer information.

Serial ID	Enter the asset serial number ID, if available. The serial ID is required for asset type hardware.
Mfg ID (manufacturing ID)	Enter the asset manufacturing ID, if available.
Model	Enter the asset model information or ID, if available.
Version	Enter the asset version information or ID, if available.
More Manufacturer Info (more manufacturer information)	Click this link to go to the Asset Manufacture/License/Custodian (ASSET_CUSTODIAN) page.

Asset Resource Information

This section provides information to define the asset as a resource.

Schedulable	Select if the asset can be scheduled by users. For example, a crane extension can be used on multiple cranes at multiple project sites. It may require separate inspections and certifications from the crane. It could be used to replace a similar extension in use on another crane that must be taken out of service for repairs or inspection. Because it can be used on more than one crane, it may be considered a schedulable asset. Only schedulable assets can be checked out using the asset checkout feature.
Allow Overbooking	Select if the asset schedule of the asset can be overbooked.
Use As Tool	Select if the asset is used as a tool in another event. This requires that an asset subtype be associated with the asset.
Charge Back	Select if the asset can be charged back to a department, operating unit, project or other cost expensing entity.
WO Unit (work order unit)	Enter the associated work order business unit accessing the asset. This option is available if PeopleSoft Maintenance Management is installed.
Shop	This option is available if PeopleSoft Maintenance Management is installed. It is used for defaulting the location where the asset needs to be worked on during repair.
Crew	Select the crew name from the list of crews associated with the work order unit and shop that you previously selected.

Note. This option is available if PeopleSoft Maintenance Management is installed.

Maintenance Information

This section provides maintenance information about the assets.

Repairable	Select if the asset can be repaired as needed.
Repair Status	Select a repair status of the asset. This field is available when the Repairable option is selected. Values are <i>Needs Repair</i>, <i>In Repair</i>, and <i>None</i>. Repair status can be updated from PeopleSoft Maintenance Management if the Repairable option is selected.
Parts List	Select a corresponding equipment parts lists (EPL) established for this asset. It is important to be sure that all the criteria match in order to assign an EPL template to the asset (Asset Type, Subtype, Manufacturer ID, Model, and Product Version.)
WO Location (work order location)	Select the work order location for the asset. This location designates where the repair will take place. The values are <i>Asset</i> , <i>Shop</i> or <i>Other</i> .
Criticality	Select the appropriate level of criticality for the asset. Criticality levels are defined on the Asset Criticality page (AM_CRIT_LVL). Select Set up Financials/Supply Chain, Product Related, Asset Management, Service and Repair, Criticality Code. You can establish meaningful levels of criticality for your organization when defining the criticality code and associated description. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Establishing Asset Processing," Defining Asset Attributes.
Offline	Designate whether the asset is available or offline. (The field is informational only.)
Other Information	
Hazardous Asset	Select if the asset is considered a predominant or significant hazardous material.

Note. The federal government of the United States defines hazardous materials and waste to include: "Solid, liquid, or gaseous waste, or combination of these wastes, which because of its quantity, concentration or physical, chemical, or infectious characteristics may cause significantly to an increase in mortality or an increase in serious irreversible or incapacitating illness or pose a substantial present or potential hazard to human health or the environment when improperly treated, stored, transported, disposed of, or otherwise managed."

Hazardous Code Info (hazardous code information)	Click to access the Hazardous Code Information page, where you can indicate hazardous material information by selecting assigned codes. The PeopleSoft system is delivered with the U.S. Federal Supply Class (FSC) codes, or you can select from codes that are created during implementation to suit your specific needs. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Establishing Asset Processing," Setting Up Hazardous Codes.
Non-Owned Asset	Select if this asset is not owned.
Replacement Asset and Asset ID	Select if this is a replacement asset. When an asset (or asset component) has been replaced by another in PeopleSoft Maintenance Management, this field automatically displays the associated new asset ID. Note. The asset ID displayed here shows the replaced asset ID. The new asset that replaced this asset has a new asset ID on the General Information page.
Asset is Available, Contact, and Phone # (phone number)	Select and complete contact information if the asset is available for reassignment to another person.
Linear Asset	Identify an asset as linear within the Asset Repository. These are assets that have coordinates for their start and end points, such as a pipeline, train track, or a highway. You can identify linear assets at the asset subtype level when defining subtypes. In this way, when you select a subtype for the asset, the Linear Assetcheck box automatically inherits the designation that was made for the asset subtype. You can, however, override the subtype linear designation here at the individual asset level. Note. Identification of linear assets facilitates potential integrations with third-party products.

IT Asset Related Information

This section discusses how to define IT asset–related information.

IP Address	Enter the IP address of the asset.
CPU	Enter the CPU identifier.

Using Work Order Options for Components

Access the Work Order Management page (click the Work Order Options for Components link on the Operation/Maintenance page).

Work Order Management		
☒ Default Rules from Asset		
☐ Retire Assets Components		
☐ TRF Out Components for Reuse		
☐ Transfer In Components		
Asset Warehouse Mapping		
InterUnit Transfer Defaults Options		
☐ Asset Acquisition Info	☐ Asset Attributes Info	☐ Asset License/Register Info
☐ Asset Lease Info	☐ Asset Non Capitalized Cost	☐ Asset Maintenance Info
☐ Asset Comments	☐ Asset Warranty Info	☐ Asset Insurance Info
☐ Asset Inspection Info	☐ Asset Component History	☐ Asset Attribute Groups Info

Work Order Management page

This page defines the transfer include and exclude rules for components swapped out and interunit transfer options. It is available when PeopleSoft Maintenance Management is installed. It is also available on the business unit, asset type, and subtype pages. You can define the rules at this level as an exception. If the Default Rules from Asset check box is not selected, the options are unavailable for selection as the options will be taken from other levels unless you specifically select the option to use it at the asset level.

Default Rules from Asset	Check to enable rules from asset. If you leave this check box deselected, the system will take the default from a higher level and the other two fields will be unavailable for selection.
Retire Assets Components	Select to allow asset subcomponent disposal when the asset component is retired.
Transfer Out Asset Components for Reuse	Select to allow transfer of subcomponents when the asset component is transferred.
Asset Warehouse Mapping	Click to view the Warehouse Mapping page.
InterUnit Transfer Defaults Options	Select the asset information to include with the transfer when there is an interunit transfer.

Using Hazardous Asset Codes

Access the Hazardous Asset Codes page (click the Hazardous Code Info link on the Operation/Maintenance page).

Hazardous Asset Codes					
Hazardous Asset Codes					
Hazardous Code		Hazardous Type	Items Contained		
1	1375	S	DEMOLITION MATERIALS	+	-
2	1370	S	PYROTECHNICS	+	-

Hazardous Asset Codes page

When an asset is defined as hazardous, describe it by selecting at least one hazardous code from the list. This feature supports U.S. FSC codes, which are delivered with PeopleSoft Asset Management. When you mark an asset as hazardous and associate a descriptive code with it, you can also provide additional information about its location and custodian and other pertinent data (in the Basic Add component). You can use this information to generate a report to monitor or track hazardous assets.

- Hazardous Code**

Select a code number.
- Hazardous Type and Items Contained**

These fields display the values contained in the definition for the code from the Hazardous Codes table established at implementation.

Entering Asset Acquisition Details

Access the Asset Acquisition Detail page (Asset Management, Asset Transactions, Owned Assets, Basic Add, Asset Acquisition Detail).

General Information		Operation/Maintenance		Asset Acquisition Detail		Location/Comments/Attributes	
Unit: US001		Asset ID: 000000000004		Gas/elec hybrid - fleet vehicle		Tag: P00000009003 In Service	
Acquisition Details Find View All First 1 of 1 Last							
Description:	Automobile			Base Currency: USD			
System Source:	AM Online Entry Page						
Incentive ID:							
Quantity:	1.0000			Currency: USD			
Amount:	1,000.00			Category: AUTO			
Sales Tax:	0.00			Cost Type:			
Use Tax:	0.00			Interfaces Info... Acquisition Detail Chartfields			
Freight:	0.00						
Misc Charge:	0.00						
Total Amount:	\$1,000.00						
*Capitalize:	To be Capitalized						
Capitalization Information							
Profile ID:	AUTO		Default Book:	CORP		Trans Date:	09/25/2009
Rate Type:	CRRNT		Left to Capitalize		Acctg Date:	09/25/2009	
☐ Accum Depr in Current Pd			Quantity:	1.0000		Trans Code:	
			Amount:	1,000.00 USD			
Asset & Cost Information Find First 1-2 of 2 Last							
Book Name	Quantity	Cost	Salvage				
CORP	1.0000	1,000.00 USD	2,000.00 USD				
Category	Cost Type	Accum Depr	YTD Depr				
AUTO							
Chartfields Customize Find View All First 1 of 1 Last							
Oper Unit	Fund	Dept	Program	Class	Bud Ref	Product	Project
Book Name Quantity Cost Salvage							
FEDERAL	1.0000	1,000.00 USD	2,000.00 USD				
Category	Cost Type	Accum Depr	YTD Depr				
AUTO							
Chartfields Customize Find View All First 1 of 1 Last							
Oper Unit	Fund	Dept	Program	Class	Bud Ref	Product	Project

Asset Acquisition Detail page

Use the Asset Acquisition Detail page to enter costs before they have been approved for capitalization. Once they are approved, you can then capitalize them. The total capitalizable costs entered here appear by default in the Capitalize Information collapsible section.

You can enter multiple transactions and adjustments for an asset without exiting the component. When you enter the first acquisition line, the page displays the *Capitalize* button once the *To be Capitalized* field value is selected as the Capitalize option. Click the Capitalize button and save. Without leaving the page, click the *Add a New Row* button (plus sign) to add the next transaction: You may also add a noncapital transaction for the next row. Once you select the *Never Capitalize* field value, the Non-Capitalize button appears. Click the Non- Capitalize button and save the transaction.

See For more information on entering multiple adjustments for an asset, see Note ID 1357360.1 on My Oracle Support website (<https://support.oracle.com>).

Enter the following information for *each* acquisition detail line:

System Source	Enter the source system from which the acquisition detail was derived for PeopleSoft Asset Management. The system source that you enter must be valid in the PeopleSoft Financials and Distribution Source table, and is typically Purchasing (PO), Payables (AP), or Project Costing (PC).
Incentive ID	Enter an investment incentive ID. This field is informational only.
Capitalize	This field indicates the capitalization status of an existing asset. or Select the intended capitalization action when adding an asset. The possible values are: • Already Capitalized • Already Non Capitalized • Consolidated • Never Capitalize • To Capitalize Later • To be Capitalized If an asset has not already been capitalized, you can assign it a status of <i>To be Capitalized</i> or <i>Never Capitalize</i>. PeopleSoft Asset Management enables you to associate books with non capitalized assets with the <i>Never Capitalize</i> status. Based on the option that you select, either the Capitalization Information section or the Non Capitalization Information section appears on the page.
Interfaces Info (interfaces information)	Click to access a separate page where you can enter acquisition details information.
Acquisition Detail Chartfields	Click to access a separate page for storing ChartField information. Enter the operating unit, department, product, and project ID that you want to associate with the acquisition detail line.

Capitalization Information and Non Capitalization Information

Use the Capitalization Information section to capitalize assets using the book information provided by the asset profile. Enter cost information into asset books. This section only displays when adding an asset.

Use the Non Capitalization Information section to add non capitalized costs associated with an asset at book level. This group box displays only when selecting the *Never Capitalize* option for the Capitalize field.

Local tax legislation may require capital gains tax in relation to the disposal of assets. Noncapitalized costs may need to be included in resultant capital gain (or loss) calculations.

Profile ID	Identifies a profile that is set up in the Asset Profile table. The current asset automatically displays all financial and tax depreciation information defined in that profile. You must enter a profile ID for each asset that you capitalize.
Accum Depr in Current Pd (accumulated depreciation in current period)	Select and add accumulated depreciation for the asset to be booked to the current period. Otherwise, accumulated depreciation is booked to the previous period. This check box appears only if you are capitalizing an asset.
Transaction Date and Accounting Date	By default, these fields display the current date or the dates specified as user defaults. Transactions in Asset Management are entered after they have occurred. The Transaction Date field reflects the accrual date that the event took place, while the Accounting Date field reflects when it was booked or sent to accounting in the system. The transaction date must be earlier than or equal to the accounting date. For capitalized assets, note that any difference between accounting and transaction dates affects depreciation as well as posting or booking.
Transaction Code	Identifies which accounting entry template is used for the asset. The system accepts only a valid combination of asset category, transaction code, cost type, and transaction type for which accounting entry templates exist.
Capitalize	Click the Capitalize button to capitalize the asset and add cost rows for all books in the profile ID. The cost rows that appear by default equal the total of all capitalizable acquisition detail rows. You can change this amount. The Capitalize button is no longer present once all of the To be Capitalized lines are capitalized. If one of the To be Capitalized lines are not yet capitalized, the Capitalize button is still visible and available.
Non-Capitalize	Click the Non-Capitalize button to add rows for all books in the profile ID. The cost rows that appear by default equal the total of all noncapitalizable acquisition detail rows. This button appears only when the <i>Never Capitalize</i> field value is selected from the Capitalize options. If one of the non capital lines still has a status of <i>Never Capitalize</i>, the Non-Capitalize button is still visible and available.
Left to Capitalize	After capitalization, all capitalizable cost rows on the Asset Acquisition Detail page are marked as capitalized. Therefore, the amount left to be capitalized is 0 until you add more capitalizable cost rows to the Asset Acquisition Detail page.

Left to Non Capitalize	After capitalization, all noncapitalizable cost rows on the Asset Acquisition Detail page are marked as noncapitalized. Therefore, the amount left to be noncapitalized is 0 until you add more noncapitalizable cost rows to the Asset Acquisition Detail page.
Accum Depr (accumulated depreciation)	For capitalized assets, enter the amount of depreciation already recognized. If you are adding assets that have depreciation from prior years or prior periods, enter that amount in this field.

Note. As long as all acquisition detail lines are for the same set of ChartFields (Product, Project, Department) and for the same category and cost type, you can enter them all at once and capitalize them later by clicking the Capitalize button. However, if you enter acquisition detail lines for more than one set of ChartFields and for more than one category and cost type, you must enter and capitalize the acquisition detail lines for each set of ChartFields and for each category and cost type separately.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing," Setting Up Asset Profiles

Viewing Asset Tax Information

Access the Tax page (click the Tax link on the Asset Acquisition Detail page).

Note. This link appears only when the business unit is activated for value-added tax (VAT) processing.

Tax

Transaction Type:

Addition

 Adjustment Date:

09/21/2009

Currency: CAD

Base Currency: CAD

Merch amt:

0.00

Merchandise Base Amount:

0.00

Recoverable VAT:

0.00

VAT Recovery Base Amount:

0.00

Non-Recoverable:

0.00

Non-Recoverable Base Amount:

0.00

Total Tax:

0.00

Total VAT Base Amount:

0.00

Optional

Tax Code Use Type

Validate

Tax Percent: VAT Taxable Activity Percent:

Tax page

Enter tax information for the asset.

74

Copyright © 1992, 2012, Oracle and/or its affiliates. All Rights Reserved.

Note. This information is optional except where VAT is applied. The system only validates the tax amounts entered; it does not store them.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing PeopleSoft Asset Management Business Units," Defining VAT Defaults

PeopleSoft Global Options and Reports 9.1 PeopleBook, "Working with VAT"

Entering Document Sequencing Information

Access the Doc Sequencing page (Asset Management, Asset Transactions, Owned Assets, Basic Add, Doc Sequencing).

Asset Acquisition Detail Doc Sequencing Location/Comments/Attributes Manufacture/License/Custodian					
Unit: DEU01		Asset ID: DEU0009		Tag: In Service	
Customize Find  First  1-3 of 3  Last					
	Asset Book Name	Document Type	Journal Code	Doc Sequence #	Doc Seq Date
1	ASSETS_DEM	AM-ADD 		NEXT	
2	ASSETS_EUR			NEXT	
3	ASSETS_USD			NEXT	

Doc Sequencing page

Document sequencing is enabled at the general ledger business unit level. Rows are editable or not depending upon the Keep Ledgers in Sync option defined at the ledger group level. If it is enabled, then only the primary ledger is editable; if it is not enabled, all the books that post entries to GL are editable.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Document Sequencing

Entering Location, Comments, and Attributes Information

Access the Location/Comments/Attributes page (Asset Management, Asset Transactions, Owned Assets, Basic Add, Location/Comments/Attributes).

Location/Comments/Attributes

Manufacture/License/Custodian

Asset Property

Asset Supplemental Data

Unit: JPN01

Asset ID: 000000000001

Site 20

Tag:

In Service

▼ Location

Find | View All | First | 1 of 1 | Last

Effective Date:

04/27/2006

Effective Sequence:

Location:

JPN01

Area ID:

Address:

Tenjin Machi 604

City:

Tokyo

County:

State:

13

Tokyo-To

Country:

JPN

Japan

Geocode:

Document:

Building:

Floor #:

Room#:

Jurisdiction:

Sector:

Postal:

690-0064

Longitude:

Latitude:

Authorization

Status:

Not Authorized

Date:

Name:

▶ Comments

▶ Physical and Custom Attributes

▶ Detailed Description

▶ Image

Location/Comments/Attributes page (1 of 2)

Comments
Find | View All First 1 of 1 Last

Date/Time: 09/25/2009 9:21:15AM
Name:
Comment:

Physical and Custom Attributes
Find | View All First 1 of 1 Last

Effective Date: 09/25/2009
Color:
Height: Cu Millim
Width:
Length:
Weight:
Capacity:
Power Rating: CRATE
Height Units: CMM
Width Units:
Length Units:
Weight Units:
Capacity Units:
Power Rating Units: CRT

Custom Attributes
Customize | Find | View All First 1 of 1 Last

Attribute	Attribute Name	Value	UOM

Detailed Description

Image

Location/Comments/Attributes page (2 of 2)

Record an asset's location and physical properties (such as color, height, and weight), enter comments, a detailed description, and associate user-defined custom attributes. You can also use this page to attach and view a stored image of the asset.

Entering Custodial, License, and Manufacturer Information

Access the Manufacture/License/Custodian page (Asset Management, Asset Transactions, Owned Assets, Basic Add, Manufacture/License/Custodian; or, click the More Manufacturer Info link on the Operation/Maintenance page).

Operation/Maintenance

Asset Acquisition Detail

Location/Comments/Attributes

Manufacture/License/Custodian

Unit: JPN01

Asset ID: JPN0001

Computer Hardware

Tag:

In Service

Manufacturer Information

Serial ID:

2FIN456789L

Manufacturer ID:

APPLE

Manufacturer Name:

Computer Hardware

Model:

Product Version:

Production Date:

Plant:

Contact:

VIN:

SKU:

License Information

Find | View All | First | 1 of 1 | Last

Supporting Doc Type:

License

Address

Agency ID:

Vendor:

Reg #:

Issue Date:

04/26/2006

Expiration Date:

Renewal Date:

Reg. Name:

Comment:

Manufacture/License/Custodian page (1 of 2)

78

Copyright © 1992, 2012, Oracle and/or its affiliates. All Rights Reserved.

Custodian Information

Find | View All | First 1 of 1 Last

Effective Date:07/01/2000

Effective Sequence:0

☐ This Asset is Offsite

Custodian:

Empl ID:IXHEEE421

Authorization

Status:

Date:

Name:

Chartfields

Operating Unit:

Fund Code:

Department:

Program Code:

Class Field:

Budget Reference:

Product:

Project:

Manufacture/License/Custodian page (2 of 2)

Record custodial information, maintain license information, and keep track of manufacturer-related information.

Entering Property Assets

Access the Asset Property page (Asset Management, Asset Transactions, Owned Assets, Basic Add, Asset Property).

Asset Acquisition Detail		Location/Comments/Attributes		Manufacture/License/Custodian		Asset Property	
Unit:	JPN01	Asset ID:	000000000001	Site 20	Tag:	In Service	
Property Information							
Property ID:	233						
*Property Class:	Site						
Property Subclass:							
*Property Name:	Site 20						
*Description:	Site 20						
Hierarchy							
Parent Property:							
Site ID:	233	Building ID:					
Floor ID:		Area ID:					
Attributes							
*Total Area:	20000.000	*Unit of Measure:	Square Feet				
Occupancy:	Vacant	Current Occupancy:					
Ownership:	Leased	Maximum Occupancy:					
Occupants Information							
Description							
Parcel Number:							
Lot Number:							
Block Number:							
Legal Description:							
Enter Property Taxes							

Asset Property page

Property Information

This page appears when the asset type of *Property* is selected; however, if Lease Administration is not a selected product within Installation Options or Space Management Installed is not selected within the Asset Management Installation Options, the Property page does not appear.

Property ID

The property asset ID is displayed after the record is saved.

Property Class	Select the property class from the available options. PeopleSoft delivers the following hierarchy of property classes: <i>Site</i> <i>Building</i> <i>Floor</i> <i>Area</i> <i>Space</i>
Property Subclass	Select the property subclass from the available user-defined options, if any.
Property Name and Description	Enter the property name and descriptions. If these are entered on the General Information page, they will follow to this page.
<i>Hierarchy</i>	
Parent Property	Select the parent property ID. Only the property asset IDs within this business unit are available.
Site ID	Enter the site property ID.
Building ID	Enter the building property ID. The field is available when the site property ID has been populated. The system performs an edit to check that higher level hierarchical fields are populated.
Floor ID	Enter the floor property ID. The field is available when the site property ID and the building property ID have been populated. The system performs an edit to check that higher level hierarchical fields are populated.
Area ID	Enter the area property ID. The field is available when the site property ID, building property ID, and floor property ID have been populated. The system performs an edit to check that higher level hierarchical fields are populated.

Note. The last hierarchical definition for a property is *Space*. The space property ID is the same as the Property ID and is not displayed at this level.

Attributes

Total Area	Enter the total measurement of the area of the property.
Unit of Measure	Enter the unit of measure for the total area. If this field is unavailable for selection, the unit of measure is populated by default from the information selected when the asset was entered.

Occupancy	Select the occupancy status of the property from the available values: <i>Occupied</i> or <i>Vacant</i> .
Current Occupancy	Enter the current number of occupants for the property.
Ownership	Select the ownership status of the property from the available options: <i>Owned</i> or <i>Leased</i> .
Maximum Occupancy	Enter the maximum number of occupants for the property. This may be a legal definition.
Occupants Information	Click this link to access the Maintain Property Occupants page. On this page, you can add property occupant details such as occupant type, occupant ID, move in and move out dates, as well as asset components.

When no hierarchy is established, the default values for Unit of Measure is *Feet*, for Occupancy, *Occupied*, and for Ownership is *Owned*.

When a parent property ID is established, then unit of measure, occupancy, and ownership values are inherited from the parent property.

When the parent property ID changes, however, only the unit of measure is inherited from the parent. This is because ownership and occupancy values do not usually change from parent to parent asset. For example, if Property A is leased but the parent ID changes, the property does not change ownership. It is still leased. Similarly, if a parent property changes, it does not automatically change from occupied to vacant.

Note. If you have defined custom attributes on the Asset Attributes page to be associated with an asset, the asset attributes will display with a unit of measure field. You can select the appropriate attributes from your user-defined attributes for this property as needed.

Description

This section is available only if the asset is a property defined as a site or building.

Parcel Number	Enter the parcel number, usually provided within the grant or deed of trust.
Lot Number	Enter the lot number, usually provided within the grant or deed of trust.
Block Number	Enter the block number, usually provided within the grant or deed of trust.
Legal Description	Enter the legal description, usually provided within the grant or deed of trust.

Entering Property Taxes

Access the Record Property Taxes page (click the Enter Property Taxes link on the Asset Property page).

Record Property Taxes

Unit: US001 Asset ID: 000000000098 Tag: In Service

Property ID: 0000000318

Property Description: Site NO 2344/89

Property Name: Site NO 2344/89

Parcel Number:

Lot Number: Block Number:

Legal Description:

*Tax Year	*Tax Due Date	*Delinquent	*Authority	*Tax	*Installment	*Amount	*Tax Basis
2003	06/30/2003	07/31/2003	NYS	Property	1	350.00	1.00
2004	06/30/2004	06/30/2004	NYS	Property	2	350.00	1.00

Record Property Taxes page

If the asset property is defined as *Site* or *Building*, the Enter Property Taxes link is available on the Asset Property page. Click the link to display the Record Property Taxes page where informational data can be entered for taxes applicable to the property.

Entering Asset Supplemental Data

Access the Asset Supplemental Data page (Asset Management, Asset Transactions, Owned Assets, Basic Add, Asset Supplemental Data).

Location/Comments/Attributes Manufacture/License/Custodian **Asset Supplemental Data**

Unit: US001 Asset ID: 000000000001 SOLARIS WORKSTATION Tag: In Service

Hardware Information

☐ ADSL Modem
☒ Cable Modem
☐ Bluetooth

Processor: Pentium I
 RAM Memory: 32.00
 Type of Sound Card: Offboard
 Sound Card:

Disk Space: 12.00
 Type of Media:

Maintenance Information

Company: PEOPLESFT
 Contact: SMITH,JOHN
 Last Maint. Date: 05/01/2000

Asset Supplemental Data page

Supplemental data is used within PeopleSoft Maintenance Management for additional asset attribute details. The attribute groups displayed for each asset depend upon the values that are selected for the asset type, asset subtype, manufacturer, model, and business unit. The attributes displayed are user-defined and reflect how the attribute groups work.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing Asset Processing," Defining Asset Attributes.

See *PeopleSoft Maintenance Management 9.1 PeopleBook*, "Using Supplemental Data."

Maintaining Asset Meters

This section provides an overview of asset meters and discusses how to:

- Associate meters with assets.
- Enter meter readings.
- Review meter reading history.

Understanding Asset Meters

Meters associated with assets are used to monitor asset usage and can trigger maintenance tasks based on the statistical units, such as mileage, measured by the meter. For example, a common asset meter is the odometer installed in a company vehicle that measures the number of miles the vehicle has traveled. For this type of asset, it is common for certain maintenance activities to be performed on it based on the number of miles traveled by the vehicle since the last maintenance event.

A less common, but familiar application, involves public utilities. State and local agencies use asset monitoring devices such as a water or electric meters attached to a home or commercial entity to measure the amount of water or electricity consumed by the entity. The units consumed are measured on a routine basis and the occupant is usually billed for the units consumed. The maintenance events associated with these types of meters may not have anything to do with the number of units measured since the meter was last read and other maintenance plans will have to be affected.

PeopleSoft uses meters to both measure asset usage and to trigger preventive maintenance tasks. Asset meter activities are performed within PeopleSoft Asset Management and PeopleSoft Maintenance Management applications. To enable meters, you must first define asset meter types. The meter types are associated with specific asset IDs.

Pages Used to Maintain Asset Meters

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Asset Meters	ASSET_METER	Asset Management, Service and Maintenance, Asset Meter Information, Establish Meter Reading, Asset Meters	Define asset meter by assigning meter types and associate the meter to assets.
Enter Meter Readings	AM_METER_READ1	Asset Management, Service and Maintenance, Asset Meter Information, Enter Meter Readings	Enter meter readings for an asset.

Page Name	Definition Name	Navigation	Usage
Prior Reading	AM_METER_READ2	Asset Management, Service and Maintenance, Asset Meter Information, Enter Meter Readings, Prior Reading	Enter prior meter reading information.
Update Meter Readings	AM_MTR_RD_UPD	Asset Management, Service and Maintenance, Asset Meter Information, Update Meter Readings	You can use the Update Meter Readings page to correct prior meter readings.
Meter Reading Comments	AM_MTR_RD_CMT	Click on the Comment link from the Update Meter Readings page.	Enter comments relevant to meter reading updates.
Meter Readings History	AM_MTR_RD_HIS	Asset Management, Service and Maintenance, Asset Meter Information, Meter Reading History	View meter reading history for an asset.
Meter Reading Details	AM_MTR_RD_HID	Click the Detail link on the Meter Reading History page.	View details about the meter reading history for an asset including the date/time, source operator ID, and daily average.

Associating Meters with Assets

Access the Asset Meters page (Asset Management, Service and Maintenance, Asset Meter Information, Establish Meter Reading, Asset Meters).

Asset Meters
Unit: US001
Asset ID: 000000000004 Gas/elec hybrid - fleet vehicl Tag: P00000009003 In Service

Meters									Customize	Find	View All	First	1-2 of 2	Last
	*Meter Type	Status	Copy to Comp.	Est. Daily Avg.	Override Avg.	Act. Daily Avg.	Required for Work Order	Primary						
1	ODOMETER	Active	☒	10.0000	☐	10.0000	☐	☐	+	-				
2	THICKNESS	Active	☐	0.0000	☐		☐	☐	+	-				

Asset Meters

Meter Type

Select the meter type to be associated to this asset.

Copy to Comp. (copy to component)

Select if this meter should also be associated with any asset components associated with this asset (optional). This enables the component asset to use the same meter reading variations entered for its higher-level component assets.

The meter reading inheritance rules are as follows:

- The subcomponent inherits the reading from its immediately higher level component.

If the higher component is also enabled to copy readings, the asset continues escalating to higher levels until finding the asset that is not enabled to inherit readings, or the parent asset. The inherited reading is derived from this asset.

- The inherited reading is recorded in the component when it is saved at the higher asset level.
- Components cannot inherit readings from upper levels if any intermediate level has its inherit reading option turned off.

For example, assume three levels of components: grandparent, parent, child. All use an odometer as the meter ID type but the parent asset has the copy option deselected. In this example, the child cannot inherit its grandparent's odometer reading.

Note. The example is used to describe the physical inheritance rules of meter readings and has no relationship to the Parent-Child financial transaction in Asset Management.

- Components cannot inherit readings from upper levels if any intermediate level does not have the same meter type defined across the different levels.

For example, an asset has three levels of components, A, B, and C. A meter type is associated with asset A and C, but not B; in this case, C would not inherit its meter reading from A. As assets B and C are both components of asset A, then B must also inherit readings from A, or neither asset B nor C may inherit readings from A.

Est. Daily Avg. (estimated daily average)

Displays the estimated average based on the actual readings taken when the number of readings specified to calculate the daily average has not been reached. The field is available when the meter type is enabled to maintain daily average. Estimated daily average is always a positive value.

Override Avg. (override average)

Select to override the actual daily average. The field is available when the meter type is enabled to override the actual daily average.

Act. Daily Avg. (actual daily average)

Displays the system-calculated actual daily average. It can be zero or greater than zero. You can edit the value if the Override Avg. option is selected, but a new average is calculated when a new meter reading is entered. The field is available when the Maintain Average option is enabled for the meter type.

Required for Work Order

Select to override a meter as required for any kind of work order as a condition to change its status to complete. This option defaults from the Meter Type Definition page and can be overridden here on the Asset Meters page. This field displays only if PeopleSoft Maintenance Management is installed.

Primary

Designate the primary meter type for the asset. This is used in the Asset Maintenance Cost Analysis online component in PeopleSoft Maintenance Management.

Entering Meter Readings

Access the Enter Meter Readings page (Asset Management, Service and Maintenance, Asset Meter Information, Enter Meter Readings).

Enter Meter Readings													Prior Reading			
Unit:		US001														
Asset ID:		000000000002 Gas/elec SUV - Fleet vehicle 1						Tag:		P00000009001		In Service				
Current Reading													Customize Find		First 1-2 of 2 Last	
	Activate	Date	Time	*Meter Type	Reading	Variation	Rollover	Replaced	Accum. Reading	UOM	Comments					
1	☒	09/25/2009	10:36:36AM	ODOMETER	0.000000	0.0000	☐	☐		MIL	Comments	+	-			
2	☒	09/25/2009	10:36:36AM	THICKNESS	0.000000	0.0000	☐	☐		IN	Comments	+	-			

Enter Meter Readings page

Enter current reading information in the work area.

Activate

Select this check box to activate entries for the row.

Date and Time

Enter the date and time of the meter reading. The system current date and time displays by default.

Meter Type

(Required) Select a valid meter type for this asset ID. Valid meter types are those that are associated with the asset and active.

Reading and Variation	(Required) Record the current meter reading. Enter either the actual reading or variation from the last reading. If you had a reading of 12,000 km for an odometer and now you have 12,450 km, you can enter 450 in the variation field or 12,450 km in the Reading field above. The system automatically calculates the value for one field based on the entry made to the other field. The variation is used for the Copy to Components function. Variation is validated so that the reading does not fall outside the low and high limits established for the meter when the Reading field is automatically calculated. The Variation and Reading fields are both required when you have selected the Replaced option.
Rollover	Check this option if rollover is enabled <i>and</i> should only be selected when the meter surpasses the upper limit. When selected, the meter resets to zero on the Assets Meters page once this reading is saved. When the meter passes its established upper limit and begins a new cycle, the system keeps track of the accumulated usage. This applies only to <i>increasing</i> and <i>decreasing</i> meter types that also have enabled the Allow Rollover option.
Replaced	Select this option when the meter tool has been replaced. Both the Reading and Variation fields must be completed in this instance. This enables the system to calculate the total accumulated reading for the selected meter type. In the Reading field, enter the actual reading measured in terms of the new meter. In the Variation field, enter the difference between the last reading and the new one. These entries will be the basis to recalculate the accumulated meter reading when the page is saved.
Accum. Reading (accumulated reading)	The last accumulated reading displays. If the Replaced option is selected, or if this is the first reading of the asset, this field is enabled for edit. Enter the new accumulated reading or complete the Reading and Variations fields to recalculate accumulated reading.
UOM (units of measure)	Displays the units of measure for this type of meter.

The following validations occur when the page is saved:

- The meter type entered cannot be duplicated for the same date and time or the system generates an error message.
- The reading/variation field must be completed or the system generates an error message.
- The accumulated reading or variation and the reading fields must be completed when the replaced option is selected or the system generates an error message.
- Readings must fall into the lower and upper limit range established at the meter type definition level or the system generates an error message.
- If the meter type is increasing or decreasing and the user enters a lower or greater reading than the prior reading, the system will generate an error message.

If the meter type is increasing or decreasing *and* defined to allow rollover, the message warns that the rollover option must be selected before saving.

When you save the page, the meter readings entered become part of the meter history.

Using the Prior Reading tab, you can view the last entry made for the meter type. It also displays rollover or replacement activity from the prior meter reading.

You can enter comments related to a meter reading by using the Comments link.

Updates to meter readings can be entered to modify existing readings. When making changes to meter readings, the change impacts not only the variation/reading of the changed meter reading but also the variation of the immediately following reading. You can modify the meter reading dates; this may cause meter readings that do not follow the rules of variations for increasing type of readings and conversely for decreasing type of readings as we have outlined on the enter readings page. Daily average will only be recalculated if the change affects the last n numbers of readings, where n is the number of readings established at the meter type definition level. Modifying meter reading dates could end up in having meters out of sequence that is, not entered and listed from the oldest to the newest). For auditing purposes, select the option to keep track of that out-of-sequence entries.

Reviewing Meter Reading History

Access the Meter Readings History page (Asset Management, Service and Maintenance, Asset Meter Information, Meter Reading History).

Meter Readings History

Business Unit: US001 Asset ID: 000000000002

Meter Type:

Date From: To Date:

Readings										
	As of Date/Time	Meter Type	System Source	Rollover	Replaced	Reading	Variation	Accum. Reading	UOM	Detail
1	06/29/09 7:55AM	ODOMETER	AM	☐	☐	116234.000000	68845.0000	116234.0000	MIL	Detail
2	03/15/03 3:47PM	ODOMETER	AM	☐	☐	47389.000000	77.0000	47389.0000	MIL	Detail
3	03/13/03 12:00PM	ODOMETER	AM	☐	☐	47312.000000	307.0000	47312.0000	MIL	Detail
4	02/28/03 11:42AM	ODOMETER	AM	☐	☐	47005.000000	607.0000	47005.0000	MIL	Detail
5	02/02/03 5:28PM	ODOMETER	AM	☐	☐	46398.000000	414.0000	46398.0000	MIL	Detail
6	01/15/03 4:53PM	ODOMETER	AM	☐	☐	45984.000000	45984.0000	45984.0000	MIL	Detail
7	06/29/09 7:55AM	THICKNESS	AM	☐	☐	1.070000	-0.4900	4.9300	IN	Detail
8	06/03/03 9:22AM	THICKNESS	AM	☐	☐	1.560000	-0.4200	4.4400	IN	Detail
9	03/13/03 11:43AM	THICKNESS	AM	☐	☐	1.980000	-4.0200	4.0200	IN	Detail

Meter Readings History page

Search for and review meter readings history by business unit and asset ID. You can further refine the results by entering a meter type and date range. The results display the following information.

As of Date/Time	Displays the date and time of the meter reading listed.
Meter Type	Displays the type of meter associated to the asset and reading.
Rollover	If selected, indicates that a meter rollover occurred.
Replaced	If selected, indicates that a replaced reading was entered, usually due to a rollover.
Reading	Displays the meter reading entered for the meter reading listed.
Variation	Displays the calculated change from the prior meter reading.
Accum. Reading (accumulated reading)	Displays the accumulated readings.
UOM (units of measure)	Displays the units of measure for the meter type.

Maintaining Warranties

This section provides an overview of asset warranties and lists the pages used to maintain asset warranties.

Understanding Asset Warranties

Many assets are acquired with a standard manufacturer's warranty that the asset is free of defects and what remedies are available to you if the asset manifests a warranted defect during normal use, such as eligibility for a replacement asset, or a loaner while the warranted asset is repaired. The warranty often defines the period for which the asset is warranted, the maintenance and repair responsibilities of the owner, and the procedures for making a claim in the event a defect in the asset is discovered.

Warranties are sometimes available for extension. This may involve the issuance of a separate warranty that becomes active when the original warranty expires. Or it may warrant components of the asset that the standard warranty excludes. A warranty may contain different expiry dates for different components of the asset. It may provide for on-site repairs, may require return material authorizations (RMA), and may or may not be transferable.

PeopleSoft provides the ability to set up standard warranties and associate a warranty to an individual asset and provides warranty templates to apply a standard warranty to multiple assets at one time.

Pages Used to Maintain Asset Warranties

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Asset Warranties	ASSET_WARRANTY	Asset Management, Service and Maintenance, Asset Warranties	Associate warranties to an asset ID and store warranty information including effective date, end date, coverage and contact information. Multiple warranties can be applied to a single asset.
Search For Asset Warranty Templates	AM_WTMPL_SRH	Click the Apply Warranties from Templates link on the Asset Warranties page.	Search for warranty templates to apply to the asset. Templates are created by setID. Search parameters include asset type, asset subtype, vendor ID, model, and item ID.

Maintaining Asset Book Information

Add books to assets either by entering the assets through the Asset ExpressAdd component or capitalizing them on the Asset Information page of the Asset Basic Information component.

The pages in the Asset Book Definition component enable you to enter book information that is *different* from that in your asset profile IDs.

This section discusses how to:

- Identify asset books and other depreciation information.
- Add global attributes.
- Add tax information for the book.

Pages Used to Maintain Asset Book Information

Page Name	Definition Name	Navigation	Usage
Book - Depreciation	ASSET_BOOK_01	Asset Management, Asset Transactions, Asset Book Information, Define Tax/Depr Criteria	Identify the asset's books and some of the information needed for calculating depreciation. An asset can be linked to any number of books. Typically, separate books are required for financial and tax purposes.
Depreciation Method Information	ASSET_DEPR_DETAILS	Select the Special Depreciation check box and then click the Special Terms link on the Book - Depreciation page.	Set special depreciation terms and select an accounting method for them. These are commonly used to meet depreciation requirements for specific countries.
Book - Tax	ASSET_BOOK_02	Asset Management, Asset Transactions, Asset Book Information, Define Tax/Depr Criteria, Book - Tax	Specify property type, tax depreciation criteria, and tax credit options. If the fields on this page are not available, the book was not set up as a tax book on the Business Unit/Book Definition page.

Identifying Asset Books and Other Depreciation Information

Access the Book - Depreciation page (Asset Management, Asset Transactions, Asset Book Information, Define Tax/Depr Criteria).

Book - Depreciation		Book - Tax	
Unit:	US001	Asset ID:	000000000001
SOLARIS WORKSTATION		Tag:	In Service
Trans Date:	09/25/2009	Accounting Date:	09/25/2009
Profile ID:		COMPUTERS	
Depreciation Attributes Find View All First 1 of 2 Last			
*Book Name:	CORP	Corporate	Base Currency: USD
Status:	Depreciable		Total Cost: 7,500.00
In Service Date:	05/01/2000	☐ Depreciate When In Service	
Begin Depr Date:			
Convention:	Actual Month	Adjust Conv:	Actual Month
Retire Conv:		Retire Option:	Calculate Gain/Loss
*Method:	Sum of the Years	Calculation Type:	Remaining Value
Percent:		Limit Pct:	
Useful Life:	36	DB Pct:	
Schedule:		Method ID:	
UOP ID:		*Avg Option:	None
End Date:		Future Depr Yrs:	
☐ Special Depreciation Special Terms			
Depr Limit:		Cost Basis Limit:	
Salvage %:			
Multi-Shift Code:			
☐ Child Inherits Parent's Life ☐ Impairment Process			
Go to Asset Basic Information			

Book - Depreciation page

In Service Date

Enter the date that the asset was made available for use from a financial standpoint. This date and the depreciation convention determine when depreciation starts for this book. This date is reflected in the Begin Depr Date field.

Depreciate When In Service

Select to allocate annual depreciation as of the date that you placed the asset in service. If you do not select this option, PeopleSoft Asset Management allocates annual distribution as of the date determined by the depreciation convention. This option is valid only in the year that the asset was acquired.

Convention

Enter the convention that the system uses to prorate depreciation for the asset. Asset Management is delivered with most standard depreciation conventions set up in the Depreciation Conventions table. The system derives the beginning depreciation date from the convention and the placed-in-service date. For example, if you began using an asset on May 3, 2006, and selected *Actual Month* as the depreciation convention, PeopleSoft Asset Management would begin depreciating this asset on May 1, 2006. If you selected *Following Month* as the convention, depreciation would begin on June 1, 2006.

Adjust Convention

Enter the adjustment convention that the system uses to prorate cost adjustments for the asset.

Retirement Convention

Enter the retirement convention that the system uses to prorate retirement for the asset.

Retire Option

Select the retirement calculation option to be processed for assets within a given book. These retirement options are available at the profile, book and asset levels.

See [Chapter 19, "Retiring Assets," Retiring an Asset, page 383.](#)

Select a depreciation method in the Depreciation Method field. Some depreciation methods require you to enter additional information. Depending on the method that you select, additional fields will display as needed, and as described in the following table:

Method	Fields
<i>Declining Balance w/SL by Limit %</i>	DB Pct (declining balance percent) and Limit Pct (limit percent)
<i>Declining Balance</i>	Percent, Low Limit, and Monthly
<i>Declining Balance w/SL</i>	DB Pct
<i>Depreciation Schedule</i>	Schedule
<i>Flat Rate %</i>	Percent, Low Limit, and Avg Option (averaging option)
<i>France Derogatory Balance</i>	DB Pct, Percent, Low Limit, and Depr Pass Life (depreciate past life)
<i>Germany Staffel Method</i>	DB Pct, Percent, Low Limit, and Depr Pass Life
<i>Japan - Intangible / Strt Line</i>	DB Pct, Percent, Low Limit, and Depr Pass Life
<i>Japan - Tangible / Declining Balance</i>	DB Pct, Percent, Low Limit, and Depr Pass Life Used for assets acquired before April 1, 2007.
<i>Japan - Tangible / Strt Line</i>	DB Pct, Percent, Low Limit, and Depr Pass Life Used for assets acquired before April 1, 2007.
<i>Japan - Changes DB to SL</i>	DB Pct, Percent, Low Limit, Depr Pass Life

Method	Fields
<i>Japan - Changes DB to SL Rev</i>	DB Pct,Percent, Low Limit, Depr Pass Life Used for assets acquired on or after April 1, 2007.
<i>Japan - Tangible / Strt Line Rev</i>	DB Pct,Percent, Low Limit, Depr Pass Life Used for assets acquired on or after April 1, 2007.
<i>Japan - Extended / Strt Line</i>	DB Pct,Percent, Low Limit, Depr Pass Life Used for fully depreciated assets under the Tangible / Strt Line and Tangible / Declining Balance methods that are subject to an extended depreciation useful life of five years using a Straight Line depreciation method starting from the first period of the following fiscal year.
<i>Japanese - Lease Depreciation</i>	No additional fields display.
<i>Manual Depreciation</i>	No additional fields display. The manual depreciation method enables you to adjust depreciation amounts using different method. To use manual depreciation, you must first create depreciation entries using another method. Once this has been done, you can make your adjustments.
<i>Straight Line</i>	No additional fields appear.
<i>Straight Line Percent</i>	Percent
<i>Sum of the Years</i>	No additional fields appear.
<i>Units of Production</i>	UOP ID (units of production ID)
<i>User Defined Method</i>	Method ID,DB Pct,Percent, Low Limit, and Depr Pass Life

The following table defines the additional fields:

Limit Pct (limit percent)	Enter to specify a limit for depreciation as a percentage of cost.
UOP ID (units of production ID)	Enter the units-of -production ID, production information, and transaction information to use for the asset.

DB Pct (declining balance percent)	Enter the percentage of declining balance depreciation to be taken each year until the amount calculated by the straight line method is greater.
Percent	Enter the percentage of original basis to be taken in depreciation each year.
Low Limit	Enter an amount. When the asset basis reaches this limit, the remaining basis is taken in depreciation and the asset is fully reserved. Low limit is specific to group assets and flat rate.
Depr Pass Life (depreciate past useful life)	Select this if you want to continue to depreciate this asset past its useful life. This option is used for certain countries' governmental regulations and in utilities industries to depreciate an asset to the end of a depreciation calendar.
Method ID	Enter the user-defined method to use.
Schedule	Enter a schedule to use for depreciation.
Avg Option (average option)	Generally, this field is used by utility companies to depreciate composite assets. The averaging options are expressly designed to work with the flat rate depreciation method.
Monthly	Monthly averaging takes an average monthly asset balance and multiplies it by the annual depreciation rate. The result is then applied against a period allocation (1/12, 2/12, 3/12, and so on) to derive a year-to-date (YTD) depreciation amount. The difference between the newly calculated YTD depreciation and the previous YTD depreciation is the amount booked to the current period. This is applicable to the declining balance method only.
Yearly	Yearly averaging is similar to monthly averaging except that a yearly average balance is used. Because this amount is not known until the end of the year, it is usually estimated and adjusted periodically as the actual figures become available.

Note. Using the flat rate depreciation method causes any depreciation to be posted to the end of the calendar. If this is not the intention, you must enter a low limit of .01 when you first select the depreciation method in the Asset Book Definition component for the asset. If you have not already done this, update the Depreciation Method field by selecting *Flat Rate* and entering .01 in the Low Limit field that appears.

Calculation Type	Select <i>Remaining Value</i> to deduct any accumulated depreciation from the cost basis and depreciate the remaining value over the remaining life of the asset. Most assets are depreciated using this option. Use <i>Life-to-Date</i> to calculate the difference between the depreciation allowed and the depreciation taken. Typically, you use life-to-date calculations when there is a change in accounting principle, such as depreciation method. Changes of this type require an adjustment for the differences in accumulated depreciation to date. For example, if you took 20,000 USD depreciation over a two year period but the amount allowed was 24,000 USD, the difference of 4,000 USD would be expensed as an adjustment to accumulated depreciation in the current period.
Low Value	Select to identify assets with costs below a certain level for special depreciation processing. This is a requirement for Germany.
Useful Life	Enter the number of periods. This is used to perform the depreciation calculations for the financial books.
End Depr Date (end depreciation date)	Enter a value to have depreciation end at a particular time. At the ending depreciation date, the remaining asset basis is taken in depreciation and the asset is fully reserved.
Future Depr Yrs (future depreciation years)	Asset Management calculates and stores depreciation until the end of the asset's life. However, for optimal processing performance and greater table efficiency, you can specify a fixed number of years for which depreciation is calculated and stored.
	Note. It is strongly recommended that you use the Future Depreciation Years option for group assets and for a large number of assets.
Special Depreciation or Special Terms	If you are working in a global environment and want to use special depreciation terms to meet specific country requirements, select the Special Depreciation check box and click Special Terms to open the Depreciation Method Information page, where you can select global attributes for depreciation.
Depr Limit (depreciation limit code)	Depreciation limits generally apply to tax books, but they can also be used for financial books. The table set delivered with Asset Management contains depreciation limits currently dictated by the U.S. Internal Revenue Service for luxury automobiles.
Cost Basis Limit	Enter the limit on the depreciable basis of this asset. If the actual cost of an asset is greater than its depreciable basis, the difference produces a gain when the asset is retired.
Salvage % (salvage percentage) and Salvage Value	Enter the residual value of the asset subtracted from the cost to determine the depreciable basis used in depreciation calculations. You can enter it either as a flat rate or as a salvage percentage (a percentage of the asset's total cost). If you use a salvage percentage, the system recalculates the salvage value as you add additional costs for the asset.

(DEU) Multi-Shift Code	Enter rates by which depreciation should be increased based on the number of production shifts an asset is used.
Child Inherits Parent's Life	Select if the child asset inherits the parents remaining life. When you use parent-child component assets, all child assets have their own cost basis and depreciation attributes that are independent of the parent asset. Because the child's asset life may differ from the life of the parent asset, you may need to specify that a new child asset of a parent asset inherit the remaining life of the parent asset.
Impairment Process	Select to make an asset available for impairment processing. See Chapter 8, "Adjusting, Transferring, and Evaluating Assets," Adjusting for Asset Impairment, page 216.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Depreciation Processing"

Adding Global Attributes

Access the Depreciation Method Information page (select the Special Depreciation check box and then click the Special Terms link on the Book - Depreciation page).

Select one of the following accounting method options:

Allowance	Special depreciation amounts are not booked with the standard depreciation amounts. Journal entries are generated that include only the standard depreciation. PeopleSoft Asset Management does not support automatic generation of journal entries for the special depreciation <i>allowance</i> accounting method. You may need to run two reports—the Reserve for Special Depreciation report and the Reversal for Special Depreciation report—and then generate the journal entries manually into the General Ledger system.
Expense	Total amounts of special depreciation and standard depreciation are booked and journal entries are generated that include the total of the standard and special depreciation amounts.
Reserve	Special depreciation amounts are not booked with the standard depreciation amounts. Journal entries are generated that include only the standard depreciation. PeopleSoft Asset Management does not support automatic generation of journal entries for the special depreciation <i>reserve</i> accounting method. You may need to run two reports—the Reserve for Special Depreciation report and the Reversal for Special Depreciation report—and then generate the journal entries manually into PeopleSoft General Ledger.

Additional fields are provided to comply with the depreciation methods used in countries other than the U.S. If your current depreciation method requires these fields, enter Special Terms, Accel Terms (accelerated terms), Initial Terms, and Incr Rate (increased rate).

When you use additional terms, they affect depreciation calculations as follows:

<i>Term</i>	<i>Depreciation</i>
Special	$\text{Depreciation} \times \text{Rate}$
Accelerated	$\text{Depreciation} \times \text{Rate}$
Initial	$\text{Cost} \times \text{Rate}$
Increase	$\text{Depreciation} \times \text{Rate}$

The Year of Change field is available only if the depreciation method is *Japan-Change DB to SL*. Enter the year of the change in calculation methods.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Depreciation Processing," Defining Depreciation Terms and Rates.

Adding Tax Information for the Book

Access the Book - Tax page (Asset Management, Asset Transactions, Asset Book Information, Define Tax/Depr Criteria, Book - Tax).

Book - Depreciation		Book - Tax	
Unit: US001 Asset ID: 000000000092 High Speed Copier		Tag: In Service	
Tax Find View All First 1 of 2 Last			
Book Name:	CORP Corporate	Country:	USA Currency: USD
In Service Dt:	09/09/2003 Useful Life: 36	Cost Basis:	10,000.00 Basis Red:
Property Type:	Personal	Bus Tax Basis:	10000.00
Property Code:	1245	179 Amt:	0.00
Regulation:		Listed Property Type:	
Recovery Life:		Business Use %:	
Recovery SubType:		Depreciation Bonus:	None
Guideline Class:		Bonus Percent:	
Tax Credit Options Find View All First 1 of 1 Last			
Qualified Investment Code:			
Tax Credit Type:			
Tax Credit Code:			
Basis Reduction Option:			
Qualified Investment:	%	Amount:	
Tax Credit:	%	Amount:	
Cost Basis Reduction:	%	Amount:	
Calculate Credit			

Book - Tax page

Tax

Property Type and Property Code

These fields determine the amount of gain treated as ordinary income upon the disposition of the asset.

Regulation

Regulation is an indication of the tax system that you elect. Each tax system has an effective date that is validated against the asset's placed-in-service date. Select a regulation to identify the depreciation system elected for this asset. Options are:

- *A* (accelerated): Accelerated Cost Recovery System (ACRS).
- *D* (depreciation): Asset Depreciation Range (ADR).
- *F* (facts): Conventional Facts and Circumstances.
- *G* (guidelines): Asset Class Guideline.
- *M* (modified): Modified Accelerated Cost Recovery System (MACRS).

Recovery Life and Recovery SubType

For reporting purposes, you can further classify the asset by specifying the recovery life (expressed in years) and the recovery subtype. For example, the code for a 15-year life might be *15* and the code for low-income housing might be *LI*.

Guideline Class	All current U.S. classifications are set up in the Tax Class table in the delivered tableset
Section 179	You can elect to recover all or part of the cost of certain qualifying property, up to a limit, by deducting it in the year you place the property in service. You can elect the section 179 deduction instead of recovering the cost by taking depreciation deductions.
Listed Property	Select the Listed Property check box to define the asset as listed property and select its Listed Property Type. Listed properties are certain kinds of assets that are conducive to mixed business and personal use, such as: • Passenger automobiles under a certain weight. • Any other property used for transportation such as trucks, buses, boats, airplanes, motorcycles, and other vehicles for transporting persons or goods. • Any property of a type generally used for entertainment or recreation or amusement such as photographic, phonographic, communication, and video-recording equipment. • Any computer and related peripheral equipment unless it is used only at a regular business establishment and owned or leased by the person operating the establishment. • Any cellular telephone (or similar telecommunications equipment) placed in service or leased in a tax year beginning after 1989.
(FRA) Business Tax	Select to indicate that the business tax is applicable. This option enables you to calculate and report a business tax assessed on the gross value of fixed assets. This is a requirement in some countries.
Corp. Sec. 291 (corporation section 291)	Select if the organization is a corporation. This check box must be selected if the company is a corporation in order for the Tax Retirement Capital Gains report (AMTX3210) to accurately reflect the correct Sec. 1231/Ordinary gains.
(USA) Depreciation Bonus	Select to indicate the specific depreciation bonus definition if the asset qualifies for depreciation bonus treatment. For descriptions of the PeopleSoft delivered field options: <i>See PeopleSoft Asset Lifecycle Management Fundamentals 9.1, Establishing Asset Processing, Specifying Tax Attributes in a Profile.</i> You can also define your own depreciation bonus options for selection in this field using the Depreciation Bonus Info page. <i>See PeopleSoft Asset Lifecycle Management Fundamentals 9.1, Setting Up Depreciation Processing, Setting Up Depreciation Bonus Information</i>

(USA) Bonus Percent Enter the percent amount of the depreciation bonus to be applied to the books for this profile. The amount depends on the legislation provisions for bonus amount, acquisition date and in-service date of the asset as well as state or local application of the depreciation allowance.

Tax Credits Options

The rate and amount of the tax credit are based on federal tax law and determined by the qualified investment code, tax credit type, tax credit code, and the basis reduction option in Asset Management.

Basis Red (basis reduction) Displays the total reduction of the cost basis, if any. The total reduction amount is updated each time that you change tax credit information.

Qualified Investment Code Corresponds to the option you enter in the Tax field.

Tax Credit Type Although the investment tax credit was essentially repealed on December 31, 1985, certain business incentive credits can still be taken. Currently, you can specify the following credits:

- *R* (rehabilitation): Building rehabilitation credit.
- *E* (energy): Energy credit.
- *I* (investment): Regular investment credit.

Tax Credit Code Enter a value in this field to further define the tax credit—for example, a 20 percent rehabilitation tax credit is available for certified historic buildings.

Basis Reduction Option Some credits require a corresponding reduction in the asset's cost basis. In this field, specify whether the basis needs to be reduced. Options are:

- *B* (basis): Reduction based on tax credit.
- *P* (percentage): Reduction based on specified percentage.
- *N* (no): No reduction required.

Asset Management calculates the percentage and computation amount based on the following calculations:

$(\text{Book Cost}) \times (\text{Qualified Investment Percentage}) = (\text{Amount Qualifying for Tax Credit})$

$(\text{Amount Qualifying}) \times (\text{Tax Credit Percentage}) = (\text{Amount of Tax Credit})$

$(\text{Amount of Tax Credit}) \times (\text{Basis Reduction Percentage}) = (\text{Amount That Basis Is Reduced})$

Adding Assets with the Asset ExpressAdd Component

The Asset ExpressAdd component is a series of pages that enable you to add owned assets quickly and efficiently. Assets added with the Asset ExpressAdd component are assigned a capitalization status automatically when you save, and most of the information in the pages can be defaulted from an asset profile. This component also enables you to enter accumulated depreciation for assets.

When entering joint venture assets that are shared among several business units, it is best to assign a unique asset ID. This ensures that the assets created at the participant level have the same ID as the asset created at the joint venture business unit level. You can make these asset IDs easy to identify by including the prefix *JV*, for example, you might create the asset ID JV000022.

When entering assets that have a parent/child relationship, you must first enter a parent ID on the Cost/Asset Information page before assigning the profile ID default.

Add assets with the Asset ExpressAdd component as follows:

1. Enter information about how the asset will be capitalized. (If you are adding parent/child assets, you must specify the parent ID in this step.)
2. Assign a profile ID.
3. Identify the asset's books and information needed for calculating depreciation.
4. Specify property type and tax depreciation criteria.

See Also

[Chapter 7, "Working With Leased Assets," page 143](#)

Pages Used to Add Assets with the Asset ExpressAdd Component

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Cost/Asset Information	ASSET_ENTRY_00	Asset Management, Asset Transactions, Owned Assets, Express Add	Enter information about how the asset will be capitalized.

Page Name	Definition Name	Navigation	Usage
Depreciation Information	ASSET_ENTRY_01	Asset Management, Owned Assets, Express Add, Depreciation Information	If you set up book information in the asset profile, all book information appears by default. The Depreciation Information page identifies the asset's books and information needed for calculating depreciation. An asset can be linked to any number of books. Typically, separate books are required for financial and tax purposes. If you manage assets in multiple currencies, each currency can have its own book.
Tax Information	ASSET_ENTRY_02	Asset Management, Owned Assets, Express Add, Tax Information	Specify property type and tax depreciation criteria and identify the investment credits that are taken for the current asset. If the fields on this page are unavailable, the book was not set up as a tax book.

Capitalizing Assets

Access the Cost/Asset Information page (Asset Management, Asset Transactions, Owned Assets, Express Add).

Cost / Asset Information							
Asset Information							
Unit:	JPN01			Asset ID:	NEXT		
Profile ID:	COMP01			Trans Date:	09/25/2008		
Description:				Acctg Date:	09/25/2008		
Location:				Trans Code:			
Tag Number:				Currency:	JPY		
☐ Accum Depr in Current Pd				Rate Type:	CRRNT		
Asset Cost Information							
Book Name	Quantity	Cost	Salvage				
LOCAL_JPY	1.0000	0 JPY	0 JPY				
Category	Cost Type	Accum Depr	YTD Depr	Default Profile			
		0	0 JPY				
Chartfields							
Oper Unit	Fund	Dept	Program	Class	Bud Ref	Product	Project
Asset Additional Information							
Asset Type:	Equipment						
Asset Subtype:				Set R and D Info...			
CAP #:				Seq #:	Local Tax Information		
					Hazardous Code Info...		
Serial ID:				☐ Hazardous Asset			
Asset Class:				☐ Taggable Asset			
*Asset Status:	In Service			☒ Capitalized Asset			
FERC Code:				☐ Composite Asset			
Acquisition Date:	09/25/2009						
*Acquisition Code:	Purchased						
Collateral Asset:							
Parent/Child:	None			Parent ID:			

Cost / Asset Information

Asset Information

Accum Depr in Current Pd
(accumulated depreciation in current period)

Select to have the system book accumulated depreciation for the asset to the current period. Otherwise, accumulated depreciation is booked to the previous period. If that is the case, you may need to reopen the period.

Trans Date (transaction date) and Acctg Date (accounting date)	Typically, the transaction date represents the date that you actually acquired the asset and the accounting date represents the date that the transaction is posted to the general ledger. The accounting date is validated against the FIN_OPEN_PERIOD table to determine the period to which the transaction is posted. The difference between the transaction date and the accounting date determines if any prior period depreciation needs to be calculated. For example, suppose that a computer was acquired and placed in service on March 15, 2001, but the information was not entered in PeopleSoft Asset Management until August 1, 2001. All general ledger periods prior to August are closed. In this case, PeopleSoft Asset Management automatically calculates depreciation starting in March and posts it to the general ledger in August.
Location	Identify the asset location by selecting from a list of valid values. Identification of the asset location is required for managing hazardous material assets, which must often be monitored and reported on. This location is automatically populated with the ship from location for VAT-enabled business units.
Trans Code (transaction code)	Identify which accounting entry template is used for the asset, such as <i>Abandoned</i> , <i>Inventory</i> , or <i>Scrapped</i> . The system accepts only valid combinations of the category, cost type, transaction code, and transaction type for which accounting entry templates exist.
Currency and Rate Type	Select the currency and exchange rate type.

Note. When working with parent/child assets, you must go to the Asset Additional Information section and enter the parent ID before you select Default Profile.

Asset Cost Information

Enter one row of cost information before populating fields with the default information from the asset profile.

Cost Type	Break down portions of the asset cost, and enter as many cost types as needed for each transaction. For example, the costs of constructing a building are often broken down into categories reflecting the type of cost, such as material, labor, permits, and so on. Only valid cost types are accepted. The cost types are user-defined during the system implementation.
Salvage	Displays the salvage value that is calculated based on the option defined at the asset profile level (either flat amount or percentage). Salvage value is prorated based on a ChartField's cost if a flat amount is used, and it appears as a percentage of cost if the percentage option is selected.
Accum Depr (accumulated depreciation)	Enter the amount of depreciation already recognized. If you are adding assets that have depreciation from prior years or prior periods, enter that amount in this field.

YTD Depr (year to date depreciation)

If any portion of the accumulated depreciation amount applies to the current fiscal year, enter the amount of that portion.

Note. After you save this page, you cannot change the asset information here. To modify the information, you must use the Asset Cost Adjust/Transfer page or the Basic Add page. When working with parent/child assets, remember to designate the parent ID before you continue.

Asset Additional Information

Asset Type

Select a value to indicate a type of asset. The available options are:

Equipment

Facility

Fleet

Furniture

Hardware

Intangible

Machinery

Other

Property

Software

Asset Subtype

Select a value to indicate a subset of asset type. Subtypes are optionally user-defined and directly related to the asset type. Only asset subtypes of the selected asset type are available when defining the asset.

CAP # (capital acquisition plan number) and **Seq #**(sequence number)

The capital acquisition plan (CAP) number ties the asset to a CAP. Enter a valid number and sequence. You set up CAP numbers in the CAP table.

Threshold ID

This value defaults from the capitalization Threshold ID that is associated with the asset profile for a given asset. You can override the Threshold ID if needed. When adding an asset, the system uses the capitalization definition for the applicable Threshold ID to determine the appropriate capitalization action to take. Upon saving, the system compares the total cost of the line (cost x quantity) with the cost established for each bracket, as well as the basis option to decide the action to take.

Note. This field appears only if the Capitalization Threshold feature is enabled within Asset Management Installation Options and if the feature is enabled within the specific business unit.

Serial ID

If applicable, enter the serial number for the asset.

Asset Class	This field is used to classify assets for reporting purposes. It can be used in combination with an asset category to refine asset classification. These fields can also be used for VAT purposes.
Asset Status	Indicate the status by selecting one of the following options: • <i>Budgeted</i>: Asset is budgeted but not placed in service. • <i>Commitment</i>: Budget has been approved and you are preparing to acquire the asset. • <i>Disposed</i>: Asset is no longer in service. • <i>In Service</i>: This is the date that the asset is available for use. The transaction date is the default. • <i>Received</i>: Asset was received but is not yet placed in service. • <i>Requisitioned</i>: Necessary paperwork has been completed for acquisition. • <i>Suspended</i>: Depreciation has been suspended for this asset. • <i>Transferred</i>: This asset was transferred from another business unit. • <i>WIP</i> (work in progress): Asset is acquired for a project under way.
FERC Code	Select a FERC code if it applies.
Acquisition Date and Acquisition Code	Enter the date the asset was acquired and select an acquisition code: <i>Construct, Donated, Leased, Like Exch, Purchased, Trade In, and Transfer</i>
Collateral Asset	Japanese accounting principles require that assets offered as collateral be treated according to financial reporting regulations under the commercial law. If the asset is a collateral asset, select one of the available options that comply with Japanese requirements.
Parent/Child and Parent ID	If you are adding a parent or child asset, select the parent-child asset option that applies. The default is <i>None</i> . If this is a child asset, enter the parent asset ID with which to associate it.
Hazardous Asset	Check if the asset qualifies as hazardous.
Taggable Asset	Check if the asset can be physically assigned a tag number.
Capitalized Asset	This check box is display-only, and the status is determined automatically by the asset profile. Noncapitalized assets have no cost or books and are not depreciated in Asset Management. Sometimes you need to track physical information only (such as location, physical specifications, number of units, and so forth), but you don't want information about the assets to appear in the general ledger.

- Composite Asset

Check if the asset is a composite asset.
- Set R and D Info (set research and development information)

Click this link to enter research and development information on the Asset R&D Information page. In Australia, this option is used for tax reporting purposes. Otherwise, this field is informational only.
- Hazardous Code Info (hazardous code information)

Click on this link to go to the Hazardous Asset Codes page and select a hazardous code to identify with and associate to this asset.

Copying an Asset

This section discusses how to copy an asset.

Page Used to Copy an Asset

Page Name	Definition Name	Navigation	Usage
Create Asset Copies	ASSET_COPY_01	Asset Management, Asset Transactions, Owned Assets, Copy Existing Asset	Copy an existing asset if its financial and physical information is similar to that of a new asset that you want to create. Copy the existing asset and change only the financial and physical information that is different. The system automatically assigns the new asset a different asset ID. Alternatively, you can specify an asset ID. Note. If you copy a nonfinancial asset, the financial information will not be available.

Copying an Asset

Access the Create Asset Copies page (Asset Management, Asset Transactions, Owned Assets, Copy Existing Asset, Create Asset Copies).

Create Asset Copies

Business Unit:US001

Original Asset ID:000000000002Gas/elec SUV - Fleet vehicle 1

Acquisition Date:04/25/2008

Num of Asset Copies to create:1

Create Assets

Asset Copy Options

☒ Asset Acquisition Info

☒ Asset Comments

☒ Asset License/Register Info

☐ Asset Non Capitalized Cost

☒ Asset Attributes Info

☒ Asset Lease Info

☒ Asset Maintenance Info

☒ Asset Warranty Info

☒ Asset Insurance Info

☒ Asset Inspection Info

☒ Asset Attribute Groups Info

Asset

*Asset ID:NEXT

Description:

Financial Parent ID:

☒ Taggable Asset

Tag Number:

Physical Component of:

Serial ID:

Create Asset Copies page

Search assets to be copied by business unit, asset ID, tag number, parent ID, description, asset status, or threshold ID.

Note. Child assets can be copied, but parent assets cannot.

Asset Copy Options

Select or deselect the data to be included in the copy

Asset

The next available asset ID will be assigned. Enter the additional asset attributes for the copy.

Book

Quantity, Cost, Category, and **CT** (cost type) Displays the asset quantity, cost, category, and cost type.

Salvage Value Displays a value that is calculated based on the selections for this field at the asset profile level (either flat amount or percentage). The salvage value is prorated based on a ChartField's cost if a flat amount is used. It appears as a percentage of cost if the Percentage option has been selected.

See Also

[Chapter 5, "Adding and Maintaining Assets," Adding and Maintaining Asset Information, page 48](#)

Viewing and Managing the Component Asset Hierarchy

This section provides an overview of component asset hierarchies and discusses how to:

- View the asset component hierarchy.
- Manage the asset component hierarchy.

Understanding Component Asset Hierarchies

Assets can be considered as components of other assets of a higher level. For example, when you acquire specialized heavy duty equipment, such as cranes, tractors, or construction vehicles, it may be practicable to view specific elements of the asset as individual "subassets" that serve the overall asset it is a part of. A crane may use a specialized extension for larger projects, but the extension device must be attached to a crane before it is useful. In this case, the extension can be considered a component of the crane. It is, however, an expensive piece of equipment with a separate depreciable life from the crane and you would, therefore, want to maintain it as an asset rather than an expendable part of the crane.

In turn, the extension may also be used to support another component of itself, an optional set of hooks or lifters, for example. In such a case, the lifters are a component of the extension and the extension is a component of the crane. In this way, you may have multiple assets that serve one another as components of an asset at a higher level or that create a *component hierarchy*.

PeopleSoft Asset Management enables you to view and manage up to nine levels of asset component relationships from the Asset Component Hierarchy page. You can move assets within the hierarchy as needed, view those changes through the Summary of Changes page, and run a report to view changes within asset components for all assets, financial assets or nonfinancial assets.

Pages Used to View and Manage the Asset Component Hierarchy

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Asset Component Hierarchy	AM_HGRID	Asset Management, Asset Transactions, Owned Assets, View Component Hierarchy	View associated asset component relationships within the hierarchy (display only).
Asset Component Hierarchy	AM_HGRID	Asset Management, Asset Transactions, Owned Assets, Manage Component Hierarchy	Update associated asset component relationships by moving assets within the hierarchy.
Provide Reason for the Modification	AM_HGRID_REASN_SEC	Click the Comments icon from the Asset Component Hierarchy page. This icon is visible when a change is made to move an asset within the hierarchy.	Provide a reason and details for the modification.
Summary of Changes	AM_HGRID_DISP_CHG	Click the Review Changes link from the Asset Component Hierarchy page.	Review the summary of changes made within the asset hierarchy.

Page Name	Definition Name	Navigation	Usage
Asset Component Hierarchy Move	RUN_AMCH1000	Asset Management, Financial Reports, Asset Details, Asset Component Hierarchy Move.	Run the Asset Component Hierarchy Move report to view a list of assets that were moved. Run this report for all assets, financial assets or nonfinancial assets. (SQR)

Viewing the Asset Component Hierarchy

Access the Asset Component Hierarchy page (Asset Management, Asset Transactions, Owned Assets, View Component Hierarchy).

Asset Component Hierarchy

*Unit:

Asset ID: Serial ID:

Action:

[Expand All](#)

Asset Component Information Customize | Find | View All First 1 of 1 Last

General Information **Operation/Maintenance**

Select	Description	Asset ID	Tag Number	Asset Type	Subtype	Status
☒	Gas/elec SUV - Fleet vehicle 1	0000000000002	P00000009001	Fleet	AUTO	In Service

Asset Component Hierarchy page (View)

This page appears as display only. Review the details within the Asset Component Hierarchy.

Action

After selecting a check box beside an asset, select one of the following actions and click the Go button:

- *Focus on Selected Row* - Refresh the grid using the selected row as the starting point of the hierarchy.
- *Focus on Top Asset* - Refresh the grid using the highest asset as the starting point of the hierarchy.

Note. The View Component Hierarchy provides a subset of actions that are available within the Manage Component Hierarchy.

Managing the Asset Component Hierarchy

Access the Asset Component Hierarchy page (Asset Management, Asset Transactions, Owned Assets, Manage Component Hierarchy).

Asset Component Hierarchy

*Unit:

Asset ID: Serial ID:

Action:

[Expand All](#) [Review Changes](#)

Asset Component Information Customize | Find | View All | First 1 of 1 Last

General Information **Operation/Maintenance**

Select	Description	Asset ID	Asset Details	Tag Number	Asset Type	Subtype	Status
☒	Gas/elec car - fleet vehicle 2	000000000003		P00000009002	Fleet	AUTO	In Service

Asset Component Hierarchy page (Manage)

Select component assets and move them within the hierarchy. The Asset Component Hierarchy page displays up to nine levels. If the hierarchy of asset components is more than nine levels deep, you can manipulate the whole hierarchy by focusing on specific branches of the component tree.

Note. Property asset types are not editable. When you enter a property type of asset, after clicking the Search button, the page will display as if the View Component Hierarchy was used.

Action

Choose one of the following actions:

- *Insert Asset on Row Below* - Insert a row in the grid just below the selected row. When selecting the first row of the grid, the insert creates a child of the first row.
- *Remove Asset from Hierarchy* - Remove the row from the grid and enter a reason for the removal on the secondary page that is provided.
- *Focus on Selected Row* - Refresh the grid using the selected row as the starting point of the hierarchy.
- *Focus on Top Asset* - Refresh the grid using the highest asset as the starting point of the hierarchy.

Indent Row

Select that asset and click the Indent Row icon. This action moves the selected asset down in the hierarchy so that it is a child of the prior row number (asset) in the grid.

Outdent Row

Click to move the selected asset up one level in the hierarchy.

 Move Item Use Sequence Up

Click to move the indented asset up to a different parent. If the parent asset is moved, all of the child assets are moved with it.

 Move Item Use Sequence Down

Click to move the selected asset down one row level.

Expand All link

Click to expand the entire hierarchy to view and manage all assets within the grid.

Review Changes link

Click to display a summary of changes made within the asset hierarchy (Summary of Changes page.)

 Comments

Add a comment to explain the reason for the change on the Provide Reason for the Modification page.

 Comment Warning

Upon save, this icon indicates that there have been no comments entered for the hierarchy change.

 Warning

Upon save, this warning icon displays; mouse over text provides a detailed description of the warning for the following reasons:

- No comment provided.

Click the comment icon to add or update a comment.

- Custodian information not updated.

Select the Operation/Maintenance tab to add or update the employee ID or department.

- Location information not updated.

Select the Operation/Maintenance tab to add or update the location or area ID.

 Row Deleted

Indicates that the row has been removed from the hierarchy.

 Error

Indicates an invalid use of the Component field.

 Asset Search

Click the Asset Search icon to search for an asset. The system searches PeopleSoft Maintenance Management (MM) assets if that product is installed. If MM is not installed, the search is directed to PeopleSoft Asset Management for retrieval.

 Asset Details


Click to view asset details for the given asset. You will be directed to the Define Asset Operational Information page when PeopleSoft Maintenance Management is installed. When PeopleSoft Maintenance Management is not installed, you are directed to the Basic Add page for asset details.

Operation/Maintenance Tab

This page displays only if PeopleSoft Maintenance Management is installed. It provides the Operation/Maintenance details for the assets such as Custodian, Asset Criticality, Repairable Flag, Repair Status, VIN, Serial ID, EmplID, Department, Location Code, and Area ID.

Providing Comments

Provide comments with a detailed explanation of the change.


The screenshot shows a dialog box titled "Provide Reason for the Modification" in a bold, dark blue font. Below the title, the label "Comment:" is positioned to the left of a large, empty text entry field. The text field has a vertical scrollbar on its right side. At the bottom left of the dialog box, there are two buttons: "OK" and "Cancel", both with yellow backgrounds and black text.

Provide Reason for the Modification page

When a component is removed from the hierarchy, you must indicate a reason for this action. This comment page is automatically displayed and contains a reason drop down list in addition to the comment entry field. Both Reason and Comment are mandatory in the case of a removal from the hierarchy.

Reviewing Changes Made to the Asset Hierarchy

Access the Summary of Changes page (click the Review Changes link on the Asset Component Hierarchy page).



Summary of Changes page

Reporting Changes to the Hierarchy

Access the Asset Component Hierarchy Move run control page (Asset Management, Financial Reports, Asset Details, Asset Component Hierarchy Move, Asset Component Hierarchy Move).

Asset Component Hierarchy Move

Run Control ID: LLT [Report Manager](#) [Process Monitor](#) [Run](#)

Language: English

Report Request Parameters

Type of Report: Non Financial Assets

Unit: 

Location: 

Area ID: 

Date Range

From:  Thru: 

Asset Component Hierarchy Move page

Type of Report

Select to run the report for *All* assets, *Financial Assets*, or *Non Financial Assets*. When you select *Financial Assets*, the financial asset parameters appear.

Creating Parent-Child Asset Relationships

This section provides an overview of parent-child asset relationships and discusses how to:

- Create an asset parent.
- View child assets.
- Add parent and child component assets.
- Use the Child Inherits Life of Parent feature.
- Update parent-child basic information.
- Select child assets.
- View parent and child assets.

Understanding Parent-Child Asset Relationships

Some assets stand alone, while others are grouped together for ease of processing and reporting. Parent-child assets are assets that are grouped together. For example, a computer can be regarded as several separate assets such as a monitor, a CPU, and a printer.

Three approaches you might use to add the computer as an asset follow:

- Add the computer as a single asset.

You use this approach to capitalize the asset with one cost, depreciate it as a single unit, and physically track it as one item.

- Create a parent asset that is not an actual asset but rather a conceptual asset (for reporting purposes) that ties together the various asset components.

In Asset Management, this is referred to as a *parent only* asset. Use the asset ID to tie together all the components as child assets. Each component has its own cost basis, depreciation, and physical tracking information.

- Identify one of the asset's components as the parent when you enter it.

In PeopleSoft Asset Management, this is referred to as a *parent component* asset. Give it an asset ID, and use that ID to tie together the other components as child assets. Each component has its own cost basis, depreciation, and physical tracking information.

Pages Used to Create Parent-Child Asset Relationships

Page Name	Definition Name	Navigation	Usage
Asset Parent	ASSET_PARENT	Asset Management, Asset Transactions, Parent-Child Relationship, Create Parent, Asset Parent	Add an asset that is used only for reporting purposes as an umbrella for child assets. Add or delete comments. Link to a list of all child assets for a parent asset that has already been created.
Create Parent - Child Assets	CHILDasSETS_ALL	Click the Child Assets link on the Asset Parent page.	View child assets related to the parent asset.
Asset Information	ASSET_GENERAL_01	Asset Management, Asset Transactions, Owned Assets, Basic Add, Asset Information	Add a parent asset or a child asset; select the appropriate parent asset for a child asset.
Cost/Asset Information	ASSET_ENTRY_00	Asset Management, Asset Transactions, Owned Assets, Express Add, Cost/Asset Information	Add a parent asset or a child asset; select the appropriate parent asset for a child asset.

Page Name	Definition Name	Navigation	Usage
General Parent Info	ASSET_GEN_PAR_CHD	Asset Management, Asset Transactions, Parent-Child Relationship, Parent-Child Basic Information, General Parent Info	Update basic information about a parent asset.
Location	ASSET_LOCATION	Asset Management, Asset Transactions, Parent-Child Relationship, Parent-Child Basic Information, Location	Update location information about a parent asset.
Custodian/License	ASSET_CUSTODIAN	Asset Management, Asset Transactions, Parent-Child Relationship, Parent-Child Basic Information, Custodian/License	Update custodian or license information about a parent asset.
Child Assets	CHILD_ASSETS	Asset Management, Asset Transactions, Parent-Child Relationship, Parent-Child Basic Information, Child Assets	Select child assets to include in the update to a parent asset.
Parent and Child Assets	PARENT_CHILDASSETS	Asset Management, Asset Transactions, Parent-Child Relationship, Review Parent-Child	View an asset and any child assets associated with it. Use links associated with each child to access other components of Asset Management.

Creating an Asset Parent

Access the Asset Parent page (Asset Management, Asset Transactions, Parent-Child Relationship, Create Parent, Asset Parent.)

Parent assets created on this page cannot have associated costs and physical characteristics. Therefore, you cannot view them in the Parent-Child Basic Information component. Also, you cannot view them or perform transactions on them in the Asset Cost Adjust/Transfers component, the Asset Retirements component, or the Parent-Child NBV component. You can, however, view them on the Inquire - Parent and Child Assets page.

Viewing Child Assets

Access the Child Assets page (click the Child Assets link on the Asset Parent page).

You can use this page to view a child asset if you have added it with future transaction and accounting dates that have not yet passed. You cannot view such an asset on the Inquire - Parent and Child Assets page.

Adding Parent and Child Component Assets

You can add parent and child assets by using the Asset Basic Information component or the Asset ExpressAdd component. Before you can identify a child asset of a parent, you must first identify the parent asset.

Using the Child Inherits Life of Parent Feature

When you use parent-child component assets, all child assets have their own cost basis and depreciation attributes that are independent of the parent asset. Because the child's asset life may differ from the life of the parent asset, you may need to specify that a new child asset of a parent component asset inherit the remaining life of the parent asset. For example, suppose that a car is depreciated using a five-year life. After two years, a CD player is added as a child asset to the car (which is the parent asset). You can depreciate the CD player over the remaining depreciable life of the car—that is, three years. The child asset then takes on the remaining life of the parent component asset. You can also override the child's asset life with a different life, if necessary.

Setting Up the Child Inherits Life of Parent Feature

You must select the Child Inherits Parent's Life option on the following two pages before you can use it:

- On the Asset Management page of the Installation Options component.
- On the Business Unit/Book Feature page of the Asset Management Business Unit Definition component.

Applying the Child Inherits Life of Parent Feature to a Child Asset

To apply the Child Inherits Parent's Life feature to a child asset:

1. Add the child asset using the Cost/Asset Information page of the Asset ExpressAdd component, and enter the cost.
2. Expand the Asset Additional Information group box.

From the Parent-Child drop-down list box, select *Child* to indicate that this is a child asset. Select an ID for the parent asset in the Parent ID field. You must enter a parent ID before you select Default Profile.

3. From the Asset Cost Information group box, enter asset cost information for the child asset as it applies.

Click the Default Profile button to capitalize the asset and create all the corresponding asset books.

4. When prompted, click Yes to have the system recalculate the book's asset life based on the parent's remaining life.
5. Access the Depreciation Information page, and click the Default Parent's Life button to view or recalculate the child asset's life.

The Default Parent's Depr Attributes page appears. The Parent Depreciation Attributes section shows the asset life information for the parent asset. The Child Depreciation Attributes section shows the asset life information for the child asset that Asset Management calculates from the remaining life of the parent asset.

6. Examine the calculated remaining life information, and either accept the remaining life for the child asset or change it by entering a new life

Note. Remember when working with parent/child assets, you must go to the Asset Additional Information section and enter the parent ID before you click the Default Profile button.

Updating Parent-Child Basic Information

Use the pages within the Parent-Child Basic Information component to update basic information about a parent and its child assets.

Note. Parent assets created on the Asset Parent page (parent-only assets) do not have cost or basic information. They cannot be viewed in the Parent-Child Basic Information component. Also you cannot view them or perform transactions on them in the Cost Adjust/Transfer Asset component, the Retire/Reinstate Asset component, or the Review Parent-Child NBV component. If you want to use a parent asset as an umbrella asset for reporting purposes only and access these components to manipulate child assets in mass, you can create a 0-cost parent asset as opposed to a parent-only asset.

Any adjustments made to parent assets are not made to the associated child assets. To make a change to an associated child asset, select the child asset on the Child Assets page.

Details entered on the Location/Comment/Attributes page or the Manufacture/License/Custodian page are not automatically copied from a parent to its child assets.

See Also

Chapter 5, "Adding and Maintaining Assets," Adding and Maintaining Asset Information, page 48

Selecting Child Assets

Access the Child Assets page (Asset Management, Asset Transactions, Parent-Child Relationship, Parent-Child Basic Information, Child Assets).

General Parent Info

Location

Custodian/License

Child Assets

Unit:

US001

Asset ID:

EX_PARENT003

Executive Office Set

Status:

In Service

Tag Number:

Select All

Child Assets

Customize | Find | View All |   First 1-4 of 4 Last

	Selected	Tag Number	Description	Child Asset ID	Asset Status	Cost	Currency	Acq Date	Asset Information
1	☐	P00000000501	Desk	EX_CHILD0002	In Service	7500.00	USD	03/01/1999	Asset Information
2	☐	P00000000506	Bookcase	EX_CHILD0013	In Service	1500.00	USD	02/03/2000	Asset Information
3	☐	P00000000507	Chairs	EX_CHILD0014	In Service	5000.00	USD	02/03/2000	Asset Information
4	☐	P00000000508	Lamps	EX_CHILD0015	In Service	2500.00	USD	02/03/2000	Asset Information

Child Assets page

To include a child asset, select the check box in the Selected column.

Tag Number	Displays the tag assigned to the child asset. Parent and child assets may share the same tag number. You can sort child assets according to this field.
Description	Displays the child asset description. You can sort child assets according to this field.
Child Asset ID	Displays the asset ID assigned to the child asset. You can sort child assets according to this field.
Cost	Displays the cost of the child asset. You can sort child assets according to this field.
Currency	Displays the currency in which child asset costs are stored. You can sort child assets according to this field.
Acq Date (acquisition date)	Displays the date that the asset was acquired. You can sort child assets according to this field.
Asset Information	Click a link in this column to access another copy of the Asset Information page of the Asset Basic Information component. The component is populated with the child asset information.
Include Parent Asset	Deselecting this default setting enables you to update at once all or selected child assets while excluding the parent asset. However, the update details must be specified on the parent.

Note. If you select the Include Parent Asset check box and the transaction is complete, the pages continue to show the parent asset as retired, transferred, or recategorized. The retained parent values are not displayed until you save and exit the pages and then access the component again.

Viewing Parent and Child Assets

Access the Parent and Child Assets page (Asset Management, Asset Transactions, Parent-Child Relationship, Review Parent-Child).

If the status of a parent asset is Retired or Disposed and the asset has child assets that are still in service, the child assets are orphaned. If you have added a child asset and given it future transaction and accounting dates that have not yet passed, you cannot view that child asset on this page. However, you can view it by clicking the link for the child asset on Asset Parent page.

Calculating Asset Replacement Costs

This section provides an overview of asset replacement cost and lists the page used to calculate replacement cost.

Understanding Asset Replacement Cost

Your tangible working assets are one of the greatest investments made in any enterprise. As certain assets approach the end of their useful lives, you need to be able to anticipate expenditures to replace these assets. You may need to get a replacement cost as you explore insurance coverage for property, equipment, computers, and other assets. Similarly, you may need to replacement calculate the cost in the event of an unforeseen loss, such as when plants or equipment are destroyed in a fire or a natural disaster.

PeopleSoft Asset Management provides the Calculate Replacement Cost application engine (AMRCCAL) that will make a replacement cost calculation of all assets, assets with new activity, or a selected range of assets, based on an index that you apply to the equation, such as the consumer price index (CPI) or other indexes you maintain.

Page Used to Calculate Replacement Cost

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Calculate Replacement Cost	RUN_AMRCCAL	Asset Management, Asset Transactions, Owned Assets, Calculate Replacement Cost, Calculate Replacement Cost	Calculate asset replacement cost.

Defining Asset Operational Information

The Asset Operational Information component provides an efficient way to add and maintain nonfinancial assets. The operational and maintenance fields are available as they are in the Basic Add component but without the financial fields. From this component, however, you can access both financial and nonfinancial assets.

This component also provides a Maintenance Workbench to more easily access other areas of interest within the Service and Maintenance component. The Maintenance Workbench includes links to asset insurance, warranties, inspection, checkout, maintenance history, meter reading, and service and repairs.

Note. Group assets, composite assets, and parent/child assets are not created through this component.

Pages Used to Add and Maintain Asset Operational Information

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Define Asset Operational Information - Asset Information	AM_OM_ASSET_ADD	Asset Management, Asset Transactions, Owned Assets, Define Asset Operational Info, Asset Information	Add nonfinancial assets and corresponding details including asset type, manufacture, asset resource, location, custodian, license information, and physical attributes. Include an image of the asset and use the Maintenance Workbench to track service and repairs, warranties, and other maintenance details.
Define Asset Operational Information - Asset Property	ASSET_PROPERTY	Asset Management, Asset Transactions, Owned Assets, Define Asset Operational Info, Asset Property	Enter details to manage nonfinancial property assets and to maintain property-specific attributes such as identifying information, asset hierarchy, area and occupancy, and legal descriptions. This page tab appears when the asset type of <i>Property</i> is selected; however, if Lease Administration is not a selected product within Installation Options and Space Management Installed is not selected within the Asset Management Installation Options, the Property page is disabled.
Define Asset Operational Information - Customize Page Layout	AM_CUSTOMIZE_PAGE	Click the Customize Page Layout link from the Define Asset Operational Information page.	Customize the layout of the Asset Information page to hide, expand or collapse various sections on the page.
Asset Supplemental Data	AM_ASSET_SD	Asset Management, Asset Transactions, Owned Assets, Define Asset Operational Info, Asset Supplemental Data	Record additional data regarding hardware information and maintenance information for nonfinancial assets.

Adding Operational Nonfinancial Assets

Access the Define Asset Operational Information - Asset Information page (Asset Management, Asset Transactions, Owned Assets, Define Asset Operational Info, Asset Information).

Asset Information		Asset Supplemental Data	
Define Asset Operational Information			
Business Unit:	US001	Asset ID:	000000000001
Tag Number:		*Asset Status:	In Service
Short Desc:	SOLARIS WO	Profile ID:	COMPUTERS
Description:	SOLARIS WORKSTATION Customize Page Layout		
Detailed Description:	SOLARIS WORKSTATION		
Asset Structure			
Asset Type:	Hardware	Asset Subtype:	
Component of:		Work Order Options for Components	
Manufacturer Information			
Serial ID:	000000000001		
Manufacturer ID:			
Manufacturer Name:			
Model:			
Product Version:		Production Date:	
Plant:		Contact:	
VIN:		SKU:	
IP Address:		Number of CPUs	1
Asset Resource Information			
Schedulable:	☐	Allow Overbooking:	☐
WO Unit:		Shop:	
		Crew:	
Maintenance Information			
☐ Repairable	Repair Status:	None	Parts List:
☐ Offline	WO Location:		Criticality:
			02 Medium

Define Asset Operational Information page (1 of 2)

Additional Information	
☐ Hazardous Asset	Hazardous Code Information
☐ Non-Owned Asset	☒ In Physical Use
☐ Replacement Asset	Asset ID:
☐ Asset is Available	Contact: Phone #:
Location	
Location:	USA - New York
Area ID:	Parking A - HQ
Address: 144 North Street	
City: New York	County:
State: NY New York	Jurisdiction:
Country: USA	Sector:
Zip Code: 10168	Building:
Floor #:	Room#: 845
Latitude: 40.5100000	Longitude: 73.7000000
Custodian Information	
License Information	
Physical and Custom Attributes	
Comments	
Image	
Maintenance Workbench	
Enter Meter Reading	Asset Inspection
Asset Insurance	Asset Checkout
Review Maintenance History	Track Service and Repairs
Asset Warranties	

Define Asset Operational Information page (2 of 2)

The Define Asset Operational Information page provides an efficient way of capturing data for physical operators who do not handle financial information. You can review both financial and nonfinancial assets from this page and make changes to the attributes; however, there are no financial implications.

Any changes you make, such as custodian or location, appears as a new entry rather than an update to the existing entry. The effective date is the system date and the profile ID is editable only when adding a new asset.

Note. The Capitalization Threshold feature is not available for assets that are added using this component.

See [Chapter 5, "Adding and Maintaining Assets," Adding Asset Basic Information, page 52.](#)

Customizing the Asset Operational Information Page Layout

Access the Define Asset Operational Information - Customize Page Layout page (click the Customize Page Layout link on the Define Asset Operational Information page).

Customize Page Layout

User ID	Hide Section	Collapse Section	Uncollapse Section
Manufacture Information	☐	☐	☒
Asset Resource Information	☐	☐	☒
Maintenance Information	☐	☐	☒
Additional Information	☐	☐	☒
Location Information	☐	☐	☒
Custodian Information	☐	☐	☒
License Information	☐	☒	☐
Physical and Custom Attributes	☐	☒	☐
Comments	☐	☒	☐
Image	☐	☒	☐

Define Asset Operational Information - Customize Page Layout page

Searching for Asset Information

This section discusses how to search for an asset.

Page Used to Search for Asset Information

Page Name	Definition Name	Navigation	Usage
Search for an Asset	AM_LOOKUP_PNL	Asset Management, Search for an Asset	Search for an asset based on specified criteria. After you find assets that meet the criteria, you can view them in greater detail. Use links to quickly access other components in the system and perform transactions on selected assets.

Searching for an Asset

Access the Search for an Asset page (Asset Management, Search for an Asset).

Search for an Asset

▼ Asset Search Criteria

Unit: Book: Parent ID:
 Category: Location: Area ID:
 Asset ID: Asset Status: Impairment Processing:
 Tag Number: Profile ID: Group ID:
 Serial ID: Threshold ID:

[Additional Search Criteria](#) [Chartfield Search Criteria](#)

Acquisition Details

PO Unit: Receipt Unit: AP Unit: PC Bus Unit:
 PO No: Receipt No: Voucher: Project ID:

Retrieve

☐ Cost Information ☐ Acquisition Information ☐ Location ☐ Non Capital Asset ☐ Custodian ☐ Lease [Hint](#)

Drill-Down To:

Search Results - Select One Asset to Continue

Customize | Find | First 1-4 of 4 Last

Unit	Asset ID	Description	Asset Type	Asset Subtype	Tag Number	Serial ID	Status
US001	000000000101	L02	Fleet				Disposed
US001	000000000103	L04	Fleet				Disposed
US001	000000000107	Asset_THREE	Fleet				Disposed
US001	EX_000000002	2000 Chevrolet Tahoe LT 1/2Ton	Fleet		P00000000002	6663123456781	Disposed

Search for an Asset page

Note. The asset search utility includes searching by the Description field. If processing is very slow, PeopleSoft recommends that an index of the DESCR field be created for the ASSET table to improve performance.

Enhancing Search Performance

When an organization maintains a high volume of property assets, it is recommended that you create new indexes and alternate search keys to enhance search performance.

Alternate search keys should be created for the following fields:

1. Table ASSET_SITE change Record Definition to include PROPERTY_NM as an Alternate Search Key field.
2. Table ASSET_BLDG change Record Definition to include PROPERTY_NM as an Alternate Search Key field.
3. Table ASSET_FLOOR change Record Definition to include PROPERTY_NM as an Alternate Search Key field.
4. Table ASSET_AREA change Record Definition to include PROPERTY_NM as an Alternate Search Key field.

The following new indexes should be created on the ASSET_PROPERTY table:

1. PS_ASSET_PROPERTY(BUSINESS_UNIT,SITE_PROPERTY_ID).

2. PS_ASSET_PROPERTY(BUSINESS_UNIT,BLDG_PROPERTY_ID).
3. PS_ASSET_PROPERTY(BUSINESS_UNIT,FLOOR_PROPERTY_ID).
4. PS_ASSET_PROPERTY(BUSINESS_UNIT,AREA_PROPERTY_ID).
5. PS_ASSET_PROPERTY(IS_LEASED, BUSINESS_UNIT, SITE_PROPERTY_ID, BLDG_PROPERTY_ID, FLOOR_PROPERTY_ID, AREA_PROPERTY_ID).

Asset Search Criteria

Use the Asset Search Criteria, Acquisition Details, and Retrieve group boxes to establish the search criteria. Each group box enables you to confine the search to specific tables according to the following rules:

- Asset table information is always retrieved.
- Cost information is retrieved if any of the cost fields are used in the search criteria, or the Cost Information check box is selected.

For example, if you enter a category and the asset is capitalized, the cost information for the asset is retrieved regardless of whether the cost information check box is selected. However, if you don't populate any of the cost fields in the search criteria, you need to select the Cost Information check box. If you don't need to view cost data, leave the check box blank.

- Asset acquisition information is retrieved if any of the fields in the Acquisition Details group box are used in the search criteria, or if the Acquisition Information check box is selected.
- Location code is retrieved if the location field is used to retrieve asset information or if the Location check box is selected.
- The Non Capital Asset check box is used *only* when the Acquisition Information and Cost Information check boxes are selected, or when fields from the Asset Search Criteria and Acquisition Details group boxes are specified.

Click the Hint link for additional information when selecting criteria.

Search Results - Select One Asset to Continue

Search results display with details available from these tabs:

- Asset Information: This tab shows business unit, asset ID, description, asset type, asset subtype, tag number, serial ID, and status.
- Asset Cost Information: This tab shows business unit, asset ID, description, ChartFields, cost type, quantity, cost, and currency.
- Acquisition Detail: This tab shows business unit, asset ID, description, PO business unit, PO number, receiving business unit, receipt number, AP business unit, voucher ID, PC business unit, project ID, and activity.
- Owner/Custodian: This tab shows business unit, asset ID, description, employee ID, custodian, asset custodian department ID, and offsite status.
- Work Maintenance: This tab shows business unit, asset ID, description, use-as-tool option, schedulable option, capitalized asset option, overbooking option, work order location, work order business unit, work order shop, and VIN.

- **More:** This tab shows business unit, asset ID, description, profile ID, parent ID, group ID, location, lease end date, manufacturing ID, model, and replacement cost.

Display all columns by clicking the **Show all Columns** icon.

You can sort options to arrange the asset list order. For example, if you click Asset ID, assets are ordered according to the asset number assigned in either ascending or descending order.

Note. Some results may contain multiple ChartFields. To display them, click either the Asset Cost Information tab or the Show all Columns icon.

Drill-Down To

The drill-down functionality enables you to review detailed information about a selected asset within different Asset Management components. You can also use the drill-down functionality to copy or print an asset. Select one of the following options to view detailed asset information in a new window:

- *Asset Accounting Entries.*
- *Asset Basic Information.*
- *Asset Cost Adjust/Transfers.*
- *Asset Cost History.*
- *Asset Depreciation.*
- *Asset Retirements.*
- *Copy Asset.*
- *Define Tax/Depr Criteria* (define tax and depreciation criteria).
- *Print an Asset.*
- *View Component Hierarchy.*

Printing Asset Information

This section lists the page used to print asset information.

Page Used to Print Asset Information

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Printable view of Asset	AM_LOOKUP_PRINT	Asset Management, Print an Asset	Generate a printed copy of the asset basic information, default book and depreciation attributes, and asset cost information for the default book.

Adding Assets with the Excel to Component Interface Utility

The PeopleTools Excel to Component Interface utility enables you to add assets from a predefined spreadsheet template. You can use the utility to upload new asset information during a conversion or when adding assets acquired from an acquisition or merger. You can add financial data and physical data. Once the data is uploaded, it is available for the Transaction Loader process to process the asset additions as financial add transactions (FAD).

Note. The amount of data that can be uploaded from a spreadsheet is limited by the spreadsheet utility. Consequently, this method of conversion is inappropriate for large-volume data conversions.

This section provides an overview of how to import asset information with the Excel to Component Interface utility and discusses how to:

- Enter data to import assets.
- Preview the data to be imported through a spreadsheet.

See Also

PeopleTools PeopleBook, PeopleSoft Component Interfaces

Understanding How to Import Asset Information with the Excel to Component Interface Utility

The PeopleSoft system provides a template to import and add transactions financial data from the spreadsheet to Asset Management tables INTFC_FIN and INTFC_PHY_A with the Excel to Component Interface utility.

Here is an overview of the steps to add assets using import data from an Excel spreadsheet:

1. Connect to the database by entering the database connect information on the template Connect Information tab.

You need the PeopleSoft web server name, port, PeopleSoft Pure Internet Architecture or portal name, and default local node.

2. Select the predefined component interface (INTFC_FINPHY_SS_A) to populate the template on the Template tab.
3. Select the fields that are used to enter data.

Select New Data Input to format the Data Input tab with the selected data fields for the component interface.

4. Input data for all identified and selected record levels on the Data Input tab.
5. Stage the input data to the Stage & Submit Data tab.

6. Review the data that is ready for staging on the Stage & Submit Data tab.
Submit data for error-checking and transmission to the database, if successful.
7. Errors are returned to the Stage & Submit Data tab; select the Post Results option to return processing errors to the Data Input tab for reworking.
8. Submit data to the PeopleSoft Asset Management database as needed to successfully transmit all input data to Asset Management.
9. Preview the financial and physical data, using the menu option for importing data through a spreadsheet.
10. Run the Transaction Loader process to add assets to the database.

Pages Used to Add Assets with the Excel to Component Interface Utility

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Import Data Via Spreadsheet	INTFC_FINPHY_SS	Asset Management, Send/Receive Information, Import Data via Spreadsheet, Financial and Physical, Import Data Via Spreadsheet	Preview data uploaded from ExcelToCI utility to import and add financial transaction data to Asset Management tables INTFC_FIN and INTFC_PHY_A before running the transaction loader. If you want to change any information, you must go back to the ExcelToCI utility to make changes.

Entering Data to Import Assets

Access the Excel to Component Interface (ExcelToCI.xls) spreadsheet (Asset Management, Send/Receive Information, Import Data via Spreadsheet, Financial and Physical, Import Data Via Spreadsheet).

Connect and select the component interface to be used for the asset upload: INTFC_FINPHY_SS_A. Select the data fields to be entered and format the Data Input tab by selecting New Data Input. Access the Input Data page of the Excel to Component Interface utility. The following table describes the entries for required fields to upload asset FAD transactions. Many other data fields are available to enter data through the template in addition to the ones described here; these are not required or key fields.

Record Level 000 identifies the common key field values to be shared by INTFC_FIN and INTFC_PHY_A. Record level 100 contains data fields for the INTFC_FIN table and record level 200 identifies the data fields for the INTFC_PHY_A table.

Row Property	Input Description	Entry Required
Interface ID (INTFC_ID)	Use a unique previously unused INTFC_ID. Lock the Installation_AM table by updating the INTFC_ID to the next INTFC_ID. Use that INTFC for the CIS.	Required
Interface Line Number (INTFC_LINE_NUM)	The INTFC_LINE_NUM must be unique for each ASSET_ID.	Required
Business Unit (BUSINESS_UNIT)		Required
Asset Identification (ASSET_ID)	This field can be NEXT.	Required
Asset Book Name (BOOK)	BOOK can be entered if the default profile SW (switch) = Y, but all the books need to be entered if the default profile SW = N (multiple lines for each asset, one line per book).	
Date/Time Stamp (DTTM_STAMP)	This field should be populated by the user. If left blank, the current time is entered for the row on which it is blank. If a different date-time stamp exists for the same asset, the asset cannot be created.	Required
Transaction Load Type (INTFC_TYPE)	Either FAD, ADD, CN1 & CN2 should be entered. If left blank, FAD is populated as the INTFC_TYPE	
System Source (SYSTEM_SOURCE)	Always populated as CIS.	
Interface Status (INTFC_STATUS)	Always populated as DON.	
Load Status (LOAD_STATUS)	Always populated as NEW.	
Default Books from Profile (DEFAULT_PROFILE_SW)		Required

Here is a portion of the input page:

	A	B	C	D	E	F	G	H	I
1	Enter Connect Information > Create Template > Input Data > Stage & Submit Data								
2	Interface ID	Interface Line Number	Business Unit	Asset Identification	Asset Book Name	Date/Time Stamp	Operating Unit	Department	Asset Category
3	73	1	US001	NEXT	CORP	2003-02-11 10:59:36	ILLINOIS	10000	AUTO
4	73	1	US001	NEXT	FEDERAL	2003-02-11 10:59:36	ILLINOIS	10000	AUTO
5	73	1	US001	NEXT	AMT	2003-02-11 10:59:36	ILLINOIS	10000	AUTO
6	73	1	US001	NEXT	ACE	2003-02-11 10:59:36	ILLINOIS	10000	AUTO
7	73	2	US001	NEXT	CORP	2003-02-11 10:59:36	ILLINOIS	10000	AUTO
8	73	2	US001	NEXT	FEDERAL	2003-02-11 10:59:36	ILLINOIS	10000	AUTO
9	73	2	US001	NEXT	AMT	2003-02-11 10:59:36	ILLINOIS	10000	AUTO
10	73	2	US001	NEXT	ACE	2003-02-11 10:59:36	ILLINOIS	10000	AUTO
11									

Example of Input Data page

When the data input is complete, stage the data to the Stage & Submit tab. Data is transmitted to the database from the Stage & Submit page.

Previewing the Data to Be Imported Through a Spreadsheet

Access the Import Data Via Spreadsheet page (Asset Management, Send/Receive Information, Import Data via Spreadsheet, Financial and Physical, Import Data Via Spreadsheet).

Select the FIN and PHY data to be uploaded from the Excel to Component Interface utility. Enter search criteria. You can search by interface ID, interface line number, business unit, transaction load type, system source, auto-approval status, load status, asset identification, and asset book name. Preview the data before running the Transaction Loader process. If you need to enter changes, you must return to the Excel to Component Interface utility to make them or update them in preview pages depending upon user permissions

Chapter 6

Working with Asset Budgeting

This chapter provides an overview of asset budgeting and capital acquisition planning, and discusses how to:

- Define new capital acquisition plans.
- Adjust capital acquisition plans.
- Link assets to existing capital acquisition plans.
- View capital acquisition plans.
- Run capital acquisition plan reports.

Understanding Asset Budgeting

Charting foreseeable acquisitions is sometimes straightforward, but can often involve assets with high levels of complexity. The capital acquisition planning functionality in PeopleSoft Asset Management and PeopleSoft Budgeting handles your plans when they involve a single asset, and also accommodates acquisitions that span several phases and involve many different components. For more complex acquisitions, PeopleSoft enables you to define a master plan with an unlimited number of subsidiary plans. As you acquire assets, you can associate them with the capital acquisition plan and maintain an up-to-date view as your business makes each expenditure included in the plan.

Each plan you set up is assigned a type. Types provide a categorization method that you can use when you generate reports.

You can have as many capital acquisition plan types as you need to reflect the range of categories that you want to track. Each time you design a capital acquisition plan, assign a type.

Before you work with capital acquisition planning, you must create business units and establish capital acquisition plan types.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Integrating PeopleSoft Asset Management with Other Products," Integrating with Budgeting.

Understanding Capital Acquisition Planning

The PeopleSoft Asset Management and Budgeting products provide a straightforward page set for entering a plan, enabling you to link assets to that plan and to update cost and asset summaries so that you have an overview at a glance.

When you establish a new plan, you provide ChartField information to identify the project and you enter a cost estimate and cost limit. Plans consist of a single asset or multiple asset component in a large project. You can provide a text description and justification for the plan, and you can enter multiple authorizations for each asset within a plan.

Once you assign a plan to *Open* status, you can link assets to the plan as they are acquired. All associated assets appear on one summary page; cost summary information is provided on another. As the status of each asset changes, the summary totals reflect that progress; you can see how much of your acquisition amount is represented by assets in different life phases.

Note. You cannot link assets to a plan until the plan is assigned an *Open* status. Assign open status to a capital acquisition plan on the Capital Acquisition Planning - Details page.

Defining New Capital Acquisition Plans

To appropriate funds for a capital acquisition, you set up a capital acquisition plan by assigning a type; indicating the ChartFields affected; entering cost information; and providing a plan description, justification, and authorization.

Pages Used to Define New Capital Acquisition Plans

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Capital Acquisition Planning - Details	BD_CAP_DETAILS	Asset Management, Asset Transactions, Capital Acquisition Planning, Create (CAP) Plan, Details	Add a new capital acquisition plan.
CAP Detail Long Description	BD_CAP_DET_SEC	Select the Sel (select) check box on the Capital Acquisitions Planning - Details page, and click Save. Click the Long Descr (long description) button.	Enter a long description for a selected item in the capital acquisition plan.
CAP Details - Annual Cost	BD_CAP_COST_SEC	Select the Sel (select) check box on the Capital Acquisitions Planning - Details page, and click Save. Click the Annual Cost button.	Enter and keep track of CAP annual cost for a selected item in the capital acquisition plan. Note. The values you enter on this page are for information only. The system does not use this information for any validation purposes.

Page Name	Definition Name	Navigation	Usage
CAP Details - Justification	BD_CAP_JUSTIFY_SEC	Select the Sel (select) check box on the Capital Acquisitions Planning - Details page, and click save. Click the Justification button.	Enter a detailed justification for a selected item in the capital acquisition plan. (optional)
CAP Details - Authorization	BD_CAP_AUTH_SEC	Select the Sel (select) check box on the Capital Acquisitions Planning - Details page, and click save. Click the Authorization button.	Authorize each item in the capitalization acquisition plan.

Assigning Capital Acquisition Plan Name and ChartFields

Access the Capital Acquisition Planning - Details page (Asset Management, Asset Transactions, Capital Acquisition Planning, Create (CAP) Plan).

Note. Column visibility and order for grids may vary by implementation. Use the scroll bar to view all the available columns.

CAP Class

Select a class:

- *Cost Reduction*
- *Expansion*
- *Necessity*
- *New*

Details

The Details group box can contain a single entry if the plan is for a standalone asset, or it can contain many assets that make up a larger project. For example, an expansion project for the Customer Service Department could have three CAP Seq # (sequence numbers), one each to build out a building wing, interior design plans, and furniture and fixtures.

Note. Since this is a new plan, the Original/Adjustment Switch should be set to *Original*. When you revise existing plans, be sure to select *Adjustment* instead.

Description

Enter a description for the asset, which may be similar to the plan name if the plan contains only one sequence number. This description and the CAP Sequence number show on the other detail pages associated with capital acquisition planning for the asset.

CAP Type	Select a type. The available CAP types are those defined when you established asset processing. You can generate reports that segregate the assets by the CAP Type you assign here.
Status	Statuses are used for reporting purposes, organizing information or when making adjustments to existing plans. Select a status from the options on the drop-down list: • <i>Open</i>: Select this option to open a CAP. You can only associate assets to a CAP that has an open status. • <i>Closed</i>: Select this option to close the CAP. The CAP Plan sequence will not be treated as closed until its status is set to Closed; It does not matter if the closing date in the Est Comp field has expired. • <i>Entered</i>: Select this status when first entering a CAP. • <i>On Hold</i>: Select this status if the CAP is on hold. • <i>Approval 1, 2 or 3</i>: Select these statuses to denote the approval phase of the CAP.
Est Comp (estimated completion)	Enter an estimated completion date to be used for tracking this plan. When all the items in this plan are acquired, access the page again and enter the Date Closed. Remember, you must also set the Status to <i>Closed</i> to keep assets from being added to this CAP after it is closed.
Requester	To ensure that the audit trail is accurate, enter a requester.
Estimated Cost	The cost you enter displays on the CAP Summary page. You can adjust the cost estimate as time passes by selecting the <i>Adjustment</i> option in the Original/Adjustment Switch field and specifying a different cost. The total of the adjustments and the updated cost estimate also display on the CAP Summary page.
Cost Limit	Enter a maximum cost for the CAP plan; or, enter a % Over Allowed and the system calculates the cost limit automatically based on the percentage that you specify.
% Over Allowed (percentage over allowed)	Specify a percentage to add a margin to your cost estimate. If you specify an amount, the system enables you to add an asset to the plan that pushes your acquisition costs above the limit you set. The system automatically calculates the Cost Limit based upon the estimated amount and the percentage over estimated amount that you specify. The disparity is reflected in the SQRs for capital acquisition planning.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing"

Adjusting Capital Acquisition Plans

Once a capital acquisition plan is established, there are a variety of revisions and additions you can make. All the information originally entered can be modified, and you have the option to change the original information or leave it intact and tag your changes as adjustments. The *Original* or *Adjustment* option on the Detail page reflects your categorization options.

You may not want to keep track of text changes you make to a plan, but you probably need to maintain the history of fluctuations in estimated costs and cost limits. The CAP Summary page separates the original cost estimate and cost limit from adjustments made to these amounts, so you can see the changing financial picture at a glance. You have these options:

- If you want the cost modifications to display separately, be sure that you select the *Adjustment* option on the Detail page before you enter cost information.
- If you want to change the original cost rather than make an adjustment, leave the *Original* option selected on the Detail page, and access pages by using Update/Display as the action.

Note. Keep in mind that the capital acquisition pages are not effective-dated, so you need to use the Adjustment option if you want to maintain a history of the changes you make to any plans.

Linking Assets to Existing Capital Acquisition Plans

One of the advantages of capital acquisition planning is that it gives you a measure against which you can chart capital expenditures to ensure that you stay within the projected budget. Once you have completed a capital acquisition plan, you want to ensure that the assets you acquire under that plan are associated with it so that you can view the totals as you approach the estimated cost or cost limit.

Each time you add an asset in PeopleSoft Asset Management, you have the option to assign it a capital acquisition plan number that links it to an open capital acquisition plan. This link can also be made in Purchasing when you create requisitions or purchase orders to purchase assets. Assets created using the interface from Purchasing are automatically associated with the CAP assigned on the requisition.

Note. The capital acquisition plan must have a status of *Open* to have assets associated with it. A capital acquisition plan that is still in approval phases cannot have assets linked to it.

Viewing Capital Acquisition Plans

PeopleSoft Asset Management and PeopleSoft Budgeting offer you a view of capital acquisition plans from different perspectives. You can see a list of all the assets that are linked to a particular plan, display any capital or operating lease payments associated with a particular plan, or view a summary of cost information.

Pages Used to View Capital Acquisition Plans

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Capital Acquisition Planning - Financial Assets	BD_CAP_ASSETS	Asset Management, Asset Transactions, Capital Acquisition Planning, Create (CAP) Plan, Financial Assets	View a list of financial assets associated with a plan. The link between an asset and a plan is made on the Asset Basic Information - Asset Entry page or the ExpressAdd Cost/Asset Information page when you add a new asset. The link between an asset and the plan can also be made when you create assets using the Purchasing/Assets interface for requisitions or purchase orders. Note. You must associate the asset with the capital acquisition plan by specifying the appropriate plan number on the Asset Basic Information - Asset Entry page, the ExpressAdd - Cost/Asset Information page, or the Purchasing/Asset interface.
Capital Acquisition Planning - Non-Financial Assets	BD_CAP_NF_ASSETS	Asset Management, Asset Transactions, Capital Acquisition Planning, Create (CAP) Plan, Non-Financial Assets	View a list of nonfinancial assets associated with a plan. The Non-Financial Assets page is populated by the CAP_ASSET_NF_VW view with nonfinancial assets that are not retired.
Capital Acquisition Planning - Capital Lease Payments	BD_CAP_LSE_PAY	Asset Management, Asset Transactions, Capital Acquisition Planning, Create (CAP) Plan, Capital Lease Payments	View a list of any capital lease payments associated with a capital acquisition plan.

Page Name	Definition Name	Navigation	Usage
Capital Acquisition Planning - Operating Lease Payments	BD_CAP_OPR_LSE_PAY	Asset Management, Asset Transactions, Capital Acquisition Planning, Create (CAP) Plan, Operating Lease Payments	View a list of any operating lease payments associated with a capital acquisition plan. The operating lease payment data is populated by the CAP_LSE_OPR_VW view, which pulls the schedule from the PS_LEASE_SCHED record.
Capital Acquisition Planning - Summary	BD_CAP_SUMMARY	Asset Management, Asset Transactions, Capital Acquisition Planning, Create (CAP) Plan, Summary	Review cost information related to the plan. The system automatically totals the costs of both nonfinancial and financial assets associated with the capital acquisition plan and shows values by estimated costs, cost limits, and asset status categories.

Running Capital Acquisition Plan Reports

Run the Capital Acquisition Planning report from the Capital Acquisition Planning - Parameters page.

Page Used to Run Capital Acquisition Plan Reports

Page Name	Definition Name	Navigation	Usage
Capital Acquisition Planning - Parameters	RUN_AMCP2000	Asset Management, Asset Transactions, Capital Acquisition Planning, CAP Reports, CAP Reports	Set parameters for the capital acquisition plan reports: Capital Acquisition Planning (AMCP2000), CAP by Department (AMCP2010) and CAP Assets (AMCP2100).

Chapter 7

Working With Leased Assets

This chapter provides an overview of leased assets, lists prerequisites, and discusses how to:

- Define payment schedules.
- Add or update capital and operating leases.
- Create lease expense schedules.
- Integrate lease payments with PeopleSoft Payables.
- Transfer operating leases.
- Retire or reinstate leases.
- Generate lease reports.

Understanding Leased Assets

PeopleSoft Asset Management incorporates full lease management functionality, including calculating and printing lease payment schedules, calculating leased asset revenues, and verifying leases as operating or capital leases, in accordance with the United States Financial Accounting Standards Board (FASB) Statement 13. It also provides the ability to define step leases as well as a robust lease payment integration with PeopleSoft Payables for automatic voucher creation.

In PeopleSoft Asset Management, you can retire and reinstate leased assets and track interim payments.

This section discusses:

- Capital and operating leases.
- Step leases.
- Lease payment integration with PeopleSoft Payables.

Note. Your transactions are maintained with multiple currencies if you use them in conjunction with leased assets.

Capital and Operating Leases

There are two basic types of leases: capital leases and operating leases.

- A capital lease is treated as a financial asset.

It has a lease term and lease payment amount. The lease is carried on the balance sheet and is periodically depreciated.

- An operating lease is treated as a nonfinancial asset to which no cost information is associated. It is normally expensed and can include rent and monthly payments that are expensed periodically.

PeopleSoft Asset Management uses the lease classification rules for capital and operating leases as proscribed by the country requirements that were established during the setup of book location. For example, in the United States, leased assets are defined and governed by Financial Accounting Standards Board (FASB) Statement 13.

Note. The United States FASB 13 lease classification rules apply to all countries unless otherwise noted. For example, in Germany, the threshold for capitalization is 90 percent of the leased asset's economic life, as compared to 75 percent under the United States' generally accepted accounting principles. In Canada, the classification of capital or operating leases is the same as that defined in the United States FASB 13. PeopleSoft Asset Management supports the United States, Germany, Canada, and Australia for least type verification.

Step Leases

A step lease features variable payment amounts and variable timing over the term of the lease.

Examples of step leases include:

- Step-down leases with decreasing or declining lease payments.
- Step-up leases with increasingly larger lease payments during the lease term.
- Skip-payment leases in which payments are not required during certain periods.

This table provides an example of a step-down lease schedule:

<i>Number of Terms</i>	<i>Frequency</i>	<i>Payment Amount</i>
6	Monthly	\$400
18	Monthly	\$350

This table provides an example of a quarterly step-lease payment schedule. It is suggested that you use three payment schedules with due dates as shown.

<i>Schedule</i>	<i>Due Dates</i>
Schedule 1	January, April, July, October
Schedule 2	February, May, August, November

Schedule	Due Dates
Schedule 3	March, June, September, December

For an annual step-lease payment schedule, it is suggested that you use 12 payment schedules, with one schedule for each of the 12 months as the payment due date.

Lease Payment Integration with PeopleSoft Payables

You can enable the lease payment integration between PeopleSoft Asset Management and PeopleSoft Payables to automatically generate vouchers for lease payments that are calculated in Asset Management. This includes both capital and operating leases. Additionally, the lease payment schedule segregates the principal and interest of each payment and is used by the Depreciation Close process (AMDPCLOS) to generate the payment accounting entries. The lease payments can be allocated on a monthly basis, in accordance with GAAP, and Asset Management generates the associated monthly accrual accounting entries. Lease Interest Contra and Lease Obligation Contra accounts must be established as clearing accounts, which are offset by the Payables voucher entries. This integration is enabled at the Asset Management business unit level.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Integrating PeopleSoft Asset Management with Other Products," Integrating with PeopleSoft Payables - Sending Lease Payments to Payables.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing PeopleSoft Asset Management Business Units," Selecting Asset Management Interface Options.

Once you have enabled the lease payment integration with PeopleSoft Payables at the business unit level:

- Complete the Payables Integration page within the Leased Assets component with pertinent integration information by asset.
- Review payment date, integration status, and Payables information for lease payments that are selected for Payables integration using the Review Payments page.
- Approve pending lease payments to Payables (if the pre-approval option is not enabled).
- Upload payments to be processed to Payables.
- Run AP/AM Payment Reconciliation report.

See [Chapter 7, "Working With Leased Assets," Integrating Lease Payments with PeopleSoft Payables, page 163.](#)

Defining Payment Schedules

This section discusses how to add or modify payment schedules for leases.

Before you can add leased assets to your system, you must define at least one payment schedule to indicate when a lease starts and ends. Leases can share the same payment schedule ID.

Page Used to Define Payment Schedules

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Payment Schedules	LEASE_SCH_ID	Set Up Financials/Supply Chain, Product Related, Asset Management, Financials, Payment Schedules, Payment Schedules	Add or modify payment schedules for leases.

Defining Lease Payment Schedules

Access the Payment Schedules page (Set Up Financials/Supply Chain, Product Related, Asset Management, Financials, Payment Schedules, Payment Schedules).

Payment Schedules

SetID: SHARE

Payment Schedule ID: AA

General Payment Schedule

Payment Schedule

Number of Payments Per Year: 12

☒ Prorate Lease Expense

Description:

This payment schedule will be setup for monthly lease calculations.

Generate Schedule Parameters

Begin Date:

31

Lease Term (Periods):

Populate

End Date:

31

Payment Frequency:

☐ End Of Month Due Date

Payment Dates

Customize | Find | 1-792 of 792 | First | Last

Payment Date

01/01/1960	31	+	-
02/01/1960	31	+	-
03/01/1960	31	+	-
04/01/1960	31	+	-
05/01/1960	31	+	-
06/01/1960	31	+	-
07/01/1960	31	+	-
08/01/1960	31	+	-
09/01/1960	31	+	-
10/01/1960	31	+	-
11/01/1960	31	+	-
12/01/1960	31	+	-
01/01/1961	31	+	-
02/01/1961	31	+	-
03/01/1961	31	+	-

Payment Schedules page

Complete the information about the begin date, end date, lease term, and payment frequency.

Number of Payments Per Year

Enter a value to determine the number of lease payments for the lease schedule.

Prorate Lease Expense	Select to prorate the accounting entries that are generated for lease payments by the depreciation close process (AMDPCLOS) on a monthly basis. The lease payment schedule segregates the principal and interest of each payment and is used by the AMDPCLOS process to generate the payment accounting entries. The prorated amounts are allocated as well according to their respective ChartField distributions.
End of Month Due Date	Select to always schedule a payment on the last day of the month.
Populate	After completing the fields about the payment schedule, click the Populate button to automatically populate the Payment Datecolumn fields.

Adding Capital and Operating Leases

This section discusses how to:

- Enter basic information about the lease and lease terms.
- (Optional) Enter information about cost, ChartFields, and depreciation.
- (Optional) View or update a step-lease payment schedule.
- View or update a lease payment schedule.

Pages Used to Add Capital and Operating Leases

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Express Add - Definition	ASSET_LEASE_01	Asset Management, Asset Transactions, Leased Assets, Express Add	Create a capital lease or an operating lease.
Update Lease Information - Definition	ASSET_LEASE_01	Asset Management, Asset Transactions, Leased Assets, Update Lease Information	Update a capital lease or an operating lease.
Express Add - Cost	ASSET_LEASE_02	Asset Management, Asset Transactions, Leased Assets, Express Add, Cost	Enter cost, ChartField, and depreciation data for a leased asset.
Update Lease Information - Cost	ASSET_LEASE_02	Asset Management, Asset Transactions, Leased Assets, Update Lease Information, Cost	Update cost, ChartField, and depreciation data for a leased asset.

Page Name	Definition Name	Navigation	Usage
Express Add - Step Lease Payment	ASSET_LEASE_05	Asset Management, Asset Transactions, Leased Assets, Express Add, Step Lease Payment	Enter a step-lease payment schedule.
Update Lease Information - Step Lease Payment	ASSET_LEASE_05	Asset Management, Asset Transactions, Leased Assets, Update Lease Information, Step Lease Payment	Update a step-lease payment schedule.
Express Add - Payment Schedule	ASSET_LEASE_03	Asset Management, Asset Transactions, Leased Assets, Express Add, Payment Schedule	Create or view lease payment schedules.
Update Lease Information - Payment Schedule	ASSET_LEASE_03	Asset Management, Asset Transactions, Leased Assets, Update Lease Information, Payment Schedule	Update lease payment schedules.
Update Lease Information - Operating ChartFields	ASSET_LEASE_06U	Asset Management, Asset Transactions, Leased Assets, Update Lease Information, Operating ChartFields	Update operating lease ChartField information. ASSET_LEASE_06 and ASSET_LEASE_06U are used to allocate operating lease payments to a particular set of ChartFields.

Creating a Lease

Access the Express Add - Definition page (Asset Management, Asset Transactions, Leased Assets, Express Add).

Definition

Cost

Step Lease Payment

Payment Schedule

Payables Integration

Unit:US001

Asset ID:000000000100

Profile ID:LEASED CAR

Trans Date:09/25/2009

Description:Leased Exe SL

Acctg Date:09/25/2009

CAP #:

Seq #:

Trans Code:

Asset Type:Fleet

Subtype:

Currency:USD

Serial ID:

Tag Number:

Rate Type:CRRNT

Lease Information

Lease ID:P04956

Acceptance Date:

*Description:2009 500 SL

Receipt Date:

*Vendor ID:DEU0000099

*Lease End Date:08/31/2014

Vendor Contact:

Display Alert Days:

*Responsibility:Doe,John

Comment:

Leased Assets - Express Add - Definition page (1 of 2)

Lease Term

Lease Term:60

Periods

Estimated Life:120

Periods

Interest Rate (%):2.000

Borrowing Rate (%):3.000

Payment Schedule ID:General Payment Schedule

Fair Value:90,000.00

FV Template ID:

FV Group ID:

Guar. Residual Value:25,000.00

☒ BPO

Payment:0.00

☐ BRO

☐ Transfer Ownership end lease

☐ Step lease

Minimum Rental Payment (MRP):800.00

Minimum Lease Payments (MLP):73,000.00

Present Value Lease Payments:68,340.68

Capitalized Lease Amount:68,340.68

Interim Rent (Monthly):0.00

☐ Capitalize Interim Rent

Lease Payment Type

☒ Advance

☐ Arrears

Lease Type

☒ Capital

☐ Operating

Verify

Calculate

Leased Assets - Express Add - Definition page (2 of 2)

Profile ID

Enter an ID if you want to use the default information from an asset profile to define this asset. You must enter a profile ID for a capital lease because all depreciation information is stored in the profile ID. A profile ID is not required for an operating lease.

Trans Date (transaction date) and Acctg Date (accounting date)	Enter a transaction date and accounting date for the lease. For leases, the payment date is based on the transaction date. For example, if a lease begins in October and you need to start the payments in the same month, enter a transaction date of October 1. The accounting date has no bearing on the payment date.
CAP # (capital acquisition planning number) and Seq # (sequence number)	Select the associated Capital Acquisition Plan number for this leased asset or look up the associated Asset ID Sequence number if one has been assigned.
Trans Code (transaction code)	Select the accounting entry template that is used for transactions relating to this asset.
Asset Type	Select the asset type from the available established values. You must enter Asset Type for operating leases if you do not enter a profile.
Subtype	Select the asset subtype from the available defined values for the selected Asset Type.
Currency	Select the currency for the transactions that are processed with this asset.
Serial ID	Enter the Serial ID that is associated with this asset. Serial IDs track physical inventory, especially for IT assets.
Tag Number	Enter the tag number that is associated with this asset. Tag numbers track physical inventory.
	Note. To perform a physical inventory with PeopleSoft Asset Management, your assets must use tag numbers.
Rate Type	The exchange rate that is defined for the default book for the business unit appears by default in this field. You can select a different rate type.
<i>Lease Information</i>	
Lease ID and Description	Select from the available lease IDs assign a new ID for this business unit and add a description of the lease. Description is required only if a Lease ID has been assigned.
Vendor ID and Vendor Contact	Select the Vendor ID from the list of available vendors for this asset and enter contact information. Vendor ID is required if Lease ID is assigned.
Responsibility	Enter the name of the person who is responsible for this leased asset. Required if Lease ID is entered.

Acceptance Date	Indicates the date that the lease contract is accepted (signed and returned to the lessor). If you complete the Interim Rent (Monthly) field in the Lease Term group box, you must enter an acceptance date that is earlier than the commencement date of the lease. Interim rent starts on the acceptance date and ends on the commencement date. You enter the amount of the interim rent in the Interim Rent (Monthly) field.
Receipt Date	Enter the date the leased asset is received. This is an information-only date fields for reporting purposes.
Lease End Date	Enter the date the leased asset is received. Lease End Date becomes required when a Lease ID is entered. This date is used for the Lease End Date report.
Display Alert Days	Enter the number of days in advance to receive the Lease End Date pagelet based on the Lease End Date. This field appears only if PeopleSoft IT Asset Management (ITAM) is installed.
Commence Date and Expiration Date	These fields represent the first and last lease payment date (regardless of interim rent), and appear only after you save the page.
Inception Date	This field appears when viewing this page in Update/Display mode. The date that is displayed is the date of the original transaction.
Comment	Enter any comments to be noted for this leased asset.

Note. If LEASE is entered and PeopleSoft ITAM is installed then Description, Lease End Date, Vendor Id and Responsibility are required fields.

Lease Term

Lease Term	Enter the number of periods in this lease.
Estimated Life	The number of periods that you entered in Lease Term field appears by default. You can change this value.
Interest Rate (%) (interest rate percentage)	Enter the approximate percentage of profit the lessor gains by leasing the asset to you. This number must be an annual interest rate percentage in whole numbers.
Borrowing Rate (%)	Enter the interest rate that you would have incurred at the inception of the lease if you had borrowed the necessary funds to purchase the leased asset. This number must be an annual interest rate percentage in whole numbers.
Payment Schedule ID	If you want the system to define a lease payment schedule, enter a payment schedule ID. Capital leases must have a payment schedule ID. The values that you can select are set up on the Payment Schedule page when you specify the payment frequency and number of periods.

Fair Value	Enter the fair value. The system uses the fair value to verify the lease type. It also records this value on the AM_FMV table to use in the asset revaluation process. The system calculates the capitalized lease amount using the lesser of the Present Value Lease Payments and Fair Value field values. If the present value of the lease payments is less than the fair value, the capitalized lease amount equals the present value of the minimum lease payment (MLP). If the fair value is less than the present value of lease payments, the capitalized lease amount equals the fair value. You might want to change the interest rate so that the net present value equals the fair value. If you do <i>not</i> enter a fair value, the capitalized lease amount equals the present value of the MLP.
FV Template ID (fair value template ID)	Select a fair value template, which includes the valuation method, level and premise. If left blank, the fair value is created but the additional valuation information is not provided. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Fair Value Templates.
FV Group ID (fair value group ID)	This field is active only when the selected FV Template ID has a valuation premise of <i>In Use</i>. The default value is supplied from the selected FV Template ID; however, you can override it and select another FV Group ID. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Fair Value Groups.
Guar. Residual Value (guaranteed residual value)	Calculates depreciation based on the amount of the residual value of the leased asset that is guaranteed by the lessee to the lessor and considered as part of the minimum lease payments.
BPO (bargain purchase option)	Select if this lease includes a bargain purchase option, which represents a payment by the lessee to the lessor at the end of the lease term, allowing the lessee to obtain title to the leased property.
BRO (bargain renewal option)	Select if this lease includes a bargain renewal option, which requires a payment if the lease agreement grants the lessee the right to renew or extend the lease. If the agreement specifies that the lease must be renewed or extended, a penalty might be required for failure to renew.
Transfer Ownership end lease	Check if there is an ownership transfer of the asset at the end of the lease period.
Step lease	Select if the lease is a step lease. A step lease features variable payment amounts and/or variable timing over the term of the lease.

Minimum Rental Payment (MRP)

Enter the minimum rental payment. This field is not required for step leases.

Note. You must either enter a minimum rental payment here or complete the cost information on the Cost page. Otherwise, the system cannot calculate the lease payment schedule.

Minimum Lease Payments (MLP)

Display a minimum lease payment.

- If there is no bargain purchase option (and you entered a bargain renewal option instead):

$$\text{MLP} = (\text{MRP} \times \text{Lease Term} \div 12 \text{ periods per year} \times \text{number of payments per year}) + \text{Guaranteed Residual} + \text{BRO.}$$

- If there is a bargain purchase option:

$$\text{MLP} = (\text{MRP} \times \text{Lease Term} \div 12 \text{ periods per year} \times \text{number of payments per year}) + \text{BPO.}$$
Present Value Lease Payments

Displays the present value of the lease payments for a step lease.

The system uses two formulas to determine the present value of the total payment for a step lease.

- For the first payment in the schedule, the formula looks at the present value of an ordinary annuity for a series of payments of any amount:

$$P1 = \text{Pymt} \times ([1 - (1 + \text{Intr})^{-\text{npymt}}] \div (\text{intr}))$$

where:

P1 = Present value of an ordinary annuity.

Pymt = Periodic payment amount.

Intr = Periodic interest rate.

npymt = Number of payments.

- For payments that are made after the first payment, the formula looks at the present value of a single future amount:

$$P2 = \text{Single\_Future\_Pymt} \times (1 \div (1 + \text{intr})^{\text{nper}})$$

where:

P2 = Present value of a single future amount.

Single_Future_Pymt = Future amount.

intr = Periodic interest rate.

nper = Number of periods.

The example illustrates the calculations using an interest rate of 7.2 percent.

<i>Number of Terms</i>	<i>Frequency</i>	<i>Payment Amount</i>
6	Monthly	400 USD
18	Monthly	350 USD

PV1 equals Present value of the first payment in the schedule:

$$400 \text{ USD} \times ([1 - (1 + 0.01)^{-6}] \div (0.01)) = 2,350.40 \text{ USD}$$

PV2 equals Present value of the second payment in the schedule:

$$[350 \text{ USD} \times ([1 - (1 + 0.01)^{-18}] / (0.01))] \times (1 \div 1.01^6) = 5,744.88 \text{ USD}$$

Present value of the total cash flow equals: $2,350.40 + 5,744.88 = 8,095.28 \text{ USD}$

Note. The lease term during the renewal period is considered part of the overall lease term.

Capitalized Lease Amount Enter the cost. The system uses the following method to calculate lease payments:

Capitalized Lease Amount - Prior Obligation Reduction = Residual Capitalized Lease Amount

Residual Lease Amount $\times$ (Annual Implicit Interest Rate / Number of Periods per Year) = Interest Expense per Period

Interest Expense per Payment + Obligation Reduction = MRP

For example, this table illustrates a full payment schedule for a simple capital leased asset with a capitalized amount of 10,500 USD, an interest rate of 7 percent, a monthly payment of 908.53 USD, and 12 periods per year:

<i>Period</i>	<i>Residual Capitalized Lease Amount in USD</i>	<i>Obligation Reduction</i>	<i>Interest Expense</i>	<i>Payment in USD</i>
1	10,500.00	847.2800562	61.24994377	908.53
2	9,652.71	852.2225232	56.30747678	908.53
3	8,800.49	857.1938213	51.33617873	908.53
4	7,943.29	862.1941186	46.33588144	908.53
5	7,081.10	867.2235843	41.30641574	908.53

<i>Period</i>	<i>Residual Capitalized Lease Amount in USD</i>	<i>Obligation Reduction</i>	<i>Interest Expense</i>	<i>Payment in USD</i>
6	6,213.88	872.2823885	36.2476115	908.53
7	5,341.59	877.3707024	31.15929757	908.53
8	4,464.22	882.4886982	26.0413018	908.53
9	3,581.73	887.6365489	20.89345107	908.53
10	2,694.10	892.8144288	15.7155712	908.53
11	1,801.28	898.022513	10.50748703	908.53
12	903.26	903.2609776	5.26902237	908.53

Interim Rent (Monthly)

Enter the amount of monthly interim rent for a capital or operating lease. Interim rent is common for quarterly leases. Interim rent starts on the acceptance date and ends on the commencement date of the lease. Once the lease officially begins, the normal rental payment amount is tracked by the lease payment schedule.

PeopleSoft Asset Management prorates the first month of interim rent. You can see interim rent payments on the Express Add - Payment Schedule page (ASSET_LEASE_03).

Select Capitalize Interim Rent if you want to include these interim payments as part of your asset cost.

Note. You must post journal entries for interim rent each month by running the Depreciation Close process (AM_DPCLOSE).

Capitalize Interim Rent

Select this check box to capitalize. When selected, the interim rent is added to the cost of the leased asset.

Calculate

Click to have the system calculate the lease payment schedule.

Before the system can calculate the lease payment schedule, you must have:

- Defined a payment schedule.
- Entered (for leases other than step leases) the minimum rental payment on this page or entered cost information on the Express Add - Cost page.
- For step leases, entered payment information on the Express Add - Step Lease Payment page.

You can see the results of the calculation on the Express Add - Payment Schedule page.

Lease Payment Type

Select a payment type: Advance or Arrears. You can use either type for both capital leases and operating leases. More details on these two payment types are provided in this table:

Calculation	Advance Payment Type	Arrears Payment Type
Present Value Factor	Total payment terms for present value factor excludes the term of the advance (or first) payment.	Total payment terms for present value factor equal the total terms of the lease.
Present Value of Minimum Lease Payments	Equals: (Present Value Factor $\times$ Periodic Payment Amount) + Advance payment.	Equals: Present Value Factor $\times$ Periodic Payment Amount.
Amortization Schedule	Period interest expense equals: Capitalized Amount $\times$ the period interest rate. The Capitalized Amount used for the first period of the payment excludes the advance payment amount.	Period interest expense equals: Capitalized Amount $\times$ the period interest rate.

Advance

Select if an asset is leased with the first payment that is due before the lease begins. For advance payments, the interest expense is not calculated.

If the present value is calculated on a lease with 12 monthly payments of 100.00 USD and an interest rate of seven percent, then the calculated present value factor is 10.6254.

Calculated present value = 100 USD + 10.6254 $\times$ 100 = 1,162.54 USD

Arrears

An arrears payment type means that an asset is leased with the payment due at the end of the period. This is the lease payment type by default. If the present value is calculated on a lease with 12 monthly payments of 100.00 USD and an interest rate of seven percent, then the calculated present value factor is 11.5571.

Calculated present value = 11.5571 $\times$ 100 = 1,155.71 USD

Lease Type

When you select the lease type, you can verify that you have selected the correct lease type for a country. If you do not select either the Capital or the Operating options, the system selects the lease type for you. The system can verify the lease types for the U.S., Canada, Germany, and Australia. Canada uses the same criteria as the U.S. for classifying capital and operating leases. Germany uses a higher threshold for the lease term (90 percent instead of 75 percent).

Note. You cannot change a lease type from capital to operating or from operating to capital. If you must change the lease type, you must first retire the leased asset and then reenter the lease with the appropriate lease type.

Capital

Select if the lease is a capital lease.

According to FAS13, a capital lease must meet one of the following criteria:

- There is an ownership transfer at the end of the lease.
- The lease contains a bargain purchase option (BPO).
- The lease term is 75 percent or more of the asset life.

In Germany, the lease term is 90 percent of the leased asset's economic life.

- The present value of the minimum lease payment is 90 percent or more of the fair value of the asset.

Operating

Select if the lease is an operating lease.

Verify

Click this button to verify if the lease meets the criteria for a capital lease or an operating lease. If the lease type meets the criteria, the system displays a message confirming that the criteria for FAS13 has been met. If you do not select the Capital or Operating option before clicking the Verify button, the system looks at the information that you have entered on this page about the lease, including the country code, and selects the lease type for that country.

Note. This verification test is disabled for leased assets that use an Indian business unit; designation of capital or operating leases is manual for assets in India.

See [Chapter 23, "Using the Global Features of PeopleSoft Asset Management," \(IND\) Using PeopleSoft Asset Management Options to Meet Indian Requirements, page 502.](#)

(Optional) Entering Information About Cost, ChartFields, and Depreciation

Access the Cost page (Asset Management, Asset Transactions, Leased Assets, Express Add, Cost).

Definition		Cost	Step Lease Payment	Payment Schedule	Payables Integration	
Unit:	US001	Asset ID:	NEXT	Leased Exe SL	Status: In Service	
Lease Book:	CORP	Corporate			Currency: USD	
Asset Cost Information Customize Find First 1 of 1 Last						
Cost Chartfields Depreciation						
Quantity	Cost	Currency	Salvage Value	Currency	Category	Cost Type
1.0000	68,340.68	USD	25,000.00	USD	LAUTO	

Cost page

If you did not enter a minimum rental payment (MRP) on the Definition (ASSET_LEASE-01) page, you must complete the cost information on this page.

The system uses the cost information on this page to calculate the lease payment schedule. Use the Cost, Chartfields, and Depreciation tabs to enter more details. Because the ChartFields are effective-dated, you can use them to track transfers.

Note. If you are working with a step lease, you do not have to enter any information on this page.

Viewing or Updating a Step-Lease Payment Schedule (Optional)

Access the Express Add - Step Lease Payment page (Asset Management, Asset Transactions, Leased Assets, Express Add, Step Lease Payment).

Access the Update Lease Information - Step Lease Payment page (Asset Management, Asset Transactions, Leased Assets, Update Lease Information, Step Lease Payment).

Definition		Cost	Step Lease Payment	Payment Schedule	Payables Integration
Unit:	US001	Asset ID:	NEXT	Tag:	In Service
Step Lease Customize Find View All First 1 of 1 Last					
Line Number	Lease Term	Payment Frequency	Payment Amount	Currency	
1			0.00	USD	

Step Lease Payment page

If you checked the Step lease check box on the Definition (ASSET_LEASE-01) page, you can use this page to change payment information.

Enter a line number, enter the lease term (number of periods), select a payment frequency, and enter a payment amount. For example, you could define a step lease that consists of six monthly payments of 400.00 JPY followed by 18 monthly payments of 350 JPY.

If you are defining a skip payment, enter a payment frequency, the number of lease terms, and a payment amount of zero (0.00).

Note. The line numbers must be in sequential order. For example, if you update a lease schedule and need to insert a row between lines 1 and 2, you can use a line number such as 1.2.

After you are done working with this page, you must return to the Definition (ASSET_LEASE-01) page and click the Calculate button to generate the lease payment schedule.

Viewing or Updating a Lease Payment Schedule

Access the Express Add - Payment Schedule page (Asset Management, Asset Transactions, Leased Assets, Express Add, Payment Schedule).

Access the Update Lease Information - Payment Schedule page (Asset Management, Asset Transactions, Leased Assets, Update Lease Information, Payment Schedule).

DefinitionCostStep Lease PaymentPayment SchedulePayables Integration

Unit:US001Asset ID:NEXTStatus:In Service

Lease Book:CORPCorporateCurrency:USD

Payment ScheduleCustomizeFindFirst1 of 1Last

	Payment Date	Payment Total	Currency	Interest Expense	Obligation Reduction	Payment Type		
1		0.00	USD					

Payment Schedule

The system calculates the payment schedule on this page when you click the Calculate button on the Express Add - Definition page.

You can update the information on this page as needed.

Note. In case of capitalizing the interim rent, payments are noted with a *C* rather than *I* next to the payment line. You can change this designation by modifying message number 8015,37, using the PeopleTools Message Catalog.

If you elect to process periodic depreciation accounting entries, the system creates the journal entries that are shown in the following table:

Action	Debits	Credits
Add	- AD Accumulated Depreciation - FA Leased property under capital leases (capitalized lease amount)	- DE Depreciation Expense - LO Obligations under capital leases

Action	Debits	Credits
Adjust	- AD Accumulated Depreciation - FA Leased property under capital leases (capitalized lease amount)	- DE Depreciation Expense - LO Obligations under capital leases
Transfer In	- FA Leased property under capital leases (capitalized lease amount) - DE Depreciation Expense	AD Accumulated Depreciation
Transfer Out	AD Accumulated Depreciation	- FA Leased property under capital leases (capitalized lease amount) - DE Depreciation Expense
Retire	- CA Proceeds [Proceeds] - LO Obligations under capital leases [Guaranteed Residual] - AD Accumulated Depreciation [Current Reserve] - LO Obligations under capital leases [Remaining Lease Payments]	- LG Guaranteed Residual Payable [Guaranteed Residual] - FA Leased property under capital leases [Current Cost] - GL Gain/Loss on leased property [Remaining Payments + ((Proceeds – Removal Cost) + (Cost – Reserve))]

Creating Lease Expense Schedules

This section discusses how to create lease expense schedules by running the Lease Expense Schedule process.

You must run this process:

- After setting up a step lease.
- After adjusting transactions in a step lease.
- Before running the depreciation close process.

Note. The purpose of running the lease expense schedule process is to prorate payment and interest expenses so that the proper amounts are sent to the general ledger (GL) according to the FASB. You must run this process for all leases that have non-monthly payment schedules.

AMLESCH reads PS_LEASE_SCHEDULE and creates PS_LEASE_SCH2, which contains all the step-lease non-monthly payment information. AM_DPCLOSE reads PS_LEASE_SCH2 (through PS_LEASE_CHART3_vw) to distribute the payment and interest expenses to the GL.

The Lease Expense Schedule process spreads non-monthly lease payments (such as quarterly payments) throughout the year, dividing them into monthly amounts on the lease expense schedule. The results are different for capital leases and operating leases:

- For operating leases, the lease expense schedule allocates non-monthly payments to monthly amounts.
- For capital leases, the lease expense schedule allocates non-monthly interest expense to monthly amounts, and the payment amount is fully allocated on the date that the payment is due.

The following example uses an arrears type lease for a quarterly payment:

<i>Payment Date</i>	<i>Payment Amount</i>	<i>Interest Expense</i>
June 1, 2009	300	33

The lease expense schedule allocates the payments as shown:

<i>Payment Date</i>	<i>Payment Amount</i>	<i>Interest Expense</i>
April 1, 2009	0.00	11
May 1, 2009	0.00	11
June 1, 2009	300	11

If the general ledger period is closed, the allocation is carried forward to the next open period.

Note. Operating leases do not have interest expense on the payment schedule.

Page Used to Run the Lease Expense Schedule Process

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Lease Expense Schedule	LEASE_SCH2_RQST	Asset Management, Asset Transactions, Leased Assets, Create Expense Schedule, Create Expense Schedule	Run the lease expense schedule process.

Running the Lease Expense Schedule Process

Access the Create Expense Schedule page (Asset Management, Asset Transactions, Leased Assets, Create Expense Schedule, Create Expense Schedule).

Create Expense Schedule

Run Control ID: tst [Report Manager](#) [Process Monitor](#) [Run](#)

Request Details

User ID: DVP1

Request ID: 1

*Unit: US001

Process Frequency

☐ Once

☒ Always

☐ Don't Run

Options

☐ Select Open Trans Range

☐ Select Asset Range

Create Expense Schedule page

Select Open Trans Range (select open transaction range) If you select this option, use the From Open Trans and To Open Transfields to select a range of transaction values.

Select Asset Range If you select this option, use the From Asset and To Assetfields to select the asset range.

Integrating Lease Payments with PeopleSoft Payables

This section discusses how to:

- Enable the lease payment integration.
- Set up clearing accounts.
- Set up lease payment integration information by asset.
- Review and approve lease payment information.
- Upload lease payments to Payables.
- Run AP/AM Payment Reconciliation report.

Page Used to Integrate Asset Management Lease Payments with PeopleSoft Payables

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Asset Management Definition - Interface Options	BUS_UNIT_INTFC_OPT	Set Up Financials/Supply Chain, Business Unit Related, Asset Management, Asset Management Definition, Interface Options	Enable the Asset Management lease payment integration with PeopleSoft Payables for a business unit.
Payables Integration	ASSET_LEASE_07	Asset Management, Asset Transactions, Leased Assets, Express Add, Payables Integration Asset Management, Asset Transactions, Leased Assets, Update Lease Information, Payables Integration	Select Payables integration information by asset for each scheduled payment.
Review Payments	LEASE_INTFC_REVW	Asset Management, Send/Receive Information, Approve Lease Information, Review Payments, Review Payments	Review lease payment information and payment status for scheduled or processed lease payments to Payables.
Approve Payments	LEASE_INTFC_APPR	Asset Management, Send/Receive Information, Approve Lease Information, Approve Payments, Approve Payments	Review and approve lease payments that are scheduled to interface with Payables (if the pre-approval option is not enabled for the business unit).
Lease Payments to Payables	AMAPLEAPMT_RQST	Asset Management, Send/Receive Information, Load Interface, Lease Payments to Payables, Lease Payments to Payables	Run the Lease Payments to Payables (AMAPLEASE) Application Engine process.
AP/AM Payment Reconciliation	AMAPLEAPMT_RQST	Asset Management, Financial Reports, Leased Assets, AP/AM Payment Reconciliation, AP/AM Payment Reconciliation	Run the AP/AM Payment Reconciliation report

Enabling the Lease Payment Integration

Access the Asset Management Definition - Interface Options page (Set Up Financials/Supply Chain, Business Unit Related, Asset Management, Asset Management Definition, Interface Options).

The lease payment integration sends to Payables the information that is stored in the book that is defined as the Lease Book on the AM Business Unit Definition page.

Enable the lease payment integration for the business unit by selecting the Lease Interface Processing check box. Additionally, select whether to auto approve vouchers and enter the default Payables business unit on the Interface Options page.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing PeopleSoft Asset Management Business Units," Selecting Asset Management Interface Options.

Setting Up Clearing Accounts

Set up Lease Obligation Contra and Lease Interest Contra accounts as clearing accounts. Both accounts are credited in Asset Management and debited subsequently during the voucher posting process in Payables. The following table presents an example of lease payment entries within the respective applications using the LPY accounting entry template:

Application	Account	Debit	Credit	Distribution Type
Asset Management	Lease Obligation	950		LO
Asset Management	Lease Obligation Contra		(950)	LP
Asset Management	Lease Interest Expense	50		LI
Asset Management	Lease Interest Contra		(50)	LC
Payables	Lease Obligation Contra	950		
Payables	Lease Payable		(950)	
Payables	Lease Interest Contra	50		
Payables	Lease Payable		(50)	

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Creating Accounting Entry Templates.

Setting Up Lease Payment Integration Information by Asset

Access the Payables Integration page (Asset Management, Asset Transactions, Leased Assets, Express Add, Payables Integration) or (Asset Management, Asset Transactions, Leased Assets, Update Lease Information, Payables Integration).

Definition		Cost		Step Lease Payment		Operating Chartfields		Payment Schedule		Payables Integration																																		
Unit:	US001	Asset ID:	000000000100	L01	Status:	In Service																																						
Lease Book:	CORP	Corporate	Currency:	USD																																								
Payment Schedule Customize Find First 1-2 of 2 Last <table border="1"> <thead> <tr> <th></th> <th>Payment Date</th> <th>Payment Total</th> <th>Currency</th> <th>Payables Integration</th> <th>AP Business Unit</th> <th>Voucher ID</th> <th>Invoice Number</th> <th>Payment Status</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>01/01/2009 </td> <td>111.00</td> <td>USD</td> <td>☒</td> <td>US001 </td> <td>NEXT</td> <td>V01</td> <td>Approved-Auto</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>01/01/2010 </td> <td>111.00</td> <td>USD</td> <td>☒</td> <td>US001 </td> <td>NEXT</td> <td>V02</td> <td>Approved-Auto</td> <td></td> <td></td> </tr> </tbody> </table>													Payment Date	Payment Total	Currency	Payables Integration	AP Business Unit	Voucher ID	Invoice Number	Payment Status			1	01/01/2009	111.00	USD	☒	US001	NEXT	V01	Approved-Auto			2	01/01/2010	111.00	USD	☒	US001	NEXT	V02	Approved-Auto		
	Payment Date	Payment Total	Currency	Payables Integration	AP Business Unit	Voucher ID	Invoice Number	Payment Status																																				
1	01/01/2009	111.00	USD	☒	US001	NEXT	V01	Approved-Auto																																				
2	01/01/2010	111.00	USD	☒	US001	NEXT	V02	Approved-Auto																																				

Payables Integration page

Payment Date

The default payment dates are populated from the Payment Schedule page. You can update the payment dates as needed.

Payment Total

Displays the payment amounts that are established on the Payment Schedule page. This field is not editable.

Payables Integration

Select only those lines that you want to forward to Payables for payment. If a line is not selected, then the other fields are not editable. By default, this check box is selected for every line for which the business unit has been enabled for integration with Payables.

AP Business Unit

Displays the default Payables business unit from the business unit level (Interface Options page). You can enter a different business unit (there are some cases where multiple Payables business units pertain to the same AM business unit).

Voucher ID

Displays the PeopleSoft Payables voucher ID once the transaction has been processed by the integration and Payables has created the voucher.

Invoice Number

(Optional) Enter the invoice number to appear in the Payables voucher.

Payment Status

Displays the integration status. Valid values for this field are:

- *Approved-Auto* - Initial status when the Auto Approve check box is selected at the business unit level (Interface Options page). Transaction has not yet been processed.
- *Pending Approval* - Initial status when the Auto Approve check box is not selected at the business unit level (Interface Options page). Transactions with this status must be approved before processing.
- *Approved* - Transaction is approved and ready for integration processing to Payables.
- *Error* - Transaction did not process successfully.
- *In Process* - Transaction is currently being processed by the integration to Payables.
- *On Hold* - Transaction has intentionally been detained from processing to Payables.
- *Processed* - Transaction has been successfully processed through the integration to Payables and the voucher has been created.
- *Sent to AP* - Transaction has been successfully processed through the integration to Payables.
- *Cancelled* - Transaction has been intentionally omitted from processing. This is for tracking purposes since deselecting the Payables Integration check box produces the same outcome.

When a transaction is approved or processed through the integration, the transaction line is no longer editable. All fields are unavailable except the Voucher ID field, which becomes link to the corresponding voucher within PeopleSoft Payables. The voucher information is access through a new window.

Reviewing and Approving Lease Payment Information

Access the Review Payments page (Asset Management, Send/Receive Information, Approve Lease Information, Review Payments, Review Payments).

Review Payments

Business Unit:

From Asset ID: To Asset ID:

From Payment Date: To Payment Date:

Profile ID: Payment Status:

Payments for Approval								
Asset Identification	Payment Status	Payment Date	Payment Total	Currency	Interest Expense	Obligation Reduction	Payables Integration	AP Unit
1 000000000100	Approved	09/01/2009	800.00	USD		800.00	☒	US001
2 000000000100	On Hold	10/01/2009	800.00	USD	112.63	687.37	☒	US001
3 000000000100	Canceled	11/01/2009	800.00	USD	111.49	688.51	☒	US001
4 000000000100	Canceled	12/01/2009	800.00	USD	110.34	689.66	☒	US001
5 000000000100	Pending Approval	01/01/2010	800.00	USD	109.19	690.81	☒	US001
6 000000000100	Pending Approval	02/01/2010	800.00	USD	108.04	691.96	☒	US001
7 000000000100	Pending Approval	03/01/2010	800.00	USD	106.89	693.11	☒	US001
8 000000000100	Approved-Auto	04/01/2010	800.00	USD	105.73	694.27	☒	US001
9 000000000100	Pending Approval	10/01/2010	800.00	USD	98.76	701.24	☒	US001

Review Payments page

Use the Review Payments page to review the integration status of the lease payments, select or deselect to send payments through the Payables Integration process and change the Payables business unit, if needed, for payments that are not yet approved or processed.

Select the desired parameters and click the Search button to retrieve payments for review.

Asset Identification Displays the asset ID for the lease payment based on the criteria that you provide.

Payment Status Displays the payment status.

See [Chapter 7, "Working With Leased Assets," Setting Up Lease Payment Integration Information by Asset, page 166.](#)

Payables Integration Select those lines that you want to forward to Payables for payment. If a line is deselected, then the other fields are not editable. By default, this check box is selected for every line for which the business unit has been enabled for integration with Payables.

AP Unit Select a different Payables business unit for a transaction, if necessary, and save the page.

Access the Approve Payments page (Asset Management, Send/Receive Information, Approve Lease Information, Approve Payments, Approve Payments).

Approve Payments

Business Unit:

From Asset ID: To Asset ID:

From Payment Date: To Payment Date:

Profile ID: Payment Status:

Payments for Approval									
Asset Identification	Payment Status	Payment Date	Payment Total	Currency	Interest Expense	Obligation Reduction	Payables Integration	AP Unit	
1 000000000100	Approved	09/01/2009	800.00	USD		800.00		US001	
2 000000000100	On Hold	10/01/2009	800.00	USD	112.63	687.37		US001	
3 000000000100	Canceled	11/01/2009	800.00	USD	111.49	688.51		US001	
4 000000000100	Canceled	12/01/2009	800.00	USD	110.34	689.66		US001	
5 000000000100	Pending Approva	01/01/2010	800.00	USD	109.19	690.81		US001	
6 000000000100	Pending Approva	02/01/2010	800.00	USD	108.04	691.96		US001	
7 000000000100	Pending Approva	03/01/2010	800.00	USD	106.89	693.11		US001	
8 000000000100	Approved-Auto	04/01/2010	800.00	USD	105.73	694.27		US001	
9 000000000100	Pending Approva	10/01/2010	800.00	USD	98.76	701.24		US001	

Approve Payments page

Use the Approve Payments page to review, approve, or change the payment status of the lease payments. This page is similar to the Review Payments page except that you can change the payment status on this page.

Select the desired parameters and click the Search button to retrieve payments that are eligible for approval.

Asset Identification	Displays the asset ID for the lease payment based on the criteria that you provide.
Payment Status	Displays the current payment status. Select to approve or change the current payment status of the lease payment.
Payables Integration	Override the current payables integration selection. Select lines that you want to forward to Payables for payment. Deselect to keep a transaction from being sent through the integration process. Once deselected, the payment will not show up again in a future search.
AP Unit	Override the Payables business unit for a transaction, if necessary, and save the page.

Uploading Lease Payments to Payables

Access the Lease Payments to Payables page (Asset Management, Send/Receive Information, Load Interface, Lease Payments to Payables, Lease Payments to Payables)

Lease Payments to Payables

Run Control ID: **tst** [Report Manager](#) [Process Monitor](#) Run

Request		Find View All First 1 of 1 Last	
*Request ID:	1	Process Frequency:	Always + -
*Business Unit:	US001		
Profile ID:			
From Payment Date:		*To Payment Date:	08/31/2009
From Asset ID:		To Asset ID	
Parameters			
Invoice Date	08/31/2009		

Lease Payments to Payables

Run the Lease Payments to Payables (AMAPLEASE) Application Engine process. Select the criteria for the lease payments to process for the integration.

This process populates the voucher build integration tables with the necessary information for Payables processing. Payables then continues to process the lease payments from the voucher build staging tables to create the corresponding vouchers. When the vouchers are generated, Payables inserts the voucher ID and line number into the Asset Management records. The lease payment information is reflected in the asset-related fields at the distribution level.

The lease ID is displayed on the Invoice Information page within Payables.

See *PeopleSoft Payables 9.1 PeopleBook*, "Entering and Processing Vouchers Online: General Voucher Entry Information."

Note. To avoid the potential risk of resending these payments to Asset Management as adjustments to existing assets, Payables assigns a unique origin source for vouchers that are created from the lease payment integration with Asset Management.

Business Unit

Select the Asset Management business unit from which to process payments. The default value is the business unit that is specified within user preferences.

Profile ID

(Optional). Select to limit integration processing to a specific profile. Only profiles that are associated with leased assets are available.

Invoice Date

Select the date to be displayed on the Payables voucher. If blank, the system supplies the default system date.

Running the AP/AM Reconciliation Report

Access the AP/AM Payment Reconciliation page (Asset Management, Financial Reports, Leased Assets, AP/AM Payment Reconciliation, AP/AM Payment Reconciliation).

AP/AM Payment Reconciliation

Run Control ID: US001 [Report Manager](#) [Process Monitor](#) **Run**

Language: English

Report Request Parameters

Business Unit: US001

AP Business Unit: US001

From Date:

Through Date:

AP/AM Payment Reconciliation run control page

Run the AP/AM Payment Reconciliation (AMAP1001) report. The reconciliation process compares information about the lease payments from the Asset Management tables with the voucher information that is stored in the Payables tables. The resulting report includes the Asset Management lease payment schedule with payment statuses along with the corresponding Payables voucher information, such as voucher ID, invoice date, payment amount, voucher status and payment status.

Business Unit

Select the Asset Management business unit for which to process the reconciliation report. You can select from the business units for which the integration is enabled.

AP Business Unit

(Optional). Select the Payables business unit for which to process the reconciliation report information.

From Date and Through Date (Optional). Select the date range for which to run the reconciliation report.

Transferring Operating Leases

This section describes how to transfer an operating lease.

Page Used to Transfer Operating Leases

Page Name	Definition Name	Navigation	Usage
Operating Lease Chartfields	LEASE_OPER_TFR_01	Asset Management, Asset Transactions, Leased Assets, Transfer Operating Lease, Operating Lease Chartfields	Transfer an operating lease, for example, from one department to another.

Transferring an Operating Lease

Access the Operating Lease Chartfields page (Asset Management, Asset Transactions, Leased Assets, Transfer Operating Lease, Operating Lease Chartfields).

Operating Lease Chartfields

Unit: US001 Asset ID: 000000000097 Sample data for Oper Lease Tag: In Service

Current Chartfields

Customize | Find | View All | First 1 of 1 Last

Trans Date	Operating Unit	Fund Code	Department	Program Code	Class Field	Budget Reference	Product	Project	Category
12/14/2003			12000						LCOMP

New Chartfields

Customize | Find | View All | First 1 of 1 Last

Operating Unit	Fund Code	Department	Program Code	Class Field	Budget Reference	Product	Project	Category
		13000						LCOMP

Edit Trans Dates...

Operating Lease Chartfields page

This page displays the current ChartFields for the lease.

Use the New Chartfields section to change the Oper Unit(operating unit), Fund Code, Department, Program, Class Field, Budget Reference,Product, Project,and Category. The Category field is required for an operating lease.

Click the Edit Trans Dates button to change the transaction date.

Retiring or Reinstating Leases

Leased assets are retired or retired and reinstated using the same processes as all other assets. Review those sections of this PeopleBook for more information.

See Also

Chapter 19, "Retiring Assets," page 379

Generating Lease Reports

PeopleSoft Asset Management has several reports that you can use to view information about leases that is required to satisfy generally accepted accounting principles (GAAP) and to comply with FAS 13. You can use the lease reports provided to view when a lease expires, create an annual footnote disclosure report, view summary or detail information about a specific lease, or view a lease amortization schedule.

You may also review operating leases.

You must run the Lease Expense Schedule (LEASE_SCHED2) process before you run a lease report.

This section discusses the:

- Lease Expiration report.
- Lease Footnote Disclosure Summary and Lease Footnote Disclosure Detail reports.
- Lease Summary Information, Lease Detail Information, and Lease Amortization Schedule reports.
- AP/AM Payment Reconciliation report.

Note. PeopleSoft IT Asset Management also provides a report called Lease End Date.

Pages Used to Generate Lease Reports

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Lease Expiration	RUN_AMLE2400	Asset Management, Financial Reports, Leased Assets, Lease Expiration	Define the run parameters for the Lease Expiration report (AMLE2400). Use the report to list leases that expire as of today's date, after a certain number of days from a specified date, or within a date range that you select.

Page Name	Definition Name	Navigation	Usage
Lease Footnote Disclosure	RUN_AMLE2300 RUN_AMLE2310	Asset Management, Financial Reports, Leased Assets, Footnote Disclosure	Define the run parameters for a Lease Footnote Disclosure Detail and Lease Footnote Disclosure Summary reports (AMLE2300 and AMLE2310, respectively). Use at the end of each fiscal year to view all outstanding capital and operating lease commitments for the next five years. The report also provides the monthly lease payment and yearly totals.
Lease Information	RUN_AMLE2000	Asset Management, Financial Reports, Leased Assets, Summary or Detail	Define the run parameters for the following reports: • Lease Summary Information (AMLE2000) • Lease Detail Information (AMLE2100) • Detail Amortization Schedule (AMLE2200)
AP/AM Payment Reconciliation	AMAPLEAPMT_RQST	Asset Management, Financial Reports, Leased Assets, AP/AM Payment Reconciliation, AP/AM Payment Reconciliation	Run the AP/AM Payment Reconciliation report See Chapter 7, "Working With Leased Assets," Running the AP/AM Reconciliation Report, page 171.

See Also

[Appendix C, "PeopleSoft Asset Management Reports," page 659](#)

Chapter 8

Adjusting, Transferring, and Evaluating Assets

This chapter provides an overview of adjusting, transferring, and evaluating assets and discusses how to:

- Adjust cost and transfer assets.
- Transfer parent-child assets to other business units in mass.
- Revalue assets using the Revaluation Worksheet.
- Revalue assets in mass.
- Capture and maintain asset fair value (FV).
- Update noncapitalized costs.
- View cost history and summarize cost rows.
- Update the general ledger with adjustments and transfers.
- Modify or delete pending asset transactions.
- Adjusting for asset impairments.

Understanding Adjusting, Transferring, and Evaluating Assets

Periodically, it is necessary to make changes to asset records to correct errors or add newly received information. You can modify any information that has been entered about assets, including cost, market value, quantity, depreciation rules, location, physical attributes, and so on.

Sometimes adjustment and transfer changes have a financial or tax impact. Changes to physical information about an asset, such as its weight, do not affect cost or depreciation. However, changing quantity, cost, depreciation attributes, or department affect your financial and tax books.

In compliance with accounting standards, many companies must carry assets at fair value. As a result, frequent revaluation of assets may be necessary, depending on requirements. PeopleSoft Asset Management provides a revaluation worksheet to facilitate potentially frequent revaluation of one or multiple assets using the Cost Based or Depreciation Write-off methods of revaluation. Additionally, you have the option of using the Revaluation in Mass process where the Net Method of revaluation is available, as well as the other two methods. These tools provide the capability to properly deal with the depreciation distribution between original cost and revalued basis

You must also be able to undertake an effective impairment test cycle for assets on at least an annual cycle at the balance sheet date depending on business industry and location. PeopleSoft Asset Management provides an impairment evaluation process that allows you to assess potential impairment of user-defined asset selections. The impairment worksheet enables you to enter recoverable amounts and automatically calculates potential impairment losses. Subsequent to this review, the impairment worksheet generates the associated accounting entries to enable you to recognize these adjustments in your accounting system. This process eliminates manual steps and minimizes accounting errors.

PeopleSoft supports the ability to maintain asset histories. Information on a per-asset basis is available within each record. Cost summary reporting and asset component hierarchy history reporting are both also available.

Adjusting Cost and Transferring Assets

This section provides an overview of cost adjustments and asset transfers and discusses how to:

- Define asset transactions.
- Enter cost information for transactions.
- Specify transfer to/from books information
- Mark assets up or down.
- Select a child asset for adjustment or transfer.
- Enter child asset details.
- Add advanced transaction details.

See Also

Chapter 5, "Adding and Maintaining Assets," Creating Parent-Child Asset Relationships, page 117

Understanding Cost Adjustments and Asset Transfers

To adjust cost and transfer assets:

- Select the type of transaction, enter accounting and transaction dates, and specify the transaction data that is required to update the general ledger.
- Make the actual adjustments or cost entries.
- Select some, none, or all child assets to include in the transaction that you are performing. The Child Assets page appears only when the asset you are transacting against is a parent asset and the transaction type is a transfer. A separate Application Engine process is provided for transferring parent-child assets between business units.

Note. Adjustments to parents do not automatically filter down to the child assets; therefore, the Child Asset page does not appear for adjustments. Instead, add another child asset. A reminder message will appear stating that child assets are associated with the parent asset that you are adjusting.

- Use the Pending Transaction page for workflow processing.
- If you have changed information in a book that posts to your general ledger, PeopleSoft Asset Management generates the appropriate accounting entries when you run Create Accounting Entries (AM_AMAEDIST) or Depreciation Close (AM_DPCLOSE). The asset account is updated when you generate and post the journal entries.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Accounting Entries

Pages Used to Adjust Cost and Transfer Assets

Page Name	Definition Name	Navigation	Usage
Main Transaction	ASSET_COST_01	Asset Management, Asset Transactions, Financial Transactions, Cost Adjust/Transfer Asset, Main Transaction	Identify the cost/adjust/transfer transaction that you want to perform.
Cost Information	ASSET_COST_01A	Click the GO! button on the Main Transaction page.	Enter or adjust cost information that is required by the transaction that you initiated from the Main Transaction page.
Asset Location Transfer	ASSET_COST_02_S2	Click the Change Location link on the Cost Information page.	Change the location for an asset.
Asset Cost IU Transfer	ASSET_COST_02	Click the InterUnit Transfer Options link on the Cost Information page.	Select the asset information that you want transferred with the asset. The link appears on the page only after you select <i>Fixed Price Markup</i> as the action on the Main Transaction page.
Asset Cost IU Book Transfer	ASSET_COST_02_S1	Click the Transfer To/From Books link on the Cost Information page.	Specify how cost information for the transfer will be passed between business books. This link appears when you have selected <i>InterUnit Transfer</i> as the action on the Main Transaction page <i>and</i> when you have entered the business unit to transfer to.

Page Name	Definition Name	Navigation	Usage
InterUnit Proceeds	N/A	Click the Proceeds button on the Cost Information Page. This button appears on the page only when you select <i>Fixed Price Mark Up</i> as the action on the Main Transaction page.	Apply a markup or markdown to the asset that you are transferring.
Child Assets	CHILD_ASSETS	Asset Management, Asset Transactions, Financial Transactions, Cost Adjust/Transfer Asset, Child Assets	Select child assets to include in the transfer or recategorization that you have initiated against the parent assets.
Child Asset TRF/RCT Overrides	AM_PARCHD_TRF_RCT	Click Child Details on the Asset Cost/Adjust Transfer Child Assets page.	Specify transaction overrides for a specific child asset. You can specify specific convention, quantity, cost, transaction percentage, transaction date and accounting date for the child asset on this page.
Parent Asset Adv Txn options	FULL_PART_SEC	Click the Advanced Txn Details link on the Asset Cost/Adjust Transfer Child Assets page.	Specify transaction overrides for all child assets at once.

Defining Asset Transactions

Access the Main Transaction page (Asset Management, Asset Transactions, Financial Transactions, Cost Adjust/Transfer Asset).

Main Transaction

Unit: US001 Asset ID: 000000000001 SOLARIS WORKSTATION Tag: In Service

Main Transaction

Transaction Date: 09/25/2009 ☒ Copy Changes to Other Books
Accounting Date: 09/25/2009 Copy to Other Books Options
Transaction Code: Transfer Other Books by: Amount
Rate Type: CRRNT Adjust Other Books By: Amount
Include Convention: Exclude

Action: -- Select Action -- GO!

Main Transaction page

Transaction Date and Accounting Date	Displays the current date or the dates that are specified as operator defaults. As a rule, transactions are entered in PeopleSoft Asset Management some time after they have occurred. Any difference between accounting and transaction dates will affect depreciation as well as posting. See Chapter 5, "Adding and Maintaining Assets," Adding and Maintaining Asset Information, page 48.
Transaction Code	(Optional) Select a code to help identify which accounting entry template to use for this transaction.
Rate Type	Enter the currency exchange rate type to use for this transaction.
Copy Changes to Other Books	Select to copy the changes that you make to other books.
Transfer Other Books by	Select to transfer the changes that you make to other books by <i>Amount</i> or <i>Percent</i> .
Adjust Other Books by	Select to adjust the other books by <i>Amount</i> or <i>Percent</i>. Select <i>Percent</i> to transfer a percentage of the amount from subsequent books. For example, suppose you have an asset with two books, Corporate and Federal. The cost amount for Corporate is 5000.00 USD and is 4000.00 USD for Federal. If you transfer 2500.00 USD from the Corporate book, select Copy Changes to Other Books, and then specify the <i>Percent</i> option. 2500.00 USD will be transferred from the Corporate book and 2000.00 USD will be transferred from the Federal book. If you select <i>Amount</i>, a transfer of 2500.00 USD from both books will occur. If you have a multicurrency business unit, the <i>Amount</i> option will be overridden by <i>Percent</i> when you transfer or recategorize an asset. Note. If you do not select the Copy Changes to Other Books option, when the book that you are changing is associated with a ledger group that contains multiple ledgers, and the Keep Ledgers In Synccheck box is selected for the ledger group, changes will be copied to other books that associated with the same ledger.
Include Convention	The options are to <i>Exclude</i> or <i>Include</i> a depreciation convention. The depreciation convention automatically displays AM (actual month) for all transactions (except for Adjustments, which invokes the convention specifically defined for adjustments.) If you choose to have the convention included, the convention will be copied to all books. If you choose to have the convention excluded, the convention will not be copied to all books. You can override each book separately at the transaction level also.

Action

Select the financial transaction to be performed. Select an action and click the GO! button:

- *Addition:*

Adds an adjustment cost line with transaction type of *ADD* as a result of alternate or multiple funding sources, and so on. This option works the same as *Adjustment*, except that the transaction type in the cost table will be *ADD* instead of *ADJ*. If you use multiple currencies to track asset transactions, access to Transaction Currency fields for Adjust All Rows and Adjust Current Row By are available. When you click Apply, these fields are unavailable for entry. The transaction cost is converted to the base cost and added to the total cost of the asset. Exchange rates cannot be viewed from this component.

- *Adjustment:* Adjusts the cost or quantity of an existing row and adds a line with a transaction type of *ADJ*. If you use multiple currencies to track asset transactions, access to Transaction Currency fields for Adjust All Rows and Adjust Current Row By are available in this activity. When you click Apply, these fields are unavailable for entry. The transaction cost is converted to the base cost and added to the total cost of the asset. Exchange rates cannot be viewed from this component.
- *Fixed Price Markup:* Applies a markup to the asset that you are transferring. Transaction Currency fields are unavailable for entry for this activity.
- *InterUnit Transfer:* Transfers an asset from one business unit to another with different legal entities. Transaction Currency fields are unavailable for entry for this activity. You can also perform InterUnit transfers from regular assets to a group asset ID.
- *Recategorize:* Changes an asset category or cost type. Asset Categories classify assets by type for accounting entry purposes. Transaction Currency fields are unavailable for entry for this activity.

- *Revaluation*: Revalues an asset by percentage. Revaluation occurs as a result of a monetary revaluation or to account for inflation and is prescribed by a governmental entity. This value is used mostly in countries with high rates of inflation. Transaction Currency fields are unavailable for entry for this activity.

Note. Revaluation from this page is based upon the Cost of the assets disregarding the current Net Book Value, current Fair Value and any prior Impairment made to the asset. For example, a revaluation adjustment of 15,000 USD means an increment in the asset's cost of that amount using the Cost type indicated for revaluation with no further calculations. If you want to calculate the revaluation considering the mentioned parameters, you must use the Revaluation Worksheet or the Revaluation in Mass process.

See [Chapter 8, "Adjusting, Transferring, and Evaluating Assets," Revaluing Assets Using the Revaluation Worksheet, page 197.](#)

See [Chapter 8, "Adjusting, Transferring, and Evaluating Assets," Revaluing Assets In Mass, page 206.](#)

- *Transfer*: Transfers an asset within the same business unit. For example, you can make a transfer between two departments or two operating units as an *intraunit* transaction as opposed to a transaction between two distinct and separate business units, or an *interunit* transaction. Transaction Currency fields are unavailable for this transaction.

Entering Cost Information for Transactions

Access the Cost Information page (On the Main Transaction page, click the GO! button).

Main Transaction

Cost Information

Unit: JPN01

Asset ID: JPN0001

Computer Hardware

Tag:

In Service

Local Tax Info

Change Location

Book

Find | View All | First 1 of 3 Last

Book Name: LOCAL_JPY

Local Book - JPY

Base Currency: JPY

Convention: Actual Month

Cost History

Edit Cost Information

Quantity

Cost

Salvage

Category

Cost Type

Unit

1.0000

10,000,000

500,000

COMP

A

JPN01

Chartfields

Customize | Find | View All | First 1 of 1 Last

Oper Unit

Fund

Dept

Program

Class

Bud Ref

Product

Project

Adjust Current Row By:

JPY

Apply

Cost Information page (1 of 2)

The Cost Information page displays different fields and value options depending upon the action that you select before clicking the GO! button: addition, adjustment, recategorization, revaluation, or transfer activities.

Main Transaction

Cost Information

Unit: JPN01

Asset ID: JPN0001

Computer Hardware

Tag:

In Service

InterUnit Transfer

Enter New Business Unit Information

Find | View All | First 1 of 1 Last

New Unit:

New Asset ID:

InterUnit Transfer Options

☒ Use Profile

Profile ID:

Trans Code:

Local Tax Info

Change Location

Book

Find | View All | First 1 of 3 Last

Book Name: LOCAL_JPY

Local Book - JPY

Base Currency: JPY

Convention: Actual Month

Cost History

Edit Cost Information

Quantity

Cost

Salvage

Category

Cost Type

Unit

1.0000

10,000,000

500,000

COMP

A

JPN01

Chartfields

Customize | Find | View All | First 1 of 1 Last

Oper Unit

Fund

Dept

Program

Class

Bud Ref

Product

Project

Cost Information page (2 of 2)

In the example pictured, the Cost Information page displays interunit transfer or fixed-price markup-activity information.

Note. If you want to perform multiple transactions, complete one transaction, and then save and reenter the page to begin the next transaction. Doing so preserves the audit trail for each transaction.

Note. Transaction currency appears by default from the asset book base currency. Each line can reflect a different transaction currency, depending on the transaction. Balances are displayed in the base currency after the transaction currency is converted to the base currency.

- Change Location

Click to change the asset's location.
- Convention

Convention appears by default as *Actual Month* for all transactions, with the exception of Adjustments, which has its own convention. If you selected the Copy Changes to Other Books check box on the Main Transaction page and selected *Exclude* in the Include Convention check box, the convention will not be copied to all books. You need to override each book separately.
- Cost History

Shows cost balance for the selected asset. You cannot update information here, but you can review cost rows and their associated ChartFields for an asset.

We discuss the remaining fields on the Cost Information Page in the context of the transaction being performed. Some fields are available only for certain transactions.

Note. If the asset transactions that you want to adjust are still pending (depreciation has not yet been run), you may, depending on the transaction type, be able to delete or change them.

Cost History

Expand this group box to view cost history information.

The information displayed includes ChartField information, Salvage Value, Category and Cost Type.

Edit Cost Information

Add new cost rows in the Edit Cost Informationgroup box.

Cost,Percent, and Quantity	Enter as necessary, and enter additions and adjustments for any appropriate ChartFields.

Adjusting Total Cost or Quantity

You can adjust the total cost of an asset by either a percentage of its original cost or by a specific cost amount.

Adjust All Rows By	Enter the appropriate percentage or amount in the appropriate fields: Percent,Quantity, and Cost. The default is a positive adjustment. To make a negative adjustment, enter a negative percentage or amount. In a transaction, you can adjust the cost either by percent or cost, but not both. You can adjust the total quantity of an asset by entering the Quantity adjustment. The default is a positive adjustment. If you want to make a negative adjustment, you must enter a negative quantity.

Apply	Click to prorate the adjustment and add it to each cost row in cases of multi-ChartField asset. If the asset has one ChartField combination, the cost is added to the total cost. The system automatically calculates and displays the adjusted total cost. If the cost that is entered is in a different currency than the base currency of your book, the cost is converted to the base currency before the cost rows are adjusted.

Note. Changes are applied only to the current book unless you select the Copy Changes to All Books check box on the Main Transaction page. If you select this option, your changes will be visible after you save the page and then restart it.

Note. Currency for Adjust by Percent is the same as the base currency of the book. However, Currency for Adjust by Cost can be any valid value.

Adjusting Cost or Quantity by Cost Row

Cost and Quantity

To adjust the cost or quantity for a particular cost row, enter the new field values directly into the cost row. You can adjust an asset's cost for individual cost rows by entering the new cost into the **Cost** field for each cost row that you'd like to change. To adjust the quantity for individual cost rows, enter the new quantity into the cost rows, not the number of units by which quantity will increase or decrease.

For example, if the quantity should be adjusted from 1 to 2, enter 2. This changes only the quantity, not the cost.

Note. To establish an audit trail, you should change cost information one field at a time. For example, if you need to change the department and adjust the cost, enter the new department and save your change, and then go back and adjust the cost.

Apply

Click to apply the adjustment to each cost row. The system automatically calculates and displays the adjusted total quantity.

Transferring Assets Within a Business Unit

Periodically, you need to transfer assets from one department, product, or project to another. In addition to physically relocating the assets, you may need to change some of the ChartField elements to correctly allocate asset cost and depreciation expense. You can perform full, partial, or retroactive transfers.

Note. This transaction describes transferring assets within a business unit.

See [Chapter 8, "Adjusting, Transferring, and Evaluating Assets," Transferring Parent-Child Assets to Other Business Units \(Interunit Transfers\) In Mass, page 195.](#)

Full Transfers – Edit Cost Information

A full transfer requires you to transfer all units or the total cost of the asset.

Oper Unit (operating unit), **Dept** (department), **Program**, **Product**, and **Project** (and any other delivered or customized Chartfield) Enter the new values into the appropriate fields.

Partial Transfers – Edit Cost Information

Partial transfers are useful when you want to assign an asset's cost and depreciation to two or more sets of ChartFields. To partially transfer an asset, you need to perform a separate transfer for each set of ChartFields.

Oper Unit (operating unit),
Dept (department), **Project**, or
Product (and any other
delivered or customized
Chartfield)

For each transfer, select the appropriate ChartFields, and enter quantity and amount in the Edit Cost Information group box.

For example, suppose department 43000 has two automobiles, worth a total of 60,000 JPY. You plan to transfer one car from department 43000 to 12000, and the other from department 43000 to 14000. Because the cost of the assets will eventually be allocated to two separate sets of ChartFields, you'll need to perform two separate transfers. Each transfer will move 30,000 JPY out of department 43000 and into departments 12000 and 14000.

Retroactive Transfers

You may want to transfer assets retroactively if they were transferred during a prior accounting period, but are not yet entered in PeopleSoft Asset Management. To do this, enter the transaction and accounting dates on the Main Transaction page and enter the appropriate cost information in the Edit Cost Information group box. The system will create correcting entries that back out depreciation from the original department for the period between the transaction date and the accounting date. Prior period depreciation for that same period will be posted for the new department.

Recategorizing Assets – Edit Cost Information

You may want to recategorize assets either because you entered the incorrect category or cost type, or because you have created a new category or cost type and want to transfer existing assets to the new reclassification.

Category and Cost Type Change the values as needed. Recategorizing an asset affects depreciation.

Revaluing Assets

Revaluation as defined here is based upon the original cost of the asset without consideration of any prior impairment nor taking into account the fair value or net book value of the asset at the time of revaluation. For revaluation that includes these considerations, use the Revaluation Worksheet or the Revaluation in Mass process.

See [Chapter 8, "Adjusting, Transferring, and Evaluating Assets," Revaluing Assets Using the Revaluation Worksheet, page 197.](#)

See [Chapter 8, "Adjusting, Transferring, and Evaluating Assets," Revaluing Assets In Mass, page 206.](#)

Cost Type

To revalue assets, select an action of revaluation, which will change the cost type to *R*, and enter the appropriate percentage in the Adjust All Rows By Percent field. Click Apply. The system will create an adjustment cost line with cost type of *R*.

Note. This action is only available if the revaluation process is enabled at the Installation Options and Business Unit/Book levels. The cost type that is used here depends upon the cost type for revaluation that is established at the Business Unit/Book level. The cost type, *R*, is the default value.

Note. Entering changes to cost information and transacting transfers, recategorizations and revaluations affect prior calculated depreciation and accounting entries. You must run both depreciation and accounting entry processing when you make these changes.

Transferring Assets to Other Business Units (Interunit Transfers)

PeopleSoft Asset Management gives you full flexibility in performing Interunit transfers. You can fully or partially transfer assets from one business unit to another, or from one business unit to many others. You can do full or partial transfers by cost, quantity, or percentage.

Note. You can perform interunit transfers from group assets to other group assets, group assets to regular assets and from regular assets to group assets.

Note. You cannot perform interunit transfers on joint venture business units.

Interunit processing is performed through the PeopleSoft Centralized Inter/IntraUnit Processor. It provides consistent setup and centralized processing to manage Inter/Intraunit transactions.

The procedures for performing interunit transfers that are discussed in this section do not apply to parent-child assets. You do Interunit transfers for parent-child assets using the Parent-Child IU Transfer page (AM_PARCHD_IU application engine program).

Note. To transfer parent and child assets among business units in this application engine, you must set up the appropriate InterUnit Transfer Definitions.

In the New Unit field, select the business unit to which you are transferring the asset. The New Asset ID field is populated by default as *NEXT*. You can change this value if necessary. Do not enter an existing asset ID unless you want to transfer costs between the two assets.

Select a profile ID that is valid for the new business unit to set up book reporting. Trans Code (transaction code) identifies which accounting entry template to use for this transaction. Only valid combinations for accounting entry templates that exist are accepted.

Click the [InterUnit Transfer Options](#) link to access the InterUnit Transfer Options page, where you can select the asset information that you want transferred with the asset.

Click [Transfer From/To Books](#) link to access the Transfer From/To Books page where you specify the way in which cost information is passed between business unit books. This link displays after supplying the value in the New Unit field.

Select the Remaining Life check box to depreciate the transferred (ADD) asset through its remaining life. This check box is deselected by default, which allows the transferred (ADD) asset to calculate depreciation over its full useful life. The full useful life depends upon the selection of the Use Profile check box. If deselected, the useful life is derived from the source asset. If the Use Profile check box is selected, the useful life is derived from the target unit profile.

Use the fields in the Edit Cost Information group box to specify the cost and quantity to be transferred.

Select the Use Profile option to get profile attributes when New Profile ID has been enabled. If it is not enabled, the profile attributes are derived from the "from" or original asset profile. When using the capitalization threshold feature, the Use Profile option establishes which threshold is used for the new asset. If this check box is deselected, the system uses the anchor profile threshold. If the check box is selected, the system uses the threshold defined in the target profile.

Note. You can run the capitalization threshold validation in the new business unit if you want to validate the status again.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Setting Up Capitalization Thresholds.

Click Proceeds to open the InterUnit Proceeds page, where you can specify a markup value to be applied to the transferred assets in the receiving business unit. This feature is often used in European countries.

You can perform full interunit transfers from one business unit to another, or from one business unit to many others. You can also perform a partial interunit transfer in which the original business unit retains a portion of the asset but transfers part of it to another business unit.

Note. When performing a partial interunit transfer when multiple ChartField combinations within the same book are involved, you must delete the entry or entries in the page for the ChartField combination that you do not want to transfer. Additionally, it is recommended that if you want to do a partial transfer to more than one business unit, you should do them separately.

Full Interunit Transfers from One Business Unit to Another

Full interunit transfers from one business unit to another are the simplest transfers to perform. After you have completed the information in the Enter New Unit group box and its pages and saved the Cost Information page, all cost rows are transferred to the new business unit.

Full Interunit Transfers from One to Many Business Units

You can transfer to as many business units as existing cost rows. To do this, enter one of the receiving business units in the New Unit field in the Enter New Unit group box. Complete the rest of the Interunit transfer information. Review each cost row in the Edit Cost Information group box. All cost rows will show the new business unit that you entered in the New Unit field. Change the business unit for each cost row as appropriate. In this way, you can transfer all cost rows for an asset to multiple business units.

Note. Transaction currency is supplied by default from the base currency of the book. Each line can reflect a different transaction currency depending on the transaction. Balances are displayed in the base currency after the transaction currency is converted to the base currency. The system allows interunit transfers across business units with different base currencies when using the TRANSFER action.

Partial Interunit Transfers

You can transfer part of an asset to a different business unit and enable the original business unit to retain a portion of it. To do this, enter the receiving business unit in the New Unit field in the Enter New Unit group box. Complete the rest of the Interunit transfer information. Review each cost row in the Edit Cost Information group box. All cost rows will show the new business unit that you entered in the New Unit field. To retain partial ownership of the asset with the original business unit, delete the entry or entries with the ChartField combination for which you do not want to transfer.

Accumulated Depreciation Adjustment for Group Assets

PeopleSoft estimates the NBV for Group Members when they are being transferred to a new business unit or being recategorized. This estimation of the accumulated depreciation amount is calculated in the Group Asset Depreciation Calculation process. You can, however, override the estimated calculation by clicking the Accum Depr button and supply your own accumulated depreciation value. When you select a member asset for *Fixed Price MarkUp*, *InterUnit Transfer*, *Recategorize*, or *Transfer*, the Accum Depr button appears on the Cost/Information page. When you click the button, you are prompted to enter the accumulated depreciation value.

See Also

Chapter 8, "Adjusting, Transferring, and Evaluating Assets," Transferring Parent-Child Assets to Other Business Units (Interunit Transfers) In Mass, page 195

Specifying Transfer To/From Books Information

Access the Asset Cost IU Book Transfer page.

The transactions that are generated to pass book information for Interunit transfers differ depending on how many *To* books a *From* book is passing information to, and whether it is passing the information using a Transfer Book action or an Add Book action.

Note. Assets that you transfer to new business units using the Add Book action will have a cost row of zero on the new business unit until you run the Depreciation Calculation application engine program (AM_DEPR_CALC). Running this program updates the asset's cost row with its net book value from the From book.

Using a From Book Once

When you use a From book once only, an Add Book action generates a retirement for the From book and an add to the To book. A Transfer Book action generates a Transfer Out for the From book and a Transfer In for the To book.

The asset that is retired receives an asset status of *Disposed* on the From book.

These tables show that assets that you transfer between books using the action Transfer Book receive a status of Transferred.

<i>From Book</i>	<i>From Trans</i>	<i>To Book</i>	<i>To Trans</i>	<i>Action</i>
CORPORATE	Transfer Out	CORPORATE	Transfer In	Transfer Book
FEDERAL	Transfer Out	FEDERAL	Transfer In	Transfer Book

<i>From Book</i>	<i>From Trans</i>	<i>To Book</i>	<i>To Trans</i>	<i>Action</i>
CORPORATE	Transfer Out	CORPORATE	Transfer In	Transfer Book
FEDERAL	Retire	FEDERAL	Add	Add Book

<i>From Book</i>	<i>From Trans</i>	<i>To Book</i>	<i>To Trans</i>	<i>Action</i>
CORPORATE	Retire	CORPORATE	Add	Add Book
FEDERAL	Retire	FEDERAL	Add	Add Book

Using a From Book for Two or More Transfers

When you use a From book for two or more Transfer Book actions, only one Transfer Out transaction is generated. Because this takes care of the cost on the From book, no additional Transfer Out transactions are generated for that book.

This table shows that assets that you transfer between books using the Transfer Book action receive a status of *Transferred*.

<i>From Book</i>	<i>From Trans</i>	<i>To Book</i>	<i>To Trans</i>	<i>Action</i>
CORPORATE	Transfer Out	CORPORATE	Transfer In	Transfer Book
CORPORATE		LOCAL	Transfer In	Transfer Book

Using a From Book for Both Transfer and Add

When you use a From book for both a Transfer Book and an Add Book, a Transfer Out transaction is generated for the Transfer Book. Because this takes care of the cost on the From book, the Add Book does not generate a retirement for that book.

This tables shows that assets that you transfer between books using the Transfer Book action receive a status of *Transferred*.

<i>From Book</i>	<i>From Trans</i>	<i>To Book</i>	<i>To Trans</i>	<i>Action</i>
CORPORATE	Transfer Out	CORPORATE	Transfer In	Transfer Book
CORPORATE		LOCAL	Add	Add Book

Using a From Book for Two or More Adds

When a From book is used for two or more Add Book actions, a retirement is generated for the first Add Book action. Because this takes care of the cost on the From book, no further retirements are generated for it.

This table shows that the asset that was retired receives a status of Disposed on the From book.

<i>From Book</i>	<i>From Trans</i>	<i>To Book</i>	<i>To Trans</i>	<i>Action</i>
CORPORATE	Retire	CORPORATE	Add	Add Book
CORPORATE		LOCAL	Add	Add Book

Retiring a Book

When an asset is transferred from a business unit with two books to a business unit with more than two books, the asset pulls the additional book's mapping from the Interunit Business Unit/Book Definition page and profile.

For example, if you do a transfer from CAN01 (two books - ASSET-CAD/ASSET-USD) to US001, the mapping might be like this:

ASSETS-CAD -----> CORP

ASSETS-USD -----> FEDERAL

ASSETS-USD -----> ACE

ASSETS-USD -----> AMT

Some of the information such as life for the new business unit and book comes from the profile. The transfer amounts and so on are calculated from the FROM business unit or book, as previously outlined.

Note. When you transfer from a business unit with three books to a business unit with two books, the cost information on the extra From Book is automatically retired. You do not need to enter an action.

This table shows that assets that are retired receive a status of Disposed.

<i>From Book</i>	<i>From Trans</i>	<i>To Book</i>	<i>To Trans</i>	<i>Action</i>
CORPORATE	Transfer Out	CORPORATE	Transfer In	Transfer Book
LOCAL	Transfer Out	LOCAL	Transfer In	Transfer Book
FEDERAL	Retire			

Marking Assets Up or Down

Access the Interunit Proceeds page.

You can transfer an asset from one business unit to another and have the receiving business unit receive the assets at a marked up cost by specifying either a fixed markup cost or a fixed markup percentage. To do so, enter the net markup price in Interunit Proceeds or the net markup percentage in Mark Up/Down Percent. The default is a positive adjustment. If you want to decrease the price or percentage, you must enter a negative amount. Enter the number of assets in Transfer Quantity.

Note. If you were to enter both an Interunit proceeds (Price) and a Mark Up/Down percent, the percent overrides the price.

You can complete a partial transfer and a fixed price markup or markdown by using a two-step method. For example, you may want to do a partial transfer of four computers out of a total quantity of ten computers and mark up the price as well. The first step is to perform an Interunit transfer for six computers. Complete this transaction, and then do a fixed price markup on the remaining four computers, and transfer them to the new business unit.

PeopleSoft Asset Management processes markups in the following ways:

- The markup percentage of the asset is specified on the cost of the asset.
- The cost of the asset is marked up or down for all the ChartFields in proportion to the original cost distribution of the asset.
- You can have the markup affect one or all of the asset's books during the transfer.

The Keep All Books in Sync option for the acquiring business unit controls whether the markup is done on one book or all the asset's books.

- The book information for the asset in the acquiring business unit comes from the asset profile that is specified at the time of the sale (on the Cost Information page).

This includes the depreciation method and convention, asset life, and so on.

- The selling business unit manages the markup price as proceeds.

Accumulated depreciation is not passed on to the new business unit.

Selecting a Child Asset for Adjustment or Transfer

Access the Child Assets page (Asset Management, Asset Transactions, Financial Transactions, Cost Adjust/Transfer Asset, Child Assets).

The Child Assets page appears for child assets when you select the Transfer or the Recategorize actions on the Main Transaction page.

Main Transaction

Cost Information

Child Assets

Unit: US001

Asset ID: MMFACLT0009

Air Conditioner Unit

Status: In Service

Tag Number:

Select All

Child Assets										
Customize Find View All First 1 of 1 Last										
	Selected	Tag Number	Description	Child Asset ID	Asset Status	Cost	Currency	Acq Date	Child Details	Go To >>
1	☐		AC Fan Motor	MMFACLT0010	In Service	400.00	USD	07/01/2004	Child Details	

☒ Include Parent Asset

[Advanced Txn Details](#)

Child Assets page

Note. Parent assets that are created on the Parent Asset page (parent-only assets) do not have cost or basic information. They cannot be viewed in the Parent-Child Basic Information component, nor can they be viewed or transacted against in the Asset Cost/Adjust Transfers component; the Asset Retirements component; or the Parent-Child NBV component. If you want to use a parent asset as a reporting umbrella only and access these pages to manipulate child assets in mass, you should create a zero cost parent asset instead of a parent only asset. Also, to transact against parent and child assets at once, parent and child must share the same asset profile.

- Select All

Click Select All to include all child assets with the parent in the transaction that you have initiated.

To include some child assets, select the Selected check box on the specific rows.
- Include Parent Asset

Select to include the parent asset in this transaction.
- Advanced Txn Details
(advanced transaction details)

Click this link to access the Parent Asset Adv Txn options page. Specify transaction overrides for all child assets at once. For example, you would use this page to specify that only 50 percent of the cost of all child assets be transferred between departments, while the parent asset is fully transferred. Select to apply as full transaction, actual percentage, or transaction amount.

See [Chapter 8, "Adjusting, Transferring, and Evaluating Assets," Adding Advanced Transaction Details, page 194.](#)

Note. Only child assets available for transfer based on the specified accounting date can be selected. The system compares the last accounting dates for the child assets as specified on the Book table with the accounting date of the current transaction to make this determination.

Entering Child Asset Details

Access the Child Asset TRF/RCT Overrides page (On the Child Assets page, click the Child Details link).

Child Asset TRF/RCT Overrides

Child Asset Transfer/Recategorization Options

Convention:

Quantity:

Cost:

Transaction Percentage:

Transaction Date:

Accounting Date:

OK Cancel

Child Asset TRF/RCT Overrides page

Convention	Select a depreciation convention.
Quantity or Cost	Enter the quantity or cost to use in this transaction for the child asset. For example, if you were transferring all costs for the parent from one department to another, but wanted to transfer only 500 USD for the child asset, you would enter 500 in Cost.
Transaction Percentage	You can specify a percentage of the child asset's cost to include by entering it in the Transaction Percentage field.
Transaction Date and Accounting Date	Enter a transaction date or an accounting date if you want it to differ from the dates that you entered for the parent's transaction.

Adding Advanced Transaction Details

Access the Advanced Transaction Details page (On the Asset Cost/Adjust Transfer Child Assets page, click the Advanced Txn Details link).

Select one of these options:

Full Transaction	Applies the full transaction to all child assets. Select this check box when you are partially transferring the parent asset, for example, but want to fully transfer all associated child assets.
Actual Percentage	Enter the percentage of the costs of the child assets to apply to this transaction. For example, if you enter 50 percent, then 50 percent of the costs of all child assets will be included in the transaction even though a different percentage has been specified for the parent asset.

Transaction Amount

Enter a specific amount of the costs of the child assets to apply to this transaction. For example, if you enter 250, USD 250 of the costs of each child asset will be included in the transaction.

Transferring Parent-Child Assets to Other Business Units (Interunit Transfers) In Mass

Use the Parent-Child IU Transfer (AMPC_IUT_RQST) component to transfer parent-child assets from one business unit to another. The transfer process uses the application engine AM_PARCHD_IU.

This section discusses how to transfer parent-child assets from one business unit to another.

Page Used to Transfer Parent-Child Assets to Other Business Units In Mass

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Parent-Child IU Transfer	AMPARCHDIU_RQST	Asset Management, Asset Transactions, Parent-Child Relationship, InterUnit Parent-Child Trans	Run the AM_PARCHD_IU Application Engine process to transfer Parent-Child assets from one business unit to another.

Transferring Parent-Child Assets from One Business Unit to Another

Access the Parent-Child IU Transfer page (Asset Management, Asset Transactions, Parent-Child Relationship, InterUnit Parent-Child Trans).

Parent-Child IU Transfer

Run Control ID: tst

[Report Manager](#) [Process Monitor](#) Run

*Request ID: 1

Process Frequency: Don't

Status: Pending

*Unit: US001

*Transaction Date: 08/31/2008

*New Unit: BLG01

*Accounting Date: 08/31/2008

New Group ID:

Transaction Code:

*Convention: Actual Month

*Parent Asset: EX_PARENT004

PeopleSoft 8.0

☒ Include Parent Asset

*Profile ID:

Select All

Select from the following Child Assets

[Customize](#) | [Find](#) | [Print](#) | [First](#) | [1-3 of 3](#) | [Last](#)

	Selected	Tag Number	Description	Child Asset ID	Asset Status	Cost	Curr	Acq Date
1	☐		License Fee	EX_CHILD0003	In Service	125000.00	USD	12/31/1999
2	☐		Training Fees	EX_CHILD0004	In Service	7500.00	USD	12/31/1999
3	☐		Consulting	EX_CHILD0005	In Service	2500.00	USD	12/31/1999

Parent-Child IU Transfer page

- Unit

Select the business unit from which you are transferring assets.
- New Unit

Select the acquiring business unit.
- New Group ID

This field displays when the New Unit field points to a Group Asset business unit. This is used when you want to extend parent/child functionality to group assets.

See [Chapter 10, "Using Group Asset Processing," page 253.](#)
- Convention

Select the depreciation convention.
- Transaction Date

Enter the transaction date.
- Accounting Date

Enter the accounting date for the transaction.
- Transaction Code

Identifies which accounting entry template to use for this transaction. Only valid combinations for which accounting entry templates exist are accepted.
- Parent Asset

Select the parent asset from which you are transferring assets.
- Profile ID

Select an ID that is valid for the new business unit to set up book reporting.
- Include Parent Asset

Deselect this check box to transfer all or selected child assets at once while leaving the parent asset out of the transaction.

Revaluing Assets Using the Revaluation Worksheet

This section lists the page used to revalue assets using the Revaluation Worksheet.

The Revaluation Worksheet allows you to revalue financial assets in accordance with International Accounting Standards (IAS 16) to reflect current fair value, provided that the net book value (NBV) of an asset is less than its fair value (FV) at a given point.

Note. Since the NBV is required for determining the revaluation amount, the depreciation reporting table must be loaded prior to performing revaluation.

Page Used to Revalue Assets Using the Revaluation Worksheet

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Revaluation Worksheet	AM_REVALUATION	Asset Management, Asset Transactions, Financial Transactions, Revaluation Worksheet	Search for financial assets using the desired criteria, mark them for revaluation, supplying the current fair value amount and click the Save button. Changes take effect upon save as the Transaction Loader (AMIF1000) is automatically invoked, provided the Auto-Run Transaction Loader options within Asset Management - User Preferences are selected.

Revaluing Assets Using the Revaluation Worksheet

Access the Revaluation Worksheet page (Asset Management, Asset Transactions, Financial Transactions, Revaluation Worksheet).

Revaluation Worksheet			
▼ Asset Search Criteria			
*Business Unit:	US001	*Book Name:	CORP
Asset Category:		Location:	
Profile ID:		Cost Type:	
Asset Class		Chartfield Search Criteria	
From Asset ID:		To Asset ID:	
▼ Revaluation Information			
FV Percentage(%)		FV Template ID:	
NBV Percentage(%)		FV Group ID:	
*Accounting Date:	09/22/2009	Convention:	AM
*Revalue Method:	Inv Prop	☒ Copy Revaluation To Other Book	Revaluation Comments
*Revaluation Date:	09/22/2009	Exclude Assets Revalue After:	
☐ Include current Period Depr.		Frequency:	Annually
Retrieve 100		New Search	

Revaluation Worksheet page (1 of 2)

- Business Unit** Select a business unit for your search criteria. This is a required field and displays only business units whose revaluation option is enabled.
- Book Name** Select a book for your search criteria. This is a required field and displays the default book for the business unit that you select in the Business Unit field.
- Cost Type** (Optional) Select a Cost Type to narrow your search criteria.
- Asset Category** (Optional) Select a Category to narrow your search criteria.
- Location** (Optional) Select a Location to narrow your search criteria.
- Profile ID** (Optional) Select a Profile ID to narrow your search criteria.
- Asset Class** (Optional) Select an Asset Class to narrow your search criteria.
- From Asset ID/To Asset ID:** (Optional) Select an asset or a range of assets to further narrow your search criteria.
- ChartField Search Criteria** (Optional) Use this link to search assets by ChartField.

FV Percentage (%): (fair value percentage)

(Optional) Use a percentage that applies to all assets that appears in the search result section when the Retrieve button is pushed. Enter a value that is less than zero if there is a decrease from the original value. If both FV percent and NBV percent exist, the system uses the FV percent.

For example, assume that Asset A has a Fair Value of 10,000 USD and the FV has been effective for two years. If you enter a value of 25, it will change the FV of the asset to 12,500 USD with the revaluation date when page is saved, which is 125 percent x Original FV ($125\% \times 10000 = 12500$). The calculated FV will appear in the result section.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Fair Value Processing.

FV Template ID (fair value template ID)

Select an existing fair value template, if applicable. This provides an efficient way to populate the other fair value fields. Upon clicking the Retrieve button, the FV Template ID and FV Group ID in the Asset Search Results retrieves default values from the Revaluation Information section. When marking rows and saving the page, the fair value fields are updated on the Fair Value record (AM_FMV).

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Fair Value Templates.

FV Group ID(fair value group ID)

Default value populates from the selected FV Template ID. You can override the default value that is derived from the FV Template. If the valuation premise from the FV Template is *In-Exchange* or the FV Template ID is blank, the FV Group ID is disabled.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Fair Value Groups.

NBV Percentage (%):

(Optional) Use a percentage that applies to all assets that appears in the search result section when the Retrieve button is pushed. You must enter a value that is greater than zero in this field; otherwise, it will cause the FV to be less than the NBV and no revaluation will occur.

For example, assume that Asset B has a Fair Value of 9,000 USD and a Net Book Value of 10,000 USD. The FV has been effective for two years. If you enter a value of 30, it will change the FV to 13,000 USD ($130\% \times 10,000$) with the revaluation date when the page is saved. The calculated FV will appear in the result section.

Accounting Date

Enter the date that the revaluation is to be booked. This date must fall within the open period range and cannot be earlier than the revaluation date.

Copy Revaluation to Other Book

Select this check box if you want the revaluation amount in a given book to populate other books whose revaluation process is enabled.

PeopleSoft Asset Management copies the revaluation amount to other books in the ledger group as long as the Keep Ledgers in Sync (KLS) option is selected. If the option Copy Revaluation to Other Books is checked, PeopleSoft Asset Management copies the same amount to the books with the revaluation process selected for books that do not point to the ledger group. Depending on the selection of these options, when Copy Zero Impair/Revalue Rows is checked, the system copies zero revaluation data in all the remaining books.

For example: Suppose you have a business unit with six books (A, B, C, D, E, F), with the first three books, A, B and C pointing to a ledger group, the ledger group is synchronized with the general ledger business unit and book B is pointing to the primary ledger. However, the other three books, D, E and F, do not point to general ledger and books A, B, C, and E have the revaluation option enabled. PeopleSoft Asset Management processes the revaluation against the primary book, B. The system then copies the revaluation adjustment to book A and book C because they are in the same ledger group, regardless of the status of the options Copy Revaluation to other books and Copy Zero Impair/Revalue Rows. If Copy Revaluation to other books is selected, the system copies the same revaluation adjustment to book E because the revaluation option is selected for that book. If the Copy Zero Impair/Revalue Rows option is selected, the system copies zero revaluation rows into book D and F. If the Copy Revaluation to other books option is not selected *and* the Copy Zero Impair/Revalue Rows option is selected, the system copies zero impairment rows to books D and F. When both options are not selected, the system does not copy any impairment or revaluation row to books D, E and F.

Revalue Method

Select the method used to calculate the asset revaluation. This is a required field and includes the following options:

- *Dpr Wt-Off* (depreciation write-off)

This option appears only if the Revaluation Write-off flag is turned on at the Business Unit/Book level. The depreciation write-off method writes off the accumulated depreciation as of the revaluation date. The asset value is increased to reflect the current fair value and a revaluation surplus is recorded.

This table shows, at a high level, what happens with the depreciation write-off method when the original asset cost is 20,000 USD, the NBV is 19,000 USD and the FV is 22,000 USD:

Account	Debit / (Credit)	Description
Fixed Asset	2,000	FV less Original Cost (22,000 - 20000)
Accumulated Depreciation (write-off)	1,000	Original Cost less NBV (20,000 - 19,000)
Revaluation Surplus	(3,000)	FV less NBV (22,000 - 19,000)

Note. With the previous accumulated depreciation written off, the adjusted basis of the asset is 22,000 USD and subsequent depreciation is calculated keeping, untouched the original depreciation amount, plus adjustments to fully depreciate the asset by the end of its useful life.

Note. If there is a remaining impairment processed previously for the asset, under the depreciation write-off method, the system first eliminates it and only the remaining value generates a revaluation surplus.

- *Cost Based*

This method leaves the accumulated depreciation to-date in tact and adjusts the asset cost by the difference between the asset NBV and the FV.

This table shows, at a high level, what happens with the Cost Based method when the original asset cost is 20,000 USD, the NBV is 19,000 USD and the FV is 22,000 USD:

<i>Account</i>	<i>Debit / (Credit)</i>	<i>Description</i>
Fixed Asset	3,000	FV less NBV (22,000 - 19,000)
Revaluation Surplus	(3,000)	FV less NBV (22,000 - 19,000)

Note. The total cost of the asset is now 23,000 USD with a remaining accumulated depreciation of 1,000. Subsequent depreciation is calculated based on the new total cost to fully depreciate the asset by the end of its useful life.

The actual accounting entries that are recorded as a result of these two revaluation methods are comprised of separate accounts so as to leave the original entries in tact. These accounts and corresponding distribution types are:

- Provision for Revaluation, (PR distribution type), is the Revaluation Surplus account and records the gain on the revaluation. This account is credited when creating the revaluation surplus and debited with the asset disposal.
- Reversal of Depreciation, (RD distribution type), is the realized gain during the usage of the asset and is credited periodically along with the asset depreciation.
- Provision for Revaluation Contra, (RC distribution type), is the depreciated amount of the Provision for Revaluation and is used for facilitating calculations at the moment of transferring or doing a recategorization. It acts for Provision for Revaluation as Accumulated Depreciation acts for the fixed asset account. It is debited periodically along with the asset depreciation and credited with the asset disposal.
- *Inv Prop* (investment property) - Investment property measured at fair value is considered nondepreciable according to International Accounting Standards (IAS). When you select this field value and click the Retrieve button, those assets that were designated as investment property are retrieved.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Investment Property.

Convention	Enter the depreciation convention. The default value is <i>AM</i> (actual month). See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Depreciation Processing," Setting Up Depreciation Conventions.
Revaluation Comments	Use this link to record transaction level details.
Revaluation Date:	Enter the date that the revaluation takes place. This is the transaction date and is used to determine the NBV and the FV.
Include current Period Depr.	Select this option if the current period depreciation is to be accumulated. For example: if you perform the revaluation at the end of period 12 (the final period in the year) but you do not want to include period 12 depreciation to compare with FV, you would not select this check box.
Exclude Assets Revalue After:	(Optional) Select a date that may assist you in retrieving assets that have not been revalued recently.
Frequency	Select the frequency of the revaluation. This is used for audit purposes.
Retrieve	Click the Retrieve button to retrieve the assets based on your search criteria.

Asset Search Results

Once you click the Retrieve button, the Asset Search Results page appears. The Asset Search Criteria section collapses and the revaluation information is visible but disabled.

Revaluation Worksheet

Asset Search Criteria

Revaluation Information

FV Percentage(%): FV Template ID:
 NBV Percentage(%): FV Group ID:
 *Accounting Date: 09/22/2008 Convention: AM Revaluation Comments
 *Revalue Method: Dpr Wt-Off

*Revaluation Date: 09/22/2008 Exclude Assets Revalue After:
☐ Include current Period Depr. Frequency: Annually 100 Rows 1 - 3

use the buttons to mark assets for revaluating, updating FMV, or removing from the list.
 The changes will take effect after you click "Save" button.

☒ ☐

Asset Search Results Customize | Find

Mark	Revaluation Status	Asset ID	Cost	Accumulated Depreciation	Net Book Value	Fair Value	Revaluation	Cost Adjustment	Accum. Depr. Adjustment	Impairment Reversal	Carry Cost (Impairment)	Carry Cost (Revaluation)
☐		REVAL_01	60000.00	-44,000.00	16,000.00	82,000.00	66,000.00	22,000.00	44,000.00			
☐		REVAL_02	60000.00	-44,000.00	16,000.00	82,000.00	66,000.00	22,000.00	44,000.00			
☐		REVAL_03	60000.00	-44,000.00	16,000.00	82,000.00	66,000.00	22,000.00	44,000.00			

Revaluation Worksheet page (2 of 2)

Mark to Revalue

Click to revalue the selected assets. The revaluation status of the selected assets is changed to *Revalue* and when the page is saved, the asset is revalued.

Mark to not Revalue

Click to change the revaluation status of the selected assets to *Don't Revalue*. When the page is saved, the selected assets will not be revalued. A blank revaluation status is treated the same as the "Don't Revalue" asset; however, this designation marks the asset specifically as an asset that should not be revalued and the asset appears in the audit table.

Mark to Update FV

Click to update the FV in mass without performing a revaluation. The revaluation status will be *FV* and implies only an update in the FV table using the date of revaluation as the appraisal and effective date. The FV is necessary for comparison purposes in the revaluation process and this provides a convenient way to update those values for in mass.

Remove From List

Click to remove the selected assets from the grid. This action does not generate a new Revaluation Status.

Refresh

Click to update changes in the revaluation calculation if you modify the FV before saving the page.

Mark

Select those assets to which the action applies.

Revaluation Status

Displays the revaluation status of the asset. The values are:

- *[blank]*: Default value.
- *Revalue*: Displays when the Mark to Revalue button is selected. This inserts the new FV into the FV table, if applicable, and creates transaction rows in the financial interface table.
- *Don't Revalue*: Displays when the Mark to not Revalue button is selected. No action is performed for the asset.
- *FV*: Displays the FV when the Mark to Update FV button is selected.
- *Excluded*: The system assigns this status after saving the page if the FV of the asset is less than the NBV and the revaluation status was set to *Revalue*. In this way, the system overrides the given status of an asset that should not be revalued by definition.

Note. You can change the revaluation status until saving the page. Once you save the page, all data becomes unavailable for change.

Asset ID

Displays the asset identifier.

Cost

Displays the total cost of the asset in the base currency.

Accumulated Depreciation

Displays the total depreciation in the base currency of the asset up to the revaluation period or prior period based on the "Include Current Period Depr." option.

Note. If the convention is *AD*, prior period means prior day.

Net Book Value

Displays the asset NBV. This value is copied from the Depreciation Reporting table, which must be loaded before using the Revaluation Worksheet for revaluation.

Fair Value

Displays the FV converted from its original currency to the book's base currency at the revaluation date rate. You can update the FV in the book's base currency and at such time, a new entry is created in the FV table at the time of save as long as the revaluation status is *Revalue* or *FV*. If you modify the given FV, click refresh button to update the revaluation amount.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Fair Value Processing.

Revaluation

Displays the revaluation adjustment amount. The system calculates the amount as follows:

- Depreciation Write-Off Method: FV less NBV less Carry Cost (Impairment) amount, if Revaluation is greater than zero.
- Cost Based Method: FV less NBV.

Cost Adjustment	Displays the cost adjustment amount. The system calculates this amount as follows: FV less Cost. • Depreciation Write-Off Method: FV less Cost. • Cost Based Method: FV less NBV.
Accum. Depr. Adjustment (accumulated depreciation adjustment)	(Applies only when the Depreciation Write-off method is used.) Displays the amount of the accumulated depreciation adjustment due to revaluation.
Impairment Reversal	(Applies only when the Depreciation Write-off method is used.) Displays the impairment reversal amount. The system calculates this amount as follows: • If the Revaluation amount is greater than zero, the impairment reversal is the Carry Cost (Impairment) value. • If the Revaluation amount is less than zero, the impairment reversal is the FV less the NBV.
Carry Cost (Impairment)	Displays the sum of the Impairment Loss and prior Impairment Reversal (in the base currency.)
Carry Cost (Revaluation)	Displays the sum of the prior Revaluation, Revaluation Reversal and Revaluation Write-off (in the base currency.)

Note. Upon saving, an audit trail is stored in two tables: AM_REV_AUD_HDR and AM_REV_AUD_DTL.

Revaluing Assets In Mass

This section lists the page that you use to revalue assets in mass.

You can run the AMREVAL process (Cost Based method) to revalue assets in mass that meet the criteria that you specify. You can also run the AMAUSCAL process (Australian Revaluation or Net Method) or the AMDEPRWRTOFF process (Depreciation Write-Off) in mass. To revalue assets in mass, access the Mass Revaluation page.

Note. All three revaluation methods are available using the Mass Revaluation process: Cost Based (primarily French revaluation), Depreciation Write-Off and the Net Method (Australian revaluation). In contrast, the Revaluation Worksheet only allows the Cost Based and Depreciation Write-Off methods for revaluation.

When the NBV is required for determining the revaluation amount (as is always the case with the AMDEPRWRTOFF), the depreciation reporting table must be loaded prior to performing the revaluation. If you are using the Net Method, you do not need to load the depreciation reporting table prior to revaluation (AMAUSCAL.)

When using the Cost Based Method (AMREVAL), you should load the depreciation reporting table for all parameters except when using Cost Percentage. The Cost Percentage parameter does not require the depreciation reporting table.

Note. The Cost Based (AMREVAL) and the Depreciation Write-Off (AMDEPRWRTOFF) processes update the FV of the revalued assets.

When calculating the revaluation amount, you may select from the following parameters: FV, FV Percentage, NBV Percentage, Cost Percentage or Amount. You may only select one parameter at a time and precedence takes place hierarchically from top to bottom in the order that the parameters appear on the Mass Revaluation run control page. Some parameters may not be available, depending upon the revaluation method that is selected.

Note. The revaluation method selected on the run control page must match the process name that is selected on the process scheduler request page.

See Also

[Chapter 23, "Using the Global Features of PeopleSoft Asset Management," page 475](#)

Page Used to Revalue Assets In Mass

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Revaluation in Mass	AMREVAL_RQST	Asset Management, Asset Transactions, Financial Transactions, Revaluation in Mass, Revaluation in Mass	Run a process to revalue, at once, all assets that meet the criteria that you specify. This process loads the interface tables and updates the FV table if applicable; you must then use the Transaction Loader to populate all the asset tables.

See Also

[Chapter 8, "Adjusting, Transferring, and Evaluating Assets," Revaluing Assets Using the Revaluation Worksheet, page 197](#)

Revaluing Assets Using Mass Revaluation

Access the Revaluation in Mass page (Asset Management, Asset Transactions, Financial Transactions, Revaluation in Mass, Revaluation in Mass).

Revaluation in Mass

Run Control ID: **tst** [Report Manager](#) [Process Monitor](#) Run

Revaluation In Mass
Find | View All First 1 of 1 Last

*Request ID:

*Business Unit:

Revaluation Method:

Process Frequency:

Book Name:

[Revaluation Comments](#)

☒ All Assets with this criteria Exclude Assets Revalue After:

☐ A Range of Assets From Asset: To Asset:

☐ Use Fair Value

FV Percentage(%):

NBV Percentage(%):

Cost Percentage(%):

Amount: USD

FV Template ID:

FV Group ID:

Convention:

*Acctg Date:

*Trans Date:

Frequency:

Asset Selection Criteria

Category:

Profile ID:

Asset Class:

Cost Type:

Location:

Operating Unit:

Fund Code:

Department:

Program Code:

Class Field:

Budget Reference:

Product:

Project:

☐ Include Current Period Depr.

☐ Copy Revaluation To Other Book

Revaluation in Mass page

Capturing and Maintaining Asset Fair Value

Fair Value is a key factor in establishing revaluation of assets. PeopleSoft Asset Management stores this information based on each asset and allows you to add a new fair value (FV) on a regular basis, leave it blank, or let it stay as original cost, depending upon your business requirements. FV is not rolled up to the composite asset from its members, and the FV history cannot be deleted for audit purposes.

FV history cannot be deleted or updated for audit purposes unless you are authorized to edit within Correction Mode. Any changes made in this value after performing revaluation do not affect existing revaluations.

You can load market values in mass using the Excel to CI component interface.

See [Chapter 5, "Adding and Maintaining Assets," Adding Assets with the Excel to Component Interface Utility, page 131.](#)

This section lists the page that you use to capture and maintain asset FV.

Page Used to Capture and Maintain Asset FV

Page Name	Definition Name	Navigation	Usage
Fair Value	AM_FV_DEFN	Asset Management, Asset Transactions, Financial Transactions, Fair Value	Capture and maintain the asset fair value that is to be used in the revaluation process.

Capturing and Maintaining Asset FV

Access the Fair Value page (Asset Management, Asset Transactions, Financial Transactions, Fair Value).

Fair Value

Unit: US001 Asset ID: 000000000101 L02 Tag: Disposed

Fair Value Detail Find | View All First 1 of 1 Last

*Effective Date: 09/22/2008 Effective Sequence: 0

Appraisal Date: 01/01/2009 *Rate Type: CRRNT

Fair Value: 10000 Currency: USD

Valuation Method

Valuation Method: Valuation Premise: In-Use Group By: Parent ID

Input Level: Level 1 FV Group ID: MMFACTLY0009

Comment:

Fair Value page

Effective Date	Enter the date that the revaluation process will use to find FV at a specified point in time.
Effective Sequence	The system populates this field and is incremented when a new row is inserted with the same effective date.
Fair Value:	Enter the amount to be copied to the Basic Add page where the current fair value is displayed. Note. If the asset is a capital lease, synchronize the fair value entered from the Lease Express Add page or the Update Lease Information page. The FV entered on the lease page is inserted in the FV table with the transaction date as the effective and appraisal dates. The valuation method is <i>Acquisition Amount</i> . The FV becomes unavailable for edit on the FV table, but you can modify it on the Lease Update page (ASSET_LEASE_01.) The system allows you to add/update other rows. On this page, you can change only the original FV, and it is copied into the FV table. A new row inserted on the FV page will not impact on the FV field on the Lease Update page. See Chapter 7, "Working With Leased Assets," page 143.
Currency	Enter the currency to be used to measure the FV. This field value automatically populates from the default book currency.
Rate Type	Enter the rate type that will be used to convert FV to base currency when it is used for revaluation. This field value automatically populates from the default book rate type.
Valuation Method	Select the valuation method that is to be used for this asset.
Valuation Premise	Designate the valuation premise as either <i>In-Use</i> or <i>In Exchange</i> . If <i>In Use</i> is selected, the Group By and FV Group ID fields appear.
Input Level	Select the report input level for the asset: Level 1, Level 2 or Level 3. The default value is blank.
Group By	This field is active when the Valuation Premise is <i>In-Use</i> . Select the appropriate grouping for the asset.
FV Group ID (fair value group ID)	This field is active when the Valuation Premise is <i>In-Use</i> . Select the appropriate FV Group ID. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i> , "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Fair Value Processing.

Updating Noncapitalized Costs

This section lists the page that you use to update noncapitalized costs for assets.

Page Used to Update Noncapitalized Costs

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Update Non-Capitalized Cost	ASSET_NON_CAP_UPD	Asset Management, Asset Transactions, Financial Transactions, Update Non-Capitalized Cost, Update Non-Capitalized Cost	Update noncapitalized costs for an asset.

Viewing Cost History and Summarizing Cost Rows

Use the Review Cost (COST_HISTORY) component to review cost history for capitalized and noncapitalized assets.

Use the Cost Summarization (AM_COST_SUM_RUN) component to summarize cost rows.

This section provides overviews of cost history and cost summarization and discusses how to generate cost summarizations:

Understanding Cost History

PeopleSoft enables you to view cost history of assets online. You can view cost history for both capitalized and noncapitalized assets. Using the Cost History component, you can:

- View a history of an asset's transactions on the Cost History List page.
- View detail about a specific transaction on the Cost History Detail page.
- View a history of a noncapitalized asset's transactions on the Non Cap Cost History List page.
- View more detail about a specific transaction on the Non Cap Cost History Detail page.

Understanding Cost Summarization

Multiple transactions coming from PeopleSoft feeder systems rapidly create a large volume of cost history lines. PeopleSoft Asset Management provides the Cost Summarization process to summarize multiple cost lines that meet certain criteria into a single line. The process uses the Cost Summarization Run component (AM_COST_SUM_RUN). You should run the process only after calculating depreciation (AM_DEPR_CALC) and creating accounting entries (AM_AMAEDIST).

Cost summarization affects cost rows in the Cost table only. No changes are made to the Acquisition Detail table. The fields that are summarized are Cost, Transaction Cost, and Quantity. Cost summarization creates an audit table (AM_COST_SUM_AUD) that contains the original cost rows before summarization.

You can summarize cost rows that have matching values for:

- Business unit.

- Asset ID.
- Book.
- Category.
- Transaction type.
- Chart of accounts, or ChartField.
- Cost type.
- Transaction code.
- Accounting year and period.
- Transaction year and period.
- Depreciation convention.

Summarization updates the transaction date with the first day in the transaction period for all lines. It updates the accounting date with the last day in the accounting period for all lines. The summarization is then based on the new dates.

The only exception is the actual day (AD) convention.

When the transaction currency code or type differs, cost summarization uses the asset base currency as the transaction currency, and currency type is blank.

Note. You can run cost summarization in streamline mode during the create accounting entry process using the accounting entry component (AM_AMAEDIST).

Pages Used to View Cost History and Summarize Cost Rows

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Cost History List	ASSET_TRANS_01	Asset Management, Asset Transactions, History, Review Cost, Cost History List	View a history of an asset's transactions.
Cost History Detail	ASSET_TRANS_02	- Asset Management, Asset Transactions, History, Review Cost, Cost History List, Cost History Detail - Click the Detail link on the Cost History List page.	View more detail about a specific transaction.

Page Name	Definition Name	Navigation	Usage
Non Cap History List	ASSET_TRANS_03	Asset Management, Asset Transactions, History, Review Cost, Non Cap History List	View a history of a noncapitalized asset's transactions.
Non Cap History Detail	ASSET_TRANS_04	Asset Management, Asset Transactions, History, Review Cost, Non Cap History Detail	View more detail about a specific transaction.
Cost Summarization	AM_COST_SUM_RUN	Asset Management, Asset Transactions, Financial Transactions, Cost Summarization, Cost Summarization	Generate cost summarizations.

Generating Cost Summarizations

Access the Cost Summarization page (Asset Management, Asset Transactions, Financial Transactions, Cost Summarization, Cost Summarization).

Business Unit	The business unit is required.
Book Name	If this field is blank, the cost summarization applies to all books.
Category	Select a category to apply summarization only to that category. Leave blank to include all categories.
From Asset ID and To Asset ID	Optionally enter a range of asset IDs to apply the summarization to specific assets. The assets that are available belong to the category when category is defined and that have accounting entries already generated. If the To Asset ID field is left blank, the summarization applies only to the asset ID that is specified in the From Asset ID field.
Accounting Date Range	The accounting date range is required for summarization. You can apply cost summarization to multiple books with different calendars. Define the date range according to the books that are selected.

Note. When a line does not meet the criteria to summarize with other lines, no summarization occurs.

Cost summarization creates an audit table so that you can review the summarization details after you have processed the summary.

Updating the General Ledger with Adjustments and Transfers

When you make adjustments or changes that affect your general ledger, PeopleSoft Asset Management automatically creates corresponding journal entries that update the applicable accounts in your general ledger. Specifically, journal entries are created when your changes require recalculation or when an asset is transferred. The information that is used to create these journal entries comes from an Accounting Entry template that is set up for adjustments and transfers.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Accounting Entries

PeopleSoft General Ledger 9.1 PeopleBook, "Making General Ledger Journal Entries"

Modifying or Deleting Pending Asset Transactions

You can modify or delete financial asset transactions that are pending depreciation. (These are transactions on which depreciation has not yet been run.) You can modify or delete the following pending asset transactions:

- Adds
- Adjustments
- Transfers
- Recategorizations

Warning! You cannot modify or delete retirement transactions, leased asset transactions, group asset transactions, joint venture transactions, or parent/child asset transactions.

Note. Regarding the Copy Changes to Other Books option: when you delete an Add transaction, the deletion applies to all books to which the asset reports. However, when you delete Adjustments, Recategorizations, and Transfers transactions, you should review the delete at each book in the scroll area and click the Delete button on each book. Also, if you are using this page only to change the accounting date, transaction date, or transaction code, these changes will apply to all books to which the asset reports. To apply other types of updates to pending transactions, you need to scroll through each book that you want to affect with the modification. No other way is available to affect all books with an update.

Pages Used to Modify or Delete Pending Asset Transactions

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Pending Trans Update/Delete (pending transaction update and delete)	PEND_TRANS_UPD_DEL	Asset Management, Asset Transactions, Financial Transactions, Change/Delete Pending Trans, Pending Trans Update/Delete	Update or delete transactions in Pending Transaction table prior to running depreciation processing (AM_DEPR_CALC).
Asset Addition	PEND_TRANS_A1_SP	Click the Update button or the Delete button on the Pending Trans Update/Delete page.	Review detail transaction information and then modify or delete the transaction.
Transaction Information	ASSET_TRNINFO4_SEC	Click the Edit Trans Info button on the Pending Trans Update/Delete page.	Modify the transaction or accounting date.

Modifying or Deleting Pending Transactions

Access the Pending Trans Update/Delete page (Asset Management, Asset Transactions, Financial Transactions, Change/Delete Pending Trans).

Review the information to make sure that this is the intended transaction that you want to modify or delete.

Click Update or Delete to review transaction information, and then either modify or delete it.

Click Edit Trans Info to edit the transaction date, accounting date, and the Transaction code.

Viewing Asset Transaction Details

Access the Asset Addition page (On the Pending Trans Update/Delete page, click the Update button or the Delete button).

Depreciation Status

You can change the status from *Depreciable* to *Non Depreciable*.

In Service Date

Captures when the asset was placed in service. You can modify this date.

Accum Depr in Current Pd (accumulate depreciation in current period)

Select if you want any accumulated depreciation for this asset to be booked to the current period. Do not select the check box if you want accumulated depreciation to be booked to the previous period, which you will probably have to reopen. The default setting for this option is disabled, or deselected. If you use this check box, remember to select it for each book for the asset transaction that you are modifying.

Asset Transaction Detail

Modify the transaction directly in the cost row or rows.

Only certain fields are available for editing, based on the type of transaction that you are modifying:

Accum Depr (accumulated depreciation)

Add the amount of any depreciation that is already recognized for the asset. If you are adding assets that have depreciation from prior years or prior periods, you can enter the depreciation here if you forgot to enter it when you added the assets, or change it if you added depreciation before but want to change it now.

<i>Transaction Type</i>	<i>Fields You Can Update</i>
ADD	Cost, Quantity, ChartFields, Category, Cost Type, In Service Date, Depreciation Status, Accumulated Depreciation
ADJ	Cost, Quantity
RCT	Category, Cost Type
TRF	ChartFields

Updating Transaction Information

Access the Transaction Information page (On the Pending Trans Update/Delete page, click the Edit Trans Info button).

Trans Code (transaction code) is optional. It helps to identify which accounting entry template will be used for this transaction. You can select only those valid combinations for which accounting entry templates exist.

Adjusting for Asset Impairment

Use the Impairment (AM_IMPAIR) component or the CGU Impairment (AM_CGU_IMPAIR_RUN) component to perform impairment testing and create impairment adjustments to assets.

This section provides an overview of impairment testing, lists the pages used for impairment testing, and discusses how to:

- Work with the impairment worksheet.
- Run the CGU Impairment Batch process.
- View and report impairment losses and reversals.

Understanding Impairment Testing

PeopleSoft supports the requirements of International Accounting Standard (IAS) 36 by providing an impairment test worksheet.

A generally accepted principle is that long-lived assets should be subject to some form of recoverable amount constraint, that is, that the carrying amount of an asset does not exceed the amount that is recoverable from the future economic benefits that the asset is expected to generate. When the carrying amount of an asset exceeds its recoverable amount, the asset is described as *impaired* and the carrying value should be reduced to the recoverable amount. Therefore, assets should be subject to some type of impairment evaluation or test. The purpose of an impairment or recoverable amount test is to identify such assets and ensure that losses of future economic benefits are properly recognized in a timely manner (asset values are reduced in the statement of financial position, and expenses are recognized in the statement of financial performance).

In pursuance of this principle, the International Accounting Standards Board has defined IAS 36. This requires that you ensure that your assets are carried at no more than their recoverable value. IAS 36 provides a list of external and internal indicators of impairment as well as requirements for an impairment assessment strategy and frequency-of-asset impairment review. Only assets that are identified as 'potentially impaired' require an impairment assessment. If you have an indication that an asset may be impaired, then the enterprise is required to calculate the asset's recoverable amount.

Note. To assess whether any assets you have are subject to impairment review, consult the most current published IAS standards.

PeopleSoft also enables the definition of a Cash Generating Unit (CGU) and the association of CGUs with business units to further support impairment testing. Impairment losses can be allocated to individual assets on a CGU basis using the CGU Impairment utility. This batch process allocates CGU impairment data for each asset and stores the details in the INTFC_FIN table. You can also initiate the transaction loader (AMIF1000) to process and update asset tables automatically.

If an organization cannot determine recoverable value for an individual asset, it must identify the lowest aggregation of assets that generate largely independent cash flows. These aggregations of assets are called CGUs. CGUs are defined as the smallest identifiable group of assets that generates cash inflows from continuing use, and are largely independent of the cash inflows from other assets or groups of assets. CGU should be defined consistently from period to period. However, an asset that was previously part of a CGU but which is no longer used, should be excluded from the CGU and assessed for impairment separately.

If you are required to perform impairment evaluation, at a minimum, you should evaluate assets at each balance sheet date. You can test assets or CGUs for impairment at any time.

Impairment processing is enabled at the installation level. Impairments are then processed on assets that are contained within the business unit where impairment processing is selected. You can select asset categories, profiles, books, accounting entry template, CGUs, and individual asset IDs for impairment processing.

To process calculation of impairment, the system compares the following information:

- Carrying amount: The net book value (NBV) of the asset as it is currently recorded in the accounts.

- Recoverable amount: The higher of an asset's Net Selling Price (NSP) or its Value In Use (VIU):
 - The NSP is obtained from the sale of an asset in a bargained transaction between knowledgeable, willing parties with reference to the price of an active market and less the costs of disposal.
 - The VIU is the present value of estimated future cash flows that are expected to arise from the continuing use of an asset, and from its disposal at the end of its useful life, (for example, the sum of discounted cash flows).

The impairment worksheet can also apply an index to the carrying cost and calculates the potential NSP/VIU cost. The system compares the carrying amount value to the recoverable amount value to calculate the potential impairment. Any difference is the *impairment loss*.

An impairment reversal is required when a change has occurred in the estimates that are used to determine the impairment loss. In this case, the carrying amount of the asset is increased to the recoverable amount, where the recoverable amount does not exceed the original carrying amount.

You can also select impairment processing when running the Cost and Depreciation process.

To view impairment loss and reversal, use the Cost and Depreciation Summary page (AM_REPORT1). To generate reports of impairments, use the Asset Impairment report (AM_IMPAIR_RPT_RUN) component.

Note. Impairment testing prescribed by IAS 36 is not required in all countries.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing PeopleSoft Asset Management Business Units."

Pages Used to Make Impairment Adjustments

Page Name	Definition Name	Navigation	Usage
Impairment Worksheet	AM_IMPAIR	Asset Management, Asset Transactions, Financial Transactions, Impairment Worksheet, Impairment Worksheet	Select criteria to search for assets that can potentially be impaired, to process potential impairment, and to create loss adjustments automatically.
Cash Generating Unit Definition	AM_CGU_DEFN_01	Click the CGU Details link from the Impairment Worksheet or from the CGU Impairment run control page to view (only) the CGU definition.	Review the CGU definition.
More Filter Options	AM_IMPAIR_CF_SEC	Click the ChartField Search Criteria link from the Impairment Worksheet page.	Filter search criteria by selecting ChartFields: Operating Unit, Fund Code, Department, Program, Class Field, Budget Reference, Product, and Project.

Page Name	Definition Name	Navigation	Usage
Impairment Comments	AM_IMPAIR_COMMENTS	Click the Impairment Comments link from the Impairment Worksheet OR from the CGU Impairment run control page.	Enter comments about this impairment.
CGU Impairment	AM_CGU_IMP_RUN_CTL	Asset Management, Asset Transactions, Financial Transactions, CGU Impairment, CGU Impairment	Allocate impairment losses to individual assets on a CGU basis.
Cost and Depreciation	AM_REPORT1	Asset Management, Financial Reports, Cost and Depreciation Summary, Cost and Depreciation	View impairment losses and reversals online using the Cost and Depreciation online view.
Impaired Asset Value Report	AM_IMP_RPT_RUN_CTL	Asset Management, Financial Reports, Cost and Depreciation, Asset Impairment, Impaired Asset Value Report	Generate reports by category or CGU ID of impaired asset values.

Working With the Impairment Worksheet

Access the Impairment Worksheet page (Asset Management, Asset Transactions, Financial Transactions, Impairment Worksheet).

Impairment Worksheet

Asset Search Criteria

*Business Unit:

IMP01

Asset Category:

ME

Cash Generating Unit:

[CGU Details](#)

*Book Name:

CORP

Location:

Profile ID:

From Asset ID:

To Asset ID:

[Chartfield Search Criteria](#)

Impairment Information

NSP Percentage(%):

VIU Percentage(%):

Accounting Date:

09/23/2008

*Impairment Strategy:

Assets

☒ Copy Impairment to other books

☐ Impairment Reversal

Fair Value

☐ Use FV

FV Action

No Action

FV Template ID:

FV Group ID:

Convention:

FM

Frequency:

Annually

[Impairment Comments](#)

*Impairment Date:

09/23/2008

Exclude Assets Impaired After:

Retrieve

100

New Search

Impairment Worksheet page (1 of 2)

Enter the asset search criteria and impairment information.

Business Unit	Select the business unit (required). The business unit is supplied from the search dialog box.
Book Name	Select the book name (required). The Book Name field is initially supplied by the default book (when the book is enabled for impairment processing). The valid values include only books for which impairment processing enabled.
Asset Category	Select the asset category to search for assets by category. The valid values include only categories for which impairment processing is enabled.
Location	Select the asset location to search for assets by location. The valid values include only locations for which impairment processing is enabled.
Cash Generating Unit	Select from the valid CGUs for this business unit, book, profile, or category if you want to impair at the CGU level.
Profile ID	Select the asset profile ID to search for assets by profile. The valid values include only locations for which impairment processing is enabled.
From Asset ID and To Asset ID	Select an asset ID or a range of asset IDs to be included.

ChartField Search Criteria	Click the link to supply more filter options by ChartField to further narrow the search.
NSP Percentage (%) (net selling price percentage)	Apply and enter a net selling price percentage to determine the actual NSP. Net selling price is the amount that is obtainable from the sale of an asset in a bargained transaction (between knowledgeable, willing parties), less the costs of disposal. For example, suppose the net book value of an asset is 10,000.00 USD. But the NSP is equal to 8,000.00 USD. The NSP percent is equal to 80 percent.
Copy Impairment to other books	Select if you want the impairment carried over to other books.
VIU Percentage (%) (value in use percentage)	Enter the value in use percentage that you expect to determine the actual VIU amount. Value in use is the present value of estimated future cash flows that are expected to arise from the continuing use of an asset, and from its disposal at the end of its useful life. For example, suppose the net book value of an asset is 23,500.00 USD. But the VIU is unknown. You can apply a percentage that you expect , such as 70 percent, and the system will calculate the actual amount to be 16,450.00 USD.
Impairment Reversal	Select if the potential impairment is a reversal of a prior impairment adjustment. Note. This option appears only if impairment reversal is enabled for the business unit.
Accounting Date	Enter the accounting date of the impairment.
Convention	Select the depreciation convention. The valid values are derived from those that are defined for the business unit.
Impairment Strategy	Select the impairment strategy. Valid values are: <i>Asset</i> and <i>CGU</i>. • <i>Asset</i>: If asset is selected, the system makes the impairment adjustment asset by asset. • <i>CGU</i>: If CGU is selected, the system calculates the adjustment to the whole CGU as a body. Impairment is based on all assets that are part of CGU definitions. If CGU is selected, then a cash generating unit must be provided. The CGU field in the search criteria section is only used to find out specific groups but it does not say what kind of impairment will apply to them.
Frequency	Select the frequency for performing the impairment test. the options include <i>Yearly</i> , <i>Semiannually</i> , <i>Quarterly</i> , <i>Monthly</i> , and <i>Other</i>

Impairment Date	This is the transaction date on which the system calculates carrying cost (NBV). The depreciation for the impairment month is included in the NBV calculation. For example, if the impairment date is between December 12, 2003 and December 12, 2003, period 12 is included in the accumulated depreciation for the calculation: $NBV = Cost - ACCUM$
Exclude Assets Impaired After	Enter the dates to exclude more recently impaired assets.
Use FV (use fair value)	Select to retrieve the fair values in the NSP amount or VIU amount fields instead of using the NSP Percentage(%) or VIU Percentage(%) fields for impairments. These fields become unavailable when selecting the Use FV field. If this check box is not selected, the fair values are retrieved from the NSP Percentage(%) or the VIU Percentage(%) fields for impairments.
FV Action (fair value action)	Select the action by which to update the fair value records from the NSP or VIU amount fields. Select from the following fair value actions: • <i>No Action</i> - (default) If Use FV is selected in conjunction with this action, the fair values are retrieved in the NSP or VIU amount fields but the fair values will not be updated. • <i>Update From NSP</i> - If Use FV is selected in conjunction with this action, the fair values are retrieved in the NSP Amount field to update impairments and fair values. • <i>Update From VIU</i> - If Use FV is selected in conjunction with this action, the fair values are retrieved in the VIU Amount field to update impairments and fair values. • <i>Update Higher</i> - If Use FV is selected in conjunction with this action, the fair values are updated from the higher value that is entered on the NSP or VIU Amount in the results grid.
FV Template ID (fair value template ID)	Select an existing fair value template to populate the fair value fields. When the Retrieve button is pushed, the FV Template ID and Group ID in the Asset Search Results will be defaulted from the values in the Impairment Information section.
FV Group ID (fair value group ID)	Select when the valuation premise from the FV Template is <i>In-Use</i>. You can override the default value from the template. This field is unavailable if the valuation premise from the FV Template is <i>In-Exchange</i>. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Fair Value Processing.

Asset Search Results

When you are finished entering search criteria and impairment information, initiate the retrieval process. On completion, the Search Criteria group box collapses. The Impairment Information group box is visible, but unavailable for entry. You can initiate a new search or refine search of your returned results.

Impairment Worksheet

▶ Asset Search Criteria

▼ Impairment Information

NSP Percentage(%):

VIIU Percentage(%):

Accounting Date:

*Impairment Strategy:

☐ Copy Impairment to other books

☐ Impairment Reversal

*Impairment Date: Exclude Assets Impaired After:

Fair Value

☒ Use FV

FV Action:

FV Template ID:

FV Group ID:

Convention: Impairment Comments

Frequency:

Retrieve Next Rows 1 - 3 Count Total New Search Refine Search

Use the buttons below to mark assets for impairing or removing from the list.
The changes will take effect after you click "Save" button.

☒ ☐ Mark to Impair Mark to not Impair Mark To Update FV Remove From List Refresh

Asset Search Results Customize | Find |

Impairment Information Asset Information

Mark	Impair Status	Asset ID	Carry Cost (NBV)	NSP(%)	NSP Amount	VIIU(%)	VIIU Amount	Impairment Loss	Revaluation Reversal	Carry Cost (Impairment)	Carry Cost (Revaluation)
☐		REVAL_01	2,000.00					-2,000.00			
☐		REVAL_03	2,000.00					-2,000.00			
☐		REVAL_02	2,000.00					-2,000.00			

Impairment Worksheet page (2 of 2)

The results of the assets matching the criteria that are entered are displayed in the Asset Search Results grid on the worksheet. The grid contains two tabs:

- Impairment Information
- Asset Information

Use the buttons to mark assets to be impaired and assets not to be impaired, to remove assets from the list, and to refresh the page.

Note. Selected assets must already have been processed for depreciation and included in the load depreciation report table process before they are available to be reported in the impairment worksheet.

Impairment Information

This section enables you to select or exclude selected assets for impairment.

Mark

When you click the Check button, you will select all assets in the list. Use Mark to select the line.

Mark to Impair

Click Mark to Impair and the system will set Impair Status to *Impair* for all selected rows.

Mark to not Impair	Click Mark to Not Impair and the system will set Impair Status to <i>Don't Impair</i> for all selected rows.
Mark to Update FV	Click Mark to Update FV and the system will set Impair Status to <i>FV</i> for all selected rows.
Remove From List	Click Remove From List to remove selected rows from Asset Search Results.
Refresh	Click Refresh to recalculate all impairment information.
Impair Status	Displays the status of selected assets to be impaired or not to be impaired. Impaired assets will be inserted into INTFC_FIN table and Impairment audit tables. Not impaired assets will be inserted into the impairment audit tables.
Asset ID	Displays the asset ID for all assets meeting the search criteria.
Carry Cost (NBV)	Displays the current carry cost (net book value) of the asset.
NSP%	Enter the net selling price percentage that is applied to the carry cost.
NSP Amount	Enter the NSP as an amount in the base currency.
VIU%	Enter the value in use percentage that is applied to the carry cost.
VIU Amount	Enter the VIU as an amount in the base currency.
Impairment Loss	Displays the calculated impairment loss, usually the disposal cost. Impairment loss = NBV - (greater than NSP or VIU). You can override this amount.
Revaluation Reversal	If this asset had a revaluation before, you need to reverse the revaluation before you allocate the loss.
Carry Cost (Impairment)	The remaining amount that is attributable to prior impairment loss.
Carry Cost (Revaluation)	The remaining amount that is attributable to prior impairment reversal.

When you have reviewed and selected assets to be impaired, save the worksheet. The saving process performs the following tasks:

- The system creates a cost adjustment (with user define impairment loss cost type) for the impairment loss.
- The system creates a cost adjustment (user defined impairment reversal cost type) for the impairment revaluation reversal.
- The transaction date and the impairment date are inserted and is the same for this transaction.
- If you do not provide an accounting date, the system looks for the last day of the open period and books the transaction against that date. This date is validated against the open period.

- The system commits all validations at the time of the save.
- Upon saving the worksheet, the system places the actual adjustment in the staging table INTFC_FIN.
The system loads the adjustment in the main asset tables when the transaction loader (AMIF1000) is run.
- The system automatically triggers the transaction loader (AMIF1000) to load the transactions if this option has been selected.
- The system validates that the impairment date is less than or equal to the accounting date.
- When the impairment reversal box is checked, the system processes impairment reversal instead of impairment loss.

Running the CGU Impairment Batch Process

Access the CGU Impairment page (Asset Management, Asset Transactions, Financial Transactions, CGU Impairment).

CGU Impairment

Run Control ID: tst [Report Manager](#) [Process Monitor](#) Run

Request Find | View All | First 1 of 1 Last

*Request ID: *Process Frequency: Always

*Business Unit: *Book Name: Currency Code:

*CGU ID: [CGU Details](#)

Exclude Assets Impaired After:

*Impairment Date: Impairment Strategy: CGU ☐ Copy Impairment to other books

*Accounting Date: *Impairment Frequency: Annually ☐ Impairment Reversal

Convention: FM [Impairment Comments](#) ☒ Use FV

Impairment Information

Carrying Values

Calculate

NBV:

Fair Value

Calculate

Fair Value:

Net Selling Price

NSP(%): Or

NSP Amount:

Value In Use

VIU(%): Or

VIU Amount:

Calculate Impairment Loss
Total Impairment Loss:

CGU Impairment page

Complete the applicable fields. When satisfied with the criteria, click Run. The batch process allocates CGU impairment data to each asset.

Request

Business Unit

Select the business unit (required). The business unit is supplied from the search dialog box.

Book Name

Select the book name (required). The book is initially supplied by the default book (when the book is enabled for impairment processing). The valid values include only books for which impairment processing is enabled.

Currency Code	The currency code as defined for the Book.
CGU ID	Select from the valid CGUs for this business unit, book, profile, or category if you want to impair at the CGU level.
Exclude Assets Impaired After	Enter dates to exclude more recently impaired assets.

Impairment Information

Impairment Date	Enter the date of the asset impairment. This is the transaction date on which the system calculates carrying cost (NBV). The depreciation for the impairment month is included in the NBV calculation. The system uses the current date by default.
Impairment Strategy	<i>CGU</i> : Impairment based on all assets that are part of CGU definitions. The impairment strategy CGU appears by default when you are processing impairment in batch mode.

Copy Impairment to other books

Select if you want the impairment carried over to other books.

PeopleSoft Asset Management copies the impairment amount to other books in the ledger group as long as the Keep Ledgers in Sync (KLS) option is selected. If the option Copy to Other Books is checked, PeopleSoft Asset Management copies the same amount to the books with impairment amount selected, for books that do not point to the ledger group. Depending on the selection of these options, when Copy Zero Impair/Revalue Rows is checked, then the system copies zero impairment data in all the remaining books.

For example: Suppose you have a business unit with six books (A, B, C, D, E, F), with the first three books, A, B and C pointing to a ledger group, the ledger group is synchronized with the general ledger business unit and book B is pointing to the primary ledger. However, the other three books, D, E and F do not point to general ledger and books A, B, C, and E have the impairment option enabled. PeopleSoft Asset Management processes impairment loss against the primary book B. The system then copies the impairment loss to book A and book C because they are in the same ledger group regardless of the status of the options Copy Impairment to other books and Copy Zero Impair/Revalue Rows. If Copy Impairment to other books is selected, the system copies the same impairment loss to book E because the impairment option is selected for that book. If the Copy Zero Impair/Revalue Rows option is selected, the system copies zero impairment loss into book D and F. If the Copy Impairment to other books option is not selected *and* the Copy Zero Impair/Revalue Rows option is selected, the system copies zero impairment rows to books D and F. When both options are not selected, the system does not copy any impairment or revaluation row to books D, E and F.

See *PeopleSoft Application Fundamentals 9.1 PeopleBook*, "Setting Installation Options for PeopleSoft Applications," Defining Asset Management Installation Options.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing PeopleSoft Asset Management Business Units," Creating PeopleSoft Asset Management Cash Generating Units.

Accounting Date

Enter the accounting date of the impairment.

Impairment Frequency

Select the frequency for performing the impairment test. The options include *Yearly*, *Semiannually*, *Quarterly*, *Monthly*, and *Other*

Impairment Reversal

Select for the system to process impairment reversal instead of impairment loss.

Click the Calculate button to compute the net book value, prior impairment loss, and prior revaluation reversal.

Click the Calculate Impairment Loss button to calculate the total impairment loss.

Note. This option is available only if impairment reversal is enabled for the business unit.

Convention	Select the depreciation convention. The valid values are derived from those that are defined for the business unit.
Use FV (use fair value)	Select to retrieve fair values that were previously captured. This selection enables the Fair Value group box and disables the Carrying Values group box.
Note. You are not allowed to update fair values using the CGU impairment process.	

Carrying Values

The NBV is the equivalent to the carrying value.

Click the Calculate button to retrieve the current NBV for the selected assets.

Fair Value

Fair Value Click the Calculate button to retrieve the current fair value for the selected assets.

Net Selling Price

NSP Percentage (%) (net selling price percentage)	Enter the net selling price percentage. For example, suppose the net book value of an asset is 10,000.00 USD. But the net selling price (NSP) is equal to 8,000.00. The NSP percent is equal to 80 percent. Net selling price is the amount obtainable from the sale of an asset in a bargained transaction (between knowledgeable, willing parties), less the costs of disposal.
NSP Amount (net selling price)	Enter the net selling price amount.

Value In Use

VIU % (value in use percentage)	Enter the value in use percentage. Value in use is the present value of estimated future cash flows that is expected to arise from the continuing use of an asset, and from its disposal at the end of its useful life. For example, suppose the net book value of an asset is 10,000.00 USD. But the VIU is equal to 7,200.00 USD. The VIU percent is equal to 72 percent.

VIU Amount

Enter the value in use amount. Value in use is the present value of estimated future cash flows that are expected to arise from the continuing use of an asset, and from its disposal at the end of its useful life.

Click the Calculate Impairment Loss button to compute total impairment loss.

View and Report Impairment Losses and Reversals

This section discusses how to view and report impairment losses and reversals.

Viewing Impairment Loss Online

Access the Cost and Depreciation page (Asset Management, Financial Reports, Cost and Depreciation Summary, Cost and Depreciation).

Cost and Depreciation

▼ Selection Criteria

*Business Unit:

US001

US001 NEW YORK OPERATIONS

*Book Name:

CORP

Corporate

*Fiscal Year:

2009

Period:

Currency:

USD

Group Type:

None

▶ Secondary Selection Criteria

Search

Clear

Cost and Depreciation by Period

Customize

Net Book Value

Depreciation Activity

Cost Activity

Period	Drill-down To	Current Depr	YTD Depr	LTD Depr	Cost	Salvage Value	NBV
1	--- Select Field ---			221,520.00	20,434,220.97	10,000.00	20,212,700.97
2	--- Select Field ---			221,520.00	20,449,459.94	12,000.00	20,227,939.94
3	--- Select Field ---			221,520.00	20,906,459.94	14,000.00	20,684,939.94
4	--- Select Field ---			221,520.00	20,906,459.94	14,000.00	20,684,939.94
5	--- Select Field ---			221,520.00	20,908,209.94	14,000.00	20,686,689.94
6	--- Select Field ---			221,520.00	20,908,209.94	14,000.00	20,686,689.94
7	--- Select Field ---			221,520.00	20,908,209.94	14,000.00	20,686,689.94
8	--- Select Field ---			221,520.00	20,908,209.94	14,000.00	20,686,689.94
9	--- Select Field ---			221,520.00	20,888,308.97	12,000.00	20,666,788.97
10	--- Select Field ---			221,520.00	20,888,308.97	13,080.00	20,666,788.97
11	--- Select Field ---			221,520.00	20,888,308.97	13,080.00	20,666,788.97
12	--- Select Field ---			221,520.00	20,888,308.97	13,080.00	20,666,788.97

Cost and Depreciation page

Use the Cost and Depreciation online view to review impairment transactions. Search by business, book name, and fiscal year (all required) or search by selected secondary ChartField criteria.

Select to drill down to details for each period by asset ID, accumulated depreciation account, fixed asset account, asset category, asset profile, department, operating unit, product or project.

Reporting Asset Impairment Activity

Access the Impaired Asset Value Report run control page (Asset Management, Financial Reports, Cost and Depreciation, Asset Impairment, Impaired Asset Value Report).

Impaired Asset Value Report

Run Control ID: 1 [Report Manager](#) [Process Monitor](#)

Language: English

Report Request Parameters

*Business Unit:	US001	Book Name:	
*Impairment Strategy:	Assets	Category:	
*Impairment Date From:		*Impairment Date To:	
As of Date:	01/25/2008		

Impaired Asset Value Report page

Enter the report criteria for the report. You can have the report output sorted by asset category or by asset CGU ID. You can see the report formats in the Reports appendix.

The business unit, impairment strategy and impairment date are required for the report.

Note. You *must* run the load depreciation report process for the dates on which you plan to evaluate the assets or CGU in order to perform the impairment.

See [Appendix C, "PeopleSoft Asset Management Reports,"](#) page 659.

Chapter 9

Managing Asset Maintenance, Repair, Warranties, and Insurance

This chapter provides an overview of managing asset maintenance, repair, warranties, and insurance, and describes how to:

- Enter maintenance details.
- Enter asset inspection information.
- Enter asset service and repair statistics.
- Track asset maintenance contracts.
- Enter warranty information.
- Enter insurance coverage information.
- Set up asset contract or warranty expiration notifications.
- Generate asset warranty reports.
- Review asset maintenance history.

Understanding Asset Maintenance, Repair, Warranties, and Insurance

All assets usually require some level of maintenance service or repair. Many are also acquired with accompanying insurance or warranties. PeopleSoft Asset Management provides features enabling you to manage and track these asset attributes.

Asset Checkout

PeopleSoft Asset Management provides the asset check out functionality in order to prepare, configure and maintain assets for use. This enables you to manage assets as they are moved around the enterprise for use in multiple settings. As well, the usage can be monitored and intervening maintenance or service events can be tracked while the asset is out of use.

Asset Maintenance, Service, and Inspection Management

At various intervals, all assets require some degree of maintenance, such as routine mechanics for company vehicles or repainting an office or building. Scheduling and tracking this type of maintenance provides a more complete picture of the true costs and revenues associated with these assets.

PeopleSoft Asset Management provides features to track the details of individual maintenance events by date and time, the person responsible for the maintenance, the vendor who issued the maintenance contract or warranty, and the cost.

Whenever an asset requires maintenance, you can track exactly when the maintenance takes place, how long it will take, and how it will affect cost and performance. Annual tune-ups may require that some automobiles are unavailable at certain times. Damages to machinery can result in large expenses due to unavailable equipment, as well as replacement and repair costs.

PeopleSoft Asset Management additionally provides the tools to view the maintenance history by type of maintenance performed or by the date that the maintenance was performed. Using inquiry pages, you can determine if any asset, or group of assets, requires a particular type of maintenance too often. For example, a vehicle that requires several quarts of oil more often than every 1,000 miles may have more severe underlying problems. Similarly, a piece of equipment that requires repeated repair or replacement of a particular part may be defective and should be replaced.

When you own assets that require expensive maintenance, you may acquire maintenance contracts with providers covering service and repair. While maintenance contracts do not necessarily have a one-to-one relationship with assets that require maintenance, you may still want to keep track of those contracts, the assets that they cover, the extent of coverage provided, and so forth. PeopleSoft Asset Management provides the tools to track such contracts and to determine repair and servicing costs, the time period covered in the contract, and the exact coverage specified by the contract.

Keeping detailed records of maintenance events helps manage the physical aspects of your assets. You can compare detailed repair estimates to actual costs and evaluate whether a warranty or maintenance contract on the asset can lower the costs that you may incur. Or a review of an asset maintenance history can help you make decisions about addressing underlying costs that are driving up the cost of production. Some assets additionally require routine inspections related to licensing or other validations or certifications. PeopleSoft Asset Management provides inspection and license tracking.

Asset Repair Data Management

In addition to tracking physical information about asset maintenance, it is useful to track detailed financial information. PeopleSoft Asset Management enables you to track:

- How long an asset will be unavailable for use.
- Hours required to service or repair the asset.
- Costs for labor and materials.
- Any other expenses that you may incur, such as rental of necessary replacement equipment.

This type of detail enables you to assess asset maintenance and repair costs. For instance, as equipment grows older, it may cost more to repair and service, especially if the parts are obsolete or out of stock. Tracking asset service and repair statistics helps you to see the financial picture more clearly and may be instrumental in helping you to decide when to retire or replace an asset.

Asset Warranty Management

Warranties can often lower the cost of repair and maintenance of your assets. Keep track of any warranties that you might have, which assets they cover, the period of coverage, the cost of the warranty, and so forth. Manufacturers often warrant an asset, or part of an asset, using specific terms and indicating specific conditions. Such information is easily accessible to all employees in your organization who might be responsible for the physical aspects of asset management.

Asset Insurance Management

PeopleSoft Asset Management enables you to enter asset-specific insurance coverage information, including key insured information, such as insured amount and insurer details. This provides immediate online access to asset insurance information associated with a specific asset ID, rather than maintaining this information in a separate database.

Checking Out Assets

This section discusses how to enter maintenance events and details.

Page Used to Check Out Assets

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Asset Checkout	ASSET_CHECKOUT	Asset Management, Service and Maintenance, Asset Checkout	Check out an asset that can be scheduled from available assets.

Checking Assets Out for Maintenance Events

Access the Asset Checkout page (Asset Management, Service and Maintenance, Asset Checkout).

Asset Checkout			
Business Unit:	US001	Asset ID:	EX_000000122
Checkout ID: 000000000002			
WO Business Unit:		Work Order:	
Task No.:			
Checkout By:	Todman,Joe		
Contact Info:	(925) 555-9090		
Location:	US001	Shop:	
Deployed BU:	US001	Deployed Asset ID:	
* Start Date:	12/24/2004	Start Time:	6:18PM
End Date:	12/16/2004	End Time:	3:15PM
Usage Amount:		Unit of Measure:	
☐ Checked In			

Asset Checkout page

WO Business Unit	Select the business unit from which to select the work order for this asset.
Work Order	Select the work order to associate with this asset checkout.
Task No.	Select the task number associated with this checkout event.
Checkout By	Select the person who checked out the asset.
Contact Info	Enter any contact information regarding the checkout of this asset.
Location	Select the location by business unit for the asset.
Shop	Select the shop if applicable where the asset will be maintained.
Deployed BU	Select the business unit to which the asset is deployed.
Deployed Asset ID	Select the asset ID used when the asset is deployed.
Start Date	Enter the start date for the asset deployment.
Start Time	Enter the start time of the asset deployment
End Date	Enter the ending date of the asset deployment.
End Time	Enter the ending time of the asset deployment.
Checked In	Check this box when the deployed asset has been checked in.

Usage Amount

Enter the usage amount of the asset. For example, if the asset usage is tracked by a meter, a reading value can be entered.

Unit of Measure

Select the usage amount unit of measure type, such as miles, gallons, etc.

Entering Asset Inspection Information

Use the Asset Inspection (ASSET_INSPECTION) component to enter information about required or other inspection for a given asset.

This section discusses how to enter asset inspections.

Page Used to Enter Asset Inspection Information

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Asset Inspection	ASSET_INSPECTION	Asset Management, Service and Maintenance, Asset Inspection	Enter details pertaining to inspections performed for the asset. The inspection agency should be defined first.

Entering Asset Maintenance Service and Repairs

Use the Track Service and Repairs (ASSET_MAINT_01) component to enter asset service and repair statistics. This section lists the pages used and discusses how to:

- Enter asset maintenance event information.
- Enter statistical information for repairs.
- Enter payment information.

Pages Used to Enter Asset Service and Repair

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Asset Service/Repair - Event	ASSET_MAINT_01	Asset Management, Service and Maintenance, Track Service and Repairs, Event	Provide the date and time of maintenance events and identify the type of maintenance, party responsible for the maintenance, and status of the maintenance.

Page Name	Definition Name	Navigation	Usage
Maintenance Details	ASSET_MAINT_01_S	Click the Maintenance Description link on the Asset Service/Repair Details - Event page.	Identify the type of maintenance, party responsible for the maintenance, and status of the maintenance.
Statistics	ASSET_MAINT_02	Asset Management, Service and Maintenance, Service and Maintenance, Track Service and Repairs, Statistics	Enter detailed financial information pertaining to asset maintenance.
Related Meter Readings	ASSET_MAINT_05	Click the Related Meter Readings link from the Statistics page.	Enter meter reading information relative to a maintenance event for this asset. This page enables you to enter and view related meter readings which may have influenced the maintenance event being tracked. <u>See Chapter 5, "Adding and Maintaining Assets," Entering Meter Readings, page 87.</u>
Meter Reading Details	AM_MTR_RD_HID3	Click the Detail link from the Related Meter Readings page.	Use the details link to view asset meter reading details. <u>See Chapter 5, "Adding and Maintaining Assets," Reviewing Meter Reading History, page 89.</u>
Payment	ASSET_MAINT_03	Asset Management, Service and Maintenance, Service and Maintenance, Track Service and Repairs, Payment	Enter information about a parts or services vendor. You can add any number of payment records.
Asset Service/Repair Details - Comments	ASSET_MAINT_04	Asset Management, Service and Maintenance, Service and Maintenance, Track Service and Repairs, Comments	Enter problems encountered or recommendations for repair and service. You can maintain separate comments for each service/repair event or you can keep a running commentary covering all events.

Describing Maintenance Events

Access the Track Service and Repairs Event page (Asset Management, Service and Maintenance, Track Service and Repairs, Event).

Event

Statistics

Payment

Comments

Unit: US001 Asset ID: 000000000002 Gas/elec SUV - Fleet vehicle 1 Tag: P00000009001 In Service

Maintenance Date and Time

Find | View All First 1 of 1 Last

Date/Time 06/12/2005 10:58PM

Maintenance Event

Find | View All First 1 of 1 Last

*Type: MINOR Minor Maintenance

Status: Complete

Problem ID:

WO Unit: US001

Work Order ID: 0000000002 Task Number: 1

Repair Code:

Responsibility:

Pickup Date: ☐ This Asset is Offsite

Pickup Contact:

Ready Date Time:

Track Service and Repairs - Event page

- Date/Time

Displays the date and time that each maintenance event was entered into PeopleSoft Asset Management.
- Type

Enter a valid maintenance type. This field is required to save the event.

Note.

You can complete the rest of the fields on this page at any time.
- Status

Select the status of the maintenance event:

Complete:

Maintenance and repairs are done and ready for inspection.

Complete-Pickup:

Asset is ready for return to service.

In Process:

Asset is undergoing maintenance or repairs.

Inspected:

Maintenance and repairs have been approved.

Scheduled:

Maintenance event has been planned and scheduled.

Scheduled-Pickup:

Asset has been scheduled for pickup.
- Problem ID

If applicable, enter an ID for this maintenance event.
- WO Unit

Select the work order business unit from which to select the work order for this asset maintenance event.

Work Order ID	Select the work order ID to associate with this asset.
Task Number	Select the task number associated with this maintenance event.
Repair Code	Enter a repair code, if used. This field may be populated automatically when you have installed PeopleSoft Maintenance Management. See <i>PeopleSoft Maintenance Management 9.1 PeopleBook</i>, "Setting Up and Generating Preventive Maintenance Work Orders."
Responsibility	Enter the name of the person responsible for this asset, if used. This field may be populated automatically when you have installed Maintenance Management. See <i>PeopleSoft Maintenance Management 9.1 PeopleBook</i>, "Setting Up and Generating Preventive Maintenance Work Orders."
This Asset is Offsite	Check this box to indicate the asset is located off site.
Pickup Date and Pickup Contact	Enter the date the asset is scheduled for pickup and the contact name.
Ready Date Time	Enter the date and time the repaired asset is scheduled to be ready.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing"

Entering Statistical Information for Repairs

Access the Track Service and Repairs - Statistics page (Asset Management, Service and Maintenance, Service and Maintenance, Track Service and Repairs, Statistics).

Event		Statistics		Payment		Comments	
Unit: US001		Asset ID: 000000000002		Gas/elec SUV - Fleet vehicle 1		Tag: P00000009001 In Service	
Maintenance Date and Time Find View All First 1 of 1 Last							
Date/Time:		06/12/2005 10:58PM					
Maintenance Event Find View All First 1 of 1 Last							
*Type:	MINOR	Minor Maintenance					
Currency:	USD	Related Meter Readings					
Down Hours:		Estimated:		Downtime Detail			
Labor Hours:		Estimated:					
Labor Cost:	\$100.00	Estimated:	\$100.00				
Material Cost:	\$26.00	Estimated:	\$26.00				
Tools Cost:	\$0.00	Estimated:	\$0.00				
Purchase Cost:	\$0.00	Estimated:	\$0.00				
Other Cost:	\$0.00	Estimated:	\$0.00				
Total Cost:	\$126.00	Estimated:	\$126.00				

Track Service and Repairs - Statistics page

Typically, you enter estimates of the hours and monetary costs first. Then, as information becomes available or when the service is completed, you can go back and enter actual data in the following fields:

Down Hours and Estimated	Enter the length of time that the asset is unavailable for service.
Labor Hours and Estimated	Enter the length of time for repair and maintenance labor.
Labor Cost and Estimated	Enter the monetary expense for repair or maintenance labor.
Material Cost and Estimated	Enter the monetary expense for items used in repair or maintenance materials.
Tools Cost and Estimated	Enter the monetary expense for items used in repair or maintenance tools.
Purchase Cost and Estimated	Enter the purchase cost for items used in repair or maintenance.
Other Cost and Estimated	Enter miscellaneous costs, such as subcontracting, replacement equipment, or rental equipment.

PeopleSoft Asset Management keeps a running total of both the actual Total Cost and Estimated total cost. Use this worksheet to compare your estimates with actual figures for determining if:

- The time and cost of maintaining the asset is within the expected margins.

- You must revise your estimates.
- You must find a more economical way to maintain your assets.

To view meter reading details for this asset, click on the Related Meter Readings link.

To view downtime details for this asset, click on the Downtime Detail link. Downtime detail is supported by PeopleSoft Maintenance Management.

Entering Payment Information

Access the Track Service and Repairs - Payment page (Asset Management, Service and Maintenance, Service and Maintenance, Track Service and Repairs, Payment).

The screenshot displays the 'Track Service and Repairs - Payment' page. At the top, there are tabs for 'Event', 'Statistics', 'Payment', and 'Comments'. Below the tabs, the page header shows 'Unit: US001', 'Asset ID: 000000000002', 'Gas/elec SUV - Fleet vehicle 1', 'Tag: P00000009001', and 'In Service'. The main content area is titled 'Maintenance Event' and includes a 'Find | View All | First | 1 of 1 | Last' navigation bar. The event details are as follows:

- Date/Time:** 06/12/2005 10:58PM
- Type:** MINOR (Minor Maintenance)
- Vendor ID:** [Empty field with a magnifying glass icon]
- Contract:** [Empty field with a magnifying glass icon]
- PO No.:** [Empty field]
- Voucher ID:** [Empty field]
- Invoice:** [Empty field]
- Reference:** [Empty field]
- Fixed Under Warranty:** ☐ (checkbox is unchecked)
- Invoice Date:** [Empty field with a calendar icon]

Track Service and Maintenance - Payment page

Enter information about asset parts or services, including vendor, purchase orders, and voucher IDs. You can also associate the payment with a contract ID. You can add any number of payment records.

Tracking Asset Maintenance Contracts

This section discusses how to:

- Add or modify maintenance contracts.
- Add maintenance contract terms.

Understanding Asset Maintenance Contracts

Use the Maintenance Contract Terms (MAINT_CONTRACT_01) component to track such contracts and to determine repair and servicing costs, the time period covered in the contract, and the exact coverage specified by the contract.

To track maintenance contracts:

- Add or modify maintenance contracts on the Maintenance Contracts - Detail page.
- Enter the terms of each maintenance contract and the coverage that it provides.

Note. You cannot set up maintenance contracts without first setting up a Vendor table. You need not set up all vendor tables, but you must at least set up a list of vendors.

Pages Used to Track Asset Maintenance Contracts

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Maintenance Contracts - Detail	MAINT_CONTRACT_01	Asset Management, Service and Maintenance, Maintenance Contract Terms	Add or modify maintenance contracts.
Maintenance Contracts - Coverage	MAINT_CONTRACT_02	Asset Management, Service and Maintenance, Maintenance Contract Terms, Coverage	Enter the terms of each maintenance contract and the coverage that it provides.

Adding or Modifying Maintenance Contracts

Access the Maintenance Contracts - Detail page (Asset Management, Service and Maintenance, Maintenance Contract Terms).

You can add multiple records for any contract. By creating separate records with different dates in the Effective Date field, you can maintain a history of when the contract was first issued and any subsequent renewals. To identify the contract currently in use, make its Status *Active*.

The information in this page helps you to track maintenance contracts. You can enter when the contract was issued, when it expires, what you had to pay for it, and the vendor honoring the contract. You can also identify the person who is responsible for ensuring that the assets covered by this contract are maintained and repaired as required.

Adding Maintenance Contract Terms

Access the Maintenance Contract - Coverage page (Asset Management, Service and Maintenance, Maintenance Contract Terms, Coverage).

In the Coverage field, enter any information about the coverage provided under each maintenance contract, the cost of such coverage, or any other contract-related information.

Entering Warranty Information

Enter warranty information on the Asset Warranty (ASSET_WARRANTY) page.

This section lists prerequisites and discusses how to:

- Enter asset warranty information.
- Apply warranties from templates.

Prerequisites

Before entering asset warranty information, you can:

- Define standard warranty templates.
- Define asset warranty templates.

When these tables have been defined, the templates and defaults are available for assignment to asset warranties.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing"

Pages Used to Enter Warranty Information

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Asset Warranty	ASSET_WARRANTY	Asset Management, Service and Maintenance, Asset Warranties	Enter warranty information.
Search for Asset Warranty Templates	AM_WTMPL_SRH	Click the Apply Warranties from Template link on the Asset Warranties page.	Search to find a defined Standard Warranty Template to apply to the asset.

Entering Warranty Information

Access the Asset Warranty page (Asset Management, Service and Maintenance, Asset Warranties).

Asset Warranties

Unit: US001 Asset ID: 000000000005 Fleet vehicle - Gas/Elec Hybri **Asset Status:** In Service
 Tag: P00000009005 **Serial ID:** PRIUS1234 **VIN:**

[Apply Warranties from Template](#)

Warranty Find | View All First 1 of 1 Last

Sequence: 1 +

Detail Find | View All First 1 of 1 Last

*Effective Date: 09/25/2009 31 *Status: Active + -

Vendor ID: USA0000050 ABC Auto Supplies

Contact ID: +

Warranty Number: +

Warranty Name: 50,000 MILES WARRANTY +

Warranty End Date: 31

Coverage: 100% Parts and Materials +

Asset Warranties page

Most of the information on this page helps you manage the repair of assets covered by manufacturer warranties.

Sequence

The sequence value is determined by the order or *sequence* of warranty terms entered for this warranty. This system is enabled to support multiple warranties per asset.

Effective Date and Status

Enter the effective date and status of the warranty. Use these fields to establish a history of when each warranty is first issued and any subsequent information that is relevant. You can add multiple warranty records for an asset. If the warranty is currently valid, select *Active* in the its Status field.

Vendor ID

Select a vendor by ID from the list of those available for this business unit. Identifies the manufacturer. Only valid IDs set up in the Vendor Table are accepted.

Contact ID	Select a warranty contact by ID from the list of those available for this vendor.
Warranty Number	Enter the warranty number or ID.
Warranty Name	Select a warranty name from the list of those available for this SetID.
Warranty End Date	Enter the date the warranty expires.
Coverage	Specify the terms and conditions of each warranty in this memo field.

Applying Warranties from Template

Access the Search for Asset Warranty Templates page (Click the Apply Warranties from Template link on the Asset Warranties page).

Use this search page to find a defined standard warranty template and apply the warranty terms to this asset.

Enter search criteria to restrict template selections based on:

- Asset Type
- Asset Subtype
- Vendor ID
- Model
- Item ID

The valid warranty templates matching the search criteria appear, and you may select one to associated with this asset. Standard warranties are defined on the Standard Warranty Template.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing Asset Processing," Setting Up Asset Warranties.

Entering Asset Insurance Information

This section lists prerequisites and discusses how to:

- Set up asset insurance vendors and types.
- Set up asset insurance.

Use the Asset Insurance (ASSET_INSURANCE) component to set up asset insurance.

The Asset Insurance page captures all of the information necessary to track the insurance coverage for an asset. The *Asset Insurance by Company* query is provided to enable viewing of the insurance by business unit and vendor ID.

Note. (JPN) This feature satisfies the Japanese requirement to link an insurance policy ID to an asset ID.

Prerequisites

The asset insurance pages use data stored in the Vendor table and the Insurance Type table. Before you set up asset insurance, you must first define these tables and establish an asset ID.

To use the Asset Insurance page, you must first:

- Establish insurance types.
- Set up asset insurance vendors.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing," Pages Used to Define Asset Attributes

Page Used to Set Up Asset Insurance Information

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Asset Insurance	ASSET_INSURANCE	Asset Management, Service and Maintenance, Asset Insurance	Track insurance information by asset ID.

Setting Up Asset Insurance

Access the Asset Insurance page (Asset Management, Service and Maintenance, Asset Insurance).

Asset Insurance

Unit: US001 Asset ID: EX_000000001 2000 Chevrolet Tahoe LT Tag: P00000000001 In Service
1/2Ton

Policy ID: ABC1234

Insurance Co: USAKUAETNA AETNA INSU-001 *Insurance Type:

Insurance Information Find | View All First 1 of 1 Last

*Effective Date: 01/01/2008 Descr: AUTO Ins Location Code: US001 USA - New York Issue Date: 01/01/2008 Valuation Type: User Entered Insured Value: 40,000.00 Current Value: 35,000.00 Min Insured Val: Premium Amount: Total Cost: 39,107.00 USD Replacement Cost: Comments:	*Status: Active Long Desc: Automobile Insurance Expiration Dt: 12/31/2006 Insurance Indicator: Policy Currency: USD Appraised Value: Last Indexation Dt: Premium Frequency: User Defined Amount: Date of last update:

Asset Insurance page

Unit	Displays the business unit selected from the search criteria.
Asset ID	Displays the asset ID selected from the search criteria and with which this insurance information is associated.
Tag	Displays the asset tag number selected from the search criteria.
Policy ID	Displays the insurance policy ID if insurance information has previously been established or displays the ID entered when adding a new value.
Insurance Co (insurance company)	Displays the name of the insurance company for this coverage. The company must already be defined in the vendor file.
Insurance Type	Display or change the insurance type to correspond with this policy coverage. The available insurance types are defined during the setup process.

Insurance Information

Effective Date	Indicates when the insurance coverage takes effect. If you want a history of changes, add new rows to the table and use effective dating to update insurance coverage, rather than making changes to the initial row.
Status	Refers to the status of the Effective Date row.
Descr (description)	Enter a description of the asset.
Long Descr (long description)	Enter a description of the asset.
Issue Date	Enter the insurance coverage issue date.
Expiration Dt (expiration date)	Enter the insurance coverage expiration date.
Valuation Type	Designate the insurance valuation calculation type used for this coverage. No processing takes effect as a result of this entry, but this entry identifies the appropriate calculating method in effect. The available insurance valuation types are: • <i>Curr Market Value at Mkt Rate</i> (current market value at market rate): Value at market rate. • <i>User Entered</i>: Enter a definition. • <i>Value as New and Insure</i>: Value as new and insure if repurchased.
Insurance Indicator	Designate the type of asset and risk associated with the asset: <i>On Loan</i> or <i>High Value</i> . Use this indicator to identify assets with any special insurance characteristics for reporting purposes.
Insured Value	Enter the amount of the insured asset value.
Policy Currency	Select the policy currency type. The value of this field is defaulted from the base currency of the business unit default book.
Current Value	Enter the current value of the asset.
Appraised Value	Enter the appraised value of the asset.
Min Insured Val (minimum insured value)	Enter the minimum amount of insurance for the asset.
Last Indexation Dt (last indexation date)	Enter the last date on which an indexation for the asset took place.
Premium Amount	Enter the amount of the premium in full or periodically.
Premium Frequency	Enter the type of premium schedule such as annual, quarter, month and so on.

Total Cost	Displays the total cost, which is derived from the COST table and reported in the base currency of the default book.
User Defined Amount	Corresponds to User Entered value.
Replacement Cost	Displays the replacement cost, which is derived from the replacement cost calculated for the asset and stored on the Basic Asset page.
Date of last update	Displays the date of the last update to the replacement cost.
Comments	Enter any comments. This is a free-text field.

Generating the Asset Warranties Report

You can generate an asset warranty report to review asset warranty information. This section lists the page used to generate this report.

Page Used to Generate the Asset Warranty Report

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Warranties	RUN_AMAS1600	Asset Management, Service and Maintenance, Reports, Warranties, Warranties	Specify run control parameters to generate an asset warranty report. The warranties reports lists Asset ID, Description, Warranty, Vendor ID, End Date, Coverage.

Reviewing Asset Maintenance History

This section lists the pages used to review asset maintenance history.

Page Used to View Asset Maintenance History Summaries

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Asset Service/Repair History - Maint History by Type (asset service/repair history - maintenance history by type)	ASSET_MAINT_SUM_01	Asset Management, Service and Maintenance, Review Maintenance History, Maintenance History by Type	View a summary of asset maintenance by maintenance type. From the Work Order tab, you can link directly to the work order and review maintenance, cost and work order details.

Chapter 10

Using Group Asset Processing

This chapter provides an overview of group asset processing and discusses how to:

- Add group member assets.
- Add group asset IDs with background processing.
- Perform transactions on group member assets.
- Consolidate group member assets.
- Calculate depreciation for group assets.
- Run the Group Member Estimated Net Book Value report.
- Change rates retroactively.
- Review asset book history.

Understanding Group Asset Processing

PeopleSoft Asset Management is fully equipped to handle group asset processing for organizations such as utility companies or other entities that support a communal infrastructure—such as federal, state, or municipal public utilities, highways, and roads—or other infrastructure that owns, leases, or uses depreciable assets.

Group assets are treated as a single entity for the purpose of depreciation but as multiple entities for all other purposes. These entities may reside in different locations, or they may be in different stages of their service lives. Nevertheless, you consolidate and depreciate their collective cost as if it were that of a single asset.

Some items commonly tracked as group assets include telephone poles, pipelines, and wire. Some of these group assets can be identified by the Federal Energy Regulatory Commission (FERC) code (delivered with the PeopleSoft system) and depreciated according to FERC guidelines. Group assets are added without cost information. The group member assets are added with associated cost information. Asset transactions, except depreciation and accounting entries, are performed on group member assets. After performing transactions against group members and before running depreciation against the group, the Group Asset Consolidation process is run, consolidating group member cost information at the group asset level. Depreciation is then run against the group asset, and the resulting accounting entries are made.

This section discusses:

- Asset transactions.
- Depreciated group assets.

- Retired group members.
- Strategy for asset grouping.

Asset Transactions

All transactions, except depreciation and accounting entries, are performed on the group asset's member assets. The member assets can be adjusted, transferred, recategorized, retired, reinstated, and so forth—just like any other asset. You can even transfer group member assets from one group asset to another.

The system applies asset transactions at the group member level. The resulting cost is then consolidated, and the total depreciable basis is depreciated at the group asset level.

Depreciated Group Assets

Each group asset is associated with an average service life that is usually set by the local regulatory agency. The system uses the asset's remaining service life to calculate a group depreciation rate. The group depreciation rate is usually calculated annually and remains fixed for the entire year. The system then applies this rate to the asset's depreciable basis (the sum of the depreciable bases of its group members) to calculate depreciation expense.

Depreciation expense is booked to general ledger by applying the depreciation rate either to an average account balance for the period (using an averaging option) or to actual activity for the period.

Average service life studies provide the basis for calculating average remaining life for a group of assets. Average service life studies are performed every three or four years, depending on the length of the local regulatory agency's rate cases.

Because depreciation rates are calculated by using remaining service life at the group asset level, and depreciation also takes place at the group asset level, it is not possible to over-depreciate group members.

Flat rate depreciation methods calculate depreciation until the calendar ends. Alternatively, if you don't want to calculate depreciation until the end of the associated calendar, you can specify the number of future years for which depreciation should be calculated when you add the asset.

Note. PeopleSoft Asset Management supports only the flat rate depreciation method for group asset processing.

Note. For optimal processing performance and greater table efficiency, you should specify the number of future years for which depreciation will be calculated rather than calculating it to the end of the calendar. Use the Future Depreciation Years option to do this.

See Also

[Chapter 5, "Adding and Maintaining Assets," page 45](#)

Retired Group Members

Retirements can be processed only against group members.

Because all group members of a group asset are generally depreciated as a single unit, and because the depreciation rate is based on a group average remaining life, all assets that are retired from within a group should be fully depreciated with no gain or loss.

However, not all assets that are managed by an organization are fully depreciated when they are retired. PeopleSoft Asset Management enables you to retire a group member as either fully depreciated or not fully depreciated. If not fully depreciated, gain or loss is calculated for the group member. Any accumulated depreciation is moved to the group asset.


Strategy for Asset Grouping

Before you set up group asset processing, consider how you want to group the assets. Asset grouping is not standardized; however, there are key components that apply almost universally. Assets can be grouped by FERC account or subaccount at the highest level. Vintage year and location are also commonly included in a grouping strategy.

Depreciation of group assets identified by the FERC code is usually calculated and booked to the general ledger at the FERC account level by using a group asset depreciation rate. Assets are summed by vintage year within the FERC account to provide statistics to support life studies and, subsequently, to derive the group rate for the FERC account and vintage year. Grouping by vintage year is also required to support reporting of deferred taxes. Regulatory agencies require reporting of assets by location or jurisdiction. Consequently, they require grouping by location.

Other factors that you should consider in determining how to group assets include depreciation policies, tax reporting requirements, jurisdictional reporting requirements, and corporate accounting procedures. Assets grouped together should have these attributes in common.

This diagram shows an asset grouping scheme:



Asset grouping scheme

Note. All group asset processes are available for processing with multiple currency transactions enabled.

Prerequisites

To enable group asset processing, you must first set it up at the system and business unit book levels. To set up group asset processing:

1. Select Set Up Financials/Supply Chain, Install, Installation Options, Asset Management, and then select the Group Asset Processing check box.
2. Add or select a business unit and books for group asset processing.

You can use any book or business unit for group asset processing.

3. Associate the books with the business unit, and enable group asset processing at the business unit book level.

You must also select the ChartFields that the system will use to store depreciation records and subsequently charge with depreciation accounting entries.

Because group asset processing is enabled at the book level, a business unit might track assets in both a group asset processing book and another book that does not have group asset processing enabled. An asset would appear exactly the same in both books, but transactions would be processed differently. PeopleSoft Asset Management enables you to track assets in each of the books. Also, you can add a regular asset to the business unit that has group asset processing. The system prompts you to confirm that you want to add the asset as a regular asset.

Adding Group Member Assets

PeopleSoft Asset Management links each group asset to an asset profile. After the profile is linked to the asset, any group members that are added using that profile are automatically linked to that group asset. Much of the book information appears by default from the profile, as well.

To add group member assets:

1. Add a profile for the group member assets.

Be sure to associate this profile with the group asset processing books. Remember, each asset profile that you use for adding group member assets *must* be used by a single business unit. If you have multiple business units that perform group asset accounting, each one must have a unique set of asset profiles for adding group member assets. In this case, you may want to add a business unit identifier to the asset profile ID to facilitate recognition.

2. Using the ExpressAdd component, add a group asset ID.

Use the group asset profile to display the default book information for the asset. Do not add any cost information. Be sure to enter transaction and accounting dates that cover all group member assets. In the Group Flag field, select *Group ID*.

3. Link the group asset ID to the group member profile.

Return to the profile that you created. On the Depreciation page, select the Group Asset ID field. A list appears with all group assets for the business unit. Select the group asset (and all related group members) to link to this profile. You can override the default and enter a different group asset when you add the group members.

Next, add group member assets. Do this online or in a background process. It is recommended that you add group member assets using a background process. This reduces the likelihood of errors, frees up human resources, and saves time.

See Also

Chapter 5, "Adding and Maintaining Assets," Adding and Maintaining Asset Information, page 48

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing," Setting Up Asset Profiles

Adding Group Member Assets with Background Processing

Add group member assets by using background processing if the assets originated in another system. In that case, all asset data exists in either relational tables or a flat file format. To load the asset data into PeopleSoft Asset Management, you perform the steps discussed here.

To add group member assets with background processing:

1. Add a value for the PROFILE_ID field to each asset record.
2. Set the value of the PROFILE_ID field to equal the asset profile on which you want to base the group member assets.

Information in the profile populates the GROUP_ASSET_ID field and GROUP_ASSET_FLAG field in the Asset Management loader tables.

Note. The GROUP_ASSET_FLAG field must be set to *M*, and the GROUP_ASSET_ID field must be populated with the ID of a group asset. If these aren't set properly, group asset accounting does not work.

The next step depends on whether the data resides in relational tables or in flat files.

Relational Table Data

If the data resides in relational tables, write a Structured Query Report (SQR) to transfer the data to the PeopleSoft Asset Management loader tables. Then run the Transaction Loader process to transfer the load lines into PeopleSoft Asset Management as open transactions.

Note. Follow the same procedure outlined within the Custom SQR Conversion section in the Converting to PeopleSoft Asset Management chapter.

See Also

Chapter 4, "Converting to PeopleSoft Asset Management," page 31

Adding Group Member Assets Online

Add group member assets online using the Asset ExpressAdd component.

When you add a group member asset online, remember that you must enter a group member profile ID for the asset. The group member profile automatically associates the group member with a particular group asset, flags it as a group member asset, and links it to a group asset processing book (or books). Remember, you must select a profile ID that is unique to the business unit.

Make sure that the Group Asset Flag field is set to *Grp Member* in the ExpressAdd component.

See Also

Chapter 5, "Adding and Maintaining Assets," Adding and Maintaining Asset Information, page 48

Adding Group Asset IDs with Background Processing

Group asset IDs, like group member assets, can be loaded using a background process. In the Transaction Loader, you use the Default_Profile_SW = "N" option. Consequently, you must load one record for each book of each asset into INTFC_FIN.

Load these required fields into the PS_INTFC_FIN table when adding group asset IDs:

- INTFC_ID
- INTFC_LINE_NUM
- BUSINESS_UNIT
- ASSET_ID

This is the group asset ID.

- BOOK
- DTTM_STAMP
- APPROVAL_SW
- LOAD_STATUS
- DEFAULT_PROFILE_SW = 'N'
- CATEGORY

- METHOD

Set the method to *FL* (flat rate).

- DEPR_PERCENT
- CONVENTION
- DEPR_AVG_OPTION
- IN_SERVICE_DT
- TRANS_DT
- CURRENCY_CD

Load these fields into the PS_INTFC_PHY_A record when loading group asset IDs:

- INTFC_ID
 - INTFC_LINE_NUMBER
 - BUSINESS_UNIT
 - ASSET_ID
- This is the group asset ID.
- DTTM_STAMP
 - INTFC_TYPE
 - SYSTEM_SOURCE
 - APPROVAL_SW
 - LOAD_STATUS
 - DEFAULT_PROFILE_SW
 - ASSET_STATUS
 - FINANCIAL_ASSET_SW
 - PROFILE_ID
 - GROUP_ASSET_FLAG
 - CURRENCY_CD
 - CUSTODIAN_EFFDT
 - LOCATION_EFFDT

Note. You can include physical attribute data (asset location and asset custodian) for the group asset; however, the custodian and location effective-dated fields are required. The physical attribute data must be loaded into the PS_INTFC_PHY_A table.

Note. If a profile is already created for a group asset ID and you load the group asset ID in a background process, the system detects the profile ID in the PROFILE_DET_TBL table and returns an error.

See Also

[Chapter 5, "Adding and Maintaining Assets," Pages Used to Add or Change Asset Information, page 49](#)

[Chapter 4, "Converting to PeopleSoft Asset Management," page 31](#)

Performing Transactions on Group Member Assets

This section discusses how to transfer group members among group assets.

Although you depreciate grouped assets and make accounting entries at the group asset level, you perform all other transactions for grouped assets at the group member level. You can perform these transactions on group member assets:

- Adds
- Adjustments
- Transfers
- Recategorizations
- Retirements
- Reinstatements

Perform these transactions on group member assets the same way in which you perform these transactions on other assets.

You can override the estimated accumulated depreciation at the group member level on the following transactions:

- Asset transfers
- Interunit transfers
- Fixed price markup
- Recategorizations
- Retirements

See [Chapter 10, "Using Group Asset Processing," Running the Group Member Estimated Net Book Value Report, page 268.](#)

Transferring Group Members Among Group Assets

Transfer a group member asset from one group asset to another by using the Asset Book Definition component.

To transfer group member assets:

1. Access the Asset Book Definition page.
2. Change the group asset ID to the new group that you want to associate with the member asset.
3. Enter the transaction date and accounting date.

Note. Enter a group asset ID for a group asset processing book only.

Consolidating Group Member Assets

This section provides an overview of consolidation of group member assets and discusses how to run the Group Asset Consolidation process (AMGRPCON).

Understanding Consolidation of Group Member Assets

PeopleSoft Asset Management provides the Group Asset Consolidation process, which consolidates (or summarizes) group member asset cost information at the group level, based on ChartFields that you specify. Once the process has been run, cost and depreciation information for all group members is stored at the group level. The process summarizes asset addition (ADD) and asset adjustment (ADJ) transactions. Other transactions such as transfers, retirements, and reinstatements are copied to the group asset level without consolidation because the system calculates reserve at the group member level. However, after you run depreciation for these transactions, they are consolidated at the group level the next time that you run the Group Asset Consolidation process.

The Group Asset Consolidation process uses the transaction period in which the ADD or ADJ transaction occurs, except when you use the actual-day depreciation convention. In that case, the process uses the actual transaction date. The period of the in-service date is also a factor when consolidating ADD transactions.

You must run the Group Asset Consolidation process before you depreciate group assets. When you next run the process to summarize new group member additions and adjustments, the process consolidates the new transactions with the previously summarized transactions for greater table efficiency.

Pages Used to Consolidate Group Member Assets

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Consolidate	AMGRPCON_RQST	Asset Management, Depreciation, Group Asset Depreciation, Consolidate, Consolidate	Run the process that consolidates cost information for group member assets. The process summarizes cost information of group members at the group level, based on the ChartFields that you specify on the Business Unit/Book Definition page. Run this process before calculating depreciation for group assets.
Group Member Open Transaction Detail	AMGRPCON_DET_SEC	Click Open Trans for Group Members on the Group Asset Consolidation page.	Review open transactions for group members.

Running the Group Asset Consolidation Process

Access the Group Asset Depreciation - Consolidate page (Asset Management, Depreciation, Group Asset Depreciation, Consolidate, Consolidate).

Consolidate

Run Control ID: Group1

[Report Manager](#) [Process Monitor](#)

Run

Request

Find | View All First 1 of 1 Last

*Request ID:1

Process Frequency:Always

☒ Process in Parallel

Processing Sequence:1

Run Options

Business Unit:AUS01

Book Name:

From Group Asset ID:

To Group Asset ID:

[Open Trans for Group Members](#)

Group Asset Depreciation - Consolidate page

Note. Accumulated depreciation for group member assets is loaded at the member asset level, and the Group Asset Consolidation (AMGRPCON) process consolidates at a group level.

Consolidation Example for Asset Additions

This example shows how group member cost information is consolidated for asset additions. In this example, Project ID and Category represent the ChartFields selected for summarization. The example is based on a monthly depreciation calendar.

This table shows the cost records for nine member assets that belong to one group asset before you run the Group Asset Consolidation process:

As set ID	Trans Date	Acct Date	In Svc Date	Dpr Cnv	Ope r Unit	Dept ID	Project ID	Catego ry	Cost Type	Cost	Group Asset
AS SE T01	01/01/09	01/01/09	01/01/09	AM	PLA NT01	32000	0000000001	AUTO	C	1,000	GRP1
AS SE T02	01/05/09	01/31/09	01/15/09	AM	PLA NT05	53000	0000000001	AUTO	NA	2,000	GRP1
AS SE T03	01/31/09	01/31/09	01/01/09	AM	NA	53000	0000000001	AUTO	M	1,300	GRP1

Copyright © 1992, 2012, Oracle and/or its affiliates. All Rights Reserved.

263

As set ID	Trans Date	Acct Date	In Svc Date	Dpr Cnv	Ope r Unit	Dept ID	Project ID	Catego ry	Cost Type	Cost	Group Asset
AS SE T04	01/20/ 09	01/20 /09	01/15/ 09	AM	PLA NT0 6	1020 0	000000 0002	AUTO	C	2,300	GRP1
AS SE T05	01/25/ 09	01/31 /09	01/20/ 09	AM	NA	NA	000000 0002	AUTO	NA	4,300	GRP1
AS SE T06	01/31/ 09	01/31 /09	01/20/ 09	FM	PLA NT0 7	2932 1	000000 0002	AUTO	NA	6,290	GRP1
AS SE T07	12/31/ 08	01/06 /09	01/01/ 09	AM	PLA NT0 1	3200 0	000000 0001	AUTO	C	3,400	GRP1
AS SE T08	01/15/ 09	01/15 /09	12/15/ 08	FM	PLA NT0 1	3200 0	000000 0001	AUTO	C	3,400	GRP1
AS SE T09	01/31/ 09	01/31 /09	12/31/ 08	FM	PLA NT0 1	5300 0	000000 0001	AUTO	C	1,230	GRP1

This table shows how the Group Asset Consolidation process consolidates the nine group member cost rows into five group asset cost rows:

Group ID	Trans Date	Acct Date	In Svc Date	Depr Conv	Project ID	Category	Cost
GRP1	01/01/09	01/31/09	01/01/09	AM	0000000001	AUTO	4,300.00
GRP1	01/01/09	01/31/09	01/01/09	AM	0000000002	AUTO	6,600.00
GRP1	01/01/09	01/31/09	01/01/09	FM	0000000002	AUTO	6,290.00
GRP1	12/01/08	01/31/09	01/01/09	AM	0000000001	AUTO	3,400.00
GRP1	01/01/09	01/31/09	12/01/08	FM	0000000001	AUTO	4,630.00

The cost rows are consolidated in this way:

- Group row 1 summarizes group member rows 1, 2, and 3.
- Group row 2 summarizes group member rows 4 and 5.

- Group row 3 summarizes group member row 6.
- Group row 4 summarizes group member row 7.
- Group row 5 summarizes group member rows 8 and 9.

Each of the group cost rows is then depreciated separately. In addition, the begin depreciation date for each asset is updated in this way:

<i>Asset ID (Group Members)</i>	<i>Updated Begin Depreciation Date</i>
ASSET01	01/01/09
ASSET02	01/01/09
ASSET03	01/01/09
ASSET04	01/01/09
ASSET05	01/01/09
ASSET06	02/01/09
ASSET07	01/01/09
ASSET08	01/01/09
ASSET09	01/01/09

Consolidation Summary Levels

The consolidation summary levels are:

- Business unit.
- Book.
- Group asset ID.
- Depreciation convention.
- Transaction period (except when the actual-day convention is used; in that case, the actual transaction date is used instead of the period).
- Period of accounting date.
- Period of in-service date (ADD transactions only).

- Category ChartField (required).
- General ledger ChartFields and cost type (optional, depending on the settings on the Business Unit/Book Definition page).

Consolidation Example for Asset Adjustments

This example shows how group member cost information is consolidated for asset adjustments. In this example, Project ID and Category represent the ChartFields selected for summarization.

This table shows the cost records for nine member assets that belong to one group asset before you run the Group Asset Consolidation process:

Asset ID	Trans Date	Acct Date	DeprConv	Oper Unit	Dept ID	Project ID	Category	Cost Type	Cost	Group Asset
ASSET 01	03/01/09	05/01/09	AM	PLAN T01	32000	000000 0001	AUTO	C	200	GRP1
ASSET 02	03/12/09	05/12/09	AM	PLAN T05	53000	000000 0001	AUTO	NA	120	GRP1
ASSET 03	03/15/09	05/31/09	AM	NA	53000	000000 0001	AUTO	M	250	GRP1
ASSET 04	03/31/09	05/12/09	AM	PLAN T06	10200	000000 0002	AUTO	C	90	GRP1
ASSET 05	03/20/09	05/30/09	AM	NA	11000	000000 0002	AUTO	NA	120	GRP1
ASSET 06	04/30/09	05/15/09	AM	PLAN T07	29321	000000 0002	AUTO	NA	75	GRP1
ASSET 07	04/30/09	06/01/09	AM	PLAN T01	32000	000000 0001	AUTO	C	200	GRP1
ASSET 08	05/15/09	06/14/09	AM	PLAN T01	32000	000000 0001	AUTO	C	430	GRP1
ASSET 09	05/31/09	06/30/09	AM	PLAN T01	53000	000000 0001	AUTO	C	892	GRP1

This table shows how the Group Asset Consolidation process consolidates nine group member cost rows into five group asset cost rows:

<i>Group ID</i>	<i>Trans Date</i>	<i>Acct Date</i>	<i>DeprConv</i>	<i>Project ID</i>	<i>Category</i>	<i>Cost</i>
GRP1	03/01/09	05/31/09	AM	0000000001	AUTO	570
GRP1	03/01/09	05/31/09	AM	0000000002	AUTO	210
GRP1	04/01/09	05/31/09	AM	0000000002	AUTO	75
GRP1	04/01/09	06/30/09	AM	0000000001	AUTO	200
GRP1	05/01/09	06/30/09	AM	0000000001	AUTO	1322

The cost rows are consolidated in this way:

- Group row 1 summarizes group member rows 1, 2, and 3.
- Group row 2 summarizes group member rows 4 and 5.
- Group row 3 summarizes group member row 6.
- Group row 4 summarizes group member row 7.
- Group row 5 summarizes group member rows 8 and 9.

Calculating Depreciation for Group Assets

This section discusses how to run the Group Asset Depreciation process.

Page Used to Calculate Depreciation for Group Assets

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Group Asset Depreciation	RUN_AMDPCGRP	Asset Management, Depreciation, Group Asset Depreciation, Calculate, Group Asset Depreciation	Run the depreciation calculation process for group assets. View the Asset Batch Process error log for information about problems that occurred during the process.

Running the Group Asset Depreciation Process

Access the Group Asset Depreciation page (Asset Management, Depreciation, Group Asset Depreciation, Calculate, Group Asset Depreciation).

Select the parameters that this process will use to include assets in the calculation.

View the Asset Batch Process error log for information about problems that occurred during the process but did not terminate the process.

Indexing to Increase Processing Performance

To increase processing performance, PeopleSoft recommends that you create an index, as follows:

```
CREATE INDEX ON PS_OPEN_TRANS (BUSINESS_UNIT, GROUP_ASSET_ID, BOOK, TRANS_TYPE, DTTM_⇒  
STAMP)
```

Running the Group Member Estimated Net Book Value Report

This section provides an overview of the estimated net book value calculation and discusses how to run the Group Member Estimated Net Book Value (NBV) report.

Understanding the Estimated Net Book Value Calculation

The Group Member Estimated Net Book Value (NBV) report enables you to estimate the net book value of asset members. The report provides the estimated accumulated depreciation of the member by using the following formula:

Cost of member (cost) – Estimated life-to-date depreciation of member, using historical rate of the group (expense) = Estimated net book value

Note. The report provides only an estimate of the NBV.

See Also

Chapter 8, "Adjusting, Transferring, and Evaluating Assets," Specifying Transfer To/From Books Information, page 189

Page Used to Run the Group Member Estimated Net Book Value Report

Page Name	Definition Name	Navigation	Usage
Group Member Estimated NBV	RUN_AMDP2150_RPT	Asset Management, Financial Reports, Cost and Depreciation, Group Member Estimated NBV, Group Member Estimated NBV	Estimate the net book value (NBV) of an asset member before selling the asset.

Running the Group Member Estimated Net Book Value Report

Access the Group Member Estimated NBV page (Asset Management, Financial Reports, Cost and Depreciation, Group Member Estimated NBV, Group Member Estimated NBV)

Group Member Estimated NBV

Run Control ID: Group1 [Report Manager](#) [Process Monitor](#)

Request

Find | View All First 1 of 1 Last

*Request ID: 1 ☐ Load Member Reporting Table

*Unit: EGV01

*Book Name:

Assets

From Asset: To Asset:

OR

Group ID:

Accounting Period

Fiscal Year: Period:

OR

Trans Date: 08/31/2009

Group Member Estimated NBV page

Note. The business unit and book name must be associated with a group asset.

Load Member Reporting Table

Select to record the member accumulated depreciation. If this check box is not selected, the report is printed and the member accumulated depreciation is not recorded in the table (DEPR_RPT_MEM).

Changing Rates Retroactively

Utility companies often must use an interim depreciation rate pending FERC settlement of a rate case. The process of changing rates retroactively enables utility companies to retroactively recalculate group depreciation using a new rate.

This section discusses how to process retroactive rate changes.

Pages Used to Change Rates Retroactively

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Create New Group Rate	AMGRPRRC_RQST	Asset Management, Depreciation, Group Asset Depreciation, Create New Group Rate, Create New Group Rate	Enter a new rate and initiate the Group Asset Rate Change process.
Group Asset Depreciation	RUN_AMDPCGRP	Asset Management, Depreciation, Group Asset Depreciation, Calculate, Group Asset Depreciation	Run the depreciation calculation process for group assets. This process picks up the retroactive rate change (RRC) open transaction records and recalculates depreciation as of the transaction date.
Run Depreciation Close Process	DEPR_CLOSE_RQST	Asset Management, Accounting Entries, Close Depreciation, Run Depreciation Close Process	Run the depreciation close process (AM_DPCLOSE) to pick up the prior period depreciation (PDP) entries and generate accounting entries.

Processing Retroactive Rate Changes

To process retroactive rate changes:

1. On the Create New Group Rate page, enter the new rate, a range of assets to which the rate applies, and the transaction date on which the rate change retroactively became effective.

2. Run the Group Asset Rate Change process (AMGRPRRC).

The process updates the asset book and creates a book history entry with the new rate for the range of group assets that you specify. It also creates RRC open transaction records.

3. When you next run the Group Asset Depreciation process (AMDPCGRP), it picks up the RRC open transaction records and recalculates depreciation as of the transaction date.

The Group Asset Depreciation process also generates PDP entries in the depreciation table for the difference in the depreciation amounts.

4. When you next run the Depreciation Close process (AM_DPCLOSE), it picks up the PDP entries and generates accounting entries.

Reviewing Asset Book History

The Asset Book History component enables you to review a list of all book changes for an asset. You can use the Book History List page or view the details of a listed item on the Book History Detail page.

This section lists the pages used to review asset book history.

Pages Used to Review Asset Book History

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Asset Book History - List	ASSET_BOOK_HIST1	Asset Management, Asset Transactions, History, Review Book, List	Review a list of book changes for an asset.
Asset Book History - Detail	ASSET_BOOK_HIST2	Asset Management, Asset Transactions, History, Review Book, Detail Click a Detail link from Detail the Asset Book History - List page.	Review the details of a book change for an asset.

Chapter 11

Using Composite Asset Processing


This chapter provides an overview of composite asset processing and discusses how to:

- Add a composite asset.
- Add a composite member asset.
- Capitalize composite members into composite assets.
- Retire composite members from composite assets.
- Load composite asset transactions.
- Perform transactions on composite assets.

Understanding Composite Asset Processing

Composite Asset Processing, frequently used by utility companies, is a way of grouping many assets so that their total cost is carried by, and depreciated as, one asset. This single asset is termed a *composite* asset, and associated assets are known as composite members.

In composite processing, no transaction detail is carried by individual composite members. All transaction detail, including any gain or loss accrued upon retirement, is rolled up to the composite asset level. Once this rollup occurs, no transaction detail is retained by composite members. Because depreciation occurs at the composite asset level, only the composite asset carries any information—such as book, depreciation method, prorate convention, or life—that relates to depreciation.



Composite asset processing

Because the composite asset carries all the cost for its associated composite members, it is a financial, or capitalized, asset. The composite asset can also carry its own cost information or not, as required, although no individual detail is retained once the total cost has been rolled up. Composite member assets, on the other hand, are nonfinancial assets, or not capitalized, and carry no cost information. Instead, they carry acquisition detail, which is summed up and capitalized at the composite asset level.

All transactions are performed at the composite asset level except for adjustments to acquisition detail. Adjustments are made at the composite member level and then rolled up to the composite level.

Note. The fair value (FV) of the asset does not roll up from the composite member to the composite level.

Summing up and adjusting cost information for composite assets is accomplished through a mass change that:

- Sums the acquisition detail for each ChartField combination contained in the affected Composite Member assets.
- Inserts one cost row into the Composite Asset for the total of each ChartField combination.

Note. Composite members are not considered in the Capitalization Threshold evaluation.

Adding a Composite Asset

Using Asset Basic Information, you must perform three steps to add a composite asset:

1. Select the Composite Asset check box on the General Information page.

After you save the asset, make note of its Asset ID.

2. Enter an asset Profile ID on the General Information page.
3. Capitalize the asset on the Asset Acquisition Detail page by selecting the Capitalize button.

You can enter cost information or not, as required.

See [Chapter 5, "Adding and Maintaining Assets," Adding and Maintaining Asset Information, page 48.](#)

Adding Composite Member Assets

Using Asset Basic Information, you must perform these steps to enter composite member assets:

1. Associate the member with a composite asset.

Select the Composite Asset check box on the General Information page and associate the composite member by selecting a composite asset in the Composite Asset ID field.

2. On the Asset Acquisition Detail page, assign a Capitalize status of *To be Capitalized*.

The composite member is uncanceled with no cost rows. You can use a Profile ID for composite member assets if you want. However, you must use a nonfinancial asset profile. A composite member asset may display an Amount left to Capitalize if it has any acquisition detail. This amount is displayed until the composite member is capitalized into its associated composite asset.

3. Add appropriate acquisition details to the composite member on the Asset Acquisition Detail page.

Note. A nonfinancial Asset Profile does not contain any book information. On the pages of the Asset Basic Information component, Capitalized Asset should not be selected.

4. Select an asset type (if no profile has been established).

See [Chapter 5, "Adding and Maintaining Assets," page 45.](#)

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing Asset Processing," Setting Up Asset Profiles.

Capitalizing Composite Members into Composite Assets

To capitalize composite members into their associated composite asset, you need to create and run a mass change definition using the Mass Change Template *CC - Capitalize into Composite*.

In Execution Sequence 1, enter the composite asset ID into which you want to capitalize your composite members, the Business Unit to which the composite asset belongs, and the Composite Member Asset IDs you want to capitalize. You need not capitalize all composite member assets at one time.

In Execution Sequence 2, enter the Composite Member Asset ID and the Profile TableSet ID associated with that Business Unit. This information is required to improve system performance. There are no defaults to enter for this Mass Change Type.

Be sure to enter the Transaction Date and Accounting Date that are required by PeopleSoft Asset Management. You can also select the transaction currency as necessary.

See Also

[Chapter 20, "Processing Asset Mass Changes," page 427](#)

Retiring Composite Members from Composite Assets

To retire composite members from their associated composite asset, you need to create and run a mass change definition using the Mass Change Template *CR - Composite Retirement*.

In Execution Sequence 1, enter the Composite Asset ID from which you want to retire your composite members, the business unit to which the composite asset belongs, and the Composite Member Asset IDs you want to retire. You need not retire all composite member assets at one time.

In Execution Sequence 2, enter the business unit associated with your composite asset and the Profile TableSet ID associated with that Business Unit. This information is required to improve system performance.

Enter the defaults for the retirement, including a Disposal Code, Retirement Type, and Retirement Convention, and indicate whether this is a *Voluntary* or *Involuntary Retirement*.

Be sure to enter the Transaction Date and Accounting Date that are required by PeopleSoft Asset Management.

See Also

[Chapter 20, "Processing Asset Mass Changes," page 427](#)

Loading Composite Asset Transactions

After you have run a Composite Asset mass change, use the Transaction Loader to load results of the mass change into the PeopleSoft Asset Management tables.

The Load Type for *capitalize into composite* transactions is *CIC*. The Load Type for retire from composite transactions is either *PRT* or *RET*, depending on whether you are doing a partial or a full retirement.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Integrating PeopleSoft Asset Management with Other Products," Running the Transaction Loader.

Understanding the Effect of Capitalization into Composite

After your composite member assets are capitalized, they are designated *Already Capitalized* on the Asset Acquisition Detail page. The Capitalization Information group box is inactive. The Asset Acquisition Detail page no longer displays an amount or quantity that is left to capitalize.

The Composite Asset into which you capitalized will now contain one cost row for each ChartField combination represented in the acquisition detail of the composite members you just rolled up. To view this, select Asset Management, Asset Transactions, Financial Transactions, Cost Adjust/Transfer Asset, Cost Information.

Note. The Cost Information page appears after clicking the Search button.


Understanding the Effect of Retirement from Composite

After you retire a Composite Member from a Composite Asset, the cost row for the ChartField combination you retired will be decreased by the amount you retired. To view this, select Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Asset, Retire Assets. You can also view this information on the Cost Information page.

Because Composite Member Assets carry no cost information, you will not see any change in them after retirement.

Performing Transactions on Composite Assets

All transactions on composite assets are performed at the composite asset level except adjustments to cost. Adjustments to cost/quantity are made at the composite member level as adjustments to acquisition detail, and then rolled up to the composite level and capitalized, where they are recognized as adjustments to total cost/quantity.



Transaction on composite Elements

Adjustments to Cost/Quantity

Using Asset Basic Information, you must perform three steps to adjust the cost/quantity of a composite asset:

1. Add a row of acquisition detail to one of the associated Composite Members.

This row should equal the amount of the desired cost/quantity adjustment and contain the appropriate ChartField combination. The additional row is reflected in the Amount Left to Capitalize on the Asset Acquisition Detail page. If you want to add cost/quantity for more than one ChartField combination, enter additional rows.

2. Use Mass Change to capitalize the adjusted Composite Member into the Composite Asset.
3. Run the Transaction Loader.

Recategorizations and Transfers

Recategorizations and transfers on composite assets are performed at the composite level. Perform these transactions on composite assets as you would for any other asset by using the Asset Cost Adjust/Transfers component.

To transfer a composite asset:

1. Select Asset Management, Asset Transactions, Financial Transactions, Cost Adjust/Transfer Asset to access the Main Transaction page.
2. Select the Transaction Date, Accounting Date, Transaction Code, and Rate Type. Select *Transfer* in the Action drop-down list box. The Transaction Type for transfers is *TRF*.
3. Enter new ChartField information into the appropriate fields on the Cost Information page.

We recommend that you change information one field at a time to establish an audit trail. For example, if you need to change the department and project, first enter the new department and save the change. Then go back and change the project.

The Composite Asset may have several cost rows, each for a separate ChartField combination. These rows are the totals, by ChartField combination, of all the acquisition detail for the associated Composite Member Assets that have been capitalized into the Composite Asset.

4. Save your changes.

See [Chapter 8, "Adjusting, Transferring, and Evaluating Assets," page 175](#).

Chapter 12

Performing Asset Physical Inventory

This chapter provides an overview of asset physical inventories and discusses how to:

- Set up a physical inventory.
- Define the extract scope, the scan scope, and the physical inventory controls.
- Process a physical inventory.
- View physical inventory history.

Understanding Physical Inventories

This section lists prerequisites and discusses:

- Physical inventory processing steps.
- Physical inventory terminology.
- Hardware and software for physical inventory processing.

Prerequisites

Before you can perform a physical inventory in PeopleSoft Asset Management, all assets must have tag numbers. They must also belong to a particular department or location, or you must have some other way to track their whereabouts.

Physical Inventory Processing Steps

These are the steps of physical inventory processing:

1. (Optional) Extract physical inventory asset data from PeopleSoft Asset Management.

PeopleSoft Asset Management provides a physical inventory system that enables you to extract asset data from the PeopleSoft Asset Management database into a sequential file and then load it into a bar code scanning device. You can also extract data from third-party information technology (IT) asset discovery tools. Such discovery tools belong to a class of software that you can use instead of bar coding for laptops, computers, and other IT equipment. These discovery tools poll the assets over a network and update a central database.

2. (Optional) Use the extracted physical inventory data to generate a sequential file that a bar code scanner or inventory device can use, and enter the file into the scanner.

Steps 1 and 2 are necessary only if you want to display data from your PeopleSoft Asset Management database as you scan each asset. The displayed information can include asset IDs, tag numbers, serial numbers, manufacturers, models, descriptions, departments, locations, and so forth. This asset data can provide instant information about an asset's history.


3. After you scan assets, load the scanned data into PeopleSoft Asset Management and resolve any duplicate tag numbers and serial numbers.
4. After you match the physical inventory scan scope to the scanned data, generate physical inventory results for review.
5. Generate transactions based on the results.

You then load the transactions to reconcile the data in PeopleSoft Asset Management with the physical inventory results.

6. Delete the physical inventory transactions when you no longer need them.
7. Delete the physical inventory results when you no longer need them.
8. Delete the physical inventory scanned asset data when you no longer need it.
9. (Optional) If you created an extract file, delete that file when you no longer need it.

As an example of how physical inventory is processed, suppose that you are inventorying computer equipment. An IT discovery tool obtains the physical attributes of a workstation, along with the amount of installed memory, the type of monitor, the amount of free hard disk space, and the installed software on the computer. You then load physical inventory data and the physical information gathered by the discovery tool software into PeopleSoft Asset Management. The physical inventory processing determines the assets that have been added, transferred, or retired. Using these results, you perform matching and generate transactions to reconcile the data in PeopleSoft Asset Management with the results of the physical inventory.

This diagram shows the process flow of a physical inventory:



Physical inventory process

Physical Inventory Terminology

The following terms are integral to physical inventory processing and reconciliation.

Physical Inventory ID	A physical inventory control ID you assign within PeopleSoft Asset Management for each physical inventory that you perform.
Extract scope	Set of all assets that you might scan during a physical inventory. This set of assets is broader than the scan scope. It should include all possible locations, departments, profiles, cost limits, categories, class types and subtypes for the assets to be inventoried.
Extract data	Data extracted from PeopleSoft Asset Management before you perform the physical inventory scan. This data should include all assets that you might scan during the physical inventory scan.
Extract file	PeopleSoft Asset Management creates a sequential file of the physical inventory data collected for each asset. The files are created as random access files when you enter a tag or serial number. One is sorted by tag number and one is sorted by serial number.
Physical inventory scan	Process of scanning assets with a bar code scanning device, such as a handheld Palm device that uses solutions from third party vendors.
Physical inventory scan scope	Set of all assets that are defined in PeopleSoft Asset Management as belonging to a particular location or department to be scanned.
Physical inventory scan data	Data collected by the bar code scanning device during the physical inventory.
Mass Change Definition	PeopleSoft Asset Management Mass Change functionality is used to define the extract scope and the scan scope. The mass change definition is a user-defined extract scope and scan scope. The extract scope includes all assets that <i>might</i> be scanned during the inventory. The scan scope includes the area of the <i>actual</i> scan.
Overs	Any assets that appear in the scanned data but not in the scan scope.
Unders	Any assets that appear in the scan scope but not in the scanned data.

Hardware and Software for Physical Inventory Processing

To use the full range of the physical inventory functionality, you need additional hardware and software beyond the standard PeopleSoft system setup. These requirements are listed here.

Hardware

Here are the additional hardware requirements for physical inventory processing:

Portable bar code reader	A handheld unit that you can use to collect asset data.
Bar code scanning wand	A device that you use to physically scan bar codes. The wand is usually purchased along with the bar code reader.

Thermal transfer label printer

A printer for printing labels. If you have a relatively large number of assets (more than 10,000), you should purchase a label printer.

Note. You can integrate the Physical Inventory feature of PeopleSoft Asset Management with virtually any bar coding hardware.

Software

If you plan to print your own labels, you can use a Windows-based label-printing software package.

To view PeopleSoft Asset Management data on a scanning device while you scan assets, you need to develop your own application for the scanner or use the program that PeopleSoft Asset Management provides. This application reads data from the extract file, displays the data to the operator, and records any data that the operator enters. PeopleSoft has developed a sample application to run on a DOS-based bar code scanner. The program is written in Microsoft QuickBasic, and you can configure it easily. This application (which comprises the files PI.BAS and PI.EXE) is packaged with PeopleSoft Asset Management and resides in the \PI directory.

You need to transfer files between the computer and the bar code scanner. To do this, you can use any communications application transfers information from a computer to a scanning device.

In addition to (or in lieu of) bar coding, you can use an auto-discovery tool from any that are available on the market.

Asset Management comes with a number of programs (in the \PI directory) for physical inventory processing on DOS-based scanners. This table lists these programs:

<i>Program</i>	<i>Description</i>
PI.BAS	This is the BASIC source code for the scanner application that you use to perform the physical inventory.
PI.EXE	This is the compiled version of PI.BAS that runs on the scanner. You need a BASIC compiler to generate an executable file if you change this code.
PISORT.BAS	This is a BASIC source code program that sorts the sequential extract file that Asset Management creates. This application creates two random access files—one that is sorted by tag number (EXT.TAG) and one that is sorted by serial number (EXT.SER). These files are read by PI.EXE when the user enters a tag or serial number.
PISORT.EXE	This is the compiled version of PISORT.BAS. It is called from the batch file EXTCOPY.BAT.

<i>Program</i>	<i>Description</i>
EXTCOPY.BAT	This batch file is used to download extract files to the scanner. Edit this file so that it: • Calls the communications software to connect to the scanner. • Calls PISORT to sort the extract file. • Deletes EXT.TAG and EXT.SER from the scanner. • Downloads new versions of EXT.TAG and EXT.SER. You may need to edit EXTCOPY.BAT if you want to copy files to the appropriate drive on the scanner. This requirement may vary among different scanning devices.
SCANCOPY.BAT	This batch file is used to upload the SCAN.DAT file from the scanner to \\TEMP\\SCAN.DAT. You can modify the program to copy the SCAN.DAT file from the appropriate drive on the scanner.

See Also

[Chapter 20, "Processing Asset Mass Changes," page 427](#)

Setting Up a Physical Inventory

To set up a physical inventory in PeopleSoft Asset Management, use the Physical Inventory System Setup component (PI_SYSTEM_SETUP). This section provides an overview of setting up a physical inventory and discusses how to set up a physical inventory.

Page Used to Set Up a Physical Inventory

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Physical Inventory/Mass Change	PI_SYSTEM_SETUP	Asset Management, Physical Inventory, Physical Inventory/Mass Change, Physical Inventory/Mass Change	Review relationships between physical inventory fields and mass change definitions. Note. Unless you have altered the physical inventory system (for example, by adding fields), do not change information on this page.

Setting Up a Physical Inventory

Access the Physical Inventory Setup page (Asset Management, Physical Inventory, Physical Inventory/Mass Change, Physical Inventory/Mass Change).

Physical Inventory/Mass Change

Physical Inventory System Setup Find | View All First 1-3 of 16 Last

PI Scan Fieldname	PI Basis Record	PI Target Record	*Transaction Type
			Asset Non-Financial Add
*Mass Change Definition: PI5 - Physical Asset Adds			
			Inventory History Insert
*Mass Change Definition: PI7 - Inventory History Insert			
			Operating Lease Retire
*Mass Change Definition: PI12 - Retire OPL Assets			

NOTE: Leave Scan Fieldname, Basis Record & Target Record blank for ADD and RET trans types; required otherwise!

Physical Inventory/Mass Change page

When you perform step 5 of the physical inventory process (generating physical inventory results), the Structured Query Report (SQR) AMPI1000 uses data from this page to compare asset field values and determine the types of transactions that need to be generated. A physical inventory mass change process (AMIF1000) also uses this page to reload transactions into PeopleSoft Asset Management after the physical inventory is reconciled.

Note. The information on this page is prepopulated to work with the delivered physical inventory programs. Modify this page only if you have made alterations to the physical inventory system—for example, by creating new fields.

Defining the Extract Scope, the Scan Scope, and the Physical Inventory Controls

To define the extract and scanning scope, and set up the inventory controls for a physical inventory, use the Physical Inventory component. This section provides an overview of defining the extract scope, the scan scope, and the physical inventory controls and discusses how to:

- Define the extract scope and the scan scope.

- Define physical inventory control parameters.
- Define physical inventory control transaction defaults.
- Set up physical inventory schedule information.

Understanding Extract Scopes and Scan Scopes

Physical inventory matching and reconciliations are based on two separate sets of asset data that you define—the extract scope and the scan scope. Each of these sets is based on location, department, or both. The first set is the data that you originally extract from PeopleSoft Asset Management and load into a scanning device. The extract scope includes all possible locations and departments for the assets to be inventoried. This enables the bar code scanner to find PeopleSoft Asset Management data for most of the assets that it scans. Define separate scopes for capital assets, noncapital assets and operating leases.

If you have not performed physical inventory in several years, define a broad extract scope. Because many assets may have been redistributed in the interim, the extract scope might even include the entire business unit.

Note. If you are using an IT asset discovery tool only, you do not need to define an extract scope.

The scan scope defines the scope of the actual physical inventory—that is, where the inventory actually occurs. For example, suppose that you plan to take inventory on the second floor of a five-floor building. Because the assets may have been redistributed since the last inventory, the extract scope might include assets on all five floors. However, the scan scope would include only assets on the second floor.

The system compares the scan scope with the actual scanned data when PeopleSoft Asset Management generates physical inventory results. Any assets that appear in the scan scope but not in the scanned data are called *unders*, and they create *retirements* when you generate transactions. Any assets that appear in the scanned data but not in the scan scope are *overs*, and they create *physical adds* when you generate transactions. Other differences between the scan scope and the scanned data create transfers and changes in the assets' nonfinancial information. These assets are assigned the status *inventoried*.

Pages Used to Define Extract Scopes, Scan Scopes, and Physical Inventory Controls

Page Name	Definition Name	Navigation	Usage
Physical Inventory Control - Definition	PI_CNTL_01	Asset Management, Physical Inventory, Define Inventory Occurrence, Definition	Before you extract asset data, you must establish a physical inventory control ID within Asset Management for each physical inventory that you perform. Define the physical inventory ID here.

Page Name	Definition Name	Navigation	Usage
Physical Inventory Control - Transaction Defaults	PI_CNTL_02	Asset Management, Physical Inventory, Define Inventory Occurrence, Transaction Defaults	Specify the defaults for any transactions and asset retirements that are generated from the physical inventory.
Create Schedules	PI_SCHEDULE_01	Asset Management, Physical Inventory, Create Schedules, Create Schedules	Set up physical inventory schedule information. If several people perform physical inventories simultaneously at different locations, you may need to track the status of each inventory.
Asset Mass Change Definition - Description	MC_DEFN_00	Asset Management, Mass Change, Define Criteria	Add or update a mass change definition.
Asset Mass Change Definition - Criteria and Defaults	MC_DEFN_01	Asset Management, Mass Change, Define Criteria, Criteria and Defaults	Specify the mass change criteria for selecting rows, and identify the columns and values to be changed.
Asset Mass Change Definition - AM Specific Fields	MC_DEFN_AM	Asset Management, Mass Change, Define Criteria, AM Specific Fields	Complete mass change information that is unique to and required by Asset Management mass changes.
Asset Mass Change Definition - Generate SQL	MC_DEFN_02	Asset Management, Mass Change, Define Criteria, Generate SQL	Generate and check the SQL text generated by a mass change definition before you run it.
Asset Mass Change Definition - Execution History	MC_DEFN_03	Asset Management, Mass Change, Define Criteria, Execution History	Determine the last time a mass change definition was run and what the specific input parameters were.

Defining the Extract Scope and the Scan Scope

Access the Asset Mass Change Definition - Description page (Asset Management, Mass Change, Define Criteria).

Use this page to define the extract scope and the scan scope in PeopleSoft Asset Management. The extract scope should include all assets that *might* be scanned during the inventory. The scan scope should include the area of the actual scan.

Note. You must define a scan scope. An extract scope is necessary only if you want the scanning device to display asset data from the PeopleSoft Asset Management database as you scan each asset.

Because the Physical Inventory functionality of PeopleSoft Asset Management is based on mass changes, you use the Asset Mass Change functionality to define the extract scope and the scan scope, as described here:

- Access the Asset Mass Change Definition - Description page, by selecting *PI Extract* (physical inventory extract) or *PI Scan Scope* (physical inventory scan scope) as the Mass Change Template ID to specify the template on which to base this extract scope or scan scope.

The archive ID and archive date are optional on this page. The description that appears is derived from the mass change template that you select; you can modify the description.

- On the Asset Mass Change Definition - Criteria and Defaults page, select criteria for the inventory scope.

In the Criteria group box, enter the department or location (or both) from which to extract asset data or define a scan scope. Add rows to select additional departments and locations. You can define these values explicitly or by using SQL operators. If you leave either the Department or Location Field blank, you retrieve all possible values for that field.

- You do not need to use the Asset Mass Change Definition - AM Specific Fields page.

The additional parameters this page enables you to specify can be specified on the Physical Inventory pages.

- On the Asset Mass Change Definition - Generate SQL page, create a SQL statement that is based on the criteria that you set up on the Asset Mass Change Definition - Criteria and Defaults page.

After you complete the page, save the mass change definition, making sure that the Execute SQL Upon Saving check box is deselected. Because the Physical Inventory SQR program uses the physical inventory mass change definitions, they cannot be executed online.

See Also

[Chapter 20, "Processing Asset Mass Changes," page 427](#)

Defining Physical Inventory Control Parameters

Access the Define Inventory Occurrence - Definition page (Asset Management, Physical Inventory, Define Inventory Occurrence).

Definition		Transaction Defaults	
Physical Inventory ID:	AM-PI	*PI Name:	PI ID FOR AM
Physical Inventory Parameters			
Unit:	US006	Book Name:	
Start Date:	10/21/2008		
End Date:	10/21/2008		
Last Step:	5 Transactions Generated		
Capital Extract ID:	PI2000-US001-EXTR	Capital Scan ID:	PI2000-SCANSCOPE
Non Capital Extract ID:	PI2000-US001-NCP-EXTR	Non Capital Scan ID:	PI2000-NCP-SCANSCOPE
Oper Lease Extract ID:	PI2000-US001-OPL-EXTR	Oper Lease Scan ID:	PI2000-OPL-SCANSCOPE
Comments			

Define Inventory Occurrence - Definition page

Before you extract asset data, you must establish a physical inventory control ID for each physical inventory that you perform. Specify the Extract and Scan IDs.

Note. Each physical inventory occurrence must have a unique ID. Physical inventory IDs cannot contain spaces. Use an underscore instead of a space in a physical inventory ID.

Unit	Enter the business unit for which you want to conduct an inventory. If you are using an IT asset discovery tool, you can process all business units by leaving the Unit field blank, or you can process a single business unit by making a business unit selection.
Book Name	Enter a Book Name to process assets for physical inventory that were added to a book other than the one that is designated as the current default book value on the AM Business Unit Definition page. If you leave the Book Name blank, the system uses the current default book value from the AM Business Unit Definition page. In this way, if you change your designated default book value on the AM Business Unit Definition page, you can create a separate Physical Inventory ID to process those assets in physical inventory that were added with the old default book value.
Start Date and End Date	Enter dates for information purposes only; these are not used for processing the data.
Last Step	This page indicates the last step that you performed in the current physical inventory. Refer to this page to ensure that you perform all steps in the proper sequence.

Capital Extract ID	Enter the mass change definition that the system uses to extract asset data for capital assets from Asset Management.
Non Capital Extract ID (non capital extract)	Enter the mass change definition that the system uses to extract asset data for noncapital assets from Asset Management.
Oper Lease Extract ID	Enter the mass change definition that the system uses to extract asset data for operating leases from Asset Management.
Capital Scan ID	Enter the mass change definition that the system uses to define the scope of this physical inventory—that is, the set of capital assets to be scanned.
Non Capital Scan ID	Enter the mass change definition that the system uses to define the scope of this physical inventory - the set of noncapital assets to be scanned.
Oper Lease Scan ID (operating lease scan)	Enter the mass change definition that the system uses to define the scope of this physical inventory - the operating leased assets to be scanned.

Note. You can supply any or all three mass change values for extract and scan (capital, noncapital and operating lease). This provides the ability to define different filtering criteria for each.

Defining the Physical Inventory Control Transaction Defaults

Access the Physical Inventory Control - Transaction Defaults page (Asset Management, Physical Inventory, Define Inventory Occurrence, Transaction Defaults).

Definition		Transaction Defaults										
Physical Inventory ID: AM-PI		PI ID FOR AM										
Auto Approval ☐ Approve	Transactions Enabled <table> <tr> <td>☒ Non-Financial Adds</td> <td>☒ Transfers</td> <td>☒ Retirements</td> </tr> <tr> <td>☒ Physical Asset Changes</td> <td>☒ Non Capital Transfer</td> <td>☒ Non Capital Retirement</td> </tr> <tr> <td>☒ Asset Updates</td> <td>☒ Operating Lease Transfer</td> <td>☒ Operating Lease Retirement</td> </tr> </table>			☒ Non-Financial Adds	☒ Transfers	☒ Retirements	☒ Physical Asset Changes	☒ Non Capital Transfer	☒ Non Capital Retirement	☒ Asset Updates	☒ Operating Lease Transfer	☒ Operating Lease Retirement
☒ Non-Financial Adds	☒ Transfers	☒ Retirements										
☒ Physical Asset Changes	☒ Non Capital Transfer	☒ Non Capital Retirement										
☒ Asset Updates	☒ Operating Lease Transfer	☒ Operating Lease Retirement										
Transaction Defaults <table> <tr> <td>*Transaction Date: 10/21/2008</td> <td>*User ID: SAMPLE</td> </tr> <tr> <td>*Accounting Date: 10/21/2008</td> <td>*Interface ID: 10000005</td> </tr> <tr> <td>Transaction Code:</td> <td>*Open Transaction ID: 17</td> </tr> </table>				*Transaction Date: 10/21/2008	*User ID: SAMPLE	*Accounting Date: 10/21/2008	*Interface ID: 10000005	Transaction Code:	*Open Transaction ID: 17			
*Transaction Date: 10/21/2008	*User ID: SAMPLE											
*Accounting Date: 10/21/2008	*Interface ID: 10000005											
Transaction Code:	*Open Transaction ID: 17											
Retirement Defaults <table> <tr> <td>*Disposal Code: Sale</td> <td> Voluntary Conversion ☒ Voluntary ☐ Involuntary </td> <td> Type ☒ Ordinary ☐ Extraordinary </td> </tr> <tr> <td>*Retirement Convention: FM</td> <td colspan="2"></td> </tr> <tr> <td>*Retire Option: Calculate Gain/Loss</td> <td colspan="2"></td> </tr> </table>				*Disposal Code: Sale	Voluntary Conversion ☒ Voluntary ☐ Involuntary	Type ☒ Ordinary ☐ Extraordinary	*Retirement Convention: FM			*Retire Option: Calculate Gain/Loss		
*Disposal Code: Sale	Voluntary Conversion ☒ Voluntary ☐ Involuntary	Type ☒ Ordinary ☐ Extraordinary										
*Retirement Convention: FM												
*Retire Option: Calculate Gain/Loss												

Physical Inventory Control - Transaction Defaults page

Auto Approval**Approve**

Select this check box to have the system automatically approve the transactions that are generated from the inventory. PeopleSoft strongly recommends that you review and approve all transactions that are generated during the physical inventory process before you load them into PeopleSoft Asset Management.

Transactions Enabled

Use the check boxes in this group box to select the types of transactions that you want to generate. For instance, you may not want the results of the physical inventory to generate any financial transactions. In such cases, you would deselect the Transfers and Retirements check boxes. Select from the following types of transactions:

Non-Financial Adds	Select that the results of the physical inventory generate nonfinancial additions.
Operating Lease Retirement	Select that the results of the physical inventory generate nonfinancial retirements. This triggers the mass change associated with this transaction type as a result of nonfinancial unders.
Retirements	Select that the results of the physical inventory generate unders.
Transfers	Select that the results of the physical inventory generate transfers.
Operating Lease Transfer (operating lease transfers)	Select that the results of the physical inventory generate operating lease transfers. This triggers the mass change associated with this transaction type when a discrepancy occurs between the stored and the scanned department records.
Physical Asset Changes	Select that the results of the physical inventory generate physical asset changes. This includes changes in the custodian department.
Asset Updates	Select that the results of the physical inventory generate any asset updates.
Non-Capital Transfer (non capital transfers)	Select that the results of the physical inventory generate non capital transfers. This triggers the mass change associated with this transaction type when a discrepancy occurs between the stored and the scanned department records.

Transaction Defaults

Transaction Date, Accounting Date, and Transaction Code The current date will display by default in the Transaction Date and Accounting Date fields. You may override these and enter a transaction code as needed.

User ID Enter the user ID of the person who performs the physical inventory.

Interface ID and Open Transaction ID

By default, the system populates the Interface ID and Open Transaction ID fields with the next available values. When you process the generated transactions using the Transaction Loader, (AMIF1000) refer to the interface ID on this page. You can use the open transaction ID to locate depreciation open transactions that are created as a result of the physical inventory.

Retirement Defaults

- Disposal Code**
- Select the method for retiring assets.
- Retirement Convention**
- Select to indicate how you want to prorate retired assets.
- Retire Option**
- Select one of the following retirement options:
 - *Calculate Gain/Loss*
 - *Fully Depr no Future Expense*
 - *Fully Depr with Future Expense*
- Voluntary Conversion**
- Select to identify whether the retirement takes place for intended or unintended reasons. Options are Voluntary and Involuntary for the retirement default.
- Type**
- Select Ordinary or Extraordinary to define the types of retirements that you generate.

Setting Up Physical Inventory Schedule Information

Access the Create Schedules page (Asset Management, Physical Inventory, Create Schedules, Create Schedules).

Create Schedules

*Schedule ID: US001

Description: US001 Inventory Schedule

Schedule Details

Find | View All | First | 1 of 1 | Last

*Start Date	End Date	*PI ID	PI Name	PI Leader
08/08/2000	10/31/2000	PI2000	2000 Inventory	Engles, Anita

Create Schedules page

Schedule ID

Set up one Schedule ID or as many unique IDs as you like. For instance, if you have several branches, you might want a separate schedule for each branch. Enter an informative description for each Schedule ID.

Start Date and End Date	You can leave the end date field blank until the inventory has actually been completed.
PI ID (physical inventory ID) and PI Leader (physical inventory leader)	You can enter a code to identify the physical inventory by date, location, or some other identifier. You may also assign a physical inventory leader.

Note. Scheduling information is not used in any physical inventory processing. It is informational only.

Processing a Physical Inventory

This section discusses how to:

- (Optional) Extract asset data (step 1).
- (Optional) View the results of the extract.
- (Optional) Create an extract file (step 2).
- Load asset inventory data (step 3).
- Find duplicate tags.
- Find duplicate serial numbers.
- Generate physical inventory results (step 4).
- Review physical inventory results.
- Generate physical inventory transactions (step 5).
- Delete physical inventory transactions (step 6).
- Delete physical inventory results (step 7).
- Delete physical inventory scanned data (step 8).
- (Optional) Delete an extract file (step 9).

After you define the extract scope, the scan scope, the physical inventory control ID, and the physical inventory schedule, you can extract data from PeopleSoft Asset Management tables. When the extract is complete, you can use the extract data in subsequent steps of the physical inventory process.

In order to process physical inventory, you must execute each step in its proper order. For each step, enter the physical inventory ID and select the type of export or import output that you want—for example, comma-separated values (CSV) file, generate labels, scanner file, or web service. If you are generating an output file, you also need to provide a file name.

Note. Because steps 2 and 3 require writing and reading files, you should run the AM_PIJOB, which consists of the AMPI1000 SQR program and AM_PIWS_RUN Application Engine program that are executed in parallel for these steps from the file location. For example, if you are writing and reading files from c:\temp\file.txt or c:\temp\scan.dat, you would run the process on the client. If you are writing and reading files from a directory on the PeopleSoft Internet Architecture server, run the process on that server.

Pages Used to Process Physical Inventory

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Load/Match/Reconcile PI Info	RUN_AMPI1000	Asset Management, Physical Inventory, Load/Match/Reconcile PI Info, Load/Match/Reconcile PI Info	Execute each step of the Physical Inventory process. It is recommended that you add a new run control ID for each physical inventory control ID (PI ID). Also use this run control ID for subsequent steps within the same PI ID.
Review Extracted Data	PI_EXTRACT_01	Asset Management, Physical Inventory, Review Extracted Data, Review Extracted Data	(Optional) View the results of the extract data one asset at a time. You can also search by PI line number, asset ID, department, tag number, serial ID, and location. The PI line number reflects the number of this asset in the extract sequence. For instance, the third asset that was extracted falls on PI Line Number 3. The system presents you with all the assets that match your criteria. Select the one you want to view. Note. You can run the report AMPI2000 to list all the information that has been extracted. Run this from the Physical Inventory Reports page.
Scanned Data	PI_SCAN_01	Asset Management, Physical Inventory, Verify Scanned Data	Verify scanned data for the Physical Inventory ID.
Duplicate Tags	PI_SCAN_DUP_TAG	Asset Management, Physical Inventory, Verify Duplicate Tags	Conduct searches for finding and correcting physical inventory data.

Page Name	Definition Name	Navigation	Usage
Duplicate Serials	PI_SCAN_DUP	Asset Management, Physical Inventory, Verify Duplicate Serial ID	Conduct searches for finding and correcting physical inventory data.
Results	PI_RESULTS_01	Asset Management, Physical Inventory, Review Matching Results	View the results of the matching process.
Details	PI_RESULTS_02	Asset Management, Physical Inventory, Review Matching Results, Details	View the original and scanned data. Note. You can run reports that list inventoried assets (AMPI2200), unders (AMPI2210), and overs (AMPI2220).

Extracting Asset Data (Step 1)

Access the Load/Match/Reconcile PI Info page (Asset Management, Physical Inventory, Load/Match/Reconcile PI Info, Load/Match/Reconcile PI Info).

Load/Match/Reconcile PI Info

Run Control ID: pi2000 [Report Manager](#) [Process Monitor](#)

PI ID: 2000 Inventory

File Name:

Last PI Step Executed: 6 Transactions Loaded

=> => => =>

<===== <= <=

Request Information

Extract Data allows you to extract all your current PS/AM data into a format you may load into a Bar-code reader. If you accumulate PI Data in a Bar-code reader, you may run Load Data to get that data into the PS/AM PI system. Enter the filename you want to load. The physical inventory process also supports web services to extract and load data.

Once you have data in the PS/AM PI system, you may match that data to the current PS/AM data to

Load/Match/Reconcile PI Info page

This step executes the actual data extract from PeopleSoft Asset Management. When you extract data, you do not need to enter a file name or file type. The data is saved in a relational table called PI_EXTRACT. Click the Extract button and click the Run button. If you want to view the extract data before using it in subsequent steps, access the Extract Data page.

Viewing the Results of the Extract

Access the Review Extracted Data page (Asset Management, Physical Inventory, Review Extracted Data, Review Extracted Data).

View the extract data one asset at a time. You can search by Physical Inventory ID, PI line number, asset ID, , tag number, , and location. The PI line number reflects the number of this asset in the extract sequence. For instance, the third asset that was extracted falls on PI Line Number 3. The system presents you with all the assets that match your criteria. Select the one you want to view.

Review Extracted Data

Physical Inventory ID: AM-PI PI ID FOR AM

Extracted Data	
Asset ID:	ITZ056
Location:	US001
Cost:	USD
Manufacturer:	DELL
Model:	GX260
Empl ID:	KU0006 Scott,William
Category:	
Asset Type:	IT Hardware
Asset Class:	DESKTOP
Description:	DELL GX260
Serial ID:	FB21PPE
Tag Number:	
Cost Type:	
Asset Subtype:	DESKTOP
Asset Profile:	COMPUTERS

Chartfields	
ChartField	Value
Operating Unit:	
Fund Code:	
Department:	
Program Code:	
Class Field:	
Budget Reference:	
Product:	
Project:	

Review Extracted Data page

Creating an Extract File (Step 2)

Access the Load/Match/Reconcile PI Info page. (Asset Management, Physical Inventory, Load/Match/Reconcile PI Info, Load/Match/Reconcile PI Info). This step creates an output file from the extract data.

Export/Import

Select *CSV* for a comma-separated values (CSV) file.

Select *Scanner File* as the import or export file type, and enter a file name (as well as any additional path information) for the file that you want to generate. The output file is formatted for loading into a bar code scanning device in preparation for performing physical inventory.

To create a file for printing labels rather than performing inventory, select *Generate Labels* as the export or import file type. A label file is created for the printer in a different format from the one used for a scanning device.

To generate files for both a scanning device and a printer, perform step 2 twice with a different output file type each time.

Select *Web Service* to use the Integration Broker web service option to load the physical inventory data. This happens without any input or initiation. As soon as an inbound XML message is received from the third party vendor, the associated handler loads the scanned data.

Note. When using the web service option, remember to supply the file size for chunking on the Asset Management Installation Options page. This specifies the chunk size for the message GET_PIDATA. See *PeopleSoft Application Fundamentals PeopleBook, Setting Installation Options for PeopleSoft Applications*.

Gen Extr File (generate extract file) Click this button and then click the Run button.

Note. The EXTCOPY.BAT file is configured to copy the extract file to the A:\ drive for demonstration or quick overview purposes. You need to modify EXTCOPY.BAT if you want to copy the extract file to the appropriate drive on a scanner.

Copy the scanner program (PI.EXE) and scanner file to the MS-DOS based scanning device. You can easily do this using a communications software package. You may wish to use a certified integration solution provided by recommended software vendors. Consult the bar code scanning device manual and software vendor for more information.

Once you have loaded the extract file and scanner program into the inventory-scanning device, you can perform the physical inventory. Each time that you scan an asset that is included in the extract file, the scanner displays the asset's information, such as tag number, description, serial ID, asset ID, and custodian. For the asset that you scan, you can retain or modify the values displayed on the scanner.

While you are performing the physical inventory scan, the scanning device creates a sequential file that contains information on all the scanned assets. The next step is to load the scanned file into PeopleSoft Asset Management for review.

Note. The files EXTCOPY.BAT and PI.EXE reside in the \PI directory. EXTCOPY.BAT is no longer supported, but it may be useful for a quick overview of the process.

Review the section on hardware requirements for further information about bar code scanners and methods of moving data to and from scanning devices.

If you are using an IT asset discovery tool from a third party vendor, you need to run a gateway extract so that you have a file to load into PeopleSoft Asset Management.

Loading Asset Inventory Data (Step 3)

Access the Load/Match/Reconcile PI Info page (Asset Management, Physical Inventory, Load/Match/Reconcile PI Info, Load/Match/Reconcile PI Info).

After completing the physical inventory with the scanning system, download the scanner data into a workstation or network server so that it can be converted back into a PeopleSoft Asset Management table called PI_SCAN. You do this using a communications software package or by using the certified integration solution provided by various software vendors. Consult the bar code scanning device manual or software vendor for more information.

Note. PeopleSoft Asset Management provides an unsupported file called SCANCOPY.BAT (found in the \PI directory) that can be edited to copy the SCAN.DAT file from the scanner to the computer. You may need to modify the copy statement in SCANCOPY.BAT so that it copies from the drive letter corresponding to the scanner's drive. This is similar to the modification that you may need to make to EXTCOPY.BAT.

Once the scanner files are available to load into Asset Management, you can run step 3 of the physical inventory process.

Enter the directory and file name of the inventory file. This is most likely \TEMP\SCAN.DAT. If located on the PeopleSoft Internet Architecture server, you can run the next process on the server.

Click the Load Scan File button and click the Run button to load the scan data into PeopleSoft Asset Management. You can load as many files as you need by renaming SCAN.DAT (during the bar code scanning process) with unique file names and loading each file separately.

Note. If you have written your own scanning program or modified PI.BAS to configure fields or field lengths, you need to update the file formats in AMPI1000.SQC to match.

Finding Duplicate Tags

Access the Verify Duplicate Tags page (Asset Management, Physical Inventory, Verify Duplicate Tags, Verify Duplicate Tags).

It is very common for an asset to be scanned multiple times during physical inventory, thus creating more than one entry with the same tag or serial number. In order for PeopleSoft Asset Management to perform inventory reconciliation, each tag or serial number must be unique. Therefore, it is extremely important that you identify and resolve any duplicate entries. If any duplicate entries exist when results are generated, these entries are marked as errors and are not processed any further.

Verify Duplicate Tags

Physical Inventory ID:

PI2000

2000 Inventory

Unit:

PSDEU

Match Status:

Over

Asset ID:

NEXT

☐ Manual Review Required

Scanned By:

AssetInsight,Tangram

Physical Inventory ID

Tag Number:

P00005460

Employee ID:

3279

Serial ID:

03712928

Custodian:

Natter,Andreas

Manufacturer:

Toshiba

Model:

730

Location:

GERMANY

Description:

Department:

3100

IP Alias:

ANATTER052099.peoplesoft.com

IP Address:

Comment:

Verify Duplicate Tags page

You can search on a tag and a physical inventory line number. The physical inventory line number reflects the number of this asset in the scanning sequence. For instance, the third asset that was scanned falls on physical inventory line number 3.

If duplicates exist, the system displays a page on which you can correct or delete assets that have duplicate numbers.

The IP Alias and IP Address fields describe the internet protocol attributes of IT assets that are extracted from the IT discovery tools database.

Finding Duplicate Serial Numbers

Access the Verify Duplicate Serial ID page (Asset Management, Physical Inventory, Verify Duplicate Serial ID, Verify Duplicate Serial ID).

Verify Duplicate Serial ID

Physical Inventory ID:

PI2000

2000 Inventory

Unit:

PSDEU

Match Status:

Over

Asset ID:

NEXT

☐ Manual Review Required

Scanned By:

AssetInsight,Tangram

Physical Inventory ID

Tag Number:

P00005460

Employee ID:

3279

Serial ID:

03712928

Custodian:

Natter,Andreas

Manufacturer:

Toshiba

Model:

730

Location:

GERMANY

Description:

Department:

3100

IP Alias:

ANATTER052099.peoplesoft.com

IP Address:

Comment:

Verify Duplicate Serial ID page

The Duplicate Serial Number page is similar to the Duplicate Tags page except that you are reviewing created records that have a duplicate Serial ID number.

Generating Physical Inventory Results (Step 4)

Access the Load/Match/Reconcile PI Info page.

After the inventory data is loaded into Asset Management, you clean up the data. Then you can run step 4, which performs matching between a physical inventory scan scope and scanned data and creates physical inventory results for review.

Note. Before you generate results, you should use the Verify Duplicate Tags page and Verify Duplicate Serial ID page to clean up any possible errors in the scanned data.

File Name	You can leave this field blank for this step.
Gen Results (generate results) and Run	Click the Gen Results button and click the Run button to initiate processing. Note that this step may take some time to complete due to the amount of information that must be processed. Because this step involves some complex processing, you may want to have your database administrator optimize the database before you execute the step.

Reviewing Physical Inventory Results

Access the Results page (Asset Management, Physical Inventory, Review Matching Results, Results).

Results

Details

Physical Inventory ID: PI2000

2000 Inventory

Asset Match Results

Asset ID: EX_000000003

PI Match Status: Under

Scanned By:

Alerts

☐ Manual Review Required

☐ Result In Error

Results Notification

☐ Send Email

☐ Send Worklist

Description:

User ID:

Message:

Description:

Results page

The PI Match Status (physical inventory match status) field displays an asset's physical inventory status when results are generated and matching is performed. An asset can have one of the following statuses:

Status	Reason	Transactions Generated
Accel	NA	NA
All I, O, U		
Discard		
Initial		
Inventory	Asset was scanned during inventory as expected.	Transfers and physical changes (description, location, department, custodian, and so on).
None		
Over	Asset was scanned but not expected.	Physical adds.

Status	Reason	Transactions Generated
<i>Special</i>		
<i>Under</i>	Asset was expected but not scanned.	Retirements.

Manual Review Required

This check box is selected if the scanner operator requested a special review for this asset.

Results in Error

This check box is selected if the physical inventory processing cannot process a result further. Four error conditions may apply:

- Duplicate tags.

If any duplicate tags still exist in the scanned data, the results generated for those duplicates contain errors.

- Multiple sets of ChartFields.

If an asset has multiple sets of ChartFields (that is, the cost is divided between two departments), an error results. Physical inventory processing cannot handle such assets.

- Asset retired.

An asset recorded as *Retired* in Asset Management was scanned. Physical inventory processing doesn't process reinstatements automatically. Complete these in the Retiring Financial Assets component.

- InterUnit candidate.

A scanned tag was found for an asset in a business unit other than the one for which you're processing physical inventory. You should transfer it from that business unit to the physical inventory business unit. Physical inventory processing doesn't perform interunit transfers automatically. Complete these in the Asset Cost Adjust/Transfers component.

These errors are exceptions to the rule and should not occur frequently or in high volumes. Results that are in error do not generate transactions and should be resolved manually.

Results Notification

If you use Workflow, this section contains fields that are used in workflow processing to generate automatic physical inventory results notifications. These can be sent to a worklist, an email address, or both.

Generating Physical Inventory Transactions (Step 5)

Access the Load/Match/Reconcile PI Info page (Asset Management, Physical Inventory, Load/Match/Reconcile PI Info, Load/Match/Reconcile PI Info).

After matching is performed, you create physical inventory transactions that reconcile the data in Asset Management with the results of the physical inventory.

Enter the PI ID (physical inventory ID), click the Gen Trans (generate transactions) button, and click the Run button to begin generating the transactions.

Because this step involves some complex processing, you may want to have the database administrator optimize the database before you run it.

Note. This step takes the longest time to process, so be sure that you are satisfied with the generated results before you load the transactions. You can see the results of the matching process by reviewing the Results page and the Results Detail page.

After you have created, reviewed, and approved the reconciliation transactions, you load them by using the Interface Asset Information component and the Transaction Loader.

Deleting Physical Inventory Transactions (Step 6)

Access the Load/Match/Reconcile PI Info page (Asset Management, Physical Inventory, Load/Match/Reconcile PI Info, Load/Match/Reconcile PI Info).

When you no longer need your physical inventory transactions, click the Del Trans (delete transactions) button and click the Run button.

Deleting Physical Inventory Results (Step 7)

Access the Load/Match/Reconcile PI Info page (Asset Management, Physical Inventory, Load/Match/Reconcile PI Info, Load/Match/Reconcile PI Info).

When you no longer need your physical inventory results, click the Delete Res (delete results) button and click the Run button.

Deleting Physical Inventory Scanned Data (Step 8)

Access the Physical Inventory page (Asset Management, Physical Inventory, Load/Match/Reconcile PI Info).

When you no longer need your physical inventory scanned data, click the Delete Scan button and click the Run button.

Deleting an Extract File (Step 9)

Access the Load/Match/Reconcile PI Info page (Asset Management, Physical Inventory, Load/Match/Reconcile PI Info, Load/Match/Reconcile PI Info).

When you no longer need your physical inventory extract file, click the Delete Ext (delete extract) button and click the Run button.

Viewing Physical Inventory History

This section lists the pages used to view physical inventory history.

Pages Used to View Physical Inventory History

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Review Inventory History	PI_ASSET_HIST1	Asset Management, Physical Inventory, Review Inventory History, Review Inventory History	View a history of all the instances that an asset has been inventoried by PI ID, Inventory date and user.
Run Physical Inventory Reports	RUN_AMP12000	Asset Management, Physical Inventory, Run Physical Inventory Reports, Run Physical Inventory Reports	Generate physical inventory reports, specifying Physical Inventory ID, location and department.

Chapter 13

Working with Joint Venture Asset Processing


This chapter provides an overview of joint venture processing and discusses how to:

- Add and maintain joint venture assets.
- Change ownership allocations for existing joint ventures.

Understanding Joint Venture Processing

The Joint Venture Processing feature of PeopleSoft Asset Management enables you to accurately track finances when two or more business units share in the ownership of an asset or a group of assets. To use this feature, you must set up a Joint Venture Business Unit, identify business units that participate in the joint venture, and associate all of the business units with their respective equities.

The following graphic illustrates the relationship between a joint venture business unit and its participants. A joint venture business unit owns 100 percent of all joint venture assets. Participating business units are each assigned an equity percentage of the jointly owned assets. When you add, adjust, or retire an asset at the joint venture business unit level, similar transactions take place at the participant level, with cost and depreciation prorated according to each participant's equity percentage.



Joint venture processing

Equity percentages are defined in the Joint Venture Allocation table when you set up the PeopleSoft Asset Management tables. The sum of the participants' percentages must equal 100 percent. Equity percentages are allotted to participating business units according to the values you enter in the joint venture allocation table.

This allocation table sets up joint venture processing for Participants 1, 2, and 3, which own 60 percent, 20 percent, and 20 percent of the joint venture assets, respectively:

<i>Business Unit</i>	<i>Percentage</i>
Joint Venture Business Unit	100
Participant 1	60
Participant 2	20
Participant 3	20

Most transactions on joint venture assets are performed at the Joint Venture Business Unit level. These transactions are automatically performed at the participant level as well, with cost, fair market and depreciation information prorated based on each participant's equity percentage.

For example, asset ID JV00022 was entered for the Joint Venture Business Unit. With USD 10,000 of remaining value and USD 2,000 in accumulated depreciation, these assets are created based on the previous allocation table:

Unit	Asset ID	Book	Remaining Value	Accumulated Depreciation
Joint Venture Business Unit	JV000022	CORP	10,000	2,000
NA	NA	FEDERAL	10,000	2,000
Participant 1	JV000022	CORP	6,000	1,200
		FEDERAL	6,000	1,200
Participant 2	JV000022	CORP	2,000	400
		FEDERAL	2,000	400
Participant 3	JV000022	CORP	2,000	400
		FEDERAL	2,000	400

Adds, Adjusts, and Retirements must take place at the Joint Venture Business Unit level. Changes in ownership allocation—such as additions and deletions of participants and reallocations of equity percentages—must be made at the Joint Venture Participant level.

Prerequisites for Joint Venture Processing

Joint Venture Processing requires setup steps that you need to follow to use this feature. These steps must be completed in the correct order so that subsequent options are available for selection.

To set up joint venture processing:

1. Select Set Up Financials/Supply Chain, Install, Installation Options, Asset Management and select the Joint Venture Processing check box on the Installation Options - Asset Management page.
2. Select Set Up Financials/Supply Chain, Business Unit Related, Assets, Asset Management Definition and define at least one Joint Venture Business Unit on the PeopleSoft AM Business Unit Definition page.

The option to define a Joint Venture Business Unit is active only if you enabled Joint Venture Processing in step 1.

3. Create one business unit for each participant in the joint venture relationship to establish Joint Venture Processing.

These are standard business units and there are no additional steps to perform. Profiles for joint venture participant business units must have the same Profile ID as the joint venture business unit.

4. Associate the Joint Venture Participants with a particular Joint Venture Business Unit and define the percentage of asset ownership allocated to each participant to complete the last step in establishing Joint Venture Processing.

Do this by setting up a Joint Venture Allocation table for each Joint Venture Business Unit.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing PeopleSoft Asset Management Business Units"

Adding and Maintaining Joint Venture Assets

Most transactions on joint venture assets are performed at the Joint Venture Business Unit level. These include asset acquisitions, cost adjustments, retirements, and intrabusiness unit transfers (for example, transfers from one department, product, project, or category to another within the same business unit).

Note. InterUnit transfer of joint venture assets is not available or supported.

Joint venture asset transactions are executed just as they are for any non-joint venture asset with no special steps to take. However, it is recommended that you establish a naming convention to distinguish assets that are shared by a joint venture. For example, you might assign a joint venture asset an asset ID that begins with the letters *JV*.

Joint venture asset transactions are automatically executed at the participant level as well, with cost and depreciation information prorated based on each participant's equity percentage. Acquisition detail table entries are not prorated. Any change in the ownership allocation of joint venture assets (ownership transfers) must be performed at the joint venture participant level.

Changing Ownership Allocations for Existing Joint Ventures

You must define and run a mass change to change the ownership allocation of assets in an existing joint venture. The Joint Venture Allocation table affects only newly added assets, which means that changes made to the allocation table do not affect existing joint venture assets.

Additions and deletions of participants and reallocations of equity percentages are recorded as sales transactions. This results in either a gain or a loss on the part of the selling participant. The value of the sale proceeds for the selling participants is recorded as the capital cost incurred by the buying participants.

PeopleSoft Asset Management processes these changes by retiring some portion of the equity percentage from the selling participant (to calculate gain/loss) and then transferring percentages between business units until the desired ownership ratio is achieved. The mass change transfers an established amount of the asset cost and quantity from one business unit to another (a one-to-one transfer). Because of this, you may need to run the mass change multiple times (up to the number of participating business units minus 1) to effect the desired change. For instance, if you have three original participants and want to add another, you might run the mass change three times: between business units 1 and 4, 2 and 4, and 3 and 4.

Defining a Mass Change for Joint Venture Processing

To change the ownership allocation of assets in an existing joint venture, PeopleSoft Asset Management is delivered with these joint venture mass change templates:

Mass Change Template	Description
<i>JVA-Joint Venture BU Addition</i>	Adds a joint venture participant.
<i>JVP-Joint Vent BU Add (w/Prof)</i>	Adds a joint venture participant using book values from the new business unit's profile ID.
<i>JVR-Joint Venture BU Removal</i>	Removes a joint venture participant.
<i>JVT-JV Allocation Change</i>	Transfers the allocation percentages for a joint venture from one business unit to another.

Note. After you run these changes, it is a good idea to update the allocation table to reflect the new equity percentages. Joint venture mass changes do not affect Joint Venture Allocation tables, and you must change these tables to reflect the updated joint ventures.

In addition to selecting the appropriate mass change template, make other selections that are specific to joint venture processing. PeopleSoft Asset Management requires a Transaction Date and an Accounting Date.

Depending on the joint venture mass change template you select, you may also need to select a set of default values for some or all of these fields:

Joint Venture Business Unit to Add to	Value is inserted into INTFC_FIN table.
Percentage of Cost	Enter a decimal value—for example, enter 0.50 for 50 percent.
Disposal Code	Choose a disposal code from the available options. Disposal codes are fully described in Retiring Assets.
Total Proceeds	Enter 0 if there are none.
Percentage of Quantity	Enter a decimal value—for example, enter 0.50 for 50 percent.
Total Removal Cost	Enter 0 if there is none.
Retirement Type	Enter either Extraordinary or Ordinary to indicate how the gain or loss that results from a retirement should be reported. This is for information only.
Retirement Convention	Select a retirement convention. This indicates how depreciation will be calculated through retirement.

Voluntary/Involuntary Enter either Voluntary or Involuntary to indicate the reason for a retirement. This is for information only.

See [Chapter 20, "Processing Asset Mass Changes," page 427](#).

Adding a Joint Venture Participant

The Mass Change application engine program adds a joint venture participant business unit to an existing joint venture and performs these additional functions:

- Retires an established percentage of cost and quantity from one business unit and its books by using the defaults you specify for the retirement.
- Adds the same percentage of cost and quantity to the new business unit and its books by using the proceeds you specify for the retirement.

When defining the mass change, select *JVA-Joint Venture BU Addition* as the Mass Change Template used to add a joint venture participant. If you want to use book values from the profile ID of the new participant business unit, select the *JVP-Joint Vent BU Add (w/Prof)* mass change template.

In Execution Sequence 1, select the book or books from which you want to retire a portion of assets. Specify the Joint Venture Business Unit from which you want to retire assets so that these values can be applied to the new participant business unit.

In Execution Sequence 2, enter default values for the mass change.

Note. Before adding a business unit to an existing joint venture, that business unit must be fully established.

Removing a Joint Venture Participant

When Mass Change removes a joint venture participant business unit from an existing joint venture, it also performs these functions:

- Retires the total cost and quantity from one business unit and its books, using the defaults you specify for the retirement.
- Adds that cost and quantity to another business unit and its books, using the proceeds you specify for the retirement.

When defining the mass change, select *JVA-Joint Venture BU Removal* as the Mass Change Template used to remove a joint venture participant.

In Execution Sequence 1, select the book or books that you want to remove. Specify the Joint Venture Participant Business Unit you want to remove.

In Execution Sequence 2, enter default values for the mass change.

Changing Joint Venture Ownership Allocations

When the Mass Change process changes ownership allocations for an existing joint venture, it also performs these functions:

- Retires a percentage of the cost and quantity from one business unit and its books, using the defaults specified for the retirement.
- Adds that same percentage of cost and quantity to another business unit and its books, using the proceeds specified for the retirement.

When defining the mass change, select *JVT-JV Allocation Change* as the Mass Change Template used to change joint venture ownership allocations.

In Execution Sequence 1, select the department or departments from which you want to transfer joint venture assets. Specify the Joint Venture Business Unit from which you want to transfer assets.

In Execution Sequence 2, enter default values for the mass change.

Loading Joint Venture Transactions

After you run a joint venture mass change, use the Transaction Loader to load results of the mass change into the PeopleSoft Asset Management tables.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Integrating PeopleSoft Asset Management with Other Products," Running the Transaction Loader.

Chapter 14

Processing Asset Depreciation

This chapter lists prerequisites, provides overviews of depreciation processing and depreciation of group assets, and discusses how to:

- Process depreciation.
- Expand depreciation by period.
- Create pending depreciation transactions.
- View depreciation-related information.
- Adjust accumulated depreciation.
- Run depreciation reports.

Prerequisites

Before you begin to depreciate assets, you must set them up with required depreciation attributes.

You must set up the following attributes:

- Depreciation method.
- Prorate convention.
- Depreciable basis.
- Estimated useful life.
- Placed-in-service date.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing PeopleSoft Asset Management Business Units."

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing Asset Processing," Setting Up Asset Profiles.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Depreciation Processing."

See [Chapter 5, "Adding and Maintaining Assets," page 45.](#)

Understanding Depreciation Processing

PeopleSoft Asset Management can calculate depreciation for more than 18,000 different scenarios, depending on the depreciation attributes that you select. Most standard depreciation methods and prorate conventions are delivered, along with functionality for you to define your own depreciation methods and prorate conventions. In the United States, PeopleSoft Asset Management calculates tax credits and tax credit recapture. Standard depreciation reports are provided, as well as reports that enable you to comply with the U.S. Tax 40% Rule, the U.S. Alternative Minimum Tax (AMT), and the U.S. Adjusted Current Earnings (ACE). Outside the U.S., PeopleSoft Asset Management provides depreciation methods that are commonly used in Europe, Australia, India, and Japan, as well as other methods that are used globally.

PeopleSoft Asset Management calculates the annual depreciation based on the asset's life, depreciable cost basis, placed-in-service date, and any depreciation limits that you specify. You can set up required depreciation attributes on three levels: You can enter them in your business unit books, define them when you set up asset profiles, or specify them when you add assets to the system.

When you set up your business unit books, specify whether each book is a financial book, a tax book, or a financial book with tax information. This specification acts as a filter, enabling you to select options that correspond to the book type that you specified. For example, if you define a book as a tax book in the U.S., PeopleSoft Asset Management does not allow you to select depreciation attributes that are not supported by U.S. federal tax code.

Asset profiles function as templates. They provide a quick way to enter asset information, especially depreciation criteria. Rather than enter the book, method, convention, life, and tax credit information each time that you add an asset, you can use the asset profile to supply that information by default. When you enter assets, specify the profile ID. If any depreciation information in the profile does not apply, you can override it.

You can also specify depreciation attributes as you add assets to PeopleSoft Asset Management. Do this if the asset profile does not contain the depreciation criteria that you want for the asset. If you use more than one book, specify the depreciation criteria for each book.

To ensure correct depreciation processing, the PeopleSoft detail calendar that you use must include at least five years prior to the life of the oldest asset. For example, if the life of the oldest asset began on January 1, 2000, your calendar must begin no later than January 1, 1995. These prior periods are required for correct depreciation processing.

Build detail calendars beyond the end depreciation date of the asset as well. When you do this, the system calculates depreciation over the longer period correctly for any added assets that have a longer than usual service life. If any short tax years are contained within this five-year period, create a calendar of more than five years to ensure correct depreciation.

If you use a depreciation method that relies on tables specifying the percentage of depreciation that is expensed for each period, review the delivered depreciation schedules. If you use depreciation schedules that are different from those delivered, you must add a schedule with the appropriate percentages for each in-service period for each year of life.

PeopleSoft Asset Management provides all standard prorate conventions. In addition, it enables you to build new conventions based on calendars and to copy conventions from one setID to another as appropriate.

Note. PeopleSoft Asset Management enables you to change both depreciation conventions and schedules as you deem necessary. If you change either the schedule or convention, you get a warning that the convention and the schedule do not agree. When you save your change, PeopleCode changes the convention or the schedule for you. The depreciation will calculate correctly whether you enter a change to schedule or convention and in either order.

Steps for Processing Depreciation

Follow these steps to process depreciation:

1. Run the Depreciation Calculation Application Engine process (AM_DEPR_CALC).
2. Review open transactions.
3. Change depreciation attributes and expand periods as needed.
4. Review the depreciation processing results for errors.
5. Create pending depreciation transactions.

6. Create period depreciation accounting entries.

When you have completed processing depreciation, you must go on to create accounting entries for the period depreciation. Before you create any accounting entries, check the processing options to determine whether the system runs processes automatically or whether you must schedule processing.

To create period depreciation accounting entries:

- Determine which periods are open to ensure that depreciation is expensed to the correct period.

To verify periods, use the Establish Business Units component, and access the Asset Management Definition page. Click the Update Open Periods link to review open and closed periods on the Open Period Update page.

If the open periods show that the current accounting period is open, you can create period depreciation accounting entries. If not, you must close the prior period manually and open the current period before creating period depreciation accounting entries.

- Account for any depreciation that is allowed for time during which an asset was not established in PeopleSoft Asset Management.

When you acquire assets (or place assets in service) during one accounting period but add them to PeopleSoft Asset Management during a different accounting period, you need to account for any depreciation that is allowed for the time during which the asset was not established in PeopleSoft Asset Management. You can do this by adjusting the transaction and accounting dates.

Typically, the transaction date represents the date that you actually acquired the asset and the accounting date represents the date that you begin expensing depreciation. The accounting date is validated against the open periods for PeopleSoft Asset Management that are stored in the FIN_OPEN_PERIOD table to determine the period to which it is expensed. The difference between the transaction date and the accounting date determine whether any prior period depreciation needs to be calculated. For example, suppose that a computer was acquired and placed in service on March 15, 2005, but the information was not entered into PeopleSoft Asset Management until August 1, 2005. All periods prior to August are closed. PeopleSoft Asset Management automatically calculates depreciation starting in March, and it reflects this depreciation in the August period. When period depreciation accounting entries are created for August, they will reflect all depreciation activity since March.

Note. This is the only time life-to-date calculations take place without being selected.

- Create accounting entries for the amount that you enter during the *Add* process for assets with accumulated depreciation.

When you add an asset with accumulated depreciation, you can create accounting entries for the amount that you enter during the Add process. When the asset has been added, accumulated depreciation is updated each time that you create new period depreciation accounting entries.

- Set up the depreciation allocation calendar.

The amount of depreciation that you can expense for each period depends on how you set up your calendar. You can define the periods as months. When you set up your calendar, specify the year, the number of periods in each year, the beginning and ending date of each period, and the name of each period. For example, if you use a monthly calendar, the first period might be called January or April.

You also specify the portion of depreciation to be allocated for each period. For example, if you use a monthly calendar, you can specify that 1/12 of the annual depreciation amount is allocated to each period.

- Close accounting periods.

When you have created accounting entries for depreciation for an accounting period, you must close it.

See Also

[Chapter 18, "Creating PeopleSoft Asset Management Accounting Entries," page 359](#)

[Chapter 18, "Creating PeopleSoft Asset Management Accounting Entries," Running the Depreciation Close Process, page 375](#)

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing PeopleSoft Asset Management Business Units"

Understanding Depreciation of Group Assets

Group assets are treated differently from regular assets for depreciation purposes. Before you run depreciation on group assets, you must run a process that consolidates group member asset cost information at the group level. Then, you can depreciate group assets using the Group Asset Depreciation Calculation page. PeopleSoft Asset Management supports only the flat-rate depreciation method for group assets.

See Also

[Chapter 10, "Using Group Asset Processing," page 253](#)

Processing Depreciation

This section provides an overview of processing depreciation and discusses how to:

- Run the Depreciation Calculation process (AM_DEPR_CALC).
- Review open transactions.
- Change depreciation attributes.
- Review the depreciation processing results for errors.

Understanding Depreciation Processing

You must run depreciation to account for every transaction that you perform on an asset. For example, when you transfer an asset, you may need to run depreciation to correctly reflect the new department that is using the asset. For some transactions (including adjustments, transfers, and recategorizations), the depreciation calculation process moves the stored depreciation amounts from department to department or category to category, depending on the transaction that you are performing and the ChartFields that you specify.

Pages Used to Process Depreciation

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Depreciation Calculation	RUN_AMDPCALC	Asset Management, Depreciation, Processing, Calculate, Depreciation Calculation	Run the Depreciation Calculation process.
Open Transaction Detail	OPEN_TRANS_DETAIL	Asset Management, Depreciation, Open Transactions, Review, Open Transaction Detail	Review detailed information about an open transaction. Note. You can view open tax transactions by using the same process when you select Asset Management, Taxes, Reports, Review Open Tax Transactions, Open Transactions- Tax.
Depreciation Process Log	AM_ERROR_LOG	Asset Management, Depreciation, Depreciation Process Log, Depreciation Process Log	Review depreciation processing results for errors.

Running the Depreciation Calculation Process (AM_DEPR_CALC)

Access the Depreciation Calculation page (Asset Management, Depreciation, Processing, Calculate, Depreciation Calculation).

Unit	Select a business unit from which to select a book or range of assets.
Book Name	Select a book to further narrow the assets to be included in processing.
From Asset ID and To Asset ID	Enter a range of assets to include in processing.

Process Frequency	Select the frequency for the process from these values: <i>Always</i> <i>Don't</i> <i>Once</i>
Delete Stage Row	Select the staged rows to delete: <i>All</i> <i>Current</i> <i>No</i>

Note. Accumulated depreciation for group member assets is loaded at the member asset level.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Configuring PeopleSoft Asset Lifecycle Management Background Processes."

Reviewing Open Transactions

Access the Open Transaction Detail page (Asset Management, Depreciation, Open Transactions, Review, Open Transaction Detail).

You can review open transactions broadly—for example, by searching for them by business unit. Review open transactions more specifically by including more criteria in your search.

Open Transaction Searches

Use broad or narrow search criteria to identify a list of open transactions. In addition to business unit, you can specify asset identification, asset book name, transaction date, or accounting date. Alternatively, you can specify the action type of a pending transaction. Also, each open transaction can have a status, which you can use to further narrow the search criteria.

Actions of Open Transactions

Each pending transaction can have an action type associated with it. The following list shows the action types that are available:

- Asset Addition
- Asset Cost Adjustment
- Asset Recategorization
- Asset Reinstatement
- Asset Retirement
- Asset Transfer
- Book Adjustment

- Budgeted Depreciation
- Budgeted Lease Payments
- Depreciation
- Inflation Adjustment
- Lease Payment
- Manual Reserve Adjustment
- Prior Period Depreciation
- Resume Depreciation
- Retro Rate Change for Group Assets
- Suspend Depreciation

Depreciation Calc Status

Completed Depreciation	Depreciation has been calculated for the transaction.
Held For Transfer In	When you process interunit transfers, PeopleSoft Asset Management processes the out and in transactions at the same time. This status indicates that the transaction is being held until its corresponding transfer-out can be processed.
Never Calculate Depreciation	The Depreciation Calculation process never includes the transaction.
Pending Depreciation	Depreciation has not yet been calculated for the transaction.
In Processing	Depreciation calculation is processing.

Acctg Entry Creation Status

Completed Distribution	The transaction has been sent to the general ledger.
Never Calculate Distribution	The distribution process never includes the transaction.
Pending Distribution	The transaction has not yet been sent to the general ledger.

Reporting Process Status

The reporting process status reflects the status in connection with the depreciation reporting table.

Completed	The transaction has been uploaded to the depreciation reporting table.
Never	The transaction will not be processed.

Pending	The transaction has not yet been uploaded to the depreciation reporting table.

Group Consolidation Status

Completed Sum Composite	The summarization process has been completed on the transactions for group member assets.
Grouped Composite	The asset is a group asset.
Member Depreciation	A book change has been made on a group member (such as changing its convention or in-service date).
Never Sum Composite	The transactions are never used by the summarization process.
Pending Sum Composite	The summarization process has not yet been completed on the transactions for group member assets.

When you have searched for all open transactions based on specified criteria, you can view particular open transactions in detail.

Changing Depreciation Attributes

PeopleSoft Asset Management enables you to change depreciation attributes as necessary. You may find it necessary to:

- *Change the effective date.*

Changing the effective date of depreciation attributes may become necessary to accommodate changes in tax law or company policy. You can set up anticipated changes for future use by effective-dating them. You can also affect prior periods by changing the effective date.

- *Change the depreciation limit.*

Changing the depreciation limits on assets may change the amount of depreciation that you can expense on an asset in a given year. This, in turn, changes the depreciation amount that is allocated to each period. If necessary, the life of the asset is extended to depreciate the asset fully.

- *Change the status.*

Asset depreciation status is book-specific. Therefore, an asset can be depreciable for one book and nondepreciable for another. There is no limit to the number of times that an asset can have its depreciation suspended. Also, there is no limit on the length of time for which it can be suspended.

When you change the status of an asset from Depreciable to Nondepreciable, the system deletes future depreciation calculations. All transactions that are performed while the asset is suspended take into account only the depreciation that has occurred as of that time.

While an asset is in a suspended state (that is, has a status of Nondepreciable), you can still perform financial transactions on it. Those transactions generate appropriate accounting entries with a transaction date indicating when the transaction actually took place. Adjustments generate one accounting entry for the cost adjustment. Transfers generate two accounting entries—one for the cost transfer and one to transfer accumulated depreciation. Retirements generate accounting entries for cost, accumulated depreciation, and any gain or loss.

Note. You cannot perform interunit transfers on assets that have been suspended.

When you change a nondepreciable asset to a depreciable asset, PeopleSoft Asset Management performs a remaining value calculation and calculates depreciation based on all depreciation parameters. The time during which depreciation was suspended is not taken into account against the asset's life.

See [Appendix B, "Understanding Depreciation Calculations," Calculating Depreciation When Salvage Value Exceeds Net Book Value \(NBV\), page 653.](#)

Reviewing the Depreciation Processing Error Log

Access the Asset Processes Error Log page (Asset Management, Depreciation, Depreciation Process Log, Depreciation Process Log).

You can review each processing instance for errors that may have occurred during processing. You can view the business unit, asset ID, and other information that is related to the error along with a message describing the problem. You can then correct the problem or continue.

Expanding Depreciation by Period

To maintain optimal table size and increase depreciation processing efficiency, store depreciation entries by fiscal year. However, if you need to store depreciation entries by period rather than by fiscal year, use the Expand Depreciation by Period page to expand fiscal year storage to period storage.

This section discusses how to expand the depreciation period.

Page Used to Expand Depreciation by Period

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Expand Depreciation by Period	AMDPEXPD_RQST	Asset Management, Depreciation, Processing, Expand by Period, Expand by Period	Store depreciation entries by period. You can expand storage one fiscal year at a time.

Expanding the Depreciation Period

Access the Expand Depreciation by Period page (Asset Management, Depreciation, Processing, Expand by Period, Expand by Period).

Enter a fiscal year and process frequency. You can run the process for only one fiscal year at a time.

Run Options

Unit Option Select a business unit option, either *All* or *One*. If you select *One*, select a business unit in the field that appears.

Book Option Select either *All* or *One*. If you select *One*, select a book name in the field that appears.

GRP Asset Opt(group asset option) Select a book group asset option, either *All* or *Range*. If you specify a range, select values in the From Asset field and the To Asset ID field.

Creating Pending Depreciation Transactions

This section discusses how to create open depreciation transactions.

Page Used to Create Pending Depreciation Transactions

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Open Transactions - Create	AMOPNTRNS_RQST	Asset Management, Depreciation, Open Transactions, Create, Create	Run a process that creates open transactions.

Creating Open Depreciation Transactions

Access the Depr Recalc page (Asset Management, Depreciation, Open Transactions, Create).

Use this page to run a process that opens transactions. This is necessary when you have used the Future Depr Years (future depreciation years) option to limit depreciation calculations to a specific number of years rather than the asset's useful life. For example, if you had limited future depreciation years to two, and you were now entering the third year, you would run this process before running depreciation so that the depreciation calculations would account for all open transactions.

Run Options

Select an asset type. Options are:

All Assets	Recalculates depreciation for all assets.
Group Asset	Recalculates depreciation for all group assets.
Non Group Asset	Recalculates depreciation for all assets except group assets.

Process Scheduler runs the Create Pending Depreciation Transactions (AMOPNTRNS) process at user-defined intervals.

Viewing Depreciation-Related Information

You can view depreciation-related information for both regular assets and parent-child assets online.

This section discusses how to:

- View basic asset depreciation information.
- View net book value and depreciation.
- View period depreciation.
- View child asset depreciation.

Pages Used to View Depreciation-Related Information

Page Name	Definition Name	Navigation	Usage
Asset Depreciation - Asset	DEPR_ALL_MAIN	Asset Management, Depreciation, Review Depreciation Info, Asset Depreciation, Asset	View a summary of basic asset and depreciation information.

Page Name	Definition Name	Navigation	Usage
Asset Depreciation - Depreciation	DEPR_ALL_YEAR	Asset Management, Depreciation, Review Depreciation Info, Asset Depreciation, Depreciation	For regular assets, calculate an asset's net book value and view its depreciation information for the year. For parent-child assets, calculate net book value. Depreciation information by year does not appear.
Asset Depreciation - Period Depreciation	DEPR_ALL_PERIOD	Asset Management, Depreciation, Review Depreciation Info, Asset Depreciation, Depreciation, Period Depreciation	View depreciation for the periods that you specified when you entered the asset.
Child Assets	CHILD_ASSETS	Asset Management, Asset Transactions, Parent-Child Relationship, Review Parent-Child NBV, Child Assets	Specify child assets to include in a parent asset's net book value calculation.

Viewing Basic Asset Depreciation Information

Access the Asset Depreciation - Asset page (Asset Management, Depreciation, Review Depreciation Info, Asset Depreciation, Asset).

Asset
Depreciation
Period Depreciation

Unit: AUS01 Asset ID: AM325 Automobiles Status: In Service

Asset Information

Profile ID: AUTO Automobiles
Asset Class:
Tag Number:
Acquisition Code: P
Acquisition Date: 07/10/2000

Book
Customize | Find | First 1-3 of 3 Last

	Book	Description	Currency	Method	Convention
1	ACCNT_AUD	Accounting Book - AUD	AUD	Straight Line	AM
2	CORP_USD	Corporate Book - USD	USD	Straight Line	AM
3	TAX_AUD	Tax Book - AUD	AUD	Straight Line	AM

Asset Depreciation - Asset page

Parent assets that are created on the Parent Asset page (parent-only assets) do not have cost or basic information. They cannot be viewed in the Parent Child Basic Information component. Also, you cannot view them or perform transactions on them in the Asset Cost/Adjust Transfers component; the Asset Retirements component; or the Parent-Child NBV component. If you want to use a parent asset as an umbrella asset for reporting purposes only and access these components to manipulate child assets in mass, create a 0-cost parent asset as opposed to a parent only asset. Also, to transact against parent and child assets at once, parent and child must use the same asset profile.

Viewing Net Book Value and Depreciation

Access the Asset Depreciation - Depreciation page (Asset Management, Depreciation, Review Depreciation Info, Asset Depreciation, Depreciation).

Asset		Depreciation		Period Depreciation	
Unit:	AUS01	Asset ID:	AM325	Automobiles	Status: In Service
Book Find View All First 1 of 3 Last					
Book Name:	ACCNT_AUD	Accounting Book - AUD	Currency:	AUD	Stop Depr when NBV < Salvage: N
Depreciation Attributes Method: Straight Line Calc Type: Remaining Value In Service Dt: 07/10/2000 Useful Life: 120 Periods Convention: AM Begin Date: 07/01/2000 Depr Status: Depreciate ☐ Low Value ☐ Derogatory Depreciation End Date: Future Depr Yrs:					
Net Book Value Cost: 8,543.00 As Of Fiscal Year: 2009 Period: 9 Salvage Value: 0.00 Accum Depr: 7,902.26 Net Book Value: 640.74 Calculate NBV					

Asset Depreciation - Depreciation page (1 of 2)

Yearly Depreciation									
Customize Find   First 1-11 of 11 Last									
Year	Depreciation Amt	Oper Unit	Fund	Dept	Program	Class	Bud Ref	Product	Project
2000	427.15								
2001	854.30								
2002	854.30								
2003	854.30								
2004	854.30								
2005	854.30								
2006	854.30								
2007	854.30								
2008	854.30								
2009	854.30								
2010	427.15								

Asset Depreciation - Depreciation page (2 of 2)

Net Book Value

To calculate the net book value of the asset, enter values in the As Of Fiscal Year field and the Period field, and click the Calculate NBV (calculate net book value) button. The system displays the cost, salvage value, accumulated depreciation, and net book value for the selected asset, fiscal year, and accounting period.

Yearly Depreciation

Displays depreciation amounts by year through the last year of the asset's life.

Note. Yearly depreciation amounts are not shown for parent-child assets.

Viewing Period Depreciation

Access the Asset Depreciation - Period Depreciation page (Asset Management, Depreciation, Review Depreciation Info, Asset Depreciation, Depreciation, Period Depreciation).

Asset

Depreciation

Period Depreciation

Unit: AUS01

Asset ID: AM325

Automobiles

Status: In Service

Book

Find | View All

First

1 of 3

Last

Book Name: ACCNT_AUD

Accounting Book - AUD

Currency: AUD

Get Period Depreciation

☒ Expense

☒ Accum

Year: 2009

Get Period Depr

Depr. Accum Adjustment

Period Depreciation

Customize | Find

First

1-12 of 12

Last

Year	Period	Trans Type	Depreciation Amount	Oper Unit	Fund	Dept	Program	Class	Bud Ref	Product	Project	Category	Cost Type
2009	1	DPR	71.19									AUTO	
2009	2	DPR	71.19									AUTO	
2009	3	DPR	71.19									AUTO	
2009	4	DPR	71.19									AUTO	
2009	5	DPR	71.19									AUTO	
2009	6	DPR	71.19									AUTO	
2009	7	DPR	71.19									AUTO	
2009	8	DPR	71.19									AUTO	
2009	9	DPR	71.19									AUTO	
2009	10	DPR	71.19									AUTO	
2009	11	DPR	71.19									AUTO	

Asset Depreciation - Period Depreciation page

Get Period Depreciation

Expense Select to view depreciation expense for the year that is specified.

Accum (accumulated) Select to view accumulated depreciation for the year that is specified.

Note. If you do not select Expense, but you do select Accum, only the amounts that affected accumulated depreciation appear. The system does not show the expense for that year. For example, when an asset is added with accumulated depreciation, no corresponding expense amount exists. If you do not select Accum, but you do select Expense, the system displays the amounts that affected the expense account, but not the accumulated depreciation for that year.

Year Select a year to display its period depreciation entries.

Get Period Depr (get period depreciation) Click to have the system calculate depreciation that was allocated to each period for the year specified and display the information. You can change the period depreciation amounts. Note that when you modify the period depreciation, you change the depreciation method to manual depreciation.

Period Depreciation

Click the Depr. Accum Adjustment (depreciation accumulated adjustment) link to make adjustments to accumulated depreciation.

Note that if you perform two transfers on the same asset in the same accounting period (on the same set of ChartFields), the Asset Depreciation - Period Depreciation page displays only a *net* result of both transfers. For example, suppose that an asset with an actual month convention is added to department 12000 on August 31, 2006, with a cost of 10,000.00 JPY and a life of five years. On September 30, 2006, the asset is transferred to department 14000 using the same convention. The asset is then transferred again on the same day to department 21100. The Asset Depreciation - Period Depreciation page displays the following entries for the transfers:

```
12000  2006  8  DPR  166.66
12000  2006  9  TFR  -166.66
21100  2006  9  TFR  +166.66
```

No entry exists for the transfer in and out of department 14000 on the same day, as this is a net 0. Note, however, that the depreciation table has two additional rows for both transfer out and transfer in.

Viewing Child Asset Depreciation

Access the Child Assets page (Asset Management, Asset Transactions, Parent-Child Relationship, Review Parent-Child NBV, Child Assets).

Click the Select All button to include all child assets with the parent in the net book value calculation.

To include particular child assets, select the Selected check box for a row.

Tag Number	Displays the tag that is assigned to the child asset. Parent and child assets can share the same tag number.
Description	Displays the child asset description.
Child Asset ID	Displays the asset ID that is assigned to the child asset.
Asset Status	Displays the asset status of the child asset.
Cost	Displays the cost of the child asset.
Currency	Displays the currency in which child asset costs are stored.
Acq Date (acquisition date)	Displays the date that the asset was acquired.
Asset Information	Click to open a new Asset page in the Asset Depreciation component. The page is populated with the child asset.

The Include Parent Asset check box is selected by default. Deselecting it enables you to calculate net book value at once for all or selected child assets while excluding the parent asset from the calculation.

Adjusting Accumulated Depreciation

Use the Depreciation Accumulated Adjustment page to adjust accumulated depreciation. After saving the page, click the Asset Depreciation link to view the adjustment.

Note. Each book must be adjusted separately. If multiple books are associated with the same ledger group with KLS (Keep Ledgers in Synch) activated, the adjustment amount is converted and copied from the primary book to the secondary books if no adjustment amounts are entered in the secondary book.

This section lists the page that you use to adjust accumulated depreciation.

Page Used to Adjust Accumulated Depreciation

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Depr Accum Adjustment (depreciation accumulated adjustment)	DEPR_ACCUM_ADJ	Asset Management, Depreciation, Processing, Adjusted Accumulated Depr, Depr Accum Adjustment	Make adjustments to accumulated depreciation.

Running Depreciation Reports

This section provides an overview of depreciation reports and discusses how to load the depreciation reporting table.

Understanding Depreciation Reports

PeopleSoft Asset Management provides a full complement of depreciation-related reports. Before you can run depreciation reports, you must load the Depreciation Reporting table (PS_DEPR_RPT). The table stores life-to-date and year-to-date depreciation amounts. You should run the process once at the beginning of the year for all assets in your system, and on a monthly or other regular basis thereafter for new open transactions.

To run depreciation reports:

1. Load the Depreciation Reporting table.
2. Run the Depreciation by Period report.
3. Run the Depreciation by Fiscal Year report.
4. Run the Depreciation Activity report.

Pages Used to Run Depreciation Reports

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Depr Reporting Table (Depreciation Reporting table)	AMDPREPT_RQST	Asset Management, Financial Reports, Load Reporting Tables, Depr Reporting Table, Depr Reporting Table	Load the Depreciation Reporting table (PS_DEPR_RPT). Use this table for all depreciation reports.
Depreciation by Period	RUN_AMDP2200	Asset Management, Financial Reports, Cost and Depreciation, Depreciation by Period, Depreciation by Period	Run the Depreciation by Period report.
Depreciation by Fiscal Year	RUN_AMDP2300	Asset Management, Financial Reports, Cost and Depreciation, Depreciation by Fiscal Year, Depreciation by Fiscal Year	Run the Depreciation by Fiscal Year report.
Depreciation Activity	RUN_AMDP2000	Asset Management, Financial Reports, Cost and Depreciation, Depreciation Activity, Depreciation Activity	Run the Depreciation by Activity report.

Loading the Depreciation Reporting Table

Access the Depr Reporting Table page (Asset Management, Financial Reports, Load Reporting Tables, Depr Reporting Table, Depr Reporting Table).

Depr Reporting Table

Run Control ID: DeprRpt

[Report Manager](#) [Process Monitor](#)

Run

Request

Find | View All First 1 of 1 Last

*Request ID: 1

Process Frequency: Always

+ -

Run Options

☐ Use Open Trans

☐ Keep Other Fiscal Years

From Year: 2009

To Year: 2009

Unit:

Book Name:

From Asset ID:

To Asset ID:

☒ Process Current Activity

☐ Update Statistic

Check 'Update Statistics' if you want the process to Update Statistics at run time.

You need to update statistics if there is a huge difference between number of assets during this run and last run.

Depr Reporting Table page

Run Options

- Use Open Trans (use open transactions)

Select to pick up only new open transactions since you last ran the process.
- Keep Other Fiscal Years

Select to process a new year but retain other years in the table.

Note. The Depreciation Reporting table should be loaded only for the current fiscal year, or at most two fiscal years (depending on your reporting requirements).

You should run the AMDPREPT_RQST process throughout the year to account for new transactions that were created during the year by selecting the Use Open Trans check box.

Chapter 15

Using User-Defined Asset Depreciation

This chapter provides an overview of user-defined depreciation and discusses how to:

- Create a user-defined depreciation method.
- View user-defined variables.
- Review user-defined methods.
- Generate a user-defined depreciation SQC program.
- Copy a user-defined depreciation method.
- Select a user-defined depreciation method for an asset.

Understanding User-Defined Depreciation

PeopleSoft Asset Management enables you to create and use your own depreciation method. This section provides the information that you need to do so.

To create and use depreciation methods:

1. Review the variables available for use in your depreciation formula.

This section includes a table that lists the commonly used user-defined depreciation variables. Also included is an inquiry page, where you can review these variables within the system. Review the available variables, and then proceed to create depreciation formulae.

2. Define the formula that you want to use for depreciation.

Do this in a series of steps, and then review the steps on a summary page that we provide for this purpose.

3. Assign the user-defined method to assets.

You can do this on several different pages within the system.

4. Save the user-defined depreciation method.
5. Generate a user-defined method SQC program.

This SQC is called by the main depreciation calculation program, AM_DEPR_CALC, during depreciation calculations. It processes all user-defined depreciation methods by setID.

Creating or Selecting Variables

PeopleSoft provides a listing of the user-defined depreciation variables that are commonly used to construct the depreciation formula. The following table shows the variable name, the corresponding program variable, and whether a variable can be assigned a calculation result. Review this information to see if you can use it to construct your formula.

<i>Variable</i>	<i>Program Variable</i>	<i>Assign To Flag</i>
ALLOC_LIFE	# ALLOC_LIFE	N
ALLOC_TOTAL	#ALLOC_TOTAL	N
ASSET_BASIS	#ASSET BASIS	N
ASSET_COST	#ASSET_COST	N
ASSET_COST_PER_CHARTFIELD	#LINE_COST	N
ASSET_LIFE	#ASSET_LIFE	N
BEGIN_DEPR_PERIOD	#BEGIN_DEPR_PD	N
BEGIN_DEPR_YEAR	#BEGIN_DEPR_FY	N
CURRENT_YEAR	#SELECTED_FY	N
DB_PERCENT	#DB_PERCENT	N
DEPR	#DEPR	Y
DEPR_LOW_LIMIT	# DEPR_LOW_LIMIT	N
DEPR_PERCENT	#FLAT_PERCENT	N
LIFE_IN_YEARS	# LIFE_IN_YEARS	N
LIFE_REMAINING	#LIFE_REMAINING	N

Variable	Program Variable	Assign To Flag
LINE_COST_FRACTION	#LINE_COST_FRACTION	N
LTD_DEPR	#LTD_DEPR	N
NO_OF_PERIODS_IN_YEAR	#NUMBER_OF_PERIODS	N
NO_OF_PERIODS_TO_DEPR	# ALLOC	N
RESULT_A	#RESULT_A	Y
RESULT_B	#RESULT_B	Y
RESULT_C	#RESULT_C	Y
RESULT_D	#RESULT_D	Y
RESULT_E	#RESULT_E	Y
RESULT_F	#RESULT_F	Y
RESULT_G	#RESULT_G	Y
RESULT_H	#RESULT_H	Y
RESULT_I	#RESULT_I	Y
RESULT_J	#RESULT_J	Y
RESULT_K	#RESULT_K	Y
RESULT_L	#RESULT_L	Y
RESULT_M	#RESULT_M	Y
RESULT_N	#RESULT_N	Y

<i>Variable</i>	<i>Program Variable</i>	<i>Assign To Flag</i>
SALVAGE_VALUE	#SALVAGE_VALUE	N
TOTAL_PERIODS_DEPR	#PERIOD_COUNT_ACCUM	N
UDX1	# UDX1	Y
UDX2	# UDX2	Y
UDX3	# UDX3	Y
UDX4	# UDX4	Y
UDX5	# UDX5	Y
UDX6	# UDX6	Y

Page Used to Create or Select Variables

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
User Defined Variables	UD_VARIABLE_DEFN	Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, User Defined Variables, User Defined Variables	Create a new variable or select an existing variable.
Review User Defined Methods - User Defined Variables	UD_VARIABLE_INQ	Set Up Financials/Supply Chain, Product Related, Asset Management, Review User Defined Methods, User Defined Variables, User Defined Variables	View or select an existing variable.

Creating or Selecting Variables

Access the User Defined Variables page (Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, User Defined Variables, User Defined Variables).

User Defined Variables

Variable: ALLOC_LIFE

Attributes

*Description:

Allocated Asset Life

☐ Assign to Variable

Program Variable:

#ALLOC_LIFE

Comment

Original Asset Life (#Life) adjusted by acumulated depreciation periods for new asset with accumulated depreciation.
#Alloc_Life is expressed in the units of period for a non-445 calendar and in weeks in a 445-calendar system.

User Defined Variables page

Assign To Variable	Indicates whether you can assign the resultant value to this variable.
Program Variable	Identifies and references the user-defined variable name with the corresponding internal AM_DEPR_CALC or AMDPCUDM program variable name.
Initialize	Note. This check box appears only for variables that have the Assign To Variable selected. Determines whether you can initialize the content of a variable during consecutive year calculation in order to use the variable content in the calculation for the subsequent years.

Creating a User-Defined Depreciation Method

Once you have designed the depreciation formula, you must enter it into PeopleSoft Asset Management. The User Defined Method component consists of three pages on which you define the custom depreciation formula, see a summary page of the formula that you entered, and add comments about the formula for reference as appropriate.

The User Defined Methods component (UD_METHOD) contains the pages to create and review custom depreciation formulas.

This section provides an overview of and discusses how to create and view user-defined depreciation methods, particularly how to:

- Enter the user-defined depreciation method.
- Summarize the user-defined method.
- Describe the user-defined method.

Pages Used to Create a User-Defined Depreciation Method

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
User-Defined Method - Definition	UD_METHOD_DEFN	Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, User Defined Methods	Create a user-defined depreciation method. Note. Method ID is the five-character identifier for the user-defined depreciation method that you create.
User Defined Methods - Definition (inquiry)	UD_METHOD_INQ	Set Up Financials/Supply Chain, Product Related, Asset Management, Review User Defined Methods, User Defined Methods	View the custom depreciation formula.
User Defined Methods - Summary	UD_METHOD_SUMMARY	• Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, User Defined Methods, Summary • Set Up Financials/Supply Chain, Product Related, Asset Management, Review User Defined Methods, User Defined Methods, Summary	View a visual representation of the complete depreciation formula that you entered.

Page Name	Definition Name	Navigation	Usage
User Defined Methods - Comment	UD_METHOD_COMMENT	- Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, User Defined Methods, Comment - Set Up Financials/Supply Chain, Product Related, Asset Management, Review User Defined Methods, User Defined Methods, Comment	Enter or view additional comments or explanations of this depreciation method.

Entering the User-Defined Depreciation Method

Access the User Defined Methods - Definition page (Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, User Defined Methods, Definition).

Definition
Summary
Comment

SetID: SHARE
Method ID: JSI *Description: Intangible/Straight Line

Formula Sequence
Find | View All First 1 of 11 Last

*Sequence: 10 Description: Calculate Line Asset Basis

Condition
☒ None ☐ Then ☐ And
☐ If ☐ Else ☐ Or

End If
☐

Operand 1
☐ Constant
☒ Variable
ASSET_BASIS

Operation
*

Operand 2
☐ Constant
☒ Variable
LINE_COST_FRACTION

Result
RESULT_A

Sort Validate

User Defined Methods - Definition page

Formula Sequence

The system displays a sequence number. The sequence numbers are incremented by 10s (10, 20, and so on). You can change the sequence number if you like. Add a description of the sequence in the field provided.

For example, you can break the following depreciation formula into steps that you can enter as separate sequences on this page:

$$\text{Depreciation} = (\text{Asset Cost} / \text{Asset Life}) \times \text{Number of Periods to be Depreciated}$$

You can write the depreciation formula as two steps, or sequences:

1. Step 1

$$\text{Result A} = \text{Asset Cost} / \text{Asset Life}$$

2. Step 2

$$\text{Depreciation} = \text{Result A} \times \text{No. of periods to be depreciated}$$

Condition

None	The default.
If	Indicates the beginning of an <i>If</i> statement within an If-Then-Else construct.
Then	Indicates the beginning of the <i>Then</i> statement within an If-Then-Else construct.
Else	Indicates the beginning of the <i>Else</i> statement within an If-Then-Else construct.
And	Indicates that you want to include both variables in the search.
Or	Indicates that you want to include either variable in the search.

You can create and/or statements, if-then-else statements, and multiple if-then-else statements. You cannot use nested if statements.

Operand 1

Constant	Select to indicate a value, and then enter the value.
Variable	Select to indicate a user-defined variable.

Operation

Select the arithmetic operator.

Operand 2

Constant	Select to indicate a value, and then enter the value.
Variable	Select to indicate a user-defined variable.

Result

Result	Specify a name for the result of this operation. The result can be any user-defined variable for which the Assign To Variable check box on the User Defined Variables page is selected.
Validate	Click to ensure that the syntax that you entered is correct. The program performs a validation check and prompts you with an error message to correct any syntax mistakes.
Sort	Click to redisplay the sequence of steps that you entered in ascending sequence order, if you have edited some steps into the formula.

End If

Select End If to indicate that this is the end of an If-Then-Else construct.

Generating a User-Defined Depreciation SQC Program

Once you have created a new user-defined depreciation method, you must regenerate the AMUDDEPR.SQC program that is called by the main depreciation calculation program AM_DEPR_CALC during the depreciation calculation process.

Page Used to Generate a User-Defined Depreciation SQC Program

Page Name	Definition Name	Navigation	Usage
Generate User Defined Methods	RUN_AMUD_METHOD	Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, Generate User Defined Methods, Generate User Defined Methods	Regenerate the AMUDDEPR.SQC program that is called by the main depreciation calculation program AM_DEPR_CALC during the depreciation calculation process.

Using the User Defined Method Generate Page

Access the Generate User Defined Methods page (Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, Generate User Defined Methods, Generate User Defined Methods).

Generate User Defined Methods

Run Control ID: RentCopy [Report Manager](#) [Process Monitor](#)

Request Information

This process will generate a User Defined Method AMUDEPR.SQC to be called from AMDPCALC.SQR for all SetIDs.
 Make sure you do specify the output file as 'AMUDEPR.SQC' in the same directory where AMDPCALC.SQR is located.
 For example: C:\AMDVL\SQR\AMUDEPR.SQC

Generate User Defined Methods page

The program automatically processes all user-defined depreciation method IDs that you created for that setID.

Note. Make sure that you copy the output file as AMUDEPR.SQC in the same directory where the AMDPCALC.SQR program is located.

If you receive any error messages when you run AM_DEPR_CALC, verify that you have copied the SQC properly to the directory where AMDPCALC is stored.

Process Scheduler runs the AMUDMTHD process at user-defined intervals.

Copying a User-Defined Depreciation Method

You can copy an existing user-defined depreciation formula when you define a new method that is similar to an existing one. You can copy the existing formula and modify it for the requirements of the new method, rather than defining it from scratch.

Page Used to Copy a User-Defined Depreciation Method

Page Name	Definition Name	Navigation	Usage
User Defined Method Copy	UD_METHOD_COPY	Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, User Defined Methods-Copy, User Defined Method Copy	Copy a user-defined depreciation method. Note. Enter the method ID of the user-defined depreciation method that you want to copy.

Copying a User-Defined Method

Access the User Defined Method Copy page (Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, User Defined Methods-Copy).

User Defined Method Copy

SetID: SHARE

Method ID: JDB Tangible/Declining Balance

Copy New Method

*New SetID: SHARE

*New Method ID: DDB

*Description: Double Declining Balance

Copy

Comment

User Defined Method Copy page

- New SetID

Select the ID for the new depreciation method; it may be the same or different from the depreciation method from which you are copying.
- New Method ID

Enter an ID and a description for the new depreciation method. The description and Comment field appear by default from the old method; you can modify them.

After you have saved the new method, click the Go to Maintain User Defined Method Page link to modify the new copied method, if appropriate.

Note. You must save the new depreciation method before you can modify it.

Selecting a User-Defined Depreciation Method for an Asset

Once you have created a user-defined depreciation method and generated the SQC, the method is available for selection as the depreciation method to be used for an asset. You do this when you:

- Specify a user-defined depreciation method for the asset profile.
- Complete an Asset Book Definition.
- Add an asset with ExpressAdd.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing," Setting Up Asset Profiles

[Chapter 5, "Adding and Maintaining Assets," page 45](#)

Chapter 16

Reviewing Asset Depreciation Calculation Results

This chapter provides an overview of *what if* depreciation and discusses how to:

- Perform what if depreciation modeling.
- Load the new book value depreciation results into a spreadsheet program.

Understanding What If Depreciation

PeopleSoft Asset Management provides you with the ability to perform what if depreciation simulation modeling and to load the net book value results into a spreadsheet program for analysis.

Using what if depreciation simulation modeling, you can determine, evaluate, and compare the depreciation amounts for assets if you were to change all or some of the depreciation parameters. For example, you may want determine the effect on depreciation if you change the prorate convention from mid-month to mid-quarter, or if you change the depreciation method from straight line to sum of the years digits. You can experiment with depreciation to determine what the effect on depreciation would be without changing the actual depreciation parameters for an asset.

Another useful benefit of the What If Depreciation feature is to project the depreciation if you add an asset and run the actual depreciation program. For example, you can create an asset and run the What If Depreciation program rather than running the *actual* depreciation program. You can then see what the depreciation amount for the asset would be, go back and modify the depreciation parameters accordingly, and then perform the actual depreciation.

To perform what if depreciation simulation, the assets must already exist in the system. Add at least one asset to perform the simulation. The What If Depreciation feature uses only Add and Transfer In transactions for modeling.

Performing What If Depreciation

To generate what if depreciation simulation:

- Perform what if depreciation.
- View what if depreciation results.

Pages Used to Perform What If Depreciation

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
What If Depreciation	RUN_AMDPCOMP	Asset Management, Depreciation, What If Scenarios, Request, What If Depreciation	Perform what if depreciation.
What If Depreciation Results	DEPR_ALL_PRD_COMP DEPR_ALL_YEAR_COMP DEPR_ALL_MAIN_COMP	Asset Management, Depreciation, What If Scenarios, Review	View results of what if depreciation.

Performing What If Depreciation

Access the What If Depreciation page (Asset Management, Depreciation, What-If Scenarios, Request, What If Depreciation).

What If Depreciation

Run Control ID: WI [Report Manager](#) [Process Monitor](#)

*Run ID: Delete Stage Row:

Selection Request Parameters

*Unit: Profile ID: Life:
 Book Name: Method:

Asset	Tag Number	In Service Date
From:	From:	From:
To:	To:	To:

What-if Parameters

Method: Useful Life: ☐ Depr Pass Life
 Convention: End Date: ☐ Monthly
 UD Method: Low Limit: ☐ Low Value
 Schedule: Depr Limit:
 UOP ID: Shift Code:

Percent:
 DB Pct:
 Limit Pct:

Calculation Type	Averaging Option	Transaction
☐ Remaining Value ☒ Life-to-Date Reset	☐ Monthly ☐ Yearly ☐ None Reset	Trans Date: Acctg Date:

What If Depreciation page

Save the what if depreciation changes that you make and run the program. If you want to run multiple modeling comparisons using the same range of assets, use different run control IDs.

The What If Depreciation page uses the AM_DEPR_COMP application engine program to run simulated depreciation instead of the actual depreciation program (AM_DEPR_CALC).

Process Scheduler runs the AM_DEPR_COMP application engine process at user-defined intervals.

Viewing What If Depreciation Results

Access the What If Depreciation Results page (Asset Management, Depreciation, What-If Scenarios, Review).

Asset

What If Depreciation

What If Period Depreciation

Unit: US001

Asset ID: EX_000000001

2000 Chevrolet Tahoe LT 1/2Ton

Status: In Service

Book

Find | View All

First

1 of 2

Last

Book Name: CORP

Corporate

Run ID: WI

Currency: USD

Depreciation Attributes

Method: Sum of the Years

Calc Type: Remaining Value

In Service Dt: 01/02/1999

Useful Life: 60 Periods

Convention: FM

Begin Date: 02/01/1999

Depr Status: Depreciate

☐ Low Value
 ☐ Derogatory Depreciation

End Date:

Future Depr Yrs:

Net Book Value

Cost: 39,107.00

*As Of Fiscal Year: 2008

Period: 8

Salvage Value: 0.00

Accum Depr: 22,843.36

Net Book Value: 16,263.64

Calculate NBV

What If Yearly Depreciation

Customize | Find | View All

First

1-18 of 19

Last

Year	Depreciation Amt	Operating Unit	Fund Code	Department	Program	Class Field	Bud Ref	Product	Project	Affiliate	Fund Affiliate	Operating Unit Affiliate	Category	Cost Type
1999	3,060.00	NEWYORK		14000									AUTO	
2000	5,000.00	NEWYORK		14000									AUTO	
2001	2,950.00	NEWYORK		14000									AUTO	
2002	1,775.00	NEWYORK		14000									AUTO	
2003	1,775.00	NEWYORK		14000									AUTO	

What If Depreciation page

You can view the results of what if depreciation using this What If Depreciation Inquiry component or you can run a query to review results.

Using either method, examine the depreciation results to see the consequences of the depreciation parameter modifications that you made, or to see the projected depreciation if you ran depreciation for an asset. You can run the results of the query to Excel. Go back and modify the depreciation results accordingly, and then run the actual depreciation program (AM_DEPR_CALC), if applicable.

Loading the Net Book Value Table for Reporting

You can load the net book value depreciation results into a spreadsheet program.

Page Used to Load the Asset Net Book Value Reporting Table

Page Name	Definition Name	Navigation	Usage
Net Book Value Table	RUN_AMLDNBVT	Asset Management, Financial Reports, Load Reporting Tables, Net Book Value Table, Net Book Value Table	Run the process to load the Asset Net Book Value Reporting Table. This generates an online report of depreciation processing results. Note. You can run different modeling simulations for the same range of assets by giving each simulation a different Run Control ID. Net book value information is loaded to the Asset Net Book Value table (ASSET_NBV_TBL) and is available for reporting using various reporting tools.

Loading Depreciation Results for Reporting

Access the Net Book Value Table page (Asset Management, Financial Reports, Load Reporting Tables, Net Book Value Table, Net Book Value Table).

Net Book Value Table

Run Control ID: ARUPDATE [Report Manager](#) [Process Monitor](#)

Process Request Parameters

Run ID:

Unit: 

Book Name: 

As Of FY: Period:

Selection Criteria

☒ Include Transfers

☒ Include Retirements

Net Book Value Table page

Specify the as of fiscal year (in the As Of FY field) and accounting period (in the Period field).

Once you have loaded the Net Book Value Table, you can run any of the following reports:

- Asset NBV by ChartField (AMNB1000).
- Asset NBV by Category (AMNB1010).
- Asset NBV by Location (AMNB1030).

Chapter 17

Allocating Asset Depreciation Expenses

This chapter provides an overview of allocating depreciation expenses, describes the prerequisite tasks, and describes how to:

- Set up the depreciation allocation process.
- Run the allocation process.

Understanding the Depreciation Allocation Business Process

PeopleSoft Asset Management enables you to allocate depreciation expenses or asset costs across multiple departments or ChartField combinations. The allocation might be divided equally among all departments or selected ChartField combinations, or it might be calculated on a factor that is appropriate to your business, such as a prorata basis.

In some business environments, allocation of depreciation expenses to departments or ChartField combinations other than those assigned to an asset's cost might be required. For example, depreciation expenses for shared services assets such as HVAC (Heating, Ventilation, Air Conditioning) for a store in a mall might be needed to allocate the expenses across all departments using the service. The allocation might be spread evenly among all departments, or it might be calculated on a prorata basis based on the square footage of each department or some other factor.

PeopleSoft Asset Management enables you to create and process allocations before posting depreciation to the general ledger. Allocation amounts are derived in PeopleSoft Asset Management from the DIST_LN table, which is populated by accounting entry generation programs such as the Accounting Entry Creation process (AM_AMAEDIST) and the Depreciation Close process (AM_DPCLOSE). The allocation process must be run after running these programs and before journal generation. The allocation program takes unposted journal lines from the DIST_LN table, processes them according to the defined allocation, and creates new allocation entries. Also, lines that have already been sent to the general ledger by previous journal generation are available to allocate.

Processing Allocations With Fund Accounting

When an educational or governmental entity acquires a capital asset, the transaction is usually accounted for as a budgeted or funded acquisition. Other programs within PeopleSoft provide the tools to perform budget checking, such as in the Purchase Order and Accounts Payable transaction processing. After the transaction to acquire the asset is completed, PeopleSoft Asset Management creates ongoing depreciation transactions. It is important that the asset depreciation entries do not inherit the original budget reference during creation of period depreciation entries because the original budget reference is not appropriate for future year's depreciation.

For example, assume that the current financial year is 2008 with budget year of 2007. An asset was added on 01/01/2005 with a budget year of 2005. All of the depreciation rows for 2008 are created with the budget year of 2005. When the depreciation entries for 2008 are posted to the general ledger, they have an incorrect budget year of 2005.

To accommodate the use of budget or fund accounting in PeopleSoft Asset Management, it is recommended that you use the allocation process to reallocate the depreciation and other transactions to the active budget reference and year. This program is run after the accounting entry creation process and depreciation close process have been run.

Prerequisites

You must have already defined transaction groups to set up the allocation basis for asset costs and depreciation. If you use budget or fund accounting, it is recommended that you establish an asset or budget reallocation transaction group, such as *All* to include all transaction types that apply, such as ADD, DPR, PDP, RCT, RET, and TRF.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing"

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management"

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Depreciation Processing"

Setting Up the Depreciation Allocation Business Process

Use the Allocation Basis Group component (ALLOC_BASIS_GRP) to set up the Depreciation Allocation business process:

- Define the allocation basis, which determines how and in what proportion the journal line amounts are distributed to various targets.
- Define the sources and destinations for the cost/depreciation to be allocated.
- Link assets to a defined allocation basis.

Pages Used to Set Up the Depreciation Allocation Business Process

Page Name	Definition Name	Navigation	Usage
Allocation Basis Definition - Definition	ALLOC_BASIS_PNL	Set Up Financials/Supply Chain, Product Related, Asset Management, Accounting, Allocation Basis Definition	Define basic information for your allocation basis.
Allocation Basis Definition - Allocations	ALLOC_BASIS1_PNL	Set Up Financials/Supply Chain, Product Related, Asset Management, Accounting, Allocation Basis Definition, Allocations	Specify the sources and destinations for the allocation.
Asset Allocations	ALLOC_DEFN_PNL	Asset Management, Accounting Entries, Allocate Depreciation Expense, Asset Allocations, Asset Allocations	Associate assets with Allocation Basis IDs.

Entering the Allocation Basis Definition

Access the Allocation Basis Definition - Definition page (Set Up Financials/Supply Chain, Product Related, Asset Management, Accounting, Allocation Basis Definition).

Definition Allocations

SetID: SHARE Basis Id: DEPT_ALLOC

Allocation Basis Find | View All First 1 of 1 Last

*Description: Department Depr Alloc Basis

*Effective Date: 01/01/1900

*Transaction Group: DEPR

*Allocation Type: Evenly

Unit of Measure:

Total Allocation Units:

Status: ☒ Active ☐ Inactive

Allocation Basis - Definition page

Transaction Group	Select a transaction group which combines depreciation types for allocating expenses. In the case of using budget or fund accounting, select the transaction group that is used for budget or fund reallocations.
Allocation Type	Select one: - Copy: Select to override a value so that ownership can be assigned (for example, to one department while expense is charged to another department). - Evenly: Select to distribute the Total Allocation Units equally among the allocation destinations. - Prorata: Select to distribute the Total Allocation Units in the way you specify in the Destination group box on the Allocation Basis Definition - Allocations page. Note. If you select <i>Prorata</i> as the allocation type, enter a Unit of Measure and the number of Total Allocation Units.
Unit of Measure	If you select <i>Prorata</i> as the allocation type, enter a unit of measure. This is the criteria you are going to use to do the allocation.
Total Allocation Units	The total quantity of your units of measure that are used to perform the allocation. You enter the allocation units for each destination to establish the allocation ratio for each destination.

Defining the Source and Destinations

Access the Allocation Basis Definition - Allocations page (Set Up Financials/Supply Chain, Product Related, Asset Management, Financials, Allocation Basis Definition, Allocations).

Definition

Allocations

Allocation

Find | View All | First 1 of 1 | Last

SetID: SHARE

Basis Id: DEPT_ALLOC

Effective Date: 01/01/1900

Source

Find | View All | First 1 of 1 | Last

Category

BLDG

Cost Type

Chartfields

Customize | Find | First 1 of 1 | Last

Account	Alt Acct	Oper Unit	Fund	Dept	Program	Class	Bud Ref	Product	Project
681100									

Destination

Customize | Find | First 1-10 of 10 | Last

Account	Alt Acct	Oper Unit	Fund Code	Department	Program	Class Field	Bud Ref	Product	Project		
681100			F100	10000							+ -
681100			F100	10500							+ -
681100			F200	11000							+ -
681100			F300	12000							+ -
681100			F300	13000							+ -
681100			F400	14000							+ -
681100			F400	15000							+ -

Allocation Basis Allocations page

Complete the applicable ChartField sources and destinations.

If you are using a prorata allocation, enter the Allocation Units for each destination in the Destination group box.

Defining Allocations for Assets

Access the Asset Allocations page (Asset Management, Accounting Entries, Allocate Depreciation Expense, Asset Allocations, Asset Allocations).

Asset Allocations

Unit: US001Allocation Id: BLDG_ALLOC

Allocation

Find | View All | First 1 of 1 | Last

*Effective Date01/01/1900

Status

☒ Active☐ Inactive

Book Name

CategoryBLDG

Cost Type

Allocation Basis IdDEPT_ALLOC

Asset Status

Search

Chartfields

Customize | Find | View All | First 1 of 1 | Last

Oper Unit	Fund	Dept	Program	Class	Bud Ref	Product	Project

Search Results

Customize | Find | View All | First 1-3 of 3 | Last

*Asset ID	*Allocation Basis Id	Description	Tag Number
EX_000000498	DEPT_ALLOC		
EX_000000499	DEPT_ALLOC		
EX_000000500	DEPT_ALLOC		

Asset Allocations page

Specify the criteria for your allocation and click the Search button to retrieve the resulting assets:

Note. The system might not display all ChartFields. The available ChartFields are dependent upon the definitions that you have created during implementation.

You can modify an asset allocation in one of two ways:

- Modify an existing asset allocation (same effective date) using Correction mode. You can also add assets to your list that do not meet the search criteria.
- Add a new effective-dated row for the asset allocation.

Search

For a new effective-dated asset allocation, click the Search button to retrieve all of the assets that match your criteria. If you are adding assets to your results that do not match your criteria, make sure that you save your allocation so that you don't lose those assets that you manually added.

For an existing effective-dated asset allocation, click the Search button to retrieve any additional assets that match your criteria. Your existing assets will not be removed; only any new assets matching the criteria will be added to your existing list.

Cost Type

Select the Cost Type to further narrow your search results.

Allocation Basis Id	Enter the Allocation Basis ID for this allocation; this is the default basis for this allocation.
	Note. Use the upper Allocation Basis Id field to quickly establish the allocation basis value by default to each one of the selected asset IDs. Entering a value in the Allocation Basis Idfield in this portion of the page <i>doesnot</i> narrow your search.

Within the group box on the page, you can also associate each Asset ID with an Allocation Basis Id .

When using budget or fund accounting, define the assets against which allocations should be run. For example, include all assets that pertain to the budget reference year 2001. After running the accounting entry generation process (AM_AMAEDIST) and the depreciation close (AM_DPCLOSE) process, the Depreciation Allocation (AMALLOC) process with the appropriate budget Allocation ID can be run for the applicable fiscal year and period.

Performing the Depreciation Allocation Business Process

You can create allocation entries in the DIST_LN table by running the Depreciation Allocation (AMALLOC) process.

Note. The allocations process calls the centralized processor to generate balanced Inter/IntraUnit entries.

See Also

PeopleSoft Application Fundamentals 9.1 PeopleBook, "Using Interunit and Intraunit Accounting and ChartField Inheritance"

Page Used to Run the Depreciation Allocation Business Process

Page Name	Definition Name	Navigation	Usage
Process Allocation	AMALLOC_RQST	Asset Management, Accounting Entries, Allocate Depreciation Expense, Process Allocation, Process Allocation	Create allocation entries in the DIST_LN table. If necessary, the allocations process calls the IU Processor to create balanced entries.

Running the Depreciation Allocation Process

Access the Process Allocation page (Asset Management, Accounting Entries, Allocate Depreciation Expense, Process Allocation, Process Allocation).

Process Allocation

Run Control ID: ALLOC

[Report Manager](#) [Process Monitor](#)

Run

Request

*Request ID:1

*Business Unit:US001

*Fiscal Year:2008

*Allocation Id:BLDG_ALLOC

*Accounting Period:12

Process Frequency

☐ Once

☒ Always

☐ Don't Run

Process Allocation page

Enter a Business Unit,Allocation Id, and Accounting Period to process allocations. Select a Process Frequency.

When processing for budget and fund accounting allocations, first run the accounting entry generation process (AM_AMAEDIST) and the depreciation close (AM_DPCLOSE) process. Then run the Depreciation Allocation (AMALLOC) process with the appropriate budget Allocation ID for the applicable fiscal year and period. These steps will change the entries to reflect the correct budget reference in the accounting entries for assets that were created in prior fiscal year and period.

358

Copyright © 1992, 2012, Oracle and/or its affiliates. All Rights Reserved.

Chapter 18

Creating PeopleSoft Asset Management Accounting Entries

This chapter lists prerequisites, provides overviews of asset information flow and accounting entry setup, and discusses how to create accounting entries.

Prerequisites

Before you initiate any processing, you should review your application options. Ensure that you have:

- Defined business unit and book accounting entry options.
- Established the accounting entry template IDs to be used for PeopleSoft Asset Management processing.
- Established the accounting entry templates to be used for PeopleSoft Asset Management processing.
- Determined the depreciation open and close status for periods.

Understanding Asset Information Flow

Each financial transaction that is entered into PeopleSoft Asset Management can be used to generate balanced accounting entries. These entries in turn can be summarized and written to a journal, which can then be rolled up and posted to the general ledger system.

Balanced accounting entries are generated from financial transactions and are the basis for creating journals that are posted to the general ledger. The primary sources of accounting entries within PeopleSoft Asset Management include:

- Accounting entries that are created from financial transactions such as asset additions, adjustments, allocations or retirements.
- Accounting entries that are created from depreciation close for a particular accounting period.
- Accounting entries that are created from lease payments.

Others include processing transactions to adjust for inflation and accounting entries that are created from an active integration with other PeopleSoft products such as Billing, Purchasing, and Payables.

Each time financial asset information is entered or adjusted, PeopleSoft Asset Management creates an open transaction. This transaction remains open until accounting entries are created or depreciation is calculated for the transaction. The process for accounting entry creation generates accounting entries for all financial transactions that are not related to depreciation. The Depreciation Close process (AM_DPCLOSE) generates accounting entries for depreciation in a particular accounting period.

To create accounting entries:

1. Enter asset transactions.

Based on the context of the transaction that you enter, the system creates an open transaction with a transaction type such as Add, Transfer, Adjust, Retire, and so forth. These open transactions form a list of accounting entry or depreciation tasks to be processed.

2. Calculate depreciation for open transactions.
3. Create asset transaction accounting entries by running the Accounting Entry Creation process (AM_AMAEDIST), which applies the appropriate accounting entry templates to the open transactions that were created in step 1.

Selection of an accounting entry template is determined by the accounting entry template ID, category, cost type, transaction type, and transaction code of the asset transaction. You can run this process at any interval. You should run the process more than once a month to prevent the process from being slowed at period close time. Use Process Scheduler to schedule and automatically initiate these processes.


4. At the end of each accounting period, create depreciation accounting entries by running the Depreciation Close process; the process applies the depreciation (DPR) and prior depreciation period (PDP) accounting entry templates to the asset depreciation table.

Run this process only once for each accounting period, and only after all of the transaction activity for the period has been completed.

5. Reverse accounting entries by running the Depreciation Close process with the option Reverse Posted Entries selected.

This option reverses only those journal entries that have been created and posted to the general ledger, and creates reversal entries.

This diagram shows the processes for creating accounting entries:



Processes for creating accounting entries

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management."

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing Asset Processing."

Understanding Accounting Entry Setup

This section discusses:

- Business unit and book accounting entry options.
- Accounting entry templates.
- Depreciation close status.

Business Unit and Book Accounting Entry Options

Business unit and book accounting entry options are defined in the Establish Business Units component, and they control which business unit book is used to create accounting entries. Select one book for each business unit to create accounting entries.

Note. When processing accounting entries, you should understand the relationship between PeopleSoft Asset Management business units and PeopleSoft General Ledger business units. If you are using different business units for the applications because you use multiple ledgers, you must be sure to specify the ledger. The ledger is required when you are searching on the Asset Journals page. Failing to enter the value generates an error, and the journal lines for business units that are different do not appear, even though the PeopleSoft Asset Management entries are generated and posted to the journal tables.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing PeopleSoft Asset Management Business Units."

Accounting Entry Templates

The accounting entry template is the central table that the system uses to create accounting entries, which are the basis for general ledger journals. The accounting entry template defines accounting entry types based on asset category, cost type, transaction type, transaction code, and accounting entry template ID. For each accounting entry type, you specify:

- The accounts to use during accounting entry.
- The journal template to use for recording actual transactions.
- The budget journal template to use to record budget transactions.

When you add an accounting entry template in PeopleSoft Asset Management, the system populates it with standard accounting entry types (distribution types), based on the asset category, cost type, and action that is specified for all supported features that require accounting types.

If impairment and revaluation options are enabled at the installation level, you can specify within the cost type definition if you want to enable a given cost type for impairment or revaluation processing. If enabled, the system displays the appropriate impairment and revaluation related accounts at the Accounting Entry Template level.

Use the features within the Accounting Entry Template ID component to define accounting entry template IDs that include or exclude the appropriate accounting entry (distribution) types for each type of transaction. The accounting entry template IDs can be associated with business unit-level features such as the Book Code feature, the Derogatory Depreciation feature, the Like Kind Exchange feature, and the Revaluation feature.

Accounting entry types are delivered with the PeopleSoft system, and each asset event has an associated set of accounting entry types. For each combination of category, cost type, transaction code, and accounting entry template ID, you must set up an accounting entry template for the following transaction types:

<i>Transaction Type</i>	<i>Description</i>
ADD	Additions.
ADJ	Adjustments.
TRF	Transfers.
RCT	Recategorizations.
DPR	Depreciation expense.
PDP	Prior period depreciation.

<i>Transaction Type</i>	<i>Description</i>
RET	Retirements (also used for processing reinstatements).
LPY	Lease payments.
INF	Inflation adjustment.

Note. If you enter a transaction into the system with a combination of category, cost type, transaction code, and accounting entry template ID for which no accounting entry template exists, the accounting entry process will fail the next time it is run.

DPR and PDP transaction types are used only on an accounting entry template with a blank transaction code.

Accounting Entry Types (Distribution Types)

Asset Management creates accounting entries by using standard accounting entry types (distribution types), based on the asset category, cost type, and action that is specified for all supported features that require accounting entry types. The following tables list the accounting distribution types that are associated with each accounting entry feature.

Following are the distribution types for the ADD (addition) transaction type (if there is no 'X' for a distribution type (blank), that type is not applicable for the listed feature):

<i>Type</i>	<i>Description</i>	<i>Basic</i>	<i>Expensed Asset</i>	<i>Lease</i>	<i>Derogatory</i>	<i>Like Kind Exchange</i>	<i>Revaluation</i>
AD	Accumulated Depreciation	X					X
AP	Contra Asset	X	X				X
DD	Accumulated Derogatory Depreciation				X		
DE	Depreciation Expense	X					X
DR	Derogatory Depreciation Reversal				X		
DX	Derogatory Depreciation Expense				X		

Type	Description	Basic	Expens ed Asset	Lease	Derogatory	Like Kind Exchange	Revaluation
EX	Expense		X				
FA	Fixed Asset	X					X
IV	Investment Property	X					X
IX	Investment Property Accumulate d Depreciation Adjustment	X					X
LO	Lease Obligation			X			
TI	Trade In	X					X
UR	Unrecognize d Gain/Loss					X	X
RL	Recognized Loss					X	X
PR	Provision for Revaluation						X

Following are the distribution types for the ADJ (adjustment) transaction type:

Type	Description	Basic	Expens ed Asset	Lease	Derogatory	Like Kind Exchange	Revaluation
AD	Accumulate d Depreciation	X					X
AP	Contra Asset	X	X				X
DD	Accumulate d Derogatory Depreciation				X		
DE	Depreciation Expense	X					X

<i>Type</i>	<i>Description</i>	<i>Basic</i>	<i>Expens ed Asset</i>	<i>Lease</i>	<i>Derogatory</i>	<i>Like Kind Exchange</i>	<i>Revaluation</i>
DR	Derogatory Depreciation Reversal				X		
DX	Derogatory Depreciation Expense				X		
EX	Expense		X				
FA	Fixed Asset	X					X
IV	Investment Property	X					X
LO	Lease Obligation			X			
PG	Investment Property Gain	X					X
PL	Investment Property Loss	X					X
PR	Provision for Revaluation						X
RD	Reversal of Depreciation						X
IM	Impairment Loss	X					X
IN	Impairment Contra						X

Here are the distribution types for the TRF (transfer) transaction type:

<i>Type</i>	<i>Description</i>	<i>Basic</i>	<i>Lease</i>	<i>Derogatory</i>	<i>Like Kind Exchange</i>	<i>Revaluation</i>
AD	Accumulated Depreciation	X			X	
DD	Accumulated Derogatory Depreciation			X		

Type	Description	Basic	Lease	Derogatory	Like Kind Exchange	Revaluation
DR	Derogatory Depreciation Reversal			X		
DX	Derogatory Depreciation Expense			X		
FA	Fixed Asset	X			X	
IV	Investment Property	X			X	
PR	Provision for Revaluation					X
RC	Provision for Revaluation Contra					X

Here are the distribution types for the RCT (recategorize) transaction type:

Type	Description	Basic	Lease	Derogatory	Like Kind Exchange	Revaluation
AD	Accumulated Depreciation	X			X	
DD	Accumulated Derogatory Depreciation			X		
DR	Derogatory Depreciation Reversal			X		
DX	Derogatory Depreciation Expense			X		
FA	Fixed Asset	X			X	
IV	Investment Property	X			X	
PR	Provision for Revaluation					X
RC	Provision for Revaluation Contra					X

Here are the distribution types for the RET (retire) transaction type:

Type	Description	Basic	Lease	Derogatory	Like Kind Exchange	Revaluation
AD	Accumulated Depreciation	X				
AP	Contra Asset				X	
BI	Proceeds to Billing Account	X (If Billing is installed)				
CA	Proceeds	X				
DD	Accumulated Derogatory Depreciation			X		
DR	Derogatory Depreciation Reversal			X		
DX	Derogatory Depreciation Expense			X		
FA	Fixed Asset	X				
GA	Gain	X				
GL	Loss	X				
IV	Investment Property	X				
LG	Lease Guarantee Contra		X			
LO	Lease Obligation		X			
LU	Lease Guarantee Obligation		X			
MA	Mortgage - Others				X	
ML	Mortgage - Comp				X	

Type	Description	Basic	Lease	Derogatory	Like Kind Exchange	Revaluation
NV	Net Book Value			X		
PR	Provision for Revaluation					X
RC	Provision for Revaluation Contra					X
RD	Reversal of Depreciation					X
RG	Recognized Gain				X	
RM	Removal Contra	X				
SL	Sales of Fixed Asset			X		
TI	Trade In	X				
UG	Unrealized Gain				X	
UL	Unrealized Loss				X	

Here are the distribution type for the DPR (depreciation) transaction type:

Type	Description	Basic	Lease	Derogatory	Like Kind Exchange	Revaluation
AD	Accumulated Depreciation	X				X
DD	Accumulated Derogatory Depreciation			X		
DE	Depreciation Expense	X				X
DR	Derogatory Depreciation Reversal			X		

Type	Description	Basic	Lease	Derogatory	Like Kind Exchange	Revaluation
DX	Derogatory Depreciation Expense			X		
RC	Provision for Revaluation Contra					X
RD	Reversal of Depreciation					X

Here are the distribution types for the PDP (prior period depreciation) transaction type:

Type	Description	Basic	Lease	Derogatory	Like Kind Exchange	Revaluation
AD	Accumulated Depreciation	X				
DD	Accumulated Derogatory Depreciation			X		
DE	Depreciation Expense	X				
DR	Derogatory Depreciation Reversal			X		
DX	Derogatory Depreciation Expense			X		
RC	Provision for Revaluation Contra					X
RD	Reversal of Depreciation					X

Here are the distribution types for the LPY (lease payment) transaction type:

Type	Description	Basic	Lease	Derogatory	Like Kind Exchange	Revaluation
LC	Lease Interest Contra		X			
LI	Lease Interest		X			

Type	Description	Basic	Lease	Derogatory	Like Kind Exchange	Revaluation
LO	Lease Obligation		X			
LP	Lease Obligation contra		X			

Here are the distribution types for the INF (inflation) transaction type:

Type	Description	Basic	Lease	Derogatory	Like Kind Exchange	Revaluation
IA	Inflation Accum Depr	X				
IB	Inflation Accum Depr	X				
IC	Inflation Cost Adjustment	X				
ID	Inflation Cost Adjustment	X				
IG	Inflation Gain	X				
IL	Inflation Loss	X				
IP	Inflation Period Depr	X				
IQ	Inflation Period Depr	X				
IY	Inflation YTD Depr	X				
IZ	Inflation YTD Depr	X				

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Accounting Entries.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing PeopleSoft Asset Management Business Units," Creating PeopleSoft Asset Management Business Units.

Depreciation Close Status

You can run the Depreciation Close process only in an open period. You use the Business Unit/Book Definition page to determine which accounting periods have been closed. Select Depreciation Closed List to display all closed periods.

Note. Open and close accounting periods are maintained in General Ledger and migrated with the financial subsystems. Each subsystem application can either use the periods that are created in General Ledger or update the open and close periods at the application business unit level.

See *PeopleSoft Application Fundamentals 9.1 PeopleBook*, "Defining Accounting Calendars," Defining and Updating Open Periods and Adjustment Periods.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing PeopleSoft Asset Management Business Units," Defining Open Periods.

Creating Accounting Entries

This section provides an overview of the Depreciation Close process, lists common elements, and discusses how to:

- Request accounting entry creation.
- Run the Depreciation Close process.
- Close accounting periods.

Understanding the Depreciation Close Process

The Depreciation Close process generates period depreciation accounting entries for all depreciable assets in a particular accounting period, including lease payments and offset accounts for the period. Run this process only for an accounting period that has not yet been closed. You can reverse or rerun this process if errors are detected in the results. The flexible run parameters allow processing to close the period, reversing the output of the last posting run, or reversal with reprocessing of the close entries.

Open and close accounting periods are maintained in General Ledger and migrated to the financial subsystems. Each subsystem application can either use the periods that are created in General Ledger or update the open and close periods at the application business unit level.

When you run the Depreciation Close process, you have two options: Rerun Depreciation Close and Reverse Posted Entries. The following examples demonstrate how these options affect processing.

Example of the Rerun Depreciation Close Option

With Rerun Depreciation Close enabled and the journal entries not yet created, the Depreciation Close process creates a new accounting entry, as shown in this table, and deletes the existing one (if any). If the journal entries have already been created, depreciation close will neither delete nor generate entries. No actions occur.

<i>DISTRIBUTIO N_TYPE</i>	<i>DTTM_STA MP</i>	<i>AMOUNT</i>	<i>GL_DISTRIB_ STATUS</i>	<i>REVERSE_ STATUS</i>	<i>REVERSE_DT TM_STAMP</i>	<i>Journal ID</i>	<i>Journal Dttm Stamp</i>
AD	2009-09-05 14:25:20	-110.00	N		NULL		NULL
DE	2009-09-05 14:25:20	110.00	N		NULL		NULL

When the journal entries have been posted, the system updates the general ledger distribution status to *D* (done).

This table shows the results after the PeopleSoft General Ledger run:

<i>DISTRIBUTIO N_TYPE</i>	<i>DTTM_STA MP</i>	<i>AMOUNT</i>	<i>GL_DISTRIB_ STATUS</i>	<i>REVERSE_ STATUS</i>	<i>REVERSE_DT TM_STAMP</i>	<i>Journal ID</i>	<i>Journal Dttm Stamp</i>
AD	2009-09-05 14:25:20	-110.00	D		NULL	XX	Journal Dttmstamp
DE	2009-09-05 14:25:20	110.00	D		NULL	XX	Journal Dttmstamp

Example of the Reverse Posted Entries Option

When the Reverse Posted Entries option is selected and the journal entries have been created, the original entry is reversed with new rows inserted showing the reversed amounts. The new entries display the statuses *R* for reversal and *X* for reversed entries.

This table shows the original entry:

<i>DISTRIBUTIO N_TYPE</i>	<i>DTTM_STA MP</i>	<i>AMOUNT</i>	<i>GL_DISTRIB_ STATUS</i>	<i>REVERSE_ STATUS</i>	<i>REVERSE_DT TM_STAMP</i>	<i>Journal ID</i>	<i>Journal Dttm Stamp</i>
AD	2009-09-05 14:25:20	-110.00	D	X	NULL	XX	Journal Dttmstamp
DE	2009-09-05 14:25:20	110.00	D	X	NULL	XX	Journal Dttmstamp

This table shows the reversed entry:

<i>DISTRIBUTIO N_TYPE</i>	<i>DTTM_STA MP</i>	<i>AMOUNT</i>	<i>GL_DISTRIB_ STATUS</i>	<i>REVERSE_ STATUS</i>	<i>REVERSE_DT TM_STAMP</i>	<i>Journal ID</i>	<i>Journal Dttm Stamp</i>
AD	2009-09-12 17:37:25	110.00	N	R	2003-09-05 14:25:20		
DE	2009-09-12 17:37:25	-110.00	N	R	2003-09-05 14:25:20		

Example of Both the Rerun Depreciation Close and Reverse Posted Entries Options

When the Reverse Posted Entries and the Rerun Depreciation Close options are both selected, and the journal entries have been created, then the original entry is reversed as shown in the previous example, and a new accounting entry is created.

This table shows the original entry:

<i>DISTRIBUTION_TYPE</i>	<i>DTM_TIMESTAMP</i>	<i>AMOUNT</i>	<i>GL_DISTRIBUTION_STATUS</i>	<i>REVERSE_STATUS</i>	<i>REVERSE_DTM_TIMESTAMP</i>	<i>Journal ID</i>	<i>Journal Dtm Stamp</i>
AD	2009-09-05 14:25:20	-110.00	D	X	NULL	XX	Journal Dtmstamp
DE	2009-09-05 14:25:20	110.00	D	X	NULL	XX	Journal Dtmstamp

This table shows the reversed entry:

<i>DISTRIBUTION_TYPE</i>	<i>DTM_TIMESTAMP</i>	<i>AMOUNT</i>	<i>GL_DISTRIBUTION_STATUS</i>	<i>REVERSE_STATUS</i>	<i>REVERSE_DTM_TIMESTAMP</i>	<i>Journal ID</i>	<i>Journal Dtm Stamp</i>
AD	2009-09-12 17:37:25	110.00	N	R	2003-09-05 14:25:20		
DE	2009-09-12 17:37:25	-110.00	N	R	2003-09-05 14:25:20		

This table shows the results of the rerun with the new entry:

<i>DISTRIBUTION_TYPE</i>	<i>DTM_TIMESTAMP</i>	<i>AMOUNT</i>	<i>GL_DISTRIBUTION_STATUS</i>	<i>REVERSE_STATUS</i>	<i>REVERSE_DTM_TIMESTAMP</i>	<i>Journal ID</i>	<i>Journal Dtm Stamp</i>
AD	2009-09-12 17:37:25	-140.00	N		NULL		NULL
DE	2009-09-12 17:37:25	140.00	N		NULL		NULL

Common Elements Used in This Section

Request ID	Displays the number of process requests that you have submitted.
Unit	Enter the business unit for which transactions are processed.
Book Name	Enter the book for which transactions are processed.
Currency	Displays the currency in which the transactions are processed, based on the base currency for the selected book or business unit.

Pages Used to Create Accounting Entries

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Create Accounting Entries	AM_AMAEDIST_RQST	Asset Management, Accounting Entries, Create Accounting Entries, Create Accounting Entries	Set up and initiate a request or set of requests for accounting entry creation.
Run Depreciation Close Process	DEPR_CLOSE_RQST	Asset Management, Accounting Entries, Close Depreciation, Run Depreciation Close Process	Enter and initiate a depreciation close request or requests.
Close Accounting Period	DEPR_CLOS_PD	Asset Management, Accounting Entries, Close Accounting Period, Close Accounting Period	Close accounting periods to ensure that you do not make any new transactions in the period.
Review Financial Entries - List	ASSET_DIST_LIST	Asset Management, Accounting Entries, Review Financial Entries, List	Review accounting financial entries in summary list. Note. In the case where there are multiple "Future-dated" EFFDT, only the MAXIMUM effective-dated row will be displayed in the prompt for ACCOUNT in the Review Financial Entries component.
Review Financial Entries - Detail	ASSET_DIST_DETAIL	Asset Management, Accounting Entries, Review Financial Entries, Detail	Review accounting financial entries in detail. Note. In the case where there are multiple "Future-dated" EFFDT, only the MAXIMUM effective-dated row will be displayed in the prompt for ACCOUNT in the Review Financial Entries component.
Review Operating Leases - List	ASSET_NF_DIST_LN	Asset Management, Accounting Entries, Review Operating Leases, List	Review operating lease entries in summary list.
Review Operating Leases - Detail	LEASE_DIST_DETAIL	Asset Management, Accounting Entries, Review Operating Leases, Detail	Review operating lease entries in summary list.

Page Name	Definition Name	Navigation	Usage
Review Asset Journals	AM_GL_DRILL	Asset Management, Accounting Entries, Review Asset Journals	Review asset journal information.
Calculate Inflation - Request	DEPR_INF_RQST	Asset Management, Accounting Entries, Calculate Inflation, Request	Run a process to calculate inflation for assets.
Review Expense Entries - List	ASSET_NF_LIST	Asset Management, Accounting Entries, Review Expense Entries, List	Review the expense entries (nonfinancial assets) that were created by running the Clearing Reconciliation process.
Review Expense Entries - Details	ASSET_NF_DET	Asset Management, Accounting Entries, Review Expense Entries, Details	Review the expense entry details (nonfinancial assets) that were created by running the Clearing Reconciliation process.
Clearing Reconciliation	AM_CLEREC_RQST	Asset Management, Accounting Entries, Clearing Reconciliation, Clearing Reconciliation	Run the process to reconcile the clearing account that is created by trackable assets from feeder systems against the expense account.

Requesting Accounting Entry Creation

Access the Create Accounting Entries page (Asset Management, Accounting Entries, Create Accounting Entries).

Cost Summarize Select to create cost summary while creating accounting entries.

From Asset ID and **To Asset ID** Enter the transaction range to process.

Note. The system calls the Inter/IntraUnit central processor to create balanced accounting entries.

See *PeopleSoft Application Fundamentals 9.1 PeopleBook*, "Using Interunit and Intraunit Accounting and ChartField Inheritance."

Running the Depreciation Close Process

Access the Run Depreciation Close Process page (Asset Management, Accounting Entries, Close Depreciation).

Fiscal Year and **Period** Enter the appropriate fiscal year and open periods to be closed.

- Rerun Depreciation Close** Select to delete all existing accounting entries that haven't been generated as journal entries for depreciation expense and lease obligations for the specified business unit, book, fiscal year, and period. The system generates new entries.
- To generate new journal entries and to reverse a journal entry, run a request with both Rerun Depreciation Close and Reverse Posted Entries options selected.
- To rerun depreciation close for budgeted depreciation, run a request with both Rerun Depreciation Close and Create Budgeted Depreciation options selected.
- Reverse Posted Entries** Select to reverse only those accounting entries that have been created and posted to the general ledger, including all existing accounting entries for depreciation expense and lease payments for the specified business unit, book, fiscal year, and period. The process creates reversal entries and marks the old entries with a status of *Reversed*. If journal entries have not been created, the entries marked *Reversed* are not used by the Journal Generator process.
- To reverse entries that are created and post them again, use Reverse Posted Entries in tandem with Rerun Depreciation Close. When you do this, the original journal entry is reversed and a new entry is created.
- When an entry has not been posted to the general ledger, use the rerun option. Reverse Posted Entries does not reverse unposted entries.
- Create budgeted Depreciation** Displays the resulting accounting entries as budgeted depreciation and lease payments. These entries are posted to the budget ledger that is specified in the Business Unit Book options page when you run the Journal Generator process.
- Process a range of assets** Select to process a specific range of assets for a business unit, book, fiscal year, and period. Use this option to split up a large volume of assets for a particular business unit and book. Because the program AM_DPCLOSE commits its work after each request, selecting this option accelerates the process. You can also use this selection with the parallel option to take advantage of servers that have parallel processors. This speeds up processing for large volumes of data.
- For example, to increase throughput when creating depreciation accounting entries for 1,000,000 assets, you can enter 10 requests to process 100,000 assets each. Select Process in Parallel, and assign a processing sequence number to each process request. Processing sequence numbers must be unique.
- Use care when specifying From asset ID and To asset ID processing parameters, as these parameters are inclusive. Overlapping can occur, and no edit is available to verify that you have set up inclusive asset ranges. For example, suppose that request 1 is processed from asset ID 0001 and to asset ID 0005. If request 2 is processed from asset ID 0005 and to asset ID 9999, asset 0005 is processed twice. You can use Query to verify ranges by counting the number of assets in total and number of assets per range.

Note. If you use the interface between PeopleSoft Asset Management and PeopleSoft Billing, accounting entries are created by these integrated transactions. How the entries are created is described in more detail in the PeopleSoft Billing documentation.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Pages Used to Define Accounting Entry for PeopleSoft Asset Management.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Integrating PeopleSoft Asset Management with Other Products."

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing PeopleSoft Asset Management Business Units," Understanding Asset Management Business and Cash Generating Units.

See *PeopleSoft General Ledger 9.1 PeopleBook*, "Making General Ledger Journal Entries."

See *PeopleSoft Billing 9.1 PeopleBook*, "Integrating with PeopleSoft Asset Management."

Closing Accounting Periods

Access the Close Accounting Period page (Asset Management, Accounting Entries, Close Accounting Period, Close Accounting Period).

Enter the year and period to be closed, and save the page. When a period has been closed, you cannot create additional depreciation-related accounting entries for that period.

See *PeopleSoft General Ledger 9.1 PeopleBook*, "Managing Interim and Year End Closing."

Running the Clearing Reconciliation Process

Access the Clearing Reconciliation page (Asset Management, Accounting Entries, Clearing Reconciliation, Clearing Reconciliation).

Clearing Reconciliation

Run Control ID: **Cleaning** [Report Manager](#) [Process Monitor](#) **Run**

Selection Criteria Find | View All First 1 of 1 Last

*Request ID:	1	Process Frequency:	Always
System Source:	AP Batch		
*Business Unit:	US001		
*Book Name:	CORP	Currency:	USD
From Asset ID:		To Asset ID:	
Document Type:			

Clearing Reconciliation page

PeopleSoft Asset Management provides an optional Capitalization Threshold feature that, once enabled, can automatically determine capitalization status of an asset, by profile, based on its cost or quantity according to limits that you define. The system classifies assets as capital, noncapital, or expense. The Clearing Reconciliation process (AM_CLEREC) provides a way to reconcile accounting entries for expensed assets.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Setting Up Capitalization Thresholds.

When assets came from other sources, a debit is usually recorded to a fixed asset account and a clearing account is credited that was previously debited in the source system. When an asset is deemed trackable because of the specified threshold, the asset ID is generated but no accounting activities take place. This reconciliation process provides a way to balance out the clearing account that was debited in the source system and debit the expense account instead. This is not applicable to expensed (trackable) assets that are entered directly in Asset Management with no clearing account.

Enter the parameters and run the process. The system searches noncapital assets for the specified parameters in the acquisition detail. For each noncapital row that matches the system source, the following entry is generated in the DIST_LN table:

<i>Debit</i>	<i>Credit</i>	<i>Distribution Type</i>
Expense Account		EX
	Clearing Account	AP

Chapter 19

Retiring Assets

This chapter provides an overview of asset retirement and discusses how to:

- Retire financial assets.
- Retire nonfinancial assets.
- Reinstate assets.
- Run the Tax Retirement Capital Gains report (AMTX3210).

Understanding Asset Retirement

PeopleSoft Asset Management enables you to fully or partially retire assets in the past, present, or future. Occasionally, a retirement transaction may require a reversal. In that case, you can reinstate a retired asset using the pages in the Asset Retirements component.

You retire assets when they are either disposed of or no longer in use. When you retire an asset, PeopleSoft Asset Management creates all the necessary journal entries. For example, when you sell an asset, the system calculates depreciation through the date of the sale, as well as any gain or loss. In addition, you can have the system create journal entries corresponding to each of these events. Gains and losses are booked to separate accounts, providing flexibility in updating general ledger journals and balances.

An asset is retired by its book designation; therefore, you can retire an asset in one book, but it is still available for depreciation in others. You can reinstate retired assets at any time. When assets are reinstated, depreciation starts again for them if they are not fully depreciated.

Retirement Types

Assets are fully or partially retired by quantity or by cost. You can also enter retroactive retirement information for assets that were actually retired in a prior accounting period.

Full Retirement

When the full quantity and total cost of an asset are retired, the asset is considered fully retired. The asset is taken off the books after the retirement has been fully processed and accounting entries have been created. No further depreciation accrues.

Partial Retirement

You can partially retire an asset, and the system continues to process depreciation for the amount that remains. Two types of partial retirement are available:

- By quantity

You can partially retire assets by quantity. For example, if you have 250 computers, and you sell 50 of them to employees, you enter the 50 units as the quantity retired. PeopleSoft Asset Management calculates the corresponding cost.

- By cost

You can partially retire assets by cost. For example, suppose that you partially retire a computer for the price of the computer monitor, 400 USD, and you sell the monitor for 100 USD. The total cost of the computer is 1500 USD. The cost (400 USD) is the amount retired, and the 100 USD is the proceeds from the sale. PeopleSoft Asset Management automatically calculates the gain or loss based on these amounts.

Prior Period

To enter a retirement transaction for an asset that was actually retired in a prior accounting period, you must enter transaction and accounting dates that reflect the actual retirement and the accounting period in which you want the retirement posted. For example, suppose that an asset sold on April 30 was processed as a retirement in PeopleSoft Asset Management on June 30. By the time the asset is entered as a retirement, depreciation expense for May and June post to the general ledger. That posting results in overstated accumulated depreciation and an incorrect gain or loss. To correctly process this retirement, you would specify April 30 as the transaction date and—assuming all prior periods are closed—June 30 as the accounting date. PeopleSoft Asset Management then reverses the accumulated depreciation attributable for May and June and calculates the correct gain or loss on the asset.

Retiring Financial Assets

This section discusses how to:

- Retire an asset.
- Define other retirement options.
- Select retirement transactions by ChartField.
- Select child assets.
- Review a capital gain summary for retirements.
- Integrate retired asset information with PeopleSoft Billing.
- Specify how value-added tax (VAT) is calculated for asset retirement.
- Auto-retire fully depreciated assets.
- Initiate asset retirement using the disposal worksheet.
- Put assets up for auction.

Pages Used to Retire Financial Assets

Page Name	Definition Name	Navigation	Usage
Retire Assets	ASSET_RETIRE_01	Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Asset	Retire or reinstate an asset. Click the appropriate button to access other fields based on your selection.
Like Kind Exchange	LIKE_KIND_EXCH	Click the Like Kind Exchange Info (like-kind exchange information) link on the Retire Assets page. In the Retire As field, select the <i>Like Kind Exchange</i> option to display the link.	Enter fair values and descriptions for each asset to add multiple assets as part of a like-kind exchange.
General Info	CUST_GENERAL1	Click the Customer General Info link on the Retire Assets page.	Search for and select customer information to add for retirements by sale or trade.
Retire/Reinstate Assets - Other Options	ASSET_RETIRE_02	Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Assets, Other Options	Select assets to be retired based on gain or loss and on other options.
Retire/Reinstate Assets - By ChartField	ASSET_RETIRE_03	Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Assets, By Chartfield	Override PeopleSoft Asset Management calculations when shared assets are partially retired.
Child Assets	CHILD_ASSETS	Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Asset, Child Assets	Select child assets to include in a retirement transaction that you have initiated against the parent on the Retire Assets page.
Child Asset Retirement Options	AM_PARCHD_RET01	Click Child Details on the Child Assets page.	Specify retirement overrides for a specific child asset. For example, you might specify a different retirement disposal code for the child asset.
Advanced Transaction Details	FULL_PART_SEC	Click Child Details on the Child Assets page.	Specify transaction overrides for all child assets at once.
Proceeds and Removal Cost Allocation	AM_PARCHD_ALLOC	Click the Allocation Option link on the Child Assets page.	Specify allocation options to calculate removal cost and proceeds for the parent (if selected) and selected children.

Page Name	Definition Name	Navigation	Usage
VAT	AM_VAT_TRANS_RET	Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Asset, VAT	Specify options to use to calculate VAT on an asset retirement.
Auto-Retire Fully Depr Assets (automatically retire fully depreciated assets)	RUN_AMRETFDA	Asset Management, Asset Transactions, Asset Disposal, Auto-Retire Fully Depr Assets	Identify run-control parameters to initiate the Auto-Retire Fully Depreciated Assets process (RUN_AMRETFDA).
Auto-Retired Assets	RUN_AMRET001	Asset Management, Financial Reports, Retirement, Auto-Retired Assets Report	Identify run-control parameters to generate the Auto-Retire Assets report.
Proceeds and Removal Cost	ASSET_RETIRE_SEC1	Click the Base Amounts and Exchange Rate icon.	View the transaction in the base currency, alternate currency, and associated exchange rate.
Capital Gain	ASSET_RETIRE_05	Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Assets, Capital Gain	View the calculations for capital gains or losses for a retirement transaction.
Bill Information	ASSET_RETIRE_07	Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Assets, Bill Information	Define default values for PeopleSoft Billing.
AM/BI Interface (Asset Management - Billing interface)	RUN_AMBI_INTFC	Asset Management, Send/Receive Information, Load Interface, Interface AM to Billing	Run the PeopleSoft Asset Management - Billing interface.
Disposal Worksheet	AM_EXPRESS_RET1	Asset Management, Asset Transactions, Asset Disposal, Disposal Worksheet	Identify and submit assets for disposal.
Asset Information, Retirement Information, Other Accounting Information	AM_DISPOSAL_00	Click the Retrieve button on the Disposal Worksheet page.	Retrieve assets according to the search criteria entered. The system displays the Asset Information, Retirement Information, and Other Accounting Information tabs.

Page Name	Definition Name	Navigation	Usage
ChartField Search Criteria	AM_LOOKUP_CF_SEL	Asset Management, Asset Transactions, Asset Disposal, Disposal Worksheet Click the ChartField Search Criteria link.	Select ChartFields to use as search criteria.
Ownership Details	AM_DISPOSAL_01	Asset Management, Asset Transactions, Asset Disposal, Disposal Worksheet Click the View Ownership Details link.	View the original asset owner selection attributes.
Approve Disposals	AM_DISP_APPR01	Asset Management, Asset Transactions, Asset Disposal, Approve Disposals	Deny or approve a retirement disposal, or place it on hold.

Retiring an Asset

Access the Retire Assets page (Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Asset, Retire Assets).

Retire Assets

Other Options

By Chartfield

Capital Gain

Bill Information

Unit: AUS01

Asset ID: AM326

Computer Hardware

Tag:

In Service

Trans Date: 09/25/2009

Acctg Date: 09/25/2009

Rate Type: CRRNT

☒ In Physical Use

Book

Find | View All | First | 1 of 3 | Last

Book Name: ACCNT_AUD Accounting Book - AUD

Base Currency: AUD

As Of: 09/25/2009

Retire As: Retirement by Sale

Go

Reinstate

Quantity: 1.0000

Cost: 10,033.00

☒ Copy Changes to Other Books

Retirement

Find | View All | First | 1 of 1 | Last

*Disposal Code: Retirement by Sale

Date/Time: 09/25/09 3:17:36PM

Ret Status: New

Quantity: -1.0000

Retirement Amt: -10,033.00 AUD

Removal Cost: 0.00

RC Curr: AUD

Base Removal Cost: 0.00

Proceeds: 0.00

Pr Curr: AUD

Base Proceeds: 0.00

Convention: Actual Month

Accum Depr: 0.00

Trans Code:

Gain/Loss: 0.00

Retire Option: Calculate Gain/Loss

☐ Override Accum

Customer/Ship from Information

Ship from Loc: AUS01

Loc:

Customer General Info

Customer ID:

Sold Loc:

Create Bill

Sold To Customer:

Ship Loc:

VAT

Ship To Customer:

Retire Assets page

- Trans Date (transaction date)

The transaction date reflects the date that the retirement actually occurred. Usually, an actual transaction occurs before you enter it in PeopleSoft Asset Management. The transaction date and the prorated convention determine how much of the depreciation taken in PeopleSoft Asset Management must be recovered.
- Acctg Date (accounting date)

The accounting date determines when the retirement transaction is posted to the general ledger.
- Rate Type

Select an exchange rate type for the transaction if you use multiple currencies in processing and the retirement transaction is not in the base currency of the business unit.
- In Physical Use

This flag is informational only on the Retire Assets page. Only those assets that are selected for physical use are included in the ITAM comparison process. If this flag was selected before retirement, it is automatically deselected after the asset is retired. This flag can be selected or deselected on the Basic Add page or the Define Asset Operational Info page.

See *PeopleSoft IT Asset Management 9.1 PeopleBook*, "Working with the Asset Repository."

Book**Book Name**

Enter the book in which this asset retirement is recorded.

Retire As

Specify the type of retirement transactions to process by selecting from the list of disposal codes. Then, depending on the asset's status, click GO or Reinstate.. Until you click one of these buttons, you cannot enter information into other fields.

Note. To reinstate a specific retired transaction, scroll to the transaction and select the Reinstate check box before clicking the Reinstate button.

Copy Changes to Other Books

Selected by default, this option keeps all books in sync by copying this transaction to all other books that are defined for the asset. Deselect the check box if you do not want to copy changes to other books.

Base Currency, As of Quantity and Cost

These fields display the corresponding information as defined for this asset in the selected book before you save your changes. You can use this information as a reference when you enter quantity or amount information to partially retire an asset.

Note. If you process asset transactions in multiple currencies, the retirement transaction can be performed in a currency different from that of the asset base currency or the book currency. The Base Currency field is informational. It displays the default currency from the selected asset's business unit.

Disposal Codes

Disposal codes reflect the Retire As action that is selected to initiate the retirement transaction. PeopleSoft Asset Management calculates gain or loss amounts depending, in part, on the disposal code that you select. This table describes the available options in the Retire As field:

Code	Usage	Gain/Loss
<i>Abandonment</i>	Select when the asset has no resale value and it is left behind. For example, consider leasehold improvements. At the end of the lease term, the improvements are generally left behind and no removal costs are incurred when you turn over the improvement to the lessor.	Gain/loss calculations are based on the asset net book value.
<i>Auto-Retire Fully Depr Asset</i>	Select when the asset is fully depreciated.	Gain/loss calculations are based on the asset net book value.

Code	Usage	Gain/Loss
<i>Cannibalize for Other Assets</i>	Select when the asset has been dismantled and the parts are reused within the organization. For example, if an employee reuses a monitor that is part of an unused computer, you would retire the monitor as cannibalized. Typically, cannibalized assets are partially retired. They have no proceeds and no removal costs.	Gain/loss calculations are based on the asset net book value.
<i>Casualty Loss</i>	Select when an asset is unintentionally destroyed. If the asset cannot be sold, you may incur removal costs disposing of it. Retiring an asset as a casualty may have tax consequences if you have tax credits and the asset is not fully depreciated.	PeopleSoft Asset Management deducts the accumulated depreciation from the retirement amount and adds the removal costs to determine the amount of the casualty loss.
<i>Disappeared Assets</i>	Select when an asset cannot be located and you are not sure whether the asset was abandoned or stolen. Disappeared assets have no proceeds or removal costs.	Gain/loss calculations are based on the asset net book value.
<i>Disposal Due to Theft</i>	Select when an asset has been stolen.	Stolen assets have no proceeds and no removal costs.
<i>Donated to External Group</i>	Select when an asset is donated. You typically use this option when assets are donated to nonprofit organizations for tax purposes.	PeopleSoft Asset Management deducts the accumulated depreciation from the retirement amount, treating proceeds and removal costs as appropriate, to determine the gain or loss. Note. VAT is applicable for VAT business units.

Code	Usage	Gain/Loss
<i>Expensed</i>	Select when an asset has adjustments to the original cost that requires reclassification from capital asset to expensed asset due to its cost. If the Capitalization Threshold feature is enabled, Asset Management automatically assigns this disposal code through the Capitalization Threshold Validation process if the original cost falls below the capitalization threshold. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Setting Up Capitalization Thresholds.	The accounting entry template for this disposal code reflects the loss account as the expense. Previous depreciation expense is recognized as expense too. The Interface Type is RET.
<i>Like Kind Exchange</i>	Select to process like-kind exchanges under U.S. federal tax code.	See Chapter 19, "Retiring Assets," Like-Kind Exchange Processing, page 393.
<i>Missing Asset</i>	Select when an asset is missing. Missing assets have no proceeds and no removal costs.	Gain/loss calculations are based on the asset net book value.
<i>Retirement by Sale</i>	Select if you sell an asset. (If you sell the entity that owns the asset, you must retire all assets that are owned by the entity.) You can use the interface with PeopleSoft Billing to generate the bill.	The proceeds and removal cost from the sale, less the net book value of the asset, determines the gain or loss. Note. VAT is applicable for VAT business units.
<i>Returned to Inventory</i>	Select when the asset is returned to a common internal pool where it is available for others to use.	PeopleSoft Asset Management deducts the accumulated depreciation from the retirement amount, treating proceeds and removal costs as appropriate, to determine the gain or loss. Note. VAT is applicable for VAT business units.

Code	Usage	Gain/Loss
<i>Scrapped Assets</i>	Select when the asset is no longer useful and has no resale value.	The gain/loss calculations include removal costs; accumulated depreciation is deducted and then the removal costs are added to derive the amount of the gain or loss.
<i>Traded In for another Asset</i>	Use when you are trading one asset for another. See Processing Trade-Ins.	PeopleSoft Asset Management deducts the accumulated depreciation from the retirement amount, treating proceeds and removal costs as appropriate, to determine the gain or loss. Note. VAT is applicable for VAT business units.

Quantity

When you select a disposal code, the system automatically populates the Quantity field with the total number of units, and the Retirement Amount field with the total cost for all units. Adjust either the quantity or the cost for a partial retirement. If you adjust the number of units, the cost is recalculated. If you adjust the cost, the quantity is recalculated. When performing a full retirement, it is not necessary to adjust quantity or amount retired; enter any proceeds from the sale of this asset and any removal costs that you may have incurred. When performing a partial retirement, change either the quantity or cost that will be retired.

Removal Cost and RC Curr (removal cost currency)

Enter the amount of any cost for removal and select the currency for the cost.

Proceeds and Pr Curr (proceeds currency)

Enter the amount of the proceeds for the transaction and select the currency of the proceeds.



When you have transactions involving currencies other than base currency, click the Base Amounts and Exchange Rate icon to access the Proceeds and Removal Cost page. You can review base amounts and exchange rates. You cannot make changes on this page.

Convention

Specify the convention to use to calculate depreciation through retirement. Generally, the same depreciation convention is used to retire an asset as was used when the asset was in service. However, you can change the convention to manipulate depreciation processing. For example, assuming a calendar year, an asset retired on April 15 will be depreciated as follows:

Actual Day: (asset is depreciated through April 15)

Actual Month: (asset is depreciated through March 31)

Following Month: (asset is depreciated through April 30)

Transaction Code	Select to identify the reason for the retirement or reinstatement.

Retire Option

Select the retirement calculation option to be processed for the transaction. Options are:

- *Calculate Gain/Loss*

Select to calculate gain or loss that is associated with the retirement of an asset without fully depreciating the asset. Select if assets should not be fully depreciated at retirement so that the accounting entries passed to the general ledger will include gain or loss information.

- *Fully Depr no Future Expense*

Select to process the asset as fully depreciated with no future depreciation expenses, regardless of how much depreciation has actually been calculated. The accounting entries passed to the general ledger will not include gain and loss information. (This remains true as long as no proceeds or removal cost have been assigned for that particular asset.)

This option is used generally within the utility industry for group assets and assumes that assets are fully depreciated at retirement regardless of how much depreciation has actually been calculated. Depreciation expense is debited for the full cost basis of the asset at the time of retirement, resulting in no gain or loss. Net book value (NBV) will remain, however.

- *Fully Depr with Future Expense*

Select to process the asset as fully depreciated, regardless of how much depreciation has actually been calculated, but future depreciation expenses may be created. The accounting entries passed to the general ledger will not include gain and loss information. (This remains true as long as no proceeds or removal cost have been assigned for that particular asset.) The depreciation close process (AM_DPCLOSE) generates the accounting entries for any remaining expense.

Note. Fully depreciated assets are also called fully reserved assets.

For example, if you retire an asset with an original cost basis of 10,000 USD and accumulated depreciation of 8,000 USD, the NBV is 2,000 USD. When you run the Accounting Entry Creation process (AM_AMAEDIST) to create accounting entries, the system looks at the selection for the Retire Option field:

If you select *Calculate Gain/Loss*, the system creates the following accounting entries: Debit Accumulated Depreciation for 8,000 USD; Debit Loss for 2,000 USD; and Credit Fixed Asset for 10,000 USD.

If you select *Fully Depr no Future Expense*, no gain or loss is recorded, and the accounting entries are Debit Accumulated Depreciation for 10,000 USD and Credit Fixed Asset for 10,000 USD.

If you select *Fully Depr with Future Expense*, the accounting entries are Debit Accumulated Depreciation for 10,000 USD; Credit Fixed Asset for 10,000 USD; Debit Depreciation Expense for 2,000 USD; and Credit Accumulated Depreciation for 2,000 USD.

Note. When you select *Fully Depr with Future Expense*, the first two rows are created by the Accounting Entry Creation process (AM_AMAEDIST.) The last two rows are created by the Depreciation Close process (AM_DPCLOSE.)

Note. The default for the Retire Option is from the Asset Book level. If the Retire Option at the Asset Book level is blank, the default value comes from the Asset Profile table. If this is also blank, the default value is Calculate Gain/Loss.

Retirement Amt (retirement amount)	Displays the amount of the retirement transaction in the base currency.
Base Removal Cost	Displays the base removal cost, translated to the base currency.
Base Proceeds	Displays the base proceeds, translated to the base currency.
Accum Depr (accumulated depreciation)	Displays the accumulated depreciation for the asset, which is displayed after you have run the depreciation calculation process (AM_DEPR_CALC).
Gain/Loss	Displays the amount of the gain or loss on the transaction after you run the depreciation calculation process (AM_DEPR_CALC).

Customer/Ship from Information

This region of the Retire Assets page enables you to retrieve customer information that is related to a retirement-by-sale transaction. The fields appear only when this value is selected as the retirement option or if the retirement option is *Traded In*, *Donated*, or *Returned to Inventory* and the business unit is VAT-enabled.

Ship from Loc (ship from location)	The default ship-from location is the asset location. If no asset location is defined, the default is the business unit location. This field is required only for business units that are VAT-enabled.
Customer ID	Enter the customer ID for the customer who is billed for the transaction. The value that is entered determines VAT values. When you enter the customer ID, default values for customer location, bill-to-location, sold-to, and ship-to information are supplied automatically, if applicable. Click the Search button to view a list of the valid customer IDs for the business unit. When you enter a customer ID, the location is set to the default location and the ship-to and sold-to Customer IDs and locations are set to the same values.
Loc (location)	Enter the location ID for the customer location that is associated with the customer ID.

Note. Click the Search button to view a list of the valid customer location IDs for the business unit.

Sold To Customer	Enter the customer ID for the customer that ordered and purchased the asset. This value is not necessarily the same as the value in the Customer ID field.
Sold Loc (sold location)	Enter the location ID for the customer that ordered or purchased the asset. This value is not necessarily the same as the location in the Loc field.
Ship To Customer	Enter the customer ID where the assets will be shipped. Depending on the PeopleSoft Billing interface options that you selected, this field appears when shipping information is associated with the selected customer ID. This value is not necessarily the same as the value in the Customer ID field.
Ship Loc (buyer location)	Enter the location ID associated with the ship-to customer. Customers can have several location addresses associated with them, each identified by a location number.
Create Bill	Select to generate a PeopleSoft Billing invoice when the disposal method is Retirement by Sale. This option does not appear if PeopleSoft Asset Management is not integrated with PeopleSoft Billing or if you did not enable the interface at implementation.

See *PeopleSoft Billing 9.1 PeopleBook*, "Integrating with PeopleSoft Asset Management."

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Integrating PeopleSoft Asset Management with Other Products," Integrating with PeopleSoft Billing.

Customer General Info

Click the Customer General Info (customer general information) link to access the Customer General Information page. A new window opens and displays the page.

See *PeopleSoft Order to Cash Common Information 9.1 PeopleBook*, "Maintaining General Customer Information."

VAT

To access the VAT page, click this link or select the VAT tab at the top of the page. This tab and link appear only for VAT-enabled business units.

Note. The VAT default values are automatically applied the first time that you access the page by clicking the link. However, if you change the customer, ship-from, or ship-to information after the VAT default values are applied, the default values are not automatically updated. In this case, go to the VAT page and click the Reset All VAT Defaults button to redetermine all the defaults. This action is not necessary if only the proceeds information has changed.

The fields that appear on the VAT page are specific to the transaction that is recorded. In addition to depending on proceeds, the VAT default values that appear depend on the customer ID, location, ship-to ID, ship-to location, and ship-from location (or the ship-to country, ship-to state, buyer's registration country, and ship-from location if no customer information is available). The VAT drivers also determine which default values appear. The VAT drivers for assets are, in descending order of precedence: asset class, customer location, customer, PeopleSoft Asset Management business unit definition, VAT entity registration, and VAT country. The algorithm for the defaults selects information from asset class first, followed by customer location, followed by customer, and so on.

VAT is enabled based on the disposal code that is used in the transaction. VAT applies for the following disposal codes:

- *Retirement by Sale*
- *Traded In for Another Asset*
- *Donated to External Group*
- *Returned to Inventory*

See [Chapter 19, "Retiring Assets," Specifying How VAT Is Calculated for Asset Retirement, page 406.](#)

Traded-In Asset Processing

To retire an asset by trading it for another asset:

1. Retire the asset using the disposal code in the Traded-In for Another Asset field.
2. Enter the amount that is gained through the trade-in into the Proceeds field.
3. Run depreciation to calculate the gain or loss amount.
4. Add the new asset by using the Asset ExpressAdd component and select Trade-in as the acquisition code.
5. Enter the asset ID of the asset that you traded into the Trade-in field.

Note. Be sure to run depreciation whenever you retire an asset. This process calculates the gain or loss amount. The proceeds are offset against the cost of the asset that is acquired as part of the exchange.

Like-Kind Exchange Processing

Access the Like Kind Exchange page by clicking the Like Kind Exchange Info link on the Retire Assets page. For the Retire As field, select the *Like Kind Exchange* option to display the link.

PeopleSoft Asset Management supports 1031 Like-Kind Exchange regulations under the U.S. federal tax code. It enables you to:

- Retire an asset using a like-kind disposal code, recognize the gain that results, and roll the correct tax basis over to the newly acquired asset.
- Verify, through a comparison of the disposition date and the replacement date, that the 180-day exchange rule is met.
- Generate appropriate accounting entries for like-kind exchanges.

- Run reports that detail each like-kind transaction and show the carry forward of the tax basis from the old assets to the new assets.

Click the Like-Kind Exchange Info link to enter retirement information that is specific to a retirement transaction.

Like Kind Exchange

Unit: US001Asset ID: EX_000000034Book: CORP

Currency: USD

Date/Time: 11/06/2003 2:30:49PM

Transaction Information

Base Information

Cash:0.00

Base Cash:0.00

FMV Like Kind:0.00

Base FMV Like Kind:0.00

Net Liability:0.00

Base Net Liability:0.00

FMV Non Like-Kind:0.00

Base FMV Non Like Kind:0.00

Proceeds:0.00

Base Proceeds:0.00

Base Recognized G/L:0.00

One to Many Exchange

One to Many ID:

Trade-in List

CustomizeFindView All

First1 of 1Last

Transaction	Trade-In Value	Trade In Value	Description
	0.00 USD	0.00 USD	

Like Kind Exchange page

To process like-kind exchanges:

1. Retire an asset using the like-kind exchange disposal code.

- Enter any cash that is received as part of the exchange in the Cash field. Cash that is received in a like-kind exchange is taxable and is often referred to as *boot*.
- Enter the fair value of the like asset that you will be adding in the FV Like-Kind field.

For example, if you are retiring a building and adding another building that is valued at 60,000 USD, enter *60,000* into the FV Like-Kind field. If you plan to add more than one like asset, select One to Many to access the one-to-many list, where you can enter the values and descriptions of assets that you are adding.

- If you will also receive non-like property as part of this exchange, enter its fair value in the FV Non Like-Kind field.

A gain that is realized through the acquisition of non-like property is taxable.

- Enter the amount of your liability into the Net Liability field.

For example, if you are surrendering a building with a mortgage of 70,000 USD and acquiring a building with a mortgage of 30,000 USD, then enter 40,000 USD as the net liability.

The system sums the values in the Cash, FV and Net Liability fields and populates the Proceeds field with the result. You cannot change this amount.

PeopleSoft Asset Management prorates basis calculations when you perform a one-to-many exchange.

2. Run the Depreciation Calculation process, which calculates both the realized gain and the recognized gain.

You can view the result of this calculation in the Gain/Loss field on the Retire Assets page. Any realized loss is not recognized.

3. Add the new asset by using the Asset ExpressAdd component.

Select *Like-Kind Exchange* as the acquisition code, and select the asset ID of the retired asset.

The asset category automatically displays the category of the retired asset, and the cost fields are populated with the cost basis for the new asset. You cannot change either the category or the cost amounts.

Note. The FV entered on the Like Kind Exchange page is not automatically assigned as the fair value of the newly acquired asset.

See [Chapter 5, "Adding and Maintaining Assets," Adding and Maintaining Asset Information, page 48.](#)

PeopleSoft Asset Management prorates basis calculations when you perform a one-to-many exchange.

One to Many ID

Enter a one-to-many ID to identify the exchange.

Transaction Trade In Value/Description

For each asset that you add, enter a trade-in value and description.

Like-Kind Exchange Example

If the owner of Building A wants to exchange it for Building B, Building A is retired using the like-kind disposal code, and Building B is added through the Asset ExpressAdd component.

<i>Transaction</i>	<i>Building A (Retiring)</i>	<i>Building B (Adding)</i>
Cost	85,000 USD	60,000 USD
Liability (Mortgage)	70,000 USD	30,000 USD
Accumulated Depreciation	10,000 USD	None

PeopleSoft Asset Management calculates *boot*, which is any cash or non-like property that is involved in the transaction, like this:

$$(\text{Cash Received}) + (\text{FV of Non-like Property Received}) + (\text{Liability Assumed}) = \text{Boot}$$

Note. Boot is money or other property that does not qualify for nonrecognition of gain.

In this example, boot is calculated like this: $0 + 0 + 40,000 = 40,000$.

When you run the Depreciation Calculation process, the process identifies the recognized gain as the lesser of the boot amount or the realized gain.

In this example, in which the boot amount is 40,000 and the realized gain is 25,000, the recognized gain is 25,000.

PeopleSoft Asset Management calculates the cost basis of the property exchanged (retired) like this:

$$(\text{Cost}) - (\text{Accumulated Depreciation}) = (\text{Cost Basis of Property Exchanged})$$

In this example, it is calculated like this: $85,000 - 10,000 = 75,000$

PeopleSoft Asset Management calculates the cost basis of the added property added like this:

$$(\text{Basis of Retired Property}) - (\text{Boot Amount}) + (\text{Recognized Gain or Loss}) = (\text{Basis of the Added Property})$$

In this example, it is calculated like this: $75,000 - 40,000 + 25,000 = 60,000$

Defining Other Retirement Options

Access the Retire/Reinstate Assets - Other Options page (Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Assets, Other Options).

Retire Assets		Other Options		By Chartfield		Capital Gain		Bill Information	
Unit: AUS01		Asset ID: AM325		Automobiles		Tag:		In Service	
Book Find View All First 1 of 3 Last									
Book Name: ACCNT_AUD									
Retirement Find View All First 1 of 1 Last									
Gain/Loss Calculations ☐ Use Original Cost ☐ Recalc Cost Using Index ☐ Include Non Capitalized Cost					Conversion ☒ Voluntary ☐ Involuntary Type ☒ Ordinary ☐ Extraordinary				
Basis Reduction Code:									
Index Name:									
SubIndex:									
Reference Code:									
Description:									
Trade In Asset:		☐ Auto-Retired							

Retire/Reinstate Assets - Other Options page

Gain/Loss Calculations

PeopleSoft Asset Management provides three methods for calculating retirement gain or loss. You can use these methods separately or in combination. Select the appropriate check box in the Gain/Loss Calculations group box.

Use Original Cost and Basis Reduction Code

Select to exclude certain kinds of transactions from the calculation. Do this by selecting a basis reduction code (this selection is required when Use Original Cost is selected). For example, if you revalued an asset but want to exclude the revaluation from the gain/loss calculation at retirement, then you would select the basis reduction code that you set up to exclude revaluations. PeopleSoft Asset Management reverses the revaluation and calculates gain/loss using the resulting net book value.

Note. For the Use Original Cost option to work correctly, any transaction types that you want to exclude must have distinct transaction codes.

Recalc Cost Using Index (recalculate cost using index), Index Name, and SubIndex

Select to adjust the cost of an asset, as well as any subsequent transactions, according to any index that you have set up in PeopleSoft Asset Management. For example, if you have set up an index to account for inflation, you can calculate gain/loss using the original cost and any subsequent transactions adjusted for inflation. This enables you to book the gain or loss adjusted for inflation. When you select this check box, you must enter an index and subindex to use in the recalculation.

Reference Code	Enter information to track the asset, such as retirement documentation or asset ID. This field is optional.
Include Non-Capitalized Costs	Select to include any noncapitalized costs in the net book value of an asset.
Trade In Asset	Displays the ID of the new traded-in asset.
Auto-Retired	Indicates that the asset was automatically retired by the Auto-Retire process (AMRETFDA).

Conversion

Voluntary and Involuntary	Select one or the other to indicate whether this is a Voluntary or Involuntary retirement. This selection is informational only

Type

Ordinary and Extraordinary	Select to indicate how the gain or loss that results from the retirement should be reported. This selection is informational only.

Selecting Retirement Transactions by ChartField

Access the Retire/Reinstate Assets - By ChartField page (Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Assets, By Chartfield).

By Chartfield page

Override the system selections by entering an amount in the Retire Amt (retire amount) field or the Quantity field. Typically, you use this page only when assets are split between departments or partially retired.

For example, suppose that the Sales and Marketing departments share 40 color monitors worth a total of 10,000 USD, and these assets are added to PeopleSoft Asset Management. Based on projected use, the Sales department is allocated 70 percent of the total cost and quantity and Marketing is allocated 30 percent. After a couple of years, all the color monitors are upgraded to flat screen, resulting in the retirement of monitors with a total cost of 10,000 USD. Based on the original allocation of cost, the system fully retires the assets with 70 percent of the retirement amount allocated to Sales (department 21101) and 30 percent to Marketing (department 22001).

However, if Sales decides that some of their monitors are worth keeping, only 50 percent, rather than 70 percent, of the total cost is retired. To make these changes, either override the amount in the Retire Amt field with 5,000 USD allocated to the Sales department or override the amount in the Quantity field with 20 allocated to Sales.

Note. When you perform a retirement by ChartField, for each ChartField combination you can retire only a cost or quantity that is less than or equal to the amount that was originally apportioned to that ChartField combination.

Selecting Child Assets

Access the Child Assets page (Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Asset, Child Assets).

Retire AssetsOther OptionsBy ChartfieldChild Assets

Unit: US001Asset ID: EX_PARENT003Executive Office SetStatus: In Service
Tag Number:

Select All

Child Assets

CustomizeFindView AllFirst1-4 of 4Last

	Selected	Tag Number	Description	Child Asset ID	Asset Status	Cost	Currency	Acq Date	Child Details	Asset Information
1	☐	P00000000501	Desk	EX_CHILD0002	In Service	7500.00	USD	03/01/1999	Child Details	Asset Information
2	☐	P00000000506	Bookcase	EX_CHILD0013	In Service	1500.00	USD	02/03/2000	Child Details	Asset Information
3	☐	P00000000507	Chairs	EX_CHILD0014	In Service	5000.00	USD	02/03/2000	Child Details	Asset Information
4	☐	P00000000508	Lamps	EX_CHILD0015	In Service	2500.00	USD	02/03/2000	Child Details	Asset Information

☒ Include Parent Asset

[Advanced Txn Details](#)[Allocation Option](#)

Child Assets page

Note. The Child Assets page appears in several different components of PeopleSoft Asset Management. Within the Asset Retirements component, use the Child Assets page to select child assets to include in the retirement transaction that you have initiated against its parent on the Retire Assets page. Also, you cannot view or perform transactions on child assets whose parent was created using the Asset Parent page.

Click Select All to include all child assets with the parent in the transaction that you have initiated.

Note. Parent assets created on the Parent Asset page (parent-only assets) do not have cost or basic information. They cannot be viewed in the Parent Child Basic Information component, nor can they be viewed or transacted against in the Asset Cost/Adjust Transfers component, the Asset Retirements component, or the Parent-Child NBV component. If you want to use a parent asset as a reporting umbrella only and access these pages for manipulating child assets in mass, we suggest creating a zero-cost parent asset rather than a parent-only asset. Also, to transact against parent and child assets at one time, parent and child must use the same asset profile. Also, be aware that physical asset components will not be retired when the physical parent component is retired.

To include only some child assets, select the Selected check box for the appropriate rows.

Tag Number	The tag that is assigned to the child asset. Parent and child assets can share the same tag number.
Description	The child asset description.
Child Asset ID	The asset ID that is assigned to the child asset.
Cost	The cost of the child asset.
Currency	The currency in which child asset costs are stored.
Acq Date (acquisition date)	The date the asset was acquired.

The Include Parent Asset check box is selected by default. Deselecting it enables you to perform transactions on child assets while excluding the parent asset from the transactions. However, the transaction details must be specified on the parent.

Child Details

Click the Child Details link to access the Child Asset RET Overrides page, where you can specify overrides for a specific child asset for the transaction, including disposal code, removal cost, proceeds, quantity, retire amount, transaction percentage, convention and retirement option.

Asset Information

Click the Asset Information link to access another copy of the Retire Assets page. The page will open populated with the child asset.

Advanced Transaction Details

Click the Advanced Txn Details (advanced transaction details) link to access the Parent Asset Adv Txn Options page, where you can specify overrides that will be applied to all child assets at one time.

Proceeds and Removal Cost Allocation

Click the Allocation Option link to access the Proceeds and Removal Cost Allocation page. This link is only visible for retirements on the Child Assets page.

Proceeds and Removal Cost Allocation

Child Asset Allocation Options

*Allocation Type: Alloc. Basis:

Removal Cost: RC Curr:

Proceeds: Pr Curr:

☒ Include Parent Asset

Proceeds and Removal Cost Allocation page

Allocation Type

Select one of the following allocation types:

- *Proportion*: The cost of the selected child assets is divided by the cost of the parent asset to determine the percent of removal cost and proceeds to allocate. The removal cost and proceeds are then multiplied by the respective percentages to determine the allocation ((child cost / parent cost) * proceeds or removal cost).
- *Prorata*: This allocation type can be based on cost or quantity, depending upon your selection in the Alloc. Basis field. The total cost or quantity for all selected assets is summed. (If the Include Parent Asset check box is selected, the parent cost or quantity is also summed. For each child selected on the Child Asset page, include the cost or quantity. Then for each individual asset, the cost or quantity is divided by the summed amount to give the assets percentage of the total for all assets. This number will then be multiplied by the Removal Cost and/or Proceeds to determine that assets share of the amounts entered: ((asset cost / summed cost) * proceeds or removal cost). This can also be quantified as: (proceeds/parent cost) * child cost .
- *Evenly*: The amounts entered for removal cost and proceeds are distributed evenly between the selected assets (children and parent, if selected).
- *Copy*: The amounts entered for removal cost and proceeds are copied as is to the selected assets (children and parent, if selected).

Alloc. Basis(allocation basis)

This option is only available when the Allocation Type field value is Prorata. Select to allocate proceeds and removal cost based on:

- *Cost*
- *Quantity*

Removal Cost and RC Curr
(removal cost currency)

The default value is the parent's removal cost. Retain this original value or change the removal cost to be allocated.

Proceeds and Pr Curr (proceeds currency)	The default value is the parent's proceeds. Retain this value or change the proceeds to be allocated.
Include Parent Asset	This check box retains the value of the Include Parent selection from the Child Asset page. If the check box is not selected on the Child Asset page, the selection is not available for the Proceeds and Removal Cost Allocation page. This selection determines if the parent asset's cost or quantity will be considered for the allocation chosen. This only affects the Prorata and Evenly allocation types and determines if the parent asset value changes. If this option is not selected, the parent asset will not be considered in the calculation or disbursement.

Click OK to trigger the allocation calculation and disbursement of the removal cost and proceeds to the selected assets according to the options that are specified. The Child Asset page will then display. You can run the allocation as necessary; the latest values override any values that already exist on the selected assets. Rounding differences are placed in last asset child that is processed.

Reviewing a Capital Gain Summary for Retirements

Access the Capital Gain page (Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Assets, Capital Gain).

Retire AssetsOther OptionsBy ChartfieldCapital GainBill Information

Unit: AUS01Asset ID: AM325AutomobilesTag:In Service

BookFind | View AllFirst1 of 3Last

Book Name: ACCNT_AUDAccounting Book - AUDCurrency: AUD

RetirementFind | View AllFirst1 of 1Last

Date:09/25/2009 3:41:49PM

Retire Amt:-8,543.00Quantity:-1.0000

Proceeds:2.000.00 AUDIndex Name:

Removal Cost:200.00 AUDSubIndex Name:

Gain/Loss Calculation

Reduced Cost Basis:Capital Gains and Loss:

Accum Depr:Gain/Loss:0.00

Capital Gain page

The Capital Gain tab appears when the business unit is enabled for Australian tax. The capital gains or losses for the retirement transaction are summarized on this page after retirement processes have run.

Integrating Retired Asset Information with PeopleSoft Billing

Access the Bill Information page (Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Assets, Bill Information).

402

Copyright © 1992, 2012, Oracle and/or its affiliates. All Rights Reserved.

Retire AssetsOther OptionsBy ChartfieldCapital GainBill Information

Unit: AUS01Asset ID: AM325AutomobilesTag:In Service

Book

Find | View AllFirst1 of 3Last

Book Name: ACCNT_AUDAccounting Book - AUD

Retirement

Find | View AllFirst1 of 1Last

Date: 09/25/2009 3:41:49PM Cust ID:Proceeds: 2,000.00 AUD

Bill Data

BI Unit:Trans Status:Invoice:Line Seq:

Bill Information page

Note. Only assets that are retired with the disposal code *Retirement by Sale* are affected.

PeopleSoft Asset Management can be fully integrated with PeopleSoft Billing to automatically create bills when you retire assets using the *Retirement by Sale* disposal code. If you have implemented PeopleSoft Billing with PeopleSoft Asset Management and you have activated the PeopleSoft Asset Management-Billing interface for the processing business unit, this additional retirement tab is enabled.

BI Unit (billing business unit)

Select the PeopleSoft Billing business unit that processes the asset sale to generate an invoice for the sale transaction. The PeopleSoft Billing business unit is defined at the business unit level, but it can be overridden at the asset level.

Trans Status (transaction status)

Displays the transaction status of the invoice within the PeopleSoft Asset Management process. Values are:

- *Pending*

When you opt to generate an invoice through PeopleSoft Billing for a retirement transaction, the default status is *Pending* until the transaction is processed by the PeopleSoft Asset Management-Billing interface (AM_BI_INTFC).

- *In Progress*

When the PeopleSoft Asset Management - Billing interface is running, the transaction status is updated to *In Progress*.

- *Complete*

When the retirement transaction has been loaded into PeopleSoft Billing for processing, the transaction status is updated to *Complete*.

- *Ignore*

If you reinstate this asset before the PeopleSoft Asset Management-Billing interface is processed, the bill create and credit bill transactions appear in the interface. In this case, the PeopleSoft system cancels the initial retirement and the status of the billing request changes to *Ignore*. To proceed with the retirement, you must reenter the retirement transaction. You cannot generate a reinstatement until PeopleSoft Billing creates the invoice number (after BIIF0001 is run). If you reinstate this asset before the PeopleSoft Asset Management-Billing interface is processed but after running depreciation calculation for the retirement, the system cancels the initial retirement and the status of the billing request is changed to *Ignore*.

Invoice

When the transaction has been processed in PeopleSoft Billing, the invoice number that is assigned appears for future reference.

Line Seq (line sequence)

When the invoice for the sale transaction has been processed in PeopleSoft Billing, the line sequence number for this transaction appears. This value identifies the invoice line number for the asset sale, and it appears when the invoice is generated by PeopleSoft Billing.

PeopleSoft Asset Management sends retirement information to the PeopleSoft Asset Management-Billing business unit (usually the one with the same general-ledger business unit) and then PeopleSoft Billing generates the invoice to the customer (also a general-ledger business unit). Depending on which PeopleSoft Payables business unit has been defined in the InterUnit billing definition (general ledger business unit definition), PeopleSoft Billing sends asset InterUnit information to PeopleSoft Payables, taking the vendor and location from the retired asset's general-ledger business unit.

If a retirement is processed due to an InterUnit transfer, the information is also sent to PeopleSoft Payables, including asset ID, asset profile, and cost type. When you are performing an InterUnit transaction, you must complete additional information.

AM Unit	Enter the business unit where the system adds or adjusts the asset through the interface with PeopleSoft Payables.
Asset ID	By default, the value is <i>Next</i> , but you can select another existing asset ID.
Profile ID	Select the profile for the asset.
Cost Type	(Optional) Select a cost type.

When you click Save, the retirement-by-sale create bill transactions are assigned the transaction status *Pending*. Select the pending transactions to be included when you are ready to run the PeopleSoft Asset Management-Billing (AMBI_INTFC) interface.

Processing Retirement with Sale Transactions in the PeopleSoft Billing Interface

Access the AM/BI Interface page (Asset Management, Send/Receive Information, Load Interface, Interface AM to Billing).

After you enter retirement transactions for assets that PeopleSoft Billing invoices, you can initiate the process to load the transactions for the AM/BI Interface process (RUN_AMBI_INTFC). Before you launch this process, the retirement entries must be generated.

Enter the run control ID to use or add a new one. Enter the business unit and the asset ID range to be processed, and click Run.

The process assembles the pending transactions that you have entered, attaches an interface ID, changes the transaction status to *In Progress*, and displays the transactions in a view page (PS_INTFC_BI). The transactions are loaded into PeopleSoft Billing for processing.

You can run the AM/Billing Transaction Status report to review the transactions that were processed. You can review accounting entries before or after the PeopleSoft Asset Management-Billing interface has been run.

Note. Reinstatements are processed according to two rules. First, if the reinstatement is performed before sending the retirement information to PeopleSoft Billing, neither transaction is processed by the PeopleSoft Asset Management-Billing interface. Second, reinstatements cannot be performed until the PeopleSoft Asset Management-Billing interface application (BIIF0001) has been run for the asset's previous retirement.

When transactions between PeopleSoft Asset Management and PeopleSoft Billing occur, the system provides a clearing account, Proceeds to Billing, which accumulates the income from the transactions and matches the transactions to the PeopleSoft Asset Management accounting entries. This maintains balanced accounting entries between the applications.

Running the AM/Billing Transaction Status Report

Access the AM/Billing Transaction Status page (Asset Management, Send/Receive Information, Load Interface, Interface AM/ Billing).

Enter the appropriate PeopleSoft Asset Management business unit, and range of dates for the transactions that you want to review. Click Run to generate and view the report.

Note. When processing a retirement-by-sale for a parent asset, you cannot generate an invoice for each child asset in the same transaction. You have to dispose of each child asset separately.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Integrating PeopleSoft Asset Management with Other Products," Integrating with PeopleSoft Billing

Specifying How VAT Is Calculated for Asset Retirement

Access the VAT page (Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Asset, VAT).

Retire AssetsOther OptionsBy ChartfieldCapital GainVATBill Information

Unit: AUS01Asset ID: AM326Computer HardwareTag:In Service

Book

FindFirst1 of 3Last

Book Name: ACCNT_AUDAccounting Book - AUD

Retirement

FindView AllFirst1 of 1Last

Date: 09/08/09 12:28:06PMProceeds: 20,000.00 AUD

Expand All SectionsCollapse All Sections

Physical Nature

Physical Nature:

VAT Locations

Ship From Country:Ship From State:Ship to Country:Ship to State:

VAT Defaults

VAT Registrations

Reporting Country:Defaulting State:Customer Registration Country:Customer Registration ID:Customer Exception Type:Certificate ID:

VAT page (1 of 2)

VAT Defaults

▶ VAT Registrations

▼ VAT Controls

Calculate at Gross or Net: Gross ▼
☒ Recalculate at Payment
 Calculation Type: Exclusive ▼
 Declaration Point: Invoice ▼
 Declaration Date: 09/08/2009 📅
 Rounding Rule: Down ▼

▼ VAT Treatments

Treatment: Zero-Rated Goods Export ▼

▼ VAT Details

Applicability: Taxable ▼
 VAT Code: AU2 🔍
 Tax Rate: 0.0000
 Transaction Type: AEXP 🔍

▼ Adjust/Reset VAT Defaults

Adjust Affected VAT Defaults

 Click this button if you want the system to adjust the VAT Defaults on this page affected by changes you have made to this page. All changes you have made to VAT Defaults that affect other VAT Defaults will be retained.

Levels: This level only

Reset All VAT Defaults

 Click this button if you want the system to reset all the VAT Defaults. All changes you have made to VAT Defaults will be lost.

▼ VAT Calculations

Transaction Amount:	2000.00 AUD	Transaction Amount Base:	2000.00 AUD
Basis Amount:	2000.00 AUD	Basis Amount Base:	2000.00 AUD
Tax Rate:	0.0000		
Recorded Amount:	0.00 AUD	Recorded Amount Base:	0.00 AUD

Recalculate

VAT page (2 of 2)

If asset transactions involve VAT, the Retire/Reinstate Assets component includes the VAT page.

You must complete the following tasks before you can access this page:

- Set up the VAT defaults.
Associate the business unit with a general ledger business unit that is associated with a VAT entity.
- Enter customer ship-from information.
- Enter a proceeds amount on the Retire Assets page.
- Select Create Accounting Entries on the Business Unit/Book Definition page.

When you retire an asset, the VAT information is recorded with a VAT account entry type of *VO* (VAT output). If you reinstate an asset that you have retired with VAT options, the reinstatement reverses the VAT entries. When you reinstate an asset, the reversal of the VAT is recorded with a VAT account entry type of *VORE* (VAT output reinstatement).

The VAT page contains several collapsible sections. Each section contains fields that are blank or that display default values. VAT entries are created for all books that generate accounting entries if the associated general ledger business unit is linked to a VAT entity.

The Book collapsible section displays information that is supplied by default from the book that is associated with this asset.

The Retirement collapsible section displays information that is supplied by default from the current retirement transaction that is being processed, or it contains blank fields. Within this section are several group boxes that contain blank and populated fields.

The VAT Calculations collapsible section shows the calculated totals for the VAT transaction based on the values that are selected on the page. It also displays the default VAT information for the business unit, customer, and location.

Physical Nature

This collapsible section describes the physical nature of transactions. Options are *Goods* and *Services*. PeopleSoft Asset Management manages transactions for goods only.

Physical Nature	Indicates whether an object is a good or a service. In many countries, you must report the sale or purchase of goods separately from services.

VAT Locations

You use location information to directly determine the reporting country, defaulting state, customer registration country, and treatment. This information is in turn used to determine customer exception type, VAT controls, and VAT details.

Ship From Country	By default, this field displays the same value that is entered in the Ship from Loc field on the Retire Assets page. This is the asset location or the PeopleSoft Asset Management business-unit location.

Ship From State	If the ship-from country is defined as tracking VAT by state or province, by default this field displays information (when available) based on the Ship from Loc field on the Retire Assets page.

Ship To Country	By default, this field displays the customer's shipping address. This field always has an initial value.

Ship To State	If the ship-to country is defined as tracking VAT by state or province, by default this field displays the information (when available) from the customer's shipping address. .

VAT Defaults

VAT Registrations

The fields in this collapsible section are:

- **Reporting Country:** Displays the country for which this VAT is reported. This is the VAT entity's VAT registration country, and it determines many of the VAT defaults.
- **Customer Registration Country and Customer Registration ID:** Display the registration country and ID of the bill-to customer.
- **Customer Exception Type:** Displays the exception that is granted to the customer. Options are *None*, *Exonerated*, and *Suspended*. This value is specified for the bill-to customer.
- **Defaulting State:** If the reporting country requires that VAT be tracked by state or province, this field displays the state within the reporting country that is used to retrieve values from the VAT Defaults table.
- **Certificate ID:** If applicable, displays the ID of the VAT exception certificate that may have been issued to the customer.

VAT Controls

- Calculate at Gross or Net: Indicates how VAT is calculated. Options are:
 - *Gross*: The system calculates VAT before it applies any early payment discounts.
 - *Net*: The system calculates VAT after it deducts early payment discounts. If two percentage discounts exist, the system uses the larger of the two when it calculates VAT. The system does not use discount amounts, only discount percentages.

The default value comes from the VAT entity registration driver.

Note. PeopleSoft Asset Management does not manage payment discount. Consequently, net and gross produce the same result. When the retirement transaction is passed to PeopleSoft Billing and a prompt payment discount is available on the invoice, the final VAT that PeopleSoft Billing calculates differs from the estimated VAT that PeopleSoft Asset Management calculates.

- Recalculate at Payment: Select to enable the recalculation of VAT at payment time to allow for any early payment discounts if you are calculating VAT at gross. This selection causes the system to adjust the VAT amount at the time of payment if the discount has been taken. This value is set by the VAT entity registration driver.

If you select *Net* as the VAT calculation method, recalculation at payment is not permitted.

You can select recalculation at payment if the entry is passed to PeopleSoft Billing.

- Calculation Type: The default value comes from the PeopleSoft Asset Management business unit driver. Options are:
 - *Exclusive*: VAT is not included in the proceeds. The VAT basis amount is equal to the proceeds amount. The system calculates the VAT amount by multiplying the VAT basis amount by the VAT rate.
 - *Inclusive*: VAT is included in the proceeds. First, the system calculates the VAT basis amount by dividing the proceeds amount by 1 plus the VAT rate. The system then calculates the VAT amount by taking the difference between the VAT basis amount and the proceeds amount.

Note. When the retirement transaction is passed to PeopleSoft Billing, only the *Exclusive* option is allowed.

- **Declaration Point:** Select to indicate when VAT transaction information is recognized for reporting purposes. Options are:
 - *Invoice:* VAT is recognized at time of invoice.
 - *Payment:* VAT is recognized at time of payment.
 - *Accounting:* VAT is recognized at the time of accounting.
 - *Delivery:* VAT is recognized on delivery.

This value is set by the VAT entity registration driver and by the defaults in the VAT hierarchy (specifically the PeopleSoft Asset Management business unit, customer, and customer location).

Note. A VAT declaration point of payment is not valid in PeopleSoft Asset Management.

- **Declaration Date:** By default, displays the date of the retirement. You can override this to the actual delivery date.
- **Rounding Rule:** Displays the VAT rounding rule. The value comes from the VAT country driver or VAT entity registration driver definition. Values are:
 - *Natural Round:* Amounts are rounded normally (up or down) to the precision that is specified for the currency code. For example, for a currency that is defined with two decimal places, 157.4659 would round up to 157.47, but 157.4649 would round down to 157.46.
 - *Round Down:* Amounts are rounded down. For example, for a currency that is defined with two decimal places, 157.4699 would round down to 157.46.
 - *Round Up:* Amounts are rounded up with a rounding precision to one additional decimal place. For example, for a currency that is defined with two decimal places, 157.4659 would round up to 157.47, but 157.4609 would round down to 157.46.

VAT Treatments

Treatment: Displays the VAT treatment. Options for asset retirements are:

- *Domestic Goods Sale*: Sale of goods where the supplier and customer are located in the same country.
- *EU Distance Sale*: Sale of goods between European Union (EU) countries in which the supplier is registered in an EU country and the purchaser is not registered in an EU country. The VAT rate that is charged is the rate that applies in the supplier's country.
- *EU Goods Sale*: Sale of goods between EU countries.
- *EU Sale (Simplification)*: A transaction between an intermediary and the purchaser in which a sale of goods occurs between EU countries involving three parties: the purchaser, an intermediary (bill-from) supplier, and the actual goods supplier. Each party is located in a different EU country and registered in that country but not in either of the other two countries. This VAT treatment differs from normal EU sales in that the supplier is required to print a different message on the invoice referencing the statute that applies to triangulation, rather than the one that references the statute for normal EU sales.
- *No VAT Processing*: Sale does not require VAT processing.
- *Outside of Scope*: Sale is outside the scope of VAT.
- *Zero-rated Goods Export*: Export of goods is subject to 0-rated VAT.

Within the PeopleSoft system, detail VAT treatment values on the transaction lines are used to apply the precise defaults that apply to the transaction lines. The treatment is determined based the rules that apply to the transaction. No VAT reporting or processing can take place without this value.

VAT Details

The fields in this collapsible section are:

- **Applicability:** Options are:
 - *Taxable:* VAT is chargeable. This may be at a 0 or non-0 rate.
 - *Exempt:* Item is nontaxable or exempt from VAT, and no VAT is charged.
 - *Exonerated:* Item is subject to exoneration from VAT.
 - *Outside of Scope of VAT:* Item is outside the scope of VAT, and no VAT is charged.
 - *Suspended:* This option is used when the purchasing organization has been granted suspension from paying VAT. This is the same as taxable at a 0 rate.
 - *VAT Only:* This option does not apply to PeopleSoft Asset Management; it applies in PeopleSoft Payables only when you are entering a third-party voucher and within General Ledger when you are entering a journal line against a VAT account.
 - *N/A (not applicable):* This is valid only for transactions that are completely non-VAT applicable.
- **VAT Code:** Displays the VAT code that defines the rate at which VAT is calculated for the line. These are established on the Tax Code VAT page. Select Set Up Financials/Supply Chain, Common Definitions, VAT and Intrastat, Value Added Tax.
- **Tax Rate:** Displays the VAT percentage.
- **Transaction Type:** Displays the code that categorizes and classifies the transaction for VAT reporting and accounting. These codes are established on the VAT Transaction Types page. Select Set Up Financials/Supply Chain, Common Definitions, VAT and Intrastat, Value Added Tax.

Adjust/Reset VAT Defaults

This collapsible section contains these elements:

- **Adjust Affected VAT Defaults:** When you change VAT defaults on this page, the VAT defaults might be associated with other unchanged VAT defaults on the page. For accuracy and consistency, click this button to have the system adjust the VAT defaults that are affected by those that you modified on this page. All changes to VAT defaults that affect other VAT defaults are retained.

Note. Always click the Adjust Affected VAT Defaults button after changing defaults on the VAT page.

- **Levels:** For asset retirement, you cannot select which levels to update. The Reset option always resets the defaults at this level only.
- **Reset All VAT Defaults:** Click to have the system reset the VAT defaults based on the value at this level only. All changes that you made to VAT defaults will be lost.



Click the Information button to list the fields that are adjusted when you select Adjust Affected VAT Defaults.

VAT Calculations**Transaction Amount**

Displays the amount of the transaction in the transaction currency. This is automatically calculated based on the proceeds amount.

Transaction Amount Base

Displays the amount of the transaction in the base currency.

Basis Amount

Displays the amount on which the VAT is calculated in the transaction currency. If VAT is calculated at net, this amount is net of any discounts.

Note. PeopleSoft Asset Management does not manage billing discount functionality.

Basis Amount Base

Displays the amount on which the VAT is calculated in the base currency. If VAT is calculated at net, this amount is net of any discounts.

Tax Rate

Displays the applicable VAT percentage.

Recorded Amount

Displays the amount of VAT that is recorded for this transaction in the transaction currency. This is an estimated amount. If PeopleSoft Asset Management is integrated with PeopleSoft Billing, this value is called the Estimated Amount.

Recorded Amount Base

Displays the amount of VAT that is recorded for the transaction in the base currency. If PeopleSoft Asset Management is integrated with PeopleSoft Billing, this value is called the Estimated Amount.

Recalculate

Click to recalculate the VAT for the line.

All VAT edits are applied when you click Save.

Note. In PeopleSoft Asset Management, if you retire an asset and pass the information to PeopleSoft Billing, the VAT Transaction Loader process does not retrieve the VAT information from PeopleSoft Asset Management but from the bill that is created in PeopleSoft Billing. However, if the retirement transaction remains in PeopleSoft Asset Management, the VAT Transaction Loader process gets the VAT information from PeopleSoft Asset Management.

When you run the Accounting Entry Distribution process (AM_AMAEDIST), use the accounting entry template that you would normally use for asset retirements. To make the VAT entry, the system uses an account from the VAT accounting entry template, based on the combination of VAT code, VAT account type, and VAT transaction type that is specified for the retirement. The system first determines whether VAT ChartFields are defined by the VAT code and general-ledger business unit. If no VAT accounting information is found at that level, the system then checks for VAT ChartFields that are defined at the VAT code level. If the retirement is passed to PeopleSoft Billing, PeopleSoft Asset Management does not generate accounting entries in connection with VAT because PeopleSoft Billing creates them.

Note. If PeopleSoft Asset Management is *not* integrated with PeopleSoft Billing, then although VAT is recorded when retiring an asset, PeopleSoft Asset Management does not generate a financial document such as a VAT invoice. If you also record the sale of an asset in PeopleSoft Billing or PeopleSoft Receivables, you might inadvertently record the applicable VAT a second time. In this case, you must ensure that the VAT is not reported on the VAT return twice.

Instead of using the VAT that is recorded in PeopleSoft Asset Management to generate the VAT return, you can use that information to enter the invoice for the sale of the asset in PeopleSoft Billing or PeopleSoft Receivables. In this case, you can copy the VAT into the VAT Transaction table. When running the VAT Transaction Loader process, do not run the process for all products and do not select Asset Management as a VAT transaction source.

Alternatively, you can exclude the PeopleSoft Asset Management VAT transactions from your VAT return. To do so, assign a specific VAT transaction type to asset retirement transactions. Then do not include that VAT transaction type on any line in the VAT report definition (or include it on an additional line in the VAT report definition but do not include the line in the report format).

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing PeopleSoft Asset Management Business Units," Defining VAT Defaults

PeopleSoft Global Options and Reports 9.1 PeopleBook, "Working with VAT"

PeopleSoft General Ledger 9.1 PeopleBook, "Processing Value-Added Tax Transactions in General Ledger"

PeopleSoft Billing 9.1 PeopleBook, "Calculating VAT in PeopleSoft Billing"

Auto-Retiring Fully Depreciated Assets

Access the Auto-Retire Fully Depr Assets page (Asset Management, Asset Transactions, Asset Disposal, Auto-Retire Fully Depr Assets).

Auto-Retire Fully Depr Assets page

You can retire many assets without individually identifying them by running the Auto-Retire process (AMRETFDA). You enter selection criteria to qualify eligible assets for auto-retirement on the process request, and all selected assets are automatically retired by the process. Only fully depreciated assets can be retired by this process. Fully depreciated assets are assets with an end depreciation date that is less than or equal to the retirement transaction date.

Selection Criteria

Business Unit

This field is required. Select a business unit from the drop-down list. Only business units that have been enabled with the auto-retire feature appear.

Book Name

Select a business unit book from the drop-down list. Only books that have been enabled with the auto-retire feature appear.

Copy Changes to Other Books

Select to keep all books in sync. The system copies the transaction to all books that are set up for an asset.

Category, From Asset, and To Asset

Select as applicable to narrow the parameters by categories or by a range of asset IDs.

Cost Limit	Select assets that cost less than or equal to the cost limit.
Low Value Assets Only	Select this check box to retrieve only low-value assets.
Clustered Assets Only	Select this check box to retrieve only clustered assets.
Trans Date (transaction date) and Acctg Date (accounting date)	Enter the applicable transaction or accounting date to define the selection criteria.

Retirement Options

Convention	Enter a retirement convention to override the asset profile default.
Transaction Code	Select a transaction code to identify the reason for the retirement.
Reference Code	(Optional) Enter information to track the asset, such as retirement documentation or an asset ID.

Initiating Asset Retirement Using the Disposal Worksheet

PeopleSoft Asset Management provides the Disposal Worksheet page as a quick method to select assets to retire based on the following elements: ChartField combination, location, department, manufacturer, or other fields that are related to the assets.

Use of the worksheet depends on the establishment of asset-to-owner relationships as well as owner-to-operator relationships to enable the selection, review, and approval of asset disposal. When the Asset Owner and Asset Owner User links are defined, the asset owner can generate and submit a disposal worksheet for processing or approval. After the approval process has been established, an asset owner can review asset disposal requests from worklist entry notifications. Requests can be approved, denied, or designated as pending. Upon approval of the request, you can submit the disposal worksheet for processing through the AMIF1000 transaction processor.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing Asset Processing," Establishing Asset Ownership.

Generating the Disposal Worksheet

Access the Disposal Worksheet page (Asset Management, Asset Transactions, Asset Disposal, Disposal Worksheet).

Disposal Worksheet

Asset Search Criteria

Unit: Book:
 Category: Serial ID:
 Asset ID: Location:
 Tag Number: Profile ID: [More Filter Options](#)

Acquisition Details

PO Unit: Receipt Unit: AP Unit: PC Bus Unit:
 PO No.: Receipt No.: Voucher: Project ID:

[Retrieve Next](#) Rows 1 - 3 Of 3 [New Search](#) [View Ownership Details](#)

Asset Action

[Submit for Disposal](#) [Select All](#) Disposal Code: Retire Dt: Accounting Dt: [Set All](#)

Search Results [Customize](#) | [Find](#) | [First](#) | [1-3 of 3](#) | [Last](#)

Dispose	Asset ID	Description	Tag Number	Category	Serial ID
☐	AM325	Automobiles		AUTO	
☐	AM326	Computer Hardware		COMP	
☐	AM327	Furniture & Fittings		FF	

[Submit for Disposal](#)

[Notify](#)

Disposal Worksheet page

This page provides numerous selection options to retrieve assets for retirement. Assets that are available for retrieval are determined by asset ownership and user ID.

You can search for assets using ChartField search criteria, and you can view asset ownership information by clicking the View Ownership Details link.

Asset Search Criteria

Identify assets that are eligible for disposal based on the user's established asset ownership. Assets can be identified based on:

- Unit
- Book
- Category
- Serial ID
- Asset ID
- Location
- Tag Number
- Profile ID
- More Filter Options - select to further limit the search by ChartFields.

Acquisition Details

To further identify assets for disposal, complete the following fields:

- PO Unit (purchasing unit)
- Receipt Unit
- AP Unit(payables unit)
- PC Bus Unit (projects business unit)
- PO No.(PO number)
- Receipt No(Receipt number)
- Voucher
- Project ID

When you click Retrieve, the result set appears in the tabbed grid at the bottom of the disposal worksheet. You can begin again by pressing the New Search button, and use the link to view ownership details.

Asset Action

The system returns a list of assets that meet the search criteria. You can review and reselect options to create a new list of assets.

So that you can process assets for disposal, retirement information is specified to indicate the date and reason for an action.

Disposal Code

(Optional) Select the disposal code for all assets in the worksheet list to identify the reason for the disposal of the assets.

Retire Dt (retirement date)

Enter a retirement date, which can be retroactive or future-dated. This date is applied to all assets in the worksheet list. The default is the current date.

Accounting Dt(accounting date)

Enter the accounting date to be recorded if different from the current date. This date is applied to all assets in the worksheet list.

Set All

Click to apply the retirement information to all assets in the list.

The list is presented on three tabbed views: Asset Information, Retirement Information, and Optional Accounting Information (such as cost). The information may be hidden, depending on established permissions.

Asset Information

This tabbed view displays the asset ID, description, tag number, category, and serial ID.

Submit for Disposal, Select All, and Deselect All

Select assets for disposal individually by selecting the Dispose check box, or select (or deselect) all.

Retirement Information

This tabbed view displays the asset ID, cost, quantity, retire quantity, proceeds, proceeds currency, removal cost, and removal cost currency.

Retire Qty (retire quantity)	Enter the number of assets to be retired.
Proceeds,PR Curr (proceeds currency), Removal Cost , and RC Curr (removal cost currency)	Enter any proceeds or removal cost along with the currency in which the proceeds or costs were incurred as applicable.
Disposal Code	Select disposal codes for each asset individually by entering the code in this field.
Retire Dt	Enter the retirement date.
Detail	Click to view the Asset Details (AM_DISPOSAL_02) page.

Optional Accounting Information

This tabbed view displays the asset ID and accounting date.

Accounting Date	Enter the accounting date for the retirement transaction.
Trans Code (transaction code)	Enter a transaction code to be applied to each asset individually.

Submit Asset Disposal Information

Click Submit for Disposal when you have completed the disposal worksheet. The disposal request is processed when you run the Transaction Loader process. It is routed for approval, if required, depending on the permissions that are established for the operator.

Approving Disposal Worksheet Requests

Access the Approve Disposals page (Asset Management, Asset Transactions, Asset Disposal, Approve Disposals).

Approve Disposals

Originator
Originator: VP2
Role User:
Date Submitted: 07/01/2005

Retirement Overrides
Retire Dt: 07/01/2005
Disposal Code:
Accounting Date: 07/01/2005 Default

Submit Approve All Deny All

Disposals Pending Approval
Customize | Find | View All | First 1 of 1 Last

	Approval Status	Unit	Asset ID	Accounting Date	Trans Code
1	Pending	US001	EX_000000091	07/01/2005	

Approve Disposals page

The approval process is managed by the workflow settings for your organization. If the worksheet that you submit for disposal requires approval before being processed by the Transaction Loader process, a worklist entry is created and routed to the approver. Multiple assets can be associated with one worklist entry. The user who receives the worklist item approves or denies the disposal request.

The approver has the following three approval-status disposal options:

Denied	The request is not approved and an email notification is sent to the disposal requestor.
Approved	The request is approved and the item is loaded to the Transaction Loader process for processing.
Pending	No action is taken on the item, and the request is placed on hold.

The approver can then select Mark As Worked for the worklist item.

Putting Assets up for Auction

When a bid is awarded through Strategic Sourcing, the bid price is returned to PeopleSoft Asset Management as proceeds for the asset that was sold. This transaction updates the asset with the appropriate information for completing the retirement transaction.

Note these points assets that are put up for auction:

- For you to enter an asset as a line item for sale in an auction event, the asset must *not* have the PeopleSoft Asset Management statuses other than *Disposed* and *Transferred*. It must not be a Lease Asset, or a Hazardous Asset. The auction status is equal to *Allowed to be auctioned*.
- When you post the event, the PeopleSoft Asset Management auction status changes to *Sent to Auction*.
- The auction status remains at *Sent to Auction* until the event is awarded or canceled.

If the event is not approved or is not awarded, you must set the status to *Allowed to be Auctioned* to remove the *Sent to Auction* status for the asset. When the event is awarded, Strategic Sourcing sends information to PeopleSoft Asset Management, and you must run the Transaction Loader (AMIF1000) process to finalize the retirement. Strategic Sourcing changes the auction status to *Sold in Auction*.

Note. PeopleSoft Asset Management does not allow PeopleSoft Strategic Sourcing to access data for hazardous materials, intangible assets, or partial retirements. Assets with a status of *Sent to Auction* are excluded from any transactions in PeopleSoft Asset Management until the status is changed by PeopleSoft Strategic Sourcing.

See Also

PeopleSoft Strategic Sourcing 9.1 PeopleBook, "Creating Events"

Retiring Non-Financial Assets

This section discusses how to retire a non-financial asset.

Page Used to Retire Non-Financial Assets

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Non-Financial Retire	ASSET_RET_NF_01	Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Non-Fin Asset	Retire non-financial assets.

Retiring a Non-Financial Asset

Access the Non-Financial Retire page (Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Non-Fin Asset).

Non-Financial Retire			
Unit:	US001	Asset ID:	000000000005
		Fleet vehicle - Gas/Elec Hybri	Tag: P00000009005
			In Service
Trans Date:	09/25/2009	Trans Code:	
Retirement			
Retire Reinstate		Acq Code:	Purchased
		Date/Time:	09/25/2009 4:45:06PM
		*Ret Type:	Sale
Lease Information			
Lease ID:		Inception Date: 09/25/2009	
Vendor ID:			
Vendor Contact:			

Non-Financial Retire page

Select a Trans Code and Ret Type type. Because the asset is a non-financial asset, there is no gain or loss calculation result.

To retire the non-financial asset, click the Retire button.

Note. Nonfinancial assets and operating leased assets do not have cost information. The retirement process, therefore, only involves changing the status of the asset to *Inactive* (or *Disposed*.) In the case of an operating lease, any future lease payments are stopped.

Reinstating Assets

This section provides an overview of asset reinstatement and discusses how to reinstate an asset.

Understanding Reinstatement of Assets

On occasion, you may need to reinstate an asset that has been retired.

When you reinstate an asset, all fields on the Retire Assets page become unavailable for data entry. If you want to subsequently retire this asset after reinstatement, you must access the page again.

Reinstatements generate credit lines in PeopleSoft Billing if the retirement has been passed to PeopleSoft Billing. You cannot generate a reinstatement until PeopleSoft Billing creates the invoice number (after the BIIF0001 process is run). If you reinstate an asset before the PeopleSoft Asset Management-Billing interface is processed but after running the depreciation calculation for the retirement, then the PeopleSoft system cancels the initial retirement and the status of the billing request changes to *G* (ignore). In the AM/Billing Transaction Status report, you can track the original invoice for each reinstatement.

Note. Reinstatement of non-financial assets involves changing the asset status to *In Service*. In the case of an operating lease, it involves restarting future lease payments.

Pages Used to Reinstate Assets

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Retire Assets	ASSET_RETIRE_01	Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Asset	Retire or reinstate an asset.
Non-Financial Asset Retire	ASSET_RET_NF_01	Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Non-Fin Asset	Retire or reinstate non-financial assets.

Reinstating an Asset

Access the Retire Assets page (Asset Management, Asset Transactions, Asset Disposal, Retire/Reinstate Asset).

Scroll through the retired transactions and select the Reinstate check box for the retirement transaction that you want to reinstate for a financial asset. Then, click the Reinstate button. For a nonfinancial asset, from the Non Financial Asset Retirement page, select Reinstate.

Note. Only one retired asset transaction can be reinstated at a time. If several retired assets transactions are selected for reinstatement, only the first selected transaction in the list is reinstated.

If no retirement transaction is selected for reinstatement and you click the Reinstate button, the last retirement transaction against the assets is reinstated.

PeopleSoft Asset Management performs the reinstatement automatically. The Proceeds, Removal Costs, Accumulated Depreciation, and Gain/Loss fields are reset to 0, and the amount in the Retire Amt field is added back to the balance sheet (for financial assets only).

If depreciation has not been calculated for the gain/loss on retirement, selecting Reinstate causes the retirement rows that you previously created to be purged from the system.

All journal entries that were created by the retirement are reversed. To ensure that asset information posts correctly, the system generates a depreciation request when you reinstate assets. The transaction date is automatically set to the retirement date. If you accidentally or erroneously retired an asset in the wrong period, you have to deduct depreciation from the time the asset was actually retired. Any depreciation to which you were entitled during the accounting periods in which this asset was retired will be calculated and posted to the current accounting period as prior depreciation.

Running the Tax Retirement Capital Gains Report (AMTX3210)

This section lists prerequisites and the pages used to run the Tax Retirement Capital Gains report.

Prerequisites

Before you can run the Tax Retirement Capital Gains report, you must run these processes:

- Open Trans - Tax Report

This process assigns open transaction IDs for the transactions of assets that do not use straight-line depreciation.

- Depreciation Calculation Tax

This process calculates straight-line depreciation for all the pending assets in the process and marks the status as complete.

Pages Used to Run the Tax Retirement Capital Gains Report

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Run Open Trans Tax (run open transaction tax)	RUN_AMTXOPEN	Asset Management, Depreciation, Processing, Process Open Trans for Tax, Process Open Trans for Tax	Run a process that assigns open transaction IDs to the transactions for assets that do not use the straight-line depreciation method.
Calculate SL Depr for Tax	RUN_AMDPCALC_TAX	Asset Management, Depreciation, Processing, Calculate SL Depr for Tax, Calculate SL Depr for Tax	Run the process that calculates straight-line depreciation for all the pending assets in the AMTXOPEN process and mark the status as complete. Note. For corporations, you must select the Corporation Sec. 291 check box on the Book - Tax page to have the system calculate the ordinary gain and the Sec. 291 gain differently.

Chapter 20

Processing Asset Mass Changes

This chapter provides an overview of mass changes in Asset Management and discusses how to:

- Define mass changes.
- Run mass changes.
- Verify data in the loader tables.
- Approve changes.
- Populate Asset Management tables with mass change data.
- Depreciate changed assets.
- Review Asset Management mass change templates and types.

Understanding Mass Changes in Asset Management

Regular business cycles sometime require you to make the same change to a large group of assets. In these situations, Asset Management provides Application Engine processes that you request from the processing menu within the application. In addition, the PeopleTools Mass Change application can be used for most processing needs. This section provides information about Mass Change and its uses in Asset Management.

Suppose a business restructuring requires you to transfer all assets from the marketing department to the corporate communications department. Transferring these assets manually would be onerous and likely to introduce errors. Mass Change, on the other hand, enables you to select a particular set of assets from the database, define the desired changes on those assets, and make those changes online or in the background using scheduled processing.

Because most businesses perform the same types of mass changes repeatedly, you can define mass changes using templates. These templates simplify mass change definition by storing information that enables you to select certain data from the database and modify it in specific ways. (Usually, you have to modify only selection and replacement values.) Asset Management is delivered with a full complement of Mass Change templates that serve the needs of most business applications. You can also create your own templates as needed.

Note. Because Mass Change can modify a large number of assets during scheduled processing, only the most experienced users should use Mass Change functionality. These users should have both a solid understanding of SQL and an extensive knowledge of Asset Management.

Processing mass changes with Asset Management consists of a definition phase and a processing phase. First, you define the selection criteria and changes to be made to the selected data, and then you run the Mass Change process (either online or in the background). You can run most types of mass changes online; however, there are a few types that you can run using only Process Scheduler.

To process mass changes in Asset Management:

1. Select a mass change template and use it to define a mass change.
Outline the criteria for selecting rows and identify the columns and values to modify.
2. Run the mass change process (RUN_MASSCHNG) to select, change, and transfer the data to the loader tables.
3. (Optional) Preview the data for suitability.
4. Run the Transaction Loader Application Engine process (AMIF1000) to load the data from the loader tables into Asset Management tables.
5. Run the batch depreciation program.

You must run depreciation when the mass change process is complete. You might also want to empty the INTFC_FIN, INTFC_PHY_A, and INTFC_PHY_B loader tables to free valuable disk space.

Note. The U.S. tax 40 percent rule states that if more than 40 percent of your total aggregate depreciable basis (other than residential property, nonresidential real property, and railroad grading and tunnel bores) is placed in service during the last three months of the year, all assets must be depreciated using the mid-quarter convention. Assets placed in service and disposed of during the same tax year are not taken into account. To comply with the U.S. tax 40 percent rule, you must write a report to select all eligible assets, calculate their aggregate basis, and divide this basis into your total asset aggregate basis. If the result is more than 40 percent, you then must run the mass change process on the eligible assets to change the depreciation convention to a mid-quarter convention, and recalculate life-to-date depreciation.

See Also

[Chapter 19, "Retiring Assets," page 379](#)

[Appendix A, "Understanding the Loader Table Data Dictionary," page 537](#)

Defining Mass Changes

Before you run the mass change process that transfers and alters data, you must provide information about the changes that you want to make. Use the pages in the Mass Change Definition (MC_DEFN) component to do so.

This section discusses how to:

- Add or update mass change definitions.
- Specify mass change criteria and defaults.
- Specify mass change fields specific to Asset Management.

- Generate mass change SQL text.

Pages Used to Define Mass Changes

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Asset Mass Change Definition - Description	MC_DEFN_00	Asset Management, Mass Change, Define Criteria	Add or update a mass change definition.
Asset Mass Change Definition - Criteria and Defaults	MC_DEFN_01	Asset Management, Mass Change, Define Criteria, Criteria and Defaults	Specify the mass change criteria for selecting rows, and identify the columns and values to be changed.
Asset Mass Change Definition - AM Specific Fields (asset management specific fields)	MC_DEFN_AM	Asset Management, Mass Change, Define Criteria, AM Specific Fields	Complete mass change information that is unique to and required by Asset Management mass changes.
Asset Mass Change Definition - Generate SQL	MC_DEFN_02	Asset Management, Mass Change, Define Criteria, Generate SQL	Generate and check the SQL text that is generated by a mass change definition before you run it.
Asset Mass Change Definition - Execution History	MC_DEFN_03	Asset Management, Mass Change, Define Criteria, Execution History	Determine the last time that a mass change definition was run and identify the specific input parameters.

Adding or Updating Mass Change Definitions

Access the Asset Mass Change Definition - Description page (Asset Management, Mass Change, Define Criteria, Description).

Description	Criteria and Defaults	AM Specific Fields	Generate SQL	Execution History	
Mass Change Definition: PI2000-OPL-SCANSCOPE					
*Mass Change Template: PI OPL Scan Scope					
User ID: SVP1					
Last Updated: 11/07/2008 6:32:58PM					
Archive ID:  Archive Date:					
Description: Physical Inventory Scan Scope Mass Change for Operating Lease Assets.					

Asset Mass Change Definition - Description page

If this is a new mass change definition, select a mass change template. After you enter a template and move out of the Mass Change Template field, the field becomes unavailable for entry and the page is populated with data from the template.

Note. You may need to execute a group of mass changes in series. The mass change functionality makes it possible to define groups of mass changes and execute them all using one run control. Use the Mass Change Definition page to do this. No mass change groups are shipped with Asset Management.

See [Chapter 20, "Processing Asset Mass Changes," Reviewing Asset Management Mass Change Templates and Types, page 447.](#)

Specifying Mass Change Criteria and Defaults

Access the Asset Mass Change Definition - Criteria and Defaults page (Asset Management, Mass Change, Define Criteria, Criteria and Defaults).

Mass Change Definition: PI2000-OPL-SCANSOPE

SQL Statement Find | View All | First 1 of 1 Last

Execution Seq: 1 **Description:** Operating Lease Scan SCoPe

Criteria Find | View All | First 1-2 of 2 Last

Field	Field Value
Asset Class to base scope on	US001
Equal To	US005

Defaults Customize | Find | View All | First 1 of 1 Last

Field Label	Mass Change Field Value
1	

Asset Mass Change Definition - Criteria and Defaults page

Fields in the Criteria scroll area define the columns that are used as a basis for selecting data from the database. You must specify the operator and the value to which the column is to be compared.

For example, to select all the rows for department 21101, use the = operator and a value of 21101. To specify a range of values, use the *Between* operator and specify the two values, for example 12000 and 21000.

This table lists the values in the Operation drop-down list box, how they are used, and an example of each operator as used on a set of hypothetical business units, including M02, M04, M04A, M04B, M04C, M06, and M30:

Operator	Meaning	Example	Result
<i>Between Value A and Value B</i>	Between two values	BTW M04 BTW M06	M04, M04A, M04B, M04C, M06
<i>Equal To</i>	Equal to	= M06	M06
<i>Greater Than</i>	Greater than	> M06	M30
<i>Greater Than or Equal To</i>	Greater than or equal to	> = M06	M06, M30
<i>In Subset</i>	In a subset of	IN M04 IN M06	M04, M06

<i>Operator</i>	<i>Meaning</i>	<i>Example</i>	<i>Result</i>
<i>Is Blank</i>	Equal to a space character. Used for character fields.	IS BLANK	NA
<i>Is Not Blank</i>	Not equal to a space character. Used for character fields.	NOT BLANK	M04, M04A, M04B, M04C, M06, M30
<i>Is Not Null</i>	Not equal to no characters. Used for date fields.	NOT NULL	NA
<i>Is Null</i>	Equal to no characters. Used for date fields.	IS NULL	NA
<i>Less Than</i>	Less than	< M06	M02, M04, M04B, M04C
<i>Less Than or Equal To</i>	Less than or equal to	< = M06	M02, M04, M04B, M04C, M06
<i>Like</i>	Used for wildcard searches.	LIKE M0%	M04, M04A, M04B, M04C, M06
<i>Not Between</i>	Not between value A and value B	BTW M04 BTW M06	M02, M30
<i>Not Equal To</i>	Not equal to	< > M06	M02, M04, M04B, M04C, M30
<i>Not In</i>	Not in a subset of (complement)	IN M04 IN M06	M02, M04A, M04B, M04C, M30
<i>Not Like</i>	Used in wildcard searches.	NOT LIKE M0%	M30

Specifying Mass Change Fields Specific to Asset Management

Access the Asset Mass Change Definition - AM Specific Fields page (Asset Management, Mass Change, Define Criteria, AM Specific Fields).

Mass Change Definition: PI2000-OPL-SCANSOPE

Additional Parameters

*Transaction Date: 11/07/2008 ☒ Auto Approval Status

*Accounting Date: 11/07/2008

Intfc ID: 10000009

Open Transaction ID: 1

User ID: DVP1

Asset Mass Change Definition - AM Specific Fields page

Transaction Date	Enter the date on which you made the change.
Accounting Date	Enter the date on which you want this transaction posted to your general ledger.
Intfc ID (interface ID) and Open Transaction ID	Displays the next available ID. You can change these values, but they must be unique.
User ID	Appears automatically. You can change this value.
Auto Approval Status	Select this check box to have the system automatically approve the transactions that are generated from the mass change. PeopleSoft strongly recommends that you review and approve all transactions that are generated during the mass change process before you load them into PeopleSoft Asset Management.

Note. If you reuse an existing mass change definition, be sure to insert a value in the Next Intfc ID field by clicking the New button. After you select New, Save the page, the system displays a new interface ID.

Generating Mass Change SQL Text

Access the Asset Mass Change Definition - Generate SQL page (Asset Management, Mass Change, Define Criteria, Generate SQL).

DescriptionCriteria and DefaultsAM Specific FieldsGenerate SQLExecution HistoryMc Defn Wrk1

Mass Change Definition:PI2000-OPL-SCANSCOPE

Generate

Clear Sw

☐ Execute SQL Upon Saving

SQL StatementFind | View All First1 of 1Last

Execution Seq:1Description:Operating Lease Scan SCoPe

Sub SequencesFind | View All First1 of 1Last

INSERT INTO PS_PI_SCAN_SCOPE (ASSET_ID, BUSINESS_UNIT, INV_ASSET_SRC, PI_ID) SELECT DISTINCT
ASSET_ALL_VW.ASSET_ID, ASSET_ALL_VW.BUSINESS_UNIT, 'L', PI_BOOK_VW.PI_ID FROM PS_MC_DEFN MC_DEFN,
PS_MC_DEFN_AM MC_DEFN_AM, PS_LEASE_OPER LEASE_OPER, PS_PI_BOOK_VW PI_BOOK_VW, PS_RUN_CNTL_AM
RUN_CNTL_AM, PS_ASSET_ALL_VW ASSET_ALL_VW WHERE MC_DEFN.MC_DEFN_ID = 'PI2000-OPL-SCANSCOPE' AND
MC_DEFN.MC_DEFN_ID = MC_DEFN_AM.MC_DEFN_ID AND PI_BOOK_VW.PI_ID = RUN_CNTL_AM.PI_ID AND
ASSET_ALL_VW.LOCATION = 'US001' AND ASSET_ALL_VW.FINANCIAL_ASSET_SW = 'N' AND ASSET_ALL_VW.ACQUISITION_CD
= 'L' AND PI_BOOK_VW.BUSINESS_UNIT = ASSET_ALL_VW.BUSINESS_UNIT AND PI_BOOK_VW.BUSINESS_UNIT =
LEASE_OPER.BUSINESS_UNIT AND PI_BOOK_VW.DEFAULT_BOOK = LEASE_OPER.BOOK AND LEASE_OPER.ASSET_ID =
ASSET_ALL_VW.ASSET_ID AND ASSET_ALL_VW.TAGGABLE_SW = 'Y' AND RUN_CNTL_AM.OPRID = \$\$OPRID\$\$ AND
RUN_CNTL_AM.RUN_CNTL_ID = \$\$SRC\$\$

Count

Total rows to be0

Asset Mass Change Definition - Generate SQL page

Note. Whenever you change a table, mass change type, or mass change template, you must regenerate the SQL text for any related mass change definitions.

Generate

Click to generate the SQL text. Generating SQL might take several minutes.

Clear Sw(clear switch)

Click to clear the SQL text for instances in which you want to change your mass change definition and regenerate the SQL. Clearing SQL might take several minutes.

SQL Statement

This scroll area lists the records on which a SQL statement operates and in what manner. Each record is processed in sequence. This scroll area also contains the SQL text for each statement, which you can view but not change. You can change statements only by altering the mass change type or template on which this definition is based, or by altering the field criteria and defaults on the Mass Change Definition page.

Execute SQL Upon Saving

While online, select to run the SQL as soon as you save the page. Your user security determines whether you can run mass changes online. If you do not select this check box, you can save this mass change definition and then run it in the background using a run control.

Execution Seq (execution sequence)

Indicates the order in which the SQL statements are run. Scroll through the execution sequences to view each statement.

434

Copyright © 1992, 2012, Oracle and/or its affiliates. All Rights Reserved.

Save

Click this button when you are satisfied with the SQL text that is generated.

Note. If the SQL execution fails, the system rolls back all statements in the mass change definition. Commits to the database are made only when all statements have completed successfully.

Count

After you have generated and saved your SQL text, click to display the number of rows of data that were affected by this mass change. You can click this button only on mass changes that run online.

Some execution sequences are based on previous sequences that have inserted rows into an interim table. In these instances, clicking the Count button makes sense for only some execution sequences.

Running Mass Changes

You can run most mass changes either online or in the background, although you must run some through Process Scheduler using an application structured query report (SQR), such as the Physical Inventory SQR report.

This section discusses how to run mass changes.

Page Used to Run Mass Changes

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Run Mass Change	RUN_MASSCHNG	Asset Management, Mass Change, Run Request	Run a mass change or mass change group in the background.

Running Mass Changes

There are three methods for running mass changes:

- Run mass changes online.
- Run mass changes with Process Scheduler.
- Run mass changes in the background.

Running Mass Changes Online

Use the Asset Mass Change Definition - Generate SQL page (Asset Management, Mass Change, Define Criteria, Generate SQL).

Running Mass Changes Using Process Scheduler

You must run mass changes that are based on the following mass change types through Process Scheduler using an application SQR:

<i>Mass Change Type</i>	<i>Description</i>
PI Extract	Physical inventory extraction
PI Scan Scope	Physical inventory scan scope
PI1 - Asset Table Update	Physical inventory asset table update
PI2 - Asset Location Changes	Physical inventory asset location changes update
PI3 - Department Transfers	Physical inventory department transfers update
PI4 - Retire Assets Not Found	Physical inventory retired assets not found update
PI5 - Add Assets Found In PI	Physical inventory add assets found update
PI6 - Asset Custodian Changes	Physical inventory asset custodian update
PI7 - Inventory History Insert	Physical inventory history insert
PI9 - NCP Department Transfer	Physical inventory non capital department transfer
PI10 - OPL Department Transfer	Physical inventory operating lease department transfer
PI11 - Retire NCP Assets	Physical inventory retire non capital assets
PI12 - Retire OPL Assets	Physical inventory retire operating lease assets
IUF-IU Transfer to Foreign BU	Interunit transfer to a foreign business unit
PRC - Parent Recategorization	Parent and children category update

Process Scheduler runs the processes that you select at user-defined intervals.

You can run only those mass changes online that you are authorized to run online and that are based on authorized templates. Mass change user security grants permission to run mass changes online.

See *PeopleTools PeopleBook, "Security Administration."*

See *PeopleTools PeopleBook, "PeopleSoft Process Scheduler."*

Running Mass Changes in the Background

Access the Run Mass Change page (Asset Management, Mass Change, Run Request).

Run Mass Change page

Select a mass change run type. Each run type requires an additional execution parameter as described in this table:

Run Type	Execution Parameter
Execute Single Mass Change	Mass Change Definition
Execute Mass Change Group	Mass Change Group ID
Download File Preparation	Download/Upload Data File.
Download Table to a File	Download/Upload Data File.
Upload File Preparation	Download/Upload Data File

<i>Run Type</i>	<i>Execution Parameter</i>
Upload File to Table	Download/Upload Data File

Verifying Data in the Loader Tables

You can see what data was loaded by the mass change process into the Asset Management loader tables (INTFC_FIN, INTFC_PHY_A, and INTFC_PHY_B). Viewing these tables provides the opportunity to preview the data that loads into Asset Management tables when you run the Transaction Loader process. If you find errors, you can either fix them online using your SQL query tool, or (preferably) modify the mass change definitions and run the mass change again.

This section discusses how to:

- View data in the financial loader tables.
- Preview physical load data.

Pages Used to Verify Data in the Loader Tables

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Financial Transactions	INTFC_FIN_01	Asset Management, Send/Receive Information, Approve Financial Information, Review, Financial Transactions	View data in the financial interface tables. Verify the financial data (which the Transaction Loader process uses when populating Asset Management tables) and change incorrect data.
Approve Physical Information - Review-A	INTFC_PHY_A	Asset Management, Send/Receive Information, Approve Physical Information, Review-A, Review-A	Preview the physical load data. View the data one row at a time and change incorrect data.
Approve Physical Information - Review-B	INTFC_PHY_B	Asset Management, Send/Receive Information, Approve Physical Information, Review-B, Review-B	Preview the physical load data. View the data one row at a time and change incorrect data.
Lease Transactions	INTFC_LEASE	Asset Management, Send/Receive Information, Approve Lease Information, Review	View records that you might have loaded for lease transactions (the INTFC_LEASE table). Use this page only if you're converting leases from a previous system.

Viewing Data in the Financial Loader Tables

Access the Financial Transactions page (Asset Management, Send/Receive Information, Approve Financial Information, Review, Financial Transactions).

Financial Transactions	
Interface ID:	10000003
Interface Line Number:	1
PI ID:	PI2000
Mass Change Definition:	PI3 - Department Transfers
Financial Information Find View All First 1 of 4 Last	
☒ Auto Approval Status	
Unit:	US001
*Asset ID:	EX_000000072
Book Name:	CORP
Category:	OFFCE
Cost Type:	
Operating Unit:	NEWYORK
Fund Code:	
Department:	11000
Program Code:	
Class Field:	
Budget Reference:	
Product:	
Project:	
Trans Code: Load Type/Status: TRF Loaded Trans Date: 11/01/2000 Acctg Date: 11/01/2000 Cost: Base Cost: -1,324.00 USD Quantity: -1.0000 Depr Amt: Proceeds: Removal Cost:	
Error Message:	

Financial Transactions page

The contents of the Financial Transactions table (INTFC_FIN) appear here, one row at a time, as populated by the mass change.

Errors normally involve assets that have recently undergone a financial transaction or transactions. The transaction date that is assigned to the mass change is compared with the transaction date of each asset on which that change is performed. If the asset transaction date occurs after the mass change transaction date, the system marks the load line as an error.

Auto Approval Status

Selected if you previously selected the Auto Approval Status check box on the Asset Mass Change Definition - AM Specific Fields page.

Previewing Physical Load Data

Access the Physical Transactions A or Physical Transactions B page (Asset Management, Send/Receive Information, Approve Physical Information, Review-A or Review-B).

Review-A

Interface ID: 10000003

Line Num: 1

PI ID:

MC Defn ID: PI1 - Asset Table Updates

Physical A Information

Find | View All | First | 1 of 1 | Last

Unit: US001

Asset ID: EX_000000072

Description: Compaq DeskPro EN SFF PIII500

Short Desc: Compaq Des

Tag Number: P00000000072

Serial ID: 6663123456221

Voucher ID:

Invoice:

Invoice Date:

PO No.:

Receipt No:

Item ID:

☐ Linear Asset

Detailed Description:

☒ Auto Approval Status

Load Type: Asset Upd

Load Status: Loaded

System Source: AM Batch

Profile ID: COMPUTERS

Threshold ID:

Location:

Area ID:

Empl ID:

Custodian:

Parent ID:

Project:

Quantity:

Amount:

VAT Inv:

Approve Physical Information - Review-A page

Auto Approval Status

Selected if you previously selected the Auto Approval Status check box on the Asset Mass Change Definition - AM Specific Fields page.

Note. The Capitalization Threshold ID is populated by the Transaction Loader (AMIF1000) for interface rows with a business unit that has Capitalization Threshold enabled and the Profile that is used has a Threshold ID mapped (regardless of the value of the Default Profile Switch field). You can override the Threshold ID that is populated by default from the Profile while reviewing the Physical Review-A page.

Approving Changes

After you have run the mass change process and populated the loader tables, you might need to approve all changes before loading the resulting data into the Asset Management tables.

This section discusses how to:

- Approve financial loader data.
- Approve physical loader data.

Pages Used to Approve Changes

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Approve	INTFC_FIN_APPR	Asset Management, Send/Receive Information, Approve Financial Information, Approve, Approve	View and approve the data in the financial loader table.
Approve Physical A	INTFC_PHY_APPR_A	Asset Management, Send/Receive Information, Approve Physical Information, Approve-A, Approve-A	View and approve all changes that are pending approval in the physical loader tables. These changes are grouped by transaction load ID and load type. A load type is similar to a transaction type, but at a greater level of detail. Each transaction type in Asset Management can generate several different load types.
Approve Physical B	INTFC_PHY_APPR_B	Asset Management, Send/Receive Information, Approve Physical Information, Approve-B, Approve-B	View and approve all changes that are pending approval in the physical loader tables. These changes are grouped by transaction load ID and load type. A load type is similar to a transaction type, but at a greater level of detail. Each transaction type in Asset Management can generate several different load types.

Approving Financial Loader Data

Access the Approve Financial page (Asset Management, Send/Receive Information, Approve Financial Information, Approve, Approve).

Approve

Interface Financial Approvals
Find | View All | First 1 of 1 Last

Intfc ID	Unit	PI ID	Load Type	Amount Curr	Total Rows	Approved
10000004	US001		RET	\$-20000.00	4	Y
USD ☒ Approval						
Mass Change Definition:						

Approve Financial Information - Approve page

The system groups financial transaction changes by transaction load ID and load type. A load type is similar to a transaction type, but at a greater level of detail. Each transaction type in Asset Management can generate several different load types.

Load types include the following (changes marked with an asterisk are uncommon):

<i>Load Type</i>	<i>Name</i>	<i>Financial or Physical Tables</i>
AAD	Additional Cost Add	Financial
ACQ	Insert Acquisition Detail	Physical *
ADD	Asset Add	Financial
ADJ	Asset Cost Adjustment	Financial
ADP	Revaluation Write-off	Financial
ADQ	Adjust Cost & Acquisition Detail	Financial and physical *
ARA	Add Retired Asset	Financial and physical
ASD	Asset Deletion	Financial and physical
AUP	Asset Information Update	Physical
BKD	Book Deletion	Financial *

<i>Load Type</i>	<i>Name</i>	<i>Financial or Physical Tables</i>
<i>BKS</i>	Book Change	Financial
<i>BSD</i>	Selective Book Delete	Financial *
<i>CAP</i>	Asset Capitalization	Financial
<i>CLC</i>	Custodian/Location Change	Physical *
<i>CIC</i>	Capitalize into Composite	Financial
<i>CN1</i>	Conversion of First Book	Financial and physical
<i>CN2</i>	Conversion of Subsequent Books	Financial
<i>CLS</i>	Closed Voucher	Financial
<i>FAD</i>	Financial and Physical Add	Financial
<i>IHI</i>	Physical Inventory History Insert	Physical
<i>IUI</i>	InterUnit Transfer, In Side	Financial and physical
<i>IUO</i>	InterUnit Transfer, Out Side	Financial
<i>LAD</i>	Leased Asset Add	Financial and physical *
<i>NAD</i>	Non-Financial Add	Physical
<i>OPT</i>	Open Transaction Generator	NA *
<i>PHY</i>	Physical Asset Change	Physical
<i>PRT</i>	Partial Retirement	Financial
<i>RCT</i>	Asset Recategorization	Financial

Load Type	Name	Financial or Physical Tables
<i>REI</i>	Asset Reinstatement	Financial
<i>REL</i>	Operating Lease Retire	Physical
<i>REN</i>	Non Capital Retire	Physical
<i>RET</i>	Asset Retirement	Financial
<i>RNA</i>	Retired Non-Financial Asset	Physical
<i>RAQ</i>	Replace Acquisition Detail	Physical
<i>BSD</i>	Selective Book Delete	Financial
<i>TRF</i>	IntraUnit Transfer	Financial
<i>TRO</i>	Operating Lease Transfer	Physical
<i>TRN</i>	Non Capital Transfer	Physical

You can approve or reject each load type by selecting or deselecting the Approval check boxes. Use the scroll bar to move from one screen to the next.

Approving Physical Loader Data

Access the Approve Physical A or Approve Physical B page (Asset Management, Send/Receive Information, Approve Physical Information, Approve-A or Approve-B).

Approve-A

Load Approval Physical A
Find | View All First 1 of 1 Last

Intfc ID	Unit	PI ID	Physical Inventory Name	Load Type	Intfc Cnt	Appr
90000001	US001			CN1	1	Y ☐ Approve

Mass Change Definition:

Approve Physical Information - Approve-A page

Approve

Approve each load type by selecting its check box.

Populating Asset Management Tables with Mass Change Data

This section discusses how to populate Asset Management tables using the Transaction Loader process.

Page Used to Populate Asset Management Tables with Mass Change Data

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Load Transactions into AM	RUN_AMIF1000	Asset Management, Send/Receive Information, Load Transactions, Load Transactions into AM, Load Transactions into AM	Run the Transaction Loader process, which reads the loader tables and populates Asset Management tables with the data. Search for transactions to run based on system source, load type, load status, and whether transactions consist of physical or financial records. You can use as many or as few of these criteria as necessary. The more search criteria that you use, the narrower your search results become.

Populating Asset Management Tables Using the Transaction Loader Process

Access the Load Transactions into AM page (Asset Management, Send/Receive Information, Load Transactions, Load Transactions into AM, Load Transactions into AM).

Load Transactions into AM

Run Control ID: PI2000 [Report Manager](#) [Process Monitor](#) [Run](#)

Run Control Parameters

Find | View All | First 1 of 1 Last

*Request ID: Process Frequency: ☐ Process AM Integration

Interface ID: To Interface ID:

AM Business Unit: System Source:

Find Trans Load ID (optional)

System Source: Load Type: AM Business Unit:

Load Status:
☒ Financial Record ☐ Physical Records

Search

Interface Information

Customize | Find | First 1 of 1 Last

Interface ID	System Source	Load Type	AM Business Unit	Load Description	Load Status	Total Items in Query

Load Transactions into AM page

Locate the Find Trans Load ID (find transaction loader ID) group box.

System Source

If you do not know the transaction load IDs, enter the system source that generated the transactions that you want to load, such as *AM Batch* or *Strategic Sourcing*. Also, enter the load type.

Load Type

A load type is a more detailed version of a transaction type. One transaction type can generate several different load types.

Specify the transactions to load, such as *Asset Add* or *Phys Add* (physical addition), if you know the range of transaction load IDs. You can specify transactions by system source, from transaction load ID, and to transaction load ID.

AM Business Unit

Select a business unit if you want to limit the load process by business unit.

Load Status

Select from the following values:

- *Consolidat*: (consolidated): Transactions consolidated.
- *Errored*: Transaction errors.
- *Excluded*: Transactions excluded.
- *In Process*: Transactions in process.
- *Loaded*: Transactions loaded.
- *On Hold*: Transactions on hold.
- *Pending*: Transactions pending.
- *Replaced*: Replaced by other interface records.
- *Unitized*: Transactions unitized (will not be loaded).

Financial Record or Physical Records

Select one depending on the type of transaction that you want to load.

Depreciating Changed Assets

To ensure that all the entries in the loader tables INTFC_FIN, INTFC_PHY_A, and INTFC_PHY_B have been loaded, review the tables and check the load status of each entry. Each entry should have a load status of *DON* (done).

If any entries have a status of *ERR* (error), the entries have been marked as errors. You might need to complete them manually through the appropriate pages. Check the error message at the bottom of the Load Preview page to determine what action you should take.

After you have corrected the errors, all that remains for you to do in the mass change process is to run the depreciation calculation process. The financial changes that you made have created open transactions for each of the affected assets. Running the depreciation calculation process (AM_DEPR_CALC) identifies these changed assets and handles their depreciation appropriately.

Reviewing Asset Management Mass Change Templates and Types

This section provides an overview of mass change templates and types for Asset Management.

Understanding Mass Change Templates and Types

In most cases, the mass change template and the mass change type on which the template is based have the same ID. If the mass change type ID is different than the mass change template ID, the type ID is provided in parentheses under the template ID.

This table lists the mass change templates (and the mass change types on which the templates are based) that are delivered with Asset Management:

Mass Change Template ID (Mass Change Type ID, If Different)	Mass Change Template Description / Asset Management
ADJ - Asset Cost Adjustment	Enables you to change the cost of a group of assets.
Archive Asset Depr Rpt Entries	This mass change type copies the specified DEPR_RPT entries into the DEPR_RPT_ARCH table. The system determines specified entries by the selection criteria of the mass change template with the same name (Archive Asset Depr Rpt entries). The system uses the Business Unit, Book, and Fiscal Year fields to select the data.
Archive NBV Entries	This mass change type copies the specified PS_ASSET_NBV_TBL entries into the PS_ASSET_NBV_ARCH table. PS_ASSET_NBV_ARCH stores the old net book value entries. You can also use this table to retrieve the entries into a sequential file. The system uses the Business Unit, Book, and As of Date fields to select the data.
Archive Asset Open Trans	Archives asset open transaction entries in the PS_OPEN_TRANS table. This template inserts entries into the Open Trans Archive table (PS_OPEN_TRANS_ARCH) and selects from the PS_OPEN_TRANS table.
Archive Assets Acctng Entries (Archive Asset Acctng Entries)	Helps archive asset accounting entries. This definition inserts rows into the PS_DIST_LN_ARCH table and selects from the production asset accounting entry table (PS_DIST_LN). You can use the PS_DIST_LN table to hold the old accounting entries and to unload the entries into a sequential file.
ASD - Asset Deletion	Inserts asset records into the INTFC_FIN table for deletion by Mass Change.
AUP - Asset Update	Changes certain fields that are stored on the asset table. Inserts rows into the INTFC_PHY_A table that the Transaction Loader process uses to update (not insert) the asset table. You may update all non key fields on the PS_ASSET table using this mass change definition. You may copy this template or modify it to update fields as necessary.
BA - Book Addition	Adds a new book to a business unit. You must add the asset profiles for the new book before running this mass change template, and the book you are adding must already exist for the business unit before processing.

Mass Change Template ID (Mass Change Type ID, If Different)	Mass Change Template Description / Asset Management
BC - Book Copy	Copies the book and cost information from one book to another. You can use this process to perform a what-if analysis. You can also add a model book to a group of assets to do some reporting. This mass change template copies the data that you need from an existing book to your model book. The book to which you are copying must exist for the business unit before processing this mass change. Criteria for this mass change template must be entered twice; once for the non-retirement type transactions on the first execution sequence, and a second time for retirement transactions on the second execution sequence.
BKD - Book Deletion	Removes an entire book from a business unit. This template loads one row into the INTFC_FIN table with the business unit and book combination. The Transaction Loader process then deletes all rows for that business unit book from the following tables: BOOK, BOOK_TAX_CR, COST, DEPRECIATION, DIST_LN, OPEN_TRANS, and RETIREMENT.
BKS - Asset Book Change	Enables you to change depreciation methods, life, depreciation schedules, and convention combinations.
BSD - Selective Book Delete	Enables you to selectively delete books for a group of assets. You specify the business unit, book, and range of assets to delete. This differs from the mass change type BKD, which deletes information for an entire business unit/book combination.
CC - Capitalize Into Comp DB2	Capitalizes acquisition detail amounts into composite assets specifically for the DB2 environment. This mass change template sums the uncanceled acquisition detail line amounts for the assets that are associated with a composite asset.
CC - Capitalize Into Composite	Capitalizes acquisition detail amounts into composite assets. This mass change template sums the uncanceled acquisition detail line amounts for the assets that are associated with a composite asset.
CC - JPN Capitalize Comp DB2	Capitalizes Japanese acquisition detail amounts into composite assets specifically for the DB2 environment. This mass change template sums the uncanceled acquisition detail line amounts for the assets that are associated with a composite asset.
CC - JPN Capitalize Composite	Capitalizes Japanese acquisition detail amounts into composite assets. This mass change template sums the uncanceled acquisition detail line amounts for the assets that are associated with a composite asset.

Mass Change Template ID (Mass Change Type ID, If Different)	Mass Change Template Description / Asset Management
CR - Composite Retirement	Retires acquisition detail amounts from composite assets. This mass change template inserts the retirement cost for each set of ChartFields into INTFC_FIN.
Delete Asset Acctg Entries (Delete Archived DIST_LN)	Deletes entries from the PS_DIST_LN table after they have been archived.
Delete Asset Depr Rpt Entries	Deletes the DEPR_RPT, DEPR_RPT_CF_SUM, and DEPR_RPT_PD_SUM specified entries that are determined by the selection criteria of the mass change template that you use. To delete archived entries, enter the same selection criteria that you used for the mass change archive of DEPR_RPT entries. To purge DEPR_RPT entries, use the Business Unit, Book, and Fiscal Year fields as selection criteria when you run the mass change.
Delete Asset NBV Entries	Deletes the entries from the Asset Net Book Value table (PS_ASSET_NBV_TBL). To delete archived entries, enter the same selection criteria that you used for the mass change archive of Asset NBV entries. To purge Asset Net Book Value entries, use the Business Unit, User ID, and As of Date fields as selection criteria when you run the mass change.
Delete Asset Open Trans	Deletes open transaction entries from the PS_OPEN_Trans table after they have been archived.
EURO1 - InterUnit Trf – New Book	Performs mass interunit asset transfers from one book to another within the same business unit. The new book might have a different currency code. An example might be if you are changing from a 13- to a 12-period calendar. You must enter the business unit, the from book twice, and a blank, which transfers all assets. Note. If you copy this mass change template or use it as a basis to create your template, and you are changing currencies, you must populate the INTFC_FIN.MC_DEFN_ID field with the words <i>Currency Conversion</i> (mixed case) on the transfer IN row. It does not matter what you enter in the transfer OUT row; the name of the mass change suffices or you can leave the row blank.

Mass Change Template ID (Mass Change Type ID, If Different)	Mass Change Template Description / Asset Management
InterUnit RET/Add w/Curr Conv	Performs financial asset transfers from one business unit to another, especially when the business units have different currencies and books. Assets are retired in the <i>from</i> business unit and added in the <i>to</i> business unit. This mass change template differs from others in that IUF does not perform currency conversions. Note. New setIDs for the <i>to</i> business unit are assigned by the Transaction Loader process, not by Mass Change. If you preview the load transactions prior to running the Transaction Loader process, you see that the <i>to</i> business unit assets have the <i>from</i> business unit asset IDs. The Transaction Loader process assigns new IDs when adding the assets to the <i>to</i> business unit. Note. To perform currency conversion when moving assets from one business unit to another, use the default profile option in the Transaction Loader process. This means that the profile IDs on the <i>To</i> business unit must exist for the assets that are being moved from the <i>From</i> business unit, and they must be the same profile IDs that were used in the <i>From</i> business unit. Books that are associated with the profile ID may be different. Note. You cannot perform interunit transfers [retire/add] on group assets.
InterUnit TRF w/Attrib, War, Lic	Performs mass interunit transfers when asset attributes, warranty and license information also need to be transferred. Two Physical A and two Financial transactions are created, one for the <i>From</i> business unit and one for the <i>To</i> business unit. Entries are also created in Physical B for attribute, warranty, and license information transfers.

Mass Change Template ID (Mass Change Type ID, If Different)	Mass Change Template Description / Asset Management
InterUnit TRF w/Currency Conv (InterUnit TRF w/Curr Conv)	Performs financial asset transfers from one business unit to another, especially when the business units have different currencies and books. This mass change template performs currency conversion when business unit and book currency codes are different in the <i>From</i> and <i>To</i> business units. Note. New asset IDs for the <i>To</i> business unit are assigned by the Transaction Loader process, not by Mass Change. If you preview the load transactions prior to running the Transaction Loader process, you see that the <i>To</i> business unit assets contain the <i>From</i> business unit asset IDs. The Transaction Loader process assigns new IDs when you add the assets to the <i>To</i> business unit. Note. To perform currency conversion when moving assets from one business unit to another, the default profile option in the Transaction Loader process is used. This means that the profile IDs on the <i>To</i> business unit must exist for the assets that are being moved from the <i>From</i> business unit, and they must be the same profile IDs that are used in the <i>From</i> business unit. Books that are associated with the profile ID may be different. Note. You cannot perform interunit transfers (retire/add) on group assets.
IRC - Increase Rate Change	Performs mass change for increase in special rates and accelerated depreciation.
IUF - IU Transfer to Another BU	Performs financial asset transfers from one business unit to another. This template does not perform currency conversion. You can also refer to the definition for the InterUnit RET/Add w/Curr Conv template.
IUT - Inter-Unit Transfer	Performs mass interunit transfers of assets. You cannot perform interunit transfers on group assets. This mass change type does not perform currency conversion. Refer also to the definition for the InterUnit RET/Add w/Curr Conv template.
JVA - Joint Venture BU Addition	Adds a new business unit to a joint venture using the joint venture's profiles.
JVP - Joint Venture BU Add (w/Prof)	Adds a new business unit to a joint venture with the participant's profile. Book table values that can be populated with default values from the profile detail table are obtained from the profile ID for the new business unit. This mass change type is similar to the JVA mass change type, except that JVP uses the joint venture participant's profiles.
JVR - Joint Venture BU Removal	Removes joint venture business units.

Mass Change Template ID (Mass Change Type ID, If Different)	Mass Change Template Description / Asset Management
JVT - JV Allocation Change	Transfers the allocation percentage from one business unit to another.
PAD - Parent Asset Cost Adjust	Changes the cost of a parent asset and all of its children.
Parent Retire w/Pro/RC Absolut	Retires parent assets and their children. The system sets the proceeds and removal cost for each asset as equal to the proceeds and removal cost that were entered by the user.
Parent Retire w/Pro/RC Distrib	Retires parent assets and their children. The system proportionally distributes proceeds and removal costs by retirement amount.
Partial Parent Asset Transfer	Performs partial asset transfers for a specific parent and all of its children assets. The system transfers a percentage of cost and quantity between the specified ChartFields.
Partial Retire Parent Proc Abs	Partially retires parent assets and all of their children assets (children that are financial assets). The percentage of retirement is specified by the user. The system sets the proceeds and removal costs for each asset as equal to the proceeds and removal cost that were entered by the user.
Partial Retire Parent Proc Dis	Partially retires parent assets and all of their children assets. The percentage of retirement is specified by the user. The system proportionally distributes proceeds and removal costs for each asset based on the cost of each asset that is retired over the total cost of all assets that are retired.
Partial Retire Proceeds Absolu	Partially retires assets. The user specifies the percentage of retirement. The system sets proceeds and removal costs for each asset as equal to the proceeds and removal cost that were entered by the user.
Partial Retire Proceeds Dist (Part. Retirement Proceeds Dist)	Partially retires assets. Do not use this mass change type to do a full retirement. The system proportionally distributes proceeds by retirement amount.
PHY - Physical Asset Changes	Changes the physical side of assets, such as asset location and custodian.
PI Extract	Extracts asset data from multiple Asset Management tables into one physical inventory extract table.

Mass Change Template ID (Mass Change Type ID, If Different)	Mass Change Template Description / Asset Management
PI Extract with Book	Extracts asset data from multiple Asset Management tables into one physical inventory extract table for assets that are established in a book other than the current default book. The book value for the physical inventory is specified on the Physical Inventory Control - Definition page (Asset Management, Physical Inventory, Define Inventory Occurrence).
PI Scan Scope	Scans scope for physical inventory mass change.
PI Scan Scope with Book	Scans scope for physical inventory mass change for assets that are established in a book other than the current default book. The book value for the physical inventory is specified on the Physical Inventory Control - Definition page (Asset Management, Physical Inventory, Define Inventory Occurrence).
PI1 - Asset Table Updates (PI1 - Asset Table Update)	Processes scanned inventory data and places it in updates to the asset table.
PI2 - Asset Location Changes	Changes the location table for an asset.
PI3 - Department Transfers	Transfers departments for assets (used in physical inventory).
PI4 - Asset Retirements (PI4 - Retire Assets Not Found)	Retires assets that are not found during physical inventory processing.
PI5 - Physical Asset Adds (PI5 - Add Assets Found in PI)	Adds the "overs" into Asset Management, which are assets that were scanned in physical inventory but were not originally in Asset Management. These assets are entered as a physical add only, not financial.
PI6 - Asset Custodian Changes	Changes an asset's custodian (used in physical inventory).
PI7 - Inventory History Insert	Inserts records into the Physical Inventory Asset History table at the close of physical inventory for every asset in the Results table with a status of <i>Inventory</i>. Note. You cannot run Mass Changes PI1 - PI18, PI Extract, and PI Scan Scope online. They are used only by the Physical Inventory SQR.
PRC - Parent Recategorization	Moves the cost of an asset from one asset category to another for a parent asset and all of its children.

Mass Change Template ID (Mass Change Type ID, If Different)	Mass Change Template Description / Asset Management
PTF - Parent Asset Transfer	Transfers the cost of a parent asset and all of its children out of the <i>from</i> values and into the <i>to</i> values.
PTR - Partial Transfer by Dept (PTR-Partial Asset Transfer)	Performs partial asset transfers; which is where the system transfers a percentage of the cost and quantity of an asset between the ChartFields specified.
RCT – Recategorization	Moves the cost of an asset from one asset category to another.
REI - Reinstatement Assets (REI - Reinstatement)	Reinstates retired assets.
REP - Reinstatement Parent Assets	Reinstates retired parent assets and all of their children.
Retire w/Proceeds/RC Absolute	Retires assets. The system sets proceeds and removal cost for each asset as equal to the proceeds and removal cost that were entered by the user.
Retire w/Proceeds/RC Distribut	Retires assets. The system proportionally distributes proceeds and removal cost for each asset based on the cost of each asset that is retired over the total cost of all assets that are retired.
TM - Acctg Entry Template Copy	Copies accounting entry templates from one setID to another.
TM - Actg Ent Tmpl Copy w/in Set (TM - Acctg Entry Template Copy)	Differs from the TM - Acctg Entry Template Copy template in that this template copies from one category to another within the same setID. The TM - Acctg Entry Template Copy template copies accounting entry templates from one setID to another setID. This mass change empties the temporary tables, dumps the template rows of the source setID and category into temporary tables, and copies the temporary rows over to the permanent accounting entry template tables for the target category that is specified. Note. The system uses the temporary tables PS_DIST_TMPL_TMP and PS_DIST_TMPLLN_TMP.
TRF - Full Transfer by Dept (TRF - Asset Transfer)	Transfers assets from current ChartField values to the <i>to</i> values that are entered by the user. The Cost Balance view gives the current cost at a ChartField level and enables you to change those values.
Unload DIST_LN_ARCH to file (Archive DIST_LN_ARCH to file)	Archives the PS_DIST_LN_ARCH table to a sequential file.

<i>Mass Change Template ID (Mass Change Type ID, If Different)</i>	<i>Mass Change Template Description / Asset Management</i>
Unload Open Trans to file (Unload Open Trans Archive)	Unloads entries from the Asset Open Transaction Archive table to a sequential file.
Upload Asset Acctng Entries (Load Archived DIST_LN)	Loads the production asset accounting entry table (PS_DIST_LN) from the accounting entry archive table (PS_DIST_LN_ARCH).
Upload Asset Open Trans (Upload Archive Open Trans)	Uploads open transactions into the PS_OPEN_TRANS table from the PS_OPEN_TRANS_ARCH table.

Chapter 21

Using Asset Management Reporting Options

This chapter provides an overview of Asset Management reporting options and discusses how to use:

- Flexible reporting and print formats
- Online reports.
- Charting for financial data.

Understanding Asset Management Reporting Options

PeopleSoft delivers several kinds of report options within Asset Management. This section discusses:

- Reporting and formatting options.
- Online reporting via inquiry pages.
- Asset management financial chart generation.

Reporting and Formats

Asset Management reports are generated as the result of an asset management process or in response to an ad hoc request for asset information. Processes and reports can be generated as part of scheduled batch activities or as one-time requests, all of which are handled through the Process Scheduler. The type of report that is generated is usually the result of how the data is to be presented or of the kind of processing that is required to produce the desired results.

Asset Management provides reports to aid in tracking and reconciling asset transactions, capital acquisition planning, depreciation, account activity, accounting entries, physical inventory, asset disposal and retirement, and to meet tax reporting requirements. Reports supporting these same asset management activities on the global level as well as statutory requirements are also available for Australia, Canada, France, Germany, Italy, India, and Japan. All of the available reports that are associated with asset management are listed in Appendix: Asset Management Reports in this PeopleBook.

Most of the reports that are used for different functions within Asset Management make use of the same data but report it from a different perspective. For example, depreciation is often reviewed by ChartField activity. It is, however, also useful to review depreciation based on a category or location. To that end, you may use a report template that enables you to define the reporting-by method to be used.

PeopleSoft delivers report templates that can be shared by all users to include or exclude information of your choosing. The ChartField Format Template and the Report Fields Format Template control the sort order, field length to display, field label overrides, amount field length, and subtotalling. To accommodate the varying needs of many users, print options are available to override the report title and to select the ChartField by which to report, using Report By as the key, with a report suffix added to the report ID to indicate what value is used for Report By.

Asset Management also provides the tools to produce reports in user-defined formats. Using report IDs or user IDs as keys to reporting templates, multiple groups or individuals use the same general information provided in a report but receive it in a dynamically defined format addressing the particular needs of the group or individual.

Online Reporting

Asset Management provides online inquiries of the depreciation reporting table (DEPR_RPT), which displays high level summary data for a period with details available via drill down functions that are defined at the business unit/book definition level. When enabled for online reporting, selection criteria includes Business Unit, Book, Fiscal Year, Period, Asset Category, Profile ID and ChartFields. The drill down feature provides the option to view the data presented to the lowest level available.

Asset Management Charts

Asset Management provides the ability to display some financial data in 2-D, or stacked bar charts. This option is available for generating data comparisons (for example, depreciation per operating units or by book). By selecting the values to be compared, a full color coded chart is generated, which provides an at-a-glance depiction of financial data.

Prerequisites

To use Asset Management reporting options, you must have:

- Established business units and book definitions.

The online reporting option is established at the business unit/book definition level. You must have enabled this option for each business unit and each book that is associated with that business unit for which you want to view online inquiries with drill down capability.

- Established ChartFields.

Report suffix is appended to the run control ID for a report and defaults to a ChartField order. If additional ChartFields are to be defined, the new ChartFields must be included.

Online reporting selects data based on ChartFields:

- Defined drill down fields.

Online reporting enables users to view details of costs and depreciation from high level summary views to the lowest reporting level available for reporting periods. Once you have defined the drill down fields, you can view the details in finer granularity.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing PeopleSoft Asset Management Business Units"

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing"

PeopleSoft Application Fundamentals 9.1 PeopleBook, "Defining and Using ChartFields"

Using Flexible Reporting and Formats

PeopleSoft enables you to generate reports and print them using your report format templates for the following reports:

- Cost Activity (RUN_AMAS2000)
- Depreciation Activity (RUN_AMDP2000)
- Asset Net Book Value (RUN_AMDP2100)
- Asset Reclassifications (RUN_AMAS240)
- Asset Transfers (RUN_AMAS2300)
- Asset Acquisitions (RUN_AMAS2100 and RUN_AMAS2110)

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing," Setting Up Reporting Options

Pages Used to Run Reports With Format Templates

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Parameters	RUN_*	Asset Management, Financial Reports	Select a report and apply a report format template in the Report Print Options group box or update or add a report format template.
ChartField Format Template	RPT_FMT_TMPL_SBP	Click the Update/Add CF Template link in the Report Print Options group box.	Update or add new ChartField format templates.
Report Fields Format Template	RPT_FMT_TMPL2_SBP	Click the Update/Add RF Template link in the Report Print Options group box.	Update or add new report field format templates.

Running Flexible Reporting and Formats

Select Asset Management, Financial Reports, select the report to be generated. Select the Run Control ID that is associated with your report or create a new one.

Asset Net Book Value

Run Control ID: tst

[Report Manager](#)

[Process Monitor](#)

Run

Language: English

Report Print Options

Report By: Asset Category

Title Override: Asset NBV Report - IT Dept

CF Template ID:

[Update/Add CF Template](#)

Amount Length:

RF Template ID:

[Update/Add RF Template](#)

Report Request Parameters

Unit: US001

Book Name:

Fiscal Year/Period

As Of Fiscal Year: Period:

OR

Date Range

As of Date: 09/05/2009

Type of Report

☒ Detail ☐ Summary

Stopped depreciation options

☐ Assets with negative NBV only

☐ Assets with NBV < Salvage

☒ Include Transfers

☒ Include Retirements

Location:

Category:

Operating Unit:

Fund Code:

Department: 11000

Program Code:

Class Field:

Budget Reference:

Product:

Project:

Asset Net Book Value page (Report Print Options)

Access the run control page for the report to be formatted with user-defined parameters and expand the Report Print Options group box.

Note. Not all Asset Management reports are enabled with the flexible report format template feature.

Report Print Options

Report By

Select from the valid Report By values by which data is to be reported for this report type. For example, the report may use ChartFields and the information in the report can be presented by any ChartField value. If you select DEPTID, the data is grouped by department ID. If you select ACCOUNT, the same information is retrieved but is grouped by account. The purpose or audience for your report drives your selection.

CF Template ID (ChartField Template ID)

Select the template ID for this report from the saved templates by clicking the drop down arrow. Click the Update/Add CF Template link to go to the ChartField Format Template page where you can add a new template or update an existing template. The template contains the report format you have defined. For example, perhaps you need a list of departments and expense totals for a period. You can limit your report to include only the relevant fields for your task and save the selected options as a template for future use.

Note. To add a new CF template ID, the CF Template ID field must be blank before you select the Update/Add CF Template link.

RF Template ID (Report Fields Template ID)

Select the RF template ID for this report from the saved templates by clicking the drop down arrow. Click the Update/Add RF Template link to go to the Report Fields Format Template page where you can add a new template or update an existing template. This template contains the format you have defined for the report fields. Select which fields to include in your report, such as Cost Balance, Current Depreciation, and so on. You can override the field label as well.

Note. To add a new RF template ID, the RF Template ID field must be blank before you select the Update/Add RF Template link.

Title Override

Enter the title for the report. This field enables you to enter a meaningful report title for this run of the report. If you do not enter a title, the system selects a default value from the string table value of the technical value for the report. Instead, it is useful to name your report based on the current reason, date, or requester for the report.

Amount Length

Enter the maximum number of spaces that are required for the Amount fields to display. The default is 23 digits.

Update/Add CF Template

Click this link to update or add a new ChartField format template.

Update/Add RF Template

Click this link to update or add a new report fields format template.

ChartField Format Template

Access the ChartField Format Template page (click the Update/Add CF Template link in the Report Print Options group box. of the report run control page).

ChartField Format Template

Report Template					
Report ID:	AMDP2100				
CF Template ID:	10K	Delete Template			
Chartfields					
Field Name	Field Order	Display Length	Label Override	Include in Report	Print subtotals
Operating Unit	3	8	Oper Uni	☐	☐
Fund Code	4	5	Fund	☐	☐
Department	5	10	Dept	☒	☐
Program Code	6	5	Progr	☐	☐
Class Field	7	5	Class	☐	☐
Budget Reference	8	8	Bud Ref	☐	☐
Product	9	6	Produc	☐	☐
Project	11	15	Project	☒	☐
Asset Category	99	5	Categ	☒	☒

ChartField Format Template page

Select the ChartFields to include within the report, the display order and length, a label override and which subtotals to print. You can also select to delete a template by clicking the Delete Template link.

Report Fields Format Template

Access the Report Field Format Template page (click the Update/Add RF Template link in the Report Print Options group box. of the report run control page).

Report Fields Format Template

Report Template

Report ID: AMDP2100
RF Template ID: [Delete Template](#)

Field Label	Include in Report	Override Label	Label Override
Asset ID	☒	☐	Asset ID
Description	☒	☐	Description
Cost Type	☒	☐	Cost Type
Cost Balance	☒	☐	Cost Balance
Current Depr	☒	☐	Current Depr
YTD Depr	☒	☐	YTD Depr
LTD Depr	☒	☒	LTD Depr
Net Book Value	☒	☐	Net Book Value

Report Fields Format Template page

Select the report fields to include within the report and override the labels if necessary.

RF Template ID (report fields template ID) Enter a template name and click the Add Template link.

Add Template

Click this link to add a new report format template after entering a template name in the field. Once clicked, the report fields appear on the page from which to select. This link is replaced by the Delete Template link after you have defined a template.

Delete Template

Click to delete an existing template.

See Also

[Appendix C, "PeopleSoft Asset Management Reports," page 659](#)

PeopleTools PeopleBook: PeopleSoft Process Scheduler

Using Online Reporting

To use online reporting in Asset Management, you must first enable the option on the Asset Management Business Unit/Book Definition page. You may optionally use drill down features and link group IDs to user IDs to use with online reporting.

Page Used to Generate Online Reports

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Cost and Depreciation	AM_REPORT1	Asset Management, Financial Reports, Cost and Depreciation Summary	View summarized depreciation activity, cost activity and net book value from reporting tables and drill down to details.

Generating Online Reports

You can define the drill down functions for online inquiries of the depreciation reporting table (DEPR_RPT). The report displays high level summary data for a period with details available for drill down to the lowest available level. The drill down definition is set up at the business unit, book definition level in the Financial Reports component.

Access the Cost and Depreciation page (Asset Management, Financial Reports, Cost and Depreciation Summary).

Cost and Depreciation

Selection Criteria

*Business Unit:

US001

US001 NEW YORK OPERATIONS

*Book Name:

CORP

Corporate

*Fiscal Year:

2005

Period:

Currency:

USD

Group Type:

None

Secondary Selection Criteria

Account - Accum Depr:

Account - Fixed Asset:

Asset Category:

Asset Profile ID:

Budget Reference:

Class Field:

Cost Type:

Department:

Fund Code:

Operating Unit:

Product:

Program Code:

Project:

Search

Clear

Cost and Depreciation by Period

Net Book Value

Depreciation Activity

Cost Activity

Special Terms

Period

Drill-down To

Special Depr

Initial Depr

Accelerat Depr

Increased Depr

Standard Depr

Cost and Depreciation page

Selection Criteria

Business Unit,Book Name, Fiscal Year, and Currency

All of these values are required.
The business unit is based on the user ID options.
The book name is the default book for the business unit, if the business unit is not blank.
The fiscal year uses today's date from the calendar table, if the book name is not blank.
CurrencyThe system uses the business unit, book name base currency for the default currency.

Period

Enter the period when the expected data is of high volume and selection criteria is entered. If you leave the field blank, all periods display after performing your search.

Group Type

This field is used only when the business unit/book name uses group assets. If group assets is not defined at the installation level, Group Type will not display. Select *Group Asset*, *Group Member*, or *None*.

Secondary Selection Criteria

Select any secondary criteria to further narrow the report results. The available options reflect the ChartFields, asset category, asset profile ID, and cost type.

After you have entered the selection criteria and performed the search, the resulting data is summarized by period. You can now drill down on any asset to the lowest level of data that can be viewed. This option is set when you create the group ID definition. Drill down enables bidirectional summary data, so that you can drill down and go back to a previous level of data. The system displays *breadcrumbs* to manage your drill down layers.

Related amounts are grouped and viewed in separate tabs.

Net Book Value

Net book value includes period depreciation, year-to-date (YTD) depreciation, LTD depreciation, cost, salvage value and net book value.

- Special term depreciation

Includes special depreciation, accelerated depreciation, increase depreciation, standard depreciation, and initial depreciation.

Note. When no special term depreciation is tracked, this tab is hidden.

- ChartFields

Includes ChartFields that are available for drill down when the *All Assets* option is selected.

- Other Information

Includes profile ID, location, fixed asset account, and accumulated depreciation account when the *All Assets* option is selected.

Depreciation Activity

Depreciation activity includes accumulated depreciation for additions, transfers, re-categorization, retirements, reinstatements, and prior depreciation.

Note. When the group type *Group Member* is selected, depreciation activity is hidden.

Cost Activity

Cost activity includes cost addition, adjustment, transfer, re-categorization, retirement, and reinstatement.

Note. When Group Type is *Group Asset*, Cost Activity is hidden.

Charting Financial Data

When using Asset Management charting features, you select your criteria and view the resulting online chart output.

Page Used to Chart Financial Data

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Selection Criteria	AMCHART1	Asset Management, Financial Reports, Generate AM Charts	Select criteria and create and view online charts of financial data.

Using Asset Management Financial Charts

Access the Selection Criteria page (Asset Management, Financial Reports, Generate AM Charts).

Selection Criteria

Chart Image

*Unit:

US001

Book Name:

Compare Data

*Compare:

Asset Category

Value1:

AUTO

USD

vs.

Value2:

FF

USD

☒ Cost

☐ Accumulated Depr

☒ Net Book Value

ChartField Selection Criteria

Customize | Find | First 1 of 1 Last

	Name	Value	To Value		
1				+	-

From Year:

2005

To Year:

2008

Search

Search Results

Customize | Find | First 1-4 of 4 Last

	Fiscal Year	AUTO Cost	FF Cost	AUTO Net Book Value	FF Net Book Value
1	2005	461,963.00	273,678.96	253,324.93	273,678.96
2	2006	461,963.00	273,678.96	217,749.93	273,678.96
3	2007	461,963.00	273,678.96	182,174.93	273,678.96
4	2008	461,963.00	273,678.96	164,566.60	273,678.96

Chart Type:

2D Horizontal Bar

Generate Chart

Selection Criteria page

The Selection Criteria page defines the parameters for the chart. Values are derived to compare business units, books, ChartFields, and totals for cost, accumulated depreciation, and net book value, and are depicted in the resulting chart.

Compare Data

Compare

Select the values you want to compare in the chart. For example, if business unit is selected, you must select the business units to compare. The chart depicts the comparison between the business unit values that you enter.

Cost,Accumulated Depr (accumulated depreciation), Net Book Value	Select the summary totals to be compared. For example, to create a what-if scenario of business units for Germany and France operations, select Accumulated Depr to compare that value for each business unit. You must select at least one summary total to compare or any combination of the three.
Note. When using reporting functions that report multiple currencies, the comparison is always reported in the <i>from</i> business unit currency.	

ChartField Selection Criteria Further define the chart to display subtotals by ChartField.


From Year and To Year Enter the range of fiscal years to include in the chart.

Chart Type Select the type of chart you want to assemble. The valid choices are *2-D Horizontal Bar* or *Stacked Bar*.

When you have selected all the appropriate criteria, gather the data by clicking the Searchbutton. The data summary totals display, with one row for each fiscal year requested and one column for each field and value selected. Before you can view the chart, you must press the Generate Chart button.

The chart image displays automatically on a second page tab. A legend is included in the chart for each color-coded bar in the chart. A summary of the chart totals displays in the Chart Creation Data group box.

This illustration depicts a summary of the chart totals:



Example: Chart Image page

Chart Creation Data				Customize Find   First 1-16 of 16 Last	
Year	Description	Amount	Currency		
2005	AUTO Cost	461,963.00	USD		
2005	AUTO Net Book Value	253,324.93	USD		
2005	FF Cost	273,678.96	USD		
2005	FF Net Book Value	273,678.96	USD		
2006	AUTO Cost	461,963.00	USD		
2006	AUTO Net Book Value	217,749.93	USD		
2006	FF Cost	273,678.96	USD		
2006	FF Net Book Value	273,678.96	USD		
2007	AUTO Cost	461,963.00	USD		
2007	AUTO Net Book Value	182,174.93	USD		
2007	FF Cost	273,678.96	USD		
2007	FF Net Book Value	273,678.96	USD		
2008	AUTO Cost	461,963.00	USD		
2008	AUTO Net Book Value	164,566.60	USD		
2008	FF Cost	273,678.96	USD		

Example: Chart Summary Totals

Chapter 22

Using Asset Management Self Service Web Components

This chapter provides an overview of Asset Management self service web components and describes:

- Prerequisites to use Asset Management self service web components.
- Using self service application pages.

Understanding Self Service Components in Asset Management

Self-service web applications provide your employees secure and convenient access to information. For many people, self-service applications provide an improved alternative to automated telephone prompting systems. In addition, they can help ease the workload for internal support staff.

PeopleSoft delivers several self-service web components as templates. You can use the PeopleTools Application Designer to modify these Web components just as you would any application components.

Asset Management provides four self-service web components:

<i>Component</i>	<i>Description</i>
Assets	Provides details for an individual asset, including the reference information (ID, tag number, and serial number), location, department, model, manufacturer, and custodian.
Asset Transfer Request	An employee can create and submit a request to indicate an asset has been lost, stolen, inappropriately assigned, or relocated to another department.
Asset Transfer Approval	A manager can approve, deny, or hold an asset transfer request that is submitted by an employee.
Department Assets	Provides a list of all assets that are assigned to a particular department for which the manager is responsible.

The information displayed in these pages derives directly from the tables in Asset Management.

Security

The user profile that is created for each individual who accesses the self-service web application determines the pages the user can access. Create user profiles in the User Profiles - General page within the User Profile component. Assign a role to each user profile and link roles to permission lists. Each permission list identifies the pages that individuals assigned to a role can access. To modify the access for specific web pages for each role, modify the permission list for the user's role.

Note. If a permission list is modified, it changes the access for all users who are assigned to roles to which the permission list is linked.

Use the user profile to define to which data the user has access. For example, you can associate the user profile for an employee with a specific employee ID. When employees sign on to the self-service web application, they only receive access to asset management information for the employee that is assigned to that employee ID. As another example, you can associate the user profile for a manager with a specific employee ID. The manager receives access to asset management information for assets to which they are assigned.

See Also

PeopleTools PeopleBook, "Security Administration"

Asset Management Roles

Asset Management provides self-service Web pages for the following roles:

- Employees
- Managers

PeopleSoft delivers definitions for each of these roles. You assign permission lists to each role.

Employees have access to self-service web pages where they can perform the following tasks:

- View asset details.
- Create asset transfer requests.

Managers have access to self-service web pages where they can perform the following tasks:

- View asset details.
- View assets by department.
- Approve, deny, or hold asset transfer requests.

See Also

PeopleTools PeopleBook, "Security Administration"

Prerequisites to Using Self Service Web Components

Before using Asset Management, you must set up the product application.

To use employee and manager data, you must also transfer data from the Human Resources database to the Financials database. When using Human Capital Management applications, the system uses application messaging to retrieve data from the Human Capital Management tables to the Financials tables. The application messages that provide the data needed for Asset Management Self Service web components are PERSON_BASIC_SYNC and PERSON_BASIC_FULL_SYNC.

Additionally, you must define user or employee IDs, user profiles, roles, and permission lists.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing PeopleSoft Asset Management Business Units"

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing"

PeopleSoft Application Fundamentals 9.1 PeopleBook

PeopleTools PeopleBook, "Security Administration"

PeopleTools PeopleBook, "Integration Tools"

Using Self Service Application Pages

This section describes the web pages that employees or managers can access to view or modify information for Asset Management. The information that appears on the page and the use of the page might differ, depending on the user's role. Both employees and managers can review asset information and submit asset transfer requests. However, only managers can approve, hold, or deny asset transfer requests.

Note. Approvals on the self-service web application pages do not automatically generate transactions in Asset Management. An email or a work list is sent to a corresponding employee to enter the action manually in Asset Management.

Pages Used to Use Self Service Application Pages

Page Name	Definition Name	Navigation	Usage
My Assets	AM_MY_ASSET	Employee Self-Service, Assets, View/Transfer Assets	Employees view a list of assets that are assigned to them, access asset detail information, and submit asset transfer requests.

Page Name	Definition Name	Navigation	Usage
Asset Information	AM_MY_ASSET_DETAIL	Click the Asset link on the My Assets page	Employees and managers view asset detail information and submit asset transfer requests.
Asset Transfer Request	AM_MY_ASSET_RQST1	Click the Transfer button on the My Assets page	Employees submit an Asset Transfer Request to a manager. The Asset Transfer Request displays asset detail and transfer request information.
My Departments	AM_MY_DEPT	Manager Self-Service, Assets, My Departments	Managers view a list of departments that are assigned to them and access department's asset information.
My Department	AM_MY_DEPT_ASSET	Manager Self-Service, Assets, View Department Assets	Managers view a list of assets that are assigned to their departments, access asset detail information, and submit asset transfer requests.
Approve Asset Transfer	AM_MY_ASSETS_RQST2	Manager Self-Service, Assets, Approve Asset Transfer	Managers approve, deny, or hold asset transfer requests submitted by themselves or their employees.

Using the Asset Self-Service Component

Access the My Assets page (Employee Self-Service, Assets, View/Transfer Assets).

My Assets

Gina Angelini

Click an [Asset](#) link to view asset detail information.
Click the [Status](#) link to view Approval Status or click [Transfer](#) to submit a Transfer Request.

Transaction Information				Customize	Find	View All	First	1 of 1	Last
Asset	Tag Number	Department	Status						
HP D530 CMT		Administration	—	Transfer					

My Assets page

Employees view a list of assets that are assigned to them, access asset detail information, and submit asset transfer requests

Chapter 23

Using the Global Features of PeopleSoft Asset Management

PeopleSoft Asset Management provides enhanced enterprise-wide global support. This chapter provides an overview of Asset Management in global settings and discusses how to:

- (AUS) Use PeopleSoft Asset Management options to meet Australian requirements.
- (CAN) Use PeopleSoft Asset Management options to meet Canadian requirements.
- (FRA) Use PeopleSoft Asset Management options to meet French requirements.
- (DEU) Use PeopleSoft Asset Management options to meet German requirements.
- (IND) Use PeopleSoft Asset Management options to meet Indian requirements.
- (ITA) Use PeopleSoft Asset Management options to meet Italian requirements.
- (JPN) Use PeopleSoft Asset Management options to meet Japanese requirements.

Note. You must have established the correct international options at implementation to display and use these pages.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Getting Started with PeopleSoft Asset Lifecycle Management Fundamentals"

[Chapter 1, "Getting Started With PeopleSoft Asset Management," page 1](#)

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing PeopleSoft Asset Management Business Units"

Understanding PeopleSoft Asset Management in Global Settings

Requirements for asset tracking and the subsequent taxing and reporting on assets vary around the world. This chapter provides the information necessary to implement country-specific options to meet local tracking, taxation, and reporting requirements for Asset Management.

Using PeopleSoft Asset Management in Australia

PeopleSoft Asset Management provides the options to identify assets for and calculate deductions of expenditures on assets for research and development (R&D) based on aggregate values.

The system provides options to manage Australian tax credit allowances related to capital investment projects that include provisions for rebates (often referred to as credits).

The system provides the options to track and report on the usage of assets requiring changes in creditable purpose (CCP), assets that may be subject to goods and services tax (GST) or value-added tax (VAT), and capital gains taxes (CGT).

The system provides the functionality to perform "net-method" asset revaluation in accordance with Australian accounting standards (AASB1010 and AASB1041), which require crediting to related asset accounts the balance of accumulated depreciation at the date on which an asset is revalued.

Using PeopleSoft Asset Management in Canada

PeopleSoft Asset Management enables you to calculate depreciation for tax purposes in Canada under the terms of the Capital Cost Allowance (CCA) Reporting. In Canada, all depreciation is calculated on the pool or class of assets by using the rate that is prescribed by the Income Tax Act.

The CCA calculation consists of several components. To calculate CCA, the undepreciated capital cost (UCC) of assets at the beginning of the taxation year is determined, and acquisitions and dispositions during the year are added and subtracted to obtain the balance that can be depreciated. A percentage depreciation and CCA rate is applied to this UCC balance to determine the maximum amount that can be claimed. The CCA that is claimed is deducted from the beginning UCC to calculate the UCC at the end of the year. The final balance is used at the beginning of the following year.

Using PeopleSoft Asset Management in France

PeopleSoft Asset Management supports the specialized derogatory depreciation methods commonly used in France.

The system provides the reporting features necessary to track and report the French business tax at the asset book level and the asset profile level.

The system provides the functionality to perform asset revaluation as necessary.

Using PeopleSoft Asset Management in Germany

PeopleSoft Asset Management supports commonly used practices in Germany, including Staffel depreciation, a half-year prorate convention, geometric digressive depreciation, a parameter-driven automatic retirement process, and management of capitalization limits for low-value assets. In addition, PeopleSoft Asset Management provides reports to meet German statutory requirements.

Using PeopleSoft Asset Management in India

PeopleSoft Asset Management provides asset processing features that correspond to the tax reporting requirements established by the Indian Tax Depreciation Act of 1961. This local standard requires that assets are grouped within a defined *tax block*. Currently India identifies four asset tax blocks: buildings, furniture and fixtures, machinery and plant, and intangibles. Each block of assets is further assigned a *tax group* or class, and each class maintains an individual tax rate. The Indian *tax year* is a fixed fiscal calendar starting April 1 and ending March 31. Tax depreciation is reported annually at the fiscal year to the tax authority per asset block.

The system takes into account the rules regarding the treatment of capital and operating leases by enabling you to designate them.

The system provides the Straight Line Percent depreciation method for India, which calculates depreciation based on rates, and useful life is calculated on cost, salvage value, and depreciation rate combined.

The system provides the India Asset Tax Register, which reports all booked transactions to show the cost, depreciation, and net book value of assets, as well as tax depreciation reporting options.

Using PeopleSoft Asset Management in Italy

PeopleSoft Asset Management enables you to produce a fixed-asset book, required by Italian regulations (article 16, D.P.R. 600/73), to record information regarding depreciable fixed assets. The fixed-asset book lists information that is relevant to fixed assets, including the date of purchase, original cost, accumulated depreciation (beginning of year balance), depreciation rate, year-to-date (YTD) depreciation (current year activity), retirement and disposal information, ending balance, and any revaluation and devaluation information in a particular fiscal year for either the economic or fiscal book. Most Italian business entities use an economic book to record depreciation that is not subject to fiscal constraints and a fiscal book to record specific rules and depreciation methods that are regulated by fiscal authorities.

Using PeopleSoft Asset Management in Japan

PeopleSoft Asset Management supports commonly used practices in Japan, including depreciation methods for fixed and leased assets, composite depreciation, and collateral assets. In addition, PeopleSoft Asset Management provides reports to satisfy tax reporting requirements.

Prerequisites

Before you can perform some of the functions discussed in this chapter, you must have already performed some or all of the following country-specific tasks:

Country	Task
VAT countries	Set up the appropriate value-added-tax (VAT) defaults and reporting options, and associate these defaults and options with business units or VAT-driven entities. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Establishing PeopleSoft Asset Management Business Units," Defining VAT Defaults. See <i>PeopleSoft Global Options and Reports 9.1 PeopleBook</i>, "Working with VAT."
(AUS) Australia	

Country	Task
Before processing asset revaluations, ensure that these conditions have been set up for Australia:	• Select the Create Accounting Entries check box for the accounting book that you are using on the Business Unit/Book Definition page in the Asset Management Business Unit Definition component. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Establishing PeopleSoft Asset Management Business Units." • Set up the appropriate book definition for Australia on the Assets Books page. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Establishing PeopleSoft Asset Management Business Units," Defining Business Unit Processing Options. • Verify that cost type <i>R</i> (revaluation) is available on the Cost Types page and set as the Revaluation process. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Establishing Asset Processing," Defining Asset Attributes. • Add new accounts for <i>Provision for Revaluation (Equity)</i> and <i>Reversal of Depreciation (Expense)</i>. Do this on the Accounts page in the Design ChartFields component. See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i>, "Defining and Using ChartFields." • Define a set of accounting entry template IDs for each setID that is affected by revaluation, and define accounting entry templates for each category of asset that is affected by the revaluation using cost type <i>R</i> on the Accounting Entry Template page. These are necessary to generate accounting entries. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Accounting Entries. • Run the detailed Net Book Value report by category (AMDP2100). This is not required, but is recommended.
(CAN) Canada	

Country	Task
Set up the following conditions to calculate CCA reporting for Canada:	- Set up or modify CCA tax classes on the Tax Class page and specify the CCA percentage rate. Asset pools or classes and CCA rates are set by governmental regulations. In the year that assets are acquired, use 50 percent of the normal rate. The value that you enter for an asset tax class for the CCA rate percent is used later when you run a process to calculate the CCA rate. - On the Asset Book Definition - Book Tax page, select the tax guideline class that reflects the CCA tax class to which the asset belongs. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Setting Up Tax Processing and Tax Reporting," (CAN, IND, and USA) Defining and Maintaining Tax Classes.
(FRA) France	
Set up the following conditions for France:	- Establish your statutory book in the Business Unit/Book definition component. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Establishing PeopleSoft Asset Management Business Units." - To create accounting entries that include the derogatory accounts required by France, set up an accounting entry template ID with the derogatory feature selected. - Define asset profiles as business tax applicable by selecting the Business Tax check box in the Asset Profile component. - Define asset books as business tax applicable by selecting the Business Tax check box in the Asset Book Definition component. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Setting Up Tax Processing and Tax Reporting."
(DEU) Germany	
Set up the following tables to process tax and depreciation for Germany:	- Establish capitalization limit codes for low-value assets. - Create a user-defined Staffel depreciation method. - Define special depreciation terms for accelerated depreciation and associate the terms at the asset or book level. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Setting Up Tax Processing and Tax Reporting." See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Setting Up Depreciation Processing."
(IND) India	

Country	Task
Set up the following tables to process tax and depreciation for India:	- Asset blocks Define assets blocks that are equivalent to the <i>tax block</i> in India. - Tax classes Set up or modify India tax classes on the Tax Class page and specify the asset block and the tax percentage rate. Tax class is used to define tax rates by group for processing tax and depreciation in India. The tax group is a subcategory of the tax block in India. - Tax/report entities Define the tax/report entity. The tax/report entity comprises one or more business units. Tax reporting is disclosed per entity for India. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Setting Up Tax Processing and Tax Reporting." See <i>PeopleSoft Application Fundamentals 9.1 PeopleBook</i>, "Defining User Preferences," Defining Overall User Preferences.
(JPN) Japan	
Set up the following tables to process tax and depreciation for Japan:	Set up the overall options for user preferences (OPR_DEF_TABLE_FS1) in the Common Definitions component: Set the Localization Country value to <i>JPN</i> (Japan), which enables the JPN Info (Japan information) link in the Define Business Units component for Asset Management. See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Establishing PeopleSoft Asset Management Business Units."

(AUS) Using PeopleSoft Asset Management Options to Meet Australian Requirements

This section discusses how to:

- Define asset R&D categorization.
- Use the Australian tax credit allowance.
- Track changes in CCP.
- Report changes in CCP.
- Calculate CGT.
- Generate asset revaluation (net method).

Pages Used to Meet Australian Requirements

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Asset Unit Aggregate RD - AUS (asset unit aggregate research and development - Australia)	BU_AGG_RD	Set Up Financials/Supply Chain, Product Related, Asset Management, Taxes, Asset Unit Aggregate RD - AUS, Asset Unit Aggregate RD - AUS	Calculate research and development tax deductions for R&D plant assets.
Asset Profile	PROFILE_DEFN	Set Up Financials/Supply Chain, Product Related, Asset Management, Profiles, Asset Profiles	Define asset profiles.
General Information	ASSET_GENERAL_01	Asset Management, Asset Transactions, Owned Assets, Basic Add, General Information	Add asset basic information manually, or add or change existing asset information. Also access the Set R&D Info page.
Cost/Asset Information	ASSET_ENTRY_00	Asset Management, Asset Transactions, Owned Assets, ExpressAdd, Cost/Asset Information	Enter information about how this asset will be capitalized. Also access the Set R and D Info page.
Asset R&D Information (asset research and development information)	ASSET_RD_SP	Click the Set R and D Info link from the General Information page or from the Asset Additional Information section on the Cost/Asset Information page in ExpressAdd.	Enter information about R&D assets. For Australian customers, use this page for tax reporting purposes. For others, this page is informational only.
Tax Information	ASSET_ENTRY_02	Asset Management, Owned Assets, ExpressAdd, Tax Information	Specify property type and tax depreciation criteria to identify which investment credits are taken for the current asset. If the fields on this page are unavailable, you are working with a book that was not set up as a tax book.
RD Deductions - AUS (research and development deductions - Australia)	RUN_AMTX10AU	Asset Management, Taxes, Reports, RD Deductions - AUS	Run a report to view the number of R&D concessions that can be claimed.

Page Name	Definition Name	Navigation	Usage
Tax Credits - AUS	RUN_AMTX20AU	Asset Management, Taxes, Reports, Tax Credits - AUS	Run the Tax Credit Allowance Structured Query Report (SQR) to produce a report of total tax credits by business units.
Australia CCP Report (Australia changes in creditable purpose report)	RUN_AMTX30AU	Asset Management, Taxes, Reports, Tax CCP	Report the apportionment of recoverable versus nonrecoverable VAT on invoices.

Defining Asset R&D Categorization

Enable R&D calculations and define assets as R&D eligible assets from the following pages:

- Asset Unit Aggregate RD page.
- Asset Profiles - Definition page.
- Set R and D Info page.

Enabling R&D Calculations

Access the Asset Unit Aggregate RD - AUS page (Set Up Financials/Supply Chain, Product Related, Asset Management, Taxes, Asset Unit Aggregate RD - AUS, Asset Unit Aggregate RD - AUS).

To calculate the amount of deductions that it is possible to claim, enter the aggregate R&D amount for each fiscal year. Enter the fiscal year, expenditure, and description for the business unit.

Defining an Asset as R&D Eligible on the Asset Profile Page

Access the Asset Profile - Definition page (Set Up Financials/Supply Chain, Product Related, Asset Management, Profiles, Asset Profiles, Definition.) Asset profiles that are defined with R&D options that are selected indicate that all assets that are added to your system by using this profile are used for R&D and are entitled to R&D tax concessions.

R and D Plant Asset (research and development plant asset) Select if this asset is used for R&D and is entitled to R&D tax concessions.

R and D Start Date (research and development start date) Enter the date on which the asset was first used exclusively for R&D. If you leave this field blank, the in-service date from the business unit's tax book is used as the start date. The start date determines the first year in which you can claim R&D concessions.

Use NBV for R and D (use net book value for research and development) Select if you want to base the R&D concessions calculation on the net book value of the asset (at the R&D start date) instead of the book cost. This is useful when an asset previously being depreciated as a non-R&D asset subsequently becomes eligible for R&D concessions.

Defining an Asset as R&D Eligible on the Set R&D Information Page

Assets that are added to your system through either the Basic Add- General Information page or the ExpressAdd-Cost/Asset Information page with R&D options selected identify that the asset is used for R&D and therefore entitled to R&D tax concessions.

Access the Asset R&D Information page (Asset Management, Asset Transactions, Owned Assets, Basic Add, General Information, Set R&D Info, Asset R&D Information page).

R and D Plant (research and development plant) Select if you want to identify the asset as specifically allocated for R&D.

R and D Start Date (research and development start date) Enter the R&D start date for this asset.

Use NBV (use net book value) Select if appropriate for your tax reporting purposes. Click the OK button to return to the Asset Information or Cost/Asset Information page.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing"

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Depreciation Processing"

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Tax Processing and Tax Reporting"

Chapter 5, "Adding and Maintaining Assets," page 45

Using the Australian Tax Credit Allowance

Australia tax law provides certain tax credit allowances related to capital investment projects that include provisions for rebates (often referred to as credits). Unlike allowable deductions, the tax credits are not part of the calculation of taxable income.

The tax credit allowance is calculated in this way:

Tax credit cost basis = book cost x basis reduction rate (%)

Tax credit = tax credit cost basis x tax credit (%)

To use this feature:

- Set up your own credit tables or modify the existing tables on the Tax Credits page.
- Assign a status to the defined tax credits.

The status enables you to classify assets when reporting credits. Use the Tax Credit Status page to enter or modify a tax credit status.

- Enter tax credits against assets.

Use the Asset Profiles, Asset Book Definition, or Asset ExpressAdd component.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Tax Processing and Tax Reporting," Defining Tax Credits.

Entering Tax Credits Against an Asset

Tax credits are entered against an asset in the Asset Book Definition or Asset ExpressAdd component, or at the asset profile level by using the Asset Profile Tax Credits page. You can enter tax credits against leased assets by using the Asset Book Definition page after the asset has been entered through Leased Asset Entry.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing PeopleSoft Asset Management Business Units," Creating PeopleSoft Asset Management Business Units.

See [Chapter 7, "Working With Leased Assets," page 143](#).

Entering Tax Credits in the Asset Book Definition Component

The Tax Credit Options region on the Tax page (PROFILE_BK_03) of the Asset Profiles component provides you with the options to identify which investment credits are taken for a selected asset. You must specify the tax criteria before you can enter tax credits.

After you enter the tax credit code, PeopleSoft Asset Management retrieves the percentage figures that are specified for the tax credit and calculates the computation amount using the following formula:

Book cost x basis reduction percentage = amount qualifying for the tax credit

Amount qualifying x tax credit percentage = amount of tax credit

The sum of all tax credits that are defined in the current book appears in the Tax Credit field. The total tax credit amount is updated each time that you change tax credit information.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing Asset Processing," Setting Up Asset Profiles.

Entering Tax Credits in the Asset ExpressAdd Component

The Asset ExpressAdd component enables you to identify which investment credits are taken for a selected asset from the Tax Credit Options region on the Tax Information page (ASSET_ENTRY_02). You must specify the tax criteria before you can enter tax credits.

Access the Tax Credit Options group box on the Tax Information page.

Enter the tax credit code. You can optionally enter a tax credit status.

After you enter the tax credit code, PeopleSoft Asset Management retrieves the percentage figures that are specified for the tax credit and calculates the computation amount by using the following formula:

Book cost x basis reduction percentage = amount qualifying for the tax credit

Amount qualifying x tax credit percentage = amount of tax credit

The sum of all tax credits that are defined in the current book appears in the Tax Credit field. The total tax credit amount is updated each time that you change tax credit information.

If you change the cost information on the Cost/Asset Information page of the Asset ExpressAdd component after you have entered tax credits, click the Calculate Credit button to recalculate the amount of the credits. This reloads the percentage figures from the Tax Credit table and then recalculates the amounts for all tax credits that are defined for the current asset.

See [Chapter 5, "Adding and Maintaining Assets," Adding Assets with the Asset ExpressAdd Component, page 103.](#)

Tracking Changes in CCP

Australian financial services organizations are required to track the usage of fixed assets that are used in making input tax supply. Input tax that is not creditable is capitalized in the value of the asset and depreciated accordingly. Creditable tax is eligible for refund and is not included in the value of the asset. Because a single asset can be used by a business entity in multiple activities, some of which may be taxable or GST-free and some of which may be input taxed, the full amount of GST that is paid must be recorded and apportioned creditable and noncreditable based upon usage. Over the life of an asset, this apportionment must be reviewed annually and adjusted to reflect the asset's current usage. The time period during which an asset is subject to this review is determined by the cost of the asset. Review periods are maintained in the Asset Threshold-VAT table referenced when assigning the last date of mandatory review.

Recording GST in Payables and Passing GST on to Asset Management


To track the apportionment of GST that is relevant to an asset, four fields are passed to Asset Management from Payables using the Run Load Assets process (INTFAPAM):

- Asset ID
- Merchandise Amount
- Non Recoverable VAT
- Total VAT

Payables validates the information that you entered on the invoice before passing it to Asset Management.

Note. The invoice information must be validated in PeopleSoft Payables before it is passed to PeopleSoft Asset Management. Invoice information cannot be rejected once it has reached PeopleSoft Asset Management.

This diagram illustrates the interface process:



PeopleSoft Payables to PeopleSoft Asset Management GST process

See *PeopleSoft Payables 9.1 PeopleBook*, "Processing Value Added Tax (VAT) in PeopleSoft Payables."

Adding GST Online in Asset Management

You can enter GST information directly into Asset Management when entering an asset online through the Asset Basic Information component. Use the Tax link on the Asset Acquisition Detail page to enter tax amounts that are charged to the asset.

Changes in CCP are recorded on the same page that you use to enter an asset's GST amounts manually and to designate recoverable and nonrecoverable amounts. When changing the usage percentage of an existing asset, select the transaction type *Adjustment* rather than *Addition*; otherwise, the entry process is the same.

When working in a business unit that is identified for Australia, the Calculate Last Date of Review button appears on the Asset Information page. Select a schedule type code, and click the Calculate Last Date of Review button to generate the last date of mandatory review for the asset. The last date of mandatory review is stored on the Asset Basic Information page.

See Also

Chapter 5, "Adding and Maintaining Assets," Adding and Maintaining Asset Information, page 48

Reporting Changes in CCP

Some organizations must track fixed assets that are used in making input tax supply. You can track the change in the extent to which a fixed asset is used to make taxable supply from reporting period to reporting period, and you can make adjustments for any change. For instance, in Australia, Australian financial services organizations require a solution to record the apportionment of recoverable versus nonrecoverable VAT on invoices. This information is then sent to PeopleSoft Asset Management for capital assets.

Access the Australia CCP Report page (RUN_AMTX30AU) to generate the report.

Calculating CGT

CGT legislation in Australia requires payment of tax on certain capital gains that are realized at the time of an asset's sale, net of inflation, of all components of the cost basis. Tax deductions can also be realized in certain circumstances for losses. PeopleSoft Asset Management provides pages on which you designate the applicability of a gain or loss calculation for specific assets or for all of the assets in a book. When an asset on which gain or loss has been designated as applicable is retired, the system calculates the gain or loss and stores the results for later reporting. The gain or loss calculation is split into an assessable gain or loss and a capital gain or loss amount.

Specifying Capital Gain or Loss Options for an Asset

There are multiple components where you can indicate that an asset is CGT-applicable if you want the capital gain or loss calculated for an asset upon retirement:

- Asset Book Definition - Book Tax page (if the CGT calculation is applicable for assets on a book level).
- Asset Profile.
- ExpressAdd.

To be prompted to identify an asset as CGT-applicable, you must associate the book for the asset with the country (Australia) on the Asset Book Definition page.

If CGT is applicable for this asset, select the CGT Applicable check box on any of these pages.

Run the Australian Retirements reports to view the results of CGT-applicable assets. Use these calculations:

Capital gain or loss = asset proceeds – indexed revalued amount or original price – removal amount

Assessable gain/loss = asset proceeds or original price – net book value – removal amount

These calculations use existing indexing tables containing local consumer price indexes (CPI). A logical extension of this calculation is to determine the actual amount of tax to be paid, or in the case of a loss, the tax credit that you can later net against a future capital gain.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing," Setting Up Asset Profiles

[Chapter 5, "Adding and Maintaining Assets," page 45](#)

Calculation of CGT

Here are the elements that are used in the calculation of a capital gain or capital loss on the disposal of an asset:

- The cost base of the asset, which is used to determine the amount of a capital gain if the disposal of the asset occurs within 12 months of the taxpayer's acquisition of the asset.

- The indexed cost base of the asset, which is used to calculate the amount of a capital gain if the taxpayer disposes of the asset 12 months or more after the date of its acquisition.
- The reduced cost base of the asset, which is used to calculate the amount of a capital loss that arises on the disposal of the asset.

Using the Asset Retirements page, you can view the CGT that is calculated upon retirement for each asset by book.

The Retirement reports also contain CGT information.

Generating Asset Revaluation (Net Method)

Asset Management supports asset revaluations in accordance with Australian accounting standards (AASB1010 and AASB1041), which require crediting to related asset accounts a balance of accumulated depreciation at the date on which an asset is revalued.

Processing Revaluations

The net method of revaluation cannot be run from the Revaluation worksheet. You must use the process described here.

To process asset revaluations:

- Run the Australian Revaluation process (AMAUSCAL) from Asset Management, Asset Transactions, Financial Transactions, Revaluation in Mass
 - Select the net method as the revaluation method, define the run control parameters and click the Run button on the Process request page.

If you select the Include Current Period Depr (include current period depreciation) option, the process includes the depreciation in the revaluation accounting entries.

Note. Not all of the parameters that are normally available from the run control page are available for this revaluation method.

- Select the Australian Revaluation check box.

The process updates the Financial Loader table (PS_INTFC_FIN) with four rows for each asset included in the process request: one for retirement (RET) with the total cost, one for reinstatement (REI) with the total cost, one for an adjustment (ADJ) reflecting the difference between the original cost and the cost calculated with revaluation parameters, and one for book change (BKS).

- (Optional) Preview the data in the Financial Loader table by using an online page.
- Run the Transaction Loader process (AMIF1000) to load the retirement transactions that are created by revaluation.

Use the load type *RET* to find the load ID to process.

- Run the Depreciation Calculation process (AM_DEPR_CALC) to account for the retirement transactions.

- Run Transaction Loader (AMIF1000) to load the reinstatement transactions that are created by the revaluation.

Use the load type *REI*.

- Run the Revaluation Australia process (AMASUPD) to update depreciation and distribution status for retirement and reinstatement transactions.
- Run Transaction Loader (AMIF1000) to load the adjustment transactions that are created by the revaluation.

Use the load type *ADJ*.

- Run Depreciation Calculation (AM_DEPR_CALC) to account for the adjustment transactions.
- Run Transaction Loader (AMIF1000) to load the adjustment transactions created by the revaluation.

Use the load type *BKS*.

- Run the Depreciation Calculation process (AM_DEPR_CALC) to account for the book change transactions.
- Run the Accounting Entry Creation process (AM_AMAEDIST) to generate accounting entries.
- Run the Detail Net Book Value Report by Category (AMDP2110).

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Integrating PeopleSoft Asset Management with Other Products," Previewing Data in the Loader Tables

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Integrating PeopleSoft Asset Management with Other Products," Running the Transaction Loader

Chapter 8, "Adjusting, Transferring, and Evaluating Assets," Revaluing Assets In Mass, page 206

Chapter 18, "Creating PeopleSoft Asset Management Accounting Entries," page 359

(CAN) Using Asset Management Options to Meet Canadian Requirements

This section discusses how to:

- Calculate CCA reporting.
- Run the CCA Year-End Update process.

Pages Used to Meet Canadian Requirements

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Beginning of Year	CCA_UCC_BEGIN	Asset Management, Taxes, Update CCA, Identify CCA Begin Yr	(Optional) Change UCC beginning of year amounts or CCA amounts.
CCA Year End Updates (capital cost allowance year end updates)	AMCCAUPD_RQST	Asset Management, Taxes, Update CCA, Update CCA Year End	Run the CCA Year End Updates process (AMCCAUPD_RQST) to extract the components necessary for CCA calculation, and populate the CCA_YR_END_TBL. This process uses the extracted data to calculate all CCA amounts that are required by the CCA report.
CCA Yr End - Canada Rpt (capital cost allowance year end - Canada report)	RUN_AMTX10CA RUN_AM_TX11CA	Asset Management, Financial Reports, Accounting Entries, CCA Year End CAN	Create the Revenue Canada Year End report. Also generate the CCA Year End Extract report.

Calculating CCA Reporting

Asset Management enables you to calculate and report CCA amounts as required by Schedule 8 of Revenue Canada.

To calculate the CCA:

- Set up or modify CCA tax classes on the Tax Class page, and specify the CCA percentage rate.

Asset pools or classes and CCA rates are set by governmental regulations. In the year that assets are acquired, 50 percent of the normal rate should be used. The value that you enter for an asset tax class for the CCA rate percent is used later when you run a process to calculate the CCA rate.
- On the Asset Book Definition - Book Tax page, select the tax guideline class that reflects the CCA tax class to which the asset belongs.
- For each reporting fiscal year, associate a CCA UCC beginning year value with a CCA tax class.
- Run the CCA Year End Update process that extracts the data that is necessary for CCA calculation, populates the CCA_YR_END_TBL table, and calculates all amounts that are required by the CCA report.
- Run the CCA Year End reports.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Tax Processing and Tax Reporting," (CAN, IND, and USA) Defining and Maintaining Tax Classes

Running the CCA Year-End Update Process

Access the CCA Year End Updates Request page.

Enter the business unit, CCA book name, and applicable fiscal year. Select a process frequency. This process is iterative. Run it as many times as necessary to complete CCA reporting. To run the process for multiple business units, leave the Unit field blank.

The CCA Year End Update process populates the CCA_YEAR_END_TBL table with these values:

<i>Business Unit</i>	<i>Acquisitions</i>
Book	Adjustments
Fiscal Year	Transfers
CCA Tax Class	Net Proceeds
Currency Code	Capital Gains

The process calculates CCA amounts according to the following formula:

$$UCC = UCC \text{ beginning of year} + \text{additions} +/\text{adjustments} - \text{retirements}$$

$$CCA = UCC - (50\% * \text{addition}) * CCA \text{ rate}$$

$$UCC \text{ end of year} = UCC - CCA$$

(FRA) Using PeopleSoft Asset Management Options to Meet French Requirements

PeopleSoft Asset Management supports asset management practices that are commonly used in France. This section discusses how to:

- Report business tax.
- Depreciate assets by using the derogatory method.
- Revalue assets.

- Generate French statutory reports.

Pages Used to Meet French Requirements

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Business Tax Report	RUN_AMBT1000	Asset Management, Taxes, Reports, Business Tax	Run the Business Tax report or the Business Tax by Alternate Account report.
2054 2055 Reports	EU_AM_RUNCNTRL	Asset Management, Taxes, Reports, Statutory Report 2054/2055	Obtain information on the asset, its cost and net book value, and all transactions that occurred in the specified reporting year, including depreciation and yearly depreciation.

Reporting Business Tax

To calculate and report a business tax that is assessed on the gross value of fixed assets:

- Define the business tax rates by country, year, and location.
- Define asset profiles as business tax applicable by selecting the Business Tax check box in the Asset Profile component.
- Define asset books as business tax applicable by selecting the Business Tax check box in the Asset Book Definition component.
- Run the Business Tax reports: Business Tax by Account or Business Tax by Alternate Account.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing," Setting Up Asset Profiles

Chapter 5, "Adding and Maintaining Assets," Maintaining Asset Book Information, page 91

Depreciating Assets by Using the Derogatory Method

PeopleSoft Asset Management supports derogatory depreciation and enables you to generate appropriate accounting entries.

To use the derogatory method:

- Set up rates for use with the derogatory method by using the Depreciation Rate - User Defined page in the Establishing Asset Processing component.

- Define appropriate reporting books for France.

In the statutory book, select *France Derogatory Balance* as the depreciation method.

Creating Accounting Entries for Derogatory Depreciation

By setting up the appropriate accounting entry information using an accounting entry template, you can generate accounting entries and see the difference between depreciation that is reflected in the economic book and the statutory book.

To set up appropriate accounting entries:

- Define the economic and statutory books at the business unit level.

Select the Derogatory Depreciation check box on the Business Unit/Book Definition page for the statutory book.

- Add assets.

Identification of derogatory depreciation processing is defined at the business unit or book level.

- Select the Derogatory Accounting entries check box when setting the accounting entry template ID *Derogatory* to define the accounting treatment for derogatory depreciation.

- Run the Depreciation Calculation process (AM_DEPR_CALC) for both books.

- Run the Accounting Entry Creation process (AM_AMAEDIST).

- Review depreciation entries on the Asset Depreciation - Period Depreciation page.

- Review accounting entries for each book in the Asset Accounting Entries component.

The pages in this component provide the accounting date, transaction type, account, and amount of each entry.

- Run the French Net Book Value by Account report (AMFR2120) on the Report - Asset Net Book Value page.

- After you specify parameters for the report and click the Run button, select the French Net Book Value by Account check box from the process list that appears.

- Run the French Net Book Value by Alternate Account report (AMFR2121) on the Report - Alt Acct Activity Detail page.

- After you specify parameters for the report and click the Run button, select the French Net Book Value by Alternate Account check box from the process list that appears.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing PeopleSoft Asset Management Business Units"

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Accounting Entries

Revaluing Assets

PeopleSoft Asset Management enables you to revalue assets as a whole by using an Application Engine process. You can also revalue one or more assets at one time using the Revaluation Worksheet page. The system enables you to track and report on the revalued amount separately.

Distribution types to support accounting entries for asset revaluation are available. When setting up accounting entry templates, you can use the *Derogatory* accounting entry template ID and select *Asset Adjustments and Transfers*. In the Accounting Entries column, Asset Management provides two entries: *Provision for Revaluation* and *Reversal of Depreciation*.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Defining Accounting Entries

Chapter 8, "Adjusting, Transferring, and Evaluating Assets," Revaluing Assets In Mass, page 206

Generating French Statutory Reports

French statutory reports EU_2054 and EU_2055 are attachments to the annual balance sheet and provide information about the history and activity of assets during the specified fiscal year. Asset categories on both reports are based on the French statutory chart of accounts. The system provides a reporting option to generate both of these statutory reports for France.

Access the 2054 2055 Reports page.

(DEU) Using PeopleSoft Asset Management Options to Meet German Requirements

This section provides an overview of commonly used German depreciation methods and discusses how to:

- Use a half-year prorate convention.
- Use geometric digressive depreciation.
- Process low-value assets.

Pages Used to Meet German Requirements

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
User-Defined Method	UD_METHOD_DEFN	Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, User Defined Methods	Create a user-defined Staffel depreciation method.
Auto-Retire Fully Depreciated Assets	RUN_AMRETFDA	Asset Management, Send/Receive Information, Financial Transactions, Auto-Retire Fully Depr Assets	Identify run control parameters to automatically retire fully depreciated assets.
Capitalization Limit CD	DEPR_CAP_LIMIT	Set Up Financials/Supply Chain, Product Related, Asset Management, Financials, Capitalization Limits	Specify asset value minimums and associate warning or error actions with assets whose values fall below those limits.
Depreciation Terms	DEPR_TERMS_DEFN	Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, Terms Definition	Define special depreciation terms for accelerated depreciation and associate the terms at the asset or book level.
Load History Report Table	LOAD_AM_HIST_TBL	Asset Management, Reports, Load Reporting Tables, Load Asset History Table	Run one of two SQR processes that load asset data into tables where it can be used for reports. 1. The AMLDDPHI.SQR process loads depreciation history data into a table where it can be used to run the Depreciation History reports. 2. The AMASHIST.SQR process loads asset history data into a table where it can be used by Asset History reports. Note. Before running this process, you must run a process to load the depreciation report table.

Page Name	Definition Name	Navigation	Usage
Asset History Reports	RUN_AMDE1000	Asset Management, Reports, Owned Assets, Asset History Sheet	Run the Asset History Sheet reports that are attached to annual balance sheets and provide information about the history of an asset and its transactions.
Reconciliation AP/AM (reconciliation accounts payable/asset management)	RUN_AMDE5000	Asset Management, Reports, Cost and Depreciation, Reconciliation AP/AM	Run a report to help you reconcile accounts payable asset vouchers with Asset Management asset transaction information.

Staffel Depreciation Method

The Staffel depreciation method is used for depreciating buildings in Germany and other countries. The Staffel depreciation method can be characterized as a "step straight line." For example, for a building with an acquisition cost of \$100,000 and a life of 25 years, the depreciation calculation is 10 percent (\$10,000) per year for years one through four, 5 percent (\$5,000) per year for years five through seven, and 2.5 percent (\$2,500) per year for years eight through twenty-five. These percentages vary due to legislation and the acquisition date of the building.

Three Staffel Depreciation Methods

There are three common Staffel depreciation methods.

The first Staffel method is for domestic buildings that are used by an organization for non-habitational purposes (for example, production buildings within Germany) and where the request to build was submitted to the local construction authorities after March 31, 1985, but before February 28, 1989:

Year	Percentage
Years 1–4	10% each year
Years 5–7	5% each year
Years 8–25	2.5% each year

Non-habitational buildings that do not fulfill the preceding criteria are depreciated according to this criteria:

Year	Percentage
Years 1–8	5% each year

Year	Percentage
Years 9–14	2.5% each year
Years 15–50	1.25% each year

Exceptions (all buildings that are used for habitation use and where the request to build was submitted to local construction authorities after February 28, 1989) are depreciated according to this criteria:

Year	Percentage
Years 1–4	7% each year
Years 5–10	5% each year
Years 11–16	2% each year
Years 17–40	1.25% each year

Depreciation periods in Germany are based on calendar years (January 1 – December 31). Because not all buildings are completed or purchased on January 1, if you activate an asset in a different month, you must prorate the depreciation for the first year, *including* the month of asset addition. For example, the depreciation amount for the first year is 36,000 EU if activated on January 1. But if the asset was activated on August 12, the depreciation amount for the first year is 15,000 EU, reflecting the months August through December.

Also, you must prorate the depreciation in the year of asset retirement (or sale) *excluding* the month in which it is retired. For example, the depreciation for the last year is 60,000 EU if the asset is retired at the end of the year. But if the asset was retired or sold on August 12, then the depreciation amount must be adjusted to 35,000 EU, reflecting the months January through July.

Creating a User-Defined Staffel Depreciation Method

To calculate depreciation by using the Staffel method, you can create a user-defined depreciation method for this formula. For example, in this case:

- The asset basis of the building is \$100,000 (EU).
- The asset life is 25 years (300 periods).
- The depreciation convention is AM (actual month).
- The user-defined depreciation method name is Staffel.

To create a Staffel user-defined depreciation method, use the User-Defined Method page. Enter a description for the method ID.

You must define the following four variables to create a Staffel user-defined depreciation method:

Result A= ALLOC_LIFE – Total Periods Depr

This calculation results in the number of remaining periods in weeks:

Result D=Result A/52

This is the number of remaining periods in years.

Result C=No Periods to Depr/Alloc Total

This provides the number of periods for the year to be depreciated / total periods for the year, for example, 6 / 12 for the first year.

Result B=Asset basis x Percentage

This result is:

Asset basis – Salvage value x Appropriate Staffel Percentage

Finally, to calculate the depreciation proration for the first year and the year of retirement, specify the following in the formula:

Depreciation=Result B x Result C

See Also

Chapter 15, "Using User-Defined Asset Depreciation," page 333

Using a Half-Year Prorate Convention

PeopleSoft Asset Management supports the German half-year convention. The German half-year convention differs from the U.S. half-year convention in that an asset takes a full year's depreciation if it was acquired in the first half of the year. This convention is delivered in the tables shipped, but you can modify it as necessary to suit a specific requirement.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Depreciation Processing," Setting Up Depreciation Conventions

Using Geometric Digressive Depreciation

Geometric digressive depreciation calculates depreciation up to three times the annual straight-line depreciation with a maximum of 30 percent of the asset cost per year. Asset Management supports this depreciation method by providing the declining balance with a *Switch to Straight Line* depreciation method option. To depreciate assets by using this method, select *DB w/SL By Limit%* on the Book-Tax page in the Asset Book Definition component, the Depreciation page in the Asset Profiles component, or the Depreciation Information page in the Asset ExpressAdd component. Specify 300 as the declining balance percent and 30 as the limit percent.

See Also

[Appendix B, "Understanding Depreciation Calculations," Declining Balance with Depreciation Limit, page 647](#)

Processing Low-Value Assets

PeopleSoft Asset Management supports low-value asset processing by providing a capitalization limit table where you can specify asset value minimums and associate warning or error actions with assets whose values fall below those limits. Additionally, you can set the limit at which an asset is marked as a low-value asset.

Access the Capitalization Limit Cd page (Set Up Financials/Supply Chain, Product Related, Asset Management, Financials, Capitalization Limits, Capitalization Limits).

Capitalization Limits				
SetID:	SHARE			
Cost Limit Code:	GERMANY	*Currency Code:	EUR	euro
Description:	Germany Depreciation Limits			
Limits				
Customize Find First 1-2 of 2 Last				
	Amount	Low Value Switch	Message Severity	
1	100.00	☐	Error	+ -
2	800.00	☒	Warning	+ -

Capitalization Limits page

After you have set up the necessary capitalization limits, select Table Lim (table limit) and the correct code as the capitalization limit method on the Business Unit/Book Definition page in the Establish Business Units - Asset Management Definition component.

When you add assets to that business unit and book combination, Asset Management checks the capitalization limits against the amounts that are stored by code in the capitalization limit table.

In Germany, assets marked as low value should be depreciated in one year.

PeopleSoft Asset Management provides the *PROGWG* asset profile that is defined with depreciation attributes that are appropriate for German low-value asset processing. These include depreciation using the straight-line method and a useful life of 12 periods. Also, Asset Management provides the German First Day Last Period depreciation convention that you can use to generate one accounting entry for the annual depreciation for a low-value asset.

Low-value assets can be retired in mass using the Auto-Retire feature to satisfy the requirement that low-value assets be fully depreciated and retired after the first year of service.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing PeopleSoft Asset Management Business Units," Creating PeopleSoft Asset Management Business Units

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Accounting Entry and Financial Processing for PeopleSoft Asset Management," Setting Up Capitalization Limits

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Depreciation Processing," Setting Up Depreciation Conventions

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing," Setting Up Asset Profiles

Special Depreciation Terms and Methods

Access the Terms Definition page (Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, Terms Definition, Terms Definition).

PeopleSoft Asset Management supports special depreciation methods that are used in Germany, such as accelerated depreciation, by enabling you to define special terms and associate them at the asset and book level.

Terms Definition

SetID: SHARE Depreciation Special Terms: SONDER_AFA

Depreciation Terms Find | View All First 1 of 1 Last

*Effective Date: 01/01/1900

*Description: Germany - Sonderabschreibung - 20% in 4 Years

Special Terms		Customize Find	First 1-4 of 4 Last
	*Year of Life	Depreciation Percent (%)	
1	1	5.000000	+ -
2	2	5.000000	+ -
3	3	5.000000	+ -
4	4	5.000000	+ -

Terms Definition page

After you have defined special terms, associate them with an asset or book by selecting the Special Depreciation check box on the Depreciation Information page in the Asset ExpressAdd component.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing"

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Depreciation Processing"

[Chapter 5, "Adding and Maintaining Assets," page 45](#)

(IND) Using PeopleSoft Asset Management Options to Meet Indian Requirements

PeopleSoft Asset Management addresses issues related to fixed-asset accounting in India. This section provides an overview of asset depreciation processing for India and discusses how to process tax depreciation.

Understanding Asset Depreciation Processing for India

PeopleSoft Asset Management provides asset processing features that correspond to the tax reporting requirements established by Indian tax legislation. Indian tax law does not recognize depreciation on individual assets. Instead, it groups similar pools of assets under a prescribed *tax block*. There are only four tax blocks of assets provided for under the tax act: buildings, furniture and fixtures, machinery and plant, and intangibles. Further, each tax block of assets comprises *tax groups*, and each tax group has its own individual tax rate. The Indian tax year is fixed on a fiscal year calendar that runs from April 1 through March 31. Annual tax depreciation is reported to the tax authority per tax block per fiscal year.

To meet these requirements, PeopleSoft Asset Management allows for the grouping of assets by *asset blocks* for accumulating and reporting depreciation and taxes. Each asset block can have as many depreciation rates associated with it as necessary to delineate Indian tax groups. To meet reporting requirements, a *tax entity* is defined, associated with a specific book, and has as many business units and asset books associated with it as necessary.

The Straight Line Percent method of depreciation in PeopleSoft Asset Management uses the asset useful life to calculate the depreciation rate. India calculates useful life based on the depreciation rate guidelines published by the governmental finance authority. The rates established depreciate 95 percent of the cost over the useful life of the asset, at minimum: accelerated depreciation is allowed. India calculates depreciation based on the rates rather than useful life. In addition, these rates also consider the residual or salvage value at the end of the asset useful life. To determine useful life of an asset in India, the straight line percent method multiplies the depreciation rate by cost and this results in the useful life. Further, there are two different ways to calculate depreciation adjustments under the Indian Straight Line Percent method: *remaining value* and *life-to-date*. All transactions use an actual day (AD) convention for calculating depreciation. Assets are depreciated when they are placed in service. Processing for leased assets is included.

During the end-of-year processing of depreciation and taxes for India, assets are grouped into blocks based on the tax entity and asset profile definition in place for the asset. The opening written down value (WDV) is retrieved from the prior year WDV for the corresponding tax entity, asset block, and rate.

Asset Management provides these reporting processes to manage Indian tax and depreciation requirements:

- Produce the Asset Register - India: Reports an historical record of assets over the fiscal year period.

- Produce the Depreciation Balance - IND report: Displays the calculated opening WDV balance and reports depreciation during the year.
- Calculate and Update Depreciation Balance - IND processes: Calculates depreciation balances for India and provides an online update of balances (depending on your setup options).

The system provides functionality to process operating and capital leases when manually specified.

Pages Used to Meet Indian Requirements

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Calculate Balances IND	AM_DEPR_TAX	Asset Management, Taxes, Depreciation, Calculate Balances IND, Calculate Balances IND	Calculate tax depreciation balances for India.
Tax Depr Bal (tax depreciation balances)	TAX_DEPR_BAL	Asset Management, Taxes, Depreciation, Update Balances IND	Displays tax depreciation balance for India that you can update.
Assets Register - IND	RUN_AMDP2510	Asset Management, Financial Reports, Cost and Depreciation, Assets Register - IND	Reports historical depreciation for the fiscal year.
Depreciation Balance - IND	TAX_DEPR_RQST	Asset Management, Taxes, Reports, Depreciation Balance IND	Generate tax depreciation balance report for the tax period.

Processing India Tax Depreciation

When you accumulate assets subject to India's depreciation and tax guidelines, you must first assign an asset block, a guideline (tax) class, and a tax entity to each asset. Also, you should set up each asset to depreciate when in service. These attributes are defined in the Book Definition component and the Book - Depreciation (ASSET_BOOK_01) and Book - Tax (ASSET_BOOK_02) pages. When depreciation and tax processing commences, the system retrieves these designated assets for processing.

See [Chapter 5, "Adding and Maintaining Assets," page 45.](#)

To process and report on depreciation and tax for India:

1. To process depreciation for India, request the depreciation calculation process (AM_DEPR_CALC).
See [Chapter 14, "Processing Asset Depreciation," page 313.](#)
2. To calculate depreciation balances for India for the tax period, request the process to calculate balances for India (AMTX2000).
3. To update depreciation balances for India for the tax period, request the process to update balances for India (TAX_DEPR_BAL).
4. To review the asset register for India, request the assets register for India (AMDP2510).

Calculating Tax Depreciation Balances for India

Access the Calculate Balances IND page (Asset Management, Taxes, Depreciation, Calculate Balances IND, Calculate Balances IND).

Calculate Balances IND page

Tax/Reporting Entity

Select the tax and reporting entity for this process. The available tax entities are defined by the asset blocks, tax class tax rates, setID calendar, and business unit/books that are associated with it.

Entity Book

Select the entity book for this process. The entity book defines how to group the tax or reporting information.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Tax Processing and Tax Reporting," (IND) Defining Tax Entities and Tax Options.

Updating Depreciation Balances for India

Access the Tax Depr Bal page (Asset Management, Taxes, Depreciation, Update Balances IND).

Tax Depr Bal				
Tax/Rpt Entity: INDIA		Entity Book: TAX	Asset Block: BUILDING	Fiscal Year: 2002
Customize Find First 1-3 of 3 Last				
Calculated Values	Depreciation and WDV			
Guide Cls	Opening Balance	Add/Adj (50% Rule)	Add/Adj (Regular)	Net Proceeds
BU10%	0.00	0.00	0.00	10,000.00
BU100%	0.00	0.00	0.00	0.00
BU5%	0.00	3,000.00	3,000.00	0.00

Tax Depr Bal page (1 of 2)

Tax Depr Bal						
Tax/Rpt Entity: INDIA		Entity Book: TAX		Asset Block: BUILDING		Fiscal Year: 2002
Calculated Values		Depreciation and WDV		Customize Find First 1-3 of 3 Last		
Guide Cls	Manual Adjustment	Depreciation Amount	Depreciation Amt - 50%	Rate%	Closing Balance	
BU10%	0.00	-1,000.00	0.00	10.000	-9,000.00	INR
BU100%	0.00	0.00	0.00	100.000	0.00	INR
BU5%	0.00	150.00	75.00	5.000	5,775.00	INR

Tax Depr Bal page (2 of 2)

If your setup options have enabled manual adjustments to depreciation balances, you can access calculated balances and enter adjustments in the Manual Adjustment column. No recalculations are processed on the basis of any manual adjustment entered, but the values are added to the WDV.

Generating the Asset Register India

Access the Assets Register - IND page (Asset Management, Financial Reports, Cost and Depreciation, Assets Register - IND, Assets Register - IND).

Assets Register - IND	
Run Control ID: VP1	Report Manager Process Monitor Run
Language: English	
Selection Request Parameters	
Report By: Report Entity	
Report Entity: INDIA	
Entity Book: TAX	
Fiscal Year	
As Of Fiscal Year: 2002	
Type of Report	
☒ Detail	☐ Summary

Assets Register - IND page

Selection Request Parameters Define the parameters for the asset register to report by business unit or report entity. Complete these fields as dictated by your needs:

- Unit.
- Book.
- Report Entity.
- Entity Book.
- As of Fiscal Year.
- Detail or Summary (available only when you select to report by report entity).

Processing Rules

When calculating the annual tax depreciation balances, the following rules apply:

- Tax depreciation is calculated for each tax group per the tax group tax rate.
- Opening balance (WDV) is required for each tax group each year.

The opening balance in the conversion year is entered; in subsequent years, the opening balance is processed by Asset Management and is equal to the ending balance of the previous year.

- Additions and adjustments for the fiscal year are lumped together.

However, these are subgrouped separately to include assets that have been in use for more than 180 days and those that have been in use for less than 180 days. For assets in use for less than 180 days, only 50 percent of the normal depreciation rate is allowed (per Section 32).

To determine the assets that fall in the category of Additions/Adjustments more than 180 days, the system calculates the difference between the fiscal year end date (March 31) and the in-service date for *ADD* and *ADJ* transaction types. For additions less than 180 days, the system calculates the difference between the year end (March 31) and the in-service date for *ADD* and *ADJ* transaction types. If the in-service date is in the current year but the acquisition date is in prior years, the asset is depreciated at the regular rate rather than at 50 percent of the prescribed rate.

- Proceeds for the assets sold during the year are calculated.
- Use the formula for calculating WDV depreciation, where:
 - $A = \text{Opening WDV/Balance.}$
 - $B = \text{Proceeds from sale of an asset.}$
 - $C = \text{Additions/Adjustments} > 180 \text{ days.}$
 - $D = \text{Additions/Adjustments} < 180 \text{ days.}$
 - $E = \text{Rate of Depreciation, Depr Value.}$

$$(A-B+C) \times E + (D \times E / 2) = \text{Depreciation Value (F)}$$

Closing WDV=A-B+C+D-F

In case the entire tax block of assets ceases to exist (for example, all of the assets are sold or transferred), the net income is taxed as short term capital gain. In this case, the opening WDV of all the tax groups in this block becomes zero for the subsequent year.

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Establishing Asset Processing"

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Setting Up Tax Processing and Tax Reporting"

Chapter 5, "Adding and Maintaining Assets," page 45

(ITA) Using PeopleSoft Asset Management Options to Meet Italian Requirements

This section discusses how to generate the fixed-asset register for Italy.

Page Used to Meet Italian Requirements

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Fixed Asset Register	RUN_AMDP2500	Asset Management, Financial Reports, Cost and Depreciation, Assets Register - ITA	Specify report request parameters to generate the Assets Register - ITA report.

Generating the Fixed-Asset Register for Italy

Access the Assets Register - ITA page (Asset Management, Financial Reports, Cost and Depreciation, Assets Register - ITA, Assets Register - ITA).

Assets Register - ITA

Run Control ID: [Report Manager](#) [Process Monitor](#)

Language:

Report Request Parameters

Unit:	ITLE1	
Book:	CORP	
From Asset ID:	000000000001	
To Asset ID:	000000000001	

Fiscal Year Period

As Of Fiscal Year: Period:

OR

Date

As of Date:

Anticipated Depreciation

☐ None
 ☐ Accelerated Depr
☐ Special Depr
 ☐ Initial Depr

Category:

Operating Unit:

Fund Code:

Department:

Program Code:

Class Field:

Budget Reference:

Product:

Project:

Assets Register - ITA page

Define the parameters to generate the register.

(JPN) Using PeopleSoft Asset Management Options to Meet Japanese Requirements

This section lists prerequisites and discusses how to:

- Use Japanese depreciation methods.
- Use special depreciation and increased depreciation.
- Use advanced depreciation.
- Use composite depreciation.
- Identify collateral assets.
- Use currency rounding options.
- Process local tax reports.
- Enter consumption tax.

Prerequisites

Many of the features for processing assets for Japan are dependent on the business unit information definitions established at the business unit level. You must establish these business unit definitions in order to complete processing for Japanese requirements.

Access the Business Unit Info for Japan page from the AM Business Unit Definition component (Set Up Financials/Supply Chain, Business Unit Related, Assets, Asset Management Definition, AM Business Unit Definition), Click the JPN Info link.

Note. To enable the JPN Info link, you must set up the overall options for user preferences in the Common Definitions component: Set the Localization Country value to JPN (Japan). Set Up Financials/Supply Chain, Common Definitions, User Preferences, Define User Preferences, Overall Preferences.

Corporate Book for Japan	Select the corporate book for Japan.
Tax Book for Japan	Select the tax book for Japan.
Memorandum Amount and Currency	Enter the memorandum amount at the end of the useful life of the asset as required by the Japanese tax regulation. This value can be updated, as the law requires. This value is used in conjunction with the following depreciation methods: J6 - Tangible Declining Balance, J7 - Tangible Straight Line, and Japan Extended Straight Line. The memorandum amount reflects the currency of the tax book for Japan as the default. For books that use one of the aforementioned depreciation methods in a currency other than JPY, the memorandum amount is translated to the respective book's currency. The memorandum value is established for each asset business unit.
Advanced Depreciation	Select if advanced depreciation is used.
Japan Composite	Select if composite assets are used.
Use JPN Local Tax (use Japan local tax)	Select if local tax reporting is enabled.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing PeopleSoft Asset Management Business Units," (JPN) Defining Business Unit Information for Japan.

The following steps are recommended when implementing Japanese tax reform changes:

1. Establish the memorandum amount on the Business Unit Info for Japan page.
2. Verify that the proper and most current depreciation rates, guaranteed rates, and revised rates are represented on the Life and Rate information secondary page [MR_AM_LIFERATE].
3. Select the appropriate depreciation methods at the asset profile level or override them at the asset level.
4. Use the Extended Depreciation Worksheet to select the eligible assets for extended depreciation. As an alternative to the Extended Depreciation Worksheet, you can extend depreciation manually, asset by asset, from the Define Tax/Depr Book page.

5. Run the Transaction Loader process prior to calculating depreciation and closing. However, this step is not necessary if you have manually extended depreciation from the Define Tax/Depr Book page.

Pages Used to Meet Japanese Requirements

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Advanced Depreciation	RUN_AMAD1000	Asset Management, Financial Reports, Cost and Depreciation, Advanced Depreciation	Specify report request parameters to generate the advanced Depreciation Amount or Advanced Depreciation Reversal Schedule report.
Owner Information	OWNER_INFO_DEFN	Set Up Financials/Supply Chain, Product Related, Asset Management, Owner Information Definition	Enter owner information that is printed on the Depreciable Asset Tax Return (Tax Roll) report.
Depreciation Rate-User Defined	UD_DEPR_RATE_TBL	Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, Rate-User Defined	Set up useful life and depreciation rate tables.
Life and Rate Information	MR_AM_LIFERATE	Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, Rate-User Defined, Life and Rate Information	Set up useful life and depreciation rate tables.
Extended Depreciation Worksheet	AM_EXTENDED_DEPR	Asset Management, Depreciation, Processing, Extended Depreciation, Extended Depreciation	Search for candidate assets according to desired parameters. Select to extend or not extend the depreciation period, remove from the list and enter the dates to resume depreciation.
Return Information	RETURN_INFO_DEFN1	Set Up Financials/Supply Chain, Product Related, Asset Management, Return Information Definition	Enter information that is required for the Depreciable Asset Tax Return (Tax Roll) report.
Local Tax Return	LTAX_ADD_INFO_SEC	Asset Management, Asset Transactions, Owned Assets, Asset ExpressAdd Asset Management, Asset Transactions, Owned Assets, Asset Basic Add	Enter local tax information when you acquire depreciable fixed assets.

Page Name	Definition Name	Navigation	Usage
Criteria and Defaults	MC_DEFN_01	Asset Management, Mass Change, Define Criteria, Criteria and Defaults	Use the Mass Change component to process composite depreciation for Japan.
NBV - Assessment Calculation	AMLTPROC_RQST	Asset Management, Taxes, Calculate Local Taxes, Calculate Amounts JPN	Run an SQR process to load asset data and calculate the theoretical net book value and assessment value for each asset. (Theoretical NBV is not needed since 2009, but still available for historical reporting).
Local Tax Information - Adjustment	LTAX_ADJ_01	Asset Management, Taxes, Calculate Local Taxes, Adjust Amounts JPN	Change the theoretical net book value and assessment value. (Theoretical NBV is not needed since 2009, but still available for historical reporting).
Local Tax Report	RUN_LTAXPROCESS	Asset Management, Taxes, Reports, Local Tax Returns	Run local tax reports for Japan.
Local Tax Information	LTAX_COST_01	Asset Management, Taxes, Calculate Local Taxes, Change Local Tax JPN	Change the local tax office where the return is filed and the asset return type.
Extended Depreciation Report	RUN_AMED1000	Asset Management, Taxes, Reports, Extended Depreciation	Run the Extended Depreciation report to analyze the J1, J2, J6 and J7 asset depreciation in compliance with Japanese tax law as reformed.
National Tax	RUN_AMNT1000	Asset Management, Taxes, Reports, National Tax	Run a report of the depreciation calculation details to be reported to the Japanese Tax Office. The report includes all required information for the National Depreciable Asset Tax Return Beppyo 16(1), (2) in Japan.

Using Japanese Depreciation Methods

PeopleSoft Asset Management supports depreciation methods that are used in Japan for both fixed assets and leased assets.

Fixed Assets

This table shows depreciation methods, the calculations used by the methods, and the types of assets to which these methods are applied:

Asset Depreciation Methods	Depreciation Calculation Method
(J3) - Intangible/Straight Line	Acquisition cost * straight line depreciation rate based on useful life (years)
(J1) - Tangible/Straight Line (assets placed in service prior to April 1, 2007) (J7) - Tangible/Straight Line (assets placed in service April 1, 2007 and beyond)	For assets placed in service prior to April 1, 2007: (Acquisition cost – 10% of acquisition cost) * straight line depreciation rate based on useful life (years). For assets placed in service on or after April 1, 2007: Cost basis * straight line rate effective on or after April 1, 2007. Note. The straight line rates are derived from the Life and Rate Information page for the J7 depreciation method. The final year's depreciation is the annual depreciation amount less the memorandum value (no salvage value). See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Setting Up Depreciation Processing."
(J2) - Tangible/Declining Balance (assets placed in service prior to April 1, 2007) (J6) - Tangible/Declining Balance (assets placed in service April 1, 2007 and beyond)	For assets placed in service prior to April 1, 2007: Beginning net book value * declining balance depreciation rate based on useful life (years) For assets placed in service on or after April 1, 2007: If (beginning net book value * declining balance depreciation rate of 250 percent) < (beginning net book value * guaranteed rate per Japanese law) then, switch to straight line method using the revised rate. Note. Guarantee rates and revised rates are derived from the Life and Rate Information page for the J6 depreciation method. The final year's depreciation is the annual depreciation amount less the memorandum value (no salvage value). See <i>PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook</i>, "Setting Up Depreciation Processing."

Asset Depreciation Methods	Depreciation Calculation Method
(J5) - Change Declining Balance to Straight Line	(Beginning net book value at method change – 10% of acquisition cost) * straight line depreciation rate based on useful life (years) The only method to adapt the depreciation rate based on useful life (years), this method is determined by regulations instead of the rate based on useful life for salvage year.
(J4) - Lease Depreciation	Declining balance depreciation calculation result * 10/9.
Extended Straight Line Depreciation	This depreciation method is used for fully depreciated assets under J1 and J2 methods that are subject to an extended depreciation useful life of five years using a Straight Line depreciation method starting from the first period of the following fiscal year. The basis for this extended depreciation is the original 5 percent salvage value. There is no salvage value for the new round of depreciation but the memorandum value is taken from the business unit definition.

Depreciation Rate

PeopleSoft Asset Management supports useful life in years as specified for Japan. This is applied from the Rate-User Defined table (UD_DEPR_RATE_TBL, MR_AM_LIFERATE) in the Depreciation Rate-User Defined component. To apply the appropriate depreciation rates, use the delivered depreciation methods for Japan or add new ones as needed.

Access the Depreciation Rate-User Defined page (Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, Rate-User Defined).

Select a setID and a depreciation method code matching the depreciation method to be used. Enter the effective date, and click the Life and Rate Information button. The Life and Rate Information page displays.

Life and Rate Information

SetID: SHARE Method: J7 Effective Date: 03/31/2007

Useful Life/Rates Customize | Find | | First 1-99 of 99 Last

	*Useful Life	*Rate	Guarantee Rate	Revised Rate		
1	2	0.50000			+	-
2	3	0.33400			+	-
3	4	0.25000			+	-
4	5	0.20000			+	-
5	6	0.16700			+	-
6	7	0.14300			+	-
7	8	0.12500			+	-
8	9	0.11200			+	-
9	10	0.10000			+	-
10	11	0.09100			+	-
11	12	0.08400			+	-
12	13	0.07700			+	-
13	14	0.07200			+	-
14	15	0.06700			+	-
15	16	0.06300			+	-

Life and Rate Information page

Enter the useful life and corresponding rates as determined by regulations issued from the Ministry of Finance. The Guarantee Rate and Revised Rate fields are only used in the J6 depreciation method.

Note. Useful Life rates also use the Residual Rate Definition.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Depreciation Processing."

Leased Assets

PeopleSoft Asset Management supports the Declining Balance Depreciation Method - Finance Lease (excluding transfer of ownership) 10/9 method, which is calculated in this way:

Declining balance depreciation calculation resultx10/9

Use the Depreciation Rate-User Defined - Life and Rate Information page to modify rates for the lease depreciation method.

Example Values

This table shows the values used in an example using the Declining Balance Depreciation Method - Finance Lease (excluding transfer of ownership) 10/9 method:

Acquisition Cost	1,000,000
Useful Life	5 years
Depreciation Rate	0.369

Calculation Results for Example Values

Using the values from the previous table and applying the Declining Balance Depreciation Method (J6) - Finance Lease (excluding transfer of ownership) 10/9 method, the results are:

<i>Year</i>	<i>Depreciation Amount by Declining Balance Method</i>	<i>Depreciation Amount by 10/9 Method</i>
1	369,000	410,000
2	232,839	258,710
3	146,921	163,245
4	92,707	103,007
5	58,588	65,038
Total	900,000	1,000,000

Select the example depreciation methods on the Book-Tax page in the Asset Book Definition component, the Depreciation page in the Asset Profiles component, or the Depreciation Information page in the Asset ExpressAdd component.

Using the Extended Depreciation Worksheet

The 2007 Japanese Tax Reform affects not only assets that are placed in service after March 31, 2007 but also increases the depreciation basis and expands the depreciation period for those fully depreciated assets that are using the J1 and J2 depreciation methods. As a result, those depreciable assets acquired before April 1, 2007 are allowed, after having depreciated to the final depreciable limit, to depreciate the existing salvage value to the memorandum value of 1 JPY in five years using the Straight Line method.

Use the Extended Depreciation Worksheet to apply the extended depreciation calculation to assets after they have reached the depreciation limit under the J1 and J2 depreciation methods. You can also identify assets that qualify for the extended depreciation using the Extended Depreciation Worksheet.

Access the Extended Depreciation page (Asset Management, Depreciation, Processing, Extended Depreciation).

Extended Depreciation

Asset Search Criteria

*Business Unit:

JPN01

*Book Name:

LOCAL_JPY

Method:

J- Tan/DB

Location:

Profile ID:

Cost Type:

Asset Class:

Asset Category:

From Date:

To Date:

From Asset ID:

To Asset ID:

[Chartfield Search Criteria](#)

Transaction Information

*Transaction Date:

04/01/2007

*Accounting Date:

04/02/2007

Life End Date:

04/01/2012

☒ Copy Extended to other Books

☒ Run Transaction Loader

Retrieve Next

100

Rows

1 - 2

Count Total

New Search

Refine Search

Use the buttons to mark assets for Extending, Not to Extend or Removing from the list.
The changes will take effect after you click "Save" button.

☒ Mark to Extend
 ☐ Mark to not Extend

Asset Search Results									
	Mark	Extended Depr Status	Asset ID	Description	In Service Date	Profile ID	Cost	Accumulated Depreciation	Salvage Value
1	☐		000000000111	Computer Hardware	07/25/2000	COMP01	100,380	95,361	5,019
2	☐		000000000126	Computer Hardware	08/27/2000	COMP01	300,000	285,000	15,000

Extended Depreciation page

Enter the required fields Business Unit, Book Name, and Method to retrieve assets that are candidates for extended depreciation (those assets depreciated using the J1 and J2 methods and are fully depreciated up to 95% of asset cost). You can also search by ChartField by clicking the ChartField Search Criteria link or use a date range to retrieve assets whose original transaction dates fall within the given period.

The Transaction Information section relates to the information needed to perform the extension of the asset useful life. It is applicable to the assets in the Results section. The Transaction Date should match the date that depreciation resumes for extended depreciation. The Life End Date field shows the calculated date in which the depreciation activity stops, including the additional period due to rounding down the remaining depreciation.

Note. It is important to run the Depreciation Reporting Table load process (AMDPREPT) as a prerequisite to retrieve fully depreciated assets from the Extended Depreciation page.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Depreciation Processing."

516

Copyright © 1992, 2012, Oracle and/or its affiliates. All Rights Reserved.

Using Special Depreciation and Increased Depreciation

PeopleSoft Asset Management supports special depreciation (initial and accelerated) and increased depreciation used in Japan. This table shows the types of special depreciations and their associated accounting methods, depreciation calculations, and additional notes as appropriate:

<i>Depreciation Method</i>	<i>Type</i>	<i>Accounting Method</i>	<i>Depreciation Calculation</i>	<i>Notes</i>
Special	Initial	Expense	Acquisition cost * special depreciation rate	Book the initial special depreciation amount as the depreciation amount, and add it to the standard depreciation amount.
Special	Initial	Reserve/Allowance	Acquisition cost * special depreciation rate	Do <i>not</i> add the initial special depreciation amount to the standard depreciation amount.
Special	Accelerated	Expense	Standard depreciation amount * accelerated depreciation rate	Book the accelerated depreciation amount as the depreciation amount, and add it to the standard depreciation amount.
Special	Accelerated	Reserve/Allowance	Standard depreciation amount * accelerated depreciation rate	Do <i>not</i> add the accelerated depreciation amount to the standard depreciation amount.
Increased	NA	NA	Standard depreciation amount * increased depreciation rate	

For the initial special depreciation and accelerated depreciation rate, specify the useful life in years and the depreciation rate on the Depreciation Terms Definition page.

For the increased depreciation rate, enter the specific rate on the Depreciation Details page.

See [Chapter 14, "Processing Asset Depreciation," page 313](#).

See [Appendix B, "Understanding Depreciation Calculations," page 619](#).

Using Advanced Depreciation

You can also use advanced depreciation for Japan. This table shows the accounting methods that you can use with advanced depreciation:

Accounting Method	Action
Expense	Adds a cost line to the Corporate and Tax book for the advanced depreciation amount and enters a negative (–) cost as a compressed amount on the Asset/Cost Adjust Transfer page.
Allowance	Adds a cost line to the Corporate and Tax book for the advanced depreciation amount and enters a negative (–) cost as a compressed amount on the Asset Cost/Adjust Transfer page. You must select A (allowance) as the cost type.
Reserve	Adds a cost line to the Corporate and Tax book for the advanced depreciation amount and enters a negative (–) cost as a compressed amount on the Asset Cost Adjust/Transfer page. You must select R (reserve) as the reserve method.

Advanced Depreciation Reports

When you adopt the advanced depreciation method by using the Allowance or Reserve method, you can verify the allowance or reserve amount for the compressed amount by using the Advanced Depreciation Amount of Advanced Depreciation Reversal Schedule report.

Using Composite Depreciation

Composite depreciation, as practiced in Japan, is supported by calculating the useful life in years or by using the 5 percent retirement method.

Use the Mass Change component to process composite depreciation.

Note. To use the Composite Depreciation method for Japan, you must specify the Corporate and Tax book for Japan and select *Japan Composite* when you establish asset management business units.

You can add composite depreciable assets and individual assets by using the Asset Basic Information page. When you add composite depreciable assets, you must enter a profile ID, transaction date, and accounting date, and then click the Capitalize button on the Asset Acquisition Details page. When you add individual assets, you must enter the Reporting Life in periods on the Asset Information page.

After adding composite depreciable assets and individual assets for composite assets, you must capitalize by using the Mass Change template CC-JPN Capitalize Composite.

Calculating the Automatic Useful Life in Years for Composite Depreciable Assets

The total acquisition cost includes the acquisition cost of each composite member asset divided by its respective useful life, calculating the depreciation amount for each composite member asset.

The acquisition costs of each composite member asset are then summed, and the total is divided by the summed depreciation amounts for each composite member asset.

This table displays the depreciation values calculated to find the total depreciation for 20,000,000 of asset costs:

Assets	Acquisition Cost (A)	Useful Life (B)	Depreciation Amount (A)/(B)
Asset1	1,000,000	4 years	250,000
Asset2	3,000,000	5 years	600,000
Asset3	4,000,000	4 years	1,000,000
Asset4	7,000,000	10 years	700,000
Asset5	5,000,000	8 years	625,000
Totals	20,000,000	NA	3,175,000

The calculation of composite depreciation useful life is then:

$20,000,000 / 3,175,000 = 6.29$ or 6 years (composite depreciation useful life)

Using the 5 Percent Retirement Method

When using this method, depreciable composite member assets are retired, and the book value is 5 percent of the acquisition cost of each member asset retired.

Access the Mass Change page, and add the Mass Change Definition JPN Composite Retirement. Composite member assets can be retired by using the mass change template CR-JPN Composite Retirement.

Mass Change Definition: JPN Composite Retirement

SQL Statement Find | View 1 First 1-3 of 3 Last

Execution Seq: 1 **Description:** Composite Retirement Step 1

Criteria Find | View All First 1 of 3 Last

Field	Field Value
Composite Asset ID	
Equal To	

Defaults Customize | Find | View All First 1 of 1 Last

Field Label	Mass Change Field Value
1	

Criteria and Defaults page

Enter the composite asset ID to be retired in the Field Value field. Specify *Retire as Fully Depreciated* in the Mass Change Field Value field. Generate the SQL, and run the mass change.

See [Chapter 20, "Processing Asset Mass Changes," page 427](#).

Identifying Collateral Assets

Japanese accounting principles require that assets that are offered as collateral be treated according to financial reporting regulations under commercial law. Collateral assets are identified on the Cost/Asset Information page in the Asset ExpressAdd component as one of these types in compliance with Japanese reporting requirements:

- Factory Foundation Mortgage.
- Fixed Mortgage.
- Mortgage.
- Other.

See [Chapter 5, "Adding and Maintaining Assets," Adding Assets with the Asset ExpressAdd Component, page 103](#).

Using Currency Rounding Options

Rounding options are applied to depreciation calculations and asset salvage values. You can select rounding options to be used for depreciation calculations on the Business Unit/Book Definition page in the Establish Business Units - Asset Management Definition component, and for salvage value calculations on the Depreciation page in the Asset Profiles component.

Select a rounding rule, which determines the type of rounding that is performed. Select the *Currency* rounding type.

Select the rounding precision, rounding factor, and truncation. Round precision is the number of places to the right or left of the decimal point to which the amount or number is rounded. Rounding factor is the number to which the amount is rounded.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing PeopleSoft Asset Management Business Units," Creating PeopleSoft Asset Management Business Units.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing Asset Processing," Setting Up Asset Profiles.

Processing Local Tax Reports

Asset Management supports reporting requirements defined by Japanese local tax laws. The system provides these reports, including all required information for the local depreciable asset tax return:

- Depreciable Asset Tax Return (Tax Roll or Depreciable Assets) report (AMLT1000).
- Asset Detail (Increased Assets/All Assets) report (AMLT1100).
- Asset Detail (Decreased Assets) report (AMLT1200).

To set up local tax reporting:

1. Define the localization country as Japan.

This enables the business unit information link for Japan. The link appears in the Establish Business Units component. Use the User Preferences component, and set the overall preferences localization country to *JPN*.

See *PeopleSoft Application Fundamentals 9.1 PeopleBook*, "Defining User Preferences," Defining Overall User Preferences.

2. Define business unit information for Japan.

This defines the corporate and tax default books for Japan, as well as enables advanced depreciation, composite asset functionality, and local tax usage. Specify the corporate and tax book that you use for Japan when you establish asset management business units, and select the Use JPN Local Tax check box.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing PeopleSoft Asset Management Business Units," Creating PeopleSoft Asset Management Business Units.

3. Define owner information definition for Japanese assets.

This defines the information needed to process your local tax return.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing Asset Processing," Establishing Asset Ownership.

4. Define local tax information in the Asset Information component.

See Chapter 5, "Adding and Maintaining Assets," Maintaining Asset Book Information, page 91.

5. Define the local tax return processing information.

To run the reports:

- Process the theoretical net book value and assessment value calculation. (Theoretical NBV is not needed since 2009, but still available for historical reporting).
- Process local tax reports.

Defining Local Tax Return Information

Access the Return Information page (Set Up Financials/Supply Chain, Product Related, Asset Management, Taxes, Return Information Defn. - JPN, Return Information Defn. - JPN).

Return Information Defn. - JPN

SetID: SHARE Local Tax Office: JAPAN

Return Information [Find](#) | [View All](#) First 1 of 1 Last

Effective Date: 01/01/1900 Status: Active

Owner ID: Owner Code: Capital of Amount:

Recipient Name:

Business Category:

Year of Date
Year: Month:

▼ Address

Address Line 1:

Address Line 2:

Address Line 3:

▼ General Tax Information

☐ Tax Exception ☐ Special/Advanced Depreciation ☐ Tax Free Asset

☐ Life Reduction ☐ Increase Depreciation Notice ☐ Blue Returns

Tax Acct Depr: Building Category:

▼ Contact

Reply Person: Telephone:

Licensed Tax Accountant: Telephone:

☐ Rental Asset

Lessor Name: Telephone:

▼ Notes

Description Line 1:

Description Line 2:

Description Line 3:

Description Line 4:

Description Line 5:

Description Line 6:

Return Information Defn. - JPN page

Select an owner ID. Enter an owner code, capital amount (in millions of yen), recipient name of the taxation office where the return is filed, business category, and the year and month that the company commenced business.

Enter address information for up to three branch offices within the same city, district, or town (place of tax payment).

Note. If a branch office is located at the same address that is defined on the Owner Information page, you can leave these fields blank.

Tax Exception	Select if you have assets to apply to the special treatment of the taxation standard.
Special/Advanced Depreciation	Select if you have assets to be applied to special depreciation under the Special Taxation Measures Law, or to be applied to advanced depreciation under Articles 42 to 50 and Article 142 of the Corporation Tax Law, or from Article 42 to 44 and Article 165, or Article 58 of the Tax on Income Law.
Tax Free Asset	Select if you have assets without taxation.
Life Reduction	Select if you have assets that have been applied a shorter useful life approved by the Director or the District Tax Office under the Corporate Tax Law – Govt. Order 57-1 and Tax on Income – Govt. Order 130-1.
Increase Depreciation Notice	Select if you have assets that have been submitted on a detailed statement for increased depreciation to the tax office under the Corporation Tax Law – Govt. Order 60 and Tax on Income Law – Govt. Order 133.
Blue Returns	Select if you file a blue return under the Corporation Tax Law, Article 122.
Tax Acct Depr (tax account depreciation)	Select a depreciation method in tax accounting.
Building Category	Select the possession classification of the building for the business place.
Reply Person	Enter the name and telephone number of the accounting representative.
Licensed Tax Accountant	Enter the name and telephone number of the licensed tax accountant.
Rental Asset	Select if you have rental assets.
Lessor Name and Telephone	Enter the name and telephone number of the lessor.

Use the Notes region to add any relevant descriptions, such as appendixes or remarks, or to identify any attachments.

Entering Asset Local Tax Return Information

Access the Local Tax Return Information page (Asset Management, Asset Transactions, Owned Assets, Basic Add. Click the Local Tax Information Link).

Define the asset as *New* or *Used*, and select a local tax office.

Select one of these asset return type options:

- *Structure*
- *Machinery*
- *Ship*
- *Airplane*

- *Vehicle*
- *Tool*

Specify a numerator and denominator for the exception rate.

Specify a theoretical net book value and an assessment value for your information. (Theoretical NBV is not needed since 2009, but still available for historical reporting).

Note. The Theoretical Net Book Value and the Assessment Value fields are not required when you add a newly acquired asset in the current year, but you must enter the asset's assessment value reported in the *previous* year if you acquired assets in the previous year but added them to Asset Management for the first time.

Calculating Theoretical Net Book Value and Assessment Value

Access the Theoretical NBV and Assessment Value page (Asset Management, Taxes, Calculate Local Taxes, Calculate Amounts JPN).

Note. Theoretical NBV is not needed since 2009, but still available for historical reporting.

Note. Enter the same local tax office code in both fields when you are reporting to a single tax office.

The results of this process populate the LTAX_INFO1_TBL.

Running Local Tax Reports

Select a range of local tax office codes to be declared for the theoretical net book value and assessment value.

Note. Enter the same local tax office code in both fields when you are reporting to a single tax office.

Specify a return year.

Select one of the Request Local Tax Return options:

All	Include all assets.
Increase	Include assets added and received by transfer in this fiscal year.

Changing the Local Tax Office and Asset Return Type

Enter the transaction date on which to change the local tax office and asset return type. Enter the new local tax office code for filing the return.

Select one of these new asset return types:

- *Structure*
- *Machinery*
- *Ship*

- *Airplane*
- *Vehicle*
- *Tool*

Changing the Local Tax Office and Asset Return Type While Transferring Assets

When you transfer assets, the operation process varies according to the transfer scenario. This table displays the various operation processes:

<i>Transfer Scenario</i>	<i>Operation Process</i>
Asset is partially transferred to another local tax office, or the asset return type is changed, or both.	Use <i>InterUnit Transfer</i> to change the local tax office, or the asset return type, or both.
Asset is fully transferred to another department ID and the local tax office where the return is filed, and the asset return type has changed.	Use <i>Transfer</i> to change the local tax office or asset return type.
Asset is partially transferred to another department ID and the local tax office where the return is filed, and the asset return type has changed.	Use <i>InterUnit Transfer</i> to change the local tax office and asset return type.

Entering Consumption Tax

Asset Management supports Japanese consumption tax on asset sales by using VAT functionality on the asset Retirement page. In addition to entering VAT information, you can enter customer information for asset sales.

See [Chapter 19, "Retiring Assets," Specifying How VAT Is Calculated for Asset Retirement, page 406.](#)

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Establishing PeopleSoft Asset Management Business Units."

Chapter 24

Archiving Asset Information

This chapter provides an overview of removing inactive asset information from your system and describes how to:

- Archive cost and depreciation data.
- View archived data.
- Restore archived data.

Understanding Archiving

The tables that store asset information accumulate large volumes of data over time. Eventually some of this data is no longer needed on a routine basis. You can use PeopleSoft Asset Management to archive inactive data on the cost and depreciation of assets, and if that data is ever needed again, you can use PeopleSoft Asset Management to restore the data that you archived. The benefits of archiving inactive data include improving the performance of reports and processes and reducing the space that your system needs to store asset data.

Before you archive inactive asset information, you should keep these general guidelines in mind. You cannot archive:

- Retired assets.
- Group assets.
- Assets with depreciation based on schedules.

You can archive active assets one at a time or by using a range of asset IDs. You must archive each asset book by book. The fiscal year must be closed before an asset can be archived. The archive period automatically defaults to the last period of the specified fiscal year.

You can archive an asset more than one time. If you archive an asset multiple times and later decide to restore the data, you will need to restore each archive one by one. For example, if you archive an asset two times, you will need to restore the asset information two times, one for each archive that was run.

The process that archives data actually moves application data from the application tables to the archive tables. The process then deletes data from the application tables.

The archive tables are just like other application tables. You can back up these archive tables using another disk or tape for storage and then manually delete the contents of the archive tables if desired. This approach allows you to use tools, such as PS/Query, to report and review the contents of the archived files. The data in the archived files can also be joined to the application tables to provide a complete picture of activity including active and archived data.

After you archive an asset, you cannot perform a transaction or a transfer involving that asset before the archival date unless you restore the archived asset. For example, if the asset has been archived through December 31 of the previous year, you will not be able to perform any transactions on the asset in the previous year.

All historical data showing transaction costs in multiple currencies is supported in the archive and restore processes. You can save transactions with multiple currencies just as they occurred and restore them as well.

You can archive, delete, and retrieve archived data, accumulated by a process that updates high volume asset management transaction tables: ASSET_NBV_TBL, DEPR_RPT, OPEN_TRANS, and DIST_LN. Using the Mass Change component, you can define mass change criteria and use the delivered template for each transaction table to archive, delete, or view archived transaction details. This method enables improved performance for day-to-day transactions while maintaining historical data for reporting and audit purposes.

See Also

[Chapter 20, "Processing Asset Mass Changes," page 427](#)

Archiving Inactive Assets

This section describes how to run a process that archives depreciation, cost, and book data.

Use the Archive Cost/Depreciation (AM_ARCHIV) component to archive asset management cost and depreciation transactions.

Page Used to Archive Data

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Archive Cost/Depreciation	RUN_ARCHIVE	Asset Management, Asset Transactions, History, Archive Cost/Depreciation, Archive Cost/Depreciation	Run the Asset Archive process (AMDPARCH) to archive inactive cost and depreciation data.

Running the Asset Archive Process

Access the Archive Cost/Depreciation page (Asset Management, Asset Transactions, History, Archive Cost/Depreciation, Archive Cost/Depreciation).

Archive Cost/Depreciation

Run Control ID: LBM

[Report Manager](#)
[Process Monitor](#)

Run

Report Request Parameters

*Unit:

AUS01

Book Name:

CORP_USD

From Asset ID:

0

To Asset ID:

//////

Fiscal Year:

2003

Process Frequency:

Once

Archive ID:

Archive Cost/Depreciation page

Unit	Select the business unit from which records will be archived.
Book Name	You must archive an asset using each book it is associated with.
From Asset ID and To Asset ID	Use these fields to archive a range of asset IDs. To archive one asset, enter the asset ID in the From Asset field.
Fiscal Year	By default, the process will archive data up to the last period of the fiscal year you enter here. The fiscal year must be closed before an asset can be archived.
Archive ID	When you run the process, the system populates this field with the run control ID and stores the archive ID in the <i>ARCHIVE_NO</i> field on the depreciation table. You must keep a record of this archive ID if you want to restore archived data.

The Asset Archive Application Engine (AM_CSDP_ARCH) process copies inactive data from the application tables to archive tables. This process then deletes the archived data from the application tables and consolidates the rows that are left.

For cost rows, the Asset Archive process consolidates multiple cost rows of data into one row.

For depreciation rows, all the depreciation rows prior to the *Fiscal Year* are summed up to create one *ADD* row for accumulated depreciation. The archived records are stored in the depreciation history table.

Viewing Archived Data

You can use inquiry pages to look up different levels of information about archived data.

You can also use the following queries:

- COST_ARCHIVE
- DEPR_ARCHIVE
- BOOK_ARCHIVE

Use the Review Book (ASSET_BOOK_HIST) and the Review Cost (COST_HISTORY) components to view archived asset data.

Pages Used to View Archived Data

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Review Book – List	ASSET_BOOK_HIST1	Asset Management, Asset Transactions, History, Review Book, List	Review book change history.
Review Book – Detail	ASSET_BOOK_HIST2	Asset Management, Asset Transactions, History, Review Book, Detail	Review detailed book change history.
Cost History List	ASSET_TRANS_01	Asset Management, Asset Transactions, History, Review Cost, Cost History List	View a history of an asset's transactions, including assets that have been archived as an ADD transaction. For archived assets, the total cost includes the sum of the costs consolidated into one cost row.
Cost History Detail	ASSET_TRANS_02	Asset Management, Asset Transactions, History, Review Cost, Cost History Detail Select Detail from the Cost History List page.	View more detail about a specific transaction.
Non-Cap History List	ASSET_TRANS_03	Asset Management, Asset Transactions, History, Review Cost, Non-Cap History List	View a history of a non-capitalized asset's transactions, including assets that have been archived as an ADD transaction. For archived assets, the total cost includes the sum of the costs consolidated into one cost row.

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Non-Cap History Detail	ASSET_TRANS_04	Asset Management, Asset Transactions, History, Review Cost, Non-Cap History Detail Select Detail from the Non-Cap History List page.	View more detail about a specific transaction for a non-capitalized asset.

Restoring Archived Data

This section describes how to run a process that restores archived data.

Use the Restore Cost/Depreciation (AM_RESTORE) component to restore archived asset cost and depreciation transactions.

Page Used to Restore Archived Data

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Run Restore	RUN_RESTORE	Asset Management, Asset Transactions, History, Restore Cost/Depreciation, Run Restore	Run the Asset Restore (AM_CD_RESTO) Application Engine process that copies data stored in the archive tables back to the application tables.

Running the Asset Restore Process

Access the Cost/Depreciation Restore page (Asset Management, Asset Transactions, History, Restore Cost/Depreciation, Run Restore).

Unit	Select the business unit from which records will be restored.
Book Name	You must restore an asset in each book associated with the asset.
From Asset ID and To Asset ID	Use these fields to restore a range of archived asset IDs. To restore one archived asset, enter the asset ID in the From Asset field.
Archive ID	Enter the run control ID that the system generated when the data was archived. By default, the system displays the most recent run control ID for the Asset Archive process.

The Asset Restore process restores the archived data by deleting the summed row in the application tables and replacing it with the multiple rows of data stored in the archive tables.

Archiving From Transaction Table Details

PeopleSoft provides the templates for the Mass Change component to archive, delete, and retrieve data from high-volume transaction detail tables. The tables available for this process are:

- **ASSET_NBV_TBL**: Accumulates detail lines from net book value processing.
- **DEPR_RPT**: Accumulates detail lines from depreciation reporting.
- **OPEN_TRANS**: Accumulates detail lines from open transactions.
- **DIST_LN**: Accumulates information from creating accounting entries.

The transaction detail lines can also be deleted from the tables once they have been archived, or without archive if the transactions are set to be purged. Data that is archived is also available for retrieval as needed for reporting or audit purposes.

The steps for archiving, deleting or retrieving transaction detail from tables are:

1. Run Calculate Depreciation (AM_DEPR_CALC) process to generate depreciation calculations.
2. Run Depreciation Reporting (AMDPREPT) process and Load Net Book Value (AMLDNBVT) process to collect the information provided by AM_DEPR_CALC. (If you are working with the OPEN_TRANS or DIST_LN tables, you do not need to run these processes.)
3. Run the archive mass change using the appropriate template for the table from which transactions are pulled.
4. Run the delete mass change using the appropriate template for the table from which transactions are pulled.
5. Run the retrieve archived data mass change using the appropriate template for the table from which transactions are to be viewed.

When you are ready to define the parameters of your archive mass change, access the Mass Change component, Define Criteria (MC_DEFN_00) page. (Asset Management, Mass Change, Define Criteria, Description.)

Description	Criteria and Defaults	AM Specific Fields	Generate SQL	Execution History
Mass Change Definition:		NBV		
*Mass Change Template:		Archive Asset NBV entries		
User ID:		DVP1		
Last Updated:		09/26/2009 4:00:15PM		
Archive ID:				Archive Date:
Description:				
This Mass Change Type is used in the archiving of Asset Net Book Value Entries. It inserts rows into table PS_ASSET_NBV_ARCH, selecting from table PS_ASSET_NBV_TBL. PS_ASSET_NBV_TBL is the production asset net book value entry table. PS_ASSET_NBV_ARCH can be used to hold the old net book value entries, and it can also be used to unload the entries into a sequential file. The end user should enter the following selection criteria when running the mass change: BUSINESS UNIT, BOOK(s), User ID(s) and AS OF DATE.				

Archive – Mass Change, Define Criteria page

Add a new mass change and select the template that corresponds to the table and archive activity you want to perform. The templates to archive, delete and retrieve detail are:

- *Archive Asset Depr Rpt entries:* This mass change type copies the specified DEPR_RPT entries into the DEPR_RPT_ARCH table. Specified entries are determined by the selection criteria of the mass change template with the same name (Archive Asset Depr Rpt entries). The following fields will be used to select the data:
 - Business Unit: If entered, mass change selects the specified business unit. If not entered, mass change selects all business units.
 - Book: If entered, mass change selects the specified book. If not entered, mass change selects all books
 - Fiscal Year: It is recommended that you enter a fiscal year; mass change selects the specified value.
- *Archive Asset NBV entries:* This mass change type copies the specified PS_ASSET_NBV_TBL entries into the PS_ASSET_NBV_ARCH table. PS_ASSET_NBV_ARCH is used to store the old net book value entries, and it can also be used to retrieve the entries into a sequential file. The following fields will be used to select the data:
 - Business Unit: If entered, mass change selects the specified business unit. If not entered, mass change selects all business units.
 - Book: If entered, mass change selects the specified book. If not entered, mass change selects all books
 - As of Date: It is recommended that you enter an As of Date; mass change selects the specified value.

- *Archive Asset Open Trans:* This mass change type is used to archive Asset Open Transaction (PS_OPEN_TRANS table) details. It inserts the selected entries into the Open Trans Archive table (PS_OPEN_TRANS_ARCH). The following fields are used to select the data:
 - Business Unit: If entered, mass change selects the specified business unit. If not entered, mass change selects all business units.
 - Book: If entered, mass change selects the specified book. If not entered, mass change selects all books
 - Accounting Date: It is recommended that you enter an accounting date; mass change selects the specified value.
- *Archive Asset Acctng Entries* This mass change template is used in the archiving of Asset Accounting Entries (PS_DIST_LN table). It inserts selected rows into table PS_DIST_LN_ARCH. PS_DIST_LN_ARCH is to archive the old accounting entries, and it can also be used to retrieve the archived entries into a sequential file. The following fields are used to select the data:
 - Business Unit: If entered, mass change selects the specified business unit. If not entered, mass change selects all business units.
 - Book: If entered, mass change selects the specified book. If not entered, mass change selects all books
 - Accounting Date: It is recommended that you enter an accounting date; mass change selects the specified value.
- *Delete Asset Acctng Entries* This mass change template is used to delete entries from the assets accounting entry table (PS_DIST_LN) that have been archived. Enter the deletion selection criteria for:
 - Business Unit: If entered, mass change selects the specified business unit. If not entered, mass change selects all business units.
 - Book: If entered, mass change selects the specified book. If not entered, mass change selects all books
 - Accounting Date: It is recommended that you enter an accounting date; mass change selects the specified value.
- *Delete Asset Depr Rpt entries:* This mass change type deletes the DEPR_RPT, DEPR_RPT_CF_SUM and DEPR_RPT_PD_SUM specified entries that are determined by the selection criteria of the mass change template you use. You should enter the same selection criteria used for the mass change archive of DEPR_RPT entries if you want to delete archived entries. If you want to purge DEPR_RPT entries, you should enter the following selection criteria when running the mass change:
 - Business Unit: If entered, mass change selects the specified business unit. If not entered, mass change selects all business units.
 - Book: If entered, mass change selects the specified book. If not entered, mass change selects all books
 - Fiscal Year: It is recommended that you enter a fiscal year; mass change selects the specified value.

- *Delete Asset NBV entries:* This mass change type deletes the entries from the Asset Net Book Value table (PS_ASSET_NBV_TBL). You should enter the same selection criteria used for the mass change archive of Asset NBV entries if you want to delete archived entries. If you want to purge Asset Net Book Value entries, you should enter the following selection criteria when running the mass change:
 - Business Unit: If entered, mass change selects the specified business unit. If not entered, mass change selects all business units.
 - Book: If entered, mass change selects the specified book. If not entered, mass change selects all books
 - User ID: If entered, mass change selects the specified User ID. If not entered, mass change selects all User IDs.
 - As of Date: It is recommended that you enter an accounting date; mass change selects the specified value.
- *Delete Asset Open Trans:* This mass change type deletes Open Transaction entries from table PS_OPEN_TRANS. It should be used after they have been archived. Enter the:
 - Business Unit: If entered, mass change selects the specified business unit. If not entered, mass change selects all business units.
 - Book: If entered, mass change selects the specified book. If not entered, mass change selects all books
 - As of Date: It is recommended that you enter an as of date; mass change selects the specified value.
- *Unload DIST_LN_ARCH to file*

This mass change template is used to retrieve details from the archive table PS_DIST_LN_ARCH to a sequential file. Enter the selection criteria:

- Archive ID
- Archive Date
- *Unload Open Trans to File*

This Mass Change Type is used to unload entries from the Asset Open Transaction Archive table to a sequential file. Enter the Archive ID and Archive Date to be used as selection criteria.

- *Upload Asset Open Trans*

This Mass Change Type is used to upload Open Transactions into table PS_OPEN_TRANS from table PS_OPEN_TRANS_ARCH. Enter the Archive ID and Archive Date to be used as selection criteria.

- *Upload Asset Acctng Entries*

This Mass Change Type is used to load the production asset accounting entry table (PS_DIST_LN) from the accounting entry archive table (PS_DIST_LN_ARCH). Enter the Archive ID and Archive Date as selection criteria for loading.

Appendix A

Understanding the Loader Table Data Dictionary

This chapter provides an overview of the loader tables and discusses:

- Loader table INTFC_FIN.
- Loader table INTFC_PHY_A.
- Loader table INTFC_PHY_B.
- Transaction loader inserts.
- Interface types (load types)

Understanding the Loader Tables

This chapter contains descriptions and explanations of the usage of the fields in PeopleSoft Asset Management loader tables INTFC_FIN, INTFC_PHY_A, and INTFC_PHY_B. This chapter, in conjunction with the listing of these records in PeopleSoft Application Designer, provides all the information users need to load data into PeopleSoft Asset Management using these tables. Information about records in the Application Designer includes the field type, size, valid values, and other technical details. The field names used in this chapter match the field names in the tables. For example, the field name for Interface ID in any table is always INTFC_ID.

If any of these fields is modified in the application tables, then they must also be modified in the loader tables if you will be using the Transaction Loader.

Loader Table INTFC_FIN

The following table describes the information found in Loader Table INTFC_FIN:

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
INTFC_ID	Interface ID	Key to this table. An interface ID is typically assigned to a group of transactions with the same load type. Use a unique, previously unused INTFC_ID for each set of transactions with the same load type. When using a load type of CN1 and NEXT in the ASSET_ID field, use a unique INTFC_ID for each asset. For FADs and Conversions, if INTFC_ID is the same for multiple lines for an asset, increment the INTFC_LINE_NUM for each line.	Internal use	Y
INTFC_LINE_NUM	Interface Line Number	Key to this table. Interface Line Number is used as a key for multiple lines for the same Interface ID for transactions with similar keys (for example, multiple acquisition details, such as CAP). For FADs and Conversions, if INTFC_ID is the same for multiple lines for an asset, increment the INTFC_LINE_NUM for each line.	Internal use	Y
BUSINESS_UNIT	Business Unit	Identifies the business unit of the financial transaction to be processed. (You should never have more than one business unit per interface ID.)	BOOK, COST, DEPRECIATION, RETIREMENT, OPEN_TRAN S	Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
ASSET_ID	Asset Identification	Identifies the asset ID of the financial transaction to be processed. For add interface types (ADD, NAD, FAD, CN1, and so on), if this field contains the value 'NEXT' then Transaction Loader will assign the next asset ID for this business unit.	BOOK, COST, DEPRECIATION, RETIREMENT, OPEN_TRAN S	Y
BOOK	Asset Book Name	Identifies the asset book to be processed. All financial transactions must be assigned a book if the DEFAULT_PROFILE_SW = 'N'. The financial information for an asset (book, cost, depreciation, retirements) addition can be entered by creating transactions manually. To do this, enter one row into the INTFC_FIN table for each book to which an asset reports. This information can also be provided by default via the profile. The Transaction Loader will then populate the financial tables for all books specified in the profile from the one row in INTFC_FIN. When the DEFAULT_PROFILE_SW is set to 'Y', book can be left blank (" "). Books will be populated by default from the profile, which is populated in INTFC_PHY_A. If you are doing a CN1, set the DEFAULT_PROFILE_SW to 'N'.	BOOK, COST, DEPRECIATION, RETIREMENT, OPEN_TRAN S	Y when Default Profile Switch = N

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
DTTM_STAMP	Date/Time Stamp	Populates the key field of datetime stamp in many tables. Represents the date and time that this transaction was added to the system. While Date/Time Stamp can be set to any value, we recommend that you set it to the date of the conversion to ensure that this date will be earlier than the date of any further transactions. This value is used as a key because INTFC_LINE_NUM is not always incremented (for example, when creating transactions via Mass Change). Making this a key is a safeguard against getting a duplicate insert. If a single asset has multiple cost rows, you may want to increment this field by one second for each subsequent row to prevent duplicate inserts into PS_COST.	COST, DEPRECIATION, RETIREMENT, OPEN_TRAN S	Y
VOUCHER_ID	Voucher ID	Identifies the voucher associated with the financial transaction. This value is used in AP integration. This field can be used for PeopleSoft or non-PeopleSoft integration. This field is in this table so that the INTFC_FIN transactions can be easily queried by voucher. This field should be populated if the transaction is voucher related.	Internal use	
VOUCHER_LINE_NUM	Voucher Line Number	Identifies the voucher line number associated with the financial transaction. This value is used in AP integration. This field can be used for PeopleSoft or non-PeopleSoft integration.	Internal use	
DISTRIB_LINE_NUM	Distribution Line Number	Identifies the voucher line distribution number associated with the financials transaction. This value is used in AP integration. This field can be used for PeopleSoft or non-PeopleSoft integration.	Internal use	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
OPERATING_UNIT	Operating Unit	A ChartField that can be customized. See the online ChartField customization topic for further discussion. <i>See PeopleSoft Application Fundamentals 9.1 PeopleBook, Understanding PeopleSoft ChartField Configuration.</i>	COST, DEPRECIATION	
DEPTID	Department	A ChartField that can be customized. See the online ChartField customization topic for further discussion. <i>See PeopleSoft Application Fundamentals 9.1 PeopleBook, Understanding PeopleSoft ChartField Configuration.</i>	COST, DEPRECIATION	
PRODUCT	Product	A ChartField that can be customized. See the online ChartField customization topic for further discussion. <i>See PeopleSoft Application Fundamentals 9.1 PeopleBook, Understanding PeopleSoft ChartField Configuration.</i>	COST, DEPRECIATION	
FUND_CODE	Fund Code	A ChartField that can be customized. See the online ChartField customization topic for further discussion. <i>See PeopleSoft Application Fundamentals 9.1 PeopleBook, Understanding PeopleSoft ChartField Configuration.</i>	COST, DEPRECIATION	
CLASS_FLD	Class Field	A ChartField that can be customized. See the online ChartField customization topic for further discussion. <i>See PeopleSoft Application Fundamentals 9.1 PeopleBook, Understanding PeopleSoft ChartField Configuration.</i>	COST, DEPRECIATION	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
PROGRAM_CODE	Program Code	A ChartField that can be customized. See the online ChartField customization topic for further discussion. <i>See PeopleSoft Application Fundamentals 9.1 PeopleBook, Understanding PeopleSoft ChartField Configuration.</i>	COST, DEPRECIATION	
BUDGET_REF	Budget Reference	A ChartField that can be customized. See the online ChartField customization topic for further discussion. <i>See PeopleSoft Application Fundamentals 9.1 PeopleBook, Understanding PeopleSoft ChartField Configuration.</i>	COST, DEPRECIATION	
AFFILIATE	Affiliate	A ChartField that can be customized. See the online ChartField customization topic for further discussion. <i>See PeopleSoft Application Fundamentals 9.1 PeopleBook, Understanding PeopleSoft ChartField Configuration.</i>	COST, DEPRECIATION	
AFFILIATE_INTRA1	Fund Affiliate	A ChartField that can be customized. See the online ChartField customization topic for further discussion. <i>See PeopleSoft Application Fundamentals 9.1 PeopleBook, Understanding PeopleSoft ChartField Configuration.</i>	COST, DEPRECIATION	
AFFILIATE_INTRA2	Operating Unit Affiliate	A ChartField that can be customized. See the online ChartField customization topic for further discussion. <i>See PeopleSoft Application Fundamentals 9.1 PeopleBook, Understanding PeopleSoft ChartField Configuration.</i>	COST, DEPRECIATION	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
CHARTFIELD1	ChartField 1	A ChartField that can be customized. See the online ChartField customization topic for further discussion. <i>See PeopleSoft Application Fundamentals 9.1 PeopleBook, Understanding PeopleSoft ChartField Configuration.</i>	COST, DEPRECIATION	
CHARTFIELD2	ChartField 2	A ChartField that can be customized. See the online ChartField customization topic for further discussion. <i>See PeopleSoft Application Fundamentals 9.1 PeopleBook, Understanding PeopleSoft ChartField Configuration.</i>	COST, DEPRECIATION	
CHARTFIELD3	ChartField 3	A ChartField that can be customized. See the online ChartField customization topic for further discussion. <i>See PeopleSoft Application Fundamentals 9.1 PeopleBook, Understanding PeopleSoft ChartField Configuration.</i>	COST, DEPRECIATION	
PROJECT_ID	Project	A ChartField that can be customized. See the online ChartField customization topic for further discussion. <i>See PeopleSoft Application Fundamentals 9.1 PeopleBook, Understanding PeopleSoft ChartField Configuration.</i>	COST, DEPRECIATION	
CATEGORY	Asset Category	An asset ChartField that is used to derive the GL accounts for any given financial transaction (used in conjunction with Cost Type, Trans Type, and Trans Code). <i>See PeopleSoft Asset Management 9.1 PeopleBook, Creating PeopleSoft Asset Management Accounting Entries, Accounting Entry Templates.</i>	COST, DEPRECIATION	Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
COST_TYPE	Cost Type	An asset ChartField that is used to derive the GL accounts for any given financial transaction (used in conjunction with Trans Type, and Trans Code). See the Accounting Entries topic. See <i>PeopleSoft Asset Management 9.1 PeopleBook, Creating PeopleSoft Asset Management Accounting Entries, Accounting Entry Templates</i>.	COST, DEPRECIATION	
CF_SEQNO	Chartfield Sequence Number	Internal Use. Every combination of Chartfield values at the Asset/Book level has a unique ChartField sequence number (CF_SEQNO), and every ChartField sequence number value at the Asset/Book level represents one combination of ChartField values. The values of this field are not shared among assets. When the cost of the asset is transferred to a new combination of ChartFields, the ChartField sequence number is assigned a new value.	COST, DEPRECIATION	
INTFC_TYPE	Interface Type, also called Load Type	Identifies the type of transaction. Transaction Loader will process this transaction based on this field. A list of interface types and their usage is included at the end of this table.	Internal Use	Y default CN1 or CN2
SYSTEM_SOURCE	System Source	The source system that created this transaction. Valid values are listed in the translate table. This field is used extensively by Asset Management to drill back to source systems. You can add valid values to the translate table for your external systems, or you can use EXT. You can run Transaction Loader selectively for specific values of system source.	Internal Use	Y default CNV

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
APPROVAL_SW	Auto-approval Status	Identifies whether the transaction is approved or not. Transaction Loader will only load approved transactions. Valid values are 'Y' for approved and 'N' for not approved.	Internal Use	Y
PI_ID	Physical Inventory ID	Used for internal processing. Do not populate. The physical inventory ID that was entered when defining physical inventory is used here.	Internal Use	
INTFC_STATUS	Interface Status	Used for internal processing. Default this field to 'DON'.	Internal Use	Y default DON

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
LOAD_STATU S	Load Status	Identifies the status of this transaction. Updated by the Transaction Loader. Valid values are: - NEW Not processed. - ERR An error exists on this transaction and it will not be processed. - DON The transaction has been successfully processed. - CON The transaction has been consolidated into a different transaction and it will not be loaded. - UNI The transaction has been unitized into a different transaction and it will not be loaded. - HLD The transaction is on hold. This is used to prevent or delay the processing of an entry. - INP The transaction is in process. This is the status while the application engine is working with the row.	Internal Use	Y NEW
ORIG_INTFC_I D	Original Interface ID	Used for internal processing. Do not populate.	Internal Use	
ORIG_LINE_N UM	Original Interface Line Number	Used for internal processing. Do not populate.	Internal Use	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
DEFAULT_PROFILE_SW	Default Books from Profile	Identifies whether a profile will be used for an asset add or capitalization by the Transaction Loader. When this switch is set to Y the fields in the BOOK table are defaulted from the profile tables rather than the loader tables (INTFC_). When this switch is set to Y, the category and group asset ID on the COST table, group asset ID on the OPEN_TRANS table, a few fields on the ASSET and ASSET_ACQ_DET tables, and the retirement convention on the RETIREMENT table will also be defaulted from the profile tables. The profile_id is identified on the INTFC_PHY_A table. When this switch is set to C, the category from the interface row is retained. If the switch is set to G, the group is retained. If the switch is set to B, both the category and the group are retained. When performing a CN1, you must set the DEFAULT_PROFILE_SW to N. The default value of DEFAULT_PROFILE_SW in INTFC_FIN must match the status of DEFAULT_PROFILE_SW in INTFC_PHY_A. The section on Setting Up Asset Profiles in the topic entitled Establishing Asset Processing, explains profile processing, including which fields default from a profile. Remember, the values from a profile always override the values on this table if profile processing has been chosen.	Internal Use	Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
TRANS_CODE	Transaction Code	Used to identify special accounting treatment for the transaction. The category, cost type, transaction type, and transaction code together identify the accounting entry template that will be used for a given transaction. The transaction code allows you to specify an alternative template to be used for a transaction. If you add or modify a TRANS_CODE, you must set up an Accounting Entry Template for each additional Category/Cost Type/Trans Code/Trans Type combination it generates. For more information on Transaction Codes and Accounting Entry Templates, refer to Establishing Asset Processing.	COST, DEPRECIATION	
TRANS_IN_OUT	Transaction In/Out	Used to identify which side of a transfer or recategorization this transaction represents. Every such transaction contains two transactions. The <i>outside</i> of the transaction adjusts the asset being transferred/recategorized from. The <i>inside</i> of the transaction adjusts the asset being transferred/recategorized to. Valid values are 'O' and 'I'.	COST, DEPRECIATION	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
TRANS_DT	Transaction Date	Denotes the date this transaction occurred. Example: An asset was purchased and placed into service on 15 April, 2007, but was added to the system on 5 June, 2007. The company wanted the add to hit the general ledger for period 5 (May). In this example the transaction date would be 15 April, 2007. The accounting date most likely would be 31 May, 2007. During conversion it is important that this field represent the last period for which depreciation has been calculated. For CN1 load types, the system increments the TRANS_DT and ACCOUNTING_DT you enter into INTFC_FIN by one day. So if you enter May 31, 2009 as your transaction and accounting dates, the system will use June 1, 2009.	COST, DEPRECIATION, OPEN_TRAN S	Y
ACCOUNTING_DT	Accounting Date	Denotes the date this transaction was accounted for. This date is passed to the general ledger. It is the difference between the transaction date and the accounting date that identifies a retroactive transaction. Remember, the accounting date must always be greater than or equal to the transaction date. See the example of transaction date for an example. For CN1 load types, the system increments the TRANS_DT and ACCOUNTING_DT you enter into INTFC_FIN by one day. So if you enter 05/31/95 as your transaction and accounting dates, the system will use 06/01/95.	COST, OPEN_TRAN S	Y
IN_SERVICE_DT	In Service Date	The date the asset was placed in service. This field is used in conjunction with the convention to determine the begin depreciation date. This field only relates to depreciable assets.	BOOK	Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
IN_SERVICE_PD	In Service Period	The calendar period in which the in service date falls. If this field is not populated, the depreciation calculation program will calculate it.	BOOK	
IN_SERVICE_FY	In Service Fiscal Year	The calendar fiscal year in which the in service date falls. If this field is not populated, the depreciation calculation program will calculate it.	BOOK	
DEPR_IN_SERVICE_SW	Depreciate When in Service	This field marks whether the yearly depreciation in the year of acquisition should be spread from the in service date through the end of the year or from the begin depreciation date as calculated using the convention and the in service date. Example: In service date = 1 April 1997, convention = half year, begin depreciation date = 1 July, 1997, 1997 Depreciation = \$1,000. If this field = 'Y' then the \$1,000 will be spread from 1 April to 31 December. If this field = 'N' then the \$1,000 will be spread from 1 July to 31 December.	BOOK	Y default N
BEGIN_DEPR_DT	Begin Depreciation Date	The date the asset begins depreciating. This field is typically calculated by the depreciation calculation program (AM_DEPR_CALC) using the in service date and the convention, so you should leave this field blank.	BOOK	
BEGIN_DEPR_PD	Begin Depreciation Period	Used for internal processing. Do not populate.	BOOK	
BEGIN_DEPR_FY	Begin Depreciation Fiscal Year	Used for internal processing. Do not populate.	BOOK	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
BEGIN_FRACTION	Begin Depreciation Period Fraction	Used for internal processing. Do not populate.	BOOK	
DEPR_CALC_SW	Depreciation Calculation Switch	Used for internal processing. Do not populate.	BOOK	
BEGIN_CALC_DT	Begin Depreciation Calculation Date	Used for internal processing. Do not populate.	BOOK	
BEGIN_CALC_PD	Begin Calculation Period	Used for internal processing. Do not populate.	BOOK	
BEGIN_CALC_FY	Begin Calculation Fiscal Year	Used for internal processing. Do not populate.	BOOK	
CALCULATION_TYPE	Calculation Type	The type of depreciation calculation that will be performed by the depreciation calculation program (AM_DEPR_CALC). The valid values are 'R' for remaining value and 'L' for Life-to-Date. Most conversions will use a remaining value type. For a more detailed discussion of these calculation types, please refer to Appendix C: Understanding Depreciation Calculations. In general, if the Remaining Value option is selected, depreciation will be calculated from the Transaction Date. If the Life-to-Date option is selected, depreciation will be calculated from the Begin Depreciation Date.	BOOK	Y
LAST_CALC_TYPE	Last Calculation Type	Used for internal processing. Do not populate.	BOOK	
RSV_FRACTION	Reserve Fraction (RSV/Cost)	Used for internal processing. Do not populate.	BOOK	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
RECALC_RSV_SW	Recalculate RSV Fraction (RSV/Cost)	Used for internal processing. Do not populate.	BOOK	
SCHED_FRACTION	Fraction of Schedule Elapsed	Used for internal processing. Do not populate.	BOOK	
YEAR_REM_FRACTION	Year Remaining Fraction	Used for internal processing. Do not populate.	BOOK	
DEPR_STATUS	Depreciation Status	Marks the asset book as depreciable or non-depreciable. The valid values are 'D' for depreciable and 'N' for non-depreciable. If an asset is marked non-depreciable, then the depreciation calculation program (AM_DEPR_CALC) will not process it and no depreciation will be posted. It can still be capitalized, however, and Cost and Book record rows will be tracked. If you mark an asset book as non-depreciable, you must still enter a life and convention for it.	BOOK	Y
REGULATION	Depreciation Regulation	Identifies the U.S. tax regulation that covers this asset book. Valid values are in the translate table.	BOOK	
RECOVERY_LIFE	Recovery Life	Identifies the U.S. tax recovery life for this asset book.	BOOK	
RECOVERY_SUBTYPE	Recovery Sub-type	Identifies the U.S. tax recovery sub-type for this asset book.	BOOK	

<i>Field Name</i>	<i>Long Name</i>	<i>Use and Processing Considerations</i>	<i>Tables Updated</i>	<i>Required for Conversion</i>
CONVENTION	Prorate Convention	Identifies the depreciation prorate convention to be used with this asset book. The convention is applied to the in service date to calculate the begin depreciation date for the asset book. The valid values must be set up on the convention table prior to implementation. PeopleSoft ships a 'MODEL' set of conventions with the system that can be shared by your business units. Note. If you are using a calendar other than a standard, 12-period calendar, you may need to modify the MODEL set of conventions or create new convention definitions that match the calendar or calendars you are using.	BOOK	Y
LIFE	Life	Identifies the depreciable life of this asset book. If the asset is using a depreciation method that uses life (such as straight line, schedule, declining balance switching to straight line, and so on), then life is a required field. Life is measured in periods. If you are using a calendar that is 12 periods and the life of the asset is 5 years, then the life field would contain 60.	BOOK	Y for most depreciation methods
LIFE_REMAINING	Remaining Life	Used for internal processing. Do not populate.	BOOK	
TAX_CLASS_A M	Guideline Tax Class	Identifies the U.S. tax class associated with this asset book.	BOOK	
DEPR_PERCENT	Percent	Identifies the percent to be used. This field is only used when the depreciation method is flat rate or declining balance.	BOOK	Y for flat rate declining balance depreciation

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
DB_PERCENT	Declining Balance Percent	Identifies the declining balance percent. This field is only used when the depreciation method is declining balance with switch to straight line.	BOOK	Y for declining balance with a straight line switch depreciation
METHOD	Depreciation Method	Identifies the depreciation method to be used. Valid values are in the translate table.	BOOK	Y
DEPR_SCHED_CD	Depreciation Schedule Code	Identifies the depreciation schedule to be used. This field is only used if the depreciation method is schedule. This field must reference a valid depreciation schedule. The schedules are defined by the user in the Establish Asset Processing window. PeopleSoft ships a number of sample schedules in the 'MODEL' TableSet. Note. Life is a key field on the Depreciation Schedule Code table. Verify that the Depreciation Schedule Code selected is valid and life corresponds to the value entered in the life field.	BOOK	Y for depreciation method Schedule
DEPR_LIMIT_CD	Depreciation Limit Code	Identifies the depreciation limits to be used. Depreciation limits are used to limit the amount of depreciation expense that can be taken in a given fiscal year. This field must reference a valid depreciation limit. The limits are defined by the user in the Establish Asset Processing window. PeopleSoft ships a number of sample limits in the 'MODEL' TableSet.	BOOK	
PROPERTY_CD	Property Code	Identifies what code of property the asset book falls into for U.S. tax processing purposes. Valid values are '1' for section 1245 property and '2' for section 1250 property.	BOOK	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
PROPERTY_TYPE	Property Type	Identifies the type of property the asset book represents. Valid values are 'R' for real property and 'P' for personal property.	BOOK	
SALVAGE_VALUE	Salvage Value	The salvage or residual value that is to be used in the depreciation calculation for this asset book. It is subtracted from the cost to determine the depreciable basis in depreciation calculations.	COST	
TAX_CREDIT_SW	Tax Credit Switch	Used for internal processing. Do not populate.	BOOK	
BASIS_REDUCTION_TOTAL	Basis Reduction Total	The total amount of the reduction in the cost basis for this asset book.	BOOK	
BASIS_REDUCTION_RECAPTURE	Basis Reduction Recapture	The total amount of the recapture of the basis reduction for this asset book.	BOOK	
SEC179_TAKEN_SWITCH	Section 179 Taken Switch	Identifies whether the asset book has qualified under the U.S. Tax regulation section 179. Valid values are 'Y' for yes and 'N' for no.	BOOK	
SEC179_AMOUNT	Section 179 Taken Amount	If the asset book qualified for section 179 expense, how much was taken?	BOOK	
ACTIVITY_SWITCH	Activity Switch	Identifies whether this transaction reflects an active ChartField combination for an asset. This field is numeric. When the sum of the activity switch for a ChartField combination for an asset = 0, then this ChartField combination is active. For asset adds, this field is always 0.	COST, DEPRECIATION	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
RETIRE_SW	Retirement Switch	Identifies whether this ChartField combination for the asset book has been retired (fully) or not. This field is numeric and works the same as the activity switch.	COST	
QUANTITY	Asset Quantity	Represents the quantity of this transaction. Remember, each transaction's quantity is summed to provide a balance at a given point in time.	COST	
COST	Cost	Represents the cost of this transaction. Remember, each transaction's cost for an asset book is summed to provide a balance at a given point in time.	COST	Y
CURRENCY_CD	Currency Code	This field represents the transaction currency. This field is used to determine the currency conversion that will occur when populating each asset book, which may be in a different currency.	COST, RETIREMENT	Y
TRANSFER_BU	Transfer Business Unit	For an interunit asset transfer to transaction (transaction type='TRF' and Transaction in/out switch='I') this represents the business unit the asset was transferred from. For an interunit asset transfer from transaction (transaction type='TRF' and Transaction in/out switch='O') this represents the business unit the asset was transferred to.	COST	
TRANSFER_ASSET_ID	Transfer Asset ID	This field works just like the Transfer Business Unit, only it represents the asset ID used in the transfer transaction.	COST	
TRANSFER_BOOK	Transfer From Book	This field works just like the Transfer Business Unit, only it represents the book used in the transfer transaction.	COST	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
OPRID	Operator ID	The operator ID that initiated this transaction.	COST, OPEN_TRAN S	
FISCAL_YEAR	Fiscal Year	Represents the fiscal year in which the depreciation was taken. When converting depreciation you must identify the time period the depreciation covers. If converting an asset for which depreciation has been calculated through June 1997, then the fiscal year would be 1997, the start period would be 6 and the end period would be 6.	DEPRECIATI ON	Y if the asset has accumulated depreciation
START_PD	Start Period	Represents the start period for which the depreciation was taken. See the example above.	DEPRECIATI ON	Y if the asset has accumulated depreciation
END_PD	End Period	Represents the end period for which the depreciation was taken. See the example above.	DEPRECIATI ON	Y if the asset has accumulated depreciation
YTD_FLAG	Original Reserve	Set value to 'N' for Depreciation Amount that represents accumulated depreciation as of the conversion date. Default to 'Y' for other depreciation transactions.	DEPRECIATI ON	Y if the asset has accumulated depreciation
DEPR	Depreciation Amount	The depreciation amount of this transaction.	DEPRECIATI ON	Y if the asset has accumulated depreciation
DEPR_YTD	Year-to-Date Depreciation	Populate with Year To Date Depreciation	DEPRECIATI ON	Y if the depreciation method is Sum of Years, Declining Balance, Declining Balance with Switch to Straight line and you are doing a mid-year conversion.

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
RETIREMENT_DT	Retirement Date	The retirement date of the transaction. This field is used for retirement transactions only.	RETIREMENT	
RETIRE_CONVENTION	Retirement Convention	Represents the convention used for the retirement transaction. The convention is used to determine the end depreciation date for this asset book. This field is used for retirement transactions only.	RETIREMENT	
END_DEPR_DT	End Depreciation Date	The end depreciation date for this retirement transaction. This represents the date that depreciation will stop for this asset. The depreciation for that period is then prorated to determine the amount of accumulated depreciation being retired. This field is used for retirement transactions only.	RETIREMENT	
DISPOSAL_CODE	Disposal Code	Represents a memo field detailing the method that was used to dispose of this asset. The valid values for this field are in the translate table. This field is used for retirement transactions only.	RETIREMENT	
RETIREMENT_TYPE	Retirement Type	Represents whether this retirement transaction was ordinary or extraordinary according to U.S. Tax code. This field is used for retirement transactions only.	RETIREMENT	
RETIREMENT_STATUS	Retirement Status	Represents the status of the retirement transaction. The valid values are in the translate table. The initial value should be 'N' for a new retirement. This field is used for retirement transactions only.	RETIREMENT	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
VOLUNTARY	Voluntary Conversion	Represents whether the retirement was voluntary or involuntary. This is required by U.S. tax code. The valid values are in the translate table. This field is used for retirement transactions only.	RETIREMENT	
TRADE_IN_ASSET_ID	Asset ID Bought with Trade In	Represents the asset ID that was bought using this asset as a trade-in. This field is only used for retirement transactions.	RETIREMENT	
TRADE_IN_DATETIME_STMP	Trade In Date/Time Stamp	Represents the date/time stamp of the asset add transaction for the asset that was bought. This field is only used for retirement transactions.	RETIREMENT	
TRADE_IN_AMOUNT	Trade In Amount	The amount received for the trade-in of an asset. This field is only used for retirement transactions.	RETIREMENT	
TRADE_IN_VALUE	Trade In value	To retire an asset by trading it for another asset.	RETIREMENT	Y
CASH	Cash Received/Paid	"Cash received in a like-kind exchange is taxable and is often referred to as "boot". "	RETIREMENT	Y
REFERENCE	Reference Code	A memo field that can be used to tie this retirement transaction to a reference document. This field is only used for retirement transactions.	RETIREMENT	
LIABILITY_ASSUMED	Liabilities Assumed	"If you are surrendering a building with a mortgage of USD 70,000 and acquiring a building with a mortgage of USD 30,000, you would enter 40,000 as the net liability. "	RETIREMENT	Y
NON_LIKE_KIND	FMV Non Like Kind Property	Fair Value for Non Like Kind Property.	RETIREMENT	Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
RETIRE_QUANTITY	Retirement Quantity	The quantify of the asset book being retired by this transaction. This field is only used for retirement transactions.	RETIREMENT	
RETIREMENT_AMT	Retirement Amount	The amount of cost for the asset book being retired by this transaction. This field is only used for retirement transactions.	RETIREMENT	
PROCEEDS	Retirement Proceeds	The proceeds received for this asset. This value is used in the depreciation calculation program to derive the gain/loss amount. This field is only used for retirement transactions.	RETIREMENT	
REMOVAL_COST	Removal Cost	The cost of removal for this asset. This value is used in the depreciation calculation program to derive the gain/loss amount. This field is only used for retirement transactions.	RETIREMENT	
RETIREMENT_RSV	Reserve Retired	The accumulated depreciation being retired by this transaction. This value is calculated by the depreciation calculation program. This field is only used for retirement transactions.	RETIREMENT	
GAIN_LOSS	Retirement Gain/Loss	The gain/loss amount for this retirement transaction. This value is calculated by the depreciation calculation program. This field is only used for retirement transactions.	RETIREMENT	
LEASE_REM_PAYMENTS	Lease Remaining Payments	The number of payments remaining at the time of the retirement. This field is calculated by the program AM_DEPR_CALC and does not have to be populated. This field is only used for retirement transactions.	RETIREMENT	

<i>Field Name</i>	<i>Long Name</i>	<i>Use and Processing Considerations</i>	<i>Tables Updated</i>	<i>Required for Conversion</i>
OPEN_TRANS_ID	Open Transaction ID	The ID (key) for the OPEN_TRANS table. The OPEN_TRANS table is a "to do" list for several programs, such as AM_DEPR_CALC and AM_AMAEDIST. If this transaction requires processing by these programs, an entry is made to the OPEN_TRANS table. For performance reasons, this field should be populated for conversions. A single unique OPEN_TRANS_ID can be used for a group of the same transaction types, for example, CN1s.	OPEN_TRANS	Y
CALC_DEPR_STATUS	Depreciation	This field is used to determine whether depreciation needs to be calculated on this transaction. Only financial transactions need depreciation calculated. An open transaction (OPEN_TRANS) is created for those transactions that will have depreciation calculated. The OPEN_TRANS entry is then used by AM_DEPR_CALC as a "to do" list of transactions to process. Transaction Loader will populate this field. It can be left blank. Note. Open Transactions are still generated for non-depreciable assets.	OPEN_TRANS	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
CALC_DIST_STATUS	Distribution	This field is used to determine whether accounting entries need to be created for this transaction. Only financial transactions on a book marked for accounting entry creation need to have accounting entries created. An open transaction (OPEN_TRANS) is created for those transactions that will have accounting entries created. The OPEN_TRANS table entry is then used by AM_AMAEDIST as a "to do" list of transactions to process. Transaction Loader will populate this field. It can be left blank.	OPEN_TRANS	
MESSAGE_SET_NBR	Message Set Number	Used for internal processing. Do not populate.	Internal Use	
MESSAGE_NUMBER	Message Number	Used for internal processing. Do not populate.	Internal Use	
BUSINESS_UNIT_JV	Joint Venture Business Unit	The parent JV business unit if the asset is part of a joint venture.	Internal Use	
LIFE_END_DATE	Useful Life End Date	This field represents the end date of the useful life on the asset book. This field can be used as an alternate to the life field. Life and life end date are mutually exclusive. When you specify the life end date, the depreciation calculation program will calculate the life field and store it on the BOOK table.	BOOK	
DEPR_LOW_LIMIT	Depreciation Low Limit Amount	This field represents the low amount that net book value must reach before an asset stops depreciating. This field is only used by the declining balance depreciation method. Since the declining balance method does not use a life, the low limit is the way to specify when an asset should become fully reserved.	BOOK	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
SUSPEND_STATUS	Suspend Status	Indicates whether the book is currently "mothballed". Default value for this field is blank. If the book is "mothballed", enter a value of 'Y' in this field.	BOOK	
SUSPEND_DT	Suspend Date	The date that depreciation was suspended.	BOOK	
RESUME_DT	Resume Date	The date that depreciation was resumed after a suspension.	BOOK	
SUSPENDED_PERIODS	Number of Suspended Periods	The number of periods that depreciation was suspended for.	BOOK	
COST_BASIS_LIMIT	Cost Basis Limit	The maximum amount that can be capitalized for this asset book.	BOOK	
DEPR_AVG_OPTION	Averaging Option	A special option that applies only to the flat rate depreciation method. Valid values are 'M' (Monthly), 'Y' (Yearly), or 'N' (None). If you're doing a conversion (CN1), you must set this field to a value, no matter what depreciation method you're using.	BOOK	Y default N
UOP_ID	Units of Production ID	Represents the ID of the Units of Production control table that specifies the units of production for this asset book.	BOOK	
IU_MAP_KEY	InterUnit Map Key	Used for InterUnit transfers.	Appears on COST.	
MC_DEFN_ID	Mass Change ID	Used for internal processing. Do not populate.	Internal Use	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
GROUP_ASSET_ID	Group Asset ID	Used to identify which group asset group members report to.	BOOK, COST, DEPRECIATION, OPEN_TRANS	
UD_METHOD_ID	Method ID	Identifies the user-defined depreciation method to be used. This field must reference a valid user-defined depreciation method. The user defined methods are specified in the Establish Asset Processing window.	BOOK	Y for depreciation method user-defined
INCLUDE_CAP_GAINS	CGT Applicable	A flag which determines whether or not capital gains tax should be included in the gain/loss of a book. The INCLUDE_CAP_GAINS is for Australian customers.	BOOK	
REDUCED_COST	Reduced Cost Basis	Amount used in calculating gain/loss for Australian Customers.	RETIREMENT	
CAPITAL_G_L	Capital Gains and Loss	Amount used in calculating gain/loss for Australian Customers.	RETIREMENT	
RET_NON_CAP_AMT2	Non-Capitalized CGT amount.	Amount used in calculating gain/loss for Australian Customers.	RETIREMENT	
AM_BK_UD_CHARACTER1	User-Defined character field		BOOK	
AM_BK_UD_CHARACTER2	User-Defined character field		BOOK	
AM_BK_UD_DATE1	User-Defined date field		BOOK	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
AM_BK_UD_N UM1	User-Defined numeric field		BOOK	
AM_BK_UD_N UM2	User-Defined numeric field		BOOK	
INCREASE_RA TE	Increased Rate	Used to calculate special depreciation amount. You can enter a rate and the standard depreciation will be modified by this percentage along all the life of the asset. This rate is required for Japanese calculations but can be used for any country.	BOOK	
FULLY_DEPR_ SW	Retire as Fully Depreciated	Used to retire assets as fully depreciated.	RETIREMEN T	
ACCOUNTING_ MTHD	Accounting Method	Supports 3 different accounting methods in Japan. In Expense method, the standard depreciation is modified with the special depreciation. The accounting entries in this method have standard + special depreciation in the same accounts. In Allowance and Reserve Method, the information must be in separate accounts.	BOOK	
FUTURE_DEP R_YEARS	Number of Future Depreciation Years	Number of future years of depreciation to create when AM_DEPR_CALC runs. For example: if value was 3 and accounting fiscal year is 2000, AM_DEPR_CALC will create years: 2000, 2001 and 2002. If left zero, AM_DEPR_CALC will create all years of the life of the asset.	BOOK	
SALVAGE_VA L	Salvage Value	Used to populate an absolute amount in COST.SALVAGE_VALUE by Book on future transactions – used only when default profile switch = No	BOOK	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
SALVAGE_PC T	Salvage Percent	Used to calculate COST.SALVAGE_VALUE as a percentage of the cost by asset book on future transactions - used only when default profile switch = No	BOOK	
AUTO_RETIRE D_SW	Auto-Retired Fully Depreciated	Internal	RETIREMEN T	
RATE_DIV	Rate Divisor	Currency Conversion	RETIREMEN T, COST, DEPRECIATI ON	Y
RATE_DIV_2	Rate Divisor	Currency Conversion	RETIREMEN T, COST, DEPRECIATI ON	Y
RATE_MULT	Rate Multiplier	Currency Conversion	RETIREMEN T, COST, DEPRECIATI ON	Y
RATE_MULT_ 2	Rate Multiplier	Currency Conversion	RETIREMEN T, COST, DEPRECIATI ON	Y
RT_EFFDT	Rate Effective Date	Currency Conversion	RETIREMEN T, COST, DEPRECIATI ON	Y
RT_TYPE	Rate Type	Currency Conversion	RETIREMEN T, COST, DEPRECIATI ON	Y
BILL_TO_CUS T_ID	Customer	Bill to Information.	RETIREMEN T	Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
ADDRESS_SEQ_NUM	Address Sequence Number	Bill to Information.	RETIREMENT	Y
SHIP_TO_CUSTOMER_ID	Ship To Customer	Ship to Information.	RETIREMENT	Y
SHIP_TO_ADDRESS_SEQ_NUM	Ship To Address Sequence Num	Ship to Information.	RETIREMENT	Y
SHIP_FROM_LOCATION	Ship From Location	Ship to Information.	RETIREMENT	Y
SOLD_TO_CUSTOMER_ID	Sold To Customer	Sold to Information.	RETIREMENT	Y
SOLD_TO_ADDRESS_SEQ_NUM	Sold To Address Sequence Num	Sold to Information.	RETIREMENT	Y
BILL_SOURCE_ID	Bill Source	Billing Source.	AMBI_INTERF_C_BILL	Y
TOT_OBLIGATION	Lease Total Obligation	Leasing Obligation.	BOOK	Y
TXN_CASH	Transaction Cash	Cash in transaction currency.	COST	Y
TXN_COST	Transaction Cost	Cost in transaction currency.	COST	Y
TXN_CURRENCY_CD	Transaction Currency	Transaction Currency.	COST	Y
TXN_CURRENCY_CD2	Transaction Currency Display	Transaction Currency.	COST	Y
TXN_LIAB_ASSUMED	Transaction Liability Assumed	Liab Assumed in transaction currency.	RETIREMENT	Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
TXN_NON_LIKE_KIND	FV Non Like-Kind	Non Like Kind in transaction currency.	RETIREMENT	Y
TXN_PROCEEDS	Transaction Proceeds	Used to populate an amount for Billing - Asset Management transactions.		
TXN_REMOVAL_COST	Transaction Removal Cost	Removal Cost in transaction currency.	RETIREMENT	Y
TXN_TRADE_IN_VALUE	Transaction Trade-In Value	Trade in value in transaction currency.	RETIREMENT	Y
DEPR_BONUS_SW	Depreciation Bonus	Depreciation Bonus Switch for Depreciation Calculation.	BOOK	Y
DEPR_BONUS_PCT	Depreciation Bonus Percent	Depreciation Bonus Percentage for Depreciation Calculation.	BOOK	Y
PROCESS_INSTANCE	Process Instance	Internal field / Informational.		
SPECIAL_DEPR_SW	Special Depreciation	Depreciation Calculation.	BOOK	Y
ACCELERATED_TERMS	Accelerated Terms	Depreciation Calculation.	BOOK	Y
INITIAL_TERMS	Initial Terms	Depreciation Calculation.	BOOK	Y
SPECIAL_TERMS	Special Terms	Depreciation Calculation.	BOOK	Y
YEAR_CHANGE	Year of Change	Depreciation Calculation.	BOOK	Y
LIFE_IN_YRS	Life in Years	Depreciation Calculation.	BOOK	Y
MULTI_SHIFT_CODE	Multi-Shift Code	Depreciation Calculation.	BOOK	Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
MULTI_SHIFT_NBR	Shift Factor Number	Depreciation Calculation.	BOOK	Y
DEPR_LIMIT_PCT	Depreciation Limit Percent	Depreciation Calculation.	BOOK	Y
DEPR_PASS_LIFE_SW	Depreciate Pass Life SW	Depreciation Calculation.	BOOK	Y
DEROGATORY_SW	Derogatory Depreciation	Depreciation Calculation.	BOOK	Y
ACCEL_DEPR	Accelerated Depreciation	Depreciation Calculation.	BOOK	Y
INCREASE_DEPR	Increased Depreciation	Depreciation Calculation.	BOOK	Y
INITIAL_DEPR	Initial Depreciation	Depreciation Calculation.	BOOK	Y
SPEC_DEPR	Special Depreciation	Depreciation Calculation.	BOOK	Y
STANDARD_DEPR	Standard Depreciation	Depreciation Calculation.	BOOK	Y
IMPAIR_FLG	Impairment Process	Impairment Processing Switch.	BOOK	Y
CC_FLAG	Component Changeout Old/New	Internal Use		
ADJUST_CONVENTION	Adjust Convention	Adjustment transaction convention populated with values from the CONV_TBL table.	BOOK, COST	

<i>Field Name</i>	<i>Long Name</i>	<i>Use and Processing Considerations</i>	<i>Tables Updated</i>	<i>Required for Conversion</i>
CAPVAL_VALUE	Capitalization Value	Internal Use. The Capitalization Threshold Validation process populates this field. The value is used by the system to validate whether the asset still meets the conditions to remain at the status in which it was originally catalogued when it was added. Adjusting the original cost can make an asset fall into a different bracket and, therefore, the asset needs to be recategorized to a different capitalization status.		

Loader Table INTFC_PHY_A

The PeopleSoft platform limits the maximum number of columns allowed in a table. Because of this limitation, PeopleSoft created two physical interface tables. INTFC_PHY_A contains the most frequently used physical interface fields, and INTFC_PHY_B contains the least frequently used physical interface fields.

The following table describes the information contained in Loader Table INTFC_PHY_A:

<i>Field Name</i>	<i>Long Name</i>	<i>Use and Processing Considerations</i>	<i>Tables Updated</i>	<i>Required for Conversion</i>
INTFC_ID	Interface ID	Key to this table. An interface ID is typically assigned to a group of transactions with the same load type. Use a unique, previously unused INTFC_ID for each set of transactions with the same load type. When using a load type of CN1 and NEXT in the ASSET_ID field, you'll need to use a unique INTFC_ID for each asset. For FADs and Conversions, if INTFC_ID is the same for multiple lines for an asset, increment the INTFC_LINE_NUM for each line.	Internal use	Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
INTFC_LINE_NUM	Interface Line Number	The key to this table. Interface Line Number is used as a key for multiple lines for the same Interface ID for transactions with similar keys (for example, multiple acquisition details such as CAP). For FADs and Conversions, if INTFC_ID is the same for multiple lines for an asset, increment the INTFC_LINE_NUM for each line.	Internal use	Y
BUSINESS_UNIT	Business Unit	The business unit that identifies the asset to be processed. This field is required	ASSET, ASSET_ACQ_DET, ASSET_CUSTODIAN, ASSET_LOCATION, PARENT_ASSET	Y
ASSET_ID	Asset Identification	The asset ID that identifies the asset to be processed. This field is required. If this field contains the value NEXT and the interface type is FAD or CN1, then the Transaction Loader will assign the next asset ID for this business unit.	ASSET, ASSET_ACQ_DET, ASSET_CUSTODIAN, ASSET_LOCATION, and many others	Y
ASSET_TYPE	Asset Type	Asset classification.	ASSET	Y
ASSET_SUBTYPE	Asset Subtype	Asset classification.	ASSET	Y
DTTM_STAMP	Date/Time Stamp	Populates the key field of datetime stamp in many tables. Represents the date and time that this transaction was added to the system. During conversion, this field represents the period through which depreciation has been calculated.		Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
VOUCHER_ID	Voucher ID	Identifies the voucher associated with the financial transaction. This value is used in AP integration. This field can be used for PeopleSoft or non-PeopleSoft integrations. This field enables INTFC_FIN transactions to be easily queried by voucher. This value should be formatted if the transaction is voucher related.	Internal use ASSET_ACQ _DET	
VOUCHER_LINE_NUM	Voucher Line Number	Identifies the voucher line number associated with the financial transaction, which is used in AP integration. This field can be used for PeopleSoft or non-PeopleSoft integrations.	Internal use ASSET_ACQ _DET	
DISTRIB_LINE_NUM	Distribution Line Number	Identifies the voucher line distribution number associated with the financial transaction, which is used in AP integration. This field can be used for PeopleSoft or non-PeopleSoft integrations.	Internal use ASSET_ACQ _DET	
INTFC_TYPE	Interface Type, also called Load Type	Identifies the type of this transaction. The Transaction Loader will process this transaction based on this field. Valid values are listed in the translate table.	Internal use	Y
MC_DEFN_ID	Mass Change ID	Used for internal processing. Do not populate.	Internal use	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
SYSTEM_SOURCE	System Source	The source system that created this transaction. Valid values are listed in the translate table. This field is used extensively by Asset Management to drill back to source system. You can add valid values to the translate table for your external systems. You can run the Transaction Loader selectively for specific values of system source.	ASSET_ACQ_DET	Y default CNV
APPROVAL_SW	Auto Approval Status	Identifies whether the transaction is approved or not. The Transaction Loader will only load approved transactions. Valid values are Y for approved and N for not approved.	Internal use	Y
INTFC_STATUS	Interface Status	Used for internal processing. The default for this field is DON.	Internal use	Y default DON
LOAD_STATUS	Load Status	Identifies the status of this transaction. Valid values are 'NEW' (not processed), 'ERR' (an error exists on this transaction and it will not be processed), 'DON' (the transaction was successfully processed), CON (the transaction was consolidated into a different transaction and it will not be loaded), UNI (the transaction was unitized into a different transaction and it will not be loaded).	Internal use	Y default NEW
ORIG_INTFC_ID	Original Interface ID	Used for internal processing. Do not populate.	Internal use	
ORIG_LINE_NUM	Original Interface Line Number	Used for internal processing. Do not populate.	Internal use	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
DEFAULT_PROFILE_SW	Default Books from Profile	Identifies whether a profile will be used for an asset add by the Transaction Loader. When this switch is set to 'Y,' the BOOK table will be populated by default from the profile tables rather than the load tables (INTFC...). The category in the cost table will also be populated by default from the profile tables. The profile_ID is identified in the INTFC_PHY_A table. When performing a CN1, you must set the DEFAULT_PROFILE_SW to 'N'. The value of DEFAULT_PROFILE_SW in INTFC_FIN must match the value of DEFAULT_PROFILE_SW in INTFC_PHY_A.	Internal use	Y (Set = N for CN1)
TRANS_IN_OUT	Transaction In/Out	Identifies which side of a transfer or recategorization this transaction represents. Every such transaction contains two transactions. The outside of the transaction adjusts the asset being transferred or recategorized <i>from</i> . The inside of the transaction adjusts the asset being transferred/recategorized <i>to</i> .	Internal use	
PARENT_ID	Parent Asset ID	Identifies the parent of this asset. You can build Parent/Child relationships using the Parent ID. A parent can be an existing asset (the parent ID is the asset ID of another asset) or a virtual asset (the parent ID is not an actual asset ID). The parent ID should always be a valid entry in the record Parent_Asset. If an entry does not exist in Parent_Asset for the parent ID, then the Transaction Loader will create one.	ASSET, PARENT_ASSET	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
PARENT_DESCR	Parent Asset Description	Describes the parent asset that will be entered on the table parent_asset if an entry does not exist.	PARENT_ASSET	
PARENT_DESCR LONG50	Parent Asset Long Description	Indicates the long description of the parent asset that will be entered on the table parent_asset if an entry does not exist.	PARENT_ASSET	
COMPONENT_OF_ID	Component of Asset	Establishes the Asset Components structure.	ASSET	Y
ASSET_ASSIGNED_TO	Asset Assigned To		ASSET	Y
TAGGABLE_SW	Taggable Asset Switch	Indicates whether the asset is taggable or not. Valid values are Y or N. A tag is the physical tag that is affixed to an asset.	ASSET	
TAG_NUMBER	Tag Number	The tag number that is assigned to this asset.	ASSET	
DESCR	Description	Provides a 30-character description of the asset.	ASSET	
DESCRSHORT	Short Description	Provides a 10-character (short) description of the asset.	ASSET	
ASSET_STATUS	Asset Status	Indicates the status of the asset. The valid values are in the translate table. This field is generally for information purposes only. No accounting events are tied to this status.	ASSET	Y default to I (in service)

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
FINANCIAL_ASSET_SW	Capitalized Asset	Identifies whether this asset has been capitalized. Valid values are 'Y' for yes and 'N' for no. If an asset has not been capitalized, the asset can have no financial information or transactions, such as BOOK, COST, DEPRECIATION, RETIREMENT, OPEN_TRANS, and so on. However, it can have acquisition detail information (ASSET_ACQ_DET). Since acquisition detail is not tied to accounting events—it is an audit trail—you can store as much expense information as you like.	ASSET	Y
REPLACE_SW	Replacement Asset	Identifies whether this is a replacement asset.	ASSET	
REPLACE_ASSET_ID	Replaced Asset ID	If this is a replacement asset, identifies the Asset ID of the asset that was replaced.	ASSET	
CONVERSION_ID	Old Asset ID	Identifies the ID in an old system for this asset. We recommend that you do not try to convert your Asset IDs from your old system to Asset Management. Since Asset ID is only an internal key to this system, you should let Asset Management assign Asset IDs to your assets. Then, you can store the ID from the old system in this field.	ASSET	
NEW_ASSET_SW	New Asset	Indicates if this asset was acquired new. Valid values are 'Y' or 'N'.	ASSET	Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
AVAIL_SW	Asset is Available	Indicates if this asset is available for resale. Valid values are 'Y' or 'N'. When marked 'Y' this field can be queried to identify assets that are not being used by their custodians and are available for resale or internal transfer. A PS/Query is shipped with Asset Management as an example.	ASSET	Y
AVAIL_CONTACT	Availability Contact	Indicates who should be contacted if the asset is available and if someone is interested in it.	ASSET	
AVAIL_PHONE	Availability Phone	Indicates the phone number of the Availability Contact.	ASSET	
ACQUISITION_CD	Acquisition Code	Identifies how this asset was acquired. The valid values are in the translate table.	ASSET	
ACQUISITION_DT	Acquisition Date	Identifies the acquisition date of this asset. This field is memo-only and is not used for any calculations.	ASSET	Y
FINANCING_CD	Financing Code	Identifies the user-defined financing code. Should be a valid value in the FINANCE_CD_TBL.	ASSET	
ASSET_DTTM_STAMP	Asset Date/Time Stamp	Used for internal processing. Do not populate.	Internal use	
PROFILE_ID	Asset Profile ID	Identifies the profile to be used for providing default book information for an asset add. This field is only used if the INTFC_FIN.DEFAULT_PROFILE_SW = 'Y'. When that field is set to Y, then Profile ID must be populated with a valid, effective-dated Profile ID in the PROFILE_DET_TBL.	ASSET	Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
ASSET_CLASS	Asset Class	Identifies the asset class of this asset. This field is another way to categorize your assets. This field must be a valid value in the ASSET_CLASS_TBL, which is maintained in the Establish Asset Processing menu online.	ASSET	
CAP_NUM	Capital Acquisition Plan Number	Combined with CAP_SEQUENCE, this field identifies the Capital Acquisition Planning (C.A.P.) with which this asset is associated. C.A.P. is a way of specifying asset budgets or appropriations.	ASSET	
MFG_ID	Manufacturer ID	Identifies the Manufacturer ID of the asset.	ASSET	Y
MANUFACTURER	Manufacturer Name	Identifies the manufacturer of the asset.	ASSET	
MODEL	Model	Identifies the model of the asset.	ASSET	
PROD_VERSION	Product Version	Identifies the product version of the asset.	ASSET	
SERIAL_ID	Serial ID	Identifies the serial number of the asset.	ASSET	
PRODUCTION_DATE	Production Date	Identifies the production date of the asset.	ASSET	
PLANT	Manufacturing Plant	Identifies the plant that manufactured the asset.	ASSET	
MANUFACTURER_CONTACT	Manufacturing Contact	Identifies the contact at the plant that manufactured the asset.	ASSET	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
CAP_SEQUENCE	C.A.P. Sequence	Combined with CAP_NUM, this field identifies the C.A.P. with which this asset is associated. C.A.P. is a way of specifying asset budgets or appropriations.	ASSET	
REPLACEMENT_COST	Replacement Cost	Identifies the estimated replacement cost of the asset. This field can be processed by the Indexing feature in Asset Management. The indexing feature only updates replacement cost. It does not populate this field initially.	ASSET	
LEASE_ASSET_ID	Lease Asset ID	For a noncapitalized asset that is associated with a lease, indicates the Asset ID of that lease. This field must identify a capitalized asset ID with an acquisition code of leased.	ASSET	
BUSINESS_UNIT_JV	Joint Venture Business Unit	Identifies the parent JV business unit if the asset is part of a joint venture.	Used internally	
INDEX_NAME	Index Name	Identifies which index to use in revaluing asset cost.	ASSET	
INDEX_DETAIL_NAME	Index Detail Name	Same as INDEX_NAME.	ASSET	
LAST_INDEX_VALUE	Last Index Value	Identifies the last index value used to revalue assets, such as the Consumer Price Index.	ASSET	Y
COMPOSITE_SW	Composite Asset	Indicates whether the asset is a composite asset. Although similar to parent/child assets, composite assets are not virtual assets. A composite asset exists as a standard asset record within the Asset Management system.	ASSET	

<i>Field Name</i>	<i>Long Name</i>	<i>Use and Processing Considerations</i>	<i>Tables Updated</i>	<i>Required for Conversion</i>
COMPOSITE_ID	Composite Asset ID	If applicable, enter the Asset ID of the composite asset that is associated with this asset record.	ASSET	
FERC_CD	FERC Code	Identifies the FERC code associated with this asset. The valid values must be set up on the FERC Code table before implementation. PeopleSoft ships a 'MODEL' set of FERC codes with the system that can be shared by your business units.	ASSET	
SEQUENCE_NBR_6	Sequence	Sequences the acquisition detail table. This field must be incremented for each acquisition detail row for an asset. The Transaction Loader does not increment this field, its value must be assigned correctly in the INTFC_PHY_A table. Therefore, the feeder system must set this field. For the Payables and Purchasing interface, this field is set by AMPS1000. Note. The value of this field should be zero for ADD rows.	ASSET_ACQ_DET	
ACQUISITION_DESCRIPTOR	DESCR field for ACQ_DETAIL	Describes the acquisition detail for this transaction.	ASSET_ACQ_DET	
CAPITALIZATION_SW	Capitalized	Identifies whether this particular transaction should be capitalized. Valid values are in the translate table. This value must be set to 1, 2, 3, or 4 in order for acquisition detail records to be inserted.	ASSET_ACQ_DET	Y
BUSINESS_UNIT_AP	AP Business Unit	Identifies the business unit from Accounts Payable that generated this transactions.	ASSET_ACQ_DET	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
TXN_CURRENCY_CD	Transaction Currency	Identifies the transaction Currency Code	ASSET_ACQ_DET	Y
CURRENCY_CD	Currency Code	Represents the currency of the transaction.	ASSET_ACQ_DET	Y
RATE_DIV	Rate Divisor	Identifies the currency conversion rate divisor.	ASSET_ACQ_DET	Y
RATE_MULT	Rate Multiplier	Identifies the currency conversion rate multiplier.	ASSET_ACQ_DET	Y
RT_TYPE	Rate Type	Identifies the currency conversion rate type.	ASSET_ACQ_DET	Y
BUSINESS_UNIT_PO	PO Business Unit	Identifies the business unit from Purchasing that is associated with this transaction.	ASSET_ACQ_DET	
PO_ID	Purchase Order Number	Identifies the PO number from Purchasing that is associated with this transaction.	ASSET_ACQ_DET	
PO_LINE_NBR	Purchase Order Line Number	Identifies the PO line number from Purchasing that is associated with this transaction.	ASSET_ACQ_DET	
SCHED_NBR	Schedule Number	Identifies the schedule number from Purchasing that is associated with this transaction.	ASSET_ACQ_DET	
PO_DIST_LINE_NUM	PO Distribution Line Number	Identifies the distribution line number from Purchasing that is associated with this transaction.	ASSET_ACQ_DET	
REFERENCE_ID	Reference Number	Identifies a general reference number associated with the acquisition of this asset.	ASSET_ACQ_DET	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
INVOICE_DT	Invoice Date	Represents the date of the invoice associated with this transaction.	ASSET_ACQ _DET	
VENDOR_ID	Vendor ID	Identifies the vendor ID from Accounts Payable or Purchasing that is associated with this transaction.	ASSET_ACQ _DET	
VENDOR_NAME	Vendor Name	Identifies the name of the vendor associated with this transaction. This field is used only when an external purchasing or payable system is used.	ASSET_ACQ _DET	
INVOICE_ID	Invoice Number	Identifies the invoice number of the invoice associated with this transaction.	ASSET_ACQ _DET	
TXN_AMOUNT	Transaction Amount	Identifies the amount in the transaction currency.	ASSET_ACQ _DET	
AMOUNT	Amount	Identifies the amount of this transaction. This amount will be capitalized if capitalization is requested. The Transaction Loader does not use this field for inserting cost. It uses the amount field on Acq Detail. The AMOUNT field should match the COST field on INTFC_FIN.	ASSET_ACQ _DET	Y
QUANTITY	Quantity	Identifies the quantity of this transaction. This quantity will be capitalized if capitalization was requested. The Transaction Loader does not use this field for inserting cost. It uses the quantity field on Acq Detail. The QUANTITY field should match the QUANTITY field on INTFC_FIN.	ASSET_ACQ _DET	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
SALETX_AMT	Sales Tax Distribution Amount	Identifies the amount of sales tax associated with this transaction.	ASSET_ACQ_DET	
SALETX_AMT_BSE	Base Sales Tax Amount	Identifies the Sale Tax Amount in the transaction currency	ASSET_ACQ_DET	
SALETX_CD	Sales Tax Code	Identifies the code representing the sales taxing authority associated with this transaction.	ASSET_ACQ_DET	
USETAX_AMT	Use Tax Distribution Amount	Identifies the amount of use tax associated with this transaction.	ASSET_ACQ_DET	
USETAX_AMT_BSE	Base Use Tax Amount	Identifies the Use Tax Amount in the transaction currency.	ASSET_ACQ_DET	
USETAX_CD	Use Tax Code	Identifies the code that represents the use taxing authority associated with this transaction.	ASSET_ACQ_DET	
FREIGHT_AMT	Freight Amount	Identifies the amount of freight associated with this transaction.	ASSET_ACQ_DET	
FREIGHT_AMT_BSE	Base Freight Amount	Identifies the Freight Amount in the transaction currency.	ASSET_ACQ_DET	
BUSINESS_UNIT_RECV	Business Unit Receive	Identifies the Purchasing receiving business unit with which this transaction is associated.	ASSET_ACQ_DET	
RECEIVER_ID	Receiver ID	Identifies the Purchasing receiving receiver ID with which this transaction is associated with.	ASSET_ACQ_DET	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
RECV_LN_NBR	Receiver Line Number	Identifies the Purchasing receiving line number with which this transaction is associated.	ASSET_ACQ_DET	
RECV_SHIP_SEQ_NBR	Receiver Shipping Sequence Number	Identifies the Purchasing receiving shipping sequence number with which this transaction is associated.	ASSET_ACQ_DET	
RECV_DIST_LINE_NUM	Receiver Distribution Line Number	Identifies the Purchasing receiving distribution line number with which this transaction is associated.	ASSET_ACQ_DET	
DISTRIB_SEQUENCE_NUM	Distribution Sequence Number	Identifies the Purchasing receiving distribution sequence number with which this transaction is associated.	ASSET_ACQ_DET	
INV_ITEM_ID	Inventory Item ID	Identifies the inventory item ID with which this transaction is associated.	ASSET_ACQ_DET	
OPERATING_UNIT	Operating Unit	Identifies the operating unit (ChartField) associated with this transaction. This field should be the same as the corresponding ChartField in the INTFC_FIN table. See the online ChartField customization topic for further discussion.	ASSET_ACQ_DET	
DEPTID	Department	Identifies the department (ChartField) associated with this transaction. This field should be the same as the corresponding ChartField on the INTFC_FIN table.	ASSET_ACQ_DET	
PRODUCT	Product	Identifies the product (ChartField) associated with this transaction. This field should be the same as the corresponding ChartField on the INTFC_FIN table.	ASSET_ACQ_DET	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
FUND_CODE	Fund Code	Identifies a customizable ChartField. See the online ChartField customization topic for further discussion.	ASSET_ACQ _DET	Y
CLASS_FLD	Class Field	Identifies a customizable ChartField. See the online ChartField customization topic for further discussion.	ASSET_ACQ _DET	Y
PROGRAM_CODE	Program Code	Identifies a customizable ChartField. See the online ChartField customization topic for further discussion.	ASSET_ACQ _DET	Y
BUDGET_REF	Budget Reference	Identifies a customizable ChartField. See the online ChartField customization topic for further discussion.	ASSET_ACQ _DET	Y
AFFILIATE	Affiliate	Identifies a customizable ChartField. See the online ChartField customization topic for further discussion.	ASSET_ACQ _DET	Y
AFFILIATE_INT RA1	Fund Affiliate	Identifies a customizable ChartField. See the online ChartField customization topic for further discussion.	ASSET_ACQ _DET	Y
AFFILIATE_INT RA2	Operating Unit Affiliate	Identifies a customizable ChartField. See the online ChartField customization topic for further discussion.	ASSET_ACQ _DET	Y
CHARTFIELD1	ChartField 1	Identifies a customizable ChartField. See the online ChartField customization topic for further discussion.	ASSET_ACQ _DET	Y
CHARTFIELD2	ChartField 2	Identifies a customizable ChartField. See the online ChartField customization topic for further discussion.	ASSET_ACQ _DET	Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
CHARTFIELD3	ChartField 3	Identifies a customizable ChartField. See the online ChartField customization topic for further discussion.	ASSET_ACQ _DET	Y
PROJECT_ID	Project ID	Identifies the project (ChartField) associated with this transaction. This field should be the same as the corresponding ChartField on the INTFC_FIN table.	ASSET_ACQ _DET	
CATEGORY	Asset Category	Identifies the category associated with this transaction. This field should be the same as the category on the INTFC_FIN table.	ASSET_ACQ _DET	Y
COST_TYPE	Cost Type	Identifies the cost type associated with this transaction. This field should be the same as the cost type on the INTFC_FIN table.	ASSET_ACQ _DET	
BUSINESS_UNIT_PC	Projects Business Unit	Identifies the business unit in Projects that generated this asset transaction. This value can also come from the Purchasing/Payables integration.	ASSET_ACQ _DET	
MASTER_PROJECT	Master Project	Identifies the master project in Projects that generated this asset transaction.	ASSET_ACQ _DET	
ACTIVITY_ID	Activity ID	Identifies the activity ID in Projects that generated this asset transaction. This value can also come from the Purchasing/Payables integration.	ASSET_ACQ _DET	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
RESOURCE_TYPE	Resource Type	Identifies the resource type in Projects that generated this asset transaction. This value can also come from the Purchasing/Payables integration.	ASSET_ACQ_DET	
RESOURCE_SUB_CAT	Resource subcategory	Identifies the resource subcategory from Projects, Purchasing or Payables.	ASSET_ACQ_DET	
ANALYSIS_TYPE	Resource Analysis type	Identifies the resource analysis type in Projects that generated this asset transaction. This value can also come from the Purchasing/Payables integration.	ASSET_ACQ_DET	
RESOURCE_CATEGORY	Resource category	Identifies the resource category in Projects that generated this asset transaction. This value can also come from the Purchasing/Payables integration.	ASSET_ACQ_DET	
CUSTODIAN_EFFECTIVE_DATE	Asset Custodian Effective Date	Identifies the date the custodian of this asset became effective. If the transaction is an add, the date should be the same as the trans_dt. This field must be formatted with a valid date on an add transaction, whether or not the custodian is known. The Transaction Loader uses this value when inserting custodian entries. If it is null, no custodian entry is loaded.	ASSET_CUSTODIAN	Y
EFFSEQ	Effective Sequence	Identifies the sequence number of the custodian. This value will be zero unless the asset has had more than one custodian for a given effective date.	ASSET_CUSTODIAN	
CUSTODIAN	Custodian	Identifies the name of the custodian of this asset.	ASSET_CUSTODIAN	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
EMPLID	Asset Custodian Employee ID	Identifies the employee ID of the custodian of this asset.	ASSET_CUS TODIAN	
CUSTODIAN_DE PTID	Asset Custodian Department	Identifies the department of the custodian of this asset.	ASSET_CUS TODIAN	
CUSTODIAN_PR OJECT	Asset Custodian Project	Identifies the project associated with the custodian of this asset.	ASSET_CUS TODIAN	
OFFSITE_SW	This Asset is Offsite	Is this asset offsite? Valid values are 'Y' or 'N'.	ASSET_CUS TODIAN	
AUTH_STATUS	Authorization Status	The status of the authorization for this asset to be assigned to this custodian.	ASSET_CUS TODIAN	
AUTHORIZATIO N_NAME	Authorization Name	The name of the person will has authorized this asset to be assigned to this custodian.	ASSET_CUS TODIAN	
AUTHORIZATIO N_DT	Authorization Date	The date of the authorization for this asset to be assigned to this custodian.	ASSET_CUS TODIAN	
LOCATION_EFF DT	Location Effective Date	The date the location of this asset became effective. If the transaction is an add, the date should be the same as the trans_dt. This field must be formatted with a valid date on an add transaction, whether or not the location is known. Transaction loader uses this when inserting location entries. If it is null, a location entry is not loaded.	ASSET_LOC ATION	Y
LOCATION_EFF SEQ	Location Effective Sequence	The sequence number of the location. This will be zero unless the asset has been in more than one location for a given effective date.	ASSET_LOC ATION	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
LOCATION	Location	The location of this asset. Should be a valid value on the LOCATION_TBL.	PI_ASSET_HIST	
PI_ID	Physical Inventory ID	Used for internal processing. Do not populate. The physical inventory ID that was entered when defining physical inventory is used here.	ASSET_LOCATION	
INVENTORY_DT	Last Inventory Date	The last date that this asset was inventoried at this location.	PI_ASSET_HIST	
PERFORMED_BY	Performed By	The name of the person who performed the last inventory.	PI_ASSET_HIST	
DOCUMENT_ID	Document	A reference document ID associated with this asset.	ASSET_LOCATION	
LOC_AUTH_STATUS	Location Authorization Status	The authorization status for this asset at this location.	ASSET_LOCATION	
LOC_AUTH_NAME	Location Authorization Name	The name of the person who authorized this asset to be at this location.	ASSET_LOCATION	
LOC_AUTH_DT	Location Authorization Date	The date the authorization was given for this asset to be at this location.	ASSET_LOCATION	
REPLACE_COST_DT	Replacement Cost Date	Same as INDEX_NAME.	ASSET	
GROUP_ASSET_FLAG	Group Asset Flag	Used for Group Asset Processing.	ASSET	
GROUP_ASSET_ID	Group Asset ID	Used to identify which group asset group members report to.	BOOK, COST, DEPRECIATION, OPEN_TRANSACTIONS	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
RD_PLANT_ASSET	R&D Plant Asset	Flag to indicate this asset is used for R&D.	ASSET	
RD_START_DATE	R&D Start Date	Date asset became used for R&D.	ASSET	
RD_USE_NBV	Use NBV for R&D	Use net book value in gain/loss calculations for R&D assets.	ASSET	
INCENTIVE_ID	Incentive ID	An incentive ID, as would be assigned to a grant. Assigned in Projects and sent to Asset Management.	ASSET_ACQ_DET	
IP_ADDRESS	IP Address	The Internet Protocol address of an asset, such as a computer or printer. Can be uploaded from Tangram's Asset Insight during Physical Inventory.	ASSET	
IP_ALIAS	IP Alias	May be used to capture the name of a user associated with an asset, since IP addresses may be dynamic. Can be uploaded from Tangram's Asset Insight during Physical Inventory.	ASSET	
MERCH_AMT_BSE	Merchandise amount	Used in Payables/Assets integration.	ASSET_ACQ_DET	
VAT_INV_AMT	VAT Invoice Amount	Vat Invoice in Transaction Currency.	ASSET_ACQ_DET	Y
VAT_INV_AMT_BSE	VAT invoice amount	Used in Payables/Assets integration.	ASSET_ACQ_DET	
VAT_NRCVR_AMT	VAT Non Recoverable Amount	Vat Non Recoverable in Transaction Currency.	ASSET_ACQ_DET	Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
VAT_NRCVR_A MT_BSE	VAT Nonrecoverable amount	Used in Payables/Assets integration.	ASSET_ACQ _DET	
VAT_RCVRY_A MT	VAT Recovery Amt	Vat Recoverable in Transaction Currency.	ASSET_ACQ _DET	Y
VAT_RCVRY_A MT_BSE	VAT recovery amount	Used in Payables/Assets integration.	ASSET_ACQ _DET	
MISC_AMT	Misc Charge Amount	Miscellaneous Charges in transaction Currency.	ASSET_ACQ _DET	Y
MISC_AMT_BSE	Base Misc. Amount	Used in Payables/Assets integration.	ASSET_ACQ _DET	Y
AM_AST_UD_CH AR1	User-defined Asset character field		ASSET	
AM_AST_UD_CH AR2	User-defined Asset character field		ASSET	
AM_AST_UD_D ATE1	User-defined Asset date field		ASSET	
AM_AST_UD_N UM1	User-defined Asset numeric field		ASSET	
AM_AST_UD_N UM2	User-defined Asset numeric field		ASSET	
PROCESS_INSTA NCE	Process Instance	Internal		
MERCHANDISE_ AMT	Merchandise Amt	Merchandise Amount in Transaction Currency.	ASSET_ACQ _DET	Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
SKU	Stock Keeping Unit	Used to identify IT Software	ASSET	
UPC_ID	Uniform Product Code ID	Used to identify IT Software	ASSET	
VIN	VIN	Vehicle Identification Number	ASSET	
ASSET_RESOURCE_SW	Asset Resource Switch	Used by Maintenance Management. Indicates if Asset is "used as a tool".	ASSET	
ALLOW_OVERBOOK_SW	Allow Overbooking	Used by Maintenance Management to check if an asset can be double booked for scheduling. MM passes this to RM for Scheduling	ASSET	
CHARGE_BACK_SW	Charge Back Switch	Used by Maintenance Management. Allow chargebacks - this is one of the default levels for chargebacks	ASSET	
SCHEDULABLE_SW	Schedulable Switch	Used by Maintenance Management. Asset to be used in WO is able to be scheduled for maintenance.	ASSET	
EPL_TMPL_ID	Parts List Template	Used by Maintenance Management. Equipment and Parts list.	ASSET	
REPAIRABLE_FLAG	Repairable Flag	Used by Maintenance Management. Asset is repairable.	ASSET	
REPAIR_STATUS	Repair Status	Used by Maintenance Management. Field values are: None, Needs Repair, In Repair.	ASSET	
BUSINESS_UNIT_WO	Business Unit	Used by Maintenance Management. The Business Unit of the Work Order where this asset could be used.	ASSET	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
SHOP_ID	Shop	Used by Maintenance Management. hop/Location where the work order tasks are to be done. The shop for which this asset is used.	ASSET	
UNOWNED_FLG	Non-Owned Asset	Used by Maintenance Management. Asset not owned by the organization	ASSET	
WO_LOCATION_FLG	Work Order Location	Used by Maintenance Management. This field is used to determine what Location appears by default in the Work Location field on the Work Order Task. It contains three values: 'Asset' provides the Asset Location specified in the Asset definition; 'Shop' provides the Shops Location, and 'Other' leaves the Work Location blank for user entry.	ASSET	
OFFLINE_FLG	Asset Offline	Used by Maintenance Management. An indicator to indicate whether it needs to be taken offline for maintenance.	ASSET	
ASSET_CRITICALITY	Asset Criticality	Used by Maintenance Management. Indicator of how critical the asset is to help managers identify the priority of maintenance.	ASSET	
CREW_ID	Crew	Used by Maintenance Management to represent the Crew definition associated with the asset.	ASSET	
AVAIL_FOR_USE	Available For Use	Used by Maintenance Management. Asset is available to be used by a Work Order request.	ASSET	
PROPERTY_ID	Property I	Used by Real Estate Management. Identifier for an asset property	ASSET_PROPERTY	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
PROPERTY_DESCRIPTOR	Property Description	Used by Real Estate Management. Description of asset property	ASSET_PROPERTY	
PROPERTY_NM	Property Name	Used by Real Estate Management. Name of the asset property.	ASSET_PROPERTY	
PROPERTY_CLASS	Property Class	Used by Real Estate Management. Indicator that the property is a SITE, BUILDING, FLOOR, AREA, or SPACE.	ASSET_PROPERTY	
PROPERTY_SUBCLASS	Property Subclass	Used by Real Estate Management. Subcategory of Property Class.	ASSET_PROPERTY	
PARENT_PROPERTY_ID	Parent Property ID	Used by Real Estate Management. Parent Asset of the property.	ASSET_PROPERTY	
SITE_PROPERTY_ID	Site ID	Used by Real Estate Management. Property ID of the SITE for the property hierarchy of the asset.	ASSET_PROPERTY	
BLDG_PROPERTY_ID	Building ID	Used by Real Estate Management. Property ID of the SITE for the property hierarchy of the asset.	ASSET_PROPERTY	
FLOOR_PROPERTY_ID	Floor ID	Used by Real Estate Management. Property ID of the BUILDING for the asset property hierarchy.	ASSET_PROPERTY	
AREA_PROPERTY_ID	Area ID	Used by Real Estate Management. Property ID of the BUILDING for the asset property hierarchy.	ASSET_PROPERTY	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
SPACE_PROPERTY_ID	Space ID	Used by Real Estate Management. Property ID of the AREA for the property hierarchy of the asset.	ASSET_PROPERTY	
PARCEL_NUMBER	Parcel Number	Used by Real Estate Management. Property ID of the SPACE for the property hierarchy of the asset.	ASSET_PROPERTY	
LOT	Lot Number	Used by Real Estate Management. Used to record legal description from surveyors when recorded in Lots and Blocks.	ASSET_PROPERTY	
BLOCK	Block Number	Used by Real Estate Management. Used to record legal description from surveyors when recorded in Lots and Blocks.	ASSET_PROPERTY	
TOTAL_AREA	Total Area	Used by Real Estate Management. Total measurement of the asset in square feet or square meters for the asset.	ASSET_PROPERTY	
SPACE_UOM	Space Unit of Measure	Used by Real Estate Management. Used in conjunction with Total Area. Indicates square feet and square meters.	ASSET_PROPERTY	
CURRENT_OCCUPANCY	Current Occupancy	Used by Real Estate Management. Number of people currently occupying the asset property.	ASSET_PROPERTY	
MAX_OCCUPANCY	Maximum Occupancy	Used by Real Estate Management. Maximum number of people who can be assigned to the asset property.	ASSET_PROPERTY	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
OCCUPANCY_ST ATUS	Occupancy Status	Used by Real Estate Management. Indicates whether the asset is occupied or unoccupied.	ASSET_PRO PERTY	
OWNERSHIP_ST ATUS	Ownership Status	Used by Real Estate Management. Indicates whether the asset is owned or leased.	ASSET_PRO PERTY	
LEGAL_DESCR	Legal Description	Used by Real Estate Management. Legal description of asset property using metes and bounds.	ASSET_PRO PERTY	
IT_UD_CHAR1	IT User Defined Char Field 1	ITAM user-defined fields	ASSET	
IT_UD_CHAR2	IT User Defined Char Field 2	ITAM user-defined fields	ASSET	
IT_UD_DATE1	IT User Defined Date Field	ITAM user-defined fields	ASSET	
IN_SERVICE_DT	In Service Date	Used to determine if the asset is still under warranty.	ASSET	
REGION_CD	Region Code	Used by Real Estate Management for Space Utilization metrics. Prompt allows for values for RPT Region Types.		
CC_FLAG	Component Changeout Old/New	Internal		
DESCR_LONG	Description	Long description for informational purposes.	ASSET	
AREA_ID	Area ID	Detailed asset location information used to identify areas.	ASSET, LOCATION	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
LINEAR_ASSET_SW	Linear Asset	Identifies linear assets and facilitates potential third-party integrations.	ASSET	
NBR_OF_CPU	Number of CPU's	Used by ITAM. Identifies the number of CPUs in servers and desktop computers. A separate software license is needed for each CPU.	ASSET	
CAP_THRSHLD_ID	Capitalization Threshold ID	Used by Asset Management to automatically capitalize assets based upon user-defined capitalization thresholds.	ASSET, PROFILE_TBL	
IN_PHY_USE	In Physical Use	This flag is used by ITAM to process nonfinancial IT assets through the comparison process between discovery and asset repository. This designation is available via the Basic Add page and the Define Asset Operational Info page.	ASSET	
CAPVAL_VALUE	Capitalization Value	This value is used to validate whether the asset still meets the conditions to remain in the status at which it was originally catalogued when it was added. Adjustment to the original cost can make an asset fall into a different bracket and, therefore, the asset needs to be recategorized to a different capitalization status.		
VAT_SETID	Value Added Tax SetID	VAT SetID		
VAT_USE_ID	Value Added Tax Use ID	VAT Use Type can be used to specify the ratio of taxable activity to nontaxable activity. The system uses the VAT Use Type and the VAT Apportionment to store the temporary recoverable VAT at purchase time.		

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
BUSINESS_UNIT_VAT	VAT business unit	VAT business unit		
CHARTFIELD_P R1_VAL	ChartField Priority 1 Value	VAT mixed apportionment is a mechanism that enables VAT recoverability to be determined based on either the VAT apportionment control business unit or one of the two priority ChartFields that you specify on the VAT Apportionment page and to which a transaction is posted. For each business unit, Priority 1 or Priority 2 ChartField value, you enter the percentage of activity that is taxable or exempt.		
CHARTFIELD_P R2_VAL	ChartField Priority 2 Value	VAT mixed apportionment is a mechanism that enables recoverability to be determined based on either the VAT apportionment control business unit or one of the two priority ChartFields you specify on the VAT Apportionment page and to which a transaction is posted. For each business unit, Priority 1 or Priority 2 ChartField value, you enter the percentage of activity that is taxable or exempt.		
VAT_RECOVER Y_PCT	VAT Coefficient of Recoverability	This coefficient is used to calculate yearly adjustments or global adjustments for assets; it is made up of the product of reference coefficient of constraint, coefficient of taxation, and coefficient of admission. Those reference coefficients are the ones used to calculate the recoverable VAT amount at invoice time or import time. They can be modified over time based on well-identified events justifying reconsideration of status.		

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
VAT_CONSTRAINT_PCT	VAT Coefficient of Constraint	This coefficient is the first component of the Recoverability formula made of the product the Coefficient of Constraint, Coefficient of Taxation, and Coefficient of Admission. This coefficient measures the proportion of a good or service use for purpose of taxable operations.		
VAT_TAXATION_PCT	VAT Coefficient of Taxation	This coefficient is the second component of the Recoverability formula made of the product the Coefficient of Constraint, Coefficient of Taxation, and coefficient of Admission. This coefficient translates the fact that only VAT putting a strain on a good or service allows in turn to determine the recoverable VAT amount related to this good or service.		
VAT_ADMISSION_PCT	VAT Coefficient of Admission	This coefficient is the last component of the Recoverability formula made of the product the Coefficient of Constraint, Coefficient of Taxation, and coefficient of Admission. This coefficient of Admission takes into account the existence of exclusions or restrictions to the deductions of VAT. Restrictions and exclusions are set by tax authorities.		
TAX_CD_VAT	VAT Code	VAT Code		

Loader Table INTFC_PHY_B

When used, INTFC_PHY_B fields are most commonly loaded at conversion. They are not currently interfaced from Purchasing, Payables, or Projects, but they could be with some customization.

Note. This table does not need to be inserted for conversion. However, if you insert any values into it, the ones marked Y are required.

<i>Field Name</i>	<i>Long Name</i>	<i>Use and Processing Considerations</i>	<i>Tables Updated</i>	<i>Required for Conversion</i>
INTFC_ID	Interface ID	Key to this table. An interface ID is typically assigned to a group of transactions with the same load type. Use a unique, previously unused INTFC_ID for each set of transactions with the same load type. When using a load type of CN1 and NEXT in the ASSET_ID field, use a unique INTFC_ID for each asset. For FADs and Conversions, if INTFC_ID is the same for multiple lines for an asset, increment the INTFC_LINE_NUM for each line.	Internal use	Y
INTFC_LINE_NUM	Interface Line Number	Key to this table. Interface Line Number is used as a key for multiple lines for the same Interface ID for transactions with similar keys (for example, multiple acquisition details, such as CAP). For FADs and Conversions, if INTFC_ID is the same for multiple lines for an asset, increment the INTFC_LINE_NUM for each line.	Used Internally.	Y
BUSINESS_UNIT	Business Unit	Identifies the business unit of the transaction to be processed. This field is required.	ASSET_ATTRIBUTE, ASSET_COMMENTS, ASSET_LICENSE, ASSET_WARRANTY	Y

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
ASSET_ID	Asset ID	Identifies the asset ID of the transaction to be processed. This field is required. If this field contains the value NEXT and the interface type is FAD, then Transaction Loader will assign the next asset ID for this business unit.	ASSET_ATTRIBUTE, ASSET_COMMENTS, ASSET_LICENSE, ASSET_WARRANTY	Y
INTFC_TYPE	Interface Type, also called Load Type	Identifies the type of this transaction. Transaction Loader will process this transaction based on this field. Valid values are listed in the translate table.	Internal use	Y
SYSTEM_SOURCE	System Source	The source system that created this transaction. Valid values are listed in the translate table. This field is used extensively by Asset Management to drill back to source system. You can add valid values to the translate table for your external systems. You can run Transaction Loader selectively for specific values of system source.	Internal use	Y
MC_DEFN_ID	Mass Change ID	Used for internal processing. Do not populate.	Internal use	
APPROVAL_STATUS	Auto Approval Status	Identifies whether or not the transaction is approved. Transaction Loader will only load approved transactions. Valid values are 'Y' for approved and 'N' for not approved.	Internal use	Y
INTFC_STATUS	Interface Status	Used for internal processing. Do not populate.	Internal use	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
LOAD_STATU S	Load Status	Identifies the status of this transaction. Valid values are 'NEW' (not processed), 'ERR' (an error exists on this transaction and it will not be processed), 'DON' (the transaction was successfully processed), 'CON' (the transaction was consolidated into a different transaction and it will not be loaded), 'UNT' (the transaction was unitized into a different transaction and it will not be loaded).	Internal use	Y enter NEW
ATTRIBUTE_ EFFDT	Asset Attribute Effective Date	These fields relate to the Asset_Attributes record. This information is optional. If you do not populate these fields, then a row of asset attribute information will not be created for the asset (thus saving space). You can populate the asset attributes for as many (or as few) assets as you like. If you do not plan to track attributes (color, weight, height, width, length, capacity, power rating) for an asset, then do not populate these fields for that asset. The effective date of the attributes of this asset. If the asset is being added, this value should be the same as the trans_dt.	ASSET_ATTRI BUTE	
ASSET_COLO R	Asset Color	The color of the asset.	ASSET_ATTRI BUTE	
ASSET_WEIG HT	Asset Weight	The weight of the asset.	ASSET_ATTRI BUTE	
WEIGHT_UM	Asset Weight Unit of Measure	The unit of measure used for the asset weight. Should be a valid unit of measure defined on the units of measure table.	ASSET_ATTRI BUTE	
ASSET_HEIG HT	Asset Height	The height of the asset.	ASSET_ATTRI BUTE	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
HEIGHT_UM	Asset Height Unit of Measure	The unit of measure used for the asset height. Should be a valid unit of measure defined on the units of measure table.	ASSET_ATTRIBUT	
ASSET_WIDTH	Asset Width	The width of the asset.	ASSET_ATTRIBUT	
WIDTH_UM	Asset Width Unit of Measure	The unit of measure used for the asset width. Should be a valid unit of measure defined on the units of measure table.	ASSET_ATTRIBUT	
ASSET_LENGTH	Asset Length	The length of the asset.	ASSET_ATTRIBUT	
LENGTH_UM	Asset Length Unit of Measure	The unit of measure used for the asset length. Should be a valid unit of measure defined on the units of measure table.	ASSET_ATTRIBUT	
ASSET_CAPACITY	Asset Capacity	The capacity of the asset.	ASSET_ATTRIBUT	
CAPACITY_UM	Asset Capacity Unit of Measure	The unit of measure used for the asset capacity. Should be a valid unit of measure defined on the units of measure table.	ASSET_ATTRIBUT	
POWER_RATING	Asset Power Rating	The power rating of the asset.	ASSET_ATTRIBUT	
POWER_RATING_UM	Asset Power Rating Unit of Measure	The unit of measure used for the asset power rating. Should be a valid unit of measure defined on the units of measure table.	ASSET_ATTRIBUT	
COMMENT_DATE_TIME_STAMP	Asset Comments Date/Time Stamp	The date/time stamp of the comments for this asset. This value is used as a key to the Asset_Comments record.	ASSET_COMMENTS	
NAME	Name	The name of the person who entered the comments.	ASSET_COMMENTS	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
COMMENTS50	Comments 50 Characters	The comments for the assets. This field is long on the Asset_Comments record, but it is a 50-byte character field because of database restrictions. Online, you can enter up to 32K of information into this field.	ASSET_COMMENTS	
AGENCY_ID	Agency ID	These fields relate to the Asset_License record. This record is used to track the license or registration of an asset with a given agency or vendor. Examples are a vehicle registration with the state or a software registration with a vendor. This information is optional. If you do not populate these fields, then a row of asset license information will not be created for the asset (thus saving space). You can populate asset license information for as many (or as few) assets as you like. If you do not plan to track license information for an asset, then do not populate these fields for that asset. This field is the agency that the asset is registered with and is mutually exclusive of the asset license vendor ID. This value should be valid value on the Agency_Tbl record.	ASSET_LICENSE	
LICENSE_VENDOR_ID	Asset License Vendor ID	The vendor to which the asset is registered. This value is mutually exclusive with the agency ID. This value should appear in the VNDR_FS record.	ASSET_LICENSE	
REGISTRATION_NO	Registration Number	The registration number for the asset.	ASSET_LICENSE	
INSPECTION_SW	Inspection Required	Indicates if an inspection of the asset is required. Valid values are 'Y' or 'N'.	ASSET_LICENSE	
LIC_START_DATE	License Effective Date	The effective date of the license or registration.	ASSET_LICENSE	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
LIC_END_DT	License Expiration Date	The expiration date of the license or registration.	ASSET_LICEN SE	
REGISTER_N AME	Name	The name of the person to whom the asset is registered.	ASSET_LICEN SE	
COUNTRY	Country	The country in which the asset is registered.	ASSET_LICEN SE, COUNTRY	
ADDRESS1	Address 1	The address line 1 under which the asset is registered.	ASSET_LICEN SE	
ADDRESS2	Address 2	The address line 2 under which the asset is registered.	ASSET_LICEN SE	
ADDRESS3	Address 3	The address line 3 under which the asset is registered.	ASSET_LICEN SE	
ADDRESS4	Address 4	The address line 4 under which the asset is registered.	ASSET_LICEN SE	
CITY	City	The city in which the asset is registered.	ASSET_LICEN SE	
NUM1	Number 1		ASSET_LICEN SE	
NUM2	Number 2		ASSET_LICEN SE	
HOUSE_TYPE	House Type	The type of house, for example, houseboat or trailer.	ASSET_LICEN SE	
ADDR_FIELD 1	Address Field 1	An address field.	ASSET_LICEN SE	
ADDR_FIELD 2	Address Field 2	An address field.	ASSET_LICEN SE	
ADDR_FIELD 3	Address Field 3	An address field.	ASSET_LICEN SE	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
COUNTY	County	The county in which the asset is registered.	ASSET_LICEN SE	
STATE	State	The state in which the asset is registered.	ASSET_LICEN SE	
POSTAL	Postal Code	The postal code in which the asset is registered.	ASSET_LICEN SE	
GEO_CODE	Tax Vendor Geographical Code	The tax vendor geographical code.	ASSET_LICEN SE	
IN_CITY_LIMIT	In City Limit	Indicates if the vendor is within city limit.	ASSET_LICEN SE	
JURISDICTION	Jurisdiction	Identifies the municipal authority of which it is a part. Can be used by property tax to identify a taxing authority.	ASSET_LICEN SE	
LICENSE_COMMENTS50	Asset License Comments 50 Characters	Comments about the license or registration for the asset.	ASSET_LICEN SE	
WARRANTY_EFFECTDT	Warranty Effective Date	The following fields relate to the Asset_Warranty record. This information is optional. If you do not populate these fields, then a row of asset warranty information will not be created for the asset (thus saving space). You can populate asset warranty information for as many (or as few) assets as you like. If you do not plan to track warranty information for an asset, then do not populate these fields for that asset. This field represents the date the warranty for this asset became effective.	ASSET_WARRANTY	

Field Name	Long Name	Use and Processing Considerations	Tables Updated	Required for Conversion
EFF_STATUS	Status as of Effective Date	The status of the warranty as of the effective date. Valid values are 'A' for active or 'I' for inactive.	ASSET_WARRANTY	
WARRANTY_VENDOR_ID	Warranty Vendor ID	The vendor ID that provided the warranty. This value should appear in the VNDR.FS record.	ASSET_WARRANTY	
WARRANTY_NUM	Warranty Number	The number of the warranty.	ASSET_WARRANTY	
WARRANTY_DURATION	Warranty Duration (Months)	The duration of the warranty in months.	ASSET_WARRANTY	
COVERAGE50	Asset Warranty Coverage 50 Characters	The comments on the coverage of the warranty. This field is a long field on the Asset_Warranty record, but it is only 50 characters here. Online, you can enter up to 32K of information into this field.	ASSET_WARRANTY	
AM_AST_UD_CHAR1	User Defined Char Field 1	User-defined field.	ASSET	
AM_AST_UD_CHAR2	User Defined Char Field 2	User-defined field.	ASSET	
AM_AST_UD_DATE1	User Defined Date Field 1	User-defined field.	ASSET	
AM_AST_UD_NUM1	User Defined Number Field 1	User-defined field.	ASSET	
AM_AST_UD_NUM2	User Defined Number Field 2	User-defined field.	ASSET	
PROCESS_INSTANCE	Process Instance	Internal use.		

When converting a blank character field (a character field with a null value), you should assign it a value of a single space, regardless of the field length. For example, to convert a blank character field with a length of five characters, you should give it a value of one space, not five spaces. This conversion is particularly important for ChartFields.

When converting character fields, do not add any trailing spaces to the field value. For example, the value in Book should be *CORP*, not *CORP* .

When loading rows into any interface tables, the *intfc_id*, *intfc_line_num*, and *dtm_stamp* must be the same across all used loader tables (that is, *INTFC_FIN*, *INTFC_PHY_A*).

Transaction Loader Inserts

Depending on what transaction type you are processing and which loader table it is reading, the Transaction Loader inserts field values into various Asset Management tables and performs any additional processing noted in the following table. It inserts all fields that the target table and the loader table have in common.

From *INTFC_FIN*

The following table describes the information inserted from the *INTFC_FIN* table:

<i>Transaction Type (Load Type)</i>	<i>Inserts into These Tables</i>	<i>Additional Processing</i>
FAD	Book * Book Profile # Cost * Cost Profile # Depreciation * Depreciation Profile # Open Trans * Open Trans Profile #	
ADD	Book * Book Profile # Cost * Cost Profile # Depreciation * Depreciation Profile # Open Trans * Open Trans Profile #	
CN1	Book * Book Profile # Cost * Cost Profile # Depreciation * Depreciation Profile #	Process Conversion Open Trans 1
CN2	Book * Book Profile # Cost * Cost Profile # Depreciation * Depreciation Profile #	Process Conversion Open Trans 1
CAP	Book * Book Profile # Cost * Cost Profile # Depreciation * Depreciation Profile # Open Trans * Open Trans Profile #	
CIC	Book * Book Profile # Cost * Cost Profile # Open Trans * Open Trans Profile #	Validate Distribution Templates
AAD	Cost * Cost Profile # Open Trans * Open Trans Profile #	

Transaction Type (Load Type)	Inserts into These Tables	Additional Processing
IUI	Book * Cost # Open Trans *	Set Trans Type to TRF Set Trans_In_Out to I Validate Distribution Templates Process IUI Asset ID
IUO	Cost * Open Trans *	Set Trans Type to TRF Set Trans_In_Out to O Validate Distribution Templates
TRF	Cost (positive amount for transfer in) * Cost (negative amount for transfer out) * Open Trans *	
ADJ	Cost * Open Trans *	
RCT	Cost * Open Trans *	
RET	Cost * Retirement Open Trans *	Set Asset Status to Disposed
PRT	Cost * Retirement Open Trans *	
REI	Cost * Retirement Open Trans *	Update Asset Status to In Service
BKS	Open Trans *	Update Book Processing
BKD		Delete Book
BSD		Delete only BU/Book/Asset ID combinations
OPT	Open Trans *	
ASD	Deletes from all base tables	Check DIST_LN Delete Asset Processing
ADQ	Cost * Cost Profile # Open Trans * Open Trans Profile #	

Transaction Type (Load Type)	Inserts into These Tables	Additional Processing
ARA	Book * Book Profile # Cost * Cost Profile # Depreciation * Depreciation Profile # Retirement * Retirement Profile #	
LAD	Book * Book Profile # Cost * Cost Profile # Depreciation * Depreciation Profile # Retirement * Retirement Profile # Open Trans *	
ADP	Depreciation * Open Trans	

* When Default Profile Switch = N

When Default Profile Switch = Y and PHY_A.PROFILE_ID is valid in the profile detail table, the system gets book, cost, depreciation, and open trans information from the profile detail table rather than INTFC_FIN.

From INTFC_PHY_A

The following table describes the information inserted from the INTFC_PHY_A table:

Transaction Type	Inserts into These Tables	Additional Processing
FAD	Asset, Asset Acquisition Detail, Asset Custodian, Asset Location	
NAD	Asset, Asset Acquisition Detail, Asset Custodian, Asset Location	
IUI	Asset, Asset Acquisition Detail, Asset Custodian, Asset Location	
CN1	Asset, Asset Acquisition Detail, Asset Custodian, Asset Location	
AUP		Update Asset
PHY	Asset Acquisition Detail Asset Custodian Asset Location	
CAP	Asset Acquisition Detail	Capitalize Asset Acquisition Detail

Transaction Type	Inserts into These Tables	Additional Processing
ACQ	Asset Acquisition Detail	
ADQ	Asset Acquisition Detail	
CLC	Asset Custodian Asset Location	
LAD	Asset, Asset Custodian, Asset Location	
CIC		Update Asset Acquisition Detail = CIC
IHI	Physical Inventory History	
RAQ	Asset Acquisition Detail	Replace Acquisition Detail - Used solely by AMIF1000
ARA	Asset Custodian, Asset Location, Physical Inventory History, Parent Asset	

From INTFC_PHY_B

The following table describes the information inserted from the INTFC_PHY_B table:

Transaction Type	Inserts into These Tables	Additional Processing
FAD	Asset Attribute Asset Comments Asset License Asset Warranty	
NAD	Asset Attribute Asset Comments Asset License Asset Warranty	
PHY	Asset Attribute Asset Comments Asset License Asset Warranty	
CN1	Asset Attribute Asset Comments Asset License Asset Warranty	
ARA	Asset Attribute Asset Comments Asset License Asset Warranty	

<i>Transaction Type</i>	<i>Inserts into These Tables</i>	<i>Additional Processing</i>
LAD	Asset Attribute Asset Comments Asset License Asset Warranty	

Interface Types (Load Types)

The following table defines Interface Types:

<i>Interface Type</i>	<i>Long Name</i>	<i>Usage</i>	<i>Tables Updated</i>
AAD	Additional Cost Add	Rarely used. Adds cost information to an asset. Mainly used for joint venture and composite rollups.	Cost, Open Trans
ACQ	Insert Acquisition Detail	Inserts into Acquisition Detail.	Acquisition Detail
ADD	Asset Add	Asset add - Financial only. For details, see load type CN2.	Book, Cost, Depr, Open Trans
ADJ	Asset Cost Adjustment	Adjusts the cost of an existing asset.	Cost, Open Trans
ADP	Asset Depreciation	Inserts depreciation information created by the revaluation in mass programs.	Depreciation, Open Trans
ADQ	Adjust Cost and Acquisition Detail	Adjusts the cost and acquisition details of an existing asset.	Acquisition Detail, Cost, Open Trans
ARA	Add Retired Asset	Adds an asset that has been fully reserved and retired.	Book, Cost, Depr, Asset, and if applicable Custodian, Asset Location, Warranty, Attribute, License, Comments, and Acquisition Detail

<i>Interface Type</i>	<i>Long Name</i>	<i>Usage</i>	<i>Tables Updated</i>
ASD	Asset Deletion	Deletes an existing asset. Only assets that have not been used to generate any journals will be deleted.	Asset, Acquisition Detail, Asset Fair Value, Attribute, Comments, Custodian, Location, Maintenance, Warranty, Book, Book Tax Credit, Cost, Depr, Dist Line, Open Trans, Retirement, Lease, Lease Schedule, PI Asset History,
AUP	Asset Information Update	Updates the asset table only. Rarely used, except in physical inventory.	Asset, Component of Asset History
BKD	Book Deletion	Deletes a book for an asset or business unit. For example, you can use it to delete dummy books used for performing "what if" analyses.	Book, Book Tax Credit, Depr, Dist Line, Retirement, Open Trans
BKS	Book Change	Makes any change to an asset book.	Book, Open Trans
BSD	Selective Book Delete	Deletes a book from a range of asset IDs. Similar to BKD.	Book, Book Tax Credit, Depr, Dist Line, Retirement, Open Trans
CAP	Asset Capitalization	Adds a line of acquisition detail and capitalizes it. If the acquisition detail line is originally uncapitalized, the interface will insert book, cost, and open trans as well as acquisition detail. If it is originally capitalized, the book information will not be inserted.	Acquisition Detail, Book, Cost, Open Trans
CIC	Capitalize into Composite	Capitalizes composite assets. Similar to CAP.	Acquisition Detail, Book, Cost, Open Trans
CLC	Custodian/Location Change	Updates custodian/location information.	Custodian, Location

<i>Interface Type</i>	<i>Long Name</i>	<i>Usage</i>	<i>Tables Updated</i>
CN1	Conversion of First Book	During conversion, converts the first asset book. Inserts into all asset tables, as well as financial tables.	Book, Cost, Depr, Open Trans, Asset, Acquisition Detail, Location, PI Asset History, Component of Asset History, Parent Asset, Attribute, Comments, License, Warranty
CN2	Conversion of Subsequent Books	During conversion, converts any subsequent books. Inserts only into financial tables.	Book, Cost, Depr, Component of Asset History, Open Trans
FAD	Financial and Physical Add	Adds assets with both physical and financial information. This Interface Type is used most commonly for adding assets.	Book, Cost, Depr, Open Trans, Asset, Acquisition Detail, Location, PI Asset History, Component of Asset History, Parent Asset, Attribute, Comments, License, Warranty
IHI	Physical Inventory History Insert	Inserts asset history. Used by the Physical Inventory SQR (AMPI1000).	PI Asset History
IUI	InterUnit Transfer, In Side	Provides the IN side of an InterUnit Transfer. Valid values for ACTIVITY_SW are: 1 Full Transfer 0 Active ChartField combination –1 Reactivated ChartField combination For example, one ChartField combination is fully transferred out of a department (ACTIVITY_SW = 1), and an identical ChartField combination is transferred into the same department (ACTIVITY_SW = –1). The activity switch values for the two transactions then cancel each other, resulting in an active ChartField combination (ACTIVITY_SW = 0).	Asset, Book, Cost, Asset Fair Value, Open Trans, Component of Asset History

<i>Interface Type</i>	<i>Long Name</i>	<i>Usage</i>	<i>Tables Updated</i>
IUO	InterUnit Transfer, Out Side	Used for the OUT side of an InterUnit Transfer. Valid values for ACTIVITY_SW are: 1 Full Transfer 0 Active ChartField combination –1 Reactivated ChartField combination For example, one ChartField combination is fully transferred out of a department (ACTIVITY_SW = 1), and an identical ChartField combination is transferred into the same department (ACTIVITY_SW = -1). The activity switch values for the two transactions then cancel each other, resulting in an active ChartField combination (ACTIVITY_SW = 0).	Cost, Open Trans
LAD	Leased Asset Add	Adds leased assets.	Lease, Lease Schedule, Book, Cost, Depr, Open Trans, Asset, Acquisition Detail, Asset Fair Value, Location, PI Asset History, Parent Asset, Attribute, Comments, License, Warranty
NAD	Non-Financial Add	Adds an asset with only physical information.	Asset, Custodian, Location, PI Asset History, Component of Asset History, Parent Asset, Attribute, Comments, License, Warranty, Open Trans
OPT	Open Transaction Generator	Creates open transactions for a set of assets. Rarely used.	Open Trans
PHY	Physical Asset Change	Performs inserts to any physical asset tables other than the Asset Table, for example, location, custodian, or manufacturer.	Acquisition Detail, Custodian, Location, Attribute, Comments, License, Warranty

<i>Interface Type</i>	<i>Long Name</i>	<i>Usage</i>	<i>Tables Updated</i>
PRT	Partial Retirement	Performs partial retirements.	Cost, Retirement, Open Trans, Asset
RAQ	Replace Acquisition Detail	Replaces acquisition details using AMIF1000.	Acquisition Detail
RCT	Asset Recategorization	Performs recategorizations.	Cost, Open Trans
REI	Asset Reinstatement	Performs reinstatements.	Cost, Retirement, Open Trans, Asset
RET	Asset Retirement	Performs full retirements.	Cost, Retirement, Open Trans, Asset
RNA	Non-Financial Retirements	Performs retirements of non-financial assets.	Asset, Asset Retirement
TRF	IntraUnit Transfer	Performs transfers within the same business unit. Valid values for ACTIVITY_SW are: 1 Full Transfer 0 Active ChartField Combination –1 Reactivated ChartField Combination For example, one ChartField combination is fully transferred out of a department (ACTIVITY_SW = 1), and an identical ChartField combination is transferred into the same department (ACTIVITY_SW = –1). The activity switch values for the two transactions then cancel each other, resulting in an active ChartField combination (ACTIVITY_SW = 0).	Cost, Open Trans

See Also

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Integrating PeopleSoft Asset Management with Other Products," Previewing Data in the Loader Tables

PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook, "Integrating PeopleSoft Asset Management with Other Products," Running the Transaction Loader

Appendix B

Understanding Depreciation Calculations

This appendix provides an overview of depreciation calculations and discusses how PeopleSoft Asset Management calculates:

- The begin depreciation date.
- Remaining value and remaining life.
- Yearly depreciation.
- Period allocation.
- Prior period depreciation.
- Formula-based depreciation methods.
- Depreciation when salvage value exceeds net book value.

Understanding How PeopleSoft Asset Management Calculates Depreciation

PeopleSoft Asset Management determines depreciation amounts using either tables or formulas. If you have a large number of assets, you will probably want to use formula-based depreciation, because this is considerably faster and uses less storage space. To help you more fully understand how PeopleSoft Asset Management calculates depreciation, this appendix includes a discussion of how formulas are used.

When you add an asset to PeopleSoft Asset Management, you decide the cost basis that you want to depreciate—you can include the basic cost of the asset as well as any freight and taxes that were paid. If you do not want to include freight and tax charges in the depreciable cost basis, you can still track these charges in the Acquisition Detail page.

If allowed by the depreciation method, the cost basis is reduced by either salvage value or tax credits.

Salvage Value

You can enter the salvage value as a percentage of the cost or the actual amount. Typically, you specify salvage value when you add the asset in PeopleSoft Asset Management. If allowed, salvage value is deducted from the cost basis for depreciation calculations. When the salvage value changes after depreciation begins, PeopleSoft Asset Management automatically adjusts the cost basis and depreciation from that time forward to reflect the change.

See [Appendix B, "Understanding Depreciation Calculations," Calculating Depreciation When Salvage Value Exceeds Net Book Value \(NBV\), page 653.](#)

Tax Credits

Tax methods such as ACRS and MACRS determine which tax credits are available in PeopleSoft Asset Management. When you specify a Qualified Investment Code, PeopleSoft Asset Management uses this code to determine which tax credits apply to your assets. If you fail to specify a Qualified Investment Code for any reason, PeopleSoft Asset Management deduces the applicable code from the tax method that you elect.

If you do not specify a tax system, PeopleSoft Asset Management considers the date that the assets were placed in service to determine which method applies. Based on the tax method that you select and the recovery life, PeopleSoft Asset Management derives the corresponding qualified investment code and the tax credits that available under that code, and elects the applicable tax credits for you.

If a Basis Reduction Percentage applies, the depreciable basis of the asset is reduced. The calculation is based on the Qualified Investment Code, the Tax Credit, and the Basis Reduction Percentage.

Calculating Tax Credits

PeopleSoft Asset Management uses the Qualified Investment Code, together with the Recovery Life and in-service date, to determine the Qualified Investment Percentage—the rate that is applied to the book cost—to determine the amount that qualifies for tax credits.

The Tax Credit Percentage is derived from the Tax Credit Type, Tax Credit Code, Recovery Life, and in-service date.

The amount of the tax credit is based on the following calculations:

Book Cost x Qualified Investment Percentage = Amount qualifying for the tax credit

Amount qualifying x Tax Credit Percentage = Amount of tax credit

Cost Basis Reduction

After the amount of the tax credit is calculated, a corresponding reduction in the basis is calculated as required:

Amount of tax credit x Basis Reduction Percentage = Amount the basis will be reduced

If you dispose of the asset before it has completely depreciated, PeopleSoft Asset Management calculates the recapture of the credit and adds it to the depreciable cost basis.

Section 179 Expense

If you elect to expense all or a portion of the cost, you should select the Section 179 Expense Taken check box on the Asset Book Definition - Tax page. Investment credits are automatically calculated based on the criteria that you enter in the Asset Book Definition - Tax Credit page.

Listed Property Assets

If an asset is considered a listed property asset for tax purposes, then the allowable depreciable basis is reduced by the percentage of business use. For example:

Business Use % = 75%

Cost = 10,000 USD

Depreciable basis = 7500 USD


Listed property is certain kinds of assets that are conducive to mixed business and personal use such as:

- Passenger automobiles under a certain weight.
- Any other property that is used for transportation such as trucks, buses, boats, airplanes, motorcycles, and any other vehicles for transporting persons or goods.
- Any property of a type that is generally used for entertainment, recreation, or amusement such as photographic, phonographic, communication, and video recording equipment.
- Any computer and related peripheral equipment unless it is used only at a regular business establishment and owned or leased by the person operating the establishment.
- Any cellular telephone (or similar telecommunications equipment) placed in service or leased in a tax year beginning after 1989.

The Depreciation Calculation Process

PeopleSoft Asset Management performs five basic steps to calculate depreciation for an asset. It calculates:

1. The asset's *beginning depreciation date*.
2. The asset's *remaining life* and *remaining value*.
3. The asset's yearly depreciation.
4. The asset's period depreciation allocation.
5. The asset's prior period depreciation.



How PeopleSoft Asset Management calculates depreciation

The following sections provide illustrative examples of how PeopleSoft Asset Management handles all of these calculations in a variety of different scenarios.

Note. PeopleSoft Asset Management calculates depreciation yearly, not by month or by period. It then allocates yearly depreciation among the year's periods, except when you select the Declining Balance depreciation method or the Declining Balance method with a switch to the Straight Line method *and* the monthly depreciation option is selected.

Calculating the Begin Depreciation Date

PeopleSoft Asset Management uses two asset attributes to begin calculating depreciation:

- In-service date.
- Convention.

The combination of the in-service date and the prorate convention is the factor that actually determines when depreciation begins.

Overriding the Begin Depreciation Field

When you use the *Depreciate When in Service* date option, PeopleSoft Asset Management allocates depreciation based on the date that the asset was placed in service. This option is valid only in the year that the asset is acquired.

Calculating Remaining Value

PeopleSoft Asset Management calculates remaining value and remaining life using five asset attributes:

- Begin Depr Date
- Transaction Date
- Life
- Cost
- Accumulated Depreciation

Calculations differ depending on which calculation type is used and the relationship between the beginning depreciation date and the transaction date. The following examples show how the calculation is performed for each method.

Remaining Value Calculation for Add Transactions

The following table shows data that is used in the calculation examples that follow it.

Attributes	Data
Transaction Date	10/1/2006
Accounting Date	10/1/2006
In-Service Date	3/1/2006
Life	60 periods
Cost	6,000 USD
Accumulated Depreciation	500 USD
Calculation Type	Remaining Value
Convention	Half-Year

Attributes	Data
Method	Straight-Line
Depreciate When In Service Switch	N
Begin Depr Date	7/1/2006
Remaining Value	5,500 USD
Remaining Life	60 periods

Remaining Value

The following example illustrates remaining value:

$$\text{Remaining Value} = \text{Cost} - \text{Accumulated Depreciation}$$

$$6,000 \text{ USD cost} - 500 \text{ USD accumulated depreciation} = 5,500 \text{ remaining value}$$

Life to Date Calculation for Add Transactions

The following table shows data that is used in the calculation example that follows it.

Attributes	Data
Transaction Date	10/1/2006
Accounting Date	10/1/2006
In-Service Date	3/1/2006
Life	60 periods
Cost	6,000 USD
Accumulated Depreciation	500 USD
Calculation Type	Life to Date
Convention	Half-Year
Method	Straight-Line
Depreciate When In Service Switch	N
Begin Depr Date	7/1/2006
Remaining Value	6,000 USD

Attributes	Data
Remaining Life	60 periods

Remaining Value

The following example illustrates remaining value:

Remaining Value = Cost

6,000 USD cost

Calculating Yearly Depreciation

PeopleSoft Asset Management calculates yearly depreciation using two asset attributes:

- Begin Depr Date
- Depreciation Method

Other information that is used in this calculation includes the following information:

- Adj Trans Date
- Remaining Life
- Remaining Value

Calculations differ depending on which calculation type is used: *Remaining Value* or *Life to Date*. The following examples show how this calculation is performed for each method. The base information is the same in both cases.

Remaining Value Calculation for Add Transactions

The following table introduces the data used in the calculation example that follow it.

Attributes	Data
Transaction Date	10/1/2006
Accounting Date	10/1/2006
In-Service Date	3/1/2006
Life	60 periods
Cost	6,000 USD
Accumulated Depreciation	500 USD

Attributes	Data
Calculation Type	Remaining Value
Convention	Half-Year
Method	Straight-Line
Depreciate When In Service Switch	N
Begin Depr Date	7/1/2006
Remaining Value	5,500 USD
Remaining Life	60 periods
Yearly Depreciation (First year)	550 USD

Yearly Depreciation for 2006

Here is yearly depreciation for 2006 using the Remaining Value calculation type:

Number of Periods in a Year = Year End - Begin Depr Date

6 = December 31, 2006 - July 1, 2006

Percentage Depreciation for Year = Number of Periods in a year / Remaining Life

10 percent = 6 / 60

Yearly Depreciation = Percentage depreciation for the year x Remaining value

550 USD = 10 percent x 5,500 USD

Life to Date Calculation for Add Transactions

The following table introduces the data that is used in the calculation example that follow it.

Attributes	Data
Transaction Date	10/1/2006
Accounting Date	10/1/2006
In-Service Date	3/1/2006
Life	60 periods
Cost	6,000 USD
Accumulated Depreciation	500 USD

Attributes	Data
Calculation Type	Life to Date
Convention	Half-Year
Method	Straight-Line
Depreciate When In Service Switch	N
Begin Depr Date	7/1/2006
Remaining Value	6,000 USD
Remaining Life	60 periods
Yearly Depreciation (First year)	600.00 USD

Yearly Depreciation for 2006

Here is yearly depreciation for 2006 using the Life to Date calculation type:

Number of periods in a year = Year End - Begin Depr Date

6 = December 31, 2006 - July 1, 2006

Percentage depreciation for year = Number of periods in year / Remaining life

10 percent = 6 / 60

Yearly depreciation = Percentage depreciation for year x Remaining value

600 USD = 10 percent x 6,000 USD

Calculating Period Allocation

PeopleSoft Asset Management calculates period allocation using three asset attributes:

- In-Service Date
- Begin Depr Date
- Transaction Date

Other information that is used in this calculation includes the following, derived from previous calculations:

- Calculation Type
- Adjusted Transaction Date
- Yearly Depreciation

- Number of Periods in Year

Life to Date calculations differ depending on whether the Depreciate When in Service option is set to *N* or *Y*. The following examples illustrate how PeopleSoft Asset Management calculates period allocation using the *Remaining Value* and *Life to Date* calculations. All examples use the same base information.

When a remaining balance exists due to rounding in the year, PeopleSoft Asset Management allocates that amount to the last period of the fiscal year. For example, 2000 USD to be allocated over 12 periods, periods 1 through 11 will have 166.67 each and period 12 will have 166.63 USD (2000 USD - (166.67 x 11)).

1	2	3	4	5	6	7	8	9	10	11	12	Periods
166.67	166.67	166.67	166.67	166.67	166.67	166.67	166.67	166.67	166.67	166.67	166.63	Amounts

Remaining Value Calculation for Add Transactions: Depreciate When In Service Off

The following table shows data that is used in the calculation.

Attributes	Data
Transaction Date	10/1/2006
Accounting Date	10/1/2006
In-Service Date	3/1/2006
Life	60 periods
Cost	6,000 USD
Accumulated Depreciation	500 USD
Calculation Type	Remaining Value
Convention	Half-Year
Method	Straight-Line
Depreciate When In Service Switch	N
Begin Depr Date	7/1/2006
Remaining Value	5,500 USD
Remaining Life	60 periods
Yearly Depreciation (First year)	550 USD

Attributes	Data
Period Allocation (First year)	91.66 USD

Period Depreciation Allocation

Here is the period depreciation allocation:

Period depreciation allocation = Yearly depreciation / Number of periods remaining in a year

550 USD yearly depreciation / 6 periods = 91.66 USD per period

Remaining Value Calculation for Add Transactions: Depreciate When In Service On

The following table shows data that is used in the calculation example that follows it.

Attributes	Data
Transaction Date	10/1/2006
Accounting Date	10/1/2006
In-Service Date	3/1/2006
Life	60 periods
Cost	6,000 USD
Accumulated Depreciation	500 USD
Calculation Type	Remaining Value
Convention	Half-Year
Method	Straight-Line
Depreciate When In Service Switch	Y
Begin Depr Date	7/1/2006
Remaining Value	5,500 USD
Remaining Life	60 periods
Yearly Depreciation (First year)	550 USD
Period Allocation (First year)	55 USD

Period Depreciation Allocation

Here is the period depreciation allocation:

Period Depreciation Allocation = Yearly Depreciation / Periods from In-Service Date

Periods from In-Service Date = Year End - In-Service Date

550 USD Yearly Depreciation / 10 periods from In-Service Date = 55 USD per period

Life to Date Calculations for Add Transactions: Depreciate When in Service Off

The following table shows data that is used in the calculation example that follows it.

Attributes	Data
Transaction Date	5/1/2006
Accounting Date	5/1/2006
In-Service Date	3/1/2006
Life	60 periods
Cost	6,000 USD
Accumulated Depreciation	500 USD
Calculation Type	Life to Date
Convention	Half-Year
Method	Straight-Line
Depreciate When In Service Switch	N
Begin Depr Date	7/1/2006
Remaining Value	6,000 USD
Remaining Life	60 periods
Yearly Depreciation (First year)	600.00 USD
Period Allocation (First year)	100 USD

Period Depreciation Allocation

Here is the period depreciation allocation:

Period Depreciation Allocation = Yearly Depreciation / Number of Periods in Year
 600 USD Yearly Depreciation / 6 periods = 100 USD per period

Life to Date Calculation for Add Transactions: Calculate When in Service On

The following table shows data that is used in the calculation example that follows it.

Attributes	Data
Transaction Date	3/1/2006
Accounting Date	3/1/2006
In-Service Date	3/1/2006
Life	60 periods
Cost	6,000 USD
Accumulated Depreciation	500 USD
Calculation Type	Life to Date
Convention	Half-Year
Method	Straight-Line
Depreciate When In Service Switch	Y
Begin Depr Date	7/1/2006
Remaining Value	6,000 USD
Remaining Life	60 periods
Yearly Depreciation (First year)	600.00 USD
Period Allocation (First year)	60 USD

Depreciation Results

The following table shows yearly depreciation by period for 2006.

1	2	3	4	5	6	7	8	9	10	11	12	Periods
		60	60	60	60	60	60	60	60	60	60	Amount

Remaining life is 60 periods; remaining value is 6,000 USD; yearly depreciation for 2006 is 600 USD.

Calculating Prior Period Depreciation

Prior period depreciation is generally calculated only for *Life to Date* calculations. In *Remaining Value* calculations, prior period depreciation is calculated only if the accounting date occurs after transaction date.

Prior period depreciation is keyed by a derived beginning calculation date. For remaining value calculations in which the accounting date occurs after the transaction date, the beginning calculation date equals the transaction date. For life to date calculations, the beginning calculation date depends on a combination of the following items:

- Transaction Date
- Begin Depr Date

Note. One overriding factor that is used to derive the beginning calculation date is that it can never occur before the beginning depreciation date. If according to all calculations it should, it is automatically made to equal the beginning depreciation date.

PeopleSoft Asset Management calculates prior period depreciation using the derived beginning calculation date as well as the following items:

- Period Depreciation Allocation
- Accumulated Depreciation

The following examples illustrate how PeopleSoft Asset Management calculates prior period depreciation.

Case 1: Add Transactions

The following table shows data that is used in the calculation example that follows it.

Attributes	Data
Transaction Date	10/1/2006
Accounting Date	10/1/2006
In-Service Date	3/1/2006
Life	60 periods
Cost	6,000 USD
Accumulated Depreciation	
Calculation Type	Life to Date
Convention	Half-Year

Attributes	Data
Method	Straight-Line
Depreciate When In Service Switch	N
Begin Depr Date	7/1/2006
Begin Calc Date	7/1/2006
Remaining Value	6,000 USD
Remaining Life	60 periods
Yearly Depreciation (First year)	600.00 USD
Period Allocation (First year)	100 USD
Prior Period Depreciation	300 USD

Depreciation Results

The following table shows yearly depreciation by period for 2006. Prior period depreciation occurred in periods 7 through 9.

1	2	3	4	5	6	7	8	9	10	11	12	Periods
						100	100	100				Allowed
									100	100	100	Taken
						100	100	100				Difference

Prior Period Depreciation

Here is the prior period depreciation:

Difference Per Period = Period Depreciation Allocation (allowed) - Depreciation Taken

Example Period 7: 100 USD - 0 = 100 USD

Begin Calc Date = Begin Depr Date

Periods from Begin Calc Date to Accounting Date = 7, 8, 9 = Periods within 7/1/2006 to 10/1/2006

Prior Period Depreciation = Sum of Difference Per Period for all periods within Begin Calc Date to Accounting Date

\$300 = \$100 + \$100 + \$100

Case 2: Add Transactions

The following table shows data that is used in the calculation example that follows it.

Attributes	Data
Transaction Date	10/1/2006
Accounting Date	10/1/2006
In-Service Date	3/1/2006
Life	60 periods
Cost	6,000 USD
Accumulated Depreciation	500 USD
Calculation Type	Life to Date
Convention	Half-Year
Method	Straight-Line
Depreciate When In Service Switch	N
Begin Depr Date	7/1/2006
Begin Calc Date	7/1/2006
Remaining Value	6,000 USD
Remaining Life	60 periods
Yearly Depreciation (First year)	600.00 USD
Period Allocation (First year)	100 USD
Prior Period Depreciation	(200) USD

Depreciation Results

The following table shows yearly depreciation by period for 2006. Prior period depreciation occurred in periods 7 through 9.

1	2	3	4	5	6	7	8	9	10	11	12	Periods
						100	100	100	100	100	100	Allowed

1	2	3	4	5	6	7	8	9	10	11	12	Periods
					500				100	100	100	Taken
					(500)	100	100	100				Difference

Prior Period Depreciation

Here is the prior period depreciation:

Difference Per Period = Period Depreciation Allocation (allowed) - Depreciation Taken

Example Period 7: 100 USD - 0 = 100 USD

Begin Calc Date = Begin Depr Date

Periods from Begin Calc Date to Accounting Date =

7, 8, 9 = Periods within 7/1/2006 to 10/1/2006

Prior Period Depreciation = Sum of Difference Per Period for all periods within Begin Calc Date to Accounting Date - Accumulated Depreciation

(200) USD = (500)USD + 100 USD + 100 USD + 100 USD

Case 3: Add Transactions

The following table shows data that is used in the calculation example that follows.

Attributes	Data
Transaction Date	10/1/2006
Accounting Date	10/1/2006
In-Service Date	3/1/2006
Life	60 periods
Cost	6,000 USD
Accumulated Depreciation	
Calculation Type	Life to Date
Convention	Half-Year
Method	Straight-Line
Depreciate When In Service Switch	Y

Attributes	Data
Begin Depr Date	7/1/2006
Begin Calc Date	7/1/2006
Remaining Value	6,000 USD
Remaining Life	60 periods
Yearly Depreciation (First year)	600.00 USD
Period Allocation (First year)	60 USD
Prior Period Depreciation	420 USD

Depreciation Results

The following table shows yearly depreciation by period for 2006. Prior period depreciation occurred in periods 3 through 9.

1	2	3	4	5	6	7	8	9	10	11	12	Periods
		60	60	60	60	60	60	60	60	60	60	Allowed
									60	60	60	Taken
		60	60	60	60	60	60	60				Difference

Prior Period Depreciation

Here is the prior period depreciation:

Difference Per Period = Period Depreciation Allocation (allowed) - Depreciation⇒
Taken

Example Period 7: 60 USD - 0 = 60 USD

Begin Calc Date = Begin Depr Date

Periods from In Service Date to Accounting Date =

7, 8, 9, 10= Periods within 3/1/2006 to 10/1/2006

Prior Period Depreciation = Sum of Difference Per Period for all periods within In
Service Date to Accounting Date

420 USD = 60 USD + 60 USD + 60 USD + 60 USD + 60 USD + 60 USD + 60 USD

Case 4: Add Transactions

The following table shows data that is used in the calculation example that follows it.

Attributes	Data
Transaction Date	10/1/2006
Accounting Date	10/1/2006
In-Service Date	3/1/2006
Life	60 periods
Cost	6,000 USD
Accumulated Depreciation	500 USD
Calculation Type	Life to Date
Convention	Half-Year
Method	Straight-Line
Depreciate When In Service Switch	Y
Begin Depr Date	7/1/2006
Begin Calc Date	7/1/2006
Remaining Value	6,000 USD
Remaining Life	60 periods
Yearly Depreciation (First year)	600.00 USD
Period Allocation (First year)	60 USD
Prior Period Depreciation	(80) USD

Depreciation Results

The following table shows yearly depreciation by period for 2006. Prior period depreciation occurred in periods 3 through 9.

1	2	3	4	5	6	7	8	9	10	11	12	Periods
		60	60	60	60	60	60	60	60	60	60	Allowed
					500				60	60	60	Taken
		60	60	60	(440)	60	60	60				Difference

Prior Period Depreciation

Here is the prior period depreciation:

Difference Per Period = Period Depreciation Allocation (allowed) - Depreciation⇒
Taken

Example Period 7: 60 USD - 0 = 60 USD

Begin Calc Date = Begin Depr Date

Periods from In Service to Accounting Date =

3, 4, 5, 6, 7, 8, 9 = Periods within 3/1/2006 to 10/1/2006

Prior Period Depreciation = Sum of Difference Per Period for all periods within In
Service Date to Accounting Date

(80) USD = 60 USD + 60 USD + 60 USD + (440) USD + 60 USD + 60 USD + 60 USD

Case 5: Add Transactions

The following table shows data that is used in the calculation example that follows it.

Attributes	Data
Transaction Date	3/1/2006
Accounting Date	10/1/2006
In-Service Date	3/1/2006
Life	60 periods
Cost	6,000 USD
Accumulated Depreciation	
Calculation Type	Remaining Value
Convention	Half-Year
Method	Straight-Line
Depreciate When In Service Switch	N
Begin Depr Date	7/1/2006
Begin Calc Date	7/1/2006
Remaining Value	6,000 USD

Attributes	Data
Remaining Life	60 periods
Yearly Depreciation (First year)	600.00 USD
Period Allocation (First year)	100 USD
Prior Period Depreciation	300 USD

Depreciation Results

The following table shows yearly depreciation by period for 2006. Prior period depreciation occurred in periods 7 through 9.

1	2	3	4	5	6	7	8	9	10	11	12	Periods
						100	100	100	100	100	100	Allowed
									100	100	100	Taken
						100	100	100				Difference

Prior Period Depreciation

Here is the prior period depreciation:

Difference Per Period = Period Depreciation Allocation (allowed) - Depreciation⇒ Taken

Example Period 7: 100 USD - 0 = 100 USD

Begin Calc Date = Begin Depr Date

Periods from Begin Calc Date to Accounting Date =

7, 8, 9 = Periods within 7/1/2006 to 10/1/2006

Prior Period Depreciation = Sum of Difference Per Period for all periods within⇒ Begin Calc Date to Accounting Date

300 USD = 100 USD + 100 USD + 100 USD

Formula-Based Depreciation Methods

PeopleSoft Asset Management is equipped to use the following different formula-based depreciation methods:

- Straight Line
- (IND) Straight Line Percent

- Declining Balance with a Switch to Straight Line
- Declining Balance with Depreciation Limit
- Declining Balance
- Flat Rate
- Sum of the Year's Digits

PeopleSoft Asset Management can calculate depreciation for each of the first six methods using either a schedule or a formula. The formulas that it uses to calculate yearly depreciation for each of these methods are explained in the following pages.

Straight Line

Yearly Straight Line depreciation is calculated using the following formula:

$$NBV \times (\text{Number of Periods to Depreciate} / \text{Remaining Life})$$

Straight Line Depreciation Example

The following table shows data that is used in the depreciation example that follows.

Attributes	Data
Asset Cost	11,000.00 USD
Salvage Value	1,000.00 USD
Asset Basis	10,000.00 USD (Cost - Salvage Value)
Life	60 periods (5 years)
Begin Depr Dt.	07/01/2006

Depreciation Results

The following table shows yearly depreciation and the calculation that is used to produce the result.

Year	Depreciation Calculation	Depreciation Expense
2006	10,000 x (6/60)	= 1000.00
2007	9000 x (12/54)	= 2000.00
2008	7000 x (12/42)	= 2000.00
2009	5000 x (12/30)	= 2000.00
2010	3000 x (12/18)	= 2000.00

Year	Depreciation Calculation	Depreciation Expense
2011	1000 x (6/6)	= 1000.00

(IND) Straight Line Percent

The Straight Line Percent method that is used in India differs from the Straight Line method. Depreciation is calculated based on rates rather than useful life. In addition, the rates also consider the residual or salvage value at the end of the asset useful life. In India the following assumptions are made:

- Assets are depreciated as of the in-service date.
- The minimum rates that are established by statute depreciate 95 percent of the asset cost over the asset useful life.
- An entity is entitled to depreciate at a higher rate, but not lower.

When using Straight Line Percent as the method, you complete the Percent field with the depreciation rate. The Useful Life field is unavailable. Other fields are ignored for this depreciation calculation. Although residual value is included in the rate, you have to enter salvage value.

Salvage Value acts as a limit. When the NBV reaches this amount, it automatically allocates the rest of the depreciable amount to the last period. Life in Years reflects both years and fractions, such as 8.4. Useful Life and Life in Years are displayed after you save or refresh the page. AM_DEPR_CALC recalculates these fields when it runs. Those assets that are coming from batch processes will calculate only Useful Life and Life in Years when you run AM_DEPR_CALC.

The formula to calculate Useful Life is:

$$(Cost - Salvage Value) / (Cost \times Depr Rate)$$

For example, an asset that is worth \$1,000 and a salvage value of \$50, with a 4.75% annual depreciation rate, using the actual month convention, will have a useful life of 20 years or 240 periods. Sometimes useful life may result in fractional periods.

Year	NBV Begin	Rate	Depr	NBV End
2001	1,000.00	0.0475	47.50	952.50
2002	952.50	0.0475	47.50	905.00
2003	905.00	0.0475	47.50	857.50
2004	857.50	0.0475	47.50	810.00
2005	810.00	0.0475	47.50	762.50
2006	762.50	0.0475	47.50	715.00
2007	715.00	0.0475	47.50	667.50
2008	667.50	0.0475	47.50	620.00

Year	NBV Begin	Rate	Depr	NBV End
2009	620.00	0.0475	47.50	572.50
2010	572.50	0.0475	47.50	525.00
2011	525.00	0.0475	47.50	477.50
2012	477.50	0.0475	47.50	430.00
2013	430.00	0.0475	47.50	382.50
2014	382.50	0.0475	47.50	335.00
2015	335.00	0.0475	47.50	287.50
2016	287.50	0.0475	47.50	240.00
2017	240.00	0.0475	47.50	192.00
2018	192.00	0.0475	47.50	145.00
2019	145.00	0.0475	47.50	97.50
2020	97.50	0.0475	47.50	50.00
		<i>Total Depreciation</i>	<i>950.00</i>	

Remaining Value and Life to Date

Two different ways are available to calculate depreciation adjustments under Indian Straight Line Percent Method:

- Remaining Value
- Life to Date

For instance, in the preceding example, suppose that in the sixth year, the rate must change to 5.28 percent because the government adopts a new rate according to Schedule XIV. Using Remaining Value, the system calculates the useful life. It takes into account the new rate on the original cost. It calculates depreciation based on the NBV minus any residual value over the remaining new useful life, where remaining new useful life means the new useful life minus periods that are already depreciated.

Revised Useful Life:

$$(Cost - Salvage Value) / (Cost \times Depr Rate) \text{ Revised Useful Life: } (1000 - 50) / (1000 \times .0528) = 17.992424$$

Rounded up to 18 years or 216 months.

New Depreciation Amount:

$$(Net Book Value - Limiting Value) / (Revised useful life - Years Depreciated)$$

New Depreciation Amount:

$$(762.5 - 50) / (18 - 5) = 54.8076$$

In the last period, the remaining value will be residual value.

The following table shows the depreciation with the adjustment in the sixth year.

<i>Yearly Start Date</i>	<i>Original Cost</i>	<i>Schedule XIV Rates</i>	<i>Effective Depreciation</i>	<i>Net Book Value</i>	<i>Number of Years</i>
01 JAN 2003	1000.00	0.0475	47.50	952.50	1
01 JAN 2004	952.50	0.0475	47.50	905.00	2
01 JAN 2005	905.00	0.0475	47.50	857.50	3
01 JAN 2006	857.50	0.0475	47.50	810.00	4
01 JAN 2007	810.00	0.0475	47.50	762.50	5
01 JAN 2008	762.50	0.0528	54.81	707.69	6
01 JAN 2009	707.69	0.0528	54.81	652.88	7
01 JAN 2010	652.88	0.0528	54.81	598.08	8
01 JAN 2011	598.08	0.0528	54.81	543.27	9
01 JAN 2012	543.27	0.0528	54.81	488.46	10
01 JAN 2013	488.46	0.0528	54.81	433.65	11
01 JAN 2014	433.65	0.0528	54.81	378.85	12
01 JAN 2015	378.85	0.0528	54.81	324.04	13
01 JAN 2016	324.04	0.0528	54.81	269.23	14
01 JAN 2017	269.23	0.0528	54.81	214.42	15
01 JAN 2018	214.42	0.0528	54.81	159.62	16
01 JAN 2019	159.62	0.0528	54.81	104.81	17
01 JAN 2020	104.82	0.0528	54.81	50.00	18

In the case of Life to Date, the useful life is again recalculated. This method takes into account the new rate on the original cost. Depreciation is based on what the system had calculated if the rate would have been the new rate from the beginning. An adjustment to the prior depreciation amounts is required in this method to reflect the change retroactively. It consists of summarizing all depreciation amounts until the change and comparing with the amount that would have been obtained if the asset had always been calculated based on the new rate.

Useful Life:

$$(Cost - Salvage Value) / (Cost \times Depr Rate)$$

Useful Life:

$$(1000 - 50) / (1000 \times .0528) = 17.992424$$

Rounded up to 18 years or 216 months.

The following table depicts the depreciation if the rate had always been 5.28 percent.

Yearly Start Date	Original Cost	Schedule XIV Rates	Effective Depreciation	Net Book Value	Number of Years	Total Depreciation
01 JAN 2003	1000.00	0.0528	52.80	947.20	1	
01 JAN 2004	947.20	0.0528	52.80	894.40	2	
01 JAN 2005	894.40	0.0528	52.80	841.60	3	
01 JAN 2006	841.60	0.0528	52.80	788.80	4	
01 JAN 2007	788.80	0.0528	52.80	736.00	5	264.00
01 JAN 2008	736.00	0.0528	52.80	683.20	6	
01 JAN 2009	683.20	0.0528	52.80	630.40	7	
01 JAN 2010	630.40	0.0528	52.80	577.60	8	
01 JAN 2011	577.60	0.0528	52.80	524.80	9	
01 JAN 2012	524.80	0.0528	52.80	472.00	10	
01 JAN 2013	472.00	0.0528	52.80	419.20	11	
01 JAN 2014	419.20	0.0528	52.80	366.40	12	
01 JAN 2015	366.40	0.0528	52.80	313.60	13	
01 JAN 2016	313.60	0.0528	52.80	260.80	14	
01 JAN 2017	260.80	0.0528	52.80	208.00	15	
01 JAN 2018	208.00	0.0528	52.80	155.20	16	

Yearly Start Date	Original Cost	Schedule XIV Rates	Effective Depreciation	Net Book Value	Number of Years	Total Depreciation
01 JAN 2019	155.20	0.0528	52.80	102.40	17	
01 JAN 2020	102.40	0.0528	52.40	50.00	18	

Compare the preceding table that shows what the amount would have been with a constant rate of 5.28 percent versus the following table that shows what the amounts are with a change and an adjustment in the sixth year.

Yearly Start Date	Original Cost	Schedule XIV Rates	Effective Depreciation	Net Book Value	Number of Years	Adjustment
01 JAN 2003	1000.00	0.0475	47.50	952.50	1	
01 JAN 2004	952.50	0.0475	47.50	952.50	2	
01 JAN 2005	905.00	0.0475	47.50	905.00	3	
01 JAN 2006	857.50	0.0475	47.50	857.50	4	
01 JAN 2007	810.00	0.0475	47.50	762.50	5	237.50
31 DEC 2007			26.50	736.00		264.00
01 JAN 2008	736.00	0.0528	52.77	683.23	6	
01 JAN 2009	683.23	0.0528	52.77	630.46	7	
01 JAN 2010	630.46	0.0528	52.77	577.69	8	
01 JAN 2011	577.69	0.0528	52.77	524.92	9	
01 JAN 2012	524.92	0.0528	52.77	472.15	10	
01 JAN 2013	472.15	0.0528	52.77	419.38	11	
01 JAN 2014	419.38	0.0528	52.77	366.62	12	
01 JAN 2015	366.62	0.0528	52.77	313.85	13	
01 JAN 2016	313.85	0.0528	52.77	261.08	14	
01 JAN 2017	261.08	0.0528	52.77	208.31	15	
01 JAN 2018	208.31	0.0528	52.77	155.54	16	
01 JAN 2019	155.54	0.0528	52.77	102.77	17	
01 JAN 2020	102.77	0.0528	52.77	50.00	18	

Adjustment PDP:

Total Depreciation at new rate – Total Depreciation at former rate

Adjustment PDP:

$264 - 237.50 = 26.50$ for the first 5 years.

New Depreciation Amount:

(Net Book Value – Adj PDP - Limiting Value) / (Revised useful life – Years Depreciated)

New Depreciation Amount:

$(762.5 - 26.5 - 50) / (18 - 5) = 52.7692$

Declining Balance with a Switch to Straight Line

Declining Balance with a Straight Line Switch performs two simultaneous equations to calculate yearly depreciation. One equation calculates declining balance depreciation and the other calculates straight line depreciation. PeopleSoft Asset Management then compares the two yearly depreciation amounts and applies whichever is greater.

Note that in this type of calculation the asset's net book value is multiplied by the declining balance percentage times the straight line depreciation percentage.

$NBV \times ((\text{Number of Periods to Depreciate} / \text{Life}) \times DB\%)$

Declining Balance with a Switch to Straight Line Example

The following table shows data that is used in the depreciation example that follows it.

Attributes	Data
Asset Cost	10,000.00 USD
Life	60 periods (5 years)
Begin Depr Dt.	07/01/2006
Declining Balance %	200%

Depreciation Results

The following table shows yearly depreciation and the calculation that is used to produce the result.

Year	Depreciation Calculation	Depreciation Expense
2006	$10,000 \times ((6/60) \times (200/100))$	= 2000.00
2007	$8000 \times ((12/60) \times (200/100))$	= 3200.00

Year	Depreciation Calculation	Depreciation Expense
2008	$4800 \times ((12/60) \times (200/100))$	= 1920.00
2009	$2880 \times ((12/60) \times (200/100))$	= 1152.00
2010 x (SL)	$1728 \times (12/18)$	= 1152.00
2011 x (SL)	$576 \times (6/6)$	= 576.00

In this example, in 2010, the straight line depreciation is greater than the declining balance depreciation. Therefore, switch to straight line depreciation. The declining balance calculation for 2010 is $1728 \times ((12/60) \times (200/100)) = 691.20$. In 2011, the straight line depreciation is equal to the declining balance depreciation.

Declining Balance with Depreciation Limit

This calculation type enables you to specify annual depreciation limits based on a percentage of an asset's cost. This method supports asset management practices that are commonly used in some European countries. In environments in which this is legally acceptable, the advantage to this method is that it provides greater decreases in value in the first years of an asset's service. In some environments, a company may use this depreciation method initially and then switch to straight-line when that method provides a greater write-off.

This method runs three calculations and performs comparisons between the results.

First, it calculates using the formula that is already documented for Declining Balance with a Switch to Straight Line:

$NBV \times ((\text{Number of Periods to Depreciate/Life}) \times DB\%)$

(See DB column in the table provided with the following example.)

It then calculates using the specified limit percentage of original cost or bet book value:

$NBV \times \text{Limit}\%$

(See MAX column in the table provided with the following example.)

The results of these two calculations are compared and the system determines which amount is lesser. (See Comparison 1 column in the table provided with following example.)

Finally, it calculates using the Straight Line formula:

$NBV \times (\text{Number of Periods to Depreciate/Remaining Life})$

(See SL column in the table provided with following example.)

Results of the Straight Line calculation are compared with the lesser amount from the first comparison. (Column SL compared with column Comparison 1 in the following table. Comparison 2 column shows when the Straight Line method produces the greater result.)

The greater amount between this final comparison is the annual depreciation amount. (See Depr column in the table after the following table.)

Declining Balance with Depreciation Limit Example

The following table shows data that is used in the depreciation example that follows it.

<i>Attributes</i>	<i>Data</i>
Asset Cost	10,000.00 USD
Life	96 periods (8 years)
Begin Depr Dt.	01/01/2006
Declining Balance %	300%
Limit %	30%

Depreciation Results

The following table shows yearly depreciation and the calculation that is used to produce the result.

<i>Year</i>	<i>NBV</i>	<i>DB</i>	<i>Max (Limit%)</i>	<i>Comparison 1</i>	<i>SL</i>	<i>Comparison 2</i>	<i>Depr.</i>
Year 1	100000	37500	30000	30000	12500		30000
Year 2	70000	26250	21000	21000	10000		21000
Year 3	49000	18375	14700	14700	8167		14700
Year 4	34300	12862	10290	10290	6860		10290
Year 5	24010	9004	7203	7203	6003		7203
Year 6	16807	6303	5042	5042	5602	SW	5602
Year 7	11205	4201	3361	3361	5602	SW	5602
Year 8	5602	2101	1681	1681	5602	SW	5602

Declining Balance

For this type of calculation, the declining balance percentage represents a percentage of NBV.

$$NBV \times DB\%$$

When you are depreciating an asset with a declining balance method, the life of the asset is irrelevant. Note that if you used this method alone, an asset would never be fully depreciated. To fully depreciate an asset using the Declining Balance method, you must enter either a book low limit or an end depreciation date. When an asset's NBV reaches its book low limit or end depreciation date, the remaining value is taken in depreciation for that year.

Declining Balance Example

The following table shows data that is used in the depreciation example that follows it.

<i>Attributes</i>	<i>Data</i>
Asset Cost	10,000.00 USD
Salvage Value	1,000.00 USD (not used for calculating asset basis)
Asset Basis	10,000.00 USD
Life	60 periods (5 years)
Begin Depr Dt.	01/01/94
Declining Balance %	20%

Depreciation Results

The following table shows yearly depreciation and the calculation that is used to produce the result.

<i>Year</i>	<i>Depreciation Calculation</i>	<i>Depreciation Expense</i>
1994	10,000 x (20/100)	= 2000.00
1995	8000 x (20/100)	= 1600.00
1996	6400 x (20/100)	= 1280.00
1997	5120 x (20/100)	= 1024.00
1998	4096 x (20/100)	= 819.20
1999	3276.80 x (20/100)	= 655.54
2000	2621.21 x (20/100)	= 524.24

Calculations continue in this manner until the book low limit or end depreciation date is reached. If no book low limit or end depreciation date is specified, the asset never fully depreciates.

Flat Rate

The formula for calculating Flat Rate depreciation is simple.

Basis x *Flat %*

Flat Rate with an Averaging Option

You can combine the Flat Rate depreciation method with either a monthly or yearly averaging option. These options are typically used by utility companies to depreciate composite assets. When these options are used, PeopleSoft Asset Management uses up to three separate formulas to calculate depreciation for adjustments—one for calculating current period depreciation, one for calculating following period depreciation, and one for calculating depreciation for all subsequent periods.

These formulas are used only for calculating additional depreciation resulting from adjustments to the average balance. And these adjustments are applied only to the current year. For all subsequent years, as well as the first time it is done, the system calculates depreciation by applying the flat rate percentage to the average balance and allocating this amount among the periods.

Because of the averaging option, all adjustment transactions must take effect from the beginning of the year to its end. Therefore, current period depreciation is calculated after each transaction on a year-to-date basis.

As adjustments are made, additional depreciation is posted for each period that is affected.

Note. Using the flat rate depreciation method causes any depreciation to be posted to the end of the calendar. If this is not your intention, you must enter a low limit of .01 when you first select the depreciation method on the Asset Book Definition page group for this asset. If you have not already done this, update the Depreciation Method field on the General 2 page by selecting *Flat Rate* and entering .01 in the Low Limit additional field that appears.

Monthly Averaging Option

Review the following examples of monthly averaging calculations resulting from a \$2000 adjustment made in period 3. The asset is depreciated at 12%.

((Adjustment Amount / 2) x Flat Rate %) x Period Allocation

Calculation for the current period (YTD):

((2,000 USD / 2) x 12%) x 3/12 = 30 USD

Current Period Depreciation + ((Adjustment Amount x Flat Rate %) x Period Allocation)

Calculation for the following period:

30 USD + ((2,000 USD x 12%) x 1/12) = 50 USD

(Adjustment Amount x Flat Rate %) x Period Allocation

Calculation for Subsequent Periods:

(2,000 USD x 12%) x 1/12 = 20 USD

Note. The only exception to this rule occurs when the following period crosses into another fiscal year. When this is the case, all periods but the current one are calculated using the full value of the transaction. Current Period depreciation is not added to the following period depreciation.

Yearly Averaging Option

When using the yearly averaging option, you'll want to estimate financial activity for the year. The original estimate should be posted as an add transaction in the first period of the year and subsequently adjusted as the actual figures become available.

Review the following example of the yearly averaging option using the same 2,000 USD adjustment in Period 3. The asset is depreciated at 12 percent.

((Adjustment Amount / 2) x Flat Rate %) x Period Allocation

Calculation for the current period (YTD):

((2,000 USD / 2) x 12%) x 3/12 = 30 USD

((Adjustment Amount / 2) x Flat Rate %) x Period Allocation

Calculation for all subsequent periods:

((2,000 USD / 2) x 12%) x 1/12 = 10 USD

Sum of the Years' Digits

Yearly Sum of the Years' Digits depreciation is calculated using the following formula:

((Remaining Years of Life / Sum of Years Remaining) x NBV) x % of Year to Depreciate

Sum of the Years Digits Example

The following table shows data that is used in the depreciation example that follows it.

Attributes	Data
Asset Cost	3700.00
Salvage Value	100.00
Asset Basis	3600.00
Life	36 periods (3 years)
Begin Depr Dt.	07/01/2006

Depreciation Results

The following table shows yearly depreciation and the calculation that is used to produce the result.

Year	Depreciation Calculation	Depreciation Expense
2006	$3600 \times (3/(1+2+3)) \times (6/12)$	= 900.00

Year	Depreciation Calculation	Depreciation Expense
2007	$2700 \times (2.5/(1+2+3/2)) \times (12/12)$	= 1500.00
2008	$1200 \times (1.5/(1+ 2/2)) \times (12/12)$	= 900.00
2009	$300 \times (0.5/(1/2)) \times (6/6)$	= 300.00

Calculation for the first year Sum of Years Remaining = $3/(1+2+3)$

Units of Production

Units of production depreciation differs from other methods in that it does not depreciate an asset based on its periods of life, but rather on its production detail. In this method, an asset is assumed to have a fixed lifetime production capacity—a maximum number of units it can produce. Thus, a fixed amount of depreciation is allotted to each unit of production. The net book value of the asset is then multiplied by the number of units that are produced in a period over the remaining units to be produced to determine how much depreciation to take for that period.

$NBV \times (\text{Units Produced} / \text{Units Remaining})$

Production detail for the asset is entered into the Units of Production table (Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, Units of Production). Each time new detail is added to this table, open transactions are created for each asset that is associated with it. You should recalculate depreciation each time you add to or change the detail in the Units of Production table.

Units of Production Example

The following table shows data that is used in the depreciation example that follows it.

Attributes	Data
Asset Cost	10,000.00 USD
Total Estimated Production Units	40,000
Production Units for each month	10,000

Depreciation Results

The following table shows yearly and monthly depreciation and the calculation that is used to produce the result.

Year, Month	Depreciation Calculation	Depreciation Expense
Year 1, Month 1	$10,000 \times (10,000/40,000)$	= 2500.00
Year 1, Month 2	$7500 \times (10,000/30,000)$	= 2500.00
Year 1, Month 3	$5000 \times (10,000/20,000)$	= 2500.00

Year, Month	Depreciation Calculation	Depreciation Expense
Year 1, Month 4	$2500 \times (10,000/10,000)$	= 2500.00

Note. Units remaining are calculated by summing the production units for all remaining periods that are set up on the Units of Production page (Set Up Financials/Supply Chain, Product Related, Asset Management, Depreciation, Units of Production).

Calculating Depreciation When Salvage Value Exceeds Net Book Value (NBV)

There are instances when the residual value (salvage value) of an asset may increase to an amount equal to or greater than the asset's carrying amount (NBV.) If that situation arises, PeopleSoft provides the following treatments for depreciation calculation, depending upon statutory requirements:

- Stop depreciation calculation when salvage value exceeds NBV.
- Allow negative depreciation when salvage value exceeds NBV.

Stop Depreciation When Salvage Value Exceeds NBV

In compliance with International Accounting Standards (IAS) and Generally Accepted Accounting Principles (GAAP), PeopleSoft provides the option to stop the depreciation calculation in the event the salvage value of an asset exceeds that of its NBV.

See *PeopleSoft Asset Lifecycle Management Fundamentals 9.1 PeopleBook*, "Setting Up Depreciation Processing," Enabling Options to Stop Negative Depreciation.

Stop Depreciation Example

The following table shows data that is used in the depreciation example that follows it:

Attributes	Data
Transaction Date	January 1, 2006
Accounting Date	January 1, 2006
In Service Date	January 1, 2006
Calculation Type	Life to Date
Convention	Actual Month
Method	Straight Line
Asset Cost	75,000.00

Attributes	Data
Salvage Value (Increased from 0 to 50,000 on January 1, 2008)	50,000.00
Accumulated Depreciation (24 months in service)	30,000.00
Net Book Value at January 1, 2008	45,000.00
Asset Useful Life	60 months

Depreciation Result - Stop Depreciation

The following table shows the result of the depreciation calculation when the Stop Depr option is selected:

Year	Depreciation Calculation	Depreciation Expense
January 1 through December 31, 2006	75,000 x (12/60 months)	15,000.00
January 1 through December 31, 2007	60,000 x (12/48 months)	15,000.00
January 1 through December 31, 2008	Depreciation stopped	0
January 1 through December 31, 2009	Depreciation stopped	0
January 1 through December 31, 2010	Depreciation stopped	0

Stop Depreciation Example with Additional Adjustment of Salvage Value

The following table shows data that is used in the depreciation example that follows it:

Attributes	Data
Transaction Date	January 1, 2006
Accounting Date	January 1, 2006
In Service Date	January 1, 2006
Calculation Type	Life to Date
Convention	Actual Month
Method	Straight Line
Asset Cost	75,000.00
Salvage Value (Increased from 0 to 50,000 at January 1, 2008)	50,000.00

Attributes	Data
Accumulated Depreciation (24 months in service)	30,000.00
Net Book Value at January 1, 2008	45,000.00
New Salvage Value - (Reduced to zero at January 1, 2009)	0
Asset Useful Life	60 months

Depreciation Result - Stop Depreciation with Additional Adjustment of Salvage Value

The following table shows the result of the depreciation calculation when the Stop Depr option is selected and there is an additional adjustment of salvage value:

Year	Depreciation Calculation	Depreciation Expense
January 1 through December 31, 2006	75,000 x (12/60 months)	15,000.00
January 1 through December 31, 2007	60,000 x (12/48 months)	15,000.00
January 1 through December 31, 2008	Depreciation stopped	0
January 1 through December 31, 2009 (salvage value reduced to zero at January 1, 2009)	(NBV - Salvage Value = 45,000) (45,000 - 0 = 45,000) 45,000 x (12/24 months)	22,500.00
January 1 through December 31, 2010	22,500 x (12/12 months)	22,500.00

Allow Negative Depreciation

The alternate approach to handling an asset when the NBV becomes less than the salvage value is to allow the system to generate negative depreciation until the NBV equals the salvage value at the end of the asset's useful life. To use this approach, simply do not select the Stop Depr when NBV < Salvage options.

Allow Negative Depreciation

The following table shows data that is used in the depreciation example that follows it:

Attributes	Data
Transaction Date	January 1, 2006
Accounting Date	January 1, 2006
In Service Date	January 1, 2006

Attributes	Data
Calculation Type	Life to Date
Convention	Actual Month
Method	Straight Line
Asset Cost	75,000.00
Salvage Value (Increased from 0 to 50,000 at January 1, 2008)	50,000.00
Accumulated Depreciation (24 months in service)	30,000.00
Net Book Value at January 1, 2008	45,000.00
Asset Useful Life	60 months

Depreciation Result - Allow Negative Depreciation

The following table shows the result of the depreciation calculation when the Stop Depr option is not selected:

Year	Depreciation Calculation	Depreciation Expense
January 1 through December 31, 2006	$75,000 \times (12/60 \text{ months})$	15,000.00
January 1 through December 31, 2007	$60,000 \times (12/48 \text{ months})$	15,000.00
January 1 through December 31, 2008 (Salvage Value increase on January 1, 2008)	$(\text{NBV} - \text{Salvage Value}) \times (12/36 \text{ months})$ $(45,000 - 50,000) \times (12/36 \text{ months})$	- 1,666.67
January 1 through December 31, 2009	$(\text{NBV} - \text{Salvage Value}) \times (12/24 \text{ months})$ $(46,666.67 - 50,000) \times (12/24 \text{ months})$	- 1,666.67
January 1 through December 31, 2010	$(\text{NBV} - \text{Salvage Value}) \times (12/12 \text{ months})$ $(48,333.33 - 50,000) \times (12/12 \text{ months})$	- 1,666.67

Allow Negative Depreciation with Additional Adjustment of Salvage Value

The following table shows data that is used in the depreciation example that follows it:

Attributes	Data
Transaction Date	January 1, 2006
Accounting Date	January 1, 2006

Attributes	Data
In Service Date	January 1, 2006
Calculation Type	Life to Date
Convention	Actual Month
Method	Straight Line
Asset Cost	75,000.00
Salvage Value (Increased from 0 to 50,000 at January 1, 2008)	50,000.00
Accumulated Depreciation (24 months in service)	30,000.00
Net Book Value at January 1, 2008	45,000.00
New Salvage Value - (Reduced to zero at January 1, 2009)	0
Asset Useful Life	60 months

Depreciation Result - Allow Negative Depreciation with Additional Adjustment to Salvage Value

The following table shows the result of the depreciation calculation when the Stop Depr option is not selected and there is an additional adjustment to salvage value:

Year	Depreciation Calculation	Depreciation Expense
January 1 through December 31, 2006	$75,000 \times (12/60 \text{ months})$	15,000.00
January 1 through December 31, 2007	$60,000 \times (12/48 \text{ months})$	15,000.00
January 1 through December 31, 2008 (Salvage value increase on January 1, 2008)	$(\text{NBV} - \text{Salvage Value}) \times (12/36 \text{ months})$ $(45,000 - 50,000) \times (12/36 \text{ months})$	- 1,666.67
January 1 through December 31, 2009 (Salvage value reduced to zero on January 1, 2009)	$(\text{NBV} - \text{Salvage Value}) \times (12/24 \text{ months})$ $(46,666.67 - 0) \times (12/24 \text{ months})$	23,333.34
January 1 through December 31, 2010	$(\text{NBV} - \text{Salvage Value}) \times (12/12 \text{ months})$ $(23,333.33 - 0) \times (12/12 \text{ months})$	23,333.33

Appendix C

PeopleSoft Asset Management Reports

This appendix provides an overview of PeopleSoft Asset Management reports, lists common elements, and includes:

- Tables of Asset Management reports by category.
- Reports using Oracle Business Intelligence (BI) Publisher Reports to Support Configured ChartFields

Note. For samples of these reports, see the Portable Document Format (PDF) fields that are published with your online documentation.

See Also

PeopleTools PeopleBook, "Process Scheduler"

PeopleSoft Asset Management Reports

These tables list the PeopleSoft Asset Management reports, sorted alphanumerically by report ID within each of the following report categories. If you need more information about a report, refer to the report details at the end of this appendix.

This section discusses:

- Asset lists.
- Transaction reports.
- Capital acquisition planning reports.
- Depreciation reports.
- Impairment Reports
- Account activity reports.
- Accounting entry reports.
- Physical inventory reports.
- Lease reports.
- Retirement reports.

- U.S. tax reports.
- Global reports.

Note. You may see both of the terms XML Publisher (XMLP) and BI Publisher, depending on the version of your PeopleTools installation and the bundle version of your 9.1 application. As of PeopleTools 8.52, references to XML Publisher (XMLP) have changed to BI Publisher. This does not denote a change to the reports; only the naming convention has changed.

Asset Set Up Lists

<i>Report ID and Report Name</i>	<i>Description</i>	<i>Navigation</i>	<i>Run Control Page</i>
AMBU1000 Asset Management Units/Books	Lists all valid business units and asset books. (Crystal)	Set Up Financials/Supply Chain, Business Unit Related, Reports, Asset Management Units/Books	RUN_AMBU1000
AMAE1000 List of Accounting Entry Templates	Lists all accounting entry templates by category. (Crystal)	Set Up Financials/Supply Chain, Product Related, Asset Management, Reports, Accounting Entry Templates	RUN_AMAE1000
AMAE1100 Book Code Discrepancy Report	Lists book code discrepancies where accounting entry templates do not meet the book code validations for pairs distribution types. (SQR)	Set Up Financials/Supply Chain, Product Related, Asset Management, Reports, Accounting Entry Templates	RUN_AMAE1000
AMAS1100 Asset Categories Report	Lists Asset Categories (Crystal).	Set Up Financials/Supply Chain, Product Related, Asset Management, Reports, Asset Categories	RUN_AMAS1100

Transaction Reports

<i>Report ID and Report Name</i>	<i>Description</i>	<i>Navigation</i>	<i>Run Control Page</i>
AMAS1600 List of Asset Warranties	Lists all of the warranties that are in place for a specified business unit as of a date that you select. (Crystal)	Asset Management, Service and Maintenance, Reports, Warranties	RUN_AMAS1600
AMAS1700 List of Asset Licenses	Lists asset licenses. (Crystal)	Asset Management, Service and Maintenance, Reports, License Information	RUN_AMAS1700

Report ID and Report Name	Description	Navigation	Run Control Page
AMAS2000 Cost Activity	Sorts cost activity by ChartField, by Category, or by Account (SQR). Use the PeopleSoft Asset Management report formatting features to include/exclude data and append suffixes to identify report types.	Asset Management, Financial Reports, Cost and Depreciation, Cost Activity Report	RUN_AMAS2000
AMAS2100 Asset Acquisitions by ChartField	Lists asset information and also includes Cost, LTD and YTD Depreciation and Net Book Value with ChartField, Book and Report totals. (SQR)	Asset Management, Financial Reports, Asset Details, Acquisitions	RUN_AMAS2100
AMAS2110 Asset Acquisitions by In Service Date	Lists asset information and also includes Cost, LTD and YTD Depreciation and Net Book Value with ChartField, In-service Period/Year, Book and Report totals. (SQR)	Asset Management, Financial Reports, Asset Details, Acquisitions	RUN_AMAS2100
AMAS2200 Assets by Location	Lists information on assets by location. (SQR)	Asset Management, Financial Reports, Asset Details, By Location	RUN_AMAS2200
AMAS2210 Assets by Asset ID	Lists assets by Asset ID. (SQR)	Asset Management, Financial Reports, Asset Details, By Location	RUN_AMAS2200
AMAS2300 Asset Transfers by ChartField	Lists asset transfers transactions ordered by ChartField. (SQR)	Asset Management, Financial Reports, Cost and Depreciation, Asset Transfers	RUN_AMAS2300
AMAS2400 Asset Reclassifications	Lists asset recategorizations ordered by ChartField. (SQR)	Asset Management, Financial Reports, Cost and Depreciation, Asset Reclassifications	RUN_AMAS2400
AMAS2201 Hazardous Assets by Location	List assets designated as hazardous, sorted by location. (SQR)	Asset Management, Financial Reports, Asset Details, Hazardous Assets by Location	RUN_AMAS2201
AMCH1000 Asset Component Hierarchy Move	List asset component hierarchy moves made through the Manage Component Hierarchy transaction (SQR)	Asset Management, Financial Reports, Asset Details, Asset Component Hierarchy Move	RUN_AMCH1000

Capital Acquisition Planning Reports

Report ID and Report Name	Description	Navigation	Run Control Page
AMCP2000 Capital Acquisition Plans	Lists capital acquisition planning information. (SQR)	Asset Management, Asset Transactions, Capital Acquisition Planning, Run Report	RUN_AMCP2000
AMCP2010 Capital Acquisition Plans by Department	Lists capital acquisition planning by department. (SQR)	Asset Management, Asset Transactions, Capital Acquisition Planning, Run Report	RUN_AMCP2000
AMCP2100 Capital Acquisition Planning Assets	Lists capital acquisitions planning by asset ID. (SQR)	Asset Management, Asset Transactions, Capital Acquisition Planning, Run Report	RUN_AMCP2000

Depreciation Reports

Report ID and Report Name	Description	Navigation	Run Control Page
AMDP2000 Depreciation Activity	Sorts cost activity by ChartField. (SQR), by Category, or by Account. Use the PeopleSoft Asset Management report formatting features to include/exclude data and append suffixes to identify report types.	Asset Management, Financial Reports, Cost and Depreciation, Depreciation Activity	RUN_AMDP2000
AMDP2021 Depreciation Activity by Alternate Account	Sorts depreciation activity by alternate account. (SQR)	Asset Management, Financial Reports, Accounting Entries, Alt Account Activity Detail, Depreciation Activity by Alt Account	RUN_AMDP2000

Report ID and Report Name	Description	Navigation	Run Control Page
AMDP2100 Net Book Value	Sorts cost activity by ChartField, by Category, Location, or by Account (SQR). Use the PeopleSoft Asset Management report formatting features to include/exclude data and append suffixes to identify report types. This report also provides options for assets that have had their depreciation stopped.	Asset Management, Financial Reports, Cost and Depreciation, Asset Net Book Value	RUN_AMDP2100
AMDP2121 Asset Net Book Value by Alternate Account	Sorts asset net book value information by alternate account. (SQR)	Asset Management, Financial Reports, Accounting Entries, Alt Account Activity Detail, Net Book by Alt Account	RUN_AMDP2100
AMDP2150 Group Member Estimated NBV	Lists estimated depreciation accumulation of the member. (SQR)	Asset Management, Financial Reports, Cost and Depreciation, Group Member Estimated NBV	RUN_AMDP2150_RQST
AMDP2200 Depreciation by Period	Sorts assets by period depreciation at asset, category, department, book, or project levels. (SQR) Use the PeopleSoft Asset Management report formatting features to include/exclude data.	Asset Management, Financial Reports, Cost and Depreciation, Depreciation by Period	RUN_AMDP2200
AMDP2300 Depreciation by Fiscal Year	Sorts assets by fiscal year depreciation at asset, category, project, department, or book levels. (SQR) Use the PeopleSoft Asset Management report formatting features to include/exclude data.	Asset Management, Financial Reports, Cost and Depreciation, Depreciation by Fiscal Year	RUN_AMDP2300
AMGL1000 AM to GL Reconciliation by Department (Crystal and BI Publisher)	Reconciles AM to GL by ChartField. (Crystal and BI Publisher) Crystal reports require manual changes when there are ChartField configurations. BI Publisher reports do not require manual changes to support ChartField configuration.	Asset Management, Financial Reports, Cost and Depreciation, AM/GL and NBV Reports	RUN_RPT_TBLS_REPS

Report ID and Report Name	Description	Navigation	Run Control Page
AMGL1010 AM to GL Reconciliation by Category (Crystal and BI Publisher)	Reconciles AM to GL by category. (Crystal and BI Publisher) Crystal reports require manual changes when there are ChartField configurations. BI Publisher reports do not require manual changes to support ChartField configuration.	Asset Management, Financial Reports, Cost and Depreciation, AM/GL and NBV Reports	RUN_RPT_TBLS_REPS
AMNB1000 Asset NBV by ChartField (Crystal and BI Publisher)	Sorts net book value by ChartField. (Crystal and BI Publisher) Crystal reports require manual changes when there are ChartField configurations. BI Publisher reports do not require manual changes to support ChartField configuration.	Asset Management, Financial Reports, Cost and Depreciation, AM/GL and NBV Reports	RUN_RPT_TBLS_REPS
AMNB1010 Asset NBV by Category (Crystal and BI Publisher)	Lists net book value related amounts sorted by category. (Crystal and BI Publisher) Crystal reports require manual changes when there are ChartField configurations. BI Publisher reports do not require manual changes to support ChartField configuration.	Asset Management, Financial Reports, Cost and Depreciation, AM/GL and NBV Reports	RUN_RPT_TBLS_REPS
AMNB1030 Asset NBV by Location (Crystal and BI Publisher)	Lists net book value related amounts sorted by location. (Crystal and BI Publisher) Crystal reports require manual changes when there are ChartField configurations. BI Publisher reports do not require manual changes to support ChartField configuration.	Asset Management, Financial Reports, Cost and Depreciation, AM/GL and NBV Reports	RUN_RPT_TBLS_REPS

Impairment Reports

Report ID and Report Name	Description	Navigation	Run Control Page
AMIMP001 Impaired Asset Value Report by Category	Lists impaired asset values summarized by asset category. (Crystal)	Asset Management, Financial Reports, Cost and depreciation, Asset Impairment, Impaired Asset Value Report by Category	AM_IMP_RPT_RUN_CTL
AMIMP002 Impaired Asset Value Report by CGU	Lists impaired asset values summarized by asset CGU. (Crystal)	Asset Management, Financial Reports, Cost and depreciation, Asset Impairment, Impaired Asset Value Report by CGU	AM_IMP_RPT_RUN_CTL

Account Activity Reports

Report ID and Report Name	Description	Navigation	Run Control Page
AMAS2030 Account Activity Summary - Cost	Lists cost and related transaction amounts per account with ChartFields, book, and report totals. (SQR)	Asset Management, Financial Reports, Accounting Entries, Account Activity Summary	RUN_AMAE2000
AMDP2030 Account Activity Summary - Depreciation	Lists depreciation and related transaction amounts per account with ChartFields, book, and report totals. (SQR)	Asset Management, Financial Reports, Accounting Entries, Account Activity Summary	RUN_AMAE2000
AMDP2130 Account Activity Summary - Net Book Value	Lists cost balance, YTD, LTD, depreciation and NBV amount per account. (SQR)	Asset Management, Financial Reports, Accounting Entries, Account Activity Summary	RUN_AMAE2000
AMAS2031 AltAccount Activity Summary - Cost	Lists cost and related transaction amounts per account with ChartFields, book, and report totals. (SQR)	Asset Management, Financial Reports, Accounting Entries, Alt Accounting Entry Detail	RUN_AMAE2001
AMAS2021 Cost Activity by Alt Account	Sorts cost activity by Alternate Account. (SQR)	Asset Management, Financial Reports, Cost and Depreciation, Cost Activity Report	RUN_AMAS2000

Report ID and Report Name	Description	Navigation	Run Control Page
AMDP2031 AltAccount Activity Summary - Depreciation	Lists depreciation and related transaction amounts per account with ChartFields, book, and report totals. (SQR)	Asset Management, Financial Reports, Accounting Entries, Alt Accounting Entry Detail	RUN_AMAE2001
AMDP2131 AltAccount Activity Summary - Net Book Value	Lists cost, depreciation and net book value amounts per account with ChartFields, book, and report totals. This report is similar to the Account Activity Summary Report. (SQR)	Asset Management, Financial Reports, Accounting Entries, Alt Accounting Entry Detail	RUN_AMAE2001

Accounting Entry Reports

Report ID and Report Name	Description	Navigation	Run Control Page
AMAE2100 Accounting Entry Detail	Lists accounting entry details. (SQR)	Asset Management, Financial Reports, Accounting Entries, Account Entry	RUN_AMAE2100
AMAE2101 Alternate Account Entry Detail	Retrieves alternate account entry information with ChartField, alternate account and report totals. (SQR)	Asset Management, Financial Reports, Accounting Entries, Alt Account Entry	RUN_AMAE2101
AMAE2102 Retired as Expensed Accounting Entry	Retrieves accounting entry information for assets that are disposed as expensed. (SQR)	Asset Management, Financial Reports, Accounting Entry	RUN_AMAE2102
AMAE2110 Accounting Entry Detail - Cost	Lists cost and related transaction amounts per asset, with ChartFields, book, and report totals. (SQR)	Asset Management, Financial Reports, Accounting Entries, Account Activity Summary	RUN_AMAE2000
AMAE2120 Accounting Entry Detail - Depreciation	Lists depreciation and related transaction amounts per asset, with ChartFields, book, and report totals. (SQR)	Asset Management, Financial Reports, Accounting Entries, Account Activity Summary	RUN_AMAE2000

Report ID and Report Name	Description	Navigation	Run Control Page
AMAE2130 Accounting Entry Detail - Net Book Value	Lists cost balance, YTD, and LTD depreciation and NBV amounts per asset. (SQR)	Asset Management, Financial Reports, Accounting Entries, Account Activity Summary	RUN_AMAE2000
AMAE2111 Alt Acct Entry Detail – All	Gather alternate account entry detail information. Lists cost beginning and ending balance with related transaction amounts. (SQR)	Asset Management, Financial Reports, Accounting Entries, Alt Account Entry Detail	RUN_AMAE2001
AMAE2121 Alt Acct Entry Detail – Depr	Gather alternate account entry detail information. Lists cost beginning and ending balance with related transaction amounts. (SQR)	Asset Management, Financial Reports, Accounting Entries, Alt Account Entry Detail	RUN_AMAE2001
AMAE2131 Alt Acct Entry Detail – NBV	Lists Cost Balance, YTD, and LTD Depreciation and NBV amount per asset. (SQR)	Asset Management, Financial Reports, Accounting Entries, Alt Account Entry Detail	RUN_AMAE2001

Physical Inventory Reports

Report ID and Report Name	Description	Navigation	Run Control Page
AMPI2000 Physical Inventory Extract	Gathers PI extract data. (SQR)	Asset Management, Physical Inventory, Run Physical Inventory Reports	RUN_AMPI2000
AMPI2100 Physical Inventory Scan Data	Gathers PI scan data. (SQR)	Asset Management, Physical Inventory, Run Physical Inventory Reports	RUN_AMPI2000
AMPI2200 Physical Inventory Results - INVENTORIED	Gathers PI inventoried results. (SQR)	Asset Management, Physical Inventory, Run Physical Inventory Reports	RUN_AMPI2000
AMPI2210 Physical Inventory Results - UNDER	Gathers PI unders results. (SQR)	Asset Management, Physical Inventory, Run Physical Inventory Reports	RUN_AMPI2000
AMPI2220 Physical Inventory Results - OVER	Gathers PI overs results. (SQR)	Asset Management, Physical Inventory, Run Physical Inventory Reports	RUN_AMPI2000

Report ID and Report Name	Description	Navigation	Run Control Page
AMDE4001 Inventory Report (Detail Version)	Lists detailed information about assets within inventory. (Crystal)	Asset Management, Financial Reports, Asset Details, By Location, Inventory Report (Detail Version)	RUN_AMAS2200
AMDE4002 Inventory Report (Short Version)	Lists summarized information about assets within inventory. (Crystal)	Asset Management, Financial Reports, Asset Details, By Location, Inventory Report (Short Version)	RUN_AMAS2200

Lease Reports

Report ID and Report Name	Description	Navigation	Run Control Page
AMLE2000 Lease Summary Information	Lists lease summary information. (SQR)	Asset Management, Financial Reports, Leased Assets, Summary or Detail	RUN_AMLE2000
AMLE2100 Lease Detail Information	Lists lease detail information. (SQR)	Asset Management, Financial Reports, Leased Assets, Summary or Detail	RUN_AMLE2000
AMLE2200 Lease Amortization Schedule	Lists lease detail information. (SQR)	Asset Management, Financial Reports, Leased Assets, Summary or Detail	RUN_AMLE2200
AMLE2310 Lease Footnote Disclosure Summary	Lists all outstanding lease commitments for five years and provides the monthly lease payment and yearly totals. (SQR)	Asset Management, Financial Reports, Leased Assets, Footnote Disclosure	RUN_AMLE2300
AMLE2300 Lease Footnote Disclosure Detail	Lists all outstanding lease commitments for five years and provides the monthly lease payment and yearly totals. (SQR)	Asset Management, Financial Reports, Reports, Leased Assets, Footnote Disclosure	RUN_AMLE2300
AMLE2400 Lease Expiration	Lists all leases expiring in a certain number of days from a specified date, or leases expiring within a date range that you select. (SQR)	Asset Management, Financial Reports, Leased Assets, Lease Expiration	RUN_AMLE2400

Report ID and Report Name	Description	Navigation	Run Control Page
AMAP1001 AP/AM Lease Payment Reconciliation Report	Compares information about the lease payments from the Asset Management tables with the voucher information that is automatically generated and stored in the Payables tables.	Asset Management, Financial Reports, Leased Assets, AP/AM Payment Reconciliation	RUN_AMAPPYMNTREC

Retirement Reports

Report ID and Report Name	Description	Navigation	Run Control Page
AMRT2000 Retirement by ChartField	Sorts retirement information by ChartField. (SQR)	Asset Management, Financial Reports, Retirement, Retirement Information Report	RUN_AMRT2000
AMRT2010 Retirement by In Service Date	Lists retirement information with totals per in service year/period. (SQR)	Asset Management, Financial Reports, Retirement, Retirement Information Report	RUN_AMRT2000
AMRT2100 Retirement Activity	Lists retirement related information. (SQR)	Asset Management, Financial Reports, Retirement, Retirement Activity Report	RUN_AMRT2100
AMBI1000 AM/Billing Transaction Status	Create the Assets Pending to Bill and Invoiced report. Lists the status of the transactions sent to Billing.	Asset Management, Financial Reports, Retirement, AM/Billing Transaction Status	RUN_AMBI1000
AMRET001 Auto-Retired Assets	Lists all auto-retired assets. (SQR)	Asset Management, Financial Reports, Retirement, Auto-Retired Assets	RUN_AMRET001

U.S. Tax Reports

Report ID and Report Name	Description	Navigation	Run Control Page
AMTX3000 Tax Acquisitions	Lists acquisition information for tax purposes. (SQR) Note. This report can be run in detail or summary mode.	Asset Management, Taxes, Reports, Gain/Loss Report	RUN_AMTX3000
AMTX3100 Tax Adjustments	Lists adjustment information for tax purposes. (SQR)	Asset Management, Taxes, Reports, Gain/Loss Report	RUN_AMTX3000
AMTX3200 Tax Retirements	Lists adjustment information for tax purposes. (SQR) This report can be run in detail or summary mode.	Asset Management, Taxes, Reports, Gain/Loss Report	RUN_AMTX3000
AMTX3210 Tax Retirement Capital Gains	Lists retirement capital gains information for tax purposes. (SQR)	Asset Management, Taxes, Reports, Gain/Loss Report	RUN_AMTX3000
AMTX3220 Like Kind Exchanges Activity	Use this report to review LKE activity. (SQR).	Asset Management, Taxes, Reports, Gain/Loss Report	RUN_AMTX3000
AMTX3500 Tax Depreciation	Gathers depreciation information for tax purposes. (SQR)	Asset Management, Taxes, Reports, Gain/Loss Report	RUN_AMTX3000
AMTX3610 Tax Depreciation for Current Year Assets	Similar to Tax Depreciation report, ordered by fiscal year/period or date range. (SQR)	Asset Management, Taxes, Reports, Gain/Loss Report	RUN_AMTX3000
AMTX3620 Tax Depreciation for Prior Year Assets	Similar to Tax Depreciation report, ordered by fiscal year/period or date range. (SQR)	Asset Management, Taxes, Reports, Gain/Loss Report	RUN_AMTX3000
AMTX3630 Tax Depreciation – Listed Property	Gathers depreciation information relevant to listed property. (SQR)	Asset Management, Taxes, Reports, Gain/Loss Report	RUN_AMTX3000

Report ID and Report Name	Description	Navigation	Run Control Page
AMTX3640 Generate Bonus Depreciation Tax Reports	This report is used in conjunction with the bonus depreciation. Use to review bonus depreciation amounts for Non-Listed Property.	Asset Management, Taxes, Reports, Gain/Loss Report	RUN_AMTX3000
AMTX3650 Generate Bonus Depreciation Tax Reports	This report is used in conjunction with the bonus depreciation. Use to review bonus depreciation amounts for Listed Property with business use over 50%.	Asset Management, Taxes, Reports, Gain/Loss	RUN_AMTX3000
AMTX4000 Alternative Minimum Tax (AMT)	Gathers alternative minimum tax information. (SQR) Note. This report can be run in detail or summary mode.	Asset Management, Taxes, Reports, Tax AMT/ACE USA	RUN_AMTX4000
AMTX4100 Adjusted Current Earnings Worksheet (ACE)	Lists adjusted current earnings information. (SQR)	Asset Management, Taxes, Reports, Tax AMT/ACE USA	RUN_AMTX4000
AMTX4200 40% Rule Analysis Report	Run to comply with the US Tax 40% Rule. (SQR) Note. If you add over 40% of your assets in the 4 th quarter, you must update the convention from mid-year to mid-quarter under certain US requirements. This report can be run in detail or summary mode.	Asset Management, Taxes, Reports, 40% Rule Analysis	RUN_AMTX4200
AMTX4300 AMT Retirements	Gathers alternative minimum tax information from retirements. (SQR)	Asset Management, Taxes, Reports, Tax AMT/ACE USA	RUN_AMTX4000
AMTX4400 ACE Retirements	Gathers adjusted current earnings information from retirements. (SQR)	Asset Management, Taxes, Reports, Tax AMT/ACE USA	RUN_AMTX4000

Global Reports

Report ID and Report Name	Description	Navigation	Run Control Page
AMTX10AU AUS RD Tax Deductions	View the amount of research and development concessions that can be claimed. (SQR)	Asset Management, Taxes, Reports, RD Deductions AUS	RUN_AMTX10AU
AMTX20AU Tax Credits by Category (Australia)	Lists total tax credits by business unit. (SQR)	Asset Management, Taxes, Reports, Tax Credits AUS	RUN_AMTX20AU
AMRT10AU Retirement Activity (AUS)	Lists retirement related information relevant to Australian Retirements for a business unit and book. (SQR)	Asset Management, Financial Reports, Retirement, AUS Retirement Activity	RUN_AMRT10AU
AMRT20AU Retirement Detail by ChartField (Australia)	Lists assets that have been partially or fully retired in the periods specified for Australia sorted by ChartField. (SQR)	Asset Management, Financial Reports, Retirement, AUS Retirement Information	RUN_AMRT20AU
AMTX10CA CCA Year End Updates CAN	(CAN) Creates and prints columns of information required by Revenue Canada and CCA year end results. (Crystal)	Asset Management, Financial Reports, Accounting Entries, CCA Year End CAN	RUN_AMTX10CA
AMTX11CA CCA Report	(CAN) Creates and prints columns of information required by Revenue Canada and CCA year end results. (Crystal)	Asset Management, Financial Reports, Accounting Entries, CCA Year End CAN	RUN_AMTX10CA
AMTX30AU Tax CCP – AUS	Monitors CCP adjustments and the review process. (SQR)	Asset Management, Taxes, Reports, Tax CCP AUS	RUN_AMTX30AU
AMFR2100 French Retirement Activity	Lists retirement related information relevant to French Retirements. (SQR)	Asset Management, Financial Reports, Retirement, Retirement Activity, French Retirement Activity	RUN_AMDP2100
AMFR2120 French Net Book Value Account	Reports French asset net book value information.	Asset Management, Financial Reports, Cost and Depreciation, Asset Net Book Value, French Net Book Value Account	RUN_AMDP2100

Report ID and Report Name	Description	Navigation	Run Control Page
AMFR2121 French Net Book Value by Alternate Account	Similar to Asset Net Book Value by Alternate Account, listing French depreciation related information. (SQR)	Asset Management, Financial Reports, Accounting Entries, Alt Account Activity Detail, French Net Book by Alt Account	RUN_AMDP2100
AM_FV_REPORT Fair Value Report	Facilitates in the required disclosures of detail and summarized fair value activity.	Asset Management, Financial Reports, Asset Details, Fair Value Report	AM_FV_RUN_CTL
AMDE1000 Asset History Sheet by Category	(DEU) Shows the original asset cost beginning in year 2 of the asset's life. (BI Publisher and Crystal)	Asset Management, Financial Reports, Asset Details, History, Asset History Sheet by Category	RUN_AMDE1000
AMDE1001 Asset History Sheet by Account	(DEU) Shows the original Asset Cost beginning in year 2 of the asset's life. (BI Publisher and Crystal)	Asset Management, Financial Reports, Asset Details, History, Asset History Sheet by Account	RUN_AMDE1000
AMDE1002 Asset History Sheet Summary	(DEU) Shows the original Asset Cost beginning in year 2 of the asset's life. (BI Publisher and Crystal)	Asset Management, Financial Reports, Asset Details, History, Asset History Sheet Summary	RUN_AMDE1000
AMDE1101 Depreciation History	(DEU) Lists chronological history of asset depreciation, including any extraordinary depreciation. (Crystal)	Asset Management, Financial Reports, Asset Details, History, Depreciation History	RUN_AMDE1000
AMDE1102 Extraordinary Depreciation History	(DEU) Lists chronological detailed history of extraordinary asset depreciation. (Crystal)	Asset Management, Financial Reports, Asset Details, History, Extraordinary Depreciation History	RUN_AMDE1000
AMDE5001 Reconciliation AP/AM (Crystal and BI Publisher)	(DEU) Reconciles AP Asset Vouchers with AM asset transaction information. (Crystal and BI Publisher) Crystal reports require manual changes when there are ChartField configurations. BI Publisher reports do not require manual changes to support ChartField configuration.	Asset Management, Financial Reports, Cost and Depreciation, Reconciliation AP/AM	RUN_AMDE5000

Report ID and Report Name	Description	Navigation	Run Control Page
AMBT1000 Business Tax	(JPN) Gathers business tax information on a specific account and location. (SQR)	Asset Management, Taxes, Reports, Business Tax	RUN_AMBT1000
AMBT1010 Business Tax by Alternate Account	(JPN) Gathers business tax information on a specific alternate account and location. (SQR)	Asset Management, Taxes, Reports, Business Tax	RUN_AMBT1000
AMED1000 Extended Depreciation	(JPN) Gathers business tax information on assets that have extended depreciation. (SQR)	Asset Management, Taxes, Reports, Extended Depreciation	RUN_AMED1000
AMAD1000 Advanced Depreciation Amount	Obtains the advanced depreciation amount for the specified asset ID range. (Crystal)	Asset Management, Financial Reports, Cost and Depreciation, Advanced Depreciation	RUN_AMAD1000
AMAD1010 Advanced Depreciation Reverse Amount	Obtains reversal amounts for the specified asset ID range. (Crystal)	Asset Management, Financial Reports, Cost and Depreciation, Advanced Depreciation	RUN_AMAD1000
AMIMP001 Imp Asset Value Report by Category	Review impairment asset values by category. (Crystal).	Asset Management, Financial Reports, Cost and Depreciation, Asset Impairment, Imp Asset Value Report by Category	RUN_AMIMP001
AMIMP002 Imp Asset Value Report by CGU	Review impairment asset values by CGU. (Crystal).	Asset Management, Financial Reports, Cost and Depreciation, Asset Impairment, Imp Asset Value Report by Category	RUN_AMIMP001
AMSP1000 Reserve Detail by Asset ID	Obtains reversal amounts for the specified Asset ID range. (Crystal)	Asset Management, Financial Reports, Accounting Entries, Reserve and Reverse Amounts	RUN_AMSP1000
AMSP1010 Reserve Summary by Category	Lists reserve amounts and details for fiscal years by asset ID. (Crystal)	Asset Management, Financial Reports, Accounting Entries, Reserve and Reverse Amounts	RUN_AMSP1000
AMSP1020 Reverse Detail by Asset ID	Lists reverse amounts and details for fiscal years by Asset ID. (Crystal)	Asset Management, Financial Reports, Accounting Entries, Reserve and Reverse Amounts	RUN_AMSP1000

Report ID and Report Name	Description	Navigation	Run Control Page
AMSP1030 Reverse Summary by Category	Lists summarized reverse information by category. (Crystal)	Asset Management, Financial Reports, Accounting Entries, Reserve and Reverse Amounts	RUN_AMSP1000
EU_2054 2054ab Reports by Account	(FRA) View information on the asset, its cost and net book value, information on all transactions that occurred in the specified reporting year, including depreciation and yearly depreciation. (Crystal)	Asset Management, Financial Reports, Accounting Entries, Statutory Report 2054/2055	EU_AM_RUNCNTRL
EU_2055A 2055a Reports by Account	(FRA) View information on the asset, its cost and net book value, information on all transactions that occurred in the specified reporting year, including depreciation and yearly depreciation. (Crystal)	Asset Management, Financial Reports, Accounting Entries, Statutory Report 2054/2055	EU_AM_RUNCNTRL
EU_2055B 2055b Reports by Account	(FRA) View information on the asset, its cost and net book value, information on all transactions that occurred in the specified reporting year, including depreciation and yearly depreciation. (Crystal)	Asset Management, Financial Reports, Accounting Entries, Statutory Report 2054/2055	EU_AM_RUNCNTRL
EU_205x1 2054ab Reports by Alt Account	(FRA) View information on the asset, its cost and net book value, information on all transactions that occurred in the specified reporting year, including depreciation and yearly depreciation. (Crystal)	Asset Management, Financial Reports, Accounting Entries, Statutory Report 2054/2055	EU_AM_RUNCNTRL
EU_205x2 2054a Reports by Alt Account	(FRA) View information on the asset, its cost and net book value, information on all transactions that occurred in the specified reporting year, including depreciation and yearly depreciation. (Crystal)	Asset Management, Financial Reports, Accounting Entries, Statutory Report 2054/2055	EU_AM_RUNCNTRL

Report ID and Report Name	Description	Navigation	Run Control Page
EU_205x3 2054b Reports by Alt Account	View information on the asset, its cost and net book value, information on all transactions that occurred in the specified reporting year, including depreciation and yearly depreciation. (Crystal)	Asset Management, Financial Reports, Accounting Entries, Statutory Report 2054/2055	EU_AM_RUNCNTRL
AMLT1000 Japanese Local Tax Roll	(JPN) Local tax report. (SQR)	Asset Management, Taxes, Reports, Local Tax Returns	RUN_AMLT1000
AMLT1100 Japanese Local Tax Increase All Asset List	(JPN) Local tax increase report. (SQR)	Asset Management, Taxes, Reports, Local Tax Returns	RUN_AMLT1100
AMLT1200 Japanese Local Tax Decrease All Asset List	(JPN) Local tax decrease report. (SQR)	Asset Management, Taxes, Reports, Local Tax Returns	RUN_AMLT1100
AMNT1000 Japanese National Tax	(JPN) List depreciation calculation details to be reported to the Japanese Tax Office. The report includes all required information for the National Depreciable Asset Tax Return called Beppyo 16(1),(2) in Japan. (SQR)	Asset Management, Taxes, Reports, National Tax	RUN_AMNT1000
AMDP2500 Fixed Assets Register Report	(ITA) Run to comply with Italian article 16, D.P.R. 600/73. The fixed asset book lists information relevant to fixed assets. (SQR)	Asset Management, Financial Reports, Cost and Depreciation, Assets Register (ITA)	RUN_AMDP2500
AMDP2510 Assets Register INDIA	(IND) Run to generate an historical record of assets over the fiscal year period to comply with The Indian Tax Depreciation Act (Indian Income Tax Act 1961). Can generate by business unit or tax/reporting entity. (SQR).	Asset Management, Financial Reports, Cost and Depreciation, Assets Register (IND)	RUN_AMDP2510
AMTX2000 Depreciation Balance IND	(IND) Calculate the annual tax depreciation balances for India. (Crystal).	Asset Management, Taxes, Reports, Depreciation Balance IND	RUN_AMTX2000

Using Oracle Business Intelligence (BI) Publisher Reports to Support Configured ChartFields

Oracle BI Publisher (formerly XMLP) technology streamlines report and form generation and is accessible from PeopleTools 8.52 PS Query and all PeopleTools 8.52-based applications. This technology enables PeopleSoft to deliver BI Publisher reports to supplement Crystal reports, which require manual changes when implementing ChartField configuration. The BI Publisher reports do not require manual changes to support ChartField configuration and use the same criteria as the Crystal reports.

Asset Management Reporting Delivered as BI Publisher Reports

The following is a list of Asset Management reports that can be generated in both Crystal and BI Publisher formats:

- AMDE1000 - Asset History Sheet by Category (Available as both Crystal and BI Publisher reports)
- AMDE1001 - Asset History Sheet by Account (Available as both Crystal and BI Publisher reports)
- AMDE1002 - Asset History Sheet Summary (Available as both Crystal and BI Publisher reports)
- AMGL1000 - AM to GL Reconciliation by Department (Available as both Crystal and BI Publisher reports)
- AMGL1010 - AM to GL Reconciliation by Category (Available as both Crystal and BI Publisher reports)
- AMNB1000 - Asset NBV by ChartField (Available as both Crystal and BI Publisher reports)
- AMNB1010 - Asset NBV by Category (Available as both Crystal and BI Publisher reports)
- AMNB1030 - Asset NBV by Location (Available as both Crystal and BI Publisher reports)
- AMDE5001 - Reconciliation AP/AM (Available as both Crystal and BI Publisher reports)

See Also

PeopleTools 8.52 PeopleBook: BI Publisher for PeopleSoft

Index

Symbols

(DEU) asset history sheet by account report 673
(DEU) asset history sheet reports 673
(DEU) depreciation history report 673
(DEU) extraordinary depreciation history report 673
(DEU) reconciliation AP/AM report 673
(FRA) Statutory French 2054ab Reports by Account 675
(FRA) Statutory French 2054ab Reports by Alt Account 675
(FRA) Statutory French 2054a Reports by Alt Account 675
(FRA) Statutory French 2054b Reports by Alt Account 676
(FRA) Statutory French 2055a Reports by Account 675
(FRA) Statutory French 2055b Reports by Account 675
(ITA) fixed assets register report 676
(JPN) business tax by alternate account report 674
(JPN) business tax report 674
(JPN) extended depreciation report 674
(JPN) Japanese Local Tax Decrease All Asset List 676
(JPN) Japanese Local Tax Increase All Asset List 676
(JPN) Local Tax Return page 60
(JPN) local tax roll reports 676
(JPN) national tax report 676
2054 2055 Reports page 493, 495
40% rule analysis report 671

A

account activity summary reports 665
accounting entries
 common field definitions 373
 creating 359, 371
 reversing 360
 sources in Asset Management 359
 understanding 359
Accounting Entries component 22
Accounting Entry
 set up 361
Accounting Entry Creation process 360
accounting entry detail reports 666
Accounting Entry Distribution process 415
Accounting Entry Generation process 358
accounting entry templates 362
accounting entry templates report 660
accounting entry types 363
accounting periods
 closing 377
 viewing closed periods 371
accumulated depreciation 316
ACE retirements report 671
acquisition codes 56
acquisition costs 70
Acquisition Details page 49
Add/Copy Asset Book page 17
addition transactions 261
adjusted current earnings worksheet (ACE) report 671
adjustment transactions 261
advanced depreciation 518
advanced depreciation reports 674
Advanced Transaction Details page 381
advance payments 157
Allocation Basis Definition component
 Allocations page 353, 354
 Definition page 353
allocations 351
 depreciation expenses 351
 running the depreciation allocation process 357
 setting up 352
 specifying criteria 355
Allocations page — Allocation Basis Definition 353, 354
allocation table 309
ALM
 overview 1
altaccount activity summary reports 665
alternate account entry detail reports 666
alternative minimum tax (AMT) report 671
AM_DEPR_CALC
 running 318
AM/BI Interface page 382, 405
AM/Billing Transaction Status page 405
AM/Billing Transaction Status report 669
AMDPARCH process 528
AM Specific Fields page - Asset Mass Change Definition 429
AM Specific Fields page — Asset Mass Change Definition 286, 287, 432
AM to GL reconciliation by category report 664
AM to GL reconciliation by Department report 663
AMT retirements report 671
AMTX3210 report 101
AMUDEPR.SQC program 341
Annual Cost page - CAP Details 136
AP/AM Reconciliation Report 171
Approve Asset Transfer page 474
Approve Disposal page 420
Approve Disposals page 19, 383
Approve Financial Information component 23
Approve Financial page 442
Approve Lease Information component 23
 Load Approval page 44
 Load Preview page 44
Approve Physical A or B page 444
Approve Physical Information component 23
Archive Cost/Depreciation page 20, 528
archiving
 inactive assets 528
 restoring data 531
 understanding 527
 using mass change 532

- viewing results 529
- arrears payments 157
- Asset Acquisition Detail page 49, 70
- asset acquisitions by ChartField report 661
- asset acquisitions by in service date report 661
- Asset Addition page 215
- Asset Allocations page 355
- Asset Archive process 528
- Asset Archive process (AMDPARCH) 528
- asset blocks 502
- Asset Book History - Detail page 271
- Asset Book History - List page 271
- asset books
 - maintaining 91
- asset budgeting
 - linking to capital acquisition plans 139
 - overview 135
- asset categories report 660
- Asset Checkout page 24
- asset classes
 - assigning 54, 108
- Asset Component Hierarchy Move report 112
- asset component hierarchy page 112
- Asset Component Hierarchy page 16, 111
- asset components
 - work order options 68
- Asset Cost Adjust/Transfers component
 - Cost Information page 181
 - Main Transaction page 178
- Asset Cost IU Book Transfer page 177, 189
- Asset Cost IU Transfer page 177
- Asset Definitions
 - navigation 15
- Asset Depreciation component
 - Asset page 325
 - Depreciation page 325, 326
 - Period Depreciation page 325, 327
- asset details
 - entering 64
- Asset Details component 22
- Asset ExpressAdd 103
- Asset Information page 118, 474
- asset inspection
 - tracking 237
- Asset Inspection page 24
- Asset Insurance page 23, 247
- asset licenses report 660
- Asset Location Transfer page 177
- asset maintenance
 - scheduling and tracking 235
 - tracking financial information 237
- asset management units/books report 660
- Asset Mass Change Definition component
 - AM Specific Fields page 286, 287, 429, 432
 - Criteria and Defaults page 286, 287, 429, 430
 - Description page 286, 429
 - Execution History page 286, 429
 - Generate SQL page 286, 287, 429, 433
- Asset Meter Information component 24
- asset meters
 - associating to assets 85
 - maintaining 84
- Asset Meters page 85
- asset NBV by category report 664
- asset NBV by ChartField report 664
- asset NBV by location report 664
- Asset NBV reports 349
- asset net book value by alternate account report 663
- Asset Operational Information
 - nonfinancial assets 123
- Asset page - Asset Depreciation 325
- Asset Parent page 118, 119
- asset profiles
 - composite assets 275
 - setting up for group assets 256
- Asset Property page 52
- Asset Property Tax page 23
- Asset R&D Information page 49, 59
- asset reclassifications report 661
- Asset Restore process (AM_CD_RESTO) 531
- assets
 - copying 109
- assets, adding 46
- assets, auctioning 421
- assets, creating and maintaining 45
 - adding using Excel to Component Interface (ExcelToCI) utility 131
 - basic information 52
 - changing depreciation rates 270
 - changing group asset ID 261
 - defining parent-child relationships 117
 - defining status 55, 108
 - entering capitalization information 72
 - entering location and custom attributes 75
 - insurance information 246
 - manufacture, license, and custodian information 77
 - tracking costs 237
 - using Asset ExpressAdd 103
 - using Basic Add 48
- assets, depreciation 92, 98
 - listed property assets 621
 - salvage value 619
 - tax credits 620
- assets, printing 130
- assets, processing
 - group assets 253
- assets, recategorizing 186
- assets, reinstating 423
- assets, retiring 379, 380
 - group members 254
 - like-kind exchanges 393
 - non-financial 422
 - putting up for auction 421
 - traded-in assets 393
 - using the disposal worksheet 417
- assets, revaluing
 - France 495
 - net method 489
 - processing 489
 - setting up 481
- assets, searching 127
- assets, transferring
 - adjusting costs or quantity 184
 - between business units 187
 - books 189
 - children 192
 - cost adjustments and transfers 176
 - retroactive transfers 186
 - within business units 185
- assets, viewing
 - book history 271
 - inventory data 295
 - maintenance history 250
- assets by asset ID report 661

- Assets by Location — Parameters page 49
- assets by location report 661
- Asset Service/Repair Details component
 - Maintenance Details page 238
 - Payment page 242
- Asset Service/Repair History component
 - Maint History by Type page 251
- Asset Set Up Lists 660
- Assets Register - IND page 503, 505
- Assets Register - ITA page 507
- assets register INDIA reports 676
- asset supplemental data
 - entering 83
- Asset Supplemental Data page 83, 124
- Asset Transfer Request page 474
- asset transfers by ChartField report 661
- Asset Unit Aggregate RD - AUS page 482
- Asset Unit Aggregate RD page 483
- asset warranties
 - entering 244
- Asset Warranties 250
- Asset Warranties page 24
- asset warranties report 660
- Asset Warranties report 250
- Asset Warranty page 244
- Attachments
 - assets 61
- auctions 421
- Audit Log
 - asset basic add 63
- Audit Logging
 - assets 47
- AUS RD Tax Deductions report 672
- Australia CCP Report page 483, 487
- Australian reports 672
 - retirement activity report 672
 - retirement detail by ChartField report 672
- Australian Revaluation process 489
- Australia support
 - asset revaluations 478, 489
 - CCP 487
 - CGT calculation 488
 - defining R&D asset eligibility 483
 - defining R&D assets 483, 484
 - enabling R&D calculations 483
 - overview 476
 - recording goods and services tax (GST) 486, 487
 - setting up revaluations 481
 - tax credit allowance 484
 - tracking changes in CCP 486
- Authorization page - CAP Details 137
- auto-discovery tool 282
- Auto-Retired Assets page 382
- auto-retired assets report 669
- Auto-Retire Fully Depr Assets page 19
- Auto-Retire Fully Depreciated Assets page 382, 415
- auto approval 290

B

- bar charts 469
- bar code scanning devices 281
- Basic Add 48, 120
- Basic Add - O&M 125

- Basic Add page 16
- Beginning of Year page 491
- Bill Information page — Retire/Reinstate Assets 382, 402
- Billing
 - processing reinstatements 423
 - processing retired assets 402
 - retired assets 402
- Book - Depreciation page 92
- Book - Tax page 92, 99
- book code discrepancy report 660
- books
 - defining 92, 98, 99, 256
 - estimated net value calculation 268
 - maintaining 91
 - retiring 191
 - reviewing changes 271
- budgeting
 - capital acquisition planning 135
- buildings
 - depreciation 497
- business processes 2
- business tax for France 101
- Business Tax Report page 493
- business units
 - setting up for joint ventures 305, 307
- By ChartField page — Retire/Reinstate Assets 381, 398

C

- Calculate Balances IND page 503
- Calculate Inflation page 21
- Calculate Local Taxes component 23
- Calculate Replacement Cost page 16
- Canada support 490
 - CCA Reporting 491
 - overview 476
 - running CCA year end update process 492
 - setting up CCA reporting 479
- Canadian reports 672
- CAP *See* capital acquisition plans (CAP)
- CAP Detail Long Description page 136
- CAP Details component
 - Annual Cost page 136
 - Authorization page 137
 - Justification page 137
- Capital Acquisition Planning
 - Capital Lease Payments page 140
 - Financial Assets page 140
 - Non-Financial Assets page 140
 - Operating Lease Payments page 141
 - Summary page 141
- capital acquisition planning assets report 662
- Capital Acquisition Planning component
 - CAP Detail Long Description page 136
 - Details page 136, 137
 - Parameters page 141
- capital acquisition plans (CAP)
 - adjusting costs 139
 - assigning names and ChartFields 137
 - defining 136
 - defining class 137
 - developing 135
 - leased assets 151

- linking assets to 54, 107, 139
 - reporting 141
 - understanding 135
 - viewing 139
- capital acquisition plans by department report 662
- capital acquisition plans report 662
- capital cost allowance (CCA)
 - calculating and reporting 491
 - running year end update 492
- Capital Gain page — Retire/Reinstate Assets 382, 402
- capital gains tax (CGT)
 - calculating for Australia 488
 - specifying assets 488
- capital investment projects
 - defining for Australia 484
- capitalization information 72, 104
- Capitalization Limit Cd page 500
- Capitalization Summary Report page 19
- capitalization threshold 46
- Capitalization Threshold Validation page 19
- capitalized assets
 - composite members 277
 - creating composite assets 274
 - understanding composite assets 273
 - viewing costs 211
- capitalize status
 - defining for composite member assets 275
- Capital Lease Payments page - Capital Acquisition Planning 140
- capital leases 143, 145, 158
- Cash Generating Unit Definition page 218
- CCA *See* capital cost allowance (CCA)
- CCA report 672
- CCA Year End Updates CAN report 672
- CCA Year End Updates page 491, 492
- CCA Yr End - Canada Rpt page 491
- CCP
 - reporting 487
 - tracking changes 486
- Centralized Inter/IntraUnit Processor 187
- CGT *See* capital gains tax (CGT)
- CGU impairment batch process
 - running 225
- CGU Impairment page 18, 219
- Change/Delete Pending Trans page 19
- changes in creditable purpose *See Also See* CCP
- ChartField Format Template page 461
- ChartField Search Criteria page 383
- Chart Image page — Generate AM Charts 469
- Charting Financial Data 467
- Child Asset Retirement Options page 381
- child assets
 - copying 109
- Child Assets page 119, 121, 178, 192, 325, 329
- Child Assets page - Retire/Reinstate Assets 399
- Child Assets page — Retire/Reinstate Assets 381
- Child Asset TRF/RCT Overrides page 178
- Child Details page 193
- Child Inherits Parent's Life option 120
- classes
 - capital acquisition plans 137
 - defining for assets 54, 108
- clearing reconciliation
 - capitalization threshold 377
- Clearing Reconciliation page 377
- Close Accounting Period page 21
- Close Asset Period page 377
- closed accounting periods 377
- Close Depreciation page 21
- collateral assets 520
- Comment page - User Defined Methods 339
- Comments page 238
- common fields xxi
- companion documentation xx
- component asset hierarchy
 - view 110
- composite assets *See Also* group assets
 - adding 274, 275
 - adjusting cost or quantity 278
 - adjusting costs or quantity 277
 - capitalizing members 275, 277
 - performing transactions 276, 277
 - retiring 276, 277
 - transferring and recategorizing 278
 - understanding 273
- composite depreciation 518
- Computer Aided Facility Mgmt component 23
- Consolidation process
 - example of asset additions 263
 - example of asset adjustments 266
 - summary levels 265
- conversion
 - date options 37
 - deleting interim data 39
 - depreciating converted assets 38
 - leased assets 43
 - loading retired assets 40
 - overview 31
 - prerequisites 32
 - reviewing retired asset data 41
 - running Transaction Edit 34
 - running Transaction Loader (AMIF1000) 33
 - verifying 39
 - viewing results of Transaction Edit 36
 - writing a custom SQR 33
- conversion process
 - closing 38
- Copy Existing Asset page 16
- corporation section 291 101
- Cost/Asset Information page 103, 118
- Cost / Asset Information page 104
- Cost/Depreciation Restore page 531
- cost activity by alt account report 665
- cost activity report 661
- Cost Adjust/Transfer Asset component
 - Main Transaction page 278
- Cost Adjust/Transfer Asset page 18
- Cost and Depreciation 22
- Cost and Depreciation page 219, 464
- Cost and Depreciation Summary component 21
- Cost and Depreciation Summary page 21
- Cost History Detail page 212, 530
- Cost History List page 212, 530
- Cost Information page 177
- Cost page - Lease Express Add 148, 158
- Cost page - Update Lease Information 148
- costs
 - adjusting and transferring assets 176
 - adjusting composite assets 277
 - consolidating for group assets 262
 - entering transfer information 181
 - leases 155
 - maintenance details 240
 - viewing archived data 530

- viewing history 211
- cost summarization
 - generating 213
- Cost Summarization page 19
- coverage 246
- Coverage page — Maintenance Contracts 243
- Create (CAP) Plan page 18
- Create Accounting Entries page 21, 375
- Create Asset Copies page 109
- Create Event page 421
- Create New Group Rate page 270
- Create Parent - Child Assets page 118, 119
- Create Parent page 17
- Create Schedules page 24, 286, 291
- Criteria and Defaults page - Asset Mass Change Definition 429, 430
- Criteria and Defaults page — Asset Mass Change Definition 286, 287
- currency rounding
 - options for Japan 520
- Custodian/License page — Parent Child Basic Information 119
- custodian information 77

D

- Declining Balance with a Straight Line Switch depreciation 646
- Declining Balance with Depreciation Limit 647
- Define Allocations for Asset page 353
- Define Asset Operational Information - Asset Information page 125
 - O&M Basic Add 124
- Define Asset Operational Information - Asset Property page 124
- Define Asset Operational Information - Customize Page Layout page 124
- Define Asset Operational Information page 16
- Define Criteria page 25
- Define Inventory Occurrence component Definition page 287
- Define Inventory Occurrence page 24
- Define Tax/Depr Criteria page 17
- Definition page - Lease Express Add 148, 149
- Definition page - Update Lease Information 148
- Definition page — Allocation Basis Definition 353
- Definition page — Physical Inventory Control 285, 287
- Definition page — User Defined Methods 339
- depreciation
 - changing rates 270
 - converted assets 38
 - group assets 254
 - maintaining book information 92
 - retiring assets 415
 - retiring group assets 254
 - updating attributes 321
 - viewing 324
 - viewing by period 327
 - viewing child asset depreciation 329
 - viewing net book value and yearly depreciation 326
 - what if simulation modeling 345
- depreciation accounting entries
 - accumulated depreciation 316
 - adjusting for prior periods 316
 - creating 316
 - creating for a period 375
 - leased assets 160
- depreciation activity by alternate account report 662
- Depreciation Activity page 331
- depreciation activity report 662
- depreciation allocation 352
- Depreciation Allocation (AMALLOC) process 357
- Depreciation Balance - IND page 503
- depreciation balance (IND) report 676
- depreciation begin date 622
- Depreciation by Activity report 331
- depreciation by fiscal year report 663
- Depreciation by Fiscal Year report 331
- depreciation by period report 663
- Depreciation by Period report 331
- Depreciation Calculation process 318, 621
- depreciation calculations
 - formula-based methods 639
 - group assets 267
 - life to date calculation 624, 626
 - listed property assets 621
 - NBV < Salvage 653
 - prior period 632
 - remaining value and life 623
 - salvage value 619
 - status 320
 - tax 425
 - tax credits 620
 - understanding 619
 - yearly 625
- Depreciation Calculation Tax page 425
- depreciation close
 - understanding 371
- Depreciation Close process 270, 358, 375
- Depreciation component 23
- depreciation expenses
 - allocation 351
 - setting up allocations 352
- Depreciation Information page 103
- Depreciation Method Information page 92, 98
- depreciation methods 94
 - assigning user-defined methods 344
 - declining balance 648
 - declining balance switching to straight line 646
 - declining balance with depreciation limit 647
 - flat rate 649
 - geometric digressive 499
 - straight line 640
 - sum of the years digits 651
 - units of production 652
 - user-defined 333, 337, 341, 342
- depreciation methods (France)
 - derogatory method 493
- depreciation methods (Germany)
 - Staffel 497
 - user-defined Staffel 498
- depreciation methods (India)
 - straight line percent 641
- depreciation methods (Japan)
 - 5 percent retirement 519
 - composite depreciation 518
 - declining balance 514

- Depreciation page - Asset Depreciation 325
- Depreciation page — Asset Depreciation 326
- depreciation processing 317
 - creating pending transactions 323
 - India 502
 - overview 314
 - storing entries by period 322
- Depreciation Process Log page 20
- depreciation rate
 - useful life for Japan 513
- depreciation reporting 330
 - loading report table 331
 - US reports 314
- depreciation results
 - loading NBV table 348
- Depreciation Terms page 501
- depreciation variables 334
- Depr Reporting Table page 331
- derogatory depreciation
 - creating accounting entries 494
- Description page - Asset Mass Change Definition 429
- Description page — Asset Mass Change Definition 286
- Detail page — Maintenance Contracts 243
- Detail page — Review Book 530
- Details page - Capital Acquisition Planning 136, 137
- Details page — Inventory Results 294
- disposal codes 385
- disposal worksheet
 - retiring assets 417
- Disposal Worksheet page 19, 382, 417
- distribution types 363
 - associated with addition (ADD) transactions 363
 - associated with adjustment (ADJ) transactions 364
 - associated with depreciation (DPR) transactions 368
 - associated with inflation (INF) transactions 370
 - associated with lease payment (LPY) transactions 369
 - associated with prior period depreciation (PDP) transactions 369
 - associated with recategorize (RCT) transactions 366
 - associated with retire (RET) transactions 367
 - associated with transfer (TRF) transactions 365
- document sequencing
 - entering 75
- Document Sequencing
 - assets 47
- drilldown functions
 - depreciation reporting table 464
- Duplicate Serials page 294
- Duplicate Tags page 293

E

- Edit Transactions page 35
- employee self-service 472, 473
- Enable Lease Payment Integration 164

- errors
 - assets retired 301
 - duplicate tags 301
 - interunit candidate 301
 - multiple ChartFields 301
 - physical inventory processing 301
- EU_2054 and EU_2055 reports 495
- Event page 237, 238
- Excel to Component Interface (ExcelToCI) utility 32
 - adding assets 131
 - example spreadsheet 133
 - template for Asset Management 131
- exchanging assets 393
- Execution History page - Asset Mass Change Definition 429
- Execution History page — Asset Mass Change Definition 286
- Expand Depreciation by Period page 323
- Express Add component
 - Cost/Asset Information page 104
 - creating group member assets 258
 - defining parent-child assets 120
- Express Add page 16
- extract and scan scope 284
- extracting data
 - creating an output file 296
 - physical inventory 294

F

- Fair Value 209
- fair value (FV) 152
- Fair Value page 18, 209
- Federal Energy Regulatory Commission (FERC)
 - codes for group assets 56, 253
 - codes to group assets 255
- FERC
 - See Federal Energy Regulatory Commission (FERC)
- financial assets
 - composite assets 273
 - creating composite assets 274
- Financial Assets page - Capital Acquisition Planning 140
- Financial Transactions page 439
- fixed asset register
 - reporting for Italy 507
- flat rate depreciation 649
 - averaging option 650
 - monthly averaging option 650
 - yearly averaging option 651
- France support
 - overview 476
 - setting up 480
- French net book value account report 672
- French net book value by alternate account report 673
- French Net Book Value reports 494
- French reports 672, 673
- French retirement activity report 672
- French support 492
 - depreciating assets using the derogatory method 493
 - reporting business tax 493
 - revaluing assets 495

statutory reporting 495

G

General Information page 49, 52
 General Ledger
 updating for adjustments and transfers 214
 general ledger journals
 accounting entry templates 362
 General Parent Info page — Parent-Child Basic Information 119
 Generate AM Charts 22
 Generate AM Charts component
 Chart Image page 469
 Selection Criteria page 467
 generate bonus depreciation tax reports 671
 Generate SQL page - Asset Mass Change Definition 429
 Generate SQL page — Asset Mass Change Definition 287, 433
 Generate SQL page — Asset Mass Change Definition 286
 Generate User Defined Methods page 342
 geometric digressive depreciation 499
 German reports 672, 673
 Germany support 495
 creating a user defined Staffel depreciation method 498
 first day last period depreciation convention 500
 geometric digressive depreciation 499
 half year prorate convention 499
 overview 476
 processing low value assets 500
 setting up tax and depreciation 480
 special depreciation terms and methods 501
 Staffel depreciation method 497
 goods and services tax (GST)
 adding online 487
 recording 486
 goods and services tax (VAT) 486
 Group Asset Consolidation page 262
 Group Asset Consolidation process 261
 Group Asset Depreciation - Consolidate 262
 Group Asset Depreciation page 20, 268
 Group Asset depreciation process 267
 Group Asset Depreciation process 270
 Group Asset Rate Change page 270
 Group Asset Rate Change process 270
 group assets
 253, *See Also* composite assets, joint ventures
 consolidating 261, 262
 depreciation 254, 267
 estimated net book value report 268
 member transactions 260
 processing 270
 retiring 254
 setting up 255, 256, 257, 258
 transferring members 261
 grouping assets
 defining parent-child relationships 117
 Group Member Estimated NBV page 269
 group member estimated NBV report 268, 663
 Group Member Open Transaction Details page 262

H

half-year prorate
 German convention 499
 Hazardous Asset Codes page 69
 hazardous assets
 defining 69

I

impaired asset value report by category 665
 impaired asset value report by CGU 665
 impairment asset value report by category 674
 impairment asset value report by CGU (cash generating unit) 674
 Impairment Comments page 219
 impairment losses and reversals
 reports 230
 view online 230
 impairment worksheet 216
 working with 219
 Impairment Worksheet page 18, 218
 implementation 5
 Import Data via Spreadsheet component 23
 Indian reports 672, 676
 India support 502
 asset depreciation 502
 overview 477
 processing and reporting depreciation 503
 setting up tax and depreciation 480
 straight line percent depreciation 641
 updating depreciation balance 504
 inquiries 464
 insurance
 entering asset information 246
 entering policy ID 248
 entering valuation types 249
 integration
 overview diagram 3
 interest and borrowing rates 152
 interface types 612
 InterUnit Parent-Child Trans page 18
 Interunit Proceeds page 192
 InterUnit Proceeds page 178
 interunit transfers 187
 inventory *See* physical inventory
 inventory report (detail version) 668
 inventory report (short version) 668
 Inventory Results component
 Details page 294
 Results page 294, 299
 involuntary retirements 276
 Italian reports 672, 676
 Italy support 507
 overview 477
 IT asset discovery tools 279

J

Japanese reports 672, 676
 Japan support 508
 5 percent retirement method 519

- advanced depreciation 518
- advanced depreciation reports 518
- asset insurance 246
- calculating theoretical NBV and assessment value 525
- changing the local tax office and asset return type 525
- composite depreciation 518
- currency rounding options 520
- defining local tax returns 522
- depreciation methods 511, 517
- entering consumption tax 526
- entering local tax return information 524
- identifying collateral assets 520
- local tax reports 521
- overview 477
- running local tax reports 525
- setting up tax and depreciation 481
- joint venture assets
 - adding business units 310
 - changing ownership 308, 310
 - defining allocations 307
 - loading transactions 311
 - mass change templates 309
 - naming conventions 308
 - removing business units 310
 - setting up 307
 - transaction processing 308
 - understanding 305
- Justification page - CAP Details 137

L

- label files 296
- lease amortization schedule report 668
- leased assets 143, 164, 165, 166, 167, 169, 171
 - capital and operating leases 143, 145
 - conversion 43
 - creating 148, 149
 - creating expense schedules 161, 163
 - declining balance depreciation method 514
 - defining payment schedules 146
 - entering fair value (FV) 152
 - entering lease information 151
 - entering lease term 152
 - entering lease type 158
 - entering payments 154
 - entering payment type 157
 - entering residual values 153
 - overview 143
 - reporting 173
 - retiring or reinstating 172
 - running expense schedule 163
 - step leases 144
 - transferring 172
 - verifying mass changes 438
- Leased Assets component 22
- Lease Expense Schedule 163
- Lease Expense Schedule page 16
- Lease Expense Schedule process 161
- Lease Expiration page 173
- lease expiration report 668
- Lease Express Add component
 - Cost page 148, 158
 - Definition page 148, 149
 - Payment Schedule page 149, 160

- Step Lease Payment page 149, 159
- Lease Express Add page 16
- Lease Footnote Disclosure page 174
- lease footnote disclosure reports 668
- Lease Information page 174
- lease information reports 668
- lease interface table 43
- Lease Payment Integration
 - clearing accounts 165
- Lease Payment Integration with Payables 163
- Lease Transactions page 438
- License Address page 49
- license information 77
- License Information – Parameters page 52
- life to date calculation 624, 626, 630
- like-kind exchanges
 - example 396
 - processing 393
- Like Kind Exchange page 381, 393
- listed property assets 621
- List page — Review Book 530
- Load/Match/Reconcile PI Info page
 - 25, 293, 296, 297
- Load Approval page — Approve Lease Information 44
- Load Asset Net Book Value query 349
- Load Budgeting Asset Catalog page 18
- loader tables
 - financial information table (INTFC_FIN) 537
 - physical A table (INTFC_PHY_A) 570
 - physical B table (INTFC_PHY_B) 599
 - understanding 537
 - verifying mass change data 438
- Load Interface component 22
- Load Preview page — Approve Lease Information 44
- Load Reporting Tables component 22
- Load Transactions component 22
- Load Transactions into AM page 445
- load types 276, 442, 612
- Local Tax Return page 49
- Location/Comments/Attributes page 49, 75
- Location page — Parent-Child Basic Information 119
- low-value assets
 - processing for Germany 500

M

- maintaining assets
 - checking out 235
- Maintain Property Occupants page 16
- maintain warranties 91
- maintenance
 - entering payment information 242
 - event status 239
 - viewing history 250
- maintenance contracts
 - tracking 242
- Maintenance Contracts component
 - Coverage page 243
 - Detail page 243
- Maintenance Contract Terms page 24
- Maintenance Details page — Asset

- Service/Repair Details 238
- Maint History by Type page — Asset
 - Service/Repair History 251
- Main Transaction page - Asset Cost
 - Adjust/Transfers 178
- Main Transaction page — Asset Cost
 - Adjust/Transfers 177
- manager self-service 472, 473
- Manufacture/License/Custodian page 49, 77
- manufacturer information 77
- Mass Change
 - archiving and restoring data 532
 - background processing 437
 - depreciating assets 447
 - executing 435
 - physical inventory 284
 - populating Asset Management tables 445
 - processing overview 428
 - U.S. tax 40 percent rule 428
 - understanding 427
 - using Process Scheduler 436
 - verifying results 438
- Mass Change, approval
 - financial data 442
 - physical data 444
- Mass Change, composite assets
 - capitalizing members 275
 - loading results 276
 - processing JPN composite retirement 519
 - retiring members 276
- Mass Change, joint venture assets 308
 - adding business units 310
 - changing allocations 310
 - removing business units 310
 - templates 309
- Mass Change definitions 428, 429, 430, 432, 433
- Mass Change templates 447
- meter reading
 - history 89
- Meter Reading Details page 238
- meter reading history
 - reviewing 89
- meter readings
 - entering 87
 - prior readings 87
- mixed use assets 621
- My Assets page 473
- My Department page 474
- My Departments page 474

N

- navigation 15
 - Asset Definitions 15
- net book value
 - calculating 326
 - loading depreciation results 348
- net book value report 663
- Net Book Value Table page 349
- Non-Cap History Detail page 531
- Non-Cap History List page 530
- non-capitalized assets
 - viewing archived data 530
- Non-Financial Assets page - Capital Acquisition Planning 140
- Non-Financial Retire page 422
- Non Cap History Detail page 213
- Non Cap History List page 213
- non capitalization information 72
- noncapitalized assets
 - viewing costs 211
- nonfinancial assets
 - composite member assets 275

O

- Open Transaction Detail page 319
- open transactions 360
 - creating 323
 - reviewing 319
 - searching for 319
- Open Transactions - Create page 323
- Open Transactions page 20
- Operating ChartFields 149
- Operating Lease Chartfields page 172
- Operating Lease Payments page - Capital Acquisition Planning 141
- operating leases 143, 145, 158
- Operation/Maintenance page 49, 64
- Oracle's My Oracle Support web site 4
- Other Options page — Retire/Reinstate Assets 381, 396
- Ownership Details page 383

P

- Parameters page — Capital Acquisition Planning 141
- parent-child assets
 - calculating net book value 324
 - creating 119, 120
 - defining 120
 - maintaining 121
 - retiring 399
 - transferring or recategorizing 192, 193, 194, 195
 - understanding relationships 117
 - viewing 119, 123
- Parent-Child Basic Information component 121
 - Child Assets page 119, 121
 - Custodian/License page 119
 - General Parent Info page 119
 - Location page 119
- Parent-Child Basic Information page 17
- Parent-Child IU Transfer page 195
- Parent and Child Assets page 119, 123
- Parent Asset Adv Txn options page 178
- partial transfers 185
- payables
 - interface to Asset Management 486
 - tracking goods and services tax (GST) 486
- Payables
 - interface to Asset Management 486
 - tracking goods and services tax (GST) 486
- Payment page 238
- Payment page — Asset Service/Repair Details 242
- Payment Schedule page - Lease Express Add 160

- Payment Schedule page - Update Lease Information 149
- Payment Schedule page — Lease Express Add 149
- Payment Schedules page 146
- pending transactions
 - deleting or modifying 214
 - viewing details 215
- Pending Transaction Update/Delete page 215
- Pending Trans Update/Delete page 215
- PeopleSoft Billing *See* Billing
- PeopleSoft General Ledger *See* General Ledger
- PeopleSoft IT Asset Management
 - See* IT Asset Management
- PeopleSoft Maintenance Management
 - See* Maintenance Management
- PeopleSoft Payables *See* Payables
- PeopleSoft Project Costing *See* Project Costing
- PeopleSoft Purchasing *See* Purchasing
- PeopleSoft Real Estate Management
 - See* Real Estate Management
- PeopleSoft Strategic Sourcing
 - See* Strategic Sourcing
- period depreciation allocation calculations 627, 630
- Period Depreciation page - Asset Depreciation 325
- Period Depreciation page — Asset Depreciation 327
- physical inventory, processing
 - deleting extract files 302
 - deleting inventory results 302
 - deleting reconciliation transactions 302
 - deleting scanned data 302
 - errors 301
 - flow diagram 280
 - generating reconciliation transactions 302
 - generating results 299
 - identifying duplicate tags 297
 - loading inventory data 297
 - Mass Change process 284
 - overview 279, 292
 - viewing extract data 295
 - viewing results 299
- physical inventory, reporting 303
- physical inventory, requirements
 - hardware 281
 - programs for scanners 282
 - software 282
- physical inventory, scheduling 291
- physical inventory, setting up 279, 283
 - extract scope 286
 - scope and control parameters 284
 - transactions 290
- physical inventory, terminology 280
- Physical Inventory/Mass Change page 24, 283
- Physical Inventory Control component
 - Definition page 285
 - Transaction Defaults page 286, 289
- physical inventory extract report 667
- Physical Inventory page 294, 302
- physical inventory results reports 667
- physical inventory scan data report 667
- Physical Inventory Setup page 284
- Physical Transactions A and B pages 440
 - using during conversion 36
- PI Match status 300
- prerequisites 473

- Preview AP/PO Information page 22
- Printable view of Asset page 130
- Print an Asset page 25
- prior period depreciation 632
- Proceeds and Removal Cost Allocation page 381
- Proceeds and Removal Cost page 382
- Process Allocation page 357
- Process CSV Files page 25
- processing depreciation
 - errors 322
- Processing page 20
- property assets
 - entering 79
- property taxes
 - recording 82
- Provide Reason for the Modification page 111

Q

- queries
 - archived data 529

R

- R&D *See* research and development (R&D)
- rates 152
- RD Deductions — AUS page 482
- Receive Conversion Data page 39
- reconciliation 302
- Record Property Taxes page 52, 82
- recovery information 100
- reinstatements 423
- related documentation xx
- Related Meter Readings page 238
- remaining value and life calculations 623, 625
- replacement cost
 - calculate 123
- Report Field Format Template page 462
- reports 457, 659
 - account activity 665
 - accounting entry 666
 - bar charts 458
 - capital acquisition plans (CAP) 141, 662
 - depreciation 662
 - generating 460
 - global 672
 - impairments 665
 - lease 668
 - online 463
 - online inquiries 458
 - physical inventory 667
 - retirement 669
 - transactions 660
 - USA tax 670
 - viewing financial charts 467
- Reports component 23, 24
- research & development (R&D)
 - enabling calculations 483
- research and development (R&D)
 - defining asset profiles 483
 - defining assets 59, 483, 484
- reserve detail by Asset ID report 674
- reserve summary by Category report 674
- residual values 153

- Restore Cost/Depreciation page 20
- restoring archived data 531, 532
- Results page — Inventory Results 294, 299
- Retire/Reinstate Asset page 19
- Retire/Reinstate Assets component
 - Bill Information page 382, 402
 - By Chartfield page 398
 - By ChartField page 381
 - Capital Gain page 382, 402
 - Child Assets page 381, 399
 - Other Options page 381, 396
 - VAT page 382, 392, 406
- Retire/Reinstate Non-Fin Asset page 19
- Retire Assets page 381, 383, 423, 424
- retired as expensed accounting entry report 666
- Retirement 22
- retirement activity (Australia) report 672
- retirement activity report 669
- retirement by ChartField report 669
- retirement by in service date report 669
- retirement detail by ChartField (Australia) report 672
- retirements
 - automating 415
 - books 191
 - calculating gains or losses 397
 - calculating VAT 406
 - composite assets 276, 277
 - during inventory 291
 - joint venture assets 308
 - leased assets 172
 - loading retired assets during conversion 40
 - non-financial assets 422
 - options 390
 - overview 379
 - parent-child assets 399
 - processing like-kind exchanges 393
 - processing traded assets 393
 - reporting capital gains 424
 - selling assets by auction 421
 - using the disposal worksheet 417
 - viewing gains or losses 402
- retirement types 379
- Retrieve Info from AP/PO page 22
- retroactive changes
 - depreciation rates 270
- Return Information page 522
- Revaluation in Mass page 19, 207
- revaluations 186
 - processing multiple assets 206
- revaluation worksheet 197
- Revaluation Worksheet 197
- Revaluation Worksheet page 18, 197
- Revalue AUS page 21
- reverse detail by Asset ID report 674
- reverse summary by Category report 675
- reversing accounting entries 360, 375
- Review Asset Journals page 21
- Review Book component
 - Detail page 530
 - List page 530
- Review Book page 20
- Review Cost page 20
- Review Depreciation Info page 20
- Review Expense Entries page 21
- Review Extracted Data page 25, 293, 295
- Review Financial Entries page 21
- Review Inflation page 20

- Reviewing and Approving Lease Payment Information 167
- Review Inventory History page 25, 303
- Review Maintenance History page 24
- Review Matching Results page 25
- Review Operating Leases page 21
- Review Parent-Child NBV page 18
- Review Parent-Child page 17
- Review Purchase Orders page 17
- Review Receivers page 17
- Review Vouchers page 17
- rounding
 - VAT calculations 411
- rounding options
 - Japan 520
- Run Depreciation Calculation page 318
- Run Depreciation Close Process page 375
- Run Mass Change page 435, 437
- Run Open Trans Tax page 425
- Run Physical Inventory Reports page 25, 303
- Run Report page 18
- Run Request page 25

S

- salvage value 619
- scanning devices
 - loading asset data 296
- scan scope *See* extract and scan scope
- Search for an Asset page 26, 127
- search for assets 127
 - indexes and alternate search keys 128
- Section 179 Expense 620
- security
 - reviewing after conversion 40
 - self-service 472
- Selection Criteria page — Generate AM Charts 467
- self-service Web components 471, 473
 - roles 472
 - security 472
 - setting up 473
- Self Service Web Components
 - self service application pages 471
- Send to Budgeting page 18
- serial numbers
 - identifying duplicates 298
- servicing
 - scheduling and tracking 237
 - viewing history 250
- servicing and repairs
 - assets 237
- Set R&D Info page 484
- Set up Lease Payment Integration 166
- shared assets *See* joint venture assets
- simulations
 - depreciation 345
- SQR
 - using for conversion 33
- Staffel depreciation methods 497
- Statistics page 238, 240
- Step Lease Payment page - Lease Express Add 149, 159
- Step Lease Payment page - Update Lease Information 149
- step leases 144

- Stop Depr 653
- straight line depreciation 640
- straight line percent depreciation 641
- Strategic Sourcing
 - selling assets 421
- Summary of Changes page 111
- Summary page - Capital Acquisition Planning 141
- Summary page - User Defined Methods 338

T

- tags
 - identifying duplicates 297
- tax
 - reporting for France 493
- tax acquisitions report 670
- tax adjustments report 670
- Tax CCP – AUS report 672
- tax credits 102
 - calculating 620
 - using in depreciation calculations 620
- tax credits (AUS)
 - capital investment projects 484
 - entering in Asset ExpressAdd 485
 - entering in the Asset Book Definition 485
 - specifying assets 485
- Tax Credits — AUS page 483
- tax credits by category (Australia) report 672
- Tax Depr Bal page 503, 504
- tax depreciation reports 670
- Tax Depreciation Request page 504
- taxes
 - defining for books 99
 - entering online 74
- Tax Information page 103
- Tax page 49, 74
- Tax Retirement Capital Gains Report 424
- tax retirements reports 670
- templates
 - defining report formats 461, 462
- Theoretical NBV and Assessment Value page 525
- Track Service and Repairs component
 - Comments page 238
 - Event page 237, 238
 - Meter Reading Details page 238
 - Payment page 238
 - Related Meter Readings page 238
 - Statistics page 238, 240
- Track Service and Repairs page 24
- Transaction Defaults page — Physical Inventory Control 286, 289
- Transaction Edit (AMIFEDIT) program 34
 - viewing results 36
- Transaction Information page 215, 216
- transaction loader
 - creating group assets 258
 - inserts from Financial Information table (INTFC_FIN) 608
 - inserts from physical A table (INTFC_PHY_A) 610
 - inserts from physical B table (INTFC_PHY_B) 611
 - inserts into Asset Management tables 608
 - interface types 612
 - running during conversion 33, 37

- using with mass changes 445
- transaction types
 - transfers 278
- Transfer Operating Lease page 17
- transfers
 - between business units 187
 - between group assets 261
 - child assets 192
 - composite assets 278
 - entering book information 189
 - entering cost information 181
 - marking up or down 192
 - overview 176
 - partial transfers 185
 - retroactive 186
 - within business units 185

U

- uncapitalized assets
 - composite member assets 275
- United States Financial Accounting Standards Board (FASB) Statement 13 143
- units of production 652
- Update CCA component 23
- Update Lease Information component
 - Cost page 148
 - Definition page 148
 - Payment Schedule page 149
 - Step Lease Payment 149
- Update Lease Information page 16
- Update Non-Capitalized Cost page 19, 211
- Upload Lease Payments 169
- USA support
 - tax 40 percent rule 428
 - tax reports 670
- Useful Life/Rate page 513, 514
- user-defined depreciation
 - assigning to assets 344
 - copying methods 342
 - creating a depreciation method 337
 - generating 342
 - SQC program 341
 - understanding 333
 - variables 334
- User Defined Method Copy page 343
- User Defined Methods component
 - Comment page 339
 - Definition page 339
 - Summary page 338
- User Defined Variables page 336

V

- valuations
 - insurance information 249
- value added tax (VAT)
 - calculating for asset retirements 406
 - defaults 409
 - defining for assets 74
 - locations 408
 - physical nature 408
 - rounding rules 411
- variables

- creating 336
- VAT *See* value added tax (VAT)
- VAT page — Retire/Reinstate Assets
382, 392, 406
- Verify Duplicate Serial ID page 25
- Verify Duplicate Tags page 25, 297
- Verify Scanned Data page 25
- View Parent Component page 20
- voluntary retirements 276

W

- warranties
 - entering information 244
 - reporting on 250
- What-If Scenarios page 20
- What If Depreciation
 - performing 345
 - viewing results 347
- What If Depreciation page 346
- What If Depreciation Results page 347
- workflow
 - approving disposals 420
 - physical inventory results 301

Y

- yearly depreciation
 - calculating 625

