

Content Server

Version: 6.3

Installing Content Server with Oracle Application Server 10g

Document Revision Date: Jun. 15, 2011

FatWire[®]
S O F T W A R E

FATWIRE CORPORATION PROVIDES THIS PUBLICATION “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. In no event shall FatWire be liable for any loss of profits, loss of business, loss of use of data, interruption of business, or for indirect, special, incidental, or consequential damages of any kind, even if FatWire has been advised of the possibility of such damages arising from this publication. FatWire may revise this publication from time to time without notice. Some states or jurisdictions do not allow disclaimer of express or implied warranties in certain transactions; therefore, this statement may not apply to you.

Copyright © 2005–2011 FatWire Corporation. All rights reserved.

This product may be covered under one or more of the following U.S. patents: 4477698, 4540855, 4720853, 4742538, 4742539, 4782510, 4797911, 4894857, 5070525, RE36416, 5309505, 5511112, 5581602, 5594791, 5675637, 5708780, 5715314, 5724424, 5812776, 5828731, 5909492, 5924090, 5963635, 6012071, 6049785, 6055522, 6118763, 6195649, 6199051, 6205437, 6212634, 6279112 and 6314089. Additional patents pending.

FatWire, Content Server, Content Server Bridge Enterprise, Content Server Bridge XML, Content Server COM Interfaces, Content Server Desktop, Content Server Direct, Content Server Direct Advantage, Content Server DocLink, Content Server Engage, Content Server InSite Editor, Content Server Satellite, and Transact are trademarks or registered trademarks of FatWire, Inc. in the United States and other countries.

iPlanet, Java, J2EE, Solaris, Sun, and other Sun products referenced herein are trademarks or registered trademarks of Sun Microsystems, Inc. *AIX, IBM, WebSphere*, and other IBM products referenced herein are trademarks or registered trademarks of IBM Corporation. *WebLogic* is a registered trademark of BEA Systems, Inc. *Microsoft, Windows* and other Microsoft products referenced herein are trademarks or registered trademarks of Microsoft Corporation. *UNIX* is a registered trademark of The Open Group. Any other trademarks and product names used herein may be the trademarks of their respective owners.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>) and software developed by Sun Microsystems, Inc. This product contains encryption technology from Phaos Technology Corporation.

You may not download or otherwise export or reexport this Program, its Documentation, or any underlying information or technology except in full compliance with all United States and other applicable laws and regulations, including without limitation the United States Export Administration Act, the Trading with the Enemy Act, the International Emergency Economic Powers Act and any regulations thereunder. Any transfer of technical data outside the United States by any means, including the Internet, is an export control requirement under U.S. law. In particular, but without limitation, none of the Program, its Documentation, or underlying information of technology may be downloaded or otherwise exported or reexported (i) into (or to a national or resident, wherever located, of) Cuba, Libya, North Korea, Iran, Iraq, Sudan, Syria, or any other country to which the U.S. prohibits exports of goods or technical data; or (ii) to anyone on the U.S. Treasury Department’s Specially Designated Nationals List or the Table of Denial Orders issued by the Department of Commerce. By downloading or using the Program or its Documentation, you are agreeing to the foregoing and you are representing and warranting that you are not located in, under the control of, or a national or resident of any such country or on any such list or table. In addition, if the Program or Documentation is identified as Domestic Only or Not-for-Export (for example, on the box, media, in the installation process, during the download process, or in the Documentation), then except for export to Canada for use in Canada by Canadian citizens, the Program, Documentation, and any underlying information or technology may not be exported outside the United States or to any foreign entity or “foreign person” as defined by U.S. Government regulations, including without limitation, anyone who is not a citizen, national, or lawful permanent resident of the United States. By using this Program and Documentation, you are agreeing to the foregoing and you are representing and warranting that you are not a “foreign person” or under the control of a “foreign person.”

Installing Content Server with Oracle Application Server 10g

Document Revision Date: Jun. 15, 2011

Product Version: 6.3

FatWire Technical Support

www.fatwire.com/Support

FatWire Headquarters

FatWire Corporation
330 Old Country Road
Suite 303
Mineola, NY 11501
www.fatwire.com

Table of Contents

1 Installation Overview	5
What This Guide Covers	6
What This Guide Does Not Cover	6
Installation Summary	6
System Requirements	6
Terms and Acronyms	7
Graphics in This Guide	7
Installation Steps	7

Part 1. Database

2 Setting Up a Database	11
--------------------------------	-----------

Part 2. Application Server

3 Installing Oracle Application Server	15
Pre-Installation Steps	16
Installation Steps	17
Post-Installation Steps	32
A. Set Up and Test Your Environment	32
B. If You Plan to Use SSL on the Integrated Oracle HTTP Server	34
4 Configuring Oracle Application Server	35
Basic Information and Operations	36
Important Files and Their Locations	36
Important Commands	37
Application Deployment Methods	37

Data Source Creation and Configuration	38
XML-Based Procedure	38
Web-Based Procedure	39
Database Internationalization	44
5 Deploying Applications	45
Overview	46
Command Line Deployment (<i>Preferred</i>)	46
Web-Based Deployment	47
6 Setting Up a Clustered Installation	51
Setting Up a Cluster Instance	52
Migrating an Installation to Another Machine	55

Part 3. Web Server

7 Installing and Configuring a Web Server	59
Installing and Configuring Oracle HTTP Server	60
A. Installing OHS as a Standalone Instance	60
B. Configuring OHS (Integrated and Standalone)	61
C. SSL (Optional)	61
D. Creating an SSL Wallet (Integrated and Standalone OHS)	62
Configuring IIS Remote Plugin	66
Configuring Sun ONE Remote Plugin	67

Part 4. Content Server

8 Installing Content Server	71
Step I. Complete Pre-Installation Procedures	72
Step II. Install Content Server	72
Step III. Complete Post-Installation Procedures	91

Appendixes

A. Oracle HTTP Server Self-Signed Certificates	95
B. Installing Verity Search Engine	99

Chapter 1

Installation Overview

This document provides guidelines for installing Content Server on the Oracle Application Server 10g, connecting to a supported database of your choice.

Note

Anyone using this guide is expected to have experience installing and configuring databases, web servers, and application servers. Selected information regarding the configuration of third-party products is given in this guide. For detailed information about a particular third-party product, refer to that product's documentation.

This chapter provides information that will help you prepare for the Content Server installation. It contains the following sections:

- [What This Guide Covers](#)
- [What This Guide Does Not Cover](#)
- [Installation Summary](#)
- [System Requirements](#)
- [Terms and Acronyms](#)
- [Graphics in This Guide](#)
- [Installation Steps](#)

What This Guide Covers

This guide covers the installation, configuration, and maintenance of Oracle Application Server 10g, as required to support Content Server. This includes the configuration of an Oracle 10g cluster, backend databases, and standalone web servers.

What This Guide Does Not Cover

This guide does not cover the following topics, as they fall outside the scope of this guide:

- IIS and Sun ONE web server installation
- SSL configuration on IIS and Sun ONE
- LDAP integration

Installation Summary

After you install and configure the J2EE components that support Content Server, you will run the Content Server installer, which will guide you through the installation process. You will run the installer on each development, delivery, and management system on which you plan to use Content Server. During the Content Server installation, you will have the option to install sample sites and sample content, depending on the system you are setting up and on your business needs.

Note

The names of the systems in your Content Server environment might vary from the names used in this document. Generally, the management system is also called “staging,” and the delivery system is also called “production.”

System Requirements

System requirements for installing Content Server are given in the following documents, located on your Content Server installation CD:

- *Content Server Supported Platform List*. The list specifies third-party databases and drivers, application servers and web servers, and other software required for installing and running Content Server.
- *Content Server Release Notes*. The notes provide important information about Content Server.

FatWire recommends that you read both of these documents before installing Content Server.

Note

The latest versions of the above-mentioned documents are located at the following URL (password-protected):

<http://e-docs.fatwire.com/CS>

If you need a password, contact FatWire Technical Support. Contact information is available at the following URL:

http://www.fatwire.com/Support/contact_info.html

The e-docs website is organized by product and version number. To obtain the correct documents, follow the link for the version of Content Server you are installing.

Terms and Acronyms

The following table defines the terms and acronyms that are used throughout this guide.

Term	Definition
AS	Application Server
Oracle AS	Oracle Application Server 10g
OHS	Oracle HTTP Server
SSL	Secure Sockets Layer
Integrated OHS	Automatically installed Oracle HTTP Server (packaged with Oracle Application Server 10g).
Standalone OHS	Manually installed Oracle HTTP Server (packaged with Oracle Application Server 10g).

Graphics in This Guide

Many steps in this guide include screen captures of dialog boxes and similar windows that you interact with in order to complete the steps. The screen captures are presented to help you follow the installation process. They are not intended to be sources of specific information, such as parameter values, options to select, or product version number.

Installation Steps

The steps in this section summarize the installation/configuration of Content Server and its supporting software. Keep the steps handy as a quick reference to the installation procedure and to chapters that provide detailed instructions.

To install Content Server and its supporting software

1. Ensure that you have licensed copies of all the software you will be installing. For information about Content Server's supporting software, refer to the *Content Server Supported Platform List* and *Release Notes*. The latest versions are available on the e-docs website (password-protected), at the URL that is given in "[System Requirements](#)," on page 6.
2. Set up your choice of supported databases by installing the database management system, creating a database for Content Server, and configuring the database. For instructions, see our configuration guide, *Third-Party Software*.
3. Set up Oracle Application Server 10g as shown in [Chapter 3, "Installing Oracle Application Server"](#). The steps that you will complete are the following:
 - a. Install Oracle Application Server 10g.
 - b. Set up the environment and test the application server.
 - c. If you plan to use SSL on the integrated (automatically installed) Oracle HTTP server (called "OHS" in this guide), configure SSL and create an SSL wallet. Otherwise, continue with the next step.
4. Configure Oracle Application Server, as shown in [Chapter 4, "Configuring Oracle Application Server"](#). The steps that you will complete are the following:
 - a. Create and configure the data source, using either the command line or the graphical web-based method.
 - b. If necessary, internationalize the database.
5. If you plan to install OHS manually (standalone OHS), or you prefer to install IIS or Sun ONE HTTP servers, see the following sections in [Chapter 7, "Installing and Configuring a Web Server"](#):
 - For instructions on installing OHS as a standalone instance, see "[Installing and Configuring Oracle HTTP Server](#)," on page 60.
 - For instructions on configuring OHS (both integrated and standalone), see "[Configuring OHS \(Integrated and Standalone\)](#)," on page 61.
 - If you plan to use SSL, follow instructions in "[SSL \(Optional\)](#)," on page 61 and "[Creating an SSL Wallet \(Integrated and Standalone OHS\)](#)," on page 62.
 - For instructions on installing and configuring IIS, see "[Configuring IIS Remote Plugin](#)," on page 66.
 - For instructions on installing and configuring Sun ONE HTTP server, see "[Configuring Sun ONE Remote Plugin](#)," on page 67.
6. Install Content Server by running the installer. Halfway through the installation, you will need to deploy Content Server using either the command line or the graphical web-based method. For instructions on installing and deploying Content Server, see [Chapter 8, "Installing Content Server"](#).
7. If you plan to use the Verity search engine, follow installation guidelines in [Appendix B, "Installing Verity Search Engine"](#).
8. If you plan to set up a clustered installation, follow instructions in [Chapter 6, "Setting Up a Clustered Installation"](#).

Part 1

Database

This part contains a short chapter summarizing the databases that Content Server uses. Instructions on creating and configuring the databases are given our configuration guide, *Third-Party Software*.

This part contains the following chapter:

- [Chapter 2, “Setting Up a Database”](#)

Chapter 2

Setting Up a Database

Content Server requires access to a supported database that is specifically configured for Content Server.

The complete list of supported databases (as well as other third-party components) is available in the *Supported Platform Document*, accessible from:

<http://e-docs.fatwire.com/CS>

Before installing any other of Content Server's supporting software, you must complete the following steps:

1. Install the database management system.
For instructions, refer to the product vendor's documentation.
2. Create and configure a database for Content Server.
For instructions, consult our configuration guide, *Third-Party Software*. Note that database configuration is identical across different application servers. Refer to the correct chapter to create and configure the database of your choice.

Part 2

Application Server

This part contains information about installing and configuring Oracle Application Server. It also contains information about the functions that are performed with Oracle Application Server: application deployment and setting up clustered installations.

This part contains the following chapters:

- [Chapter 3, “Installing Oracle Application Server”](#)
- [Chapter 4, “Configuring Oracle Application Server”](#)
- [Chapter 5, “Deploying Applications”](#)
- [Chapter 6, “Setting Up a Clustered Installation”](#)

Chapter 3

Installing Oracle Application Server

The chapter shows you how to install Oracle Application Server. This is not an exhaustive chapter, as it covers the installation of Oracle Application Server (known throughout this manual as Oracle AS) only so far as needed to install and run Content Server. For more extensive documentation on the installation process, see the documentation that comes with Oracle Application Server.

This chapter contains the following sections:

- [Pre-Installation Steps](#)
- [Installation Steps](#)
- [Post-Installation Steps](#)

Pre-Installation Steps

The steps in this section must be completed before you can begin the Oracle AS installation. Failure to complete the steps will result in a failed installation attempt.

1. Create a new user (for example: `oracleas`).
Unix creates a new user account named `oracleas` (you may choose any name that you wish, but in this guide we assume that you are using a user named `oracleas`).
2. Install any patches found in `<oracle install directory>\utils` directory. The directory varies according to platform, but must always be done as root or Administrator.

Note

In the following steps, we assume a Linux platform.

3. Log in as root:
 - a. Change the directory to `<oracle install directory>/utils/3167528/` and execute the command: `perl commentport.pl`
 - b. Change the directory to `<oracle install directory>/utils/4015045/` and execute the command: `perl commentipv6.pl`
4. Install any required patches for your given operating system. Information on required patches can be found in the release notes in `<oracle install directory>/docs`. If you are using SuSE Linux, install the required packages:
 - a. Install the following packages using `yast2`: `openmotif`, `pdksh` all packages, and `gnomelibs`.
 - b. When prompted about dependencies, install all dependent packages.
5. Change to the new user that you created in [step 1](#). (In this guide the new user is `oracleas`).
6. Create the directory where you want Oracle AS to be installed (in this guide: `/opt/software/Apps/oracle10/oracleas/`). Ensure that the `oracleas` user created above is the owner of this directory.

Installation Steps

This section steps you through the installation of the Oracle Application Server.

1. Run the installer, change to the <oracle install directory>/
 - On Unix: `./runinstaller`
 - On Windows: `runinstaller.cmd`

```

10.120.14.50 - [suseserver50] - F-Secure SSH Client
File Edit View Window Help
Quick Connect Profiles
oracleas@suseserver50:/opt/Downloads/Oracle10G_AS/Disk1> export DISPLAY=10.120.1
2.30:0.0
oracleas@suseserver50:/opt/Downloads/Oracle10G_AS/Disk1> ./runInstaller
*****
The following files should not be present :
/etc/profile.d/oracle.csh
/etc/profile.d/oracle.sh
/etc/profile.d/alljava.csh
/etc/profile.d/alljava.sh
Please remove the above files or move them to .bak
Remove the ". ./oracle" entries from /home/oracleas/.profile
Logout and login to reset the Shell environment.
*****
Do you want to continue anyway: [y/n]
y
For SuSE, you are required to login as root and run the patch present in
the utils/3167528/ and utils/4015045 directory
Enter y if you have already installed the patch
Enter n to exit the installer and run the patch
Is the patch for bug # 3167528 and 4015045 run : [y/n] :
y
Patch for bug 3167528 has been run, proceeding with installation
Starting Oracle Universal Installer...


Checking installer requirements...

All installer requirements met.

Checking Temp space: must be greater than 400 MB.   Actual 9698 MB   Passed
Checking swap space: must be greater than 1536 MB.   Actual 2002MB   Passed
Checking monitor: must be configured to display at least 256 colors.   Actual 1
6777216   Passed
Checking if CPU speed is above 450 MHz.   Actual 728 MHz   Passed
Preparing to launch Oracle Universal Installer from /tmp/OraInstall2005-05-02_04
-38-43&M. Please wait ...█

```

2. At the “Welcome” screen, click **Next**.
3. Set the inventory directory (use defaults) and click **Next**.




4. For Unix only:

- a. At the warning screen, **do not** click **Continue**. Instead go to [step b on page 20](#).



- b. **For Unix only:** At a command prompt, log in as root, execute the script referred to in the pop-up message, then click **Continue** in the warning pop-up.




```
suseserver50:/home/oracleas/oraInventory # ./oraInstRoot.sh
Creating the Oracle inventory pointer file (/etc/oraInst.loc)
Changing groupname of /home/oracleas/oraInventory to users.
suseserver50:/home/oracleas/oraInventory #
```

The screenshot shows a terminal window titled "2:10.120.14.50 - [suseserver50] - F-Secure SSH Client". The terminal output shows the execution of the script `./oraInstRoot.sh` in the directory `/home/oracleas/oraInventory`. The script performs two actions: "Creating the Oracle inventory pointer file (/etc/oraInst.loc)" and "Changing groupname of /home/oracleas/oraInventory to users." The terminal prompt returns to `suseserver50:/home/oracleas/oraInventory #`. The status bar at the bottom of the window indicates "Connected to 10.120.14.50", "SSH2 - 3des-cbc - hmac-sha1 - none", "80x39", "44, 4", and "00:01:12".

5. **For all operating systems:** Enter the location for the installation and click **Next**.
This is the location that was created in the pre-installation [step 6 on page 16](#).
6. Select the product to install (**Oracle Application Server 10g**) and click **Next**.




7. Select the installation type (**J2EE and Web Cache**) and click **Next**.



8. Perform pre-requisite checks:


- a. Allow all checks to complete. If any checks fail, you will need to resolve them before continuing.
- b. Click **Next**.



9. Confirm pre-installation requirements:


This screen contains a list of all requirements that must be met, but could not be tested for.

- a. Place a check mark next to each item as you confirm that it is met as a requirement.
- b. When all requirements have been met, click **Next**.



10. Select configuration options:

- a. Either leave the defaults selected or include **Oracle 10g Web Cache** if required. **Do not select Identity Manager or Farm Repository.**
- b. Click **Next**.



11. Specify port configuration options:

- a. Leave the default **Automatic** selected.
- b. Click **Next**.




12. Specify instance name and ias_admin password:

Enter a name and password for this instance and click **Next**. (In this guide, an instance name of `oracleas001` is used.)

Note

Keep the password in a safe place. If you forget this password, you will be unable to properly use Oracle Application Server.



Oracle Universal Installer: Specify Instance Name and ias_admin Password

Specify Instance Name and ias_admin Password

All OracleAS 10g instances installed on a host must have unique names. The hostname and domain name of the host are appended to the instance name.

Each OracleAS 10g instance has its own password, regardless of which user performed the installation. Passwords are not shared across instances, even if the instances were installed by the same user.

The password must have a minimum of 5 alphanumeric characters, maximum 30 characters, and at least one of the characters must be a number.

Administrator Username: ias_admin

Instance Name:

ias_admin Password:


Confirm Password:

Help Installed Products... Back Next Install Cancel

ORACLE

13. Review the summary page of what will be installed:

Review the “Summary” page for any mistakes. If there are none, click **Install**.



14. Installation progress screen:


- a. Allow the installation process to complete.

Note

Under Linux, the installation will fail with a message that opmn failed to start. The cause of this error is that a required Oracle library is not found.


1. Log in as root.
2. Add the directory `<ora_home>/lib` to `/etc/ld.so.conf`.
3. Run `ldconfig`.
4. Execute the command: `<ora_home>/opmn/bin/opmn startall`

- b. Click Next.




15. For Unix only:

- a. Follow instructions in the pop-up message.



- b. At a command prompt, log in as root, execute the script referred to in the pop-up message, then click **OK** in the pop-up.




```
2:10.120.14.50 - [suseserver50] - F-Secure SSH Client
File Edit View Window Help
Quick Connect Profiles
suseserver50:/opt/software/App/Oracle/ora10a # ./root.sh
Running Oracle10 root.sh script...
The following environment variables are set as:
  ORACLE_OWNER= oracleas
  ORACLE_HOME= /opt/software/App/Oracle/ora10a

Enter the full pathname of the local bin directory: [/usr/local/bin]:
Copying dbhome to /usr/local/bin ...
Copying oraenv to /usr/local/bin ...
Copying coraenv to /usr/local/bin ...


Creating /etc/oratab file...
Adding entry to /etc/oratab file...
Entries will be added to the /etc/oratab file as needed by
Database Configuration Assistant when a database is created
Finished running generic part of root.sh script.
Now product-specific root actions will be performed.
suseserver50:/opt/software/App/Oracle/ora10a #
```

16. For all operating systems:

- a. Allow all the Oracle configuration assistants to finish successfully.
- b. Click **Next**.



17. The Oracle AS installation is now complete.
 - a. Write down the URL displayed on the screen for the Oracle Enterprise Manager Application (normally the host name and port 1812).
 - b. Click **Exit**.



Post-Installation Steps

A. Set Up and Test Your Environment

1. If you are using Unix, edit `.profile` for your Oracle AS user (`oracleas` in this guide) by adding the following lines to the end of the file:


```
EXPORT PATH=<ora home>/jre/1.4.2/bin:$PATH
EXPORT ORACLE_HOME=<ora home>/
```

Note


Throughout the rest of this guide `<ora home>` refers to the path where Oracle AS was installed.

2. Save the file and re-source the file `./profile`.

3. Add the following directories to your library path: `<ora_home>/lib` and `<ora_home>/chgif/lib`
4. Open a browser and browse to the URL that was provided on the last screen during the installation process (step 17 on page 32).



5. Log in to Oracle Application Server using the login `ias_admin` and the password that was entered during the installation process (step 12 on page 27).



6. You have completed installing and testing Oracle Application Server. Your next step is one of the following:
 - If you plan to use SSL on the integrated Oracle HTTP server, continue with section [B](#).
 - If you are not planning to use SSL on the integrated Oracle HTTP Server, configure the Oracle application server. For instructions, see [Chapter 4](#), “[Configuring Oracle Application Server](#),” in particular, “[Data Source Creation and Configuration](#),” on page 38.

B. If You Plan to Use SSL on the Integrated Oracle HTTP Server

1. If you plan to use the integrated (automatically installed) Oracle HTTP Server, enable SSL by following instructions in “[SSL \(Optional\)](#),” on page 61 and in “[Creating an SSL Wallet \(Integrated and Standalone OHS\)](#),” on page 62.
2. When you have completed step 1, configure the Oracle application server. For instructions, see [Chapter 4](#), “[Configuring Oracle Application Server](#),” in particular, “[Data Source Creation and Configuration](#),” on page 38.

Chapter 4

Configuring Oracle Application Server

This chapter shows you how to construct a data source and how to configure Oracle Application Server to support internationalization as well as clustered installations. For reference, this chapter begins with a section on basic Oracle AS information that is used throughout this guide and is required for configuring and maintaining Content Server.

This chapter contains the following sections:

- [Basic Information and Operations](#)
- [Data Source Creation and Configuration](#)
- [Database Internationalization](#)

Basic Information and Operations

This section contains basic Oracle AS information that is required for configuring and maintaining Content Server. Many of the files and commands that are described in this section will be used throughout the rest of this guide. However, only the basics are covered here. Consult the Oracle Application Server product documentation for more extensive information on the topics that are covered in this guide and for topics that are not touched upon.

Important Files and Their Locations

File	Description	Path
<application name>	Per-application log	<ora home>/j2ee/<instance name>/application-deployments/<application name>
data-sources.xml	Used for viewing and modifying globally available data sources	<ora home>/j2ee/<instance name>/config/data-sources.xml
data-sources.xml	Used for viewing and modifying application-specific available data sources	<ora home>/j2ee/<instance name>/application-deployments/<app name>/data-sources.xml
emiasconsole.nohup	Enterprise Management Console log	<ora home>/sysman/log/emiasconsole.nohup
portlist.ini	Used for managing the ports on which Oracle AS is currently configured to listen on	<ora home>/install/portlist.ini
setupinfo.txt	Used for viewing and editing the ports on which Oracle AS was configured to listen on during installation	<ora home>/install/setupinfo.txt
deployed applications path		<ora home>/j2ee/<instance name>/applications/<application name>
third-party jar files, installation path		<ora home>/j2ee/<instance name>/applib/
dcm (Oracle Distributed Configuration Manager) configuration files		<ora home>/dcm/config/
dcm (Oracle Distributed Configuration Manager) logs		<ora home>/dcm/logs/
opmn (Oracle Process Manager and Notification Server) and configuration files		<ora home>/opmn/conf/

File	Description	Path
opmn (Oracle Process Manager and Notification Server) application logs		<ora home>/opmn/logs/

Important Commands

Note

For all commands it is assumed that ORACLE_HOME is set and that you are logged in as the Oracle Application Server user (oracles in this guide).

Table 1: Oracle Enterprise manager Web Console

Action	Command
Start	<ora home>/bin/emctl start iasconsole
Stop	<ora home>/bin/emctl stop iasconsole
Status	<ora home>/bin/emctl status iasconsole

Table 2: Oracle Application Server

Action	Command
Start all	opmnctl startall
Stop all	opmnctl stopall
Status of Oracle AS components	opmnctl status
Start a single component	opmnctl startproc ias-component=<name>
Stop a single component	opmnctl stopproc ias-component=<name>

Application Deployment Methods

Oracle Application Server allows for an application to be deployed either from the command line or through the graphical interface. The command line is preferred because deployment from the Oracle Enterprise Manager requires the EAR file to be on the same physical machine as the browser. Instructions for application deployment are given in [Chapter 5, “Deploying Applications.”](#)

Data Source Creation and Configuration

In order for Content Server (or any application) to communicate with a database, you must first construct a data source. This section discusses the creation and configuration of an Oracle AS data source that is capable of communicating with a supported database.

Oracle AS supports two ways of creating a data source: 1) through the graphical console, and 2) by direct editing of an xml file. Both methods are covered in this section. However, the graphical method is suggested unless you have expertise with editing xml files. Again, this chapter covers only those points that are necessary to the installation of Content Server. For a more thorough explanation of data sources or for clarification of something you do not understand, consult the documentation that comes with Oracle AS.

XML-Based Procedure

1. To add a new data source through an xml file, ensure that the opmn instance onto which you will add this data source is shut down.
2. Back up the file `data-sources.xml` (the path is `<ora_home>/j2ee/<instance name>/config/data-sources.xml`)
3. Edit the file `<ora_home>/j2ee/<instance name>/config/data-sources.xml`

By default this file contains a single data source. However, depending on your server configuration this file might contain more than one data source.

At the end of the file is the following string: `</data-sources>`

Immediately before this string, insert a new data source. The easiest way is to copy the example below:

```
<data-source class="com.evermind.sql.DriverManagerDataSource"
  name="<display name>" location="jdbc/<name of datasource>"
  xa-location="jdbc/<name of datasource>1" ejb-location="jdbc/
  <name of datasource>2" connection-driver="<driver name>"
  username="<user name>" password="<user password>" url="<DB
  connection URL>" inactivity-timeout="30" />
```

4. Once you have copied the information above, change the values of the following variables in `data-sources.xml`:

Variable	Description
<code><display name></code>	The display name of the data source.
<code><name of datasource></code>	The name to use with applications to access this data source.
<code><driver name></code>	The name of the driver to use to connect to your given database type. See below for common formats.
<code><user name></code>	User name to access this database.
<code><user password></code>	User's password to access this database.
<code><DB connection URL></code>	URL to use to connect to this database, see common formats below.

Web-Based Procedure

1. In the “Oracle Enterprise Manager,” select the instance onto which to add the data source and click its name (in this example, **home**).

The screenshot shows the Oracle Enterprise Manager console for the application server instance 'home'. The instance is currently 'Up'. The console displays system components, including 'home', 'HTTP_Server', and 'Management'. The 'home' component is selected, and its status, start time, CPU usage, and memory usage are shown in a table.

Select Name	Status	Start Time	CPU Usage (%)	Memory Usage (MB)
<input checked="" type="checkbox"/> home	Up	May 9, 2005 9:31:05 AM	0.00	297.76
<input type="checkbox"/> HTTP_Server	Up	May 9, 2005 9:31:05 AM	0.35	135.36
<input type="checkbox"/> Management	Up	May 9, 2005 9:37:08 AM	0.00	605.49

TIP This table contains only the enabled components of the application server. Only components that have the checkbox enabled can be started or stopped.

2. From the instance page, click the link named **Administration**.

The screenshot shows the Oracle Enterprise Manager console for the application server instance 'home'. The 'Administration' link is selected in the navigation menu. The console displays the general status of the instance, including its status (Up), start time (May 9, 2005 9:31:04 AM), and virtual machines (1). It also shows JDBC usage and response metrics for Servlets and JSPs, and EJBs.

General

Status: **Up** (Stop | Restart)
 Start Time: **May 9, 2005 9:31:04 AM**
 Virtual Machines: **1**

JDBC Usage

Open JDBC Connections: **0**
 Total JDBC Connections: **0**
 Active Transactions: **0**
 Transaction Commits: **0**
 Transaction Rollbacks: **0**

Status

CPU Usage (%): **0.00**
 Memory Usage (MB): **297.76**
 Heap Usage (MB): **14.52**


Response - Servlets and JSPs

Active Sessions: **3**
 Active Requests: **1**
 Request Processing Time (seconds): **0.003**
 Requests per Second: **0.11**


Response - EJBs

Active EJB Methods: **0**
 Method Execution Time (seconds): **0.00**
 Method Execution Rate (per second): **0.00**

3. On the “Administration” page, click the link **Data Sources**.



4. Click the **Create** button.



5. Fill in the form (using the table below for guidelines) and click **Create**.

Field	Description
Name	The name you want the data source to be displayed as. Value: <display name>
Data Source Class	The name to use with applications to access this data source. Value: <name of datasource>
JDBC URL	URL to use to connect to this database. Value: <DB connection URL> Common formats: <ul style="list-style-type: none"> • Oracle 9, 10 Driver URL Format: jdbc:oracle:thin:@//<servername>:<port>/<db> E.g., jdbc:oracle:thin:@//10.120.14.22:1521/CS52NP • Microsoft SQL Server 2000 SP4 Driver URL Format: jdbc:microsoft:sqlserver://<server name>:<ip>; SelectMethod=Cursor;DatabaseName=<DB> E.g., jdbc:microsoft:sqlserver://10.120.14.22:1433; SelectMethod=Cursor;DatabaseName=CS62OA • DB2 Driver URL Format: jdbc:db2://<servername>:<port>/<DB> E.g., jdbc:db2://10.120.16.30:50001/DB2OA
JDBC Driver	Name of the driver to use to connect to your given database type. Value: <driver name> Common formats: <ul style="list-style-type: none"> • Oracle 9, 10 Driver Name: oracle.jdbc.driver.OracleDriver • Microsoft SQL Server 2000 SP4 Driver Name: com.microsoft.jdbc.sqlserver.SQLServerDriver • DB2 Driver Name: com.ibm.db2.jcc.DB2Driver
Username	User name to access this database. Value: <user name>
Use Cleartext Password	Value: <user password>
Password	User's password to access this database. Value: <user password>
Location	Value: jdbc/<name of datasource>

Field	Description
Transactional (XA) Location	Value: jdbc/<name of datasource>
EJB Location	Value: jdbc/<name of datasource>
Connection Retry Interval (Seconds)	Value: 1
Cached Connection Inactivity Timeout (Seconds)	Value: 30

Note

The following files are required third-party jar files that must be added to the directory <ora_home>/j2ee/<instance name>/applib/:

Microsoft SQL Server 2000 SP4: msutil.jar, mssqlserver.jar, msbase.jar

DB2: db2jcc.jar, db2jcc_license_cu.jar

The screenshot shows the Oracle Enterprise Manager 10g console interface. The browser address bar indicates the URL: `http://10.120.14.50:1812/emd/console/ias/oc4j/dataSource$CREATELIKE*_D5*_CLASS=com.evermind.sql.DriverManagerDataSource$CREATELIKE*_D5*_LOCATIO`. The page title is "ORACLE Enterprise Manager 10g" and the sub-page is "Application Server Control". The breadcrumb navigation shows: "Application Server: oacles001.suseserver50.fatwire.com > OC4J: home > Application: default > Data Sources >". The main heading is "Create Like Data Source" with a "Page Refreshed May 13, 2005 2:30:36 AM" timestamp. Below the heading is a paragraph of instructions: "Use this page to configure a data source to connect to Oracle or non-Oracle databases. To connect to Oracle databases, configure either a non-emulated (pure Oracle) Data Source or an emulated (wrappers around Oracle Data Sources) Data Source. To connect to non-Oracle databases, use the com.evermind.sql.DriverManagerDataSource with the Merant JDBC drivers. Please refer to the online help for additional information." The "General" section contains the following fields:

- * Name:
- Description:
- * Data Source Class:
- JDBC URL:
- JDBC Driver:
- Schema:

A note below the JDBC Driver field states: "This field is required if you are using a generic Orion Data Source Class." The "Data Source Username and Password" section is partially visible at the bottom, with a "Return to Top" link.

Oracle Enterprise Manager - Create Like Data Source - Microsoft Internet Explorer

Address: http://10.120.14.50:1812/emd/console/has/oc4j/dataSource\$CREATELIKE*_DS*_CLASS=com.evermind.sql.DriverManagerDataSource\$CREATELIKE*_DS*_LOCATIO...

Datasource Username and Password

Clear text passwords may pose a security risk, especially if the permissions on the data-sources.xml configuration file allows it to be read by any user. You can specify an indirect password to avoid this risk. An indirect password is used to do a look up in the User Manager to get the password.

Username:

Use Cleartext Password
Password:

Use Indirect Password
Indirect Password:
example: Scott, customers:Scott

JNDI Locations

For an emulated Data Source, please specify all three location attributes. It is recommended that you reference the EJB Location attribute in your code to look up this Data Source. For a non-emulated Data Source, the location attribute is all that is needed.

* Location:

Transactional(XA) Location:

EJB Location:

For emulated data sources, retrieve the data source using the JNDI value in this field.

Oracle Enterprise Manager - Create Like Data Source - Microsoft Internet Explorer

Address: http://10.120.14.50:1812/emd/console/has/oc4j/dataSource\$CREATELIKE*_DS*_CLASS=com.evermind.sql.DriverManagerDataSource\$CREATELIKE*_DS*_LOCATIO...

Connection Attributes

Connection Retry Interval (seconds):

Max Connection Attempts:

Cached Connection Inactivity Timeout (seconds):

The following attributes only apply if you are using pooled data sources

Maximum Open Connections:

Minimum Open Connections:

Wait For Free Connection Timeout (seconds):

Properties


Properties may be set when configuring a custom or 3rd-party data source.

Select Name	Value
(No items found in J2EE deployment descriptor)	
<input type="button" value="Add a Property"/>	

Copyright © 1996, 2004, Oracle. All rights reserved.
About Oracle Enterprise Manager 10g Application Server Control

Logs | Topology | Preferences | Help

- When prompted to confirm restart, click **Yes**.



Database Internationalization

If you wish to utilize international (non-Western characters), complete the following steps before installing any applications:

- Edit the files `opnmctl` (in `<ora home>/opmn/bin/`) and `apachectl` (in `<ora home>/Apache/Apache/bin/`) by changing the value of the `NLS_LANG` parameter to `"AMERICAN_AMERICA.UTF8"` (shown in bold type below):

Original:

```
NLS_LANG=${NLS_LANG="AMERICAN_AMERICA.WE8ISO8859P1"}; export
NLS_LANG
```

Change to:

```
NLS_LANG=${NLS_LANG="AMERICAN_AMERICA.UTF8"}; export NLS_LANG
```

- Restart all OPMN services:

```
<ora home>\opmn\bin\opmnctl stopall
<ora home>\opmn\bin\opmnctl startall
```

Chapter 5

Deploying Applications

This chapter covers the deployment of applications with Oracle Application Server, using the command line and the graphical interface.

This chapter contains the following sections:

- [Overview](#)
- [Command Line Deployment \(Preferred\)](#)
- [Web-Based Deployment](#)


Overview

Oracle Application Server allows for an application to be deployed either from the command line or through the graphical interface. The command line is preferred because deployment from the Oracle Enterprise Manager requires the EAR file to be on the same physical machine as the browser. Both the command line method and graphical interface methods are given in this section.

Command Line Deployment (*Preferred*)

1. Log in as the Oracle User.
2. Change directories to `<ora home>\dcm\bin\`
3. Use the “Oracle Distributed Deployment Manager” to deploy an EAR file:

```
<ora home>/dcm/bin/dcmctl deployapplication \  
-f /u01/CS/6.2.0GSA/Oracle_AS/ominstallinfo/app/  
ContentServer.ear \  
-a CS
```



The screenshot shows a terminal window titled "1:10.120.14.50 - [suseserver50] - F-Secure SSH Client". The terminal displays the following command and its execution:

```
suseserver50:/opt/software/App/Oracle/ora10a/opmn/conf # ./dcmctl deployapplicat  
ion -f /u01/CS/6.2.0GSA/Oracle_AS/ominstallinfo/app/ContentServer.ear -a CS
```

The terminal window includes a menu bar (File, Edit, View, Window, Help), a toolbar with various icons, and a status bar at the bottom showing connection details: "Connected to 10.120.14.50", "SSH2 - 3des-cbc - hmac-sha1 - none", "80x27", "76, 2", and "23:42:55".

4. Use the Oracle distributed deployment manager to undeploy an EAR file:

```
<ora home>/dcm/bin/dcmctl undeployapplication -a CS  
<ora home>/dcm/bin/dcmctl resyncInstance
```

Web-Based Deployment

Note

For web-based deployment of an application, the EAR file must be local to the browser.


1. Log in to the “Oracle Enterprise Manager” and click **Applications**.

The screenshot shows the Oracle Enterprise Manager 10g console in a Microsoft Internet Explorer browser window. The address bar shows the URL: `http://10.120.14.50:1812/emd/console/ias/oc4j/instance?ctxName1=ocleas001.suseserver50.fatwire.com&type=oc4j&target=ocleas001.suseserver50.fatwire.co`. The page title is "ORACLE Enterprise Manager 10g" and the subtitle is "Application Server Control". The breadcrumb navigation shows "Home" and "Applications" (which is circled in red). The main content area displays the following information:

- General:** Status is **Up**, Start Time is **May 3, 2005 4:02:51 AM**, and Virtual Machines is **1**. Buttons for "Stop" and "Restart" are visible.
- Status:** CPU Usage (%) is **0.00**, Memory Usage (MB) is **291.52**, and Heap Usage (MB) is **2.89**.
- JDBC Usage:** Open JDBC Connections is **0**, Total JDBC Connections is **0**, Active Transactions is **0**, Transaction Commits is **0**, and Transaction Rollbacks is **0**.
- Response - Servlets and JSPs:** Active Sessions is **3**, Active Requests is **1**, Request Processing Time (seconds) is **0.006**, and Requests per Second is **0.09**.
- Response - EJBs:** Active EJB Methods is **0**, Method Execution Time (seconds) is **0.00**, and Method Execution Rate (per second) is **0.00**.

At the bottom, there is a "Related Link" for "All Metrics" and a footer with "Copyright © 1996-2004 Oracle. All rights reserved." and "Internet" in the status bar.

2. On the **Application**, click **Deploy EAR file**.



The screenshot shows the Oracle Enterprise Manager 10g Application Server Control interface. The browser window title is "Oracle Enterprise Manager - OC4J: home - Microsoft Internet Explorer". The address bar shows the URL: [http://10.120.14.50:1812/emd/console/ias/oc4j/applications\\$ctxName1=ocleas001.suseserver50.fatwire.com\\$type=oc4j#target=ocleas001.suseserver50.fatwire.com](http://10.120.14.50:1812/emd/console/ias/oc4j/applications$ctxName1=ocleas001.suseserver50.fatwire.com$type=oc4j#target=ocleas001.suseserver50.fatwire.com). The page title is "ORACLE Enterprise Manager 10g Application Server Control". The application server is identified as "Application Server: ocleas001.suseserver50.fatwire.com". The current view is "OC4J: home" with tabs for "Home", "Applications", and "Administration". The page was refreshed on May 9, 2005 at 4:19:37 AM. The default application name is "default" and the default application path is "application.xml". Under "Deployed Applications", there are buttons for "Edit", "Undeploy", "Redeploy", "Deploy EAR file" (circled), and "Deploy WAR file". A table lists the deployed applications:

Select	Name	Path	Parent Application	Active Requests	Request Processing Time (seconds)	Active EJB Methods
<input checked="" type="radio"/>	ADFBCManager	./applications/ADFBCManager.ear	default	0	0.00	0
<input type="radio"/>	BC4J	./applications/BC4J.ear	default	0	0.00	0
<input type="radio"/>	IsWebCacheWorking	./applications/IsWebCacheWorking.ear	default	0	0.00	0


At the bottom, there are links for "Logs", "Topology", "Preferences", and "Help". The copyright notice reads: "Copyright © 1996, 2004, Oracle. All rights reserved. About Oracle Enterprise Manager 10g Application Server Control".

3. On the EAR file deployment page, fill out the form as follows:
 - a. Enter the local location of the EAR file.


Note

In order to deploy using the web interface, the EAR file must be on the local file system of the browser.


- b. Enter the name for this application and click **Continue**.



4. In “Context Mapping,” enter the context root for this application and click **Finish**.



5. Review the options that you selected. If they are correct, click **Deploy**.



Chapter 6

Setting Up a Clustered Installation

This chapter shows you how to set up a clustered Content Server installation. The procedure entails creating a cluster instance then migrating the instance to other servers until the required number of cluster instances is obtained.

This chapter contains the following sections:

- [Setting Up a Cluster Instance](#)
- [Migrating an Installation to Another Machine](#)

Setting Up a Cluster Instance

This section shows you how to create a cluster instance that you can migrate to other servers (as shown in “[Migrating an Installation to Another Machine](#),” on page 55). The instance can be migrated to as many servers as necessary.

1. Determine whether the instance is attached to a farm by running:

```
<ora home>/dcm/bin/dcmctl whichfarm
```

- a. If the instance is not attached to any existing farm, it returns “Stand Alone”. Continue with [step 2](#). Otherwise, continue with [step b](#).

- b. If the instance does not return “Stand Alone”, run:

```
<ora home>/dcm/bin/dcmctl leaveFarm
```

2. Display the current farm id as a <name>:<port>

```
<ora home>/dcm/bin/dcmctl getRepositoryID
```

E.g.:

```
The system returns: suseserver50.fatwire.com:7101
```

3. Join the farm that was returned in the previous step:

```
<ora home>/dcm/bin/dcmctl joinFarm -r <name>:<port>
```

Note

If the join script fails, restart the OC4J process by using command above and try again with the integrated HTTP_Server stopped.

4. Confirm that the instance was added to the farm:

```
<ora home>/dcm/bin/dcmctl whichFarm -v
```

E.g.:

```
Farm Name: .opt.software.App.Oracle.ora10a.dcm.repository
Host Instance: oacleas001.suseserver50.fatwire.com
Host Name: suseserver50.fatwire.com
Repository Type: Distributed File Based (host)
SSL In Use: false
```

5. Restart HTTP_Server if stopped in order to complete [step 3](#).

6. Determine which clusters are defined:

```
<ora home>/dcm/bin/dcmctl listclusters
```

7. Create a new cluster **with a unique name**:

```
<ora home>/dcm/bin/dcmctl createCluster -cl <new clusters name>
```

8. List all available instances:

```
<ora home>/dcm/bin/dcmctl listinstances
```

E.g.:

```
1
Instance name: oacleas001.suseserver50.fatwire.com
Cluster:
Hostname:      suseserver50.fatwire.com
Oracle Home:   /opt/software/App/Oracle/ora10a
```

9. Check that the instance is clusterable:

```
<ora home>/dcm/bin/dcmctl isClusterable
```

E.g.: true

10. Have an instance join the cluster:

```
<ora home>/dcm/bin/dcmctl joinCluster -cl TestCluster -i
  <instance name>
```

11. List all instances in the cluster:

```
<ora home>/dcm/bin/dcmctl listInstances -cl TestCluster
```

E.g.:

```
1
Instance name: oacleas001.suseserver50.fatwire.com
Cluster:      TestCluster
Hostname:     suseserver50.fatwire.com
Oracle Home:  /opt/software/App/Oracle/ora10a
```

12. Restart opmn now as a cluster:

```
./opmnctl startall
```

13. Check the status of the cluster by running:

```
./opmnctl @cluster status
```

14. Add any remaining instances that you wish to the OC4J cluster by running:

```
<ora home>/dcm/bin/dcmctl createcomponent -ct oc4j -co <new
  clusters name> -i <instance name>
```

E.g.:

```
1
Component Name: home2
Component Type: OC4J
Instance:      oacleas001.suseserver50.fatwire.com
Cluster:      TestCluster
```

15. Check the status of the newly created instance:

```
<ora home>/dcm/bin/dcmctl getstate -v
```

E.g.:

```
Current State for Instance:oacleas001.suseserver50.fatwire.com
```

Component	Type	Up Status	In Sync Status
1 home2	OC4J	Down	True
2 HTTP_Server	HTTP_Server	Up	True
3 home	OC4J	Up	True

16. Check the status of the opmn components:

```
./opmnctl @cluster status
```

17. Start any new OC4J servers added in [step 14](#):

```
./opmnctl startproc ias-component=OCJ4
```

18. Deploy ContentServer.ear to the newly created instance:

```
<ora home>/dcm/bin/dcmctl deployapplication -f <cs ear
location>/ContentServer.ear -a <deployment name> -co <new
clusters name>
```

19. Duplicate any data sources found in the existing instance (normally named home) in the new instances. Do this by either:

- Manually editing the data-sources.xml file (preferred). For instructions, see [“XML-Based Procedure,”](#) on page 38.

Note

If you manually entered the data-sources, then restart opmn.

- Using the graphical interface. For instructions, see [“Web-Based Procedure,”](#) on page 39.

20. Edit the default-web-site.xml for each instance by replacing ajp13 with http, as shown in the lines below:

Original:

```
<web-site port="7301" protocol="ajp13" display-name="OracleAS
Java Web Site">
```

New:

```
<web-site port="7301" protocol="http" display-name="OracleAS
Java Web Site">
```

Migrating an Installation to Another Machine

Related to clustering is moving Oracle AS (referred to in Oracle documentation as “migrating an installation from one machine to another”). What follows is a brief explanation how to move Oracle AS. For a more through explanation, refer to the Oracle AS documentation.

To migrate an installation

1. On the source machine:
 - a. Remove the current instance from the farm:

```
<ora home>/dcm/bin/dcmctl leavefarm
```
 - b. Stop the emctl console.
 - c. Stop all ipmnctl processes.
2. On the destination machine:
 - a. Add `<ora home>/chgif/lib` to the library path. On Linux, add the path to `ld.so.conf`.
 - b. Start ipmnctl dcm-daemon.
 - c. Run `<ora home>/chgif/chgiphost.sh -mid` and enter the information that is requested at each prompt.
 - d. Start the emctl console.
 - e. Start all ipmnctl processes.
 - f. Get the repository id:

```
<ora home>/dcm/bin/dcmctl getRepositoryID
```
 - g. Join the repository:

```
<ora home>/dcm/bin/dcmctl joinfarm -r repository_ID
```

The instance has now been migrated to the new machine.

Part 3

Web Server

This part shows you how to install and configure your choice of supported HTTP servers: Oracle, IIS, and Sun ONE.

This part contains the following chapter:

- [Chapter 7, “Installing and Configuring a Web Server”](#)

Chapter 7

Installing and Configuring a Web Server

Oracle Application Server 10g comes with a copy of Oracle HTTP Server (OHS), IIS plugin, and Sun ONE plugin, all of which are supported web servers. However, the OHS is integrated (automatically installed) with Oracle Application Server 10g. However, there are many times when a remote web server is desired.

This chapter describes how to manually install and configure OHS (standalone instance), IIS, and Sun ONE HTTP servers.

This chapter contains the following sections:

- [Installing and Configuring Oracle HTTP Server](#)
- [Configuring IIS Remote Plugin](#)
- [Configuring Sun ONE Remote Plugin](#)

Note

Configuration instructions for OHS standalone also apply to the automatically installed (integrated) OHS. The instructions begin in section “[B. Configuring OHS \(Integrated and Standalone\)](#),” on page 61.

Installing and Configuring Oracle HTTP Server

Note

If you plan to use the automatically installed OHS, skip section “A. Installing OHS as a Standalone Instance,” and continue with section “B. Configuring OHS (Integrated and Standalone),” on page 61.

A. Installing OHS as a Standalone Instance

This section contains an overview of how to install the OHS standalone instance. It does not cover each screen that is displayed during the process, only the main steps. If you have trouble following these instructions, refer to the Oracle AS documentation that comes with OHS Stand Alone.

1. Create a new user (in this example, `oraclease`).
Unix creates a new user account named `oraclease` (you may choose any name that you wish, but in this guide we assume that you are using a user named `oraclease`).
2. Install OHS from the OracleAS Companion CD:
 - On Windows, run: `setup.exe`
 - On Unix,
 - 1) run: `./runInstaller`
 - 2) Create a new user named `oracle` and give this user permission to write to a location under which the `oraInventory` directory will be created.
3. Follow instructions in the Oracle product documentation to complete the following steps:
 - a. Create an `oraInventory` directory.

Note

On Unix, run the script `oraInstRoot.sh` in the `oraInventory` directory as root.

- b. Create an Oracle home directory.
4. Complete the installation.

Note

On Unix: Run the script `root.sh` as root.

B. Configuring OHS (Integrated and Standalone)

This section shows you how to configure OHS to communicate with the remote instance or with a cluster of Oracle Application Servers.

Note

Configuration instructions in this section apply to both the automatically and manually installed OHS.

1. Edit the file `ons.conf` located in `<ora_home>/opmn/conf`.

This file needs to contain a list of all hosts with which this server must communicate. The list must have the following format:

```
nodes=<host_name | host_ip>[:port] [, <host_name |
      host_ip>[:port]] [, ...]
```

Example: `nodes=10.120.14.50:6200,10.120.14.51:6200`

Note

For information about which port is being used for `ajp13`, view the file `http-web-site.xml` (in `<ora_home>/j2ee/<instance name>/config/http-web-site.xml`) on each Oracle AS server.

2. Edit the file `mod_oc4j.conf` located in `<ora_home>/Apache/Apache/conf`, by adding a new `OC4jMount` line for each server in `ons.conf` with the context roots to be forwarded from the web server to the application server.

```
Format: Oc4jMount /<content root>/* <cluster or instance>://
      <host address>:<instance>
```

Example: `Oc4jMount /servlet/* instance://10.120.14.50:home`

3. Start the `HTTP_SERVER`:

```
<ora_home>/opmn/bin/opmnctl startproc ias-component=HTTP_Server
```

C. SSL (Optional)

Note

Instructions in this section apply to both the automatically and manually installed OHS.

1. Stop OHS if it is running:

```
<ora_home>/opmn/bin/opmnctl stopproc ias-component=HTTP_Server
```

2. Edit `opmn.xml` (located in `<ora_home>/opmn/conf/`) by changing the entry `<ias-component id="HTTP_Server">` as follows:

```
Original: <data id="start-mode" value="ssl-disabled"/>
```

New: `<data id="start-mode" value="ssl-enabled"/>`

Note

See [Appendix A, “Oracle HTTP Server Self-Signed Certificates”](#) for creating a self signed certificate for testing, or continue to the next section for a valid signed certificate.

3. Create an SSL Wallet and deploy it. If you need instructions, see section “[D. Creating an SSL Wallet \(Integrated and Standalone OHS\)](#).”
4. Reload opmn configuration using: `./opmnctl reload`
5. Restart the HTTP_Server element:
`./opmnctl startproc ias-component=HTTP_Server`


D. Creating an SSL Wallet (Integrated and Standalone OHS)

Note

Instructions in this section apply to both the automatically and manually installed OHS.

This section steps you through the creation of a new wallet for OHS integrated or standalone. It assumes that you need to create a certificate request and will have that request signed by a trusted root authority. If you need to generate a self-signed certificate for installation or testing, refer to [Appendix A, “Oracle HTTP Server Self-Signed Certificates.”](#)

1. Start the **Oracle Wallet Manager**: `<ora_home>/bin/owm`
2. Create a new wallet by clicking **Wallet > New**.
3. In the pop-up window enter a password, select type **Standard**, and click **OK**.



4. When asked if you wish to generate a certificate request, click **No**.
5. Back in the “Oracle Wallet Manager” window with the newly created wallet open, click **Wallet** on the menu bar **wallet > save as** and select the `<ora_home>/Apache/Apache/conf/ssl.wlt` as the location to store the new file. You may use any name you desire for this wallet (in this document **mywallet** is assumed).
6. Generate a new certificate request by right-clicking on the tree item **Certificate** and selecting the item **Add Certificate Request ...**.



- Fill in all fields in the resulting pop-up, then click **OK**.

Create Certificate Request

Please enter the following information to create an identity.

Common Name:

Organizational Unit:

Organization:


Locality/City:

State/Province:


Country: Key Size:

DN:

- Export the certificate request by right-clicking on the tree item **Certificate Request** > **Export Certificate Request...** You may choose any location and name that is convenient for you. You will have to submit this request to your chosen root authority.



9. Once you have received the signed user certificate from your root authority, right-click the tree item **Certificate Request** and choose **Select a file that contains the certificate**. Browse to the location of the signed user certificate and click **OK**.



10. Save your newly verified certificate (on the menu bar click **Wallet > Save**).
11. Following the steps below, modify the OHS to find the wallet that was created in steps 1–10.
 - a. Open the file `<ora_home>/Apache/Apache/conf/ssl.conf` in an editor.
 - b. Locate the line: `SSLWallet file: (default location is around line 171)` and change it so that the default is the name of the wallet created above. In this example the name of the new wallet is `mywallet`. For example:

Original:

```
SSLWallet file:/opt/software/App/Oracle/ora10a/Apache/Apache/conf/ssl.wlt/default
```

Modified:

```
SSLWallet file:/opt/software/App/Oracle/ora10a/Apache/Apache/conf/ssl.wlt/myWallet
```
 - c. Save changes to `<ora_home>/Apache/Apache/conf/ssl.conf`
12. Restart the OHS instance:


```
<ora_home>/bin/opmnctl startproc ias-component=HTTP_Server
```

Configuring IIS Remote Plugin

This section shows you how to configure IIS as a front end for an Oracle AS server.

1. Download the IIS plugin (which is also located on the Oracle Application Server 10g Companion CD) and copy the plugin to a location on the local file system.
2. Create a new file `opii.conf` that contains information about which context roots to forward and where. Each context root needs to be on its own line.

Format: `Oc4jMount /<content root>/* ajp13://<host name>:<port>`

Example: `Oc4jMount /j2ee/* ajp13://localhost:3000`

Note

For information about which port is being used for `ajp13`, view the file `http-web-site.xml` (in `<ora home>/j2ee/<instance name>/config/http-web-site.xml`) on each Oracle AS server.

3. Open `regedit` and add the following hierarchy:
HKEY_LOCAL_MACHINE\SOFTWARE\Oracle\OPII
 - a. Create a new string value pair: `server_defs:<location of conf>\opii.conf`
 - b. Create a new string value pair: `log_file:<location of log>\opii.log`
 - c. Optional: create a new string value pair: `log_level:(debug or error)`
 - d. Optional: Debugging the status page: Create a new string value pair: `status_uri:/oc4j-service`
4. Add a new filter to the IIS instance named `opii.dll`. As a value enter `<path of opii>\opii.dll`.

Note

For IIS6, all the dlls in `<oracle home>\bin` must be executable by the user "NETWORK SERVICE."

5. Restart the entire IIS Service (not just the program instances).

Configuring Sun ONE Remote Plugin

This section shows you how to configure Sun ONE Web Server as a front end for an Oracle AS.

1. Locate the plugin on the Oracle Application Server 10g Companion CD:
 - Unix systems: `/plugins/solaris/sunone`
 - Windows: `/plugins/win32/sunone`
2. Copy the plugin (Solaris: `opii.so`; Windows: `opii_sunone.dll`) to a location on the local file system. The location such as `<sunone_home>\plugin` must be readable by the Sun ONE listener (create the directory if needed).
3. Edit the file `magnus.conf` for the instance which is to use the plugin by adding the following lines. Make sure to replace `<instance_name>` and `<SunOne_home>` with the appropriate values for your system:

```
Init fn="load-modules" shlib="/<sunone_home>/plugins/opii.so"
  funcs=opii_init,opii_objecttype,opii_service,opii_
  child_init
```

```
Init fn="opii_init" log_file="/<sunone_home>/<instance_name>/
logs/opii.log" log_level=error server_defs="/<sunone
home>/<instance_name>/config/opii.conf" Init
fn="opii_child_init" LateInit=yes
```

4. Edit the file `obj.conf`, for the instance which is to use the plugin by adding the following lines as explained below:
 - a. Before the first line that begins with `ObjectType`, add the following:
`ObjectType fn=opii_objecttype`
 - b. Before the first line that begins with `Service`, add the following:
`Service type="oracle/opii" fn="opii_service"`
`UseOutputStreamSize=8192`
 - c. Optional for debugging the status page:
Before the first list that begins with `NameTrans`, add the following:
`NameTrans fn=assign-name from="/oc4j-service" name=`
`"opii-status"`
 - d. To the end of the file, add:
`<Object name="opii-status">`
`Service fn="opii_status_service"`
`</Object>`
5. Restart the Sun ONE instance.

Part 4

Content Server

This part shows you how to proceed through the installation of Content Server. It contains the following chapter:

- [Chapter 8, “Installing Content Server”](#)

Chapter 8

Installing Content Server

This chapter steps you through the installation of Content Server on Oracle Application Server 10g.

This chapter contains the following sections:

- [Step I. Complete Pre-Installation Procedures](#)
- [Step II. Install Content Server](#)
- [Step III. Complete Post-Installation Procedures](#)


Step I. Complete Pre-Installation Procedures

Before installing Content Server, make sure you have completed the following:

- Performed [steps 1–5](#) in the section “[Installation Steps](#),” on [page 7](#).
- Created a valid directory into which you plan to install Content Server
- For clustered installations: You have created a valid shared directory into which you plan to install the Content Server shared file system.

Step II. Install Content Server

1. Start the Content Server installer by changing to the Content Server installer directory running `./CombinedInstall.sh` on Solaris (`CombinedInstall.bat` on Windows).




The screenshot shows an F-Secure SSH Client window titled "10.120.14.50 - [suseserver50] - F-Secure SSH Client". The terminal window displays the following commands and output:

```
suseserver50:/opt/Downloads/ContentServer6.2.OGSA/ContentServer # export PATH=/opt/software/App/Oracle/ora10a/jre/1.4.2/bin:$PATH
suseserver50:/opt/Downloads/ContentServer6.2.OGSA/ContentServer # java -version
java version "1.4.2_04"
Java(TM) 2 Runtime Environment, Standard Edition (build 1.4.2_04-b05)
Java HotSpot(TM) Client VM (build 1.4.2_04-b05, mixed mode)
suseserver50:/opt/Downloads/ContentServer6.2.OGSA/ContentServer # sh ./CombinedInstall.sh
```

The status bar at the bottom of the window indicates: "Connected to 10.120.14.50", "SSH2 - 3des-cbc - hmac-sha1 - none", "80x27", "10, 8", and "00:59:32".


2. Select the option **Install FatWire Products** and click **Next**.



3. Choose the directory where you would like Content Server to be installed. This is the directory that was created in the pre-installation step on [page 72](#). Click **Next**.




4. Select the products to install and click **Next**.



5. Select the type of installation. If this is a non-clustered installation or the first machine in a cluster, select **Single Server**. Otherwise select **Cluster Member**. Click **Next**.



6. Select any special installation options (it is normally safe to leave the defaults) and click **Next**.



7. Enter a password for the Content Server user. The default value of the password field is `password`, but should be changed for security reasons. Click **Next**.



The image shows a Windows-style dialog box titled "Content Server Configuration". The dialog has a title bar with a close button (X) and standard window controls (minimize, maximize, close). The main content area is light gray and contains the following text and input fields:


- Content Server Configuration** (Section Header)
- Username to be used for Content Server administration:**
- Password to be used for the Content Server administrator.**
Default password is 'password':

(Must be at least 8 characters)
- Verify the password entered:**

(Must be at least 8 characters)

At the bottom of the dialog, there are three buttons: "Exit" on the left, "Previous" in the center, and "Next" on the right.


8. Enter a password for the Satellite Server user. The default value of the password field is `password`, but should be changed for security reasons. Click **Next**.



The screenshot shows a window titled "Satellite Server Configuration". The window contains the following fields and controls:

- Username to be used for Satellite Server administration:** A text input field containing "SatelliteServer".
- Password to be used for the Satellite Server administrator. Default password is 'password':** A password input field containing "*****". Below the field is the text "(Must be at least 8 characters)".
- Verify the password entered:** A password input field containing "*****". Below the field is the text "(Must be at least 8 characters)".
- At the bottom of the window, there are three buttons: "Exit", "Previous", and "Next".

9. Enter the location of the shared file system that was created in the pre-installation steps on [page 72](#), and click **Next**.



10. Inform Content Server as to how and where it will be installed (this means entering the DNS name of the host on which you will access it and the port).

Note

For installation, it is normally a good idea to use the application server directly and bypass the remote web server, as this will eliminate third party connectivity issues that may affect the installation.

- a. Enter the DNS Name.
- b. Enter the web server port number. The port on which Oracle AS is running was displayed at the end of the Oracle AS installation and can be found by inspecting the file `<ora home>/install/portlist.ini` on the application server.
- c. If you are installing over a secure web server, select **Yes**.
- d. Click **Next**.

Web Server Configuration

Fully Qualified Web Server Hostname or IP Address:
10.120.14.50

Web Server Port Number:
7782


Are you installing over a secure web server?

Yes


No

Exit Previous Next


11. Leave the default **Application Server Platform** selected and click **Next**.



12. Select **Oracle 10g Application Server** from the pull-down menu and click **Next**.



13. Enter the application deployment root directory (this will always be: <ora home>/j2ee/<instance name>/applications/<application name>/CS). Click **Next**.



14. Enter the name of your data source and the context root for this product. The default context root in Oracle is `/j2ee/servlet/`. However, FatWire suggests that you change this to `/cs`. Click **Next**.

Database Configuration

Select the Database you are using:
Ora9.2X - Thin Driver

Enter JNDI Data Source Name: (Name given when you registered the data...)
csDataSource

Enter the url prefix for your servlets: (Should begin and end with a /)
(Entering `/j2ee/servlet/` for example would mean your servlets are at `http://localhost:port/j2ee/servlet/`)
`/j2ee/servlet/` is the default for Oracle App. Servers
`/j2ee/servlet/`

Exit Previous Next


15. Choose the components according to the products that you purchased and click **Next**.



16. Select the type of installation this will be. Do one of the following:
- Select **Content Management** if you are installing Content Server on either a development or management (staging) system *and* you wish to install sample sites and their assets on the system. (By selecting the option, you allow sample sites and assets to be installed later in the installation process.) Complete the following steps:
 - 1) Click **Next**.
 - 2) In the window that opens (not shown), follow instructions to choose the samples you want to have installed.
 - 3) When the “Content Server Applications Install” window opens, go to [step 17](#).
 - Deselect **Content Management** if you are installing Content Server on a delivery (production) system, or any system where sample sites and assets are unnecessary. (By deselecting the option, you prevent sample sites and assets from being installed.) Click **Next**.




17. You are now ready to begin the installation:
 - a. Click **Install**



Note

When the following pop-up window appears (halfway through the installation), it means that the Content Server base has been installed. You now need to deploy the application and test that it can connect to the database. Continue with [step b](#).




- b. Deploy the ContentServer.ear file located in <your Content Server installation directory>/ominstall/apps/. For instructions, see [Chapter 5, "Deploying Applications."](#)
- c. In order for the installation to succeed, libFTfilelock.so must be in the LD_LIBRARY_PATH. To place the file, do the following:
 - 1) Locate the file in the directory from which you started the Content Server installation.
 - 2) Go to bin/<machine arch>/ and copy the file libFTfilelock.so to <oracle appserver installation directory>/lib.
 - 3) Log in to the Oracle Appserver Console and navigate to the OC4J instance on which you installed Content Server (default is home).

- 4) Select the **Administration** tab followed by the option **Server Properties**.
 - 5) In the section “Environment Properties,” add two new sections:

```
LD_LIBRARY_PATH=$LD_LIBRARY_PATH: <oracle appserver  
installation directory>/lib  
  
PATH=$PATH:<oracle appserver installation directory>/lib
```
 - 6) Click the **Apply** button.
 - 7) Restart the instance when prompted to do so.
- d. Once the application is deployed, test that it works and can connect to the database. To test the application, do the following:
- Go to `http://<DNS name>:<port>/<context root>/HelloCS`
This tests whether Content Server deployed successfully.
 - Fill in the values with those used during the installation above:
`http://<DNS name>:<port>/<context root>/
Cataloganager?ftcmd=pingdb`
This tests whether Content Server can communicate with the database.
 - If both tests work correctly, you are ready to continue the installation.
- e. When the final pop-up is displayed stating that the installation was successful, click **OK** to close the pop-up window. Click **Exit** to close the Content Server installation window.

Step III. Complete Post-Installation Procedures

1. Verify the installation by logging in to Content Server as the administrator:
`http://<hostname>:<port>/<context root>Xcelerate/LoginPage.html`
Login name: **fwadmin**
Password: **xceladmin**



2. If you plan to use the Verity search engine, following installation guidelines in [Appendix B, “Installing Verity Search Engine.”](#)

Appendixes

This section contains the following appendixes:

- [Appendix A, “Oracle HTTP Server Self-Signed Certificates”](#)
- [Appendix B, “Installing Verity Search Engine”](#)

Appendix A

Oracle HTTP Server Self-Signed Certificates

This appendix shows you how to create a self-signed certificate for Oracle OHS servers. It uses a combination of the Oracle Wallet command line and graphical interfaces as well as OpenSSL (an open source that can be downloaded for a number of platforms).

1. Create a wallet for OHS by invoking the **orapki** command as follows and replacing `<ora_home>` and `<name>` with the correct values for your configuration:

```
# <ora_home>/bin/orapki wallet create \
-wallet <ora_home>/Apache/Apache/conf/ssl.wlt/<name> -
auto_login
```

2. Generate a trusted root authority, change to a temporary location and execute the following commands in the following order:

```
# mkdir demoCA
# cd demoCA/
# mkdir certs
# mkdir crl
# touch index.txt
# mkdir newcerts
# echo "01" > serial
# mkdir private
# cd ..
# openssl genrsa -out ca.key 1024
# openssl req -new -x509 -key ca.key -out cacert.pem
```

3. You will be asked to enter information that will be incorporated into your certificate request. The information that you will enter is what is called a “Distinguished Name” or a DN. There are a number of fields, but you can leave some blank; others will have a default value. Press **Enter** if you wish to use the defaults. The following fields must be filled in:

```
Country Name (2 letter code) [ ]:
State or Province Name (full name) [ ]:
Locality Name (e.g., city) [ ]:
Organization Name (e.g., company) [ ]:
```

Organizational Unit Name (e.g., section) []:

Common Name (e.g., YOUR name) []:


Email Address []:

4. Start the Oracle Wallet Manager product:

```
<ora_home>/bin/owm
```

5. Save the new wallet to the disk in the `<ora_home>/Apache/Apache/conf/ssl.wlt/` directory. Click **Wallet > Save As**, browse to the location above, and save the wallet with any unique name.

6. Import `demoCA/cacert.pem` into the OHS wallet as a trusted root (right-click the **Trusted Certificates** header on the tree, and click **Import Trusted Root...** from the drop-down menu).



7. Generate a Request Certificate, right-click **Certificate** in the tree view, and click **Add Certificate Request**.
8. In the “Create Certificate Request” window, fill in the fields. Make sure that the field values exactly match those in [step 3](#).

Please enter the following information to create an identity.

Common Name:

Organizational Unit:

Organization:

Locality/City:

State/Province:

Country: Key Size:

DN:

9. Sign the exported Certificate Request, using the `openssl` command line utility. This will prompt you for a number of fields. Make sure that the values you enter exactly match those in [step 3](#).

```
openssl ca -in myrequest -out certified_myrequest.pem -keyfile ca.key
```

10. Using configuration from `/etc/ssl/openssl.cnf`, check that the request matches the signature.

```
Signature ok
The Subjects Distinguished Name is as follows
countryName           :PRINTABLE:'Country '
stateOrProvinceName   :PRINTABLE:'State'
localityName          :PRINTABLE:'Locality '
organizationName      :PRINTABLE:'Organization '
organizationalUnitName:PRINTABLE:'Department'
commonName            :PRINTABLE:'name'
Certificate is to be certified until Apr 10 11:58:51 2008
GMT (1095 days)
Sign the certificate? [y/n]:y

1 out of 1 certificate requests certified, commit? [y/n]y
Write out database with 1 new entries
Data Base Updated
```

11. Edit the file `certified_myrequest.pem` by removing everything except `Begin Certificate`, `End Certificate`, and the text in between; that is, keep the following:

```
-----BEGIN CERTIFICATE-----
<text>
-----END CERTIFICATE-----
```

12. Import the signed certificate (`certified_myrequest`), right-click **Certificate** in the tree view, and click **Import User Certificate...**
13. Save the wallet (from the top menu bar, select **Wallet > Save**).
14. Configure the Oracle HTTP Server with SSL. For instructions see, “[SSL \(Optional\)](#),” on page 61 and “[Creating an SSL Wallet \(Integrated and Standalone OHS\)](#),” on page 62.

Appendix B

Installing Verity Search Engine

The Verity Search Engine comes with a set of installation notes; however, a few changes and clarifications need to be made for it to work properly with Oracle Application Server. The instructions below for installing the Verity Search Engine supplement the instructions in the Verity product documentation.

1. Copy the `libFTVeritySearch.so` file into the `<ora home>/lib` directory.
2. Copy the jar file `Verityse.jar` into the third-party jar location `<ora home>/j2ee/<instance name>/applib/`
3. Edit the file `<ora home>/opmn/bin/opmnctl` as follows:

After the section dealing with setting `LD_LIBRARY_PATH`, add the following two lines:

```
# verity Additions
CSVERITYPATH=<content server installation directory>/VerityK2/
<_platform>
LD_LIBRARY_PATH=$LD_LIBRARY_PATH:$CSVERITYPATH/
filters:$CSVERITYPATH/bin
```

