

Oracle Insurance

**Insbridge Rating and
Underwriting
RateManager
Installation Guide**

For 64-bit

Release 4.6

May 2012

Copyright © 2005, 2012, Oracle and/or its affiliates. All rights reserved.

Oracle Insurance Insbridge Rating and Underwriting Installation Guide for 64-bit

Release 4.6

Part # E35531-01

Library # E35552-01

May 2012

Primary Authors: Mary Elizabeth Wiger

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Where an Oracle offering includes third party content or software, we may be required to include related notices. For information on third party notices and the software and related documentation in connection with which they need to be included, please contact the attorney from the Development and Strategic Initiatives Legal Group that supports the development team for the Oracle offering. Contact information can be found on the Attorney Contact Chart.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your beta trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Software License and Service Agreement, which has been executed and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

CONTENTS

PREFACE	6
AUDIENCE	6
PLANNING YOUR IBRU SYSTEM	6
TYPES OF INSTALLATION	6
<i>Definitions</i>	<i>7</i>
RELATED DOCUMENTS	8
CONVENTIONS	8
<i>Manual History</i>	<i>9</i>
CHAPTER 1	10
SYSTEM REQUIREMENTS.....	10
<i>Required Components.....</i>	<i>10</i>
<i>Oracle Software Delivery Cloud.....</i>	<i>10</i>
QUICK VIEW.....	12
RATEMANAGER INSTALLATION.....	12
CHAPTER 2.....	13
SETTING UP WINDOWS	13
STEP 1: INSBRIDGE LOCAL USER ACCOUNT SETUP	13
<i>Insbridge User Password.....</i>	<i>15</i>
STEP 2: WINDOWS 2008 PERMISSIONS	17
<i>Extended Permission Required by the Insbridge User</i>	<i>18</i>
STEP 3: MICROSOFT SQL SERVER	19
DATABASE USER ROLES AND PERMISSIONS.....	20
CHAPTER 3.....	21
FULL RATEMANAGER INSTALLATION	21
STEP 1 – INSTALL INSBRIDGE RATING AND UNDERWRITING.....	22
STEP 2 – CONFIGURING REGISTRY ACCESS.....	28
<i>Assigning Permissions for the Registry Access.....</i>	<i>28</i>
STEP 3 – ASSIGNING PERMISSIONS – WINDOWS TEMP FOLDER	31
STEP 4 – ASSIGNING PERMISSIONS – INSBRIDGE FOLDER	34
STEP 5 – RESTORING IBRU DATABASES IN SQL SERVER	36
STEP 6 – CONFIGURING INSBRIDGE FRAMEWORK ADMINISTRATOR.....	40
STEP 7 – VERIFYING THE COMPONENT SERVICES.....	51
STEP 8 – ALLOWING FOR WCF ACTIVATION.....	53
STEP 9 – INSTALLING THE OBI PUBLISHER	54
STEP 10 – STARTING INSBRIDGE SERVICES	55
STEP 11 – PERFORMING UPDATES IN RATEMANAGER	56

RUNNING DATABASE UPDATES IN RATEMANAGER	57
UPDATING PREFERENCES	59
<i>Web Settings</i>	60
STEP 12 – EXPORT INSBRIDGE REGISTRY KEY FOR BACKUP	63
CHAPTER 4.....	64
MANUAL UPDATES TO THE IBRU DATABASES	64
CHAPTER 5.....	66
CREATING AN INSBRIDGE APPLICATION POOL	66
SUPPORT.....	71
CONTACTING SUPPORT	71
TTY ACCESS TO ORACLE SUPPORT SERVICES	71
INDEX.....	72

LIST OF FIGURES

Figure 1 Creating New User	14
Figure 2 Adding User information	15
Figure 4 Windows 2008 Permissions	17
Figure 5 Adding IIS 6 Metabase Compatibility.....	18
Figure 6 Installing Insbridge.....	22
Figure 7 Entering the Destination Folder for Insbridge	23
Figure 8 Logon Information.....	24
Figure 9 Selecting Features for Installation	25
Figure 10 Ready to Install.....	26
Figure 11 Installation Progress	26
Figure 12 Install ReadMe Screen.....	27
Figure 13 Configure Registry Access Windows Server.....	28
Figure 14 Entering the User.....	29
Figure 15 Applying Permissions	30
Figure 16 Verifying Application Pool Settings.....	31
Figure 17 Assigning Permissions for the Insbridge User on Windows Temp.....	32
Figure 18 Temp File Properties	33
Figure 19 Assigning Permissions for the Insbridge User on Insbridge	34
Figure 20 Insbridge Folder Properties.....	35
Figure 21 Restoring a Database to SQL Server	37
Figure 22 Right Click to Restore Database	37
Figure 23 Restoring a Database	38
Figure 24 IBFA Home.....	40
Figure 25 Enter ID.....	41
Figure 26 Setting up the Global Database Connection.....	43
Figure 27 Adding a Database Connection.....	44
Figure 28 Setting up the Security Database Connection	45
Figure 29 Setting up the RateManager Database Connection.....	46
Figure 30 Create a Rating Environment.....	47
Figure 31 Entering Name and Environment	48
Figure 32 Obtaining Environment Information	48
Figure 33 Editing Environment.....	49
Figure 34 Component Services	51
Figure 35 Selecting WCF Activation	53
Figure 36 Installing OBI Publisher.....	54
Figure 37 Insbridge Services Screen	55
Figure 38 Tool Mandatory Update	57
Figure 39 Available Updates.....	58
Figure 40 Updating Scripts in RateManager.....	59
Figure 41 Preferences Settings	60
Figure 43 Updating Database	65
Figure 42 Script Viewer	65
Figure 47 Enabling Static Content	66
Figure 48 Navigating to Application Pool.....	67
Figure 49 Creating a New Application Pool.....	67
Figure 50 Selecting Application Pool Properties.....	68
Figure 51 Adding Application to Virtual Directory	69
Figure 52 Selecting the OIDC Application Pool	69
Figure 53 Restarting IIS.....	70

PREFACE

Welcome to the *Oracle Insurance Insbridge Rating and Underwriting Installation Guide for 64-bit systems*. The Insbridge Rating and Underwriting (IBRU) System is a browser-based, multiplatform insurance rating and underwriting technology solution that provides integrated management for every aspect of the rate definition and modification process. This guide will help with the installation of the Insbridge Rating and Underwriting System.

NOTE: *RateManager and IBFA have been tested and certified on MS Windows 2008 64-bit.*

AUDIENCE

This guide is intended for system administrators, installers, database administrators and others tasked with installing and configuring the IBRU system and associated databases.

PLANNING YOUR IBRU SYSTEM

Prior to installation, you should have an idea of the type of setup you want to create. What kind of equipment do you have available and how many environments do you need? If you do not have everything completely planned out, you can still proceed. Environments can be removed or added later on. The Oracle Insurance Insbridge Rating and Underwriting system (IBRU) is expandable and can accommodate a few different configurations.

For more on planning your IBRU system, please see the Insbridge Implementation Guide.

TYPES OF INSTALLATION

There are various types of installations:

RateManager Installation

- **Full RateManager** – This installation installs RateManager and the Insbridge Framework Administrator (IBFA). This is for a Windows only environment using a SQL Server database.

SoftRater Installation

- **Full SoftRater for Java Installation** – This installation deploys SoftRater to an application server; WebLogic, WebSphere or JBoss, using a SQL Server database or an Oracle database.

- **Full SoftRater for Windows Node** – This installation is for existing environments that want to add a SoftRater for Windows node to an environment. This is for a Windows only environment using a SQL Server database, or an Oracle database.

Upgrading a Current Installation

- **Upgrade** – This installation is for existing customers and will take their current version of IBRU up to version 04.06.00.

This guide is for a Full RateManager installation.

Definitions

Some commonly used terms when installing or using the Oracle Insurance Insbridge Rating and Underwriting system:

- **IBRU** – Insbridge Rating and Underwriting System. This is the entire system.
- **IBFA** – Insbridge Framework Administrator. IBFA is an administrative tool used to configure Insbridge applications and setup RateManager database connections. IBFA will be located on a Windows Server machine. IBFA/SR-WIN is an Insbridge Framework Administrator/SoftRater for Windows.
- **IBSS** – Insbridge SoftRater Server. IBSS is the administrative tool for the SoftRater engine. The SoftRater engine is a multi-platform component within IBRU that executes the rules, rating and underwriting instructions as defined by the user in RateManager. IBSS is usually located on a Java machine. IBSS/SR-JAVA is an Insbridge SoftRater Server/SoftRater for Java.
- **SoftRater Node** – A SoftRater node is either an IBFA (without RateManager) or IBSS instance on a physical environment.
- **SoftRater Native** – SoftRater Native is a remote instance of SoftRater that can execute rules and rating logic in environments where access via the SoftRater web-services is not desired or possible.
- **RM** – RateManager. RateManager is a component within IBRU that enables users to manage the product definition and modification process, including rating and underwriting logic.
- **SR** – SoftRater. The engine that executes the rating, rules and underwriting instructions defined within RateManager. The rating environment for runtime execution and processing of business content. SoftRater can be further defined by the operating system where it has been loaded.
- **SR-WIN** – SoftRater for Windows. This is also another name for IBFA.
- **SR-JAVA** – SoftRater for Java. This is also another name for IBSS.

- **SRP** – SoftRater Packages. A package that holds all the RateManager logic for a specific program and version.
- **VFS** – Virtual File Servers. Virtual file server management allows you to access environments that are located on other machines in different locations where packages can be downloaded.
- **Package Location** – A pointer to a location where SoftRater Packages (SRP's) are stored.
- **Physical Environment** – A physical environment is generally referred to as a physical machine.
- **Authoring Environment** – The physical machine where RateManager is installed.
- **Rating Environment** – The physical machine(s) where SoftRater is installed. This is typically the same as a SoftRater node.
- **Logical Environment** – An environment created for a subscriber in IBFA. It defines package location, engine location and database location in addition to several other supporting data items. This environment is used for rating and/or SRP management. Each database connection will have a logical environment.

RELATED DOCUMENTS

For more information, refer to the following Oracle resources:

- The Oracle Insurance Insbridge Rating and Underwriting Operating Environments for Hardware and Software.
- You can view this guide on-line at this address:

<http://www.oracle.com/technetwork/documentation/insurance-097481.html>

CONVENTIONS

The following text conventions are used in this document:

Convention	Description
bold	Boldface type indicates graphical user interface elements associated with an action.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Manual History

New editions incorporate any updates issued since the previous edition.

Edition	Publication Number	Product Version	Publication Date	Comment
1 st Edition	P01-702-01	R 4.0.1	08/31/2010	Updated for 64-bit / Windows 2008
2 nd Edition	P01-702-02	R 4.1	December 2010	Update Release
3 rd Edition	P01-702-03	R 4.5	May 2011	Update Release
4 th Edition	P01-702-04	R 4.5.1	September 2011	Update Release
5 th Edition	P01-702-05	R 4.6	May 2012	Update Release

SYSTEM REQUIREMENTS

IBRU installers should be familiar with managing a Windows server. For a 32-bit machine, please see the Insbridge RateManager Installation Guide.

Required Components

The following components are required:

- **A full installation of Microsoft Windows Server 2008 for 64-bit is required**
- **Microsoft .NET Framework version 3.5**
- **IIS – Internet Information Services version 6.0 or 7.0**
- **For Windows 2008 Server – IIS 6 Metabase Compatibility**
- **For Windows 2008 Server – Web Server (IIS) – Static Content is required**
- **For Windows 2008 Server – WCF http activation needs to be enabled**
- **For Windows 2008 Server – The ASP.NET roll must be installed**
- **MSMQ – Microsoft Message Queuing Services – basic functionality only.**
- **JRE – Java Runtime Environment**
- **Insbridge User Account**

Oracle Software Delivery Cloud

Prior to installation, please make sure the source machine(s) where IBRU will be loaded has an unzip utility. An unzip utility for most platforms is available on the Oracle Software Delivery Cloud download page.

Documentation from Oracle Software Delivery Cloud is in PDF format. Prior to installation, please make sure the source machine(s) where IBRU documentation will be loaded has a PDF reader.

Files are downloaded with part numbers as file names. Please make note of the part numbers you have downloaded and the corresponding file name. You may be asked to provide the part numbers or the filename if you contact Oracle Insurance Support.

The installation downloads you can select are:

- **Insbridge IBRU Install** – This is required for all RateManager installations
- **SoftRater for WebSphere** – This is required if you are using WebSphere

- **SoftRater for WebLogic** – This is required if you are using WebLogic
- **SoftRater for JBoss** – This is required if you are using JBoss
- **Documentation** – It is recommended that you download the documentation. Installation guides and user guides are located here.

The 04.06.00-Insbridge-IBRU folder contents:

- **Databases**
 - ♦ DB2
 - SoftRater – IBSR
 - DDL
 - ♦ Oracle
 - SoftRater – IBSR
 - DDL
 - Update:Usp_IBSR_v04.05.00.oracle
 - ♦ SQL Server
 - RateManager – IBRM
 - Latin1_General_BIN
 - DATABASE_BACKUP_IBRM_TEMPLATE_CASE_SENSITIVE.bak
 - SQL_Latin1_General_CP1_CI_AS
 - DATABASE_BACKUP_IBRM_TEMPLATE.bak
 - Security – IB_CLIENT
 - SQL_Latin1_General_CP1_CI_AS
 - DATABASE_BACKUP_IB_CLIENT_TEMPLATE.bak
 - SoftRater – IBSR
 - Latin1_General_BIN
 - DATABASE_BACKUP_IBSR_TEMPLATE_CASE_SENSITIVE.bak
 - SQL_Latin1_General_CP1_CI_AS
 - DATABASE_BACKUP_IBSR_TEMPLATE.bak
 - Update:Usp_IBSR_v04.05.01.sql
- **IE7_IE8 Users**
 - ♦ Insbridge IE7 Active X Control Update PDF
 - ♦ RateManager_IE7_IE8.exe
- **Oracle BI Publisher**
 - ♦ OBI_PUBLISHER.exe
- **Oracle Client**
 - ♦ Oracle_client.exe
- **Oracle Insurance – Insbridge Rating and Underwriting.exe**

You will be required to run the installation file and create the IB_CLIENT database for any new installation. The other folders and files may not be needed, depending upon the kind of setup you want. Everything for a Windows only installation is in the **04.06.00-Insbridge-IBRU** folder. If you want to incorporate a Java environment, please download the corresponding SoftRater file. SoftRater downloads are not required if you are running in Windows only.

RATEMANAGER INSTALLATION

Installing RateManager will require that you:

1. Set up Windows. There are three steps in setting up Windows for a RateManager deployment.
2. Install IBRU using a SQL Server Database

Setting up Windows

Step 1: Set up an Insbridge User.

Step 2: Allow Windows 2008 permissions.

Step 3: Verify SQL Server settings.

Installation Procedures – Full RateManager

Step 1: Install Insbridge Rating and Underwriting

Step 2: Configuring Registry Access

Step 3: Assigning Permissions – Windows Temp Folder

Step 4: Assigning Permissions – Insbridge Folder

Step 5: Restoring IBRU Databases in SQL Server

Step 6: Configuring Insbridge Framework Administrator

Step 7: Verifying the Component Services

Step 8: Allowing for WCF Activation

Step 9: Installing the OBI Publisher

Step 10: Starting Insbridge Services

Step 11: Performing Updates in RateManager

Step 12: Export Insbridge Registry Key for Backup

SETTING UP WINDOWS

IBRU installers should be familiar with managing a Windows server. For a 32-bit machine, please see the Insbridge RateManager Installation Guide.

Windows Server should be up and running prior to RateManager being installed. There are three steps that should be performed prior to the install:

- **Step 1:** Set up an Insbridge User. **This is a required step.**
- **Step 2:** Allow Windows 2008 permissions.
- **Step 3:** Verify SQL Server settings.

STEP 1: INSBRIDGE LOCAL USER ACCOUNT SETUP

Before starting the installation, create a local user account where the Insbridge Framework is being installed. This user needs to be a member of the User group and requires certain privileges in order to fully control the entire IBRU environment. For ease of installation and if the server is dedicated to the Insbridge Rating and Underwriting System, it is suggested that this user be added to the local machine Administrators group.

If the installer has permissions, an Insbridge user can be created during the installation.

To Create a New User:

1. Select Start→Administrative Tools→Server Manager.
2. Select Configuration→Local Users and Groups.
3. Select Users.
4. Right click and select **New User**.




Figure 1 Creating New User

5. Add a new Insbridge user. Enter user name and password information. Uncheck *User must change password at next logon*. Check *User cannot change password* and *Password never expires*.
6. Click **Create**.
7. Close the Add New User screen and select the Insbridge user. Right click and select Properties.
8. The Insbridge User should be assigned to the local Users group and have the same permissions as the internet guest account.

Ideally, the Insbridge user should be added to the local Administrators group. If the Insbridge user cannot be a part of the local administrators groups, please make sure that the Insbridge user has permissions on the Insbridge Messaging Service and the Insbridge Task Manager Service.




Figure 2 Adding User information

9. Click **OK**. Please keep the Insbridge user information close at hand. You will need it for the installation.

NOTE: You also can create the Insbridge User from within the install. If you create an Insbridge user from the install, you may not be able to set the permissions you need. Please be sure to verify the proper permissions are in place before continuing.

Insbridge User Password

The password can be set to any password that meets your company standards. The IBRU administrator must make note of the password for future configuration.

For ease of maintenance, the IBRU user should not have to change the password and the password should never expire.

The installation will automatically apply the Insbridge user name and password to the necessary libraries, virtual directories and, if used, Internet Proxy settings in IBFA. If you change the Insbridge user password, you will have to change the password in all three of the Insbridge Com+ libraries, all three of the Insbridge virtual directories and, if you are using it, the Internet Proxy settings in IBFA.

NOTE: Please note that if your company requires passwords to be re-set, you will have to make changes to the COM+ Application libraries, virtual directories and if you are using it, the Internet Proxy settings in IBFA after you change your password. You also may re-install the application. This will recreate the COM+ applications, virtual directories and IBFA instance with the updated Insbridge user password. Be aware that re-installing the application will also reset security settings in IBFA as well.

STEP 2: WINDOWS 2008 PERMISSIONS

Windows 2008 requires certain permissions be in place prior to running the install.

- For Windows 2008 Server – IIS 6 Metabase Compatibility
- For Windows 2008 Server – Web Server (IIS) – Static Content is required
- For Windows 2008 Server – WCF http activation needs to be enabled
- For Windows 2008 Server – The ASP.NET roll must be installed




Figure 3 Windows 2008 Permissions

To Add a Role:

1. Start→ Administrative Tools→ Server Manager→ Roles→ Web Server (IIS)→ Add Role Services.




Figure 4 Adding IIS 6 Metabase Compatibility

2. Install IIS 6 Metabase Compatibility.

Extended Permission Required by the Insbridge User

In order to start the Insbridge services from IBFA, the Insbridge user must be given full access to both the Insbridge Message Service and the Insbridge Task Manager Service. If the Insbridge user account will not have full administrative permissions on the server where the Insbridge Framework is installed, then certain operations from IBFA will not be available. A system administrator may be required to start the Insbridge services from the server.

STEP 3: MICROSOFT SQL SERVER

For the Insbridge 4.6 release:

- The IBSR database has been tested and certified on MS SQL Server 2008 R2 on MS Windows 2008 64-bit.

Microsoft SQL Server should not be installed on the same machine where the Insbridge web applications reside. The SQL Server should reside on a separate host from the IBRU web front end with a properly configured network connection from the web server front end to SQL Server. Testing can be performed by using the Data Sources application in Administrative Tools to make a default connection to the database server.

NOTE: *All these settings are available during installation of SQL Server or by using SQL Server Enterprise Manager, and right clicking the server and selecting properties.*

If any of these settings conflict with existing application's databases residing on the SQL Server, then a separate instance is required.

Depending on the load expected, the databases can be placed on a separate SQL Server machines that can either be independent or shared as long as the following conditions are met.

- **Server Authentication:** Should be set to SQL Server and Windows Authentication mode.
- **Collation and Sort Order:** Currently supported is the default SQL Server collation using SQL_Latin1_General_CP1_CI_AS and sort order plus case sensitivity using Latin1_General_BIN as the server collation. The security database (IB_CLIENT) supports the default SQL Server collation using SQL_Latin1_General_CP1_CI_AS. The RateManager and SoftRater databases can use either case sensitive or non-case sensitive. Please check with Oracle Insurance for any questions regarding database server sort orders or collations.

NOTE: *For SQL Server, please make sure the SQL Server Client is installed.*

DATABASE USER ROLES AND PERMISSIONS

If a more granular approach is required for management of security of the IBRU databases, then the following guidelines can be used to set permissions.

NOTE: *These are only guidelines. If not properly configured, certain processes within the Insbridge Rating and Underwriting System will fail. An experienced database administrator's expertise is highly recommended before making any security changes.*

Recommended RateManager Permissions:

It is recommended that the IBRM and IB_CLIENT database user have a database owner (db_owner) role. db_owner access is needed to execute the Insbridge stored procedures and have full access to the Insbridge schema. Disk Admin permissions are also recommended in order to create backups within RateManager.

For the IBRM and IB_CLIENT databases, if db_owner permissions are not possible, manual steps will need to be performed to update the databases. If disk admin permissions are not allowed, backups will have to be done outside of RateManager.

FULL RATEMANAGER INSTALLATION


This installation will install RateManager and the Insbridge Framework Administrator (IBFA). This is for a Windows only environment, using a SQL Server database.

Before installing, please verify that the system requirements are in place.

The installation should be performed in the following order:

1. Install the IBRU application.
2. Assigning Insbridge access to the Registry.
3. Assigning permissions to the Insbridge User for the Windows Temp Folder. This is necessary for MSMQ. You also will need to assign permissions to the Application Pool Identity.
4. Assigning permissions to the Insbridge User for the Insbridge Folder
5. Creation of the IBRU databases is next. There are two databases that must be in place.
 - a. IB_Client
 - b. IBRM
6. Enter IBFA and Configure:
 - a. Create your subscriber.
 - b. Add database connections.
 - c. Create your logical environments.
7. Verifying Component Services.
8. Allowing for WCF Activation.
9. Install OBI Publisher.
10. Start Insbridge Message Service.
11. Login to RateManager and perform IBRU database updates.
12. Create Backup of Registry Key.

For a Windows 2008 Server installation, you must run as Administrator.



STEP 1 – INSTALL INSBRIDGE RATING AND UNDERWRITING

1. Begin with the **Oracle Insurance - Insbridge Rating and Underwriting Install file**.

NOTE: The installation program requires that the installer have administrator rights on the machine where the install is occurring.

NOTE: Please close all open applications before running the Oracle Insurance – Insbridge Rating and Underwriting file.

2. Open the Oracle Insurance – Insbridge Rating and Underwriting file. A Welcome screen will be displayed.




Figure 5 Installing Insbridge

3. Click **Next** to continue.




Figure 6 Entering the Destination Folder for Insbridge

4. Choose the location where the Insbridge installation will be installed. A default installation folder will be created for all new installs. This will be the location for all future installations for Insbridge applications. Select **Browse** if you want to install in a different location. After selecting a location, click **Next** to continue.




Figure 7 Logon Information

5. Enter the **Insbridge user name and password** for the local user account you set up earlier. The logon information screen will be displayed. You must specify a user account to be used by the application. Please use the Insbridge user account that you set up on page 13.

NOTE: You can Create a New user at this point, if needed. Click the Create New User button to be placed on New User screen to setup an Insbridge user.

6. Click **Next** to continue.




Figure 8 Selecting Features for Installation

7. The next screen will list the applications to be installed. To expand the options and view details, click on the downward arrow. All features are checked for installation. RateManager is the only one that you will be allowed to not install. Click **Next** to continue.

Options are:

- **Insbridge Rating and Underwriting:**
 - The default option is: Entire feature will be installed on local hard drive.
 - You will not be able to opt out of this selection.
- **RateManager:**
 - The default option is: Entire feature will be installed on local hard drive.
 - You will be able to opt out of this option. Select Entire Feature will be unavailable. RateManager will not be installed.
- **IBFA:**
 - The default option is: Entire feature will be installed on local hard drive.
 - You will not be able to opt out of this selection.
- **Oracle BI Publisher:**
 - The default option is: Entire feature will be installed on local hard drive.
 - You will not be able to opt out of this selection.
 - This option does not install the OBI Publisher. Only the templates required by the IBRU application will be installed on local hard drive.




Figure 9 Ready to Install

8. A Ready to Install screen will be displayed. If you are ready, click **Next**. Otherwise click Back to check the options you want to install.




Figure 10 Installation Progress




Figure 11 Install ReadMe Screen

9. Click **Finish** to finish the installation. The installation should complete successfully.

STEP 2 – CONFIGURING REGISTRY ACCESS

NOTE: *If you use Registry Editor incorrectly, you may cause serious problems to the operating system. These problems may require you to reinstall your operating system. Insbridge cannot guarantee that you can solve problems that result from using Registry Editor incorrectly.*

By default, only administrative and power user accounts have full permissions over this key. The insbridge user must also be given **full control** over the following registry key:

HKEY_LOCAL_MACHINE\SOFTWARE\Insbridge

Assigning Permissions for the Registry Access

1. Select **Run** from the Start Menu.
2. Type **regedt32**. Click **OK**. The Registry Editor will open.
3. Browse to **HKEY_LOCAL_MACHINE**. Select **SOFTWARE**→**Insbridge**.




Figure 12 Configure Registry Access Windows Server

4. Right click and select **Permissions**.
5. Scroll through the users. Select the **Insbridge** user.
6. Verify that the Insbridge user has **Full Control**.
7. If the Insbridge user does have Full Control, cancel out of the registry and continue with the installation.
8. If the Insbridge user does not have Full Control, change permissions to allow for Full Control. Save your entry and close out the registry. Continue with the installation.
9. If the Insbridge user is not listed, follow the step to add the Insbridge user.

Adding the Insbridge User:

1. From the Permissions screen, click **Add**.
2. On the Select Users or Groups popup, you can leave the defaults for the Object Types and Locations or enter the values you require.




Figure 13 Entering the User

3. Enter in the user name (insbridge) and click **Check Names**. If the user name is found, it will be listed. If the name is not found, an error screen will be displayed. Cancel out and to return to the Select Users or Groups popup. Click Advanced to search. To search the directory, click Find Now and scroll through the list until you find the user name you need. If the user name is not listed, return to User Accounts and verify the user name was created.
4. Once the name is listed, click **OK**.




Figure 14 Applying Permissions

5. On the Permissions screen, make sure the **insbridge** user is highlighted and check to give **Full Control** to the entire Insbridge key.
6. Click **OK**.
7. Close the registry and continue with the install.

STEP 3 – ASSIGNING PERMISSIONS – WINDOWS TEMP FOLDER

Permissions must be assigned for the Windows Temp Folder for MSMQ and for Windows 2008, the application pool default identity. Prior to assigning permissions, please verify the default application pool identity.

Identifying the Application Pool Default Identity:

1. Open IIS. Start→Administrative Tools→IIS Manager.
2. Expand the server and select **Application Pools**.
3. Select the **DefaultAppPool**.
4. Right click and select **Advanced Settings**.
5. Take note of the **Identity** under Process Model. This user will need to be added to the Windows Temp file. In this example, the Identity is NetworkService.




Figure 15 Verifying Application Pool Settings

6. Click **OK** to close the Advanced Settings screen.
7. Close IIS. No more information is needed from the Application Pool.

Assigning Permissions in the Windows Temp Directory:

1. Open Documents. Find the WINDOWS folder, most likely on your C drive.
2. Right click the Windows→Temp folder.




Figure 16 Assigning Permissions for the Insbridge User on Windows Temp

3. Select **Properties**. The Temp Properties screen will open.
4. Select the **Security** tab.
5. Click **Edit**.
6. On the Permissions for Temp screen, select the Insbridge user and click Add. If the Insbridge user is not found, cancel out and return to the Local Users and Groups area in Server Manager and verify the Insbridge user was created.
7. Update the permissions. The Insbridge user requires **Full Control**.




Figure 17 Temp File Properties

8. Next add the **Application Pool identity**.
9. Update the permissions. The Application Pool identity requires the **default permissions** plus **WRITE**.
10. Click **OK** to close the Permissions for Temp screen.
11. Click **OK** to close the Temp Properties screen.

STEP 4 – ASSIGNING PERMISSIONS – INSBRIDGE FOLDER

Assigning Permissions for an Insbridge Folder Location

1. Open **Documents**. Locate the INSBRIDGE folder, most often the Insbridge folder is located at: C:\Program Files\Oracle\IGBU\Insbridge.
2. Right click the **Insbridge** folder.




Figure 18 Assigning Permissions for the Insbridge User on Insbridge

3. Select **Properties**. The INSBRIDGE Properties screen will open
4. Select the **Security** tab.
5. Click **Edit**.




Figure 19 Insbridge Folder Properties

6. On the Permissions for INSBRIDGE screen, select the Insbridge user and click **Add**. If the Insbridge user is not found, cancel out and return to the Local Users and Groups area in Server Manager and verify the Insbridge user was created.
7. Update the permissions. The Insbridge user requires **Full Control**.
8. Click **OK** to close the Permissions for INSBRIDGE screen.
9. Click **OK** to close the Temp Properties screen.

STEP 5 – RESTORING IBRU DATABASES IN SQL SERVER

Because many corporate environments have a separation between the system administrator and the database administrator, the following process may require both administrators' access and permissions. Make sure you have a SQL Server account called **ibru**.

NOTE: *If you do not have database permissions, you will not be able to perform the following database procedures.*

NOTE: *If you are unsure how to perform a database restore, please consult with your database administrator.*

Currently supported is the default SQL Server collation using SQL_Latin1_General_CP1_CI_AS and sort order plus case sensitivity using Latin1_General_BIN as the server collation. The security database (IB_CLIENT) supports the default SQL Server collation using SQL_Latin1_General_CP1_CI_AS. The RateManager and SoftRater databases can use either case sensitive or non-case sensitive. Please check with Oracle Insurance for any questions regarding database server sort orders or collations.

1. Located in the Insbridge Installation Directory:
 - ♦ SQL Server
 - RateManager – IBRM
 - Latin1_General_BIN
 - DATABASE_BACKUP_IBRM_TEMPLATE_CASE_SENSITIVE.bak
 - SQL_Latin1_General_CP1_CI_AS
 - DATABASE_BACKUP_IBRM_TEMPLATE.bak
 - Security – IB_CLIENT
 - SQL_Latin1_General_CP1_CI_AS
 - DATABASE_BACKUP_IB_CLIENT_TEMPLATE.bak
2. Select the RateManager backup file you want to use, case sensitive or non-case sensitive. The Security – IB_CLIENT file is only non-case sensitive.
3. **Copy both files** to an appropriate database folder on the machine where SQL Server is installed. For example, [Drive]:\Program Files\Insbridge\Databases. If you are unsure of a location, please consult with your database administrator.
4. **Rename files.** It is not required but it is strongly suggested that the database file names be changed from TEMPLATE to something that defines the databases more accurately. At a minimum, it is recommended that you remove “_TEMPLATE” from the name. You can change the names after they have been restored also.
5. **Open the SQL Server Management Studio** either on the server or remotely using either an administrative account with sa privileges or as the sa account.

NOTE: *If you do not have SQL Server Management Studio, check to see that the SQL Server Client has been installed. For a SQL Server install, you must have the SQL Server Client installed.*




Figure 20 Restoring a Database to SQL Server

6. Go to Databases.




Figure 21 Right Click to Restore Database

7. Right click on **Databases**.
8. Select **Restore Database...** A separate screen will be displayed.




Figure 22 Restoring a Database

9. Enter your IB_CLIENT database name in **To Database:**.
10. Select From Device. Click ... to browse to the location where the database files were placed in step 3.
11. Select your database IB_CLIENT_ xxxx.BAK, where xxxx equals the renamed file from step 4.
12. Click OK. Your database will be populated.
13. Verify your information. Check the Restore box.
14. Click **OK**.

15. If the database was restored successfully, it will be displayed in the database folder. If not, please correct any errors and try again.
16. Repeat for the RateManager database and any SoftRater database.
17. Once the databases are restored to SQL Server, you will need to create or assign a SQL Server user account for the application. This user will be used for the connection to the databases when setting up the connections from the Insbridge Framework Administrator. Make note of the account you want to use. This information will be entered into the Insbridge Framework Administrator.

If backups are to be allowed from the RateManager application (see page 35 for more details), then the ibru SQL server user account must have the **Disk Administrators SQL Server role**.

For ease of administration, the database user should have **db_owner** permissions on the IBRM_xxxx, and IB_CLIENT databases.

STEP 6 – CONFIGURING INSBRIDGE FRAMEWORK ADMINISTRATOR

Open an Internet Explorer web browser either remotely on the local IBRU web server and browse to the following location, replacing SERVERNAME with the actual server name:

http://SERVERNAME/ibfa/




Figure 23 IBFA Home

NOTE: If you receive an access denied error message, please verify that you have given the Insbridge user full control of the Insbridge folder.

NOTE: If you receive an IDNX denied error message, please verify that the Insbridge user has full control over the Insbridge directory. Regedt->Insbridge Directory-> Security.

NOTE: If you receive an error regarding MCSiMenuCtl, please verify that you are using Internet Explorer 7.0 or 8.0 (32-bit). Release 4.6 does not support Internet Explorer 8.0 (64-bit).

There are five steps that will need to be done in IBFA:

- **Step 1 – Creating a New Subscriber**
- **Step 2 – Adding a Global Database Connection**
- **Step 3 – Adding a Security Database Connection**
- **Step 4 – Adding an RM security Database Connection**
- **Step 5 – Creating a RateManager Environment**

Step 1 – Creating a New Subscriber:

A *subscriber* is a group or collective of users and environments under a single identity. This identity is used to manage and configure the group's activities and databases. A subscriber may be a single company, a group within a company, or a single person.

The ID, Name and Description are selected by you. The ID and Name are fixed after the first time you save. These entries cannot be edited. Only the description can be edited.

1. Click on **Add Subscriber** on the Main IBFA screen. A separate screen will be displayed.
2. Enter the **ID**, **Name** and **Description** for your subscriber.
3. When you finish entering the information, click **Save**. The new subscriber will now be displayed in the list of subscribers.




Figure 24 Enter ID

NOTE: Make note of the subscriber ID number. You may need to enter this on another IBFA or IBSS environment.

The Subscriber ID can be a 3 or 4 digit number and must be unique for each subscriber. For example, if you have an instance of IBFA on machine A, you can create a subscriber with an ID of 100. On machine A, if you create another subscriber, you must give that subscriber a different ID number, say 200. If you also have an instance of IBFA on a different machine, B for example, you should duplicate the same subscribers with the same ID numbers on machine B.

If you require assistance or are unsure of what action to take, please log a Service Request using My Oracle Support at <https://support.oracle.com/>.

Troubleshooting Subscriber Entries:

If you receive an error message or have difficulty creating a subscriber, you may need to add the Insbridge user to the Windows Machine Keys.

1. Go to C:\Documents and Settings\All Users\Application Data\Microsoft\Crypto\RSA\MachineKeys.
2. Right click and select Sharing and Security. Select the Security tab.
3. Add the Insbridge user.

Add Database Connections:

Stay on the Main IBFA screen. Three databases must be added to IBFA:

- Subscriber: **Global** with Name: **controller**. This is a global database and is required for logging in to the IBRU system. This is not unique to the subscriber.
- Subscriber: (**Your Subscriber Name**) with Name: **security**. This is a subscriber specific database and is required for subscriber security information.
- Subscriber: (**Your Subscriber Name**) with Name: **RM**. This is a subscriber specific database and is required for RateManager. This information will also be used when creating the RateManager environment.

The setups are similar for all three databases. The description information following the first example will be the same for the other two databases.

NOTE: If you have renamed the databases, please make note of the new names.

To continue, you will need to exact names of the databases you restored in Step 5, IBRM_xxxx, and IB_CLIENT databases.

Step 2 – Adding a Global Database Connection:

Begin by filling out connection information for the IB_CLIENT database using the Global subscriber.

1. From the Insbridge page, click the **Add Database Connection** link. This will open the Connection screen.

Connection -- Webpage Dialog

close

Databases

Connection

Database connections can be global to the Insbridge Framework or unique to the Subscriber.

Subscriber: Global

Name: Controller

Server: LocalHost

Server Type: SQLServer

Catalog: IB_CLIENT

Catalog Type: Other

Query Buffer:

Tablespace:

Schema:

User: sa

Password:

Test Connection...

Save Cancel

Figure 25 Setting up the Global Database Connection

2. **Select Global for the Subscriber.**
3. Enter **Controller** for the Database **Name**. The name must be Controller. This cannot be changed once you have saved it.
4. The **Server** is the database server name or IP address which ever is resolvable by the IBRU web server. You also can test the connection and make sure it is valid at the time of entry.
5. The **DB Server Type** is the type of server that houses the database. The controller, security and rm databases will all be SQL Server.
6. Enter **IB_CLIENT** for the **Catalog**. This is the IB_CLIENT database you restored in step 5.
7. Select the **Catalog Type**. The types available are: RateManager, SoftRater and Other. The controller and security databases will both be type OTHER. The rm database will be type RateManager.

8. Query Buffer, Tablespace and Schema are not required for the controller, security and rm databases.
9. The **User** and **Password** is for the SQL Server user (for example, insbridge) assigned as database owner.

The screenshot shows a web-based dialog box titled "Connection -- Webpage Dialog" with a blue header bar. Below the header, the word "Databases" is displayed in a large, light blue font. The main content area is titled "Connection" and contains the text: "Database connections can be global to the Insbridge Framework or unique to the Subscriber." Below this text are several input fields and a button:

- Subscriber:** A dropdown menu with "Global" selected.
- Name:** A text input field.
- Server:** A text input field.
- Server Type:** A dropdown menu with "SQLServer" selected.
- Catalog:** A text input field.
- Catalog Type:** A dropdown menu with "Other" selected.
- Query Buffer:** A text input field.
- Tablespace:** A text input field.
- Schema:** A text input field.
- User:** A text input field.
- Password:** A text input field.

To the right of the "Server" field is a button labeled "Test Connection...". At the bottom right of the dialog are two buttons: "Save" and "Cancel". A "close" link is visible in the top right corner of the dialog area.

Figure 26 Adding a Database Connection

10. Click **SAVE** to save your work. You will be returned to the main Insbridge page. The controller database will be listed.

Step 3 – Adding a Security Database Connection:

1. Next, add the security database. Select the **Add Database Connection** link again.
2. **Select Your Subscriber.** The security database is unique to the subscriber.
3. Enter **Security** for the Database **Name**. The name must be Security. This cannot be changed once you have saved it.

4. The **Server** is the database server name or IP address which ever is resolvable by the IBRU web server. You also can test the connection and make sure it is valid at the time of entry.
5. The **DB Server Type** is the type of server that houses the database. The controller, security and rm databases will all be SQL Server.
6. Enter **IB_CLIENT** for the **Catalog**. This is the IB_CLIENT database you restored in step 5.
7. Select the **Catalog Type**. The types available are: RateManager, SoftRater and Other. The controller and security databases will both be type OTHER. The rm database will be type RateManager.
8. Query Buffer, Tablespace and Schema are not required for the controller, security and rm databases.
9. The **User** and **Password** is for the SQL Server user (for example, insbridge) assigned as database owner.
10. Click **SAVE** to save your work. You will be returned to the main Insbridge page. The controller database will be listed

The screenshot shows a web-based configuration window titled "Connection -- Webpage Dialog". The main heading is "Databases". Below it, the "Connection" section is highlighted, with a note: "Database connections can be global to the Insbridge Framework or unique to the Subscriber." The form contains the following fields and values:

- Subscriber: Alamere Insurance (dropdown)
- Name: Security (text box)
- Server: LocalHost (text box)
- Server Type: SQLServer (dropdown)
- Catalog: IB_CLIENT (text box)
- Catalog Type: Other (dropdown)
- Query Buffer: (empty text box)
- Tablespace: (empty text box)
- Schema: (empty text box)
- User: sa (text box)
- Password: (masked with dots)

A "Test Connection..." button is located to the right of the "Server" field. At the bottom right, there are "Save" and "Cancel" buttons.

Figure 27 Setting up the Security Database Connection

Step 4 – Adding an rm Database Connection:

1. Next, add the rm database. Select the **Add Database Connection** link again.

2. **Select Your Subscriber.** The rm database is unique to the subscriber.
3. Enter **rm** for the Database **Name**. This cannot be changed once you have saved it.
4. The **Server** is the database server name or IP address which ever is resolvable by the IBRU web server. You also can test the connection and make sure it is valid at the time of entry.
5. The **DB Server Type** is the type of server that houses the database. The controller, security and rm databases will all be SQL Server.
6. Enter **IBRM_xxxx** for the **Catalog**. This is the RM database you restored in step 5.
7. Select the **Catalog Type**. The types available are: RateManager, SoftRater and Other. The controller and security databases will both be type OTHER. The rm database will be type RateManager.
8. Query Buffer, Tablespace and Schema are not required for the controller, security and rm databases.
9. The **User** and **Password** is for the SQL Server user (for example, insbridge) assigned as database owner.
10. Click **SAVE** to save your work. You will be returned to the main Insbridge page. The controller database will be listed

The screenshot shows a web-based configuration window titled "Connection -- Webpage Dialog" with a "close" button in the top right corner. The main heading is "Databases". Below this, a section titled "Connection" explains that database connections can be global to the Insbridge Framework or unique to the Subscriber. The form contains the following fields and controls:

- Subscriber:** A dropdown menu with "Alamere Insurance" selected.
- Name:** A text input field containing "RM".
- Server:** A text input field containing "localhost". To its right is a "Test Connection..." button.
- Server Type:** A dropdown menu with "SQLServer" selected.
- Catalog:** A text input field containing "IBRM".
- Catalog Type:** A dropdown menu with "RateManager" selected.
- Query Buffer:** An empty text input field.
- Tablespace:** An empty text input field.
- Schema:** An empty text input field.
- User:** A text input field containing "sa".
- Password:** A text input field with masked characters (dots).

At the bottom right of the dialog are "Save" and "Cancel" buttons.

Figure 28 Setting up the RateManager Database Connection

NOTE: The **Catalog Type** must be set to **RateManager** when you are creating the Connection from RateManager. If you leave it set to Other, you will receive an error.

Creating Logical Environments:

Next, create the default rating environment for the RateManager system.

For a new installation it is recommended that you create one logical environment:

- RM – to handle rating and testing.

You can create additional environments at this time if necessary or you can add them in at a later time.

Step 5 – Creating a RateManager Environment:

It is recommended that only one RateManager environment be created.

1. Browse to **SoftRater→Explorer→Subscriber name**.




Figure 29 Create a Rating Environment

2. Click on **Add Environment**.




Figure 30 Entering Name and Environment

3. Enter a Name and select a Type. The name and type are totally dependent on how your IBRU system is designed.

There are three types of Logical Environments:

- **Development**
- **Quality Assurance**
- **Production**

After you have entered your logical environment, you must define it.

Defining the Logical Environment




Figure 31 Obtaining Environment Information

4. Select the **Environments** link under the Configuration header on the left hand side to enter the configuration information for the newly created logical environment. You will be placed on the Environments screen. The environments you previously setup will be listed. If an environment is missing, you must return to the Configuration subtab and add it.




Figure 32 Editing Environment

5. The **Environment Name** will be complete. No changes are needed.
6. RateManager environments will not have a **Package Location**. No entry will be allowed.
7. Enter in the **DBServer** name or IP address. This is the database server where the RateManager database was restored.
8. The **DB Server Type** will be **SQL Server**.
9. The **DB Catalog** is the name of the RateManager database restored in SQL Server.
10. The **DB Catalog Type** is **RateManager**.
11. **DB Query Buffer**, **DB Tablespace** and **DB Schema** are not required for a RateManager environment.

12. Enter the **DB User** name and **Password**.
13. The **Engine Type** is **Windows**.
14. The **Engine Location** default is **LOCALHOST**. Most RateManger installations have a local engine location. If the IBFA engine location is not on the local machine, enter the server name or IP address where the IBFA engine is located. Do not change LOCALHOST to the name or IP address of the local machine.
15. The **Engine EnvDef** default is a blank field. Most RateManger installations do not require an entry in this field. If the IBFA engine location is not on the local machine, enter the server name or IP address where the IBFA engine is located.
16. Click **Save** to save your entries. After you have saved your settings, a new tab will be displayed, Content. This tab will not be needed for a new installation.

No further entries are required at this time. If you want to make additional entries you can. Additional environments can be added at any time.

If you are running a Windows only environment you can set up your SoftRater databases at this time. Follow the same procedure of restoring the database, then entering in IBFA.

STEP 7 – VERIFYING THE COMPONENT SERVICES

Next, you should verify the component services.

For Windows Server 2008:

1. Click **Start→Administrative Tools→Component Services**.
2. Expand the **Component Services** option under console Root.
3. Expand **Computers→My Computer→COM+ Applications**.
4. Expand each Insbridge **COM+ library** to make sure there are components listed underneath each compartment.




Figure 33 Component Services

There should be 3 Insbridge Com+ Applications libraries:

- Insbridge Com+ Administrator 3.5
- Insbridge Com+ SoftRater Engine

- Insbridge Com+ SoftRater Library

Please note that you will not have to make any changes to any COM+ Application library. The installation will automatically apply the Insbridge user name and password that you created earlier to the necessary libraries. If you change the password, you will have to change the password in all three of the Insbridge Com+ libraries. On each library, right click, select Properties, select the Identity tab, enter in the new password.

NOTE: *If any COM+ library is missing, run the IBRU install again from the msi file and choose uninstall. Then rerun the IBFA install. Uncheck the RateManager Install. Then check again to see if all the libraries are listed. If they are still not listed, please log a Service Request using My Oracle Support at <https://support.oracle.com/>.*

STEP 8 – ALLOWING FOR WCF ACTIVATION

WCF Activation is required for web services. RateManager makes call using IBFA web services. If this is not activated, users will experience errors. WCF Activation can be found under Features.

1. Select Start→Administrative Tools→Server Manager.
2. Select Features Summary. Scroll through the list to verify WCF Activation has been activated.
3. If not, select Add Features. The Add Features Wizard will be displayed.




Figure 34 Selecting WCF Activation

4. Select WCF Activation. Click NEXT.
5. Confirm your selection and click INSTALL. The installation will proceed.
6. You can close out when complete.

STEP 9 – INSTALLING THE OBI PUBLISHER

OBI Publisher is necessary for reports. If you do not plan on using reports in RateManager or IBFA, you do not need to install this program.

1. Unzip the OBI_PUBLISHER




Figure 35 Installing OBI Publisher

2. Click **Install**. A progress screen will be displayed.
3. When complete, click **Close**.
4. In order for OBI Publisher to be available to users, you must start the **Insbridge Message Service**. The Insbridge Message Service can be started from IBFA or from Server Manager in Windows 2008.

STEP 10 – STARTING INSBRIDGE SERVICES

It is also recommended that you start the Insbridge Task Manager as well. The Insbridge Task Manager is a task queue that lists the tasks that are scheduled to be performed as well as the last time the task was run and the status.

Insbridge Message Service

Start

Stop

The Insbridge Message Service is a Message Queue Listener that will route all batched messages to an assembly (process) for execution. These processes may take resources and time to execute. Please consult with you system admin before configuring the number of listeners per process.

Message Process

Batch Rating



View Messages

Edit Process Configuration

Purge All

If you see this message, you have not requested a listing from the selected spoke client. Clicking View Messages will provide you with a list view of the first in - first out messages that are waiting to execute.

Insbridge Task Manager

Start

Stop

The Insbridge Task Manager gives you the ability to execute daily, weekly, hourly, or by the minute.

View Tasks

(This process may take a while to execute)

TASK	LAST RUN-DATE	START-TIME	STATUS
------	---------------	------------	--------

Figure 36 Insbridge Services Screen

1. In **IBFA**, navigate to the **Services** page.
2. Next to Insbridge Message Service, click **Start**. After a few seconds, the buttons will refresh to indicate that the service is started.
3. Next to Insbridge Task Manager, click **Start**. After a few seconds, the buttons will refresh to indicate that the service is started.

NOTE: The location and port for OBI Publisher is <http://localhost:9704/xmlpserver/>. This information may be needed if you have to make a request to your company's infrastructure and request the security team to open the ports used by Publisher.

STEP 11 – PERFORMING UPDATES IN RATEMANAGER

There are two updates that should be done in RateManager prior to creating user groups and users:

- Step 1 – Running Database Updates
- Step 2 – Updating Preferences

Entering RateManager:

The URL for RateManager will be <http://INSTALLATIONSERVERNAME/RM>. Where the **INSTALLTIONSERVERNAME** is the server where RateManager was installed.

This will place you on the RateManager login screen.

1. To login for the first time, select your company from the drop down menu. If you have created only one company, a drop down menu will not be presented.
2. The user name is demo.
3. The password is password.

After running database updates, it is recommended that you update the demo user password.

Users and User Groups can be created after any database updates are run. For more on user management, please see the RateManager Tools User Guide.

NOTE: *If you log into RateManager and Tools is the only option, you must perform a database update.*

NOTE: *If you are having difficulties logging into RateManager, please check the error logs in IBFA.*

NOTE: *If you receive an error regarding MCSiMenuCtl, please verify that you are using Internet Explorer 7.0 or 8.0 (32-bit). Release 4.6 does not support Internet Explorer 8.0 (64-bit).*

RUNNING DATABASE UPDATES IN RATEMANAGER

If you log into RateManager and Tools is the only option, you must perform a database update. After you perform the database updates, to view all menu options, click File→Reload.




Figure 37 Tool Mandatory Update

On the DB Updates screen, the current version will be highlighted and the status will be *Current*. The updates below the current version will be grayed out. These updates cannot be run again. Current updates can be re-run if necessary. You will receive an error message if you attempt to run a lower version update. Any version update above the current version will also be grayed out but will be available for executing.

New installations may show 04.06 as current but still have only the Tools option available. You may have to run the current script again. To see if you have complete access, click File→Reload to refresh the system.

Navigate to the Tools→Database→Updates.

1. The **Updates** tab will be displayed. Select the database you want to view from the **Show updates for** drop down. The database updates for your selection will be listed. The last column, the **Status** column, will show you which update is the **Current** one installed.

ORACLE Insurance Insbridge RateManager

File Tools Help

Home DB Updates x

DB Updates

Execute Update Script Open Update Script Save Update Script to File Refresh

Show updates for: IBRM

Script	Release Date	Database	Status
v04.06.00.00	3/1/2012	IBRM	
v04.05.00.00	5/1/2011	IBRM	
v04.01.00.00	11/15/2010	IBRM	
v04.00.0.00	3/10/2010	IBRM	
v03.13.0.00	12/15/2009	IBRM	Current
v03.12.0.00	4/30/2009	IBRM	
v03.11.0.00	11/30/2008	IBRM	
v03.10.0.00	8/31/2008	IBRM	
v03.9.0.00	5/19/2008	IBRM	
v03.8.0.00	6/7/2007	IBRM	
v03.7.0.00	7/28/2006	IBRM	

Figure 38 Available Updates

2. There are two ways to execute an update:
 - a. **Directly in RateManager**
 - b. **In SQL Server**

Directly in RateManager

This is recommended way to update a database. It is recommended that you start by selecting the update showing Current. This will assure that the database showing as Current will have all possible updates.

1. Highlight the update you want to run.
2. Click **EXECUTE UPDATE SCRIPT**. A warning message will be displayed.
3. Click **OK** to run the update or **Cancel** to return to the previous screen.
4. Do this for both the IBRM database and the IB_CLIENT database.
5. Click File→Reload to refresh the system




Figure 39 Updating Scripts in RateManager

In SQL Server


This method should be performed by a database administrator. No warning message will be displayed if you execute scripts in the wrong order. You must know the name of the databases you are updating. Please see **Manual Updates to the IBRU Database**.

UPDATING PREFERENCES

Administrators can edit web settings at any time from the Preferences option in RateManager. Changes will take place after the user sessions have been ended. If web settings are changed while the users are inside the module, the change will not be visible to them. Prior to users accessing RateManager for the first time, it is recommended that Preferences be set.

To Change Settings

1. Select Tools→Preferences.



2. This will open the **Preferences** window. Select **Web Settings**.




Figure 40 Preferences Settings

3. Make any necessary changes. If you do not know all the settings, you can come back and edit later at a later time. It is recommended that you update the **ONLINE HELP Server** immediately.
4. When you are finished, click **SAVE** to update your settings.

Web Settings

Insbridge ConfigXml Path

This is the path from IBFA. This pathway must match the IBFA path. You may need to change this path if you have changed the path in IBFA. Please contact Insbridge support for further information. It is strongly recommended that you leave the default.

Messaging Server

RateManager is set up to run batches on the same server that RateManager is located on. If you have an especially large batch to run and you want to batch to a different server, you will have to change server locations here. Unless necessary, it is strongly recommended that you leave the default.

SoftRater Server

If you need to rate on another server, you will have to change server locations here. It is strongly recommended that you leave the default.

Backup Share Folder Location

When you make backups of the RateManager database, you can specify the location of the backup file. If the location is local, you will use a local path. If the location is not local, you must be a disk admin to change.

If the database is on a remote server, a share is needed for the backup location. The Insbridge user must have write access to this location as well.

Use Insbridge Com + Admin

This setting must always be true. If there is a conflict, please contact Oracle Insurance support.

Enforce Release Packaging

When set to **False**, a release is not required in order for users to create a SoftRater (full) package. False is the default setting.

If set to **True**, a release is required in order for a SoftRater (full) package to be created. If a user wants to create a SoftRater (full) package in the Program Explorer module, a release must be created in the Releases area first. This release must have the program added to it and be unlocked. When the user creates the SoftRater package in Program Explorer, they will have the option to select the Release they want this package to be placed into. If there is no release, or no release that contains that program and is unlocked, then the user will be able to do RateManager (local) packages only.

Batch Package Threads

RateManager allows you to change how many threads are used. Threading enables a process to finish faster by splitting the process into smaller processes that run quasi-simultaneously. On multiprocessor systems, using multiple threads enables the operating system to assign the threads to different processors.

In addition, the Framework Administrator also enables you to change the administrator email address for each client. When a process fails, an email will be sent to the person who initiated the process, as well as to the administrator email addresses listed for the client of that process.

NOTE: *Before changing the number of threads, you should consult with your system administrator. Setting the number too high can result in poor performance or even a system crash. If you are unsure of how many threads to use, set the number to 1. For single processor systems, Oracle Insurance recommends a maximum of 2 threads.*

Minimum Login User ID Length

This is the minimum number of characters required for a user ID.

User must change password

This where you set the number of days before a user is required to change his/her password. This setting will only be active when you elect to have users change their password on the user setup screen.

Show Override Date Mask

If enabled, a date mask for 'Date' data types will be displayed when importing a table. If not enabled, this field will not be visible.

Allow Data Type Change

The type of data associated with a parameter. RateManager supports three (decimal, integer and string) data types for variables and inputs and a fourth (date) for inputs and result variables only.

Setting this option to True will allow RateManager users change the data type of a variable or input. Setting this option to False will not allow users to change data types.

Inactive Session Time Out

This is the amount of time that a user sits inactive before being automatically logged out of the system.

Batch Results with New Line

Allows batch results to go to a new line instead of forming one continuous string. A True setting will place a carriage return between result files. A False setting will result in one continuous string without a break.

Online Help Server

Online help is installed with RateManager. This setting should be the server name where RateManager currently resides. Either a server name or an IP address can be entered here. If needed, you can change the name of the server. For example, if the machine name is not the same as the host name, you may need to change the name in order for online help to function.

Change Control

If change control is on, it will be mandatory for users to enter a change control entry and justification to any element or program when it is revisioned. If change control is off, the option will not be presented.

STEP 12 – EXPORT INSBRIDGE REGISTRY KEY FOR BACKUP

The Insbridge registry key located in HKEY_LOCAL_MACHINE→SOFTWARE→Insbridge is used to store all information for proper encryption of the SoftRater Packages (SRPs). This registry key should be exported to a text file and stored in a safe location off the server.

This is a safety precaution and will not affect users currently accessing the IBRU system.

If you have to move RM/IBFA to a new machine or in the event of a catastrophic server failure, where the RM/IBFA server is non-recoverable, the IBRU system will need to be reinstalled. When RM/IBFA is re-installed on a new server, a new registry key will be created. The new registry key will not match the registry key associated with any packages that have been created. In order to load packages to the new server, you will need to restore the previous registry key.

You may also be requested to send to your registry key to support.

1. Select the Insbridge key: HKEY_LOCAL_MACHINE→SOFTWARE→Insbridge.
2. Right click and select **Export**.
3. Select a storage location for the file and **Save**.
4. Close out of Registry Editor.

At the completion of this step, you may enter RateManager and begin working.

MANUAL UPDATES TO THE IBRU DATABASES

The preferred method of updating the IBRM and IB_CLIENT databases is to go into RateManager and run the updates there. If the administrator has DB User privileges and is the DB Owner of the database as well as the disk administrator, database updates can be done on the **Tools→Database→Updates** tab. If these privileges are not in place, an error message will be displayed. See Step 1 – Running Database Updates for instructions.

NOTE: *If you need to go from an older version, such as 03.13, it is strongly recommended that you enter RateManager and run the 04.00, 04.0, 04.05, and 4.06 update scripts successively from there. Failure to run scripts in order may result in errors.*

To manually update a SQL Server database, you will be required to save off each update and run them in sequential order in SQL Server. A DBA or a person with the proper permissions will need to apply the database updates in SQL Server using Query Analyzer.

1. First, you will need to get the scripts you need from RateManager.
2. In RateManager, highlight the update you need. Begin with the version that is listed as “current”. If you are going from a much lower version of RateManager, you will have to save multiple files.
3. Click **Save Update Script to File**. Your computers dialogue box will be displayed. **Save** the file to a location of your choice. For IBRM scripts, it is recommended that you rename the file to usp_IBRM_R0(version number).sql. For example the R4.0 update would be: usp_IBRM_R040.sql. For IB_CLIENT scripts, it is recommended that you rename the file to usp_IB_CLIENT_R0(version number).sql. For example the R4.0 update would be: usp_IB_CLIENT_R40.sql.
4. Verify that you have saved all the necessary scripts from “current” to release 04.06.00. You must save off update scripts for both the IBRM and the IB_CLIENT databases.
5. Next, enter SQL Server.

NOTE: *If you do not have database permissions, you will not be able to perform the following database queries.*

NOTE: *When using Database Engine Query, the SQL scripts must run on each individual database.*

6. Begin with the current version of either the IBRM database or the IB_CLIENT database. Open **Query Analyzer**.
7. **Open up the DB script updates** from the download file. You can open in any program you want, such as Notepad. Begin with the “current” script. For example, if you are going from R03.13 to 04.06.00, 3.13 should be “current”. Open 3.13 first.




Figure 41 Updating Database

8. Select the database you want to update. In SQL Server Management Studio, create a new Database Engine Query, **File→New→Database Engine Query**.
9. Copy the first update from Notepad and paste onto the query screen.
10. Click **Execute**. The script will execute. Any messages will be displayed in the lower portion of the screen. You must run the updates in sequential order. Run each update until you run the 04.06.00 update.
11. When you have finished updating one database, update the remaining database. Make sure you do both the IBRM and IB_CLIENT databases.
12. After the scripts have been run, return to RateManager. Click **Refresh Listing**. The status should show current and the full RateManager menu should be displayed. The updates are now properly applied and users can log back in to the system.

NOTE: You can view the update script in RateManager. Select the update you want to view. Click **Open Update Script**. The update script will be displayed in a separate screen.




Figure 42 Script Viewer

CREATING AN INSBRIDGE APPLICATION POOL

Insbridge currently uses the default application pool and requires .NET framework setting of v2.0. This may present conflicts with other applications in the default pool that require a higher setting. Or if after a new install you receive an error when accessing IBFA:

```
CS0016: Could not write to output file  
'c:\Windows\Microsoft.NET\Framework64\v2.0.50727\Temporary ASP.NET  
Files\ibfa783d6267\bcca0b3e\App_global.asax.zf-kqiii.dll' - 'Access is denied.'
```

You may need to create a separate Insbridge Application Pool.

There are three steps to creating an Insbridge application pool and then assigning the virtual directories.

- **Step 1:** Complete the RateManager installation. Make sure that Static Content is enabled in the Server Manager Roles.
- **Step 2:** Create a new Application pool in IIS called Insbridge. Be sure to configure the application pool to use the Insbridge user.
- **Step 3:** Associate the Insbridge application pool with virtual directories IBFA, IBRU, RM




Figure 43 Enabling Static Content

Step 2 – Updating the Insbridge Application Pool

The Insbridge installation must be complete prior to creating an application pool.

1. Click **Start** → Administrative Tools → select **IIS Manager**.
2. Expand the **Local Computer** and select **Application Pools**. Right click and select **Add Application Pool**.




Figure 44 Navigating to Application Pool

3. Enter "**Insbridge**" for the Application pool Name. Select the **v2.0 for the .NET Framework version**. Click **OK**. You will be returned to the IIS screen. Your new application pool will be listed.




Figure 45 Creating a New Application Pool

4. Right click the Insbridge Application Pool you created and select **Advanced Settings**.




Figure 46 Selecting Application Pool Properties

5. Verify that the .NET Framework Version is v2.0.
6. For the Identity select **Insbridge**.
7. Click **OK** to save your changes.

Step 2 – Associate the Virtual Directories with the Insbridge Application Pool

Next, you will need to association the Insbridge virtual directories with the new Insbridge application pool.

8. Stay in IIS Manager. Under **Local Server** → **Sites** → **Default Web Site**, select **IBFA**. Right click and select **Add Application**.

10. Click **OK** to save your selections.
11. Repeat the process for **IBRU and RM** of selecting the Insbridge Application Pool.
12. Restart IIS. On the IIS screen, **Actions → Restart IIS**.




Figure 49 Restarting IIS

This issue may be more prevalent on a Windows 2008 64-bit machine. If you are not experiencing issues, you do not need to create an Insbridge application pool.

CONTACTING SUPPORT

If you need assistance with an Oracle Insurance Insbridge Rating and Underwriting System product, please log a Service Request using My Oracle Support at <https://support.oracle.com/>.

Address any additional inquiries to:

Oracle Corporation
World Headquarters
500 Oracle Parkway
Redwood Shores, CA 94065
U.S.A.

Worldwide Inquiries:
Phone: +1.650.506.7000
Fax: +1.650.506.7200
oracle.com

TTY ACCESS TO ORACLE SUPPORT SERVICES

Oracle provides dedicated Text Telephone (TTY) access to Oracle Support Services within the United States of America 24 hours a day, seven days a week. For TTY support, call 800.446.2398.

Index

A

Add Database Connection.....	43
Adding	
Local Machine Administrators Group....	13, 14
Administration	
Allow Data Type Change	62
Backup Share Folder Location	61
Batch Package Threads.....	61
Batch Results with New Line	62
Change Control	62
Enforce Release Packaging.....	61
Inactive Session Time Out	62
Messaging Server.....	61
Minimum Login User ID Length.....	61
Online Help.....	62
Show Override Date Mask	62
SoftRater Server	61
Use Insbridge Com + Admin	61
User Must Change Password.....	62
Administration Section	
Online Help Settings	62
Setting Options	60
Administrative Permissions.....	18
Allow Data Type Change	
Admin.....	62
Application Pool	
ID	67
Updating.....	67

B

Backup	
Registry Key	63
Backup Share Folder Location	
Admin.....	61
Batch Package Threads	
Admin.....	61
Batch Results with New Line	
Admin.....	62

C

Change Control	
Admin.....	62
Changing	
Administrator Email.....	61
Collation and Sort Order	

SQL Server	19, 36
COM+ Library	52
Configuring	
Insbridge Framework Administrator.....	40
Registry Editor.....	28
Creating	
Default Rating Environment	47
Local User Account	13

D

Database	
IBRM.....	20
IBSR Permissions.....	39
Permissions.....	20
Security	20
Server Name	43, 45, 46
db_owner Permissions	39
Default Rating Environment	
Creating	47
Definitions.....	7
Description	
Subscriber	41
Disk Administrators SQL Server role	
User Account.....	39

E

Editing	
Web Config Settings.....	59
Edition Notice.....	2
Email	
Changing Administrator	61
Encryption	
SoftRater Package	63
Enforce Release Packaging	
Admin.....	61
Environment Types	48
Execute Update Script	58
Export	
Registry Key	63

F

Framework Administrator	
Administrator Email	61

H

HKEY_LOCAL_MACHINE/SOFTWARE/Insbridge	28, 63
http://SERVERNAME/ibfa/	40

I

IBFA	
<i>Rerun</i>	52
Start Insbridge	18
<i>Uninstall</i>	52
IBRM_xxxx	
db_owner Permissions	39, 42
IBRU	6
Definitions	7
Implementation	6
Oracle Software Delivery Cloud	10
IBRU Web Server	
SERVERNAME	40
IBRU_INSTALL_DIR	23
IBSR Database	
db_owner Permissions	39
ID	
Application Pool	67
Subscriber	41
Implementation	
IBRU	6
Inactive Session Time Out	
Admin	62
Insbridge Framework	
Installing	13
Local User Account	13
Insbridge Framework Administrator	
Configuring	40
Extended Permission	18
Insbridge Key	30
Insbridge Message Service	18, 55
Insbridge Permissions	35
Insbridge Properties	32
Insbridge Task Manager Service	18
insbridge user	
Registry Key	28
Installation	
Java Environment	6
Starting	23
Windows Environment	6
Installation Order	21
<i>Installation Program</i>	
<i>Requirements</i>	22
<i>Installer</i>	
<i>Admin Rights for Installation</i>	22
Installing	
Insbridge Framework	13

L

Local Machine Administrators Group	
Adding User	13, 14
Local User Account	
Insbridge Framework	13

M

Messaging Server	
Admin	61
Microsoft SQL Server	19
Minimum Login User ID Length	
Admin	61
<i>Missing</i>	
<i>COM+ Library</i>	52
Mixed Mode Authentication	
Sql Server	19

N

Name	
Subscriber	41

O

Online Help	
Admin	62
Online Help settings	
Administration Section	62
Oracle Software Delivery Cloud	
IBRU	10
Required Programs	10
Overview	
Package	8
Subscriber	41
Threading	61

P

Package	
Environment	8
Overview	8
Part Numbers	
Oracle Software Delivery Cloud	10
Password	
Errors to COM+ Apps	15, 16
Local User Account	15
PDF Reader	
Oracle Software Delivery Cloud	10
Permissions	
db_owner	39
Extended	18

Insbridge Key.....	28	SQL Server	
Windows 2008	17	Collation and Sort Order	19, 36
<hr/>		Mixed Mode Authentication.....	19
R		Requirements.....	19
RateManager		Residing on Separate Host	19
Default Rating Environment	47	Settings.....	19
Disk Administrators SQL Server role.....	39	User Accounts.....	39
Registry Editor		SQL Server Account	
Configuring.....	28	ibru.....	36
Registry Key.....	63	SQL Server Enterprise Manager	
insbridge user	28	sa Privileges.....	36
Requirements		Subscriber	
Installation Program.....	22	Information	41
Rerun		Information for Database	44, 46
IBFA.....	52	Overview	41
Running		Types	41
Database Updates	57	<hr/>	
<hr/>		T	
S		Thread	
sa account		Settings.....	61
SQL Server Enterprise Manager	36	Threading	
Script		Overview	61
Executing Update	58	Type	
Viewing Update	65	Subscriber	41
Security		Types	
Database	20	Environment.....	48
Server		Subscriber	41
Admin Permissions	18	<hr/>	
Insbridge Framework Name.....	43, 45, 46	U	
SERVERNAME		Uninstall	
Replacing	40	IBFA.....	52
Service		Unzip Utility	
Insbridge Task Manager	18	Oracle Software Delivery Cloud	10
Setting Options		Update	
Administration Section	60	Web Config Settings.....	60
Settings.....	59	Updates	
Administration.....	59	Running.....	57
Editing Web Config	59	Viewing	57
SQL Server.....	19	Updating	
Thread.....	61	Application Pool.....	67
Shared		Use Insbridge Com + Admin	
IBRU System	14	Admin.....	61
Show Override Date Mask		User	
Admin.....	62	Access to Services	18
SoftRater Package		Local User Account	13
Encryption	63	User Accounts	
SoftRater Packages		SQL Server	39
Environments.....	8	User Must Change Password	
SoftRater Server		Admin.....	62
Admin.....	61		
SQL Scripts			
Query Analyzer.....	64		

V

Validating	
COM+ Library	51
VFS Definition	8
Viewing	
Database Updates	57
Virtual File Server Definition	8

W

Web Config	
Editing Settings	59
Web Server	
IBRU	43, 45, 46
Windows 2008	
Permissions.....	17