

Endeca® Content Acquisition System

Lotus Notes Connector Guide
Version 3.0.1 • December 2011



Contents

Preface.....	7
About this guide.....	7
Who should use this guide.....	7
Conventions used in this guide.....	7
Contacting Endeca Customer Support.....	8
Chapter 1: Configuration steps for Lotus Notes.....	9
Lotus Notes versions supported by this connector.....	9
Configuring the Domino Lotus Notes server.....	9
Configuring the CAS Server for Lotus Notes	10
Configuration properties for Lotus Notes connector.....	10
Permission mapping.....	11



Copyright and disclaimer

Product specifications are subject to change without notice and do not represent a commitment on the part of Endeca Technologies, Inc. The software described in this document is furnished under a license agreement. The software may not be reverse engineered, decompiled, or otherwise manipulated for purposes of obtaining the source code. The software may be used or copied only in accordance with the terms of the license agreement. It is against the law to copy the software on any medium except as specifically allowed in the license agreement.

No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, for any purpose without the express written permission of Endeca Technologies, Inc.

Copyright © 2003-2011 Endeca Technologies, Inc. All rights reserved. Printed in USA.

Portions of this document and the software are subject to third-party rights, including:

Outside In® Search Export Copyright © 2011 Oracle. All rights reserved.

Rosette® Linguistics Platform Copyright © 2000-2011 Basis Technology Corp. All rights reserved.

Teragram Language Identification Software Copyright © 1997-2005 Teragram Corporation. All rights reserved.

Trademarks

Endeca, the Endeca logo, Guided Navigation, MDEX Engine, Find/Analyze/Understand, Guided Summarization, Every Day Discovery, Find Analyze and Understand Information in Ways Never Before Possible, Endeca Latitude, Endeca InFront, Endeca Profind, Endeca Navigation Engine, Don't Stop at Search, and other Endeca product names referenced herein are registered trademarks or trademarks of Endeca Technologies, Inc. in the United States and other jurisdictions. All other product names, company names, marks, logos, and symbols are trademarks of their respective owners.

The software may be covered by one or more of the following patents: US Patent 7035864, US Patent 7062483, US Patent 7325201, US Patent 7428528, US Patent 7567957, US Patent 7617184, US Patent 7856454, US Patent 7912823, US Patent 8005643, US Patent 8019752, US Patent 8024327, US Patent 8051073, US Patent 8051084, Australian Standard Patent 2001268095, Republic of Korea Patent 0797232, Chinese Patent for Invention CN10461159C, Hong Kong Patent HK1072114, European Patent EP1459206, European Patent EP1502205B1, and other patents pending.

Preface

Endeca® InFront enables businesses to deliver targeted experiences for any customer, every time, in any channel. Utilizing all underlying product data and content, businesses are able to influence customer behavior regardless of where or how customers choose to engage — online, in-store, or on-the-go. And with integrated analytics and agile business-user tools, InFront solutions help businesses adapt to changing market needs, influence customer behavior across channels, and dynamically manage a relevant and targeted experience for every customer, every time.

InFront Workbench with Experience Manager provides a single, flexible platform to create, deliver, and manage content-rich, multichannel customer experiences. Experience Manager allows non-technical users to control how, where, when, and what type of content is presented in response to any search, category selection, or facet refinement.

At the core of InFront is the Endeca MDEX Engine,™ a hybrid search-analytical database specifically designed for high-performance exploration and discovery. InFront Integrator provides a set of extensible mechanisms to bring both structured data and unstructured content into the MDEX Engine from a variety of source systems. InFront Assembler dynamically assembles content from any resource and seamlessly combines it with results from the MDEX Engine.

These components — along with additional modules for SEO, Social, and Mobile channel support — make up the core of Endeca InFront, a customer experience management platform focused on delivering the most relevant, targeted, and optimized experience for every customer, at every step, across all customer touch points.

About this guide

This guide describes the tasks necessary to configure the Lotus Notes CMS connector.

It assumes familiarity with the concepts of the Endeca Content Acquisition System and the Endeca Information Transformation Layer. For more information, see the *Endeca CAS Developer's Guide* and the *Endeca Forge Guide*.

Who should use this guide

This guide is intended for application developers who are building applications using the Endeca Content Acquisition System, and are responsible for gathering, crawling, joining and feeding the data in different source formats into the Endeca pipeline to transform them into Endeca records.

Conventions used in this guide

This guide uses the following typographical conventions:

Code examples, inline references to code elements, file names, and user input are set in monospace font. In the case of long lines of code, or when inline monospace text occurs at the end of a line, the following symbol is used to show that the content continues on to the next line: `→`

When copying and pasting such examples, ensure that any occurrences of the symbol and the corresponding line break are deleted and any remaining space is closed up.

Contacting Endeca Customer Support

The Endeca Support Center provides registered users with important information regarding Endeca software, implementation questions, product and solution help, training and professional services consultation as well as overall news and updates from Endeca.

You can contact Endeca Standard Customer Support through the Support section of the Endeca Developer Network (EDeN) at <http://eden.endeca.com>.

Chapter 1



Configuration steps for Lotus Notes

To enable crawling on a Lotus Notes repository, configure the mode for the Lotus Notes connector, set up the CAS Server, and set options specific to Lotus Notes in the CAS Console for Endeca Workbench. See the "Endeca CAS API Guide" for details on crawling a Lotus Notes repository through the CAS API.

Lotus Notes versions supported by this connector

The Lotus Notes connector supports the following versions of Lotus Notes repositories:

- Lotus Notes 6.5
- Lotus Notes 7.0
- Lotus Notes 8.0
- Lotus Notes 8.5



Note: CAS can only crawl documents that are stored in folders within a repository. Documents stored outside folders are skipped during the crawl.

Configuring the Domino Lotus Notes server

To set up a Lotus Notes connector, the Domino Lotus Notes server has to run the http task and the DIIOP task.

To configure the Domino Lotus Notes server:

1. To run the http task, issue this command on the Domino server machine: `load http`
2. To run the DIIOP task, issue this command on the Domino server machine: `load ddiop`
3. To automatically load the DIIOP and http tasks when the Domino server starts:
 - a) Open the `notes.ini` file in the Domino program directory.
 - b) Locate the line `ServerTasks=` and add `http,ddiop` to the end of the line as in the example below:

```
ServerTasks=Update,Replica,Router,AMgr,AdminP,CalConn,  
Sched,http,ddiop
```
 - c) Save and close the file.

4. If it was running, restart the Domino server.

Now the Lotus Notes connector is configured to use the DIIOP mode.

Before you can run the CAS Server on the Lotus Notes repository, you also need to configure the CAS Server for Lotus Notes, and specify options specific to Lotus Notes in the CAS Console.

Configuring the CAS Server for Lotus Notes

To crawl a Lotus Notes repository, configure the CAS Server for the Lotus Notes connector.

To set up a CAS Server for the Lotus Notes connector:

1. Copy the `NCSO.jar` file from the Domino server installation to the `<install path>\CAS\version\lib\cas-server-plugins\entropysoft` directory (on Windows) or `<install path>/CAS/version/lib/cas-server-plugins/entropysoft` directory (on UNIX).

The version number of the Lotus Notes client installation must exactly match the version number of the Domino server installation from which you copy the `NCSO.jar` file.

2. Restart the Endeca CAS Service.

Now the CAS Server is set up to communicate with the Lotus Notes repository.

In order to run a crawl on a Lotus Notes repository, you also specify options specific to Lotus Notes in the CAS Console.

Configuration properties for Lotus Notes connector

To configure a Lotus Notes connector, specify the configuration properties listed below.



Note: In addition to configuring the connector-specific properties listed below, you must enter values for the data source username and password.

Create the following configuration properties using either CAS Console or the CAS Server Command-line Utility.

CAS Property Display Name	CAS Property Name	Property Description
Database Path	<code>databasePath</code>	(Required). Enter the absolute or relative path of the Notes database.
Domino Server	<code>serverName</code>	(Required). Enter the name of the Domino server where the database is located.
HTTP Port Number	<code>httpPort</code>	(Optional). Enter the port of the Domino web server or DIIOP server. If no value is added the default of 80 is used.

CAS Property Display Name	CAS Property Name	Property Description
QuickPlace	quickplace	(Optional). Include this option if the Notes database being accessed is an IBM Lotus QuickPlace or IBM Lotus Quickr database. If set to true, the settings for "Content strategy" and "RFC 822 strategy" are ignored. The default is false.
Keep Rich Text	keepRichTextProperties	(Optional). The default is false. If set to true, rich-text fields are returned as properties, otherwise they are ignored.
Content Strategy	contentStrategy	(Optional). Select the strategy to use for document content. The various strategies are: <ul style="list-style-type: none"> • text • htmlBody • attachments • textAndAttachments (This is the default). • htmlAndAttachments
RFC 822 Strategy	rfc822Strategy	(Optional). The default is false. If set to true, the server makes an attempt to reconstruct the original RFC 822 message and return it as content. If the document is not in RFC 822 format, the strategy specified by contentStrategy is used instead.
Display Views	displayViews	(Optional). Comma-separated names of views/folders that should be made available by the connector even if they are normally hidden.



Note: Properties are case sensitive.

Permission mapping

The following table shows the mapping between Lotus Notes permissions and the resulting Endeca record properties that are produced.

Lotus Notes permission	Endeca record properties
Reader	Endeca.CMS.AllowReadProperties Endeca.CMS.AllowReadContent
Author	Endeca.CMS.AllowReadProperties Endeca.CMS.AllowReadContent
Manager	Endeca.CMS.AllowReadProperties Endeca.CMS.AllowReadContent