

# **Oracle Tuxedo Application Runtime for IMS**

Release Notes

11g Release 1 (11.1.1.3.0)

December 2011

**ORACLE®**

---

Oracle Tuxedo Application Runtime for IMS, 11g Release 1 (11.1.1.3.0)

Copyright © 2011, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

# Oracle Tuxedo Application Runtime for IMS Release Notes

About This Release . . . . .	1
Components . . . . .	2
IMS Runtime . . . . .	2
IMS Runtime Features . . . . .	2
Interoperability . . . . .	3
<b>Installation Notes . . . . .</b>	<b>3</b>
Platform Support . . . . .	4
Limitations . . . . .	4
See Also . . . . .	4



# Oracle Tuxedo Application Runtime for IMS Release Notes

**December 2011**

---

December 2011 GA

---

This chapter contains the following topics:

- [About This Release](#)
- [Components](#)
- [Interoperability](#)
- [Installation Notes](#)
- [Platform Support](#)
- [Limitations](#)

## About This Release

Oracle Tuxedo Application Runtime for IMS supports IBM IMS applications on Mainframes to be migrated to Oracle Tuxedo. It provides a combination of APIs, tools, and services that allows both online and batch IMS applications to run unchanged, preserving years of IMS business logic and data investment in. It protects application users from change by supporting standard 3270 terminal emulators. It also provides familiar APIs and functions that developers use in their

mainframe applications. The result is the ability to quickly (and with low risk), migrate legacy mainframe applications to open systems running COBOL and C/C++ application servers. This provides substantial cost savings and greater flexibility.

## Components

Oracle Tuxedo Application Runtime for IMS software consists of the following component(s):

- [IMS Runtime](#)

### IMS Runtime

The IMS Runtime component provides:

- a set of DL/I calls that can be called by the COBOL programs migrated from Mainframe.
- a robust session environment based on Oracle Tuxedo to handle concurrent connections from several 3270 terminals
- a robust execution environment to provide OLTP to process the transaction codes received from 3270 terminals via calling the migrated COBOL applications

### IMS Runtime Features

- DL/I Functions for Messaging
  - GU
  - GN
  - ISRT
  - CHNG
  - PURG
- DL/I Functions for System
  - CHKP
  - ROLB
- Region Management
  - Start/Stop regions
  - Control by transaction class

- Transaction Types
  - Non-Response mode transaction code
  - Response mode transaction code
  - Non-conversational transaction code
  - Conversational transaction code
- 3270 Devices
  - TN3270 Interface
  - Basic edit mode
  - MFS mode
- MFSGEN
  - Dynamic and Default attributes
  - Extended attributes
  - Cursor positioning

## Interoperability

Oracle Tuxedo Application Runtime for IMS maintains full interoperability with:

- Oracle Tuxedo 1.1.1.2.0 on all supported platforms
- Oracle Tuxedo 11.1.1.3.0 on Oracle Linux 5.6 (64-bit) on Exalogic 2.0
- Oracle Tuxedo 11.1.1.3.0 on Oracle Linux 5.6 (64-bit) on non Exalogic hardware
- Oracle Tuxedo Application Runtime for Batch 11.1.1.3.0
- Oracle Tuxedo Application Rehosting Workbench 11.1.1.3.0.
- COBOL: MicroFocus COBOL 5.1 and COBOL-IT COBOL 2.9.5.

## Installation Notes

The installation of Oracle Tuxedo Application Runtime for IMS does not require Oracle Tuxedo installation, but Oracle Tuxedo is a prerequisite at runtime.

For more information, see the [Oracle Tuxedo Application Runtime for IMS Installation Guide](#).

## Platform Support

Oracle Tuxedo Application Runtime for IMS supported platforms are listed in the [Oracle Tuxedo Application Runtime for IMS Installation Guide](#).

## Limitations

Please note the following ARTIMS limitations:

1. Only one input message from a terminal is allowed in a single transaction
2. You cannot reply to more than one output messages to terminal in a single transaction
3. You cannot switch to a terminal other than the originator
4. Only the "CBLTDLI" interface is supported
5. Only COBOL programs are supported
6. Only Message formatting option 1 is supported
7. You cannot deploy across heterogeneous machines
8. Do not support IMS default system MOD – DFSMO2 which is used when MOD does not specify both in the application program and the MID "nxt" field. ARTIMS displays the output message as plain text in the terminal, user need to clear the terminal firstly.
9. Because there is different byte Ordering (Big Endian or Little Endian) in COBOL on different open systems, during 'Dynamic Attribute Modification' you cannot specify a decimal integer to attribute bytes directly in a program. It is suggested to specify a hexadecimal value to byte in 'attribute bytes' one at a time.
10. ART Workbench may incorrectly convert the hexadecimal value in COBOL according the `tr-hexa.map` configuration file. You must create the `tr-hexa.map` configuration file according the project itself.

## See Also

- [Oracle Tuxedo Application Runtime for IMS Installation Guide](#)
- [Oracle Tuxedo Application Runtime for IMS Users Guide](#)
- [Oracle Tuxedo Application Runtime for IMS and Reference Guide](#)