

# Oracle® Communications WebRTC Session Controller

Statement of Compliance

Release 7.0

E40979-01

November 2013

---

This document is a statement of compliance for the communications protocols supported by Oracle Communications WebRTC Session Controller.

## Compliant RFCs

WebRTC Session Controller is compliant with the following Internet Engineering Task Force (IETF) standards and protocols Request for Comments (RFCs):

- RFC 5245: Interactive Connectivity Establishment (ICE): A Protocol for Network Address Translator (NAT) Traversal for Offer/Answer Protocols. See <http://tools.ietf.org/html/rfc5245>.
- RFC 5766: Traversal Using Relays around NAT (TURN): Relay Extensions to Session Traversal Utilities for NAT (STUN). See <http://tools.ietf.org/html/rfc5766>.
- RFC 5389: Session Traversal Utilities for NAT (STUN). See <http://tools.ietf.org/html/rfc5389>.
- RFC 3711: The Secure Real-time Transport Protocol (SRTP). See <http://www.ietf.org/rfc/rfc3711.txt>.
- RFC 4568: Session Description Protocol (SDP) Security Descriptions for Media Streams. See <http://tools.ietf.org/html/rfc4568>.
- RFC 5763: Framework for Establishing a Secure Real-time Transport Protocol (SRTP) Security Context Using Datagram Transport Layer Security (DTLS). See <http://tools.ietf.org/html/rfc5763>.
- RFC 5124: Extended Secure RTP Profile for Real-time Transport Control Protocol (RTCP)-based Feedback (RTP/SAVPF). See <http://tools.ietf.org/html/rfc5763>.
- RFC 3261: SIP: Session Initiation Protocol. See <http://www.ietf.org/rfc/rfc3261.txt>.

## Diameter Rx Protocol Support

This section lists the Diameter Rx commands and AVPs that Oracle Communication Policy Controller (Policy Controller) supports. The supported protocol specification is Policy and Charging Control over Rx reference point 3GPP TS 29.214 V.9.9.0 (2011-12) (Release 9).

## Supported Diameter Rx Commands

Table 1 lists the Rx commands supported by Policy Controller.

**Table 1 Supported Rx Commands**

Command	Status	Link to List of Supported AVPs
AA-Request (AAR)	Supported	<a href="#">Supported Rx AA-Request (AAR) AVPs</a>
AA-Answer (AAA)	Supported	<a href="#">Supported Rx AA-Answer (AAA) AVPs</a>
Re-Auth-Request (RAR)	Supported	<a href="#">Supported Rx Re-Auth-Request (RAR) AVPs</a>
Re-Auth-Answer (RAA)	Supported	<a href="#">Supported Rx Re-Auth-Answer (RAA) AVPs</a>
Session-Termination-Request (STR)	Supported	<a href="#">Supported Rx Session-Termination-Request (STR) AVPs</a>
Session-Termination-Answer (STA)	Supported	<a href="#">Supported Rx Session-Termination-Answer (STA) AVPs</a>
Abort-Session-Request (ASR)	Supported	<a href="#">Supported Rx Abort-Session-Request (ASR) AVPs</a>
Abort-Session-Answer (ASA)	Supported	<a href="#">Supported Rx Abort-Session-Answer (ASA) AVPs</a>

## Supported Rx AA-Request (AAR) AVPs

Table 2 lists the supported Diameter Rx AA-Request AVPs.

**Table 2 Supported AA-Request AVPs**

AVP	Status
Auth-Application-Id	Supported
Origin-Host	Supported
Origin-Realm	Supported
Destination-Realm	Supported
Destination-Host	Supported
AF-Application-Identifier	Supported
---- Media-Component-Description	Supported
---- ---- Media-Component-Number	Supported
---- ---- Media-Sub-Component	Supported
---- ---- AF-Application-Identifier	Supported
---- ---- Media-Type	Supported
---- ---- Max-Requested-Bandwidth-UL	Supported
---- ---- Max-Requested-Bandwidth-DL	Supported
---- ---- Flow-Status	Supported
---- ---- Reservation-Priority	Supported. Reused from ETSI TS 183 017 V2.3.1 (2008-9)

**Table 2 (Cont.) Supported AA-Request AVPs**

<b>AVP</b>	<b>Status</b>
---- RS-Bandwidth	Supported
---- RR-Bandwidth	Supported
---- Codec-Data	Supported
---- Media-Component-Number	Supported
---- Media-Sub-Component	Supported
---- Flow-Number	Supported
---- Flow-Description	Supported
---- Flow-Status	Supported
---- Flow-Usage	Supported
---- Max-Requested-Bandwidth-UL	Supported
---- Max-Requested-Bandwidth-DL	Supported
---- AF-Signalling-Protocol	Supported
---- AF-Application-Identifier	Supported
---- Media-Type	Supported
---- Max-Requested-Bandwidth-UL	Supported
---- Max-Requested-Bandwidth-DL	Supported
---- Flow-Status	Supported
---- Reservation-Priority	Supported
---- RS-Bandwidth	Supported Reused from ETSI TS 183 017 V2.3.1 (2008-9)
---- RR-Bandwidth	Supported
---- Codec-Data	Supported
Service-Info-Status	Supported
AF-Charging-Identifier	Supported
SIP-Forking-Indication	Supported
Specific-Action	Supported
Subscription-Id	Supported Reused from RFC 4006.
---- Subscription-Id-Type	Supported Reused from RFC 4006.
---- Subscription-Id-Data	Supported Reused from RFC 4006

**Table 2 (Cont.) Supported AA-Request AVPs**

<b>AVP</b>	<b>Status</b>
Supported-Features	Supported Reused from 3GPP TS 29.229
---- Vendor-Id	Supported Reused from 3GPP TS 29.229
---- Feature-List-ID	Supported Reused from 3GPP TS 29.229
---- Feature-List	Supported Reused from 3GPP TS 29.229
Reservation-Priority	Supported Reused from ETSI TS 183 017 V2.3.1 (2008-9)
Framed-IP-Address	Supported Reused from RFC 4005
Framed-IPv6-Prefix	Supported Reused from RFC 4005
Called-Station-Id	Supported Reused from RFC 4005
Service-URN	Supported
Origin-State-Id	Supported
Proxy-Info	Supported
---- Proxy-Host	Supported
---- Proxy-State	Supported
Route-Record	Supported

**Supported Rx AA-Answer (AAA) AVPs**

Table 3 lists the supported Diameter Rx AA-Answer AVPs.

**Table 3 Supported AA-Answer AVPs**

<b>AVP</b>	<b>Status</b>
Auth-Application-Id	Supported
Origin-Host	Supported
Origin-Realm	Supported
Result-Code	Supported
Experiment-Result	Supported

**Table 3 (Cont.) Supported AA-Answer AVPs**

<b>AVP</b>	<b>Status</b>
Access-Network-Charging-Identifier	Supported
---- Access-Network-Charging-Identifier-Value	Supported
---- Access-Network-Charging-Identifier-Value	Supported
---- Flows	Supported
---- ---- Media-Component-Number	Supported
---- ---- Flow-Number	Supported
---- ---- Final-Unit-Action	Supported Reused from RFC 4006
Access-Network-Charging-Address	Supported
Acceptable-Service-Info	Supported
---- Media-Component-Description	Supported
---- ---- Media-Component-Number	Supported
---- ---- Media-Sub-Component	Supported
---- ---- Flow-Number	Supported
---- ---- Flow-Description	Supported
---- ---- Flow-Status	Supported
---- ---- Flow-Usage	Supported
---- ---- Max-Requested-Bandwidth-UL	Supported
---- ---- Max-Requested-Bandwidth-DL	Supported
---- ---- AF-Signalling-Protocol	Supported
---- ---- AF-Application-Identifier	Supported
---- ---- Media-Type	Supported
---- ---- Max-Requested-Bandwidth-UL	Supported
---- ---- Max-Requested-Bandwidth-DL	Supported
---- ---- Flow-Status	Supported
---- ---- Reservation-Priority	Supported Reused from ETSI TS 183 017 V2.3.1 (2008-9)
---- ---- RS-Bandwidth	Supported
---- ---- RR-Bandwidth	Supported
---- ---- Codec-Data	Supported
---- Max-Requested-Bandwidth-DL	Supported
---- Max-Requested-Bandwidth-UL	Supported
IP-CAN-Type	Supported Reused from 3GPP TS 29.212

**Table 3 (Cont.) Supported AA-Answer AVPs**

<b>AVP</b>	<b>Status</b>
RAT-Type	Supported Reused from 3GPP TS 29.212
Supported-Features	Supported Reused from 3GPP TS 29.229
---- Vendor-Id	Supported Reused from 3GPP TS 29.229
---- Feature-List-ID	Supported Reused from 3GPP TS 29.229
---- Feature-List	Supported Reused from 3GPP TS 29.229
Class	Supported
Error-Message	Supported
Error-Reporting-Host	Supported
Failed-AVP	Supported
---- AVP	Yes
Origin-State-Id	Supported
Redirect-Host	Supported
Redirect-Host-Usage	Supported
Redirect-Max-Cache-Time	Supported
Proxy-Info	Supported
---- Proxy-Host	Supported
---- Proxy State	Supported

**Supported Rx Re-Auth-Request (RAR) AVPs**

[Table 4](#) lists the supported Diameter Rx Re-Auth-Request AVPs.

**Table 4 Supported Re-Auth-Request AVPs**

<b>AVP</b>	<b>Status</b>
Origin-Host	Supported
Origin-Realm	Supported
Destination-Realm	Supported
Destination-Host	Supported
Auth-Application-Id	Supported
Specific-Action	Supported
Access-Network-Charging-Identifier	Supported

**Table 4 (Cont.) Supported Re-Auth-Request AVPs**

<b>AVP</b>	<b>Status</b>
---- Access-Network-Charging-Identifier-Value	Supported
---- Access-Network-Charging-Identifier-Value	Supported
---- Flows	Supported
---- ---- Media-Component-Number	Supported
---- ---- Flow-Number	Supported
---- ---- Final-Unit-Action	Supported Reused from RFC 4006
Access-Network-Charging-Address	Supported
Flows	Supported
---- Media-Component-Number	Supported
---- Flow-Number	Supported
---- Final-Unit-Action	Supported Reused from RFC 4006
Subscription-Id	Supported Reused from RFC 4006
---- Subscription-Id-Type	Supported Reused from RFC 4006
---- Subscription-Id-Data	Supported Reused from RFC 4006
Abort-Cause	Supported
IP-CAN-Type	Supported Reused from 3GPP TS 29.212
RAT-Type	Supported Reused from 3GPP TS 29.212
Origin-State-Id	Supported
Class	Supported
Proxy-Info	Supported
---- Proxy-Host	Supported
---- Proxy-State	Supported
Route-Record	Supported

**Supported Rx Re-Auth-Answer (RAA) AVPs**

Table 5 lists the supported Diameter Rx Re-Auth-Answer AVPs.

**Table 5 Supported Re-Auth-Answer (RAA) AVPs**

<b>AVP</b>	<b>Status</b>
Origin-Host	Supported
Origin-Realm	Supported
Experimental-Result	Supported
---- Vendor-Id	Supported
---- Experimental-Result-Code	Supported
Media-Component-Description	Supported
---- Media-Component-Number	Supported
---- Media-Sub-Component	Supported
---- AF-Application-Identifier	Supported
---- Media-Type	Supported
---- Max-Requested-Bandwidth-UL	Supported
---- Max-Requested-Bandwidth-DL	Supported
---- Flow-Status	Supported
---- Reservation-Priority	Supported Reused from ETSI TS 183 017 V2.3.1 (2008-9)
---- RS-Bandwidth	Supported
---- RR-Bandwidth	Supported
---- Codec-Data	Supported
Service-URN	Supported
Origin-State-Id	Supported
Class	Supported
Error-Message	Supported
Error-Reporting-Host	Supported
Redirect-Host	Supported
Redirect-Host-Usage	Supported
Redirect-Max-Cache-Time	Supported
Failed-AVP	Supported
---- AVP	Supported
Proxy-Info	Supported
---- Proxy-Host	Supported
---- Proxy-State	Supported

**Supported Rx Session-Termination-Request (STR) AVPs**

[Table 6](#) lists the supported Diameter Rx Session-Termination-Request AVPs.



**Table 6 Supported Session-Termination-Request AVPs**

<b>AVP</b>	<b>Status</b>
Origin-Host	Supported
Origin-Realm	Supported
Destination-Realm	Supported
Auth-Application-Id	Supported
Termination-Cause	Supported
Destination-Host	Supported
Class	Supported
Origin-State-Id	Supported
Proxy-Info	Supported
---- Proxy-Host	Supported
---- Proxy-State	Supported
Route-Record	Supported

**Supported Rx Session-Termination-Answer (STA) AVPs**

Table 7 lists the supported Diameter Rx Session-Termination-Answer (STA) AVPs.

**Table 7 Supported Session-Termination-Answer AVPs**

<b>AVP</b>	<b>Status</b>
Origin-Host	Supported
Origin-Realm	Supported
Result-Code	Supported
Error-Message	Supported
Error-Reporting-Host	Supported
Failed-AVP	Supported
Origin-State-Id	Supported
Class	Supported
Redirect-Host	Supported
Redirect-Host-Usage	Supported
Redirect-Max-Cache-Time	Supported
Proxy-Info	Supported
---- Proxy-Host	Supported
---- Proxy-State	Supported

**Supported Rx Abort-Session-Request (ASR) AVPs**

Table 8 lists the supported Diameter Rx Abort-Session-Request (ASR) AVPs.

**Table 8 Supported Abort-Session-Request AVPs**

<b>AVP</b>	<b>Status</b>
Origin-Host	Supported
Origin-Realm	Supported
Destination-Realm	Supported
Destination-Host	Supported
Auth-Application-Id	Supported
Abort-Cause	Supported
Origin-State-Id	Supported
Proxy-Info	Supported
---- Proxy-Host	Supported
---- Proxy State	Supported
Route-Record	Supported

**Supported Rx Abort-Session-Answer (ASA) AVPs**

[Table 9](#) lists the supported Diameter Rx Abort-Session-Answer (ASA) AVPs.

**Table 9 Supported Abort-Session-Answer AVPs**

<b>AVP</b>	<b>Status</b>
Origin-Host	Supported
Origin-Realm	Supported
Result-Code	Supported
Origin-State-Id	Supported
Error-Message	Supported
Error-Reporting-Host	Supported
Failed-AVP	Supported
Redirect-Host	Supported
Redirect-Host-Usage	Supported
Redirect-Max-Cache-Time	Supported
Proxy-Info	Supported
---- Proxy-Host	Supported
---- Proxy State	Supported

**Documentation Accessibility**

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

**Access to Oracle Support**

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or

visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

---

Oracle Communications WebRTC Session Controller Statement of Compliance, Release 7.0  
E40979-01

Copyright © 2013, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

