

# **Oracle® Agile Product Lifecycle Management for Process**

Ready Reports Solution Pack

Extensibility Pack 3.3

**E41415-01**

June 2013

**ORACLE®**

## Copyrights and Trademarks

Agile Product Lifecycle Management for Process

Copyright © 1995, 2013, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and

services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

## Contents

<b>PREFACE</b> .....	<b>8</b>
Audience .....	8
Variability of Installations .....	8
Documentation Accessibility.....	8
Access to Oracle Support .....	8
Software Availability .....	8
<b>INTRODUCING READY REPORTS</b> .....	<b>9</b>
Purpose .....	9
Overview .....	9
Usage Examples .....	9
Business Objects .....	9
<b>INSTALLING/UPGRADING AND CONFIGURING READY REPORTS</b> .....	<b>12</b>
Installing the Solution Pack.....	12
Database Setup .....	12
Application Installation/Upgrade.....	13
Installation .....	13
Upgrade.....	13
Alternative Installation Option .....	14
Assigning Roles.....	14
<b>ACCESSING READY REPORTS</b> .....	<b>14</b>
Ready Reports Listing Page .....	15
<b>READY REPORT DETAILS PAGE</b> .....	<b>16</b>
Ready Reports Creator Page .....	17
Summary Information.....	17
Search Information .....	18
Search Criteria.....	18
Search Results .....	20
<b>USING CONTEXTUAL VARIABLES</b> .....	<b>20</b>

<b>USING READY REPORTS IN AGILE PLM FOR PROCESS APPLICATIONS.....</b>	<b>23</b>
Local Browser Bookmarks.....	23
Sharing with the Entire User Base .....	24
<b>SECURITY AND ACCESS .....</b>	<b>26</b>
Security .....	26
Visibility.....	26
Site Access.....	26
Ready Report Veto Plugin .....	26
Specification Veto Plugin .....	26
<b>ADJUSTING REPORT VIEWS.....</b>	<b>27</b>
Terminology .....	27
Configuration Files .....	27
Report Views Structure .....	27
Model.....	28
MandatoryProperty .....	28
SearchableProperties.....	28
ColumnInfo.....	29
Adding New Report Views .....	31
<b>CONTEXTUAL VARIABLES INDEX.....</b>	<b>32</b>
DRL.....	32
EQ.....	32
GSM.....	32
NPD .....	36
NSM.....	37
PQM .....	37
PQS.....	39
SCRM .....	40
UGM.....	42

<b>MODELS INDEX</b> .....	<b>43</b>
ADMN.....	43
Custom Section .....	43
Extended Attribute.....	43
Component Catalog .....	43
Component Catalog Term.....	43
DRL.....	44
DRL Document .....	44
EQ.....	44
Material EQ Request .....	44
Packaging EQ Request.....	45
Printed Packaging EQ Request.....	46
Product EQ Request .....	47
Trade EQ Request .....	47
GSM.....	48
Delivered Material Packing Specification .....	48
Equipment Specification .....	49
Formulation Specification .....	51
Global Succession Request .....	52
GSM Activity.....	52
Labeling Specification .....	53
LIO Profile.....	54
Master Specification .....	55
Material Specification .....	56
Menu Item Specification.....	58
Nutrient Profile .....	61
Packaging Specification.....	62
Packing Config Specification .....	64
Printed Packaging Specification.....	65
Product Specification .....	66
Testing Protocol .....	69
Trade Specification View: SpecSummaryView .....	69

NPD ..... 72

    Innovations/Sales Pipeline ..... 72

    Project ..... 72

    Strategic Brief ..... 73

NSM ..... 74

    Nutrient Analysis ..... 74

    Nutrient Composite ..... 74

PQM ..... 75

    Action ..... 75

    Audit ..... 76

    Issue ..... 78

PQS ..... 79

    Lot Sample ..... 79

    Session ..... 80

    Scorecard ..... 80

SCRM ..... 81

    Company ..... 81

    Company/Facility SDM ..... 81

    Facility ..... 82

    Non-Spec Sourcing Approval ..... 83

    Spec Related Sourcing Approval ..... 83

    Non-Spec Sourcing Approval SDM ..... 84

    Spec Sourcing Approval SDM ..... 85

UGM ..... 86

    Group ..... 86

    User ..... 86

WFA ..... 86

    GSM Workflow Process Template ..... 86

    PQM Workflow Process Template ..... 87

    SCRM Workflow Process Template ..... 87

## Preface

### Audience

This guide is intended for client programmers involved with integrating Oracle Agile Product Lifecycle Management for Process. Information about using Oracle Agile PLM for Process resides in application-specific user guides. Information about administering Oracle Agile PLM for Process resides in the *Agile Product Lifecycle Management for Process Administrator User Guide*.

### Variability of Installations

Descriptions and illustrations of the Agile PLM for Process user interface included in this manual may not match your installation. The user interface of Agile PLM for Process applications and the features included can vary greatly depending on such variables as:

- Which applications your organization has purchased and installed
- Configuration settings that may turn features off or on
- Customization specific to your organization
- Security settings as they apply to the system and your user account

### Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

### Software Availability

Oracle Software Delivery Cloud (OSDC) provides the latest copy of the core software. Note the core software does not include all patches and hot fixes. Access OSDC at: <http://edelivery.oracle.com>.

## Introducing Ready Reports

### Purpose

This guide describes how to install, configure, and use the Ready Reports Solution Pack. Solution packs are designed to be pluggable modules that can be added to the Agile PLM for Process application suite without modifying the existing release code base.

### Overview

Ready Reports allow users to quickly access data they need in the context they need it. Ready reports are saved entity query tool (EQT) searches that are available for business objects in Agile PLM for Process. Since ready reports has its own administration interface, reports can be created and managed by business users. No technical report writing skills are necessary.

Reports can be saved as local browser bookmarks or individually shared with other users. Reports can even be shared to the entire user community by adding new navigation items throughout Agile PLM for Process applications. Refer to the *Agile Product Lifecycle Management for Process Navigation Configuration Guide* for more information

### Usage Examples

The possibilities around how you use ready reports are virtually endless. Here are a few common use cases that can be accomplished with ready reports.

1. Find all finished goods with the allergen of X, created in the last 90 days.
2. Show me all packaging specifications that will be effective in the next 20 days.
3. Find all completed recalls performed in the last year.
4. Show all supplier documents associated to this material specification.
5. Find all facility audits that are due in the next 120 days.
6. Find all companies that could potentially source this material.
7. Show me all raw materials that are currently owned by Employee X.
8. Find all NPD projects in stage 2, 3 or 4 slotted for plant X.
9. Find all PQS sessions performed in the last 10 days at this location.

### Business Objects

Ready reports are available for the following business objects:

Application	Object
ADMN	Custom Section
ADMN	Extended Attribute
CC	Component Catalog Term
DRL	DRL Document
eQ	Material eQuestionnaire

<b>Application</b>	<b>Object</b>
eQ	Packaging eQuestionnaire
eQ	Printed Packaging eQuestionnaire
eQ	Product eQuestionnaire
eQ	Trade eQuestionnaire
GSM	Delivered Material Packing Specification
GSM	Equipment Specification
GSM	Formulation Specification
GSM	Global Succession Request
GSM	GSM Activity
GSM	Labeling Specification
GSM	LIO Profile
GSM	Master Specification
GSM	Material Specification
GSM	Menu Item Specification
GSM	Nutrient Profile
GSM	Packaging Specification
GSM	Packing Config Specification
GSM	Printed Packaging Specification
GSM	Product Specification
GSM	Testing Protocol
GSM	Trade Specification
NPD	Innovations/Sales Pipeline
NPD	Project
NPD	Strategic Brief
NSM	Nutrient Analysis
NSM	Nutrient Composite
PQM	Action
PQM	Audit
PQM	Issue
PQS	Lot Sample
PQS	Session
PQS	Scorecard
SCRM	Company
SCRM	Company/Facility SDM
SCRM	Facility
SCRM	Non-Spec Sourcing Approval
SCRM	Non-Spec Sourcing Approval SDM
SCRM	Spec Related Sourcing Approval
SCRM	Spec Sourcing Approval SDM
UGM	Group
UGM	User
WFA	GSM Workflow Process Template
WFA	PQM Workflow Process Template
WFA	SCRM Workflow Process Template



## Installing/Upgrading and Configuring Ready Reports

*Note:* You must have v6.1.1.1.0 of PLM for Process installed to use this solution pack.

### Installing the Solution Pack

To install Ready Reports solution pack:

1. Unzip the contents of ExtensibilityPack\_v3.3\_Release.zip.
2. Unzip the contents of the SolutionPacks\ReadyReports\ReadyReports.zip and note the location.

### Database Setup

Database scripts need to be executed for new installations and upgrades of Ready Reports.

1. Create a backup of the Prodika database.
2. Apply the Database Scripts
  - a. SQL Server
    - i. Open a command prompt and navigate to the directory where you unzipped the solution pack.
    - ii. Change directories (cd) to the Database directory.
    - iii. Apply the scripts using the following call to the ApplyScripts.exe utility:
 

```
ApplyScripts -c "server=<database_server>;uid=<user>;password=<password>;database=<database>" -f ReadyReports.xml
```
    - iv. After the ApplyScripts call, you can confirm that the database scripts have been applied successfully when the system prompts you with the following message:
 

```
"Complete - with no errors"
```
  - b. Oracle
    - i. Open a command prompt and navigate to the directory where you unzipped the solution pack.
    - ii. Change directories (cd) to the Database directory.
    - iii. Apply the scripts using the following call to the ApplyScripts.exe utility:
 

```
ApplyScripts -c "User Id=<user>;Password=<password>; Data Source=<datasource>" -dbvendor="orcl" -f ReadyReports-orcl.xml
```
    - iv. After the ApplyScripts call, you can confirm that the database scripts have been applied successfully when the system prompts you with the following message:
 

```
"Complete - with no errors"
```

## Application Installation/Upgrade

The ReadyReportsSetup.exe file supports [installation](#) and [upgrade](#) of the Ready Reports Solution Pack.

### Installation

1. Ensure the [Database Setup](#) has been completed.
2. Run the ReadyReportsSetup.exe file from the location where you unzipped the solution pack and follow the on-screen instructions to install the necessary files to your specified PLM for Process home directory. A backup folder called SolutionPacks611Backup is created during the installation to facilitate the uninstall process. Inside of that folder, a new folder called ReadyReports will be created to hold the files that were changed during the installation.

*Note:* The installer creates a new application pool in IIS for ready reports. If you are using Integrated Security, you will need to set the identity of the new application pool to match the other application pools for your site.

3. Restart IIS.

*Note:* One of the files copied in step 2 is the navigation extension that adds Ready Reports to the Application Navigation:

```
<MenuItem DisplayText="**Ready Reports" ID="lblReadyReports"
NavigateUrl="{dc:ReadyReports}/Main.aspx?ContentKey=ListReadyReports"
SecurityProfileRef="ReadyReportAdmins" SkinRef="DefaultSkin"
SortOrder="9999" /></MenuItem>
```

To learn more about navigation extensibility and creating security profiles, see the *Agile Product Lifecycle Management for Process Navigation Configuration Guide* in the Extensibility Pack.

4. Login to the application.

### Upgrade

1. Ensure the [Database Setup](#) has been completed.
2. If you have made changes to any of the following, make sure to backup the files before running the upgrade:
  - a. PRODIKA\_HOME\config\extensions\extensionviews.xml
  - b. PRODIKA\_HOME\config\extensions\ReadyReports.xml
  - c. PRODIKA\_HOME\config\extensions\ReadyReportsDisplayExtensions.xml
3. Run ReadyReportsSetup.exe and follow the on-screen instructions to perform the upgrade.
4. Once the installer has completed, merge any of your changes to the files listed above into the new files from the installer.
5. Restart IIS.
6. Login to the application.

## Alternative Installation Option

For environments where the PQM application has been installed against a different database than the other PLM4P applications, a 2nd Ready Reports application will need to be setup to allow users to run Ready Reports against the PQM objects. In order to setup Ready Reports for this configuration you will need to re-run the Ready Reports installation on the other environment.

## Assigning Roles

Two roles exist for Ready Reports. The user must have one of these roles to access the ready reports administration application. Roles can be added using the UGM application.

**[READY\_REPORT\_ADMIN]**—This role allows a user to access the ready reports administration application. This user can create ready reports as well as edit reports they originated.

**[READY\_REPORT\_SUPER\_ADMIN]**— This role allows everything READY\_REPORT\_ADMIN allows however this role allows the user to adjust the Max Results field. Editing the Max Results field could greatly affect performance so this role should be reserved for a more technical administrator.

## Accessing Ready Reports

Once a ready report is installed, the administrator accesses them by clicking **Ready Reports** in the top menu bar or in the left navigation panel of the application.

**Figure 1. Ready Reports option, top menu bar**




Figure 2. Ready Reports option, left navigation panel



Choosing these options shows the Ready Reports listing page, which lists saved ready reports and is used to create new reports, shown below.

## Ready Reports Listing Page

Figure 3. Ready Reports listing page

	Report ID #	Report Name	
11	1293	Supplier Documents - Expire Next Month	
12	1291	Material Questionnaires - Returned This Week	
13	1290	Supplier Documents - Expire in 2 weeks	
14	1289	Project - Prototypes Project Blue	
15	1288	Project - Created Yesterday	
16	1287	Project - Prototypes Sunny Days	
17	1286	Supplier Documents	
18	1285	Prototypes Assigned to this Project	
19	1282	Approved formulations where this material is used	
20	1281	Where Used-Trade Spec	

10 ◂ ◃ ◀ ▶ 1... 1 2 3 4 ...4 ▶

To preview a report, click the view details icon ().

To edit a report, click anywhere in the corresponding row. The Ready Reports Details page is displayed, as shown on page 16.

To delete a report, click the delete icon (). You will be prompted to confirm the deletion; click **OK** to delete the report, or **Cancel** to cancel.

To create a new report, click the **Create New** icon () or select **New** from the action menu. The Ready Reports Creator Page is displayed. Its use is described on page 17.

## Ready Report Details Page

This page displays when the administrator selects a report from the Ready Reports listing page. The report opens in edit mode.

**Figure 4. Ready Report details page**

**Supplier Documents - Expire in 30 days (1290)**  
Ready Report

**Summary Information**

**Report Name:** Supplier Documents - Expire in 30 days

**Originator:** User, Business

**Report ID:** 1290

**Report URL:** http://corpsystem4.us.oracle.com/ReadyReports/ReadyReports.aspx?pkid=1108481fc7eb-eae0-45d2-a2e4-2b56c17af798

**Max Results:** 500 (Max Results over 500 require a performance evaluation)

**Hide Criteria:**

**Search Information**

**Target Object:** Spec Sourcing Approval SDM

**Report View:** ManagedDocumentMultiSelect

**Search Criteria**

Expiration Date:  Next (Today + X):  30 day(s)

## Ready Reports Creator Page

This page displays when the user creates a ready report by selecting the **New** menu option or the **Create New** icon (  ). This page allows users to build a ready report. Results can be previewed by clicking **Preview**.

*Note:* If the report is using active object, the Preview button will not display search results. Instead a message is displayed indicating search results are not available.

**Figure 5. Ready Reports Creator Page**



The ready report page is comprised of the Summary Information and Search Information sections.

### Summary Information

This section defines the ready report. Key fields include:

Field Name	Description
<b>Report Name</b>	The Name associated with the ready report. This will be used as the title for the popup where the ready report is displayed. This is a required field.
<b>Originator</b>	System-assigned user who created the report. Only the originator can view and edit this report in the ready reports administration application.
<b>Report ID</b>	System-assigned ID.

Field Name	Description
<b>Report URL</b>	The actual URL to be used to access the ready report. This could be used on its own or included as part of a navigation extension. For more information on the navigation extensions, please refer to the <i>Agile Product Lifecycle Management for Process Navigation Configuration Guide</i> .  <i>Note:</i> When active object contextual variables are included in criteria, this URL has to be accessed using a navigation extension.
<b>Max Results</b>	Maximum number of search results returned. This field is visible to users with the [READY_REPORT_SUPER_ADMIN] role. <i>Note:</i> Use caution when adjusting this field beyond 500 items; doing so could have large performance implications.
<b>Hide Criteria</b>	If checked, search criteria are hidden in consumed ready reports. This allows you to lock down a ready report criteria set. When it is essential that end users are not allowed to adjust the ready report results, then it should be hidden.

### Search Information

This section contains two fields that define the search:

Field Name	Description
<b>Target Object</b>	Target object defines the object the search will be performed against. This could be any of the objects defined in the Overview section on page 9.
<b>Report View</b>	Report view defines the fields that can be used in the search criteria as well as the search result columns. Views and available fields are detailed beginning on page 27.

### Search Criteria

The search criteria define the actual data that will be used to determine the report results. Criteria available will depend on the report view that is selected. There are two types of criteria that can be added as search criteria:

Field Name	Description
<b>Manual Criteria</b>	The ready report itself declares the search item. The search item is manually saved by the ready report administrator. For example, Classification equals "Critical". Critical was manually placed by the ready report administrator and will always be "Critical" no matter where the ready report is executed from. See below for more information on using the search criteria tool.

Field Name	Description
<b>Contextual Criteria</b>	When using contextual criteria, the object the user is on when executing the ready report will decide the search item. For example, assume the user is on a material specification with the classification of "Active Ingredient." When the user executes the ready report from that material specification, the criteria will be Classification equals "Active Ingredient." If the user was on a material specification with a classification of "Critical," then the criteria would use "Critical" as the search item. See the Using Contextual Variables section on page 20 for more information about the available contextual variables.

To find an object using the search page, set search criteria using a combination of three basic fields in the Search Criteria section.

Field Name	Description
<b>Key Field List</b>	Select from a list of fields to search in. This list varies based on the report view that you chose.
<b>Operator</b>	Select from a list of operators based on the criteria that you chose in the key field list. A few examples include Equals, Not Equals, Contains, and Starts With.
<b>Search Term</b>	The actual word or words that you are looking for. If this field is preceded by an add data icon (  ), click it to view a dialog box with available choices. You can also enter a percent sign (%) to perform a wildcard search.

The search page includes the following buttons:

**Reset** — Clears all search criteria fields and results.

**Preview** — Previews your search results including the Search Results section in a pop-up window. If the search includes an active object contextual variable, clicking this button returns an error message.

The more criteria icon (  ) displays to the right of the search term field. When clicked, more criteria creates another row of the main three search fields. You can use additional rows to enter additional search parameters. For example, you can search for all specification names that contain "Milk" that are in the "Approved" status.

This less criteria icon (  ) appears when additional search rows are added using the more criteria icon.

Additional buttons appear to the right of the search term field if contextual variables are available, as described on page 20.

### Additional Notes about Search Criteria

1. At this time “blind” searches, where search criteria are empty, are not allowed. While the system allows you to save a blind search, when the search is run, an error is returned stating no search criteria were defined.
2. When searching using only additional search criteria, you must include a wildcard search in the main search criteria section. For example, **Spec Name Contains %**, then the additional search criteria for the extended attribute, breakdown item, or custom section.
3. The maximum number of criteria rows is 10, unless you are using relative dates. Relative dates count as 2 rows, so the maximum number of relative date fields without other criteria would be 5. If other criteria are defined, the number of date fields will vary. For example, if you have 8 other fields defined, you would only be able to use one relative date.

### Search Results

The search results show the actual data that will be returned from the search that was created. Search result columns are determined by the report view. If the search includes an active object contextual variable, an error message is returned instead of results.


After completing the fields above, click **Save** () or **Save & Close** () to save the report.

### Using Contextual Variables

Ready reports allow you to use contextual variables. This means a ready report can use the user’s context, location in the application, or date as search criteria. For example, a user can be on a material specification and run a ready report that finds all formulation specifications that use that material specification as an input that they are the owner of that are effective in the next 30 days.

Note: Contextual Variables that pull data from objects in other applications will not work for PQM object reports when PQM is configured to use a different database than the rest of the PLM4P applications. PQM could also be set up to use a 3rd party application(s) instead of GSM, SCRM & NPD. Contextual variables that pull data from those areas that are configured to use third party applications will not work.

**Figure 6. Sample consumed ready report, delivered material specification.**



There are currently three categories of contextual variables available:

Field Name	Description
<b>Object</b>	Allows you to use values from fields on an active object as input to the search criteria. For example, “Show me all supplier documents associated to this material.” From a material or packaging specification the ready report can find all specification-related sourcing approval documents associated to the active specification the user is on.
<b>User</b>	Allows you to use the current user running the report as input to the search criteria. For example, you can use the active user as a variable. This allows you to create reports like “Show me all trade specifications that I own” or “Show me all material specifications that I created.”
<b>Date</b>	Allows you to use date variables as search criteria. For example, to say the “Next 30 days” the system assumes today's date and adds 30 days to today's date for search criteria. Options available are:  <b>Last (Today - X)</b> for the last X days <b>Next (Today + X)</b> for the next X days <b>Between (Today +/- X)</b> for a date range, for example, Today + or - 20 days  This allows you to create reports like “Show me all company supplier documents that expire in the next 30 days.”

You can add contextual variables in your search criteria by selecting one of the following icons:

Click the active object icon (  ) to add the current active object as the search term

Click the active user icon (  ) to add the current active user

Click the relative date icon (  ) to add the current relative date.

The clear icon (  ) appears once you add the active object, active user, or relative date.

Not all criteria support contextual variables. For a full listing of supported variables see the Contextual Variables Index on page 32.

*Note:* When using active object variables, ready reports can only be executed from contextual locations. This means they have to be added as navigation items and cannot be used as personal bookmarks or standalone URLs. This is because the context actually drives the report criteria; if executed from a bookmark the system has no context to pull criteria from.

To test your ready report with active object contextual variables without adding it to the navigation, the following URL can be used once your report is saved.

http://<URL>/ReadyReports/readyreports.aspx?pkid=<READYREPORTPKID>&ao=<ACTIVEOBJECTPKID>

Field Name	Description
<b>READYREPORTPKID</b>	This pkid can be found in the browser’s address bar when you have the ready report open in Ready Report Administration. See Figure 7 below.
<b>ACTIVEOBJECTPKID</b>	This pkid can be found in the browser’s address bar when you have the specification/object open. <i>Note:</i> Not all objects will have the pkid in the browser's address bar. For these objects a navigation item has to be added to test the report.

**Figure 7. URL for testing ready reports containing contextual variables**



## Using Ready Reports in Agile PLM for Process Applications

Reports can be saved as local browser bookmarks or individually shared with other users. Reports can even be shared to the entire user community by adding new navigation items throughout Agile PLM for Process applications.

### Local Browser Bookmarks


The fastest and easiest way for a user to use a ready report would be to save the report as a local browser bookmark. This allows users to create relevant groupings of objects. For example, you can create a report that finds all formulations tied to a specific NPD project. Now the user will have one click access to every formulation they are currently working on within that project.

*Note:* By nature of design, reports containing active objects cannot be bookmarked.

Once you have a ready report created, follow these steps to bookmark your report:

1. Open the Ready Reports Administration application.
2. Locate the ready report you would like to bookmark in the ready report listing.
3. Select view details icon (  ).
4. Your ready report will open in a new browser window and from there you can now add this page to your favorites by clicking **Add to favorites** in your browser, as Figure 8 shows below.

**Figure 8. Adding a Favorite to your browser**



Or

1. Open the Ready Reports Administration application.
2. From the Ready Reports Details page, click the favorites icon (  ) to the right of the Report URL field.

A ready report can be shared with other users just by sharing the system-generated URL.

1. Open the Ready Reports Administration application.
2. Open the ready report you would like to share.
3. Copy the Report URL.
4. Paste the URL in email or instant message to share with other users.

*Note:* By nature of design, reports containing active object contextual variables cannot be shared via URL link.

### Sharing with the Entire User Base

Reports can even be shared with the entire user community by adding new navigation items throughout Agile PLM for Process applications. Navigation items can have their own security rules so based on your configuration only the users you want to share the link with will see the link. Navigation items can be added to any application and context can be very specific. For example, you can provide a report that allows users to see all expired supplier documents. It can be linked only to a material specification and seen by users in the group “Supplier Managers”. The figures below show how navigation items might be added for NPD.

*Note:* Reports containing active objects can be shared using this method.

**Figure 9. Icon from NPD**



Figure 10. Navigation menu example from NPD





Figure 11. Report run from NPD



Refer to the *Agile Product Lifecycle Management for Process Navigation Configuration Guide* for more information.

## Security and Access

### Security

All ready reports support GSM and SCRM business unit (BU) security. See the *Agile Product Lifecycle Management for Process Security Configuration Guide* for more information.

### Visibility

All ready reports respect BU and workflow visibility.

### Site Access

Individual site access controls which ready reports administrators and end users have access to. For example, if users only have site access to SCRM but they are a ready report administrator, they will only see target objects related to the SCRM application. All other application objects are hidden from their view.

The same goes for end users. If the end users only have site access for GSM, they will not be able to execute a ready report that uses an SCRM target object. If attempted, the users see a No Permissions error. Site access is assigned in UGM. Refer to the *Agile Product Lifecycle for Process Administrator User Guide* for more information.

*Note:* Users with the NPD\_PARTNER role will not be able to execute any NPD ready report, regardless of site access. Access to DRL is role-based so, users must have one of the following roles to access DRL: [DRL\_CREATOR], [DRL\_EDITOR], or [DRL\_VIEWER].

### Ready Report Veto Plugin

If the out of the box security filters do not cover your specific use cases, the specification veto plugin can be used. For example, a user may have site access to GSM, but you do not want them to access a ready report that returns formulation specifications. A veto plugin can be deployed that checks the UGM user group and exact target object restricting the user's access.

### Specification Veto Plugin

The ready reports framework uses a veto handler to extend security logic. Custom security rules can be evaluated when determining the ability to execute a ready report. The specification veto plugin is an extension point available to all ready reports. The custom class evaluates the current ready report and returns a true or false giving access to the results of the report or not.

### Technical Documentation

Refer to the PluginExtensions document, located in the Extensibility Pack ReferenceImplementations\PluginExtensions\Documentation folder for more details.

### Available Reference Implementations

This plugin is an example of a ready report veto handler. In this example, if the users' last name is Janjua or ready report model is based on material specification, they will not be able to see a report.

The reference implementation file can be found in:

SolutionPacks\ReadyReports\ReferenceImplementations\ReadyReportVetoHandlerPluginDemo.cs

## Adjusting Report Views

Report Views can be extended. A report view allows you to customize the result columns returned for a ready report. There is a limit of 20 columns that can be returned as search results. To perform this extension, you will need to have access to the configuration files and permissions to reset IIS.

The choices of result columns are limited to what is included in the Models Index.

*WARNING:* When the ready reports application is upgraded, you will need to apply these configuration changes again. Comments are recommended so you can easily see which views were added.

## Terminology

Here are some general terms that are used.

Term	Description
<b>Models</b>	Models define which criteria and search result columns are available.
<b>Views</b>	Views define which criteria and result columns are actually shown to the user.
<b>Mandatory Property</b>	A property used in a view that filters data returned based on security, visibility or configuration rules.

## Configuration Files

New report views should be added to the ExtensionViews.xml file located inside the config\Extensions folder by completing the following steps:

1. Back up the **ExtensionViews.xml** file.
2. Make adjustments to the **ExtensionViews.xml** file.
3. Reset IIS and review your new report view within the ready reports UI.

## Report Views Structure

The report view node structure looks like this:

```
< ReportViewName >
<AllowedModels>
<Model>
  <MandatoryProperty>
  <SearchableProperties>
  <DisplayColumns>
    <ColumnInfo>
  </DisplayColumns>
```

```
</Model>
</AllowedModels>
</ReportViewName>
```

## Model

This represents the search model being used in the view. The name will generally tell you what target object you are running your report against. For example, most target objects in GSM are named: “Main [Type] Specification”. A specific example, the packaging specification search page, uses the following view:

```
<Model active="true" name="Main Packaging Specification" alias="lblType1009"
orderByColumns="-" captionColumn="0" primaryKeyColumnName="SpecID">
```

## MandatoryProperty

This represents the filters being applied to the search view. **These should not be edited.**

## SearchableProperties

This node is generally used to exclude certain search criteria based on configurations.

## DisplayColumns

This node represents the actual result columns that are displayed to the user. Here is where columns can be removed or added.

The example below shows the result columns for the main packaging specification search in GSM.

```
<DisplayColumns>
  <ColumnInfo width="79" dataField="SpecNumber" dataFieldCaption="lblSpecNumber"/>
  <ColumnInfo width="256" dataField="SpecName" dataFieldCaption="lblSpecName"/>
  <ColumnInfo width="87" dataField="CurrentStatus"
dataFieldCaption="lblSpecSummaryStatus"
dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.WorkflowStatusDataColumnTr
ansformerFactory,EQTService"/>
  <ColumnInfo width="225" dataField="Taxonomy" dataFieldCaption="lblTaxonomy"/>
  <ColumnInfo width="102" dataField="Supercedes" dataFieldCaption="lblSupercedes"
dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.SpecSupercedesDataTransfor
merFactory,PlatformExtensions"/>
  <ColumnInfo width="100" dataField="ctxSysEquiv"
dataFieldCaption="lblContextSensitiveSysEquivCtlEquivalent"
dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.GSMContextSensitiveEquival
entDataTransformerFactory,PlatformExtensions"
enableHandler="Class:Xeno.Prodika.EQTService.SearchablePropertyHandlers.FeaturePropertyItemEna
bledResolverFactory,EQTService$GSM.EQT.CrossReferences.Enabled"/>
</DisplayColumns>
```

## ColumnInfo

The ColumnInfo node represents the actual result column. It has the following available attributes:

Attribute	Description
<b>dataField</b>	The actual id for the data to be returned. Please refer to the included Available Views and Models Index for the ids that can be used.
<b>dataFieldCaption</b>	The translatable label that will be used as the column header. Please refer to the included Available Views and Models Index for the data field captions that can be used.
<b>Width</b>	This is the column width designated in pixels. Make sure when you remove or add a column the new total width remains at 849 pixels. For example, if you were to add a column that was 150 pixels in width that would bring the total to 999. You must remove width from the other existing columns so that it once again equals 849 pixels.
<b>dataTransformer</b>	This is code that transforms the data returned in a recognizable string to the user.
<b>isAggregatable</b>	Used to display results that have more than one value. If set to true, the results will be combined into a single row, otherwise, one row will be returned for each value. For example, multiple Business Units can be added to a specification so the report will return multiple values for a single column.
<b>aggregationDelimiter</b>	Character used to divide the aggregated results.

*Important Note:* Columns that are added will be sortable. However, these columns will only be sorting the string of text returned. So if you are returning a date or number in your column, sorting will not appear to be functioning correctly.

### Example: Adding Business Unit to Packaging Search Results

1. Find the “Main Packaging Specification” search view inside **ExtensionViews.xml**.
2. Find the **<DisplayColumns node>**.

```
<DisplayColumns>
    <ColumnInfo width="79" dataField="SpecNumber"
dataFieldCaption="lblSpecNumber"/>
    <ColumnInfo width="256" dataField="SpecName" dataFieldCaption="lblSpecName"/>
    <ColumnInfo width="87" dataField="CurrentStatus"
dataFieldCaption="lblSpecSummaryStatus"
dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.WorkflowStatusDataC
olumnTransformerFactory,EQTService"/>
    <ColumnInfo width="225" dataField="Taxonomy" dataFieldCaption="lblTaxonomy"/>
    <ColumnInfo width="102" dataField="Supercedes"
dataFieldCaption="lblSupercedes"
dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.SpecSupercedesDataT
ransformerFactory,PlatformExtensions"/>
</DisplayColumns>
```

```

    <ColumnInfo width="100" dataField="ctxSysEquiv"
    dataFieldCaption="lblContextSensitiveSysEquivCtlEquivalent"
    dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.GSMContextSensitive
    EquivalentDataTransformerFactory,PlatformExtensions"
    enableHandler="Class:Xeno.Prodika.EQTService.SearchablePropertyHandlers.FeatureProperty
    ItemEnabledResolverFactory,EQTService$GSM.EQT.CrossReferences.Enabled"/>
  </DisplayColumns>

```

3. Add a new Column node after the Equivalent column (ctxSysEquiv) using the Approved Business Unit dataField id, FieldCaption label, and appropriate width. Since the Approved Business Unit column can contain multiple values, the aggregation and dataTransformer attributes have been defined.

```

<ColumnInfo width="125" dataField="ApprovedForUseBUDisplayName"
dataFieldCaption="lblBusinessUnit"
dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataCol
umnTransformerFactory,EQTService" isAggregatable="true" aggregationDelimiter=", " />

```

```

<DisplayColumns>
  <ColumnInfo width="79" dataField="SpecNumber"
dataFieldCaption="lblSpecNumber"/>
  <ColumnInfo width="256" dataField="SpecName" dataFieldCaption="lblSpecName"/>
  <ColumnInfo width="87" dataField="CurrentStatus"
dataFieldCaption="lblSpecSummaryStatus"
dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.WorkflowStatusDataC
olumnTransformerFactory,EQTService"/>
  <ColumnInfo width="225" dataField="Taxonomy" dataFieldCaption="lblTaxonomy"/>
  <ColumnInfo width="102" dataField="Supercedes"
dataFieldCaption="lblSupercedes"
dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.SpecSupercedesDataT
ransformerFactory,PlatformExtensions"/>
  <ColumnInfo width="100" dataField="ctxSysEquiv"
dataFieldCaption="lblContextSensitiveSysEquivCtlEquivalent"
dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.GSMContextSensitive
EquivalentDataTransformerFactory,PlatformExtensions"
enableHandler="Class:Xeno.Prodika.EQTService.SearchablePropertyHandlers.FeatureProperty
ItemEnabledResolverFactory,EQTService$GSM.EQT.CrossReferences.Enabled"/>
  <ColumnInfo width="125" dataField="ApprovedForUseBUDisplayName"
dataFieldCaption="lblBusinessUnit"
dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataCol
umnTransformerFactory,EQTService" isAggregatable="true" aggregationDelimiter=", " />
</DisplayColumns>

```

4. To support 1024x768 resolutions, make sure your total width matches what it was before your addition. In this example the total width was 849 pixels. So you will need to remove 125 pixels of width from pre-existing column(s), like specification name.

```

<ColumnInfo width="131" dataField="SpecName" dataFieldCaption="lblSpecName"/>

```

5. Reset IIS.
6. Go to a Ready Report and select the **Packaging Specification** target object and verify the new column appears.

## Adding New Report Views

New report views can be added by copying an existing view and changing the view name and corresponding attributes. This allows you to offer multiple report views per target object.

The report view node structure looks like the following. [ReportViewName] will appear in the report view dropdown for the target object specified in the <Model> node.

```
<ReportViewName>
<AllowedModels>
<Model>
  <MandatoryProperty>
  <SearchableProperties>
  <DisplayColumns>
    <ColumnInfo>
  </DisplayColumns>
</Model>
</AllowedModels>
</ReportViewName>
```

## Contextual Variables Index

The following contextual variables are supported in search criteria. Refer to the **ReadyReports.xml** configuration file for further details.

### DRL

Search Model	Available Variables
DRL Document	Catalogs Classification Document Date Effective Date Expiration Date Originator Status

### EQ

Search Model	Available Variables
All EQ Models contain these variables:	Additional Administrators (Users) Additional Administrators (Groups) Company Name Date Received Date Sent Due Date Primary Owner Status

### GSM

Search Model	Available Variables
<i>GSM - All models except Global Succession, Activity Specification, and LIO Profile contain these variables:</i>	Associated Specs: Name and Number Category Created Current Workflow: Owner or Group Effective Last Edit Originator Short Name Status Workflow

**Search Model**

**Available Variables**

<b>Delivered Material Packing Specification</b>	Inactive
<b>Search Model</b> Equipment Specification	<b>Available Variables</b> Inactive
<b>Search Model</b> Formulation Specification	<b>Available Variables</b> Facility Inactive Input Item Input Item (plus alternates) NPD Project Output Item
<b>Search Model</b> Labeling Specification	<b>Available Variables</b> Inactive
<b>Search Model</b> Master Specification	<b>Available Variables</b> Inactive
<b>Search Model</b> Material Specification	<b>Available Variables</b> Known to Contain: Additives, Allergens, Intolerances May Contain: Additives, Allergens, Intolerances Does Not Contain: Additives, Allergens, Intolerances BD Component Term or Alias BD Component Term Classification Country of Origin Inactive Material Type Output Type Receiving Facilities Source Facility

<b>Search Model</b>	<b>Available Variables</b>
Menu Item Specification	Known to Contain: Additives, Allergens, Intolerances May Contain: Additives, Allergens, Intolerances Does Not Contain: Additives, Allergens, Intolerances Actual Label Claims Inactive Menu Item Build Menu Item Class Potential Label Claims Standard

<b>Search Model</b>	<b>Available Variables</b>
Nutrient Profile	none

<b>Search Model</b>	<b>Available Variables</b>
Packaging Specification	Inactive Item Type Receiving Facilities Source Facility

<b>Search Model</b>	<b>Available Variables</b>
Packing Configuration Specification	Inactive

<b>Search Model</b>	<b>Available Variables</b>
Printed Packaging Specification	Inactive Receiving Facilities Source Facility

<b>Search Model</b>	<b>Available Variables</b>
Product Specification	Known to Contain: Additives, Allergens, Intolerances May Contain: Additives, Allergens, Intolerances Does Not Contain: Additives, Allergens, Intolerances BD Component Term or Alias BD Component Term Inactive Receiving Facilities Source Facility

**Search Model**

Trade Specification

**Available Variables**

Known to Contain: Additives, Allergens, Intolerances  
 May Contain: Additives, Allergens, Intolerances  
 Does Not Contain: Additives, Allergens, Intolerances  
 Actual Label Claims  
 Brand  
 BD Component Term or Alias  
 BD Component Term  
 GTIN/UPC/EAN  
 Material Specification  
 Packaging Materials  
 Potential Label Claims  
 UDEX Classification

**Search Model**

Global Succession

**Available Variables**

Created By  
 New Specification: Name and Number  
 Specification to Supersede: Name and Number

**Search Model**

GSM Activity

**Available Variables**

Activity Type  
 Current Workflow: Owner or Group  
 Effective  
 Inactive  
 Last Edit  
 Originator  
 Primary Item Specification: Name and Number  
 Related Items Specification: Name and Number  
 Status

**Search Model**

LIO Profile

**Available Variables**

Associated Formulation: Name and Number  
 Associated Output: Name and Number  
 Created  
 Last Edit  
 Nutrient Profile: Name and Number  
 Originator

## NPD

Search Model	Available Variables
Innovation/Sales Pipeline	Administrators Internal Project # Request Date Status

Search Model	Available Variables
Project	Brands Channels Consumer Value Perception Demographics Enabling Technology Gate Keeper(s) Global Categories Internal Project # Lead Countries Origination Date Priority Project Owner Project Type Readers (groups) Readers (users) Risk Stage Status Strategic Brief Team Leader(s) Team Member(s)

Search Model	Available Variables
Strategic Brief	Brands Channels Gate Keeper(s) Global Categories Key Sponsor(s) Lead Countries Origination Date Status Team Member(s)

## NSM

Search Model	Available Variables
Nutrient Analysis	Creator Date of Analysis Date of Last Update Date Received from Lab Date Sent to Lab GTIN/UPC Sample Type Source Facility Specification

Search Model	Available Variables
Nutrient Composite	Date of Composite Date of Last Update Originator Specification

## PQM

Search Model	Available Variables
Action	Action Action Type Affected Items (By Rev) Affected Items (Rev. Indep.) Associated Project Company Customer Facility Last Edit Origination Date Originator Product Lines Related Actions Related Audits Related Issues Status Workflow

**Search Model**

Audit

**Available Variables**

Actual Audit Date  
 Affected Items (By Rev)  
 Affected Items (Rev. Indep.)  
 Audit Result  
 Audit Type  
 Company  
 Customer  
 Facility  
 Last Edit  
 Origination Date  
 Originator  
 Planned Audit Date  
 Product Lines  
 Related Actions  
 Related Issues  
 Status  
 Workflow

**Search Model**

Issue

**Available Variables**

Affected Items (By Rev)  
 Affected Items (Rev. Indep.)  
 Company  
 Customer  
 Expected Resolution Date  
 Facility  
 Issue Type  
 Last Edit  
 Occurrence Date  
 Origination Date  
 Originator  
 Product Lines  
 Related Actions  
 Related Audits  
 Resolution  
 Severity  
 Status  
 Workflow

## PQS

Search Model	Available Variables
Lot Sample	Date Created Date Received GTIN/UPC/EAN Internal Alias Location Receiving Facility Sample Production Date Scheduled Evaluation Date Source Facility Source Facility (country) Spec Name Spec #

Search Model	Available Variables
Scorecard	Date of Scoring Originator Sample Details Sample # Scored By Spec Name

Search Model	Available Variables
Session	Evaluation Date Location Sample Details Session Leader Users

## SCRM

Search Model	Available Variables
Company	Alt. Supply Capability City Name Country Postal Code Sourcing (select spec) Sourcing (spec number)

Search Model	Available Variables
Facility	City Name Company Company Name Country Postal Code SAC Supplier Item # Sourcing (select spec) Sourcing (spec number)

Search Model	Available Variables
Non Spec Sourcing Approval	Class Company QA Assigned SC Assigned Sourcing Facility Sourcing Type Status

Search Model	Available Variables
Spec-Related Sourcing Approval	Class Company Protocol QA Assigned Receiving Facility SC Assigned Sourcing Facility Sourcing Type Specification Specification Taxonomy Status

**Search Model**                      **Available Variables**

Company/Facility SDM	Company
	Document Type
	Due/Renewal Date
	Effective Date
	Expiration Date
	Facility
	Originator
	Status

**Search Model**                      **Available Variables**

Non-Spec Sourcing Approval SDM	Company
	Document Type
	Due/Renewal Date
	Effective Date
	Expiration Date
	Facility
	Originator
	Status

**Search Model**                      **Available Variables**

Spec Sourcing Approval SDM	Company
	Document Type
	Due/Renewal Date
	Effective Date
	Expiration Date
	Facility
	Originator
	Sourcing (select spec)
	Sourcing (spec number)
	Sourcing (taxonomy)
	Status

## UGM

Search Model	Available Variables
Group	Last Updated

Search Model	Available Variables
User	Country
	Facility
	Last Updated
	User Name

## Models Index

This section details the fields that can be displayed in the search results grid used for ready reports.

### ADMN

#### Custom Section

**View:** ExtendedSectionAttributeTemplateView

**Model:** ExtendedAttributeSectionTemplate

Data Field	Data Field Caption	Notes
ColumnName	IblColumnName	
CreatedDate	IblCreated	
ExtendedAttributeStatus	IblStatus	
ExtendedAttributeTemplateName	IblSectionName	
ID	IblSectionID	
LastEditDate	IblLastEdited	
RowName	IblRowName	
SecurityClassDisplay	IblSecurityClassification	

#### Extended Attribute

**View:** ExtendedAttributeView

**Model:** ExtendedAttributeType

Data Field	Data Field Caption	Notes
ExtAttrTypeDisplayValue	IblType	
ExtendedAttributeGroup	IblGroup	
ExtendedAttributeID	IblExtendedAttributeTypeID	
ExtendedAttributeName	IblExtendedAttributeName	
ExtendedAttributeStatus	IblStatus	

### Component Catalog

#### Component Catalog Term

**View:** FICTermView

**Model:** FICTerm

Data Field	Data Field Caption	Notes
CreateByUserName	IblCreatedBy	
CreatedBy	IblCreatedBy	
FICAliasTerm	IblTermOrAlias	
FICTermNumber	IblTermNumber	
FICTermID	IblTermID	

**DRL****DRL Document****View:** DocumentSearchView**Model:** VisibilityConstrainedDrlDocument

Data Field	Data Field Caption	Notes
AttachmentTitle	IblAttachmentTitle	
BusinessUnit	IblBusinessUnit	
ClassificationDisplay	IblExactMatchClassification	
DocumentDate	IblDocumentDate	
DocumentNumber	IblDocumentID	
DocumentNumberIssue	IblDocumentNumber	
EffectiveDate	IblEffectiveDate	
ExpirationDate	IblExpirationDate	
Originator	IblOriginator	
StatusName	IblStatus	
Title	IblDocumentTitle	
VisibilityDisplay	IblExactMatchVisibility	

**EQ****Material EQ Request****View:** EQMaterialRequestView**Model:** INGEQRequest

Data Field	Data Field Caption	Notes
AddlAdminGroupsDisplay	IblAddlAdminGroups	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
AddlAdminUsersDisplay	IblAddlAdminGroups	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
eQlImportedIntoGSMDisplay	IblEQImportedIntoGSM	
ImportMaterialSpec	IblImportSpec	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.SpecNameDataColumnTransformerFactory,ReadyReportsLib"
IsSupplierInitiatedDisplay	IblSupplierInitiated	
PrimaryOwner	IblPrimaryOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"

Data Field	Data Field Caption	Notes
QuestionnaireApprovedUseOwner	IblPrimaryOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
QuestionnaireCompany	IblEQCompany	
QuestionnaireDateReceived	IblEQDateRcvd	
QuestionnaireDateSent	IblEQDateSent	
QuestionnaireDueDate	IblEQDueDate	
QuestionnaireEmail	IblEQEmail	
QuestionnaireNumber	IblEQNumber	
QuestionnaireStatusDisplay	IblEQStatus	
QuestionnaireTitle	IblEQTitle	

### Packaging EQ Request

**View:** EQPackagingRequestView

**Model:** PKGEQRequest

Data Field	Data Field Caption	Notes
AddlAdminGroupsDisplay	IblAddlAdminGroups	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
AddlAdminUsersDisplay	IblAddlAdminGroups	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
eQImportedIntoGSMDisplay	IblEQImportedIntoGSM	
ImportPackagingSpec	IblImportSpec	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.SpecNameDataColumnTransformerFactory,ReadyReportsLib"
IsSupplierInitiatedDisplay	IblSupplierInitiated	
PrimaryOwner	IblPrimaryOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
QuestionnaireApprovedUseOwner	IblPrimaryOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
QuestionnaireCompany	IblEQCompany	
QuestionnaireDateReceived	IblEQDateRcvd	
QuestionnaireDateSent	IblEQDateSent	
QuestionnaireDueDate	IblEQDueDate	
QuestionnaireEmail	IblEQEmail	
QuestionnaireNumber	IblEQNumber	
QuestionnaireStatusDisplay	IblEQStatus	

Data Field	Data Field Caption	Notes
QuestionnaireTitle	IblEQTitle	

**Printed Packaging EQ Request**

**View:** EQPrintedPackagingRequestView

**Model:** PPKGEQRequest

Data Field	Data Field Caption	Notes
AddlAdminGroupsDisplay	IblAddlAdminGroups	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
AddlAdminUsersDisplay	IblAddlAdminGroups	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
eQlImportedIntoGSMDisplay	IblEQImportedIntoGSM	
ImportPrintedPackagingSpec	IblImportSpec	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.SpecNameDataColumnTransformerFactory,ReadyReportsLib"
IsSupplierInitiatedDisplay	IblSupplierInitiated	
PrimaryOwner	IblPrimaryOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
QuestionnaireApprovedUseOwner	IblPrimaryOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
QuestionnaireCompany	IblEQCompany	
QuestionnaireDateReceived	IblEQDateRcvd	
QuestionnaireDateSent	IblEQDateSent	
QuestionnaireDueDate	IblEQDueDate	
QuestionnaireEmail	IblEQEmail	
QuestionnaireNumber	IblEQNumber	
QuestionnaireStatusDisplay	IblEQStatus	
QuestionnaireTitle	IblEQTitle	

**Product EQ Request**

**View:** EQProductRequestView

**Model:** PRDEQRequest

Data Field	Data Field Caption	Notes
AddlAdminGroupsDisplay	IblAddlAdminGroups	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
AddlAdminUsersDisplay	IblAddlAdminGroups	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
eQlImportedIntoGSMDisplay	IblEQImportedIntoGSM	
ImportProductSpec	IblImportSpec	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.SpecNameDataColumnTransformerFactory,ReadyReportsLib"
IsSupplierInitiatedDisplay	IblSupplierInitiated	
PrimaryOwner	IblPrimaryOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
QuestionnaireApprovedUseOwner	IblPrimaryOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
QuestionnaireCompany	IblEQCompany	
QuestionnaireDateReceived	IblEQDateRcvd	
QuestionnaireDateSent	IblEQDateSent	
QuestionnaireDueDate	IblEQDueDate	
QuestionnaireEmail	IblEQEmail	
QuestionnaireNumber	IblEQNumber	
QuestionnaireStatusDisplay	IblEQStatus	
QuestionnaireTitle	IblEQTitle	

**Trade EQ Request**

**View:** EQTradeRequestView

**Model:** TRDEQRequest

Data Field	Data Field Caption	Notes
AddlAdminGroupsDisplay	IblAddlAdminGroups	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"

Data Field	Data Field Caption	Notes
AddlAdminUsersDisplay	IblAddlAdminGroups	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
eQlImportedIntoGSMDisplay	IblEQImportedIntoGSM	
ImportTradeSpec	IblImportSpec	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.SpecNameDataColumnTransformerFactory,ReadyReportsLib"
IsSupplierInitiatedDisplay	IblSupplierInitiated	
PrimaryOwner	IblPrimaryOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
QuestionnaireApprovedUseOwner	IblPrimaryOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
QuestionnaireCompany	IblEQCompany	
QuestionnaireDateReceived	IblEQDateRcvd	
QuestionnaireDateSent	IblEQDateSent	
QuestionnaireDueDate	IblEQDueDate	
QuestionnaireEmail	IblEQEmail	
QuestionnaireNumber	IblEQNumber	
QuestionnaireStatusDisplay	IblEQStatus	
QuestionnaireTitle	IblEQTitle	

## GSM

### Delivered Material Packing Specification

**View:** SpecSummaryView

**Model:** Main Delivered Material Packing

Data Field	Data Field Caption	Notes
ApprovedForUseBUDisplayName	IblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
AssociatedSpecAssociation	IblAssociatedSpecAssociation	
AssociatedSpecERPIDDisplayName	IblAssociatedSpecERPID	
AssociatedSpecName	IblAssociatedSpecName	
AssociatedSpecNumber	IblAssociatedSpecNumber	
Attachment	IblAttachmentName	
ConceptDisplay	IblConcept	dataTransformer="Class.Xeno.Prodika.EQTService.DataTransformers.TaxonomyAliasDataColumnTransformerFactory.EQTService\$FoodserviceConcept"

Data Field	Data Field Caption	Notes
CountriesWhereUsedDisplayName	IblCountriesWhereUsed	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.CountryDataColumnTransformerFactory,EQTService"
Created	IblCreated	
CurrentStatus	IblSpecStatus	
CurrentWorkflowGroup	IblCurrentWorkflowGroup	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
CurrentWorkflowOwner	IblCurrentWorkflowOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Description	IblDescription	
Effective	IblSpecSummaryEffective	
Inactive	IblSpecSummaryInactive	
LastEdit	IblLastEdited	
Originator	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
RichTextDocKeywords	IblRichTextDocKeywords	
ShortName	IblSpecShortName	
SpecID	SpecID	
SpecName	IblSpecName	
SpecNumber	IblSpecNumber	
SpecStatus	IblSpecSummaryStatus	
SupercedesLangAware	IblSupercedes	
Taxonomy	IblTaxonomy	
WorkflowName	IblWorkflow	

### Equipment Specification

**View:** SpecSummaryView

**Model:** Main Equipment Specification

Data Field	Data Field Caption	Notes
ApprovedForUseBUDisplayName	IblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
AssociatedSpecAssociation	IblAssociatedSpecAssociation	
AssociatedSpecERPIDDisplayName	IblAssociatedSpecERPID	
AssociatedSpecName	IblAssociatedSpecName	
AssociatedSpecNumber	IblAssociatedSpecNumber	
Attachment	IblAttachmentName	

Data Field	Data Field Caption	Notes
ConceptDisplay	IblConcept	dataTransformer="Class.Xeno.Prodika.EQTService.DataTransformers.TaxonomyAliasDataColumnTransformerFactory.EQTService\$FoodserviceConcept"
CountriesWhereUsedDisplayName	IblCountriesWhereUsed	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.CountryDataColumnTransformerFactory,EQTService"
Created	IblCreated	
ctxSysEquiv	IblContextSensitiveSysEquivCtlEquivalent	
CurrentStatus	IblSpecStatus	
CurrentWorkflowGroup	IblCurrentWorkflowGroup	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
CurrentWorkflowOwner	IblCurrentWorkflowOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Effective	IblSpecSummaryEffective	
ERPSysNameAndID	IblERPSysNameAndID	
Inactive	IblSpecSummaryInactive	
LastEdit	IblLastEdited	
Originator	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
RichTextDocKeywords	IblRichTextDocKeywords	
ShortName	IblSpecShortName	
SpecName	IblSpecName	
SpecNumber	IblSpecNumber	
SpecStatus	IblSpecSummaryStatus	
SpecSumCatSubCatGroup	IblCatSubcatGroup	
SystemNameDisplayName	IblSystemName	
SupercedesLangAware	IblSupercedes	
SystemEquivalent	IblSysEquivCtlEquivalent	
Taxonomy	IblTaxonomy	
WorkflowName	IblWorkflow	

**Formulation Specification****View:** SpecSummaryView**Model:** Formulation Specification

Data Field	Data Field Caption	Notes
ApprovedForUseBUDisplayName	lblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
AssociatedSpecAssociation	lblAssociatedSpecAssociation	
AssociatedSpecERPIDDisplayName	lblAssociatedSpecERPID	
AssociatedSpecName	lblAssociatedSpecName	
AssociatedSpecNumber	lblAssociatedSpecNumber	
Attachment	lblAttachmentName	
BOMItemAnnotation	lblBOMItemAnnotation	
ConceptDisplay	lblConcept	dataTransformer="Class:Xeno.Prodika.EQTService.DataTransformers.TaxonomyAliasDataColumnTransformerFactory,EQTService\$FoodserviceConcept"
CountriesWhereUsedDisplayName	lblCountriesWhereUsed	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.CountryDataColumnTransformerFactory,EQTService"
Created	lblCreated	
ctxSysEquiv	lblContextSensitiveSysEquivCtIEquivalent	
CurrentStatus	lblSpecStatus	
CurrentWorkFlowGroup	lblCurrentWorkFlowGroup	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
CurrentWorkFlowOwner	lblCurrentWorkFlowOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Description	lblDescription	
Effective	lblSpecSummaryEffective	
FacilityDisplayName	lblFacility	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityNameDataColumnTransformerFactory,EQTModels"
Inactive	lblSpecSummaryInactive	
LastEdit	lblLastEdited	
NPDProjectName	lblNPDProjectName	

Data Field	Data Field Caption	Notes
Originator	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
RichTextDocKeywords	IblRichTextDocKeywords	
ShortName	IblSpecShortName	
SpecName	IblSpecName	
SpecNumber	IblSpecNumber	
SpecStatus	IblSpecSummaryStatus	
StepInstructionsKeywords	IblStepInstructionsKeywords	
StepName	IblStepName	
SupercedesLangAware	IblSupercedes	
SystemEquivalent	IblSysEquipCtlEquivalent	
SystemNameDisplayName	IblSystemName	
Taxonomy	IblTaxonomy	
WorkflowName	IblWorkflow	

### Global Succession Request

**View:** SuccessionRequestView

**Model:** GSM Succession Request

Data Field	Data Field Caption	Notes
CreatedDate	IblCreatedDate	
Creator	IblCreatedBy	
CreatorName	IblCreatedBy	
NewSpecificationName	IblNewSpecName	
NewSpecificationNumber	IblNewSpecNumber	
RequestNumber	IblSuccessionRequestNumber	
SpecToSupersedeSpecName	IblSupersedeSpecName	
SpecToSupersedeSpecNumber	IblSupersedeSpecNumber	

### GSM Activity

**View:** SpecSummaryView

**Model:** Spec Activity Specification

Data Field	Data Field Caption	Notes
ActivityPrimarySpecName	IblActivityPrimarySpecName	
ActivityPrimarySpecNumber	IblActivityPrimarySpecNumber	
ActivityRelatedSpecName	IblActivityRelatedSpecName	
ActivityRelatedSpecNumber	IblActivityRelatedSpecNumber	
ActivityWorkflowName	IblActivityType	
CurrentStatus	IblSpecStatus	
CurrentWorkFlowGroup	IblCurrentWorkFlowGroup	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"

Data Field	Data Field Caption	Notes
CurrentWorkflowOwner	IblCurrentWorkflowOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Effective	IblSpecSummaryEffective	
Inactive	IblSpecSummaryInactive	
LastEdit	IblLastEdited	
Originator	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
RichTextDocKeywords	IblRichTextDocKeywords	
SpecialNotes	IblActivitySpecialNotes	
SpecName	IblActivityTitle	
SpecNumber	IblActivityNumber	
SpecStatus	IblSpecSummaryStatus	
SystemEquivalent	IblActivityPrimaryEquivalent	
WorkflowName	IblWorkflow	

### Labeling Specification

**View:** SpecSummaryView

**Model:** Main Labeling Specification

Data Field	Data Field Caption	Notes
ApprovedForUseBUDisplayName	IblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
AssociatedSpecAssociation	IblAssociatedSpecAssociation	
AssociatedSpecERPIDDisplayName	IblAssociatedSpecERPID	
AssociatedSpecName	IblAssociatedSpecName	
AssociatedSpecNumber	IblAssociatedSpecNumber	
Attachment	IblAttachmentName	
ConceptDisplay	IblConcept	dataTransformer="Class:Xeno.Prodika.EQTService.DataTransformers.TaxonomyAliasDataColumnTransformerFactory,EQTService\$FoodserviceConcept"
CountriesWhereUsedDisplayName	IblCountriesWhereUsed	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.CountryDataColumnTransformerFactory,EQTService"
Created	IblCreated	
CurrentStatus	IblSpecStatus	

Data Field	Data Field Caption	Notes
CurrentWorkflowGroup	IblCurrentWorkflowGroup	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
CurrentWorkflowOwner	IblCurrentWorkflowOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Description	IblDescription	
Effective	IblSpecSummaryEffective	
Inactive	IblSpecSummaryInactive	
LastEdit	IblLastEdited	
Originator	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
RichTextDocKeywords	IblRichTextDocKeywords	
ShortName	IblSpecShortName	
SpecName	IblSpecName	
SpecNumber	IblSpecNumber	
SystemNameDisplayName	IblSystemName	
SupercedesLangAware	IblSupercedes	
Taxonomy	IblTaxonomy	
WorkflowName	IblWorkflow	

### LIO Profile

**View:** SpecSummaryView

**Model:** LIO Profile

Data Field	Data Field Caption	Notes
AssociatedFormulationEquiv	IblAssocFormulationEquivalent	
AssociatedFormulationName	IblAssocFormulationName	
AssociatedFormulationNumber	IblAssocFormulationNum	
AssociatedNPName	IblAssocNPName	
AssociatedNPNumber	IblAssocNPNum	
AssociatedOutputEquiv	IblAssocOutputEquivalent	
AssociatedOutputName	IblAssocOutputName	
AssociatedOutputNumber	IblAssocOutputNum	
Description	IblDescription	
LastSavedDate	IblLastEdited	
LIONumber	IblProfileNumber	
LIOProfileCreatedDate	IblCreated	
Originator	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
ProfileName	IblProfileName	

Data Field	Data Field Caption	Notes
StatusName	IblStatus	

## Master Specification

**View:** SpecSummaryView

**Model:** Main Master Specification

Data Field	Data Field Caption	Notes
ApprovedForUseBUDisplayName	IblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
AssociatedSpecAssociation	IblAssociatedSpecAssociation	
AssociatedSpecERPIDDisplayName	IblAssociatedSpecERPID	
AssociatedSpecName	IblAssociatedSpecName	
AssociatedSpecNumber	IblAssociatedSpecNumber	
Attachment	IblAttachmentName	
ConceptDisplay	IblConcept	dataTransformer="Class:Xeno.Prodika.EQTService.DataTransformers.TaxonomyAliasDataColumnTransformerFactory,EQTService\$FoodserviceConcept"
CountriesWhereUsedDisplayName	IblCountriesWhereUsed	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.CountryDataColumnTransformerFactory,EQTService"
Created	IblCreated	
CurrentStatus	IblSpecStatus	
CurrentWorkFlowGroup	IblCurrentWorkFlowGroup	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
CurrentWorkFlowOwner	IblCurrentWorkFlowOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Description	IblDescription	
Effective	IblSpecSummaryEffective	
Inactive	IblSpecSummaryInactive	
LastEdit	IblLastEdited	
Originator	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
RichTextDocKeywords	IblRichTextDocKeywords	
ShortName	IblSpecShortName	
SpecName	IblSpecName	
SpecNumber	IblSpecNumber	

Data Field	Data Field Caption	Notes
SpecStatus	lblSpecSummaryStatus	
SupercedesLangAware	lblSupercedes	
Taxonomy	lblTaxonomy	
WorkflowName	lblWorkflow	

**Material Specification**

**View:** SpecSummaryView

**Model:** Main Material Specification

Data Field	Data Field Caption	Notes
AdditivesContainedDisplay	lblctlComplianceAdditives	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Additives"
AdditivesNotContDisplay	lblComplianceAdditivesNotContained	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Additives"
AdditivesMayContDisplay	lblComplianceAdditivesMayContain	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Additives"
AllergensContainedDisplay	lblctlComplianceAllergens	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Allergens"
AllergensNotContDisplay	lblComplianceAllergensNotContained	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Allergens"
AllergensMayContDisplay	lblComplianceAllergensMayContain	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Allergens"
ApprovedForUseBUDisplayName	lblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
AssociatedSpecAssociation	lblAssociatedSpecAssociation	
AssociatedSpecERPIDDisplayName	lblAssociatedSpecERPID	
AssociatedSpecName	lblAssociatedSpecName	
AssociatedSpecNumber	lblAssociatedSpecNumber	
Attachment	lblAttachmentName	

Data Field	Data Field Caption	Notes
ClassificationDisplayName	lblClassification	
CombinedIngredientStatement	lblIngredientStateCtlCombinedState	
CompliesWithDisplay	lblctlComplianceCompliesWith	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$CompliesWith"
ConceptDisplay	lblConcept	dataTransformer="Class:Xeno.Prodika.EQTService.DataTransformers.TaxonomyAliasDataColumnTransformerFactory,EQTService\$FoodserviceConcept"
CountriesWhereUsedDisplayName	lblCountriesWhereUsed	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.CountryDataColumnTransformerFactory,EQTService"
CountryOfOriginDisplay	lblCountryOfOrigin	
Created	lblCreated	
ctxSysEquiv	lblContextSensitiveSysEquivCtlEquivalent	
CurrentStatus	lblSpecStatus	
CurrentWorkflowGroup	lblCurrentWorkFlowGroup	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
CurrentWorkflowOwner	lblCurrentWorkFlowOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Description	lblDescription	
Effective	lblSpecSummaryEffective	
Inactive	lblSpecSummaryInactive	
IngredientOutputType	lblIngredientOutputType	
IngredientStatement	lblIngredientStatement	
IntolerancesContainedDisplay	lblctlComplianceIntolerances	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Intolerances"
IntolerancesNotContDisplay	lblComplianceIntolerancesNotContained	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Intolerances"
IntolerancesMayContDisplay	lblComplianceIntolerancesMayContain	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Intolerances"
LastEdit	lblLastEdited	

Data Field	Data Field Caption	Notes
MaterialTypeDisplayName	IblMaterialType	
Originator	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
ParentFormulationSpecERPID	IblParentFormulationSpecERPID	
ParentFormulationSpecName	IblParentFormulationSpecName	
ParentFormulationSpecNum	IblParentFormulationSpecNum	
RichTextDocKeywords	IblRichTextDocKeywords	
ShortName	IblSpecShortName	
SourcingFacilityDisplayName	IblSourceFacility	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityNameDataColumnTransformerFactory,EQTModels"
SourcingNumberSpec	IblSourcingNumber	
SpecName	IblSpecName	
SpecNumber	IblSpecNumber	
SpecStatus	IblSpecSummaryStatus	
SpecSumCatSubCatGroup	IblCatSubcatGroup	
SupercedesLangAware	IblSupercedes	
SupplierPartNumberDisplayName	IblSupplierItemNumber	
SystemNameDisplayName	IblSystemName	
TradeSpecERPID	IblTradeSpecERPID	
TradeSpecName	IblTradeSpecName	
TradeSpecNum	IblTradeSpecNum	
VendorHasApprovedDisplayName	IblVendorHasApproved	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.VendorHasApprovedDataColumnTransformerFactory,ReadyReportsLib"
WorkflowName	IblWorkflow	

### Menu Item Specification

**View:** SpecSummaryView

**Model:** Main Menu Item Specification

Data Field	Data Field Caption	Notes
ActualClaimsDisplayName	IblActualLabelClaims	
AdditivesContainedDisplay	IblctlComplianceAdditives	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Additives"

Data Field	Data Field Caption	Notes
AdditivesNotContDisplay	lblComplianceAdditivesNotContained	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Additives"
AdditivesMayContDisplay	lblComplianceAdditivesMayContain	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Additives"
AllergensContainedDisplay	lblComplianceAllergens	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Allergens"
AllergensNotContDisplay	lblComplianceAllergensNotContained	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Allergens"
AllergensMayContDisplay	lblComplianceAllergensMayContain	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Allergens"
ApprovedForUseBUDisplayName	lblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
AssociatedSpecAssociation	lblAssociatedSpecAssociation	
AssociatedSpecERPIDDisplayName	lblAssociatedSpecERPID	
AssociatedSpecName	lblAssociatedSpecName	
AssociatedSpecNumber	lblAssociatedSpecNumber	
Attachment	lblAttachmentName	
ConceptDisplay	lblConcept	dataTransformer="Class:Xeno.Prodika.EQTService.DataTransformers.TaxonomyAliasDataColumnTransformerFactory,EQTService\$FoodserviceConcept"
Created	lblCreated	
ctxSysEquiv	lblContextSensitiveSysEquivCtIEquivalent	
CurrentStatus	lblSpecStatus	
CurrentWorkflowGroup	lblCurrentWorkflowGroup	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"

Data Field	Data Field Caption	Notes
CurrentWorkflowOwner	IblCurrentWorkFlowOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Effective	IblSpecSummaryEffective	
Inactive	IblSpecSummaryInactive	
IngredientStatement	IblNutrientProfileIngredientStatement	
IntolerancesContainedDisplay	IblCtIComplianceIntolerances	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Intolerances"
IntolerancesNotContDisplay	IblComplianceIntolerancesNotContained	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Intolerances"
IntolerancesMayContDisplay	IblComplianceIntolerancesMayContain	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Intolerances"
LastEdit	IblLastEdited	
MenuItemClassName	IblMenuItemClass	
MenuItemStandardDisplay	IblStandard	
Originator	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
PotentialClaimsDisplayName	IblPotentialLabelClaims	
RichTextDocKeywords	IblRichTextDocKeywords	
ShortName	IblSpecShortName	
CompliesWithDisplay	IblCtIComplianceCompliesWith	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$CompliesWith"
SpecName	IblSpecName	
SpecNumber	IblSpecNumber	
SpecStatus	IblSpecSummaryStatus	
SpecSumCatSubCatGroup	IblCatSubcatGroup	
SpecWorkflowName	IblName	
StandardDisplay	IblStandard	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$FoodServiceStandards"
SupercedesLangAware	IblSupercedes	
SystemEquivalent	IblSysEquivCtIEquivalent	

Data Field	Data Field Caption	Notes
SystemNameDisplayName	lblSystemName	
Taxonomy	lblTaxonomy	
WorkflowName	lblWorkflow	

**Nutrient Profile**

**View:** SpecSummaryView

**Model:** Main Nutrient Profile

Data Field	Data Field Caption	Notes
ApprovedForUseBUDisplayName	lblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
AssociatedSpecAssociation	lblAssociatedSpecAssociation	
AssociatedSpecERPIDDisplayName	lblAssociatedSpecERPID	
AssociatedSpecName	lblAssociatedSpecName	
AssociatedSpecNumber	lblAssociatedSpecNumber	
Calories	lblCaloriesPerHundredGram	
CaloriesPerServing	lblCaloriesPerServing	
Carbohydrates	lblCarbsPerHundredGram	
CarbsPerServing	lblCarbsPerServing	
Cholesterol	lblCholesterolPerHundredGram	
CholesterolPerServing	lblCholesterolPerServing	
ConceptDisplay	lblConcept	dataTransformer="Class:Xeno.Prodika.EQTService.DataTransformers.TaxonomyAliasDataColumnTransformerFactory,EQTService\$FoodserviceConcept"
Created	lblCreated	
CurrentStatus	lblSpecStatus	
CurrentWorkflowGroup	lblCurrentWorkFlowGroup	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
CurrentWorkflowOwner	lblCurrentWorkFlowOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Effective	lblSpecSummaryEffective	
IngredientStatement	lblIngredientStatement	
LastEdit	lblLastEdited	
Originator	lblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Owner	lblOwner	

Data Field	Data Field Caption	Notes
ParentSpecName	IblParentSpecName	
ParentSpecNum	IblParentSpecNum	
Protein	IblProteinPerHundredGram	
ProteinPerServing	IblProteinPerServing	
RichTextDocKeywords	IblRichTextDocKeywords	
ShortName	IblSpecShortName	
Sodium	IblSodiumPerHundredGram	
SodiumPerServing	IblSodiumPerServing	
SpecName	IblSpecName	
SpecNumber	IblSpecNumber	
SpecStatus	IblSpecSummaryStatus	
SupercedesLangAware	IblSupercedes	
Taxonomy	IblTaxonomy	
Total Fat	IblTotalFatPerHundredGram	
TotalFatPerServing	IblTotalFatPerServing	
TotalSugar	IblTotalSugarPerHundredGram	
TotalSugarPerServing	IblTotalSugarPerServing	
WorkflowName	IblWorkflow	

### Packaging Specification

**View:** SpecSummaryView

**Model:** Main Packaging Specification

Data Field	Data Field Caption	Notes
ApprovedForUseBUDisplayName	IblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
AssociatedSpecAssociation	IblAssociatedSpecAssociation	
AssociatedSpecERPIDDisplayName	IblAssociatedSpecERPID	
AssociatedSpecName	IblAssociatedSpecName	
AssociatedSpecNumber	IblAssociatedSpecNumber	
Attachment	IblAttachmentName	
ConceptDisplay	IblConcept	dataTransformer="Class:Xeno.Prodika.EQTService.DataTransformers.TaxonomyAliasDataColumnTransformerFactory,EQTService\$FoodserviceConcept"
CountriesWhereUsedDisplayName	IblCountriesWhereUsed	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.CountryDataColumnTransformerFactory,EQTService"
Created	IblCreated	
ctxSysEquiv	IblContextSensitiveSysEquivCtIEquivalent	
CurrentStatus	IblSpecStatus	

Data Field	Data Field Caption	Notes
CurrentWorkflowGroup	IblCurrentWorkFlowGroup	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
CurrentWorkflowOwner	IblCurrentWorkFlowOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Description	IblDescription	
Effective	IblSpecSummaryEffective	
Inactive	IblSpecSummaryInactive	
ItemType	IblItemType	
LastEdit	IblLastEdited	
Originator	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
RichTextDocKeywords	IblRichTextDocKeywords	
ShortName	IblSpecShortName	
SourcingFacilityDisplayName	IblSourceFacility	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityNameDataColumnTransformerFactory,EQTModels"
SourcingNumberSpec	IblSourcingNumber	
SpecName	IblSpecName	
SpecNumber	IblSpecNumber	
SpecStatus	IblSpecSummaryStatus	
SpecSumCatSubCatGroup	IblCatSubcatGroup	
SupercedesLangAware	IblSupercedes	
SupplierPartNumberDisplayName	IblSupplierItemNumber	
SystemEquivalent	IblSysEquivCtlEquivalent	
SystemNameDisplayName	IblSystemName	
Taxonomy	IblTaxonomy	
VendorHasApprovedDisplayName	IblVendorHasApproved	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.VendorHasApprovedDataColumnTransformerFactory,ReadyReportsLib"
WorkflowName	IblWorkflow	

### Packing Config Specification

**View:** SpecSummaryView

**Model:** Main Packing Configuration Specification

Data Field	Data Field Caption	Notes
ApprovedForUseBUDisplayName	IblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
AssociatedSpecAssociation	IblAssociatedSpecAssociation	
AssociatedSpecERPIDDisplayName	IblAssociatedSpecERPID	
AssociatedSpecName	IblAssociatedSpecName	
AssociatedSpecNumber	IblAssociatedSpecNumber	
Attachment	IblAttachmentName	
ConceptDisplay	IblConcept	dataTransformer="Class:Xeno.Prodika.EQTService.DataTransformers.TaxonomyAliasDataColumnTransformerFactory,EQTService\$FoodserviceConcept"
CountriesWhereUsedDisplayName	IblCountriesWhereUsed	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.CountryDataColumnTransformerFactory,EQTService"
Created	IblCreated	
ctxSysEquiv	IblContextSensitiveSysEquivCtIEquivalent	
CurrentStatus	IblSpecStatus	
CurrentWorkflowGroup	IblCurrentWorkFlowGroup	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
CurrentWorkflowOwner	IblCurrentWorkFlowOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Description	IblDescription	
Effective	IblSpecSummaryEffective	
Inactive	IblSpecSummaryInactive	
LastEdit	IblLastEdited	
Originator	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
RichTextDocKeywords	IblRichTextDocKeywords	
ShortName	IblSpecShortName	
SpecName	IblSpecName	
SpecNumber	IblSpecNumber	
SpecStatus	IblSpecSummaryStatus	

Data Field	Data Field Caption	Notes
SupercedesLangAware	IblSupercedes	
SystemEquivalent	IblSysEquivCtlEquivalent	
SystemNameDisplayName	IblSystemName	
Taxonomy	IblTaxonomy	
WorkflowName	IblWorkflow	

### Printed Packaging Specification

**View:** SpecSummaryView

**Model:** Main Printed Packaging Specification

Data Field	Data Field Caption	Notes
ApprovedForUseBUDisplayName	IblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
AssociatedSpecAssociation	IblAssociatedSpecAssociation	
AssociatedSpecERPIDDisplayName	IblAssociatedSpecERPID	
AssociatedSpecName	IblAssociatedSpecName	
AssociatedSpecNumber	IblAssociatedSpecNumber	
Attachment	IblAttachmentName	
ConceptDisplay	IblConcept	dataTransformer="Class:Xeno.Prodika.EQTService.DataTransformers.TaxonomyAliasDataColumnTransformerFactory,EQTService\$FoodserviceConcept"
CountriesWhereUsedDisplayName	IblCountriesWhereUsed	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.CountryDataColumnTransformerFactory,EQTService"
Created	IblCreated	
ctxSysEquiv	IblContextSensitiveSysEquivCtlEquivalent	
CurrentStatus	IblSpecStatus	
CurrentWorkflowGroup	IblCurrentWorkFlowGroup	dataTransformer="Singleton:Oracle.PL4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
CurrentWorkflowOwner	IblCurrentWorkFlowOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Effective	IblSpecSummaryEffective	
Inactive	IblSpecSummaryInactive	
LastEdit	IblLastEdited	

Data Field	Data Field Caption	Notes
Originator	lblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
RichTextDocKeywords	lblRichTextDocKeywords	
ShortName	lblSpecShortName	
SourcingFacilityDisplayName	lblSourceFacility	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityNameDataColumnTransformerFactory,EQTModels"
SourcingNumberSpec	lblSourcingNumber	
SpecName	lblSpecName	
SpecNumber	lblSpecNumber	
SpecStatus	lblSpecSummaryStatus	
SpecSumCatSubCatGroup	lblCatSubcatGroup	
SupercedesLangAware	lblSupercedes	
SupplierPartNumberDisplayName	lblSupplierPartNumber	
SystemEquivalent	lblSysEquivCtlEquivalent	
SystemNameDisplayName	lblSystemName	
Taxonomy	lblTaxonomy	
VendorHasApprovedDisplayName	lblVendorHasApproved	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.VendorHasApprovedDataColumnTransformerFactory,ReadyReportsLib"
WorkflowName	lblWorkflow	

### Product Specification

**View:** SpecSummaryView

**Model:** Main Product Specification

Data Field	Data Field Caption	Notes
AdditivesContainedDisplay	lblCtlComplianceAdditives	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Additives"
AdditivesNotContDisplay	lblComplianceAdditivesNotContained	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Additives"
AdditivesMayContDisplay	lblComplianceAdditivesMayContain	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Additives"

Data Field	Data Field Caption	Notes
AllergensContainedDisplay	lblctlComplianceAllergens	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Allergens"
AllergensNotContDisplay	lblComplianceAllergensNotContained	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Allergens"
AllergensMayContDisplay	lblComplianceAllergensMayContain	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Allergens"
ApprovedForUseBUDisplayName	lblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
AssociatedSpecAssociation	lblAssociatedSpecAssociation	
AssociatedSpecERPIDDisplayName	lblAssociatedSpecERPID	
AssociatedSpecName	lblAssociatedSpecName	
AssociatedSpecNumber	lblAssociatedSpecNumber	
Attachment	lblAttachmentName	
BusinessUnitDisplay	lblBusinessUnit	
ConceptDisplay	lblConcept	dataTransformer="Class:Xeno.Prodika.EQTService.DataTransformers.TaxonomyAliasDataColumnTransformerFactory,EQTService\$FoodserviceConcept"
Created	lblCreated	
ctxSysEquiv	lblContextSensitiveSysEquivCtIEquivalent	
CurrentStatus	lblSpecStatus	
CurrentWorkflowGroup	lblCurrentWorkFlowGroup	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
CurrentWorkflowOwner	lblCurrentWorkFlowOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Effective	lblSpecSummaryEffective	
ERPSystemNameAndID	lblERPSystemNameAndID	
IngredientStatement	lblIngredientStatement	

Data Field	Data Field Caption	Notes
IntolerancesContainedDisplay	IblctlComplianceIntolerances	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Intolerances"
IntolerancesNotContDisplay	IblComplianceIntolerancesNotContained	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Intolerances"
IntolerancesMayContDisplay	IblComplianceIntolerancesMayContain	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Intolerances"
LastEdit	IblLastEdited	
Originator	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
ProductClassificationName	IblClassification	
ProductStandardDisplay	IblStandard	
RichTextDockKeywords	IblRichTextDockKeywords	
ShortName	IblSpecShortName	
SourcingFacilityDisplayName	IblSourceFacility	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityNameDataColumnTransformerFactory,EQTModels"
SourcingNumberSpec	IblSourcingNumber	
CompliesWithDisplay	IblctlComplianceCompliesWith	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$CompliesWith"
SpecName	IblSpecName	
SpecNumber	IblSpecNumber	
SpecStatus	IblSpecSummaryStatus	
SpecSumCatSubCatGroup	IblCatSubcatGroup	
SpecWorkflowName	IblName	
Standard	IblStandard	
SupercedesLangAware	IblSupercedes	
SupplierPartNumberDisplayName	IblSupplierItemNumber	
SystemEquivalent	IblSysEquivCtlEquivalent	
SystemNameDisplayName	IblSystemName	
Taxonomy	IblTaxonomy	

Data Field	Data Field Caption	Notes
VendorHasApprovedDisplayN ame	lblVendorHasApproved	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.VendorHasApprovedDataColumnTransformerFactory,ReadyReportsLib"
WorkflowName	lblWorkflow	

### Testing Protocol

View: SpecSummaryView

Model: TestingProtocol

Data Field	Data Field Caption	Notes
Id	lblTestingProtocolID	
TestingProtocolCreated	lblCreated	
TestingProtocolDescription	lblDescription	
TestingProtocolLastEdit	lblLastEdited	
TestingProtocolName	lblTestingProtocolName	
TestingProtocolOriginator	lblOriginator	
TestingProtocolScope	lblScope	
TestingProtocolStatus	lblStatus	

### Trade Specification

View: SpecSummaryView

Model: Main Trade Specification

Data Field	Data Field Caption	Notes
ActualClaimsDisplayName	lblActualLabelClaims	
AdditivesContainedDisplay	lblctlComplianceAdditives	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Additives"
AdditivesNotContDisplay	lblComplianceAdditivesNotContained	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Additives"
AdditivesMayContDisplay	lblComplianceAdditivesMayContain	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Additives"
AllergensContainedDisplay	lblctlComplianceAllergens	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Allergens"

Data Field	Data Field Caption	Notes
AllergensNotContDisplay	IblComplianceAllergensNotContained	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Allergens"
AllergensMayContDisplay	IblComplianceAllergensMayContain	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Allergens"
ApprovedForUseBUDisplayName	IblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
AssociatedSpecAssociation	IblAssociatedSpecAssociation	
AssociatedSpecERPIDDisplayName	IblAssociatedSpecERPID	
AssociatedSpecName	IblAssociatedSpecName	
AssociatedSpecNumber	IblAssociatedSpecNumber	
Attachment	IblAttachmentName	
Brand	IblBrand	
ConceptDisplay	IblConcept	dataTransformer="Class:Xeno.Prodika.EQTService.DataTransformers.TaxonomyAliasDataColumnTransformerFactory,EQTService\$FoodserviceConcept"
CountriesWhereUsedDisplayName	IblCountriesWhereUsed	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.CountryDataColumnTransformerFactory,EQTService"
CountryOfOriginDisplay	IblCountryOfOrigin	
Created	IblCreated	
ctxSysEquiv	IblContextSensitiveSysEquivCtlEquivalent	
CurrentStatus	IblSpecStatus	
CurrentWorkflowGroup	IblCurrentWorkFlowGroup	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.Transformers.CurrentWorkflowGroupDataColumnTransformerFactory,ReadyReportsLib"
CurrentWorkflowOwner	IblCurrentWorkFlowOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Effective	IblSpecSummaryEffective	
GtinUpcNumber	IblGTINUPC	
Ingredient Spec	IblIngredientSpecification	
IngredientStatement	IblNutrientProfileIngredientStatement	

Data Field	Data Field Caption	Notes
IntolerancesContainedDisplay	IblctlComplianceIntolerances	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Intolerances"
IntolerancesNotContDisplay	IblComplianceIntolerancesNotContained	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Intolerances"
IntolerancesMayContDisplay	IblComplianceIntolerancesMayContain	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$Intolerances"
ItemType	IblItemType	
LastEdit	IblLastEdited	
Originator	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
PotentialClaimsDisplayName	IblPotentialLabelClaims	
RichTextDockKeywords	IblRichTextDockKeywords	
ShortName	IblSpecShortName	
SourcingNumberSpec	IblSourcingNumber	
CompliesWithDisplay	IblctlComplianceCompliesWith	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$CompliesWith"
SpecName	IblSpecName	
SpecNumber	IblSpecNumber	
SpecStatus	IblSpecSummaryStatus	
SpecSumCatSubCatGroup	IblCatSubcatGroup	
SupercedesLangAware	IblSupercedes	
SystemEquivalent	IblSysEquivCtlEquivalent	
SystemNameDisplayName	IblSystemName	
Taxonomy	IblTaxonomy	
UDEXClassificationDisplayName	IblUDEXClassification	
WorkflowName	IblWorkflow	

**NPD****Innovations/Sales Pipeline****View:** NPDideaView**Model:** NPDidea

Data Field	Data Field Caption	Notes
AdminsCaption	IblAdmins	
BusinessUnitsDisplayName	IblExactMatchBU	
InternalProjectNumber	IblInternalProjectNumber	
RequestDate	IblRequestDate	
StatusName	IblStatus	
Title	IblTitle	

**Project****View:** ProjectView**Model:** NPDPrivateProject

Data Field	Data Field Caption	Notes
BrandDisplayName	IblBrands	
BusinessUnitsDisplayName	IblExactMatchBU	
ChannelDisplayName	IblChannels	
ConsumerValueDisplayName	IblConsumerValuePerception	
CountriesDisplayName	IblLeadCountries	
DemographicsDisplayName	IblDemographics	
Description	IblDescription	
DevelopmentStage	IblDevelopmentStage	
DevelopmentStageTitle	IblDevelopmentStageTitle	
EnablingTechnologyDisplayName	IblEnablingTechnology	
GlobalCategoriesDisplayName	IblGlobalCategories	
InternalProjectNumber	IblInternalProjectNumber	
OriginationDate	IblOriginationDate	
PriorityDisplayName	IblPriority	
Private	IblPrivate	
ProjectNumber	IblProjectNumber	
ProjectOwnerDisplayName	IblProjectOwner	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
PrjReadersGroupsDisplayName	IblProjectReadersGroups	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
PrjReadersUsersDisplayName	IblProjectReadersUsers	
ProjectTypeDisplayName	IblProjectType	
PrjVisibilityDisplayName	IblProjectVisibility	

Data Field	Data Field Caption	Notes
RiskDisplayName	IblRisk	
StatusName	IblStatus	
StrategicBriefTitle	IblStrategicBriefTitle	
TeamLeadersCaption	IblTeamLeaders	
Title	IblTitle	

**Strategic Brief**

**View:** StrategicBriefView

**Model:** NPDStrategicBrief

Data Field	Data Field Caption	Notes
BrandDisplayName	IblBrands	
BusinessUnitsDisplayName	IblExactMatchBU	
ChannelDisplayName	IblChannels	
CountriesDisplayName	IblLeadCountries	
GlobalCategoriesDisplayName	IblGlobalCategories	
KeySponsorsDisplayName	IblKeySponsors	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
OriginationDate	IblOriginationDate	
StatusName	IblStatus	
StrategicBriefNumber	IblStrategicBriefNumber	
Title	IblTitle	

**NSM****Nutrient Analysis****View:** NutrientAnalysisMainView**Model:** NSMNutrientAnalysis

Data Field	Data Field Caption	Notes
analysisDate	IblDateOfAnalysis	
analysisDate_View	IblDateOfAnalysis	
AnalysisNumber	IblAnalysisNumber	
ApprovedForUseBU	IblApprovedUsageBU	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
Composites	IblComposites	
Description	IblDescription	
GTINUPC	IblGTINUPC	
LastUpdated	IblLastUpdated	
OriginatorDisplay	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
ReceivedFromLab	IblReceivedFromLab	
SampleNumber	IblSampleNumber	
SampleType	IblSampleType	
SentToLab	IblSentToLab	
SourceFacilityDisplay	IblSourceFacility	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityNameDataColumnTransformerFactory,EQTModels"
SpecName	IblSpecName	

**Nutrient Composite****View:** NutrientCompositeView**Model:** NSMNutrientComposite

Data Field	Data Field Caption	Notes
ApprovedForUseBU	IblApprovedUsageBU	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
CompositeDate_View	IblDateOfComposite	
CompositeNumber	IblCompositeNumber	
LastUpdated	IblLastUpdated	

Data Field	Data Field Caption	Notes
OriginatorDisplay	lblOriginator	dataFieldCaption="lblOriginator" isAggregatable="true" aggregationDelimiter=", " dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
SpecName	lblSpecName	
Title	lblTitle	

## PQM

### Action

**View:** PQMActionView

**Model:** PQM Action

Data Field	Data Field Caption	Notes
AffectedItemsNonRevDisplay	lblAffectedItemsRevisionIndependent	
AffectedItemsWithRevDisplay	lblAffectedItemsWithRevision	
AssociatedProjectDisplay	lblAssociatedProject	
CompanyDisplay	lblCompany	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityCompanyNameDataColumnTransformerFactory,EQTModels"
ctxSysEquiv	lblEquivalent	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.PQMContextSensitiveEquivalentDataTransformerFactory,PlatformExtensions" enableHandler="Class:Xeno.Prodika.EQTService.SearchablePropertyHandlers.FeaturePropertyItemEnabledResolverFactory,EQTService\$PQM.EQT.CrossReferences.Enabled"
CustomerDisplay	lblCustomer	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$PQMCustomers"
FacilityDisplay	lblFacility	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityNameDataColumnTransformerFactory,EQTModels"
ItemNumber	lblActionNumber	
LastEditedDate	lblLastEditDate	
Originated	lblOriginationDate	

Data Field	Data Field Caption	Notes
Originator	lblOriginator	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.UserSupplierNameDataColumnTransformerFactory,ReadyReportsLib"
ProductLinesDisplay	lblProductLines	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$PQMProductLines"
PQMActionType	lblPQMActionType	dataTransformer="Class:Xeno.Prodika.EQTService.DataTransformers.KeyValLookupItemDataColumnTransformerFactory,EQTService\$PQMActionTypes"
PQMDescription	lblPQMDescription	
PQMStatus	lblStatus	
PQMTitle	lblProblemStatement	

**Audit**

**View:** PQMAuditView

**Model:** PQM Audit

Data Field	Data Field Caption	Notes
ActualAuditDate	lblActualAuditDate	
AffectedItemsNonRevDisplay	lblAffectedItemsRevisionIndependent	
AffectedItemsWithRevDisplay	lblAffectedItemsWithRevision	
AuditResult	lblAuditResult	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$PQMAuditResults"
CompanyDisplay	lblCompany	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityCompanyNameDataColumnTransformerFactory,EQTModels"
ctxSysEquiv	lblEquivalent	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.PQMContextSensitiveEquivalentDataTransformerFactory,PlatformExtensions" enableHandler="Class:Xeno.Prodika.EQTService.SearchablePropertyHandlers.FeaturePropertyItemEnabledResolverFactory,EQTService\$PQM.EQT.CrossReferences.Enabled"

Data Field	Data Field Caption	Notes
CustomerDisplay	lblCustomer	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$PQMCustomers"
FacilityDisplay	lblFacility	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityNameDataColumnTransformerFactory,EQTModels"
ItemNumber	lblAuditNumber	
LastEditedDate	lblLastEditDate	
Originated	lblOriginationDate	
Originator	lblOriginator	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.UserSupplierNameDataColumnTransformerFactory,ReadyReportsLib"
PlannedAuditDate	lblPlannedAuditDate	
PQMAuditType	lblPQMAuditType	dataTransformer="Class:Xeno.Prodika.EQTService.DataTransformers.KeyValLookupItemDataColumnTransformerFactory,EQTService\$PQMAuditTypes"
PQMDescription	lblPQMDescription	
PQMStatus	lblStatus	
PQMTitle	lblProblemStatement	
ProductLinesDisplay	lblProductLines	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$PQMProductLines"
RelatedActionsDisplay	lblRelatedActions	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.PQMNameDataColumnTransformerFactory,ReadyReportsLib"
RelatedIssuesDisplay	lblRelatedIssues	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.PQMNameDataColumnTransformerFactory,ReadyReportsLib"

**Issue**

**View:** PQMIssueView

**Model:** PQM Issue

Data Field	Data Field Caption	Notes
AffectedItemsNonRevDisplay	lblAffectedItemsRevisionIndependent	
AffectedItemsWithRevDisplay	lblAffectedItemsWithRevision	
CompanyDisplay	lblCompany	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityCompanyNameDataColumnTransformerFactory,EQTModels"
ctxSysEquiv	lblEquivalent	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.PQMContextSensitiveEquivalentDataTransformerFactory,PlatformExtensions" enableHandler="Class:Xeno.Prodika.EQTService.SearchablePropertyHandlers.FeaturePropertyItemEnabledResolverFactory,EQTService\$PQM.EQT.CrossReferences.Enabled"
CustomerDisplay	lblCustomer	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$PQMCustomers"
Disposition	lblDisposition	dataTransformer="Class:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.LookupDataColumnTransformerFactory,ReadyReportsLib\$PQMIssueDispositions"
ExpectedResolutionDate	lblExpectedResolutionDate	
FacilityDisplay	lblFacility	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityNameDataColumnTransformerFactory,EQTModels"
LastEditedDate	lblLastEditDate	
ItemNumber	lblIssueNumber	
OccurrenceDate	lblOccurrenceDate	
Originated	lblOriginationDate	
Originator	lblOriginator	dataTransformer="Singleton:Oracle.PLM4P.ReadyReports.Lib.DataColumnTransformers.UserSupplierNameDataColumnTransformerFactory,ReadyReportsLib"
PQMDescription	lblPQMDescription	

Data Field	Data Field Caption	Notes
PQMIssueType	IblPQMIssueType	dataTransformer="Class:Xeno.Pr odika.EQTService.DataTransfor mers.KeyValLookupItemDataCol umnTransformerFactory,EQTSer vice\$PQMIssueTypes"
PQMStatus	IblStatus	
PQMTitle	IblProblemStatement	
ProductLinesDisplay	IblProductLines	dataTransformer="Class:Oracle. PLM4P.ReadyReports.Lib.DataC olumnTransformers.LookupData ColumnTransformerFactory,Rea dyReportsLib\$PQMProductLines "
RelatedActionsDisplay	IblRelatedActions	dataTransformer="Singleton:Ora cle.PLM4P.ReadyReports.Lib.Da taColumnTransformers.PQMNa meDataColumnTransformerFact ory,ReadyReportsLib"
RelatedAuditsDisplay	IblRelatedAudits	dataTransformer="Singleton:Ora cle.PLM4P.ReadyReports.Lib.Da taColumnTransformers.PQMNa meDataColumnTransformerFact ory,ReadyReportsLib"
Severity	IblSeverity	dataTransformer="Class:Oracle. PLM4P.ReadyReports.Lib.DataC olumnTransformers.LookupData ColumnTransformerFactory,Rea dyReportsLib\$PQMIssueSeveriti es"

## PQS

### Lot Sample

**View:** LotSampleView

**Model:** PQSSample

Data Field	Data Field Caption	Notes
CreationDate	IblCreationDate	
GTINUPCEAN	IblGTINUPCEAN	
InternalAlias	IblInternalAlias	
InternalSampleID	IblSampleNumber	
LogReceivingNumber	IblLogReceivingNumber	
ProductionDate	IblSampleProductionDate	
ReceivingDate	IblDateRcvd	
ReceivingFacilityName	IblReceivingFac	
SampleLocation	IblLocation	
SampleNotes	IblNotes	
SampleNumber	IblCodeDate	
SampleTypeDisplay	IblSampleType	

Data Field	Data Field Caption	Notes
SessionLocation	IblSrcFacilityCountry	
SourceFacilityName	IblSourceFacility	
SpecName	IblSpecName	
SpecNameNumber	IblSpecNameNumber	
SpecNumber	IblSpecNumber	
TestScheduledDate	IblScheduledEvaluationDate	
UseThroughDate	IblUseThroughDate	
WayBill	IblWayBill	

**Session**

**View:** SessionView

**Model:** PQSSession

Data Field	Data Field Caption	Notes
SessionEvaluationDate	IblEvaluationDate	
SessionLeaderDisplay	IblSessionLeader	
SessionLocationDisplay	IblLocation	
SessionName	IblSessionName	
SessionNumber	IblSessionNumber	

**Scorecard**

**View:** ScorecardView

**Model:** PQSScorecard

Data Field	Data Field Caption	Notes
OriginatorDisplay	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
Sample	IblSample	
SampleNumberDisplay	IblSample	
Score	IblScore	
ScorecardNumber	IblScorecardNumber	
ScoredByName	IblScoredBy	
ScoredDate	IblScoredDate	
SpecName	IblSpecName	
SpecSumSpecName	IblSpecName	

**SCRM****Company****View:** CompanyMainSearchViewSingleSelectAlias**Model:** Company

Data Field	Data Field Caption	Notes
AltSpecSupplyCapDisplayName	IblAltSpecSupplyCap	
City	IblCityName	
CompanyName	IblCompanyName	
CompanyNumber	IblCompanyNumber	
CompanyStatusDisplayName	IblCompanyStatus	
CompanyCountryDisplayName	IblCountry	
CountryName	IblCountryName	
ctxSysEquiv	IblContextSensitiveSysEquivCtlEquivalent	
Equivalent	IblSystemEquivalent	
PostalCode	IblPostalCode	
ApprovedForUseBUDisplayName	IblApprovedUsageBU	
SpecAttributesDisplayName	IblSpecialAttributes	
StateProvince	IblStateProvince	

**Company/Facility SDM****View:** ManagedDocumentMultiSelect**Model:** Company/Facility SDM

Data Field	Data Field Caption	Notes
DocParentStOrProvName	IblStateProvince	
DocTypeNameDisplay	IblDocumentType	
DocumentBusinessUnitDisplay	IblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
DocCompanyStatusDisplay	IblParentStatus	
DocumentDescription	IblDescription	
DocumentParentCityName	IblCity	
DocumentParentCountryName	IblCountryName	
DocumentParentName	IblCompanyFacility	
DocumentParentPostalCode	IblPostalCode	
ManagedDocStatus	IblStatus	
ManagedDocumentEffectiveDate	IblEffectiveDate	
ManagedDocumentExpirationDate	IblExpirationDate	
ManagedDocumentRequiredDate	IblRequiredDate	

Data Field	Data Field Caption	Notes
Originator	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
ParentFacility	IblCompany	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityCompanyNameDataColumnTransformerFactory,EQTModels"
ParentFacility	IblFacility	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityNameDataColumnTransformerFactory,EQTModels"

**Facility**

**View:** FacilityMainSearchViewSingleSelect

**Model:** Facility

Data Field	Data Field Caption	Notes
AltSpecSupplyCapDisplayName	IblAltSpecSupplyCap	
City	IblCityName	
CompanyName	IblCompanyName	
CountryName	IblCountryName	
ctxSysEquiv	IblContextSensitiveSysEquivCtIEquivalent	
FacilityName	IblFacilityName	
FacilityNumber	IblFacilityNumber	
FacilityStatusDisplayName	IblFacilityStatus	
PostalCode	IblPostalCode	
ApprovedForUseBUDisplayName	IblApprovedUsageBU	
SpecAttributesDisplayName	IblSpecialAttributes	
SpecEquivSourced	IblSpecEquivSourced	
SpecNumSourced	IblSpecNumSourced	
StateProvince	IblStateProvince	
SystemEquivalent	IblSystemEquivalent	
UsedInFacilityPKID	IblUsedIn	
VendorMaterialNumber	IblFacilitySACIngNum	

**Non-Spec Sourcing Approval**

**View:** SourcingApprovalNonSpecView

**Model:** Non-Spec Sourcing Approval Model

Data Field	Data Field Caption	Notes
CompanyName	IblCompanyName	
Description	IblDescription	
QAAssignedDisplay	IblQAAssigned	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
SACDescription	IblNotes	
SACStatus	IblStatus	
SCAssignedDisplay	IblSCAssigned	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
DocumentBusinessUnitDisplay	IblApprovedUsageBU	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
SourcingClass	IblClass	
SourcingFacilityPKID	IblSourcingFacility	
SourcingNumber	IblSourcingNumber	
SourcingTypeDisplay	IblSourcingTypeDisplay	
UsedInFacilityPKIDDisplay	IblReceivingFac	

**Spec Related Sourcing Approval**

**View:** SourcingApprovalView

**Model:** Spec Sourcing Approval Model

Data Field	Data Field Caption	Notes
ApprovedForUseBUDisplay	IblApprovedUsageBU	
ApprovedForUseConcept	IblApprovedUsageConcept	
AssignedReferenceDisplay	IblAssignedReference	
CompanyName	IblCompanyName	
ctxSysEquiv	IblSpecEquivalent	
ctxSysEquivDisplay	IblSpecEquivalent	
QAAssignedDisplay	IblQAAssigned	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
SACDescription	IblDescription	
SACStatus	IblStatus	
SCAssignedDisplay	IblSCAssigned	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"

Data Field	Data Field Caption	Notes
DocumentBusinessUnitDisplay	IblApprovedUsageBU	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
SourcingClass	IblClass	
SourcingFacilityPKID	IblSourcingFacility	
SourcingNumber	IblSourcingNumber	
SourcingTypeDisplay	IblSourcingTypeDisplay	
SpecName	IblSpecName	
SpecNumber	IblSpecNumber	
SpecSourced	IblSourcedSpec	
SpecTaxonomyDisplay	IblSpecificationTaxonomy	
SupplierPartNumber	IblSupplierItemNumber	
UsedInFacilityPKIDDisplay	IblReceivingFac	

**Non-Spec Sourcing Approval SDM**

**View:** ManagedDocumentMultiSelect

**Model:** Non-Spec Sourcing Approval SDM

Data Field	Data Field Caption	Notes
DocParentStOrProvName	IblStateProvince	
DocTypeNameDisplay	IblDocumentType	
DocumentBusinessUnitDisplay	IblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
DocCompanyStatusDisplay	IblParentStatus	
DocumentDescription	IblDescription	
DocumentParentCityName	IblCity	
DocumentParentCountryName	IblCountryName	
DocumentParentName	IblSourcingApprovalTab	
DocumentParentPostalCode	IblPostalCode	
ManagedDocStatus	IblStatus	
ManagedDocumentEffectiveDate	IblEffectiveDate	
ManagedDocumentExpirationDate	IblExpirationDate	
ManagedDocumentRequiredDate	IblRequiredDate	
Originator	IblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
ParentFacility	IblCompany	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityCompanyNameDataColumnTransformerFactory,EQTModels"

Data Field	Data Field Caption	Notes
ParentFacility	lblFacility	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityNameDataColumnTransformerFactory,EQTModels"

**Spec Sourcing Approval SDM**

**View:** ManagedDocumentMultiSelect

**Model:** Spec Sourcing Approval SDM

Data Field	Data Field Caption	Notes
DocParentStOrProvName	lblStateProvince	
DocTypeNameDisplay	lblDocumentType	
DocumentBusinessUnitDisplay	lblBusinessUnit	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.BusinessUnitDataColumnTransformerFactory,EQTService"
DocCompanyStatusDisplay	lblParentStatus	
DocumentDescription	lblDescription	
DocumentParentCityName	lblCity	
DocumentParentCountryName	lblCountryName	
DocumentParentName	lblSpecName	
DocumentParentPostalCode	lblPostalCode	
ManagedDocSpecSourcedTaxAlias	lblSpecSourcedTax	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.SpecSummaryTaxonomyAliasDataColumnTransformerFactory,EQTService"
ManagedDocStatus	lblStatus	
ManagedDocumentEffectiveDate	lblEffectiveDate	
ManagedDocumentExpirationDate	lblExpirationDate	
ManagedDocumentRequiredDate	lblRequiredDate	
Originator	lblOriginator	dataTransformer="Singleton:Xeno.Prodika.EQTService.DataTransformers.UserNameDataColumnTransformerFactory,FICService"
ParentFacility	lblCompany	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityCompanyNameDataColumnTransformerFactory,EQTModels"
ParentFacility	lblFacility	dataTransformer="Singleton:EQTModels.BusinessUnitSecurity.BUSecuredFacilityNameDataColumnTransformerFactory,EQTModels"
SpecEquivSourced	lblSpecEquivSourced	
SpecNamePlusNum	lblSpecName	

Data Field	Data Field Caption	Notes
SpecNumSourced	IblSpecNumSourced	

## UGM

### Group

**View:** GroupView

**Model:** Group

Data Field	Data Field Caption	Notes
CanonicalName	IblGroupCanonicalNameProperty	
Description	IblGroupDescriptionProperty	
LastUpdated	IblLastUpdated	
Name	IblGroupNameProperty	
RoleName	IblGroupRoleNameProperty	
GroupStatusDisplay	IblStatus	dataFormatter="Singleton:Oracle.PLM4P.ReadyReports.Lib.DataFormatters.StatusIntValueFormatterFactory,ReadyReportsLib"
TagName	IblGroupWorkflowTags	
UserName	IblGroupUserNameProperty	

### User

**View:** UserView

**Model:** PMAUserModel

Data Field	Data Field Caption	Notes
AffiliateName	IblAffiliateNameProperty	
FirstName	IblFirstNameProperty	
LastName	IblLastNameProperty	
ProperUserName	IblUserName	
UserName	IblUserNameProperty	

## WFA

### GSM Workflow Process Template

**View:** WorkflowProcessTemplateView

**Model:** GSMMModel

Data Field	Data Field Caption	Notes
ProcessTemplateDescription	IblDescription	
ProcessTemplateName	IblName	

**PQM Workflow Process Template**

**View:** WorkflowProcessTemplateView

**Model:** PQMModel

Data Field	Data Field Caption	Notes
ProcessTemplateDescription	lblDescription	
ProcessTemplateName	lblName	

**SCRM Workflow Process Template**

**View:** WorkflowProcessTemplateView

**Model:** SCRMMModel

Data Field	Data Field Caption	Notes
ProcessTemplateDescription	lblDescription	
ProcessTemplateName	lblName	

