

User Defined Events  
Oracle FLEXCUBE Universal Banking  
Release 11.3.0  
[May] [2011]  
Oracle Part Number E51511-01



---

## Table of Contents

<b>1. ABOUT THIS MANUAL.....</b>	<b>1-1</b>
1.1 INTRODUCTION.....	1-1
1.1.1 Organization.....	1-1
1.1.2 Conventions Used in this Manual.....	1-1
1.2 GLOSSARY OF ICONS .....	1-1
1.3 RELATED DOCUMENTS .....	1-2
<b>2. USER DEFINED EVENTS.....</b>	<b>2-1</b>
2.1 INTRODUCTION.....	2-1
2.2 INDICATING THE EVENT DETAILS.....	2-1
2.2.1 Specifying Default Details .....	2-4
2.2.2 Value Date Derivation .....	2-5
2.2.3 Event Processing .....	2-6
2.2.4 Calculating the commission on the highest outstanding balance .....	2-7
2.3 MAINTAINING ACCOUNTING ROLES AND HEADS .....	2-8
2.3.1 Amount Tag Tab .....	2-8
2.3.2 Accounting Roles Tab .....	2-13
2.4 TRIGGERING USER DEFINED EVENTS AUTOMATICALLY .....	2-15
<b>3. SCREEN GLOSSARY .....</b>	<b>3-1</b>
3.1 FUNCTION ID LIST.....	3-1

---

# 1. About this Manual

## 1.1 Introduction


This manual is intended as a guide to help you define User Defined events in FLEXCUBE. Besides this User Manual, you can find answers to specific features and procedures in the Online Help, which can be invoked, by choosing 'Help Contents' from the *Help* Menu of the software. You can further obtain information specific to a particular field by placing the cursor on the relevant field and striking <F1> on the keyboard.

### 1.1.1 Organization

This manual is organized as follows:









<b>Chapter 1</b>	<i>About this Manual</i> gives information on the intended audience. It also lists the various chapters covered in this User Manual.
<b>Chapter 2</b>	<i>Building User Defined Events</i> explains how to define events in Oracle FLEXCUBE either for your own convenience or to suit the requirements of your bank.












### 1.1.2 Conventions Used in this Manual

Important information is preceded with the  symbol.

## 1.2 Glossary of Icons

This User Manual may refer to all or some of the following icons.

Icons	Function
	New
	Copy
	Save
	Delete
	Unlock
	Print
	Close
	Re-open

Icons	Function
	Reverse
	Template
	Roll-over
	Hold
	Authorize
	Liquidate
	Exit
	Sign-off
	Help
	Add
	Delete

*Refer the Procedures User Manual for further details about the icons.*

### 1.3 **Related Documents**

For further information on procedures discussed in the manual, refer to the Oracle FLEXCUBE manuals on:

- Core Services
- Common Procedures

## 2. User Defined Events

### 2.1 Introduction

A contract that you process in Oracle FLEXCUBE goes through different stages during its life cycle. These stages are defined as Events. Every new module that you maintain has to be associated with a set of events, which will be triggered at appropriate stages during the lifecycle of the contract.

Apart from the factory shipped events, you can create your own events as per the requirements of the bank.

### 2.2 Indicating the Event Details

You can define the events through the 'User defined Events' screen. You can invoke this screen by typing 'UDDEVMNT' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

You can define events for a new module and also for existing modules in this screen.

Main Screen

Report Module \*

Event Code \*

Event Description

Accounting Entries Definition No

Advice Definition No

UDE Advices Definition No

- Association

Allow Charge No

Allow Transaction Tax No

- Application

Allow Charge No

Allow Transaction Tax No

- Liquidation

Allow Charge No

Allow Transaction Tax No

Fields Default

Input By Date Time Authorized By Date Time Modification Number ☐ Authorized ☐ Open

User defined events will be linked to a product and is triggered in the life cycle of a contract, which is processed under that product.

#### Report Module

Specify the module for which you want to set up a user-defined event. The adjoining option list contains all the module codes available in the system. Select the appropriate one.

**Event Code**

Specify the event code that you want to set up for the module.

**Event Description**

Give a brief description of the event that you are defining. The description that you enter is for information purposes.

**Accounting Entries Definition**

Specify the accounting entries definition. You have the following options:

- Yes
- No

**Advice Definition**

Specify the advice entries definition. You have the following options:

- Yes
- No

**UDE Advices Definition**

Specify the UDE advice definition. You have the following options:

- Yes
- No

**Association**

Indicate your preferences.

**Allow Charge**

Specify the association allow charge. You have the following options:

- Yes
- No

**Allow Transaction Tax**

Specify the association allow transaction tax. You have the following options:

- Yes
- No

## **Application**

Indicate your preferences. Note that these fields will not be applicable if you have specified any one of the following in the 'Report Module' field:

- CL
- CI
- LE
- MO

### **Allow Charge**

Specify the application allow charge. You have the following options:

- Yes
- No

### **Allow Transaction Tax**

Specify the application allow transaction tax. You have the following options:

- Yes
- No

## **Liquidation**

Indicate your preferences. Note that these fields will not be applicable if you have specified any one of the following in the 'Report Module' field:

- CL
- CI
- LE
- MO

### **Allow Charge**

Specify the liquidation allow charge. You have the following options:

- Yes
- No

### **Allow Transaction Tax**

Specify the liquidation allow transaction tax. You have the following options:

- Yes
- No

### 2.2.1 Specifying Default Details

Click 'Default' button in the 'User Defined Events' screen to define the triggering parameters for the configured event.

The screenshot shows the 'Event Trigger' dialog box. It contains the following elements:

- Module Code \***: A text input field.
- Event Code \***: A text input field.
- Event Trigger**: Two radio buttons, **Automatic** and **Manual**.
- Value Date Derivation**: A checkbox.
- Event Processing**: A checkbox.
- Execution Query**: A large text area for entering a query.
- Value Date Derivation** and **Event Processing**: Two tabs at the bottom.
- Ok** and **Exit**: Buttons at the bottom right.

In this screen you can enter the following details below:

#### **Module Code**

The system displays the module code here.

#### **Event Code**

The system displays the event code here.

#### **Event Trigger**

The event, which you are defining, can be triggered in either of the following ways:

- **Automatic** – This means that the event should be triggered automatically during EOD.
- **Manual** - This means that the event should be triggered manually from the 'User Defined Event' triggering screen.

#### **Value Date Derivation**

Check this box to indicate that the value date derivation is defined for a particular event.



## Event Processing

Check this box to indicate the event processing is defined for a particular event.

## Execution Query

Enter the query condition to select the list of accounts for the execution of the event during EOD. Input to this field will be mandatory if you choose 'Automatic' triggering of the event.

### 2.2.2 Value Date Derivation

Click 'Value Date Derivation' button on the 'Event Trigger' screen and invoke the 'Derivation Rule' screen to specify the value date derivation logic.

The screenshot shows a software window titled "Derivation Rule". Inside, there's a section labeled "Value Date Derivation Rule". This section contains two labels, "Module Code \*" and "Event Code \*", each followed by a text input field. Below these is a "Default" button and a larger text input field for the "Value Date Derivation Rule". To the right of this field is a small yellow speech bubble icon. Below the main section is an "Error" section with a small "X" icon and a larger empty rectangular box. At the bottom right of the window are "Ok" and "Exit" buttons.

In this screen you can enter the following details:

#### Module Code

The system displays module code here.

#### Event Code

The system displays event code here.

#### Value Date Derivation Rule

Enter description about the value date derivation rule. You need to assign a value to 'L\_VAL\_DT'. For instance, 'L\_VAL\_DT:=global.application\_date'.

## Error

Click 'X' button to execute the code. The derivation code will be validated by the system. If any checks fail, you must alter the statement so that the validation can be made successfully. Click 'E' button to view the errors.

### 2.2.3 Event Processing

Click 'Event Processing' button on the 'Event Trigger' screen and invoke the 'Derivation Rule' screen to assign values for processing of the event.

The screenshot shows a software window titled "Derivation Rule". It is divided into two main horizontal sections. The top section, labeled "Event Process Derivation Rule", contains two input fields: "Module Code \*" and "Event Code \*", both with red asterisks indicating they are required. Below these fields is a "Default" button. To the right of the input fields is a large, empty rectangular text area with a yellow speech bubble icon in its top right corner. The bottom section, labeled "Errors", contains two small buttons: one with an "X" and one with an "E". Below these buttons is another large, empty rectangular text area. At the bottom right of the window are "Ok" and "Exit" buttons.

In this screen you can enter the following details:

#### Module Code

The system displays module code here.

#### Event Code

The system displays event code here.

## **Errors**

Click 'X' button to execute the code. The derivation code will be validated by the system. If any checks fail, you must alter the statement so that the validation can be made successfully. Click 'E' button to view the errors.

### **2.2.4 Calculating the commission on the highest outstanding balance**

System uses UDE to calculate the commission on the highest outstanding balance of the loan and the mortgage Accounts.

You can define a UDE Highest Debit Balance Commission Event (HDBC) for computation of commission with following parameters:

- Event Trigger can be either Auto or Manual
- Apply Charge should be Yes
- Execution Query should be all accounts which satisfy the following criteria:
  - Account Status is Active
  - Outstanding Principal is greater than 0.00
- Value Date derivation rule to return the date as month-end
- This event is available at Loan and Mortgage product level.

## 2.3 Maintaining Accounting Roles and Heads

You can define the amount tags for accounting roles through the 'Accounting Role and Head Maintenance' screen. You can invoke this screen by typing 'UDDRLTAG' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

You can specify the following parameters for the module:

- Amount Tag
- Accounting Roles

### 2.3.1 Amount Tag Tab

This tab is displayed by default when you invoke the screen.

#### **Amount Tag**

Specify the amount tag.

#### **Description**

Enter the brief description for amount tag.

#### **Charge**

Indicate whether the amount tag pertains to a charge or not by choosing one of the following options:

- Yes
- No

### **Accounting**

Indicate whether accounting entries are required or not by choosing one of the following options:

- Yes
- No

### **Transaction Tax**

Indicate whether transaction tax is applicable or not by choosing one of the following options:

- Yes
- No

### **Local Currency**

Indicate the local currency preference by choosing one of the following options:

- Average
- Equivalent

### **Local Currency Eq. Tag**

Specify the amount tag for the local currency equivalent amount.

Click 'Derivation' button and invoke the 'Derivation Rule Details' screen to derive the amount and currency for the amount tag.

Here you can specify derivation logic for the following:

- Amount Rule
- Currency Rule

### Module Code

The system displays module code here.

### Amount Tag

The system displays the amount tag here.

### Amount Rule Derivation

You can specify the following details.

### Amount Rule Type

Check this box if the amount has to be derived based on a specified condition. The amount for a particular tag can be derived based on a condition.

### Derivation Amount Rule

If you have checked against the option 'Amount Rule Type', the system will derive the amount for the amount tag that is being defined. You can use the following as variables while creating the derivation rule:

- Account Level UDF
- SDE

You can use any of the following SDEs:

- CUSTOMER\_CATEGORY - Category of the customer of the loan
- CUSTOMER\_ID - Customer ID
- LOAN\_STATUS - Status
- ACCOUNT\_CCY - Loan account's currency
- TODAY - Today
- NEXT\_WORKDAY - Date of next workday
- PAYMENT\_VALUE\_DATE - Payment value date
- LAST\_PAYMENT\_DATE - Last payment date for the customer
- DAYS\_FOR\_NEXT\_PMNT - Days for next payment
- AMOUNT\_DISBURSED - Current disbursement amount
- COMMITMENT\_UTILIZED - Utilized part of commitment
- EMI\_AMOUNT - EMI AMOUNT
- NET\_PRINCIPAL - Non-funded amount for which the loan is applied
- TOTAL\_DUE\_AMOUNT - Sum of all the Outstanding Balances for the Customer
- LAST\_PAYMENT\_AMOUNT - Last Payment Amount for the Customer
- CURRENT\_PAYMENT\_AMOUNT - Current Amount which is Due
- PAID\_INTEREST\_AMOUNT - Total Interest Amount Paid
- INTEREST\_ACCRUED\_AMOUNT - Sum of all the Accrued Amounts for Interest
- AMOUNT\_NOT\_DISBURSED - Amount Not Disbursed
- COMMITMENT\_UNUTILIZED - Unutilized part of commitment
- TOTAL\_PRINCIPAL - Amount for which the loan is applied
- TENOR - Duration for which the loan is applied
- LOAN\_PRINCIPAL - Principal
- PRINCIPAL - Amount disbursed
- PRINCIPAL\_OUTSTAND – Principal amount outstanding
- OVERDUE\_MONTHS - OverDue Months
- TOTAL\_OVERDUE\_AMOUNT - Total Overdue amount for all components
- INS\_TENOR - INSTALLMENT TENOR
- NO\_OF\_RPMNT\_SCHS - Number of Non-Moratorium repayment schedules

- MORA\_OUTSTANDING - Moratorium Outstanding Amount
- COMPOUND\_VALUE - Amount Compounded
- TOTAL\_MORA\_AMOUNT - Total Moratorium Amount
- \_OVR\_DAYS - <Component> overdue days
- \_EXPECTED - <Component> expected amount
- \_OUTSTAND - <Component> outstanding amount
- \_CCY - <Component> currency
- \_OVERDUE - <Component> overdue amount
- \_FN\_NO\_REPAY\_SCH - <Component> number of schedules for a component if periodic
- \_NET\_PRINCIPAL - <Component> amount financed
- PROJECTED\_AMOUNT - Projected Amount
- UIDB\_DIFFERENTIAL - UIDB Differential
- BALLOON\_AMOUNT - Balloon Amount
- RESIDUAL\_AMOUNT - Residual Amount
- CAPITAL\_AMOUNT - Capital Amount
- CLOSURE\_AMOUNT - Closure Amount
- NET\_MORTGAGE - Net Mortgage Amount

Assume that you have an account-level UDF called 'OSCHGRATE'.

The derivation rule using the SDEs and UDF may be given as under.

DECLARE

l\_osprin\_amt number;

rate number;

BEGIN

l\_osprin\_amt:=(@SDE\_VAL#PRINCIPAL\_OUTSTAND);

rate:=(@UDF\_UD#OSCHGRATE);

l\_amount:=rate \* l\_osprin\_amt;

END

### **Amount Rule Error Description**

Enter a brief description about amount rule error that should be displayed in case the derivation fails.



### **Currency Rule Derivation**

The currency can either be derived from the existing account currency or can be maintained as a UDF field in the account or it can be hard-coded in the 'Currency Rule Definition' screen.

#### **Currency Rule Type**

Check this box if the currency for a particular amount tag has to be derived based on the derivation rule.

#### **Derivation Currency Rule**

Specify the rule based on which the system should derive the currency for the amount tag. Note that you need to assign a value to 'L\_CCY'. For instance, the rule may be given as under.

```
BEGIN  
  
SELECT currency  
  
INTO    l_ccy  
  
FROM    cltb_account_master  
  
WHERE   account_number = p_acc_no  
  
AND     branch_code=p_branch;  
  
END;
```


#### **Currency Rule Error Description**

Enter a brief description about currency rule error that should be displayed in case the derivation fails.

### **2.3.2 Accounting Roles Tab**

Click 'Accounting Roles' tab in the 'Accounting Role and Head Maintenance' screen.


Accounting Role and Head Maintenance

Module Code\*  

Description

Amount Tag    Accounting Roles

Account Rule Details

Role Code	Description	Role Type
<input type="text"/>	<input type="text"/>	Asset 

Input By:  Date Time:

Authorized By:  Date Time:

Modification Number:

☐ Authorized ☐ Open

Exit

In this screen you can enter the following details:

### Role Code

Specify the role code.

### Description

Enter a brief description about role code.

### Role Type

Select the role type from the adjoining drop-down list. The following values are available:

- Asset
- Liability
- Income
- Expense
- C Asset
- C Liability
- Customer

## 2.4 Triggering User Defined Events Automatically

You can add the user defined event batch to the mandatory programs to be run for the module, using the 'Mandatory Batch Program Maintenance' screen. You can invoke this screen by typing 'EIDMANPR' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

**Mandatory Batch Program Maintenance**

Branch \* 005  
Module \* ST

Function Id \* UDBATEVT  
Sequence Number 501  
Description Batch Operations User Define

End Of Cycle Group \* ☐ Transaction Input  
☒ End Of Transaction Input  
☐ End Of Financial Input  
☐ End Of Day  
☐ Beginning Of Day

Error Handling ☒ Stop Automatic End Of Day and Run Emergency Program  
☐ Continue with Automatic End Of Day

Frequency Daily  
Holiday Rule Do Not Execute  
Execution Layer ☒ Database  
☐ Application

Number Of Days  
Run Date  
Job Code  
Description

**Predecessors**

Predecessors
<input type="checkbox"/> Predecessors *
<input type="checkbox"/> CIDBATCH
<input type="checkbox"/> CLBATCH
<input type="checkbox"/> LEDBATCH
<input type="checkbox"/> MODBATCH

**Fields**

Input By A21898M01 Date Time Modification Number 3  
Authorized By Date Time Authorized Open

Cancel

### Module

Choose the module code from the adjoining option list.

### Function Identification

Specify 'UDBATEVT' as the batch that needs to be run. You can also select this value from the adjoining option list.

### End Of Cycle Group

Select the option 'End Of Transaction Input'.

### Predecessors

You need to add the following batches as predecessors to the 'UDBATEVT' batch:

- CL batch (CLBATCH)
- Islamic CL batch (CIDBATCH)

- Leasing batch (LEDBATCH)
- Mortgage batch (MODBATCH)

*For further details about this screen, refer the chapter 'Setting- up Mandatory Programs for EOD' in the AEOD User Manual.*

This batch fetches the list of user defined events of the following modules for which the event triggering is set as 'Automatic':

- CL
- Islamic Financing
- Mortgages
- Leasing

It fetches valid accounts associated with the event by the executing the query defined for the event in the 'Event Trigger' screen. The settlement account and branch are defaulted from the settlement details maintained for the account. If these details are not maintained, they will be defaulted from the settlement details maintained for the 'Principal' component.

The system triggers the derivation rule maintained for the event to arrive at the value date of the event. The system then posts accounting entries to the respective GLs using the value date derived. The system also derives the amount and currency for each amount tag of the accounting entries defined for the event. The system allows you to link only payment advice 'CR\_ADV, DR\_ADV' to the user defined event. So if linked to an account, this advice will be generated.

---

## 3. Screen Glossary

### 3.1 Function ID List

The following table lists the function id and the function description of the screens covered as part of this User Manual.

Function ID	Function Description
EIDMANPR	Mandatory Batch Program Maintenance
UDDEVMNT	User Defined Events
UDDRLTAG	Accounting Role & Head Maintenance



User Defined Events  
[May] [2011]  
Version 11.3

Oracle Corporation  
World Headquarters  
500 Oracle Parkway  
Redwood Shores, CA 94065  
U.S.A.

Worldwide Inquiries:  
Phone: +1.650.506.7000  
Fax: +1.650.506.7200  
[www.oracle.com/ financial\\_services/](http://www.oracle.com/financial_services/)

Copyright © [2011] Oracle Financial Services Software Limited. All rights reserved.

No part of this work may be reproduced, stored in a retrieval system, adopted or transmitted in any form or by any means, electronic, mechanical, photographic, graphic, optic recording or otherwise, translated in any language or computer language, without the prior written permission of Oracle Financial Services Software Limited.

Due care has been taken to make this document and accompanying software package as accurate as possible. However, Oracle Financial Services Software Limited makes no representation or warranties with respect to the contents hereof and shall not be responsible for any loss or damage caused to the user by the direct or indirect use of this document and the accompanying Software System. Furthermore, Oracle Financial Services Software Limited reserves the right to alter, modify or otherwise change in any manner the content hereof, without obligation of Oracle Financial Services Software Limited to notify any person of such revision or changes.

All company and product names are trademarks of the respective companies with which they are associated.