

Admin
Oracle FLEXCUBE Investor Servicing
Release 12.0.1.0.0
[November] [2012]
Oracle Part Number E51524-01



Table of Contents

1.	About This Manual	1-1
1.1	Introduction.....	1-1
1.2	Related Documents	1-1
1.3	Audience.....	1-1
1.4	Organization	1-1
1.5	Conventions Used in this Manual.....	1-1
	1.5.1 <i>General Conventions</i>	1-2
	1.5.2 <i>Keyboard Conventions</i>	1-2
1.6	Glossary of Icons.....	1-2
1.7	Abbreviations and Acronyms.....	1-2
1.8	Getting Help.....	1-3
2.	Administration	2-1
2.1	Introduction.....	2-1
2.2	Purge Frequency Maintenance	2-1
	2.2.1 <i>Fields in Purge Frequency Screen</i>	2-2
	2.2.2 <i>Purge Frequency Summary screen</i>	2-3
2.3	Query Builder.....	2-6
2.4	Building Custom Query.....	2-7
	2.4.1 <i>Specifying Where Clauses</i>	2-7
	2.4.2 <i>Selecting Specific Fields for Basis Loads</i>	2-8
	2.4.3 <i>Fields in Custom Query Screen</i>	2-8
	2.4.4 <i>Running User-defined Query</i>	2-8
	2.4.5 <i>Deleting User-defined Query</i>	2-9
	2.4.6 <i>Renaming User-defined Query</i>	2-9
	2.4.7 <i>Editing User-defined Query</i>	2-9
2.5	Purge Processing	2-10
3.	Function ID Glossary	3-1

1. About This Manual

1.1 Introduction

Welcome to Oracle FLEXCUBE Investor Servicing™, a comprehensive mutual funds automation software from Oracle Financial Servicing Software Ltd. ©.

This Oracle FLEXCUBE Investor Servicing User Manual helps you use the system to achieve optimum automation of all your mutual fund investor servicing processes. It contains guidelines for specific tasks, descriptions of various features and processes in the system and general information.

1.2 Related Documents

The User Manual is organized in to various parts, each discussing a component of the Oracle FLEXCUBE Investor Servicing system.

1.3 Audience

This Fund Manager User Manual is intended for the Fund Administrator users and system operators in the AMC.

1.4 Organization

This volume of the Fund Manager User manual is organized under the following chapter sequence:

Chapter 1	<i>About This Manual</i> explains the structure, audience, organization, and related documents of this manual.
Chapter 2	<i>Admin</i> – explains Purge frequency maintenance, Purge processing, query builder.

1.5 Conventions Used in this Manual

Before you begin using this User Manual, it is important to understand the typographical conventions used in it.

1.5.1 General Conventions

Convention	Type of Information
<i>Italics type</i>	Functional /foreign terms Validations for fields on a screen References to related Headings/Users Manuals For emphasis
Numbered Bullet	Step by step procedures

1.5.2 Keyboard Conventions

Convention	Type of Information
Keys	All keys of the keyboard are represented in capital letters. For example, <CTRL>.
Shortcut keys	All short cut keys are contained in brackets. For example, <ALT+SHIFT>.

1.6 Glossary of Icons

This User Manual may refer to all or some of the following icons.

Icons	Function
	Exit
	Add Row
	Delete Row
	Option List

1.7 Abbreviations and Acronyms

The following acronyms and abbreviations are adhered to in this User Manual:

Abbreviation/ Acronym	Meaning
ADMIN	User Administrator
AGY	The Agency Branch component of the system
AMC	Asset Management Company
BOD	Beginning of Day
CDSC	Contingent Deferred Sales Charge
CGT	Capital Gains Tax

Abbreviation/ Acronym	Meaning
CIF	Customer Information File
EOD	End of Day
EPU	Earnings per unit
FC-IS	Oracle FLEXCUBE Investor Servicing
FMG	The Fund Manager component of the system
FPADMIN	Oracle FLEXCUBE Administrator
ID	Identification
IHPP	Inflation Hedged Pension Plan
IPO	Initial Public Offering
LEP	Life and Endowment Products
LOI	Letter of Intent
NAV	Net Asset Value
REG	The Registrar component of the system
ROA	Rights of Accumulation
ROI	Return on Investment
SI	Standing Instructions
SMS	Security Management System
URL	Uniform Resource Locator
VAT	Value Added Tax
WAUC	Weighted Average Unit Cost

1.8 Getting Help

Online help is available for all tasks. You can get help for any function by clicking the help icon provided or by pressing F1.

2. Administration

2.1 Introduction

The Fund Manager component is equipped to manage administrative activities, which include the purging of data, maintenance of extraction information for extraction of data from the FIC application. This chapter explains these functions.

This chapter also explains the Query Builder, which can be used to construct user defined query statements to obtain information from the database.

2.2 Purge Frequency Maintenance

You can use this screen to maintain the frequency of purging for the tables in the system. According to the frequency specified here, the tables are purged during the End of Day processes.

Invoke the 'Purge Frequency Maintenance Detail' screen by typing 'UTDPURGS' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. The 'Purge Frequency Maintenance Detail' screen is displayed. Select 'New' from the Actions menu in the Application tool bar or click new icon to enter the details.

Purge Frequency Maintenance Detail

New Enter Query

Basic Information

Purge Key *

Table Name

Purge Frequency

Last Purge Date

Retention Period

Retention Frequency

Retention Period in Days

Additional Information

Backup Required Before Purge

Column referred for Last Purge Date comparison

Child Table(s) Present?

Installation Criteria

User Criteria

Archived Table Information

Table Name	Archive Table Name
<input type="text"/>	<input type="text"/>

Input by DateTime

Authorized by DateTime

Mod No Open

Authorized

Ok Exit

2.2.1 Fields in Purge Frequency Screen

2.2.1.1 Basic Information Section

Purge Key

Purge key is the purge name that you need to maintain.

Table Name

Display Only

The name of the table for which a purge frequency must be set up is displayed here.

Purge Frequency

Alphanumeric, Mandatory

Specify the frequency at which the selected table must be purged as part of the End of Day processes. You can use the drop-down list to make your choice.

Last Purge Date

Display Only

The most recent date on which the purge was performed is displayed in this field.

Retention Period

Display Only

It is maintained at system level.

Retention Frequency

Select the retention frequency from the drop down.

Retention Period in Days

Display

Based on the Retention Period Value and Frequency, system will calculate the days and is displayed here. For example, If Retention Period is 1, and Retention Frequency is selected as weekly then 7 will be displayed in this field (1*7days in a week=7)

2.2.1.2 Additional Information Section

Backup Required before purge?

Select 'Yes' if you want backup to be taken before purge. Else select 'No'.

Column referred for Last Purge Date comparison

Displays the Column in the table which will be referred before processing purge. If purge is already processed, then process will start from the last purge date.

Child table(s) present?

If any Child Table/s are present, select 'Yes'. Else select 'No'.

Installation Criteria

Enter the installation criteria based on which the purge will be maintained.

User defined Criteria

You can amend the purge details before process and enter the user defined criteria.

2.2.1.3 Archived Table Information

Table Name

The table name will be displayed.

Archived Table Name

The archived table name will be displayed.

2.2.2 Purge Frequency Summary screen

2.2.2.1 Retrieving Record in Purge Frequency Summary Screen

You can retrieve a previously entered record in the Summary Screen, as follows:

Invoke the 'Purge Frequency Maintenance Summary' screen by typing 'UTSPURGS' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Specify any or all of the following details in the corresponding fields:

- The status of the record in the Authorized field. If you choose the 'Blank Space' option, then all the records are retrieved.
- The status of the record in the Open field. If you choose the 'Blank Space' option, then all records are retrieved
- The Purge Key
- The Purge Frequency
- The Last Purge Date

Click 'Search' button to view the records. All the records with the specified details are retrieved and displayed in the lower portion of the screen.

Note

You can also retrieve the individual record detail from the detail screen by querying in the following manner:

- Press F7
 - Input the Purge Key.
 - Press F8
-

You can perform Edit, Delete, Amend, Authorize, Reverse, Confirm operations by selecting the operation from the Action list. You can also search a record by using a combination of % and alphanumeric value.

Example

You can search the record for Purge Key by using the combination of % and alphanumeric value as follows:-

- Search by A%: System will fetch all the records whose Purge Key starts from Alphabet 'A'. For example, AGC17, AGVO6, AGC74 etc.
- Search by %7: System will fetch all the records whose Purge Key ends by numeric value '7'. For example AGC17, GSD267, AGC77 etc.

- Search by %17%:- System will fetch all the records whose Purge Key contains the numeric value 17. For example, GSD217, GSD172, AGC17 etc.

2.2.2.2 Editing Purge Frequency Maintenance

You can modify the details of Purge Frequency Maintenance that you have already entered into the system, provided it has not subsequently authorized. You can perform this operation as follows:

- Invoke the Purge Frequency Summary screen from the Browser.
- Select the status of the record that you want to retrieve for modification in the Authorized field. You can only modify records that are unauthorized. Accordingly, choose the unauthorized option.
- Specify any or all of the details in the corresponding fields to retrieve the record that is to be modified.
- Click 'Search' button. All unauthorized records with the specified details are retrieved and displayed in the lower portion of the screen.
- Double click the record that you want to modify in the list of displayed records. The Purge Frequency Maintenance Detail screen is displayed.
- Select Unlock Operation from the Action list to modify the record. Modify the necessary information.
- Click Save to save your changes. The Purge Frequency Maintenance Detail screen is closed and the changes made are reflected in the Purge Frequency Summary screen.

2.2.2.3 Viewing Purge Frequency Maintenance record

To view a record that you have previously input, you must retrieve the same in the Purge Frequency Summary screen as follows:

- Invoke the Purge Frequency Summary screen from the Browser.
- Select the status of the record that you want to retrieve for viewing in the Authorized field. You can also view all records that are either unauthorized or authorized only, by choosing the Unauthorized/Authorized option.
- Specify any or all of the details of the record in the corresponding fields on the screen and click 'Search' button. All records with the specified fields are retrieved and displayed in the lower portion of the screen.
- Double click the record that you want to view in the list of displayed records. The Purge Frequency Maintenance Detail screen is displayed in View mode.

2.2.2.4 Deleting Purge Frequency Maintenance record

You can delete only unauthorized records in the system. To delete a record that you have previously entered:

- Invoke the Purge Frequency Summary screen from the Browser.
- Select the status of the record that you want to retrieve for deletion.
- Specify any or all of the details and click 'Search' button. All records with the specified fields are retrieved and displayed in the lower portion of the screen.
- Double click the record that you want to delete in the list of displayed records. The Purge Frequency Maintenance Detail screen is displayed.
- Select Delete Operation from the Action list. The system prompts you to confirm the deletion and the record is physically deleted from the system database.

2.2.2.5 Authorizing Purge Frequency Maintenance

An unauthorized Purge Frequency must be authorized in the system for it to be processed. To authorize a record:

- Invoke the Purge Frequency Summary screen from the Browser.
- Select the status of the record that you want to retrieve for authorization. Typically, choose the unauthorized option.
- Specify any or all of the details and click 'Search' button. All records with the specified details that are pending authorization are retrieved and displayed in the lower portion of the screen.
- Double click the record that you wish to authorize. The Purge Frequency Maintenance Detail screen is displayed. Select Authorize operation from the Action List.

When a checker authorizes a record, details of validation, if any, that were overridden by the maker of the record during the Save operation are displayed. If any of these overrides results in an error, the checker must reject the record.

2.2.2.6 Amending Purge Frequency Maintenance

After a Purge Frequency Maintenance is authorized, it can be modified using the Unlock operation from the Action List. To make changes to a record after authorization:

- Invoke the Purge Frequency Summary screen from the Browser.
- Select the status of the record that you want to retrieve for authorization. You can only amend authorized records.
- Specify any or all of the details and click 'Search' button. All records with the specified details that are pending authorization are retrieved and displayed in the lower portion of the screen.
- Double click the record that you wish to authorize. The Purge Frequency Maintenance Detail screen is displayed in amendment mode. Select Unlock operation from the Action List to amend the record.
- Amend the necessary information and click on Save to save the changes.

2.2.2.7 Authorizing Amended Purge Frequency Maintenance

An amended Purge Frequency Maintenance must be authorized for the amendment to be made effective in the system. The authorization of amended records can be done only from Fund Manager Module and Agency Branch module.

The process of subsequent authorization is the same as that for normal transactions.

2.2.2.8 Copying Attributes

If you want to create a new Purge Frequency Maintenance with the same attributes of an existing maintenance, you can copy the attributes of an existing Purge Frequency Maintenance to a new one.

To copy the attributes:

- Retrieve the record whose attributes the new Purge Frequency should inherit. You can retrieve the record through the Summary screen or through the F7-F8 operation explained in the previous sections of this chapter.
- Click on Copy.
- Indicate the ID for the new Purge Frequency Maintenance. You can, however, change the details of the new maintenance.

2.3 Query Builder

You can use this screen to:

- Build a custom query using the Query Builder
- Run a user-defined query that has been built using the Query Builder
- Delete a user-defined query that has been built using the Query Builder
- Rename a user-defined query that has been built using the Query Builder
- Edit a user-defined query that has been built using the Query Builder

The screenshot shows a software window titled "Load Maintenance Detail" with a blue header bar. The window is divided into two main sections: "Query Information" and "Detail".

Query Information:

- Tables:** A text input field with a "Distinct" checkbox below it.
- Fields:** A text input field with an "Order By field" label to its left.
- Order By:** Radio buttons for "Ascending Order" (selected) and "Descending Order".

Detail:

- Tables:** A vertical list box with "Add Table" and "Delete Table" buttons to its right.
- Fields:** A vertical list box with "Add Field" and "Delete Field" buttons to its right.
- Order By:** A vertical list box with "Add Order by" and "Delete Order By" buttons to its right.
- Join Tables:** A button located below the Tables list box.
- Group By:** A button located below the Tables list box.
- Show Details:** A button located below the Tables list box.
- Parameters:** A button located to the right of the Order By list box.
- Where Criteria:** A button located to the right of the Order By list box.

At the bottom right of the window are "Ok" and "Exit" buttons.

You can use the Query Builder to set up criteria for any loads as well as basis loads that you create in the 'Load Maintenance' screen. To access the Query Builder from the Load Maintenance screen, click 'Criteria' button in the Criteria section of the screen.

When you have set up the criteria in the Query Builder, you can save the same. When you exit the Query Builder, the query is displayed in the Criteria section of the Load Maintenance screen.

2.4 Building Custom Query

To build a Custom Query, click the Custom Query button to create a new query. The system displays the screen used for building a custom query.

To build a Custom Query in the Query Builder, you must specify the following:

- The table that is to be queried, in the Table field of the Query Builder screen.
- The order in which the data retrieved by the query must be ordered, either Ascending or Descending.
- Whether the query must return distinct records. Specify this in the 'Distinct' field.
- A suitable Where Clause for the query. A Where Clause is a conditional restriction that you specify to the custom query result, in the form of a SQL statement. To specify a Where Clause, use the Where Criteria screen. To invoke this screen, click the Where Criteria link in the main Query Builder screen.

The screenshot shows a window titled "Load Maintenance Detail" with a "Query Criteria" section. On the left, there are three input fields: "Values To Be Used", "Enter Values", and "Field For Criteria". To the right, there is an "Operator" dropdown menu currently showing "Select new" and a "Parameter" dropdown menu. Below these are five buttons: "if", "And", "Not", "Or", and "↓". At the bottom left of the window is a "Clear" button, and at the bottom right are "Ok" and "Exit" buttons.

2.4.1 Specifying Where Clauses

In the Where Criteria screen, specify:

- The specific field to which the Where Clause would apply, in the Field for Criteria field. The list displays fields in the selected table.
- The logical operator to be used, in the Operator field
- The existing field values to which the Where Clause would apply, in the Value to be Used field.
- The parameter, if any, to be used to run the query. The system prompts for the parameter whenever the query is run. The Parameter Name is restricted to the 13 names provided by the system.
- The Boolean operators used in the Where clause. Click on the appropriate button to include the operator.
- The values, if any, to be used in the statement, in the Enter Values screen.

The Clause that you have constructed is displayed in the lower portion of the screen. Click the 'Ok' button to save the clause. The Where Criteria screen is closed and you are returned to the main Query Builder screen.

- To view the Where Criteria SQL statement you have specified, click the Show link at the bottom of the screen.
- To clear the current query and enter a new one, click 'Clear' button.
- To save your query with the Where Criteria, click 'Ok' button. The query is saved as a user-defined query in the current database.

2.4.2 Selecting Specific Fields for Basis Loads

When you are specifying criteria for a basis load, you can specify particular fields in the selected table, and order the results by specific fields. Select the particular field for the criteria in the Fields field in the main Query Builder screen, and also select the field according to which the results must be ordered, in the Order By field in the main Query Builder screen. Information in these fields is relevant only when you are defining criteria for basis loads.

You can also define Where Clauses for basis loads.

2.4.3 Fields in Custom Query Screen

Table

20 Character Maximum, Alphanumeric, Mandatory

Select the Table(s) on which the query is to be based. The Table list displays all the tables in the current database.

Any table that you select is displayed in the Details section of the screen, in the Table box.

Fields

50 Character Maximum, Alphanumeric, Mandatory

Select the Table Field(s) on which the query is to be based. The Field list displays all the fields in the selected table.

Any field that you select is displayed in the Details section of the screen, in the Fields box.

2.4.4 Running User-defined Query

To run a user-defined query, follow the steps given below:

- Select the user-defined query from the list provided. The system displays the SQL of the existing query.
- Click the Run button to run the query. The System displays the Query Results in a tabular screen. The Results can be viewed as a Text File / Report / Graph.

Note

The User will not be able to perform an Aggregate Function on the following fields.

Outstanding units	FI Outstanding units	Total Net Assets
Foreign Investors Limit	Unit Balance	IPO Balance
Blocked Units	Provisional Units	Minimum Balance

Maximum Registered Capital	Allocation Vs Registered Capital	Minimum Registered Capital
Income From	Income To	Running Total
Balance	Total Paid	Net Paid
Earnings per unit	Units	Total Dividend Income
Net Asset Value		

If any of the above mentioned fields are used in the Where clause, the query has to be saved by clicking on the save button and then retrieved in the main screen of the Query Builder. The existing field value chosen in the Where clause will be in quotes () and this has to be removed by manual editing by the user. The query should then be saved by clicking on the save button. It can be executed by clicking on the Run button.

2.4.5 Deleting User-defined Query

To delete a user-defined query, follow the steps given below:

- Select the user-defined query from the list provided. The system displays the SQL of the existing query.
- Click the Delete button to delete the query.
- Click the Yes button to confirm deletion or the No button if you do not want to delete the Query.

The system will not allow more than one user to delete a Query simultaneously.

2.4.6 Renaming User-defined Query

To rename a user-defined query, follow the steps given below:

- Select the user-defined query from the list provided. The system displays the SQL of the existing query.
- Click the Rename button to rename the query.
- Enter the New name for the query.
- Click the OK button to confirm the name change or Click the Cancel button if you do not want to rename the Query.

The system will not allow more than one user to rename a Query simultaneously.

2.4.7 Editing User-defined Query

To edit a user-defined query, follow the steps given below:


- Select the user-defined query from the list provided. The system displays the SQL of the existing query.
- Edit the SQL statement of the Query
- Click the OK button to confirm the query update or Click the Cancel button if you do not want to update the Query.

The system will not allow more than one user to edit a Query simultaneously.

2.5 Purge Processing

Data purging happens at regular intervals, based on the parameters setup for the corresponding table. This maintenance can be carried out through the Purge Frequency Maintenance screen. Purging of data can be an End Of Day activity (if the activity is scheduled for EOD), and can also be carried out when required.

You can purge data through the 'Purge Processing' screen. You can invoke this screen by typing 'UTDPURGE' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. The 'Purge Processing' screen is displayed. Select 'New' from the Actions menu in the Application tool bar or click new icon to enter the details.



Select operation from 'Operator' drop down list. If you select 'Process', the operation will be sent to job process. If you select 'Execute', the operation will happen immediately.

3. Function ID Glossary

U

UTDPURGS2-1

UTSPURGS2-3



Admin

November [2012]
Version 12.0.1.0.0

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
www.oracle.com/financialservices/

Copyright © [2007], [2012], Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.