

**Oracle® Documaker**

**Documaker System  
Requirements**

**Reference Guide**

version 12.3

Part number: E51709-01

March 2014

Copyright © 2009, 2014, Oracle and/or its affiliates. All rights reserved.

**License Restrictions Warranty/Consequential Damages Disclaimer-** This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

**Warranty Disclaimer-** The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

**Restricted Rights Notice -** If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

#### **U.S. GOVERNMENT END USERS**

Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

**Hazardous Applications Notice -** This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

**Trademark Notice-** Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners. Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

**Third Party Content, Products, and Services Disclaimer-** This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

### THIRD PARTY SOFTWARE NOTICES

This product includes software developed by Apache Software Foundation (<http://www.apache.org/>).

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright © 2000-2009 The Apache Software Foundation. All rights reserved.

---

This product includes software distributed via the Berkeley Software Distribution (BSD) and licensed for binary distribution under the Generic BSD license.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright © 2009, Berkeley Software Distribution (BSD)

---

This product includes software developed by the JDOM Project (<http://www.jdom.org/>).

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE JDOM AUTHORS OR THE PROJECT CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (C) 2000-2004 Jason Hunter & Brett McLaughlin. All rights reserved.

---

This product includes software developed by the Massachusetts Institute of Technology (MIT).

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright © 2009 MIT

---

This product includes software developed by Jean-loup Gailly and Mark Adler. This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Copyright (c) 1995-2005 Jean-loup Gailly and Mark Adler

---

This software is based in part on the work of the Independent JPEG Group (<http://www.ijg.org/>).

---

This product includes software developed by the Dojo Foundation (<http://dojotoolkit.org>).

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2005-2009, The Dojo Foundation. All rights reserved.

---

This product includes software developed by W3C.

Copyright © 2009 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. (<http://www.w3.org/Consortium/Legal/>)

---

This product includes software developed by Mathew R. Miller (<http://www.bluecreststudios.com>).

Copyright (c) 1999-2002 ComputerSmarts. All rights reserved.

---

This product includes software developed by Shaun Wilde and distributed via Code Project Open License (<http://www.codeproject.com>).

THIS WORK IS PROVIDED "AS IS", "WHERE IS" AND "AS AVAILABLE", WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES OR CONDITIONS OR GUARANTEES. YOU, THE USER, ASSUME ALL RISK IN ITS USE, INCLUDING COPYRIGHT INFRINGEMENT, PATENT INFRINGEMENT, SUITABILITY, ETC. AUTHOR EXPRESSLY DISCLAIMS ALL EXPRESS, IMPLIED OR STATUTORY WARRANTIES OR CONDITIONS, INCLUDING WITHOUT LIMITATION, WARRANTIES OR CONDITIONS OF MERCHANTABILITY, MERCHANTABLE QUALITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF TITLE OR NON-INFRINGEMENT, OR THAT THE WORK (OR ANY PORTION THEREOF) IS CORRECT, USEFUL, BUG-FREE OR FREE OF VIRUSES. YOU MUST PASS THIS DISCLAIMER ON WHENEVER YOU DISTRIBUTE THE WORK OR DERIVATIVE WORKS.

---

This product includes software developed by Chris Maunder and distributed via Code Project Open License (<http://www.codeproject.com>).

THIS WORK IS PROVIDED "AS IS", "WHERE IS" AND "AS AVAILABLE", WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES OR CONDITIONS OR GUARANTEES. YOU, THE USER, ASSUME ALL RISK IN ITS USE, INCLUDING COPYRIGHT INFRINGEMENT, PATENT INFRINGEMENT, SUITABILITY, ETC. AUTHOR EXPRESSLY DISCLAIMS ALL EXPRESS, IMPLIED OR STATUTORY WARRANTIES OR CONDITIONS, INCLUDING WITHOUT LIMITATION, WARRANTIES OR CONDITIONS OF MERCHANTABILITY, MERCHANTABLE QUALITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF TITLE OR NON-INFRINGEMENT, OR THAT THE WORK (OR ANY PORTION THEREOF) IS CORRECT, USEFUL, BUG-FREE OR FREE OF VIRUSES. YOU MUST PASS THIS DISCLAIMER ON WHENEVER YOU DISTRIBUTE THE WORK OR DERIVATIVE WORKS.

---

This product includes software developed by PJ Arends and distributed via Code Project Open License (<http://www.codeproject.com>).

THIS WORK IS PROVIDED "AS IS", "WHERE IS" AND "AS AVAILABLE", WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES OR CONDITIONS OR GUARANTEES. YOU, THE USER, ASSUME ALL RISK IN ITS USE, INCLUDING COPYRIGHT INFRINGEMENT, PATENT INFRINGEMENT, SUITABILITY, ETC. AUTHOR EXPRESSLY DISCLAIMS ALL EXPRESS, IMPLIED OR STATUTORY WARRANTIES OR CONDITIONS, INCLUDING WITHOUT LIMITATION, WARRANTIES OR CONDITIONS OF MERCHANTABILITY, MERCHANTABLE QUALITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF TITLE OR NON-INFRINGEMENT, OR THAT THE WORK (OR ANY PORTION THEREOF) IS CORRECT, USEFUL, BUG-FREE OR FREE OF VIRUSES. YOU MUST PASS THIS DISCLAIMER ON WHENEVER YOU DISTRIBUTE THE WORK OR DERIVATIVE WORKS.

---

This product includes software developed by Erwin Tratar. This source code and all accompanying material is copyright (c) 1998-1999 Erwin Tratar. All rights reserved.

THIS SOFTWARE IS PROVIDED "AS IS" WITHOUT EXPRESS OR IMPLIED WARRANTY. USE IT AT YOUR OWN RISK! THE AUTHOR ACCEPTS NO LIABILITY FOR ANY DAMAGE/LOSS OF BUSINESS THAT THIS PRODUCT MAY CAUSE.

---

This product includes software developed by Sam Leffler of Silicon Graphics.

THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

IN NO EVENT SHALL SAM LEFFLER OR SILICON GRAPHICS BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE

Copyright (c) 1988-1997 Sam Leffler  
Copyright (c) 1991-1997 Silicon Graphics, Inc.

---

This product includes software developed by Guy Eric Schalnat, Andreas Dilger, Glenn Randers-Pehrson (current maintainer), and others. (<http://www.libpng.org>)

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

---

This product includes software components distributed by the Cryptix Foundation.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE

Copyright © 1995-2005 The Cryptix Foundation Limited. All rights reserved.

---

This product includes software components distributed by Sun Microsystems.

This software is provided "AS IS," without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES SUFFERED BY LICENSEE AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Copyright (c) 1998 Sun Microsystems, Inc. All Rights Reserved.

---

This product includes software components distributed by Dennis M. Sosnoski.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright © 2003-2007 Dennis M. Sosnoski. All Rights Reserved

It also includes materials licensed under Apache 1.1 and the following XPP3 license

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright © 2002 Extreme! Lab, Indiana University. All Rights Reserved

---

This product includes software components distributed by CodeProject. This software contains material that is © 1994-2005 The Ultimate Toolbox, all rights reserved.

---

This product includes software components distributed by Geir Landro.

Copyright © 2001-2003 Geir Landro (drop@destroydrop.com) JavaScript Tree - [www.destroydrop.com/hjjavascripts/tree/version 0.96](http://www.destroydrop.com/hjjavascripts/tree/version0.96)

---

This product includes software components distributed by the Hypersonic SQL Group.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE

Copyright © 1995-2000 by the Hypersonic SQL Group. All Rights Reserved

---

This product includes software components distributed by the International Business Machines Corporation and others.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 1995-2009 International Business Machines Corporation and others. All rights reserved.

---

This product includes software components distributed by the University of Coimbra.

University of Coimbra distributes this software in the hope that it will be useful but DISCLAIMS ALL WARRANTIES WITH REGARD TO IT, including all implied warranties of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. In no event shall University of Coimbra be liable for any special, indirect or consequential damages (or any damages whatsoever) resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

Copyright (c) 2000 University of Coimbra, Portugal. All Rights Reserved.

---

This product includes software components distributed by Steve Souza.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright © 2002, Steve Souza (admin@jamonapi.com). All Rights Reserved.

---

This product includes software developed by the OpenSymphony Group (<http://www.opensymphony.com/>.)"

Copyright © 2001-2004 The OpenSymphony Group. All Rights Reserved.

---

PANTONE (R) Colors displayed in the software application or in the user documentation may not match PANTONE-identified standards. Consult current PANTONE Color Publications for accurate color. PANTONE(R) and other Pantone LLC trademarks are the property of Pantone LLC. (C) Pantone LLC, 2011.

Pantone LLC is the copyright owner of color data and/or software which are licensed to Oracle to distribute for use only in combination with Oracle Documaker. PANTONE Color Data and/or Software shall not be copied onto another disk or into memory unless part of the execution of Oracle Documaker.

---



# **Contents**

**Preface 10**

**Audience 10**

**Documentation Accessibility 10**

**Related Documents 11**

**Conventions 11**

**Overview: Documaker System Requirements 12**

**Documaker Enterprise Edition Requirements 16**

**Client Requirements 17**

**Documaker Standard Edition Requirements 20**

**Docupresentment Requirements 25**

**Documaker Connector Requirements 29**

**iPPS Requirements 30**

**EWPS Requirements 32**

**Documaker Desktop Requirements 34**

**Index 36**

## Preface

This document outlines the system requirements for the various applications that comprise Oracle Documaker. This includes hardware and software requirements for the following Documaker applications:

- Documaker Enterprise Edition (ODEE)
- Documaker Standard Edition (ODSE)
- Docupresentment (IDS)
- Documaker Connector
- iPPS
- EWPS
- Documaker Web Services
- Documaker Desktop

---

**Note** Docupresentment is also known as Internet Document Server (IDS).

---

## AUDIENCE

This document is intended for users who want to install the various Documaker applications. Experience installing software on Windows, UNIX, and z/OS platforms and experience as a system administrator is necessary.

## DOCUMENTATION ACCESSIBILITY

### Accessibility of Links to External Web Sites in Documentation

This documentation may contain links to web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these web sites.

### TTY Access to Oracle Support Services

Oracle provides dedicated Text Telephone (TTY) access to Oracle Support Services within the United States of America 24 hours a day, seven days a week. For TTY support, call 800.446.2398.

## RELATED DOCUMENTS

For more information, refer to the Oracle Documaker documentation set, specifically:

- Documaker Enterprise Installation Guide
- Documaker Enterprise Administration Guide
- Documaker Installation Guide
- Documaker Administration Guide
- Docupresentment Installation Guide
- Docupresentment Guide
- Documaker Connector Installation Guide
- iPPS Installation Guide
- Introduction to Enterprise Web Processing Services
- Documaker Desktop Installation Guide
- Documaker Desktop Administration Guide

You can find these and other guides at the Oracle Insurance documentation page on the Oracle Technology Network:

<http://www.oracle.com/technetwork/documentation/insurance-097481.html>

## CONVENTIONS

The following text conventions are used in this document:

Convention	Description
<b>bold</b>	Indicates information you enter.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands, URLs, code in examples, and text that appears on the screen.

## Chapter 1

---

# Overview: Documaker System Requirements

Oracle Documaker applications run on a variety of operating systems and hardware platforms. Each application may have specific requirements. These requirements are explained in this chapter. Please make sure you have these requirements available before you install your Documaker applications.

This chapter discusses these topics:

- *General System Availability* on page 13
- *Documaker Enterprise Edition Requirements* on page 16
- *Documaker Standard Edition Requirements* on page 20
- *Docupresentation Requirements* on page 25
- *Documaker Connector Requirements* on page 29
- *iPPS Requirements* on page 30
- *EWPS Requirements* on page 32
- *Documaker Desktop Requirements* on page 34

## GENERAL SYSTEM AVAILABILITY

The following Documaker applications run on a variety of operating systems, principally Windows operating systems such as Windows 7, Windows 2003 Server, UNIX/Linux operating systems such as AIX, Solaris, and Linux x86, and z/OS (OS/390). This table shows the various application offerings and the operating systems under which they run.

	Windows*	z/OS	AIX	Linux	Solaris
<b>Oracle Documaker Enterprise Edition (ODEE)**</b>					
Document Factory	Yes	No	Yes	Yes	Yes
ODEE Web Applications: Documaker Interactive, Dashboard, Documaker Administrator, DWS***	Yes	No	Yes	Yes	Yes
iPPS****	Yes	No	No	No	No
<b>Oracle Documaker Standard Edition (ODSE)</b>					
Documaker Server	Yes	Yes	Yes	Yes	Yes
Documaker Studio	Yes	No	No	No	No
Documaker Connector	Yes	No	Yes	Yes	Yes
Docupresentation	Yes	No	Yes	Yes	Yes
EWPS	Yes	No	Yes	Yes	Yes
<b>Oracle Documaker Desktop</b>					
Documaker Desktop	Yes	No	No	No	No

\* For ODEE, Windows 2008 Server 64-bit version is supported.

For ODSE, this includes Windows 7, Windows 2003 Server, and Windows 2008 Server. This includes both 32 and 64-bit versions of these operating systems. Be sure to have the latest service packs installed.

\*\*ODEE application tier runs with Java 7 and is provided as part of the installation.

\*\*\*ODEE web applications run under WebLogic/WebSphere deployed on a Windows or Unix platform. The Java JRE requirement for these applications is set by the JRE requirement for the web application server.

\*\*\*\*Runs under Microsoft Windows 2003 Server and Windows 2008 Server, both 32 and 64-bit versions.

Documaker Server, Documaker Studio, Documaker WIP Edit, and Docupresentation require Java JRE 1.7. As such, java must be installed on the server or client machine as a pre-requisite to running each of the applications.

	Windows*	z/OS	AIX	Linux	Solaris
<b>Printers**</b>					
<b>AFP</b>	Yes	Yes	Yes	Yes	Yes
<b>GDI</b>	Yes	No	No	No	No
<b>HTML</b>	Yes	No	Yes	Yes	Yes
<b>Metacode</b>	Yes	Yes	Yes	Yes	Yes
<b>PCL</b>	Yes	No	Yes	Yes	Yes
<b>PCL 6*</b>	Yes	No	Yes	Yes	Yes
<b>PDF</b>	Yes	Yes	Yes	Yes	Yes
<b>PostScript</b>	Yes	Yes	Yes	Yes	Yes
<b>RTF</b>	Yes	No	Yes	Yes	Yes
<b>VIPP</b>	Yes	Yes	Yes	Yes	Yes
<b>XML**</b>	Yes	Yes	Yes	Yes	Yes

\* You must have PCL version 6 or higher for Unicode support on PCL-compatible printers. PCL version 6 support became available in Documaker version 10.2.

\*\* Includes Windows 7, Windows 2003 Server, and Windows 2008 Server.

\*\*\* XML on Z/OS is EBCDIC, plain text, limited character set support only. There is no ASCII, no ANSI, no UTF-8, and no UTF-16 support.

## Networks

The system does not use any specific network calls and is expected to work on any network compatible with Microsoft programs.

**Note** The network file server you use with Documaker Studio or Documaker Desktop must be a 100% Windows network compatible. Some UNIX systems that offer Network File Server (NFS) support are not 100% Windows compatible and some UNIX systems do not honor Windows file locking calls and may not be suitable for use as a file server in a true multi-user environment.

### Sample resources

Sample Master Resource Libraries (MRL) are available on [Oracle Technology Network \(OTN\)](#). They are located under Oracle Documaker Documentation Libraries:

Sample resources for	Use the MRL in this ZIP file:
iPPS	AMERGEN
Documaker Desktop	SAMPCO
Documaker Studio	DMS1
Documaker Standard Edition	DMS1

To use the sample resources, you must have installed the Java Runtime Environment (JRE) 1.7.

### Downloading the Software

Oracle Documaker applications are available for download at the Oracle Software Delivery Cloud web site. The process includes:

- Logging in and agreeing to the terms and restrictions
- Searching for the applications you want to download
- Downloading those applications

Go to the Oracle Software Delivery Cloud web site to download Oracle Documaker applications:

<https://edelivery.oracle.com>

## Chapter 2

# Documaker Enterprise Edition Requirements

The following operating system and infrastructure software is needed to run Oracle Documaker Enterprise:

	Operating System/Software	Comments
<b>Presentation Tier</b>	Any operating system that supports the following: <ul style="list-style-type: none"> <li>• WebLogic 11g, version 10.3.6</li> <li>• WebSphere Application Server, version 7.0.0.27 Network Deployment (ND).</li> </ul>	This layer hosts the web-based applications. <b>Note:</b> A 64-bit OS and a 64-bit JVM are required. The Web Tier should be enabled to use SSL.
	Application Server 1 (logical)	Hosts the Document Factory Dashboard and Documaker Administrator web applications, hosts the collection of messaging queues used for Factory processing. Messaging middleware can be either JMS or WebSphere MQ. Also hosts DWS*** for the first Assembly Line deployed, called dmkr_server. <b>Note:</b> For WLS, the JMS queue server is a dedicated logical Application Server.
	Application Server 2 (logical)	Hosts the Oracle Service-Oriented Architecture (SOA) Suite 11.1.1.7.0 with BPEL, Oracle Business Rules, OPSS, and UMS enabled, called soa_server.
	Application Server 3 (logical)	Hosts Documaker Interactive for Correspondence Use Case, called idm_server. <b>Note:</b> This server is only needed for deployments using Documaker Interactive. Interactive for Correspondence Use Case.
	Application Server 4 (logical)	Documaker Interactive for the Contracts Use Case, called con_server. <b>Note:</b> This server is only needed for deployments using Documaker Interactive for Contracts Use case.
	An HTTP web server for static content	Hosts the WipEdit plug-in and can be used to host Online Help content. <b>Note:</b> This server is only needed for deployments using Documaker Interactive.



	Operating System/Software	Comments
<b>Application Tier</b>	Windows 2008 Server (64-bit) Standard Edition, Solaris 10/Sun OS 5.10 (SPARC), and Oracle Enterprise Linux 5.3 or higher and AIX 7.1 32-bit JVM is required for Document Factory processing	This layer runs Documaker Document Factory and Docupresentation services. <b>Note:</b> Documaker is a 32-bit application and requires 32-bit drivers when running on a 64-bit machine.
<b>Data Tier</b>	Any operating system (64-bit) that supports the target database type and client - these database types are supported: Oracle 11g R2 or 12c, IBM DB2 LUW version 9.7, or IBM DB2 ZoS 10.1.	This layer houses the database tables used to store system configuration and processing records. Unicode must be enabled and case sensitivity must be enabled (This is the default). The necessary database connections must be set up.
<b>Archive/Enclosure Content (Optional)</b>	Oracle WebCenter Content Core Capabilities**	Oracle WebCenter can be used to store attachments or to archive output from Documaker.

\*Use this formula to determine the number of database connections you need:  $500 + (5 \times \text{number of users})$ .

Web Server JDBC connection pools should also be adjusted appropriately.

\*\* Formerly known as Universal Content Management (UCM).

\*\*\* DWS can alternatively be deployed to a web server outside of the other ODEE deployments. In that case, the supported web application servers for DWS expands to include JBOSS and TOMCAT. If you are using Tomcat version 6.0.20 or later, you must also have JAX-WS RI because Tomcat is not a J2EE container and therefore does not provide a JAX-WS RI. Extract the JAXWSRI jar files and place them inside the WEB-INF\lib directory of the Tomcat.

DWS.war file before deployment. You can download the JAX-WS RI from this site: <http://jax-ws.java.net/>.

## CLIENT REQUIREMENTS

Clients accessing the web-based applications will need:

- Adobe Acrobat Reader
- One of these web browsers:
  - Microsoft Internet Explorer version 9.0 or higher
  - Mozilla Firefox version 3.6.6 or higher

**Note** The browser running the WIP Edit plug-in must be a 32-bit version and the operating system can be a 32- or 64-bit. Additionally, the client running the WIP Edit plug-in must also have Java 7 installed.

### Minimum hardware configuration

This table outlines the minimum hardware configured used to test the system:

	Windows	AIX	Solaris	Linux
<b>Presentation Tier</b>				
<b>OS</b>	Windows Server 2008 (64-bit)	AIX 7.1 TL0SP1	Solaris 10/Sun OS 5.10 (SPARC)	Oracle Enterprise Linux release 5.6
<b>CPU #</b>	Intel® 2 Cores 2.3GHz x64	4x3GHz POWER	SPARC 2 Cores T-3 1.65GHz 64-bit machines	Intel® 2 Cores 2.3GHz x64 64-bit machines
<b>Memory #</b>	4 GB RAM	8 GB RAM	16 GB RAM	16 GB RAM
<b>Hard disk</b>	150 GB			
<b>Application Tier</b>				
<b>OS</b>	Windows Server2008 (64-bit)	AIX 7.1 TL0SP1	Solaris 10/Sun OS 5.10 (SPARC)	Oracle Enterprise Linux release 5.6
<b>CPU</b>	Intel® 4 Cores 2.3GHz	4x3GHz POWER	SPARC 2 Cores T-3 1.65GHz 64-bit machines	Intel® 4 Cores 2.3GHz 64-bit machines
<b>Memory</b>	4 GB RAM	8 GB RAM	16 GB RAM	16 GB RAM
<b>Hard disk</b>	150 GB			
<b>Printer</b>	HP-compatible printers supporting PCL version 5 or Postscript with 8 MB RAM ***			
<b>Data Tier</b>				
<b>OS</b>	Windows Server 2008 (64-bit)	AIX 7.1 TL0SP1	Solaris 10/Sun OS 5.10 (SPARC)	Oracle Enterprise Linux release 5.6
<b>CPU</b>	Intel® 4 Cores 2.3GHz	4x3GHz POWER	SPARC 2 Cores T-3 1.65GHz 64-bit machines	Intel® 4 Cores 2.3GHz 64-bit machines
<b>Memory *</b>	4 GB RAM	16 GB RAM	16 GB RAM	16 GB RAM
<b>Hard disk</b>	500 GB ****			

### Minimum sandbox platform

Here is the minimum hardware you need for a sandbox on each platform:

	Windows	AIX	Solaris	Linux
<b>OS</b>	Windows Server 2008 x64	AIX 7.1 TL0SP1	Solaris 10/Sun OS 5.10	Oracle Enterprise Linux release 5.6
<b>CPU</b>	Intel® 2 Cores 2.3GHz x64	4x3GHz POWER	SPARC 2 Cores T-3 1.65GHz 64-bit machines	Intel® 2 Cores 2.3GHz x64

	Windows	AIX	Solaris	Linux
<b>Memory</b>	16 GB RAM			
<b>Hard disk</b>	150 GB			
<b>Printer</b>	HP-compatible printers supporting PCL version 5 or Postscript			
<b>Printer Memory</b>			8 MB RAM	

---

## Chapter 3

---

# Documaker Standard Edition Requirements

Your computer must have certain software and hardware components to run the programs that comprise the Documaker system. Depending on your software license, operating environment, and your processing needs, these requirements vary. The following tables outline the minimum hardware used to test Documaker and are included for informational reasons only. You should run the system on a computer configured appropriately for the operating system you use and with the processing power to meet your needs.

- 
- Note**
- For running Documaker Studio, Documaker Server, Docupresentation and WIP Edit plug-in, you must have Java 1.7 installed.
  - For more specific information on the GenArc program and the additional archive and retrieval capabilities available, refer to the [Documaker Administration Guide](#).
- 

### On Windows

When running Documaker Studio, keep in mind:

- You can use Oracle, DB2, and SQL databases with Documaker Studio.

- 
- Note** If you are using Oracle database and ODBC connection, the Oracle Instant Client version 11.2.0.3 must be used as the client for the Data Source Name.
- 

- If you are using Internet Explorer version 9.x on the machine where Documaker Studio is running, turn on Internet Explorer's compatibility view.
- Microsoft Word 2007, or higher is required in order to:
  - convert Microsoft Word (\*.doc, \*.docx) documents using Documaker Studio or command line utility RTF2FAPW
  - create or modify Documaker documents using Oracle Documaker Add-In for Microsoft Word

- 
- Note** Documaker Add-In for Microsoft Word supports Microsoft Office 2007 or higher.
- 

- Convert Documaker documents (\*.docx, \*.docm) using Documaker Studio or RTF2FAPW.
- Microsoft .Net Programmability Support in MS Word  
You need the following applications to run Documaker Add-In for Word:

Item	Version
Microsoft .NET Framework	<ul style="list-style-type: none"> <li>• If you are using Office 2010, you will need .Net 4.0 and VSTO2010 installed.</li> <li>• If you are using Office 2007, you will need .Net 3.51 and .Net4.0 and VSTO2010 installed.</li> </ul>

Review the Microsoft Download Center site for any additional requirements associated with these applications: <http://www.microsoft.com/downloads/>

---

**Note** The Microsoft .NET Framework must be installed before the VSTO Runtime.

---

- Microsoft VSTO (Visual Studio 2010 Tools for Office Runtime).

This table outlines the minimum hardware used to test the system on single user for Windows .

	For Windows
<b>CPU</b>	Intel® Core™ 2 CPU.2.13GHz
<b>Memory*</b>	1.99 GB RAM
<b>Hard disk**</b>	148 GB
<b>Printer</b>	HP-compatible printers supporting PCL version 5
<b>Printer memory***</b>	8 MB RAM
<b>Runtime library</b>	Microsoft Visual C++ 2008 Redistributable Package (x86)

\* Additional memory improves system performance.

\*\* Depends on the volume of data you must process

\*\*\* Additional memory may be required if printing complicated graphics or using a lot of fonts.

---

## On z/OS (OS/390)

Documaker Server runs on the following versions/releases of IBM's operating systems:

- OS/390 version 1.1 to version 2.10
- z/OS version 1.6 and higher

---

**Note** Following OS/390 version 2.10, new versions were named z/OS. Documaker runs on OS/390 and z/OS. In this manual, OS/390 and z/OS are referred to as z/OS unless otherwise noted.

---

No product upgrades are required and no incompatibility problems have been reported when running Documaker on any of these operating system releases.

	Requirements
<b>Hard disk</b>	150 MB
<b>Printer</b>	Any printer which supports IBM AFP, Xerox Metacode, or Adobe PostScript
<b>Runtime library</b>	IBM Language Environment for OS/390 version 2.10 or higher
<b>Compiler</b>	(Only necessary if adding custom code to the system) IBM C/C++ compiler for OS/390 version 2.10 or higher

---

**Note** Regardless of the type of computer you run the system on, to print charts on Xerox Metacode printers, you must have a GVG card. To print charts on IBM AFP printers, you must have a GOCA card.

---

The amount of hard disk space you will need depends mainly on the volume of data you must process. Keep in mind too, that the C/C++ compiler is only required if you plan to write your own custom rules and recompile the source modules provided in the Software Developer's Kit (SDK).

## On UNIX Systems

For all UNIX systems, you can use any printer that supports IBM AFP, PCL, PostScript level 2, or Xerox Metacode. For HP printers, you need at least 8mb of memory, more if you are printing complicated graphics or using a lot of fonts. The amount of hard disk space you need depends on the volume of data you process. Keep in mind too, that a compiler is only required if you plan to recompile the system, such as if you customize the source code or use a runtime library other than the one shown for your operating system.

---

**Note** For any UNIX installation, first make sure you have the uudecode, uncompress, and awk utilities installed.

---

## On AIX systems

	Requirements
<b>Operating system</b>	AIX version 6.1 or higher
<b>Model*</b>	pSeries - Power RISC
<b>Compiler</b>	(Only necessary if adding custom code to the system) IBM XL C/C++ version 10.1.0.0
<b>Runtime library</b>	C/C++ runtime for AIX version 11.1.0.1 or higher

	Tested on
<b>Model*</b>	IBM Power 750
<b>CPU</b>	4 x 3GHz POWER7
<b>Memory*</b>	16 GB
<b>Hard disk**</b>	Two 74 GB SCSI and two 140 GB SCSI disks

\*Additional memory and a faster CPU is not required, but will improve performance.

\*\* Additional space required for your customized forms

---

## On Linux systems

	Requirements
<b>Operating system</b>	GNU/Linux Distribution Oracle Enterprise Linux (OEL) version 5.6 or higher Kernel 2.6.18-238+
<b>Model</b>	Intel/AMD based systems
<b>Compiler</b>	(Only necessary if you are adding custom code to the system) GNU C/C++ compiler gcc-4.1.2-50, gcc-c++-4.1.2-50
<b>Runtime library</b>	libgcc-4.1.2-50 libstdc++-devel-4.1.2-50
<b>Additional requirements</b>	<ul style="list-style-type: none"> <li>The installer requires the sharutils package for the uuencode applet.</li> <li>Any other utilized software required packages, such as Oracle, DB2, MySQL, and so on.</li> </ul>

	Tested on
<b>CPU*</b>	Intel® Xeon® CPU X5675 @ 3.07GHz
<b>Operating system</b>	Oracle Enterprise Linux (OEL) version 5.6 Oracle VM guest
<b>Memory*</b>	8 GB
<b>Hard disk**</b>	150 GB

\*Additional memory and a faster CPU is not required, but will improve performance.

\*\* Additional space required for your customized forms

## On Solaris systems

	Requirements
<b>Operating system</b>	Sun Solaris 10/SunOS 5.10 (SPARC based)
<b>Model*</b>	UltraSPARC based
<b>Compiler</b>	(Only necessary if adding custom code to the system) Sun Studio 11 for C/C++ development
<b>Runtime library</b>	Core Solaris 10

	Tested on
<b>Model*</b>	Sun Ultra 45
<b>Operating system</b>	Solaris 10/Sun OS 5.10 SPARC 64-bit
<b>CPU</b>	2 x 1.6 GHz UltraSPARC-IIIi
<b>Memory*</b>	4 GB
<b>Hard disk**</b>	500 GB SCSI disk

\*Additional memory and a faster CPU is not required, but will improve performance.

\*\* Additional space required for your customized forms



## Chapter 4

---

# Docupresentation Requirements

Your computer must have certain software and hardware components to run Docupresentation. Depending on your software license and operating environment, these requirements vary.

You can run Docupresentation on the following operating systems:

- Windows
- AIX
- Linux
- Solaris

---

**Note** For Docupresentation you must have Java 1.7 or higher.

---

These tables provide more detailed information on our minimum platform requirements for testing Docupresentation implementations.

### On Windows systems

	Tested on
<b>Operating system*</b>	Windows
<b>CPU</b>	Intel® Core™ 2 CPU.2.13GHz
<b>Memory</b>	2 GB
<b>Hard disk (RTE)</b>	80 GB
<b>Hard disk (MRL)**</b>	80 GB

\*\* Additional space required for your customized forms

---

**On AIX systems**

	Requirements
<b>Operating system</b>	AIX version 6.1 or higher
<b>Model*</b>	pSeries - Power RISC
<b>Compiler</b>	(Only necessary if adding custom code to the system) IBM XL C/C++ version 10.1.0.0
<b>Runtime library</b>	C/C++ runtime for AIX version 11.1.0.1 or higher
	Tested on
<b>Model*</b>	IBM Power 750
<b>CPU</b>	4 x 3GHz POWER7
<b>Memory*</b>	16 GB
<b>Hard disk**</b>	Two 74 GB SCSI and two 140 GB SCSI disks

\*Additional memory and a faster CPU is not required, but will improve performance.

\*\* Additional space required for your customized forms

**On Linux systems**

	Requirements
<b>Operating system</b>	GNU/Linux Distribution Oracle Enterprise Linux (OEL) version 5.6 or higher Kernel 2.6.18-238+
<b>Model</b>	Intel/AMD based systems
<b>Compiler</b>	(Only necessary if you are adding custom code to the system) GNU C/C++ compiler gcc-4.1.2-50, gcc-c++-4.1.2-50
<b>Runtime library</b>	libgcc-4.1.2-50 libstdc++-devel-4.1.2-50
<b>Additional requirements</b>	<ul style="list-style-type: none"> <li>The installer requires the sharutils package for the uuencode applet.</li> <li>Any other utilized software required packages, such as Oracle, DB2, MySQL, and so on.</li> </ul>

	Tested on
<b>CPU*</b>	Intel® Xeon® CPU X5675 @ 3.07GHz
<b>Operating system</b>	Oracle Enterprise Linux (OEL) version 5.6 Oracle VM guest
<b>Memory*</b>	8 GB
<b>Hard disk**</b>	150 GB

\*Additional memory and a faster CPU is not required, but will improve performance.

\*\* Additional space required for your customized forms

**On Solaris systems**

	Requirements
<b>Operating system</b>	Sun Solaris 10/SunOS 5.10 (SPARC based)
<b>Model*</b>	UltraSPARC based
<b>Compiler</b>	(Only necessary if adding custom code to the system) Sun Studio 11 for C/C++ development
<b>Runtime library</b>	Core Solaris 10

	Tested on
<b>Model*</b>	Sun Ultra 45
<b>Operating system</b>	Solaris 10/Sun OS 5.10 SPARC 64-bit
<b>CPU</b>	2 x 1.6 GHz UltraSPARC-IIIi
<b>Memory*</b>	4 GB
<b>Hard disk**</b>	500 GB SCSI disk

\*Additional memory and a faster CPU is not required, but will improve performance.

\*\* Additional space required for your customized forms

## Web Server

This table outlines the web server requirements for each operating system:

Operating system	Web server
Windows	2000 Server or 2003 Server or higher, such as Microsoft Internet Information Server version 4.0 or higher.
AIX	Web server for AIX 5.3, such as IBM's HTTP Server for AIX version 1.3.3.1 or higher with the Java Runtime Environment and/or JDK for AIX, version 1.4.0 or higher.
Linux	Web server for Linux, such as Apache version 1.3.12 or higher or IBM HTTP Server version 1.3.9 or higher.
Solaris	Web server for Sun Solaris version 7 or higher on SPARC, such as Java Web Server 2.0 or Apache version 1.3.9 with the Java Runtime Environment and/or JDK for Solaris, version JRE version 1.4.0 or higher. IBM HTTP Server version 1.3.9 or higher can also be used.

**Note** Oracle tests Docupresentment implementations on WebSphere Application Server (WAS) version 6.1.x and Tomcat 6.x Application Server.

## Chapter 5

---

# Documaker Connector Requirements

To use Documaker Connector, you need the following:

- Platform support of Java 6 (compatible JVM), including JDBC database connectivity.

---

**Note** On Windows, Linux, and Solaris, the installer installs a compatible JVM (Java Virtual Machine) for you.

---

- Connection to an SQL database and file system directory which are both also accessible to Oracle Documaker, for use with the Documaker source.
- A connection to the configured destination system, such as Oracle WebCenter Content.

## Chapter 6

### iPPS Requirements

Your computer must have certain software and hardware components to run iPPS. This table outlines those requirements:

#### Basic requirements

	Requirements
<b>CPU</b>	Intel® Core™ 2 CPU.2.13GHz
<b>Operating systems</b>	Windows 7, Windows 2003 Server or Windows 2008 Server
<b>Memory*</b>	1.99 GB RAM
<b>Hard disk**</b>	400 MB free
<b>Other components</b>	Keyboard and mouse or compatible pointing device
<b>Monitor</b>	Color SVGA monitor

\* Additional memory, while not required, will improve system performance.

\*\* The amount of hard disk space you will need depends mainly on the volume of data you must process.

#### Client requirements

In addition to the minimum requirements, each client should have the following:

- WIP Edit plug-in
- Windows 7
- Adobe Acrobat Reader 7.0 or higher
- Microsoft Internet Explorer 9.0 or higher with these Internet security options enabled:
  - Run ActiveX controls and plug-ins
  - Script ActiveX controls safe for scripting
  - Allow cookies that are stored on your computer
  - Allow per-session cookies (not stored)
  - Active Scripting

#### Server requirements

In addition to the minimum and client requirements, the computer you will use as a server should be configured with the following:

- Internet Information Services (IIS) with World Wide Web Server and File Transfer Protocol (FTP) Server
- A database such as Microsoft Access (Access 97 or higher), xBase, or SQL
- Visual Basic runtimes

- Microsoft XML Core Services 4.0 SP2 (msxml4) for iPPS 3.11 and below
- Microsoft XML Core Services 6.0 (msxml6) for iPPS 3.12 and higher
- ADO 2.6 or later
- A static IP address

### **Web server**

For the web server, you should have:

- Windows 2003 Server
- Component Services or Microsoft Transaction Server
- Microsoft Visual Basic 6 Runtimes (included/installed with iPPS version 3.1 or higher)
- Microsoft Active Data Objects 2.6 or higher (included/installed with iPPS version 3.1 or higher)
- IBM WebSphere MQ (formerly MQSeries) or Microsoft Message Queue client
- ODBC-compliant database (Oracle, SQL Server, or DB2 recommended for production)
- Microsoft's XML parser:
  - MSXML 6.0 for iPPS version 3.12 and higher
  - DocuPresentment version 2.2 or higher

## Chapter 7

### EWPS Requirements

The EWPS Java web application deployment supports Java Runtime Environment (JRE) version 1.6 or higher. For best results, use JRE version 1.6. This table shows the version of Java you need for each supported platform:

For this platform	You need this version of Java
Microsoft Windows (x86-32 and x86-64)	
Windows 7 Server 2008	Sun Java version 5 or higher
Linux (x86-32 and x86-64) 32- and 64-bit kernels	
Oracle Enterprise Linux version 5.3 or higher RedHat Enterprise Linux version 5.3 or higher	Sun Java version 5 or higher or IBM Java version 5 or higher
Sun Solaris (SPARC) 32-and 64-bit kernels	
Solaris 10/SunOS version 5.10 or higher)	Sun Java version 5 or higher
IBM AIX 5L pSeries (RISC) 32- and 64-bit kernels	
version 5.3 TL 5200-09	IBM Java version 5 or higher
version 5.3 TL 5300-07	IBM Java version 6 or higher

#### Web application server

When running on Windows, AIX, Linux, or Solaris, you can use the following Java web application servers and servlet containers:

- Oracle WebLogic Server + Coherence - Package Installer 10.3.4 or higher
- IBM WebSphere AS, version 6.1 or higher
- Tomcat version 5.5 or higher

**Note** As shown above, Oracle tests with WebLogic, WebSphere, and Tomcat. Other Java application servers should also work.

An EWPS Java web application deployment requires the following version of Docupresentment to process web services requests:

- Docupresentment version 2.2, patch 04 or higher



### Message bus systems

EWPS communicates to Docupresentation using a message bus provider such as Oracle WebLogic, JMS, WebSphere MQ, or MSMQ. This table shows the possible message bus systems you can use.

For this platform	You can use one of these message busses
Windows (x86-32 and x86-64) <ul style="list-style-type: none"> <li>• Windows 7</li> <li>• Server 2008</li> </ul>	HTTP/SOAP* MSMQ IBM WebSphere MQ, version 5.3 or higher Oracle WebLogic 11g, version 10.3.4 Other JMS providers
Linux (x86-32 and x86-64) ** <ul style="list-style-type: none"> <li>• Oracle Enterprise Linux version 5.3 or higher</li> <li>• RedHat Linux Enterprise Server version 5.3 or higher</li> </ul>	HTTP/SOAP* IBM WebSphere MQ, version 5.3 or higher Oracle WebLogic 11g, version 10.3.4 Other JMS providers
Sun Solaris (SPARC) <ul style="list-style-type: none"> <li>• Solaris 10/SunOS version 5.10 or higher</li> </ul>	HTTP/SOAP * IBM WebSphere MQ, version 5.3 or higher Oracle WebLogic 11g, version 10.3.4 Other JMS providers
IBM AIX 5L pSeries (RISC) 32-bit and 64-bit <ul style="list-style-type: none"> <li>• version 5.3 TL 5200-09</li> <li>• version 5.3 TL 5300-07</li> </ul>	HTTP/SOAP * IBM WebSphere MQ, version 5.3 or higher Oracle WebLogic 11g, version 10.3.4 Other JMS providers

(\*) HTTP is recommended for development systems, not for production use.

(\*\*) Other Linux distributions should work at kernel v2.6.11.4-21 or higher but have not been tested.

---

---

## Chapter 8

---

# Documaker Desktop Requirements

Your computer must have certain software and hardware components to run Documaker Desktop.

The following tables outline the minimum hardware used to test Documaker Desktop and are included for informational reasons only. You should run the system on a computer configured appropriately for the operating system you use and with the processing power to meet your needs.

### On Windows

This table outlines the minimum hardware used to test the system on a single user Windows workstation.

For Windows	Our minimum test configuration is
<b>CPU</b>	Intel® Core™ 2 CPU.2.13GHz
<b>Memory*</b>	1.99 GB RAM
<b>Hard disk**</b>	148 GB
<b>Printer</b>	HP-compatible printers supporting PCL5
<b>Printer memory***</b>	8 MB RAM

\* Additional memory improves system performance.  
 \*\* Depends on the volume of data you must process  
 \*\*\* Additional memory may be required if printing complicated graphics or using a lot of fonts.

---



# Index

## A

### AIX

- availability 13

- Documaker requirements 23

- Docupresentation requirements 26

- Docupresentation web server requirements 28

awk utility 23

## C

### compilers

- system requirements 22, 23, 24, 26, 27

## D

### Documaker Desktop

- requirements 34

### Documaker Server

- requirements 20

### Docupresentation

- message bus systems 33

- requirements 25

## E

### EWPS

- requirements 32

## F

file servers 14

## I

### iPPS

- requirements 30

## L

### Linux

- availability 13

- Documaker requirements 24, 27

- Docupresentation web server requirements 28

## N

Network File Server (NFS) support 14

### networks

- requirements 14

## O

Oracle Software Delivery Cloud 15

### OS//390

- requirements 13

## P

### printers

- requirements 21, 22, 23, 34

## S

software

downloading 15

Solaris

availability 13

Documaker requirements 24, 27

Docupresentation web server requirements 28

U

uncompress utility 23

UNIX

availability 13

uudecode utility 23

W

WebCenter 17

Windows

Docupresentation requirements 25

Docupresentation web server requirements 28

Z

z/OS

availability 13

Documaker requirements 22