

# Oracle® Hardware Management Pack Security Guide

ORACLE®

Part No: E27799-03  
October 2015



**Part No: E27799-03**

Copyright © 2014, 2015, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS. Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

**Documentation Accessibility**

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

**Access to Oracle Support**

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

**Référence: E27799-03**

Copyright © 2014, 2015, Oracle et/ou ses affiliés. Tous droits réservés.

Ce logiciel et la documentation qui l'accompagne sont protégés par les lois sur la propriété intellectuelle. Ils sont concédés sous licence et soumis à des restrictions d'utilisation et de divulgation. Sauf stipulation expresse de votre contrat de licence ou de la loi, vous ne pouvez pas copier, reproduire, traduire, diffuser, modifier, breveter, transmettre, distribuer, exposer, exécuter, publier ou afficher le logiciel, même partiellement, sous quelque forme et par quelque procédé que ce soit. Par ailleurs, il est interdit de procéder à toute ingénierie inverse du logiciel, de le désassembler ou de le décompiler, excepté à des fins d'interopérabilité avec des logiciels tiers ou tel que prescrit par la loi.

Les informations fournies dans ce document sont susceptibles de modification sans préavis. Par ailleurs, Oracle Corporation ne garantit pas qu'elles soient exemptes d'erreurs et vous invite, le cas échéant, à lui en faire part par écrit.

Si ce logiciel, ou la documentation qui l'accompagne, est concédé sous licence au Gouvernement des Etats-Unis, ou à toute entité qui délivre la licence de ce logiciel ou l'utilise pour le compte du Gouvernement des Etats-Unis, la notice suivante s'applique:

U.S. GOVERNMENT END USERS. Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

Ce logiciel ou matériel a été développé pour un usage général dans le cadre d'applications de gestion des informations. Ce logiciel ou matériel n'est pas conçu ni n'est destiné à être utilisé dans des applications à risque, notamment dans des applications pouvant causer des dommages corporels. Si vous utilisez ce logiciel ou matériel dans le cadre d'applications dangereuses, il est de votre responsabilité de prendre toutes les mesures de secours, de sauvegarde, de redondance et autres mesures nécessaires à son utilisation dans des conditions optimales de sécurité. Oracle Corporation et ses affiliés déclinent toute responsabilité quant aux dommages causés par l'utilisation de ce logiciel ou matériel pour ce type d'applications.

Oracle et Java sont des marques déposées d'Oracle Corporation et/ou de ses affiliés. Tout autre nom mentionné peut correspondre à des marques appartenant à d'autres propriétaires qu'Oracle.

Intel et Intel Xeon sont des marques ou des marques déposées d'Intel Corporation. Toutes les marques SPARC sont utilisées sous licence et sont des marques ou des marques déposées de SPARC International, Inc. AMD, Opteron, le logo AMD et le logo AMD Opteron sont des marques ou des marques déposées d'Advanced Micro Devices. UNIX est une marque déposée d'The Open Group.

Ce logiciel ou matériel et la documentation qui l'accompagne peuvent fournir des informations ou des liens donnant accès à des contenus, des produits et des services émanant de tiers. Oracle Corporation et ses affiliés déclinent toute responsabilité ou garantie expresse quant aux contenus, produits ou services émanant de tiers, sauf mention contraire stipulée dans un contrat entre vous et Oracle. En aucun cas, Oracle Corporation et ses affiliés ne sauraient être tenus pour responsables des pertes subies, des coûts occasionnés ou des dommages causés par l'accès à des contenus, produits ou services tiers, ou à leur utilisation, sauf mention contraire stipulée dans un contrat entre vous et Oracle.

**Accessibilité de la documentation**

Pour plus d'informations sur l'engagement d'Oracle pour l'accessibilité à la documentation, visitez le site Web Oracle Accessibility Program, à l'adresse <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

**Accès au support électronique**

Les clients Oracle qui ont souscrit un contrat de support ont accès au support électronique via My Oracle Support. Pour plus d'informations, visitez le site <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> ou le site <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> si vous êtes malentendant.

# Contents

---

- Overview** ..... 7
  - Product Overview ..... 7
  - About This Security Guide ..... 8
  - Basic Security Principles ..... 8
  - Oracle Hardware Management Pack Security Summary ..... 9
  
- Oracle Hardware Management Pack Preinstall** ..... 11
  - Oracle Hardware Management Pack Components ..... 11
  - SNMP Plugin Security Settings Based on Agent ..... 11
  - Choosing an SNMP Protocol Version of the SNMP Agent ..... 12
  
- Oracle Hardware Management Pack Install** ..... 13
  - Running the Oracle Hardware Management Pack Installer ..... 13
  - Choosing to Enable the Host-to-ILOM Interconnect ..... 13
  - Choosing to Save Credentials in a File ..... 14
  
- Oracle Hardware Management Pack Post Install** ..... 15
  - Uninstall of Oracle Hardware Management Pack ..... 15



# Overview

---

This section provides an overview of the Oracle Hardware Management Pack product, including security guide information, and explains the general principles of application security.

The following topics are covered:

- [“Product Overview” on page 7](#)
- [“About This Security Guide” on page 8](#)
- [“Basic Security Principles” on page 8](#)
- [“Oracle Hardware Management Pack Security Summary” on page 9](#)

## Product Overview

Oracle Hardware Management Pack is available for many x86- based servers and some SPARC-based servers. Oracle Hardware Management Pack features two components: an SNMP monitoring agent and a family of cross-operating system command-line interface tools (CLI Tools) for managing your servers.

With the Hardware Management Agent SNMP Plugins, you can use SNMP to monitor Oracle servers and server modules in your data center with the advantage of not having to connect to two management points, the host and Oracle ILOM. This functionality enables you to use a single IP address (the host's IP) to monitor multiple servers and server modules.

Hardware Management Agent SNMP Plugins run on the host operating system of Oracle servers. The SNMP Plugins use the Oracle Hardware Storage Access Libraries to communicate with the service processor. Information about the current state of the server is fetched automatically by the Hardware Management Agent. For more information on the Hardware Management Agent, refer to the *Oracle Server Management Agents User's Guide*.

You can use the Oracle Server CLI Tools to configure Oracle servers. The CLI Tools work with Oracle Solaris, Oracle Linux, Oracle VM, other variants of Linux, and the Windows operating systems. For a list of tools, refer to the *Oracle Server CLI Tools User's Guide*.

See the Oracle Hardware Management Pack for Oracle Solaris documentation for more information about capabilities and usage.

- Oracle Hardware Management Pack Documentation Library at: <http://www.oracle.com/goto/ohmp/docs>
- For general Oracle ILOM information refer to: <http://www.oracle.com/goto/ilom/docs>

## About This Security Guide

This document provides general security guidelines for the Oracle Hardware Management Pack. This guide is intended to help you ensure security when using the software with other Oracle hardware products such as network switches and network interface cards.

The following topics are covered:

- “Oracle Hardware Management Pack Preinstall” on page 11
- “Oracle Hardware Management Pack Install” on page 13
- “Oracle Hardware Management Pack Post Install” on page 15

## Basic Security Principles

There are four basic security principles: access, authentication, authorization, and accounting.

- Access
  - Use physical and software controls to protect your hardware or data from intrusion.
  - For hardware, access limits usually mean physical access limits.
  - For software, access limits usually mean both physical and virtual means.
  - Firmware cannot be changed except through the Oracle update process.
- Authentication
  - Set up all authentication features such as a password system in your platform operating systems to verify that users are who they say they are.
  - Authentication provides varying degrees of security through measures such as badges and passwords. For example, ensure that personnel use employee badges properly to enter a computer room.
- Authorization
  - Authorization allows company personnel to work only with hardware and software that they are trained and qualified to use.
  - For example, set up a system of read/write/execute permissions to control user access to commands, disk space, devices, and applications.

- Accounting

Customer IT personnel can use Oracle software and hardware features to monitor login activity and maintain hardware inventories.

- Use system logs to monitor user logins. In particular, track system administrator and service accounts through system logs because these accounts can access powerful commands.
- Periodically retire log files when they exceed a reasonable size, in accordance with the customer company policy. Logs are typically maintained for a long period, so it is essential to maintain them.
- Use component serial numbers to track system assets for inventory purposes. Oracle part numbers are electronically recorded on all cards, modules, and motherboards.

## Oracle Hardware Management Pack Security Summary

Important security items to remember when configuring all system management tools are:

- *System management products can be used to obtain a bootable root environment.*  
With a bootable root environment, you can obtain Oracle ILOM access, Oracle System Assistant access, and hard disk access.
- *System management products include powerful tools that require administrator or root privileges to run.*  
With this level of access, it is possible to change hardware configuration and erase data.



# Oracle Hardware Management Pack Preinstall

---

During the initial installation and setup, use Oracle software security features to control hardware and track system assets.

The following topics are covered:

- [“Oracle Hardware Management Pack Components” on page 11](#)
- [“SNMP Plugin Security Settings Based on Agent” on page 11](#)
- [“Choosing an SNMP Protocol Version of the SNMP Agent” on page 12](#)

## Oracle Hardware Management Pack Components

Oracle Hardware Management Pack contains a collection of hardware management command-line tools for configuring RAID, BIOS, and Oracle ILOM and for updating firmware. It also contains an SNMP Plugin for monitoring. Oracle Hardware Management Pack also contains a daemon or service that communicates with Oracle ILOM over an internal channel to share inventory and health information about the server.

These tools and plugins are installed on your host operating system so you can perform system management tasks directly from the host. While the Oracle Hardware Management Pack provides useful features for managing an Oracle server, it is completely optional.

For more information about Oracle Hardware Management Pack capabilities, see the following documentation libraries:

- [Oracle Hardware Management Pack Documentation Library \(http://www.oracle.com/goto/ohmp/docs\)](http://www.oracle.com/goto/ohmp/docs)
- [Oracle ILOM Documentation Library \(http://www.oracle.com/goto/ilom/docs\)](http://www.oracle.com/goto/ilom/docs)

## SNMP Plugin Security Settings Based on Agent

Oracle Hardware Management Pack contains an SNMP Plugin module that extends the native SNMP agent in the host operating system to provide additional Oracle MIB capabilities. It

is particularly important to note that the Oracle Hardware Management Pack does not itself contain an SNMP agent. For Linux, a module is added to the net-snmp agent, which must be previously installed. For Solaris, a module is added to the Solaris Management Agent. For Windows, the plugin extends the native SNMP service.

Likewise, any security settings related to SNMP for the Oracle Hardware Management Pack SNMP Plugin are determined by the settings of the native SNMP agent or service, and not by the plugin. See the documentation for net-snmp or the Windows SNMP service for instructions on how to configure SNMP securely. Also see the instructions in the *Oracle Server Management Agents User's Guide* at the link below:

- [Oracle Hardware Management Pack Documentation Library \(http://www.oracle.com/goto/ohmp/docs\)](http://www.oracle.com/goto/ohmp/docs)

## Choosing an SNMP Protocol Version of the SNMP Agent

SNMP is a standard protocol used to monitor or manage a system. SNMPv1/v2c provides no encryption and uses community strings as a form of authentication. Community strings are sent in cleartext over the network and are usually shared across a group of individuals, rather than being private to an individual user. SNMPv3, on the other hand, uses encryption to provide a secure channel and has individual user names and passwords. SNMPv3 user passwords are localized so that they can be stored securely on management stations.

Oracle recommends that SNMPv3 be used if supported by the native SNMP agent. See the documentation for net-snmp (Oracle Solaris and Linux) or the Windows SNMP service for instructions on how to configure SNMPv3.

# Oracle Hardware Management Pack Install

---

The following topics are covered:

- “Running the Oracle Hardware Management Pack Installer” on page 13
- “Choosing to Enable the Host-to-ILOM Interconnect” on page 13
- “Choosing to Save Credentials in a File” on page 14

## Running the Oracle Hardware Management Pack Installer

The Oracle Hardware Management Pack consists of a set of native install packages that can be installed using the native install tools for an operating system, such as RPM. In addition, a wizard-based installer can be used to assist with the installation. In addition to adding the native packages, the installer also helps configure the Oracle Hardware Management Pack for use.

Because the Oracle Hardware Management Pack installer must install native packages, it must be run as root or administrator. For more information, see the *Oracle Hardware Management Pack Installation Guide* at the link below:

- [Oracle Hardware Management Pack Documentation Library \(http://www.oracle.com/goto/ohmp/docs\)](http://www.oracle.com/goto/ohmp/docs)

## Choosing to Enable the Host-to-ILOM Interconnect

As a faster alternative to the KCS interface, clients on the host operating system can communicate with Oracle ILOM over an internal high-speed interconnect. The Oracle Hardware Management Pack refers to this feature as Host-to-ILOM Interconnect. The Oracle ILOM interface refers to this feature as Local Host Interconnect. This interconnect is implemented by an internal Ethernet-over-USB connection, running an IP stack. Oracle ILOM and the host are given internal non-routable IP addresses for communication over this channel.

Connecting to Oracle ILOM over the Host-to-ILOM interconnect (Local Host Interconnect) requires authentication, just as if the connection were coming over the network to the Oracle

ILOM management port. All services or protocols exposed on the management network are made available over the Host-to-ILOM interconnect to the host. For example, it is possible to use a web browser on the host to access Oracle ILOM's web interface or use a Secure Shell client to connect to Oracle ILOM CLI. In all cases, a valid user name and password must be provided to use the Host-to-ILOM interconnect.

The Oracle Hardware Management Pack installer presents the option of enabling the Host-to-ILOM interconnect. Oracle recommends that the Host-to-ILOM interconnect be enabled only if the networking instruction supports RFC 3927 and the ability to have link-local IPv4 addresses. Also, care should be taken to ensure that the operating system is not acting as a bridge or router. This ensures that management traffic between the host and Oracle ILOM remains private. For more information, see the *Oracle Hardware Management Pack Installation Guide* at the link below:

- [Oracle Hardware Management Pack Documentation Library \(http://www.oracle.com/goto/ohmp/docs\)](http://www.oracle.com/goto/ohmp/docs)

## Choosing to Save Credentials in a File

*As of Oracle Hardware Management Pack 2.3.3, this feature has been disabled.*

The `ilomconfig` and `fwupdate` tools that are part of the Oracle Hardware Management Pack for Oracle Solaris can connect to Oracle ILOM using the high-speed Host-to-ILOM Interconnect. Because the Host-to-ILOM Interconnect requires authentication, it is necessary to authenticate to Oracle ILOM for each invocation of these tools. As a convenience, it is possible to cache the credentials in a file so that the tools can use them automatically. This prevents having to embed cleartext passwords in scripts that use the Oracle Hardware Management Pack tools.

The `ilomconfig` tool can be used to store the user name and password in an encrypted file that is root read-only. If this file is detected when `ilomconfig` or `fwupdate` is used to access Oracle ILOM, the cached credentials are used. Alternatively, the user name and password can be specified on the command line for each invocation of the tool.

The encryption algorithm used is unique to each system. If the key is discovered, however, the file could be decrypted and expose the user name and password. Oracle recommends that a unique password be created on each Oracle ILOM so that a compromised password could not be used against other Oracle ILOM systems.

For instructions on how to save credentials in a file, see the *Oracle CLI Tools for Oracle Solaris User's Guide* at the link below.

- [Oracle Hardware Management Pack Documentation Library \(http://www.oracle.com/goto/ohmp/docs\)](http://www.oracle.com/goto/ohmp/docs)

# Oracle Hardware Management Pack Post Install

---

The following topics are covered:

- [“Uninstall of Oracle Hardware Management Pack” on page 15](#)

## Uninstall of Oracle Hardware Management Pack

The Oracle Hardware Management Pack packages can be uninstalled using native package tools, such as RPM, or using the wizard-based uninstaller that comes with the Oracle Hardware Management Pack. When the native package method is used to remove packages, if you have previously saved a host credentials cache file using Oracle Hardware Management Pack to facilitate accessing Oracle ILOM using the Host-to-ILOM interconnect, the file will not be deleted. In this case, before uninstalling Oracle Hardware Management Pack packages, run the `ilomconfig delete credential` command to delete this file.

The wizard-based uninstaller removes the credentials file. Therefore, Oracle recommends that the wizard-based installer be used to uninstall Oracle Hardware Management Pack. For more information, see the *Oracle Hardware Management Pack Installation Guide* at the link below:

- [Oracle Hardware Management Pack Documentation Library \(http://www.oracle.com/goto/ohmp/docs\)](http://www.oracle.com/goto/ohmp/docs)

