Oracle FLEXCUBE IVR User Manual Release 5.0.2.0.0 Part No E52129-01



FINANCIAL SERVICES



Table of Contents (index)

1. IVR	3
1.1. TBS01 - TBS Bank Params Maintenance	4
1.2. TBS02 - TBS Acquirer Pos ID Maintenance	8
1.3. TBS03 - IVR TIN Request	11



1. IVR



IVR

1.1. TBS01 - TBS Bank Params Maintenance

Using this option, you can define the bank level global definitions related to TBS (Telephone Banking Service) transactions and decides whether funds transfer across customers can be permitted for TBS transactions or not.

Transactions that are happening through TBS channel are dependent on these parameters.

Normally transaction fee (issuer fee) is charged by the switch for the TBS transactions. If the **Levy Issuer Fee Online** check box is selected this fee will be debited online with the original transaction amount.

Definition Prerequisites

- BAM03 Branch Master Maintenance
- GLM02 Chart of Accounts

Modes Available

Add, Modify, Delete, Cancel, Amend, Authorize, Inquiry. For more information on the procedures of every mode, refer to **Standard Maintenance Procedures**.

To add TBS bank parameters

- 1. Type the fast path **TBS01** and click **Go** or navigate through the menus to **Global Definitions > Channels > TBS Bank Params Maintenance**.
- 2. The system displays the TBS Bank Params Maintenance screen.



TBS Bank Params Maintenance

TBS Bank Params Maintena	nce						🊳 🚺 🗵
Bank Code							
Bank Parameters							
Acquirer Fee GL		Allow	Funds Transfer A	cross Customers			
Issuer Fee GL		Levy I	ssuer Fee Onlin	e			
Acquirer Institution Id							
Funds Appropriation Sequen	ce 📃						
Record Details	Authorized	d By	L	ast Mnt. Date		Last Mnt. Action	Authorized
		3)	[
C Add O Modify	O Delete	🔿 Cancel	O Amend	O Authorize	 Inquiry 		Ok Close Clear

Field Description

Field Name	Description				
Bank Code	[Mandatory, Numeric, Five]				
	Type the bank code of the bank for which global ATM definitions should be maintained.				
	Each code uniquely identifies a different bank.				
Bank Parameters					
Acquirer Fee GL	[Mandatory, Numeric, 10]				
	Type the acquirer fee GL code.				
	This GL account will be credited for fees on transactions done by banks, which act as Acquirer institutions.				
Allow Funds	[Optional, Check Box]				
Transfer Across Customers	Select the Allow Funds Transfer Across Customers check box, if you want to allow the transactions involving funds transfer across different customers.				



Field Name	Description					
Issuer Fee GL	[Mandatory, Numeric, 10]					
	Type the issuer fee GL code.					
	This GL account will be credited for fees on transactions done through the Bank's ATM network.					
Levy Issuer Fee	[Optional, Check Box]					
Online	Select the Levy Issuer Fee Online check box if you want to debit the issuer fees online, simultaneously along with the transaction.					
	Issuer fees is normally passed on by the switch / ETBI on which the ATM / TBS runs. Issuer fees is included in the message that is passed on by the switch / ETBI, and gets debited online with the original transaction amount, provided this flag is checked.					
Acquirer Institution	[Mandatory, Numeric, 11]					
	Type the acquirer institution ID.					
	The institution ID is allotted to the bank by the central bank or the governing body for non-branch channels like TBS, ATM and POS.					
Funds	[Mandatory, Alphanumeric, Five]					
Appropriation	Type the funds appropriation sequence.					
ocquence	This field denotes the sequence in which the transaction amount should be appropriated while debiting the account.					
	The options are:					
	S: Sweep-In					
	O: Overdraft					
	V: Overline					
	A: Advance against unclear funds					
	T: Temporary Overdraft					
3. Click the Add butt	on.					
4. Type the bank cod	4. Type the bank code and press the <tab></tab> key.					

5. Enter the required information in the other fields.



TBS Bank Params Maintenance

TBS Bank Params Maintenand	e					a 🛛 🕹
000						
Bank Code 25						
_ Bank Parameters			p			
Acquirer Fee GL	100031800	Allow Funds Transfer	Across Customers			
Issuer Fee GL	100031800	🛛 🗹 Levy Issuer Fee Onl	ine			
Acquirer Institution Id	1111					
Funds Appropriation Sequence	OSA					
_ Record Details Input By	Authorized By	ÿ	Last Mnt. Date		Last Mnt. Action	Authorized
TDOCS	SQTP7		06/05/2008 10:01:19		Authorize	
⊙Add ◯Modify (Delete O	Cancel O Amend	O Authorize	O Inquiry		Ok Close Clear

- 6. Click the **Ok** button.
- 7. The system displays the message "Record Added...Authorization Pending...Click Ok to Continue". Click the **OK** button.
- 8. The TBS bank parameters are added once the record is authorised.



1.2. TBS02 - TBS Acquirer Pos ID Maintenance

Using this option you can maintain the various ETBI IDs, the channels that originate from these ETBIs, and the originating branch code for a particular ETBI.

In a centralized TBS environment, the branch code is unique. In case of multiple Switches that accept TBS requests, where all switches are catered to by different branches, the respective branch codes need to be maintained. Transactions that occur through TBS channel are dependent on these parameters.

Definition Prerequisites

• BAM03 - Branch Master Maintenance

Modes Available

Add, Modify, Delete, Cancel, Amend, Authorize, Inquiry. For more information on the procedures of every mode, refer to **Standard Maintenance Procedures**.

To add TBS acquirer POS ID

- 1. Type the fast path **TBS02** and click **Go** or navigate through the menus to **Global Definitions > Channels > TBS Acquirer Pos ID Maintenance**.
- 2. The system displays the TBS Acquirer Pos ID Maintenance screen.

TBS Acquirer Pos ID Maintenance

TBS Acquirer Pos ID Mair	ntenance					🇞 🛛 💌
Acquirer Institution Id :						
TBS Identification Code :						
Channel Number :						
Originating Branch Code :	2					
Record Details	Authorized Bu		of Mat. Data		Last Mat. Action	Authorized
Tupor Dy	Autonized by		av once page		Last Mill Action	Machanized
🔿 Add 🛛 🔿 Modify	O Delete O Cancel	🔘 Amend	🔘 Authorize	Inquiry		Ok Close Clear



Field Description

Field Name	Description					
Acquirer Institution	[Mandatory, Numeric, 11]					
ld	Type the acquirer institution ID.					
	The institution ID is allotted to the bank by the central bank or the governing body for non-branch channels like TBS, ATM and POS.					
TBS Identification	[Mandatory, Alphanumeric, 15]					
Code	Type the TBS identification GL code.					
	This is a unique identification code for a particular ETBI that is installed in the bank. There could be multiple ETBIs in the same bank, which are serviced by different branches.					
Channel Number	[Mandatory, Numeric, Eight]					
	Type the channel number pertaining to the TBS Identification Code .					
	Channel number refers to the various ports on the ETBI, from where multiple service call lines originate. There could be multiple channels originating from the same ETBI.					
Originating Branch	[Mandatory, Drop-Down]					
Code	Select the originating branch code from the drop-down list.					
	The originating branch code refers to the branch through which the TBS transactions would be routed to the respective branches. In practical scenarios, where all TBS operations are centralized, the branch code would be unique. However, if there are multiple switches that accept TBS requests, all catered to by different branches, the respective branch code should be maintained.					

- 3. Click the **Add** button.
- 4. Type the acquirer institution ID and press the **<Tab>** key.
- 5. Enter the required information in the other fields.



TBS A	cquirer	Pos ID	Maintenance
-------	---------	--------	-------------

TBS Acquirer Pos ID Ma	aintenance							🍪 🛿 🗙
Acquirer Institution Id :	1							
TBS Identification Code :	99	-						
Channel Number :	24							
Originating Branch Code	но							
Record Details								
Input By	Authoriz	ed By	La	ast Mnt. Date		Last Mnt. Action	Autho	rized
• Add O Modify	O Delete	O Cancel (Amend	O Authorize	OInquiry		Ok Close	Clear

- 6. Click the **Ok** button.
- 7. The system displays the message "Record Added...Authorization Pending...Click Ok to Continue". Click the **OK** button.
- 8. The TBS acquirer POS ID is added once the record is authorised.



1.3. TBS03 - IVR TIN Request

Using this option you can generate telephonic identification number (TIN) of the customer.

The customer can request TIN on IVR. If the customer has multiple accounts, the accounts which has to be linked to TIN can be specified.

Definition Prerequisites

• 8053 - Customer Addition

Modes Available

Add, Modify, Cancel, Amend, Authorize, Inquiry. For more information on the procedures of every mode, refer to **Standard Maintenance Procedures**.

To add IVR TIN request

- 1. Type the fast path **TBS03** and click **Go** or navigate through the menus to **Global Definitions > Channels > IVR TIN Request**.
- 2. The system displays the IVR TIN Request screen.

IVR TIN Request

VR TIN Reques	t						i 🕹 👔 🗴
Customer Info	emation				·6:		
Search Criteria	Customer Short Name		Search St	ring :			
IC :		1	ID :				
Full Name :							
Short Name :				e la			
_ Account Link	age						
Issue/Reissue	TIN:						
Accounts Linke	d i 📃	Account No.	Accou	nt Relation	Module	Link(Y/N)	
Record Details		Authorized Bu	Lac	t Mot. Date		Last Mot. Action	Authorized
TUBACBA		Hornonised by	Las	concerbate		Last MIIL ACUUN	Mathonzea
	Aodify Delet	te 🔿 Cancel	O Amend	O Authorize	 Inquiry 		Ok Close Clear



Field Description

Field Name	Description				
Search Criteria	[Mandatory, Drop-Down]				
	Select the criteria to search for the customer from the drop-down list.				
	The options are:				
	Customer short name				
	 Customer IC Identification criteria (IC) arrived at by the bank during customer addition. 				
	Customer ID- Unique identification given by the bank.				
Search String	[Mandatory, Alphanumeric, 20]				
	Type the search string, to search for a customer, based on the criteria selected in the Search Criteria field.				
	If the search criterion is specified as customer's short name or IC then any of the letter (s) of the short name or ID can be entered.				
	The system displays the pick list of all those customer's having those letters in their respective criteria.				
	Select the appropriate customer from the existing customer list.				
	For example, The customer's short name is George Abraham. One can search the above customer by entering 'Geo' in the search string field.				
IC	[Display]				
	This field displays the identification code of the customer.				
	A customer IC along with customer type is a unique method of customer identification across the bank (covering all branches).				
	Based on the combination, the system can identify the customer as an existing customer even when the customer opens a new account in another branch.				
	A social security number, passport number, birth certificate or corporate registration can be used as a customer IC.				
ID	[Display]				
	This field displays the ID of the customer.				
	A customer ID is an identification number, generated by the system after customer addition is completed successfully. This running number, unique to a customer across the system, is generated after the system has identified the Customer IC and Customer Category combination to be non-existent in the system.				
	This ID is used for searching and tracking the customer in the system.				
Full Name	[Display]				
	This field displays the full name of the customer.				



Field Name	Description					
Short Name	[Display] This field displays the chart name of the customer					
	I his field displays the short name of the customer.					
Column Name	Description					
Account Linkage						
Issue/Reissue	[Display]					
TIN	This field display the issuance status of the TIN.					
Accounts Linked						
Account No.	[Display]					
	This field displays the account number of the selected customer.					
Account	[Display]					
Relation	This field displays the customer account relation.					
Module	[Display]					
	This field displays the account type.					
Link(Y/N)	[Toggle]					
	Click the toggle status to change the value to Y to link the account for TIN generation.					
	By default, the system displays the value as N .					
3. Click the Add b	putton.					
4. Select the sear	ch criteria from the drop-down list.					
5. Type the searc	Type the search string, press the <tab></tab> key.					

- 6. The system displays a list of customer's that match the search criterion.
- 7. Select the customer from the pick list. The customer details are displayed in the screen.



IVR TIN Request

Control Search String : 600045 C : APA7003 D : 000045 C : APA7033 D : 000045 C : APA70444 Solw C H N Account Sol Account Solw C H N N Apa704000004443 Solw C H N N Account Linked : 00000000443 Solw C H N 00000000443 Solw C H N N Account Linked : 00000000443 Solw C H N 0000000005720 Solw C H N N 000000005720 Solw L H N N <th>Customer Infer</th> <th>mation</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>	Customer Infer	mation										
accounts in activity account with the initial of a starting initial of a start of a start of a starting initial of a start of a st	earch Criteria	Customer Id		~	Search Strip	a : 600045						
chances chances constrained Constrained	earch chiefia .	Customeriu			Search Schin	g. [000040						
III Name :: DDSDPA Inst Name :: DDSDPA		APAYOOS			ID :	600045						
hot Hame I DIDDA scourt ItAge I Image: I	ull Name :	ADI SOFA										
Account Linked : Converting in the second balance in the second balanc	had Nama i	ADISOFA										
Account Linkage Image: Construction of the con	forc Harrie .	HEISSTR										
true 	Account Linka	age										
Account No. Account Relation Module Unk(Y/N) 000000001231 SOW CH N 000000001311 SOW CH N 000000001410 SOW CH N 00000000111 SOW CH N 0000000015621 SOW CH N 000000005570 SOW CH N 0000000055712 SOW CH N 000000005572 SOW LH N 000000005572 SOW LH N 0000000055712 SOW CH N 000000005572 SOW LH N 000000005572 SOW LH N 000000005573 SOW CH N pytBy Autorized By List Mit. Date	Issue/Reissue	TIN:										
Account No. Account No. Account No. Account No. Account No. 00000004233 SOW CH H H 00000004434 SOW CH H H 00000004437 SOW CH H H 000000004477 SOW CH H H 000000005720 SOW CH H H 000000005720 SOW CH H H 000000005772 SOW CH H H 000000005772 SOW CH N H 000000005772 SOW CH N H 000000005772 SOW CH N <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1-</td> <td></td> <td></td> <td></td>								1-				
BOODDOUGLASH BOOM CH H 000000004441 SOW CH H 000000004443 SOW CH H 00000000443 SOW CH H 000000009573 SOW CH H 000000009572 SOW CH H 000000009573 SOW CH H 00000000573 SOW LN N 00000000573 SOW CH H 00000000573 SOW CH H<			Acc	ount No.	Accou	SOW	Module		,			
concentrativity conv			0000	00004341		SOW	СН	N				
counts Linked : 00000000044673 SOW CH N 000000004473 SOW CH N 000000004861 SOW CH N 000000004861 SOW CH N 000000004861 SOW CH N 000000004861 SOW CH N 00000000462 SOW CH N 000000000000000000000000000000000000			0000	00004374		SOW	СН	N				
counts Linked : 000000004455 00W CH N 000000004851 SOW CH N 000000004867 SOW CH N 000000009521 SOW CH N 000000009520 SOW CH N 0000000095706 SOW CH N 0000000095708 SOW LN N 000000095714 SOW LN N 000000095798 SOW LN N 000000095799 SOW LN N 000000095799 SOW CH N 0000000957914 SOW CH N 0000000054777 SOW CH N			0000	00004440		SOW	СН	N				
counts Linked : 000000004473 00000004897 SOW SOW OH NO CH N N 000000004987 SOW OH NO CH N N 000000004971 SOW OH NO CH N N 000000004970 SOW OH NO CH N N 00000000570 SOW OH NO CH N N 00000005575 SOW OH NO CH N N 00000005575 SOW OH NO LN N N 00000005572 SOW OH NO LN N N 000000055712 SOW OH NO LN N N 000000055714 SOW OH NO LN N N 000000055714 SOW OH LN N N 000000054477 SOW CH N 000000064477 SOW CH N			0000	00004465	1	SOW	СН	N	i			
counts Linked : 000000004861 SOW CH N 000000004897 SOW CH N 000000000521 SOW CH N 00000000521 SOW CH N 00000000521 SOW CH N 00000000521 SOW CH N 00000000520 SOW CH N 000000055756 SOW CH N 000000055778 SOW LN N 000000055789 SOW LN N 000000055781 SOW LN N 000000055789 SOW LN N 000000055789 SOW LN N 000000055789 SOW CH N 000000055798 SOW CH N 000000054477 SOW CH N xt By Authorized By Last Mnt. Date Last Mnt. Action Authorized			0000	00004473	1	SOW		N	— i			
000000000000000000000000000000000000			00000004861			sow		N				
ccounts Linked : 000000009511 SOW CH N 00000009521 SOW CH N 00000009520 SOW CH N 00000009570 SOW CH N 00000009570 SOW CH N 00000009570 SOW CH N 00000005575 SOW CH N 000000055712 SOW LN N 000000055714 SOW LN N 000000055718 SOW LN N 00000005514 SOW LN N 00000005577 SOW CH N 00000005514 SOW LN N 000000055477 SOW CH N 00000005644777 SOW CH N ut By Authorized By Last Mnt. Date Last Mnt. Action Authorized			0000	00004887		SOW	СН	N				
000000009521 SOW CH N 00000009570 SOW CH N 00000009570 SOW CH N 00000003880 SOW CH N 000000055756 SOW LN N 000000055772 SOW LN N 000000055772 SOW LN N 000000055772 SOW LN N 000000055716 SOW LN N 000000055716 SOW LN N 000000055814 SOW LN N 0000000644777 SOW CH N 0000000644777 SOW CH N	Accounts Linked :		0000	00004911		SOW	СН	N				
Опособорование SOW CH N 000000000000000000000000000000000000			0000	00009621		SOW		N				
000000003380 SOW CH N 000000035756 SOW LN N 00000005572 SOW LN N 000000055786 SOW LN N 000000055786 SOW LN N 000000055786 SOW LN N 000000055786 SOW LN N 000000055814 SOW LN N 000000055717 SOW CH N 00000005577 SOW CH N 00000005577 SOW CH N 000000054777 SOW CH N ut By Authorized By Last Mnt. Date Last Mnt. Action Authorized			0000	00009670		SOW	СН	N				
000000035755 SOW LN N 00000055752 SOW LN N 00000055793 SOW LN N 00000055793 SOW LN N 00000055793 SOW LN N 00000055793 SOW LN N 00000055794 SOW LN N 00000005598 SOW LN N 000000055914 SOW LN N 0000000644777 SOW CH N			0000	00009720		SOW	СН	N				
000000055772 SOW LN N 00000055772 SOW LN N 00000055772 SOW LN N 00000055772 SOW LN N 000000558786 SOW LN N 00000055814 SOW LN N 000000558172 SOW CH N 000000558172 SOW CH N 000000054177 SOW CH N 000000064477 SOW CH N 000000064477 SOW CH N 000000064477 SOW CH N			0000	00033860		sow		N				
ecord Details			0000	00055756		SOW		N				
ecord Details			0000	00055798		SOW	1.N	N				
ecord Details			0000	00055814		SOW		N				
ecord Details			0000	00064477		SOW	СН	N				
	Record Details		Authoriz	ad Bu	Late	Int Date		last Mot Action		Authori	ed.	
			Machionized By		Last M	Last wint, Date		Last Mnt. Action		Authorized		
		e. 400.	Opular	Ocure	Oanud	0 Aug 1	0.1			close	Clear	

- 8. Link the account for which TIN has to be generated.
- 9. Click the **Ok** button.
- 10. The system displays the "Record Added... Authorisation Pending.. Click Ok to Continue". Click the **OK** button.
- 11. The IVR TIN is generated one the record is authorised.





IVR User Manual Oct 2013

Version : 5.0.2.0.0

Oracle Corporation World Headquarters 500 Oracle Parkway Redwood Shores, CA 94065 U.S.A.

Worldwide Inquiries: Phone: +1.650.506.7000 Fax: +1.650.506.7200

www.oracle.com/ financial_services/

Copyright © 2013 Oracle and/or its affiliates. All rights reserved.

No part of this work may be reproduced, stored in a retrieval system, adopted or transmitted in any form or by any means, electronic, mechanical, photographic, graphic, optic recording or otherwise, translated in any language or computer language, without the prior written permission of Oracle Financial Services Software Limited.

Due care has been taken to make this document and accompanying software package as accurate as possible. However, Oracle Financial Services Software Limited makes no representation or warranties with respect to the contents hereof and shall not be responsible for any loss or damage caused to the user by the direct or indirect use of this document and the accompanying Software System. Furthermore, Oracle Financial Services Software Limited reserves the right to alter, modify or otherwise change in any manner the content hereof, without obligation of Oracle Financial Services Software Limited to notify any person of such revision or changes.

All company and product names are trademarks of the respective companies with which they are associated.