

Policy Management

Wireless Release 9.1.5

Maintenance Release Notice

910-6713-001 Revision A

May 2013



Tekelec

Policy Server - Policy Charging and Rules Function (PCRF) Copyright, Notice, Trademarks, and Patents

© 2013 Tekelec

All Rights Reserved

Printed in U.S.A.

Notice

Information in this documentation is subject to change without notice. Unauthorized use, copying, or translation of this documentation can result in civil or criminal penalties.

Any export of Tekelec products is subject to the export controls of the United States and the other countries where Tekelec has operations.

No part of this documentation may be reproduced, translated, or transmitted in any form or by any means, electronic or mechanical, including photocopying or recording, for any purpose without the express written permission of an authorized representative of Tekelec.

Other product names used herein are for identification purposes only, and may be trademarks of their respective companies.

RoHS 5/6 - As of July 1, 2006, all products that comprise new installations shipped to European Union member countries will comply with the EU Directive 2002/95/EC "RoHS" (Restriction of Hazardous Substances). The exemption for lead-based solder described in the Annex will be exercised. RoHS 5/6 compliant components will have unique part numbers as reflected in the associated hardware and installation manuals.

WEEE - All products shipped to European Union member countries comply with the EU Directive 2002/96/EC, Waste Electronic and Electrical Equipment. All components that are WEEE compliant will be appropriately marked. For more information regarding Tekelec's WEEE program, contact your sales representative.

Trademarks

TEKELEC, the Tekelec Logo, EAGLE, G-Flex, G-Port, TEKSERVER, and CAMIANT are registered trademarks of Tekelec. EAGLE 5, EAGLE 5 ISS, TEKELEC LTE DIAMETER SIGNALING INDEX, THINKWORKS, and Subscriber Data Server (SDS) are trademarks of Tekelec. All other trademarks are the property of their respective owners.

Patents

This product may be covered by one or more of the following U.S. and foreign patents:

U.S. Patent Numbers:

Legal Information

7,738,440; 7,788,357; 7,805,515; 8,254,551; US 7961623; US 8073444;

Foreign Patent Numbers:

AU 2004247256; AU 2004247251; AU 2005208846; AU 2005208847; AU 2005286941; EP 1631917; EP 1997276; EP 2049909; JP 4395662; JP 4582346; JP 4652345; JP 4843610; ZL 200680049126.1;

Maintenance Release

Notice

Policy Management 9.1.5

This release notice lists the PRs that have been fixed, and those that are known to exist, in Policy Management 9.1.5, a Maintenance Release for 9.1.0. This release notice also describes how to obtain Tekelec customer documentation.

PR Severity Definitions	RN-1
Customer Fixed PRs	RN-1
How To Locate Customer Documentation on the Internet	RN-2
Upgrade Paths	RN-2

PR Severity Definitions

The following sections refer to PR severity levels. Definitions of these levels can be found in the following publication:

GR-929-CORE, *Reliability and Quality Measurements for Telecommunications Systems (RQMS)*, Bellcore, December 1998.

Customer Fixed PRs

Table RN-1 on page RN-2, "Policy Management 9.1.5 Customer Fixed PRs Report Table," lists fixed severity 1, 2, 3 and enhancements for Policy Management Maintenance Release 9.1.5.

Table RN-1. Policy Management 9.1.5 Customer Fixed PRs Report Table

PR #	Severity	Title
220836	3-Minor	Modify mpe topology setting cause GN_BUSY error
221749	3-Minor	[PCRf: GUI] inetmerge holding AppEventLog lock forever
223239	3-Minor	after CMP went into split brain, both blades had the OAM VIP IP
223344	3-Minor	[Platform] Alarm 70010 was not generated when schedule server task failed
223463	2-Major	Link Local IPv6 address used as source IP Address after server

		reboot
223825	2-Major	Need Workaround in COMCOL - Corresponds to CM Help Ticket #1880
224132	3-Minor	Sessions Ready to Cleanup counter grows after cleanup cycle complete
224222	3-Minor	User profile lookup optimization cannot be turned off
224261	3-Minor	PCRF does not provide a default ptime if it is missing in the sdp for AMR and AMRWB codecs
224283	3-Minor	Alarm severity in on-line help does not match Alarm severity in GUI
224526	3-Minor	The qp_procmgr process has failed in PCRF MPE CLUJ
224579	3-Minor	Too many quota units are granted when Dynamic Grants are enabled with minimum grant size and quota is exhausted
224669	3-Minor	MPE KpiStats is missing from files created by StatsFileGenerator
224695	3-Minor	Dynamic Quota duration feature is broken in latest 9.1 release
224915	3-Minor	Customer is concerned that he was able to put the servers in DUAL FORCED STANDBY, potentially causing an outage.
225667	3-Minor	CPU utilization stats are not useful
225669	3-Minor	Concurrent modification errors seen in 9.1
225737	3-Minor	Secondary blade KPI stats are nonfunctional
225815	3-Minor	Misuse of rsync partially causing loss of logback configuration files
225816	3-Minor	rsyncUtil code is mistakenly returning A-level server
226180	3-Minor	Dynamic Quota will not grant if not completely exhausted
226355	3-Minor	Manager GUI lost topology settings
226732	3-Minor	upgrade - Start Upgrade operation fails silently if iso not selected
226805	3-Minor	Unable to remove OAM VIP for MPE
227155	2-Major	Upgrading Standby COCS MRA cluster from 7.6.4 to 9.1. "inetsync-state" in continuous "audit".
227222	3-Minor	Quota not reset after reset date when other quotas are reset
227370	3-Minor	MRA unable to route non-initial messages by Session-ID if Destination-Host is incorrect
227475	3-Minor	UDR is repeatedly send for the same user

Upgrade Paths

9.1.5 supports the following upgrade paths for C-Class blades and Rack Mount servers

	From	To
CMP	9.1.0	9.1.5
MPE	9.1.0	9.1.5
MRA	9.1.0	9.1.5

NOTE:

- Any upgrade other than listed above is not recommended or supported.

- 9.1.5 is supported as a new/fresh installation.
- It is recommended to upgrade in the following order
 - SPR
 - CMP
 - MRA
 - MPE

Accessing Customer Support Documentation

1. Go to the Tekelec Customer Support site.
2. **NOTE: If you have not registered for this new site, click the Register Here link. Have your customer number available. The response time for registration requests is 24 to 48 hours.**
3. Enter your assigned username and chosen password, then click **Login**.
4. **NOTE: After 20 minutes of inactivity, you will be logged off, and you must repeat this step to regain access.**
5. Click the Product Support tab.
6. Use the Search field to locate a document by its part number, release number, document name, or document type. The Search field accepts both full and partial entries.
7. Click a subject folder to browse through a list of related files.
8. To download a file to your location, right-click the file name and select Save Target As.
9. **NOTE: Customers may print a reasonable number of each manual for their own use.**