

Tekelec *Signaling Products*

Eagle 31.3

Cross-Reference Index

909-1190 Revision C

December 2004



TEKELEC

© 2004 TEKELEC
All rights reserved.
Printed in the United States of America

Notice

Information in this documentation is subject to change without notice. Unauthorized use or copying of this documentation can result in civil or criminal penalties.

No part of this documentation may be replaced or transmitted in any form or by any means, electronic or mechanical, including photocopying or recording, for any purpose without the express written permission of an authorized representative of Tekelec.

Any export of Tekelec products is subject to the export controls of the United States and other countries where Tekelec has operations.

Trademarks

The Tekelec logo, EAGLE, G-Flex, G-Port, IP⁷, and IP⁷ Secure Gateway are registered trademarks of Tekelec, Inc.

ASi, EAGLE 5, GenuOne, IP⁷ Front End, SXi, TekServer, TekWare, and VXi are trademarks of Tekelec, Inc.

All other trademarks are the property of their respective owners.

Patents

This product is covered by one or more of the following U.S. and foreign patents:

U.S. Patent Numbers:

6,327,350 6,662,017 6,456,845 6,647,113 5,953,404 6,606,379 6,167,129 6,324,183 6,639,981 5,008,929

Ordering Information

Additional copies of this document can be ordered from Tekelec Network Signaling Division, 5200 Paramount Parkway, Morrisville, North Carolina, 27560

Cross-Reference Index

Eagle 31.3 Documentation Set

This section provides an alphabetized list of each top-level heading used in the Eagle 31.3 document set. This list includes the name of the document and the page number where the top-level heading occurs.

Table CRI-1. Cross-Reference Index

Heading	Document	Page
14-Bit ITU National Point Code Formats	Database Administration - Gateway Screening	2-24
14-Bit ITU National Point Code Formats	Database Administration - SS7	2-8
15 Minute Measurements	Eagle 31.3 Feature Notice	FN-7
18GB to 36GB Hard Drive Upgrade (Release 29.1) (IP7 Release 7.1)	Previously Released Features	2-1
2500 Routing Keys (IP7 Release 7.1)	Previously Released Features	2-3
40,000 GTT Capacity (Release 28.0) (IP7 Release 6.0)	Previously Released Features	2-7
4000 Routesets (Release 23.0)	Previously Released Features	2-4
48 Million Numbers (Release 27.0)	Previously Released Features	2-7
-48VDC Power Source	Installation - Eagle	5-119
4-Port DS0 Monitor Applique	Hardware - Signaling Products	B-6
4-Port DS0 Monitor Applique	MPS Platform SW and Maintenance	B-6
4-Port DSCS Monitor Applique	Hardware - Signaling Products	B-8
4-Port DSCS Monitor Applique	MPS Platform SW and Maintenance	B-8
4-Port E1 Monitor Applique	Hardware - Signaling Products	B-4
4-Port E1 Monitor Applique	MPS Platform SW and Maintenance	B-4
4-Port T1 Monitor Applique	Hardware - Signaling Products	B-2
4-Port T1 Monitor Applique	MPS Platform SW and Maintenance	B-2
4-Port V.35 Monitor Applique	Hardware - Signaling Products	B-7

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
4-Port V.35 Monitor Applique	MPS Platform SW and Maintenance	B-7
5 Minute Linkset Data (Release 25.0)	Previously Released Features	2-14
500 SS7 Links (Release 21.0)	Previously Released Features	2-18
5000 Routes (Release 26.1)	Previously Released Features	2-20
56 Million G-Flex Entries (Release 29.1) (IP7 Release 7.1)	Previously Released Features	2-2
5-8 Bit Sequencing Assurance (Release 24.0)	Previously Released Features	2-16
6000 Routesets (Release 29.0)	Previously Released Features	2-21
65,535 Entries per Translation Type (Release 22.0)	Previously Released Features	2-23
803-0029-01 MPL Card Diagnostic Cable	Installation - Eagle	C-7
803-0029-01 MPL Card Diagnostic Cable	Installation - Integrated Applications	C-7
804-0176-01 Converter	Installation - Eagle	C-7
804-0176-01 Converter	Installation - Integrated Applications	C-7
804-1830-01 Coaxial Cable Adapter	Installation - Integrated Applications	C-8
830-0224-xx Drive Power Cable	Installation - Eagle	C-8
830-0224-xx Drive Power Cable	Installation - Integrated Applications	C-9
830-0231-xx Local Maintenance Center Cable	Installation - Eagle	C-9
830-0231-xx Local Maintenance Center Cable	Installation - Integrated Applications	C-10
830-0232-xx Row Alarm Cable	Installation - Eagle	C-10
830-0232-xx Row Alarm Cable	Installation - Integrated Applications	C-11
830-0233-xx Remote Maintenance Center Cable	Installation - Eagle	C-11
830-0233-xx Remote Maintenance Center Cable	Installation - Integrated Applications	C-12
830-0257-xx Hazard Ground Cable	Installation - Eagle	C-12
830-0257-xx Hazard Ground Cable	Installation - Integrated Applications	C-13
830-0315-xx Power Cable	Installation - Eagle	C-13
830-0315-xx Power Cable	Installation - Integrated Applications	C-14
830-0366-xx Interface Cable	Installation - Eagle	C-14
830-0366-xx Interface Cable	Installation - Integrated Applications	C-15
830-0398-xx B Clock Cable	Installation - Eagle	C-15

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
830-0404-xx B Clock Cable	Installation - Eagle	C-16
830-0421-xx CD ROM Cable	Installation - Eagle	C-17
830-0421-xx CD ROM Cable	Installation - Integrated Applications	C-16
830-0425-01 Adapter 15 Pin to 26 Pin	Installation - Eagle	C-18
830-0425-01 Adapter 15 Pin to 26 Pin	Installation - Integrated Applications	C-17
830-0435-xx External Alarm Cable (Custom)	Installation - Eagle	C-19
830-0435-xx External Alarm Cable (Custom)	Installation - Integrated Applications	C-18
830-0527-xx RS232	Installation - Eagle	C-21
830-0527-xx RS232	Installation - Integrated Applications	C-20
830-0528-01 Terminal/Converter Cable	Installation - Eagle	C-25
830-0528-01 Terminal/Converter Cable	Installation - Integrated Applications	C-24
830-0531-01 Serial Interface Converter Cable	Installation - Eagle	C-24
830-0531-01 Serial Interface Converter Cable	Installation - Integrated Applications	C-23
830-0531-02 Serial Interface, Terminal and Printer Adapter	Installation - Eagle	C-26
830-0531-02 Serial Interface, Terminal and Printer Adapter	Installation - Integrated Applications	C-25
830-0531-03 Serial Interface Adapter/MODEM	Installation - Eagle	C-23
830-0531-03 Serial Interface Adapter/MODEM	Installation - Integrated Applications	C-22
830-0535-xx Terminal/Printer Cable	Installation - Eagle	C-27
830-0535-xx Terminal/Printer Cable	Installation - Integrated Applications	C-26
830-0543-xx Alarm Holdover Clock Cable	Installation - Eagle	C-20
830-0543-xx Alarm Holdover Clock Cable	Installation - Integrated Applications	C-19
830-0609-01 Included Fan Assembly	Installation - Eagle	C-27
830-0622-xx E1 Cable	Installation - Eagle	C-28
830-0622-xx E1 Cable	Installation - Integrated Applications	C-27
830-0624-xx BNC to BCN Cable Assembly,	Installation - Integrated Applications	C-28
830-0624-xx Cable Assembly, BNC to BCN	Installation - Eagle	C-29
830-0625-xx BNC/Open End Cable	Installation - Integrated Applications	C-29
830-0625-xx Cable BNC/Open End	Installation - Eagle	C-30

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
830-0638-xx Filter Rack Alarm Cable	Installation - Eagle	C-31
830-0638-xx Filter Rack Alarm Cable	Installation - Integrated Applications	C-30
830-0651-xx -48V Power Cable	Installation - Eagle	C-32
830-0651-xx -48V Power Cable	Installation - Integrated Applications	C-31
830-0656-01 Fifty Position Cable Hard Drive I/O	Installation - Eagle	C-33
830-0656-01 Fifty Position Hard Drive I/O Cable	Installation - Integrated Applications	C-33
830-0657-XX Clock Connection	Installation - Eagle	C-34
830-0680-01 RJ-11 to RJ-11	Installation - Integrated Applications	C-32
830-0708-xx MMI Port Cable	Installation - Eagle	C-35
830-0708-xx MMI Port Cable	Installation - Integrated Applications	C-34
830-0709-xx Modem/Terminal Cable	Installation - Eagle	C-36
830-0709-xx Modem/Terminal Cable	Installation - Integrated Applications	C-35
830-0710-xx Network Cable	Installation - Eagle	C-37
830-0710-xx Network Cable	Installation - Integrated Applications	C-36
830-0711-xx DCM, 100-BASE TX Interface	Installation - Eagle	C-38
830-0711-xx DCM, 100-BASE TX Interface	Installation - Integrated Applications	C-37
830-0715-xx Ground Cable (2 Hole Lug)	Installation - Integrated Applications	C-38
830-0723-xx CAT-5 Crossover Cable	Installation - Eagle	C-39
830-0723-xx Crossover (CAT-5) Cable	Installation - Integrated Applications	C-39
830-0724-xx CAT-5 Straight Trough Cable	Installation - Eagle	C-40
830-0724-xx Data Cable (SXi rev D)	Installation - Integrated Applications	C-40
830-0724-xx Straight Trough Cable (CAT-5)	Installation - Integrated Applications	C-41
830-0759-xx Null Modem Cable	Installation - Eagle	C-41
830-0759-xx Null Modem Cable	Installation - Integrated Applications	C-42
830-0763-01 Loop Back Cable Adapter	Installation - Eagle	C-42
830-0763-01 Loop Back Cable Adapter	Installation - Integrated Applications	C-43
830-0772-xx Multi-Port LIM DS0	Installation - Eagle	C-43
830-0772-xx Multi-Port LIM DS0 Cable	Installation - Integrated Applications	C-44
830-0788-xx Router, Hub, Network GR-376 Cable	Installation - Integrated Applications	C-45

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
830-0788-xx Router, Hub, Network GR-376 Cable	Installation - Integrated Applications	C-46
830-0788-xx Straight Through	Installation - Eagle	C-44
830-0788-xx Straight Through, Patch Panel Cable	Installation - Integrated Applications	C-45
830-0789-xx Crossover DCM Patch Panel Cable	Installation - Integrated Applications	C-46
830-0789-xx Patch Panel Crossover	Installation - Eagle	C-45
830-0814-xx Multi-Port Power Cable	Installation - Eagle	C-46
830-0814-xx Multi-Port Power Cable	Installation - Integrated Applications	C-47
830-0814-xx SXi Data Cable	Installation - Integrated Applications	C-58
830-0822-01 Ground Cable	Installation - Integrated Applications	C-48
830-0830-01 Ground Cable	Installation - Integrated Applications	C-49
830-0846-01 High Speed Master Timing Adapter	Installation - Integrated Applications	C-50
830-0846-01 HS Master Timing Adapter	Installation - Eagle	C-47
830-0849-xx DS1 Cable	Installation - Eagle	C-48
830-0849-xx DS1 Cable	Installation - Integrated Applications	C-51
830-0857-01 Adapter Cable HMUX	Installation - Eagle	C-55
830-0857-01 HMUX Adapter Cable	Installation - Integrated Applications	C-59
830-0859-xx Null-MODEM for Terminal	Installation - Eagle	C-49
830-0859-xx Null-MODEM for Terminal	Installation - Integrated Applications	C-52
830-0866-xx Breaker to Terminal Strip Power Cable	Installation - Integrated Applications	C-53
830-0866-xx Power Cable Breaker To Terminal Strip	Installation - Eagle	C-50
830-0868-xx Power Cable	Installation - Integrated Applications	C-54
830-0869-xx Power DC Router	Installation - Eagle	C-51
830-0869-xx Router Power Cable	Installation - Integrated Applications	C-55
830-0872-xx Power DC RAID	Installation - Eagle	C-52
830-0872-xx RAID Power Cable	Installation - Integrated Applications	C-56
830-0884-01 Switch to Frame Ground Cable	Installation - Eagle	C-56
830-0884-01 Switch to Frame Ground Cable	Installation - Integrated Applications	C-60
830-0888-xx CAT-5, RJ45/RJ45	Installation - Eagle	C-57

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
830-0888-xx RJ45/RJ45 Cable (Yellow)	Installation - Integrated Applications	C-61
830-0889-xx CAT-5, RJ45/RJ45	Installation - Eagle	C-58
830-0889-xx RJ45/RJ45 (Blue)	Installation - Integrated Applications	C-62
830-0892-xx Multi-Port DS0 Cable (24 AWG)	Installation - Integrated Applications	C-57
830-0892-xx Multi-Port LIM DS0 (24 AWG)	Installation - Eagle	C-53
830-0894-xx T1 MIM LIM Cable	Installation - Integrated Applications	C-63
830-0895-01 T1 LIM to MPL Cable Adapter	Installation - Eagle	C-59
830-0895-01 T1 LIM to MPL Cable Adapter	Installation - Integrated Applications	C-64
830-0900-xx Alarm NETRA Server Cable	Installation - Eagle	C-60
830-0900-xx Alarm NETRA Server Cable	Installation - Integrated Applications	C-65
830-0901-xx Tone and Announcement Server Alarm Cable	Installation - Eagle	C-61
830-0901-xx Tone and Announcement Server Alarm Cable	Installation - Integrated Applications	C-66
830-0906-01 Serial IF Cable Rev A	Installation - Integrated Applications	C-67
830-0907-xx Power Cable Rev A,	Installation - Integrated Applications	C-68
830-0908-xx Power Ring	Installation - Eagle	C-54
830-0908-xx Power Ring	Installation - Integrated Applications	C-69
830-0913-01 J1 Router Cable Rev B	Installation - Integrated Applications	C-70
830-0913-02/03 Router Cable Rev B	Installation - Integrated Applications	C-71
830-0917-01 Adapter RJ 45 to 9 Pin	Installation - Eagle	C-62
830-0917-01 RJ45 to 9 Pin, Adapter	Installation - Integrated Applications	C-72
830-0932-01 E1-T1 MIM 22 AWG	Installation - Eagle	C-63
830-0948-01 E1/T1 MIM LIM 4 Port 24 AWG	Installation - Eagle	C-64
830-0948-xx E1/T1 MIM LIM Cable	Installation - Integrated Applications	C-73
830-0949-01 E1/T1 MIM LIM to MPL Adapter	Installation - Eagle	C-65
830-0949-xx E1/T1 MIM LIM to MPL Adapter	Installation - Integrated Applications	C-74
830-0959-01 ATM E1-T1 Cable	Installation - Integrated Applications	C-80
830-0961-xx Serial Alarm Cable	Installation - Integrated Applications	C-75
830-0963-xx DB9 F to DB15 M Serial Cable	Installation - Integrated Applications	C-76

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
830-0965-xx TekServer Power Cable	Installation - Integrated Applications	C-77
830-0970-xx Null Modem Assembly Cable	Installation - Integrated Applications	C-78
830-0972-01 TekServer Serial DB44 to DB9 (X4)	Installation - Integrated Applications	C-79
830-0987-01 ATM E1-T1 Cable	Installation - Integrated Applications	C-81
850-0496-01 Force Transition Card	Installation - Eagle	C-66
850-0496-01 Force Transition Card	Installation - Integrated Applications	C-82
850-0514-01 Serial I/O Transition Card	Installation - Eagle	C-22
850-0514-01 Serial I/O Transition Card	Installation - Integrated Applications	C-21
8-Bit SLS Support (Release 21.0)	Previously Released Features	2-23
A Clock 0 through A Clock 5	Installation - Eagle	B-5
Abort Transaction	Provisioning Database Interface	4-8
About Commands	Commands Manual	4-9
About FTRA Window	FTRA User Guide	99
About this Document	Feature Manual - GR-376	1-4
About this Document	Feature Manual - GR-376	1-4
Acronyms	Commands Error Recovery Manual	1-8
Acronyms	Dimensioning Guide for EPAP Advanced DB Features	4
Acronyms	EPAP Administration Manual	1-8
Acronyms	Feature Manual - Equipment Identity Register	1-9
Acronyms	Feature Manual – G-Flex C7 Relay	1-8
Acronyms	Feature Manual – G-Port	1-8
Acronyms	Hardware - Signaling Products	1-22
Acronyms	Installation - Eagle	1-22
Acronyms	Installation - Integrated Applications	1-24
Acronyms	MPS Platform SW and Maintenance	1-18
Acronyms	Previously Released Features	1-38
Acronyms	Provisioning Database Interface	1-9
Acronyms and Abbreviations	Feature Manual — INP	1-9

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Acronyms and Terminology	Eagle 31.3 Feature Notice	FN-101
Activating Controlled Features	Database Administration - System Management	B-3
Activating the 15 Minute Measurements Controlled Feature	Database Administration - System Management	B-26
Activating the ANSI-ITU-China SCCP Conversion Feature	Database Administration Manual - Global Title Translation	A-36
Activating the Eagle OA&M IP Security Enhancement Controlled Feature	Database Administration - System Management	B-12
Activating the GSM MAP Screening Feature	Database Administration - Features	5-24
Activating the IGTTLS feature	Database Administration Manual - Global Title Translation	A-3
Activating the LNP 48 Million Number Feature on the Eagle - Eagle Releases 28.x and 29.x	Feature Activation Guide	156
Activating the LNP Feature on the Eagle - Eagle Release 30.0 or greater	Feature Activation Guide	169
Activating the LNP Feature Overview	Feature Activation Guide	7
Activating the LNP Short Message Service (SMS) Feature	Feature Activation Guide	194
Activity	Database Administration - SEAS	5-141
Adding a Blocked DPC Screen	Database Administration - Gateway Screening	8-8
Adding a Blocked DPC Screen	Database Administration - SEAS	5-42
Adding a Blocked OPC Screen	Database Administration - Gateway Screening	11-8
Adding a Blocked OPC Screen	Database Administration - SEAS	5-89
Adding a Cluster Point Code	Database Administration - SEAS	2-2
Adding a Cluster Point Code	Database Administration - SS7	2-113
Adding a Concerned Signaling Point Code	Database Administration Manual - Global Title Translation	2-69
Adding a DCM and BLM for BLM-Based Operations	LNP Database Synchronization	4-11
Adding a Destination Point Code	Database Administration - SEAS	2-18
Adding a Destination Point Code	Database Administration - SS7	2-162

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Adding a DSM	Feature Activation Guide	21
Adding a DSM	Feature Manual - Equipment Identity Register	4-4
Adding a Gateway Linkset	Database Administration - SEAS	5-117
Adding a Global Title Translation	Database Administration - SEAS	4-10
Adding a Global Title Translation	Database Administration Manual - Global Title Translation	3-17
Adding a GSM MAP Screening Entry	Database Administration - Features	5-91
Adding a GSM MAP Screening Operation Code	Database Administration - Features	5-63
Adding a GSM Subsystem Number Screening Entry	Database Administration - Features	5-58
Adding a GT Conversion Table Entry	Database Administration Manual - Global Title Translation	2-160
Adding a GTT Selector	Database Administration Manual - Global Title Translation	4-12
Adding a GTT Set	Database Administration Manual - Global Title Translation	4-3
Adding a High-Speed LIM-ATM or an E1-ATM LIM	Database Administration - SS7	C-31
Adding a LIM-E1 Card	Database Administration - SS7	A-11
Adding a LIM-T1 Card	Database Administration - SS7	B-8
Adding a Mapped SS7 Message Translation Type	Database Administration Manual - Global Title Translation	2-61
Adding a Network Appearance	Database Administration Manual - IP7 Secure Gateway	3-370
Adding a Network Routing Point Code	Database Administration - SEAS	2-12
Adding a Network Routing Point Code	Database Administration - SS7	2-152
Adding a Route	Database Administration - SEAS	3-33
Adding a Route	Database Administration - SS7	3-145
Adding a Screen Set	Database Administration - Gateway Screening	13-3
Adding a Secondary Point Code	Database Administration - SS7	2-47
Adding a Sentinel Transport Card (STC)	Database Administration - Features	6-19

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Adding a Shelf	Database Administration - System Management	4-93
Adding a Split NPANXX	Database Administration - LNP	3-108
Adding a Static Application Routing Key	Database Administration Manual - IP7 Secure Gateway	3-232
Adding a Subsystem Application	Database Administration - LNP	3-57
Adding a T1 Signaling Link	Database Administration - SS7	B-36
Adding a TCP/IP Data Link	Database Administration - Features	3-31
Adding a TCP/IP Node	Database Administration - Features	3-40
Adding a Translation Type	Database Administration Manual - Global Title Translation	3-3
Adding a User to the System	Database Administration - System Management	4-21
Adding ACG Manual Initiated Controls	Database Administration - LNP	4-21
Adding an ACG Node Overload Control Level	Database Administration - LNP	4-13
Adding an Allowed Affected Destination Field Screen	Database Administration - Gateway Screening	7-7
Adding an Allowed Affected Destination Field Screen	Database Administration - SEAS	5-35
Adding an Allowed Affected Point Code Screen	Database Administration - Gateway Screening	3-4
Adding an Allowed Affected Point Code Screen	Database Administration - SEAS	5-3
Adding an Allowed Called Party Address Screen	Database Administration - Gateway Screening	4-5
Adding an Allowed Called Party Address Screen	Database Administration - SEAS	5-8
Adding an Allowed Calling Party Address Screen	Database Administration - Gateway Screening	6-6
Adding an Allowed Calling Party Address Screen	Database Administration - SEAS	5-22
Adding an Allowed DPC Screen	Database Administration - Gateway Screening	9-8
Adding an Allowed DPC Screen	Database Administration - SEAS	5-56
Adding an Allowed ISUP Message Type Screen	Database Administration - Gateway Screening	15-9

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Adding an Allowed ISUP Message Type Screen	Database Administration - SEAS	5-143
Adding an Allowed OPC Screen	Database Administration - Gateway Screening	12-8
Adding an Allowed OPC Screen	Database Administration - SEAS	5-102
Adding an Allowed SIO Screen	Database Administration - Gateway Screening	10-9
Adding an Allowed SIO Screen	Database Administration - SEAS	5-71
Adding an Allowed Translation Type Screen	Database Administration - Gateway Screening	5-4
Adding an Allowed Translation Type Screen	Database Administration - SEAS	5-16
Adding an Application Server	Database Administration Manual - IP7 Secure Gateway	3-351
Adding an Application Server Process	Database Administration Manual - IP7 Secure Gateway	3-337
Adding an Application Socket	Database Administration Manual - IP7 Secure Gateway	3-195
Adding an Association	Database Administration Manual - IP7 Secure Gateway	3-286
Adding an ATM High-Speed Signaling Link	Database Administration - SS7	C-37
Adding an E1 Signaling Link	Database Administration - SS7	A-40
Adding an EIR Service Selector	Feature Manual - Equipment Identity Register	4-40
Adding an End Node Internal Point Code	Database Administration Manual - IP7 Secure Gateway	5-14
Adding an FTP Server	Database Administration - System Management	4-158
Adding an GLS Card	Database Administration - Gateway Screening	2-46
Adding an IP Card	Database Administration Manual - IP7 Secure Gateway	3-16
Adding an IP Host	Database Administration Manual - IP7 Secure Gateway	3-156
Adding an IP Route	Database Administration Manual - IP7 Secure Gateway	3-186

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Adding an IP Signaling Link	Database Administration Manual - IP7 Secure Gateway	3-84
Adding an IPSM	Database Administration - System Management	4-168
Adding an LNP Location Routing Number	Database Administration - LNP	3-114
Adding an LNP NPANXX	Database Administration - LNP	3-83
Adding an LNP Service	Database Administration - LNP	3-30
Adding an LNP Service Provider	Database Administration - LNP	3-75
Adding an LNP Telephone Number Subscription	Database Administration - LNP	3-135
Adding an MCPM	Database Administration - System Management	4-141
Adding an SCCP Card	Database Administration - LNP	2-3
Adding an SCCP Card	Database Administration Manual - Global Title Translation	2-48
Adding an SS7 LIM	Database Administration - System Management	4-102
Adding an SS7 Linkset	Database Administration - SEAS	3-2
Adding an SS7 Linkset	Database Administration - SS7	3-16
Adding an SS7 Signaling Link	Database Administration - SEAS	3-22
Adding an SS7 Signaling Link	Database Administration - SS7	3-122
Adding an STP Configuration Record	FTRA User Guide	17
Adding an STP LAN Card	Database Administration - Features	3-20
Adding an X.25 Gateway Destination	Database Administration - Features	2-32
Adding an X.25 LIM	Database Administration - Features	2-14
Adding an X.25 Linkset	Database Administration - Features	2-47
Adding an X.25 Route	Database Administration - Features	2-106
Adding an X.25 Signaling Link	Database Administration - Features	2-81
Adding Global Title Address Information	Database Administration - SEAS	6-10
Adding Global Title Address Information	Database Administration Manual - Global Title Translation	4-26
Adding New ISUP PSTN Presentation Values	Database Administration Manual - IP7 Secure Gateway	4-6

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Adding Remote Loopback Points	Database Administration - SS7	3-206
Adding the E1 Interface Parameters	Database Administration - SS7	A-25
Adding the EIR Subsystem Application	Feature Manual - Equipment Identity Register	4-23
Adding the T1 Interface Parameters	Database Administration - SS7	B-23
Additional EIR Data Files	Feature Manual - Equipment Identity Register	2-18
Additional Integrated Sentinel Support (Release 28.2)	Previously Released Features	2-25
Additional System Requirements for Systems Containing more than 700 Signaling Links	Database Administration - SS7	D-5
Administrable SLTMs (Release 20.0)	Previously Released Features	2-27
Administration	Feature Manual - GR-376	2-5
Administrative Procedures	Maintenance - Signaling Products	A-2
AINF Applique (Release 21.0)	Previously Released Features	2-27
Air Management Card	Maintenance - Signaling Products	5-56
Air Management Card (GR-376 EOAP)	Feature Manual - GR-376	5-4
Alarm Clearing Procedures	Maintenance - Signaling Products	3-55
Alarm Enhancements (Release 26.0)	Previously Released Features	2-27
Alarms	Eagle 31.3 Feature Notice	FN-80
Alarms	Maintenance - Signaling Products	F-1
Allow a Mated Application to Work as Primary-Secondary and Secondary-Primary (Release 22.0)	Previously Released Features	2-28
Allowed Affected Destination Field Screen (Release 22.0)	Previously Released Features	2-32
Allowed CDPA Screen on SCCP Management Format ID (Release 22.0)	Previously Released Features	2-35
Alternate Command Keywords (Release 20.0)	Previously Released Features	2-35
ANSI G-Flex Support at 1700 TPS per DSM (Release 30.3)	Previously Released Features	2-36
ANSI/ITU MTP Gateway (Release 20.0)	Previously Released Features	2-36

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
ANSI/ITU SCCP and TCAP Conversion (Optional) (Release 22.2)	Previously Released Features	2-40
ANSI/ITU SCCP and TCAP Conversion (Release 24.0)	Previously Released Features	2-41
ANSI-ITU-China SCCP Conversion	Eagle 31.3 Feature Notice	FN-12
ANSI-ITU-China SCCP Conversion Feature	Database Administration Manual - Global Title Translation	2-16
Application Communications Module (ACM)	Maintenance - Signaling Products	A-43
Application/Transaction Service Module (ASM/TSM) - GLS	Maintenance - Signaling Products	A-38
Application/Transaction Service Module (ASM/TSM) - SCCP	Maintenance - Signaling Products	A-34
Asynchronous DSM Report	Provisioning Database Interface	4-14
ATM High-Speed Signaling Link Configuration	Database Administration - SS7	C-30
ATM High-Speed Signaling Link Testing Capability	Database Administration - SS7	C-19
Audit and Reconcile Overview	LNP Database Synchronization	6-9
Automatic Destination Field Screening	Database Administration - Gateway Screening	13-2
Automatic Resynchronization Process	LNP Database Synchronization	5-4
B Clock 0 through B Clock 5	Installation - Eagle	B-7
Backing Out Using the Backup Database of the NE's Fixed Disk	LNP Database Synchronization	13-27
Backing Out Using the Database Backup Removable Cartridge	LNP Database Synchronization	13-8
Backing Up System Data to the Removable Cartridge	Database Administration - System Management	2-69
Backing Up the Database	Database Administration - System Management	2-32
Backup Provisioning Network Interface (Release 29.0)	Previously Released Features	2-42
Backups	Maintenance - Signaling Products	6-17
Baseline Tables	Hardware - Signaling Products	A-1
Baseline Tables	MPS Platform SW and Maintenance	A-1

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Before Beginning Installation	Hardware - TekServer	4-1
BITS Clock	Installation - Eagle	B-9
Cables by Part Numbers	Installation - Eagle	C-1
Cables by Part Numbers	Installation - Integrated Applications	C-1
Cabling GR-376 EOAP Shelf and DCM Cards	Feature Manual - GR-376	4-41
Calling Name Conversion Facility (CNCF) (Release 23.1)	Previously Released Features	2-42
Calling Name Conversion Facility (CNCF) with Redirect Capability (Release 24.0)	Previously Released Features	2-55
Canceling the REPT-STAT-CARD Command	LNP Database Synchronization	4-10
Card Cage (GR-376 EOAP)	Feature Manual - GR-376	5-9
Card Cage/Shelf	Maintenance - Signaling Products	5-61
CD-ROM Drive Card	Maintenance - Signaling Products	5-86
CD-ROM Drive Card (GR-376 EOAP)	Feature Manual - GR-376	5-27
CDU for DSM (Release 26.05)	Previously Released Features	2-60
CgPA GWS Routing Indicator Enhancement	Eagle 31.3 Feature Notice	FN-30
Change Default ATM CLP Bit for Data Cells from 1 to 0	Eagle 31.3 Feature Notice	FN-78
Change Password	EPAP Administration Manual	3-140
Changeover and Changeback Procedure for Processor Outage and LIN (Release 21.0)	Previously Released Features	2-63
Changing a Blocked DPC Screen	Database Administration - Gateway Screening	8-24
Changing a Blocked DPC Screen	Database Administration - SEAS	5-52
Changing a Blocked OPC Screen	Database Administration - Gateway Screening	11-24
Changing a Blocked OPC Screen	Database Administration - SEAS	5-97
Changing a DCM Parameter Set	Database Administration Manual - IP7 Secure Gateway	3-227
Changing a Destination Point Code	Database Administration - SEAS	2-24
Changing a Destination Point Code	Database Administration - SS7	2-197
Changing a Gateway Linkset	Database Administration - SEAS	5-130

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Changing a Global Title Translation	Database Administration - SEAS	4-18
Changing a Global Title Translation	Database Administration Manual - Global Title Translation	3-50
Changing a GSM MAP Screening Entry	Database Administration - Features	5-124
Changing a GSM MAP Screening Operation Code	Database Administration - Features	5-81
Changing a GT Conversion Table Entry	Database Administration Manual - Global Title Translation	2-177
Changing a GTT Selector	Database Administration Manual - Global Title Translation	4-21
Changing a Mapped SS7 Message Translation Type	Database Administration Manual - Global Title Translation	2-67
Changing a Mated Application	Database Administration - SEAS	4-8
Changing a Mated Application	Database Administration - SEAS	6-8
Changing a Mated Application	Database Administration Manual - Global Title Translation	2-117
Changing a Password	Database Administration - System Management	4-48
Changing a Route	Database Administration - SEAS	3-35
Changing a Route	Database Administration - SS7	3-178
Changing a Screen Set	Database Administration - Gateway Screening	13-15
Changing a Signaling Link Test Message	Database Administration - SS7	3-194
Changing a Static Application Routing Key	Database Administration Manual - IP7 Secure Gateway	3-249
Changing a Subsystem Application	Database Administration - LNP	3-67
Changing a Subsystem Application	Feature Manual - Equipment Identity Register	4-33
Changing a UA Parameter Set	Database Administration Manual - IP7 Secure Gateway	3-406
Changing ACG Manual Initiated Controls	Database Administration - LNP	4-31
Changing an ACG Node Overload Control Level	Database Administration - LNP	4-19
Changing an Allowed Affected Destination Field Screen	Database Administration - Gateway Screening	7-20

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Changing an Allowed Affected Destination Field Screen	Database Administration - SEAS	5-41
Changing an Allowed Affected Point Code Screen	Database Administration - Gateway Screening	3-15
Changing an Allowed Affected Point Code Screen	Database Administration - SEAS	5-7
Changing an Allowed Called Party Address Screen	Database Administration - Gateway Screening	4-19
Changing an Allowed Called Party Address Screen	Database Administration - SEAS	5-14
Changing an Allowed Calling Party Address Screen	Database Administration - Gateway Screening	6-21
Changing an Allowed Calling Party Address Screen	Database Administration - SEAS	5-32
Changing an Allowed DPC Screen	Database Administration - Gateway Screening	9-24
Changing an Allowed DPC Screen	Database Administration - SEAS	5-66
Changing an Allowed ISUP Message Type Screen	Database Administration - Gateway Screening	15-20
Changing an Allowed ISUP Message Type Screen	Database Administration - SEAS	5-148
Changing an Allowed OPC Screen	Database Administration - Gateway Screening	12-23
Changing an Allowed OPC Screen	Database Administration - SEAS	5-111
Changing an Allowed SIO Screen	Database Administration - Gateway Screening	10-23
Changing an Allowed SIO Screen	Database Administration - SEAS	5-82
Changing an Allowed Translation Type Screen	Database Administration - Gateway Screening	5-14
Changing an Allowed Translation Type Screen	Database Administration - SEAS	5-20
Changing an Application Server	Database Administration Manual - IP7 Secure Gateway	3-364
Changing an Application Server Process	Database Administration Manual - IP7 Secure Gateway	3-344
Changing an Application Socket	Database Administration Manual - IP7 Secure Gateway	3-209

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Changing an Association	Database Administration Manual - IP7 Secure Gateway	3-304
Changing an ATM High-Speed Signaling Link Parameter Set	Database Administration - SS7	C-55
Changing an Existing Non-EIR Service Selector to an EIR Service Selector	Feature Manual - Equipment Identity Register	4-51
Changing an FTP Server	Database Administration - System Management	4-164
Changing an IP Card	Database Administration Manual - IP7 Secure Gateway	3-176
Changing an IP Link	Database Administration Manual - IP7 Secure Gateway	3-161
Changing an LNP Telephone Number Subscription	Database Administration - LNP	3-152
Changing an LNP Location Routing Number	Database Administration - LNP	3-128
Changing an LNP NPANXX	Database Administration - LNP	3-100
Changing an LNP Service	Database Administration - LNP	3-48
Changing an M2PA Timer Set	Database Administration Manual - IP7 Secure Gateway	3-333
Changing an MRN Group	Database Administration Manual - Global Title Translation	2-152
Changing an SS7 Linkset	Database Administration - SEAS	3-13
Changing an SS7 Linkset	Database Administration - SS7	3-69
Changing an X.25 Gateway Destination	Database Administration - Features	2-41
Changing an X.25 Linkset	Database Administration - Features	2-67
Changing an X.25 Route	Database Administration - Features	2-124
Changing Global Title Address Information	Database Administration - SEAS	6-16
Changing Global Title Address Information	Database Administration Manual - Global Title Translation	4-53
Changing IP Options other than SYNC and SCTPCSUM	Database Administration Manual - IP7 Secure Gateway	3-151
Changing ISUP Presentation Values	Database Administration Manual - IP7 Secure Gateway	4-11

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Changing ISUP Variant Table Entries	Database Administration Manual - IP7 Secure Gateway	4-17
Changing Level 2 Timers	Database Administration - SS7	3-187
Changing Level 3 Timers	Database Administration - SS7	3-189
Changing LNP Options	Database Administration - LNP	3-163
Changing Remote Loopback Points	Database Administration - SS7	3-215
Changing Terminal Characteristics	Database Administration - System Management	4-51
Changing Terminal Command Class Assignments	Database Administration - System Management	4-73
Changing the ANSI-ITU-China SCCP Conversion Options	Database Administration Manual - Global Title Translation	2-191
Changing the Attributes of a Cluster Point Code	Database Administration - SEAS	2-7
Changing the Attributes of a Cluster Point Code	Database Administration - SS7	2-132
Changing the DPC Quantity	Database Administration - SS7	2-21
Changing the E1 Interface Parameters	Database Administration - SS7	A-33
Changing the EIR Options	Feature Manual - Equipment Identity Register	4-58
Changing the Gateway Screening Redirect Parameters	Database Administration - Features	4-40
Changing the Group Code Assigned to a 14-Bit ITU National Point Code	Database Administration - SS7	2-214
Changing the IP Protocol Option	Database Administration Manual - IP7 Secure Gateway	3-144
Changing the PSTN Presentation and Normalization Attributes in an Application Routing Key	Database Administration Manual - IP7 Secure Gateway	3-261
Changing the SCTP Checksum Algorithm Option	Database Administration Manual - IP7 Secure Gateway	3-376
Changing the Security Defaults	Database Administration - System Management	4-7
Changing the Security Log Characteristics	Database Administration - System Management	4-17
Changing the Self Identification of the Eagle	Database Administration - SEAS	2-16

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Changing the Self-Identification of the System	Database Administration - SS7	2-64
Changing the System-Wide GSM MAP Screening Options	Database Administration - Features	5-55
Changing the T1 Interface Parameters	Database Administration - SS7	B-30
Changing the X.25 Signaling Link Parameters	Database Administration - Features	2-139
Changing Translation Type Values at the Eagle STP	LNP Database Synchronization	13-3
Changing User Information	Database Administration - System Management	4-35
Choosing a Synchronization Procedure	LNP Database Synchronization	3-4
Circuit Card LEDs	Installation - Eagle	A-3
Circuit Card LEDs	Installation - Integrated Applications	A-2
Clearing a Temporary FAK Alarm	Database Administration - System Management	B-37
Clearing a Temporary FAK Alarm	Database Administration Manual - Global Title Translation	A-12
Clearing a Temporary FAK Alarm	Feature Activation Guide	203
Clock A In/Out	Installation - Eagle	B-10
Clock A/B In/Out Extension Shelf	Installation - Eagle	B-12
Clock B In/Out	Installation - Eagle	B-13
Clock Cable Installation	Installation - Eagle	5-38
Cluster Routing and Management Diversity (CRMD)	Database Administration - SS7	2-91
Cluster Routing and Management Diversity (Release 21.0)	Previously Released Features	2-64
Code and Application Data Loading	Feature Manual – G-Flex C7 Relay	5-5
Code and Application Data Loading	Feature Manual – G-Port	5-5
Code and Application Data Loading	Feature Manual — INP	5-7
Code and Application Data Loading	Feature Manual - Equipment Identity Register	5-4
Combined EPAD Features System	Dimensioning Guide for EPAP Advanced DB Features	23
Command Class Management (Release 29.0)	Previously Released Features	2-69

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Command Conventions	Commands Manual	9-1
Command Line Interface	FTRA User Guide	70
Command Output Changes (Release 22.0)	Previously Released Features	2-71
Commands	EPAP Administration Manual	4-9
Commercial Guidelines for Dimensioning EAGLE EPAD Features	Dimensioning Guide for EPAP Advanced DB Features	13
Components of OEM-Based Products	MPS Platform SW and Maintenance	2-29
Components of OEM-Based Products	Hardware - Signaling Products	2-27
Configuring a Linkset for the GSM MAP Screening Feature	Database Administration - Features	5-43
Configuring a Mate IPGWx Linkset	Database Administration Manual - IP7 Secure Gateway	3-62
Configuring an IPGWx Linkset	Database Administration Manual - IP7 Secure Gateway	3-41
Configuring an ITU Linkset with a Secondary Adjacent Point Code (SAPC)	Database Administration - SS7	3-106
Configuring Circular Route Detection	Database Administration - SS7	3-196
Configuring Command Classes	Database Administration - System Management	4-83
Configuring Gateway Screening Stop Action Sets	Database Administration - Gateway Screening	2-54
Configuring IP Socket Retransmission Parameters	Database Administration Manual - IP7 Secure Gateway	3-221
Configuring SCTP Retransmission Control for an Association	Database Administration Manual - IP7 Secure Gateway	3-324
Configuring the DSM Ethernet Link to the MPS	Feature Activation Guide	32
Configuring the Eagle for the DTA Feature	Database Administration - Features	4-15
Configuring the Eagle for the LNP Feature	Database Administration - LNP	3-7
Configuring the Eagle Support for Integrated Sentinel Options	Database Administration - Features	6-13
Configuring the Frequency of RST Messages on Low Priority Routes	Database Administration - SS7	3-203
Configuring the Frequency of RST Messages on Low Priority Routes (Release 22.0)	Previously Released Features	2-72

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Configuring the Hardware and Network for BLM-Based or ELAP-Based Operation	LNP Database Synchronization	4-4
Configuring the IP TPS Alarm Threshold	Database Administration Manual - IP7 Secure Gateway	3-282
Configuring the LNP 4Digit Tables	Database Administration - LNP	2-28
Configuring the Measurements Platform Feature	Database Administration - System Management	4-150
Configuring the Measurements Terminal for a 700 Signaling Link System	Database Administration - System Management	4-134
Configuring the MTP MAP Screening Feature	Database Administration - Features	5-37
Configuring the Options for the Network Security Enhancements Feature	Database Administration - System Management	4-188
Configuring the Options for the TDM Global Timing Interface	Database Administration - SS7	3-227
Configuring the Restore Device State Option	Database Administration - System Management	4-192
Configuring the Restricted Linkset Option	Database Administration - SS7	3-233
Configuring the System for Random SLS Generation	Database Administration - SS7	3-219
Configuring the System for the CNCF Feature	Database Administration - Gateway Screening	14-4
Configuring the TFA/TFR Pacing Rate	Database Administration - SS7	3-200
Configuring the Triggerless LNP Feature	Database Administration - LNP	2-33
Configuring the UIM Threshold	Database Administration - System Management	4-129
Configuring the Unauthorized Use Warning Message	Database Administration - System Management	4-11
Configuring the Unauthorized Use Warning Message (Release 22.0)	Previously Released Features	2-74
Congestion Abatement Reporting (Release 21.0)	Previously Released Features	2-76
Consistent Command Response Conversion (Release 22.2)	Previously Released Features	2-77
Consistent Command Response Conversion (Release 24.0)	Previously Released Features	2-78
Console Devices	Maintenance - Signaling Products	5-14

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Control Shelf Backplane (P/N 850-0330-03/04)	Installation - Eagle	B-18
Control Shelf Backplane (P/N 850-0330-06)	Installation - Eagle	B-19
Control Shelf Modules	Installation - Eagle	B-20
Control Shelf Modules	Installation - Integrated Applications	B-4
Controlled Feature	Database Administration - System Management	B-12
Conversion from X.25 to SS7	Maintenance - Signaling Products	B-2
Copying ISUP Variant Table Entries	Database Administration Manual - IP7 Secure Gateway	4-26
Copying One RTDB from Another RTDB	Feature Activation Guide	137
Copying the Database from the Active to the Standby Fixed Disk	Database Administration - System Management	2-54
Copying the LNP Database from Another Eagle STP	LNP Database Synchronization	12-5
Copying the Security Log to the File Transfer Area	Database Administration - System Management	4-19
Cost Factor on Routing (Release 20.0)	Previously Released Features	2-79
Customer Assistance	Commands Error Recovery Manual	1-7
Customer Assistance	Commands Manual	1-7
Customer Assistance	EPAP Administration Manual	1-7
Customer Assistance	Feature Manual - Equipment Identity Register	1-8
Customer Assistance	Feature Manual – G-Flex C7 Relay	1-6
Customer Assistance	Feature Manual – G-Port	1-6
Customer Assistance	Feature Manual — INP	1-7
Customer Assistance	Maintenance - Signaling Products	1-8
Customer Assistance	Provisioning Database Interface	1-8
Customer Definable Alarms (Release 20.0)	Previously Released Features	2-79
Customer Documentation	Eagle 31.3 Feature Notice	FN-91
Customer Training	Eagle 31.3 Feature Notice	FN-99
Daily Procedures	Maintenance - Signaling Products	2-15

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Database Communications Module (DCM) and EDCM	Maintenance - Signaling Products	A-46
Database Integrity Enhancements (Release 20.0)	Previously Released Features	2-80
Database Management Command Functions (Release 20.0)	Previously Released Features	2-80
Database Partitions	Database Administration - Features	1-11
Database Partitions	Database Administration - Gateway Screening	1-10
Database Partitions	Database Administration - SS7	1-10
Database Partitions	Database Administration - System Management	1-10
Database Partitions	Database Administration Manual - Global Title Translation	1-10
Database Partitions	Database Administration Manual - IP7 Secure Gateway	1-11
Database Services Module (DSM) - VSCCP	Maintenance - Signaling Products	A-40
Database Transport Access (DTA) (Release 20.0)	Previously Released Features	2-82
DCM and Fan Option, EDCM, DSM Cabling	Installation - Eagle	5-25
DCM Card (EAGLE)	Feature Manual - GR-376	5-32
DCM Cards	Feature Manual - GR-376	4-28
Deactivating Controlled Features	Database Administration - System Management	B-39
Deactivating the LNP SMS Feature	Feature Activation Guide	204
Debug Menu	EPAP Administration Manual	3-31
Delay Vs. Throughput (IP7 Release 5.0)	Previously Released Features	2-83
Deleting an STP Configuration Record	FTRA User Guide	38
Determine LIM, MIM, and MPL Changeout Time	Maintenance - Signaling Products	A-18
Determining the Configuration	Database Administration - SS7	A-5
Determining the Configuration	Database Administration - SS7	B-4
Determining the Number of High-Speed and Low-Speed Signaling Links	Database Administration - SS7	D-6
Disabling the Gateway Screening Redirect Function	Database Administration - Features	4-51

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Disallow Simultaneous Logins Sessions with the Same User ID (Release 21.0)	Previously Released Features	2-89
Discrepancy Files	LNP Database Synchronization	C-14
Disk Coherency Tests (Release 20.0)	Previously Released Features	2-89
Disk Copy Fixed to Fixed (Release 20.0)	Previously Released Features	2-90
Display Inhibited Alarms (Release 29.0)	Previously Released Features	2-90
Displaying an Existing STP Configuration Record	FTRA User Guide	22
Distributing LNP Database After BLM-Based Operation	LNP Database Synchronization	9-12
Distributing RTDB, Returning to Normal Service	LNP Database Synchronization	9-3
Distributing the LNP Database after LSMS-Based Operation or RTDB Copy	Feature Activation Guide	185
Doc Assignments (from SoftWare perspective)	Installation - Eagle	1-28
Doc Assignments (from SW perspective)	Installation - Integrated Applications	1-30
Document Organization	Dimensioning Guide for EPAP Advanced DB Features	5
Documentation	Installation - Eagle	1-11
Documentation	Installation - Integrated Applications	1-13
Documentation	MPS Platform SW and Maintenance	1-8
Documentation Admonishments	Commands Manual	1-8
Documentation Admonishments	Database Administration - Features	1-8
Documentation Admonishments	Database Administration - Gateway Screening	1-8
Documentation Admonishments	Database Administration - LNP	1-8
Documentation Admonishments	Database Administration - SEAS	1-10
Documentation Admonishments	Database Administration - SS7	1-7
Documentation Admonishments	Database Administration - System Management	1-7
Documentation Admonishments	Database Administration Manual - Global Title Translation	1-7
Documentation Admonishments	Database Administration Manual - IP7 Secure Gateway	1-8

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Documentation Admonishments	EPAP Administration Manual	1-7
Documentation Admonishments	Feature Manual - Equipment Identity Register	1-7
Documentation Admonishments	Feature Manual – G-Flex C7 Relay	1-6
Documentation Admonishments	Feature Manual – G-Port	1-6
Documentation Admonishments	Feature Manual — INP	1-7
Documentation Admonishments	Hardware - TekServer	1-4
Documentation Admonishments	LNP Database Synchronization	1-12
Documentation Admonishments	Maintenance - Signaling Products	1-7
Documentation Admonishments	Provisioning Database Interface	1-7
Documentation Packaging and Updates	Database Administration - Features	1-8
Documentation Packaging and Updates	Database Administration - LNP	1-8
Documentation Packaging and Updates	Database Administration - SEAS	1-10
Documentation Packaging and Updates	Database Administration - SS7	1-7
Documentation Packaging and Updates	Database Administration - System Management	1-7
Documentation Packaging and Updates	Database Administration Manual - Global Title Translation	1-7
Documentation Packaging, Delivery, and Updates	Commands Error Recovery Manual	1-7
Documentation Packaging, Delivery, and Updates	Commands Manual	1-8
Documentation Packaging, Delivery, and Updates	Database Administration - Gateway Screening	1-8
Documentation Packaging, Delivery, and Updates	Database Administration Manual - IP7 Secure Gateway	1-7
Documentation Packaging, Delivery, and Updates	EPAP Administration Manual	1-6
Documentation Packaging, Delivery, and Updates	Feature Manual - Equipment Identity Register	1-7
Documentation Packaging, Delivery, and Updates	Feature Manual – G-Flex C7 Relay	1-5

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Documentation Packaging, Delivery, and Updates	Feature Manual – G-Port	1-5
Documentation Packaging, Delivery, and Updates	Feature Manual — INP	1-6
Documentation Packaging, Delivery, and Updates	Hardware - TekServer	1-3
Documentation Packaging, Delivery, and Updates	LNP Database Synchronization	1-11
Documentation Packaging, Delivery, and Updates	Maintenance - Signaling Products	1-9
Documentation Packaging, Delivery, and Updates	Previously Released Features	1-6
Documentation Packaging, Delivery, and Updates	Provisioning Database Interface	1-7
DSCS Bridge Amplifier	Hardware - Signaling Products	B-9
DSCS Bridge Amplifier	MPS Platform SW and Maintenance	B-9
DSM Engineering and Dimensioning Tool	Dimensioning Guide for EPAP Advanced DB Features	24
DSM List	Provisioning Database Interface	4-16
DSM Memory Allocation	Dimensioning Guide for EPAP Advanced DB Features	10
DSM Provisioning	EPAP Administration Manual	2-27
DSM Provisioning and Reload	Feature Manual – G-Flex C7 Relay	2-25
DTA Feature Overview	Database Administration - Features	4-2
E1 Administration and Alarms (Release 26.3)	Previously Released Features	2-101
E1 ATM High Speed Link (Release 28.1) (IP7 Release 6.0)	Previously Released Features	2-107
E1 Interface Backplane Module	Hardware - Signaling Products	3-98
E1 Interface Backplane Module	MPS Platform SW and Maintenance	3-87
E1 Interface Configuration Procedures	Database Administration - SS7	A-10
E1/T1 Multi-Channel Interface Module (Release 28.0) (IP7 Release 6.0)	Previously Released Features	2-111
E1-T1 Interface	Installation - Eagle	5-76

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Eagle - Eagle Release 30.0 or Greater	Feature Activation Guide	194
Eagle 30.0 Specific Information	Installation - Eagle	5-6
Eagle Commands for EIR	Feature Manual - Equipment Identity Register	3-1
Eagle Commands for INP	Feature Manual — INP	3-1
Eagle Database Partitions	Database Administration - LNP	1-11
Eagle Database Partitions	Database Administration - SEAS	1-13
Eagle Initiated OAP User Interface (Release 24.0)	Previously Released Features	2-114
Eagle Measurement Reports (Release 20.0)	Previously Released Features	2-116
Eagle OA&M IP Security Enhancements (Eagle Release 30.0/IP7 Secure Gateway Release 8.0)	Previously Released Features	2-92
Eagle Provisioning	Database Administration - Features	6-6
Eagle Release 20.0 Features	Previously Released Features	1-21
Eagle Release 21.0 Features	Previously Released Features	1-22
Eagle Release 22.0 Features	Previously Released Features	1-23
Eagle Release 22.2 Features	Previously Released Features	1-26
Eagle Release 23.0 Features	Previously Released Features	1-26
Eagle Release 23.1 Features	Previously Released Features	1-26
Eagle Release 23.2 Features	Previously Released Features	1-27
Eagle Release 24.0 Features	Previously Released Features	1-27
Eagle Release 25.0 Features	Previously Released Features	1-27
Eagle Release 26.0 Features	Previously Released Features	1-28
Eagle Release 26.05 Features	Previously Released Features	1-29
Eagle Release 26.1 Features	Previously Released Features	1-29
Eagle Release 26.2 Features	Previously Released Features	1-30
Eagle Release 26.3 Features	Previously Released Features	1-30
Eagle Release 27.0 Features	Previously Released Features	1-30
Eagle Release 27.1 Features	Previously Released Features	1-30
Eagle Release 27.2 Features	Previously Released Features	1-31
Eagle Release 28.0 Features	Previously Released Features	1-31

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Eagle Release 28.1 Features	Previously Released Features	1-32
Eagle Release 28.2 Features	Previously Released Features	1-32
Eagle Release 29.0 Features	Previously Released Features	1-33
Eagle Release 29.1 Features	Previously Released Features	1-34
Eagle Release 30.0/IP7 Secure Gateway Release 8.0 Features	Previously Released Features	1-34
Eagle Release 30.3 Features	Previously Released Features	1-35
Eagle Release 31.0 Features	Previously Released Features	1-36
Eagle Release 31.3 Features	Previously Released Features	1-36
Eagle Release 31.4 Features	Previously Released Features	1-36
Eagle Release 31.5 Features	Previously Released Features	1-36
Eagle Replacement Parts List	Maintenance - Signaling Products	A-87
Eagle STP	LNP Database Synchronization	12-22
Eagle STP and IP ⁷ Secure Gateway Systems	Hardware - Signaling Products	2-3
Eagle STP and IP ⁷ Secure Gateway Systems	MPS Platform SW and Maintenance	2-4
Eagle STP and IP ⁷ SG Module Installation	Installation - Eagle	2-6
Eagle STP and IP ⁷ SG Post-Installation Inspection	Installation - Eagle	2-11
Eagle STP Documentation Suite	Previously Released Features	1-5
Eagle Support for Integrated Sentinel (Release 28.0)	Previously Released Features	2-116
Eagle+MPS System Overview	Dimensioning Guide for EPAP Advanced DB Features	6
EAGLE-Based Products	Hardware - Signaling Products	1-6
EDCM Support (IP7 Release 4.0)	Previously Released Features	2-118
EGTT Configuration	Database Administration Manual - Global Title Translation	2-44
EIR Alarms	Feature Manual - Equipment Identity Register	5-12
EIR Call Flows	Feature Manual - Equipment Identity Register	2-3
EIR List Log File	Feature Manual - Equipment Identity Register	2-16

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
EIR Measurements	Feature Manual - Equipment Identity Register	5-22
EIR Protocol	Feature Manual - Equipment Identity Register	2-13
EIR System Status Reports	Feature Manual - Equipment Identity Register	5-3
EIR UIMs	Feature Manual - Equipment Identity Register	5-18
EIR-only System	Dimensioning Guide for EPAP Advanced DB Features	17
ELAP 2.x Configuration Procedure	Feature Activation Guide	58
ELAP 3.0 Configuration Procedure	Feature Activation Guide	89
ELAP Configuration and Initialization - ELAP 2.x	Feature Activation Guide	46
ELAP Configuration and Initialization - ELAP 3.0	Feature Activation Guide	73
ELAP Network Address Translation (NAT) (Eagle Release 30.0/IP7 Secure Gateway Release 8.0)	Previously Released Features	2-119
ELAP Software Configuration Overview	Feature Activation Guide	39
Electrical Features	Hardware - TekServer	A-3
Electronic Bulk Load Overview	LNP Database Synchronization	7-3
Electronic Bulk Load Procedure	Feature Activation Guide	127
EMAP Application	Feature Manual - GR-376	2-15
Embedded OAP (Release 24.0)	Previously Released Features	2-125
Emergency Response	Database Administration - Features	1-10
Emergency Response	Database Administration - SS7	1-8
Emergency Response	Database Administration - System Management	1-8
Emergency Response	Database Administration Manual - Global Title Translation	1-8
Emergency Response	Database Administration Manual - IP7 Secure Gateway	1-9
EMS Configuration Component	Feature Activation Guide	112
EMS Frame	Installation - Integrated Applications	4-70

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
EMS Frames	Hardware - Signaling Products	5-24
EMS Routing	Feature Activation Guide	123
Enabling an LSMS Audit for Eagle STP Release 28.x with ELAP 1.0	LNP Database Synchronization	B-2
Enabling an LSMS Audit for Eagle STP Release 28.x with ELAP 2.0	LNP Database Synchronization	B-4
Enabling and Activating the EIR Feature	Feature Manual - Equipment Identity Register	4-13
Enabling Controlled Features	Database Administration Manual - IP7 Secure Gateway	6-2
Enabling the Large System # Links Controlled Feature	Database Administration - Features	2-143
Enabling the Large System # Links Controlled Feature	Database Administration - SS7	3-9
Enabling the Large System # Links Controlled Feature	Database Administration Manual - IP7 Secure Gateway	3-110
Enabling the LNP Feature for 2 to 12 Million Numbers	Database Administration - LNP	2-18
Enabling the Time Slot Counter Synchronization (TSCSYNC) and Eagle Support for Integrated Sentinel (E5IS) Features	Database Administration - Features	6-10
Enabling the XGTT Table Expansion feature	Database Administration Manual - Global Title Translation	A-17
Enabling the XMAP Table Expansion Feature	Database Administration Manual - Global Title Translation	A-27
End Office Support (IP7 Release 5.0)	Previously Released Features	2-139
End Office Support Configuration	Database Administration Manual - IP7 Secure Gateway	5-13
Enhance RTRV-LOG	Eagle 31.3 Feature Notice	FN-46
Enhanced Bulk Download (Release 25.0)	Previously Released Features	2-141
Enhanced Database Status Reports (Release 20.0)	Previously Released Features	2-148
Enhanced Global Title Translation Feature	Database Administration Manual - Global Title Translation	2-7
Enhanced GPL Management (Release 25.0)	Previously Released Features	2-148
Enhanced GTT (Release 26.0)	Previously Released Features	2-150

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Enhanced Link Diagnostics (Release 22.0)	Previously Released Features	2-153
Enhanced Load Distribution (Release 21.0)	Previously Released Features	2-153
Enhanced Routing Key Support (IP7 Release 2.0)	Previously Released Features	2-153
Enhanced Software Loading (Release 20.0)	Previously Released Features	2-158
Enhancement to Backup TFR/TCR Procedures (Release 21.0)	Previously Released Features	2-158
Enhancement to GTT Failure Messages (Release 25.0)	Previously Released Features	2-159
Enhancements to GWS Reject Messages (Release 25.0)	Previously Released Features	2-161
Enlarged LNP SPID and NPANXX Support (Release 24.0)	Previously Released Features	2-162
Entering a Global Title Translation to a Non-Mated Application without Adding the Application as Mated Application (Release 22.0)	Previously Released Features	2-163
EOAP	Installation - Eagle	6-7
EOAP Initial Implementation	Installation - Eagle	6-108
EOAP Internal Software	Maintenance - Signaling Products	5-28
EOAP/OAP Support of HSOP Protocol (Release 28.0)	Previously Released Features	2-164
EPAP 2.0 Alarm Migration from ELAP (Eagle 28.0)	Previously Released Features	2-166
EPAP Configuration and Initialization	EPAP Administration Manual	5-7
EPAP Configuration Menu	EPAP Administration Manual	5-13
EPAP Configuration Procedure	EPAP Administration Manual	5-33
EPAP Data Types	Dimensioning Guide for EPAP Advanced DB Features	8
EPAP Graphical User Interface	EPAP Administration Manual	3-2
EPAP Messages	EPAP Administration Manual	3-142
EPAP Provisioning Performance Enhancements (Release 29.0)	Previously Released Features	2-168
EPAP Security Enhancements (Release 29.0)	Previously Released Features	2-169
EPAP Status and Alarm Reporting	Feature Manual — INP	5-2

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
EPAP Status and Alarms	Feature Manual - Equipment Identity Register	5-2
EPAP Status and Alarms	Feature Manual – G-Flex C7 Relay	5-1
EPAP Status and Alarms	Feature Manual – G-Port	5-1
EPAP Support of Eagle's ITU Duplicate Point Code (Release 29.0)	Previously Released Features	2-170
EPAP User Interface Menus	EPAP Administration Manual	2-27
EPAP User Interface Menus	EPAP Administration Manual	3-12
EPAP/ELAP 2.0 Security and UI Enhancements (Release 28.0)	Previously Released Features	2-167
Error Codes	Eagle 31.3 Feature Notice	FN-84
Error Message Reporting Enhancement (Release 21.0)	Previously Released Features	2-171
ESP/EMS Frames	Hardware - Signaling Products	5-26
Ethernet B Interface for IPGWx and IPLIMx (Release 28.1) (IP7 Release 6.0)	Previously Released Features	2-172
EXAP Messages	Maintenance - Signaling Products	6-22
Exit the FTRA	FTRA User Guide	11
Expanded Terminal Output Groups	Eagle 31.3 Feature Notice	FN-60
Extended Bus Interface (Release 20.0)	Previously Released Features	2-174
Extension Backplane (P/N 850-0356-01)	Installation - Eagle	B-25
Extension Backplane (P/N 850-0356-01)	Installation - Integrated Applications	B-9
Extension Shelf Backplane (Release 23.0)	Previously Released Features	2-175
Extension Shelf Interface	Installation - Eagle	B-33
Extension Shelf Modules	Installation - Eagle	B-28
External Alarm	Installation - Eagle	B-35
External Connectivity	Maintenance - Signaling Products	5-44
External Interfaces	Maintenance - Signaling Products	5-45
Extracting the LNP Database from the LSMS	LNP Database Synchronization	11-4
False Link Congestion Management (Release 21.0)	Previously Released Features	3-1

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Fan Assemblies	Feature Manual - GR-376	4-5
Fan Assembly	Maintenance - Signaling Products	5-92
Fan Assembly (EAGLE/GR-376 EOAP)	Feature Manual - GR-376	5-44
Fan Assembly (EAGLE/GR-376 EOAP) Replacement	Maintenance - Signaling Products	A-76
Fan Assembly Installation and Cabling	Installation - Eagle	5-28
Fan Orientation Wiring Diagram TekServer	Installation - Integrated Applications	C-83
Fan Power	Installation - Eagle	B-36
Feature Activation Overview	Feature Manual – G-Flex C7 Relay	4-3
Feature Activation Overview	Feature Manual – G-Port	4-4
Feature Activation Overview	Feature Manual — INP	4-4
Feature Activation Procedure	Feature Manual – G-Flex C7 Relay	4-8
Feature Activation Procedure	Feature Manual – G-Port	4-10
Feature Activation Procedure	Feature Manual — INP	4-10
Feature Control Mechanism (IP7 Release 3.0)	Previously Released Features	3-2
Feature Overview	Eagle 31.3 Feature Notice	FN-1
Field Replaceable Units	Maintenance - Signaling Products	6-100
File Formats	Provisioning Database Interface	2-15
File Transfer Utility (Release 20.0)	Previously Released Features	3-3
Final Cable Connections	Feature Manual - GR-376	4-85
Flash Memory Management (Release 23.0)	Previously Released Features	3-3
Flexible Point Code Formatting (Release 26.0)	Previously Released Features	3-6
Floor Preparation for Heavy Duty Frame	Installation - Integrated Applications	2-3
Force Change of an Assigned Password at First Login (Release 21.0)	Previously Released Features	3-9
Formatting a Removable Cartridge	Database Administration - System Management	2-80
Formatting the Fixed Disk of the Standby TDM	Database Administration - System Management	2-92
Frames	Hardware - Signaling Products	3-3
Frames	MPS Platform SW and Maintenance	3-3

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
FTP Retrieve and Replace (Release 29.0) (IP7 Release 7.0)	Previously Released Features	3-10
FTP Server Configuration	FTRA User Guide	48
FTRA 2.1 Compatibility with Eagle 31.3	Eagle 31.3 Feature Notice	FN-79
FTRA Initialization	FTRA User Guide	10
Functional Description	Database Administration - Features	4-4
Fuse and Alarm Panel (P/N 870-2320-01)	Installation - Eagle	B-37
Fuse and Alarm Panels	Hardware - Signaling Products	3-105
Fuse and Alarm Panels	Installation - Eagle	4-2
Fuse and Alarm Panels	MPS Platform SW and Maintenance	3-93
Gateway Screening	Database Administration - Features	3-9
Gateway Screening Attributes	Database Administration - Gateway Screening	2-7
Gateway Screening Configuration	Database Administration - Gateway Screening	2-28
Gateway Screening States	Database Administration - Gateway Screening	2-5
Gateway Screening Using Duplicate ITU National Point Codes	Database Administration - Gateway Screening	2-24
Gateway Threshold Exceeded Notification (Release 22.0)	Previously Released Features	3-25
General and Referenced Procedures	Maintenance - Signaling Products	6-34
General Description	EPAP Administration Manual	2-2
General Description	Provisioning Database Interface	2-1
General Purpose Relay Connector 01	Installation - Eagle	B-38
General Purpose Relay Connector 01	Installation - Integrated Applications	B-10
General Purpose Relay Connector 02	Installation - Eagle	B-39
General Purpose Relay Connector 02	Installation - Integrated Applications	B-11
General Purpose Serial Interface	Installation - Eagle	B-40
General Purpose Serial Interface	Installation - Integrated Applications	B-12
General Purpose Service Module (GPSM-II) Card Replacement	Maintenance - Signaling Products	A-9

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
General Purpose Service Module-II (GPSM-II) for MCAP Slot (Release 28.0)	Previously Released Features	3-30
G-Flex C7 Relay (Release 26.2)	Previously Released Features	3-12
G-Flex C7 Relay Overview	Feature Manual – G-Flex C7 Relay	2-1
G-Flex Measurements	Feature Manual – G-Flex C7 Relay	5-16
G-FLEX Related Alarms	Feature Manual – G-Flex C7 Relay	5-11
G-Flex Related UIMs	Feature Manual – G-Flex C7 Relay	5-15
G-Flex Relay Function	Feature Manual – G-Flex C7 Relay	2-27
G-Flex System Status Reports	Feature Manual – G-Flex C7 Relay	5-4
G-Flex vHLR-only System	Dimensioning Guide for EPAP Advanced DB Features	15
Global Title Modification (Release 28.1) (IP7 Release 6.0)	Previously Released Features	3-26
Global Title Translation (GTT) (Release 20.0)	Previously Released Features	3-27
Global Title Translation Feature	Database Administration Manual - Global Title Translation	2-4
Global Title Translation Modification Feature	Database Administration Manual - Global Title Translation	2-15
G-Port Measurements	Feature Manual – G-Port	5-17
G-Port MNP (Release 26.2)	Previously Released Features	3-19
G-Port MNP Circular Route Prevention (Release 28.1)	Previously Released Features	3-24
G-Port MNP Overview	Feature Manual – G-Port	2-2
G-Port MNP-Only System	Dimensioning Guide for EPAP Advanced DB Features	13
G-Port Protocol	Feature Manual – G-Port	2-48
G-Port Related Alarms	Feature Manual – G-Port	5-11
G-Port Related UIMs	Feature Manual – G-Port	5-15
G-Port System Status Reports	Feature Manual – G-Port	5-4
GR-376 EOAP	Installation - Eagle	6-153
GR-376 EOAP Shelf	Feature Manual - GR-376	4-37
GR-376 Interface (Release 26.0)	Previously Released Features	3-28

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
GR-778-CORE, Issue 1, November 1994	Database Administration - SEAS	A-60
Group Ticket Voucher (Release 23.0)	Previously Released Features	3-33
Group Ticket Voucher for SCCP Cards (Release 27.0)	Previously Released Features	3-38
GSM and INP System Hardware Verification	Feature Manual — INP	5-5
GSM MAP Screening (Release 26.1)	Previously Released Features	3-41
GSM MAP Screening Details	Database Administration - Features	5-7
GSM MAP Screening Duplicate/Forward (Release 29.0)	Previously Released Features	3-45
GSM MAP Screening Example	Database Administration - Features	5-19
GSM MAP Screening Overview	Database Administration - Features	5-2
GSM MAP Screening Procedures	Database Administration - Features	5-20
GSM System and INP System Status Reporting	Feature Manual — INP	5-6
GTT by TT Measurements and GR-376 Enhancements (Release 26.0)	Previously Released Features	3-47
GTT Configuration	Database Administration Manual - Global Title Translation	2-40
GTT Error Reporting Enhancements (Release 21.0)	Previously Released Features	3-50
GTT Table Increase (Release 29.0)	Previously Released Features	3-50
GTT UIM 21 Digit Length Enhancement (Release 29.0)	Previously Released Features	3-52
GUI Messages Start Here	LNP Database Synchronization	A-3
GWS Error Reporting Enhancement (Release 21.0)	Previously Released Features	3-52
Hard Disk	Maintenance - Signaling Products	5-25
Hard Drive Card	Maintenance - Signaling Products	5-102
Hard Drive Card (GR-376 EOAP)	Feature Manual - GR-376	5-54
Hardware Acceptance	Installation - Eagle	5-97
Hardware Baseline	Eagle 31.3 Feature Notice	FN-4
Hardware Components	Hardware - TekServer	A-1
Hardware Operational Testing	Installation - Eagle	2-10

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Hardware Operational Testing	Installation - Integrated Applications	1-35
Hardware Repair and Return	Hardware - Signaling Products	1-19
Hardware Repair and Return	Installation - Eagle	1-20
Hardware Repair and Return	Installation - Integrated Applications	1-22
Hardware Repair and Return	Maintenance - Signaling Products	1-10
Hardware Repair and Return	MPS Platform SW and Maintenance	1-15
Hardware Requirements	Database Administration - Features	3-8
Hardware Requirements	Feature Manual - Equipment Identity Register	5-1
Hardware Requirements	Feature Manual – G-Flex C7 Relay	5-1
Hardware Requirements	Feature Manual – G-Port	5-1
Heavy Duty Frame	Installation - Eagle	3-4
Heavy Duty Frame	Installation - Integrated Applications	2-15
High Speed Master Timing (Release 26.0)	Previously Released Features	3-53
High Speed Message Multiplexer Control Shelf	Installation - Eagle	B-41
High Speed Message Multiplexer Extension Shelf	Installation - Eagle	B-46
High-Speed Multiplexer (HMUX) (Release 27.2)	Previously Released Features	3-61
Holdover BITS Clock Support (Release 21.0)	Previously Released Features	3-64
Holdover Clock	Hardware - Signaling Products	3-123
Holdover Clock	MPS Platform SW and Maintenance	3-110
Holdover Clock Installation	Installation - Eagle	5-67
Hourly Maintenance Report	EPAP Administration Manual	4-15
Hourly Status Message Reports	Maintenance - Signaling Products	3-57
How to Access TekServer FRUs	Hardware - TekServer	5-4
How to Arrange Return Shipping	Hardware - TekServer	B-9
How to Find Customer Documentation on the Customer Support Site	Eagle 31.3 Feature Notice	FN-97
How to Locate Part Numbers	Hardware - TekServer	B-2
How to Obtain a Return Material Authorization	Hardware - TekServer	B-2
How to Replace TekServer FRUs	Hardware - TekServer	5-17

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Idle Terminal Port Logout (Release 21.0)	Previously Released Features	3-64
IETF Adapter Layer Configuration	Database Administration Manual - IP7 Secure Gateway	3-285
IETF Adapter Layer Support	Database Administration Manual - IP7 Secure Gateway	2-46
IETF M3UA for "A" Link Connectivity (Release 28.1)	Previously Released Features	3-66
IETF M3UA Support including IETF SUA (IP7 Release 5.0)	Previously Released Features	3-66
IETF Protocol Update (Release 28.1) (IP7 Release 6.0)	Previously Released Features	3-67
IETF SCTP for "A" Link Connectivity (Release 28.1)	Previously Released Features	3-68
IETF SCTP Support (IP7 Release 5.0)	Previously Released Features	3-70
IETF SUA for "A" Link Connectivity (Release 28.1)	Previously Released Features	3-71
IMEI Block Data	Provisioning Database Interface	4-13
Implementation of SNMP Agent (IP7 Release 2.0)	Previously Released Features	3-72
Improved Routing Management (Release 20.0)	Previously Released Features	3-75
IMT Fault Isolation (Release 22.0)	Previously Released Features	3-75
IMT Subsystem Alarms (Release 20.0)	Previously Released Features	3-76
INAP-based Number Portability (INP) (Release 26.05)	Previously Released Features	3-76
Increase Gateway Screening Screen Sets to 255 (Release 22.0)	Previously Released Features	3-82
Increase GTT Entries per TT to 200,000 (Release 29.0)	Previously Released Features	3-80
Increase in Time Zones (Eagle Release 30.0/IP7 Secure Gateway Release 8.0)	Previously Released Features	3-83
Increase the Number of Mated Application Entries (Release 22.0)	Previously Released Features	3-100
Increased GTT Transactions (Release 21.0)	Previously Released Features	3-100
Increased Linkset Capacity (Release 28.0)	Previously Released Features	3-80

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Increasing the LRN and NPANXX Quantities on the Eagle - Eagle Release 30.0 or Greater	Feature Activation Guide	194
Increasing the Size of the Service Provider ID Table (Release 23.2)	Previously Released Features	3-100
Increasing the System-Wide IPGWx Signaling TPS	Database Administration Manual - IP7 Secure Gateway	3-275
Initial Implementation	Database Administration - System Management	A-4
Initial Implementation	Feature Manual - GR-376	3-2
Initial Release (26.0) Limitations	Feature Manual - GR-376	2-26
INP Measurements	Feature Manual — INP	5-24
INP Message Protocol	Feature Manual — INP	2-20
INP Number Normalization (Release 26.3)	Previously Released Features	3-81
INP Subsystem Related Alarms	Feature Manual — INP	5-14
INP Subsystem Related UIMs	Feature Manual — INP	5-23
INP-only System	Dimensioning Guide for EPAP Advanced DB Features	19
Input/Output Devices	Commands Manual	4-2
In-Sequence Delivery of Class 1 UDT Messages	Database Administration Manual - Global Title Translation	2-20
Installing a TekServer Chassis in a Frame	Hardware - TekServer	4-2
Integrated Applications LEDs	Installation - Integrated Applications	A-13
Integrated Sentinel	Hardware - Signaling Products	2-17
Integrated Sentinel ESP Cabling	Installation - Integrated Applications	4-26
Integrated Sentinel Extended Services Platform (ESP)	MPS Platform SW and Maintenance	5-4
Integrated Sentinel, Probeless	Installation - Integrated Applications	4-5
Inter processor Message Transport Control Shelf	Installation - Eagle	B-51
Interdependencies	Feature Manual - GR-376	1-3
Interface Backplane Control	Installation - Eagle	B-49
Interface Backplane Control	Installation - Integrated Applications	B-13
Interface Cable Installation	Installation - Eagle	5-12

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Interfaces	Hardware - TekServer	A-2
Interim Global Title Modification (IP7 Release 2.2)	Previously Released Features	3-100
Intermediate GTT Load Sharing Feature	Database Administration Manual - Global Title Translation	2-16
Intermediate GTT Loadsharing (Release 28.1)	Previously Released Features	3-101
International Power Cords	Installation - Eagle	D-2
International Power Cords	Installation - Integrated Applications	D-2
Interoperability	Hardware - TekServer	3-4
Interpreting System Alarms, Lamps And Trouble Isolation	Maintenance - Signaling Products	C-2
Interprocessor Message Multiplexer Control Shelf	Installation - Integrated Applications	B-15
Interprocessor Message Multiplexer Extension Shelf	Installation - Integrated Applications	B-20
Interprocessor Message Transport	Installation - Eagle	B-52
Interprocessor Message Transport Connector	Installation - Integrated Applications	B-22
Intra-system Cable Installation	Installation - Eagle	5-7
Introduction	Commands Error Recovery Manual	2-1
Introduction	Commands Error Recovery Manual	3-1
Introduction	Commands Manual	2-1
Introduction	Commands Manual	3-1
Introduction	Commands Manual	4-2
Introduction	Commands Manual	5-1
Introduction	Commands Manual	6-1
Introduction	Commands Manual	7-1
Introduction	Commands Manual	8-1
Introduction	Commands Manual	9-1
Introduction	Database Administration - Features	5-2
Introduction	Database Administration - Features	6-2
Introduction	Database Administration - Gateway Screening	2-2

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Introduction	Database Administration - Gateway Screening	3-2
Introduction	Database Administration - Gateway Screening	4-2
Introduction	Database Administration - Gateway Screening	5-2
Introduction	Database Administration - Gateway Screening	6-2
Introduction	Database Administration - Gateway Screening	7-2
Introduction	Database Administration - Gateway Screening	8-2
Introduction	Database Administration - Gateway Screening	9-2
Introduction	Database Administration - Gateway Screening	10-2
Introduction	Database Administration - Gateway Screening	11-2
Introduction	Database Administration - Gateway Screening	12-2
Introduction	Database Administration - Gateway Screening	13-2
Introduction	Database Administration - Gateway Screening	14-2
Introduction	Database Administration - Gateway Screening	15-2
Introduction	Database Administration - SEAS	A-2
Introduction	Database Administration - SS7	2-2
Introduction	Database Administration - SS7	3-2
Introduction	Database Administration - SS7	A-2
Introduction	Database Administration - SS7	B-2
Introduction	Database Administration - SS7	C-1
Introduction	Database Administration - System Management	2-3

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Introduction	Database Administration - System Management	3-2
Introduction	Database Administration - System Management	4-2
Introduction	Database Administration - System Management	B-2
Introduction	Database Administration Manual - Global Title Translation	2-3
Introduction	Database Administration Manual - Global Title Translation	3-2
Introduction	Database Administration Manual - Global Title Translation	4-2
Introduction	Database Administration Manual - Global Title Translation	A-2
Introduction	Database Administration Manual - IP7 Secure Gateway	2-2
Introduction	Database Administration Manual - IP7 Secure Gateway	6-2
Introduction	Dimensioning Guide for EPAP Advanced DB Features	4
Introduction	Feature Manual - Equipment Identity Register	2-1
Introduction	Feature Manual - Equipment Identity Register	3-1
Introduction	Feature Manual - Equipment Identity Register	4-2
Introduction	Feature Manual – G-Flex C7 Relay	3-1
Introduction	Feature Manual – G-Flex C7 Relay	4-1
Introduction	Feature Manual – G-Port	3-1
Introduction	Feature Manual – G-Port	4-1
Introduction	Feature Manual — INP	3-1
Introduction	Feature Manual — INP	4-1
Introduction	Feature Manual — INP	5-1
Introduction	Hardware - Signaling Products	2-2

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Introduction	Hardware - Signaling Products	3-3
Introduction	Hardware - Signaling Products	6-2
Introduction	Hardware - Signaling Products	B-2
Introduction	Hardware - TekServer	2-1
Introduction	Hardware - TekServer	4-1
Introduction	Hardware - TekServer	5-1
Introduction	Hardware - TekServer	A-1
Introduction	Hardware - TekServer	B-1
Introduction	Installation - Eagle	1-6
Introduction	Installation - Eagle	6-5
Introduction	Installation - Eagle	C-6
Introduction	Installation - Integrated Applications	1-7
Introduction	Installation - Integrated Applications	3-3
Introduction	Installation - Integrated Applications	4-4
Introduction	Installation - Integrated Applications	C-6
Introduction	LNP Database Synchronization	2-2
Introduction	LNP Database Synchronization	3-2
Introduction	LNP Database Synchronization	4-2
Introduction	LNP Database Synchronization	5-2
Introduction	LNP Database Synchronization	6-2
Introduction	LNP Database Synchronization	7-2
Introduction	LNP Database Synchronization	8-2
Introduction	LNP Database Synchronization	9-2
Introduction	LNP Database Synchronization	10-2
Introduction	LNP Database Synchronization	11-2
Introduction	LNP Database Synchronization	12-2
Introduction	LNP Database Synchronization	13-2
Introduction	LNP Database Synchronization	A-2
Introduction	LNP Database Synchronization	B-2

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Introduction	LNP Database Synchronization	C-2
Introduction	LNP Database Synchronization	D-2
Introduction	Maintenance - Signaling Products	2-2
Introduction	Maintenance - Signaling Products	3-2
Introduction	Maintenance - Signaling Products	4-3
Introduction	Maintenance - Signaling Products	5-4
Introduction	Maintenance - Signaling Products	6-3
Introduction	Maintenance - Signaling Products	A-2
Introduction	Maintenance - Signaling Products	B-1
Introduction	Maintenance - Signaling Products	C-1
Introduction	Maintenance - Signaling Products	D-1
Introduction	Maintenance - Signaling Products	E-1
Introduction	Maintenance - Signaling Products	F-1
Introduction	MPS Platform SW and Maintenance	2-3
Introduction	MPS Platform SW and Maintenance	3-3
Introduction	MPS Platform SW and Maintenance	6-2
Introduction	MPS Platform SW and Maintenance	B-2
Introduction	Provisioning Database Interface	4-2
Intrusion Alert (Release 21.0)	Previously Released Features	3-103
IP	Maintenance - Signaling Products	5-27
IP Connections	Database Administration Manual - IP7 Secure Gateway	2-5
IP User Interface: Telnet Support (Release 29.0) (IP7 Release 7.0)	Previously Released Features	3-122
IP7 Internationalization (IP7 Release 4.0)	Previously Released Features	3-104
IP7 Secure Gateway Hardware, Applications, and Functions	Database Administration Manual - IP7 Secure Gateway	2-3
IP7 Secure Gateway Release 1.0	Previously Released Features	1-35
IP7 Secure Gateway Release 2.0	Previously Released Features	1-35
IP7 Secure Gateway Release 2.2	Previously Released Features	1-35

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
IP7 Secure Gateway Release 3.0	Previously Released Features	1-35
IP7 Secure Gateway Release 4.0	Previously Released Features	1-36
IP7 Secure Gateway Release 5.0	Previously Released Features	1-36
IP7 Secure Gateway Release 6.0	Previously Released Features	1-36
IP7 Secure Gateway Release 7.0	Previously Released Features	1-37
IP7 Secure Gateway Release 7.1	Previously Released Features	1-37
IP7 Transport Feature (Release 26.1)	Previously Released Features	3-112
IPLIM Protocol Support Enhancement (Release 28.1) (IP7 Release 6.0)	Previously Released Features	3-116
IPLIMx to 8 Points (Release 29.1) (IP7 Release 7.1)	Previously Released Features	3-117
IPMX/HMUX Card Replacement	Maintenance - Signaling Products	A-14
IPMX/MCAP/TDM Replacement (Eagle Release 30.0/IP7 Secure Gateway Release 8.0)	Previously Released Features	3-106
IP-SCP with LNP Capability (IP7Release 2.0)	Previously Released Features	3-116
IP-SCP with LNP Capability (Lab Only) (IP7 Release 1.0)	Previously Released Features	3-115
IS-41 to GSM Migration (Eagle Release 30.0/IP7 Secure Gateway Release 8.0)	Previously Released Features	3-125
IS-41 to GSM Migration Protocol	Feature Manual – G-Port	2-58
IS-41-to-GSM-Migration-only System	Dimensioning Guide for EPAP Advanced DB Features	21
ISCC Interface Loopback Test (Release 22.0)	Previously Released Features	3-129
ISUP Message Type Screening	Previously Released Features	3-87
ISUP Message Type Screening (Eagle Release 30.0/IP7 Secure Gateway Release 8.0)	Previously Released Features	3-134
ISUP Normalization	Database Administration Manual - IP7 Secure Gateway	2-38
ISUP Normalization Administration (IP7 Release 5.0)	Previously Released Features	3-131
ISUP Normalization in the IP7 SG (IP7 Release 4.0)	Previously Released Features	3-148
ISUP-Over-IP Gateway for Connectivity to IP-SEPs (IP7 Release 1.0)	Previously Released Features	3-147

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
ITU Duplicate Point Code Routing (Release 26.05)	Previously Released Features	3-148
ITU Gateway Measurements Enhancements (PR19536) (Release 26.05)	Previously Released Features	3-156
ITU MTP Restart (Release 26.0)	Previously Released Features	3-150
ITU National Duplicate Point Codes	Database Administration - SS7	2-14
ITU SLS Enhancements (Release 26.0)	Previously Released Features	3-153
ITU-TFR Procedure (Release 26.1)	Previously Released Features	3-154
KSR Terminal Feature (Release 20.0)	Previously Released Features	3-159
Labeling	Installation - Eagle	2-7
Labeling	Installation - Eagle	C-4
Labeling	Installation - Integrated Applications	C-4
LAN Ethernet Cable Installation for ACM	Installation - Eagle	5-21
Large MSUs	Database Administration - SS7	C-27
Large System (Phase 3)—1500 Links (Release 29.0)	Previously Released Features	4-4
Large System (Release 27.2)	Previously Released Features	4-1
Large System—Phase 2 (Release 28.0)	Previously Released Features	4-3
Last 10 Command Retrieval (Eagle Release 30.0/IP7 Secure Gateway Release 8.0)	Previously Released Features	4-7
LEDs	Feature Manual - GR-376	6-6
LEDs	Maintenance - Signaling Products	5-18
LIM-E1/T1 Card Installation	Installation - Eagle	5-89
Link Failure Status Information (Release 22.0)	Previously Released Features	4-8
Link Fault Sectionalization (Release 21.0)	Previously Released Features	4-12
Link Maintenance	Maintenance - Signaling Products	3-72
Link Maintenance Enhancements/LFS Increase for MPL-T and MIM	Eagle 31.3 Feature Notice	FN-31
Link Status Reporting (Release 21.0)	Previously Released Features	4-19
Linkset ID to Measurements Report (Eagle Release 30.0/IP7 Secure Gateway Release 8.0)	Previously Released Features	4-24

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Linkset Name Increase—ANSI/ITU (Eagle Release 30.0/IP7 Secure Gateway Release 8.0)	Previously Released Features	4-26
List of Acronyms and Abbreviations	Database Administration - Features	1-14
List of Acronyms and Abbreviations	Database Administration - Gateway Screening	1-14
List of Acronyms and Abbreviations	Database Administration - LNP	1-13
List of Acronyms and Abbreviations	Database Administration - SEAS	1-15
List of Acronyms and Abbreviations	Database Administration - SS7	1-13
List of Acronyms and Abbreviations	Database Administration - System Management	1-13
List of Acronyms and Abbreviations	Database Administration Manual - Global Title Translation	1-13
List of Acronyms and Abbreviations	Database Administration Manual - IP7 Secure Gateway	1-14
List of Acronyms and Abbreviations	LNP Database Synchronization	1-14
List of Acronyms and Abbreviations	Maintenance - Signaling Products	1-14
LNP 96 Million TNs—EAGLE 5 (Eagle Release 30.0/IP7 Secure Gateway Release 8.0)	Previously Released Features	4-31
LNP AIN Query Enhancement (PR28376) (Release 26.0)	Previously Released Features	4-47
LNP Configurations	LNP Database Synchronization	2-7
LNP Measurements Enhancements (Release 25.0)	Previously Released Features	4-47
LNP Message Relay Enhancement (PR28810) (Release 26.0)	Previously Released Features	4-51
LNP Query Service (LNPQS) Details	Database Administration - LNP	3-22
LNP Response to STPLAN (PR28660) (Release 26.0)	Previously Released Features	4-53
LNP Short Message Service (Release 28.2)	Previously Released Features	4-87
LNP System Requirements	Database Administration - LNP	3-5
LNP—10 Digit Telephone Number Subscription Commands (Release 22.0)	Previously Released Features	4-53
LNP—Allow Subsystem Command (Release 22.0)	Previously Released Features	4-54

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
LNP—Automatic Call Gapping (Release 22.0)	Previously Released Features	4-54
LNP—Automatic Call Gapping Commands (Release 22.0)	Previously Released Features	4-55
LNP—Call Completion to Ported Number (CCPN) (Release 22.0)	Previously Released Features	4-56
LNP—Change Database Command (Release 22.0)	Previously Released Features	4-56
LNP—Changes to Existing Commands (Release 22.0)	Previously Released Features	4-57
LNP—clr-disk-stats Command (Release 22.0)	Previously Released Features	4-58
LNP—Degraded Mode (Release 22.0)	Previously Released Features	4-58
LNP—Destination Point Code Exception Report (Release 23.1)	Previously Released Features	4-60
LNP—disp-disk-stats Command (Release 22.0)	Previously Released Features	4-60
LNP—Eagle LNP Configuration (Release 22.0)	Previously Released Features	4-61
LNP—Element Manager System (EMS) (Release 22.0)	Previously Released Features	4-62
LNP—Enhanced Global Title Translation Routing Services (Release 22.0)	Previously Released Features	4-63
LNP—Impact of LNP on Other Features (Release 22.0)	Previously Released Features	4-64
LNP—Inhibit Subsystem Command (Release 22.0)	Previously Released Features	4-65
LNP—Location Routing Number Commands (Release 22.0)	Previously Released Features	4-66
LNP—Mapping LNP Translation Type Commands (Release 22.0)	Previously Released Features	4-66
LNP—Measurements (Release 22.0)	Previously Released Features	4-67
LNP—Message Relay (Release 22.0)	Previously Released Features	4-69
LNP—MSU Trap and Trace Command (Release 22.0)	Previously Released Features	4-70
LNP—MTP and SCCP Management to Support LNP (Release 22.0)	Previously Released Features	4-70
LNP—New LNP Input and Output Groups (Release 22.0)	Previously Released Features	4-71

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
LNP—New Unsolicited Alarm Messages (UAMs) (Release 22.0)	Previously Released Features	4-71
LNP—New Unsolicited Information Messages (UIMs) (Release 22.0)	Previously Released Features	4-72
LNP—NPANXX Commands (Release 22.0)	Previously Released Features	4-73
LNP—Query Routed as Final Global Title Translation (Release 22.0)	Previously Released Features	4-73
LNP—Query Routed as Non-Final Global Title Translation (Release 22.0)	Previously Released Features	4-79
LNP—Report LNP Status Command (Release 22.0)	Previously Released Features	4-81
LNP—Rerouting Messages for the Local Subsystem (Release 22.0)	Previously Released Features	4-81
LNP—Retrieve LNP Database Time Stamp Command (Release 22.0)	Previously Released Features	4-81
LNP—SCCP Management on the LIMs (Release 22.0)	Previously Released Features	4-82
LNP—Service Commands (Release 22.0)	Previously Released Features	4-84
LNP—Service Provider Commands (Release 22.0)	Previously Released Features	4-84
LNP—Split NPA Commands (Release 22.0)	Previously Released Features	4-85
LNP—Subsystem Application Commands (Release 22.0)	Previously Released Features	4-85
LNP—System Options Commands (Release 22.0)	Previously Released Features	4-86
Loading and Distributing the LNP Database at the Eagle STP	LNP Database Synchronization	11-13
Loading and Distributing the LNP Database at the Eagle STP	LNP Database Synchronization	12-22
Local Maintenance Center Alarm Backplane	Installation - Eagle	B-53
Local Maintenance Center Alarm Backplane	Installation - Integrated Applications	B-23
Location	Hardware - Signaling Products	6-2
Location	MPS Platform SW and Maintenance	6-2
Log Files	LNP Database Synchronization	C-2
Login Failure Message (Release 21.0)	Previously Released Features	4-89

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Login Success or Failure Tracking (Release 21.0)	Previously Released Features	4-90
Logout	EPAP Administration Manual	3-141
Logout on Communications Failures (Release 22.0)	Previously Released Features	4-91
LRN Table Increase (Release 26.1)	Previously Released Features	4-92
M2PA on IPLIMx (Release 29.1) (IP7 Release 7.1)	Previously Released Features	4-93
M3UA Protocol Enhancements (Eagle Release 30.0/IP7 Secure Gateway Release 8.0)	Previously Released Features	4-97
Maintaining the Fuse and Alarm Panel	Maintenance - Signaling Products	2-2
Maintenance and Administration Subsystem	Database Administration - Features	1-10
Maintenance and Administration Subsystem	Database Administration - Gateway Screening	1-10
Maintenance and Administration Subsystem	Database Administration - LNP	1-10
Maintenance and Administration Subsystem	Database Administration - SEAS	1-12
Maintenance and Administration Subsystem	Database Administration - SS7	1-9
Maintenance and Administration Subsystem	Database Administration - System Management	1-9
Maintenance and Administration Subsystem	Database Administration Manual - Global Title Translation	1-9
Maintenance and Administration Subsystem	Database Administration Manual - IP7 Secure Gateway	1-10
Maintenance and Administration Subsystem Processors	Commands Manual	4-2
Maintenance and Measurements User Interface	Feature Manual – G-Flex C7 Relay	3-8
Maintenance and Measurements User Interface	Feature Manual – G-Port	3-10
Maintenance Disk and Alarm (MDAL) Card Replacement	Maintenance - Signaling Products	A-3
Maintenance Disk and Alarm Card Control Shelf Backplane	Installation - Eagle	B-57
Maintenance Menu	EPAP Administration Manual	3-17
Maintenance Requirements	Feature Manual — INP	5-1
Maintenance Strategy	Maintenance - Signaling Products	1-11
Maintenance System Event Logs	Maintenance - Signaling Products	3-62

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Making the Trial Utility GPL the Approved Utility GPL	Database Administration - System Management	3-118
Management of Unused User IDs (Release 21.0)	Previously Released Features	4-108
Managing Audit from the LSMS GUI	LNP Database Synchronization	6-15
Managing Electronic Bulk Load from the LSMS	LNP Database Synchronization	7-8
Managing User-Initiated Resynchronization from the LSMS	LNP Database Synchronization	5-12
Manual Deactivation of SRST Message (Release 21.0)	Previously Released Features	4-109
Manual Organization	Database Administration - Features	1-4
Manual Organization	Database Administration - Gateway Screening	1-2
Manual Organization	Database Administration - LNP	1-3
Manual Organization	Database Administration - SEAS	1-5
Manual Organization	Database Administration - SS7	1-2
Manual Organization	Database Administration - System Management	1-2
Manual Organization	Database Administration Manual - Global Title Translation	1-2
Manual Organization	Database Administration Manual - IP7 Secure Gateway	1-2
Manual Organization	EPAP Administration Manual	1-2
Manual Organization	Feature Manual - Equipment Identity Register	1-2
Manual Organization	Feature Manual – G-Flex C7 Relay	1-2
Manual Organization	Feature Manual – G-Port	1-2
Manual Organization	Feature Manual — INP	1-2
Manual Organization	LNP Database Synchronization	1-3
Manual Organization	Provisioning Database Interface	1-2
Manually Verifying and Restarting the Eagle Agents on the LSMS	Feature Activation Guide	192
MAP Table Increase (Release 29.0)	Previously Released Features	4-109
Mapping LNP Translation Types	Database Administration - LNP	3-174

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
MAS Communication Application Processor	Installation - Eagle	B-54
Master Timing (Eagle STP)	Installation - Eagle	5-40
MCAP Card Replacement	Maintenance - Signaling Products	A-5
Measurement Collection and Polling Module (MCPM)	Maintenance - Signaling Products	A-61
Measurements Enhancements (Release 22.0)	Previously Released Features	4-110
Measurements Platform Filename with CLI	Eagle 31.3 Feature Notice	FN-42
Measurements Platform—Phase 1 (Release 28.0)	Previously Released Features	4-111
Mechanical Design	Hardware - TekServer	A-4
Message Listing and Description	Commands Error Recovery Manual	2-2
Message Listing and Description	Commands Error Recovery Manual	3-2
Message Relay Details	Database Administration - LNP	3-11
Messages	Provisioning Database Interface	3-8
Migrating IPLIMx M3UA Signaling Links to IPGWx M3UA Connections	Database Administration Manual - IP7 Secure Gateway	3-127
Miscellaneous Command Adjustments (Release 26.0)	Previously Released Features	4-114
Miscellaneous Command Adjustments (Release 26.1)	Previously Released Features	4-116
Mixed Networks Using the ANSI/ITU MTP Gateway Feature	Database Administration Manual - IP7 Secure Gateway	2-32
MO Removable Cartridge Description	Maintenance - Signaling Products	2-10
Modem Not Working	Maintenance - Signaling Products	3-69
Modifying an Existing STP Configuration Record	FTRA User Guide	35
Module Installation	Installation - Integrated Applications	1-35
Modules	Hardware - Signaling Products	3-35
Modules	MPS Platform SW and Maintenance	3-32
Monthly Procedures	Maintenance - Signaling Products	2-24
MPS Alarm Recovery Procedures	Maintenance - Signaling Products	6-59
MPS and EPAP Status and Alarm Reporting	EPAP Administration Manual	4-1
MPS Disaster Recovery	Maintenance - Signaling Products	6-115

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
MPS Health Check Procedure	Feature Activation Guide	110
MPS Platform and Application Alarms	Maintenance - Signaling Products	6-27
MPS/DSM RTDB Audit Overview	EPAP Administration Manual	2-31
MPS/EPAP Platform	Feature Manual - Equipment Identity Register	2-8
MTP and other MRN Message Format Improvements (Release 21.0)	Previously Released Features	4-118
MTP Circular Route Detection (Release 21.0)	Previously Released Features	4-124
MTP Restart (Release 21.0)	Previously Released Features	4-125
Multiple Capability Point Codes (Release 21.0)	Previously Released Features	4-131
Multiple Flash Download (Release 29.0)	Previously Released Features	4-132
Multiple LFS Tests (Release 26.0)	Previously Released Features	4-132
Multiple Point Code Support	Database Administration - SS7	2-40
Multiple Point Code Support (Release 26.05)	Previously Released Features	4-135
Multiple Response Query	Provisioning Database Interface	4-7
Multi-Port LIM (MPL)	Installation - Eagle	5-90
Multi-Port LIM (Release 27.1) (IP7 Release 6.0)	Previously Released Features	4-144
Multi-Purpose Server	Installation - Integrated Applications	3-23
Multi-Purpose Server Hardware EPAP 5.0	Installation - Integrated Applications	3-4
NAIV/NAI Mapping	Commands Manual	A-13
National Spare Network Indicator Support (Release 22.2)	Previously Released Features	4-147
National Spare Network Indicator Support (Release 24.0)	Previously Released Features	4-149
NEBS Compliance (Release 20.0)	Previously Released Features	4-151
Nested Cluster Routing	Database Administration - SS7	2-106
Nested Cluster Routing (Release 26.0)	Previously Released Features	4-152
Network Configuration Procedures	Database Administration - Features	3-15
Network Considerations	Database Administration - Features	6-8
Network Data Collection	Feature Manual - GR-376	2-21
Network Entity Creation	Provisioning Database Interface	4-2

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Network Routing	Database Administration - SS7	2-145
Network Routing (Release 26.0)	Previously Released Features	4-167
Network Security Enhancements (Release 29.0)	Previously Released Features	4-175
Network Surveillance Enhancements (Release 28.0)	Previously Released Features	4-183
New Control Shelf Backplane (Release 23.0)	Previously Released Features	4-184
New Hardware (Release 23.1)	Previously Released Features	4-184
New Hardware (Release 26.05)	Previously Released Features	4-186
Node Requirements	Database Administration - Features	3-8
Non-ANSI Point Code Support (Release 20.0)	Previously Released Features	4-186
Non-Generation of Duplicate SEAS Autonomous Messages (Release 22.0)	Previously Released Features	4-186
Non-Integrated Sentinel Systems	MPS Platform SW and Maintenance	5-12
Non-Integrated Sentinel Systems (Probed Solution)	Hardware - Signaling Products	5-18
Non-Integrated Sentinel, Probe	Installation - Integrated Applications	4-52
Non-SCCP/ISUP Routing (IP7 Release 2.0)	Previously Released Features	4-187
Non-SCCP/ISUP Routing (Lab Only) (IP7 Release 1.0)	Previously Released Features	4-186
Notification of Congestion Level Increase (Release 22.0)	Previously Released Features	4-187
Notification of Inability to Perform a Global Title Translation (Release 22.0)	Previously Released Features	4-188
Notification of Link Set Outage (Release 22.0)	Previously Released Features	4-188
Notification of Link Set Recovery (Release 22.0)	Previously Released Features	4-188
Notification of Locally Initiated Database Copy (Release 22.0)	Previously Released Features	4-189
Notification of MTP-Level Routing Error (Release 22.0)	Previously Released Features	4-190
Notification of Recovery from Link Congestion (Release 22.0)	Previously Released Features	4-190
Notifications that Database Maintenance Is Required	LNP Database Synchronization	3-3

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
November 1994	Database Administration - SEAS	A-3
NPV/NP Mapping	Commands Manual	A-13
NSD Systems	Hardware - Signaling Products	1-5
NSD Systems	MPS Platform SW and Maintenance	1-4
NSD Systems Components Overview	Installation - Eagle	2-2
Number Pooling (Release 24.0)	Previously Released Features	4-191
Number Pooling/Efficient Data Representation (EDR) (Release 26.1)	Previously Released Features	4-192
OAP Alarm Backplane	Installation - Eagle	B-60
OAP Upgrade Enhancement (Release 27.2)	Previously Released Features	4-196
Obituaries	Maintenance - Signaling Products	3-64
OEM-Based Networking Elements	Hardware - Signaling Products	4-46
OEM-Based Networking Elements	MPS Platform SW and Maintenance	4-34
OEM-Based Peripheral Elements	Hardware - Signaling Products	4-51
OEM-Based Peripheral Elements	MPS Platform SW and Maintenance	4-39
OEM-Based Product Descriptions	Hardware - Signaling Products	4-3
OEM-Based Product Descriptions	MPS Platform SW and Maintenance	4-2
OEM-Based Product Elements	Hardware - Signaling Products	4-21
OEM-Based Product Elements	MPS Platform SW and Maintenance	4-17
OEM-Based Products	Hardware - Signaling Products	1-8
OEM-Based Products and Elements	Hardware - Signaling Products	2-21
OEM-Based Products and Elements	MPS Platform SW and Maintenance	2-23
OEM-Based Servers	Hardware - Signaling Products	2-27
OEM-Based Servers	Hardware - Signaling Products	4-21
OEM-Based Servers	MPS Platform SW and Maintenance	4-17
Ohms Converter International Market	Installation - Eagle	5-93
Online Cartridge Formatting (Release 20.0)	Previously Released Features	4-196
Operation or RTDB Copy	Feature Activation Guide	185
Operations Support System Application Processor (OAP)	Hardware - Signaling Products	3-130

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Operations Support System Application Processor (OAP)	MPS Platform SW and Maintenance	3-116
Option for Subsystem Prohibit (Release 29.0)	Previously Released Features	4-197
Overall Design	EPAP Administration Manual	2-4
Overview	Database Administration - LNP	2-2
Overview	Database Administration - LNP	4-2
Overview	Database Administration - System Management	A-2
Overview	Database Administration Manual - IP7 Secure Gateway	3-3
Overview	Database Administration Manual - IP7 Secure Gateway	4-2
Overview	Database Administration Manual - IP7 Secure Gateway	5-2
Overview	Feature Manual - GR-376	1-2
Overview	Feature Manual - GR-376	2-2
Overview	Feature Manual - GR-376	3-2
Overview	Feature Manual - GR-376	4-2
Overview	Feature Manual - GR-376	5-2
Overview	Feature Manual — INP	2-1
Overview	FTRA User Guide	1
Overview	Provisioning Database Interface	3-2
Overview of Synchronization Methods	LNP Database Synchronization	2-17
Overview of the ATM High-Speed Signaling Link LIM Operation	Database Administration - SS7	C-8
Overview of the EPAP User Interface	EPAP Administration Manual	3-2
Overview of the EPAP User Interface	EPAP Administration Manual	5-2
Packet Backplane Chassis	Installation - Integrated Applications	2-26
Password Aging (Release 21.0)	Previously Released Features	5-1
Password Encryption (Release 21.0)	Previously Released Features	5-2
Password Requirements (Release 21.0)	Previously Released Features	5-2

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
PCS 1900 LNP Query (Release 26.0)	Previously Released Features	5-2
PDBA Menu	EPAP Administration Manual	3-53
Performance Enhancements (IP7 Release 3.0)	Previously Released Features	5-8
Performance of LSMS to NE Operations	LNP Database Synchronization	D-3
Performance of NE to NE Operations	LNP Database Synchronization	D-4
Performing an Audit Using the Command Line	LNP Database Synchronization	6-31
Periodic Maintenance	Maintenance - Signaling Products	6-17
Persistent Device States (Release 29.0)	Previously Released Features	5-10
Platform Menu	EPAP Administration Manual	3-41
Point Code Formats	Database Administration - SS7	2-4
Point Code Formats and Conversion	Commands Manual	A-6
Point-to-Multipoint Connectivity (SS7IPGW and IPGWI)	Database Administration Manual - IP7 Secure Gateway	2-21
Point-to-Point Connectivity (IPLIM or IPLIMI Application)	Database Administration Manual - IP7 Secure Gateway	2-20
Point-to-Point Connectivity for ITU Point Codes (IP7 Release 2.2)	Previously Released Features	5-12
Populating the System	Hardware - Signaling Products	6-8
Populating the System	MPS Platform SW and Maintenance	6-8
Portability Check for Mobile Originated SMS (Release 29.1)	Previously Released Features	5-19
Possible Values for PST/SST/AST	Commands Manual	A-3
Power	Feature Manual - GR-376	6-2
Power	Maintenance - Signaling Products	5-6
Power Connector Control Backplane	Installation - Eagle	B-62
Power Connector Control Backplane	Installation - Integrated Applications	B-25
Power Connector Extension Backplane	Installation - Eagle	B-61
Power Connector Extension Backplane	Installation - Integrated Applications	B-24
Power Down of In-Service System	Maintenance - Signaling Products	3-83
Power Supply Card	Maintenance - Signaling Products	5-117
Power Supply Card (GR-376 EOAP)	Feature Manual - GR-376	5-62

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Power Up GR-376 EOAP/Fan Assembly	Feature Manual - GR-376	4-81
Power Up of the System	Maintenance - Signaling Products	3-87
PPSMS Provisioning and Activation	Feature Manual – G-Port	4-40
Pre-Installation Requirements	Hardware - TekServer	2-5
Prepaid SMS Intercept - Phase 1 (Release 28.1)	Previously Released Features	5-24
Prepaid SMS Intercept Protocol	Feature Manual – G-Port	2-54
Preparing a Database Backup Removable Cartridge	LNP Database Synchronization	4-31
Preparing Removable Cartridges for LSMS-to-NE Bulk Loading	LNP Database Synchronization	10-6
Preparing Removable Cartridges for NE-to-NE Bulk Loading	LNP Database Synchronization	10-30
Preparing the NE for BLM-Based or ELAP-Based Operations	LNP Database Synchronization	4-7
Prerequisites	Feature Manual – G-Flex C7 Relay	4-2
Prerequisites	Feature Manual – G-Port	4-2
Prerequisites	Feature Manual — INP	4-2
Prevention of Congestion from Rerouted Traffic (Release 21.0)	Previously Released Features	5-26
Prevention of Link Oscillation (Release 21.0)	Previously Released Features	5-27
Preventive Cyclic Retransmission (PCR) (Release 20.0)	Previously Released Features	5-27
Previously Released Features (Alphabetical Order)	Previously Released Features	1-9
Printer Not Working	Maintenance - Signaling Products	3-66
Priority Processing of Network Management Messages (Release 21.0)	Previously Released Features	5-34
Procedure to Copy an RTDB from the Mate ELAP	LNP Database Synchronization	8-9
Procedure to Copy RTDB from Remote Mated NE	LNP Database Synchronization	8-21
Process Control Menu	EPAP Administration Manual	3-14
Processor Card	Maintenance - Signaling Products	5-124
Processor Card (GR-376 EOAP)	Feature Manual - GR-376	5-68

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Product Packaging and Delivery	Installation - Eagle	1-16
Product Packaging and Delivery	Installation - Integrated Applications	1-18
Prohibit Removing the Last Route to a Destination if that Destination is being Referenced by Mated Applications or Concerned Signaling Point Code Groups (Release 22.0)	Previously Released Features	5-35
Prohibit the Assigning of a Linkset with Linkset Types A or E to a Cluster Route (Release 22.0)	Previously Released Features	5-36
Provisioning a Mated Application	Database Administration - SEAS	4-2
Provisioning a Mated Application	Database Administration - SEAS	6-2
Provisioning a Mated Application	Database Administration Manual - Global Title Translation	2-79
Provisioning an MRN Group	Database Administration Manual - Global Title Translation	2-136
Provisioning Database Interface Description	Provisioning Database Interface	2-10
Provisioning Flow Overview	Dimensioning Guide for EPAP Advanced DB Features	8
Provisioning Hierarchy for the G-Flex Database	Feature Manual – G-Flex C7 Relay	3-2
Provisioning Hierarchy for the G-Port Database	Feature Manual – G-Port	3-2
Provisioning Range for Gateway Screening (Release 22.0)	Previously Released Features	5-36
Purpose	Dimensioning Guide for EPAP Advanced DB Features	4
Purpose	Feature Manual - GR-376	1-2
Quality of Service Enhancements (IP7 Release 3.0)	Previously Released Features	5-38
Quarterly Procedures	Maintenance - Signaling Products	2-37
Rack Alarm (Alarm Interface)	Installation - Eagle	B-63
Rack Alarm Control Backplane	Installation - Eagle	B-64
Random SLS Generation (Release 28.0)	Previously Released Features	5-43
Rates	Database Administration - LNP	4-6
Recommended Network Bandwidth	LNP Database Synchronization	D-2
References	Commands Manual	1-3

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
References	Dimensioning Guide for EPAP Advanced DB Features	4
Regulatory Compliance and Certification	Hardware - TekServer	2-4
Rejected Messages	Database Administration - SEAS	5-142
Related Publications	Commands Error Recovery Manual	1-3
Related Publications	Database Administration - Features	1-4
Related Publications	Database Administration - Gateway Screening	1-4
Related Publications	Database Administration - LNP	1-4
Related Publications	Database Administration - SEAS	1-6
Related Publications	Database Administration - SS7	1-3
Related Publications	Database Administration - System Management	1-3
Related Publications	Database Administration Manual - Global Title Translation	1-3
Related Publications	Database Administration Manual - IP7 Secure Gateway	1-3
Related Publications	EPAP Administration Manual	1-2
Related Publications	Feature Manual - Equipment Identity Register	1-2
Related Publications	Feature Manual – G-Flex C7 Relay	1-2
Related Publications	Feature Manual – G-Port	1-2
Related Publications	Feature Manual — INP	1-2
Related Publications	LNP Database Synchronization	1-6
Related Publications	Maintenance - Signaling Products	1-3
Related Publications	MPS Platform SW and Maintenance	1-9
Related Publications	Provisioning Database Interface	1-2
Releases Described in This Manual	LNP Database Synchronization	1-3
Reliability	Hardware - TekServer	3-4
Reloading the TDM LCA Clock Bitfile	Database Administration - System Management	3-133
Remote Loopback Testing for DS0A (Release 21.0)	Previously Released Features	5-43

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Remote Loopback Testing for OCU (Release 21.0)	Previously Released Features	5-44
Remote Maintenance Center Alarm Control Backplane	Installation - Eagle	B-65
Remote Maintenance Center Alarm Control Backplane	Installation - Integrated Applications	B-26
Removable Cartridge	Database Administration - System Management	2-5
Removable Cartridge Disk Drives	Commands Manual	4-2
Removable Cartridge Handling Procedures	Maintenance - Signaling Products	2-13
Removable Cartridges	LNP Database Synchronization	10-4
Remove Removable Cartridge Stuck in Drive on MDAL	Maintenance - Signaling Products	3-70
Removing a Blocked DPC Screen	Database Administration - Gateway Screening	8-19
Removing a Blocked DPC Screen	Database Administration - SEAS	5-47
Removing a Blocked OPC Screen	Database Administration - Gateway Screening	11-20
Removing a Blocked OPC Screen	Database Administration - SEAS	5-95
Removing a Concerned Signaling Point Code	Database Administration Manual - Global Title Translation	2-76
Removing a Destination Point Code	Database Administration - SEAS	2-21
Removing a Destination Point Code	Database Administration - SS7	2-185
Removing a DSM	Feature Manual - Equipment Identity Register	4-10
Removing a Gateway Linkset	Database Administration - SEAS	5-129
Removing a Global Title Translation	Database Administration - SEAS	4-17
Removing a Global Title Translation	Database Administration Manual - Global Title Translation	3-44
Removing a GLS Card	Database Administration - Gateway Screening	2-50
Removing a GSM MAP Screening Entry	Database Administration - Features	5-114
Removing a GSM MAP Screening Operation Code	Database Administration - Features	5-77

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Removing a GSM Subsystem Number Screening Entry	Database Administration - Features	5-61
Removing a GT Conversion Table Entry	Database Administration Manual - Global Title Translation	2-169
Removing a GTT Selector	Database Administration Manual - Global Title Translation	4-17
Removing a GTT Set	Database Administration Manual - Global Title Translation	4-8
Removing a LIM-E1 Card	Database Administration - SS7	A-21
Removing a LIM-T1 Card	Database Administration - SS7	B-18
Removing a Linkset Containing SS7 Signaling Links	Database Administration - SEAS	3-11
Removing a Linkset Containing SS7 Signaling Links	Database Administration - SS7	3-58
Removing a Linkset Containing X.25 Signaling Links	Database Administration - Features	2-60
Removing a Mapped SS7 Message Translation Type	Database Administration Manual - Global Title Translation	2-65
Removing a Mated Application	Database Administration - SEAS	4-5
Removing a Mated Application	Database Administration - SEAS	6-5
Removing a Mated Application	Database Administration Manual - Global Title Translation	2-108
Removing a Network Appearance	Database Administration Manual - IP7 Secure Gateway	3-374
Removing a Route	Database Administration - SS7	3-160
Removing a Screen Set	Database Administration - Gateway Screening	13-12
Removing a Secondary Point Code	Database Administration - SS7	2-57
Removing a Sentinel Transport Card (STC)	Database Administration - Features	6-27
Removing a Service Selector	Feature Manual - Equipment Identity Register	4-46
Removing a Shelf	Database Administration - System Management	4-95
Removing a Split NPANXX	Database Administration - LNP	3-112

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Removing a Subsystem Application	Database Administration - LNP	3-63
Removing a TCP/IP Data Link	Database Administration - Features	3-36
Removing a TCP/IP Node	Database Administration - Features	3-44
Removing a Translation Type	Database Administration Manual - Global Title Translation	3-12
Removing a UIM Threshold	Database Administration - System Management	4-132
Removing a User from the System	Database Administration - System Management	4-33
Removing ACG Manual Initiated Controls	Database Administration - LNP	4-28
Removing an ACG Node Overload Control Level	Database Administration - LNP	4-17
Removing an Allowed Affected Destination Field Screen	Database Administration - Gateway Screening	7-15
Removing an Allowed Affected Destination Field Screen	Database Administration - SEAS	5-37
Removing an Allowed Affected Point Code Screen	Database Administration - Gateway Screening	3-12
Removing an Allowed Affected Point Code Screen	Database Administration - SEAS	5-5
Removing an Allowed Called Party Address Screen	Database Administration - Gateway Screening	4-15
Removing an Allowed Called Party Address Screen	Database Administration - SEAS	5-11
Removing an Allowed Calling Party Address Screen	Database Administration - Gateway Screening	6-16
Removing an Allowed Calling Party Address Screen	Database Administration - SEAS	5-26
Removing an Allowed DPC Screen	Database Administration - Gateway Screening	9-20
Removing an Allowed DPC Screen	Database Administration - SEAS	5-62
Removing an Allowed ISUP Message Type Screen	Database Administration - Gateway Screening	15-16
Removing an Allowed ISUP Message Type Screen	Database Administration - SEAS	5-145

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Removing an Allowed OPC Screen	Database Administration - Gateway Screening	12-20
Removing an Allowed OPC Screen	Database Administration - SEAS	5-109
Removing an Allowed SIO Screen	Database Administration - Gateway Screening	10-20
Removing an Allowed SIO Screen	Database Administration - SEAS	5-79
Removing an Allowed Translation Type Screen	Database Administration - Gateway Screening	5-11
Removing an Allowed Translation Type Screen	Database Administration - SEAS	5-19
Removing an Application Routing Key	Database Administration Manual - IP7 Secure Gateway	3-242
Removing an Application Server	Database Administration Manual - IP7 Secure Gateway	3-359
Removing an Application Server Process	Database Administration Manual - IP7 Secure Gateway	3-341
Removing an Application Socket	Database Administration Manual - IP7 Secure Gateway	3-205
Removing an Association	Database Administration Manual - IP7 Secure Gateway	3-299
Removing an End Node Internal Point Code	Database Administration Manual - IP7 Secure Gateway	5-18
Removing an FTP Server	Database Administration - System Management	4-162
Removing an IP Card	Database Administration Manual - IP7 Secure Gateway	3-32
Removing an IP Host	Database Administration Manual - IP7 Secure Gateway	3-158
Removing an IP Route	Database Administration Manual - IP7 Secure Gateway	3-191
Removing an IP Signaling Link	Database Administration Manual - IP7 Secure Gateway	3-117
Removing an IPSM	Database Administration - System Management	4-179
Removing an LNP Location Routing Number	Database Administration - LNP	3-123
Removing an LNP NPANXX	Database Administration - LNP	3-93

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Removing an LNP Service	Database Administration - LNP	3-41
Removing an LNP Service Provider	Database Administration - LNP	3-78
Removing an LNP Telephone Number Subscription	Database Administration - LNP	3-147
Removing an MCPM	Database Administration - System Management	4-146
Removing an MRN Group or MRN Group Entry	Database Administration Manual - Global Title Translation	2-147
Removing an SCCP Card	Database Administration - LNP	2-15
Removing an SCCP Card	Database Administration Manual - Global Title Translation	2-59
Removing an SCCP Card	Feature Activation Guide	25
Removing an SS7 LIM	Database Administration - System Management	4-117
Removing an SS7 Signaling Link	Database Administration - SEAS	3-31
Removing an SS7 Signaling Link	Database Administration - SS7	3-137
Removing an STP LAN Card	Database Administration - Features	3-27
Removing an X.25 Gateway Destination	Database Administration - Features	2-38
Removing an X.25 LIM	Database Administration - Features	2-25
Removing an X.25 Route	Database Administration - Features	2-122
Removing an X.25 Signaling Link	Database Administration - Features	2-99
Removing Global Title Address Information	Database Administration - SEAS	6-15
Removing Global Title Address Information	Database Administration Manual - Global Title Translation	4-48
Removing ISUP Presentation Values	Database Administration Manual - IP7 Secure Gateway	4-13
Removing Remote Loopback Points	Database Administration - SS7	3-212
Removing the BLM Applied to LSMS BLM-Based Operations	Feature Activation Guide	30
Removing the BLM Applied to LSMS BLM-Based Operations	LNP Database Synchronization	4-23
Removing the DCM Applied to LSMS BLM-Based Operations	LNP Database Synchronization	4-27

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Removing the DCM Applied to LSMS BLM-Based Operations	Feature Activation Guide	30
Removing the E1 Interface Parameters	Database Administration - SS7	A-30
Removing the EIR Subsystem Application	Feature Manual - Equipment Identity Register	4-29
Removing the hsopEnabled File from the OAP	Feature Activation Guide	191
Removing the T1 Interface Parameters	Database Administration - SS7	B-27
Repairing the Database	Database Administration - System Management	2-48
Replacement Cables List	Maintenance - Signaling Products	A-91
Replacement Procedures	Maintenance - Signaling Products	5-55
Replacing A and B Frame Clock Cables	Installation - Eagle	5-48
Replacing A and B Frame Clock Cables	Installation - Eagle	5-50
Replacing a Card in the Eagle	Maintenance - Signaling Products	A-62
Replacing Cards in the Holdover Clock	Maintenance - Signaling Products	A-64
Report Parameters	Maintenance - Signaling Products	4-10
Reports	Maintenance - Signaling Products	4-11
Reprovisioning	Database Administration - System Management	A-60
Reprovisioning	Feature Manual - GR-376	3-27
REPT-STAT-CLK Enhancements for Clocking (Release 28.2)	Previously Released Features	5-45
REPT-STAT-TRBL Enhancement (Release 29.0)	Previously Released Features	5-46
Required Features	LNP Database Synchronization	5-3
Required Features	LNP Database Synchronization	6-8
Required Features	LNP Database Synchronization	7-2
Response	Hardware - Signaling Products	1-18
Response to Commands Issued Prior to Login (Release 21.0)	Previously Released Features	5-48
Restoring System Data from a Removable Cartridge	Database Administration - System Management	2-74

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Restoring the Database	Database Administration - System Management	2-39
Retrieve Database Tables from an STP	FTRA User Guide	52
Retrieve Trouble Report	Maintenance - Signaling Products	3-56
Revoking a User ID (Release 21.0)	Previously Released Features	5-48
Routing Key Enhancements (IP7 Release 3.0)	Previously Released Features	5-49
Routing Management Mapping	Database Administration - Features	4-12
Row Alarm Control Backplane	Installation - Eagle	B-66
RTDB Menu	EPAP Administration Manual	3-24
RTRV-TBL-CAPACITY Enhancement (Release 29.0)	Previously Released Features	5-47
Safety	Hardware - TekServer	2-1
Safety and Cautionary Information	Hardware - Signaling Products	6-2
Safety and Cautionary Information	Installation - Eagle	3-2
Safety and Cautionary Information	Installation - Integrated Applications	2-2
Safety and Cautionary Information	MPS Platform SW and Maintenance	6-2
Safety Information	Installation - Eagle	5-4
Safety Information	Installation - Eagle	6-2
Safety Information	Installation - Integrated Applications	3-2
Safety Information	Installation - Integrated Applications	4-3
Scalability	Hardware - TekServer	3-4
SCCP Message Type Screening (Release 22.0)	Previously Released Features	5-51
SCCP Overview	Database Administration Manual - Global Title Translation	2-24
SCCP Subsystem Management	Database Administration - Features	4-13
SCCP/TCAP Over IP Gateway for Point-to-Multipoint Connectivity (IP7 Release 1.0)	Previously Released Features	5-51
SCCS Interface Support (Release 21.0)	Previously Released Features	5-53
Scope	Feature Manual - GR-376	1-2
Scope and Audience	Commands Error Recovery Manual	1-2

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Scope and Audience	Commands Manual	1-3
Scope and Audience	EPAP Administration Manual	1-1
Scope and Audience	Feature Manual - Equipment Identity Register	1-2
Scope and Audience	Feature Manual – G-Flex C7 Relay	1-2
Scope and Audience	Feature Manual – G-Port	1-2
Scope and Audience	Feature Manual — INP	1-2
Scope and Audience	Hardware - Signaling Products	1-4
Scope and Audience	Installation - Eagle	1-9
Scope and Audience	Installation - Integrated Applications	1-10
Scope and Audience	Maintenance - Signaling Products	1-3
Scope and Audience	MPS Platform SW and Maintenance	1-3
Scope and Audience	Provisioning Database Interface	1-1
SCSI/Drives	Maintenance - Signaling Products	5-9
SCTP Checksum Update (Eagle Release 30.0/IP7 Secure Gateway Release 8.0)	Previously Released Features	5-54
SCTP Retransmission Control (Release 28.1) (IP7 Release 6.0)	Previously Released Features	5-59
SEAS Enhancements (Release 26.0)	Previously Released Features	5-61
SEAS Enhancements, Autonomous Messages (Release 22.0)	Previously Released Features	5-66
SEAS Gateway Audit Command (CHK-UNREF-ENT) (Release 22.0)	Previously Released Features	5-67
SEAS Interface Support (Release 21.0)	Previously Released Features	5-68
SEAS Verify Signaling Route-Set Status and SCCP Application Status Command (VFY-SRSAPST) (Release 22.0)	Previously Released Features	5-71
Secure Eagle Host Key Provisioning	FTRA User Guide	42
Security Log Increase (Release 26.05)	Previously Released Features	5-71
Select Mate	EPAP Administration Manual	3-13
Selecting the Current STP	FTRA User Guide	39
Selective Alarm Inhibiting (Release 22.0)	Previously Released Features	5-72

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Selective Homing of EPAP RTDBs (Release 29.0)	Previously Released Features	5-76
Selective Homing of EPAP RTDBs (Release 29.0)	Previously Released Features	5-77
Semi-Annual Procedures	Maintenance - Signaling Products	2-41
Sentinel Extended Services Platform (probless Solution)	Hardware - Signaling Products	5-6
Sentinel Frames Common Components	Hardware - Signaling Products	5-35
Sentinel Frames Common Components	MPS Platform SW and Maintenance	5-20
Sentinel Product Descriptions	MPS Platform SW and Maintenance	5-2
Sentinel Product Descriptions Overview	Hardware - Signaling Products	5-3
Sentinel Server Frame	Installation - Integrated Applications	4-77
Sentinel Server Frames	Hardware - Signaling Products	5-28
Sentinel Server Frames	MPS Platform SW and Maintenance	5-17
Serial Card	Maintenance - Signaling Products	5-22
Serial Card	Maintenance - Signaling Products	5-134
Serial Port Control Backplane	Installation - Eagle	B-67
Serial Port Control Backplane	Installation - Integrated Applications	B-27
Setting the Maximum Number of Gateway Screening Rejected Messages	Database Administration - Gateway Screening	2-70
Setting the System Clock and Date	Database Administration - System Management	4-3
Setting the Threshold for Reporting Gateway Screening Activity	Database Administration - Gateway Screening	2-70
Setting Up an EPAP Workstation	EPAP Administration Manual	5-2
Shelf Power	Installation - Eagle	B-68
Shelf Power	Installation - Integrated Applications	B-28
Shelves	Installation - Eagle	3-34
Signaling Products Systems	Installation - Integrated Applications	1-11
Simple Queries	Provisioning Database Interface	4-5
Simple Subscription Data Creation	Provisioning Database Interface	4-3
Simple Subscription Data Creation with Single Txnmode	Provisioning Database Interface	4-11

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Simplifying BIP (Board ID PROM) for Eagle STP Boards (Release 23.1)	Previously Released Features	5-78
Single IMEI Data	Provisioning Database Interface	4-12
Single Slot Enhanced DCM (Release 28.1) (IP7 Release 6.0)	Previously Released Features	5-80
Site Collector, ESP/EMS Frame	Installation - Integrated Applications	4-54
Site Collector, i2000 Frame	Installation - Integrated Applications	4-38
Site Requirements	Feature Manual - GR-376	1-3
SNMP Agent Implementation	Database Administration Manual - IP7 Secure Gateway	2-28
Software Platform	Hardware - TekServer	3-4
Split Allowed CGPA Table (Release 22.0)	Previously Released Features	5-81
Split of Allowed SIO Table (Release 22.0)	Previously Released Features	5-82
SS7 and IP7, LIM, MIM, and MPL Card Replacement	Maintenance - Signaling Products	A-19
SS7 Message Rejection Due to Screening (Release 22.0)	Previously Released Features	5-83
SS7 over High-Speed Signaling Link (Release 23.0)	Previously Released Features	5-83
SS7-Over-IP Gateway for Point-to-Point Links (IP7 Release 1.0)	Previously Released Features	5-84
SSH/SFTP Error Codes	FTRA User Guide	100
Status Reporting and Alarms	EPAP Administration Manual	2-34
STP Connection Configuration Menu	FTRA User Guide	13
STP LAN Feature (Release 20.0)	Previously Released Features	5-85
STP LAN Feature Overview	Database Administration - Features	3-2
STPLAN Port to DCM (Release 26.0)	Previously Released Features	5-87
STPLAN Provisioning	Database Administration - Features	3-11
STPLAN with Default Router (Release 23.0)	Previously Released Features	5-88
Summary of Loopback Testing Commands and Functions	Commands Manual	A-14
Summary of Range Values for :port Parameter	Commands Manual	A-2

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Summary of the Gateway Screening Redirect Table Commands	Database Administration - Features	4-8
Support 12 Million Ported Numbers (Release 24.0)	Previously Released Features	5-91
Support 12 Million Ported Numbers (Release 25.0)	Previously Released Features	5-92
Support Changing the Linkset Name (Release 28.0)	Previously Released Features	5-94
Support for IP7 8.0 Gateway Features (Eagle Release 30.0/IP7 Secure Gateway Release 8.0)	Previously Released Features	5-96
Support for LSMS Audit Enhancements (Release 26.1)	Previously Released Features	5-96
Support for LSMS Split Provisioning (Release 26.1)	Previously Released Features	5-102
Support for Matching Self-ID Rule in SEAS CHG-SID (Release 22.0)	Previously Released Features	5-103
Support for MTP Status Functions (IP7 Release 2.0)	Previously Released Features	5-103
Support for Provisioning Multiple EPAPs (Release 29.0)	Previously Released Features	5-105
Support for Secure Gateway Functionality through IP7 7.0 (Release 29.0)	Previously Released Features	5-105
Support for TALI Architecture (IP7 Release 4.0)	Previously Released Features	5-106
Support for the CLLI Parameter for Adding or Changing Linksets (Release 22.0)	Previously Released Features	5-106
Support for the New Linkset Name Parameter for Changing the Attributes of a Route (Release 22.0)	Previously Released Features	5-106
Support for Up to 41 IPLIMx DCMs (IP7 Release 2.2)	Previously Released Features	5-107
Support LSMS Disaster Recovery (Release 23.1)	Previously Released Features	5-108
Support of E1 Interface for SS7 Signaling Links (Optional) (Release 22.2)	Previously Released Features	5-108
Support of E1 Interface for SS7 Signaling Links (Optional) (Release 24.0)	Previously Released Features	5-109
Support of E1 Master Clock Interface for SS7 Signaling Links (Optional) (Release 22.2)	Previously Released Features	5-109

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Support of SCCP XUDT Messages	Database Administration Manual - Global Title Translation	2-19
Suppression of Gateway Measurements on Non-Gateway Linksets (Release 25.0)	Previously Released Features	5-109
Synchronous DSM Report	Provisioning Database Interface	4-15
System Alarm Levels	Maintenance - Signaling Products	3-3
System Architecture	Provisioning Database Interface	2-6
System Debug Services (SDS) Commands	Feature Manual – G-Flex C7 Relay	3-1
System Debug Services (SDS) Commands	Feature Manual – G-Port	3-1
System Debug Services (SDS) Commands	Feature Manual — INP	3-15
System Hardware Verification	EPAP Administration Manual	4-4
System Maintenance Log	Maintenance - Signaling Products	1-12
System Requirements	Database Administration - Features	4-14
System Requirements for Systems Containing more than 500 Signaling Links	Database Administration - SS7	D-5
System Status Reporting	EPAP Administration Manual	4-8
Systems Components Overview	Installation - Integrated Applications	1-32
T1 Interface Configuration Procedures	Database Administration - SS7	B-7
TALI “A” Link Connectivity (Release 28.0)	Previously Released Features	5-110
TALON Development Kit (IP7 Release 2.0)	Previously Released Features	5-114
TCP/IP Link Provisioning	Database Administration - Features	6-5
TCP/IP Router	Database Administration - Features	3-5
Technical Background	Dimensioning Guide for EPAP Advanced DB Features	6
Technical Services and Support	Hardware - TekServer	1-4
Technical Services and Support	LNP Database Synchronization	1-13
Tekelec Signaling Products Systems	Installation - Eagle	1-9
Tekelec Technical Services	Database Administration - Features	1-9
Tekelec Technical Services	Database Administration - Gateway Screening	1-9
Tekelec Technical Services	Database Administration - LNP	1-9

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Tekelec Technical Services	Database Administration - SEAS	1-11
Tekelec Technical Services	Database Administration - SS7	1-8
Tekelec Technical Services	Database Administration - System Management	1-7
Tekelec Technical Services	Database Administration Manual - Global Title Translation	1-8
Tekelec Technical Services	Database Administration Manual - IP7 Secure Gateway	1-8
Tekelec Technical Services	Eagle 31.3 Feature Notice	FN-99
Tekelec Technical Services	Feature Manual - GR-376	1-3
Tekelec Technical Services	Hardware - Signaling Products	1-16
Tekelec Technical Services	MPS Platform SW and Maintenance	1-12
Tekelec Technical Services	Previously Released Features	1-7
Tekelec Technical Support	Installation - Eagle	1-16
Tekelec Technical Support	Installation - Integrated Applications	1-18
Tekelec-defined ISUP Normalization Variants	Commands Manual	A-19
TekServer Diagnostics	Hardware - TekServer	A-6
TekServer Hardware Features	Hardware - TekServer	3-1
Temporary Alarm Inhibiting and Offline Functions (Release 25.0)	Previously Released Features	5-114
Terminal and User ID Requirements	LNP Database Synchronization	4-8
Terminal and User ID Requirements	LNP Database Synchronization	10-2
Terminal Disk Module (TDM)/TDM-GTI	Maintenance - Signaling Products	A-51
Terminal Disk Module Control Backplane	Installation - Eagle	B-70
Terminal Not Responding	Maintenance - Signaling Products	3-64
Termination of Alarm, Clock Supply, and Terminal Cables	Installation - Eagle	5-44
Terminology Used in This Manual	LNP Database Synchronization	1-3
Test GR-376 EOAP Fan Operation	Feature Manual - GR-376	4-82
Testing an STP Configuration Record	FTRA User Guide	30
The System Log	FTRA User Guide	94

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
The X.25 Gateway	Database Administration - Features	2-2
Thresholding of UIM Messages (Release 25.0)	Previously Released Features	5-124
Time Stamping	Database Administration - Features	6-6
Tools Required	Hardware - TekServer	5-4
Translation Type Mapping (Release 21.0)	Previously Released Features	5-128
Triggerless LNP (Release 24.0)	Previously Released Features	5-130
Trouble Detection	Maintenance - Signaling Products	3-4
Troubleshooting Indicators	Hardware - TekServer	5-3
Troubleshooting Log Files	Maintenance - Signaling Products	6-19
Troubleshooting the Database Downloading Procedure	LNP Database Synchronization	13-4
TSM Warm Restart and Incremental Loading (Release 26.0)	Previously Released Features	5-131
TT Independence for LNP Queries (Eagle Release 30.0/IP7 Secure Gateway Release 8.0)	Previously Released Features	5-147
Turning On and Off Controlled Features	Database Administration Manual - IP7 Secure Gateway	6-10
Turning the IGTTLS Feature Off	Database Administration Manual - Global Title Translation	A-14
Two-Point IPLIMx (Eagle 27.1)/Two-Point IPLIMx (IP7 Release 2.2)	Previously Released Features	5-153
UAM and UIM Troubleshooting Procedures	Maintenance - Signaling Products	3-88
UAM/UIM Changes	Maintenance - Signaling Products	3-38
Understanding Firewall and Router Filtering	Database Administration - Features	3-14
Understanding Sequence of Procedures to Be Performed	LNP Database Synchronization	3-9
Unregistered Routing Key Treatment (IP7 Release 3.0)	Previously Released Features	5-154
Unsolicited Alarm Messages (UAM)	Maintenance - Signaling Products	3-11
Unsolicited Alarm Messages and Unsolicited Information Messages	EPAP Administration Manual	4-16
Unsolicited Information Messages (UIM)	Maintenance - Signaling Products	3-21
Unsolicited Messages	Database Administration - SS7	C-27

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Unstable Loading Mode	EPAP Administration Manual	4-6
Update Request In Read Transaction	Provisioning Database Interface	4-9
Update Subscription Data	Provisioning Database Interface	4-4
Update Tables Log Window	FTRA User Guide	85
Updating Database Tables in the Selected STP	FTRA User Guide	74
Updating the BPHMUX GPL	Database Administration - System Management	3-109
Updating the EMAP GPL	Database Administration - System Management	3-127
Updating the EOAM GPL	Database Administration - System Management	3-23
Updating the Flash GPLs	Database Administration - System Management	3-71
Updating the IMT GPL	Database Administration - System Management	3-16
Updating the OAP GPL	Database Administration - System Management	3-121
Updating the Service GPLs	Database Administration - System Management	3-53
Updating the Signaling Link and Data Link GPLs	Database Administration - System Management	3-36
Upgrade Procedure Enhancements (Release 22.0)	Previously Released Features	5-156
Upgrading from Global Title Translation (GTT) to Enhanced Global Title Translation	Database Administration Manual - Global Title Translation	2-20
Upgrading the Application Processor of the Main Assemblies from the Intel 286/386 to the Intel 486 Microprocessor (Release 20.0)	Previously Released Features	5-159
Use IMT Bus Instead of MBUS (Release 23.0)	Previously Released Features	5-160
User Administration Menu	EPAP Administration Manual	3-111
User Interface Requirements	Database Administration - Gateway Screening	2-16
User-Initiated Keyboard Locking (Release 22.0)	Previously Released Features	5-160
User-Initiated Resynchronization Overview	LNP Database Synchronization	5-7

Eagle 31.3 Cross-Reference Index

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
Using the DPC/SSN Parameters and GTA Range in Displaying Global Title Translations (Release 22.0)	Previously Released Features	5-163
Using the FORCE Parameter with the ENT-CARD Command	Database Administration - SS7	D-2
Valid CIC Ranges for SI and MSU Types in Routing Key Static Entries	Commands Manual	A-12
Variable Length GTT (Release 26.1)	Previously Released Features	5-163
Variable-Length Global Title Translation (Release 26.1) (IP7 Release 2.2)	Previously Released Features	5-167
Variable-length Global Title Translation Feature	Database Administration Manual - Global Title Translation	2-12
Verifying RTDB Status	LNP Database Synchronization	8-4
Verifying the Database	Database Administration - System Management	2-10
VI Editor Quick Reference	Database Administration - System Management	A-81
VI Editor Quick Reference	Installation - Eagle	6-167
Warning Message When LIMs Added with Insufficient TSMs (Release 25.0)	Previously Released Features	5-168
Weekly Procedures	Maintenance - Signaling Products	2-20
Weighted SCP Load Balancing (Release 27.2)	Previously Released Features	5-169
What's New in This Manual	Hardware - TekServer	1-3
Where to Find Information in This Manual	Commands Manual	1-2
Where to Find Information in This Manual	Hardware - TekServer	1-1
Where to Find Other Information about TekServer 1.0	Hardware - TekServer	1-3
Wireless Number Portability (Release 23.1)	Previously Released Features	5-171
Write Transaction In Standby Connection	Provisioning Database Interface	4-10
X.25 Gateway Configuration Procedures	Database Administration - Features	2-9
X.25 Gateway Description	Database Administration - Features	2-4
X.25 Gateway Routing	Database Administration - Features	2-5
X.25 Link Interface Module (LIM)	Maintenance - Signaling Products	A-30

Table CRI-1. Cross-Reference Index (Continued)

Heading	Document	Page
X.25/SS7 Gateway Description	Database Administration - Features	4-9
X.25/SS7 Gateway Feature (Release 20.0)	Previously Released Features	5-172
X.25/SS7 Gateway Routing	Database Administration - Features	4-10
Year 2000 Compliance (Release 23.1)	Previously Released Features	5-179