Gateway Documentation - Customer Service

Oracle FLEXCUBE Universal Banking

Release FCUBS_12.0.3.0.0

[April] [2014]

Table Of Contents

1. BACKGROUND **1**

2. FCUBSCustomerService **2**

2.1. ReopenCustSegAssociation **2**

2.1.1. ST-ReopenCustSegAssociation-Req-Full-MSG.xsd *2*

2.1.2. ST-ReopenCustSegAssociation-Req-IO-MSG.xsd *13*

2.1.3. ST-ReopenCustSegAssociation-Res-Full-MSG.xsd *20*

2.1.4. ST-ReopenCustSegAssociation-Res-PK-MSG.xsd *32*

2.2. ReopenCustomer **41**

2.2.1. ST-ReopenCustomer-Req-Full-MSG.xsd *41*

2.2.2. ST-ReopenCustomer-Req-IO-MSG.xsd *237*

2.2.3. ST-ReopenCustomer-Res-Full-MSG.xsd *244*

2.2.4. ST-ReopenCustomer-Res-PK-MSG.xsd *441*

2.3. ReopenTDAmountBlock **450**

2.3.1. ST-ReopenTDAmountBlock-Req-Full-MSG.xsd *450*

2.3.2. ST-ReopenTDAmountBlock-Req-IO-MSG.xsd *461*

2.3.3. ST-ReopenTDAmountBlock-Res-Full-MSG.xsd *468*

2.3.4. ST-ReopenTDAmountBlock-Res-PK-MSG.xsd *481*

2.4. QueryNSFCBenq **490**

2.4.1. ST-QueryNSFCBenq-Req-IO-MSG.xsd *490*

2.4.2. ST-QueryNSFCBenq-Res-Full-MSG.xsd *496*

2.5. QueryNSFCheck **510**

2.5.1. ST-QueryNSFCheck-Req-IO-MSG.xsd *510*

2.5.2. ST-QueryNSFCheck-Res-Full-MSG.xsd *517*

2.6. QueryNSFMutual **538**

2.6.1. ST-QueryNSFMutual-Req-IO-MSG.xsd *538*

2.6.2. ST-QueryNSFMutual-Res-Full-MSG.xsd *544*

2.7. QueryTDAmountBlock **557**

2.7.1. ST-QueryTDAmountBlock-Req-IO-MSG.xsd *557*

2.7.2. ST-QueryTDAmountBlock-Res-Full-MSG.xsd *563*

2.8. ModifyTDAmountBlock **577**

2.8.1. ST-ModifyTDAmountBlock-Req-IO-MSG.xsd *577*

2.8.2. ST-ModifyTDAmountBlock-Res-Full-MSG.xsd *586*

2.8.3. ST-ModifyTDAmountBlock-Res-PK-MSG.xsd *599*

2.8.4. ST-ModifyTDAmountBlock-Req-Full-MSG.xsd *610*

2.9. QueryClosureData **621**

2.9.1. ST-QueryClosureData-Req-IO-MSG.xsd *621*

2.9.2. ST-QueryClosureData-Res-Full-MSG.xsd *628*

2.10. QueryCustSegAssociation **640**

2.10.1. ST-QueryCustSegAssociation-Req-IO-MSG.xsd *640*

2.10.2. ST-QueryCustSegAssociation-Res-Full-MSG.xsd *646*

2.11. QueryCustomer **659**

2.11.1. ST-QueryCustomer-Req-IO-MSG.xsd *659*

2.11.2. ST-QueryCustomer-Res-Full-MSG.xsd *665*

2.12. QueryFATCA **863**

2.12.1. ST-QueryFATCA-Req-IO-MSG.xsd *863*

2.12.2. ST-QueryFATCA-Res-Full-MSG.xsd *869*

2.13. ModifyCustomer **892**

2.13.1. ST-ModifyCustomer-Req-Full-MSG.xsd *892*

2.13.2. ST-ModifyCustomer-Req-IO-MSG.xsd *1088*

2.13.3. ST-ModifyCustomer-Res-Full-MSG.xsd *1236*

2.13.4. ST-ModifyCustomer-Res-PK-MSG.xsd *1433*

2.14. ModifyNSFMutual **1583**

2.14.1. ST-ModifyNSFMutual-Req-Full-MSG.xsd *1583*

2.14.2. ST-ModifyNSFMutual-Req-IO-MSG.xsd *1594*

ORACLE

2.14.3. ST-ModifyNSFMutual-Res-Full-MSG.xsd *1601*
2.14.4. ST-ModifyNSFMutual-Res-PK-MSG.xsd *1613*
2.15. ModifyClosureData **1622**
2.15.1. ST-ModifyClosureData-Req-Full-MSG.xsd *1622*
2.15.2. ST-ModifyClosureData-Req-IO-MSG.xsd *1631*
2.15.3. ST-ModifyClosureData-Res-Full-MSG.xsd *1639*
2.15.4. ST-ModifyClosureData-Res-PK-MSG.xsd *1650*
2.16. ModifyCustSegAssociation **1660**
2.16.1. ST-ModifyCustSegAssociation-Req-Full-MSG.xsd *1660*
2.16.2. ST-ModifyCustSegAssociation-Req-IO-MSG.xsd *1671*
2.16.3. ST-ModifyCustSegAssociation-Res-Full-MSG.xsd *1680*
2.16.4. ST-ModifyCustSegAssociation-Res-PK-MSG.xsd *1692*
2.17. DeleteCustSegAssociation **1703**
2.17.1. ST-DeleteCustSegAssociation-Res-PK-MSG.xsd *1703*
2.17.2. ST-DeleteCustSegAssociation-Req-Full-MSG.xsd *1712*
2.17.3. ST-DeleteCustSegAssociation-Req-IO-MSG.xsd *1723*
2.17.4. ST-DeleteCustSegAssociation-Res-Full-MSG.xsd *1729*
2.18. DeleteCustomer **1741**
2.18.1. ST-DeleteCustomer-Req-Full-MSG.xsd *1741*
2.18.2. ST-DeleteCustomer-Req-IO-MSG.xsd *1937*
2.18.3. ST-DeleteCustomer-Res-Full-MSG.xsd *1943*
2.18.4. ST-DeleteCustomer-Res-PK-MSG.xsd *2140*
2.19. DeleteTDAmountBlock **2149**
2.19.1. ST-DeleteTDAmountBlock-Req-Full-MSG.xsd *2149*
2.19.2. ST-DeleteTDAmountBlock-Req-IO-MSG.xsd *2160*
2.19.3. ST-DeleteTDAmountBlock-Res-Full-MSG.xsd *2166*
2.19.4. ST-DeleteTDAmountBlock-Res-PK-MSG.xsd *2179*
2.20. CreateTDAmountBlock **2188**
2.20.1. ST-CreateTDAmountBlock-Req-Full-MSG.xsd *2188*
2.20.2. ST-CreateTDAmountBlock-Req-IO-MSG.xsd *2199*
2.20.3. ST-CreateTDAmountBlock-Res-Full-MSG.xsd *2208*
2.20.4. ST-CreateTDAmountBlock-Res-PK-MSG.xsd *2221*
2.21. CreateCustSegAssociation **2232**
2.21.1. ST-CreateCustSegAssociation-Res-PK-MSG.xsd *2232*
2.21.2. ST-CreateCustSegAssociation-Req-Full-MSG.xsd *2242*
2.21.3. ST-CreateCustSegAssociation-Req-IO-MSG.xsd *2253*
2.21.4. ST-CreateCustSegAssociation-Res-Full-MSG.xsd *2261*
2.22. CreateCustomer **2273**
2.22.1. ST-CreateCustomer-Req-Full-MSG.xsd *2273*
2.22.2. ST-CreateCustomer-Req-IO-MSG.xsd *2469*
2.22.3. ST-CreateCustomer-Res-Full-MSG.xsd *2632*
2.22.4. ST-CreateCustomer-Res-PK-MSG.xsd *2829*
2.23. CreateNSFMutual **2994**
2.23.1. ST-CreateNSFMutual-Req-Full-MSG.xsd *2994*
2.23.2. ST-CreateNSFMutual-Req-IO-MSG.xsd *3005*
2.23.3. ST-CreateNSFMutual-Res-Full-MSG.xsd *3012*
2.23.4. ST-CreateNSFMutual-Res-PK-MSG.xsd *3024*
2.24. CloseTDAmountBlock **3034**
2.24.1. ST-CloseTDAmountBlock-Req-Full-MSG.xsd *3034*
2.24.2. ST-CloseTDAmountBlock-Req-IO-MSG.xsd *3045*
2.24.3. ST-CloseTDAmountBlock-Res-Full-MSG.xsd *3052*
2.24.4. ST-CloseTDAmountBlock-Res-PK-MSG.xsd *3065*
2.25. CreateClosureData **3074**
2.25.1. ST-CreateClosureData-Req-Full-MSG.xsd *3074*
2.25.2. ST-CreateClosureData-Req-IO-MSG.xsd *3083*
2.25.3. ST-CreateClosureData-Res-Full-MSG.xsd *3090*
2.25.4. ST-CreateClosureData-Res-PK-MSG.xsd *3101*
2.26. CloseCustSegAssociation **3111**

2.26.1. ST-CloseCustSegAssociation-Req-Full-MSG.xsd 3111
2.26.2. ST-CloseCustSegAssociation-Req-IO-MSG.xsd 3122
2.26.3. ST-CloseCustSegAssociation-Res-Full-MSG.xsd 3129
2.26.4. ST-CloseCustSegAssociation-Res-PK-MSG.xsd 3141
2.27. CloseCustomer **3150**
2.27.1. ST-CloseCustomer-Req-Full-MSG.xsd 3150
2.27.2. ST-CloseCustomer-Req-IO-MSG.xsd 3346
2.27.3. ST-CloseCustomer-Res-Full-MSG.xsd 3353
2.27.4. ST-CloseCustomer-Res-PK-MSG.xsd 3550
2.28. AuthorizeCustSegAssociation **3559**
2.28.1. ST-AuthorizeCustSegAssociation-Req-Full-MSG.xsd 3559
2.28.2. ST-AuthorizeCustSegAssociation-Req-IO-MSG.xsd 3570
2.28.3. ST-AuthorizeCustSegAssociation-Res-Full-MSG.xsd 3577
2.28.4. ST-AuthorizeCustSegAssociation-Res-PK-MSG.xsd 3589
2.29. AuthorizeCustomer **3598**
2.29.1. ST-AuthorizeCustomer-Req-Full-MSG.xsd 3598
2.29.2. ST-AuthorizeCustomer-Req-IO-MSG.xsd 3794
2.29.3. ST-AuthorizeCustomer-Res-Full-MSG.xsd 3801
2.29.4. ST-AuthorizeCustomer-Res-PK-MSG.xsd 3998
2.30. AuthorizeTDAmountBlock **4007**
2.30.1. ST-AuthorizeTDAmountBlock-Req-Full-MSG.xsd 4007
2.30.2. ST-AuthorizeTDAmountBlock-Req-IO-MSG.xsd 4018
2.30.3. ST-AuthorizeTDAmountBlock-Res-Full-MSG.xsd 4024
2.30.4. ST-AuthorizeTDAmountBlock-Res-PK-MSG.xsd 4037
2.31. AuthorizeClosureData **4046**
2.31.1. ST-AuthorizeClosureData-Req-Full-MSG.xsd 4046
2.31.2. ST-AuthorizeClosureData-Req-IO-MSG.xsd 4055
2.31.3. ST-AuthorizeClosureData-Res-Full-MSG.xsd 4063
2.31.4. ST-AuthorizeClosureData-Res-PK-MSG.xsd 4074
2.32. DeleteAmtBlk **4084**
2.32.1. CA-DeleteAmtBlk-Req-Full-MSG.xsd 4084
2.32.2. CA-DeleteAmtBlk-Req-IO-MSG.xsd 4097
2.32.3. CA-DeleteAmtBlk-Res-Full-MSG.xsd 4103
2.32.4. CA-DeleteAmtBlk-Res-PK-MSG.xsd 4117
2.33. ModifyAccountStructure **4126**
2.33.1. CA-ModifyAccountStructure-Req-Full-MSG.xsd 4126
2.33.2. CA-ModifyAccountStructure-Req-IO-MSG.xsd 4137
2.33.3. CA-ModifyAccountStructure-Res-Full-MSG.xsd 4145
2.33.4. CA-ModifyAccountStructure-Res-PK-MSG.xsd 4158
2.34. ModifyAmtBlk **4168**
2.34.1. CA-ModifyAmtBlk-Req-Full-MSG.xsd 4168
2.34.2. CA-ModifyAmtBlk-Req-IO-MSG.xsd 4181
2.34.3. CA-ModifyAmtBlk-Res-Full-MSG.xsd 4190
2.34.4. CA-ModifyAmtBlk-Res-PK-MSG.xsd 4204
2.35. QueryAccountStructure **4215**
2.35.1. CA-QueryAccountStructure-Req-IO-MSG.xsd 4215
2.35.2. CA-QueryAccountStructure-Res-Full-MSG.xsd 4221
2.36. QueryAmtBlk **4234**
2.36.1. CA-QueryAmtBlk-Req-IO-MSG.xsd 4234
2.36.2. CA-QueryAmtBlk-Res-Full-MSG.xsd 4240
2.37. ReopenAmtBlk **4255**
2.37.1. CA-ReopenAmtBlk-Req-Full-MSG.xsd 4255
2.37.2. CA-ReopenAmtBlk-Req-IO-MSG.xsd 4268
2.37.3. CA-ReopenAmtBlk-Res-Full-MSG.xsd 4275
2.37.4. CA-ReopenAmtBlk-Res-PK-MSG.xsd 4289
2.38. AmountBlocksNew **4298**
2.38.1. CA-AmountBlocksNew-Req-Full-MSG.xsd 4298
2.38.2. CA-AmountBlocksNew-Req-IO-MSG.xsd 4309

2.38.3. CA-AmountBlocksNew-Res-Full-MSG.xsd 4320
2.38.4. CA-AmountBlocksNew-Res-PK-MSG.xsd 4339
2.39. AmountBlocksQuery **4358**
2.39.1. CA-AmountBlocksQuery-Req-IO-MSG.xsd 4358
2.39.2. CA-AmountBlocksQuery-Res-Full-MSG.xsd 4364
2.40. AmountBlocksReopen **4383**
2.40.1. CA-AmountBlocksReopen-Req-Full-MSG.xsd 4383
2.40.2. CA-AmountBlocksReopen-Req-IO-MSG.xsd 4394
2.40.3. CA-AmountBlocksReopen-Res-Full-MSG.xsd 4401
2.40.4. CA-AmountBlocksReopen-Res-PK-MSG.xsd 4420
2.41. AuthorizeAmtBlk **4439**
2.41.1. CA-AuthorizeAmtBlk-Req-Full-MSG.xsd 4439
2.41.2. CA-AuthorizeAmtBlk-Req-IO-MSG.xsd 4452
2.41.3. CA-AuthorizeAmtBlk-Res-Full-MSG.xsd 4459
2.41.4. CA-AuthorizeAmtBlk-Res-PK-MSG.xsd 4473
2.42. CloseAmtBlk **4482**
2.42.1. CA-CloseAmtBlk-Req-Full-MSG.xsd 4482
2.42.2. CA-CloseAmtBlk-Req-IO-MSG.xsd 4495
2.42.3. CA-CloseAmtBlk-Res-Full-MSG.xsd 4502
2.42.4. CA-CloseAmtBlk-Res-PK-MSG.xsd 4516
2.43. CreateAccountStructure **4525**
2.43.1. CA-CreateAccountStructure-Req-Full-MSG.xsd 4525
2.43.2. CA-CreateAccountStructure-Req-IO-MSG.xsd 4536
2.43.3. CA-CreateAccountStructure-Res-Full-MSG.xsd 4544
2.43.4. CA-CreateAccountStructure-Res-PK-MSG.xsd 4557
2.44. CreateAmtBlk **4567**
2.44.1. CA-CreateAmtBlk-Req-Full-MSG.xsd 4567
2.44.2. CA-CreateAmtBlk-Req-IO-MSG.xsd 4580
2.44.3. CA-CreateAmtBlk-Res-Full-MSG.xsd 4591
2.44.4. CA-CreateAmtBlk-Res-PK-MSG.xsd 4605
2.45. AmountBlocksAuthorize **4618**
2.45.1. CA-AmountBlocksAuthorize-Req-Full-MSG.xsd 4618
2.45.2. CA-AmountBlocksAuthorize-Req-IO-MSG.xsd 4629
2.45.3. CA-AmountBlocksAuthorize-Res-Full-MSG.xsd 4636
2.45.4. CA-AmountBlocksAuthorize-Res-PK-MSG.xsd 4655
2.46. AmountBlocksClose **4674**
2.46.1. CA-AmountBlocksClose-Req-Full-MSG.xsd 4674
2.46.2. CA-AmountBlocksClose-Req-IO-MSG.xsd 4685
2.46.3. CA-AmountBlocksClose-Res-Full-MSG.xsd 4692
2.46.4. CA-AmountBlocksClose-Res-PK-MSG.xsd 4711
2.47. AmountBlocksDelete **4730**
2.47.1. CA-AmountBlocksDelete-Req-Full-MSG.xsd 4730
2.47.2. CA-AmountBlocksDelete-Req-IO-MSG.xsd 4741
2.47.3. CA-AmountBlocksDelete-Res-Full-MSG.xsd 4747
2.47.4. CA-AmountBlocksDelete-Res-PK-MSG.xsd 4760
2.48. AmountBlocksModify **4768**
2.48.1. CA-AmountBlocksModify-Req-Full-MSG.xsd 4768
2.48.2. CA-AmountBlocksModify-Req-IO-MSG.xsd 4779
2.48.3. CA-AmountBlocksModify-Res-Full-MSG.xsd 4789
2.48.4. CA-AmountBlocksModify-Res-PK-MSG.xsd 4808

1.BACKGROUND

Integration of different applications and solutions is a key area in today's systems. A variety of specialized applications deployed on disparate platforms and using different infrastructure need to be able to communicate and integrate seamlessly with FLEXCUBE UBS in order to exchange data.The FLEXCUBE UBS Integration Gateway (referred to as Gateway) will cater to these integration needs.
The integration needs supported by the Gateway can be broadly categorized from the perspective of the Gateway as follows:

1. Inbound application integration – used when any external system needs to add, modify or query information within FLEXCUBE UBS
2. Outbound application integration– used when any external system needs to be notified of the various events that occur within FLEXCUBE UBS
The following sections provide detailed XSD documentation of all operations available in FCUBSCustomerService of Core-Module

2.FCUBSCustomerService

Customer ServiceCustomer Service

2.1.ReopenCustSegAssociation

ReopenCustSegAssociation

2.1.1.ST-ReopenCustSegAssociation-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-Full*
    - *CUSTNO*
    - *CUSTSEGCD*
    - *CUSTSEGSTATUS*
    - *NETWORTH*
    - *NETWORTHCCY*
    - *CUST_NAME*
    - *SEGEMENT_DESCRIPTION*
    - *CUSTCCY*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*

MODNO
TXNSTAT
AUTHSTAT
UDFDETAILS
FLDNAM
FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**	
Name	ADDL	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PARAM

Attribute	**Description**	
Name	PARAM	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	**Description**
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cust-Seg-Mapping-Full

Attribute	Description
Name	Cust-Seg-Mapping-Full
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTSEGCD

Attribute	Description	
Name	CUSTSEGCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

CUSTSEGSTATUS

Attribute	Description	
Name	CUSTSEGSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	U,D,R,

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

NETWORTHCCY

Attribute	Description	
Name	NETWORTHCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_NAME

Attribute	Description	
Name	CUST_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

SEGEMENT_DESCRIPTION

Attribute	Description	
Name	SEGEMENT_DESCRIPTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CUSTCCY

Attribute	Description	
Name	CUSTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name

Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

2.1.2.ST-ReopenCustSegAssociation-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-IO*
    - *CUSTNO*
    - *MAKER*
    - *MAKERSTAMP*
    - *MODNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes		
	Attribute	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cust-Seg-Mapping-IO

Attribute	Description
Name	Cust-Seg-Mapping-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MAKER

Attribute	Description
Name	MAKER

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

2.1.3.ST-ReopenCustSegAssociation-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-Full*
    - *CUSTNO*
    - *CUSTSEGCD*
    - *CUSTSEGSTATUS*
    - *NETWORTH*
    - *NETWORTHCCY*
    - *CUST_NAME*
    - *SEGEMENT_DESCRIPTION*
    - *CUSTCCY*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	**Description**
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cust-Seg-Mapping-Full

Attribute	Description
Name	Cust-Seg-Mapping-Full
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTSEGCD

Attribute	Description	
Name	CUSTSEGCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

CUSTSEGSTATUS

Attribute	Description	
Name	CUSTSEGSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	U,D,R,

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

NETWORTHCCY

Attribute	Description	
Name	NETWORTHCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_NAME

Attribute	Description	
Name	CUST_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

SEGEMENT_DESCRIPTION

Attribute	Description	
Name	SEGEMENT_DESCRIPTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CUSTCCY

Attribute	Description	
Name	CUSTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name

Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.1.4.ST-ReopenCustSegAssociation-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cust-Seg-Mapping-PK*
      - *CUSTNO*
    - *Cust-Seg-Mapping-IO*
      - *CUSTNO*
      - *MAKER*
      - *MAKERSTAMP*
      - *MODNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cust-Seg-Mapping-PK

Attribute	Description
Name	Cust-Seg-Mapping-PK
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Cust-Seg-Mapping-IO

Attribute	Description
Name	Cust-Seg-Mapping-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.2.ReopenCustomer

Reopen of Customer

2.2.1.ST-ReopenCustomer-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-Full*
    - *PRIVATE_CUSTOMER*
    - *CUSTNO*
    - *CTYPE*
    - *NAME*
    - *ADDRLN1*
    - *ADDRLN3*
    - *ADDRLN2*
    - *ADDRLN4*
    - *COUNTRY*
    - *SNAME*
    - *NLTY*
    - *LBRN*
    - *CCATEG*
    - *FULLNAME*
    - *CIFCREATIONDT*

ISELCMCUST
ELCMCUSTNO
AR_AP_TRACKING
EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
CREATEACC
CREATEDACCOUNT
TRACK_LIMITS
LIABID
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM

SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR
UTLTYPRVDRID
RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
LC_COLLAT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
UDF1
UDF2
UDF3
UDF4
UDF5
RM_ID
NETTREQD
LIABUNADV
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
MFI_CUSTOMER
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO

TXNSTAT

AUTHSTAT

Custpersonal

- *FSTNAME*
- *MIDNAME*
- *LSTNAME*
- *DOB*
- *GENDR*
- *NATIONID*
- *PPTNO*
- *PPTISSDT*
- *PPTEXPDT*
- *DADD2*
- *DADD3*
- *DPIN_CODE*
- *TELEPHNO*
- *FAXNUMBER*
- *EMAILID*
- *BENEFADDR1*
- *ADDRS3*
- *BENEFADDR2*
- *DCNTRY*
- *PCNTRY*
- *RESSTATUS*
- *CUSTPREFIX1*
- *CUSTPREFIX2*
- *MOBNUM*
- *CUST_COMM_MODE*
- *LANG*
- *GUARDIAN*
- *SBMTAGEPROOF*
- *MINOR*
- *KYCSTAT*
- *SSTAFF*
- *KYC_REFNO*
- *SAME_CORR_ADDR*
- *DADD1*
- *SAME_PERM_ADDR*
- *TITLE*
- *ADDRS4*
- *DADD4*
- *PLACEOFBIRTH*
- *BIRTHCOUNTRY*
- *TELISDNOPERSONAL*

MOBISDNO
FAXISDNO
USRESSTATUS
PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY
PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV
HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
- *CUSTNO*
- *EDUSTAT*
- *MARITALSTAT*
- *SPNAME*
- *SPEMPSTATUS*
- *DEPCHILD*
- *DEPOTH*
- *ACCOMODATE*
- *MOTHERMAIDN_NAME*

Custprof
- *CUSTNO*
- *EMPSTAT*
- *EMPTENURE*
- *RETIREAGE*
- *PREVDESIG*
- *PREVEMP*
- *CURRDESIG*
- *CURREMP*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *AMTCCY1*
- *TELEX*
- *FAX*
- *EMAIL*
- *SALARY*

- *OTHER1*
- *RENT*
- *INSURANCE*
- *LOANPMNT*
- *OTHEXP*
- *HOUSEVAL*
- *CRCARD*
- *CNTY*
- *EMPLOYER_DESC*

Custcorp

- *CORPNAME*
- *REGADD1*
- *REGADD2*
- *REGADD3*
- *R_PIN_CODE*
- *AMTCCY*
- *INCORPDT*
- *CAPITAL*
- *NETWORTH*
- *CORPDESC*
- *INCORPCNTRY*
- *REGCNTRY*
- *SAME_CORR_ADDR*
- *REGADD4*
- *JOINTVENTURE*
- *CADDR1*
- *CADDR3*
- *CADDR2*
- *CADDR4*
- *CPINCODE*
- *CNTRY*
- *LANGUAGE*
- *KYC_DETAILS*
- *KYCREFNO*
- *CNAME*
- *UIDNAME*
- *UIDVALUE*
- *TELEPHONE*
- *FAX*
- *EMAILID*
- *MOBILENUMBER*
- *CUSTCOMMMODE*
- *NATIONID*
- *TELISDNOCRP*

- *MOBISDNOCRP*
- *FAXISDNOCRP*
- *PREF_CNTACT_DATE*
- *PREF_CNTACT_TIME*
- *OWNERSHPTYPE*
- *Custcorpdir*
  - *DIRNAME*
  - *NADDR1*
  - *NADDR2*
  - *NADDR3*
  - *NADDR4*
  - *ADDRESS1*
  - *ADDRESS2*
  - *ADDRESS3*
  - *COUNTRY*
  - *TEL*
  - *TAXID*
  - *MOBNO*
  - *EMAILID*
  - *TELISDNOCRPDIR*
  - *MOBISDNOCRPDIR*
  - *ADDRCOUNTRYCRPDIR*
  - *NATIONLTYCRPDIR*
  - *USRESSTATUSCRPDIR*
  - *PCTHOLDING*
  - *HOMETELNO*
  - *HOMETELISD*
  - *PPIN_CODE*
  - *PIN_CODE*
- *Issuerdet*
  - *CUSTNO*
  - *OVERLMTCCY*
  - *OVERLIMIT*
  - *Issuerlmts*
    - *CLTRLTYP*
    - *LMTCCY*
    - *LMTAMT*
- *Custdoc-Chklist*
- *CUSTOMER_NO*
- *DOCCATEGORY*
- *DOCUMENTNAME*
- *DOCUMENT_TYPE*
- *CHECKED*
- *DOCREF*

- *DATEREQ*
- *EXPECTDDATE*
- *ACTUALDATE*
- *EXPDATE*
- *REMARKSCHKLIST*

Doctype-Remarks

- *CUSTOMER_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *CUSTNO*
- *RELATION*

Custshhold

- *CUSTNO*
- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CUSTNO*
- *CCY*
- *DESC*

Bic

- *ACC*
- *CUSTNO*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Cust-Liab

- *LIABILITY_NUMBER*

- *LIABILTY_NAME*
- *LIAB_BRANCH*
- *LIAB_CCY*
- *OVERLIMIT*
- *REVISION_DATE*
- *CATEGORY*
- *USER_DEFINED_STATUS*
- *UNADV*
- *NETTING_REQUIRED*
- *OVERALL_SCORE*
- *FX_CLEAN_RISK_LIMIT*
- *SEC_CLEAN_RISK_LIMIT*
- *SEC_PSTL_RISK_LIMIT*
- *REMARKS*
- *MAIN_LIAB_NO*
- *UTIL_AMOUNT*
- *CRRATING*
- *Liab-Score*
  - *SCORE*
  - *SCORE_NAME*
  - *SCORE_DESC*
- *Liab-Rating*
  - *PRIMARY*
  - *AGENCY_NAME*
  - *CREDIT_RATING*
- *Liab-Linkage*
  - *EXPOSURE_NAME*
  - *EXPOSURE_DESC*
  - *EXPOSURE_TYPE*
- *Liab-Udf*
  - *FLDNAM*
  - *FLDVAL*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*

Mfi1

- *INSURANCE_NUMBER*
- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*

- *BLACKLISTED*
- *BLACKLIST_COUNT*
- *PHYSICALLY_CHALLENGED*
- *ACCOUNT_OFFICER*
- *Training*
  - *TRAINING_CODE*
  - *TRAINING_DATE*
  - *CIF*
- *Chklist*
  - *KEY_ID*
  - *CHKLIST_ITEM*
  - *VERIFIED*
- *Mf-Cifdet*
  - *CUSTOMER_NO*
  - *GROUP_CODE*
  - *MEETING_CODE*

Id-Master

- *CUSTOMER_NO*

Id-Det-Main

- *CUSTOMER_NO*
- *SNO*
- *DOCUMENT_TYPE*
- *Iddetail*
  - *CUSTOMER_NO*
  - *SNO*
  - *DOCUMENT_TYPE*
  - *SERIES*
  - *DOC_ID*
  - *DATE_OF_ISSUE*
  - *DATE_OF_EXPIRY*
  - *ISSUING_AUTHORITY*
  - *PLACE_OF_ISSUE*
  - *NAME*

Custmis

- *MISGRP*
- *CUST*
- *BRNCD*
- *LINKTOGRP*
- *Custchnglog*
  - *MISCLS*
  - *TXNDT*
  - *OLDMISCD*
  - *NWMISCD*
- *Baltrnsfrlog*

- *BRN*
- *PRDCD*
- *FINYR*
- *TXNDT*
- *GLCODE*
- *MISCLS*
- *OLDMISCD*
- *NWMISCD*
- *TRNIND*
- *CCY*
- *AMT*
- *XRATE*

Customermis

- *MISCLS*
- *MISCD*

Compositemis

- *MISCLS*
- *MISCD*

Custloghead

Jointcustomer

CUSTNO

Custjoint

- *CUSTPREFIX*
- *FRSTNAME*
- *MIDNAME*
- *LASTNAME*
- *DOB*
- *SEX*
- *PPNO*
- *PPTISSDT*
- *PPTEXPDT*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *EMAIL*
- *SSN*
- *DECEASED*
- *RESISTAT*

Cust-Acc-Det

CUSTNO

Diary-Mst

- *INSTRNO*
- *UNTTYP*

- *UNTVAL*
- *BRN*
- *INSTR*
- *INSTRTYPE*
- *EXEDAYS*
- *EXEMONTHS*
- *EXEYEARS*
- *MNTHENDFLG*
- *HLDRULE*
- *FRSTDUEDT*
- *NXTDUEDT*
- *NXTEXEDT*
- *CONDELEM*
- *OPRTR*
- *CONDVAL*
- *ACCOFCR*
- *SPLINSTRTYP*
- *EXPDT*
- *SPLINSTR*

Custaccdet

- *CUSTNO*
- *BRNCD*
- *Relationship-Linkage*
  - *CUSTOMER*
  - *RELATIONSHIP*
  - *INHERIT*
  - *DESCP*

Custacdetail

- *CUSTNO*
- *CUSTTEXT*
  - *SEQNO*
  - *CUSTNO*
  - *TDESC*

UDFDETAILS

- *FLDNAM*
- *FLDVAL*

Sttms-Debit

- *BRANCH_CODE*
- *CUST_NO*
- *ACTNO*
- *Sttms-Detail*
  - *BRANCH_CODE*
  - *REQUEST_REFERENCE_NO*
  - *CARDNO*

CUST_NO
CARD_PRODUCT
PRIMARY_CARD
NAME_ON_CARD
OWNER_ID_NO
CARD_ISSUED_DT
CARD_EXPIRY_DT
CARD_STATUS
RECORD_STAT
AUTH_STAT
CARD_BIN
CUST_AC_NO

Extsys-Ws-Master

Extsys-Ws-Details

EXTWSRESP
USERREMARKS

Cust-Account

BRN
ACC
AC_DESC
CUSTNAME
CUST_NO
CCY
ACCOUNT_CLASS
AC_OPEN_DATE
ALT_ACC_NO
CHQBOOK
ATM
PASSBOOK
ATMACC
ATMDLIM
ATMDCNTLIM
CHKNAME1
CHKNAME2
AUTOREORDERCHKREQ
AUTOREORDERCHKLVL
AUTOREORDERCHKLVS
DORMPRM
LOCATION
MEDIA
OPMODE
COUNTRY_CODE
AUTO_CHEQUE_BOOK_REQ
AUTO_DEBIT_CARD_REQUEST

ACCOUNT_TYPE
MAX_NO_CHEQUE_REJECTIONS
ACC_OPENING_AMT
GL_ACCC
OFFSET_BRN
PAY_IN_OPTION
WAIVE_ACC_OPEN_CHARGE
CODATMBRN
REPL_CUST_SIG
SALARY_ACCOUNT
SDREFNO
SPDANLSYS
TYOFCHQ
Account-Generation
Jointholders-Main
Jointholders
- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUSTNO*
- *CUSTNAME1*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees
- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMINEE_ID*
- *CUST_AC_NO*
- *BRANCH_CODE*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist
- *BRANCH_CODE*
- *CUST_AC_NO*

- *DOCUMENT_TYPE*
- *MANDATORY*
- *CHECKED*

Doctype-Remarks1

- *BRANCH_CODE*
- *CUST_AC_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Cust-Acc-Check

- *BRANCH*
- *ACCOUNT*
- *FIRST_CHECK_NO*
- *CHECK_LEAVES*
- *CHEQUE_BOOK_TYPE*
- *ORDER_DATE*
- *ORDER_DETAILS*
- *LANG_CODE*
- *REQUEST_STATUS*
- *CHQ_TYPE*

Cust-Acc-Card

- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUST_NO*
- *REQUEST_REFERENCE_NO*
- *CARD_PRODUCT*
- *CARD_BIN*
- *NAME_ON_CARD*
- *CARD_NO*
- *CARD_APPL_DATE*
- *PRIMARY_CARD*
- *CARD_STATUS*

Udfdetails

- *FUNCID*
- *RECKEY*
- *FLDNAM*
- *FLDVAL*

- *Custacc*
  - *Misdetails*
    - *TXNMIS7*
    - *COMPMIS8*
    - *TXNMIS8*
    - *COMPMIS9*
    - *TXNMIS9*
    - *COMPMIS10*
    - *TXNMIS10*
    - *COSTCOD1*
    - *COSTCOD2*
    - *COSTCOD3*
    - *COSTCOD4*
    - *COSTCOD5*
    - *REFRTSPRD*
    - *REFRTTYPE*
    - *REFRTCD*
    - *BRN*
    - *ACC*
    - *POOLCD*
    - *RTFLAG*
    - *REFRATE*
    - *CALCMETH*
    - *MISGRP*
    - *MISGRPTXN*
    - *MISGRPCOMP*
    - *COMPMIS1*
    - *TXNMIS1*
    - *COMPMIS2*
    - *TXNMIS2*
    - *COMPMIS3*
    - *TXNMIS3*
    - *COMPMIS4*
    - *TXNMIS4*
    - *COMPMIS5*
    - *TXNMIS5*
    - *COMPMIS6*
    - *TXNMIS6*
    - *COMPMIS7*
    - *LINKGRP*
    - *Misaccchangelog*
      - *MISCLS*
      - *TXNDT*
      - *OLDMISCD*

- *NWMISCD*
- *Misbaltransferlog*
  - *BRN*
  - *PRDCD*
  - *FINYR*
  - *GLCODE*
  - *TRNIND*
  - *MISCLS*
  - *TXNDT*
  - *OLDMISCD*
  - *NWMISCD*
  - *CCY*
  - *AMT*
  - *XRATE*
- *Chglog*
- *Tsfrlog*
- *Classname*
  - *B1*
  - *C1*
  - *C2*
  - *C3*
  - *C4*
  - *C5*
  - *C6*
  - *C7*
  - *C8*
  - *C9*
  - *C10*
  - *T1*
  - *T2*
  - *T3*
  - *T4*
  - *T5*
  - *T6*
  - *T7*
  - *T8*
  - *T9*
  - *T10*

Nsf-Enq

- *CUSTOMER_NO*
- *CUSTOMER_NAME1*
- *NSFIB_CS_EVENT_NO*
- *NSFIB_CS_LVL*
- *NSFIB_CS_LVL_EFFDT*

NSFIB_CS_LVL_EXPDT
NSFIB_CS_BLK_STAT
NSFIB_CS_LAST_TRN_DT
NSFIB_CS_WBRCK_STAT
NSFIB_CS_WBRCK_EFFDT
NSFIB_CS_WBRCK_EXPDT
NSFIB_IB_BLK_STAT
NSFIB_IB_BLK_EFFDT
NSFIB_IB_BLK_EXPDT
NSFIB_IB_BLK_DESC
NSFIB_CB_BLK_STAT
NSFIB_CB_DESC
NSFIB_CB_EFFDT
NSFIB_CB_EXPDT
NSFIB_CS_BLK_DESC
NSFIB_CS_WBRCK_STAT_DESC
Cust
CUSTNO
CNAME
Cust-Ck-Det
CHQ_AMT
CHQ_PROCESS_ORDER
LVL_COMP_EXPDT
BRANCH_CODE
CG_REF_NO
CUSTOMER_NO
ACCOUNT_NO
CHQ_NO
EVENT_NO
NSF_LVL
LVL_EFFDT
LVL_EXPDT
CHQ_DT
CHQ_VALUEDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

ORACLE

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Customer-Full

Attribute	Description
Name	Customer-Full
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description
Name	PRIVATE_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CTYPE

Attribute	Description
Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,C,B

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	Description
Name	ADDRLN1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN3

Attribute	Description	
Name	ADDRLN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN2

Attribute	Description	
Name	ADDRLN2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN4

Attribute	Description	
Name	ADDRLN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	3

TOP

SNAME

Attribute	Description	
Name	SNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	20

TOP

NLTY

Attribute	Description	
Name	NLTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

LBRN

Attribute	Description	
Name	LBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

CCATEG

Attribute	Description	
Name	CCATEG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	10

TOP

FULLNAME

Attribute	Description
Name	FULLNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CIFCREATIONDT

Attribute	Description
Name	CIFCREATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISELCMCUST

Attribute	Description
Name	ISELCMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ELCMCUSTNO

Attribute	Description
Name	ELCMCUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AR_AP_TRACKING

Attribute	Description
Name	AR_AP_TRACKING

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

EXPCNTRY

Attribute	**Description**
Name	EXPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

UIDVAL

Attribute	**Description**
Name	UIDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FROZEN

Attribute	**Description**
Name	FROZEN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

DEAD

Attribute	**Description**	
Name	DEAD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

WHRUNKN

Attribute	**Description**	
Name	WHRUNKN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

CRRATE

Attribute	**Description**	
Name	CRRATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MEDIA

Attribute	**Description**	
Name	MEDIA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	15

TOP

SSN

Attribute	Description	
Name	SSN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	11

TOP

SWIFTCD

Attribute	Description	
Name	SWIFTCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

TOP

LOC

Attribute	Description	
Name	LOC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

MAILRSREQD

Attribute	Description	
Name	MAILRSREQD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

GRPCD

Attribute	Description
Name	GRPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

EXPCAT

Attribute	Description
Name	EXPCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTCLASSFN

Attribute	Description
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTAT

Attribute	Description
Name	CIFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTATSNC

Attribute	Description
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGGRP

Attribute	Description
Name	CHGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSTCLGGRP

Attribute	Description
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TAXGROUP

Attribute	Description
Name	TAXGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLSPARTICIPANT

Attribute	Description
Name	CLSPARTICIPANT
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FXNETTCUST

Attribute	Description	
Name	FXNETTCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

XREF

Attribute	Description	
Name	XREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRMCUST

Attribute	Description	
Name	CRMCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

ISSUCUST

Attribute	Description	
Name	ISSUCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

TRSRYCUST

Attribute	Description	
Name	TRSRYCUST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

RELPRICING

Attribute	Description	
Name	RELPRICING	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

MT920

Attribute	Description	
Name	MT920	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

FLGJOINT

Attribute	Description	
Name	FLGJOINT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

CREATEACC

Attribute	Description
Name	CREATEACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CREATEDACCOUNT

Attribute	Description
Name	CREATEDACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TRACK_LIMITS

Attribute	Description
Name	TRACK_LIMITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABID

Attribute	Description
Name	LIABID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LMCCY

Attribute	Description
Name	LMCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

HOACNO

Attribute	Description
Name	HOACNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RISKPRFL

Attribute	Description
Name	RISKPRFL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRCAT

Attribute	Description
Name	DRCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

AMLREQD

Attribute	Description

Name	AMLREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AMLCUSTGRP

Attribute	**Description**
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CHKDIGITVALREQD

Attribute	**Description**
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ALGID

Attribute	**Description**
Name	ALGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FTACCASOF

Attribute	**Description**
Name	FTACCASOF
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,N,D

TOP

CUSTUNADV

Attribute	Description	
Name	CUSTUNADV	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

CONSTAXCERTRQD

Attribute	Description	
Name	CONSTAXCERTRQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

INDTAXCERTRQD

Attribute	Description	
Name	INDTAXCERTRQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

CLSCCYALLWD

Attribute	Description	
Name	CLSCCYALLWD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	D,A

TOP

RISKCATEG

Attribute	Description
Name	RISKCATEG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

UPTYPE

Attribute	Description
Name	UPTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

UDFLBL1

Attribute	Description
Name	UDFLBL1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL2

Attribute	Description
Name	UDFLBL2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL3

Attribute	Description
Name	UDFLBL3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDF1

Attribute	Description
Name	UDF1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF2

Attribute	Description
Name	UDF2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF3

Attribute	Description
Name	UDF3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF4

Attribute	Description
Name	UDF4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF5

Attribute	Description
Name	UDF5
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	150

TOP

RM_ID

Attribute	Description
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

NETTREQD

Attribute	Description
Name	NETTREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABUNADV

Attribute	Description
Name	LIABUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AUTOGENSTMTPLAN

Attribute	Description
Name	AUTOGENSTMTPLAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	Description	
Name	STMTDAY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

TOP

PIN_CODE

Attribute	Description	
Name	PIN_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

MFI_CUSTOMER

Attribute	Description	
Name	MFI_CUSTOMER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

INVESTCUST

Attribute	Description
Name	INVESTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWVRTLACCNTS

Attribute	Description
Name	ALLOWVRTLACCNTS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

VRTLCUSTOMERID

Attribute	Description
Name	VRTLCUSTOMERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Custpersonal

Attribute	Description
Name	Custpersonal
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FSTNAME

Attribute	Description
Name	FSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LSTNAME

Attribute	Description
Name	LSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PPTNO

Attribute	Description
Name	PPTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PPTISSDT

Attribute	**Description**
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PPTEXPDT

Attribute	**Description**
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DADD2

Attribute	**Description**
Name	DADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DADD3

Attribute	**Description**
Name	DADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DPIN_CODE

Attribute	Description
Name	DPIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

TELEPHNO

Attribute	Description
Name	TELEPHNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAXNUMBER

Attribute	Description
Name	FAXNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BENEFADDR1

Attribute	Description
Name	BENEFADDR1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADDRS3

Attribute	Description
Name	ADDRS3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

BENEFADDR2

Attribute	Description
Name	BENEFADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DCNTRY

Attribute	Description
Name	DCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

RESSTATUS

Attribute	**Description**
Name	RESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,R

TOP

CUSTPREFIX1

Attribute	**Description**
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CUSTPREFIX2

Attribute	**Description**
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

MOBNUM

Attribute	**Description**
Name	MOBNUM
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CUST_COMM_MODE

Attribute	Description	
Name	CUST_COMM_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,M

TOP

LANG

Attribute	Description	
Name	LANG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

GUARDIAN

Attribute	Description	
Name	GUARDIAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SBMTAGEPROOF

Attribute	Description	
Name	SBMTAGEPROOF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / P,N,V

TOP

MINOR

Attribute	**Description**
Name	MINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

KYCSTAT

Attribute	**Description**
Name	KYCSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,V,F

TOP

SSTAFF

Attribute	**Description**
Name	SSTAFF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

KYC_REFNO

Attribute	**Description**
Name	KYC_REFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DADD1

Attribute	Description
Name	DADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SAME_PERM_ADDR

Attribute	Description
Name	SAME_PERM_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

TITLE

Attribute	Description
Name	TITLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ADDRS4

Attribute	Description
Name	ADDRS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD4

Attribute	Description
Name	DADD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PLACEOFBIRTH

Attribute	Description
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

BIRTHCOUNTRY

Attribute	Description
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	9

TOP

EDUSTAT

Attribute	Description	
Name	EDUSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	U,N,G,P

TOP

MARITALSTAT

Attribute	Description	
Name	MARITALSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,D,R,S,P,E

TOP

SPNAME

Attribute	Description	
Name	SPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SPEMPSTATUS

Attribute	Description	
Name	SPEMPSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description
Name	DEPCHILD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DEPOTH

Attribute	Description
Name	DEPOTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOMODATE

Attribute	Description
Name	ACCOMODATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description
Name	MOTHERMAIDN_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custprof

Attribute	Description
Name	Custprof
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

EMPSTAT

Attribute	Description	
Name	EMPSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description	
Name	EMPTENURE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RETIREAGE

Attribute	Description	
Name	RETIREAGE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREVEMP

Attribute	**Description**
Name	PREVEMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CURRDESIG

Attribute	**Description**
Name	CURRDESIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CURREMP

Attribute	**Description**
Name	CURREMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD1

Attribute	**Description**
Name	ADD1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description	
Name	ADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD3

Attribute	Description	
Name	ADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMTCCY1

Attribute	Description	
Name	AMTCCY1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	3

TOP

TELEX

Attribute	Description	
Name	TELEX	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

FAX

Attribute	Description	
Name	FAX	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

EMAIL

Attribute	Description	
Name	EMAIL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

SALARY

Attribute	Description	
Name	SALARY	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

OTHER1

Attribute	Description
Name	OTHER1
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

HOUSEVAL

Attribute	Description

Name	HOUSEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRCARD

Attribute	Description
Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CNTY

Attribute	Description
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EMPLOYER_DESC

Attribute	Description
Name	EMPLOYER_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custcorp

Attribute	Description
Name	Custcorp
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPNAME

Attribute	Description
Name	CORPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD1

Attribute	Description
Name	REGADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD2

Attribute	Description
Name	REGADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD3

Attribute	Description
Name	REGADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

R_PIN_CODE

Attribute	Description

Name	R_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

AMTCCY

Attribute	**Description**
Name	AMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INCORPDT

Attribute	**Description**
Name	INCORPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITAL

Attribute	**Description**
Name	CAPITAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTH

Attribute	**Description**
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPDESC

Attribute	Description
Name	CORPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

INCORPCNTRY

Attribute	Description
Name	INCORPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

REGCNTRY

Attribute	Description
Name	REGCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

REGADD4

Attribute	Description

Name	REGADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JOINTVENTURE

Attribute	**Description**
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CADDR1

Attribute	**Description**
Name	CADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR3

Attribute	**Description**
Name	CADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR2

Attribute	**Description**
Name	CADDR2
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CADDR4

Attribute	**Description**
Name	CADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CPINCODE

Attribute	**Description**
Name	CPINCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

CNTRY

Attribute	**Description**
Name	CNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LANGUAGE

Attribute	**Description**
Name	LANGUAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

KYC_DETAILS

Attribute	**Description**
Name	KYC_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,V,F

TOP

KYCREFNO

Attribute	**Description**
Name	KYCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CNAME

Attribute	**Description**
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

UIDVALUE

Attribute	Description
Name	UIDVALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TELEPHONE

Attribute	Description
Name	TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MOBILENUMBER

Attribute	Description
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTCOMMMODE

Attribute	Description
Name	CUSTCOMMMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,M

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TELISDNOCRP

Attribute	Description
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

DIRNAME

Attribute	Description	
Name	DIRNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR3

Attribute	Description	
Name	NADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

TAXID

Attribute	Description
Name	TAXID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

MOBNO

Attribute	Description
Name	MOBNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

EMAILID

Attribute	Description
Name	EMAILID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TELISDNOCRPDIR

Attribute	Description
Name	TELISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNOCRPDIR

Attribute	Description
Name	MOBISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description
Name	ADDRCOUNTRYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

NATIONLTYCRPDIR

Attribute	Description
Name	NATIONLTYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

USRESSTATUSCRPDIR

Attribute	Description
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PCTHOLDING

Attribute	Description
Name	PCTHOLDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Issuerlmts

Attribute	Description
Name	Issuerlmts
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CLTRLTYP

Attribute	Description
Name	CLTRLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LMTCCY

Attribute	Description
Name	LMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DOCREF

Attribute	Description
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

DATEREQ

Attribute	Description
Name	DATEREQ
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPECTDDATE

Attribute	Description
Name	EXPECTDDATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REMARK1

Attribute	**Description**
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	**Description**
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	**Description**
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	**Description**
Name	REMARK4
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK5

Attribute	Description	
Name	REMARK5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK6

Attribute	Description	
Name	REMARK6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK7

Attribute	Description	
Name	REMARK7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK8

Attribute	Description	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Custgrp

Attribute	**Description**
Name	Custgrp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

GRPNO

Attribute	**Description**
Name	GRPNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RELATION

Attribute	Description
Name	RELATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custshhold

Attribute	Description
Name	Custshhold
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDPCT

Attribute	**Description**
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Clsccyrest

Attribute	**Description**
Name	Clsccyrest
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	**Description**
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Bic

Attribute	Description
Name	Bic
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BICCD

Attribute	Description

Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

Linkedac

Attribute	**Description**
Name	Linkedac
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

VRFD

Attribute	**Description**
Name	VRFD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LINKEDACCNO

Attribute	**Description**
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

LINKEDACCIBAN

Attribute	**Description**
Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	20

TOP

LINKEDACCBIC

Attribute	Description
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

Jointventure

Attribute	Description
Name	Jointventure
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

PARTY_ID

Attribute	Description
Name	PARTY_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

PARTY_RATIO

Attribute	Description
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

PARTYNAME

Attribute	Description

Name	PARTYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Cust-Liab

Attribute	**Description**
Name	Cust-Liab
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITY_NUMBER

Attribute	**Description**
Name	LIABILITY_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LIABILTY_NAME

Attribute	**Description**
Name	LIABILTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LIAB_BRANCH

Attribute	**Description**
Name	LIAB_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	3

TOP

LIAB_CCY

Attribute	Description
Name	LIAB_CCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REVISION_DATE

Attribute	Description
Name	REVISION_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CATEGORY

Attribute	Description
Name	CATEGORY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

UNADV

Attribute	Description
Name	UNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

NETTING_REQUIRED

Attribute	Description
Name	NETTING_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

OVERALL_SCORE

Attribute	Description
Name	OVERALL_SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK_LIMIT

Attribute	Description
Name	FX_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_CLEAN_RISK_LIMIT

Attribute	Description
Name	SEC_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_PSTL_RISK_LIMIT

Attribute	Description
Name	SEC_PSTL_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAIN_LIAB_NO

Attribute	Description
Name	MAIN_LIAB_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UTIL_AMOUNT

Attribute	Description
Name	UTIL_AMOUNT
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CRRATING

Attribute	Description
Name	CRRATING
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

Liab-Score

Attribute	Description
Name	Liab-Score
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

SCORE

Attribute	Description
Name	SCORE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

SCORE_NAME

Attribute	Description
Name	SCORE_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

SCORE_DESC

Attribute	Description

Name	SCORE_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 250

TOP

Liab-Rating

Attribute	**Description**
Name	Liab-Rating
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PRIMARY

Attribute	**Description**
Name	PRIMARY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

AGENCY_NAME

Attribute	**Description**
Name	AGENCY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CREDIT_RATING

Attribute	**Description**
Name	CREDIT_RATING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	10

TOP

Liab-Linkage

Attribute	Description
Name	Liab-Linkage
Datatype	
Description	
Attributes	Attribute: Description maxOccurs: unbounded minOccurs: 0

TOP

EXPOSURE_NAME

Attribute	Description
Name	EXPOSURE_NAME
Datatype	String
Description	
Attributes	Attribute: Description minOccurs: 1
Restrictions	Restrictions: Description maxLength: 35

TOP

EXPOSURE_DESC

Attribute	Description
Name	EXPOSURE_DESC
Datatype	String
Description	
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 105

TOP

EXPOSURE_TYPE

Attribute	Description
Name	EXPOSURE_TYPE
Datatype	String
Description	
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 50

TOP

Liab-Udf

Attribute	Description
Name	Liab-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

Custsegment

Attribute	Description
Name	Custsegment
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUSTSEGCD

Attribute	Description	
Name	CUSTSEGCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

CUSTSEGSTATUS

Attribute	Description	
Name	CUSTSEGSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

NETWORTH

Attribute	Description	
Name	NETWORTH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NETWORTHCCY

Attribute	Description	
Name	NETWORTHCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

Mfi1

Attribute	Description
Name	Mfi1
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE_NUMBER

Attribute	Description
Name	INSURANCE_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MFI_CUST_TYPE

Attribute	Description
Name	MFI_CUST_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / G,C,I

TOP

POVERTY_STATUS

Attribute	Description
Name	POVERTY_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

LITERACY_OF_CLIENT

Attribute	Description
Name	LITERACY_OF_CLIENT

ORACLE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

BUSINESS_ACTIVITY

Attribute	**Description**
Name	BUSINESS_ACTIVITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

BLACKLISTED

Attribute	**Description**
Name	BLACKLISTED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BLACKLIST_COUNT

Attribute	**Description**
Name	BLACKLIST_COUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

PHYSICALLY_CHALLENGED

Attribute	**Description**
Name	PHYSICALLY_CHALLENGED
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCOUNT_OFFICER

Attribute	**Description**
Name	ACCOUNT_OFFICER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

Training

Attribute	**Description**
Name	Training
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TRAINING_CODE

Attribute	**Description**
Name	TRAINING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRAINING_DATE

Attribute	**Description**
Name	TRAINING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CIF

Attribute	Description
Name	CIF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Chklist

Attribute	Description
Name	Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHKLIST_ITEM

Attribute	Description
Name	CHKLIST_ITEM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VERIFIED

Attribute	Description
Name	VERIFIED

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Mf-Cifdet

Attribute	Description
Name	Mf-Cifdet
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

GROUP_CODE

Attribute	Description
Name	GROUP_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MEETING_CODE

Attribute	Description
Name	MEETING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	35

TOP

Id-Master

Attribute	Description	
Name	Id-Master	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Id-Det-Main

Attribute	Description	
Name	Id-Det-Main	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

SNO

Attribute	Description

Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	**Description**
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Iddetail

Attribute	**Description**
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SNO

Attribute	**Description**
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SERIES

Attribute	Description
Name	SERIES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

DOC_ID

Attribute	Description
Name	DOC_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DATE_OF_ISSUE

Attribute	Description
Name	DATE_OF_ISSUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DATE_OF_EXPIRY

Attribute	Description
Name	DATE_OF_EXPIRY
Datatype	Date

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	Description
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CUST

Attribute	**Description**
Name	CUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BRNCD

Attribute	**Description**
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKTOGRP

Attribute	**Description**
Name	LINKTOGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Custchnglog

Attribute	**Description**
Name	Custchnglog
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

MISCLS

Attribute	Description	
Name	MISCLS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNDT

Attribute	Description	
Name	TXNDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

TOP

OLDMISCD

Attribute	Description	
Name	OLDMISCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

NWMISCD

Attribute	Description	
Name	NWMISCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

Baltrnsfrlog

Attribute	Description
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	Description
Name	TXNDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

GLCODE

Attribute	Description
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TRNIND

Attribute	**Description**
Name	TRNIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMT

Attribute	**Description**
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

XRATE

Attribute	**Description**
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Customermis

Attribute	**Description**
Name	Customermis

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Compositemis

Attribute	Description
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Custloghead

Attribute	Description
Name	Custloghead
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates Customer Joint.

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTPREFIX

Attribute	Description	
Name	CUSTPREFIX	
Datatype	String	
Description	Indicates the Customer Prefix.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

FRSTNAME

Attribute	Description	
Name	FRSTNAME	
Datatype	String	
Description	Indicates the First Name.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

MIDNAME

Attribute	Description	
Name	MIDNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

LASTNAME

Attribute	Description	
Name	LASTNAME	
Datatype	String	
Description	Indicates the Last Name.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEX

Attribute	Description
Name	SEX
Datatype	String
Description	Indicates the Sex. The value can be either M or F.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F

TOP

PPNO

Attribute	Description
Name	PPNO
Datatype	String
Description	Indicates Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

ADD1

Attribute	Description	
Name	ADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description	
Name	ADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD3

Attribute	Description	
Name	ADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

DECEASED

Attribute	Description
Name	DECEASED
Datatype	String
Description	Indicates whether Deceased or not. The value should be either D or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resistant Status. The value could be either R or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

UNTVAL

Attribute	Description
Name	UNTVAL
Datatype	String
Description	Indicates Unit Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INSTR

Attribute	Description
Name	INSTR
Datatype	String
Description	Indicates Instructions
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

INSTRTYPE

Attribute	Description
Name	INSTRTYPE
Datatype	String
Description	Indicates Instruction Type
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXEDAYS

Attribute	Description
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution Days
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEMONTHS

Attribute	Description
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution Years
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. Flag Can be either Y or N.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OPRTR

Attribute	Description
Name	OPRTR

Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates Special Instructions.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage

Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER

Attribute	**Description**
Name	CUSTOMER
Datatype	String
Description	Indicates the customer
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATIONSHIP

Attribute	**Description**
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	**Description**
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	**Description**
Name	DESCP
Datatype	String
Description	Indicates description

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Custacdetail

Attribute	Description
Name	Custacdetail
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 1
Restrictions	**Restrictions** / **Description**
	maxLength / 9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicates sequence number
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TDESC

Attribute	Description
Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

Sttms-Debit

Attribute	Description
Name	Sttms-Debit
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

ACTNO

Attribute	Description
Name	ACTNO
Datatype	String
Description	Account Number
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

Sttms-Detail

Attribute	Description
Name	Sttms-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String

Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NAME_ON_CARD

Attribute	**Description**
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

OWNER_ID_NO

Attribute	**Description**
Name	OWNER_ID_NO
Datatype	String
Description	Owner Id number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

CARD_ISSUED_DT

Attribute	Description	
Name	CARD_ISSUED_DT	
Datatype	Date	
Description	Card Issued Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

CARD_EXPIRY_DT

Attribute	Description	
Name	CARD_EXPIRY_DT	
Datatype	Date	
Description	Card Expiry Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

CARD_STATUS

Attribute	Description	
Name	CARD_STATUS	
Datatype	String	
Description	Card Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

RECORD_STAT

Attribute	Description	
Name	RECORD_STAT	
Datatype	String	
Description	Record Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

AUTH_STAT

Attribute	Description
Name	AUTH_STAT

Datatype	String
Description	Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_BIN

Attribute	**Description**
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Extsys-Ws-Master

Attribute	**Description**
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	**Description**
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

Cust-Account

Attribute	Description
Name	Cust-Account
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

ACC

Attribute	Description
Name	ACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AC_DESC

Attribute	**Description**
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTNAME

Attribute	**Description**
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT_CLASS

Attribute	Description	
Name	ACCOUNT_CLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

AC_OPEN_DATE

Attribute	Description	
Name	AC_OPEN_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ALT_ACC_NO

Attribute	Description	
Name	ALT_ACC_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHQBOOK

Attribute	Description	
Name	CHQBOOK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

OPMODE

Attribute	Description
Name	OPMODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	**Description**
Name	COUNTRY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	**Description**
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	**Description**
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	**Description**
Name	ACCOUNT_TYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	**Description**
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	**Description**
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GL_ACCC

Attribute	**Description**
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

OFFSET_BRN

Attribute	**Description**
Name	OFFSET_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CODATMBRN

Attribute	Description
Name	CODATMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

REPL_CUST_SIG

Attribute	Description
Name	REPL_CUST_SIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SALARY_ACCOUNT

Attribute	Description
Name	SALARY_ACCOUNT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SDREFNO

Attribute	**Description**
Name	SDREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

SPDANLSYS

Attribute	**Description**
Name	SPDANLSYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TYOFCHQ

Attribute	**Description**
Name	TYOFCHQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,C

TOP

Account-Generation

Attribute	**Description**
Name	Account-Generation
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Jointholders-Main

Attribute	Description	
Name	Jointholders-Main	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Jointholders

Attribute	Description	
Name	Jointholders	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

BRANCH_CODE

Attribute	Description	
Name	BRANCH_CODE	
Datatype	String	
Description	Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_AC_NO

Attribute	Description	
Name	CUST_AC_NO	
Datatype	String	
Description	Account No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME1

Attribute	**Description**
Name	CUSTNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JNTHLDTYP

Attribute	**Description**
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	**Description**
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

END_DATE

Attribute	**Description**
Name	END_DATE
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Acc-Nominees

Attribute	Description	
Name	Acc-Nominees	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RELSHIP

Attribute	Description	
Name	RELSHIP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 105

TOP

NOMINEE_ID

Attribute	Description
Name	NOMINEE_ID
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String

Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOMMINOR

Attribute	**Description**
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GUARDNAM

Attribute	**Description**
Name	GUARDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GUARDRELNSHP

Attribute	**Description**
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR1

Attribute	**Description**
Name	GADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR2

Attribute	Description	
Name	GADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR3

Attribute	Description	
Name	GADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR4

Attribute	Description	
Name	GADDR4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NAM

Attribute	Description	
Name	NAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MANDATORY

Attribute	**Description**
Name	MANDATORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

Doctype-Remarks1

Attribute	**Description**
Name	Doctype-Remarks1
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Cust-Acc-Check

Attribute	**Description**
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FIRST_CHECK_NO

Attribute	Description
Name	FIRST_CHECK_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHECK_LEAVES

Attribute	Description
Name	CHECK_LEAVES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQUE_BOOK_TYPE

Attribute	Description
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

ORDER_DATE

Attribute	Description
Name	ORDER_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ORDER_DETAILS

Attribute	Description
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REQUEST_STATUS

Attribute	Description
Name	REQUEST_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Requested

TOP

CHQ_TYPE

Attribute	Description
Name	CHQ_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	EURO,COMM

TOP

Cust-Acc-Card

Attribute	Description
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

CARD_PRODUCT

Attribute	Description
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 11

TOP

NAME_ON_CARD

Attribute	Description
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CARD_NO

Attribute	Description
Name	CARD_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CARD_APPL_DATE

Attribute	**Description**
Name	CARD_APPL_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_STATUS

Attribute	**Description**
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Udfdetails

Attribute	**Description**
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCID

Attribute	Description
Name	FUNCID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

RECKEY

Attribute	Description
Name	RECKEY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 700

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

Custacc

Attribute	Description
Name	Custacc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

COMPMIS9

Attribute	Description	
Name	COMPMIS9	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

COMPMIS10

Attribute	Description	
Name	COMPMIS10	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,4,5,6,7,8,9,

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

COMPMIS1

ORACLE

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	**Description**
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	**Description**
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	**Description**
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7

Attribute	**Description**
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	**Description**
Name	LINKGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Misaccchangelog

Attribute	**Description**
Name	Misaccchangelog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	**Description**
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

OLDMISCD

Attribute	**Description**

Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Misbaltransferlog

Attribute	**Description**
Name	Misbaltransferlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRDCD

Attribute	**Description**
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

FINYR

Attribute	Description	
Name	FINYR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

GLCODE

Attribute	Description	
Name	GLCODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TRNIND

Attribute	Description	
Name	TRNIND	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

MISCLS

Attribute	Description	
Name	MISCLS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Chglog

Attribute	Description
Name	Chglog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Tsfrlog

Attribute	Description
Name	Tsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Classname

Attribute	Description
Name	Classname
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

B1

Attribute	Description
Name	B1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C1

Attribute	Description	
Name	C1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C2

Attribute	Description	
Name	C2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C3

Attribute	Description	
Name	C3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C4

Attribute	Description	
Name	C4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1000

TOP

C5

Attribute	Description	
Name	C5	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C6

Attribute	Description	
Name	C6	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C7

Attribute	Description	
Name	C7	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C8

Attribute	Description	
Name	C8	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C9

Attribute	Description
Name	C9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C10

Attribute	Description
Name	C10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T1

Attribute	Description
Name	T1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T2

Attribute	Description
Name	T2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T3

Attribute	Description
Name	T3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T4

Attribute	Description
Name	T4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T5

Attribute	Description
Name	T5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T6

Attribute	Description
Name	T6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T7

Attribute	Description
Name	T7

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T8

Attribute	Description
Name	T8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T9

Attribute	Description
Name	T9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T10

Attribute	Description
Name	T10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER_NAME1

Attribute	Description	
Name	CUSTOMER_NAME1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NSFIB_CS_EVENT_NO

Attribute	Description	
Name	NSFIB_CS_EVENT_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NSFIB_CS_LVL

Attribute	Description	
Name	NSFIB_CS_LVL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

NSFIB_CS_LVL_EFFDT

Attribute	Description
Name	NSFIB_CS_LVL_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_LVL_EXPDT

Attribute	Description
Name	NSFIB_CS_LVL_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_BLK_STAT

Attribute	Description
Name	NSFIB_CS_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_STAT

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_WBRCK_EFFDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_EXPDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_STAT

Attribute	Description
Name	NSFIB_IB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_IB_BLK_EFFDT

Attribute	Description
Name	NSFIB_IB_BLK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_EXPDT

Attribute	Description
Name	NSFIB_IB_BLK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_DESC

Attribute	Description
Name	NSFIB_IB_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_BLK_STAT

Attribute	Description
Name	NSFIB_CB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NSFIB_CB_DESC

Attribute	Description
Name	NSFIB_CB_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_EFFDT

Attribute	Description
Name	NSFIB_CB_EFFDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NSFIB_CB_EXPDT

Attribute	Description
Name	NSFIB_CB_EXPDT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

NSFIB_CS_BLK_DESC

Attribute	Description
Name	NSFIB_CS_BLK_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NSFIB_CS_WBRCK_STAT_DESC

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

Cust

Attribute	Description
Name	Cust
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cust-Ck-Det

Attribute	Description
Name	Cust-Ck-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_PROCESS_ORDER

Attribute	Description
Name	CHQ_PROCESS_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LVL_COMP_EXPDT

Attribute	Description

Name	LVL_COMP_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CG_REF_NO

Attribute	**Description**
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ACCOUNT_NO

Attribute	**Description**
Name	ACCOUNT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

CHQ_NO

Attribute	Description	
Name	CHQ_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

TOP

EVENT_NO

Attribute	Description	
Name	EVENT_NO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

NSF_LVL

Attribute	Description	
Name	NSF_LVL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8

TOP

LVL_EFFDT

Attribute	Description	
Name	LVL_EFFDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

LVL_EXPDT

Attribute	Description
Name	LVL_EXPDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_VALUEDT

Attribute	Description
Name	CHQ_VALUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID

Datatype	String
Description	Function
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

Doc-Upload

Attribute	**Description**
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	**Description**
Name	DCREFNO
Datatype	String
Description	Document Reference
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	**Description**
Name	DOC_CATEGORY
Datatype	String
Description	Document Category
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	**Description**
Name	DOC_TYPE
Datatype	String
Description	Document Type
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REMARKS

Attribute	**Description**
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Ui-Columns

Attribute	**Description**
Name	Ui-Columns
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

2.2.2.ST-ReopenCustomer-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-IO*
    - *CUSTNO*
    - *MAKER*
    - *MAKERSTAMP*
    - *MODNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Customer-IO

Attribute	Description
Name	Customer-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MAKER

Attribute	Description
Name	MAKER

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

2.2.3.ST-ReopenCustomer-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-Full*
    - *PRIVATE_CUSTOMER*
    - *CUSTNO*
    - *CTYPE*
    - *NAME*
    - *ADDRLN1*
    - *ADDRLN3*
    - *ADDRLN2*
    - *ADDRLN4*
    - *COUNTRY*
    - *SNAME*
    - *NLTY*
    - *LBRN*
    - *CCATEG*
    - *FULLNAME*
    - *CIFCREATIONDT*
    - *ISELCMCUST*
    - *ELCMCUSTNO*
    - *AR_AP_TRACKING*

EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
CREATEACC
CREATEDACCOUNT
TRACK_LIMITS
LIABID
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM
SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR

UTLTYPRVDRID
RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
LC_COLLAT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
UDF1
UDF2
UDF3
UDF4
UDF5
RM_ID
NETTREQD
LIABUNADV
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
MFI_CUSTOMER
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Custpersonal

FSTNAME
MIDNAME
LSTNAME
DOB
GENDR
NATIONID
PPTNO
PPTISSDT
PPTEXPDT
DADD2
DADD3
DPIN_CODE
TELEPHNO
FAXNUMBER
EMAILID
BENEFADDR1
ADDRS3
BENEFADDR2
DCNTRY
PCNTRY
RESSTATUS
CUSTPREFIX1
CUSTPREFIX2
MOBNUM
CUST_COMM_MODE
LANG
GUARDIAN
SBMTAGEPROOF
MINOR
KYCSTAT
SSTAFF
KYC_REFNO
SAME_CORR_ADDR
DADD1
SAME_PERM_ADDR
TITLE
ADDRS4
DADD4
PLACEOFBIRTH
BIRTHCOUNTRY
TELISDNOPERSONAL
MOBISDNO
FAXISDNO
USRESSTATUS

PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY
PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV
HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
- *CUSTNO*
- *EDUSTAT*
- *MARITALSTAT*
- *SPNAME*
- *SPEMPSTATUS*
- *DEPCHILD*
- *DEPOTH*
- *ACCOMODATE*
- *MOTHERMAIDN_NAME*

Custprof
- *CUSTNO*
- *EMPSTAT*
- *EMPTENURE*
- *RETIREAGE*
- *PREVDESIG*
- *PREVEMP*
- *CURRDESIG*
- *CURREMP*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *AMTCCY1*
- *TELEX*
- *FAX*
- *EMAIL*
- *SALARY*
- *OTHER1*
- *RENT*
- *INSURANCE*

LOANPMNT

OTHEXP

HOUSEVAL

CRCARD

CNTY

EMPLOYER_DESC

Custcorp

CORPNAME

REGADD1

REGADD2

REGADD3

R_PIN_CODE

AMTCCY

INCORPDT

CAPITAL

NETWORTH

CORPDESC

INCORPCNTRY

REGCNTRY

SAME_CORR_ADDR

REGADD4

JOINTVENTURE

CADDR1

CADDR3

CADDR2

CADDR4

CPINCODE

CNTRY

LANGUAGE

KYC_DETAILS

KYCREFNO

CNAME

UIDNAME

UIDVALUE

TELEPHONE

FAX

EMAILID

MOBILENUMBER

CUSTCOMMMODE

NATIONID

TELISDNOCRP

MOBISDNOCRP

FAXISDNOCRP

PREF_CNTACT_DATE

- *PREF_CNTACT_TIME*
- *OWNERSHPTYPE*
- *Custcorpdir*
  - *DIRNAME*
  - *NADDR1*
  - *NADDR2*
  - *NADDR3*
  - *NADDR4*
  - *ADDRESS1*
  - *ADDRESS2*
  - *ADDRESS3*
  - *COUNTRY*
  - *TEL*
  - *TAXID*
  - *MOBNO*
  - *EMAILID*
  - *TELISDNOCRPDIR*
  - *MOBISDNOCRPDIR*
  - *ADDRCOUNTRYCRPDIR*
  - *NATIONLTYCRPDIR*
  - *USRESSTATUSCRPDIR*
  - *PCTHOLDING*
  - *HOMETELNO*
  - *HOMETELISD*
  - *PPIN_CODE*
  - *PIN_CODE*
- *Issuerdet*
  - *CUSTNO*
  - *OVERLMTCCY*
  - *OVERLIMIT*
  - *Issuerlmts*
    - *CLTRLTYP*
    - *LMTCCY*
    - *LMTAMT*

Custdoc-Chklist

- *CUSTOMER_NO*
- *DOCCATEGORY*
- *DOCUMENTNAME*
- *DOCUMENT_TYPE*
- *CHECKED*
- *DOCREF*
- *DATEREQ*
- *EXPECTDDATE*
- *ACTUALDATE*

- *EXPDATE*
- *REMARKSCHKLIST*

Doctype-Remarks

- *CUSTOMER_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *CUSTNO*
- *RELATION*

Custshhold

- *CUSTNO*
- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CUSTNO*
- *CCY*
- *DESC*

Bic

- *ACC*
- *CUSTNO*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Cust-Liab

- *LIABILITY_NUMBER*
- *LIABILTY_NAME*
- *LIAB_BRANCH*
- *LIAB_CCY*

- *OVERLIMIT*
- *REVISION_DATE*
- *CATEGORY*
- *USER_DEFINED_STATUS*
- *UNADV*
- *NETTING_REQUIRED*
- *OVERALL_SCORE*
- *FX_CLEAN_RISK_LIMIT*
- *SEC_CLEAN_RISK_LIMIT*
- *SEC_PSTL_RISK_LIMIT*
- *REMARKS*
- *MAIN_LIAB_NO*
- *UTIL_AMOUNT*
- *CRRATING*
- *Liab-Score*
  - *SCORE*
  - *SCORE_NAME*
  - *SCORE_DESC*
- *Liab-Rating*
  - *PRIMARY*
  - *AGENCY_NAME*
  - *CREDIT_RATING*
- *Liab-Linkage*
  - *EXPOSURE_NAME*
  - *EXPOSURE_DESC*
  - *EXPOSURE_TYPE*
- *Liab-Udf*
  - *FLDNAM*
  - *FLDVAL*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*

Mfi1

- *INSURANCE_NUMBER*
- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*
- *BLACKLISTED*
- *BLACKLIST_COUNT*
- *PHYSICALLY_CHALLENGED*

ACCOUNT_OFFICER

Training

TRAINING_CODE

TRAINING_DATE

CIF

Chklist

KEY_ID

CHKLIST_ITEM

VERIFIED

Mf-Cifdet

CUSTOMER_NO

GROUP_CODE

MEETING_CODE

Id-Master

CUSTOMER_NO

Id-Det-Main

CUSTOMER_NO

SNO

DOCUMENT_TYPE

Iddetail

CUSTOMER_NO

SNO

DOCUMENT_TYPE

SERIES

DOC_ID

DATE_OF_ISSUE

DATE_OF_EXPIRY

ISSUING_AUTHORITY

PLACE_OF_ISSUE

NAME

Custmis

MISGRP

CUST

BRNCD

LINKTOGRP

Custchnglog

MISCLS

TXNDT

OLDMISCD

NWMISCD

Baltrnsfrlog

BRN

PRDCD

FINYR

- *TXNDT*
- *GLCODE*
- *MISCLS*
- *OLDMISCD*
- *NWMISCD*
- *TRNIND*
- *CCY*
- *AMT*
- *XRATE*

Customermis

- *MISCLS*
- *MISCD*

Compositemis

- *MISCLS*
- *MISCD*

Custloghead

Jointcustomer

CUSTNO

Custjoint

- *CUSTPREFIX*
- *FRSTNAME*
- *MIDNAME*
- *LASTNAME*
- *DOB*
- *SEX*
- *PPNO*
- *PPTISSDT*
- *PPTEXPDT*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *EMAIL*
- *SSN*
- *DECEASED*
- *RESISTAT*

Cust-Acc-Det

CUSTNO

Diary-Mst

- *INSTRNO*
- *UNTTYP*
- *UNTVAL*
- *BRN*
- *INSTR*

INSTRTYPE
EXEDAYS
EXEMONTHS
EXEYEARS
MNTHENDFLG
HLDRULE
FRSTDUEDT
NXTDUEDT
NXTEXEDT
CONDELEM
OPRTR
CONDVAL
ACCOFCR
SPLINSTRTYP
EXPDT
SPLINSTR
Custaccdet
CUSTNO
BRNCD
Relationship-Linkage
CUSTOMER
RELATIONSHIP
INHERIT
DESCP
Custacdetail
CUSTNO
CUSTTEXT
SEQNO
CUSTNO
TDESC
UDFDETAILS
FLDNAM
FLDVAL
Sttms-Debit
BRANCH_CODE
CUST_NO
ACTNO
Sttms-Detail
BRANCH_CODE
REQUEST_REFERENCE_NO
CARDNO
CUST_NO
CARD_PRODUCT
PRIMARY_CARD

NAME_ON_CARD
OWNER_ID_NO
CARD_ISSUED_DT
CARD_EXPIRY_DT
CARD_STATUS
RECORD_STAT
AUTH_STAT
CARD_BIN
CUST_AC_NO

Extsys-Ws-Master

Extsys-Ws-Details

EXTWSRESP
USERREMARKS

Cust-Account

BRN
ACC
AC_DESC
CUSTNAME
CUST_NO
CCY
ACCOUNT_CLASS
AC_OPEN_DATE
ALT_ACC_NO
CHQBOOK
ATM
PASSBOOK
ATMACC
ATMDLIM
ATMDCNTLIM
CHKNAME1
CHKNAME2
AUTOREORDERCHKREQ
AUTOREORDERCHKLVL
AUTOREORDERCHKLVS
DORMPRM
LOCATION
MEDIA
OPMODE
COUNTRY_CODE
AUTO_CHEQUE_BOOK_REQ
AUTO_DEBIT_CARD_REQUEST
ACCOUNT_TYPE
MAX_NO_CHEQUE_REJECTIONS
ACC_OPENING_AMT

GL_ACCC
OFFSET_BRN
PAY_IN_OPTION
WAIVE_ACC_OPEN_CHARGE
CODATMBRN
REPL_CUST_SIG
SALARY_ACCOUNT
SDREFNO
SPDANLSYS
TYOFCHQ
Account-Generation
Jointholders-Main
Jointholders
- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUSTNO*
- *CUSTNAME1*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees
- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMINEE_ID*
- *CUST_AC_NO*
- *BRANCH_CODE*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist
- *BRANCH_CODE*
- *CUST_AC_NO*
- *DOCUMENT_TYPE*
- *MANDATORY*
- *CHECKED*

Doctype-Remarks1

BRANCH_CODE

CUST_AC_NO

REMARK1

REMARK2

REMARK3

REMARK4

REMARK5

REMARK6

REMARK7

REMARK8

REMARK9

REMARK10

Cust-Acc-Check

BRANCH

ACCOUNT

FIRST_CHECK_NO

CHECK_LEAVES

CHEQUE_BOOK_TYPE

ORDER_DATE

ORDER_DETAILS

LANG_CODE

REQUEST_STATUS

CHQ_TYPE

Cust-Acc-Card

BRANCH_CODE

CUST_AC_NO

CUST_NO

REQUEST_REFERENCE_NO

CARD_PRODUCT

CARD_BIN

NAME_ON_CARD

CARD_NO

CARD_APPL_DATE

PRIMARY_CARD

CARD_STATUS

Udfdetails

FUNCID

RECKEY

FLDNAM

FLDVAL

Custacc

Misdetails

TXNMIS7

COMPMIS8
TXNMIS8
COMPMIS9
TXNMIS9
COMPMIS10
TXNMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
REFRTSPRD
REFRTTYPE
REFRTCD
BRN
ACC
POOLCD
RTFLAG
REFRATE
CALCMETH
MISGRP
MISGRPTXN
MISGRPCOMP
COMPMIS1
TXNMIS1
COMPMIS2
TXNMIS2
COMPMIS3
TXNMIS3
COMPMIS4
TXNMIS4
COMPMIS5
TXNMIS5
COMPMIS6
TXNMIS6
COMPMIS7
LINKGRP
Misaccchangelog
- *MISCLS*
- *TXNDT*
- *OLDMISCD*
- *NWMISCD*

Misbaltransferlog
- *BRN*

PRDCD

FINYR

GLCODE

TRNIND

MISCLS

TXNDT

OLDMISCD

NWMISCD

CCY

AMT

XRATE

Chglog

Tsfrlog

Classname

B1

C1

C2

C3

C4

C5

C6

C7

C8

C9

C10

T1

T2

T3

T4

T5

T6

T7

T8

T9

T10

Nsf-Enq

CUSTOMER_NO

CUSTOMER_NAME1

NSFIB_CS_EVENT_NO

NSFIB_CS_LVL

NSFIB_CS_LVL_EFFDT

NSFIB_CS_LVL_EXPDT

NSFIB_CS_BLK_STAT

NSFIB_CS_LAST_TRN_DT

NSFIB_CS_WBRCK_STAT
NSFIB_CS_WBRCK_EFFDT
NSFIB_CS_WBRCK_EXPDT
NSFIB_IB_BLK_STAT
NSFIB_IB_BLK_EFFDT
NSFIB_IB_BLK_EXPDT
NSFIB_IB_BLK_DESC
NSFIB_CB_BLK_STAT
NSFIB_CB_DESC
NSFIB_CB_EFFDT
NSFIB_CB_EXPDT
NSFIB_CS_BLK_DESC
NSFIB_CS_WBRCK_STAT_DESC
Cust
CUSTNO
CNAME
Cust-Ck-Det
CHQ_AMT
CHQ_PROCESS_ORDER
LVL_COMP_EXPDT
BRANCH_CODE
CG_REF_NO
CUSTOMER_NO
ACCOUNT_NO
CHQ_NO
EVENT_NO
NSF_LVL
LVL_EFFDT
LVL_EXPDT
CHQ_DT
CHQ_VALUEDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Customer-Full

Attribute	Description

Name	Customer-Full
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description
Name	PRIVATE_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CTYPE

Attribute	Description
Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,C,B

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	Description

Name	ADDRLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRLN3

Attribute	Description
Name	ADDRLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRLN2

Attribute	Description
Name	ADDRLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRLN4

Attribute	Description
Name	ADDRLN4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SNAME

Attribute	**Description**
Name	SNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

NLTY

Attribute	**Description**
Name	NLTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LBRN

Attribute	**Description**
Name	LBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCATEG

Attribute	**Description**
Name	CCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FULLNAME

Attribute	**Description**
Name	FULLNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CIFCREATIONDT

Attribute	**Description**
Name	CIFCREATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISELCMCUST

Attribute	**Description**
Name	ISELCMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

ELCMCUSTNO

Attribute	**Description**
Name	ELCMCUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AR_AP_TRACKING

Attribute	Description
Name	AR_AP_TRACKING
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

EXPCNTRY

Attribute	Description
Name	EXPCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

UIDNAME

Attribute	Description
Name	UIDNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

UIDVAL

Attribute	Description
Name	UIDVAL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

FROZEN

Attribute	Description
Name	FROZEN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DEAD

Attribute	**Description**
Name	DEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

WHRUNKN

Attribute	**Description**
Name	WHRUNKN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CRRATE

Attribute	**Description**
Name	CRRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MEDIA

Attribute	**Description**
Name	MEDIA
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

SWIFTCD

Attribute	Description
Name	SWIFTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

LOC

Attribute	Description
Name	LOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MAILRSREQD

Attribute	Description
Name	MAILRSREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

GRPCD

Attribute	Description
Name	GRPCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

EXPCAT

Attribute	Description
Name	EXPCAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUSTCLASSFN

Attribute	Description
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CIFSTAT

Attribute	Description
Name	CIFSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CIFSTATSNC

Attribute	Description
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGGRP

Attribute	Description
Name	CHGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSTCLGGRP

Attribute	Description
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TAXGROUP

Attribute	Description
Name	TAXGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLSPARTICIPANT

Attribute	Description
Name	CLSPARTICIPANT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

FXNETTCUST

Attribute	Description
Name	FXNETTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRMCUST

Attribute	Description
Name	CRMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ISSUCUST

Attribute	Description
Name	ISSUCUST
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

TRSRYCUST

Attribute	Description
Name	TRSRYCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

RELPRICING

Attribute	Description
Name	RELPRICING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

MT920

Attribute	Description
Name	MT920
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

FLGJOINT

Attribute	Description
Name	FLGJOINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

CREATEACC

Attribute	Description	
Name	CREATEACC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

CREATEDACCOUNT

Attribute	Description	
Name	CREATEDACCOUNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

TOP

TRACK_LIMITS

Attribute	Description	
Name	TRACK_LIMITS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

LIABID

Attribute	Description	
Name	LIABID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

LMCCY

Attribute	Description
Name	LMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOACNO

Attribute	Description
Name	HOACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

RISKPRFL

Attribute	Description
Name	RISKPRFL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

DRCAT

Attribute	Description
Name	DRCAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

AMLREQD

Attribute	Description
Name	AMLREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

AMLCUSTGRP

Attribute	Description
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

CHKDIGITVALREQD

Attribute	Description
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

ALGID

Attribute	Description
Name	ALGID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

FTACCASOF

Attribute	Description
Name	FTACCASOF

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,N,D

TOP

CUSTUNADV

Attribute	**Description**
Name	CUSTUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CONSTAXCERTRQD

Attribute	**Description**
Name	CONSTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

INDTAXCERTRQD

Attribute	**Description**
Name	INDTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CLSCCYALLWD

Attribute	**Description**
Name	CLSCCYALLWD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,A

TOP

RISKCATEG

Attribute	Description
Name	RISKCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UPTYPE

Attribute	Description
Name	UPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFLBL1

Attribute	Description
Name	UDFLBL1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL2

Attribute	Description
Name	UDFLBL2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL3

Attribute	Description
Name	UDFLBL3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDF1

Attribute	Description
Name	UDF1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF2

Attribute	Description
Name	UDF2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF3

Attribute	Description
Name	UDF3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF4

Attribute	Description
Name	UDF4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF5

Attribute	Description
Name	UDF5

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

RM_ID

Attribute	**Description**
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

NETTREQD

Attribute	**Description**
Name	NETTREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABUNADV

Attribute	**Description**
Name	LIABUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AUTOGENSTMTPLAN

Attribute	**Description**
Name	AUTOGENSTMTPLAN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FREQ

Attribute	**Description**	
Name	FREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	**Description**	
Name	STMTDAY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

PIN_CODE

Attribute	**Description**	
Name	PIN_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MFI_CUSTOMER

Attribute	**Description**	
Name	MFI_CUSTOMER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INVESTCUST

Attribute	**Description**
Name	INVESTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ALLOWVRTLACCNTS

Attribute	**Description**
Name	ALLOWVRTLACCNTS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

VRTLCUSTOMERID

Attribute	**Description**
Name	VRTLCUSTOMERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	**Description**
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Custpersonal

Attribute	**Description**
Name	Custpersonal
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FSTNAME

Attribute	**Description**
Name	FSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MIDNAME

Attribute	**Description**
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LSTNAME

Attribute	**Description**
Name	LSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DOB

Attribute	**Description**
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GENDR

Attribute	**Description**
Name	GENDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,F,O,P

TOP

NATIONID

Attribute	**Description**
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PPTNO

Attribute	Description
Name	PPTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DADD2

Attribute	Description
Name	DADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DADD3

Attribute	Description
Name	DADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

DPIN_CODE

Attribute	Description	
Name	DPIN_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

TELEPHNO

Attribute	Description	
Name	TELEPHNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

FAXNUMBER

Attribute	Description	
Name	FAXNUMBER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

EMAILID

Attribute	Description	
Name	EMAILID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

BENEFADDR1

Attribute	Description	
Name	BENEFADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRS3

Attribute	Description	
Name	ADDRS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEFADDR2

Attribute	Description	
Name	BENEFADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DCNTRY

Attribute	Description	
Name	DCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

RESSTATUS

Attribute	Description
Name	RESSTATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,R

TOP

CUSTPREFIX1

Attribute	Description
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

CUSTPREFIX2

Attribute	Description
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

MOBNUM

Attribute	Description
Name	MOBNUM

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_COMM_MODE

Attribute	**Description**
Name	CUST_COMM_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,M

TOP

LANG

Attribute	**Description**
Name	LANG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

GUARDIAN

Attribute	**Description**
Name	GUARDIAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SBMTAGEPROOF

Attribute	**Description**
Name	SBMTAGEPROOF
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,N,V

TOP

MINOR

Attribute	Description
Name	MINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

KYCSTAT

Attribute	Description
Name	KYCSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,V,F

TOP

SSTAFF

Attribute	Description
Name	SSTAFF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

KYC_REFNO

Attribute	Description
Name	KYC_REFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

DADD1

Attribute	Description	
Name	DADD1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

SAME_PERM_ADDR

Attribute	Description	
Name	SAME_PERM_ADDR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

TITLE

Attribute	Description	
Name	TITLE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	30

TOP

ADDRS4

Attribute	Description	
Name	ADDRS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DADD4

Attribute	Description	
Name	DADD4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PLACEOFBIRTH

Attribute	Description	
Name	PLACEOFBIRTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

BIRTHCOUNTRY

Attribute	Description	
Name	BIRTHCOUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

EDUSTAT

Attribute	Description
Name	EDUSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / U,N,G,P

TOP

MARITALSTAT

Attribute	Description
Name	MARITALSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,D,R,S,P,E

TOP

SPNAME

Attribute	Description
Name	SPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SPEMPSTATUS

Attribute	Description
Name	SPEMPSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description	
Name	DEPCHILD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DEPOTH

Attribute	Description	
Name	DEPOTH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCOMODATE

Attribute	Description	
Name	ACCOMODATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description	
Name	MOTHERMAIDN_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Custprof

Attribute	Description
Name	Custprof

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

EMPSTAT

Attribute	Description
Name	EMPSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description
Name	EMPTENURE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETIREAGE

Attribute	Description
Name	RETIREAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PREVEMP

Attribute	Description
Name	PREVEMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURRDESIG

Attribute	Description
Name	CURRDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURREMP

Attribute	Description
Name	CURREMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADD1

Attribute	Description
Name	ADD1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMTCCY1

Attribute	Description
Name	AMTCCY1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TELEX

Attribute	**Description**
Name	TELEX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FAX

Attribute	**Description**
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAIL

Attribute	**Description**
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

SALARY

Attribute	**Description**
Name	SALARY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OTHER1

Attribute	Description	
Name	OTHER1	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENT

Attribute	Description	
Name	RENT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

INSURANCE

Attribute	Description	
Name	INSURANCE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LOANPMNT

Attribute	Description	
Name	LOANPMNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OTHEXP

Attribute	Description	
Name	OTHEXP	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

HOUSEVAL

Attribute	Description
Name	HOUSEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CRCARD

Attribute	Description
Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CNTY

Attribute	Description
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EMPLOYER_DESC

Attribute	Description
Name	EMPLOYER_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Custcorp

Attribute	Description
Name	Custcorp
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CORPNAME

Attribute	Description	
Name	CORPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD1

Attribute	Description	
Name	REGADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD2

Attribute	Description	
Name	REGADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD3

Attribute	Description	
Name	REGADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

R_PIN_CODE

Attribute	Description
Name	R_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

AMTCCY

Attribute	Description
Name	AMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INCORPDT

Attribute	Description
Name	INCORPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITAL

Attribute	Description
Name	CAPITAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CORPDESC

Attribute	Description	
Name	CORPDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

INCORPCNTRY

Attribute	Description	
Name	INCORPCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

REGCNTRY

Attribute	Description	
Name	REGCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

REGADD4

Attribute	Description
Name	REGADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JOINTVENTURE

Attribute	Description
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CADDR1

Attribute	Description
Name	CADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR3

Attribute	Description
Name	CADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR2

Attribute	Description
Name	CADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CADDR4

Attribute	Description
Name	CADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CPINCODE

Attribute	Description
Name	CPINCODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

CNTRY

Attribute	Description
Name	CNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

LANGUAGE

Attribute	Description
Name	LANGUAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

KYC_DETAILS

Attribute	**Description**
Name	KYC_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,V,F

TOP

KYCREFNO

Attribute	**Description**
Name	KYCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CNAME

Attribute	**Description**
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

UIDVALUE

Attribute	Description
Name	UIDVALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TELEPHONE

Attribute	Description
Name	TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	255

TOP

MOBILENUMBER

Attribute	Description
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CUSTCOMMMODE

Attribute	Description
Name	CUSTCOMMMODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: E,M

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

TELISDNOCRP

Attribute	Description
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DIRNAME

Attribute	Description
Name	DIRNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR1

Attribute	Description
Name	NADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR2

Attribute	Description
Name	NADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR3

Attribute	Description
Name	NADDR3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NADDR4

Attribute	**Description**
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	**Description**
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	**Description**
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	**Description**
Name	ADDRESS3
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

COUNTRY

Attribute	**Description**
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TEL

Attribute	**Description**
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

TAXID

Attribute	**Description**
Name	TAXID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MOBNO

Attribute	**Description**
Name	MOBNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

TELISDNOCRPDIR

Attribute	Description
Name	TELISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MOBISDNOCRPDIR

Attribute	Description
Name	MOBISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description
Name	ADDRCOUNTRYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NATIONLTYCRPDIR

Attribute	Description
Name	NATIONLTYCRPDIR

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

USRESSTATUSCRPDIR

Attribute	**Description**
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

PCTHOLDING

Attribute	**Description**
Name	PCTHOLDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HOMETELNO

Attribute	**Description**
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

HOMETELISD

Attribute	**Description**
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Issuerlmts

Attribute	Description
Name	Issuerlmts
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CLTRLTYP

Attribute	Description
Name	CLTRLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LMTCCY

Attribute	Description
Name	LMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	**Description**
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

DOCREF

Attribute	**Description**
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

DATEREQ

Attribute	**Description**
Name	DATEREQ
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECTDDATE

Attribute	Description
Name	EXPECTDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REMARK1

Attribute	Description	
Name	REMARK1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK2

Attribute	Description	
Name	REMARK2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK3

Attribute	Description	
Name	REMARK3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Custgrp

Attribute	**Description**
Name	Custgrp
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

GRPNO

Attribute	**Description**
Name	GRPNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CUSTNO

Attribute	**Description**
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATION

Attribute	**Description**
Name	RELATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Custshhold

Attribute	**Description**
Name	Custshhold
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTNO

Attribute	**Description**
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDPCT

Attribute	Description
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Clsccyrest

Attribute	Description
Name	Clsccyrest
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Bic

Attribute	Description
Name	Bic
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BICCD

Attribute	Description
Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

Linkedac

Attribute	Description
Name	Linkedac
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

VRFD

Attribute	Description
Name	VRFD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LINKEDACCNO

Attribute	Description
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

LINKEDACCIBAN

Attribute	Description

Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LINKEDACCBIC

Attribute	**Description**
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Jointventure

Attribute	**Description**
Name	Jointventure
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PARTY_ID

Attribute	**Description**
Name	PARTY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PARTY_RATIO

Attribute	**Description**
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

PARTYNAME

Attribute	Description
Name	PARTYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Cust-Liab

Attribute	Description
Name	Cust-Liab
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITY_NUMBER

Attribute	Description
Name	LIABILITY_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LIABILTY_NAME

Attribute	Description
Name	LIABILTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LIAB_BRANCH

Attribute	Description
Name	LIAB_BRANCH

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LIAB_CCY

Attribute	**Description**
Name	LIAB_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	**Description**
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVISION_DATE

Attribute	**Description**
Name	REVISION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CATEGORY

Attribute	**Description**
Name	CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

UNADV

Attribute	Description
Name	UNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

NETTING_REQUIRED

Attribute	Description
Name	NETTING_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

OVERALL_SCORE

Attribute	Description
Name	OVERALL_SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK_LIMIT

Attribute	Description
Name	FX_CLEAN_RISK_LIMIT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_CLEAN_RISK_LIMIT

Attribute	Description
Name	SEC_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_PSTL_RISK_LIMIT

Attribute	Description
Name	SEC_PSTL_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAIN_LIAB_NO

Attribute	Description
Name	MAIN_LIAB_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UTIL_AMOUNT

Attribute	Description
Name	UTIL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRRATING

Attribute	Description
Name	CRRATING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Liab-Score

Attribute	Description
Name	Liab-Score
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCORE

Attribute	Description
Name	SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

SCORE_NAME

Attribute	Description
Name	SCORE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

SCORE_DESC

Attribute	**Description**
Name	SCORE_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 250

TOP

Liab-Rating

Attribute	**Description**
Name	Liab-Rating
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PRIMARY

Attribute	**Description**
Name	PRIMARY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

AGENCY_NAME

Attribute	**Description**
Name	AGENCY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CREDIT_RATING

Attribute	Description
Name	CREDIT_RATING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Liab-Linkage

Attribute	Description
Name	Liab-Linkage
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXPOSURE_NAME

Attribute	Description
Name	EXPOSURE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXPOSURE_DESC

Attribute	Description
Name	EXPOSURE_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXPOSURE_TYPE

Attribute	Description
Name	EXPOSURE_TYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Liab-Udf

Attribute	**Description**
Name	Liab-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

Custsegment

Attribute	**Description**
Name	Custsegment
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Mfi1

Attribute	**Description**
Name	Mfi1
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE_NUMBER

Attribute	**Description**
Name	INSURANCE_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MFI_CUST_TYPE

Attribute	**Description**
Name	MFI_CUST_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / G,C,I

TOP

POVERTY_STATUS

Attribute	**Description**
Name	POVERTY_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

LITERACY_OF_CLIENT

Attribute	Description	
Name	LITERACY_OF_CLIENT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

BUSINESS_ACTIVITY

Attribute	Description	
Name	BUSINESS_ACTIVITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

BLACKLISTED

Attribute	Description	
Name	BLACKLISTED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

BLACKLIST_COUNT

Attribute	Description	
Name	BLACKLIST_COUNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

TOP

PHYSICALLY_CHALLENGED

Attribute	Description
Name	PHYSICALLY_CHALLENGED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ACCOUNT_OFFICER

Attribute	Description
Name	ACCOUNT_OFFICER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Training

Attribute	Description
Name	Training
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TRAINING_CODE

Attribute	Description
Name	TRAINING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRAINING_DATE

Attribute	Description

Name	TRAINING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CIF

Attribute	Description
Name	CIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Chklist

Attribute	Description
Name	Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHKLIST_ITEM

Attribute	Description
Name	CHKLIST_ITEM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VERIFIED

Attribute	Description
Name	VERIFIED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Mf-Cifdet

Attribute	Description
Name	Mf-Cifdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

GROUP_CODE

Attribute	Description
Name	GROUP_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MEETING_CODE

Attribute	Description
Name	MEETING_CODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Id-Master

Attribute	**Description**
Name	Id-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Id-Det-Main

Attribute	**Description**
Name	Id-Det-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Iddetail

Attribute	Description
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 20

TOP

SERIES

Attribute	Description
Name	SERIES
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

DOC_ID

Attribute	Description
Name	DOC_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

DATE_OF_ISSUE

Attribute	Description
Name	DATE_OF_ISSUE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DATE_OF_EXPIRY

Attribute	Description
Name	DATE_OF_EXPIRY
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	Description
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

CUST

Attribute	Description
Name	CUST
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

LINKTOGRP

Attribute	Description
Name	LINKTOGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

Custchnglog

Attribute	Description

Name	Custchnglog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	**Description**
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

OLDMISCD

Attribute	**Description**
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Baltrnsfrlog

Attribute	Description
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	Description

Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

GLCODE

Attribute	**Description**
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OLDMISCD

Attribute	**Description**
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

TRNIND

Attribute	Description	
Name	TRNIND	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

XRATE

Attribute	Description	
Name	XRATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

Customermis

Attribute	Description
Name	Customermis

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Compositemis

Attribute	Description
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Custloghead

Attribute	Description
Name	Custloghead
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates Customer Joint.

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTPREFIX

Attribute	Description	
Name	CUSTPREFIX	
Datatype	String	
Description	Indicates the Customer Prefix.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

FRSTNAME

Attribute	Description	
Name	FRSTNAME	
Datatype	String	
Description	Indicates the First Name.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

MIDNAME

Attribute	Description	
Name	MIDNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

LASTNAME

Attribute	Description	
Name	LASTNAME	
Datatype	String	
Description	Indicates the Last Name.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEX

Attribute	Description
Name	SEX
Datatype	String
Description	Indicates the Sex. The value can be either M or F.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F

TOP

PPNO

Attribute	Description
Name	PPNO
Datatype	String
Description	Indicates Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

ADD1

Attribute	Description	
Name	ADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description	
Name	ADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD3

Attribute	Description	
Name	ADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

DECEASED

Attribute	Description
Name	DECEASED
Datatype	String
Description	Indicates whether Deceased or not. The value should be either D or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resistant Status. The value could be either R or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

UNTVAL

Attribute	**Description**
Name	UNTVAL
Datatype	String
Description	Indicates Unit Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

INSTR

Attribute	**Description**
Name	INSTR
Datatype	String
Description	Indicates Instructions
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

INSTRTYPE

Attribute	**Description**
Name	INSTRTYPE
Datatype	String
Description	Indicates Instruction Type
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXEDAYS

Attribute	Description
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution Days
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEMONTHS

Attribute	Description
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution Years
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. Flag Can be either Y or N.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OPRTR

Attribute	Description
Name	OPRTR

Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates Special Instructions.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage

Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER

Attribute	**Description**
Name	CUSTOMER
Datatype	String
Description	Indicates the customer
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATIONSHIP

Attribute	**Description**
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	**Description**
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	**Description**
Name	DESCP
Datatype	String
Description	Indicates description

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Custacdetail

Attribute	Description
Name	Custacdetail
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicates sequence number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TDESC

Attribute	Description
Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

Sttms-Debit

Attribute	Description
Name	Sttms-Debit
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

ACTNO

Attribute	Description
Name	ACTNO
Datatype	String
Description	Account Number
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

Sttms-Detail

Attribute	Description
Name	Sttms-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String

Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NAME_ON_CARD

Attribute	**Description**
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

OWNER_ID_NO

Attribute	**Description**
Name	OWNER_ID_NO
Datatype	String
Description	Owner Id number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

CARD_ISSUED_DT

Attribute	Description	
Name	CARD_ISSUED_DT	
Datatype	Date	
Description	Card Issued Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

CARD_EXPIRY_DT

Attribute	Description	
Name	CARD_EXPIRY_DT	
Datatype	Date	
Description	Card Expiry Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

CARD_STATUS

Attribute	Description	
Name	CARD_STATUS	
Datatype	String	
Description	Card Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

RECORD_STAT

Attribute	Description	
Name	RECORD_STAT	
Datatype	String	
Description	Record Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

AUTH_STAT

Attribute	Description
Name	AUTH_STAT

Datatype	String
Description	Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_BIN

Attribute	**Description**
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Extsys-Ws-Master

Attribute	**Description**
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	**Description**
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

Cust-Account

Attribute	Description
Name	Cust-Account
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

ACC

Attribute	Description
Name	ACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AC_DESC

Attribute	**Description**
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTNAME

Attribute	**Description**
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT_CLASS

Attribute	Description	
Name	ACCOUNT_CLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

AC_OPEN_DATE

Attribute	Description	
Name	AC_OPEN_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ALT_ACC_NO

Attribute	Description	
Name	ALT_ACC_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHQBOOK

Attribute	Description	
Name	CHQBOOK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

OPMODE

Attribute	Description
Name	OPMODE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	Description
Name	COUNTRY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	Description
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	Description
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	Description
Name	ACCOUNT_TYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	**Description**
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	**Description**
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GL_ACCC

Attribute	**Description**
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

OFFSET_BRN

Attribute	**Description**
Name	OFFSET_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CODATMBRN

Attribute	Description
Name	CODATMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

REPL_CUST_SIG

Attribute	Description
Name	REPL_CUST_SIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SALARY_ACCOUNT

Attribute	Description
Name	SALARY_ACCOUNT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SDREFNO

Attribute	Description
Name	SDREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

SPDANLSYS

Attribute	Description
Name	SPDANLSYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TYOFCHQ

Attribute	Description
Name	TYOFCHQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,C

TOP

Account-Generation

Attribute	Description
Name	Account-Generation
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Jointholders-Main

Attribute	Description	
Name	Jointholders-Main	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Jointholders

Attribute	Description	
Name	Jointholders	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

BRANCH_CODE

Attribute	Description	
Name	BRANCH_CODE	
Datatype	String	
Description	Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_AC_NO

Attribute	Description	
Name	CUST_AC_NO	
Datatype	String	
Description	Account No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME1

Attribute	**Description**
Name	CUSTNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JNTHLDTYP

Attribute	**Description**
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	**Description**
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

END_DATE

Attribute	**Description**
Name	END_DATE
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Acc-Nominees

Attribute	Description	
Name	Acc-Nominees	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RELSHIP

Attribute	Description	
Name	RELSHIP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NOMINEE_ID

Attribute	Description
Name	NOMINEE_ID
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String

Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOMMINOR

Attribute	**Description**
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GUARDNAM

Attribute	**Description**
Name	GUARDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GUARDRELNSHP

Attribute	**Description**
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR1

Attribute	**Description**
Name	GADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR2

Attribute	Description	
Name	GADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR3

Attribute	Description	
Name	GADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR4

Attribute	Description	
Name	GADDR4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NAM

Attribute	Description	
Name	NAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MANDATORY

Attribute	**Description**
Name	MANDATORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

Doctype-Remarks1

Attribute	**Description**
Name	Doctype-Remarks1
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Cust-Acc-Check

Attribute	**Description**
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FIRST_CHECK_NO

Attribute	Description
Name	FIRST_CHECK_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHECK_LEAVES

Attribute	Description
Name	CHECK_LEAVES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQUE_BOOK_TYPE

Attribute	Description
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

ORDER_DATE

Attribute	Description
Name	ORDER_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ORDER_DETAILS

Attribute	Description
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REQUEST_STATUS

Attribute	Description
Name	REQUEST_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Requested

TOP

CHQ_TYPE

Attribute	Description
Name	CHQ_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	EURO,COMM

TOP

Cust-Acc-Card

Attribute	Description
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

CARD_PRODUCT

Attribute	Description
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 11

TOP

NAME_ON_CARD

Attribute	Description
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CARD_NO

Attribute	Description
Name	CARD_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CARD_APPL_DATE

Attribute	**Description**
Name	CARD_APPL_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_STATUS

Attribute	**Description**
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Udfdetails

Attribute	**Description**
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCID

Attribute	Description
Name	FUNCID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

RECKEY

Attribute	Description
Name	RECKEY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 700

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

Custacc

Attribute	Description
Name	Custacc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

COMPMIS9

Attribute	Description	
Name	COMPMIS9	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

COMPMIS10

Attribute	Description	
Name	COMPMIS10	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: 1,2,3,4,5,6,7,8,9,

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	**Description**
Name	LINKGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Misaccchangelog

Attribute	**Description**
Name	Misaccchangelog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	**Description**
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

OLDMISCD

Attribute	**Description**

Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Misbaltransferlog

Attribute	**Description**
Name	Misbaltransferlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRDCD

Attribute	**Description**
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

FINYR

Attribute	Description	
Name	FINYR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

GLCODE

Attribute	Description	
Name	GLCODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TRNIND

Attribute	Description	
Name	TRNIND	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

MISCLS

Attribute	Description	
Name	MISCLS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Chglog

Attribute	Description
Name	Chglog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Tsfrlog

Attribute	Description
Name	Tsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Classname

Attribute	Description
Name	Classname
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

B1

Attribute	Description
Name	B1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

C1

Attribute	**Description**
Name	C1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

C2

Attribute	**Description**
Name	C2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

C3

Attribute	**Description**
Name	C3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

C4

Attribute	**Description**
Name	C4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1000

TOP

C5

Attribute	Description	
Name	C5	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C6

Attribute	Description	
Name	C6	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C7

Attribute	Description	
Name	C7	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C8

Attribute	Description	
Name	C8	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C9

Attribute	Description
Name	C9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C10

Attribute	Description
Name	C10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T1

Attribute	Description
Name	T1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T2

Attribute	Description
Name	T2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T3

Attribute	Description
Name	T3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T4

Attribute	Description
Name	T4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T5

Attribute	Description
Name	T5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T6

Attribute	Description
Name	T6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T7

Attribute	Description
Name	T7

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T8

Attribute	Description
Name	T8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T9

Attribute	Description
Name	T9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T10

Attribute	Description
Name	T10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER_NAME1

Attribute	Description	
Name	CUSTOMER_NAME1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NSFIB_CS_EVENT_NO

Attribute	Description	
Name	NSFIB_CS_EVENT_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NSFIB_CS_LVL

Attribute	Description	
Name	NSFIB_CS_LVL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

NSFIB_CS_LVL_EFFDT

Attribute	Description
Name	NSFIB_CS_LVL_EFFDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSFIB_CS_LVL_EXPDT

Attribute	Description
Name	NSFIB_CS_LVL_EXPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSFIB_CS_BLK_STAT

Attribute	Description
Name	NSFIB_CS_BLK_STAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSFIB_CS_WBRCK_STAT

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

NSFIB_CS_WBRCK_EFFDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_EXPDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_STAT

Attribute	Description
Name	NSFIB_IB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_IB_BLK_EFFDT

Attribute	Description
Name	NSFIB_IB_BLK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_EXPDT

Attribute	Description
Name	NSFIB_IB_BLK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_DESC

Attribute	Description
Name	NSFIB_IB_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_BLK_STAT

Attribute	Description
Name	NSFIB_CB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NSFIB_CB_DESC

Attribute	Description
Name	NSFIB_CB_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_EFFDT

Attribute	Description
Name	NSFIB_CB_EFFDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NSFIB_CB_EXPDT

Attribute	Description
Name	NSFIB_CB_EXPDT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

NSFIB_CS_BLK_DESC

Attribute	Description
Name	NSFIB_CS_BLK_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NSFIB_CS_WBRCK_STAT_DESC

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

Cust

Attribute	Description
Name	Cust
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cust-Ck-Det

Attribute	Description
Name	Cust-Ck-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_PROCESS_ORDER

Attribute	Description
Name	CHQ_PROCESS_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LVL_COMP_EXPDT

Attribute	Description

Name	LVL_COMP_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CG_REF_NO

Attribute	**Description**
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ACCOUNT_NO

Attribute	**Description**
Name	ACCOUNT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

CHQ_NO

Attribute	Description
Name	CHQ_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

EVENT_NO

Attribute	Description
Name	EVENT_NO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSF_LVL

Attribute	Description
Name	NSF_LVL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8

TOP

LVL_EFFDT

Attribute	Description
Name	LVL_EFFDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

LVL_EXPDT

Attribute	Description
Name	LVL_EXPDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_VALUEDT

Attribute	Description
Name	CHQ_VALUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID

Datatype	String
Description	Function
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

Doc-Upload

Attribute	**Description**
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	**Description**
Name	DCREFNO
Datatype	String
Description	Document Reference
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	**Description**
Name	DOC_CATEGORY
Datatype	String
Description	Document Category
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	**Description**
Name	DOC_TYPE
Datatype	String
Description	Document Type
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	20

TOP

REMARKS

Attribute	Description	
Name	REMARKS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

TOP

Ui-Columns

Attribute	Description	
Name	Ui-Columns	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.2.4.ST-ReopenCustomer-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Customer-PK*
      - *CUSTNO*
    - *Customer-IO*
      - *CUSTNO*
      - *MAKER*
      - *MAKERSTAMP*
      - *MODNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Customer-PK

Attribute	Description
Name	Customer-PK
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Customer-IO

Attribute	Description
Name	Customer-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.3.ReopenTDAmountBlock

ReopenTDAmountBlock

2.3.1.ST-ReopenTDAmountBlock-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*

MODNO

TXNSTAT

AUTHSTAT

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates Amount	
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description	
Name	EXPDATE	
Datatype	Date	
Description	Indicates the Expiry Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / F,S,P,E,A,C,B,D

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	Indicates Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HOLDDESC

Attribute	Description
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHECKER

Attribute	**Description**
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHECKERSTAMP

Attribute	**Description**
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	**Description**
Name	TXNSTAT
Datatype	String
Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	**Description**
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

2.3.2.ST-ReopenTDAmountBlock-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *AMTBLKNO*
    - *MODNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.

Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	totalDigits	22

TOP

2.3.3.ST-ReopenTDAmountBlock-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates Amount	
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description

Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

ABLKTYPE

Attribute	**Description**
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,S,P,E,A,C,B,D

TOP

REFERENCE_NO

Attribute	**Description**
Name	REFERENCE_NO
Datatype	String
Description	Indicates Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

HPCODE

Attribute	**Description**
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

EFFDATE

Attribute	**Description**
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HOLDDESC

Attribute	**Description**
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**

Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String

Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	255
	minLength	0

TOP

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.3.4.ST-ReopenTDAmountBlock-Res-PK-MSG.xsd

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
CHOICE
Amount-Blocks-PK
AMTBLKNO
Amount-Blocks-IO
AMTBLKNO
MODNO
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length 3; pattern [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.4.QueryNSFCBenq

Query NSF CB Enquiry

2.4.1.ST-QueryNSFCBenq-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cb-Det-IO*
    - *UPSEQ*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	**Description**	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cb-Det-IO

Attribute	Description
Name	Cb-Det-IO
Datatype	
Description	

TOP

UPSEQ

Attribute	Description	
Name	UPSEQ	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

2.4.2.ST-QueryNSFCBenq-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cb-Det-IO*
      - *UPSEQ*
    - *Cb-Det-Full*
      - *EXTREFNO*
      - *BANK_CODE*
      - *BANK_NAME*
      - *CUST_TYPE*
      - *CUST_UID*
      - *CUST_TAX_ID*
      - *CUST_DOB*
      - *ADDRESS1*
      - *ADDRESS2*
      - *ADDRESS3*
      - *ADDRESS4*
      - *BK_EXPDT*
      - *CUST_AC_NO*
      - *ACCOUNT_TYPE*
      - *CUSTOMER_NO*

CUSTNAME

BK_EFFDT

CUSTOMER_TYPE

CUSTOMER_NAME1

UNIQUE_ID_VALUE

DOB

REMARKS

UPSEQ

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 128 Restrictions: pattern — Description: [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cb-Det-IO

Attribute	Description
Name	Cb-Det-IO
Datatype	
Description	

TOP

UPSEQ

Attribute	Description	
Name	UPSEQ	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Cb-Det-Full

Attribute	Description
Name	Cb-Det-Full
Datatype	
Description	

TOP

EXTREFNO

Attribute	Description	
Name	EXTREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	30

TOP

BANK_CODE

Attribute	Description
Name	BANK_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

BANK_NAME

Attribute	Description
Name	BANK_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

CUST_TYPE

Attribute	Description
Name	CUST_TYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

CUST_UID

Attribute	Description
Name	CUST_UID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

CUST_TAX_ID

Attribute	Description
Name	CUST_TAX_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CUST_DOB

Attribute	Description
Name	CUST_DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

BK_EXPDT

Attribute	Description
Name	BK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACCOUNT_TYPE

Attribute	Description
Name	ACCOUNT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

BK_EFFDT

Attribute	Description
Name	BK_EFFDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTOMER_TYPE

Attribute	Description
Name	CUSTOMER_TYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1

TOP

CUSTOMER_NAME1

Attribute	Description
Name	CUSTOMER_NAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

UNIQUE_ID_VALUE

Attribute	Description
Name	UNIQUE_ID_VALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

DOB

Attribute	Description
Name	DOB
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1024

TOP

UPSEQ

Attribute	Description
Name	UPSEQ

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.5.QueryNSFCheck

Query NSF Check

2.5.1.ST-QueryNSFCheck-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Nsf-Enq-IO*
    - *CUSTOMER_NO*
    - *BRANCH_CODE*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	**Description**	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Nsf-Enq-IO

Attribute	Description
Name	Nsf-Enq-IO
Datatype	
Description	

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

2.5.2.ST-QueryNSFCheck-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Nsf-Enq-IO*
      - *CUSTOMER_NO*
      - *BRANCH_CODE*
    - *Nsf-Enq-Full*
      - *CUSTOMER_NO*
      - *CUSTOMER_NAME1*
      - *BRANCH_CODE*
      - *NSFIB_CS_EVENT_NO*
      - *NSFIB_CS_LVL*
      - *NSFIB_CS_LVL_EFFDT*
      - *NSFIB_CS_LVL_EXPDT*
      - *NSFIB_CS_BLK_STAT*
      - *NSFIB_CS_LAST_TRN_DT*
      - *NSFIB_CS_WBRCK_STAT*
      - *NSFIB_CS_WBRCK_EFFDT*
      - *NSFIB_CS_WBRCK_EXPDT*
      - *NSFIB_IB_BLK_STAT*
      - *NSFIB_IB_BLK_EFFDT*

NSFIB_IB_BLK_EXPDT
NSFIB_IB_BLK_DESC
NSFIB_CB_BLK_STAT
NSFIB_CB_DESC
NSFIB_CB_EFFDT
NSFIB_CB_EXPDT
NSFIB_CS_BLK_DESC
NSFIB_CS_WBRCK_STAT_DESC
Cus
CUSTNO
CNAME
Chq-Det
CHQ_DT
CHQ_VALUEDT
CHQ_AMT
CHQ_PROCESS_ORDER
LVL_COMP_EXPDT
BRANCH_CODE
CG_REF_NO
NSF_LVL
LVL_EFFDT
LVL_EXPDT
CUSTOMER_NO
ACCOUNT_NO
CHQ_NO
CHQ_SAME_SEQ_NO
EVENT_NO
Cus1
CUSTNO
CNAME
Cus-Adv
SEQ_NO
NSF_TYPE
NSF_LVL
CB_STATUS
ADV_FORMAT
DCN
EVENT_NO
FROM_NSF_LVL
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

CHOICE

Attribute	Description

Name	CHOICE
Datatype	
Description	

TOP

Nsf-Enq-IO

Attribute	Description
Name	Nsf-Enq-IO
Datatype	
Description	

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

BRANCH_CODE

Attribute	Description	
Name	BRANCH_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

Nsf-Enq-Full

Attribute	Description
Name	Nsf-Enq-Full
Datatype	
Description	

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CUSTOMER_NAME1

Attribute	**Description**
Name	CUSTOMER_NAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NSFIB_CS_EVENT_NO

Attribute	**Description**
Name	NSFIB_CS_EVENT_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NSFIB_CS_LVL

Attribute	**Description**
Name	NSFIB_CS_LVL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

NSFIB_CS_LVL_EFFDT

Attribute	Description
Name	NSFIB_CS_LVL_EFFDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSFIB_CS_LVL_EXPDT

Attribute	Description
Name	NSFIB_CS_LVL_EXPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSFIB_CS_BLK_STAT

Attribute	Description
Name	NSFIB_CS_BLK_STAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSFIB_CS_WBRCK_STAT

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

NSFIB_CS_WBRCK_EFFDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_EXPDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_STAT

Attribute	Description
Name	NSFIB_IB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_IB_BLK_EFFDT

Attribute	Description
Name	NSFIB_IB_BLK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_EXPDT

Attribute	Description
Name	NSFIB_IB_BLK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_DESC

Attribute	Description
Name	NSFIB_IB_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

NSFIB_CB_BLK_STAT

Attribute	Description
Name	NSFIB_CB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NSFIB_CB_DESC

Attribute	Description
Name	NSFIB_CB_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

NSFIB_CB_EFFDT

Attribute	Description
Name	NSFIB_CB_EFFDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

NSFIB_CB_EXPDT

Attribute	Description
Name	NSFIB_CB_EXPDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

NSFIB_CS_BLK_DESC

Attribute	Description
Name	NSFIB_CS_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

NSFIB_CS_WBRCK_STAT_DESC

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

Cus

Attribute	Description
Name	Cus
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Chq-Det

Attribute	Description
Name	Chq-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_VALUEDT

Attribute	Description
Name	CHQ_VALUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_AMT

Attribute	Description

Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHQ_PROCESS_ORDER

Attribute	**Description**
Name	CHQ_PROCESS_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LVL_COMP_EXPDT

Attribute	**Description**
Name	LVL_COMP_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CG_REF_NO

Attribute	**Description**
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

NSF_LVL

Attribute	Description
Name	NSF_LVL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8

TOP

LVL_EFFDT

Attribute	Description
Name	LVL_EFFDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

LVL_EXPDT

Attribute	Description
Name	LVL_EXPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

ACCOUNT_NO

Attribute	Description
Name	ACCOUNT_NO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CHQ_NO

Attribute	Description	
Name	CHQ_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CHQ_SAME_SEQ_NO

Attribute	Description	
Name	CHQ_SAME_SEQ_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENT_NO

Attribute	Description	
Name	EVENT_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Cus1

Attribute	Description	
Name	Cus1	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CNAME

Attribute	**Description**
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Cus-Adv

Attribute	**Description**
Name	Cus-Adv
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SEQ_NO

Attribute	**Description**
Name	SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NSF_TYPE

Attribute	**Description**
Name	NSF_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NSF_LVL

Attribute	Description
Name	NSF_LVL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8

TOP

CB_STATUS

Attribute	Description
Name	CB_STATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1

TOP

ADV_FORMAT

Attribute	Description
Name	ADV_FORMAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8

TOP

DCN

Attribute	Description
Name	DCN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

EVENT_NO

Attribute	Description
Name	EVENT_NO
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

FROM_NSF_LVL

Attribute	Description
Name	FROM_NSF_LVL
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 8

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	Attribute: maxOccurs, Description: unbounded Attribute: minOccurs, Description: 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	Attribute: maxOccurs, Description: unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.6.QueryNSFMutual

Query NSF mutal settlement

2.6.1.ST-QueryNSFMutual-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MutClr-IO*
    - *REF_NO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

MutClr-IO

Attribute	Description
Name	MutClr-IO
Datatype	
Description	

TOP

REF_NO

Attribute	Description		
Name	REF_NO		
Datatype	String		
Description			
Attributes	Attribute	Description	
	minOccurs	0	
Restrictions	Restrictions	Description	
	maxLength	64	

TOP

2.6.2.ST-QueryNSFMutual-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *MutClr-IO*
      - *REF_NO*
    - *MutClr-Full*
      - *REF_NO*
      - *CUSTOMER_NO*
      - *CUST_NAME*
      - *SETT_TXN_STAT*
      - *REMARKS*
      - *CHEQUE_NO*
      - *CG_REF_NO*
      - *Branch_code*
      - *CHQ_DT*
      - *TXN_DT*
      - *CHQ_AMT*
      - *CHQ_PROC_STAT*
      - *MAKER*
      - *MAKERSTAMP*
      - *CHECKER*

CHECKERSTAMP

MODNO

TXNSTAT

AUTHSTAT

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

MutClr-IO

Attribute	Description
Name	MutClr-IO
Datatype	
Description	

TOP

REF_NO

Attribute	Description	
Name	REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	64

TOP

MutClr-Full

Attribute	Description
Name	MutClr-Full
Datatype	
Description	

TOP

REF_NO

Attribute	Description	
Name	REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	64

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 36

TOP

CUST_NAME

Attribute	Description
Name	CUST_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

SETT_TXN_STAT

Attribute	Description
Name	SETT_TXN_STAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1020

TOP

CHEQUE_NO

Attribute	Description
Name	CHEQUE_NO
Datatype	String
Description	
Attributes	Attribute / Description: minOccurs / 0
Restrictions	Restrictions / Description: maxLength / 64

TOP

CG_REF_NO

Attribute	Description
Name	CG_REF_NO
Datatype	String
Description	
Attributes	Attribute / Description: minOccurs / 0
Restrictions	Restrictions / Description: maxLength / 64

TOP

Branch_code

Attribute	Description
Name	Branch_code
Datatype	String
Description	
Attributes	Attribute / Description: minOccurs / 0
Restrictions	Restrictions / Description: maxLength / 5

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	Attribute / Description: minOccurs / 0

TOP

TXN_DT

Attribute	Description
Name	TXN_DT
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CHQ_PROC_STAT

Attribute	Description
Name	CHQ_PROC_STAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.7.QueryTDAmountBlock

QueryTDAmountBlock

2.7.1.ST-QueryTDAmountBlock-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *AMTBLKNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

2.7.2.ST-QueryTDAmountBlock-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-IO*
      - *AMTBLKNO*
    - *Amount-Blocks-Full*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EXPDATE*
      - *REM*
      - *ABLKTYPE*
      - *REFERENCE_NO*
      - *HPCODE*
      - *EFFDATE*
      - *HOLDDESC*
      - *BRANCH*
      - *MAKER*
      - *MAKERSTAMP*
      - *CHECKER*
      - *CHECKERSTAMP*

MODNO

TXNSTAT

AUTHSTAT

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates Amount	
Attributes	Attribute	Description
	minOccurs	1

TOP

EXPDATE

Attribute	Description	
Name	EXPDATE	
Datatype	Date	
Description	Indicates the Expiry Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

REM

Attribute	Description	
Name	REM	
Datatype	String	
Description	Indicates the Remarks.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / F,S,P,E,A,C,B,D

TOP

REFERENCE_NO

Attribute	**Description**
Name	REFERENCE_NO
Datatype	String
Description	Indicates Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

HPCODE

Attribute	**Description**
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

EFFDATE

Attribute	**Description**
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOLDDESC

Attribute	**Description**
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	255

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC

Datatype	String
Description	

TOP

2.8.ModifyTDAmountBlock

ModifyTDAmountBlock

2.8.1.ST-ModifyTDAmountBlock-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *EFFDATE*
    - *MODNO*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates Account Number

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	255
	minLength	0

TOP

2.8.2.ST-ModifyTDAmountBlock-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates Amount	
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description

Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

ABLKTYPE

Attribute	**Description**
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / F,S,P,E,A,C,B,D

TOP

REFERENCE_NO

Attribute	**Description**
Name	REFERENCE_NO
Datatype	String
Description	Indicates Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

HPCODE

Attribute	**Description**
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	Attribute: minOccurs, Description: 0

TOP

HOLDDESC

Attribute	Description
Name	HOLDDESC
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 255

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	Restrictions: length, Description: 3 Restrictions: pattern, Description: [a-zA-Z_0-9]{3}

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 12

TOP

MAKERSTAMP

Attribute	Description

Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String

Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	255
	minLength	0

TOP

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.8.3.ST-ModifyTDAmountBlock-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EXPDATE*
      - *REM*
      - *EFFDATE*
      - *MODNO*
      - *UDFDETAILS*
        - *FLDNAM*
        - *FLDVAL*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description

Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates Amount	
Attributes	Attribute	Description
	minOccurs	0

TOP

EXPDATE

Attribute	Description	
Name	EXPDATE	
Datatype	Date	
Description	Indicates the Expiry Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

REM

Attribute	Description	
Name	REM	
Datatype	String	
Description	Indicates the Remarks.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

EFFDATE

Attribute	Description	
Name	EFFDATE	
Datatype	Date	
Description	Indicates the Effective Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**
	maxLength / 105
	minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description**
	minOccurs / 0
Restrictions	**Restrictions** / **Description**
	maxLength / 255
	minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE

Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.8.4.ST-ModifyTDAmountBlock-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Amount-Blocks-Full

Attribute	Description

Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates Amount	
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description	
Name	EXPDATE	
Datatype	Date	
Description	Indicates the Expiry Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REM

Attribute	Description

Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

ABLKTYPE

Attribute	**Description**
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / F,S,P,E,A,C,B,D

TOP

REFERENCE_NO

Attribute	**Description**
Name	REFERENCE_NO
Datatype	String
Description	Indicates Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

HPCODE

Attribute	**Description**
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

EFFDATE

Attribute	**Description**
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date

Attributes	Attribute	Description
	minOccurs	0

TOP

HOLDDESC

Attribute	Description
Name	HOLDDESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	Restrictions: length — Description: 3 Restrictions: pattern — Description: [a-zA-Z_0-9]{3}

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

2.9.QueryClosureData

QueryClosureData

2.9.1.ST-QueryClosureData-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Closure-IO*
    - *ENTITY_TYPE*
    - *ENTITY_ID*
    - *SOURCE_CODE*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cust-Closure-IO

Attribute	Description
Name	Cust-Closure-IO
Datatype	
Description	

TOP

ENTITY_TYPE

Attribute	Description	
Name	ENTITY_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,

TOP

ENTITY_ID

Attribute	Description
Name	ENTITY_ID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SOURCE_CODE

Attribute	**Description**
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

2.9.2.ST-QueryClosureData-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cust-Closure-IO*
      - *ENTITY_TYPE*
      - *ENTITY_ID*
      - *SOURCE_CODE*
    - *Cust-Closure-Full*
      - *ENTITY_TYPE*
      - *ENTITY_ID*
      - *CLOSURE_ALLOWED*
      - *SOURCE_CODE*
      - *PROCESSING_DATE*
      - *MAKER*
      - *MAKERSTAMP*
      - *CHECKER*
      - *CHECKERSTAMP*
      - *MODNO*
      - *TXNSTAT*
      - *AUTHSTAT*
  - *FCUBS_ERROR_RESP*

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cust-Closure-IO

Attribute	Description
Name	Cust-Closure-IO
Datatype	
Description	

TOP

ENTITY_TYPE

Attribute	Description	
Name	ENTITY_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,

TOP

ENTITY_ID

Attribute	Description	
Name	ENTITY_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SOURCE_CODE

Attribute	Description	
Name	SOURCE_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Cust-Closure-Full

Attribute	Description
Name	Cust-Closure-Full
Datatype	
Description	

TOP

ENTITY_TYPE

Attribute	Description	
Name	ENTITY_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,

TOP

ENTITY_ID

Attribute	Description	
Name	ENTITY_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLOSURE_ALLOWED

Attribute	Description	
Name	CLOSURE_ALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SOURCE_CODE

Attribute	Description
Name	SOURCE_CODE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

TOP

PROCESSING_DATE

Attribute	Description	
Name	PROCESSING_DATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

TOP

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.10.QueryCustSegAssociation

QueryCustSegAssociation

2.10.1.ST-QueryCustSegAssociation-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-IO*
    - *CUSTNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cust-Seg-Mapping-IO

Attribute	Description
Name	Cust-Seg-Mapping-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

2.10.2.ST-QueryCustSegAssociation-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cust-Seg-Mapping-IO*
      - *CUSTNO*
    - *Cust-Seg-Mapping-Full*
      - *CUSTNO*
      - *CUSTSEGCD*
      - *CUSTSEGSTATUS*
      - *NETWORTH*
      - *NETWORTHCCY*
      - *CUST_NAME*
      - *SEGEMENT_DESCRIPTION*
      - *CUSTCCY*
      - *MAKER*
      - *MAKERSTAMP*
      - *CHECKER*
      - *CHECKERSTAMP*
      - *MODNO*
      - *TXNSTAT*
      - *AUTHSTAT*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cust-Seg-Mapping-IO

Attribute	Description
Name	Cust-Seg-Mapping-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Cust-Seg-Mapping-Full

Attribute	Description
Name	Cust-Seg-Mapping-Full
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / U,D,R,

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_NAME

Attribute	Description
Name	CUST_NAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SEGEMENT_DESCRIPTION

Attribute	**Description**
Name	SEGEMENT_DESCRIPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CUSTCCY

Attribute	**Description**
Name	CUSTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description

Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	**Description**
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	**Description**
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	**Description**
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	**Description**
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	**Description**
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.11.QueryCustomer

Query of Customer

2.11.1.ST-QueryCustomer-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-IO*
    - *CUSTNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	**Description**	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Customer-IO

Attribute	Description
Name	Customer-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

2.11.2.ST-QueryCustomer-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Customer-IO*
      - *CUSTNO*
    - *Customer-Full*
      - *PRIVATE_CUSTOMER*
      - *CUSTNO*
      - *CTYPE*
      - *NAME*
      - *ADDRLN1*
      - *ADDRLN3*
      - *ADDRLN2*
      - *ADDRLN4*
      - *COUNTRY*
      - *SNAME*
      - *NLTY*
      - *LBRN*
      - *CCATEG*
      - *FULLNAME*
      - *CIFCREATIONDT*

ISELCMCUST
ELCMCUSTNO
AR_AP_TRACKING
EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
CREATEACC
CREATEDACCOUNT
TRACK_LIMITS
LIABID
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM

SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR
UTLTYPRVDRID
RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
LC_COLLAT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
UDF1
UDF2
UDF3
UDF4
UDF5
RM_ID
NETTREQD
LIABUNADV
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
MFI_CUSTOMER
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO

TXNSTAT

AUTHSTAT

Custpersonal

- *FSTNAME*
- *MIDNAME*
- *LSTNAME*
- *DOB*
- *GENDR*
- *NATIONID*
- *PPTNO*
- *PPTISSDT*
- *PPTEXPDT*
- *DADD2*
- *DADD3*
- *DPIN_CODE*
- *TELEPHNO*
- *FAXNUMBER*
- *EMAILID*
- *BENEFADDR1*
- *ADDRS3*
- *BENEFADDR2*
- *DCNTRY*
- *PCNTRY*
- *RESSTATUS*
- *CUSTPREFIX1*
- *CUSTPREFIX2*
- *MOBNUM*
- *CUST_COMM_MODE*
- *LANG*
- *GUARDIAN*
- *SBMTAGEPROOF*
- *MINOR*
- *KYCSTAT*
- *SSTAFF*
- *KYC_REFNO*
- *SAME_CORR_ADDR*
- *DADD1*
- *SAME_PERM_ADDR*
- *TITLE*
- *ADDRS4*
- *DADD4*
- *PLACEOFBIRTH*
- *BIRTHCOUNTRY*
- *TELISDNOPERSONAL*

MOBISDNO
FAXISDNO
USRESSTATUS
PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY
PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV
HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
- *CUSTNO*
- *EDUSTAT*
- *MARITALSTAT*
- *SPNAME*
- *SPEMPSTATUS*
- *DEPCHILD*
- *DEPOTH*
- *ACCOMODATE*
- *MOTHERMAIDN_NAME*

Custprof
- *CUSTNO*
- *EMPSTAT*
- *EMPTENURE*
- *RETIREAGE*
- *PREVDESIG*
- *PREVEMP*
- *CURRDESIG*
- *CURREMP*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *AMTCCY1*
- *TELEX*
- *FAX*
- *EMAIL*
- *SALARY*

- *OTHER1*
- *RENT*
- *INSURANCE*
- *LOANPMNT*
- *OTHEXP*
- *HOUSEVAL*
- *CRCARD*
- *CNTY*
- *EMPLOYER_DESC*

Custcorp

- *CORPNAME*
- *REGADD1*
- *REGADD2*
- *REGADD3*
- *R_PIN_CODE*
- *AMTCCY*
- *INCORPDT*
- *CAPITAL*
- *NETWORTH*
- *CORPDESC*
- *INCORPCNTRY*
- *REGCNTRY*
- *SAME_CORR_ADDR*
- *REGADD4*
- *JOINTVENTURE*
- *CADDR1*
- *CADDR3*
- *CADDR2*
- *CADDR4*
- *CPINCODE*
- *CNTRY*
- *LANGUAGE*
- *KYC_DETAILS*
- *KYCREFNO*
- *CNAME*
- *UIDNAME*
- *UIDVALUE*
- *TELEPHONE*
- *FAX*
- *EMAILID*
- *MOBILENUMBER*
- *CUSTCOMMMODE*
- *NATIONID*
- *TELISDNOCRP*

MOBISDNOCRP
FAXISDNOCRP
PREF_CNTACT_DATE
PREF_CNTACT_TIME
OWNERSHPTYPE
Custcorpdir
DIRNAME
NADDR1
NADDR2
NADDR3
NADDR4
ADDRESS1
ADDRESS2
ADDRESS3
COUNTRY
TEL
TAXID
MOBNO
EMAILID
TELISDNOCRPDIR
MOBISDNOCRPDIR
ADDRCOUNTRYCRPDIR
NATIONLTYCRPDIR
USRESSTATUSCRPDIR
PCTHOLDING
HOMETELNO
HOMETELISD
PPIN_CODE
PIN_CODE
Issuerdet
CUSTNO
OVERLMTCCY
OVERLIMIT
Issuerlmts
CLTRLTYP
LMTCCY
LMTAMT
Custdoc-Chklist
CUSTOMER_NO
DOCCATEGORY
DOCUMENTNAME
DOCUMENT_TYPE
CHECKED
DOCREF

- *DATEREQ*
- *EXPECTDDATE*
- *ACTUALDATE*
- *EXPDATE*
- *REMARKSCHKLIST*

Doctype-Remarks

- *CUSTOMER_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *CUSTNO*
- *RELATION*

Custshhold

- *CUSTNO*
- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CUSTNO*
- *CCY*
- *DESC*

Bic

- *ACC*
- *CUSTNO*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Cust-Liab

- *LIABILITY_NUMBER*

- *LIABILTY_NAME*
- *LIAB_BRANCH*
- *LIAB_CCY*
- *OVERLIMIT*
- *REVISION_DATE*
- *CATEGORY*
- *USER_DEFINED_STATUS*
- *UNADV*
- *NETTING_REQUIRED*
- *OVERALL_SCORE*
- *FX_CLEAN_RISK_LIMIT*
- *SEC_CLEAN_RISK_LIMIT*
- *SEC_PSTL_RISK_LIMIT*
- *REMARKS*
- *MAIN_LIAB_NO*
- *UTIL_AMOUNT*
- *CRRATING*
- *Liab-Score*
  - *SCORE*
  - *SCORE_NAME*
  - *SCORE_DESC*
- *Liab-Rating*
  - *PRIMARY*
  - *AGENCY_NAME*
  - *CREDIT_RATING*
- *Liab-Linkage*
  - *EXPOSURE_NAME*
  - *EXPOSURE_DESC*
  - *EXPOSURE_TYPE*
- *Liab-Udf*
  - *FLDNAM*
  - *FLDVAL*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*

Mfi1

- *INSURANCE_NUMBER*
- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*

- *BLACKLISTED*
- *BLACKLIST_COUNT*
- *PHYSICALLY_CHALLENGED*
- *ACCOUNT_OFFICER*
- *Training*
  - *TRAINING_CODE*
  - *TRAINING_DATE*
  - *CIF*
- *Chklist*
  - *KEY_ID*
  - *CHKLIST_ITEM*
  - *VERIFIED*
- *Mf-Cifdet*
  - *CUSTOMER_NO*
  - *GROUP_CODE*
  - *MEETING_CODE*

Id-Master

- *CUSTOMER_NO*

Id-Det-Main

- *CUSTOMER_NO*
- *SNO*
- *DOCUMENT_TYPE*
- *Iddetail*
  - *CUSTOMER_NO*
  - *SNO*
  - *DOCUMENT_TYPE*
  - *SERIES*
  - *DOC_ID*
  - *DATE_OF_ISSUE*
  - *DATE_OF_EXPIRY*
  - *ISSUING_AUTHORITY*
  - *PLACE_OF_ISSUE*
  - *NAME*

Custmis

- *MISGRP*
- *CUST*
- *BRNCD*
- *LINKTOGRP*
- *Custchnglog*
  - *MISCLS*
  - *TXNDT*
  - *OLDMISCD*
  - *NWMISCD*
- *Baltrnsfrlog*

- *BRN*
- *PRDCD*
- *FINYR*
- *TXNDT*
- *GLCODE*
- *MISCLS*
- *OLDMISCD*
- *NWMISCD*
- *TRNIND*
- *CCY*
- *AMT*
- *XRATE*

Customermis

- *MISCLS*
- *MISCD*

Compositemis

- *MISCLS*
- *MISCD*

Custloghead

Jointcustomer

CUSTNO

Custjoint

- *CUSTPREFIX*
- *FRSTNAME*
- *MIDNAME*
- *LASTNAME*
- *DOB*
- *SEX*
- *PPNO*
- *PPTISSDT*
- *PPTEXPDT*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *EMAIL*
- *SSN*
- *DECEASED*
- *RESISTAT*

Cust-Acc-Det

CUSTNO

Diary-Mst

- *INSTRNO*
- *UNTTYP*

UNTVAL
BRN
INSTR
INSTRTYPE
EXEDAYS
EXEMONTHS
EXEYEARS
MNTHENDFLG
HLDRULE
FRSTDUEDT
NXTDUEDT
NXTEXEDT
CONDELEM
OPRTR
CONDVAL
ACCOFCR
SPLINSTRTYP
EXPDT
SPLINSTR
Custaccdet
CUSTNO
BRNCD
Relationship-Linkage
CUSTOMER
RELATIONSHIP
INHERIT
DESCP
Custacdetail
CUSTNO
CUSTTEXT
SEQNO
CUSTNO
TDESC
UDFDETAILS
FLDNAM
FLDVAL
Sttms-Debit
BRANCH_CODE
CUST_NO
ACTNO
Sttms-Detail
BRANCH_CODE
REQUEST_REFERENCE_NO
CARDNO

CUST_NO

CARD_PRODUCT

PRIMARY_CARD

NAME_ON_CARD

OWNER_ID_NO

CARD_ISSUED_DT

CARD_EXPIRY_DT

CARD_STATUS

RECORD_STAT

AUTH_STAT

CARD_BIN

CUST_AC_NO

Extsys-Ws-Master

Extsys-Ws-Details

EXTWSRESP

USERREMARKS

Cust-Account

BRN

ACC

AC_DESC

CUSTNAME

CUST_NO

CCY

ACCOUNT_CLASS

AC_OPEN_DATE

ALT_ACC_NO

CHQBOOK

ATM

PASSBOOK

ATMACC

ATMDLIM

ATMDCNTLIM

CHKNAME1

CHKNAME2

AUTOREORDERCHKREQ

AUTOREORDERCHKLVL

AUTOREORDERCHKLVS

DORMPRM

LOCATION

MEDIA

OPMODE

COUNTRY_CODE

AUTO_CHEQUE_BOOK_REQ

AUTO_DEBIT_CARD_REQUEST

ACCOUNT_TYPE
MAX_NO_CHEQUE_REJECTIONS
ACC_OPENING_AMT
GL_ACCC
OFFSET_BRN
PAY_IN_OPTION
WAIVE_ACC_OPEN_CHARGE
CODATMBRN
REPL_CUST_SIG
SALARY_ACCOUNT
SDREFNO
SPDANLSYS
TYOFCHQ
Account-Generation
Jointholders-Main
Jointholders
- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUSTNO*
- *CUSTNAME1*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees
- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMINEE_ID*
- *CUST_AC_NO*
- *BRANCH_CODE*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist
- *BRANCH_CODE*
- *CUST_AC_NO*

- *DOCUMENT_TYPE*
- *MANDATORY*
- *CHECKED*

Doctype-Remarks1

- *BRANCH_CODE*
- *CUST_AC_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Cust-Acc-Check

- *BRANCH*
- *ACCOUNT*
- *FIRST_CHECK_NO*
- *CHECK_LEAVES*
- *CHEQUE_BOOK_TYPE*
- *ORDER_DATE*
- *ORDER_DETAILS*
- *LANG_CODE*
- *REQUEST_STATUS*
- *CHQ_TYPE*

Cust-Acc-Card

- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUST_NO*
- *REQUEST_REFERENCE_NO*
- *CARD_PRODUCT*
- *CARD_BIN*
- *NAME_ON_CARD*
- *CARD_NO*
- *CARD_APPL_DATE*
- *PRIMARY_CARD*
- *CARD_STATUS*

Udfdetails

- *FUNCID*
- *RECKEY*
- *FLDNAM*
- *FLDVAL*

- *Custacc*
  - *Misdetails*
    - *TXNMIS7*
    - *COMPMIS8*
    - *TXNMIS8*
    - *COMPMIS9*
    - *TXNMIS9*
    - *COMPMIS10*
    - *TXNMIS10*
    - *COSTCOD1*
    - *COSTCOD2*
    - *COSTCOD3*
    - *COSTCOD4*
    - *COSTCOD5*
    - *REFRTSPRD*
    - *REFRTTYPE*
    - *REFRTCD*
    - *BRN*
    - *ACC*
    - *POOLCD*
    - *RTFLAG*
    - *REFRATE*
    - *CALCMETH*
    - *MISGRP*
    - *MISGRPTXN*
    - *MISGRPCOMP*
    - *COMPMIS1*
    - *TXNMIS1*
    - *COMPMIS2*
    - *TXNMIS2*
    - *COMPMIS3*
    - *TXNMIS3*
    - *COMPMIS4*
    - *TXNMIS4*
    - *COMPMIS5*
    - *TXNMIS5*
    - *COMPMIS6*
    - *TXNMIS6*
    - *COMPMIS7*
    - *LINKGRP*
    - *Misaccchangelog*
      - *MISCLS*
      - *TXNDT*
      - *OLDMISCD*

- *NWMISCD*
- *Misbaltransferlog*
  - *BRN*
  - *PRDCD*
  - *FINYR*
  - *GLCODE*
  - *TRNIND*
  - *MISCLS*
  - *TXNDT*
  - *OLDMISCD*
  - *NWMISCD*
  - *CCY*
  - *AMT*
  - *XRATE*
- *Chglog*
- *Tsfrlog*
- *Classname*
  - *B1*
  - *C1*
  - *C2*
  - *C3*
  - *C4*
  - *C5*
  - *C6*
  - *C7*
  - *C8*
  - *C9*
  - *C10*
  - *T1*
  - *T2*
  - *T3*
  - *T4*
  - *T5*
  - *T6*
  - *T7*
  - *T8*
  - *T9*
  - *T10*

Nsf-Enq

- *CUSTOMER_NO*
- *CUSTOMER_NAME1*
- *NSFIB_CS_EVENT_NO*
- *NSFIB_CS_LVL*
- *NSFIB_CS_LVL_EFFDT*

NSFIB_CS_LVL_EXPDT
NSFIB_CS_BLK_STAT
NSFIB_CS_LAST_TRN_DT
NSFIB_CS_WBRCK_STAT
NSFIB_CS_WBRCK_EFFDT
NSFIB_CS_WBRCK_EXPDT
NSFIB_IB_BLK_STAT
NSFIB_IB_BLK_EFFDT
NSFIB_IB_BLK_EXPDT
NSFIB_IB_BLK_DESC
NSFIB_CB_BLK_STAT
NSFIB_CB_DESC
NSFIB_CB_EFFDT
NSFIB_CB_EXPDT
NSFIB_CS_BLK_DESC
NSFIB_CS_WBRCK_STAT_DESC
Cust
CUSTNO
CNAME
Cust-Ck-Det
CHQ_AMT
CHQ_PROCESS_ORDER
LVL_COMP_EXPDT
BRANCH_CODE
CG_REF_NO
CUSTOMER_NO
ACCOUNT_NO
CHQ_NO
EVENT_NO
NSF_LVL
LVL_EFFDT
LVL_EXPDT
CHQ_DT
CHQ_VALUEDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns
FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Customer-IO

Attribute	Description
Name	Customer-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Customer-Full

Attribute	Description
Name	Customer-Full
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description	
Name	PRIVATE_CUSTOMER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSTNO

Attribute	Description
Name	CUSTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CTYPE

Attribute	**Description**
Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,C,B

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	**Description**
Name	ADDRLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN3

Attribute	**Description**
Name	ADDRLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN2

Attribute	Description
Name	ADDRLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN4

Attribute	Description
Name	ADDRLN4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SNAME

Attribute	Description
Name	SNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NLTY

Attribute	Description
Name	NLTY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

LBRN

Attribute	Description
Name	LBRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CCATEG

Attribute	Description
Name	CCATEG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 10

TOP

FULLNAME

Attribute	Description
Name	FULLNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CIFCREATIONDT

Attribute	Description
Name	CIFCREATIONDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISELCMCUST

Attribute	Description
Name	ISELCMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ELCMCUSTNO

Attribute	Description
Name	ELCMCUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AR_AP_TRACKING

Attribute	Description
Name	AR_AP_TRACKING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

EXPCNTRY

Attribute	Description
Name	EXPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

UIDNAME

Attribute	Description
Name	UIDNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

UIDVAL

Attribute	Description
Name	UIDVAL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

FROZEN

Attribute	Description
Name	FROZEN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

DEAD

Attribute	Description
Name	DEAD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

WHRUNKN

Attribute	Description
Name	WHRUNKN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CRRATE

Attribute	Description
Name	CRRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

SWIFTCD

Attribute	Description
Name	SWIFTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

LOC

Attribute	Description
Name	LOC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

MAILRSREQD

Attribute	Description
Name	MAILRSREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

GRPCD

Attribute	Description
Name	GRPCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

EXPCAT

Attribute	Description
Name	EXPCAT

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUSTCLASSFN

Attribute	**Description**
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CIFSTAT

Attribute	**Description**
Name	CIFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CIFSTATSNC

Attribute	**Description**
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGGRP

Attribute	**Description**
Name	CHGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	10

TOP

CUSTCLGGRP

Attribute	Description	
Name	CUSTCLGGRP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

TAXGROUP

Attribute	Description	
Name	TAXGROUP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

CLSPARTICIPANT

Attribute	Description	
Name	CLSPARTICIPANT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

FXNETTCUST

Attribute	Description	
Name	FXNETTCUST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRMCUST

Attribute	Description
Name	CRMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ISSUCUST

Attribute	Description
Name	ISSUCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

TRSRYCUST

Attribute	Description
Name	TRSRYCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

RELPRICING

ORACLE

Attribute	Description
Name	RELPRICING
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

MT920

Attribute	Description
Name	MT920
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

FLGJOINT

Attribute	Description
Name	FLGJOINT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

CREATEACC

Attribute	Description
Name	CREATEACC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

CREATEDACCOUNT

Attribute	Description
Name	CREATEDACCOUNT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TRACK_LIMITS

Attribute	**Description**
Name	TRACK_LIMITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABID

Attribute	**Description**
Name	LIABID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LMCCY

Attribute	**Description**
Name	LMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOACNO

Attribute	**Description**
Name	HOACNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

RISKPRFL

Attribute	Description	
Name	RISKPRFL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRCAT

Attribute	Description	
Name	DRCAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

AMLREQD

Attribute	Description	
Name	AMLREQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

AMLCUSTGRP

Attribute	Description	
Name	AMLCUSTGRP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CHKDIGITVALREQD

Attribute	**Description**
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

ALGID

Attribute	**Description**
Name	ALGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

FTACCASOF

Attribute	**Description**
Name	FTACCASOF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,N,D

TOP

CUSTUNADV

Attribute	**Description**
Name	CUSTUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

CONSTAXCERTRQD

Attribute	Description	
Name	CONSTAXCERTRQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

INDTAXCERTRQD

Attribute	Description	
Name	INDTAXCERTRQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

CLSCCYALLWD

Attribute	Description	
Name	CLSCCYALLWD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,A

TOP

RISKCATEG

Attribute	Description	
Name	RISKCATEG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UPTYPE

Attribute	Description
Name	UPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFLBL1

Attribute	Description
Name	UDFLBL1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL2

Attribute	Description
Name	UDFLBL2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL3

Attribute	Description
Name	UDFLBL3
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDF1

Attribute	Description
Name	UDF1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF2

Attribute	Description
Name	UDF2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

UDF3

Attribute	Description	
Name	UDF3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	150

TOP

UDF4

Attribute	Description	
Name	UDF4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	150

TOP

UDF5

Attribute	Description	
Name	UDF5	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	150

TOP

RM_ID

Attribute	Description	
Name	RM_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

TOP

NETTREQD

Attribute	Description	
Name	NETTREQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

LIABUNADV

Attribute	Description	
Name	LIABUNADV	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

AUTOGENSTMTPLAN

Attribute	Description	
Name	AUTOGENSTMTPLAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	Description
Name	STMTDAY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 2

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

MFI_CUSTOMER

Attribute	Description
Name	MFI_CUSTOMER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

INVESTCUST

Attribute	Description
Name	INVESTCUST
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

ALLOWVRTLACCNTS

Attribute	Description
Name	ALLOWVRTLACCNTS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

VRTLCUSTOMERID

Attribute	**Description**
Name	VRTLCUSTOMERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	**Description**
Name	CHECKER
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	**Description**	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	**Description**	
Name	MODNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	**Description**	
Name	TXNSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Custpersonal

Attribute	Description
Name	Custpersonal
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FSTNAME

Attribute	Description
Name	FSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LSTNAME

Attribute	Description
Name	LSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOB

Attribute	Description
Name	DOB

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PPTNO

Attribute	Description
Name	PPTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DADD2

Attribute	Description
Name	DADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DADD3

Attribute	Description
Name	DADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DPIN_CODE

Attribute	Description
Name	DPIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

TELEPHNO

Attribute	Description
Name	TELEPHNO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FAXNUMBER

Attribute	**Description**
Name	FAXNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAILID

Attribute	**Description**
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

BENEFADDR1

Attribute	**Description**
Name	BENEFADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRS3

Attribute	**Description**
Name	ADDRS3
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEFADDR2

Attribute	Description
Name	BENEFADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DCNTRY

Attribute	Description
Name	DCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

RESSTATUS

Attribute	Description
Name	RESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	N,R

TOP

CUSTPREFIX1

Attribute	Description
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

CUSTPREFIX2

Attribute	Description
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

MOBNUM

Attribute	Description
Name	MOBNUM
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CUST_COMM_MODE

Attribute	Description
Name	CUST_COMM_MODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: E,M

TOP

LANG

Attribute	Description
Name	LANG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

GUARDIAN

Attribute	Description
Name	GUARDIAN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

SBMTAGEPROOF

Attribute	Description
Name	SBMTAGEPROOF
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: P,N,V

TOP

MINOR

Attribute	Description
Name	MINOR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

KYCSTAT

Attribute	Description
Name	KYCSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,V,F

TOP

SSTAFF

Attribute	Description
Name	SSTAFF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

KYC_REFNO

Attribute	Description
Name	KYC_REFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DADD1

Attribute	Description
Name	DADD1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SAME_PERM_ADDR

Attribute	**Description**
Name	SAME_PERM_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

TITLE

Attribute	**Description**
Name	TITLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ADDRS4

Attribute	**Description**
Name	ADDRS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DADD4

Attribute	**Description**
Name	DADD4
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PLACEOFBIRTH

Attribute	**Description**
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

BIRTHCOUNTRY

Attribute	**Description**
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TELISDNOPERSONAL

Attribute	**Description**
Name	TELISDNOPERSONAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MOBISDNO

Attribute	**Description**
Name	MOBISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

EDUSTAT

Attribute	Description
Name	EDUSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / U,N,G,P

TOP

MARITALSTAT

Attribute	Description
Name	MARITALSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,D,R,S,P,E

TOP

SPNAME

Attribute	Description
Name	SPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SPEMPSTATUS

Attribute	Description
Name	SPEMPSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description
Name	DEPCHILD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DEPOTH

Attribute	Description
Name	DEPOTH
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

ACCOMODATE

Attribute	Description
Name	ACCOMODATE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description
Name	MOTHERMAIDN_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

Custprof

Attribute	Description
Name	Custprof
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

EMPSTAT

Attribute	Description
Name	EMPSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description
Name	EMPTENURE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

RETIREAGE

Attribute	Description
Name	RETIREAGE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PREVEMP

Attribute	Description
Name	PREVEMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CURRDESIG

Attribute	Description
Name	CURRDESIG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CURREMP

Attribute	Description
Name	CURREMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADD1

Attribute	Description
Name	ADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMTCCY1

Attribute	Description
Name	AMTCCY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TELEX

Attribute	Description
Name	TELEX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SALARY

Attribute	Description
Name	SALARY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OTHER1

Attribute	Description
Name	OTHER1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOUSEVAL

Attribute	Description
Name	HOUSEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRCARD

Attribute	Description
Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CNTY

Attribute	Description
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EMPLOYER_DESC

Attribute	Description
Name	EMPLOYER_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custcorp

Attribute	Description
Name	Custcorp
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPNAME

Attribute	Description
Name	CORPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD1

Attribute	Description
Name	REGADD1
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REGADD2

Attribute	**Description**
Name	REGADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REGADD3

Attribute	**Description**
Name	REGADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

R_PIN_CODE

Attribute	**Description**
Name	R_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

AMTCCY

Attribute	**Description**
Name	AMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

INCORPDT

Attribute	Description
Name	INCORPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CAPITAL

Attribute	Description
Name	CAPITAL
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CORPDESC

Attribute	Description
Name	CORPDESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

INCORPCNTRY

Attribute	Description
Name	INCORPCNTRY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

REGCNTRY

Attribute	Description	
Name	REGCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

REGADD4

Attribute	Description	
Name	REGADD4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

JOINTVENTURE

Attribute	Description	
Name	JOINTVENTURE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

CADDR1

Attribute	**Description**
Name	CADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CADDR3

Attribute	**Description**
Name	CADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CADDR2

Attribute	**Description**
Name	CADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CADDR4

Attribute	**Description**
Name	CADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CPINCODE

Attribute	Description	
Name	CPINCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

CNTRY

Attribute	Description	
Name	CNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

LANGUAGE

Attribute	Description	
Name	LANGUAGE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

KYC_DETAILS

Attribute	Description	
Name	KYC_DETAILS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,V,F

TOP

KYCREFNO

ORACLE

Attribute	Description
Name	KYCREFNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

UIDNAME

Attribute	Description
Name	UIDNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

UIDVALUE

Attribute	Description
Name	UIDVALUE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

TELEPHONE

Attribute	Description
Name	TELEPHONE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MOBILENUMBER

Attribute	Description
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTCOMMMODE

Attribute	Description
Name	CUSTCOMMMODE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,M

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TELISDNOCRP

Attribute	Description
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DIRNAME

Attribute	Description
Name	DIRNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR1

Attribute	Description
Name	NADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NADDR2

Attribute	Description
Name	NADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description

Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	**Description**
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS3

Attribute	**Description**
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

COUNTRY

Attribute	**Description**
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TEL

Attribute	**Description**
Name	TEL
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

TAXID

Attribute	**Description**
Name	TAXID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MOBNO

Attribute	**Description**
Name	MOBNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAILID

Attribute	**Description**
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

TELISDNOCRPDIR

Attribute	**Description**
Name	TELISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MOBISDNOCRPDIR

Attribute	Description
Name	MOBISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description
Name	ADDRCOUNTRYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

NATIONLTYCRPDIR

Attribute	Description
Name	NATIONLTYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

USRESSTATUSCRPDIR

Attribute	Description
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PCTHOLDING

Attribute	Description
Name	PCTHOLDING

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Issuerlmts

Attribute	Description
Name	Issuerlmts
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CLTRLTYP

Attribute	Description	
Name	CLTRLTYP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

LMTCCY

Attribute	Description	
Name	LMTCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

LMTAMT

Attribute	Description	
Name	LMTAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

Custdoc-Chklist

Attribute	Description	
Name	Custdoc-Chklist	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKED

Attribute	Description
Name	CHECKED

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DOCREF

Attribute	**Description**
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

DATEREQ

Attribute	**Description**
Name	DATEREQ
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPECTDDATE

Attribute	**Description**
Name	EXPECTDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACTUALDATE

Attribute	**Description**
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0

Restrictions	Restrictions	Description
	maxLength	225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

Custgrp

Attribute	Description
Name	Custgrp
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

GRPNO

Attribute	Description
Name	GRPNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

RELATION

Attribute	Description
Name	RELATION
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Custshhold

Attribute	Description
Name	Custshhold
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SHHOLDPCT

Attribute	Description
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Clsccyrest

Attribute	Description
Name	Clsccyrest
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Bic

Attribute	Description

Name	Bic
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACC

Attribute	**Description**
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNO

Attribute	**Description**
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BICCD

Attribute	**Description**
Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

Linkedac

Attribute	**Description**
Name	Linkedac
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

VRFD

Attribute	Description	
Name	VRFD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

LINKEDACCNO

Attribute	Description	
Name	LINKEDACCNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	30

TOP

LINKEDACCIBAN

Attribute	Description	
Name	LINKEDACCIBAN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

TOP

LINKEDACCBIC

Attribute	Description	
Name	LINKEDACCBIC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

TOP

Jointventure

Attribute	Description
Name	Jointventure
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PARTY_ID

Attribute	Description
Name	PARTY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PARTY_RATIO

Attribute	Description
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

PARTYNAME

Attribute	Description
Name	PARTYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Cust-Liab

Attribute	Description
Name	Cust-Liab
Datatype	

Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LIABILITY_NUMBER

Attribute	**Description**	
Name	LIABILITY_NUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LIABILTY_NAME

Attribute	**Description**	
Name	LIABILTY_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

LIAB_BRANCH

Attribute	**Description**	
Name	LIAB_BRANCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

LIAB_CCY

Attribute	**Description**	
Name	LIAB_CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVISION_DATE

Attribute	Description
Name	REVISION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CATEGORY

Attribute	Description
Name	CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

UNADV

Attribute	Description
Name	UNADV
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

NETTING_REQUIRED

Attribute	**Description**
Name	NETTING_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

OVERALL_SCORE

Attribute	**Description**
Name	OVERALL_SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FX_CLEAN_RISK_LIMIT

Attribute	**Description**
Name	FX_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SEC_CLEAN_RISK_LIMIT

Attribute	**Description**
Name	SEC_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SEC_PSTL_RISK_LIMIT

Attribute	**Description**
Name	SEC_PSTL_RISK_LIMIT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAIN_LIAB_NO

Attribute	Description
Name	MAIN_LIAB_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UTIL_AMOUNT

Attribute	Description
Name	UTIL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRRATING

Attribute	Description
Name	CRRATING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Liab-Score

Attribute	Description
Name	Liab-Score
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCORE

Attribute	Description
Name	SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

SCORE_NAME

Attribute	Description
Name	SCORE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

SCORE_DESC

Attribute	Description
Name	SCORE_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 250

TOP

Liab-Rating

Attribute	Description
Name	Liab-Rating
Datatype	

Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PRIMARY

Attribute	**Description**	
Name	PRIMARY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

AGENCY_NAME

Attribute	**Description**	
Name	AGENCY_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

CREDIT_RATING

Attribute	**Description**	
Name	CREDIT_RATING	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

Liab-Linkage

Attribute	**Description**	
Name	Liab-Linkage	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

ORACLE

TOP

EXPOSURE_NAME

Attribute	Description
Name	EXPOSURE_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 35

TOP

EXPOSURE_DESC

Attribute	Description
Name	EXPOSURE_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

EXPOSURE_TYPE

Attribute	Description
Name	EXPOSURE_TYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

Liab-Udf

Attribute	Description
Name	Liab-Udf
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

FLDNAM

Attribute	Description

Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

Custsegment

Attribute	**Description**
Name	Custsegment
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTCCY

Attribute	**Description**
Name	CUSTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUSTSEGCD

Attribute	**Description**
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	50

TOP

CUSTSEGSTATUS

Attribute	Description	
Name	CUSTSEGSTATUS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

NETWORTH

Attribute	Description	
Name	NETWORTH	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

NETWORTHCCY

Attribute	Description	
Name	NETWORTHCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

Mfi1

Attribute	Description	
Name	Mfi1	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

INSURANCE_NUMBER

Attribute	Description
Name	INSURANCE_NUMBER

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MFI_CUST_TYPE

Attribute	Description
Name	MFI_CUST_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / G,C,I

TOP

POVERTY_STATUS

Attribute	Description
Name	POVERTY_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

LITERACY_OF_CLIENT

Attribute	Description
Name	LITERACY_OF_CLIENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

BUSINESS_ACTIVITY

Attribute	Description
Name	BUSINESS_ACTIVITY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

BLACKLISTED

Attribute	**Description**	
Name	BLACKLISTED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BLACKLIST_COUNT

Attribute	**Description**	
Name	BLACKLIST_COUNT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

PHYSICALLY_CHALLENGED

Attribute	**Description**	
Name	PHYSICALLY_CHALLENGED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ACCOUNT_OFFICER

Attribute	**Description**	
Name	ACCOUNT_OFFICER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	12

TOP

Training

Attribute	Description	
Name	Training	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

TRAINING_CODE

Attribute	Description	
Name	TRAINING_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	30

TOP

TRAINING_DATE

Attribute	Description	
Name	TRAINING_DATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

CIF

Attribute	Description	
Name	CIF	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

Chklist

Attribute	Description

ORACLE

Name	Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

KEY_ID

Attribute	**Description**
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHKLIST_ITEM

Attribute	**Description**
Name	CHKLIST_ITEM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VERIFIED

Attribute	**Description**
Name	VERIFIED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Mf-Cifdet

Attribute	**Description**
Name	Mf-Cifdet
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

ORACLE

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

GROUP_CODE

Attribute	Description
Name	GROUP_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MEETING_CODE

Attribute	Description
Name	MEETING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Id-Master

Attribute	Description
Name	Id-Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Id-Det-Main

Attribute	**Description**
Name	Id-Det-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	**Description**
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	**Description**
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Iddetail

Attribute	Description
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SERIES

Attribute	Description
Name	SERIES
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DOC_ID

Attribute	**Description**
Name	DOC_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DATE_OF_ISSUE

Attribute	**Description**
Name	DATE_OF_ISSUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DATE_OF_EXPIRY

Attribute	**Description**
Name	DATE_OF_EXPIRY
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	**Description**
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

CUST

Attribute	Description
Name	CUST
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LINKTOGRP

Attribute	Description
Name	LINKTOGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Custchnglog

Attribute	Description
Name	Custchnglog
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNDT

Attribute	Description

Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

OLDMISCD

Attribute	**Description**
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Baltrnsfrlog

Attribute	**Description**
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

GLCODE

Attribute	Description
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCLS

Attribute	Description
Name	MISCLS

ORACLE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OLDMISCD

Attribute	**Description**
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TRNIND

Attribute	**Description**
Name	TRNIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Customermis

Attribute	Description
Name	Customermis
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCD

Attribute	Description

Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Compositemis

Attribute	**Description**
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCD

Attribute	**Description**
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Custloghead

Attribute	**Description**
Name	Custloghead
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates Customer Joint.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTPREFIX

Attribute	Description
Name	CUSTPREFIX
Datatype	String
Description	Indicates the Customer Prefix.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FRSTNAME

Attribute	Description
Name	FRSTNAME
Datatype	String

Description	Indicates the First Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIDNAME

Attribute	**Description**
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LASTNAME

Attribute	**Description**
Name	LASTNAME
Datatype	String
Description	Indicates the Last Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DOB

Attribute	**Description**
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SEX

Attribute	**Description**
Name	SEX
Datatype	String
Description	Indicates the Sex. The value can be either M or F.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,F

TOP

PPNO

Attribute	Description
Name	PPNO
Datatype	String
Description	Indicates Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADD1

Attribute	Description
Name	ADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

ORACLE

Restrictions	Restrictions	Description
	maxLength	11

TOP

DECEASED

Attribute	Description
Name	DECEASED
Datatype	String
Description	Indicates whether Deceased or not. The value should be either D or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resistant Status. The value could be either R or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

UNTVAL

Attribute	Description
Name	UNTVAL
Datatype	String
Description	Indicates Unit Value
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

INSTR

Attribute	**Description**
Name	INSTR
Datatype	String
Description	Indicates Instructions
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

INSTRTYPE

Attribute	**Description**
Name	INSTRTYPE
Datatype	String
Description	Indicates Instruction Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXEDAYS

Attribute	**Description**
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution Days
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEMONTHS

Attribute	**Description**
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution Years
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. Flag Can be either Y or N.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due Date

Attributes	Attribute	Description
	minOccurs	0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	Attribute: minOccurs — Description: 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

OPRTR

Attribute	Description
Name	OPRTR
Datatype	String
Description	Indicates Operator.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	Attribute: minOccurs — Description: 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR

Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates Special Instructions.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage
Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	Indicates the customer
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RELATIONSHIP

Attribute	Description

Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	**Description**
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	**Description**
Name	DESCP
Datatype	String
Description	Indicates description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Custacdetail

Attribute	**Description**
Name	Custacdetail
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	**Description**
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicates sequence number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TDESC

Attribute	Description
Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

Sttms-Debit

Attribute	Description
Name	Sttms-Debit
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ACTNO

Attribute	**Description**
Name	ACTNO
Datatype	String
Description	Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Sttms-Detail

Attribute	**Description**
Name	Sttms-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

ORACLE

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Card Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 19

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CARD_PRODUCT

Attribute	Description
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRIMARY_CARD

Attribute	Description
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1

TOP

NAME_ON_CARD

Attribute	Description
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

OWNER_ID_NO

Attribute	Description
Name	OWNER_ID_NO
Datatype	String
Description	Owner Id number
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

CARD_ISSUED_DT

Attribute	Description
Name	CARD_ISSUED_DT
Datatype	Date
Description	Card Issued Date
Attributes	Attribute: minOccurs — Description: 0

TOP

CARD_EXPIRY_DT

Attribute	Description
Name	CARD_EXPIRY_DT
Datatype	Date
Description	Card Expiry Date

Attributes	Attribute	Description
	minOccurs	0

TOP

CARD_STATUS

Attribute	Description	
Name	CARD_STATUS	
Datatype	String	
Description	Card Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RECORD_STAT

Attribute	Description	
Name	RECORD_STAT	
Datatype	String	
Description	Record Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTH_STAT

Attribute	Description	
Name	AUTH_STAT	
Datatype	String	
Description	Authorization Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CARD_BIN

Attribute	Description	
Name	CARD_BIN	
Datatype	String	
Description	Card BIN	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Extsys-Ws-Master

Attribute	Description
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	Description
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Cust-Account

Attribute	**Description**
Name	Cust-Account
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACC

Attribute	**Description**
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AC_DESC

Attribute	**Description**
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCOUNT_CLASS

Attribute	Description
Name	ACCOUNT_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

AC_OPEN_DATE

Attribute	Description
Name	AC_OPEN_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ALT_ACC_NO

Attribute	Description
Name	ALT_ACC_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHQBOOK

Attribute	Description
Name	CHQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

Restrictions	Restrictions	Description
	enumeration	C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 15

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

OPMODE

Attribute	Description
Name	OPMODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	Description
Name	COUNTRY_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	Description
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	Description
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	Description
Name	ACCOUNT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	Description
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	Description
Name	ACC_OPENING_AMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GL_ACCC

Attribute	Description
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OFFSET_BRN

Attribute	Description
Name	OFFSET_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

CODATMBRN

Attribute	Description	
Name	CODATMBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

REPL_CUST_SIG

Attribute	Description	
Name	REPL_CUST_SIG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SALARY_ACCOUNT

Attribute	Description	
Name	SALARY_ACCOUNT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SDREFNO

Attribute	Description	
Name	SDREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

SPDANLSYS

Attribute	Description
Name	SPDANLSYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TYOFCHQ

Attribute	Description
Name	TYOFCHQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,C

TOP

Account-Generation

Attribute	Description
Name	Account-Generation
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Jointholders-Main

Attribute	Description
Name	Jointholders-Main
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Jointholders

Attribute	Description
Name	Jointholders
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

CUSTNAME1

Attribute	Description
Name	CUSTNAME1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

JNTHLDTYP

Attribute	Description
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	Description
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

END_DATE

Attribute	Description
Name	END_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Acc-Nominees

Attribute	Description
Name	Acc-Nominees
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

RELSHIP

Attribute	Description
Name	RELSHIP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR1

Attribute	Description
Name	NADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NADDR2

Attribute	Description
Name	NADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NOMINEE_ID

Attribute	**Description**
Name	NOMINEE_ID
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOMMINOR

Attribute	**Description**
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GUARDNAM

Attribute	Description
Name	GUARDNAM
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

GUARDRELNSHP

Attribute	Description
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

GADDR1

Attribute	Description
Name	GADDR1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

GADDR2

Attribute	Description
Name	GADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

GADDR3

Attribute	Description
Name	GADDR3

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR4

Attribute	**Description**
Name	GADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NAM

Attribute	**Description**
Name	NAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DOB

Attribute	**Description**
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Doctype-Checklist

Attribute	**Description**
Name	Doctype-Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

MANDATORY

Attribute	Description
Name	MANDATORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

Doctype-Remarks1

Attribute	Description
Name	Doctype-Remarks1
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK2

Attribute	Description	
Name	REMARK2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK3

Attribute	Description	
Name	REMARK3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK4

Attribute	Description	
Name	REMARK4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK5

Attribute	Description	
Name	REMARK5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Cust-Acc-Check

Attribute	Description
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FIRST_CHECK_NO

Attribute	Description
Name	FIRST_CHECK_NO
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHECK_LEAVES

Attribute	**Description**
Name	CHECK_LEAVES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQUE_BOOK_TYPE

Attribute	**Description**
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

ORDER_DATE

Attribute	**Description**
Name	ORDER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ORDER_DETAILS

Attribute	**Description**
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 10

TOP

REQUEST_STATUS

Attribute	Description
Name	REQUEST_STATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: enumeration, Description: Requested

TOP

CHQ_TYPE

Attribute	Description
Name	CHQ_TYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: enumeration, Description: EURO,COMM

TOP

Cust-Acc-Card

Attribute	Description
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String

Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REQUEST_REFERENCE_NO

Attribute	**Description**
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	4

TOP

CARD_BIN

Attribute	Description	
Name	CARD_BIN	
Datatype	String	
Description	Card BIN	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

NAME_ON_CARD

Attribute	Description	
Name	NAME_ON_CARD	
Datatype	String	
Description	Name On Card	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CARD_NO

Attribute	Description	
Name	CARD_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	19

TOP

CARD_APPL_DATE

Attribute	Description	
Name	CARD_APPL_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRIMARY_CARD

Attribute	Description
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CARD_STATUS

Attribute	Description
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Udfdetails

Attribute	Description
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FUNCID

Attribute	Description
Name	FUNCID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

RECKEY

Attribute	Description
Name	RECKEY
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 700

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

Custacc

Attribute	Description
Name	Custacc
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description

Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	**Description**
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	**Description**
Name	TXNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD1

Attribute	**Description**
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	**Description**
Name	COSTCOD2
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: P,R

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: 1,2,3,4,5,6,7,8,9,

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MISGRPTXN

Attribute	Description	
Name	MISGRPTXN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MISGRPCOMP

Attribute	Description	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

COMPMIS1

Attribute	Description	
Name	COMPMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1

Attribute	Description	
Name	TXNMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2

Attribute	**Description**
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	**Description**
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3

Attribute	**Description**
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	**Description**
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Misaccchangelog

Attribute	Description
Name	Misaccchangelog

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Misbaltransferlog

Attribute	Description
Name	Misbaltransferlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

GLCODE

Attribute	Description

Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TRNIND

Attribute	**Description**
Name	TRNIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNDT

Attribute	**Description**
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

OLDMISCD

Attribute	**Description**
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMT

Attribute	**Description**
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

XRATE

Attribute	**Description**
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Chglog

Attribute	**Description**
Name	Chglog

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Tsfrlog

Attribute	**Description**
Name	Tsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Classname

Attribute	**Description**
Name	Classname
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

B1

Attribute	**Description**
Name	B1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

C1

Attribute	**Description**
Name	C1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

C2

Attribute	Description
Name	C2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C3

Attribute	Description
Name	C3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C4

Attribute	Description
Name	C4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C5

Attribute	Description
Name	C5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C6

Attribute	Description
Name	C6

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

C7

Attribute	Description
Name	C7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

C8

Attribute	Description
Name	C8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

C9

Attribute	Description
Name	C9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

C10

Attribute	Description
Name	C10
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

T1

Attribute	Description	
Name	T1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

T2

Attribute	Description	
Name	T2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

T3

Attribute	Description	
Name	T3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

T4

Attribute	Description	
Name	T4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1000

TOP

T5

Attribute	Description	
Name	T5	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

T6

Attribute	Description	
Name	T6	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

T7

Attribute	Description	
Name	T7	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

T8

Attribute	Description	
Name	T8	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

T9

Attribute	Description
Name	T9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T10

Attribute	Description
Name	T10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTOMER_NAME1

Attribute	Description
Name	CUSTOMER_NAME1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CS_EVENT_NO

Attribute	**Description**
Name	NSFIB_CS_EVENT_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_LVL

Attribute	**Description**
Name	NSFIB_CS_LVL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

NSFIB_CS_LVL_EFFDT

Attribute	**Description**
Name	NSFIB_CS_LVL_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_LVL_EXPDT

Attribute	**Description**
Name	NSFIB_CS_LVL_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_BLK_STAT

Attribute	Description
Name	NSFIB_CS_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_STAT

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_WBRCK_EFFDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_EXPDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_STAT

Attribute	Description
Name	NSFIB_IB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_IB_BLK_EFFDT

Attribute	Description
Name	NSFIB_IB_BLK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_EXPDT

Attribute	Description
Name	NSFIB_IB_BLK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_DESC

Attribute	Description
Name	NSFIB_IB_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_BLK_STAT

Attribute	Description
Name	NSFIB_CB_BLK_STAT
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NSFIB_CB_DESC

Attribute	Description	
Name	NSFIB_CB_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NSFIB_CB_EFFDT

Attribute	Description	
Name	NSFIB_CB_EFFDT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

NSFIB_CB_EXPDT

Attribute	Description	
Name	NSFIB_CB_EXPDT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

NSFIB_CS_BLK_DESC

Attribute	Description	
Name	NSFIB_CS_BLK_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	105

TOP

NSFIB_CS_WBRCK_STAT_DESC

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

Cust

Attribute	Description
Name	Cust
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

Cust-Ck-Det

Attribute	Description
Name	Cust-Ck-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHQ_PROCESS_ORDER

Attribute	Description
Name	CHQ_PROCESS_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LVL_COMP_EXPDT

Attribute	Description
Name	LVL_COMP_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CG_REF_NO

Attribute	Description
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ACCOUNT_NO

Attribute	Description
Name	ACCOUNT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHQ_NO

Attribute	Description
Name	CHQ_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

EVENT_NO

Attribute	Description
Name	EVENT_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSF_LVL

Attribute	Description
Name	NSF_LVL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

LVL_EFFDT

Attribute	Description
Name	LVL_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LVL_EXPDT

Attribute	Description
Name	LVL_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_VALUEDT

Attribute	Description
Name	CHQ_VALUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID
Datatype	String
Description	Function
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

DCREFNO

Attribute	Description	
Name	DCREFNO	
Datatype	String	
Description	Document Reference	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	255

TOP

DOC_CATEGORY

Attribute	Description	
Name	DOC_CATEGORY	
Datatype	String	
Description	Document Category	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

TOP

DOC_TYPE

Attribute	Description	
Name	DOC_TYPE	
Datatype	String	
Description	Document Type	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	20

TOP

REMARKS

Attribute	Description	
Name	REMARKS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP

Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.12.QueryFATCA

QueryFATCA

2.12.1.ST-QueryFATCA-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Sttm-Cust-Fatca-IO*
    - *ENTITY_ID*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	**Description**	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Sttm-Cust-Fatca-IO

Attribute	Description
Name	Sttm-Cust-Fatca-IO
Datatype	
Description	

TOP

ENTITY_ID

Attribute	Description	
Name	ENTITY_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	30

TOP

2.12.2.ST-QueryFATCA-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Sttm-Cust-Fatca-IO*
      - *ENTITY_ID*
    - *Sttm-Cust-Fatca-Full*
      - *ENTITY_ID*
      - *ENTITYLOCATION*
      - *ENTITYTYPE*
      - *ENTITY_NAME*
      - *LOCAL_BRNCH_CODE*
      - *US_INDICIA*
      - *FATCA_CLASFCN*
      - *RECALCITRANT*
      - *CUST_TIN*
      - *TIN_EXP_DT*
      - *CUST_EIN*
      - *EIN_ISSUE_DT*
      - *EIN_EXP_DT*
      - *REMARKS*
      - *TRACK_REQD*

TRACKING_CLSE_DT
GIIN
BALANCECURRENCY
FATCABALANCE
GIINISSUEDATE
GIINEXPIRYDATE
GIINVERIFIED
RESPONSIBLEOFFICERNAME
RESPONSIBLEOFFICERDESIGNATION
RESPONSIBLEOFFICERADDRESSLINE1
RESPONSIBLEOFFICERADDRESSLINE2
RESPONSIBLEOFFICERADDRESSLINE3
RESPONSIBLEOFFICERADDRESSLINE4
RESPONSIBLEOFFICETELEPHONE
RESPONSIBLEOFFICEREMAILID
EWFI
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Sttm-Cust-Fatca-Log
- *LOG_DT*
- *LOG_REASON*
- *MATCH_CRITERIA*
- *US_INDICIA_UPD*
- *RECALCITRANT_UPD*
- *SOURCECODE*

Sttbs-Cust-Fatca-Oblog
- *OBLIGID*
- *OBLIGTYPE*
- *OBLIGSOURCE*
- *OBLIGSOURCETYPE*
- *OBLIGPRODUCTCODE*
- *OBLIGOPENDATE*
- *OBLIGCLOSEDATE*
- *OBLIGCCY*
- *OBLIGAMOUNT*
- *USSOURCEDOBLIG*
- *GRANDFATHEREDOBLIG*
- *INCLUDEBAL*
- *LASTUPDATEDDATE*

REMARKS

MAKER_IDENTIFICATION

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	Restrictions: maxLength — Description: 12 Restrictions: pattern — Description: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	Restrictions: length — Description: 3 Restrictions: pattern — Description: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8 Restrictions: pattern — Description: [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	**Description**
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Sttm-Cust-Fatca-IO

Attribute	Description
Name	Sttm-Cust-Fatca-IO
Datatype	
Description	

TOP

ENTITY_ID

Attribute	Description	
Name	ENTITY_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

Sttm-Cust-Fatca-Full

Attribute	Description
Name	Sttm-Cust-Fatca-Full
Datatype	
Description	

TOP

ENTITY_ID

Attribute	Description	
Name	ENTITY_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENTITYLOCATION

Attribute	Description

Name	ENTITYLOCATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / CIF,PCI,BIC,CLG

TOP

ENTITYTYPE

Attribute	**Description**
Name	ENTITYTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,B,C

TOP

ENTITY_NAME

Attribute	**Description**
Name	ENTITY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LOCAL_BRNCH_CODE

Attribute	**Description**
Name	LOCAL_BRNCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

US_INDICIA

Attribute	**Description**
Name	US_INDICIA
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FATCA_CLASFCN

Attribute	Description
Name	FATCA_CLASFCN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RECALCITRANT

Attribute	Description
Name	RECALCITRANT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUST_TIN

Attribute	Description
Name	CUST_TIN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

TIN_EXP_DT

Attribute	Description
Name	TIN_EXP_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUST_EIN

Attribute	Description
Name	CUST_EIN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EIN_ISSUE_DT

Attribute	Description
Name	EIN_ISSUE_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EIN_EXP_DT

Attribute	Description
Name	EIN_EXP_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TRACK_REQD

Attribute	Description
Name	TRACK_REQD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKING_CLSE_DT

Attribute	Description	
Name	TRACKING_CLSE_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

GIIN

Attribute	Description	
Name	GIIN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BALANCECURRENCY

Attribute	Description	
Name	BALANCECURRENCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

FATCABALANCE

Attribute	Description	
Name	FATCABALANCE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

GIINISSUEDATE

Attribute	Description
Name	GIINISSUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GIINEXPIRYDATE

Attribute	Description
Name	GIINEXPIRYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GIINVERIFIED

Attribute	Description
Name	GIINVERIFIED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RESPONSIBLEOFFICERNAME

Attribute	Description
Name	RESPONSIBLEOFFICERNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

RESPONSIBLEOFFICERDESIGNATION

Attribute	Description
Name	RESPONSIBLEOFFICERDESIGNATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	100

TOP

RESPONSIBLEOFFICERADDRESSLINE1

Attribute	Description
Name	RESPONSIBLEOFFICERADDRESSLINE1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

RESPONSIBLEOFFICERADDRESSLINE2

Attribute	Description
Name	RESPONSIBLEOFFICERADDRESSLINE2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

RESPONSIBLEOFFICERADDRESSLINE3

Attribute	Description
Name	RESPONSIBLEOFFICERADDRESSLINE3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

RESPONSIBLEOFFICERADDRESSLINE4

Attribute	Description
Name	RESPONSIBLEOFFICERADDRESSLINE4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

RESPONSIBLEOFFICETELEPHONE

Attribute	Description
Name	RESPONSIBLEOFFICETELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

RESPONSIBLEOFFICEREMAILID

Attribute	Description
Name	RESPONSIBLEOFFICEREMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EWFI

Attribute	Description
Name	EWFI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	**Description**
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Sttm-Cust-Fatca-Log

Attribute	**Description**
Name	Sttm-Cust-Fatca-Log
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LOG_DT

Attribute	**Description**
Name	LOG_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOG_REASON

Attribute	**Description**
Name	LOG_REASON
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MATCH_CRITERIA

Attribute	Description
Name	MATCH_CRITERIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

US_INDICIA_UPD

Attribute	Description
Name	US_INDICIA_UPD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECALCITRANT_UPD

Attribute	Description
Name	RECALCITRANT_UPD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SOURCECODE

Attribute	Description
Name	SOURCECODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Sttbs-Cust-Fatca-Oblog

Attribute	Description

Name	Sttbs-Cust-Fatca-Oblog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

OBLIGID

Attribute	**Description**
Name	OBLIGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

OBLIGTYPE

Attribute	**Description**
Name	OBLIGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,P,I

TOP

OBLIGSOURCE

Attribute	**Description**
Name	OBLIGSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

OBLIGSOURCETYPE

Attribute	**Description**
Name	OBLIGSOURCETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / I,E

TOP

OBLIGPRODUCTCODE

Attribute	**Description**
Name	OBLIGPRODUCTCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

OBLIGOPENDATE

Attribute	**Description**
Name	OBLIGOPENDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OBLIGCLOSEDATE

Attribute	**Description**
Name	OBLIGCLOSEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OBLIGCCY

Attribute	**Description**
Name	OBLIGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

OBLIGAMOUNT

Attribute	**Description**
Name	OBLIGAMOUNT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USSOURCEDOBLIG

Attribute	Description
Name	USSOURCEDOBLIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

GRANDFATHEREDOBLIG

Attribute	Description
Name	GRANDFATHEREDOBLIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

INCLUDEBAL

Attribute	Description
Name	INCLUDEBAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LASTUPDATEDDATE

Attribute	Description
Name	LASTUPDATEDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MAKER_IDENTIFICATION

Attribute	Description
Name	MAKER_IDENTIFICATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.13.ModifyCustomer

Customer Service

2.13.1.ST-ModifyCustomer-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-Full*
    - *PRIVATE_CUSTOMER*
    - *CUSTNO*
    - *CTYPE*
    - *NAME*
    - *ADDRLN1*
    - *ADDRLN3*
    - *ADDRLN2*
    - *ADDRLN4*
    - *COUNTRY*
    - *SNAME*
    - *NLTY*
    - *LBRN*
    - *CCATEG*
    - *FULLNAME*
    - *CIFCREATIONDT*

ISELCMCUST
ELCMCUSTNO
AR_AP_TRACKING
EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
CREATEACC
CREATEDACCOUNT
TRACK_LIMITS
LIABID
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM

SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR
UTLTYPRVDRID
RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
LC_COLLAT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
UDF1
UDF2
UDF3
UDF4
UDF5
RM_ID
NETTREQD
LIABUNADV
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
MFI_CUSTOMER
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO

TXNSTAT

AUTHSTAT

Custpersonal

- *FSTNAME*
- *MIDNAME*
- *LSTNAME*
- *DOB*
- *GENDR*
- *NATIONID*
- *PPTNO*
- *PPTISSDT*
- *PPTEXPDT*
- *DADD2*
- *DADD3*
- *DPIN_CODE*
- *TELEPHNO*
- *FAXNUMBER*
- *EMAILID*
- *BENEFADDR1*
- *ADDRS3*
- *BENEFADDR2*
- *DCNTRY*
- *PCNTRY*
- *RESSTATUS*
- *CUSTPREFIX1*
- *CUSTPREFIX2*
- *MOBNUM*
- *CUST_COMM_MODE*
- *LANG*
- *GUARDIAN*
- *SBMTAGEPROOF*
- *MINOR*
- *KYCSTAT*
- *SSTAFF*
- *KYC_REFNO*
- *SAME_CORR_ADDR*
- *DADD1*
- *SAME_PERM_ADDR*
- *TITLE*
- *ADDRS4*
- *DADD4*
- *PLACEOFBIRTH*
- *BIRTHCOUNTRY*
- *TELISDNOPERSONAL*

MOBISDNO
FAXISDNO
USRESSTATUS
PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY
PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV
HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
- *CUSTNO*
- *EDUSTAT*
- *MARITALSTAT*
- *SPNAME*
- *SPEMPSTATUS*
- *DEPCHILD*
- *DEPOTH*
- *ACCOMODATE*
- *MOTHERMAIDN_NAME*

Custprof
- *CUSTNO*
- *EMPSTAT*
- *EMPTENURE*
- *RETIREAGE*
- *PREVDESIG*
- *PREVEMP*
- *CURRDESIG*
- *CURREMP*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *AMTCCY1*
- *TELEX*
- *FAX*
- *EMAIL*
- *SALARY*

- *OTHER1*
- *RENT*
- *INSURANCE*
- *LOANPMNT*
- *OTHEXP*
- *HOUSEVAL*
- *CRCARD*
- *CNTY*
- *EMPLOYER_DESC*

Custcorp

- *CORPNAME*
- *REGADD1*
- *REGADD2*
- *REGADD3*
- *R_PIN_CODE*
- *AMTCCY*
- *INCORPDT*
- *CAPITAL*
- *NETWORTH*
- *CORPDESC*
- *INCORPCNTRY*
- *REGCNTRY*
- *SAME_CORR_ADDR*
- *REGADD4*
- *JOINTVENTURE*
- *CADDR1*
- *CADDR3*
- *CADDR2*
- *CADDR4*
- *CPINCODE*
- *CNTRY*
- *LANGUAGE*
- *KYC_DETAILS*
- *KYCREFNO*
- *CNAME*
- *UIDNAME*
- *UIDVALUE*
- *TELEPHONE*
- *FAX*
- *EMAILID*
- *MOBILENUMBER*
- *CUSTCOMMMODE*
- *NATIONID*
- *TELISDNOCRP*

MOBISDNOCRP
FAXISDNOCRP
PREF_CNTACT_DATE
PREF_CNTACT_TIME
OWNERSHPTYPE
Custcorpdir
DIRNAME
NADDR1
NADDR2
NADDR3
NADDR4
ADDRESS1
ADDRESS2
ADDRESS3
COUNTRY
TEL
TAXID
MOBNO
EMAILID
TELISDNOCRPDIR
MOBISDNOCRPDIR
ADDRCOUNTRYCRPDIR
NATIONLTYCRPDIR
USRESSTATUSCRPDIR
PCTHOLDING
HOMETELNO
HOMETELISD
PPIN_CODE
PIN_CODE
Issuerdet
CUSTNO
OVERLMTCCY
OVERLIMIT
Issuerlmts
CLTRLTYP
LMTCCY
LMTAMT
Custdoc-Chklist
CUSTOMER_NO
DOCCATEGORY
DOCUMENTNAME
DOCUMENT_TYPE
CHECKED
DOCREF

- *DATEREQ*
- *EXPECTDDATE*
- *ACTUALDATE*
- *EXPDATE*
- *REMARKSCHKLIST*

Doctype-Remarks

- *CUSTOMER_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *CUSTNO*
- *RELATION*

Custshhold

- *CUSTNO*
- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CUSTNO*
- *CCY*
- *DESC*

Bic

- *ACC*
- *CUSTNO*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Cust-Liab

- *LIABILITY_NUMBER*

- *LIABILTY_NAME*
- *LIAB_BRANCH*
- *LIAB_CCY*
- *OVERLIMIT*
- *REVISION_DATE*
- *CATEGORY*
- *USER_DEFINED_STATUS*
- *UNADV*
- *NETTING_REQUIRED*
- *OVERALL_SCORE*
- *FX_CLEAN_RISK_LIMIT*
- *SEC_CLEAN_RISK_LIMIT*
- *SEC_PSTL_RISK_LIMIT*
- *REMARKS*
- *MAIN_LIAB_NO*
- *UTIL_AMOUNT*
- *CRRATING*
- *Liab-Score*
  - *SCORE*
  - *SCORE_NAME*
  - *SCORE_DESC*
- *Liab-Rating*
  - *PRIMARY*
  - *AGENCY_NAME*
  - *CREDIT_RATING*
- *Liab-Linkage*
  - *EXPOSURE_NAME*
  - *EXPOSURE_DESC*
  - *EXPOSURE_TYPE*
- *Liab-Udf*
  - *FLDNAM*
  - *FLDVAL*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*

Mfi1

- *INSURANCE_NUMBER*
- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*

BLACKLISTED
BLACKLIST_COUNT
PHYSICALLY_CHALLENGED
ACCOUNT_OFFICER
Training
TRAINING_CODE
TRAINING_DATE
CIF
Chklist
KEY_ID
CHKLIST_ITEM
VERIFIED
Mf-Cifdet
CUSTOMER_NO
GROUP_CODE
MEETING_CODE
Id-Master
CUSTOMER_NO
Id-Det-Main
CUSTOMER_NO
SNO
DOCUMENT_TYPE
Iddetail
CUSTOMER_NO
SNO
DOCUMENT_TYPE
SERIES
DOC_ID
DATE_OF_ISSUE
DATE_OF_EXPIRY
ISSUING_AUTHORITY
PLACE_OF_ISSUE
NAME
Custmis
MISGRP
CUST
BRNCD
LINKTOGRP
Custchnglog
MISCLS
TXNDT
OLDMISCD
NWMISCD
Baltrnsfrlog

- *BRN*
- *PRDCD*
- *FINYR*
- *TXNDT*
- *GLCODE*
- *MISCLS*
- *OLDMISCD*
- *NWMISCD*
- *TRNIND*
- *CCY*
- *AMT*
- *XRATE*

Customermis

- *MISCLS*
- *MISCD*

Compositemis

- *MISCLS*
- *MISCD*

Custloghead

Jointcustomer

CUSTNO

Custjoint

- *CUSTPREFIX*
- *FRSTNAME*
- *MIDNAME*
- *LASTNAME*
- *DOB*
- *SEX*
- *PPNO*
- *PPTISSDT*
- *PPTEXPDT*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *EMAIL*
- *SSN*
- *DECEASED*
- *RESISTAT*

Cust-Acc-Det

CUSTNO

Diary-Mst

- *INSTRNO*
- *UNTTYP*

- *UNTVAL*
- *BRN*
- *INSTR*
- *INSTRTYPE*
- *EXEDAYS*
- *EXEMONTHS*
- *EXEYEARS*
- *MNTHENDFLG*
- *HLDRULE*
- *FRSTDUEDT*
- *NXTDUEDT*
- *NXTEXEDT*
- *CONDELEM*
- *OPRTR*
- *CONDVAL*
- *ACCOFCR*
- *SPLINSTRTYP*
- *EXPDT*
- *SPLINSTR*

Custaccdet

- *CUSTNO*
- *BRNCD*
- *Relationship-Linkage*
  - *CUSTOMER*
  - *RELATIONSHIP*
  - *INHERIT*
  - *DESCP*

Custacdetail

- *CUSTNO*
- *CUSTTEXT*
  - *SEQNO*
  - *CUSTNO*
  - *TDESC*

UDFDETAILS

- *FLDNAM*
- *FLDVAL*

Sttms-Debit

- *BRANCH_CODE*
- *CUST_NO*
- *ACTNO*
- *Sttms-Detail*
  - *BRANCH_CODE*
  - *REQUEST_REFERENCE_NO*
  - *CARDNO*

CUST_NO

CARD_PRODUCT

PRIMARY_CARD

NAME_ON_CARD

OWNER_ID_NO

CARD_ISSUED_DT

CARD_EXPIRY_DT

CARD_STATUS

RECORD_STAT

AUTH_STAT

CARD_BIN

CUST_AC_NO

Extsys-Ws-Master

Extsys-Ws-Details

EXTWSRESP

USERREMARKS

Cust-Account

BRN

ACC

AC_DESC

CUSTNAME

CUST_NO

CCY

ACCOUNT_CLASS

AC_OPEN_DATE

ALT_ACC_NO

CHQBOOK

ATM

PASSBOOK

ATMACC

ATMDLIM

ATMDCNTLIM

CHKNAME1

CHKNAME2

AUTOREORDERCHKREQ

AUTOREORDERCHKLVL

AUTOREORDERCHKLVS

DORMPRM

LOCATION

MEDIA

OPMODE

COUNTRY_CODE

AUTO_CHEQUE_BOOK_REQ

AUTO_DEBIT_CARD_REQUEST

ACCOUNT_TYPE

MAX_NO_CHEQUE_REJECTIONS

ACC_OPENING_AMT

GL_ACCC

OFFSET_BRN

PAY_IN_OPTION

WAIVE_ACC_OPEN_CHARGE

CODATMBRN

REPL_CUST_SIG

SALARY_ACCOUNT

SDREFNO

SPDANLSYS

TYOFCHQ

Account-Generation

Jointholders-Main

Jointholders

- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUSTNO*
- *CUSTNAME1*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees

- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMINEE_ID*
- *CUST_AC_NO*
- *BRANCH_CODE*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist

- *BRANCH_CODE*
- *CUST_AC_NO*

- *DOCUMENT_TYPE*
- *MANDATORY*
- *CHECKED*

Doctype-Remarks1

- *BRANCH_CODE*
- *CUST_AC_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Cust-Acc-Check

- *BRANCH*
- *ACCOUNT*
- *FIRST_CHECK_NO*
- *CHECK_LEAVES*
- *CHEQUE_BOOK_TYPE*
- *ORDER_DATE*
- *ORDER_DETAILS*
- *LANG_CODE*
- *REQUEST_STATUS*
- *CHQ_TYPE*

Cust-Acc-Card

- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUST_NO*
- *REQUEST_REFERENCE_NO*
- *CARD_PRODUCT*
- *CARD_BIN*
- *NAME_ON_CARD*
- *CARD_NO*
- *CARD_APPL_DATE*
- *PRIMARY_CARD*
- *CARD_STATUS*

Udfdetails

- *FUNCID*
- *RECKEY*
- *FLDNAM*
- *FLDVAL*

- *Custacc*
  - *Misdetails*
    - *TXNMIS7*
    - *COMPMIS8*
    - *TXNMIS8*
    - *COMPMIS9*
    - *TXNMIS9*
    - *COMPMIS10*
    - *TXNMIS10*
    - *COSTCOD1*
    - *COSTCOD2*
    - *COSTCOD3*
    - *COSTCOD4*
    - *COSTCOD5*
    - *REFRTSPRD*
    - *REFRTTYPE*
    - *REFRTCD*
    - *BRN*
    - *ACC*
    - *POOLCD*
    - *RTFLAG*
    - *REFRATE*
    - *CALCMETH*
    - *MISGRP*
    - *MISGRPTXN*
    - *MISGRPCOMP*
    - *COMPMIS1*
    - *TXNMIS1*
    - *COMPMIS2*
    - *TXNMIS2*
    - *COMPMIS3*
    - *TXNMIS3*
    - *COMPMIS4*
    - *TXNMIS4*
    - *COMPMIS5*
    - *TXNMIS5*
    - *COMPMIS6*
    - *TXNMIS6*
    - *COMPMIS7*
    - *LINKGRP*
    - *Misaccchangelog*
      - *MISCLS*
      - *TXNDT*
      - *OLDMISCD*

NWMISCD

Misbaltransferlog

BRN

PRDCD

FINYR

GLCODE

TRNIND

MISCLS

TXNDT

OLDMISCD

NWMISCD

CCY

AMT

XRATE

Chglog

Tsfrlog

Classname

B1

C1

C2

C3

C4

C5

C6

C7

C8

C9

C10

T1

T2

T3

T4

T5

T6

T7

T8

T9

T10

Nsf-Enq

CUSTOMER_NO

CUSTOMER_NAME1

NSFIB_CS_EVENT_NO

NSFIB_CS_LVL

NSFIB_CS_LVL_EFFDT

NSFIB_CS_LVL_EXPDT
NSFIB_CS_BLK_STAT
NSFIB_CS_LAST_TRN_DT
NSFIB_CS_WBRCK_STAT
NSFIB_CS_WBRCK_EFFDT
NSFIB_CS_WBRCK_EXPDT
NSFIB_IB_BLK_STAT
NSFIB_IB_BLK_EFFDT
NSFIB_IB_BLK_EXPDT
NSFIB_IB_BLK_DESC
NSFIB_CB_BLK_STAT
NSFIB_CB_DESC
NSFIB_CB_EFFDT
NSFIB_CB_EXPDT
NSFIB_CS_BLK_DESC
NSFIB_CS_WBRCK_STAT_DESC
Cust
CUSTNO
CNAME
Cust-Ck-Det
CHQ_AMT
CHQ_PROCESS_ORDER
LVL_COMP_EXPDT
BRANCH_CODE
CG_REF_NO
CUSTOMER_NO
ACCOUNT_NO
CHQ_NO
EVENT_NO
NSF_LVL
LVL_EFFDT
LVL_EXPDT
CHQ_DT
CHQ_VALUEDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

ORACLE

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Customer-Full

Attribute	Description
Name	Customer-Full
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description
Name	PRIVATE_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CTYPE

Attribute	Description
Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,C,B

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	Description
Name	ADDRLN1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN3

Attribute	Description	
Name	ADDRLN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN2

Attribute	Description	
Name	ADDRLN2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN4

Attribute	Description	
Name	ADDRLN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SNAME

Attribute	**Description**
Name	SNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

NLTY

Attribute	**Description**
Name	NLTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LBRN

Attribute	**Description**
Name	LBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCATEG

Attribute	**Description**
Name	CCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FULLNAME

Attribute	Description
Name	FULLNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CIFCREATIONDT

Attribute	Description
Name	CIFCREATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISELCMCUST

Attribute	Description
Name	ISELCMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ELCMCUSTNO

Attribute	Description
Name	ELCMCUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AR_AP_TRACKING

Attribute	Description
Name	AR_AP_TRACKING

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

EXPCNTRY

Attribute	**Description**
Name	EXPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

UIDVAL

Attribute	**Description**
Name	UIDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FROZEN

Attribute	**Description**
Name	FROZEN
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

DEAD

Attribute	**Description**
Name	DEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

WHRUNKN

Attribute	**Description**
Name	WHRUNKN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

CRRATE

Attribute	**Description**
Name	CRRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

MEDIA

Attribute	**Description**
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

SSN

Attribute	Description	
Name	SSN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	11

TOP

SWIFTCD

Attribute	Description	
Name	SWIFTCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

TOP

LOC

Attribute	Description	
Name	LOC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

MAILRSREQD

Attribute	Description	
Name	MAILRSREQD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

GRPCD

Attribute	Description
Name	GRPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

EXPCAT

Attribute	Description
Name	EXPCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTCLASSFN

Attribute	Description
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTAT

Attribute	Description
Name	CIFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTATSNC

Attribute	Description
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGGRP

Attribute	Description
Name	CHGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSTCLGGRP

Attribute	Description
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TAXGROUP

Attribute	Description
Name	TAXGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLSPARTICIPANT

Attribute	Description
Name	CLSPARTICIPANT
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FXNETTCUST

Attribute	Description
Name	FXNETTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRMCUST

Attribute	Description
Name	CRMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ISSUCUST

Attribute	Description
Name	ISSUCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

TRSRYCUST

Attribute	Description
Name	TRSRYCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

RELPRICING

Attribute	Description
Name	RELPRICING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

MT920

Attribute	Description
Name	MT920
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

FLGJOINT

Attribute	Description
Name	FLGJOINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

CREATEACC

Attribute	Description
Name	CREATEACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CREATEDACCOUNT

Attribute	Description
Name	CREATEDACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TRACK_LIMITS

Attribute	Description
Name	TRACK_LIMITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABID

Attribute	Description
Name	LIABID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LMCCY

Attribute	Description
Name	LMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOACNO

Attribute	Description
Name	HOACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RISKPRFL

Attribute	Description
Name	RISKPRFL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRCAT

Attribute	Description
Name	DRCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

AMLREQD

Attribute	Description

Name	AMLREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

AMLCUSTGRP

Attribute	**Description**
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CHKDIGITVALREQD

Attribute	**Description**
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

ALGID

Attribute	**Description**
Name	ALGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

FTACCASOF

Attribute	**Description**
Name	FTACCASOF
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,N,D

TOP

CUSTUNADV

Attribute	Description	
Name	CUSTUNADV	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

CONSTAXCERTRQD

Attribute	Description	
Name	CONSTAXCERTRQD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

INDTAXCERTRQD

Attribute	Description	
Name	INDTAXCERTRQD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

CLSCCYALLWD

Attribute	Description	
Name	CLSCCYALLWD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	D,A

TOP

RISKCATEG

Attribute	Description
Name	RISKCATEG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

UPTYPE

Attribute	Description
Name	UPTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

UDFLBL1

Attribute	Description
Name	UDFLBL1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL2

Attribute	Description
Name	UDFLBL2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL3

Attribute	Description
Name	UDFLBL3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDF1

Attribute	Description
Name	UDF1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF2

Attribute	Description
Name	UDF2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF3

Attribute	Description
Name	UDF3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF4

Attribute	Description
Name	UDF4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF5

Attribute	Description
Name	UDF5
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	150

TOP

RM_ID

Attribute	Description
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

NETTREQD

Attribute	Description
Name	NETTREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABUNADV

Attribute	Description
Name	LIABUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AUTOGENSTMTPLAN

Attribute	Description
Name	AUTOGENSTMTPLAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	Description	
Name	STMTDAY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

TOP

PIN_CODE

Attribute	Description	
Name	PIN_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

MFI_CUSTOMER

Attribute	Description	
Name	MFI_CUSTOMER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

INVESTCUST

Attribute	Description
Name	INVESTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWVRTLACCNTS

Attribute	Description
Name	ALLOWVRTLACCNTS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

VRTLCUSTOMERID

Attribute	Description
Name	VRTLCUSTOMERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Custpersonal

Attribute	Description
Name	Custpersonal
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FSTNAME

Attribute	Description
Name	FSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LSTNAME

Attribute	Description
Name	LSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PPTNO

Attribute	Description
Name	PPTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DADD2

Attribute	Description
Name	DADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DADD3

Attribute	Description
Name	DADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DPIN_CODE

Attribute	Description
Name	DPIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

TELEPHNO

Attribute	Description
Name	TELEPHNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAXNUMBER

Attribute	Description
Name	FAXNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BENEFADDR1

Attribute	Description
Name	BENEFADDR1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADDRS3

Attribute	Description
Name	ADDRS3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

BENEFADDR2

Attribute	Description
Name	BENEFADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DCNTRY

Attribute	Description
Name	DCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

RESSTATUS

Attribute	**Description**
Name	RESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,R

TOP

CUSTPREFIX1

Attribute	**Description**
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CUSTPREFIX2

Attribute	**Description**
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

MOBNUM

Attribute	**Description**
Name	MOBNUM
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CUST_COMM_MODE

Attribute	Description	
Name	CUST_COMM_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,M

TOP

LANG

Attribute	Description	
Name	LANG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

GUARDIAN

Attribute	Description	
Name	GUARDIAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SBMTAGEPROOF

Attribute	Description	
Name	SBMTAGEPROOF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	P,N,V

TOP

MINOR

Attribute	Description	
Name	MINOR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

KYCSTAT

Attribute	Description	
Name	KYCSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,V,F

TOP

SSTAFF

Attribute	Description	
Name	SSTAFF	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

KYC_REFNO

Attribute	Description	
Name	KYC_REFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DADD1

Attribute	Description
Name	DADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SAME_PERM_ADDR

Attribute	Description
Name	SAME_PERM_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

TITLE

Attribute	Description
Name	TITLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ADDRS4

Attribute	Description
Name	ADDRS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD4

Attribute	Description
Name	DADD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PLACEOFBIRTH

Attribute	Description
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

BIRTHCOUNTRY

Attribute	Description
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

EDUSTAT

Attribute	**Description**
Name	EDUSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / U,N,G,P

TOP

MARITALSTAT

Attribute	**Description**
Name	MARITALSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,D,R,S,P,E

TOP

SPNAME

Attribute	**Description**
Name	SPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SPEMPSTATUS

Attribute	**Description**
Name	SPEMPSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description
Name	DEPCHILD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DEPOTH

Attribute	Description
Name	DEPOTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOMODATE

Attribute	Description
Name	ACCOMODATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description
Name	MOTHERMAIDN_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custprof

Attribute	Description
Name	Custprof
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

EMPSTAT

Attribute	Description	
Name	EMPSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description	
Name	EMPTENURE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RETIREAGE

Attribute	Description	
Name	RETIREAGE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREVEMP

Attribute	**Description**
Name	PREVEMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CURRDESIG

Attribute	**Description**
Name	CURRDESIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CURREMP

Attribute	**Description**
Name	CURREMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD1

Attribute	**Description**
Name	ADD1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMTCCY1

Attribute	Description
Name	AMTCCY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TELEX

Attribute	**Description**
Name	TELEX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FAX

Attribute	**Description**
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAIL

Attribute	**Description**
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

SALARY

Attribute	**Description**
Name	SALARY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OTHER1

Attribute	Description
Name	OTHER1
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

HOUSEVAL

Attribute	Description

Name	HOUSEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRCARD

Attribute	Description
Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CNTY

Attribute	Description
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EMPLOYER_DESC

Attribute	Description
Name	EMPLOYER_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custcorp

Attribute	Description
Name	Custcorp
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPNAME

Attribute	Description
Name	CORPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD1

Attribute	Description
Name	REGADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD2

Attribute	Description
Name	REGADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD3

Attribute	Description
Name	REGADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

R_PIN_CODE

Attribute	Description

Name	R_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

AMTCCY

Attribute	**Description**
Name	AMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INCORPDT

Attribute	**Description**
Name	INCORPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITAL

Attribute	**Description**
Name	CAPITAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTH

Attribute	**Description**
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPDESC

Attribute	Description
Name	CORPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

INCORPCNTRY

Attribute	Description
Name	INCORPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

REGCNTRY

Attribute	Description
Name	REGCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

REGADD4

Attribute	Description

Name	REGADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JOINTVENTURE

Attribute	**Description**
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CADDR1

Attribute	**Description**
Name	CADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR3

Attribute	**Description**
Name	CADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR2

Attribute	**Description**
Name	CADDR2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CADDR4

Attribute	**Description**	
Name	CADDR4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CPINCODE

Attribute	**Description**	
Name	CPINCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

CNTRY

Attribute	**Description**	
Name	CNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

LANGUAGE

Attribute	**Description**	
Name	LANGUAGE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

KYC_DETAILS

Attribute	**Description**
Name	KYC_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,V,F

TOP

KYCREFNO

Attribute	**Description**
Name	KYCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CNAME

Attribute	**Description**
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

UIDVALUE

Attribute	Description
Name	UIDVALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TELEPHONE

Attribute	Description
Name	TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MOBILENUMBER

Attribute	Description
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CUSTCOMMMODE

Attribute	Description
Name	CUSTCOMMMODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: E,M

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

TELISDNOCRP

Attribute	Description
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

DIRNAME

Attribute	Description	
Name	DIRNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR3

Attribute	Description	
Name	NADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

TAXID

Attribute	Description
Name	TAXID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

MOBNO

Attribute	Description
Name	MOBNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

EMAILID

Attribute	Description
Name	EMAILID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TELISDNOCRPDIR

Attribute	Description
Name	TELISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNOCRPDIR

Attribute	Description
Name	MOBISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description
Name	ADDRCOUNTRYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

NATIONLTYCRPDIR

Attribute	Description
Name	NATIONLTYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

USRESSTATUSCRPDIR

Attribute	Description
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PCTHOLDING

Attribute	Description
Name	PCTHOLDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Issuerlmts

Attribute	Description
Name	Issuerlmts
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CLTRLTYP

Attribute	Description
Name	CLTRLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LMTCCY

Attribute	Description
Name	LMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DOCREF

Attribute	Description
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

DATEREQ

Attribute	Description
Name	DATEREQ
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPECTDDATE

Attribute	Description
Name	EXPECTDDATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REMARK1

Attribute	**Description**
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	**Description**
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	**Description**
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	**Description**
Name	REMARK4
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK5

Attribute	Description	
Name	REMARK5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK6

Attribute	Description	
Name	REMARK6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK7

Attribute	Description	
Name	REMARK7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK8

Attribute	Description	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	225

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

Custgrp

Attribute	Description
Name	Custgrp
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

GRPNO

Attribute	Description
Name	GRPNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RELATION

Attribute	Description
Name	RELATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custshhold

Attribute	Description
Name	Custshhold
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDPCT

Attribute	Description
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Clsccyrest

Attribute	Description
Name	Clsccyrest
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Bic

Attribute	Description
Name	Bic
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BICCD

Attribute	Description

Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

Linkedac

Attribute	**Description**
Name	Linkedac
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

VRFD

Attribute	**Description**
Name	VRFD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LINKEDACCNO

Attribute	**Description**
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

LINKEDACCIBAN

Attribute	**Description**
Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	20

TOP

LINKEDACCBIC

Attribute	Description
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

Jointventure

Attribute	Description
Name	Jointventure
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

PARTY_ID

Attribute	Description
Name	PARTY_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

PARTY_RATIO

Attribute	Description
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

PARTYNAME

Attribute	Description

Name	PARTYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Cust-Liab

Attribute	**Description**
Name	Cust-Liab
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITY_NUMBER

Attribute	**Description**
Name	LIABILITY_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LIABILTY_NAME

Attribute	**Description**
Name	LIABILTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LIAB_BRANCH

Attribute	**Description**
Name	LIAB_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	3

TOP

LIAB_CCY

Attribute	Description
Name	LIAB_CCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REVISION_DATE

Attribute	Description
Name	REVISION_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CATEGORY

Attribute	Description
Name	CATEGORY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

UNADV

Attribute	Description
Name	UNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

NETTING_REQUIRED

Attribute	Description
Name	NETTING_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

OVERALL_SCORE

Attribute	Description
Name	OVERALL_SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK_LIMIT

Attribute	Description
Name	FX_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_CLEAN_RISK_LIMIT

Attribute	Description
Name	SEC_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_PSTL_RISK_LIMIT

Attribute	Description
Name	SEC_PSTL_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAIN_LIAB_NO

Attribute	Description
Name	MAIN_LIAB_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UTIL_AMOUNT

Attribute	Description
Name	UTIL_AMOUNT
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CRRATING

Attribute	Description
Name	CRRATING
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

Liab-Score

Attribute	Description
Name	Liab-Score
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

SCORE

Attribute	Description
Name	SCORE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

SCORE_NAME

Attribute	Description
Name	SCORE_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

SCORE_DESC

Attribute	Description

Name	SCORE_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 250

TOP

Liab-Rating

Attribute	**Description**
Name	Liab-Rating
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PRIMARY

Attribute	**Description**
Name	PRIMARY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

AGENCY_NAME

Attribute	**Description**
Name	AGENCY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CREDIT_RATING

Attribute	**Description**
Name	CREDIT_RATING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	10

TOP

Liab-Linkage

Attribute	Description
Name	Liab-Linkage
Datatype	
Description	
Attributes	Attribute: Description maxOccurs: unbounded minOccurs: 0

TOP

EXPOSURE_NAME

Attribute	Description
Name	EXPOSURE_NAME
Datatype	String
Description	
Attributes	Attribute: Description minOccurs: 1
Restrictions	Restrictions: Description maxLength: 35

TOP

EXPOSURE_DESC

Attribute	Description
Name	EXPOSURE_DESC
Datatype	String
Description	
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 105

TOP

EXPOSURE_TYPE

Attribute	Description
Name	EXPOSURE_TYPE
Datatype	String
Description	
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 50

TOP

Liab-Udf

Attribute	Description
Name	Liab-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

Custsegment

Attribute	Description
Name	Custsegment
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

Mfi1

Attribute	Description
Name	Mfi1
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE_NUMBER

Attribute	Description
Name	INSURANCE_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MFI_CUST_TYPE

Attribute	Description
Name	MFI_CUST_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / G,C,I

TOP

POVERTY_STATUS

Attribute	Description
Name	POVERTY_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

LITERACY_OF_CLIENT

Attribute	Description
Name	LITERACY_OF_CLIENT

ORACLE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

BUSINESS_ACTIVITY

Attribute	**Description**
Name	BUSINESS_ACTIVITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

BLACKLISTED

Attribute	**Description**
Name	BLACKLISTED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BLACKLIST_COUNT

Attribute	**Description**
Name	BLACKLIST_COUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

PHYSICALLY_CHALLENGED

Attribute	**Description**
Name	PHYSICALLY_CHALLENGED
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ACCOUNT_OFFICER

Attribute	Description	
Name	ACCOUNT_OFFICER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

Training

Attribute	Description	
Name	Training	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

TRAINING_CODE

Attribute	Description	
Name	TRAINING_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

TRAINING_DATE

Attribute	Description	
Name	TRAINING_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CIF

Attribute	Description
Name	CIF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Chklist

Attribute	Description
Name	Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHKLIST_ITEM

Attribute	Description
Name	CHKLIST_ITEM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VERIFIED

Attribute	Description
Name	VERIFIED

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Mf-Cifdet

Attribute	Description
Name	Mf-Cifdet
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

GROUP_CODE

Attribute	Description
Name	GROUP_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MEETING_CODE

Attribute	Description
Name	MEETING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	35

TOP

Id-Master

Attribute	Description	
Name	Id-Master	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Id-Det-Main

Attribute	Description	
Name	Id-Det-Main	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

SNO

Attribute	Description

Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	**Description**
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Iddetail

Attribute	**Description**
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	**Description**
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SERIES

Attribute	Description
Name	SERIES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

DOC_ID

Attribute	Description
Name	DOC_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DATE_OF_ISSUE

Attribute	Description
Name	DATE_OF_ISSUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DATE_OF_EXPIRY

Attribute	Description
Name	DATE_OF_EXPIRY
Datatype	Date

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	Description
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CUST

Attribute	**Description**
Name	CUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	**Description**
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LINKTOGRP

Attribute	**Description**
Name	LINKTOGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Custchnglog

Attribute	**Description**
Name	Custchnglog
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

Baltrnsfrlog

Attribute	Description
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	Description
Name	TXNDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

GLCODE

Attribute	Description
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

TRNIND

Attribute	Description	
Name	TRNIND	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

XRATE

Attribute	Description	
Name	XRATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

Customermis

Attribute	Description
Name	Customermis

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Compositemis

Attribute	Description
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Custloghead

Attribute	Description
Name	Custloghead
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates Customer Joint.

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTPREFIX

Attribute	Description	
Name	CUSTPREFIX	
Datatype	String	
Description	Indicates the Customer Prefix.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

FRSTNAME

Attribute	Description	
Name	FRSTNAME	
Datatype	String	
Description	Indicates the First Name.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

MIDNAME

Attribute	Description	
Name	MIDNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

LASTNAME

Attribute	Description	
Name	LASTNAME	
Datatype	String	
Description	Indicates the Last Name.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEX

Attribute	Description
Name	SEX
Datatype	String
Description	Indicates the Sex. The value can be either M or F.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F

TOP

PPNO

Attribute	Description
Name	PPNO
Datatype	String
Description	Indicates Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

ADD1

Attribute	Description	
Name	ADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description	
Name	ADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD3

Attribute	Description	
Name	ADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

DECEASED

Attribute	Description
Name	DECEASED
Datatype	String
Description	Indicates whether Deceased or not. The value should be either D or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resistant Status. The value could be either R or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

UNTVAL

Attribute	**Description**	
Name	UNTVAL	
Datatype	String	
Description	Indicates Unit Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

INSTR

Attribute	**Description**	
Name	INSTR	
Datatype	String	
Description	Indicates Instructions	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

INSTRTYPE

Attribute	**Description**	
Name	INSTRTYPE	
Datatype	String	
Description	Indicates Instruction Type	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXEDAYS

Attribute	Description
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution Days
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEMONTHS

Attribute	Description
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution Years
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. Flag Can be either Y or N.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OPRTR

Attribute	Description
Name	OPRTR

Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates Special Instructions.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage

Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER

Attribute	**Description**
Name	CUSTOMER
Datatype	String
Description	Indicates the customer
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATIONSHIP

Attribute	**Description**
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	**Description**
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	**Description**
Name	DESCP
Datatype	String
Description	Indicates description

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Custacdetail

Attribute	Description
Name	Custacdetail
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 1
Restrictions	**Restrictions** / **Description**
	maxLength / 9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicates sequence number
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TDESC

Attribute	Description
Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

Sttms-Debit

Attribute	Description
Name	Sttms-Debit
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ACTNO

Attribute	Description
Name	ACTNO
Datatype	String
Description	Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Sttms-Detail

Attribute	Description
Name	Sttms-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String

Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NAME_ON_CARD

Attribute	**Description**
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

OWNER_ID_NO

Attribute	**Description**
Name	OWNER_ID_NO
Datatype	String
Description	Owner Id number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

CARD_ISSUED_DT

Attribute	Description
Name	CARD_ISSUED_DT
Datatype	Date
Description	Card Issued Date
Attributes	Attribute: minOccurs, Description: 0

TOP

CARD_EXPIRY_DT

Attribute	Description
Name	CARD_EXPIRY_DT
Datatype	Date
Description	Card Expiry Date
Attributes	Attribute: minOccurs, Description: 0

TOP

CARD_STATUS

Attribute	Description
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 1

TOP

RECORD_STAT

Attribute	Description
Name	RECORD_STAT
Datatype	String
Description	Record Status
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 1

TOP

AUTH_STAT

Attribute	Description
Name	AUTH_STAT

Datatype	String
Description	Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_BIN

Attribute	**Description**
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Extsys-Ws-Master

Attribute	**Description**
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	**Description**
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

Cust-Account

Attribute	Description
Name	Cust-Account
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

ACC

Attribute	Description
Name	ACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AC_DESC

Attribute	**Description**
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTNAME

Attribute	**Description**
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT_CLASS

Attribute	Description
Name	ACCOUNT_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

AC_OPEN_DATE

Attribute	Description
Name	AC_OPEN_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ALT_ACC_NO

Attribute	Description
Name	ALT_ACC_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHQBOOK

Attribute	Description
Name	CHQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

OPMODE

Attribute	Description
Name	OPMODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	Description
Name	COUNTRY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	Description
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	Description
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	Description
Name	ACCOUNT_TYPE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	Description
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	Description
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GL_ACCC

Attribute	Description
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OFFSET_BRN

Attribute	Description
Name	OFFSET_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CODATMBRN

Attribute	Description
Name	CODATMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

REPL_CUST_SIG

Attribute	Description
Name	REPL_CUST_SIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SALARY_ACCOUNT

Attribute	Description
Name	SALARY_ACCOUNT

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SDREFNO

Attribute	Description
Name	SDREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

SPDANLSYS

Attribute	Description
Name	SPDANLSYS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

TYOFCHQ

Attribute	Description
Name	TYOFCHQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,C

TOP

Account-Generation

Attribute	Description
Name	Account-Generation
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Jointholders-Main

Attribute	Description
Name	Jointholders-Main
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Jointholders

Attribute	Description
Name	Jointholders
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME1

Attribute	**Description**
Name	CUSTNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JNTHLDTYP

Attribute	**Description**
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	**Description**
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

END_DATE

Attribute	**Description**
Name	END_DATE
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Acc-Nominees

Attribute	Description	
Name	Acc-Nominees	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RELSHIP

Attribute	Description	
Name	RELSHIP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 105

TOP

NOMINEE_ID

Attribute	Description
Name	NOMINEE_ID
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String

Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOMMINOR

Attribute	**Description**
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GUARDNAM

Attribute	**Description**
Name	GUARDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GUARDRELNSHP

Attribute	**Description**
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR1

Attribute	**Description**
Name	GADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR2

Attribute	Description	
Name	GADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR3

Attribute	Description	
Name	GADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR4

Attribute	Description	
Name	GADDR4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NAM

Attribute	Description	
Name	NAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MANDATORY

Attribute	**Description**
Name	MANDATORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

Doctype-Remarks1

Attribute	**Description**
Name	Doctype-Remarks1
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Cust-Acc-Check

Attribute	**Description**
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FIRST_CHECK_NO

Attribute	Description
Name	FIRST_CHECK_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHECK_LEAVES

Attribute	Description
Name	CHECK_LEAVES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQUE_BOOK_TYPE

Attribute	Description
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

ORDER_DATE

Attribute	Description
Name	ORDER_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ORDER_DETAILS

Attribute	Description
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REQUEST_STATUS

Attribute	Description
Name	REQUEST_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Requested

TOP

CHQ_TYPE

Attribute	Description
Name	CHQ_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	EURO,COMM

TOP

Cust-Acc-Card

Attribute	Description	
Name	Cust-Acc-Card	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BRANCH_CODE

Attribute	Description	
Name	BRANCH_CODE	
Datatype	String	
Description	Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_AC_NO

Attribute	Description	
Name	CUST_AC_NO	
Datatype	String	
Description	Account No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CUST_NO

Attribute	Description	
Name	CUST_NO	
Datatype	String	
Description	Customer No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

CARD_PRODUCT

Attribute	Description
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 11

TOP

NAME_ON_CARD

Attribute	Description
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CARD_NO

Attribute	Description
Name	CARD_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CARD_APPL_DATE

Attribute	**Description**
Name	CARD_APPL_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_STATUS

Attribute	**Description**
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Udfdetails

Attribute	**Description**
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCID

Attribute	Description
Name	FUNCID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

RECKEY

Attribute	Description
Name	RECKEY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 700

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

Custacc

Attribute	Description
Name	Custacc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	**Description**
Name	COMPMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	**Description**
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	**Description**
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10

Attribute	**Description**
Name	TXNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,4,5,6,7,8,9,

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	**Description**
Name	LINKGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Misaccchangelog

Attribute	**Description**
Name	Misaccchangelog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	**Description**
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

OLDMISCD

Attribute	**Description**

Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Misbaltransferlog

Attribute	**Description**
Name	Misbaltransferlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	**Description**
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

FINYR

Attribute	Description	
Name	FINYR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

GLCODE

Attribute	Description	
Name	GLCODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TRNIND

Attribute	Description	
Name	TRNIND	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

MISCLS

Attribute	Description	
Name	MISCLS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Chglog

Attribute	Description
Name	Chglog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Tsfrlog

Attribute	Description
Name	Tsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Classname

Attribute	Description
Name	Classname
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

B1

Attribute	Description
Name	B1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C1

Attribute	Description	
Name	C1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C2

Attribute	Description	
Name	C2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C3

Attribute	Description	
Name	C3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C4

Attribute	Description	
Name	C4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1000

TOP

C5

Attribute	Description	
Name	C5	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C6

Attribute	Description	
Name	C6	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C7

Attribute	Description	
Name	C7	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C8

Attribute	Description	
Name	C8	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C9

Attribute	Description
Name	C9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C10

Attribute	Description
Name	C10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T1

Attribute	Description
Name	T1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T2

Attribute	Description
Name	T2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T3

Attribute	Description
Name	T3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T4

Attribute	Description
Name	T4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T5

Attribute	Description
Name	T5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T6

Attribute	Description
Name	T6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T7

Attribute	Description
Name	T7

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T8

Attribute	Description
Name	T8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T9

Attribute	Description
Name	T9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T10

Attribute	Description
Name	T10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER_NAME1

Attribute	Description	
Name	CUSTOMER_NAME1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NSFIB_CS_EVENT_NO

Attribute	Description	
Name	NSFIB_CS_EVENT_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NSFIB_CS_LVL

Attribute	Description	
Name	NSFIB_CS_LVL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

NSFIB_CS_LVL_EFFDT

Attribute	Description
Name	NSFIB_CS_LVL_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_LVL_EXPDT

Attribute	Description
Name	NSFIB_CS_LVL_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_BLK_STAT

Attribute	Description
Name	NSFIB_CS_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_STAT

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_WBRCK_EFFDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_EXPDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_STAT

Attribute	Description
Name	NSFIB_IB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_IB_BLK_EFFDT

Attribute	Description
Name	NSFIB_IB_BLK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_EXPDT

Attribute	Description
Name	NSFIB_IB_BLK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_DESC

Attribute	Description
Name	NSFIB_IB_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_BLK_STAT

Attribute	Description
Name	NSFIB_CB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NSFIB_CB_DESC

Attribute	Description
Name	NSFIB_CB_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_EFFDT

Attribute	Description
Name	NSFIB_CB_EFFDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NSFIB_CB_EXPDT

Attribute	Description
Name	NSFIB_CB_EXPDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

NSFIB_CS_BLK_DESC

Attribute	Description
Name	NSFIB_CS_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CS_WBRCK_STAT_DESC

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

Cust

Attribute	Description
Name	Cust
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cust-Ck-Det

Attribute	Description
Name	Cust-Ck-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_PROCESS_ORDER

Attribute	Description
Name	CHQ_PROCESS_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LVL_COMP_EXPDT

Attribute	Description

Name	LVL_COMP_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CG_REF_NO

Attribute	**Description**
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ACCOUNT_NO

Attribute	**Description**
Name	ACCOUNT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

CHQ_NO

Attribute	Description
Name	CHQ_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

EVENT_NO

Attribute	Description
Name	EVENT_NO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSF_LVL

Attribute	Description
Name	NSF_LVL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8

TOP

LVL_EFFDT

Attribute	Description
Name	LVL_EFFDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

LVL_EXPDT

Attribute	Description
Name	LVL_EXPDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_VALUEDT

Attribute	Description
Name	CHQ_VALUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID

Datatype	String
Description	Function
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

Doc-Upload

Attribute	**Description**
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	**Description**
Name	DCREFNO
Datatype	String
Description	Document Reference
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	**Description**
Name	DOC_CATEGORY
Datatype	String
Description	Document Category
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	**Description**
Name	DOC_TYPE
Datatype	String
Description	Document Type
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REMARKS

Attribute	**Description**
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Ui-Columns

Attribute	**Description**
Name	Ui-Columns
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

2.13.2.ST-ModifyCustomer-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-IO*
    - *PRIVATE_CUSTOMER*
    - *CUSTNO*
    - *CTYPE*
    - *NAME*
    - *ADDRLN1*
    - *ADDRLN3*
    - *ADDRLN2*
    - *ADDRLN4*
    - *COUNTRY*
    - *SNAME*
    - *NLTY*
    - *LBRN*
    - *CCATEG*
    - *FULLNAME*
    - *CIFCREATIONDT*
    - *ISELCMCUST*
    - *ELCMCUSTNO*
    - *AR_AP_TRACKING*

EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM
SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR
UTLTYPRVDRID
RISKPRFL
DRCAT
AMLREQD

AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
FAX
JV_LIMIT_TRACKING
LC_COLLAT_PCT
CAS_CUST
LIAB_NODE
LIAB_BR
PAST_DUE_FLAG
SHORT_NAME2
INTRODUCER
WHT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
RM_ID
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
MAKER
MAKERSTAMP
Custpersonal
- *FSTNAME*
- *MIDNAME*
- *LSTNAME*
- *DOB*
- *GENDR*
- *NATIONID*
- *PPTNO*
- *PPTISSDT*

PPTEXPDT
DADD2
DADD3
DPIN_CODE
TELEPHNO
FAXNUMBER
EMAILID
BENEFADDR1
ADDRS3
BENEFADDR2
DCNTRY
PCNTRY
RESSTATUS
CUSTPREFIX1
CUSTPREFIX2
MOBNUM
CUST_COMM_MODE
LANG
GUARDIAN
SBMTAGEPROOF
MINOR
KYCSTAT
SSTAFF
KYC_REFNO
SAME_CORR_ADDR
DADD1
SAME_PERM_ADDR
TITLE
ADDRS4
DADD4
PLACEOFBIRTH
BIRTHCOUNTRY
TELISDNOPERSONAL
MOBISDNO
FAXISDNO
USRESSTATUS
PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY
PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV

HOMETELNO

HOMETELISD

P_PIN_CODE

PREF_CNTACT_DATE

PREF_CNTACT_TIME

Custdomestic

EDUSTAT

MARITALSTAT

SPNAME

SPEMPSTATUS

DEPCHILD

DEPOTH

ACCOMODATE

MOTHERMAIDN_NAME

Custprof

EMPSTAT

EMPTENURE

RETIREAGE

PREVDESIG

PREVEMP

CURRDESIG

CURREMP

ADD1

ADD2

ADD3

TEL

AMTCCY1

TELEX

FAX

EMAIL

SALARY

OTHER1

RENT

INSURANCE

LOANPMNT

OTHEXP

HOUSEVAL

CRCARD

CNTY

Custcorp

CORPNAME

REGADD1

REGADD2

REGADD3

R_PIN_CODE
AMTCCY
INCORPDT
CAPITAL
NETWORTH
CORPDESC
INCORPCNTRY
REGCNTRY
SAME_CORR_ADDR
REGADD4
JOINTVENTURE
CADDR1
CADDR3
CADDR2
CADDR4
CPINCODE
CNTRY
NATIONALITY
LANGUAGE
KYC_DETAILS
KYCREFNO
CNAME
UIDNAME
UIDVALUE
TELEPHONE
FAX
EMAILID
MOBILENUMBER
CUSTCOMMMODE
NATIONID
TELISDNOCRP
MOBISDNOCRP
FAXISDNOCRP
PREF_CNTACT_DATE
PREF_CNTACT_TIME
OWNERSHPTYPE
Custcorpdir
- *DIRNAME*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *ADDRESS1*
- *ADDRESS2*

ADDRESS3
COUNTRY
TEL
TAXID
MOBNO
EMAILID
SNO
TELISDNOCRPDIR
MOBISDNOCRPDIR
ADDRCOUNTRYCRPDIR
NATIONLTYCRPDIR
USRESSTATUSCRPDIR
PCTHOLDING
HOMETELNO
HOMETELISD
PPIN_CODE
PIN_CODE
Issuerdet
OVERLMTCCY
OVERLIMIT
Issuerlmts
ISSID
CLTRLTYP
LMTCCY
LMTAMT
Custdoc-Chklist
CUSTOMER_NO
DOCCATEGORY
DOCUMENTNAME
DOCUMENT_TYPE
CHECKED
DOCREF
DATEREQ
EXPECTDDATE
ACTUALDATE
EXPDATE
REMARKSCHKLIST
Doctype-Remarks
CUSTOMER_NO
REMARK1
REMARK2
REMARK3
REMARK4
REMARK5

REMARK6
REMARK7
REMARK8
REMARK9
REMARK10
Custgrp
GRPNO
RELATION
Custshhold
SHHOLDID
SHHOLDPCT
Clsccyrest
CCY
DESC
Bic
ACC
BICCD
Linkedac
VRFD
LINKEDACCNO
LINKEDACCIBAN
LINKEDACCBIC
LINKEDACCBLZ
Jointventure
PARTY_ID
PARTY_RATIO
PARTYNAME
Custsegment
CUSTCCY
CUSTSEGCD
CUSTSEGSTATUS
NETWORTH
NETWORTHCCY
CUSTOMER_NO
Mfi1
MFI_CUST_TYPE
POVERTY_STATUS
LITERACY_OF_CLIENT
BUSINESS_ACTIVITY
BLACKLISTED
BLACKLIST_COUNT
PHYSICALLY_CHALLENGED
Chklist
VERIFIED

Id-Master
- *CUSTOMER_NO*

Id-Det-Main
- *CUSTOMER_NO*
- *SNO*
- *DOCUMENT_TYPE*
- *Iddetail*
  - *CUSTOMER_NO*
  - *SNO*
  - *DOCUMENT_TYPE*
  - *SERIES*
  - *DOC_ID*
  - *DATE_OF_ISSUE*
  - *DATE_OF_EXPIRY*
  - *ISSUING_AUTHORITY*
  - *PLACE_OF_ISSUE*
  - *NAME*

Custmis
- *CUSTNO*
- *Custchnglog*
  - *MISCLS*
  - *TXNDT*
  - *OLDMISCD*
  - *NWMISCD*
- *Baltrnsfrlog*
  - *BRN*
  - *PRDCD*
  - *FINYR*
  - *TXNDT*
  - *GLCODE*
  - *MISCLS*
  - *OLDMISCD*
  - *NWMISCD*
  - *TRNIND*
  - *CCY*
  - *XRATE*
- *Customermis*
  - *MISCLS*
  - *MISCD*
- *Compositemis*
  - *MISCLS*
  - *MISCD*

Jointcustomer
- *CUSTNO*

- *Custjoint*
  - *CUSTPREFIX*
  - *FRSTNAME*
  - *MIDNAME*
  - *LASTNAME*
  - *DOB*
  - *SEX*
  - *PPNO*
  - *PPTISSDT*
  - *PPTEXPDT*
  - *ADD1*
  - *ADD2*
  - *ADD3*
  - *TEL*
  - *EMAIL*
  - *DECEASED*
  - *RESISTAT*
- *Cust-Acc-Det*
  - *CUSTNO*
  - *Diary-Mst*
    - *INSTRNO*
    - *UNTTYP*
    - *UNTVAL*
    - *BRN*
    - *INSTR*
    - *INSTRTYPE*
    - *EXEDAYS*
    - *EXEMONTHS*
    - *EXEYEARS*
    - *MNTHENDFLG*
    - *HLDRULE*
    - *FRSTDUEDT*
    - *NXTDUEDT*
    - *NXTEXEDT*
    - *CONDELEM*
    - *OPRTR*
    - *CONDVAL*
    - *ACCOFCR*
    - *SPLINSTRTYP*
    - *EXPDT*
    - *SPLINSTR*
- *Custaccdet*
  - *CUSTNO*
  - *Relationship-Linkage*

CUSTOMER
RELATIONSHIP
INHERIT
DESCP
Custacdetail
CUSTNO
CUSTTEXT
SEQNO
CUSTNO
TDESC
UDFDETAILS
FLDNAM
FLDVAL
Sttms-Debit
BRANCH_CODE
CUST_NO
ACTNO
Extsys-Ws-Master
KEYID
Cust-Account
BRN
ACC
AC_DESC
CUST_NO
AC_OPEN_DATE
ALT_ACC_NO
CHQBOOK
ATM
PASSBOOK
ATMACC
ATMDLIM
ATMDCNTLIM
CHKNAME1
CHKNAME2
AUTOREORDERCHKREQ
AUTOREORDERCHKLVL
AUTOREORDERCHKLVS
DORMPRM
LOCATION
OPMODE
COUNTRY_CODE
AUTO_CHEQUE_BOOK_REQ
AUTO_DEBIT_CARD_REQUEST
ACCOUNT_TYPE

MAX_NO_CHEQUE_REJECTIONS
ACC_OPENING_AMT
GL_ACCC
OFFSET_BRN
PAY_IN_OPTION
WAIVE_ACC_OPEN_CHARGE
CODATMBRN
TRACK_LIMITS
LIABNO
LIABID
REPL_CUST_SIG
SALARY_ACCOUNT
SDREFNO
SPDANLSYS
Jointholders
- *CUSTNO*
- *CUSTNAME1*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees
- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist
- *DOCUMENT_TYPE*
- *MANDATORY*
- *CHECKED*

Doctype-Remarks1
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*

- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Cust-Acc-Check

- *CHECK_LEAVES*
- *CHEQUE_BOOK_TYPE*
- *ORDER_DATE*
- *ORDER_DETAILS*
- *LANG_CODE*

Cust-Acc-Card

- *CARD_BIN*
- *CARD_NO*

Udfdetails

- *FLDNAM*
- *FLDVAL*
- *DATATYP*
- *VALTYP*

Misdetails

- *TXNMIS7*
- *COMPMIS8*
- *TXNMIS8*
- *COMPMIS9*
- *TXNMIS9*
- *COMPMIS10*
- *TXNMIS10*
- *COSTCOD1*
- *COSTCOD2*
- *COSTCOD3*
- *COSTCOD4*
- *COSTCOD5*
- *REFRTSPRD*
- *REFRTTYPE*
- *REFRTCD*
- *POOLCD*
- *RTFLAG*
- *REFRATE*
- *CALCMETH*
- *MISGRP*
- *MISGRPTXN*
- *MISGRPCOMP*
- *COMPMIS1*

TXNMIS1

COMPMIS2

TXNMIS2

COMPMIS3

TXNMIS3

COMPMIS4

TXNMIS4

COMPMIS5

TXNMIS5

COMPMIS6

TXNMIS6

COMPMIS7

Nsf-Enq

CUSTOMER_NO

Master

KEY_ID

FUNCTION_ID

Doc-Upload

DCREFNO

DOC_CATEGORY

DOC_TYPE

REMARKS

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Customer-IO

Attribute	Description
Name	Customer-IO
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description	
Name	PRIVATE_CUSTOMER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CTYPE

Attribute	Description

Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,C,B

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	Description
Name	ADDRLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN3

Attribute	Description
Name	ADDRLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN2

Attribute	Description
Name	ADDRLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN4

Attribute	Description
Name	ADDRLN4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SNAME

Attribute	Description
Name	SNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NLTY

Attribute	Description
Name	NLTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LBRN

Attribute	Description
Name	LBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCATEG

Attribute	Description
Name	CCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FULLNAME

Attribute	Description
Name	FULLNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CIFCREATIONDT

Attribute	Description
Name	CIFCREATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISELCMCUST

Attribute	Description
Name	ISELCMCUST
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

ELCMCUSTNO

Attribute	**Description**
Name	ELCMCUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AR_AP_TRACKING

Attribute	**Description**
Name	AR_AP_TRACKING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

EXPCNTRY

Attribute	**Description**
Name	EXPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	20

TOP

UIDVAL

Attribute	Description
Name	UIDVAL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

FROZEN

Attribute	Description
Name	FROZEN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

DEAD

Attribute	Description
Name	DEAD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

WHRUNKN

Attribute	Description
Name	WHRUNKN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

CRRATE

Attribute	Description
Name	CRRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

SWIFTCD

Attribute	Description
Name	SWIFTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

LOC

Attribute	Description
Name	LOC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

MAILRSREQD

Attribute	Description
Name	MAILRSREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

GRPCD

Attribute	Description
Name	GRPCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

EXPCAT

Attribute	Description
Name	EXPCAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUSTCLASSFN

Attribute	Description
Name	CUSTCLASSFN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTAT

Attribute	**Description**
Name	CIFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTATSNC

Attribute	**Description**
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGGRP

Attribute	**Description**
Name	CHGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSTCLGGRP

Attribute	**Description**
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	10

TOP

TAXGROUP

Attribute	Description	
Name	TAXGROUP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

CLSPARTICIPANT

Attribute	Description	
Name	CLSPARTICIPANT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

FXNETTCUST

Attribute	Description	
Name	FXNETTCUST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

XREF

Attribute	Description	
Name	XREF	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

TOP

CRMCUST

Attribute	Description
Name	CRMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ISSUCUST

Attribute	Description
Name	ISSUCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

TRSRYCUST

Attribute	Description
Name	TRSRYCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

RELPRICING

Attribute	Description
Name	RELPRICING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

MT920

Attribute	Description
Name	MT920
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

FLGJOINT

Attribute	Description
Name	FLGJOINT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

LMCCY

Attribute	Description
Name	LMCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

HOACNO

Attribute	Description
Name	HOACNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

RISKPRFL

Attribute	Description
Name	RISKPRFL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRCAT

Attribute	**Description**
Name	DRCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

AMLREQD

Attribute	**Description**
Name	AMLREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AMLCUSTGRP

Attribute	**Description**
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CHKDIGITVALREQD

Attribute	**Description**
Name	CHKDIGITVALREQD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

ALGID

Attribute	**Description**	
Name	ALGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

FTACCASOF

Attribute	**Description**	
Name	FTACCASOF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,N,D

TOP

CUSTUNADV

Attribute	**Description**	
Name	CUSTUNADV	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

CONSTAXCERTRQD

Attribute	**Description**	
Name	CONSTAXCERTRQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

INDTAXCERTRQD

Attribute	Description	
Name	INDTAXCERTRQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

CLSCCYALLWD

Attribute	Description	
Name	CLSCCYALLWD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,A

TOP

RISKCATEG

Attribute	Description	
Name	RISKCATEG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

FAX

Attribute	Description	
Name	FAX	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

JV_LIMIT_TRACKING

Attribute	Description
Name	JV_LIMIT_TRACKING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAS_CUST

Attribute	Description
Name	CAS_CUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIAB_NODE

Attribute	Description
Name	LIAB_NODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LIAB_BR

Attribute	Description
Name	LIAB_BR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAST_DUE_FLAG

Attribute	**Description**
Name	PAST_DUE_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

SHORT_NAME2

Attribute	**Description**
Name	SHORT_NAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

INTRODUCER

Attribute	**Description**
Name	INTRODUCER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

WHT_PCT

Attribute	**Description**
Name	WHT_PCT
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

UPTYPE

Attribute	Description	
Name	UPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

UDFLBL1

Attribute	Description	
Name	UDFLBL1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

UDFLBL2

Attribute	Description	
Name	UDFLBL2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

UDFLBL3

Attribute	Description	
Name	UDFLBL3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

RM_ID

Attribute	Description
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

AUTOGENSTMTPLAN

Attribute	Description
Name	AUTOGENSTMTPLAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	Description
Name	STMTDAY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 2

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

INVESTCUST

Attribute	Description
Name	INVESTCUST
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

ALLOWVRTLACCNTS

Attribute	Description
Name	ALLOWVRTLACCNTS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

VRTLCUSTOMERID

Attribute	**Description**
Name	VRTLCUSTOMERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Custpersonal

Attribute	**Description**
Name	Custpersonal
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

FSTNAME

Attribute	Description	
Name	FSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MIDNAME

Attribute	Description	
Name	MIDNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LSTNAME

Attribute	Description	
Name	LSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DOB

Attribute	Description	
Name	DOB	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PPTNO

Attribute	Description
Name	PPTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

DADD2

Attribute	Description	
Name	DADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DADD3

Attribute	Description	
Name	DADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DPIN_CODE

Attribute	Description	
Name	DPIN_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

TELEPHNO

Attribute	Description	
Name	TELEPHNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

FAXNUMBER

Attribute	Description
Name	FAXNUMBER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

BENEFADDR1

Attribute	Description
Name	BENEFADDR1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADDRS3

Attribute	Description
Name	ADDRS3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

BENEFADDR2

Attribute	Description
Name	BENEFADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DCNTRY

Attribute	Description
Name	DCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

RESSTATUS

Attribute	Description
Name	RESSTATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,R

TOP

CUSTPREFIX1

Attribute	Description
Name	CUSTPREFIX1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CUSTPREFIX2

Attribute	**Description**
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

MOBNUM

Attribute	**Description**
Name	MOBNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_COMM_MODE

Attribute	**Description**
Name	CUST_COMM_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,M

TOP

LANG

Attribute	**Description**
Name	LANG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

GUARDIAN

Attribute	**Description**	
Name	GUARDIAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SBMTAGEPROOF

Attribute	**Description**	
Name	SBMTAGEPROOF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,N,V

TOP

MINOR

Attribute	**Description**	
Name	MINOR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

KYCSTAT

Attribute	**Description**	
Name	KYCSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	N,V,F

TOP

SSTAFF

Attribute	Description	
Name	SSTAFF	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

KYC_REFNO

Attribute	Description	
Name	KYC_REFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

DADD1

Attribute	Description	
Name	DADD1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

SAME_PERM_ADDR

Attribute	Description
Name	SAME_PERM_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

TITLE

Attribute	Description
Name	TITLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ADDRS4

Attribute	Description
Name	ADDRS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DADD4

Attribute	Description
Name	DADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PLACEOFBIRTH

Attribute	Description
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

BIRTHCOUNTRY

Attribute	Description
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EDUSTAT

Attribute	Description
Name	EDUSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / U,N,G,P

TOP

MARITALSTAT

Attribute	Description
Name	MARITALSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,D,R,S,P,E

TOP

SPNAME

Attribute	Description
Name	SPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

SPEMPSTATUS

Attribute	Description	
Name	SPEMPSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description	
Name	DEPCHILD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DEPOTH

Attribute	Description	
Name	DEPOTH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCOMODATE

Attribute	Description	
Name	ACCOMODATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description
Name	MOTHERMAIDN_NAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custprof

Attribute	Description
Name	Custprof
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMPSTAT

Attribute	Description
Name	EMPSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description
Name	EMPTENURE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETIREAGE

Attribute	Description
Name	RETIREAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PREVEMP

Attribute	Description
Name	PREVEMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURRDESIG

Attribute	Description
Name	CURRDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURREMP

Attribute	Description
Name	CURREMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADD1

Attribute	Description
Name	ADD1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMTCCY1

Attribute	Description
Name	AMTCCY1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TELEX

Attribute	**Description**
Name	TELEX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FAX

Attribute	**Description**
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAIL

Attribute	**Description**
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

SALARY

Attribute	**Description**
Name	SALARY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OTHER1

Attribute	Description
Name	OTHER1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOUSEVAL

Attribute	Description
Name	HOUSEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CRCARD

Attribute	Description
Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CNTY

Attribute	Description
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Custcorp

Attribute	Description
Name	Custcorp
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CORPNAME

Attribute	Description
Name	CORPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

REGADD1

Attribute	Description	
Name	REGADD1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

REGADD2

Attribute	Description	
Name	REGADD2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

REGADD3

Attribute	Description	
Name	REGADD3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

R_PIN_CODE

Attribute	Description	
Name	R_PIN_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

AMTCCY

Attribute	Description
Name	AMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INCORPDT

Attribute	Description
Name	INCORPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITAL

Attribute	Description
Name	CAPITAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPDESC

Attribute	Description
Name	CORPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

INCORPCNTRY

Attribute	**Description**
Name	INCORPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REGCNTRY

Attribute	**Description**
Name	REGCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SAME_CORR_ADDR

Attribute	**Description**
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

REGADD4

Attribute	**Description**
Name	REGADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

JOINTVENTURE

Attribute	Description
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

CADDR1

Attribute	Description
Name	CADDR1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CADDR3

Attribute	Description
Name	CADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CADDR2

Attribute	Description
Name	CADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CADDR4

Attribute	Description
Name	CADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CPINCODE

Attribute	Description
Name	CPINCODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

CNTRY

Attribute	Description
Name	CNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

NATIONALITY

Attribute	Description
Name	NATIONALITY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

LANGUAGE

Attribute	Description
Name	LANGUAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

KYC_DETAILS

Attribute	**Description**
Name	KYC_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,V,F

TOP

KYCREFNO

Attribute	**Description**
Name	KYCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CNAME

Attribute	**Description**
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

UIDVALUE

Attribute	Description
Name	UIDVALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TELEPHONE

Attribute	Description
Name	TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	255

TOP

MOBILENUMBER

Attribute	Description
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CUSTCOMMMODE

Attribute	Description
Name	CUSTCOMMMODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: E,M

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

TELISDNOCRP

Attribute	Description
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

DIRNAME

Attribute	Description
Name	DIRNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR1

Attribute	Description
Name	NADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR2

Attribute	Description
Name	NADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR3

Attribute	Description
Name	NADDR3

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TAXID

Attribute	Description
Name	TAXID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MOBNO

Attribute	Description
Name	MOBNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

TELISDNOCRPDIR

Attribute	Description
Name	TELISDNOCRPDIR
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

MOBISDNOCRPDIR

Attribute	Description
Name	MOBISDNOCRPDIR
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description
Name	ADDRCOUNTRYCRPDIR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

NATIONLTYCRPDIR

Attribute	**Description**	
Name	NATIONLTYCRPDIR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

USRESSTATUSCRPDIR

Attribute	**Description**	
Name	USRESSTATUSCRPDIR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

PCTHOLDING

Attribute	**Description**	
Name	PCTHOLDING	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

HOMETELNO

Attribute	**Description**	
Name	HOMETELNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

OVERLIMIT

Attribute	Description	
Name	OVERLIMIT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

IssuerImts

Attribute	Description	
Name	IssuerImts	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	1

TOP

ISSID

Attribute	Description	
Name	ISSID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CLTRLTYP

Attribute	Description	
Name	CLTRLTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

LMTCCY

Attribute	Description
Name	LMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DOCREF

Attribute	Description
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	50

TOP

DATEREQ

Attribute	Description
Name	DATEREQ
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

EXPECTDDATE

Attribute	Description
Name	EXPECTDDATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

Restrictions	Restrictions	Description
	maxLength	255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Custgrp

Attribute	Description
Name	Custgrp
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

TOP

GRPNO

Attribute	Description	
Name	GRPNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

RELATION

Attribute	Description	
Name	RELATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

Custshhold

Attribute	Description	
Name	Custshhold	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

TOP

SHHOLDID

Attribute	Description	
Name	SHHOLDID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

SHHOLDPCT

Attribute	Description
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Clsccyrest

Attribute	Description
Name	Clsccyrest
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Bic

Attribute	Description
Name	Bic
Datatype	

Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	1

TOP

ACC

Attribute	**Description**	
Name	ACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BICCD

Attribute	**Description**	
Name	BICCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

Linkedac

Attribute	**Description**	
Name	Linkedac	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

VRFD

Attribute	**Description**	
Name	VRFD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

LINKEDACCNO

Attribute	Description
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

LINKEDACCIBAN

Attribute	Description
Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LINKEDACCBIC

Attribute	Description
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LINKEDACCBLZ

Attribute	Description
Name	LINKEDACCBLZ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Jointventure

Attribute	Description
Name	Jointventure
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PARTY_ID

Attribute	Description
Name	PARTY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PARTY_RATIO

Attribute	Description
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARTYNAME

Attribute	Description
Name	PARTYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Custsegment

Attribute	Description
Name	Custsegment
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTCCY

Attribute	Description	
Name	CUSTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUSTSEGCD

Attribute	Description	
Name	CUSTSEGCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

CUSTSEGSTATUS

Attribute	Description	
Name	CUSTSEGSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

NETWORTH

Attribute	Description	
Name	NETWORTH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

Mfi1

Attribute	Description
Name	Mfi1
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

MFI_CUST_TYPE

Attribute	Description
Name	MFI_CUST_TYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: G,C,I

TOP

POVERTY_STATUS

Attribute	Description
Name	POVERTY_STATUS
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

LITERACY_OF_CLIENT

Attribute	**Description**	
Name	LITERACY_OF_CLIENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

BUSINESS_ACTIVITY

Attribute	**Description**	
Name	BUSINESS_ACTIVITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

BLACKLISTED

Attribute	**Description**	
Name	BLACKLISTED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BLACKLIST_COUNT

Attribute	**Description**	
Name	BLACKLIST_COUNT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

PHYSICALLY_CHALLENGED

Attribute	**Description**
Name	PHYSICALLY_CHALLENGED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Chklist

Attribute	**Description**
Name	Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VERIFIED

Attribute	**Description**
Name	VERIFIED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Id-Master

Attribute	**Description**
Name	Id-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**

Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Id-Det-Main

Attribute	**Description**
Name	Id-Det-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	**Description**
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	**Description**
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Iddetail

Attribute	Description
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SERIES

Attribute	Description
Name	SERIES
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

DOC_ID

Attribute	Description
Name	DOC_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DATE_OF_ISSUE

Attribute	Description
Name	DATE_OF_ISSUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DATE_OF_EXPIRY

Attribute	Description
Name	DATE_OF_EXPIRY
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	Description
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

Custchnglog

Attribute	Description
Name	Custchnglog
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 1

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Baltrnsfrlog

Attribute	Description
Name	Baltrnsfrlog

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	**Description**
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	**Description**
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	**Description**
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

GLCODE

Attribute	Description
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TRNIND

Attribute	Description
Name	TRNIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Customermis

Attribute	Description
Name	Customermis
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	**Description**
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Compositemis

Attribute	**Description**
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	**Description**
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates the Customer Joint.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTPREFIX

Attribute	Description
Name	CUSTPREFIX
Datatype	String
Description	Indicates the Customer Prefix.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FRSTNAME

Attribute	Description
Name	FRSTNAME
Datatype	String

Description	Indicates the First Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIDNAME

Attribute	**Description**
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LASTNAME

Attribute	**Description**
Name	LASTNAME
Datatype	String
Description	Indicates the Last Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DOB

Attribute	**Description**
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SEX

Attribute	**Description**
Name	SEX
Datatype	String
Description	Indicates the Sex.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,F

TOP

PPNO

Attribute	Description
Name	PPNO
Datatype	String
Description	Indicates the Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADD1

Attribute	Description
Name	ADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD3

Attribute	Description	
Name	ADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EMAIL

Attribute	Description	
Name	EMAIL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

DECEASED

Attribute	Description	
Name	DECEASED	
Datatype	String	
Description	Indicates whether Deceased or not. The value should be either D or N.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resident Status. The Value could be either R or N.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

INSTRNO

Attribute	Description

Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

UNTTYP

Attribute	**Description**
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

UNTVAL

Attribute	**Description**
Name	UNTVAL
Datatype	String
Description	Indicates Unit Value.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INSTR

Attribute	**Description**
Name	INSTR
Datatype	String
Description	Indicates Instructions.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

INSTRTYPE

Attribute	Description
Name	INSTRTYPE
Datatype	String
Description	Indicates Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXEDAYS

Attribute	Description
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution days.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXEMONTHS

Attribute	Description
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution years.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG

Datatype	String
Description	Indicates Month End Flag. Flag Value can be either Y or N.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OPRTR

Attribute	Description
Name	OPRTR
Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates special Instruction.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage
Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	Indicates the customer
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATIONSHIP

Attribute	Description
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	Description
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	Description
Name	DESCP

Datatype	String
Description	Indicates description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Custacdetail

Attribute	**Description**
Name	Custacdetail
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	**Description**
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CUSTTEXT

Attribute	**Description**
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SEQNO

Attribute	**Description**
Name	SEQNO
Datatype	Number
Description	Indicate sequence number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TDESC

Attribute	Description
Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255
	minLength	0

TOP

Sttms-Debit

Attribute	Description	
Name	Sttms-Debit	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BRANCH_CODE

Attribute	Description	
Name	BRANCH_CODE	
Datatype	String	
Description	Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_NO

Attribute	Description	
Name	CUST_NO	
Datatype	String	
Description	Customer No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

ACTNO

Attribute	Description	
Name	ACTNO	
Datatype	String	
Description	Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Extsys-Ws-Master

Attribute	Description
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

KEYID

Attribute	Description
Name	KEYID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

Cust-Account

Attribute	Description
Name	Cust-Account
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AC_DESC

Attribute	Description
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

AC_OPEN_DATE

Attribute	Description
Name	AC_OPEN_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ALT_ACC_NO

Attribute	Description
Name	ALT_ACC_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHQBOOK

Attribute	Description
Name	CHQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

OPMODE

Attribute	Description
Name	OPMODE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	Description
Name	COUNTRY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	Description
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	Description
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	Description
Name	ACCOUNT_TYPE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	Description
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	Description
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GL_ACCC

Attribute	Description
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OFFSET_BRN

Attribute	Description
Name	OFFSET_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CODATMBRN

Attribute	Description
Name	CODATMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

TRACK_LIMITS

Attribute	Description
Name	TRACK_LIMITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

LIABNO

Attribute	Description
Name	LIABNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

LIABID

Attribute	**Description**
Name	LIABID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

REPL_CUST_SIG

Attribute	**Description**
Name	REPL_CUST_SIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SALARY_ACCOUNT

Attribute	**Description**
Name	SALARY_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SDREFNO

Attribute	**Description**
Name	SDREFNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

SPDANLSYS

Attribute	Description
Name	SPDANLSYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Jointholders

Attribute	Description
Name	Jointholders
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME1

Attribute	Description
Name	CUSTNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JNTHLDTYP

Attribute	Description
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	Description
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

END_DATE

Attribute	Description
Name	END_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Acc-Nominees

Attribute	Description
Name	Acc-Nominees
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

RELSHIP

Attribute	Description
Name	RELSHIP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR3

Attribute	Description	
Name	NADDR3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR4

Attribute	Description	
Name	NADDR4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NOMMINOR

Attribute	**Description**
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GUARDNAM

Attribute	**Description**
Name	GUARDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GUARDRELNSHP

Attribute	**Description**
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR1

Attribute	**Description**
Name	GADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR2

Attribute	Description	
Name	GADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GADDR3

Attribute	Description	
Name	GADDR3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GADDR4

Attribute	Description	
Name	GADDR4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NAM

Attribute	Description	
Name	NAM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MANDATORY

Attribute	Description
Name	MANDATORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

Doctype-Remarks1

Attribute	**Description**	
Name	Doctype-Remarks1	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REMARK1

Attribute	**Description**	
Name	REMARK1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK2

Attribute	**Description**	
Name	REMARK2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK3

Attribute	**Description**	
Name	REMARK3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Cust-Acc-Check

Attribute	Description
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHECK_LEAVES

Attribute	Description
Name	CHECK_LEAVES
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CHEQUE_BOOK_TYPE

Attribute	Description
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

ORDER_DATE

Attribute	Description
Name	ORDER_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

ORDER_DETAILS

Attribute	Description
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

Cust-Acc-Card

Attribute	Description
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

CARD_NO

Attribute	Description
Name	CARD_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 19

TOP

Udfdetails

Attribute	Description
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name

Restrictions	Restrictions	Description
	maxLength	105
	minLength	1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255 Restrictions: minLength — Description: 0

TOP

DATATYP

Attribute	Description
Name	DATATYP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

VALTYP

Attribute	Description
Name	VALTYP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	**Description**
Name	COSTCOD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	**Description**
Name	COSTCOD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	**Description**
Name	COSTCOD5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REFRTSPRD

Attribute	**Description**
Name	REFRTSPRD
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: P,R

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,4,5,6,7,8,9,

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3

Attribute	**Description**
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	**Description**
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4

Attribute	**Description**
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	**Description**
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	Key Id

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNCTION_ID

Attribute	Description	
Name	FUNCTION_ID	
Datatype	String	
Description	Function	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8

TOP

Doc-Upload

Attribute	Description	
Name	Doc-Upload	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

DCREFNO

Attribute	Description	
Name	DCREFNO	
Datatype	String	
Description	Document Reference	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

DOC_CATEGORY

Attribute	Description	
Name	DOC_CATEGORY	
Datatype	String	
Description	Document Category	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	Document Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	Remarks
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

2.13.3.ST-ModifyCustomer-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-Full*
    - *PRIVATE_CUSTOMER*
    - *CUSTNO*
    - *CTYPE*
    - *NAME*
    - *ADDRLN1*
    - *ADDRLN3*
    - *ADDRLN2*
    - *ADDRLN4*
    - *COUNTRY*
    - *SNAME*
    - *NLTY*
    - *LBRN*
    - *CCATEG*
    - *FULLNAME*
    - *CIFCREATIONDT*
    - *ISELCMCUST*
    - *ELCMCUSTNO*
    - *AR_AP_TRACKING*

EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
CREATEACC
CREATEDACCOUNT
TRACK_LIMITS
LIABID
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM
SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR

UTLTYPRVDRID
RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
LC_COLLAT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
UDF1
UDF2
UDF3
UDF4
UDF5
RM_ID
NETTREQD
LIABUNADV
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
MFI_CUSTOMER
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Custpersonal

FSTNAME
MIDNAME
LSTNAME
DOB
GENDR
NATIONID
PPTNO
PPTISSDT
PPTEXPDT
DADD2
DADD3
DPIN_CODE
TELEPHNO
FAXNUMBER
EMAILID
BENEFADDR1
ADDRS3
BENEFADDR2
DCNTRY
PCNTRY
RESSTATUS
CUSTPREFIX1
CUSTPREFIX2
MOBNUM
CUST_COMM_MODE
LANG
GUARDIAN
SBMTAGEPROOF
MINOR
KYCSTAT
SSTAFF
KYC_REFNO
SAME_CORR_ADDR
DADD1
SAME_PERM_ADDR
TITLE
ADDRS4
DADD4
PLACEOFBIRTH
BIRTHCOUNTRY
TELISDNOPERSONAL
MOBISDNO
FAXISDNO
USRESSTATUS

PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY
PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV
HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
- *CUSTNO*
- *EDUSTAT*
- *MARITALSTAT*
- *SPNAME*
- *SPEMPSTATUS*
- *DEPCHILD*
- *DEPOTH*
- *ACCOMODATE*
- *MOTHERMAIDN_NAME*

Custprof
- *CUSTNO*
- *EMPSTAT*
- *EMPTENURE*
- *RETIREAGE*
- *PREVDESIG*
- *PREVEMP*
- *CURRDESIG*
- *CURREMP*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *AMTCCY1*
- *TELEX*
- *FAX*
- *EMAIL*
- *SALARY*
- *OTHER1*
- *RENT*
- *INSURANCE*

LOANPMNT

OTHEXP

HOUSEVAL

CRCARD

CNTY

EMPLOYER_DESC

Custcorp

CORPNAME

REGADD1

REGADD2

REGADD3

R_PIN_CODE

AMTCCY

INCORPDT

CAPITAL

NETWORTH

CORPDESC

INCORPCNTRY

REGCNTRY

SAME_CORR_ADDR

REGADD4

JOINTVENTURE

CADDR1

CADDR3

CADDR2

CADDR4

CPINCODE

CNTRY

LANGUAGE

KYC_DETAILS

KYCREFNO

CNAME

UIDNAME

UIDVALUE

TELEPHONE

FAX

EMAILID

MOBILENUMBER

CUSTCOMMMODE

NATIONID

TELISDNOCRP

MOBISDNOCRP

FAXISDNOCRP

PREF_CNTACT_DATE

PREF_CNTACT_TIME

OWNERSHPTYPE

Custcorpdir

DIRNAME

NADDR1

NADDR2

NADDR3

NADDR4

ADDRESS1

ADDRESS2

ADDRESS3

COUNTRY

TEL

TAXID

MOBNO

EMAILID

TELISDNOCRPDIR

MOBISDNOCRPDIR

ADDRCOUNTRYCRPDIR

NATIONLTYCRPDIR

USRESSTATUSCRPDIR

PCTHOLDING

HOMETELNO

HOMETELISD

PPIN_CODE

PIN_CODE

Issuerdet

CUSTNO

OVERLMTCCY

OVERLIMIT

Issuerlmts

CLTRLTYP

LMTCCY

LMTAMT

Custdoc-Chklist

CUSTOMER_NO

DOCCATEGORY

DOCUMENTNAME

DOCUMENT_TYPE

CHECKED

DOCREF

DATEREQ

EXPECTDDATE

ACTUALDATE

- *EXPDATE*
- *REMARKSCHKLIST*

Doctype-Remarks

- *CUSTOMER_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *CUSTNO*
- *RELATION*

Custshhold

- *CUSTNO*
- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CUSTNO*
- *CCY*
- *DESC*

Bic

- *ACC*
- *CUSTNO*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Cust-Liab

- *LIABILITY_NUMBER*
- *LIABILTY_NAME*
- *LIAB_BRANCH*
- *LIAB_CCY*

- *OVERLIMIT*
- *REVISION_DATE*
- *CATEGORY*
- *USER_DEFINED_STATUS*
- *UNADV*
- *NETTING_REQUIRED*
- *OVERALL_SCORE*
- *FX_CLEAN_RISK_LIMIT*
- *SEC_CLEAN_RISK_LIMIT*
- *SEC_PSTL_RISK_LIMIT*
- *REMARKS*
- *MAIN_LIAB_NO*
- *UTIL_AMOUNT*
- *CRRATING*
- *Liab-Score*
  - *SCORE*
  - *SCORE_NAME*
  - *SCORE_DESC*
- *Liab-Rating*
  - *PRIMARY*
  - *AGENCY_NAME*
  - *CREDIT_RATING*
- *Liab-Linkage*
  - *EXPOSURE_NAME*
  - *EXPOSURE_DESC*
  - *EXPOSURE_TYPE*
- *Liab-Udf*
  - *FLDNAM*
  - *FLDVAL*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*

Mfi1

- *INSURANCE_NUMBER*
- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*
- *BLACKLISTED*
- *BLACKLIST_COUNT*
- *PHYSICALLY_CHALLENGED*

ACCOUNT_OFFICER

Training

TRAINING_CODE

TRAINING_DATE

CIF

Chklist

KEY_ID

CHKLIST_ITEM

VERIFIED

Mf-Cifdet

CUSTOMER_NO

GROUP_CODE

MEETING_CODE

Id-Master

CUSTOMER_NO

Id-Det-Main

CUSTOMER_NO

SNO

DOCUMENT_TYPE

Iddetail

CUSTOMER_NO

SNO

DOCUMENT_TYPE

SERIES

DOC_ID

DATE_OF_ISSUE

DATE_OF_EXPIRY

ISSUING_AUTHORITY

PLACE_OF_ISSUE

NAME

Custmis

MISGRP

CUST

BRNCD

LINKTOGRP

Custchnglog

MISCLS

TXNDT

OLDMISCD

NWMISCD

Baltrnsfrlog

BRN

PRDCD

FINYR

TXNDT
GLCODE
MISCLS
OLDMISCD
NWMISCD
TRNIND
CCY
AMT
XRATE
Customermis
MISCLS
MISCD
Compositemis
MISCLS
MISCD
Custloghead
Jointcustomer
CUSTNO
Custjoint
CUSTPREFIX
FRSTNAME
MIDNAME
LASTNAME
DOB
SEX
PPNO
PPTISSDT
PPTEXPDT
ADD1
ADD2
ADD3
TEL
EMAIL
SSN
DECEASED
RESISTAT
Cust-Acc-Det
CUSTNO
Diary-Mst
INSTRNO
UNTTYP
UNTVAL
BRN
INSTR

INSTRTYPE
EXEDAYS
EXEMONTHS
EXEYEARS
MNTHENDFLG
HLDRULE
FRSTDUEDT
NXTDUEDT
NXTEXEDT
CONDELEM
OPRTR
CONDVAL
ACCOFCR
SPLINSTRTYP
EXPDT
SPLINSTR
Custaccdet
CUSTNO
BRNCD
Relationship-Linkage
CUSTOMER
RELATIONSHIP
INHERIT
DESCP
Custacdetail
CUSTNO
CUSTTEXT
SEQNO
CUSTNO
TDESC
UDFDETAILS
FLDNAM
FLDVAL
Sttms-Debit
BRANCH_CODE
CUST_NO
ACTNO
Sttms-Detail
BRANCH_CODE
REQUEST_REFERENCE_NO
CARDNO
CUST_NO
CARD_PRODUCT
PRIMARY_CARD

NAME_ON_CARD
OWNER_ID_NO
CARD_ISSUED_DT
CARD_EXPIRY_DT
CARD_STATUS
RECORD_STAT
AUTH_STAT
CARD_BIN
CUST_AC_NO
Extsys-Ws-Master
Extsys-Ws-Details
EXTWSRESP
USERREMARKS
Cust-Account
BRN
ACC
AC_DESC
CUSTNAME
CUST_NO
CCY
ACCOUNT_CLASS
AC_OPEN_DATE
ALT_ACC_NO
CHQBOOK
ATM
PASSBOOK
ATMACC
ATMDLIM
ATMDCNTLIM
CHKNAME1
CHKNAME2
AUTOREORDERCHKREQ
AUTOREORDERCHKLVL
AUTOREORDERCHKLVS
DORMPRM
LOCATION
MEDIA
OPMODE
COUNTRY_CODE
AUTO_CHEQUE_BOOK_REQ
AUTO_DEBIT_CARD_REQUEST
ACCOUNT_TYPE
MAX_NO_CHEQUE_REJECTIONS
ACC_OPENING_AMT

GL_ACCC
OFFSET_BRN
PAY_IN_OPTION
WAIVE_ACC_OPEN_CHARGE
CODATMBRN
REPL_CUST_SIG
SALARY_ACCOUNT
SDREFNO
SPDANLSYS
TYOFCHQ
Account-Generation
Jointholders-Main
Jointholders
- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUSTNO*
- *CUSTNAME1*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees
- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMINEE_ID*
- *CUST_AC_NO*
- *BRANCH_CODE*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist
- *BRANCH_CODE*
- *CUST_AC_NO*
- *DOCUMENT_TYPE*
- *MANDATORY*
- *CHECKED*

Doctype-Remarks1

BRANCH_CODE

CUST_AC_NO

REMARK1

REMARK2

REMARK3

REMARK4

REMARK5

REMARK6

REMARK7

REMARK8

REMARK9

REMARK10

Cust-Acc-Check

BRANCH

ACCOUNT

FIRST_CHECK_NO

CHECK_LEAVES

CHEQUE_BOOK_TYPE

ORDER_DATE

ORDER_DETAILS

LANG_CODE

REQUEST_STATUS

CHQ_TYPE

Cust-Acc-Card

BRANCH_CODE

CUST_AC_NO

CUST_NO

REQUEST_REFERENCE_NO

CARD_PRODUCT

CARD_BIN

NAME_ON_CARD

CARD_NO

CARD_APPL_DATE

PRIMARY_CARD

CARD_STATUS

Udfdetails

FUNCID

RECKEY

FLDNAM

FLDVAL

Custacc

Misdetails

TXNMIS7

COMPMIS8
TXNMIS8
COMPMIS9
TXNMIS9
COMPMIS10
TXNMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
REFRTSPRD
REFRTTYPE
REFRTCD
BRN
ACC
POOLCD
RTFLAG
REFRATE
CALCMETH
MISGRP
MISGRPTXN
MISGRPCOMP
COMPMIS1
TXNMIS1
COMPMIS2
TXNMIS2
COMPMIS3
TXNMIS3
COMPMIS4
TXNMIS4
COMPMIS5
TXNMIS5
COMPMIS6
TXNMIS6
COMPMIS7
LINKGRP
Misaccchangelog
- *MISCLS*
- *TXNDT*
- *OLDMISCD*
- *NWMISCD*

Misbaltransferlog
- *BRN*

PRDCD

FINYR

GLCODE

TRNIND

MISCLS

TXNDT

OLDMISCD

NWMISCD

CCY

AMT

XRATE

Chglog

Tsfrlog

Classname

B1

C1

C2

C3

C4

C5

C6

C7

C8

C9

C10

T1

T2

T3

T4

T5

T6

T7

T8

T9

T10

Nsf-Enq

CUSTOMER_NO

CUSTOMER_NAME1

NSFIB_CS_EVENT_NO

NSFIB_CS_LVL

NSFIB_CS_LVL_EFFDT

NSFIB_CS_LVL_EXPDT

NSFIB_CS_BLK_STAT

NSFIB_CS_LAST_TRN_DT

NSFIB_CS_WBRCK_STAT
NSFIB_CS_WBRCK_EFFDT
NSFIB_CS_WBRCK_EXPDT
NSFIB_IB_BLK_STAT
NSFIB_IB_BLK_EFFDT
NSFIB_IB_BLK_EXPDT
NSFIB_IB_BLK_DESC
NSFIB_CB_BLK_STAT
NSFIB_CB_DESC
NSFIB_CB_EFFDT
NSFIB_CB_EXPDT
NSFIB_CS_BLK_DESC
NSFIB_CS_WBRCK_STAT_DESC
Cust
CUSTNO
CNAME
Cust-Ck-Det
CHQ_AMT
CHQ_PROCESS_ORDER
LVL_COMP_EXPDT
BRANCH_CODE
CG_REF_NO
CUSTOMER_NO
ACCOUNT_NO
CHQ_NO
EVENT_NO
NSF_LVL
LVL_EFFDT
LVL_EXPDT
CHQ_DT
CHQ_VALUEDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Customer-Full

Attribute	Description

Name	Customer-Full
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description
Name	PRIVATE_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CTYPE

Attribute	Description
Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,C,B

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	Description

Name	ADDRLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRLN3

Attribute	Description
Name	ADDRLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRLN2

Attribute	Description
Name	ADDRLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRLN4

Attribute	Description
Name	ADDRLN4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SNAME

Attribute	Description
Name	SNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NLTY

Attribute	Description
Name	NLTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LBRN

Attribute	Description
Name	LBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCATEG

Attribute	Description
Name	CCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FULLNAME

Attribute	**Description**
Name	FULLNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CIFCREATIONDT

Attribute	**Description**
Name	CIFCREATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISELCMCUST

Attribute	**Description**
Name	ISELCMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

ELCMCUSTNO

Attribute	**Description**
Name	ELCMCUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AR_AP_TRACKING

Attribute	Description
Name	AR_AP_TRACKING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

EXPCNTRY

Attribute	Description
Name	EXPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UIDNAME

Attribute	Description
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

UIDVAL

Attribute	Description
Name	UIDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FROZEN

Attribute	Description
Name	FROZEN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DEAD

Attribute	**Description**
Name	DEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

WHRUNKN

Attribute	**Description**
Name	WHRUNKN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CRRATE

Attribute	**Description**
Name	CRRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MEDIA

Attribute	**Description**
Name	MEDIA
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

SWIFTCD

Attribute	Description
Name	SWIFTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

LOC

Attribute	Description
Name	LOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MAILRSREQD

Attribute	Description
Name	MAILRSREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

GRPCD

Attribute	Description
Name	GRPCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

EXPCAT

Attribute	Description
Name	EXPCAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUSTCLASSFN

Attribute	Description
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CIFSTAT

Attribute	Description
Name	CIFSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CIFSTATSNC

Attribute	Description
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGGRP

Attribute	Description
Name	CHGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSTCLGGRP

Attribute	Description
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TAXGROUP

Attribute	Description
Name	TAXGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLSPARTICIPANT

Attribute	Description
Name	CLSPARTICIPANT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

FXNETTCUST

Attribute	Description
Name	FXNETTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRMCUST

Attribute	Description
Name	CRMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ISSUCUST

Attribute	Description
Name	ISSUCUST
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

TRSRYCUST

Attribute	**Description**	
Name	TRSRYCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

RELPRICING

Attribute	**Description**	
Name	RELPRICING	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

MT920

Attribute	**Description**	
Name	MT920	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FLGJOINT

Attribute	**Description**	
Name	FLGJOINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

CREATEACC

Attribute	Description	
Name	CREATEACC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

CREATEDACCOUNT

Attribute	Description	
Name	CREATEDACCOUNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

TOP

TRACK_LIMITS

Attribute	Description	
Name	TRACK_LIMITS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

LIABID

Attribute	Description	
Name	LIABID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

LMCCY

Attribute	Description
Name	LMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOACNO

Attribute	Description
Name	HOACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RISKPRFL

Attribute	Description
Name	RISKPRFL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRCAT

Attribute	Description
Name	DRCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

AMLREQD

Attribute	Description
Name	AMLREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

AMLCUSTGRP

Attribute	Description
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

CHKDIGITVALREQD

Attribute	Description
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

ALGID

Attribute	Description
Name	ALGID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

FTACCASOF

Attribute	Description
Name	FTACCASOF

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,N,D

TOP

CUSTUNADV

Attribute	Description
Name	CUSTUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CONSTAXCERTRQD

Attribute	Description
Name	CONSTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

INDTAXCERTRQD

Attribute	Description
Name	INDTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CLSCCYALLWD

Attribute	Description
Name	CLSCCYALLWD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,A

TOP

RISKCATEG

Attribute	Description
Name	RISKCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UPTYPE

Attribute	Description
Name	UPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFLBL1

Attribute	Description
Name	UDFLBL1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL2

Attribute	Description
Name	UDFLBL2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL3

Attribute	Description
Name	UDFLBL3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDF1

Attribute	Description
Name	UDF1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF2

Attribute	Description
Name	UDF2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF3

Attribute	Description
Name	UDF3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF4

Attribute	Description
Name	UDF4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF5

Attribute	Description
Name	UDF5

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

RM_ID

Attribute	**Description**
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

NETTREQD

Attribute	**Description**
Name	NETTREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABUNADV

Attribute	**Description**
Name	LIABUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AUTOGENSTMTPLAN

Attribute	**Description**
Name	AUTOGENSTMTPLAN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	Description
Name	STMTDAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MFI_CUSTOMER

Attribute	Description
Name	MFI_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

INVESTCUST

Attribute	Description	
Name	INVESTCUST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

ALLOWVRTLACCNTS

Attribute	Description	
Name	ALLOWVRTLACCNTS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

VRTLCUSTOMERID

Attribute	Description	
Name	VRTLCUSTOMERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	**Description**
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Custpersonal

Attribute	**Description**
Name	Custpersonal
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FSTNAME

Attribute	**Description**
Name	FSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIDNAME

Attribute	**Description**
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

LSTNAME

Attribute	Description
Name	LSTNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PPTNO

Attribute	Description
Name	PPTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DADD2

Attribute	Description
Name	DADD2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD3

Attribute	Description
Name	DADD3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

DPIN_CODE

Attribute	Description	
Name	DPIN_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

TELEPHNO

Attribute	Description	
Name	TELEPHNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

FAXNUMBER

Attribute	Description	
Name	FAXNUMBER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

EMAILID

Attribute	Description	
Name	EMAILID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

BENEFADDR1

Attribute	Description	
Name	BENEFADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRS3

Attribute	Description	
Name	ADDRS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEFADDR2

Attribute	Description	
Name	BENEFADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DCNTRY

Attribute	Description	
Name	DCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

RESSTATUS

Attribute	Description
Name	RESSTATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,R

TOP

CUSTPREFIX1

Attribute	Description
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

CUSTPREFIX2

Attribute	Description
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

MOBNUM

Attribute	Description
Name	MOBNUM

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_COMM_MODE

Attribute	**Description**
Name	CUST_COMM_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,M

TOP

LANG

Attribute	**Description**
Name	LANG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

GUARDIAN

Attribute	**Description**
Name	GUARDIAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SBMTAGEPROOF

Attribute	**Description**
Name	SBMTAGEPROOF
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,N,V

TOP

MINOR

Attribute	Description
Name	MINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

KYCSTAT

Attribute	Description
Name	KYCSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,V,F

TOP

SSTAFF

Attribute	Description
Name	SSTAFF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

KYC_REFNO

Attribute	Description
Name	KYC_REFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

DADD1

Attribute	Description	
Name	DADD1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

SAME_PERM_ADDR

Attribute	Description	
Name	SAME_PERM_ADDR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

TITLE

Attribute	Description	
Name	TITLE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	30

TOP

ADDRS4

Attribute	Description
Name	ADDRS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD4

Attribute	Description
Name	DADD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PLACEOFBIRTH

Attribute	Description
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

BIRTHCOUNTRY

Attribute	Description
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

EDUSTAT

Attribute	**Description**	
Name	EDUSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	U,N,G,P

TOP

MARITALSTAT

Attribute	**Description**	
Name	MARITALSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,D,R,S,P,E

TOP

SPNAME

Attribute	**Description**	
Name	SPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SPEMPSTATUS

Attribute	**Description**	
Name	SPEMPSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description	
Name	DEPCHILD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DEPOTH

Attribute	Description	
Name	DEPOTH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCOMODATE

Attribute	Description	
Name	ACCOMODATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description	
Name	MOTHERMAIDN_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Custprof

Attribute	Description
Name	Custprof

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	**Description**
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

EMPSTAT

Attribute	**Description**
Name	EMPSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	**Description**
Name	EMPTENURE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETIREAGE

Attribute	**Description**
Name	RETIREAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PREVEMP

Attribute	Description
Name	PREVEMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURRDESIG

Attribute	Description
Name	CURRDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURREMP

Attribute	Description
Name	CURREMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADD1

Attribute	Description
Name	ADD1

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADD2

Attribute	**Description**
Name	ADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADD3

Attribute	**Description**
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

TEL

Attribute	**Description**
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMTCCY1

Attribute	**Description**
Name	AMTCCY1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

TELEX

Attribute	Description
Name	TELEX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SALARY

Attribute	Description
Name	SALARY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OTHER1

Attribute	Description
Name	OTHER1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOUSEVAL

Attribute	Description
Name	HOUSEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRCARD

Attribute	Description
Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CNTY

Attribute	Description
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EMPLOYER_DESC

Attribute	Description
Name	EMPLOYER_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custcorp

Attribute	Description
Name	Custcorp
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CORPNAME

Attribute	Description	
Name	CORPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD1

Attribute	Description	
Name	REGADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD2

Attribute	Description	
Name	REGADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD3

Attribute	Description	
Name	REGADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

R_PIN_CODE

Attribute	Description
Name	R_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

AMTCCY

Attribute	Description
Name	AMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INCORPDT

Attribute	Description
Name	INCORPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITAL

Attribute	Description
Name	CAPITAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CORPDESC

Attribute	Description	
Name	CORPDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

INCORPCNTRY

Attribute	Description	
Name	INCORPCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

REGCNTRY

Attribute	Description	
Name	REGCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

REGADD4

Attribute	Description
Name	REGADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JOINTVENTURE

Attribute	Description
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CADDR1

Attribute	Description
Name	CADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR3

Attribute	Description
Name	CADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR2

Attribute	Description
Name	CADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CADDR4

Attribute	Description
Name	CADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CPINCODE

Attribute	Description
Name	CPINCODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

CNTRY

Attribute	Description
Name	CNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

LANGUAGE

Attribute	Description
Name	LANGUAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

KYC_DETAILS

Attribute	**Description**
Name	KYC_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,V,F

TOP

KYCREFNO

Attribute	**Description**
Name	KYCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CNAME

Attribute	**Description**
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

UIDVALUE

Attribute	Description
Name	UIDVALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TELEPHONE

Attribute	Description
Name	TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MOBILENUMBER

Attribute	**Description**
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CUSTCOMMMODE

Attribute	**Description**
Name	CUSTCOMMMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,M

TOP

NATIONID

Attribute	**Description**
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

TELISDNOCRP

Attribute	**Description**
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DIRNAME

Attribute	Description
Name	DIRNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR1

Attribute	Description
Name	NADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR2

Attribute	Description
Name	NADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR3

Attribute	Description
Name	NADDR3

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TAXID

Attribute	Description
Name	TAXID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MOBNO

Attribute	Description
Name	MOBNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

EMAILID

Attribute	Description	
Name	EMAILID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

TELISDNOCRPDIR

Attribute	Description	
Name	TELISDNOCRPDIR	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

MOBISDNOCRPDIR

Attribute	Description	
Name	MOBISDNOCRPDIR	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description	
Name	ADDRCOUNTRYCRPDIR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

NATIONLTYCRPDIR

Attribute	Description
Name	NATIONLTYCRPDIR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

USRESSTATUSCRPDIR

Attribute	**Description**
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PCTHOLDING

Attribute	**Description**
Name	PCTHOLDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOMETELNO

Attribute	**Description**
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	**Description**
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPIN_CODE

Attribute	Description	
Name	PPIN_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

PIN_CODE

Attribute	Description	
Name	PIN_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

Issuerdet

Attribute	Description	
Name	Issuerdet	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	**Description**
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Issuerlmts

Attribute	**Description**
Name	Issuerlmts
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CLTRLTYP

Attribute	**Description**
Name	CLTRLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LMTCCY

Attribute	**Description**
Name	LMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	**Description**
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

DOCREF

Attribute	**Description**
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

DATEREQ

Attribute	**Description**
Name	DATEREQ
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECTDDATE

Attribute	Description
Name	EXPECTDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Custgrp

Attribute	**Description**
Name	Custgrp
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

GRPNO

Attribute	**Description**
Name	GRPNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

RELATION

Attribute	Description	
Name	RELATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

Custshhold

Attribute	Description	
Name	Custshhold	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

SHHOLDPCT

Attribute	Description
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Clsccyrest

Attribute	Description
Name	Clsccyrest
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Bic

Attribute	Description
Name	Bic
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BICCD

Attribute	Description
Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

Linkedac

Attribute	Description
Name	Linkedac
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

VRFD

Attribute	Description
Name	VRFD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LINKEDACCNO

Attribute	Description
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

LINKEDACCIBAN

Attribute	Description

Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LINKEDACCBIC

Attribute	**Description**
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Jointventure

Attribute	**Description**
Name	Jointventure
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PARTY_ID

Attribute	**Description**
Name	PARTY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PARTY_RATIO

Attribute	**Description**
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

PARTYNAME

Attribute	Description
Name	PARTYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Cust-Liab

Attribute	Description
Name	Cust-Liab
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITY_NUMBER

Attribute	Description
Name	LIABILITY_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LIABILTY_NAME

Attribute	Description
Name	LIABILTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LIAB_BRANCH

Attribute	Description
Name	LIAB_BRANCH

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LIAB_CCY

Attribute	**Description**
Name	LIAB_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	**Description**
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVISION_DATE

Attribute	**Description**
Name	REVISION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CATEGORY

Attribute	**Description**
Name	CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

UNADV

Attribute	Description
Name	UNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

NETTING_REQUIRED

Attribute	Description
Name	NETTING_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

OVERALL_SCORE

Attribute	Description
Name	OVERALL_SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK_LIMIT

Attribute	Description
Name	FX_CLEAN_RISK_LIMIT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_CLEAN_RISK_LIMIT

Attribute	Description
Name	SEC_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_PSTL_RISK_LIMIT

Attribute	Description
Name	SEC_PSTL_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAIN_LIAB_NO

Attribute	Description
Name	MAIN_LIAB_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UTIL_AMOUNT

Attribute	Description
Name	UTIL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRRATING

Attribute	Description
Name	CRRATING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Liab-Score

Attribute	Description
Name	Liab-Score
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCORE

Attribute	Description
Name	SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

SCORE_NAME

Attribute	Description
Name	SCORE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	50

TOP

SCORE_DESC

Attribute	Description
Name	SCORE_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 250

TOP

Liab-Rating

Attribute	Description
Name	Liab-Rating
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

PRIMARY

Attribute	Description
Name	PRIMARY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

AGENCY_NAME

Attribute	Description
Name	AGENCY_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

CREDIT_RATING

Attribute	Description
Name	CREDIT_RATING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Liab-Linkage

Attribute	Description
Name	Liab-Linkage
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXPOSURE_NAME

Attribute	Description
Name	EXPOSURE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXPOSURE_DESC

Attribute	Description
Name	EXPOSURE_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXPOSURE_TYPE

Attribute	Description
Name	EXPOSURE_TYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Liab-Udf

Attribute	**Description**
Name	Liab-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

Custsegment

Attribute	**Description**
Name	Custsegment
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Mfi1

Attribute	**Description**
Name	Mfi1
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSURANCE_NUMBER

Attribute	**Description**
Name	INSURANCE_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MFI_CUST_TYPE

Attribute	**Description**
Name	MFI_CUST_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / G,C,I

TOP

POVERTY_STATUS

Attribute	**Description**
Name	POVERTY_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

LITERACY_OF_CLIENT

Attribute	Description	
Name	LITERACY_OF_CLIENT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

BUSINESS_ACTIVITY

Attribute	Description	
Name	BUSINESS_ACTIVITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

BLACKLISTED

Attribute	Description	
Name	BLACKLISTED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

BLACKLIST_COUNT

Attribute	Description	
Name	BLACKLIST_COUNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

TOP

PHYSICALLY_CHALLENGED

Attribute	Description
Name	PHYSICALLY_CHALLENGED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ACCOUNT_OFFICER

Attribute	Description
Name	ACCOUNT_OFFICER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Training

Attribute	Description
Name	Training
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TRAINING_CODE

Attribute	Description
Name	TRAINING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRAINING_DATE

Attribute	Description

Name	TRAINING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CIF

Attribute	Description
Name	CIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Chklist

Attribute	Description
Name	Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHKLIST_ITEM

Attribute	Description
Name	CHKLIST_ITEM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VERIFIED

Attribute	Description
Name	VERIFIED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Mf-Cifdet

Attribute	Description
Name	Mf-Cifdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

GROUP_CODE

Attribute	Description
Name	GROUP_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MEETING_CODE

Attribute	Description
Name	MEETING_CODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Id-Master

Attribute	**Description**
Name	Id-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Id-Det-Main

Attribute	**Description**
Name	Id-Det-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Iddetail

Attribute	Description
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 20

TOP

SERIES

Attribute	Description
Name	SERIES
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

DOC_ID

Attribute	Description
Name	DOC_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

DATE_OF_ISSUE

Attribute	Description
Name	DATE_OF_ISSUE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DATE_OF_EXPIRY

Attribute	Description
Name	DATE_OF_EXPIRY
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	Description
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CUST

Attribute	Description
Name	CUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LINKTOGRP

Attribute	Description
Name	LINKTOGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Custchnglog

Attribute	Description

Name	Custchnglog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	**Description**
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

OLDMISCD

Attribute	**Description**
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Baltrnsfrlog

Attribute	Description
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	Description

Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

GLCODE

Attribute	**Description**
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

OLDMISCD

Attribute	**Description**
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

TRNIND

Attribute	Description
Name	TRNIND
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Customermis

Attribute	Description
Name	Customermis

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Compositemis

Attribute	Description
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Custloghead

Attribute	Description
Name	Custloghead
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates Customer Joint.

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTPREFIX

Attribute	Description	
Name	CUSTPREFIX	
Datatype	String	
Description	Indicates the Customer Prefix.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

FRSTNAME

Attribute	Description	
Name	FRSTNAME	
Datatype	String	
Description	Indicates the First Name.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

MIDNAME

Attribute	Description	
Name	MIDNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

LASTNAME

Attribute	Description	
Name	LASTNAME	
Datatype	String	
Description	Indicates the Last Name.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEX

Attribute	Description
Name	SEX
Datatype	String
Description	Indicates the Sex. The value can be either M or F.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F

TOP

PPNO

Attribute	Description
Name	PPNO
Datatype	String
Description	Indicates Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

ADD1

Attribute	Description	
Name	ADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description	
Name	ADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD3

Attribute	Description	
Name	ADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

DECEASED

Attribute	Description
Name	DECEASED
Datatype	String
Description	Indicates whether Deceased or not. The value should be either D or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resistant Status. The value could be either R or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

UNTVAL

Attribute	Description
Name	UNTVAL
Datatype	String
Description	Indicates Unit Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INSTR

Attribute	Description
Name	INSTR
Datatype	String
Description	Indicates Instructions
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

INSTRTYPE

Attribute	Description
Name	INSTRTYPE
Datatype	String
Description	Indicates Instruction Type
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXEDAYS

Attribute	Description
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution Days
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEMONTHS

Attribute	Description
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution Years
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. Flag Can be either Y or N.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OPRTR

Attribute	Description
Name	OPRTR

Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates Special Instructions.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage

Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER

Attribute	**Description**
Name	CUSTOMER
Datatype	String
Description	Indicates the customer
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATIONSHIP

Attribute	**Description**
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	**Description**
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	**Description**
Name	DESCP
Datatype	String
Description	Indicates description

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Custacdetail

Attribute	Description
Name	Custacdetail
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 1
Restrictions	**Restrictions** / **Description**
	maxLength / 9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicates sequence number
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TDESC

Attribute	Description
Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

Sttms-Debit

Attribute	Description
Name	Sttms-Debit
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

ACTNO

Attribute	Description
Name	ACTNO
Datatype	String
Description	Account Number
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

Sttms-Detail

Attribute	Description
Name	Sttms-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String

Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NAME_ON_CARD

Attribute	**Description**
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

OWNER_ID_NO

Attribute	**Description**
Name	OWNER_ID_NO
Datatype	String
Description	Owner Id number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

CARD_ISSUED_DT

Attribute	Description
Name	CARD_ISSUED_DT
Datatype	Date
Description	Card Issued Date
Attributes	Attribute: minOccurs, Description: 0

TOP

CARD_EXPIRY_DT

Attribute	Description
Name	CARD_EXPIRY_DT
Datatype	Date
Description	Card Expiry Date
Attributes	Attribute: minOccurs, Description: 0

TOP

CARD_STATUS

Attribute	Description
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 1

TOP

RECORD_STAT

Attribute	Description
Name	RECORD_STAT
Datatype	String
Description	Record Status
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 1

TOP

AUTH_STAT

Attribute	Description
Name	AUTH_STAT

Datatype	String
Description	Authorization Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CARD_BIN

Attribute	**Description**
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Extsys-Ws-Master

Attribute	**Description**
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	**Description**
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

Cust-Account

Attribute	Description
Name	Cust-Account
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

ACC

Attribute	Description
Name	ACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AC_DESC

Attribute	**Description**
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTNAME

Attribute	**Description**
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT_CLASS

Attribute	Description	
Name	ACCOUNT_CLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

AC_OPEN_DATE

Attribute	Description	
Name	AC_OPEN_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ALT_ACC_NO

Attribute	Description	
Name	ALT_ACC_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHQBOOK

Attribute	Description	
Name	CHQBOOK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

OPMODE

Attribute	Description
Name	OPMODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	**Description**
Name	COUNTRY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	**Description**
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	**Description**
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	**Description**
Name	ACCOUNT_TYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	**Description**
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	**Description**
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GL_ACCC

Attribute	**Description**
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

OFFSET_BRN

Attribute	**Description**
Name	OFFSET_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

CODATMBRN

Attribute	Description
Name	CODATMBRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

REPL_CUST_SIG

Attribute	Description
Name	REPL_CUST_SIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

SALARY_ACCOUNT

Attribute	Description
Name	SALARY_ACCOUNT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SDREFNO

Attribute	Description
Name	SDREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

SPDANLSYS

Attribute	Description
Name	SPDANLSYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TYOFCHQ

Attribute	Description
Name	TYOFCHQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,C

TOP

Account-Generation

Attribute	Description
Name	Account-Generation
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Jointholders-Main

Attribute	Description
Name	Jointholders-Main
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Jointholders

Attribute	Description
Name	Jointholders
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME1

Attribute	**Description**
Name	CUSTNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JNTHLDTYP

Attribute	**Description**
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	**Description**
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

END_DATE

Attribute	**Description**
Name	END_DATE
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Acc-Nominees

Attribute	Description	
Name	Acc-Nominees	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RELSHIP

Attribute	Description	
Name	RELSHIP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NOMINEE_ID

Attribute	Description
Name	NOMINEE_ID
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String

Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOMMINOR

Attribute	**Description**
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GUARDNAM

Attribute	**Description**
Name	GUARDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GUARDRELNSHP

Attribute	**Description**
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR1

Attribute	**Description**
Name	GADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR2

Attribute	Description	
Name	GADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR3

Attribute	Description	
Name	GADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR4

Attribute	Description	
Name	GADDR4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NAM

Attribute	Description	
Name	NAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MANDATORY

Attribute	**Description**
Name	MANDATORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

Doctype-Remarks1

Attribute	**Description**
Name	Doctype-Remarks1
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Cust-Acc-Check

Attribute	**Description**
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FIRST_CHECK_NO

Attribute	Description
Name	FIRST_CHECK_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHECK_LEAVES

Attribute	Description
Name	CHECK_LEAVES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQUE_BOOK_TYPE

Attribute	Description
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

ORDER_DATE

Attribute	Description
Name	ORDER_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ORDER_DETAILS

Attribute	Description
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REQUEST_STATUS

Attribute	Description
Name	REQUEST_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Requested

TOP

CHQ_TYPE

Attribute	Description
Name	CHQ_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	EURO,COMM

TOP

Cust-Acc-Card

Attribute	Description
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

CARD_PRODUCT

Attribute	Description
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 11

TOP

NAME_ON_CARD

Attribute	Description
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CARD_NO

Attribute	Description
Name	CARD_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CARD_APPL_DATE

Attribute	Description
Name	CARD_APPL_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_CARD

Attribute	Description
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_STATUS

Attribute	Description
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Udfdetails

Attribute	Description
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCID

Attribute	Description
Name	FUNCID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8

TOP

RECKEY

Attribute	Description
Name	RECKEY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 700

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

Custacc

Attribute	Description
Name	Custacc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

COMPMIS9

Attribute	Description	
Name	COMPMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	Description	
Name	COMPMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCMETH

Attribute	Description	
Name	CALCMETH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	1,2,3,4,5,6,7,8,9,

TOP

MISGRP

Attribute	Description	
Name	MISGRP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MISGRPTXN

Attribute	Description	
Name	MISGRPTXN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MISGRPCOMP

Attribute	Description	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	**Description**
Name	LINKGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Misaccchangelog

Attribute	**Description**
Name	Misaccchangelog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	**Description**
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

OLDMISCD

Attribute	**Description**

Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Misbaltransferlog

Attribute	**Description**
Name	Misbaltransferlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRDCD

Attribute	**Description**
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

GLCODE

Attribute	Description
Name	GLCODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TRNIND

Attribute	Description
Name	TRNIND
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

AMT

Attribute	Description
Name	AMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Chglog

Attribute	Description
Name	Chglog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Tsfrlog

Attribute	Description
Name	Tsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Classname

Attribute	Description
Name	Classname
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

B1

Attribute	Description
Name	B1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C1

Attribute	Description	
Name	C1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C2

Attribute	Description	
Name	C2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C3

Attribute	Description	
Name	C3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C4

Attribute	Description	
Name	C4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1000

TOP

C5

Attribute	Description	
Name	C5	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C6

Attribute	Description	
Name	C6	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C7

Attribute	Description	
Name	C7	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C8

Attribute	Description	
Name	C8	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C9

Attribute	Description
Name	C9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C10

Attribute	Description
Name	C10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T1

Attribute	Description
Name	T1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T2

Attribute	Description
Name	T2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T3

Attribute	Description
Name	T3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T4

Attribute	Description
Name	T4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T5

Attribute	Description
Name	T5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T6

Attribute	Description
Name	T6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T7

Attribute	Description
Name	T7

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T8

Attribute	Description
Name	T8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T9

Attribute	Description
Name	T9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T10

Attribute	Description
Name	T10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER_NAME1

Attribute	Description	
Name	CUSTOMER_NAME1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NSFIB_CS_EVENT_NO

Attribute	Description	
Name	NSFIB_CS_EVENT_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NSFIB_CS_LVL

Attribute	Description	
Name	NSFIB_CS_LVL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

NSFIB_CS_LVL_EFFDT

Attribute	Description
Name	NSFIB_CS_LVL_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_LVL_EXPDT

Attribute	Description
Name	NSFIB_CS_LVL_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_BLK_STAT

Attribute	Description
Name	NSFIB_CS_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_STAT

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_WBRCK_EFFDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_EXPDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_STAT

Attribute	Description
Name	NSFIB_IB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_IB_BLK_EFFDT

Attribute	Description
Name	NSFIB_IB_BLK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_EXPDT

Attribute	Description
Name	NSFIB_IB_BLK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_DESC

Attribute	Description
Name	NSFIB_IB_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_BLK_STAT

Attribute	Description
Name	NSFIB_CB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NSFIB_CB_DESC

Attribute	Description
Name	NSFIB_CB_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_EFFDT

Attribute	Description
Name	NSFIB_CB_EFFDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NSFIB_CB_EXPDT

Attribute	Description
Name	NSFIB_CB_EXPDT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

NSFIB_CS_BLK_DESC

Attribute	Description
Name	NSFIB_CS_BLK_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NSFIB_CS_WBRCK_STAT_DESC

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

Cust

Attribute	Description
Name	Cust
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cust-Ck-Det

Attribute	Description
Name	Cust-Ck-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_PROCESS_ORDER

Attribute	Description
Name	CHQ_PROCESS_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LVL_COMP_EXPDT

Attribute	Description

Name	LVL_COMP_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CG_REF_NO

Attribute	**Description**
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ACCOUNT_NO

Attribute	**Description**
Name	ACCOUNT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

CHQ_NO

Attribute	Description	
Name	CHQ_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

TOP

EVENT_NO

Attribute	Description	
Name	EVENT_NO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

NSF_LVL

Attribute	Description	
Name	NSF_LVL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8

TOP

LVL_EFFDT

Attribute	Description	
Name	LVL_EFFDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

LVL_EXPDT

Attribute	Description
Name	LVL_EXPDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_VALUEDT

Attribute	Description
Name	CHQ_VALUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID

Datatype	String
Description	Function
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

Doc-Upload

Attribute	**Description**
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	**Description**
Name	DCREFNO
Datatype	String
Description	Document Reference
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	**Description**
Name	DOC_CATEGORY
Datatype	String
Description	Document Category
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	**Description**
Name	DOC_TYPE
Datatype	String
Description	Document Type
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.13.4.ST-ModifyCustomer-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Customer-PK*
      - *CUSTNO*
    - *Customer-IO*
      - *PRIVATE_CUSTOMER*
      - *CUSTNO*
      - *CTYPE*
      - *NAME*
      - *ADDRLN1*
      - *ADDRLN3*
      - *ADDRLN2*
      - *ADDRLN4*
      - *COUNTRY*
      - *SNAME*
      - *NLTY*
      - *LBRN*
      - *CCATEG*
      - *FULLNAME*
      - *CIFCREATIONDT*

ISELCMCUST
ELCMCUSTNO
AR_AP_TRACKING
EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM
SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR
UTLTYPRVDRID

RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
FAX
JV_LIMIT_TRACKING
LC_COLLAT_PCT
CAS_CUST
LIAB_NODE
LIAB_BR
PAST_DUE_FLAG
SHORT_NAME2
INTRODUCER
WHT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
RM_ID
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
MAKER
MAKERSTAMP
Custpersonal
- *FSTNAME*
- *MIDNAME*
- *LSTNAME*
- *DOB*
- *GENDR*

NATIONID
PPTNO
PPTISSDT
PPTEXPDT
DADD2
DADD3
DPIN_CODE
TELEPHNO
FAXNUMBER
EMAILID
BENEFADDR1
ADDRS3
BENEFADDR2
DCNTRY
PCNTRY
RESSTATUS
CUSTPREFIX1
CUSTPREFIX2
MOBNUM
CUST_COMM_MODE
LANG
GUARDIAN
SBMTAGEPROOF
MINOR
KYCSTAT
SSTAFF
KYC_REFNO
SAME_CORR_ADDR
DADD1
SAME_PERM_ADDR
TITLE
ADDRS4
DADD4
PLACEOFBIRTH
BIRTHCOUNTRY
TELISDNOPERSONAL
MOBISDNO
FAXISDNO
USRESSTATUS
PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY

PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV
HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
EDUSTAT
MARITALSTAT
SPNAME
SPEMPSTATUS
DEPCHILD
DEPOTH
ACCOMODATE
MOTHERMAIDN_NAME
Custprof
EMPSTAT
EMPTENURE
RETIREAGE
PREVDESIG
PREVEMP
CURRDESIG
CURREMP
ADD1
ADD2
ADD3
TEL
AMTCCY1
TELEX
FAX
EMAIL
SALARY
OTHER1
RENT
INSURANCE
LOANPMNT
OTHEXP
HOUSEVAL
CRCARD
CNTY
Custcorp
CORPNAME

REGADD1
REGADD2
REGADD3
R_PIN_CODE
AMTCCY
INCORPDT
CAPITAL
NETWORTH
CORPDESC
INCORPCNTRY
REGCNTRY
SAME_CORR_ADDR
REGADD4
JOINTVENTURE
CADDR1
CADDR3
CADDR2
CADDR4
CPINCODE
CNTRY
NATIONALITY
LANGUAGE
KYC_DETAILS
KYCREFNO
CNAME
UIDNAME
UIDVALUE
TELEPHONE
FAX
EMAILID
MOBILENUMBER
CUSTCOMMMODE
NATIONID
TELISDNOCRP
MOBISDNOCRP
FAXISDNOCRP
PREF_CNTACT_DATE
PREF_CNTACT_TIME
OWNERSHPTYPE
Custcorpdir
- *DIRNAME*
- *NADDR1*
- *NADDR2*
- *NADDR3*

NADDR4
ADDRESS1
ADDRESS2
ADDRESS3
COUNTRY
TEL
TAXID
MOBNO
EMAILID
SNO
TELISDNOCRPDIR
MOBISDNOCRPDIR
ADDRCOUNTRYCRPDIR
NATIONLTYCRPDIR
USRESSTATUSCRPDIR
PCTHOLDING
HOMETELNO
HOMETELISD
PPIN_CODE
PIN_CODE
Issuerdet
OVERLMTCCY
OVERLIMIT
Issuerlmts
ISSID
CLTRLTYP
LMTCCY
LMTAMT
Custdoc-Chklist
CUSTOMER_NO
DOCCATEGORY
DOCUMENTNAME
DOCUMENT_TYPE
CHECKED
DOCREF
DATEREQ
EXPECTDDATE
ACTUALDATE
EXPDATE
REMARKSCHKLIST
Doctype-Remarks
CUSTOMER_NO
REMARK1
REMARK2

- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *RELATION*

Custshhold

- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CCY*
- *DESC*

Bic

- *ACC*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*
- *LINKEDACCBLZ*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*
- *CUSTOMER_NO*

Mfi1

- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*
- *BLACKLISTED*
- *BLACKLIST_COUNT*

PHYSICALLY_CHALLENGED
Chklist
VERIFIED
Id-Master
CUSTOMER_NO
Id-Det-Main
CUSTOMER_NO
SNO
DOCUMENT_TYPE
Iddetail
CUSTOMER_NO
SNO
DOCUMENT_TYPE
SERIES
DOC_ID
DATE_OF_ISSUE
DATE_OF_EXPIRY
ISSUING_AUTHORITY
PLACE_OF_ISSUE
NAME
Custmis
CUSTNO
Custchnglog
MISCLS
TXNDT
OLDMISCD
NWMISCD
Baltrnsfrlog
BRN
PRDCD
FINYR
TXNDT
GLCODE
MISCLS
OLDMISCD
NWMISCD
TRNIND
CCY
XRATE
Customermis
MISCLS
MISCD
Compositemis
MISCLS

- MISCD
- Jointcustomer
  - CUSTNO
  - Custjoint
    - CUSTPREFIX
    - FRSTNAME
    - MIDNAME
    - LASTNAME
    - DOB
    - SEX
    - PPNO
    - PPTISSDT
    - PPTEXPDT
    - ADD1
    - ADD2
    - ADD3
    - TEL
    - EMAIL
    - DECEASED
    - RESISTAT
- Cust-Acc-Det
  - CUSTNO
  - Diary-Mst
    - INSTRNO
    - UNTTYP
    - UNTVAL
    - BRN
    - INSTR
    - INSTRTYPE
    - EXEDAYS
    - EXEMONTHS
    - EXEYEARS
    - MNTHENDFLG
    - HLDRULE
    - FRSTDUEDT
    - NXTDUEDT
    - NXTEXEDT
    - CONDELEM
    - OPRTR
    - CONDVAL
    - ACCOFCR
    - SPLINSTRTYP
    - EXPDT
    - SPLINSTR

- *Custaccdet*
  - *CUSTNO*
  - *Relationship-Linkage*
    - *CUSTOMER*
    - *RELATIONSHIP*
    - *INHERIT*
    - *DESCP*
- *Custacdetail*
  - *CUSTNO*
  - *CUSTTEXT*
    - *SEQNO*
    - *CUSTNO*
    - *TDESC*
- *UDFDETAILS*
  - *FLDNAM*
  - *FLDVAL*
- *Sttms-Debit*
  - *BRANCH_CODE*
  - *CUST_NO*
  - *ACTNO*
- *Extsys-Ws-Master*
  - *KEYID*
- *Cust-Account*
  - *BRN*
  - *ACC*
  - *AC_DESC*
  - *CUST_NO*
  - *AC_OPEN_DATE*
  - *ALT_ACC_NO*
  - *CHQBOOK*
  - *ATM*
  - *PASSBOOK*
  - *ATMACC*
  - *ATMDLIM*
  - *ATMDCNTLIM*
  - *CHKNAME1*
  - *CHKNAME2*
  - *AUTOREORDERCHKREQ*
  - *AUTOREORDERCHKLVL*
  - *AUTOREORDERCHKLVS*
  - *DORMPRM*
  - *LOCATION*
  - *OPMODE*
  - *COUNTRY_CODE*

AUTO_CHEQUE_BOOK_REQ

AUTO_DEBIT_CARD_REQUEST

ACCOUNT_TYPE

MAX_NO_CHEQUE_REJECTIONS

ACC_OPENING_AMT

GL_ACCC

OFFSET_BRN

PAY_IN_OPTION

WAIVE_ACC_OPEN_CHARGE

CODATMBRN

TRACK_LIMITS

LIABNO

LIABID

REPL_CUST_SIG

SALARY_ACCOUNT

SDREFNO

SPDANLSYS

Jointholders

- *CUSTNO*
- *CUSTNAME1*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees

- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist

- *DOCUMENT_TYPE*
- *MANDATORY*
- *CHECKED*

Doctype-Remarks1

- *REMARK1*

- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Cust-Acc-Check

- *CHECK_LEAVES*
- *CHEQUE_BOOK_TYPE*
- *ORDER_DATE*
- *ORDER_DETAILS*
- *LANG_CODE*

Cust-Acc-Card

- *CARD_BIN*
- *CARD_NO*

Udfdetails

- *FLDNAM*
- *FLDVAL*
- *DATATYP*
- *VALTYP*

Misdetails

- *TXNMIS7*
- *COMPMIS8*
- *TXNMIS8*
- *COMPMIS9*
- *TXNMIS9*
- *COMPMIS10*
- *TXNMIS10*
- *COSTCOD1*
- *COSTCOD2*
- *COSTCOD3*
- *COSTCOD4*
- *COSTCOD5*
- *REFRTSPRD*
- *REFRTTYPE*
- *REFRTCD*
- *POOLCD*
- *RTFLAG*
- *REFRATE*
- *CALCMETH*
- *MISGRP*

MISGRPTXN

MISGRPCOMP

COMPMIS1

TXNMIS1

COMPMIS2

TXNMIS2

COMPMIS3

TXNMIS3

COMPMIS4

TXNMIS4

COMPMIS5

TXNMIS5

COMPMIS6

TXNMIS6

COMPMIS7

Nsf-Enq

CUSTOMER_NO

Master

KEY_ID

FUNCTION_ID

Doc-Upload

DCREFNO

DOC_CATEGORY

DOC_TYPE

REMARKS

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Customer-PK

Attribute	Description
Name	Customer-PK
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	9

TOP

Customer-IO

Attribute	Description
Name	Customer-IO
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description	
Name	PRIVATE_CUSTOMER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CTYPE

Attribute	Description	
Name	CTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,C,B

TOP

NAME

Attribute	Description
Name	NAME

Datatype	String
Description	

TOP

ADDRLN1

Attribute	Description
Name	ADDRLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN3

Attribute	Description
Name	ADDRLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN2

Attribute	Description
Name	ADDRLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN4

Attribute	Description
Name	ADDRLN4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SNAME

Attribute	Description
Name	SNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NLTY

Attribute	Description
Name	NLTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LBRN

Attribute	Description
Name	LBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCATEG

Attribute	Description
Name	CCATEG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

FULLNAME

Attribute	Description
Name	FULLNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CIFCREATIONDT

Attribute	Description
Name	CIFCREATIONDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

ISELCMCUST

Attribute	Description
Name	ISELCMCUST
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

ELCMCUSTNO

Attribute	Description
Name	ELCMCUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AR_AP_TRACKING

Attribute	Description
Name	AR_AP_TRACKING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

EXPCNTRY

Attribute	Description
Name	EXPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UIDNAME

Attribute	Description
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

UIDVAL

Attribute	Description
Name	UIDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	30

TOP

FROZEN

Attribute	Description	
Name	FROZEN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

DEAD

Attribute	Description	
Name	DEAD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

WHRUNKN

Attribute	Description	
Name	WHRUNKN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

CRRATE

Attribute	Description	
Name	CRRATE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

SWIFTCD

Attribute	Description
Name	SWIFTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

LOC

Attribute	Description
Name	LOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MAILRSREQD

Attribute	Description
Name	MAILRSREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

GRPCD

Attribute	Description
Name	GRPCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

EXPCAT

Attribute	Description
Name	EXPCAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUSTCLASSFN

Attribute	Description
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CIFSTAT

Attribute	Description
Name	CIFSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTATSNC

Attribute	Description
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGGRP

Attribute	Description
Name	CHGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSTCLGGRP

Attribute	Description
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TAXGROUP

Attribute	Description
Name	TAXGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	10

TOP

CLSPARTICIPANT

Attribute	Description	
Name	CLSPARTICIPANT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FXNETTCUST

Attribute	Description	
Name	FXNETTCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

XREF

Attribute	Description	
Name	XREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRMCUST

Attribute	Description	
Name	CRMCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

ISSUCUST

Attribute	Description
Name	ISSUCUST
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

TRSRYCUST

Attribute	Description
Name	TRSRYCUST
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

RELPRICING

Attribute	Description
Name	RELPRICING
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

MT920

Attribute	Description
Name	MT920
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

FLGJOINT

Attribute	Description
Name	FLGJOINT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

LMCCY

Attribute	Description
Name	LMCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

HOACNO

Attribute	Description
Name	HOACNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RISKPRFL

Attribute	Description
Name	RISKPRFL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRCAT

Attribute	Description
Name	DRCAT

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

AMLREQD

Attribute	**Description**
Name	AMLREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

AMLCUSTGRP

Attribute	**Description**
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CHKDIGITVALREQD

Attribute	**Description**
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

ALGID

Attribute	**Description**
Name	ALGID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

FTACCASOF

Attribute	**Description**	
Name	FTACCASOF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,N,D

TOP

CUSTUNADV

Attribute	**Description**	
Name	CUSTUNADV	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

CONSTAXCERTRQD

Attribute	**Description**	
Name	CONSTAXCERTRQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

INDTAXCERTRQD

Attribute	**Description**	
Name	INDTAXCERTRQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

CLSCCYALLWD

Attribute	Description	
Name	CLSCCYALLWD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,A

TOP

RISKCATEG

Attribute	Description	
Name	RISKCATEG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

FAX

Attribute	Description	
Name	FAX	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

JV_LIMIT_TRACKING

Attribute	Description	
Name	JV_LIMIT_TRACKING	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAS_CUST

Attribute	Description
Name	CAS_CUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIAB_NODE

Attribute	Description
Name	LIAB_NODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LIAB_BR

Attribute	Description
Name	LIAB_BR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAST_DUE_FLAG

Attribute	Description
Name	PAST_DUE_FLAG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

SHORT_NAME2

Attribute	**Description**
Name	SHORT_NAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

INTRODUCER

Attribute	**Description**
Name	INTRODUCER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

WHT_PCT

Attribute	**Description**
Name	WHT_PCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UPTYPE

Attribute	**Description**
Name	UPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	35

TOP

UDFLBL1

Attribute	Description	
Name	UDFLBL1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

UDFLBL2

Attribute	Description	
Name	UDFLBL2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

UDFLBL3

Attribute	Description	
Name	UDFLBL3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

UDFLBL4

Attribute	Description	
Name	UDFLBL4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

RM_ID

Attribute	Description
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

AUTOGENSTMTPLAN

Attribute	Description
Name	AUTOGENSTMTPLAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	Description
Name	STMTDAY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 2

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

INVESTCUST

Attribute	Description
Name	INVESTCUST
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

ALLOWVRTLACCNTS

Attribute	Description
Name	ALLOWVRTLACCNTS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

VRTLCUSTOMERID

Attribute	Description
Name	VRTLCUSTOMERID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Custpersonal

Attribute	**Description**
Name	Custpersonal
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FSTNAME

Attribute	**Description**
Name	FSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

LSTNAME

Attribute	Description
Name	LSTNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PPTNO

Attribute	Description
Name	PPTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DADD2

Attribute	Description
Name	DADD2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

DADD3

Attribute	Description	
Name	DADD3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DPIN_CODE

Attribute	Description	
Name	DPIN_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

TELEPHNO

Attribute	Description	
Name	TELEPHNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

FAXNUMBER

Attribute	Description	
Name	FAXNUMBER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

BENEFADDR1

Attribute	Description
Name	BENEFADDR1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADDRS3

Attribute	Description
Name	ADDRS3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

BENEFADDR2

Attribute	Description
Name	BENEFADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DCNTRY

Attribute	Description
Name	DCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

RESSTATUS

Attribute	Description
Name	RESSTATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,R

TOP

CUSTPREFIX1

Attribute	Description
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

CUSTPREFIX2

Attribute	Description
Name	CUSTPREFIX2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

MOBNUM

Attribute	**Description**
Name	MOBNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_COMM_MODE

Attribute	**Description**
Name	CUST_COMM_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,M

TOP

LANG

Attribute	**Description**
Name	LANG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

GUARDIAN

Attribute	**Description**
Name	GUARDIAN
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SBMTAGEPROOF

Attribute	**Description**
Name	SBMTAGEPROOF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,N,V

TOP

MINOR

Attribute	**Description**
Name	MINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

KYCSTAT

Attribute	**Description**
Name	KYCSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,V,F

TOP

SSTAFF

Attribute	**Description**
Name	SSTAFF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

KYC_REFNO

Attribute	**Description**
Name	KYC_REFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

SAME_CORR_ADDR

Attribute	**Description**
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

DADD1

Attribute	**Description**
Name	DADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SAME_PERM_ADDR

Attribute	**Description**
Name	SAME_PERM_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

TITLE

Attribute	Description
Name	TITLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ADDRS4

Attribute	Description
Name	ADDRS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DADD4

Attribute	Description
Name	DADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PLACEOFBIRTH

Attribute	Description
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

BIRTHCOUNTRY

Attribute	Description
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EDUSTAT

Attribute	Description
Name	EDUSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / U,N,G,P

TOP

MARITALSTAT

Attribute	Description
Name	MARITALSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,D,R,S,P,E

TOP

SPNAME

Attribute	Description
Name	SPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SPEMPSTATUS

Attribute	Description
Name	SPEMPSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description	
Name	DEPCHILD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DEPOTH

Attribute	Description	
Name	DEPOTH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCOMODATE

Attribute	Description	
Name	ACCOMODATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description	
Name	MOTHERMAIDN_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Custprof

Attribute	Description
Name	Custprof

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMPSTAT

Attribute	Description
Name	EMPSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description
Name	EMPTENURE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETIREAGE

Attribute	Description
Name	RETIREAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PREVEMP

Attribute	Description
Name	PREVEMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURRDESIG

Attribute	Description
Name	CURRDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURREMP

Attribute	Description
Name	CURREMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADD1

Attribute	Description
Name	ADD1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADD2

Attribute	Description
Name	ADD2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMTCCY1

Attribute	Description
Name	AMTCCY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TELEX

Attribute	Description
Name	TELEX
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SALARY

Attribute	Description
Name	SALARY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OTHER1

Attribute	Description
Name	OTHER1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

HOUSEVAL

Attribute	Description
Name	HOUSEVAL
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

CRCARD

Attribute	Description

Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CNTY

Attribute	**Description**
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Custcorp

Attribute	**Description**
Name	Custcorp
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPNAME

Attribute	**Description**
Name	CORPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD1

Attribute	**Description**
Name	REGADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD2

Attribute	Description
Name	REGADD2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

REGADD3

Attribute	Description
Name	REGADD3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

R_PIN_CODE

Attribute	Description
Name	R_PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

AMTCCY

Attribute	Description
Name	AMTCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

INCORPDT

Attribute	Description
Name	INCORPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITAL

Attribute	Description
Name	CAPITAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPDESC

Attribute	Description
Name	CORPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

INCORPCNTRY

Attribute	Description
Name	INCORPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

REGCNTRY

Attribute	Description
Name	REGCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

REGADD4

Attribute	Description
Name	REGADD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

JOINTVENTURE

Attribute	Description
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

CADDR1

Attribute	Description
Name	CADDR1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CADDR3

Attribute	Description
Name	CADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CADDR2

Attribute	Description
Name	CADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CADDR4

Attribute	Description
Name	CADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CPINCODE

Attribute	Description
Name	CPINCODE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

CNTRY

Attribute	**Description**
Name	CNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

NATIONALITY

Attribute	**Description**
Name	NATIONALITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LANGUAGE

Attribute	**Description**
Name	LANGUAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

KYC_DETAILS

Attribute	**Description**
Name	KYC_DETAILS
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,V,F

TOP

KYCREFNO

Attribute	Description
Name	KYCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UIDNAME

Attribute	Description
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

UIDVALUE

Attribute	Description
Name	UIDVALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

TELEPHONE

Attribute	**Description**
Name	TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FAX

Attribute	**Description**
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAILID

Attribute	**Description**
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MOBILENUMBER

Attribute	**Description**
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CUSTCOMMMODE

Attribute	Description
Name	CUSTCOMMMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,M

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TELISDNOCRP

Attribute	Description
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 1

TOP

DIRNAME

Attribute	Description
Name	DIRNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR1

Attribute	Description
Name	NADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR2

Attribute	Description
Name	NADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

ADDRESS1

Attribute	Description	
Name	ADDRESS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRESS2

Attribute	Description	
Name	ADDRESS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRESS3

Attribute	Description	
Name	ADDRESS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TAXID

Attribute	Description
Name	TAXID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MOBNO

Attribute	Description
Name	MOBNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

TELISDNOCRPDIR

Attribute	Description
Name	TELISDNOCRPDIR
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

MOBISDNOCRPDIR

Attribute	Description
Name	MOBISDNOCRPDIR
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description
Name	ADDRCOUNTRYCRPDIR
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

NATIONLTYCRPDIR

Attribute	Description
Name	NATIONLTYCRPDIR
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

USRESSTATUSCRPDIR

Attribute	Description
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PCTHOLDING

Attribute	Description
Name	PCTHOLDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Issuerlmts

Attribute	Description
Name	Issuerlmts
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

ISSID

Attribute	Description
Name	ISSID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CLTRLTYP

Attribute	Description
Name	CLTRLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

LMTCCY

Attribute	Description
Name	LMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DOCREF

Attribute	Description
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

DATEREQ

Attribute	Description
Name	DATEREQ
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPECTDDATE

Attribute	Description
Name	EXPECTDDATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REMARK1

Attribute	**Description**
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	**Description**
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	**Description**
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	**Description**
Name	REMARK4
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK5

Attribute	Description	
Name	REMARK5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK6

Attribute	Description	
Name	REMARK6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK7

Attribute	Description	
Name	REMARK7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK8

Attribute	Description	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Custgrp

Attribute	**Description**
Name	Custgrp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

GRPNO

Attribute	**Description**
Name	GRPNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATION

Attribute	Description
Name	RELATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custshhold

Attribute	Description
Name	Custshhold
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDPCT

Attribute	Description
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Clsccyrest

Attribute	Description
Name	Clsccyrest
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

DESC

Attribute	Description	
Name	DESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

Bic

Attribute	Description	
Name	Bic	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

TOP

BICCD

Attribute	Description
Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

Linkedac

Attribute	Description
Name	Linkedac
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

VRFD

Attribute	Description
Name	VRFD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LINKEDACCNO

Attribute	Description
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

LINKEDACCIBAN

Attribute	Description

Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LINKEDACCBIC

Attribute	**Description**
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LINKEDACCBLZ

Attribute	**Description**
Name	LINKEDACCBLZ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Jointventure

Attribute	**Description**
Name	Jointventure
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PARTY_ID

Attribute	**Description**
Name	PARTY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	9

TOP

PARTY_RATIO

Attribute	Description	
Name	PARTY_RATIO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PARTYNAME

Attribute	Description	
Name	PARTYNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Custsegment

Attribute	Description	
Name	Custsegment	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTCCY

Attribute	Description	
Name	CUSTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

Mfi1

Attribute	Description	
Name	Mfi1	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MFI_CUST_TYPE

Attribute	Description	
Name	MFI_CUST_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	G,C,I

TOP

POVERTY_STATUS

Attribute	Description	
Name	POVERTY_STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

LITERACY_OF_CLIENT

Attribute	Description	
Name	LITERACY_OF_CLIENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

BUSINESS_ACTIVITY

Attribute	Description
Name	BUSINESS_ACTIVITY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

BLACKLISTED

Attribute	Description
Name	BLACKLISTED
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

BLACKLIST_COUNT

Attribute	Description
Name	BLACKLIST_COUNT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 2

TOP

PHYSICALLY_CHALLENGED

Attribute	Description
Name	PHYSICALLY_CHALLENGED
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

Chklist

Attribute	Description
Name	Chklist

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VERIFIED

Attribute	Description
Name	VERIFIED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Id-Master

Attribute	Description
Name	Id-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Id-Det-Main

Attribute	Description
Name	Id-Det-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Iddetail

Attribute	Description
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SERIES

Attribute	Description
Name	SERIES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

DOC_ID

Attribute	Description
Name	DOC_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DATE_OF_ISSUE

Attribute	Description
Name	DATE_OF_ISSUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DATE_OF_EXPIRY

Attribute	Description
Name	DATE_OF_EXPIRY
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	Description
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Custchnglog

Attribute	Description
Name	Custchnglog
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date

Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Baltrnsfrlog

Attribute	Description
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

GLCODE

Attribute	Description
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCLS

Attribute	Description
Name	MISCLS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OLDMISCD

Attribute	**Description**
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TRNIND

Attribute	**Description**
Name	TRNIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Customermis

Attribute	Description
Name	Customermis
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Compositemis

Attribute	Description
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates the Customer Joint.
Attributes	**Attribute** / **Description**: maxOccurs = unbounded; minOccurs = 0

TOP

CUSTPREFIX

Attribute	Description
Name	CUSTPREFIX
Datatype	String
Description	Indicates the Customer Prefix.
Attributes	**Attribute** / **Description**: minOccurs = 0
Restrictions	**Restrictions** / **Description**: maxLength = 10

TOP

FRSTNAME

Attribute	Description
Name	FRSTNAME
Datatype	String
Description	Indicates the First Name.
Attributes	**Attribute** / **Description**: minOccurs = 0
Restrictions	**Restrictions** / **Description**: maxLength = 105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs = 0
Restrictions	**Restrictions** / **Description**: maxLength = 105

TOP

LASTNAME

Attribute	Description
Name	LASTNAME
Datatype	String
Description	Indicates the Last Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEX

Attribute	Description
Name	SEX
Datatype	String
Description	Indicates the Sex.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F

TOP

PPNO

Attribute	Description
Name	PPNO
Datatype	String
Description	Indicates the Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADD1

Attribute	Description
Name	ADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DECEASED

Attribute	Description
Name	DECEASED
Datatype	String
Description	Indicates whether Deceased or not. The value should be either D or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resident Status. The Value could be either R or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

UNTVAL

Attribute	Description
Name	UNTVAL
Datatype	String
Description	Indicates Unit Value.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INSTR

Attribute	Description
Name	INSTR
Datatype	String
Description	Indicates Instructions.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

INSTRTYPE

Attribute	Description
Name	INSTRTYPE
Datatype	String
Description	Indicates Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXEDAYS

Attribute	Description
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution days.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEMONTHS

Attribute	Description
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution years.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. Flag Value can be either Y or N.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OPRTR

Attribute	Description
Name	OPRTR

Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates special Instruction.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage
Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String

Description	Indicates the customer
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATIONSHIP

Attribute	**Description**
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	**Description**
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	**Description**
Name	DESCP
Datatype	String
Description	Indicates description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Custacdetail

Attribute	**Description**
Name	Custacdetail
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicate sequence number
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

TDESC

Attribute	Description

Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

Sttms-Debit

Attribute	**Description**
Name	Sttms-Debit
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ACTNO

Attribute	Description
Name	ACTNO
Datatype	String
Description	Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Extsys-Ws-Master

Attribute	Description
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

KEYID

Attribute	Description
Name	KEYID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

Cust-Account

Attribute	**Description**
Name	Cust-Account
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACC

Attribute	**Description**
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AC_DESC

Attribute	**Description**
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

AC_OPEN_DATE

Attribute	Description
Name	AC_OPEN_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

ALT_ACC_NO

Attribute	Description
Name	ALT_ACC_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CHQBOOK

Attribute	Description
Name	CHQBOOK
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

OPMODE

Attribute	Description
Name	OPMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	Description
Name	COUNTRY_CODE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	**Description**
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	**Description**
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	**Description**
Name	ACCOUNT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	**Description**
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	Description
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GL_ACCC

Attribute	Description
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OFFSET_BRN

Attribute	Description
Name	OFFSET_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CODATMBRN

Attribute	**Description**
Name	CODATMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

TRACK_LIMITS

Attribute	**Description**
Name	TRACK_LIMITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

LIABNO

Attribute	**Description**
Name	LIABNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

LIABID

Attribute	**Description**
Name	LIABID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

REPL_CUST_SIG

Attribute	Description	
Name	REPL_CUST_SIG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SALARY_ACCOUNT

Attribute	Description	
Name	SALARY_ACCOUNT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SDREFNO

Attribute	Description	
Name	SDREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

SPDANLSYS

Attribute	Description	
Name	SPDANLSYS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

Jointholders

Attribute	Description
Name	Jointholders
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

CUSTNAME1

Attribute	Description
Name	CUSTNAME1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

JNTHLDTYP

Attribute	Description
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	Description
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

END_DATE

Attribute	Description
Name	END_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Acc-Nominees

Attribute	Description
Name	Acc-Nominees
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

RELSHIP

Attribute	Description
Name	RELSHIP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NADDR1

Attribute	Description
Name	NADDR1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR2

Attribute	Description
Name	NADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NOMMINOR

Attribute	Description
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

GUARDNAM

Attribute	Description	
Name	GUARDNAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GUARDRELNSHP

Attribute	Description	
Name	GUARDRELNSHP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR1

Attribute	Description	
Name	GADDR1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR2

Attribute	Description	
Name	GADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR3

Attribute	Description
Name	GADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GADDR4

Attribute	Description
Name	GADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NAM

Attribute	Description
Name	NAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist

Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	1

Restrictions	Description
maxLength	20

TOP

MANDATORY

Attribute	Description
Name	MANDATORY
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
enumeration	Y,N

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
enumeration	N,Y

TOP

Doctype-Remarks1

Attribute	Description
Name	Doctype-Remarks1
Datatype	
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK9

Attribute	Description
Name	REMARK9

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Cust-Acc-Check

Attribute	**Description**
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHECK_LEAVES

Attribute	**Description**
Name	CHECK_LEAVES
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQUE_BOOK_TYPE

Attribute	**Description**
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

ORDER_DATE

Attribute	Description
Name	ORDER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ORDER_DETAILS

Attribute	Description
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Cust-Acc-Card

Attribute	Description
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

CARD_NO

Attribute	Description
Name	CARD_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 19

TOP

Udfdetails

Attribute	Description
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

DATATYP

Attribute	Description
Name	DATATYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

VALTYP

Attribute	Description
Name	VALTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	**Description**	
Name	TXNMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD1

Attribute	**Description**	
Name	COSTCOD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD2

Attribute	**Description**	
Name	COSTCOD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD3

Attribute	**Description**	
Name	COSTCOD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	1,2,3,4,5,6,7,8,9,

TOP

MISGRP

Attribute	Description	
Name	MISGRP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MISGRPTXN

Attribute	Description	
Name	MISGRPTXN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MISGRPCOMP

Attribute	Description	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

COMPMIS1

Attribute	Description	
Name	COMPMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS1

Attribute	**Description**
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2

Attribute	**Description**
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	**Description**
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3

Attribute	**Description**
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Master

Attribute	**Description**
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

KEY_ID

Attribute	**Description**
Name	KEY_ID
Datatype	String
Description	Key Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNCTION_ID

Attribute	**Description**
Name	FUNCTION_ID
Datatype	String
Description	Function
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DCREFNO

Attribute	Description
Name	DCREFNO
Datatype	String
Description	Document Reference
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String
Description	Document Category
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	Document Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REMARKS

Attribute	Description

Name	REMARKS
Datatype	String
Description	Remarks
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FCUBS_ERROR_RESP

Attribute	**Description**
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	**Description**
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	**Description**
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	**Description**
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	**Description**
Name	FCUBS_WARNING_RESP
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	**Description**
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	**Description**
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	**Description**
Name	WDESC
Datatype	String
Description	

TOP

2.14.ModifyNSFMutual

Modify NSF Mutual settlement

2.14.1.ST-ModifyNSFMutual-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MutClr-Full*
    - *REF_NO*
    - *CUSTOMER_NO*
    - *CUST_NAME*
    - *SETT_TXN_STAT*
    - *REMARKS*
    - *CHEQUE_NO*
    - *CG_REF_NO*
    - *Branch_code*
    - *CHQ_DT*
    - *TXN_DT*
    - *CHQ_AMT*
    - *CHQ_PROC_STAT*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*

CHECKERSTAMP

MODNO

TXNSTAT

AUTHSTAT

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

MutClr-Full

Attribute	Description

Name	MutClr-Full
Datatype	
Description	

TOP

REF_NO

Attribute	Description
Name	REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 64

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 36

TOP

CUST_NAME

Attribute	Description
Name	CUST_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

SETT_TXN_STAT

Attribute	Description
Name	SETT_TXN_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1020

TOP

CHEQUE_NO

Attribute	Description
Name	CHEQUE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 64

TOP

CG_REF_NO

Attribute	Description
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 64

TOP

Branch_code

Attribute	Description
Name	Branch_code
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXN_DT

Attribute	Description
Name	TXN_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_PROC_STAT

Attribute	Description
Name	CHQ_PROC_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	**Description**
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
MutClr-IO
REF_NO
MAKER
MAKERSTAMP

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	Attribute: nillable, Description: true
Restrictions	Restrictions: pattern, Description: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	Attribute: nillable, Description: true
Restrictions	Restrictions: pattern, Description: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: pattern, Description: [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

MutClr-IO

Attribute	Description
Name	MutClr-IO
Datatype	
Description	

TOP

REF_NO

Attribute	Description	
Name	REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	64

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

2.14.3.ST-ModifyNSFMutual-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MutClr-Full*
    - *REF_NO*
    - *CUSTOMER_NO*
    - *CUST_NAME*
    - *SETT_TXN_STAT*
    - *REMARKS*
    - *CHEQUE_NO*
    - *CG_REF_NO*
    - *Branch_code*
    - *CHQ_DT*
    - *TXN_DT*
    - *CHQ_AMT*
    - *CHQ_PROC_STAT*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*

AUTHSTAT
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	Restrictions: maxLength — Description: 12 Restrictions: pattern — Description: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	Restrictions: length — Description: 3 Restrictions: pattern — Description: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8 Restrictions: pattern — Description: [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	**Description**
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

MutClr-Full

Attribute	Description
Name	MutClr-Full
Datatype	
Description	

TOP

REF_NO

Attribute	Description	
Name	REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	64

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	36

TOP

CUST_NAME

Attribute	Description	
Name	CUST_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

SETT_TXN_STAT

Attribute	Description
Name	SETT_TXN_STAT
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1020

TOP

CHEQUE_NO

Attribute	Description
Name	CHEQUE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 64

TOP

CG_REF_NO

Attribute	Description
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 64

TOP

Branch_code

Attribute	Description
Name	Branch_code
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	5

TOP

CHQ_DT

Attribute	Description	
Name	CHQ_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXN_DT

Attribute	Description	
Name	TXN_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CHQ_AMT

Attribute	Description	
Name	CHQ_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CHQ_PROC_STAT

Attribute	Description	
Name	CHQ_PROC_STAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *MutClr-PK*
      - *REF_NO*
    - *MutClr-IO*
      - *REF_NO*
      - *MAKER*
      - *MAKERSTAMP*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	

Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

MutClr-PK

Attribute	Description
Name	MutClr-PK
Datatype	
Description	

TOP

REF_NO

Attribute	Description
Name	REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 64

TOP

MutClr-IO

Attribute	Description
Name	MutClr-IO
Datatype	
Description	

TOP

REF_NO

Attribute	Description
Name	REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 64

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.15.ModifyClosureData

ModifyClosureData

2.15.1.ST-ModifyClosureData-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Closure-Full*
    - *ENTITY_TYPE*
    - *ENTITY_ID*
    - *CLOSURE_ALLOWED*
    - *SOURCE_CODE*
    - *PROCESSING_DATE*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cust-Closure-Full

Attribute	Description
Name	Cust-Closure-Full
Datatype	
Description	

TOP

ENTITY_TYPE

Attribute	Description
Name	ENTITY_TYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,

TOP

ENTITY_ID

Attribute	**Description**	
Name	ENTITY_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLOSURE_ALLOWED

Attribute	**Description**	
Name	CLOSURE_ALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SOURCE_CODE

Attribute	**Description**	
Name	SOURCE_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROCESSING_DATE

Attribute	**Description**	
Name	PROCESSING_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
Cust-Closure-IO
ENTITY_TYPE
ENTITY_ID
CLOSURE_ALLOWED
SOURCE_CODE
MAKER
MAKERSTAMP

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cust-Closure-IO

Attribute	Description
Name	Cust-Closure-IO
Datatype	
Description	

TOP

ENTITY_TYPE

Attribute	Description	
Name	ENTITY_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,

TOP

ENTITY_ID

Attribute	Description
Name	ENTITY_ID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLOSURE_ALLOWED

Attribute	**Description**
Name	CLOSURE_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	**Description**
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	35

TOP

2.15.3.ST-ModifyClosureData-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Closure-Full*
    - *ENTITY_TYPE*
    - *ENTITY_ID*
    - *CLOSURE_ALLOWED*
    - *SOURCE_CODE*
    - *PROCESSING_DATE*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cust-Closure-Full

Attribute	Description

Name	Cust-Closure-Full
Datatype	
Description	

TOP

ENTITY_TYPE

Attribute	Description
Name	ENTITY_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,

TOP

ENTITY_ID

Attribute	Description
Name	ENTITY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLOSURE_ALLOWED

Attribute	Description
Name	CLOSURE_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	Description
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROCESSING_DATE

Attribute	Description
Name	PROCESSING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE

Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.15.4.ST-ModifyClosureData-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cust-Closure-PK*
      - *ENTITY_ID*
      - *SOURCE_CODE*
      - *ENTITY_TYPE*
    - *Cust-Closure-IO*
      - *ENTITY_TYPE*
      - *ENTITY_ID*
      - *CLOSURE_ALLOWED*
      - *SOURCE_CODE*
      - *MAKER*
      - *MAKERSTAMP*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cust-Closure-PK

Attribute	Description
Name	Cust-Closure-PK
Datatype	
Description	

TOP

ENTITY_ID

Attribute	Description	
Name	ENTITY_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SOURCE_CODE

Attribute	Description	
Name	SOURCE_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ENTITY_TYPE

Attribute	Description	
Name	ENTITY_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Cust-Closure-IO

Attribute	Description
Name	Cust-Closure-IO
Datatype	
Description	

TOP

ENTITY_TYPE

Attribute	Description
Name	ENTITY_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ENTITY_ID

Attribute	Description
Name	ENTITY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLOSURE_ALLOWED

Attribute	Description
Name	CLOSURE_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	Description
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 35

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	Attribute: maxOccurs, Description: unbounded Attribute: minOccurs, Description: 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	Attribute: maxOccurs, Description: unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.16.ModifyCustSegAssociation

ModifyCustSegAssociation

2.16.1.ST-ModifyCustSegAssociation-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-Full*
    - *CUSTNO*
    - *CUSTSEGCD*
    - *CUSTSEGSTATUS*
    - *NETWORTH*
    - *NETWORTHCCY*
    - *CUST_NAME*
    - *SEGEMENT_DESCRIPTION*
    - *CUSTCCY*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cust-Seg-Mapping-Full

Attribute	Description

Name	Cust-Seg-Mapping-Full
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / U,D,R,

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_NAME

Attribute	Description
Name	CUST_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SEGEMENT_DESCRIPTION

Attribute	Description
Name	SEGEMENT_DESCRIPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MAKER

Attribute	Description

Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	**Description**
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	**Description**
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

UDFDETAILS

Attribute	Description	
Name	UDFDETAILS	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FLDNAM

Attribute	Description	
Name	FLDNAM	
Datatype	String	
Description	Indicates the Field Name	
Restrictions	**Restrictions**	**Description**
	maxLength	105
	minLength	1

TOP

FLDVAL

<table>
<tr><th>Attribute</th><th>Description</th></tr>
<tr><td>Name</td><td>FLDVAL</td></tr>
<tr><td>Datatype</td><td>String</td></tr>
<tr><td>Description</td><td>Indicates the Field Value</td></tr>
<tr><td>Attributes</td><td>
<table>
<tr><th>Attribute</th><th>Description</th></tr>
<tr><td>minOccurs</td><td>0</td></tr>
</table>
</td></tr>
<tr><td>Restrictions</td><td>
<table>
<tr><th>Restrictions</th><th>Description</th></tr>
<tr><td>maxLength</td><td>255</td></tr>
<tr><td>minLength</td><td>0</td></tr>
</table>
</td></tr>
</table>

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-IO*
    - *CUSTNO*
    - *CUSTSEGCD*
    - *CUSTSEGSTATUS*
    - *NETWORTH*
    - *NETWORTHCCY*
    - *CUSTCCY*
    - *MAKER*
    - *MAKERSTAMP*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length: 3; pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable: true
Restrictions	**Restrictions** / **Description**: pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable: true
Restrictions	**Restrictions** / **Description**: pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cust-Seg-Mapping-IO

Attribute	Description
Name	Cust-Seg-Mapping-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / U,D,R,

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

FLDNAM

Attribute	Description

Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

2.16.3.ST-ModifyCustSegAssociation-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-Full*
    - *CUSTNO*
    - *CUSTSEGCD*
    - *CUSTSEGSTATUS*
    - *NETWORTH*
    - *NETWORTHCCY*
    - *CUST_NAME*
    - *SEGEMENT_DESCRIPTION*
    - *CUSTCCY*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8 Restrictions: pattern — Description: [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	**Description**
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cust-Seg-Mapping-Full

Attribute	Description
Name	Cust-Seg-Mapping-Full
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTSEGCD

Attribute	Description	
Name	CUSTSEGCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

CUSTSEGSTATUS

Attribute	Description	
Name	CUSTSEGSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	U,D,R,

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

NETWORTHCCY

Attribute	Description	
Name	NETWORTHCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_NAME

Attribute	Description	
Name	CUST_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

SEGEMENT_DESCRIPTION

Attribute	Description	
Name	SEGEMENT_DESCRIPTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CUSTCCY

Attribute	Description	
Name	CUSTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name

Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.16.4.ST-ModifyCustSegAssociation-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cust-Seg-Mapping-PK*
      - *CUSTNO*
    - *Cust-Seg-Mapping-IO*
      - *CUSTNO*
      - *CUSTSEGCD*
      - *CUSTSEGSTATUS*
      - *NETWORTH*
      - *NETWORTHCCY*
      - *CUSTCCY*
      - *MAKER*
      - *MAKERSTAMP*
      - *UDFDETAILS*
        - *FLDNAM*
        - *FLDVAL*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description

Name	CHOICE
Datatype	
Description	

TOP

Cust-Seg-Mapping-PK

Attribute	Description
Name	Cust-Seg-Mapping-PK
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Cust-Seg-Mapping-IO

Attribute	Description
Name	Cust-Seg-Mapping-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTSEGCD

Attribute	Description	
Name	CUSTSEGCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: U,D,R,

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255
	minLength	0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.17.DeleteCustSegAssociation

DeleteCustSegAssociation

2.17.1.ST-DeleteCustSegAssociation-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cust-Seg-Mapping-PK*
      - *CUSTNO*
    - *Cust-Seg-Mapping-IO*
      - *CUSTNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cust-Seg-Mapping-PK

Attribute	Description
Name	Cust-Seg-Mapping-PK
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Cust-Seg-Mapping-IO

Attribute	Description
Name	Cust-Seg-Mapping-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC

Datatype	String
Description	

TOP

2.17.2.ST-DeleteCustSegAssociation-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-Full*
    - *CUSTNO*
    - *CUSTSEGCD*
    - *CUSTSEGSTATUS*
    - *NETWORTH*
    - *NETWORTHCCY*
    - *CUST_NAME*
    - *SEGEMENT_DESCRIPTION*
    - *CUSTCCY*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cust-Seg-Mapping-Full

Attribute	Description
Name	Cust-Seg-Mapping-Full
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / U,D,R,

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_NAME

Attribute	**Description**
Name	CUST_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SEGEMENT_DESCRIPTION

Attribute	**Description**
Name	SEGEMENT_DESCRIPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CUSTCCY

Attribute	**Description**
Name	CUSTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	**Description**	
Name	CHECKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	**Description**	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	**Description**	
Name	MODNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL

Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

2.17.3.ST-DeleteCustSegAssociation-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-IO*
    - *CUSTNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	Attribute: nillable, Description: true
Restrictions	Restrictions: pattern, Description: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	Attribute: nillable, Description: true
Restrictions	Restrictions: pattern, Description: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: pattern, Description: [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cust-Seg-Mapping-IO

Attribute	Description
Name	Cust-Seg-Mapping-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

2.17.4.ST-DeleteCustSegAssociation-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-Full*
    - *CUSTNO*
    - *CUSTSEGCD*
    - *CUSTSEGSTATUS*
    - *NETWORTH*
    - *NETWORTHCCY*
    - *CUST_NAME*
    - *SEGEMENT_DESCRIPTION*
    - *CUSTCCY*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	**Description**
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cust-Seg-Mapping-Full

Attribute	Description
Name	Cust-Seg-Mapping-Full
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTSEGCD

Attribute	Description	
Name	CUSTSEGCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

CUSTSEGSTATUS

Attribute	Description	
Name	CUSTSEGSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	U,D,R,

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

NETWORTHCCY

Attribute	Description	
Name	NETWORTHCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_NAME

Attribute	Description	
Name	CUST_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

SEGEMENT_DESCRIPTION

Attribute	Description	
Name	SEGEMENT_DESCRIPTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CUSTCCY

Attribute	Description	
Name	CUSTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name

Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.18.DeleteCustomer

Deletion of Customer

2.18.1.ST-DeleteCustomer-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-Full*
    - *PRIVATE_CUSTOMER*
    - *CUSTNO*
    - *CTYPE*
    - *NAME*
    - *ADDRLN1*
    - *ADDRLN3*
    - *ADDRLN2*
    - *ADDRLN4*
    - *COUNTRY*
    - *SNAME*
    - *NLTY*
    - *LBRN*
    - *CCATEG*
    - *FULLNAME*
    - *CIFCREATIONDT*

ISELCMCUST
ELCMCUSTNO
AR_AP_TRACKING
EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
CREATEACC
CREATEDACCOUNT
TRACK_LIMITS
LIABID
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM

SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR
UTLTYPRVDRID
RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
LC_COLLAT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
UDF1
UDF2
UDF3
UDF4
UDF5
RM_ID
NETTREQD
LIABUNADV
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
MFI_CUSTOMER
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO

TXNSTAT

AUTHSTAT

Custpersonal

- *FSTNAME*
- *MIDNAME*
- *LSTNAME*
- *DOB*
- *GENDR*
- *NATIONID*
- *PPTNO*
- *PPTISSDT*
- *PPTEXPDT*
- *DADD2*
- *DADD3*
- *DPIN_CODE*
- *TELEPHNO*
- *FAXNUMBER*
- *EMAILID*
- *BENEFADDR1*
- *ADDRS3*
- *BENEFADDR2*
- *DCNTRY*
- *PCNTRY*
- *RESSTATUS*
- *CUSTPREFIX1*
- *CUSTPREFIX2*
- *MOBNUM*
- *CUST_COMM_MODE*
- *LANG*
- *GUARDIAN*
- *SBMTAGEPROOF*
- *MINOR*
- *KYCSTAT*
- *SSTAFF*
- *KYC_REFNO*
- *SAME_CORR_ADDR*
- *DADD1*
- *SAME_PERM_ADDR*
- *TITLE*
- *ADDRS4*
- *DADD4*
- *PLACEOFBIRTH*
- *BIRTHCOUNTRY*
- *TELISDNOPERSONAL*

MOBISDNO
FAXISDNO
USRESSTATUS
PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY
PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV
HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
- *CUSTNO*
- *EDUSTAT*
- *MARITALSTAT*
- *SPNAME*
- *SPEMPSTATUS*
- *DEPCHILD*
- *DEPOTH*
- *ACCOMODATE*
- *MOTHERMAIDN_NAME*

Custprof
- *CUSTNO*
- *EMPSTAT*
- *EMPTENURE*
- *RETIREAGE*
- *PREVDESIG*
- *PREVEMP*
- *CURRDESIG*
- *CURREMP*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *AMTCCY1*
- *TELEX*
- *FAX*
- *EMAIL*
- *SALARY*

OTHER1
RENT
INSURANCE
LOANPMNT
OTHEXP
HOUSEVAL
CRCARD
CNTY
EMPLOYER_DESC

Custcorp

CORPNAME
REGADD1
REGADD2
REGADD3
R_PIN_CODE
AMTCCY
INCORPDT
CAPITAL
NETWORTH
CORPDESC
INCORPCNTRY
REGCNTRY
SAME_CORR_ADDR
REGADD4
JOINTVENTURE
CADDR1
CADDR3
CADDR2
CADDR4
CPINCODE
CNTRY
LANGUAGE
KYC_DETAILS
KYCREFNO
CNAME
UIDNAME
UIDVALUE
TELEPHONE
FAX
EMAILID
MOBILENUMBER
CUSTCOMMMODE
NATIONID
TELISDNOCRP

MOBISDNOCRP
FAXISDNOCRP
PREF_CNTACT_DATE
PREF_CNTACT_TIME
OWNERSHPTYPE
Custcorpdir
DIRNAME
NADDR1
NADDR2
NADDR3
NADDR4
ADDRESS1
ADDRESS2
ADDRESS3
COUNTRY
TEL
TAXID
MOBNO
EMAILID
TELISDNOCRPDIR
MOBISDNOCRPDIR
ADDRCOUNTRYCRPDIR
NATIONLTYCRPDIR
USRESSTATUSCRPDIR
PCTHOLDING
HOMETELNO
HOMETELISD
PPIN_CODE
PIN_CODE
Issuerdet
CUSTNO
OVERLMTCCY
OVERLIMIT
Issuerlmts
CLTRLTYP
LMTCCY
LMTAMT
Custdoc-Chklist
CUSTOMER_NO
DOCCATEGORY
DOCUMENTNAME
DOCUMENT_TYPE
CHECKED
DOCREF

- *DATEREQ*
- *EXPECTDDATE*
- *ACTUALDATE*
- *EXPDATE*
- *REMARKSCHKLIST*

Doctype-Remarks

- *CUSTOMER_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *CUSTNO*
- *RELATION*

Custshhold

- *CUSTNO*
- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CUSTNO*
- *CCY*
- *DESC*

Bic

- *ACC*
- *CUSTNO*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Cust-Liab

- *LIABILITY_NUMBER*

- *LIABILTY_NAME*
- *LIAB_BRANCH*
- *LIAB_CCY*
- *OVERLIMIT*
- *REVISION_DATE*
- *CATEGORY*
- *USER_DEFINED_STATUS*
- *UNADV*
- *NETTING_REQUIRED*
- *OVERALL_SCORE*
- *FX_CLEAN_RISK_LIMIT*
- *SEC_CLEAN_RISK_LIMIT*
- *SEC_PSTL_RISK_LIMIT*
- *REMARKS*
- *MAIN_LIAB_NO*
- *UTIL_AMOUNT*
- *CRRATING*
- *Liab-Score*
  - *SCORE*
  - *SCORE_NAME*
  - *SCORE_DESC*
- *Liab-Rating*
  - *PRIMARY*
  - *AGENCY_NAME*
  - *CREDIT_RATING*
- *Liab-Linkage*
  - *EXPOSURE_NAME*
  - *EXPOSURE_DESC*
  - *EXPOSURE_TYPE*
- *Liab-Udf*
  - *FLDNAM*
  - *FLDVAL*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*

Mfi1

- *INSURANCE_NUMBER*
- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*

- *BLACKLISTED*
- *BLACKLIST_COUNT*
- *PHYSICALLY_CHALLENGED*
- *ACCOUNT_OFFICER*
- *Training*
  - *TRAINING_CODE*
  - *TRAINING_DATE*
  - *CIF*
- *Chklist*
  - *KEY_ID*
  - *CHKLIST_ITEM*
  - *VERIFIED*
- *Mf-Cifdet*
  - *CUSTOMER_NO*
  - *GROUP_CODE*
  - *MEETING_CODE*

Id-Master

- *CUSTOMER_NO*

Id-Det-Main

- *CUSTOMER_NO*
- *SNO*
- *DOCUMENT_TYPE*
- *Iddetail*
  - *CUSTOMER_NO*
  - *SNO*
  - *DOCUMENT_TYPE*
  - *SERIES*
  - *DOC_ID*
  - *DATE_OF_ISSUE*
  - *DATE_OF_EXPIRY*
  - *ISSUING_AUTHORITY*
  - *PLACE_OF_ISSUE*
  - *NAME*

Custmis

- *MISGRP*
- *CUST*
- *BRNCD*
- *LINKTOGRP*
- *Custchnglog*
  - *MISCLS*
  - *TXNDT*
  - *OLDMISCD*
  - *NWMISCD*
- *Baltrnsfrlog*

BRN
PRDCD
FINYR
TXNDT
GLCODE
MISCLS
OLDMISCD
NWMISCD
TRNIND
CCY
AMT
XRATE
Customermis
MISCLS
MISCD
Compositemis
MISCLS
MISCD
Custloghead
Jointcustomer
CUSTNO
Custjoint
CUSTPREFIX
FRSTNAME
MIDNAME
LASTNAME
DOB
SEX
PPNO
PPTISSDT
PPTEXPDT
ADD1
ADD2
ADD3
TEL
EMAIL
SSN
DECEASED
RESISTAT
Cust-Acc-Det
CUSTNO
Diary-Mst
INSTRNO
UNTTYP

UNTVAL
BRN
INSTR
INSTRTYPE
EXEDAYS
EXEMONTHS
EXEYEARS
MNTHENDFLG
HLDRULE
FRSTDUEDT
NXTDUEDT
NXTEXEDT
CONDELEM
OPRTR
CONDVAL
ACCOFCR
SPLINSTRTYP
EXPDT
SPLINSTR
Custaccdet
CUSTNO
BRNCD
Relationship-Linkage
CUSTOMER
RELATIONSHIP
INHERIT
DESCP
Custacdetail
CUSTNO
CUSTTEXT
SEQNO
CUSTNO
TDESC
UDFDETAILS
FLDNAM
FLDVAL
Sttms-Debit
BRANCH_CODE
CUST_NO
ACTNO
Sttms-Detail
BRANCH_CODE
REQUEST_REFERENCE_NO
CARDNO

CUST_NO

CARD_PRODUCT

PRIMARY_CARD

NAME_ON_CARD

OWNER_ID_NO

CARD_ISSUED_DT

CARD_EXPIRY_DT

CARD_STATUS

RECORD_STAT

AUTH_STAT

CARD_BIN

CUST_AC_NO

Extsys-Ws-Master

Extsys-Ws-Details

EXTWSRESP

USERREMARKS

Cust-Account

BRN

ACC

AC_DESC

CUSTNAME

CUST_NO

CCY

ACCOUNT_CLASS

AC_OPEN_DATE

ALT_ACC_NO

CHQBOOK

ATM

PASSBOOK

ATMACC

ATMDLIM

ATMDCNTLIM

CHKNAME1

CHKNAME2

AUTOREORDERCHKREQ

AUTOREORDERCHKLVL

AUTOREORDERCHKLVS

DORMPRM

LOCATION

MEDIA

OPMODE

COUNTRY_CODE

AUTO_CHEQUE_BOOK_REQ

AUTO_DEBIT_CARD_REQUEST

ACCOUNT_TYPE
MAX_NO_CHEQUE_REJECTIONS
ACC_OPENING_AMT
GL_ACCC
OFFSET_BRN
PAY_IN_OPTION
WAIVE_ACC_OPEN_CHARGE
CODATMBRN
REPL_CUST_SIG
SALARY_ACCOUNT
SDREFNO
SPDANLSYS
TYOFCHQ
Account-Generation
Jointholders-Main
Jointholders
- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUSTNO*
- *CUSTNAME1*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees
- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMINEE_ID*
- *CUST_AC_NO*
- *BRANCH_CODE*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist
- *BRANCH_CODE*
- *CUST_AC_NO*

- *DOCUMENT_TYPE*
- *MANDATORY*
- *CHECKED*

Doctype-Remarks1

- *BRANCH_CODE*
- *CUST_AC_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Cust-Acc-Check

- *BRANCH*
- *ACCOUNT*
- *FIRST_CHECK_NO*
- *CHECK_LEAVES*
- *CHEQUE_BOOK_TYPE*
- *ORDER_DATE*
- *ORDER_DETAILS*
- *LANG_CODE*
- *REQUEST_STATUS*
- *CHQ_TYPE*

Cust-Acc-Card

- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUST_NO*
- *REQUEST_REFERENCE_NO*
- *CARD_PRODUCT*
- *CARD_BIN*
- *NAME_ON_CARD*
- *CARD_NO*
- *CARD_APPL_DATE*
- *PRIMARY_CARD*
- *CARD_STATUS*

Udfdetails

- *FUNCID*
- *RECKEY*
- *FLDNAM*
- *FLDVAL*

- *Custacc*
  - *Misdetails*
    - *TXNMIS7*
    - *COMPMIS8*
    - *TXNMIS8*
    - *COMPMIS9*
    - *TXNMIS9*
    - *COMPMIS10*
    - *TXNMIS10*
    - *COSTCOD1*
    - *COSTCOD2*
    - *COSTCOD3*
    - *COSTCOD4*
    - *COSTCOD5*
    - *REFRTSPRD*
    - *REFRTTYPE*
    - *REFRTCD*
    - *BRN*
    - *ACC*
    - *POOLCD*
    - *RTFLAG*
    - *REFRATE*
    - *CALCMETH*
    - *MISGRP*
    - *MISGRPTXN*
    - *MISGRPCOMP*
    - *COMPMIS1*
    - *TXNMIS1*
    - *COMPMIS2*
    - *TXNMIS2*
    - *COMPMIS3*
    - *TXNMIS3*
    - *COMPMIS4*
    - *TXNMIS4*
    - *COMPMIS5*
    - *TXNMIS5*
    - *COMPMIS6*
    - *TXNMIS6*
    - *COMPMIS7*
    - *LINKGRP*
    - *Misaccchangelog*
      - *MISCLS*
      - *TXNDT*
      - *OLDMISCD*

NWMISCD

Misbaltransferlog

BRN

PRDCD

FINYR

GLCODE

TRNIND

MISCLS

TXNDT

OLDMISCD

NWMISCD

CCY

AMT

XRATE

Chglog

Tsfrlog

Classname

B1

C1

C2

C3

C4

C5

C6

C7

C8

C9

C10

T1

T2

T3

T4

T5

T6

T7

T8

T9

T10

Nsf-Enq

CUSTOMER_NO

CUSTOMER_NAME1

NSFIB_CS_EVENT_NO

NSFIB_CS_LVL

NSFIB_CS_LVL_EFFDT

NSFIB_CS_LVL_EXPDT
NSFIB_CS_BLK_STAT
NSFIB_CS_LAST_TRN_DT
NSFIB_CS_WBRCK_STAT
NSFIB_CS_WBRCK_EFFDT
NSFIB_CS_WBRCK_EXPDT
NSFIB_IB_BLK_STAT
NSFIB_IB_BLK_EFFDT
NSFIB_IB_BLK_EXPDT
NSFIB_IB_BLK_DESC
NSFIB_CB_BLK_STAT
NSFIB_CB_DESC
NSFIB_CB_EFFDT
NSFIB_CB_EXPDT
NSFIB_CS_BLK_DESC
NSFIB_CS_WBRCK_STAT_DESC
Cust
CUSTNO
CNAME
Cust-Ck-Det
CHQ_AMT
CHQ_PROCESS_ORDER
LVL_COMP_EXPDT
BRANCH_CODE
CG_REF_NO
CUSTOMER_NO
ACCOUNT_NO
CHQ_NO
EVENT_NO
NSF_LVL
LVL_EFFDT
LVL_EXPDT
CHQ_DT
CHQ_VALUEDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Customer-Full

Attribute	Description
Name	Customer-Full
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description
Name	PRIVATE_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CTYPE

Attribute	Description
Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,C,B

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	Description
Name	ADDRLN1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN3

Attribute	Description	
Name	ADDRLN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN2

Attribute	Description	
Name	ADDRLN2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN4

Attribute	Description	
Name	ADDRLN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SNAME

Attribute	**Description**
Name	SNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

NLTY

Attribute	**Description**
Name	NLTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LBRN

Attribute	**Description**
Name	LBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCATEG

Attribute	**Description**
Name	CCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FULLNAME

Attribute	Description
Name	FULLNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CIFCREATIONDT

Attribute	Description
Name	CIFCREATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISELCMCUST

Attribute	Description
Name	ISELCMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ELCMCUSTNO

Attribute	Description
Name	ELCMCUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AR_AP_TRACKING

Attribute	Description
Name	AR_AP_TRACKING

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

EXPCNTRY

Attribute	**Description**
Name	EXPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

UIDVAL

Attribute	**Description**
Name	UIDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FROZEN

Attribute	**Description**
Name	FROZEN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

DEAD

Attribute	Description
Name	DEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

WHRUNKN

Attribute	Description
Name	WHRUNKN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CRRATE

Attribute	Description
Name	CRRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

SSN

Attribute	**Description**
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

SWIFTCD

Attribute	**Description**
Name	SWIFTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

LOC

Attribute	**Description**
Name	LOC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

MAILRSREQD

Attribute	**Description**
Name	MAILRSREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

GRPCD

Attribute	Description
Name	GRPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

EXPCAT

Attribute	Description
Name	EXPCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTCLASSFN

Attribute	Description
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTAT

Attribute	Description
Name	CIFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTATSNC

Attribute	Description
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CHGGRP

Attribute	Description
Name	CHGGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

CUSTCLGGRP

Attribute	Description
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

TAXGROUP

Attribute	Description
Name	TAXGROUP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

CLSPARTICIPANT

Attribute	Description
Name	CLSPARTICIPANT
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FXNETTCUST

Attribute	Description	
Name	FXNETTCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

XREF

Attribute	Description	
Name	XREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRMCUST

Attribute	Description	
Name	CRMCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

ISSUCUST

Attribute	Description	
Name	ISSUCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

TRSRYCUST

Attribute	**Description**
Name	TRSRYCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

RELPRICING

Attribute	**Description**
Name	RELPRICING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

MT920

Attribute	**Description**
Name	MT920
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

FLGJOINT

Attribute	**Description**
Name	FLGJOINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

CREATEACC

Attribute	Description
Name	CREATEACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CREATEDACCOUNT

Attribute	Description
Name	CREATEDACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TRACK_LIMITS

Attribute	Description
Name	TRACK_LIMITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABID

Attribute	Description
Name	LIABID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LMCCY

Attribute	Description
Name	LMCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

HOACNO

Attribute	Description
Name	HOACNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RISKPRFL

Attribute	Description
Name	RISKPRFL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRCAT

Attribute	Description
Name	DRCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

AMLREQD

Attribute	Description

Name	AMLREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AMLCUSTGRP

Attribute	**Description**
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CHKDIGITVALREQD

Attribute	**Description**
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ALGID

Attribute	**Description**
Name	ALGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FTACCASOF

Attribute	**Description**
Name	FTACCASOF
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,N,D

TOP

CUSTUNADV

Attribute	Description
Name	CUSTUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CONSTAXCERTRQD

Attribute	Description
Name	CONSTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

INDTAXCERTRQD

Attribute	Description
Name	INDTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CLSCCYALLWD

Attribute	Description
Name	CLSCCYALLWD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	D,A

TOP

RISKCATEG

Attribute	Description	
Name	RISKCATEG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	4

TOP

LC_COLLAT_PCT

Attribute	Description	
Name	LC_COLLAT_PCT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

UPTYPE

Attribute	Description	
Name	UPTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

TOP

UDFLBL1

Attribute	Description	
Name	UDFLBL1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

UDFLBL2

Attribute	Description
Name	UDFLBL2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL3

Attribute	Description
Name	UDFLBL3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDF1

Attribute	Description
Name	UDF1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF2

Attribute	Description
Name	UDF2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF3

Attribute	Description
Name	UDF3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF4

Attribute	Description
Name	UDF4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF5

Attribute	Description
Name	UDF5
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	150

TOP

RM_ID

Attribute	Description
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

NETTREQD

Attribute	Description
Name	NETTREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABUNADV

Attribute	Description
Name	LIABUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AUTOGENSTMTPLAN

Attribute	Description
Name	AUTOGENSTMTPLAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	Description	
Name	STMTDAY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

PIN_CODE

Attribute	Description	
Name	PIN_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MFI_CUSTOMER

Attribute	Description	
Name	MFI_CUSTOMER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

INVESTCUST

Attribute	Description
Name	INVESTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWVRTLACCNTS

Attribute	Description
Name	ALLOWVRTLACCNTS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

VRTLCUSTOMERID

Attribute	Description
Name	VRTLCUSTOMERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Custpersonal

Attribute	**Description**	
Name	Custpersonal	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FSTNAME

Attribute	**Description**	
Name	FSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MIDNAME

Attribute	**Description**	
Name	MIDNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LSTNAME

Attribute	Description
Name	LSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PPTNO

Attribute	Description
Name	PPTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DADD2

Attribute	Description
Name	DADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DADD3

Attribute	Description
Name	DADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DPIN_CODE

Attribute	Description
Name	DPIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

TELEPHNO

Attribute	Description
Name	TELEPHNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAXNUMBER

Attribute	Description
Name	FAXNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BENEFADDR1

Attribute	Description
Name	BENEFADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRS3

Attribute	Description
Name	ADDRS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFADDR2

Attribute	Description
Name	BENEFADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DCNTRY

Attribute	Description
Name	DCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

RESSTATUS

Attribute	**Description**
Name	RESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,R

TOP

CUSTPREFIX1

Attribute	**Description**
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CUSTPREFIX2

Attribute	**Description**
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

MOBNUM

Attribute	**Description**
Name	MOBNUM
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CUST_COMM_MODE

Attribute	Description	
Name	CUST_COMM_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,M

TOP

LANG

Attribute	Description	
Name	LANG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

GUARDIAN

Attribute	Description	
Name	GUARDIAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SBMTAGEPROOF

Attribute	Description	
Name	SBMTAGEPROOF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	P,N,V

TOP

MINOR

Attribute	Description	
Name	MINOR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

KYCSTAT

Attribute	Description	
Name	KYCSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,V,F

TOP

SSTAFF

Attribute	Description	
Name	SSTAFF	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

KYC_REFNO

Attribute	Description	
Name	KYC_REFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DADD1

Attribute	Description
Name	DADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SAME_PERM_ADDR

Attribute	Description
Name	SAME_PERM_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

TITLE

Attribute	Description
Name	TITLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ADDRS4

Attribute	Description
Name	ADDRS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD4

Attribute	Description
Name	DADD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PLACEOFBIRTH

Attribute	Description
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

BIRTHCOUNTRY

Attribute	Description
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1

Restrictions	Restrictions	Description
	maxLength	9

TOP

EDUSTAT

Attribute	Description	
Name	EDUSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	U,N,G,P

TOP

MARITALSTAT

Attribute	Description	
Name	MARITALSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,D,R,S,P,E

TOP

SPNAME

Attribute	Description	
Name	SPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SPEMPSTATUS

Attribute	Description	
Name	SPEMPSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description
Name	DEPCHILD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DEPOTH

Attribute	Description
Name	DEPOTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOMODATE

Attribute	Description
Name	ACCOMODATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description
Name	MOTHERMAIDN_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custprof

Attribute	Description
Name	Custprof
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

EMPSTAT

Attribute	Description	
Name	EMPSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description	
Name	EMPTENURE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RETIREAGE

Attribute	Description	
Name	RETIREAGE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREVEMP

Attribute	Description
Name	PREVEMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CURRDESIG

Attribute	Description
Name	CURRDESIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CURREMP

Attribute	Description
Name	CURREMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD1

Attribute	Description
Name	ADD1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMTCCY1

Attribute	Description
Name	AMTCCY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TELEX

Attribute	**Description**
Name	TELEX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FAX

Attribute	**Description**
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAIL

Attribute	**Description**
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

SALARY

Attribute	**Description**
Name	SALARY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OTHER1

Attribute	Description
Name	OTHER1
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

HOUSEVAL

Attribute	Description

Name	HOUSEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRCARD

Attribute	Description
Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CNTY

Attribute	Description
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EMPLOYER_DESC

Attribute	Description
Name	EMPLOYER_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custcorp

Attribute	Description
Name	Custcorp
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPNAME

Attribute	Description
Name	CORPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD1

Attribute	Description
Name	REGADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD2

Attribute	Description
Name	REGADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD3

Attribute	Description
Name	REGADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

R_PIN_CODE

Attribute	Description

Name	R_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

AMTCCY

Attribute	**Description**
Name	AMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INCORPDT

Attribute	**Description**
Name	INCORPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITAL

Attribute	**Description**
Name	CAPITAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTH

Attribute	**Description**
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPDESC

Attribute	Description
Name	CORPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

INCORPCNTRY

Attribute	Description
Name	INCORPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

REGCNTRY

Attribute	Description
Name	REGCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

REGADD4

Attribute	Description

Name	REGADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JOINTVENTURE

Attribute	**Description**
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CADDR1

Attribute	**Description**
Name	CADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR3

Attribute	**Description**
Name	CADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR2

Attribute	**Description**
Name	CADDR2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CADDR4

Attribute	**Description**	
Name	CADDR4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CPINCODE

Attribute	**Description**	
Name	CPINCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

CNTRY

Attribute	**Description**	
Name	CNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

LANGUAGE

Attribute	**Description**	
Name	LANGUAGE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	3

TOP

KYC_DETAILS

Attribute	Description	
Name	KYC_DETAILS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,V,F

TOP

KYCREFNO

Attribute	Description	
Name	KYCREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CNAME

Attribute	Description	
Name	CNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

UIDNAME

Attribute	Description	
Name	UIDNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

UIDVALUE

Attribute	Description
Name	UIDVALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TELEPHONE

Attribute	Description
Name	TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MOBILENUMBER

Attribute	Description
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTCOMMMODE

Attribute	Description
Name	CUSTCOMMMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,M

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TELISDNOCRP

Attribute	Description
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

DIRNAME

Attribute	Description	
Name	DIRNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR3

Attribute	Description	
Name	NADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

TAXID

Attribute	Description
Name	TAXID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

MOBNO

Attribute	Description
Name	MOBNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

EMAILID

Attribute	Description
Name	EMAILID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TELISDNOCRPDIR

Attribute	Description
Name	TELISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNOCRPDIR

Attribute	Description
Name	MOBISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description
Name	ADDRCOUNTRYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

NATIONLTYCRPDIR

Attribute	Description
Name	NATIONLTYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

USRESSTATUSCRPDIR

Attribute	Description
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PCTHOLDING

Attribute	Description
Name	PCTHOLDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Issuerlmts

Attribute	Description
Name	Issuerlmts
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

CLTRLTYP

Attribute	Description
Name	CLTRLTYP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

LMTCCY

Attribute	Description
Name	LMTCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DOCREF

Attribute	Description
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

DATEREQ

Attribute	Description
Name	DATEREQ
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPECTDDATE

Attribute	Description
Name	EXPECTDDATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REMARK1

Attribute	**Description**
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK2

Attribute	**Description**
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK3

Attribute	**Description**
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK4

Attribute	**Description**
Name	REMARK4
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK5

Attribute	Description	
Name	REMARK5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK6

Attribute	Description	
Name	REMARK6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK7

Attribute	Description	
Name	REMARK7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK8

Attribute	Description	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	225

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

Custgrp

Attribute	Description
Name	Custgrp
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

GRPNO

Attribute	Description
Name	GRPNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RELATION

Attribute	Description
Name	RELATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custshhold

Attribute	Description
Name	Custshhold
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SHHOLDPCT

Attribute	**Description**
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Clsccyrest

Attribute	**Description**
Name	Clsccyrest
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTNO

Attribute	**Description**
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Bic

Attribute	Description
Name	Bic
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BICCD

Attribute	Description

Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

Linkedac

Attribute	**Description**
Name	Linkedac
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

VRFD

Attribute	**Description**
Name	VRFD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LINKEDACCNO

Attribute	**Description**
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

LINKEDACCIBAN

Attribute	**Description**
Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	20

TOP

LINKEDACCBIC

Attribute	Description
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

Jointventure

Attribute	Description
Name	Jointventure
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

PARTY_ID

Attribute	Description
Name	PARTY_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

PARTY_RATIO

Attribute	Description
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

PARTYNAME

Attribute	Description

Name	PARTYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Cust-Liab

Attribute	**Description**
Name	Cust-Liab
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITY_NUMBER

Attribute	**Description**
Name	LIABILITY_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LIABILTY_NAME

Attribute	**Description**
Name	LIABILTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LIAB_BRANCH

Attribute	**Description**
Name	LIAB_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	3

TOP

LIAB_CCY

Attribute	Description
Name	LIAB_CCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REVISION_DATE

Attribute	Description
Name	REVISION_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CATEGORY

Attribute	Description
Name	CATEGORY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

UNADV

Attribute	**Description**
Name	UNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

NETTING_REQUIRED

Attribute	**Description**
Name	NETTING_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

OVERALL_SCORE

Attribute	**Description**
Name	OVERALL_SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FX_CLEAN_RISK_LIMIT

Attribute	**Description**
Name	FX_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SEC_CLEAN_RISK_LIMIT

Attribute	Description
Name	SEC_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_PSTL_RISK_LIMIT

Attribute	Description
Name	SEC_PSTL_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAIN_LIAB_NO

Attribute	Description
Name	MAIN_LIAB_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UTIL_AMOUNT

Attribute	Description
Name	UTIL_AMOUNT
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CRRATING

Attribute	Description
Name	CRRATING
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

Liab-Score

Attribute	Description
Name	Liab-Score
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

SCORE

Attribute	Description
Name	SCORE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

SCORE_NAME

Attribute	Description
Name	SCORE_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

SCORE_DESC

Attribute	Description

Name	SCORE_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 250

TOP

Liab-Rating

Attribute	**Description**
Name	Liab-Rating
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PRIMARY

Attribute	**Description**
Name	PRIMARY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

AGENCY_NAME

Attribute	**Description**
Name	AGENCY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CREDIT_RATING

Attribute	**Description**
Name	CREDIT_RATING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

ORACLE

Restrictions	Restrictions	Description
	maxLength	10

TOP

Liab-Linkage

Attribute	Description	
Name	Liab-Linkage	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXPOSURE_NAME

Attribute	Description	
Name	EXPOSURE_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXPOSURE_DESC

Attribute	Description	
Name	EXPOSURE_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXPOSURE_TYPE

Attribute	Description	
Name	EXPOSURE_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

Liab-Udf

Attribute	Description
Name	Liab-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

Custsegment

Attribute	Description
Name	Custsegment
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Mfi1

Attribute	Description
Name	Mfi1
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE_NUMBER

Attribute	Description
Name	INSURANCE_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MFI_CUST_TYPE

Attribute	Description
Name	MFI_CUST_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / G,C,I

TOP

POVERTY_STATUS

Attribute	Description
Name	POVERTY_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

LITERACY_OF_CLIENT

Attribute	Description
Name	LITERACY_OF_CLIENT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

BUSINESS_ACTIVITY

Attribute	**Description**
Name	BUSINESS_ACTIVITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

BLACKLISTED

Attribute	**Description**
Name	BLACKLISTED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BLACKLIST_COUNT

Attribute	**Description**
Name	BLACKLIST_COUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

PHYSICALLY_CHALLENGED

Attribute	**Description**
Name	PHYSICALLY_CHALLENGED
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ACCOUNT_OFFICER

Attribute	Description	
Name	ACCOUNT_OFFICER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

Training

Attribute	Description	
Name	Training	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

TRAINING_CODE

Attribute	Description	
Name	TRAINING_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

TRAINING_DATE

Attribute	Description	
Name	TRAINING_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CIF

Attribute	Description
Name	CIF
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

Chklist

Attribute	Description
Name	Chklist
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

CHKLIST_ITEM

Attribute	Description
Name	CHKLIST_ITEM
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

VERIFIED

Attribute	Description
Name	VERIFIED

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Mf-Cifdet

Attribute	Description
Name	Mf-Cifdet
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

GROUP_CODE

Attribute	Description
Name	GROUP_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MEETING_CODE

Attribute	Description
Name	MEETING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	35

TOP

Id-Master

Attribute	Description	
Name	Id-Master	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

Id-Det-Main

Attribute	Description	
Name	Id-Det-Main	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

SNO

Attribute	Description

Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	**Description**
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Iddetail

Attribute	**Description**
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	**Description**
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SERIES

Attribute	Description
Name	SERIES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

DOC_ID

Attribute	Description
Name	DOC_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DATE_OF_ISSUE

Attribute	Description
Name	DATE_OF_ISSUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DATE_OF_EXPIRY

Attribute	Description
Name	DATE_OF_EXPIRY
Datatype	Date

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	Description
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CUST

Attribute	**Description**
Name	CUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BRNCD

Attribute	**Description**
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKTOGRP

Attribute	**Description**
Name	LINKTOGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Custchnglog

Attribute	**Description**
Name	Custchnglog
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

Baltrnsfrlog

Attribute	Description
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	Description
Name	TXNDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

GLCODE

Attribute	Description
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

TRNIND

Attribute	Description	
Name	TRNIND	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

XRATE

Attribute	Description	
Name	XRATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

Customermis

Attribute	Description
Name	Customermis

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Compositemis

Attribute	Description
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Custloghead

Attribute	Description
Name	Custloghead
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates Customer Joint.

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTPREFIX

Attribute	Description	
Name	CUSTPREFIX	
Datatype	String	
Description	Indicates the Customer Prefix.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

FRSTNAME

Attribute	Description	
Name	FRSTNAME	
Datatype	String	
Description	Indicates the First Name.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

MIDNAME

Attribute	Description	
Name	MIDNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

LASTNAME

Attribute	Description	
Name	LASTNAME	
Datatype	String	
Description	Indicates the Last Name.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEX

Attribute	Description
Name	SEX
Datatype	String
Description	Indicates the Sex. The value can be either M or F.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F

TOP

PPNO

Attribute	Description
Name	PPNO
Datatype	String
Description	Indicates Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

ADD1

Attribute	Description	
Name	ADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description	
Name	ADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD3

Attribute	Description	
Name	ADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

DECEASED

Attribute	Description
Name	DECEASED
Datatype	String
Description	Indicates whether Deceased or not. The value should be either D or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resistant Status. The value could be either R or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

UNTVAL

Attribute	Description
Name	UNTVAL
Datatype	String
Description	Indicates Unit Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INSTR

Attribute	Description
Name	INSTR
Datatype	String
Description	Indicates Instructions
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

INSTRTYPE

Attribute	Description
Name	INSTRTYPE
Datatype	String
Description	Indicates Instruction Type
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXEDAYS

Attribute	Description
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution Days
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEMONTHS

Attribute	Description
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution Years
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. Flag Can be either Y or N.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due Date.
Attributes	Attribute: minOccurs; Description: 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due Date
Attributes	Attribute: minOccurs; Description: 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	Attribute: minOccurs; Description: 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 20

TOP

OPRTR

Attribute	Description
Name	OPRTR

Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates Special Instructions.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage

Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER

Attribute	**Description**
Name	CUSTOMER
Datatype	String
Description	Indicates the customer
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATIONSHIP

Attribute	**Description**
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	**Description**
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	**Description**
Name	DESCP
Datatype	String
Description	Indicates description

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Custacdetail

Attribute	Description
Name	Custacdetail
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 1
Restrictions	**Restrictions** / **Description**
	maxLength / 9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicates sequence number
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TDESC

Attribute	Description
Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

Sttms-Debit

Attribute	Description
Name	Sttms-Debit
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ACTNO

Attribute	Description
Name	ACTNO
Datatype	String
Description	Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Sttms-Detail

Attribute	Description
Name	Sttms-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String

Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NAME_ON_CARD

Attribute	**Description**
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

OWNER_ID_NO

Attribute	**Description**
Name	OWNER_ID_NO
Datatype	String
Description	Owner Id number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

CARD_ISSUED_DT

Attribute	Description
Name	CARD_ISSUED_DT
Datatype	Date
Description	Card Issued Date
Attributes	Attribute: minOccurs, Description: 0

TOP

CARD_EXPIRY_DT

Attribute	Description
Name	CARD_EXPIRY_DT
Datatype	Date
Description	Card Expiry Date
Attributes	Attribute: minOccurs, Description: 0

TOP

CARD_STATUS

Attribute	Description
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 1

TOP

RECORD_STAT

Attribute	Description
Name	RECORD_STAT
Datatype	String
Description	Record Status
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 1

TOP

AUTH_STAT

Attribute	Description
Name	AUTH_STAT

Datatype	String
Description	Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_BIN

Attribute	**Description**
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Extsys-Ws-Master

Attribute	**Description**
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	**Description**
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

Cust-Account

Attribute	Description
Name	Cust-Account
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC

Attribute	Description
Name	ACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AC_DESC

Attribute	**Description**
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTNAME

Attribute	**Description**
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT_CLASS

Attribute	Description	
Name	ACCOUNT_CLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

AC_OPEN_DATE

Attribute	Description	
Name	AC_OPEN_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ALT_ACC_NO

Attribute	Description	
Name	ALT_ACC_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHQBOOK

Attribute	Description	
Name	CHQBOOK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

OPMODE

Attribute	Description
Name	OPMODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	Description
Name	COUNTRY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	Description
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	Description
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	Description
Name	ACCOUNT_TYPE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	Description
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	Description
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GL_ACCC

Attribute	Description
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OFFSET_BRN

Attribute	Description
Name	OFFSET_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CODATMBRN

Attribute	Description
Name	CODATMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

REPL_CUST_SIG

Attribute	Description
Name	REPL_CUST_SIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SALARY_ACCOUNT

Attribute	Description
Name	SALARY_ACCOUNT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SDREFNO

Attribute	**Description**
Name	SDREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

SPDANLSYS

Attribute	**Description**
Name	SPDANLSYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TYOFCHQ

Attribute	**Description**
Name	TYOFCHQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,C

TOP

Account-Generation

Attribute	**Description**
Name	Account-Generation
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Jointholders-Main

Attribute	Description
Name	Jointholders-Main
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Jointholders

Attribute	Description
Name	Jointholders
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME1

Attribute	**Description**
Name	CUSTNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JNTHLDTYP

Attribute	**Description**
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	**Description**
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

END_DATE

Attribute	**Description**
Name	END_DATE
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Acc-Nominees

Attribute	Description	
Name	Acc-Nominees	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RELSHIP

Attribute	Description	
Name	RELSHIP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NOMINEE_ID

Attribute	Description
Name	NOMINEE_ID
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String

Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOMMINOR

Attribute	**Description**
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GUARDNAM

Attribute	**Description**
Name	GUARDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GUARDRELNSHP

Attribute	**Description**
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR1

Attribute	**Description**
Name	GADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR2

Attribute	Description	
Name	GADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR3

Attribute	Description	
Name	GADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR4

Attribute	Description	
Name	GADDR4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NAM

Attribute	Description	
Name	NAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MANDATORY

Attribute	**Description**
Name	MANDATORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

Doctype-Remarks1

Attribute	**Description**
Name	Doctype-Remarks1
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Cust-Acc-Check

Attribute	**Description**
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FIRST_CHECK_NO

Attribute	Description
Name	FIRST_CHECK_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHECK_LEAVES

Attribute	Description
Name	CHECK_LEAVES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQUE_BOOK_TYPE

Attribute	Description
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

ORDER_DATE

Attribute	Description
Name	ORDER_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ORDER_DETAILS

Attribute	Description
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REQUEST_STATUS

Attribute	Description
Name	REQUEST_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Requested

TOP

CHQ_TYPE

Attribute	Description
Name	CHQ_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	EURO,COMM

TOP

Cust-Acc-Card

Attribute	Description
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

CARD_PRODUCT

Attribute	Description
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 11

TOP

NAME_ON_CARD

Attribute	Description
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CARD_NO

Attribute	Description
Name	CARD_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CARD_APPL_DATE

Attribute	**Description**
Name	CARD_APPL_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_STATUS

Attribute	**Description**
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Udfdetails

Attribute	**Description**
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCID

Attribute	Description
Name	FUNCID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8

TOP

RECKEY

Attribute	Description
Name	RECKEY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 700

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

Custacc

Attribute	Description
Name	Custacc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

COMPMIS9

Attribute	Description	
Name	COMPMIS9	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

COMPMIS10

Attribute	Description	
Name	COMPMIS10	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: 1,2,3,4,5,6,7,8,9,

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	**Description**
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	**Description**
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	**Description**
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7

Attribute	**Description**
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

Misaccchangelog

Attribute	Description
Name	Misaccchangelog
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description

Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Misbaltransferlog

Attribute	**Description**
Name	Misbaltransferlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRDCD

Attribute	**Description**
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

FINYR

Attribute	Description	
Name	FINYR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

GLCODE

Attribute	Description	
Name	GLCODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TRNIND

Attribute	Description	
Name	TRNIND	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

MISCLS

Attribute	Description	
Name	MISCLS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

AMT

Attribute	Description
Name	AMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Chglog

Attribute	Description
Name	Chglog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Tsfrlog

Attribute	Description
Name	Tsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Classname

Attribute	Description
Name	Classname
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

B1

Attribute	Description
Name	B1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C1

Attribute	Description	
Name	C1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C2

Attribute	Description	
Name	C2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C3

Attribute	Description	
Name	C3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C4

Attribute	Description	
Name	C4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1000

TOP

C5

Attribute	Description	
Name	C5	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C6

Attribute	Description	
Name	C6	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C7

Attribute	Description	
Name	C7	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C8

Attribute	Description	
Name	C8	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C9

Attribute	Description
Name	C9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C10

Attribute	Description
Name	C10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T1

Attribute	Description
Name	T1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T2

Attribute	Description
Name	T2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T3

Attribute	Description
Name	T3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T4

Attribute	Description
Name	T4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T5

Attribute	Description
Name	T5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T6

Attribute	Description
Name	T6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T7

Attribute	Description
Name	T7

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T8

Attribute	Description
Name	T8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T9

Attribute	Description
Name	T9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T10

Attribute	Description
Name	T10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER_NAME1

Attribute	Description	
Name	CUSTOMER_NAME1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NSFIB_CS_EVENT_NO

Attribute	Description	
Name	NSFIB_CS_EVENT_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NSFIB_CS_LVL

Attribute	Description	
Name	NSFIB_CS_LVL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

NSFIB_CS_LVL_EFFDT

Attribute	Description
Name	NSFIB_CS_LVL_EFFDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSFIB_CS_LVL_EXPDT

Attribute	Description
Name	NSFIB_CS_LVL_EXPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSFIB_CS_BLK_STAT

Attribute	Description
Name	NSFIB_CS_BLK_STAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSFIB_CS_WBRCK_STAT

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

NSFIB_CS_WBRCK_EFFDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_EXPDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_STAT

Attribute	Description
Name	NSFIB_IB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_IB_BLK_EFFDT

Attribute	Description
Name	NSFIB_IB_BLK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_EXPDT

Attribute	Description
Name	NSFIB_IB_BLK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_DESC

Attribute	Description
Name	NSFIB_IB_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_BLK_STAT

Attribute	Description
Name	NSFIB_CB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NSFIB_CB_DESC

Attribute	Description
Name	NSFIB_CB_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_EFFDT

Attribute	Description
Name	NSFIB_CB_EFFDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NSFIB_CB_EXPDT

Attribute	Description
Name	NSFIB_CB_EXPDT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

NSFIB_CS_BLK_DESC

Attribute	Description
Name	NSFIB_CS_BLK_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NSFIB_CS_WBRCK_STAT_DESC

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

Cust

Attribute	Description
Name	Cust
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cust-Ck-Det

Attribute	Description
Name	Cust-Ck-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_PROCESS_ORDER

Attribute	Description
Name	CHQ_PROCESS_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LVL_COMP_EXPDT

Attribute	Description

Name	LVL_COMP_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CG_REF_NO

Attribute	**Description**
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ACCOUNT_NO

Attribute	**Description**
Name	ACCOUNT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

CHQ_NO

Attribute	Description
Name	CHQ_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

EVENT_NO

Attribute	Description
Name	EVENT_NO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSF_LVL

Attribute	Description
Name	NSF_LVL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8

TOP

LVL_EFFDT

Attribute	Description
Name	LVL_EFFDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

LVL_EXPDT

Attribute	Description
Name	LVL_EXPDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_VALUEDT

Attribute	Description
Name	CHQ_VALUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID

Datatype	String
Description	Function
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

Doc-Upload

Attribute	**Description**
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	**Description**
Name	DCREFNO
Datatype	String
Description	Document Reference
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	**Description**
Name	DOC_CATEGORY
Datatype	String
Description	Document Category
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	**Description**
Name	DOC_TYPE
Datatype	String
Description	Document Type
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

2.18.2.ST-DeleteCustomer-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-IO*
    - *CUSTNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Customer-IO

Attribute	Description
Name	Customer-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

2.18.3.ST-DeleteCustomer-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-Full*
    - *PRIVATE_CUSTOMER*
    - *CUSTNO*
    - *CTYPE*
    - *NAME*
    - *ADDRLN1*
    - *ADDRLN3*
    - *ADDRLN2*
    - *ADDRLN4*
    - *COUNTRY*
    - *SNAME*
    - *NLTY*
    - *LBRN*
    - *CCATEG*
    - *FULLNAME*
    - *CIFCREATIONDT*
    - *ISELCMCUST*
    - *ELCMCUSTNO*
    - *AR_AP_TRACKING*

EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
CREATEACC
CREATEDACCOUNT
TRACK_LIMITS
LIABID
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM
SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR

UTLTYPRVDRID
RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
LC_COLLAT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
UDF1
UDF2
UDF3
UDF4
UDF5
RM_ID
NETTREQD
LIABUNADV
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
MFI_CUSTOMER
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Custpersonal

FSTNAME
MIDNAME
LSTNAME
DOB
GENDR
NATIONID
PPTNO
PPTISSDT
PPTEXPDT
DADD2
DADD3
DPIN_CODE
TELEPHNO
FAXNUMBER
EMAILID
BENEFADDR1
ADDRS3
BENEFADDR2
DCNTRY
PCNTRY
RESSTATUS
CUSTPREFIX1
CUSTPREFIX2
MOBNUM
CUST_COMM_MODE
LANG
GUARDIAN
SBMTAGEPROOF
MINOR
KYCSTAT
SSTAFF
KYC_REFNO
SAME_CORR_ADDR
DADD1
SAME_PERM_ADDR
TITLE
ADDRS4
DADD4
PLACEOFBIRTH
BIRTHCOUNTRY
TELISDNOPERSONAL
MOBISDNO
FAXISDNO
USRESSTATUS

PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY
PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV
HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
- *CUSTNO*
- *EDUSTAT*
- *MARITALSTAT*
- *SPNAME*
- *SPEMPSTATUS*
- *DEPCHILD*
- *DEPOTH*
- *ACCOMODATE*
- *MOTHERMAIDN_NAME*

Custprof
- *CUSTNO*
- *EMPSTAT*
- *EMPTENURE*
- *RETIREAGE*
- *PREVDESIG*
- *PREVEMP*
- *CURRDESIG*
- *CURREMP*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *AMTCCY1*
- *TELEX*
- *FAX*
- *EMAIL*
- *SALARY*
- *OTHER1*
- *RENT*
- *INSURANCE*

LOANPMNT

OTHEXP

HOUSEVAL

CRCARD

CNTY

EMPLOYER_DESC

Custcorp

CORPNAME

REGADD1

REGADD2

REGADD3

R_PIN_CODE

AMTCCY

INCORPDT

CAPITAL

NETWORTH

CORPDESC

INCORPCNTRY

REGCNTRY

SAME_CORR_ADDR

REGADD4

JOINTVENTURE

CADDR1

CADDR3

CADDR2

CADDR4

CPINCODE

CNTRY

LANGUAGE

KYC_DETAILS

KYCREFNO

CNAME

UIDNAME

UIDVALUE

TELEPHONE

FAX

EMAILID

MOBILENUMBER

CUSTCOMMMODE

NATIONID

TELISDNOCRP

MOBISDNOCRP

FAXISDNOCRP

PREF_CNTACT_DATE

PREF_CNTACT_TIME

OWNERSHPTYPE

Custcorpdir

DIRNAME

NADDR1

NADDR2

NADDR3

NADDR4

ADDRESS1

ADDRESS2

ADDRESS3

COUNTRY

TEL

TAXID

MOBNO

EMAILID

TELISDNOCRPDIR

MOBISDNOCRPDIR

ADDRCOUNTRYCRPDIR

NATIONLTYCRPDIR

USRESSTATUSCRPDIR

PCTHOLDING

HOMETELNO

HOMETELISD

PPIN_CODE

PIN_CODE

Issuerdet

CUSTNO

OVERLMTCCY

OVERLIMIT

Issuerlmts

CLTRLTYP

LMTCCY

LMTAMT

Custdoc-Chklist

CUSTOMER_NO

DOCCATEGORY

DOCUMENTNAME

DOCUMENT_TYPE

CHECKED

DOCREF

DATEREQ

EXPECTDDATE

ACTUALDATE

- *EXPDATE*
- *REMARKSCHKLIST*

Doctype-Remarks

- *CUSTOMER_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *CUSTNO*
- *RELATION*

Custshhold

- *CUSTNO*
- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CUSTNO*
- *CCY*
- *DESC*

Bic

- *ACC*
- *CUSTNO*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Cust-Liab

- *LIABILITY_NUMBER*
- *LIABILTY_NAME*
- *LIAB_BRANCH*
- *LIAB_CCY*

- *OVERLIMIT*
- *REVISION_DATE*
- *CATEGORY*
- *USER_DEFINED_STATUS*
- *UNADV*
- *NETTING_REQUIRED*
- *OVERALL_SCORE*
- *FX_CLEAN_RISK_LIMIT*
- *SEC_CLEAN_RISK_LIMIT*
- *SEC_PSTL_RISK_LIMIT*
- *REMARKS*
- *MAIN_LIAB_NO*
- *UTIL_AMOUNT*
- *CRRATING*
- *Liab-Score*
  - *SCORE*
  - *SCORE_NAME*
  - *SCORE_DESC*
- *Liab-Rating*
  - *PRIMARY*
  - *AGENCY_NAME*
  - *CREDIT_RATING*
- *Liab-Linkage*
  - *EXPOSURE_NAME*
  - *EXPOSURE_DESC*
  - *EXPOSURE_TYPE*
- *Liab-Udf*
  - *FLDNAM*
  - *FLDVAL*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*

Mfi1

- *INSURANCE_NUMBER*
- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*
- *BLACKLISTED*
- *BLACKLIST_COUNT*
- *PHYSICALLY_CHALLENGED*

ACCOUNT_OFFICER

Training

TRAINING_CODE

TRAINING_DATE

CIF

Chklist

KEY_ID

CHKLIST_ITEM

VERIFIED

Mf-Cifdet

CUSTOMER_NO

GROUP_CODE

MEETING_CODE

Id-Master

CUSTOMER_NO

Id-Det-Main

CUSTOMER_NO

SNO

DOCUMENT_TYPE

Iddetail

CUSTOMER_NO

SNO

DOCUMENT_TYPE

SERIES

DOC_ID

DATE_OF_ISSUE

DATE_OF_EXPIRY

ISSUING_AUTHORITY

PLACE_OF_ISSUE

NAME

Custmis

MISGRP

CUST

BRNCD

LINKTOGRP

Custchnglog

MISCLS

TXNDT

OLDMISCD

NWMISCD

Baltrnsfrlog

BRN

PRDCD

FINYR

TXNDT
GLCODE
MISCLS
OLDMISCD
NWMISCD
TRNIND
CCY
AMT
XRATE
Customermis
MISCLS
MISCD
Compositemis
MISCLS
MISCD
Custloghead
Jointcustomer
CUSTNO
Custjoint
CUSTPREFIX
FRSTNAME
MIDNAME
LASTNAME
DOB
SEX
PPNO
PPTISSDT
PPTEXPDT
ADD1
ADD2
ADD3
TEL
EMAIL
SSN
DECEASED
RESISTAT
Cust-Acc-Det
CUSTNO
Diary-Mst
INSTRNO
UNTTYP
UNTVAL
BRN
INSTR

INSTRTYPE
EXEDAYS
EXEMONTHS
EXEYEARS
MNTHENDFLG
HLDRULE
FRSTDUEDT
NXTDUEDT
NXTEXEDT
CONDELEM
OPRTR
CONDVAL
ACCOFCR
SPLINSTRTYP
EXPDT
SPLINSTR
Custaccdet
CUSTNO
BRNCD
Relationship-Linkage
CUSTOMER
RELATIONSHIP
INHERIT
DESCP
Custacdetail
CUSTNO
CUSTTEXT
SEQNO
CUSTNO
TDESC
UDFDETAILS
FLDNAM
FLDVAL
Sttms-Debit
BRANCH_CODE
CUST_NO
ACTNO
Sttms-Detail
BRANCH_CODE
REQUEST_REFERENCE_NO
CARDNO
CUST_NO
CARD_PRODUCT
PRIMARY_CARD

NAME_ON_CARD

OWNER_ID_NO

CARD_ISSUED_DT

CARD_EXPIRY_DT

CARD_STATUS

RECORD_STAT

AUTH_STAT

CARD_BIN

CUST_AC_NO

Extsys-Ws-Master

Extsys-Ws-Details

EXTWSRESP

USERREMARKS

Cust-Account

BRN

ACC

AC_DESC

CUSTNAME

CUST_NO

CCY

ACCOUNT_CLASS

AC_OPEN_DATE

ALT_ACC_NO

CHQBOOK

ATM

PASSBOOK

ATMACC

ATMDLIM

ATMDCNTLIM

CHKNAME1

CHKNAME2

AUTOREORDERCHKREQ

AUTOREORDERCHKLVL

AUTOREORDERCHKLVS

DORMPRM

LOCATION

MEDIA

OPMODE

COUNTRY_CODE

AUTO_CHEQUE_BOOK_REQ

AUTO_DEBIT_CARD_REQUEST

ACCOUNT_TYPE

MAX_NO_CHEQUE_REJECTIONS

ACC_OPENING_AMT

GL_ACCC

OFFSET_BRN

PAY_IN_OPTION

WAIVE_ACC_OPEN_CHARGE

CODATMBRN

REPL_CUST_SIG

SALARY_ACCOUNT

SDREFNO

SPDANLSYS

TYOFCHQ

Account-Generation

Jointholders-Main

Jointholders

- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUSTNO*
- *CUSTNAME1*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees

- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMINEE_ID*
- *CUST_AC_NO*
- *BRANCH_CODE*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist

- *BRANCH_CODE*
- *CUST_AC_NO*
- *DOCUMENT_TYPE*
- *MANDATORY*
- *CHECKED*

Doctype-Remarks1

BRANCH_CODE

CUST_AC_NO

REMARK1

REMARK2

REMARK3

REMARK4

REMARK5

REMARK6

REMARK7

REMARK8

REMARK9

REMARK10

Cust-Acc-Check

BRANCH

ACCOUNT

FIRST_CHECK_NO

CHECK_LEAVES

CHEQUE_BOOK_TYPE

ORDER_DATE

ORDER_DETAILS

LANG_CODE

REQUEST_STATUS

CHQ_TYPE

Cust-Acc-Card

BRANCH_CODE

CUST_AC_NO

CUST_NO

REQUEST_REFERENCE_NO

CARD_PRODUCT

CARD_BIN

NAME_ON_CARD

CARD_NO

CARD_APPL_DATE

PRIMARY_CARD

CARD_STATUS

Udfdetails

FUNCID

RECKEY

FLDNAM

FLDVAL

Custacc

Misdetails

TXNMIS7

COMPMIS8
TXNMIS8
COMPMIS9
TXNMIS9
COMPMIS10
TXNMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
REFRTSPRD
REFRTTYPE
REFRTCD
BRN
ACC
POOLCD
RTFLAG
REFRATE
CALCMETH
MISGRP
MISGRPTXN
MISGRPCOMP
COMPMIS1
TXNMIS1
COMPMIS2
TXNMIS2
COMPMIS3
TXNMIS3
COMPMIS4
TXNMIS4
COMPMIS5
TXNMIS5
COMPMIS6
TXNMIS6
COMPMIS7
LINKGRP
Misaccchangelog
- *MISCLS*
- *TXNDT*
- *OLDMISCD*
- *NWMISCD*

Misbaltransferlog
- *BRN*

PRDCD

FINYR

GLCODE

TRNIND

MISCLS

TXNDT

OLDMISCD

NWMISCD

CCY

AMT

XRATE

Chglog

Tsfrlog

Classname

B1

C1

C2

C3

C4

C5

C6

C7

C8

C9

C10

T1

T2

T3

T4

T5

T6

T7

T8

T9

T10

Nsf-Enq

CUSTOMER_NO

CUSTOMER_NAME1

NSFIB_CS_EVENT_NO

NSFIB_CS_LVL

NSFIB_CS_LVL_EFFDT

NSFIB_CS_LVL_EXPDT

NSFIB_CS_BLK_STAT

NSFIB_CS_LAST_TRN_DT

NSFIB_CS_WBRCK_STAT
NSFIB_CS_WBRCK_EFFDT
NSFIB_CS_WBRCK_EXPDT
NSFIB_IB_BLK_STAT
NSFIB_IB_BLK_EFFDT
NSFIB_IB_BLK_EXPDT
NSFIB_IB_BLK_DESC
NSFIB_CB_BLK_STAT
NSFIB_CB_DESC
NSFIB_CB_EFFDT
NSFIB_CB_EXPDT
NSFIB_CS_BLK_DESC
NSFIB_CS_WBRCK_STAT_DESC
Cust
CUSTNO
CNAME
Cust-Ck-Det
CHQ_AMT
CHQ_PROCESS_ORDER
LVL_COMP_EXPDT
BRANCH_CODE
CG_REF_NO
CUSTOMER_NO
ACCOUNT_NO
CHQ_NO
EVENT_NO
NSF_LVL
LVL_EFFDT
LVL_EXPDT
CHQ_DT
CHQ_VALUEDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Customer-Full

Attribute	Description

Name	Customer-Full
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description
Name	PRIVATE_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CTYPE

Attribute	Description
Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,C,B

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	Description

Name	ADDRLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRLN3

Attribute	Description
Name	ADDRLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRLN2

Attribute	Description
Name	ADDRLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRLN4

Attribute	Description
Name	ADDRLN4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SNAME

Attribute	Description
Name	SNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NLTY

Attribute	Description
Name	NLTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LBRN

Attribute	Description
Name	LBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCATEG

Attribute	Description
Name	CCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FULLNAME

Attribute	**Description**
Name	FULLNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CIFCREATIONDT

Attribute	**Description**
Name	CIFCREATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISELCMCUST

Attribute	**Description**
Name	ISELCMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

ELCMCUSTNO

Attribute	**Description**
Name	ELCMCUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AR_AP_TRACKING

Attribute	Description
Name	AR_AP_TRACKING
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

EXPCNTRY

Attribute	Description
Name	EXPCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

UIDNAME

Attribute	Description
Name	UIDNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

UIDVAL

Attribute	Description
Name	UIDVAL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

FROZEN

Attribute	Description
Name	FROZEN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DEAD

Attribute	**Description**
Name	DEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

WHRUNKN

Attribute	**Description**
Name	WHRUNKN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CRRATE

Attribute	**Description**
Name	CRRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MEDIA

Attribute	**Description**
Name	MEDIA
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

SSN

Attribute	**Description**	
Name	SSN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

SWIFTCD

Attribute	**Description**	
Name	SWIFTCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

LOC

Attribute	**Description**	
Name	LOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MAILRSREQD

Attribute	**Description**	
Name	MAILRSREQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

GRPCD

Attribute	**Description**
Name	GRPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXPCAT

Attribute	**Description**
Name	EXPCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUSTCLASSFN

Attribute	**Description**
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CIFSTAT

Attribute	**Description**
Name	CIFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CIFSTATSNC

Attribute	Description
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGGRP

Attribute	Description
Name	CHGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSTCLGGRP

Attribute	Description
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TAXGROUP

Attribute	Description
Name	TAXGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLSPARTICIPANT

Attribute	Description
Name	CLSPARTICIPANT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

FXNETTCUST

Attribute	**Description**
Name	FXNETTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

XREF

Attribute	**Description**
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRMCUST

Attribute	**Description**
Name	CRMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ISSUCUST

Attribute	**Description**
Name	ISSUCUST
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

TRSRYCUST

Attribute	Description
Name	TRSRYCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

RELPRICING

Attribute	Description
Name	RELPRICING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

MT920

Attribute	Description
Name	MT920
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

FLGJOINT

Attribute	Description
Name	FLGJOINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

CREATEACC

Attribute	Description
Name	CREATEACC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

CREATEDACCOUNT

Attribute	Description
Name	CREATEDACCOUNT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

TRACK_LIMITS

Attribute	Description
Name	TRACK_LIMITS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

LIABID

Attribute	Description
Name	LIABID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

LMCCY

Attribute	Description
Name	LMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOACNO

Attribute	Description
Name	HOACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RISKPRFL

Attribute	Description
Name	RISKPRFL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRCAT

Attribute	Description
Name	DRCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

AMLREQD

Attribute	Description
Name	AMLREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

AMLCUSTGRP

Attribute	Description
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

CHKDIGITVALREQD

Attribute	Description
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

ALGID

Attribute	Description
Name	ALGID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

FTACCASOF

Attribute	Description
Name	FTACCASOF

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,N,D

TOP

CUSTUNADV

Attribute	Description
Name	CUSTUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CONSTAXCERTRQD

Attribute	Description
Name	CONSTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

INDTAXCERTRQD

Attribute	Description
Name	INDTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CLSCCYALLWD

Attribute	Description
Name	CLSCCYALLWD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,A

TOP

RISKCATEG

Attribute	Description
Name	RISKCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UPTYPE

Attribute	Description
Name	UPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFLBL1

Attribute	Description
Name	UDFLBL1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL2

Attribute	Description
Name	UDFLBL2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL3

Attribute	Description
Name	UDFLBL3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDF1

Attribute	Description
Name	UDF1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF2

Attribute	Description
Name	UDF2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF3

Attribute	Description
Name	UDF3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF4

Attribute	Description
Name	UDF4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF5

Attribute	Description
Name	UDF5

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

RM_ID

Attribute	**Description**
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

NETTREQD

Attribute	**Description**
Name	NETTREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABUNADV

Attribute	**Description**
Name	LIABUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AUTOGENSTMTPLAN

Attribute	**Description**
Name	AUTOGENSTMTPLAN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	Description
Name	STMTDAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MFI_CUSTOMER

Attribute	Description
Name	MFI_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

INVESTCUST

Attribute	Description
Name	INVESTCUST
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

ALLOWVRTLACCNTS

Attribute	Description
Name	ALLOWVRTLACCNTS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

VRTLCUSTOMERID

Attribute	Description
Name	VRTLCUSTOMERID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	**Description**
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Custpersonal

Attribute	**Description**
Name	Custpersonal
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FSTNAME

Attribute	**Description**
Name	FSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MIDNAME

Attribute	**Description**
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

LSTNAME

Attribute	Description
Name	LSTNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PPTNO

Attribute	Description
Name	PPTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DADD2

Attribute	Description
Name	DADD2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD3

Attribute	Description
Name	DADD3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

DPIN_CODE

Attribute	Description	
Name	DPIN_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

TELEPHNO

Attribute	Description	
Name	TELEPHNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

FAXNUMBER

Attribute	Description	
Name	FAXNUMBER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

EMAILID

Attribute	Description	
Name	EMAILID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

BENEFADDR1

Attribute	Description
Name	BENEFADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRS3

Attribute	Description
Name	ADDRS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFADDR2

Attribute	Description
Name	BENEFADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DCNTRY

Attribute	Description
Name	DCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

RESSTATUS

Attribute	Description
Name	RESSTATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,R

TOP

CUSTPREFIX1

Attribute	Description
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

CUSTPREFIX2

Attribute	Description
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

MOBNUM

Attribute	Description
Name	MOBNUM

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_COMM_MODE

Attribute	**Description**
Name	CUST_COMM_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,M

TOP

LANG

Attribute	**Description**
Name	LANG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

GUARDIAN

Attribute	**Description**
Name	GUARDIAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SBMTAGEPROOF

Attribute	**Description**
Name	SBMTAGEPROOF
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,N,V

TOP

MINOR

Attribute	Description
Name	MINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

KYCSTAT

Attribute	Description
Name	KYCSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,V,F

TOP

SSTAFF

Attribute	Description
Name	SSTAFF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

KYC_REFNO

Attribute	Description
Name	KYC_REFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

DADD1

Attribute	Description	
Name	DADD1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

SAME_PERM_ADDR

Attribute	Description	
Name	SAME_PERM_ADDR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

TITLE

Attribute	Description	
Name	TITLE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	30

TOP

ADDRS4

Attribute	Description
Name	ADDRS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD4

Attribute	Description
Name	DADD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PLACEOFBIRTH

Attribute	Description
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

BIRTHCOUNTRY

Attribute	Description
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

EDUSTAT

Attribute	**Description**	
Name	EDUSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	U,N,G,P

TOP

MARITALSTAT

Attribute	**Description**	
Name	MARITALSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,D,R,S,P,E

TOP

SPNAME

Attribute	**Description**	
Name	SPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SPEMPSTATUS

Attribute	**Description**	
Name	SPEMPSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description	
Name	DEPCHILD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DEPOTH

Attribute	Description	
Name	DEPOTH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCOMODATE

Attribute	Description	
Name	ACCOMODATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description	
Name	MOTHERMAIDN_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Custprof

Attribute	Description
Name	Custprof

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

EMPSTAT

Attribute	Description
Name	EMPSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description
Name	EMPTENURE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETIREAGE

Attribute	Description
Name	RETIREAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PREVEMP

Attribute	Description
Name	PREVEMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURRDESIG

Attribute	Description
Name	CURRDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURREMP

Attribute	Description
Name	CURREMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADD1

Attribute	Description
Name	ADD1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMTCCY1

Attribute	Description
Name	AMTCCY1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TELEX

Attribute	**Description**
Name	TELEX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FAX

Attribute	**Description**
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAIL

Attribute	**Description**
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

SALARY

Attribute	**Description**
Name	SALARY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OTHER1

Attribute	Description
Name	OTHER1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOUSEVAL

Attribute	Description
Name	HOUSEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRCARD

Attribute	Description
Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CNTY

Attribute	Description
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EMPLOYER_DESC

Attribute	Description
Name	EMPLOYER_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custcorp

Attribute	Description
Name	Custcorp
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CORPNAME

Attribute	Description	
Name	CORPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD1

Attribute	Description	
Name	REGADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD2

Attribute	Description	
Name	REGADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD3

Attribute	Description	
Name	REGADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

R_PIN_CODE

Attribute	Description
Name	R_PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

AMTCCY

Attribute	Description
Name	AMTCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

INCORPDT

Attribute	Description
Name	INCORPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CAPITAL

Attribute	Description
Name	CAPITAL
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CORPDESC

Attribute	Description	
Name	CORPDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

INCORPCNTRY

Attribute	Description	
Name	INCORPCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

REGCNTRY

Attribute	Description	
Name	REGCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

ORACLE

TOP

REGADD4

Attribute	Description
Name	REGADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JOINTVENTURE

Attribute	Description
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CADDR1

Attribute	Description
Name	CADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR3

Attribute	Description
Name	CADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR2

Attribute	Description
Name	CADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CADDR4

Attribute	Description
Name	CADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CPINCODE

Attribute	Description
Name	CPINCODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

CNTRY

Attribute	Description
Name	CNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

LANGUAGE

Attribute	Description
Name	LANGUAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

KYC_DETAILS

Attribute	**Description**
Name	KYC_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,V,F

TOP

KYCREFNO

Attribute	**Description**
Name	KYCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CNAME

Attribute	**Description**
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

UIDVALUE

Attribute	**Description**
Name	UIDVALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

TELEPHONE

Attribute	**Description**
Name	TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FAX

Attribute	**Description**
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAILID

Attribute	**Description**
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	255

TOP

MOBILENUMBER

Attribute	Description	
Name	MOBILENUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CUSTCOMMMODE

Attribute	Description	
Name	CUSTCOMMMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,M

TOP

NATIONID

Attribute	Description	
Name	NATIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TELISDNOCRP

Attribute	Description	
Name	TELISDNOCRP	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DIRNAME

Attribute	Description
Name	DIRNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR1

Attribute	Description
Name	NADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR2

Attribute	Description
Name	NADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR3

Attribute	Description
Name	NADDR3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NADDR4

Attribute	**Description**
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	**Description**
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	**Description**
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	**Description**
Name	ADDRESS3
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TAXID

Attribute	Description	
Name	TAXID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MOBNO

Attribute	Description	
Name	MOBNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	105

TOP

EMAILID

Attribute	Description	
Name	EMAILID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

TELISDNOCRPDIR

Attribute	Description	
Name	TELISDNOCRPDIR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MOBISDNOCRPDIR

Attribute	Description	
Name	MOBISDNOCRPDIR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description	
Name	ADDRCOUNTRYCRPDIR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

NATIONLTYCRPDIR

Attribute	Description
Name	NATIONLTYCRPDIR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

USRESSTATUSCRPDIR

Attribute	**Description**
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PCTHOLDING

Attribute	**Description**
Name	PCTHOLDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOMETELNO

Attribute	**Description**
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	**Description**
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	**Description**
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Issuerlmts

Attribute	**Description**
Name	Issuerlmts
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CLTRLTYP

Attribute	**Description**
Name	CLTRLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LMTCCY

Attribute	**Description**
Name	LMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	**Description**
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

DOCREF

Attribute	**Description**
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

DATEREQ

Attribute	**Description**
Name	DATEREQ
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECTDDATE

Attribute	Description
Name	EXPECTDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Custgrp

Attribute	**Description**
Name	Custgrp
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

GRPNO

Attribute	**Description**
Name	GRPNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

RELATION

Attribute	Description	
Name	RELATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

Custshhold

Attribute	Description	
Name	Custshhold	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SHHOLDPCT

Attribute	Description
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Clsccyrest

Attribute	Description
Name	Clsccyrest
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Bic

Attribute	Description
Name	Bic
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BICCD

Attribute	Description
Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

Linkedac

Attribute	Description
Name	Linkedac
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

VRFD

Attribute	Description
Name	VRFD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LINKEDACCNO

Attribute	Description
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

LINKEDACCIBAN

Attribute	Description

Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LINKEDACCBIC

Attribute	**Description**
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Jointventure

Attribute	**Description**
Name	Jointventure
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PARTY_ID

Attribute	**Description**
Name	PARTY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PARTY_RATIO

Attribute	**Description**
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

PARTYNAME

Attribute	Description
Name	PARTYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Cust-Liab

Attribute	Description
Name	Cust-Liab
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITY_NUMBER

Attribute	Description
Name	LIABILITY_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LIABILTY_NAME

Attribute	Description
Name	LIABILTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LIAB_BRANCH

Attribute	Description
Name	LIAB_BRANCH

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LIAB_CCY

Attribute	**Description**
Name	LIAB_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	**Description**
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVISION_DATE

Attribute	**Description**
Name	REVISION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CATEGORY

Attribute	**Description**
Name	CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

UNADV

Attribute	Description
Name	UNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

NETTING_REQUIRED

Attribute	Description
Name	NETTING_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

OVERALL_SCORE

Attribute	Description
Name	OVERALL_SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK_LIMIT

Attribute	Description
Name	FX_CLEAN_RISK_LIMIT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_CLEAN_RISK_LIMIT

Attribute	Description
Name	SEC_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_PSTL_RISK_LIMIT

Attribute	Description
Name	SEC_PSTL_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAIN_LIAB_NO

Attribute	Description
Name	MAIN_LIAB_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UTIL_AMOUNT

Attribute	Description
Name	UTIL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRRATING

Attribute	Description
Name	CRRATING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Liab-Score

Attribute	Description
Name	Liab-Score
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCORE

Attribute	Description
Name	SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

SCORE_NAME

Attribute	Description
Name	SCORE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

SCORE_DESC

Attribute	**Description**
Name	SCORE_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 250

TOP

Liab-Rating

Attribute	**Description**
Name	Liab-Rating
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PRIMARY

Attribute	**Description**
Name	PRIMARY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

AGENCY_NAME

Attribute	**Description**
Name	AGENCY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CREDIT_RATING

Attribute	Description
Name	CREDIT_RATING
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

Liab-Linkage

Attribute	Description
Name	Liab-Linkage
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

EXPOSURE_NAME

Attribute	Description
Name	EXPOSURE_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 35

TOP

EXPOSURE_DESC

Attribute	Description
Name	EXPOSURE_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

EXPOSURE_TYPE

Attribute	Description
Name	EXPOSURE_TYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Liab-Udf

Attribute	**Description**
Name	Liab-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

Custsegment

Attribute	**Description**
Name	Custsegment
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Mfi1

Attribute	**Description**
Name	Mfi1
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE_NUMBER

Attribute	**Description**
Name	INSURANCE_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MFI_CUST_TYPE

Attribute	**Description**
Name	MFI_CUST_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / G,C,I

TOP

POVERTY_STATUS

Attribute	**Description**
Name	POVERTY_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

LITERACY_OF_CLIENT

Attribute	Description	
Name	LITERACY_OF_CLIENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

BUSINESS_ACTIVITY

Attribute	Description	
Name	BUSINESS_ACTIVITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

BLACKLISTED

Attribute	Description	
Name	BLACKLISTED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BLACKLIST_COUNT

Attribute	Description	
Name	BLACKLIST_COUNT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

PHYSICALLY_CHALLENGED

Attribute	Description
Name	PHYSICALLY_CHALLENGED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ACCOUNT_OFFICER

Attribute	Description
Name	ACCOUNT_OFFICER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Training

Attribute	Description
Name	Training
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TRAINING_CODE

Attribute	Description
Name	TRAINING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRAINING_DATE

Attribute	Description

Name	TRAINING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CIF

Attribute	Description
Name	CIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Chklist

Attribute	Description
Name	Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHKLIST_ITEM

Attribute	Description
Name	CHKLIST_ITEM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VERIFIED

Attribute	Description
Name	VERIFIED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Mf-Cifdet

Attribute	Description
Name	Mf-Cifdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

GROUP_CODE

Attribute	Description
Name	GROUP_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MEETING_CODE

Attribute	Description
Name	MEETING_CODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Id-Master

Attribute	**Description**
Name	Id-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Id-Det-Main

Attribute	**Description**
Name	Id-Det-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Iddetail

Attribute	Description
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

DOCUMENT_TYPE

Attribute	Description	
Name	DOCUMENT_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SERIES

Attribute	Description	
Name	SERIES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

DOC_ID

Attribute	Description	
Name	DOC_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DATE_OF_ISSUE

Attribute	Description	
Name	DATE_OF_ISSUE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DATE_OF_EXPIRY

Attribute	Description
Name	DATE_OF_EXPIRY
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	Description
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CUST

Attribute	Description
Name	CUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LINKTOGRP

Attribute	Description
Name	LINKTOGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Custchnglog

Attribute	Description

Name	Custchnglog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	**Description**
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

OLDMISCD

Attribute	**Description**
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Baltrnsfrlog

Attribute	Description
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	Description

Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

GLCODE

Attribute	Description
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TRNIND

Attribute	**Description**
Name	TRNIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMT

Attribute	**Description**
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

XRATE

Attribute	**Description**
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Customermis

Attribute	**Description**
Name	Customermis

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Compositemis

Attribute	Description
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Custloghead

Attribute	Description
Name	Custloghead
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates Customer Joint.

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTPREFIX

Attribute	Description	
Name	CUSTPREFIX	
Datatype	String	
Description	Indicates the Customer Prefix.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

FRSTNAME

Attribute	Description	
Name	FRSTNAME	
Datatype	String	
Description	Indicates the First Name.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

MIDNAME

Attribute	Description	
Name	MIDNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

LASTNAME

Attribute	Description	
Name	LASTNAME	
Datatype	String	
Description	Indicates the Last Name.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEX

Attribute	Description
Name	SEX
Datatype	String
Description	Indicates the Sex. The value can be either M or F.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F

TOP

PPNO

Attribute	Description
Name	PPNO
Datatype	String
Description	Indicates Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

ADD1

Attribute	Description	
Name	ADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description	
Name	ADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD3

Attribute	Description	
Name	ADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

DECEASED

Attribute	Description
Name	DECEASED
Datatype	String
Description	Indicates whether Deceased or not. The value should be either D or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resistant Status. The value could be either R or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

UNTVAL

Attribute	Description
Name	UNTVAL
Datatype	String
Description	Indicates Unit Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INSTR

Attribute	Description
Name	INSTR
Datatype	String
Description	Indicates Instructions
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

INSTRTYPE

Attribute	Description
Name	INSTRTYPE
Datatype	String
Description	Indicates Instruction Type
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXEDAYS

Attribute	Description
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution Days
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEMONTHS

Attribute	Description
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution Years
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. Flag Can be either Y or N.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OPRTR

Attribute	Description
Name	OPRTR

Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates Special Instructions.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage

Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER

Attribute	**Description**
Name	CUSTOMER
Datatype	String
Description	Indicates the customer
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATIONSHIP

Attribute	**Description**
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	**Description**
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	**Description**
Name	DESCP
Datatype	String
Description	Indicates description

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Custacdetail

Attribute	Description
Name	Custacdetail
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 1
Restrictions	**Restrictions** / **Description**
	maxLength / 9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicates sequence number
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TDESC

Attribute	**Description**
Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

Sttms-Debit

Attribute	Description
Name	Sttms-Debit
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

ACTNO

Attribute	Description
Name	ACTNO
Datatype	String
Description	Account Number
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

Sttms-Detail

Attribute	Description
Name	Sttms-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String

Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NAME_ON_CARD

Attribute	**Description**
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

OWNER_ID_NO

Attribute	**Description**
Name	OWNER_ID_NO
Datatype	String
Description	Owner Id number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

CARD_ISSUED_DT

Attribute	Description
Name	CARD_ISSUED_DT
Datatype	Date
Description	Card Issued Date
Attributes	Attribute: minOccurs, Description: 0

TOP

CARD_EXPIRY_DT

Attribute	Description
Name	CARD_EXPIRY_DT
Datatype	Date
Description	Card Expiry Date
Attributes	Attribute: minOccurs, Description: 0

TOP

CARD_STATUS

Attribute	Description
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 1

TOP

RECORD_STAT

Attribute	Description
Name	RECORD_STAT
Datatype	String
Description	Record Status
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 1

TOP

AUTH_STAT

Attribute	Description
Name	AUTH_STAT

Datatype	String
Description	Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_BIN

Attribute	**Description**
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Extsys-Ws-Master

Attribute	**Description**
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	**Description**
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

Cust-Account

Attribute	Description
Name	Cust-Account
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

ACC

Attribute	Description
Name	ACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AC_DESC

Attribute	**Description**
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTNAME

Attribute	**Description**
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT_CLASS

Attribute	Description
Name	ACCOUNT_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

AC_OPEN_DATE

Attribute	Description
Name	AC_OPEN_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ALT_ACC_NO

Attribute	Description
Name	ALT_ACC_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHQBOOK

Attribute	Description
Name	CHQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

OPMODE

Attribute	Description
Name	OPMODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	Description
Name	COUNTRY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	Description
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	Description
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	Description
Name	ACCOUNT_TYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	**Description**
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	**Description**
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GL_ACCC

Attribute	**Description**
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

OFFSET_BRN

Attribute	**Description**
Name	OFFSET_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

CODATMBRN

Attribute	Description
Name	CODATMBRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

REPL_CUST_SIG

Attribute	Description
Name	REPL_CUST_SIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

SALARY_ACCOUNT

Attribute	Description
Name	SALARY_ACCOUNT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SDREFNO

Attribute	**Description**
Name	SDREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

SPDANLSYS

Attribute	**Description**
Name	SPDANLSYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TYOFCHQ

Attribute	**Description**
Name	TYOFCHQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,C

TOP

Account-Generation

Attribute	**Description**
Name	Account-Generation
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Jointholders-Main

Attribute	Description	
Name	Jointholders-Main	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Jointholders

Attribute	Description	
Name	Jointholders	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

BRANCH_CODE

Attribute	Description	
Name	BRANCH_CODE	
Datatype	String	
Description	Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_AC_NO

Attribute	Description	
Name	CUST_AC_NO	
Datatype	String	
Description	Account No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME1

Attribute	**Description**
Name	CUSTNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JNTHLDTYP

Attribute	**Description**
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	**Description**
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

END_DATE

Attribute	**Description**
Name	END_DATE
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Acc-Nominees

Attribute	Description	
Name	Acc-Nominees	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RELSHIP

Attribute	Description	
Name	RELSHIP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NOMINEE_ID

Attribute	Description
Name	NOMINEE_ID
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String

Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOMMINOR

Attribute	**Description**
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GUARDNAM

Attribute	**Description**
Name	GUARDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GUARDRELNSHP

Attribute	**Description**
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR1

Attribute	**Description**
Name	GADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR2

Attribute	Description	
Name	GADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR3

Attribute	Description	
Name	GADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR4

Attribute	Description	
Name	GADDR4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NAM

Attribute	Description	
Name	NAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MANDATORY

Attribute	**Description**
Name	MANDATORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

Doctype-Remarks1

Attribute	**Description**
Name	Doctype-Remarks1
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Cust-Acc-Check

Attribute	**Description**
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FIRST_CHECK_NO

Attribute	Description
Name	FIRST_CHECK_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHECK_LEAVES

Attribute	Description
Name	CHECK_LEAVES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQUE_BOOK_TYPE

Attribute	Description
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

ORDER_DATE

Attribute	Description
Name	ORDER_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ORDER_DETAILS

Attribute	Description
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REQUEST_STATUS

Attribute	Description
Name	REQUEST_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Requested

TOP

CHQ_TYPE

Attribute	Description
Name	CHQ_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	EURO,COMM

TOP

Cust-Acc-Card

Attribute	Description
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

CARD_PRODUCT

Attribute	Description
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 11

TOP

NAME_ON_CARD

Attribute	Description
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CARD_NO

Attribute	Description
Name	CARD_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CARD_APPL_DATE

Attribute	Description
Name	CARD_APPL_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_CARD

Attribute	Description
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_STATUS

Attribute	Description
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Udfdetails

Attribute	Description
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCID

Attribute	Description
Name	FUNCID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

RECKEY

Attribute	Description
Name	RECKEY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 700

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

Custacc

Attribute	Description
Name	Custacc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

COMPMIS9

Attribute	Description	
Name	COMPMIS9	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

COMPMIS10

Attribute	Description	
Name	COMPMIS10	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACC

Attribute	**Description**
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

POOLCD

Attribute	**Description**
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RTFLAG

Attribute	**Description**
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,R

TOP

REFRATE

Attribute	**Description**
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,4,5,6,7,8,9,

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	**Description**
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	**Description**
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	**Description**
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7

Attribute	**Description**
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

Misaccchangelog

Attribute	Description
Name	Misaccchangelog
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description

Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Misbaltransferlog

Attribute	**Description**
Name	Misbaltransferlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRDCD

Attribute	**Description**
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

FINYR

Attribute	Description	
Name	FINYR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

GLCODE

Attribute	Description	
Name	GLCODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TRNIND

Attribute	Description	
Name	TRNIND	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

MISCLS

Attribute	Description	
Name	MISCLS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Chglog

Attribute	Description
Name	Chglog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Tsfrlog

Attribute	Description
Name	Tsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Classname

Attribute	Description
Name	Classname
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

B1

Attribute	Description
Name	B1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C1

Attribute	Description	
Name	C1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C2

Attribute	Description	
Name	C2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C3

Attribute	Description	
Name	C3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C4

Attribute	Description	
Name	C4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1000

TOP

C5

Attribute	Description	
Name	C5	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C6

Attribute	Description	
Name	C6	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C7

Attribute	Description	
Name	C7	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C8

Attribute	Description	
Name	C8	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C9

Attribute	Description
Name	C9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C10

Attribute	Description
Name	C10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T1

Attribute	Description
Name	T1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T2

Attribute	Description
Name	T2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T3

Attribute	Description
Name	T3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T4

Attribute	Description
Name	T4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T5

Attribute	Description
Name	T5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T6

Attribute	Description
Name	T6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T7

Attribute	Description
Name	T7

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T8

Attribute	Description
Name	T8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T9

Attribute	Description
Name	T9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T10

Attribute	Description
Name	T10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER_NAME1

Attribute	Description	
Name	CUSTOMER_NAME1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NSFIB_CS_EVENT_NO

Attribute	Description	
Name	NSFIB_CS_EVENT_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NSFIB_CS_LVL

Attribute	Description	
Name	NSFIB_CS_LVL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

NSFIB_CS_LVL_EFFDT

Attribute	Description
Name	NSFIB_CS_LVL_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_LVL_EXPDT

Attribute	Description
Name	NSFIB_CS_LVL_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_BLK_STAT

Attribute	Description
Name	NSFIB_CS_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_STAT

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_WBRCK_EFFDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_EXPDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_STAT

Attribute	Description
Name	NSFIB_IB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_IB_BLK_EFFDT

Attribute	Description
Name	NSFIB_IB_BLK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_EXPDT

Attribute	Description
Name	NSFIB_IB_BLK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_DESC

Attribute	Description
Name	NSFIB_IB_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_BLK_STAT

Attribute	Description
Name	NSFIB_CB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NSFIB_CB_DESC

Attribute	Description
Name	NSFIB_CB_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_EFFDT

Attribute	Description
Name	NSFIB_CB_EFFDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NSFIB_CB_EXPDT

Attribute	Description
Name	NSFIB_CB_EXPDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

NSFIB_CS_BLK_DESC

Attribute	Description
Name	NSFIB_CS_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CS_WBRCK_STAT_DESC

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

Cust

Attribute	Description
Name	Cust
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes		
	Attribute	**Description**
	minOccurs	1
Restrictions		
	Restrictions	**Description**
	maxLength	9

TOP

CNAME

Attribute	**Description**	
Name	CNAME	
Datatype	String	
Description		
Attributes		
	Attribute	**Description**
	minOccurs	0
Restrictions		
	Restrictions	**Description**
	maxLength	35

TOP

Cust-Ck-Det

Attribute	**Description**	
Name	Cust-Ck-Det	
Datatype		
Description		
Attributes		
	Attribute	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CHQ_AMT

Attribute	**Description**	
Name	CHQ_AMT	
Datatype	Number	
Description		
Attributes		
	Attribute	**Description**
	minOccurs	0

TOP

CHQ_PROCESS_ORDER

Attribute	**Description**	
Name	CHQ_PROCESS_ORDER	
Datatype	Number	
Description		
Attributes		
	Attribute	**Description**
	minOccurs	0

TOP

LVL_COMP_EXPDT

Attribute	**Description**

Name	LVL_COMP_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CG_REF_NO

Attribute	**Description**
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ACCOUNT_NO

Attribute	**Description**
Name	ACCOUNT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

CHQ_NO

Attribute	Description
Name	CHQ_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

EVENT_NO

Attribute	Description
Name	EVENT_NO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSF_LVL

Attribute	Description
Name	NSF_LVL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8

TOP

LVL_EFFDT

Attribute	Description
Name	LVL_EFFDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

LVL_EXPDT

Attribute	Description
Name	LVL_EXPDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_VALUEDT

Attribute	Description
Name	CHQ_VALUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID

Datatype	String
Description	Function
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

Doc-Upload

Attribute	**Description**
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	**Description**
Name	DCREFNO
Datatype	String
Description	Document Reference
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	**Description**
Name	DOC_CATEGORY
Datatype	String
Description	Document Category
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	**Description**
Name	DOC_TYPE
Datatype	String
Description	Document Type
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Customer-PK*
      - *CUSTNO*
    - *Customer-IO*
      - *CUSTNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Customer-PK

Attribute	Description
Name	Customer-PK
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Customer-IO

Attribute	Description
Name	Customer-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC

Datatype	String
Description	

TOP

2.19.DeleteTDAmountBlock

DeleteTDAmountBlock

2.19.1.ST-DeleteTDAmountBlock-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*

MODNO

TXNSTAT

AUTHSTAT

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates Account Number
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 35

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates Amount
Attributes	Attribute: minOccurs — Description: 1

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	Attribute: minOccurs — Description: 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / F,S,P,E,A,C,B,D

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	Indicates Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HOLDDESC

Attribute	Description
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

2.19.2.ST-DeleteTDAmountBlock-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *AMTBLKNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	Attribute: nillable, Description: true
Restrictions	Restrictions: pattern, Description: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	Attribute: nillable, Description: true
Restrictions	Restrictions: pattern, Description: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: pattern, Description: [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

2.19.3.ST-DeleteTDAmountBlock-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates Amount	
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description

Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

ABLKTYPE

Attribute	**Description**
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,S,P,E,A,C,B,D

TOP

REFERENCE_NO

Attribute	**Description**
Name	REFERENCE_NO
Datatype	String
Description	Indicates Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

HPCODE

Attribute	**Description**
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	Attribute: minOccurs, Description: 0

TOP

HOLDDESC

Attribute	Description
Name	HOLDDESC
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 255

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	Restrictions: length, Description: 3 Restrictions: pattern, Description: [a-zA-Z_0-9]{3}

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 12

TOP

MAKERSTAMP

Attribute	Description

Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String

Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *AMTBLKNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC

Datatype	String
Description	

TOP

2.20.CreateTDAmountBlock

CreateTDAmountBlock

2.20.1.ST-CreateTDAmountBlock-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*

MODNO

TXNSTAT

AUTHSTAT

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates Amount	
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description	
Name	EXPDATE	
Datatype	Date	
Description	Indicates the Expiry Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / F,S,P,E,A,C,B,D

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	Indicates Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HOLDDESC

Attribute	Description
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	**Description**
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *BRANCH*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	Restrictions: length = 3; pattern = [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	Attribute: minOccurs = 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	Attribute: nillable = true
Restrictions	Restrictions: pattern = [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	Attribute: nillable = true
Restrictions	Restrictions: pattern = [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates Account Number

Attributes	**Attribute** / minOccurs: **Description** / 1
Restrictions	**Restrictions** / maxLength: **Description** / 20

TOP

AMTBLKNO

Attribute	**Description**
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / minOccurs: **Description** / 1
Restrictions	**Restrictions** / maxLength: **Description** / 35

TOP

AMT

Attribute	**Description**
Name	AMT
Datatype	Number
Description	Indicates Amount
Attributes	**Attribute** / minOccurs: **Description** / 1

TOP

EXPDATE

Attribute	**Description**
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / minOccurs: **Description** / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / minOccurs: **Description** / 0
Restrictions	**Restrictions** / maxLength: **Description** / 255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / F,S,P,E,A,C,B,D

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	Indicates Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	Restrictions: maxLength — Description: 105 Restrictions: minLength — Description: 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255 Restrictions: minLength — Description: 0

TOP

2.20.3.ST-CreateTDAmountBlock-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates Amount	
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description

Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

ABLKTYPE

Attribute	**Description**
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,S,P,E,A,C,B,D

TOP

REFERENCE_NO

Attribute	**Description**
Name	REFERENCE_NO
Datatype	String
Description	Indicates Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

HPCODE

Attribute	**Description**
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	Attribute: minOccurs — Description: 0

TOP

HOLDDESC

Attribute	Description
Name	HOLDDESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	Restrictions: length — Description: 3 Restrictions: pattern — Description: [a-zA-Z_0-9]{3}

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERSTAMP

Attribute	Description

Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	**Description**
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	**Description**
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	**Description**
Name	TXNSTAT
Datatype	String

Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	255
	minLength	0

TOP

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.20.4.ST-CreateTDAmountBlock-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EXPDATE*
      - *REM*
      - *ABLKTYPE*
      - *REFERENCE_NO*
      - *HPCODE*
      - *EFFDATE*
      - *BRANCH*
      - *UDFDETAILS*
        - *FLDNAM*
        - *FLDVAL*
  - *FCUBS_ERROR_RESP*
    - *ERROR*

ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO

Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMT

Attribute	**Description**
Name	AMT
Datatype	Number
Description	Indicates Amount
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

EXPDATE

Attribute	**Description**
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

ABLKTYPE

Attribute	**Description**
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / F,S,P,E,A,C,B,D

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	Indicates Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	

Description	UDF Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FLDNAM

Attribute	Description	
Name	FLDNAM	
Datatype	String	
Description	Indicates the Field Name	
Restrictions	**Restrictions**	**Description**
	maxLength	105
	minLength	1

TOP

FLDVAL

Attribute	Description	
Name	FLDVAL	
Datatype	String	
Description	Indicates the Field Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255
	minLength	0

TOP

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.21.CreateCustSegAssociation

CreateCustSegAssociation

2.21.1.ST-CreateCustSegAssociation-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cust-Seg-Mapping-PK*
      - *CUSTNO*
    - *Cust-Seg-Mapping-IO*
      - *CUSTNO*
      - *CUSTSEGCD*
      - *CUSTSEGSTATUS*
      - *CUSTCCY*
      - *UDFDETAILS*
        - *FLDNAM*
        - *FLDVAL*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description

Name	CHOICE
Datatype	
Description	

TOP

Cust-Seg-Mapping-PK

Attribute	Description
Name	Cust-Seg-Mapping-PK
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Cust-Seg-Mapping-IO

Attribute	Description
Name	Cust-Seg-Mapping-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTSEGCD

Attribute	Description	
Name	CUSTSEGCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / U,D,R,

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.21.2.ST-CreateCustSegAssociation-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-Full*
    - *CUSTNO*
    - *CUSTSEGCD*
    - *CUSTSEGSTATUS*
    - *NETWORTH*
    - *NETWORTHCCY*
    - *CUST_NAME*
    - *SEGEMENT_DESCRIPTION*
    - *CUSTCCY*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cust-Seg-Mapping-Full

Attribute	Description
Name	Cust-Seg-Mapping-Full
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / U,D,R,

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_NAME

Attribute	**Description**
Name	CUST_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SEGEMENT_DESCRIPTION

Attribute	**Description**
Name	SEGEMENT_DESCRIPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CUSTCCY

Attribute	**Description**
Name	CUSTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHECKER

Attribute	**Description**
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHECKERSTAMP

Attribute	**Description**
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL

<table>
<tr><td>Datatype</td><td>String</td></tr>
<tr><td>Description</td><td>Indicates the Field Value</td></tr>
<tr><td>Attributes</td><td><table>
<tr><th>Attribute</th><th>Description</th></tr>
<tr><td>minOccurs</td><td>0</td></tr>
</table></td></tr>
<tr><td>Restrictions</td><td><table>
<tr><th>Restrictions</th><th>Description</th></tr>
<tr><td>maxLength</td><td>255</td></tr>
<tr><td>minLength</td><td>0</td></tr>
</table></td></tr>
</table>

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-IO*
    - *CUSTNO*
    - *CUSTSEGCD*
    - *CUSTSEGSTATUS*
    - *CUSTCCY*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cust-Seg-Mapping-IO

Attribute	Description
Name	Cust-Seg-Mapping-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	**Description**
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / U,D,R,

TOP

CUSTCCY

Attribute	**Description**
Name	CUSTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

2.21.4.ST-CreateCustSegAssociation-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-Full*
    - *CUSTNO*
    - *CUSTSEGCD*
    - *CUSTSEGSTATUS*
    - *NETWORTH*
    - *NETWORTHCCY*
    - *CUST_NAME*
    - *SEGEMENT_DESCRIPTION*
    - *CUSTCCY*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8 Restrictions: pattern — Description: [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	**Description**
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cust-Seg-Mapping-Full

Attribute	Description
Name	Cust-Seg-Mapping-Full
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTSEGCD

Attribute	Description	
Name	CUSTSEGCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

CUSTSEGSTATUS

Attribute	Description	
Name	CUSTSEGSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	U,D,R,

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

NETWORTHCCY

Attribute	Description	
Name	NETWORTHCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_NAME

Attribute	Description	
Name	CUST_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

SEGEMENT_DESCRIPTION

Attribute	Description	
Name	SEGEMENT_DESCRIPTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CUSTCCY

Attribute	Description	
Name	CUSTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name

Restrictions	Restrictions	Description
	maxLength	105
	minLength	1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255 Restrictions: minLength — Description: 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.22.CreateCustomer

Input of Customer

2.22.1.ST-CreateCustomer-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-Full*
    - *PRIVATE_CUSTOMER*
    - *CUSTNO*
    - *CTYPE*
    - *NAME*
    - *ADDRLN1*
    - *ADDRLN3*
    - *ADDRLN2*
    - *ADDRLN4*
    - *COUNTRY*
    - *SNAME*
    - *NLTY*
    - *LBRN*
    - *CCATEG*
    - *FULLNAME*
    - *CIFCREATIONDT*

ISELCMCUST
ELCMCUSTNO
AR_AP_TRACKING
EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
CREATEACC
CREATEDACCOUNT
TRACK_LIMITS
LIABID
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM

SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR
UTLTYPRVDRID
RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
LC_COLLAT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
UDF1
UDF2
UDF3
UDF4
UDF5
RM_ID
NETTREQD
LIABUNADV
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
MFI_CUSTOMER
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO

TXNSTAT

AUTHSTAT

Custpersonal

- *FSTNAME*
- *MIDNAME*
- *LSTNAME*
- *DOB*
- *GENDR*
- *NATIONID*
- *PPTNO*
- *PPTISSDT*
- *PPTEXPDT*
- *DADD2*
- *DADD3*
- *DPIN_CODE*
- *TELEPHNO*
- *FAXNUMBER*
- *EMAILID*
- *BENEFADDR1*
- *ADDRS3*
- *BENEFADDR2*
- *DCNTRY*
- *PCNTRY*
- *RESSTATUS*
- *CUSTPREFIX1*
- *CUSTPREFIX2*
- *MOBNUM*
- *CUST_COMM_MODE*
- *LANG*
- *GUARDIAN*
- *SBMTAGEPROOF*
- *MINOR*
- *KYCSTAT*
- *SSTAFF*
- *KYC_REFNO*
- *SAME_CORR_ADDR*
- *DADD1*
- *SAME_PERM_ADDR*
- *TITLE*
- *ADDRS4*
- *DADD4*
- *PLACEOFBIRTH*
- *BIRTHCOUNTRY*
- *TELISDNOPERSONAL*

MOBISDNO
FAXISDNO
USRESSTATUS
PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY
PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV
HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
- *CUSTNO*
- *EDUSTAT*
- *MARITALSTAT*
- *SPNAME*
- *SPEMPSTATUS*
- *DEPCHILD*
- *DEPOTH*
- *ACCOMODATE*
- *MOTHERMAIDN_NAME*

Custprof
- *CUSTNO*
- *EMPSTAT*
- *EMPTENURE*
- *RETIREAGE*
- *PREVDESIG*
- *PREVEMP*
- *CURRDESIG*
- *CURREMP*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *AMTCCY1*
- *TELEX*
- *FAX*
- *EMAIL*
- *SALARY*

- *OTHER1*
- *RENT*
- *INSURANCE*
- *LOANPMNT*
- *OTHEXP*
- *HOUSEVAL*
- *CRCARD*
- *CNTY*
- *EMPLOYER_DESC*

Custcorp

- *CORPNAME*
- *REGADD1*
- *REGADD2*
- *REGADD3*
- *R_PIN_CODE*
- *AMTCCY*
- *INCORPDT*
- *CAPITAL*
- *NETWORTH*
- *CORPDESC*
- *INCORPCNTRY*
- *REGCNTRY*
- *SAME_CORR_ADDR*
- *REGADD4*
- *JOINTVENTURE*
- *CADDR1*
- *CADDR3*
- *CADDR2*
- *CADDR4*
- *CPINCODE*
- *CNTRY*
- *LANGUAGE*
- *KYC_DETAILS*
- *KYCREFNO*
- *CNAME*
- *UIDNAME*
- *UIDVALUE*
- *TELEPHONE*
- *FAX*
- *EMAILID*
- *MOBILENUMBER*
- *CUSTCOMMMODE*
- *NATIONID*
- *TELISDNOCRP*

- *MOBISDNOCRP*
- *FAXISDNOCRP*
- *PREF_CNTACT_DATE*
- *PREF_CNTACT_TIME*
- *OWNERSHPTYPE*
- *Custcorpdir*
  - *DIRNAME*
  - *NADDR1*
  - *NADDR2*
  - *NADDR3*
  - *NADDR4*
  - *ADDRESS1*
  - *ADDRESS2*
  - *ADDRESS3*
  - *COUNTRY*
  - *TEL*
  - *TAXID*
  - *MOBNO*
  - *EMAILID*
  - *TELISDNOCRPDIR*
  - *MOBISDNOCRPDIR*
  - *ADDRCOUNTRYCRPDIR*
  - *NATIONLTYCRPDIR*
  - *USRESSTATUSCRPDIR*
  - *PCTHOLDING*
  - *HOMETELNO*
  - *HOMETELISD*
  - *PPIN_CODE*
  - *PIN_CODE*
- *Issuerdet*
  - *CUSTNO*
  - *OVERLMTCCY*
  - *OVERLIMIT*
  - *Issuerlmts*
    - *CLTRLTYP*
    - *LMTCCY*
    - *LMTAMT*
- *Custdoc-Chklist*
- *CUSTOMER_NO*
- *DOCCATEGORY*
- *DOCUMENTNAME*
- *DOCUMENT_TYPE*
- *CHECKED*
- *DOCREF*

- *DATEREQ*
- *EXPECTDDATE*
- *ACTUALDATE*
- *EXPDATE*
- *REMARKSCHKLIST*

Doctype-Remarks

- *CUSTOMER_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *CUSTNO*
- *RELATION*

Custshhold

- *CUSTNO*
- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CUSTNO*
- *CCY*
- *DESC*

Bic

- *ACC*
- *CUSTNO*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Cust-Liab

- *LIABILITY_NUMBER*

- *LIABILTY_NAME*
- *LIAB_BRANCH*
- *LIAB_CCY*
- *OVERLIMIT*
- *REVISION_DATE*
- *CATEGORY*
- *USER_DEFINED_STATUS*
- *UNADV*
- *NETTING_REQUIRED*
- *OVERALL_SCORE*
- *FX_CLEAN_RISK_LIMIT*
- *SEC_CLEAN_RISK_LIMIT*
- *SEC_PSTL_RISK_LIMIT*
- *REMARKS*
- *MAIN_LIAB_NO*
- *UTIL_AMOUNT*
- *CRRATING*
- *Liab-Score*
  - *SCORE*
  - *SCORE_NAME*
  - *SCORE_DESC*
- *Liab-Rating*
  - *PRIMARY*
  - *AGENCY_NAME*
  - *CREDIT_RATING*
- *Liab-Linkage*
  - *EXPOSURE_NAME*
  - *EXPOSURE_DESC*
  - *EXPOSURE_TYPE*
- *Liab-Udf*
  - *FLDNAM*
  - *FLDVAL*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*

Mfi1

- *INSURANCE_NUMBER*
- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*

BLACKLISTED

BLACKLIST_COUNT

PHYSICALLY_CHALLENGED

ACCOUNT_OFFICER

Training

TRAINING_CODE

TRAINING_DATE

CIF

Chklist

KEY_ID

CHKLIST_ITEM

VERIFIED

Mf-Cifdet

CUSTOMER_NO

GROUP_CODE

MEETING_CODE

Id-Master

CUSTOMER_NO

Id-Det-Main

CUSTOMER_NO

SNO

DOCUMENT_TYPE

Iddetail

CUSTOMER_NO

SNO

DOCUMENT_TYPE

SERIES

DOC_ID

DATE_OF_ISSUE

DATE_OF_EXPIRY

ISSUING_AUTHORITY

PLACE_OF_ISSUE

NAME

Custmis

MISGRP

CUST

BRNCD

LINKTOGRP

Custchnglog

MISCLS

TXNDT

OLDMISCD

NWMISCD

Baltrnsfrlog

- *BRN*
- *PRDCD*
- *FINYR*
- *TXNDT*
- *GLCODE*
- *MISCLS*
- *OLDMISCD*
- *NWMISCD*
- *TRNIND*
- *CCY*
- *AMT*
- *XRATE*

Customermis

- *MISCLS*
- *MISCD*

Compositemis

- *MISCLS*
- *MISCD*

Custloghead

Jointcustomer

CUSTNO

Custjoint

- *CUSTPREFIX*
- *FRSTNAME*
- *MIDNAME*
- *LASTNAME*
- *DOB*
- *SEX*
- *PPNO*
- *PPTISSDT*
- *PPTEXPDT*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *EMAIL*
- *SSN*
- *DECEASED*
- *RESISTAT*

Cust-Acc-Det

CUSTNO

Diary-Mst

- *INSTRNO*
- *UNTTYP*

UNTVAL
BRN
INSTR
INSTRTYPE
EXEDAYS
EXEMONTHS
EXEYEARS
MNTHENDFLG
HLDRULE
FRSTDUEDT
NXTDUEDT
NXTEXEDT
CONDELEM
OPRTR
CONDVAL
ACCOFCR
SPLINSTRTYP
EXPDT
SPLINSTR
Custaccdet
CUSTNO
BRNCD
Relationship-Linkage
CUSTOMER
RELATIONSHIP
INHERIT
DESCP
Custacdetail
CUSTNO
CUSTTEXT
SEQNO
CUSTNO
TDESC
UDFDETAILS
FLDNAM
FLDVAL
Sttms-Debit
BRANCH_CODE
CUST_NO
ACTNO
Sttms-Detail
BRANCH_CODE
REQUEST_REFERENCE_NO
CARDNO

CUST_NO

CARD_PRODUCT

PRIMARY_CARD

NAME_ON_CARD

OWNER_ID_NO

CARD_ISSUED_DT

CARD_EXPIRY_DT

CARD_STATUS

RECORD_STAT

AUTH_STAT

CARD_BIN

CUST_AC_NO

Extsys-Ws-Master

Extsys-Ws-Details

EXTWSRESP

USERREMARKS

Cust-Account

BRN

ACC

AC_DESC

CUSTNAME

CUST_NO

CCY

ACCOUNT_CLASS

AC_OPEN_DATE

ALT_ACC_NO

CHQBOOK

ATM

PASSBOOK

ATMACC

ATMDLIM

ATMDCNTLIM

CHKNAME1

CHKNAME2

AUTOREORDERCHKREQ

AUTOREORDERCHKLVL

AUTOREORDERCHKLVS

DORMPRM

LOCATION

MEDIA

OPMODE

COUNTRY_CODE

AUTO_CHEQUE_BOOK_REQ

AUTO_DEBIT_CARD_REQUEST

ACCOUNT_TYPE

MAX_NO_CHEQUE_REJECTIONS

ACC_OPENING_AMT

GL_ACCC

OFFSET_BRN

PAY_IN_OPTION

WAIVE_ACC_OPEN_CHARGE

CODATMBRN

REPL_CUST_SIG

SALARY_ACCOUNT

SDREFNO

SPDANLSYS

TYOFCHQ

Account-Generation

Jointholders-Main

Jointholders

- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUSTNO*
- *CUSTNAME1*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees

- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMINEE_ID*
- *CUST_AC_NO*
- *BRANCH_CODE*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist

- *BRANCH_CODE*
- *CUST_AC_NO*

DOCUMENT_TYPE

MANDATORY

CHECKED

Doctype-Remarks1

BRANCH_CODE

CUST_AC_NO

REMARK1

REMARK2

REMARK3

REMARK4

REMARK5

REMARK6

REMARK7

REMARK8

REMARK9

REMARK10

Cust-Acc-Check

BRANCH

ACCOUNT

FIRST_CHECK_NO

CHECK_LEAVES

CHEQUE_BOOK_TYPE

ORDER_DATE

ORDER_DETAILS

LANG_CODE

REQUEST_STATUS

CHQ_TYPE

Cust-Acc-Card

BRANCH_CODE

CUST_AC_NO

CUST_NO

REQUEST_REFERENCE_NO

CARD_PRODUCT

CARD_BIN

NAME_ON_CARD

CARD_NO

CARD_APPL_DATE

PRIMARY_CARD

CARD_STATUS

Udfdetails

FUNCID

RECKEY

FLDNAM

FLDVAL

- *Custacc*
  - *Misdetails*
    - *TXNMIS7*
    - *COMPMIS8*
    - *TXNMIS8*
    - *COMPMIS9*
    - *TXNMIS9*
    - *COMPMIS10*
    - *TXNMIS10*
    - *COSTCOD1*
    - *COSTCOD2*
    - *COSTCOD3*
    - *COSTCOD4*
    - *COSTCOD5*
    - *REFRTSPRD*
    - *REFRTTYPE*
    - *REFRTCD*
    - *BRN*
    - *ACC*
    - *POOLCD*
    - *RTFLAG*
    - *REFRATE*
    - *CALCMETH*
    - *MISGRP*
    - *MISGRPTXN*
    - *MISGRPCOMP*
    - *COMPMIS1*
    - *TXNMIS1*
    - *COMPMIS2*
    - *TXNMIS2*
    - *COMPMIS3*
    - *TXNMIS3*
    - *COMPMIS4*
    - *TXNMIS4*
    - *COMPMIS5*
    - *TXNMIS5*
    - *COMPMIS6*
    - *TXNMIS6*
    - *COMPMIS7*
    - *LINKGRP*
    - *Misaccchangelog*
      - *MISCLS*
      - *TXNDT*
      - *OLDMISCD*

NWMISCD

Misbaltransferlog

BRN

PRDCD

FINYR

GLCODE

TRNIND

MISCLS

TXNDT

OLDMISCD

NWMISCD

CCY

AMT

XRATE

Chglog

Tsfrlog

Classname

B1

C1

C2

C3

C4

C5

C6

C7

C8

C9

C10

T1

T2

T3

T4

T5

T6

T7

T8

T9

T10

Nsf-Enq

CUSTOMER_NO

CUSTOMER_NAME1

NSFIB_CS_EVENT_NO

NSFIB_CS_LVL

NSFIB_CS_LVL_EFFDT

NSFIB_CS_LVL_EXPDT
NSFIB_CS_BLK_STAT
NSFIB_CS_LAST_TRN_DT
NSFIB_CS_WBRCK_STAT
NSFIB_CS_WBRCK_EFFDT
NSFIB_CS_WBRCK_EXPDT
NSFIB_IB_BLK_STAT
NSFIB_IB_BLK_EFFDT
NSFIB_IB_BLK_EXPDT
NSFIB_IB_BLK_DESC
NSFIB_CB_BLK_STAT
NSFIB_CB_DESC
NSFIB_CB_EFFDT
NSFIB_CB_EXPDT
NSFIB_CS_BLK_DESC
NSFIB_CS_WBRCK_STAT_DESC
Cust
CUSTNO
CNAME
Cust-Ck-Det
CHQ_AMT
CHQ_PROCESS_ORDER
LVL_COMP_EXPDT
BRANCH_CODE
CG_REF_NO
CUSTOMER_NO
ACCOUNT_NO
CHQ_NO
EVENT_NO
NSF_LVL
LVL_EFFDT
LVL_EXPDT
CHQ_DT
CHQ_VALUEDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Customer-Full

Attribute	Description
Name	Customer-Full
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description
Name	PRIVATE_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CTYPE

Attribute	Description
Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,C,B

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	Description
Name	ADDRLN1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN3

Attribute	Description	
Name	ADDRLN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN2

Attribute	Description	
Name	ADDRLN2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN4

Attribute	Description	
Name	ADDRLN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SNAME

Attribute	**Description**
Name	SNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

NLTY

Attribute	**Description**
Name	NLTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LBRN

Attribute	**Description**
Name	LBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCATEG

Attribute	**Description**
Name	CCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FULLNAME

Attribute	Description
Name	FULLNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CIFCREATIONDT

Attribute	Description
Name	CIFCREATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISELCMCUST

Attribute	Description
Name	ISELCMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ELCMCUSTNO

Attribute	Description
Name	ELCMCUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AR_AP_TRACKING

Attribute	Description
Name	AR_AP_TRACKING

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

EXPCNTRY

Attribute	**Description**
Name	EXPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

UIDVAL

Attribute	**Description**
Name	UIDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FROZEN

Attribute	**Description**
Name	FROZEN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

DEAD

Attribute	Description
Name	DEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

WHRUNKN

Attribute	Description
Name	WHRUNKN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CRRATE

Attribute	Description
Name	CRRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

SSN

Attribute	Description	
Name	SSN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	11

TOP

SWIFTCD

Attribute	Description	
Name	SWIFTCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

TOP

LOC

Attribute	Description	
Name	LOC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

MAILRSREQD

Attribute	Description	
Name	MAILRSREQD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

GRPCD

Attribute	Description
Name	GRPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

EXPCAT

Attribute	Description
Name	EXPCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTCLASSFN

Attribute	Description
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTAT

Attribute	Description
Name	CIFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTATSNC

Attribute	Description
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CHGGRP

Attribute	Description
Name	CHGGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

CUSTCLGGRP

Attribute	Description
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

TAXGROUP

Attribute	Description
Name	TAXGROUP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

CLSPARTICIPANT

Attribute	Description
Name	CLSPARTICIPANT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FXNETTCUST

Attribute	**Description**	
Name	FXNETTCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

XREF

Attribute	**Description**	
Name	XREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRMCUST

Attribute	**Description**	
Name	CRMCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

ISSUCUST

Attribute	**Description**	
Name	ISSUCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

TRSRYCUST

Attribute	Description	
Name	TRSRYCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

RELPRICING

Attribute	Description	
Name	RELPRICING	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

MT920

Attribute	Description	
Name	MT920	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FLGJOINT

Attribute	Description	
Name	FLGJOINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

CREATEACC

Attribute	Description
Name	CREATEACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CREATEDACCOUNT

Attribute	Description
Name	CREATEDACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TRACK_LIMITS

Attribute	Description
Name	TRACK_LIMITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABID

Attribute	Description
Name	LIABID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LMCCY

Attribute	Description
Name	LMCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

HOACNO

Attribute	Description
Name	HOACNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

RISKPRFL

Attribute	Description
Name	RISKPRFL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

DRCAT

Attribute	Description
Name	DRCAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

AMLREQD

Attribute	Description

Name	AMLREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AMLCUSTGRP

Attribute	**Description**
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CHKDIGITVALREQD

Attribute	**Description**
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ALGID

Attribute	**Description**
Name	ALGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FTACCASOF

Attribute	**Description**
Name	FTACCASOF
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,N,D

TOP

CUSTUNADV

Attribute	Description
Name	CUSTUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CONSTAXCERTRQD

Attribute	Description
Name	CONSTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

INDTAXCERTRQD

Attribute	Description
Name	INDTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CLSCCYALLWD

Attribute	Description
Name	CLSCCYALLWD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	D,A

TOP

RISKCATEG

Attribute	Description
Name	RISKCATEG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

UPTYPE

Attribute	Description
Name	UPTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

UDFLBL1

Attribute	Description
Name	UDFLBL1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL2

Attribute	Description
Name	UDFLBL2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL3

Attribute	Description
Name	UDFLBL3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDF1

Attribute	Description
Name	UDF1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF2

Attribute	Description
Name	UDF2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF3

Attribute	Description
Name	UDF3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF4

Attribute	Description
Name	UDF4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF5

Attribute	Description
Name	UDF5
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	150

TOP

RM_ID

Attribute	Description
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

NETTREQD

Attribute	Description
Name	NETTREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABUNADV

Attribute	Description
Name	LIABUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AUTOGENSTMTPLAN

Attribute	Description
Name	AUTOGENSTMTPLAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	Description	
Name	STMTDAY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

TOP

PIN_CODE

Attribute	Description	
Name	PIN_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

MFI_CUSTOMER

Attribute	Description	
Name	MFI_CUSTOMER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

INVESTCUST

Attribute	Description
Name	INVESTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWVRTLACCNTS

Attribute	Description
Name	ALLOWVRTLACCNTS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

VRTLCUSTOMERID

Attribute	Description
Name	VRTLCUSTOMERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Custpersonal

Attribute	Description
Name	Custpersonal
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FSTNAME

Attribute	Description
Name	FSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LSTNAME

Attribute	Description
Name	LSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PPTNO

Attribute	Description
Name	PPTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	**Description**
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	**Description**
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DADD2

Attribute	**Description**
Name	DADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DADD3

Attribute	**Description**
Name	DADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DPIN_CODE

Attribute	Description
Name	DPIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

TELEPHNO

Attribute	Description
Name	TELEPHNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAXNUMBER

Attribute	Description
Name	FAXNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BENEFADDR1

Attribute	Description
Name	BENEFADDR1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADDRS3

Attribute	Description
Name	ADDRS3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

BENEFADDR2

Attribute	Description
Name	BENEFADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DCNTRY

Attribute	Description
Name	DCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

RESSTATUS

Attribute	**Description**
Name	RESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,R

TOP

CUSTPREFIX1

Attribute	**Description**
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CUSTPREFIX2

Attribute	**Description**
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

MOBNUM

Attribute	**Description**
Name	MOBNUM
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CUST_COMM_MODE

Attribute	Description	
Name	CUST_COMM_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,M

TOP

LANG

Attribute	Description	
Name	LANG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

GUARDIAN

Attribute	Description	
Name	GUARDIAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SBMTAGEPROOF

Attribute	Description	
Name	SBMTAGEPROOF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	P,N,V

TOP

MINOR

Attribute	Description	
Name	MINOR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

KYCSTAT

Attribute	Description	
Name	KYCSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,V,F

TOP

SSTAFF

Attribute	Description	
Name	SSTAFF	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

KYC_REFNO

Attribute	Description	
Name	KYC_REFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DADD1

Attribute	Description
Name	DADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SAME_PERM_ADDR

Attribute	Description
Name	SAME_PERM_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

TITLE

Attribute	Description
Name	TITLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ADDRS4

Attribute	Description
Name	ADDRS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD4

Attribute	Description
Name	DADD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PLACEOFBIRTH

Attribute	Description
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

BIRTHCOUNTRY

Attribute	Description
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	9

TOP

EDUSTAT

Attribute	Description	
Name	EDUSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	U,N,G,P

TOP

MARITALSTAT

Attribute	Description	
Name	MARITALSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,D,R,S,P,E

TOP

SPNAME

Attribute	Description	
Name	SPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SPEMPSTATUS

Attribute	Description	
Name	SPEMPSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description
Name	DEPCHILD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DEPOTH

Attribute	Description
Name	DEPOTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOMODATE

Attribute	Description
Name	ACCOMODATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description
Name	MOTHERMAIDN_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custprof

Attribute	Description
Name	Custprof
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

EMPSTAT

Attribute	Description
Name	EMPSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description
Name	EMPTENURE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

RETIREAGE

Attribute	Description
Name	RETIREAGE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREVEMP

Attribute	Description
Name	PREVEMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CURRDESIG

Attribute	Description
Name	CURRDESIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CURREMP

Attribute	Description
Name	CURREMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD1

Attribute	Description
Name	ADD1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	**Description**	
Name	ADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD3

Attribute	**Description**	
Name	ADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TEL

Attribute	**Description**	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMTCCY1

Attribute	**Description**	
Name	AMTCCY1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TELEX

Attribute	**Description**
Name	TELEX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FAX

Attribute	**Description**
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAIL

Attribute	**Description**
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

SALARY

Attribute	**Description**
Name	SALARY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OTHER1

Attribute	Description
Name	OTHER1
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

HOUSEVAL

Attribute	Description

Name	HOUSEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRCARD

Attribute	Description
Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CNTY

Attribute	Description
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EMPLOYER_DESC

Attribute	Description
Name	EMPLOYER_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custcorp

Attribute	Description
Name	Custcorp
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPNAME

Attribute	Description
Name	CORPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD1

Attribute	Description
Name	REGADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD2

Attribute	Description
Name	REGADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD3

Attribute	Description
Name	REGADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

R_PIN_CODE

Attribute	Description

Name	R_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

AMTCCY

Attribute	**Description**
Name	AMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INCORPDT

Attribute	**Description**
Name	INCORPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITAL

Attribute	**Description**
Name	CAPITAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTH

Attribute	**Description**
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPDESC

Attribute	Description
Name	CORPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

INCORPCNTRY

Attribute	Description
Name	INCORPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

REGCNTRY

Attribute	Description
Name	REGCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

REGADD4

Attribute	Description

Name	REGADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JOINTVENTURE

Attribute	**Description**
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CADDR1

Attribute	**Description**
Name	CADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR3

Attribute	**Description**
Name	CADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR2

Attribute	**Description**
Name	CADDR2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CADDR4

Attribute	**Description**	
Name	CADDR4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CPINCODE

Attribute	**Description**	
Name	CPINCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

CNTRY

Attribute	**Description**	
Name	CNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

LANGUAGE

Attribute	**Description**	
Name	LANGUAGE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	3

TOP

KYC_DETAILS

Attribute	Description	
Name	KYC_DETAILS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,V,F

TOP

KYCREFNO

Attribute	Description	
Name	KYCREFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

TOP

CNAME

Attribute	Description	
Name	CNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

TOP

UIDNAME

Attribute	Description	
Name	UIDNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

TOP

UIDVALUE

Attribute	Description
Name	UIDVALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TELEPHONE

Attribute	Description
Name	TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MOBILENUMBER

Attribute	Description
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTCOMMMODE

Attribute	Description
Name	CUSTCOMMMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,M

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TELISDNOCRP

Attribute	Description
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

DIRNAME

Attribute	Description	
Name	DIRNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR3

Attribute	Description	
Name	NADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

TAXID

Attribute	Description
Name	TAXID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

MOBNO

Attribute	Description
Name	MOBNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

EMAILID

Attribute	Description
Name	EMAILID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TELISDNOCRPDIR

Attribute	Description
Name	TELISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNOCRPDIR

Attribute	Description
Name	MOBISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description
Name	ADDRCOUNTRYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

NATIONLTYCRPDIR

Attribute	Description
Name	NATIONLTYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

USRESSTATUSCRPDIR

Attribute	Description
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PCTHOLDING

Attribute	Description
Name	PCTHOLDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Issuerlmts

Attribute	Description
Name	Issuerlmts
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CLTRLTYP

Attribute	Description
Name	CLTRLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LMTCCY

Attribute	Description
Name	LMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DOCREF

Attribute	Description
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

DATEREQ

Attribute	Description
Name	DATEREQ
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPECTDDATE

Attribute	Description
Name	EXPECTDDATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REMARK1

Attribute	**Description**
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	**Description**
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	**Description**
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	**Description**
Name	REMARK4
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK5

Attribute	Description	
Name	REMARK5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK6

Attribute	Description	
Name	REMARK6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK7

Attribute	Description	
Name	REMARK7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK8

Attribute	Description	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Custgrp

Attribute	**Description**
Name	Custgrp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

GRPNO

Attribute	**Description**
Name	GRPNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RELATION

Attribute	Description
Name	RELATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custshhold

Attribute	Description
Name	Custshhold
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDPCT

Attribute	**Description**
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Clsccyrest

Attribute	**Description**
Name	Clsccyrest
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	**Description**
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Bic

Attribute	Description
Name	Bic
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BICCD

Attribute	Description

Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

Linkedac

Attribute	**Description**
Name	Linkedac
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VRFD

Attribute	**Description**
Name	VRFD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

LINKEDACCNO

Attribute	**Description**
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

LINKEDACCIBAN

Attribute	**Description**
Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LINKEDACCBIC

Attribute	**Description**
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Jointventure

Attribute	**Description**
Name	Jointventure
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PARTY_ID

Attribute	**Description**
Name	PARTY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PARTY_RATIO

Attribute	**Description**
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

PARTYNAME

Attribute	**Description**

Name	PARTYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Cust-Liab

Attribute	**Description**
Name	Cust-Liab
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITY_NUMBER

Attribute	**Description**
Name	LIABILITY_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LIABILTY_NAME

Attribute	**Description**
Name	LIABILTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LIAB_BRANCH

Attribute	**Description**
Name	LIAB_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	3

TOP

LIAB_CCY

Attribute	Description
Name	LIAB_CCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REVISION_DATE

Attribute	Description
Name	REVISION_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CATEGORY

Attribute	Description
Name	CATEGORY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS

ORACLE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

UNADV

Attribute	Description
Name	UNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

NETTING_REQUIRED

Attribute	Description
Name	NETTING_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

OVERALL_SCORE

Attribute	Description
Name	OVERALL_SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK_LIMIT

Attribute	Description
Name	FX_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_CLEAN_RISK_LIMIT

Attribute	Description
Name	SEC_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_PSTL_RISK_LIMIT

Attribute	Description
Name	SEC_PSTL_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAIN_LIAB_NO

Attribute	Description
Name	MAIN_LIAB_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UTIL_AMOUNT

Attribute	Description
Name	UTIL_AMOUNT
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CRRATING

Attribute	Description
Name	CRRATING
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

Liab-Score

Attribute	Description
Name	Liab-Score
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

SCORE

Attribute	Description
Name	SCORE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

SCORE_NAME

Attribute	Description
Name	SCORE_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

SCORE_DESC

Attribute	Description

Name	SCORE_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 250

TOP

Liab-Rating

Attribute	**Description**
Name	Liab-Rating
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PRIMARY

Attribute	**Description**
Name	PRIMARY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

AGENCY_NAME

Attribute	**Description**
Name	AGENCY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CREDIT_RATING

Attribute	**Description**
Name	CREDIT_RATING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	10

TOP

Liab-Linkage

Attribute	Description	
Name	Liab-Linkage	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXPOSURE_NAME

Attribute	Description	
Name	EXPOSURE_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXPOSURE_DESC

Attribute	Description	
Name	EXPOSURE_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXPOSURE_TYPE

Attribute	Description	
Name	EXPOSURE_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

Liab-Udf

Attribute	Description
Name	Liab-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

Custsegment

Attribute	Description
Name	Custsegment
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Mfi1

Attribute	Description
Name	Mfi1
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE_NUMBER

Attribute	Description
Name	INSURANCE_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MFI_CUST_TYPE

Attribute	Description
Name	MFI_CUST_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / G,C,I

TOP

POVERTY_STATUS

Attribute	Description
Name	POVERTY_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

LITERACY_OF_CLIENT

Attribute	Description
Name	LITERACY_OF_CLIENT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

BUSINESS_ACTIVITY

Attribute	**Description**
Name	BUSINESS_ACTIVITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

BLACKLISTED

Attribute	**Description**
Name	BLACKLISTED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BLACKLIST_COUNT

Attribute	**Description**
Name	BLACKLIST_COUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

PHYSICALLY_CHALLENGED

Attribute	**Description**
Name	PHYSICALLY_CHALLENGED
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ACCOUNT_OFFICER

Attribute	Description
Name	ACCOUNT_OFFICER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Training

Attribute	Description
Name	Training
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TRAINING_CODE

Attribute	Description
Name	TRAINING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRAINING_DATE

Attribute	Description
Name	TRAINING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CIF

Attribute	Description
Name	CIF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Chklist

Attribute	Description
Name	Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHKLIST_ITEM

Attribute	Description
Name	CHKLIST_ITEM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VERIFIED

Attribute	Description
Name	VERIFIED

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Mf-Cifdet

Attribute	Description
Name	Mf-Cifdet
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

GROUP_CODE

Attribute	Description
Name	GROUP_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MEETING_CODE

Attribute	Description
Name	MEETING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	35

TOP

Id-Master

Attribute	Description	
Name	Id-Master	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

Id-Det-Main

Attribute	Description	
Name	Id-Det-Main	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

SNO

Attribute	Description

Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	**Description**
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Iddetail

Attribute	**Description**
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	**Description**
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SERIES

Attribute	Description
Name	SERIES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

DOC_ID

Attribute	Description
Name	DOC_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DATE_OF_ISSUE

Attribute	Description
Name	DATE_OF_ISSUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DATE_OF_EXPIRY

Attribute	Description
Name	DATE_OF_EXPIRY
Datatype	Date

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	Description
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CUST

Attribute	**Description**
Name	CUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BRNCD

Attribute	**Description**
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKTOGRP

Attribute	**Description**
Name	LINKTOGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Custchnglog

Attribute	**Description**
Name	Custchnglog
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

Baltrnsfrlog

Attribute	Description
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	Description
Name	TXNDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

GLCODE

Attribute	Description
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TRNIND

Attribute	**Description**
Name	TRNIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMT

Attribute	**Description**
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

XRATE

Attribute	**Description**
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Customermis

Attribute	**Description**
Name	Customermis

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Compositemis

Attribute	Description
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Custloghead

Attribute	Description
Name	Custloghead
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates Customer Joint.

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTPREFIX

Attribute	Description
Name	CUSTPREFIX
Datatype	String
Description	Indicates the Customer Prefix.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

FRSTNAME

Attribute	Description
Name	FRSTNAME
Datatype	String
Description	Indicates the First Name.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

LASTNAME

Attribute	Description
Name	LASTNAME
Datatype	String
Description	Indicates the Last Name.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEX

Attribute	Description
Name	SEX
Datatype	String
Description	Indicates the Sex. The value can be either M or F.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F

TOP

PPNO

Attribute	Description
Name	PPNO
Datatype	String
Description	Indicates Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

ADD1

Attribute	Description	
Name	ADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description	
Name	ADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD3

Attribute	Description	
Name	ADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

DECEASED

Attribute	Description
Name	DECEASED
Datatype	String
Description	Indicates whether Deceased or not. The value should be either D or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resistant Status. The value could be either R or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

UNTVAL

Attribute	**Description**	
Name	UNTVAL	
Datatype	String	
Description	Indicates Unit Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

INSTR

Attribute	**Description**	
Name	INSTR	
Datatype	String	
Description	Indicates Instructions	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

INSTRTYPE

Attribute	**Description**	
Name	INSTRTYPE	
Datatype	String	
Description	Indicates Instruction Type	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1

TOP

EXEDAYS

Attribute	Description
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution Days
Attributes	Attribute: minOccurs, Description: 0

TOP

EXEMONTHS

Attribute	Description
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months
Attributes	Attribute: minOccurs, Description: 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution Years
Attributes	Attribute: minOccurs, Description: 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. Flag Can be either Y or N.
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: enumeration, Description: Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OPRTR

Attribute	Description
Name	OPRTR

Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates Special Instructions.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage

Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER

Attribute	**Description**
Name	CUSTOMER
Datatype	String
Description	Indicates the customer
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATIONSHIP

Attribute	**Description**
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	**Description**
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	**Description**
Name	DESCP
Datatype	String
Description	Indicates description

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Custacdetail

Attribute	Description
Name	Custacdetail
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 1
Restrictions	**Restrictions** / **Description**
	maxLength / 9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicates sequence number
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TDESC

Attribute	Description
Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

Sttms-Debit

Attribute	Description
Name	Sttms-Debit
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

ACTNO

Attribute	Description
Name	ACTNO
Datatype	String
Description	Account Number
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

Sttms-Detail

Attribute	Description
Name	Sttms-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String

Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NAME_ON_CARD

Attribute	**Description**
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

OWNER_ID_NO

Attribute	**Description**
Name	OWNER_ID_NO
Datatype	String
Description	Owner Id number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

CARD_ISSUED_DT

Attribute	Description
Name	CARD_ISSUED_DT
Datatype	Date
Description	Card Issued Date
Attributes	Attribute: minOccurs, Description: 0

TOP

CARD_EXPIRY_DT

Attribute	Description
Name	CARD_EXPIRY_DT
Datatype	Date
Description	Card Expiry Date
Attributes	Attribute: minOccurs, Description: 0

TOP

CARD_STATUS

Attribute	Description
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 1

TOP

RECORD_STAT

Attribute	Description
Name	RECORD_STAT
Datatype	String
Description	Record Status
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 1

TOP

AUTH_STAT

Attribute	Description
Name	AUTH_STAT

Datatype	String
Description	Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_BIN

Attribute	**Description**
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Extsys-Ws-Master

Attribute	**Description**
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	**Description**
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

Cust-Account

Attribute	Description
Name	Cust-Account
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

ACC

Attribute	Description
Name	ACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AC_DESC

Attribute	**Description**
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTNAME

Attribute	**Description**
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT_CLASS

Attribute	Description	
Name	ACCOUNT_CLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

AC_OPEN_DATE

Attribute	Description	
Name	AC_OPEN_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ALT_ACC_NO

Attribute	Description	
Name	ALT_ACC_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHQBOOK

Attribute	Description	
Name	CHQBOOK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

OPMODE

Attribute	Description
Name	OPMODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	Description
Name	COUNTRY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	Description
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	Description
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	Description
Name	ACCOUNT_TYPE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	Description
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	Description
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GL_ACCC

Attribute	Description
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OFFSET_BRN

Attribute	Description
Name	OFFSET_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

CODATMBRN

Attribute	Description
Name	CODATMBRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

REPL_CUST_SIG

Attribute	Description
Name	REPL_CUST_SIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

SALARY_ACCOUNT

Attribute	Description
Name	SALARY_ACCOUNT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SDREFNO

Attribute	**Description**
Name	SDREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

SPDANLSYS

Attribute	**Description**
Name	SPDANLSYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TYOFCHQ

Attribute	**Description**
Name	TYOFCHQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,C

TOP

Account-Generation

Attribute	**Description**
Name	Account-Generation
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Jointholders-Main

Attribute	Description
Name	Jointholders-Main
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Jointholders

Attribute	Description
Name	Jointholders
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME1

Attribute	**Description**
Name	CUSTNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JNTHLDTYP

Attribute	**Description**
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	**Description**
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

END_DATE

Attribute	**Description**
Name	END_DATE
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Acc-Nominees

Attribute	Description	
Name	Acc-Nominees	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RELSHIP

Attribute	Description	
Name	RELSHIP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NOMINEE_ID

Attribute	Description
Name	NOMINEE_ID
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String

Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOMMINOR

Attribute	**Description**
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GUARDNAM

Attribute	**Description**
Name	GUARDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GUARDRELNSHP

Attribute	**Description**
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR1

Attribute	**Description**
Name	GADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR2

Attribute	Description	
Name	GADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR3

Attribute	Description	
Name	GADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR4

Attribute	Description	
Name	GADDR4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NAM

Attribute	Description	
Name	NAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MANDATORY

Attribute	**Description**
Name	MANDATORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

Doctype-Remarks1

Attribute	**Description**
Name	Doctype-Remarks1
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Cust-Acc-Check

Attribute	**Description**
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FIRST_CHECK_NO

Attribute	Description
Name	FIRST_CHECK_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHECK_LEAVES

Attribute	Description
Name	CHECK_LEAVES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQUE_BOOK_TYPE

Attribute	Description
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

ORDER_DATE

Attribute	Description
Name	ORDER_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ORDER_DETAILS

Attribute	Description
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REQUEST_STATUS

Attribute	Description
Name	REQUEST_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Requested

TOP

CHQ_TYPE

Attribute	Description
Name	CHQ_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	EURO,COMM

TOP

Cust-Acc-Card

Attribute	Description
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

CARD_PRODUCT

Attribute	Description
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 11

TOP

NAME_ON_CARD

Attribute	Description
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CARD_NO

Attribute	Description
Name	CARD_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CARD_APPL_DATE

Attribute	**Description**
Name	CARD_APPL_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_STATUS

Attribute	**Description**
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Udfdetails

Attribute	**Description**
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCID

Attribute	Description
Name	FUNCID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

RECKEY

Attribute	Description
Name	RECKEY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 700

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

Custacc

Attribute	Description
Name	Custacc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	**Description**
Name	COMPMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	**Description**
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	**Description**
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10

Attribute	**Description**
Name	TXNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,4,5,6,7,8,9,

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	**Description**
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	**Description**
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	**Description**
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7

Attribute	**Description**
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

Misaccchangelog

Attribute	Description
Name	Misaccchangelog
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description

Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Misbaltransferlog

Attribute	**Description**
Name	Misbaltransferlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRDCD

Attribute	**Description**
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

FINYR

Attribute	Description	
Name	FINYR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

GLCODE

Attribute	Description	
Name	GLCODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TRNIND

Attribute	Description	
Name	TRNIND	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

MISCLS

Attribute	Description	
Name	MISCLS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Chglog

Attribute	Description
Name	Chglog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Tsfrlog

Attribute	Description
Name	Tsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Classname

Attribute	Description
Name	Classname
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

B1

Attribute	Description
Name	B1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C1

Attribute	Description	
Name	C1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C2

Attribute	Description	
Name	C2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C3

Attribute	Description	
Name	C3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C4

Attribute	Description	
Name	C4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1000

TOP

C5

Attribute	Description	
Name	C5	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C6

Attribute	Description	
Name	C6	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C7

Attribute	Description	
Name	C7	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C8

Attribute	Description	
Name	C8	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C9

Attribute	Description
Name	C9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C10

Attribute	Description
Name	C10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T1

Attribute	Description
Name	T1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T2

Attribute	Description
Name	T2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T3

Attribute	Description
Name	T3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T4

Attribute	Description
Name	T4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T5

Attribute	Description
Name	T5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T6

Attribute	Description
Name	T6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T7

Attribute	Description
Name	T7

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T8

Attribute	Description
Name	T8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T9

Attribute	Description
Name	T9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T10

Attribute	Description
Name	T10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER_NAME1

Attribute	Description	
Name	CUSTOMER_NAME1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NSFIB_CS_EVENT_NO

Attribute	Description	
Name	NSFIB_CS_EVENT_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NSFIB_CS_LVL

Attribute	Description	
Name	NSFIB_CS_LVL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

NSFIB_CS_LVL_EFFDT

Attribute	Description
Name	NSFIB_CS_LVL_EFFDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSFIB_CS_LVL_EXPDT

Attribute	Description
Name	NSFIB_CS_LVL_EXPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSFIB_CS_BLK_STAT

Attribute	Description
Name	NSFIB_CS_BLK_STAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSFIB_CS_WBRCK_STAT

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

NSFIB_CS_WBRCK_EFFDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_EXPDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_STAT

Attribute	Description
Name	NSFIB_IB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_IB_BLK_EFFDT

Attribute	Description
Name	NSFIB_IB_BLK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_EXPDT

Attribute	Description
Name	NSFIB_IB_BLK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_DESC

Attribute	Description
Name	NSFIB_IB_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_BLK_STAT

Attribute	Description
Name	NSFIB_CB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NSFIB_CB_DESC

Attribute	Description
Name	NSFIB_CB_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_EFFDT

Attribute	Description
Name	NSFIB_CB_EFFDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NSFIB_CB_EXPDT

Attribute	Description
Name	NSFIB_CB_EXPDT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

NSFIB_CS_BLK_DESC

Attribute	Description
Name	NSFIB_CS_BLK_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NSFIB_CS_WBRCK_STAT_DESC

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

Cust

Attribute	Description
Name	Cust
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cust-Ck-Det

Attribute	Description
Name	Cust-Ck-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_PROCESS_ORDER

Attribute	Description
Name	CHQ_PROCESS_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LVL_COMP_EXPDT

Attribute	Description

Name	LVL_COMP_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CG_REF_NO

Attribute	**Description**
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ACCOUNT_NO

Attribute	**Description**
Name	ACCOUNT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHQ_NO

Attribute	**Description**
Name	CHQ_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EVENT_NO

Attribute	**Description**
Name	EVENT_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NSF_LVL

Attribute	**Description**
Name	NSF_LVL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

LVL_EFFDT

Attribute	**Description**
Name	LVL_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LVL_EXPDT

Attribute	**Description**
Name	LVL_EXPDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHQ_VALUEDT

Attribute	Description
Name	CHQ_VALUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID

Datatype	String
Description	Function
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

Doc-Upload

Attribute	**Description**
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	**Description**
Name	DCREFNO
Datatype	String
Description	Document Reference
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	**Description**
Name	DOC_CATEGORY
Datatype	String
Description	Document Category
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	**Description**
Name	DOC_TYPE
Datatype	String
Description	Document Type
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

2.22.2.ST-CreateCustomer-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-IO*
    - *PRIVATE_CUSTOMER*
    - *CUSTNO*
    - *CTYPE*
    - *NAME*
    - *ADDRLN1*
    - *ADDRLN3*
    - *ADDRLN2*
    - *ADDRLN4*
    - *COUNTRY*
    - *SNAME*
    - *NLTY*
    - *LBRN*
    - *CCATEG*
    - *FULLNAME*
    - *CIFCREATIONDT*
    - *ISELCMCUST*
    - *ELCMCUSTNO*
    - *AR_AP_TRACKING*

EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
CREATEACC
TRACK_LIMITS
LIABID
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM
SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR
UTLTYPRVDRID

RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
LC_COLLAT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
UDF1
UDF2
UDF3
UDF4
UDF5
RM_ID
NETTREQD
LIABUNADV
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
MFI_CUSTOMER
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
Custpersonal
- *FSTNAME*
- *MIDNAME*
- *LSTNAME*
- *DOB*
- *GENDR*
- *NATIONID*
- *PPTNO*
- *PPTISSDT*

PPTEXPDT
DADD2
DADD3
DPIN_CODE
TELEPHNO
FAXNUMBER
EMAILID
BENEFADDR1
ADDRS3
BENEFADDR2
DCNTRY
PCNTRY
RESSTATUS
CUSTPREFIX1
CUSTPREFIX2
MOBNUM
CUST_COMM_MODE
LANG
GUARDIAN
SBMTAGEPROOF
MINOR
KYCSTAT
SSTAFF
KYC_REFNO
SAME_CORR_ADDR
DADD1
SAME_PERM_ADDR
TITLE
ADDRS4
DADD4
PLACEOFBIRTH
BIRTHCOUNTRY
TELISDNOPERSONAL
MOBISDNO
FAXISDNO
USRESSTATUS
PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY
PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV

HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
CUSTNO
EDUSTAT
MARITALSTAT
SPNAME
SPEMPSTATUS
DEPCHILD
DEPOTH
ACCOMODATE
MOTHERMAIDN_NAME
Custprof
CUSTNO
EMPSTAT
EMPTENURE
RETIREAGE
PREVDESIG
PREVEMP
CURRDESIG
CURREMP
ADD1
ADD2
ADD3
TEL
AMTCCY1
TELEX
FAX
EMAIL
SALARY
OTHER1
RENT
INSURANCE
LOANPMNT
OTHEXP
HOUSEVAL
CRCARD
CNTY
EMPLOYER_DESC
Custcorp
CORPNAME

REGADD1
REGADD2
REGADD3
R_PIN_CODE
AMTCCY
INCORPDT
CAPITAL
NETWORTH
CORPDESC
INCORPCNTRY
REGCNTRY
SAME_CORR_ADDR
REGADD4
JOINTVENTURE
CADDR1
CADDR3
CADDR2
CADDR4
CPINCODE
CNTRY
LANGUAGE
KYC_DETAILS
KYCREFNO
CNAME
UIDNAME
UIDVALUE
TELEPHONE
FAX
EMAILID
MOBILENUMBER
CUSTCOMMMODE
NATIONID
TELISDNOCRP
MOBISDNOCRP
FAXISDNOCRP
PREF_CNTACT_DATE
PREF_CNTACT_TIME
OWNERSHPTYPE
Custcorpdir
- *DIRNAME*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*

ADDRESS1
ADDRESS2
ADDRESS3
COUNTRY
TEL
TAXID
MOBNO
EMAILID
TELISDNOCRPDIR
MOBISDNOCRPDIR
ADDRCOUNTRYCRPDIR
NATIONLTYCRPDIR
USRESSTATUSCRPDIR
PCTHOLDING
HOMETELNO
HOMETELISD
PPIN_CODE
PIN_CODE
Issuerdet
CUSTNO
OVERLMTCCY
OVERLIMIT
Issuerlmts
CLTRLTYP
LMTCCY
LMTAMT
Custdoc-Chklist
CUSTOMER_NO
DOCCATEGORY
DOCUMENTNAME
DOCUMENT_TYPE
CHECKED
DOCREF
DATEREQ
EXPECTDDATE
ACTUALDATE
EXPDATE
REMARKSCHKLIST
Doctype-Remarks
CUSTOMER_NO
REMARK1
REMARK2
REMARK3
REMARK4

- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *CUSTNO*
- *RELATION*

Custshhold

- *CUSTNO*
- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CUSTNO*
- *CCY*
- *DESC*

Bic

- *ACC*
- *CUSTNO*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Cust-Liab

- *LIABILITY_NUMBER*
- *LIABILTY_NAME*
- *LIAB_BRANCH*
- *LIAB_CCY*
- *OVERLIMIT*
- *REVISION_DATE*
- *CATEGORY*
- *USER_DEFINED_STATUS*
- *UNADV*
- *NETTING_REQUIRED*
- *OVERALL_SCORE*
- *FX_CLEAN_RISK_LIMIT*

- *SEC_CLEAN_RISK_LIMIT*
- *SEC_PSTL_RISK_LIMIT*
- *REMARKS*
- *MAIN_LIAB_NO*
- *UTIL_AMOUNT*
- *Liab-Score*
  - *SCORE*
  - *SCORE_NAME*
- *Liab-Rating*
  - *PRIMARY*
  - *AGENCY_NAME*
  - *CREDIT_RATING*
- *Liab-Linkage*
  - *EXPOSURE_NAME*
- *Liab-Udf*
  - *FLDNAM*
  - *FLDVAL*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*

Mfi1

- *INSURANCE_NUMBER*
- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*
- *BLACKLISTED*
- *BLACKLIST_COUNT*
- *PHYSICALLY_CHALLENGED*
- *Training*
  - *CIF*
- *Chklist*
  - *KEY_ID*
  - *VERIFIED*
- *Mf-Cifdet*
  - *CUSTOMER_NO*

Id-Master

- *CUSTOMER_NO*

Id-Det-Main

- *CUSTOMER_NO*
- *SNO*

- *DOCUMENT_TYPE*
- *Iddetail*
  - *CUSTOMER_NO*
  - *SNO*
  - *SERIES*
  - *DOC_ID*
  - *DATE_OF_ISSUE*
  - *DATE_OF_EXPIRY*
  - *ISSUING_AUTHORITY*
  - *PLACE_OF_ISSUE*
  - *NAME*
- *Custmis*
  - *MISGRP*
  - *CUSTNO*
  - *LINKTOGRP*
  - *Custchnglog*
  - *Baltrnsfrlog*
  - *Customermis*
    - *MISCLS*
    - *MISCD*
  - *Compositemis*
    - *MISCLS*
    - *MISCD*
- *Jointcustomer*
  - *CUSTNO*
  - *Custjoint*
    - *CUSTPREFIX*
    - *FRSTNAME*
    - *MIDNAME*
    - *LASTNAME*
    - *DOB*
    - *SEX*
    - *PPNO*
    - *PPTISSDT*
    - *PPTEXPDT*
    - *ADD1*
    - *ADD2*
    - *ADD3*
    - *TEL*
    - *EMAIL*
    - *DECEASED*
    - *RESISTAT*
- *Cust-Acc-Det*
  - *CUSTNO*

- *Diary-Mst*
  - *INSTRNO*
  - *UNTTYP*
  - *UNTVAL*
  - *BRN*
  - *INSTR*
  - *INSTRTYPE*
  - *EXEDAYS*
  - *EXEMONTHS*
  - *EXEYEARS*
  - *MNTHENDFLG*
  - *HLDRULE*
  - *FRSTDUEDT*
  - *NXTDUEDT*
  - *NXTEXEDT*
  - *CONDELEM*
  - *OPRTR*
  - *CONDVAL*
  - *ACCOFCR*
  - *SPLINSTRTYP*
  - *EXPDT*
  - *SPLINSTR*
- *Custaccdet*
  - *CUSTNO*
  - *Relationship-Linkage*
    - *CUSTOMER*
    - *RELATIONSHIP*
    - *INHERIT*
    - *DESCP*
- *Custacdetail*
  - *CUSTNO*
  - *CUSTTEXT*
    - *SEQNO*
    - *CUSTNO*
    - *TDESC*
- *UDFDETAILS*
  - *FLDNAM*
  - *FLDVAL*
- *Sttms-Debit*
  - *BRANCH_CODE*
  - *CUST_NO*
  - *ACTNO*
  - *Sttms-Detail*
    - *BRANCH_CODE*

REQUEST_REFERENCE_NO
CARDNO
CUST_NO
CARD_PRODUCT
PRIMARY_CARD
NAME_ON_CARD
OWNER_ID_NO
CARD_ISSUED_DT
CARD_EXPIRY_DT
CARD_STATUS
RECORD_STAT
AUTH_STAT
CARD_BIN
CUST_AC_NO
Extsys-Ws-Master
KEYID
Extsys-Ws-Details
USERREMARKS
Cust-Account
BRN
ACC
AC_DESC
CUST_NO
CCY
ACCOUNT_CLASS
AC_OPEN_DATE
ALT_ACC_NO
CHQBOOK
ATM
PASSBOOK
ATMACC
ATMDLIM
ATMDCNTLIM
CHKNAME1
CHKNAME2
AUTOREORDERCHKREQ
AUTOREORDERCHKLVL
AUTOREORDERCHKLVS
DORMPRM
LOCATION
MEDIA
OPMODE
COUNTRY_CODE
AUTO_CHEQUE_BOOK_REQ

- *AUTO_DEBIT_CARD_REQUEST*
- *ACCOUNT_TYPE*
- *MAX_NO_CHEQUE_REJECTIONS*
- *ACC_OPENING_AMT*
- *GL_ACCC*
- *PAY_IN_OPTION*
- *WAIVE_ACC_OPEN_CHARGE*
- *REPL_CUST_SIG*
- *SALARY_ACCOUNT*
- *SPDANLSYS*
- *TYOFCHQ*
- *Jointholders*
  - *BRANCH_CODE*
  - *CUST_AC_NO*
  - *CUSTNO*
  - *JNTHLDTYP*
  - *START_DATE*
  - *END_DATE*
- *Acc-Nominees*
  - *RELSHIP*
  - *NADDR1*
  - *NADDR2*
  - *NADDR3*
  - *NADDR4*
  - *NOMINEE_ID*
  - *CUST_AC_NO*
  - *BRANCH_CODE*
  - *NOMMINOR*
  - *GUARDNAM*
  - *GUARDRELNSHP*
  - *GADDR1*
  - *GADDR2*
  - *GADDR3*
  - *GADDR4*
  - *NAM*
  - *DOB*
- *Doctype-Checklist*
  - *BRANCH_CODE*
  - *CUST_AC_NO*
  - *CHECKED*
- *Doctype-Remarks1*
  - *BRANCH_CODE*
  - *CUST_AC_NO*
  - *REMARK1*

- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Cust-Acc-Check

- *FIRST_CHECK_NO*
- *CHECK_LEAVES*
- *CHEQUE_BOOK_TYPE*
- *ORDER_DATE*
- *ORDER_DETAILS*
- *LANG_CODE*
- *CHQ_TYPE*

Cust-Acc-Card

- *REQUEST_REFERENCE_NO*
- *CARD_PRODUCT*
- *CARD_BIN*
- *NAME_ON_CARD*
- *CARD_NO*
- *CARD_APPL_DATE*

Udfdetails

- *FUNCID*
- *RECKEY*
- *FLDVAL*

Misdetails

- *TXNMIS7*
- *COMPMIS8*
- *TXNMIS8*
- *COMPMIS9*
- *TXNMIS9*
- *COMPMIS10*
- *TXNMIS10*
- *COSTCOD1*
- *COSTCOD2*
- *COSTCOD3*
- *COSTCOD4*
- *COSTCOD5*
- *REFRTSPRD*
- *REFRTTYPE*
- *REFRTCD*

POOLCD
RTFLAG
REFRATE
CALCMETH
COMPMIS1
TXNMIS1
COMPMIS2
TXNMIS2
COMPMIS3
TXNMIS3
COMPMIS4
TXNMIS4
COMPMIS5
TXNMIS5
COMPMIS6
TXNMIS6
COMPMIS7
LINKGRP
Misaccchangelog
MISCLS
TXNDT
OLDMISCD
NWMISCD
Misbaltransferlog
MISCLS
Classname
B1
Nsf-Enq
CUSTOMER_NO
NSFIB_CS_LAST_TRN_DT
Cust-Ck-Det
CHQ_AMT
CUSTOMER_NO
LVL_EFFDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DOC_CATEGORY
DOC_TYPE
REMARKS

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Customer-IO

Attribute	Description
Name	Customer-IO
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description
Name	PRIVATE_CUSTOMER
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CTYPE

Attribute	Description
Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,C,B

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	Description
Name	ADDRLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN3

Attribute	Description
Name	ADDRLN3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

ADDRLN2

Attribute	Description
Name	ADDRLN2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

ADDRLN4

Attribute	Description
Name	ADDRLN4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

SNAME

Attribute	Description
Name	SNAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NLTY

Attribute	Description
Name	NLTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LBRN

Attribute	Description
Name	LBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCATEG

Attribute	Description
Name	CCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FULLNAME

Attribute	Description
Name	FULLNAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CIFCREATIONDT

Attribute	**Description**	
Name	CIFCREATIONDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISELCMCUST

Attribute	**Description**	
Name	ISELCMCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

ELCMCUSTNO

Attribute	**Description**	
Name	ELCMCUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AR_AP_TRACKING

Attribute	**Description**	
Name	AR_AP_TRACKING	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

EXPCNTRY

Attribute	Description
Name	EXPCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

UIDNAME

Attribute	Description
Name	UIDNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

UIDVAL

Attribute	Description
Name	UIDVAL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

FROZEN

Attribute	Description
Name	FROZEN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

DEAD

Attribute	Description
Name	DEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

WHRUNKN

Attribute	Description
Name	WHRUNKN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CRRATE

Attribute	Description
Name	CRRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

SSN

Attribute	Description
Name	SSN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

SWIFTCD

Attribute	Description
Name	SWIFTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

LOC

Attribute	Description
Name	LOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MAILRSREQD

Attribute	Description
Name	MAILRSREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

GRPCD

Attribute	Description
Name	GRPCD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

EXPCAT

Attribute	Description
Name	EXPCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTCLASSFN

Attribute	Description
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTAT

Attribute	Description
Name	CIFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTATSNC

Attribute	Description
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGGRP

Attribute	Description
Name	CHGGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

CUSTCLGGRP

Attribute	Description
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

TAXGROUP

Attribute	Description
Name	TAXGROUP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

CLSPARTICIPANT

Attribute	Description
Name	CLSPARTICIPANT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

FXNETTCUST

Attribute	Description
Name	FXNETTCUST
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CRMCUST

Attribute	Description
Name	CRMCUST
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

ISSUCUST

Attribute	Description
Name	ISSUCUST
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

TRSRYCUST

Attribute	Description
Name	TRSRYCUST

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

RELPRICING

Attribute	**Description**
Name	RELPRICING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

MT920

Attribute	**Description**
Name	MT920
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

FLGJOINT

Attribute	**Description**
Name	FLGJOINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CREATEACC

Attribute	**Description**
Name	CREATEACC
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

TRACK_LIMITS

Attribute	Description	
Name	TRACK_LIMITS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

LIABID

Attribute	Description	
Name	LIABID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LMCCY

Attribute	Description	
Name	LMCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

HOACNO

Attribute	Description	
Name	HOACNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

RISKPRFL

Attribute	**Description**
Name	RISKPRFL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRCAT

Attribute	**Description**
Name	DRCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

AMLREQD

Attribute	**Description**
Name	AMLREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

AMLCUSTGRP

Attribute	**Description**
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CHKDIGITVALREQD

Attribute	Description
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ALGID

Attribute	Description
Name	ALGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FTACCASOF

Attribute	Description
Name	FTACCASOF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,N,D

TOP

CUSTUNADV

Attribute	Description
Name	CUSTUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CONSTAXCERTRQD

Attribute	Description
Name	CONSTAXCERTRQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

INDTAXCERTRQD

Attribute	Description
Name	INDTAXCERTRQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

CLSCCYALLWD

Attribute	Description
Name	CLSCCYALLWD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: D,A

TOP

RISKCATEG

Attribute	Description
Name	RISKCATEG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UPTYPE

Attribute	Description
Name	UPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFLBL1

Attribute	Description
Name	UDFLBL1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL2

Attribute	Description
Name	UDFLBL2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL3

Attribute	Description
Name	UDFLBL3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDF1

Attribute	Description
Name	UDF1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF2

Attribute	Description
Name	UDF2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF3

Attribute	Description
Name	UDF3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF4

Attribute	Description
Name	UDF4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF5

Attribute	Description
Name	UDF5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

RM_ID

Attribute	Description
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

NETTREQD

Attribute	Description
Name	NETTREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

LIABUNADV

Attribute	Description
Name	LIABUNADV
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

AUTOGENSTMTPLAN

Attribute	Description
Name	AUTOGENSTMTPLAN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	Description
Name	STMTDAY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

PIN_CODE

Attribute	**Description**
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MFI_CUSTOMER

Attribute	**Description**
Name	MFI_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

INVESTCUST

Attribute	**Description**
Name	INVESTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWVRTLACCNTS

Attribute	**Description**
Name	ALLOWVRTLACCNTS
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

VRTLCUSTOMERID

Attribute	Description
Name	VRTLCUSTOMERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Custpersonal

Attribute	Description
Name	Custpersonal
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FSTNAME

Attribute	Description
Name	FSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LSTNAME

Attribute	Description
Name	LSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PPTNO

Attribute	Description
Name	PPTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	**Description**
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	**Description**
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DADD2

Attribute	**Description**
Name	DADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DADD3

Attribute	**Description**
Name	DADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DPIN_CODE

Attribute	Description
Name	DPIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

TELEPHNO

Attribute	Description
Name	TELEPHNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAXNUMBER

Attribute	Description
Name	FAXNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BENEFADDR1

Attribute	Description
Name	BENEFADDR1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADDRS3

Attribute	Description
Name	ADDRS3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

BENEFADDR2

Attribute	Description
Name	BENEFADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DCNTRY

Attribute	Description
Name	DCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

RESSTATUS

Attribute	**Description**
Name	RESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,R

TOP

CUSTPREFIX1

Attribute	**Description**
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CUSTPREFIX2

Attribute	**Description**
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

MOBNUM

Attribute	**Description**
Name	MOBNUM
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CUST_COMM_MODE

Attribute	Description	
Name	CUST_COMM_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,M

TOP

LANG

Attribute	Description	
Name	LANG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

GUARDIAN

Attribute	Description	
Name	GUARDIAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SBMTAGEPROOF

Attribute	Description	
Name	SBMTAGEPROOF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	P,N,V

TOP

MINOR

Attribute	Description	
Name	MINOR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

KYCSTAT

Attribute	Description	
Name	KYCSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,V,F

TOP

SSTAFF

Attribute	Description	
Name	SSTAFF	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

KYC_REFNO

Attribute	Description	
Name	KYC_REFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DADD1

Attribute	Description
Name	DADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SAME_PERM_ADDR

Attribute	Description
Name	SAME_PERM_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

TITLE

Attribute	Description
Name	TITLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ADDRS4

Attribute	Description
Name	ADDRS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD4

Attribute	Description
Name	DADD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PLACEOFBIRTH

Attribute	Description
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

BIRTHCOUNTRY

Attribute	Description
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

EDUSTAT

Attribute	**Description**
Name	EDUSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / U,N,G,P

TOP

MARITALSTAT

Attribute	**Description**
Name	MARITALSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,D,R,S,P,E

TOP

SPNAME

Attribute	**Description**
Name	SPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SPEMPSTATUS

Attribute	**Description**
Name	SPEMPSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description
Name	DEPCHILD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DEPOTH

Attribute	Description
Name	DEPOTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOMODATE

Attribute	Description
Name	ACCOMODATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description
Name	MOTHERMAIDN_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custprof

Attribute	Description
Name	Custprof
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

EMPSTAT

Attribute	Description	
Name	EMPSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description	
Name	EMPTENURE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RETIREAGE

Attribute	Description	
Name	RETIREAGE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREVEMP

Attribute	Description
Name	PREVEMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CURRDESIG

Attribute	Description
Name	CURRDESIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CURREMP

Attribute	Description
Name	CURREMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD1

Attribute	Description
Name	ADD1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMTCCY1

Attribute	Description
Name	AMTCCY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TELEX

Attribute	**Description**
Name	TELEX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FAX

Attribute	**Description**
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAIL

Attribute	**Description**
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

SALARY

Attribute	**Description**
Name	SALARY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OTHER1

Attribute	Description
Name	OTHER1
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

HOUSEVAL

Attribute	Description

Name	HOUSEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRCARD

Attribute	Description
Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CNTY

Attribute	Description
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EMPLOYER_DESC

Attribute	Description
Name	EMPLOYER_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custcorp

Attribute	Description
Name	Custcorp
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPNAME

Attribute	Description
Name	CORPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD1

Attribute	Description
Name	REGADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD2

Attribute	Description
Name	REGADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD3

Attribute	Description
Name	REGADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

R_PIN_CODE

Attribute	Description

Name	R_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

AMTCCY

Attribute	**Description**
Name	AMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INCORPDT

Attribute	**Description**
Name	INCORPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITAL

Attribute	**Description**
Name	CAPITAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTH

Attribute	**Description**
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPDESC

Attribute	Description
Name	CORPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

INCORPCNTRY

Attribute	Description
Name	INCORPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

REGCNTRY

Attribute	Description
Name	REGCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

REGADD4

Attribute	Description

Name	REGADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JOINTVENTURE

Attribute	**Description**
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CADDR1

Attribute	**Description**
Name	CADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR3

Attribute	**Description**
Name	CADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR2

Attribute	**Description**
Name	CADDR2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CADDR4

Attribute	**Description**	
Name	CADDR4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CPINCODE

Attribute	**Description**	
Name	CPINCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

CNTRY

Attribute	**Description**	
Name	CNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

LANGUAGE

Attribute	**Description**	
Name	LANGUAGE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

KYC_DETAILS

Attribute	**Description**
Name	KYC_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,V,F

TOP

KYCREFNO

Attribute	**Description**
Name	KYCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CNAME

Attribute	**Description**
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

UIDVALUE

Attribute	Description
Name	UIDVALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TELEPHONE

Attribute	Description
Name	TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MOBILENUMBER

Attribute	Description
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CUSTCOMMMODE

Attribute	Description
Name	CUSTCOMMMODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: E,M

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

TELISDNOCRP

Attribute	Description
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

DIRNAME

Attribute	Description	
Name	DIRNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR3

Attribute	Description	
Name	NADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

TAXID

Attribute	Description
Name	TAXID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

MOBNO

Attribute	Description
Name	MOBNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

EMAILID

Attribute	Description
Name	EMAILID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TELISDNOCRPDIR

Attribute	Description
Name	TELISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNOCRPDIR

Attribute	Description
Name	MOBISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description
Name	ADDRCOUNTRYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

NATIONLTYCRPDIR

Attribute	Description
Name	NATIONLTYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

USRESSTATUSCRPDIR

Attribute	Description
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PCTHOLDING

Attribute	Description
Name	PCTHOLDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Issuerlmts

Attribute	Description
Name	Issuerlmts
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CLTRLTYP

Attribute	Description
Name	CLTRLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

LMTCCY

Attribute	Description
Name	LMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DOCREF

Attribute	Description
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

DATEREQ

Attribute	Description
Name	DATEREQ
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPECTDDATE

Attribute	Description
Name	EXPECTDDATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REMARK1

Attribute	**Description**
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	**Description**
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	**Description**
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	**Description**
Name	REMARK4
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK5

Attribute	Description	
Name	REMARK5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK6

Attribute	Description	
Name	REMARK6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK7

Attribute	Description	
Name	REMARK7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK8

Attribute	Description	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Custgrp

Attribute	**Description**
Name	Custgrp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

GRPNO

Attribute	**Description**
Name	GRPNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RELATION

Attribute	Description
Name	RELATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custshhold

Attribute	Description
Name	Custshhold
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SHHOLDPCT

Attribute	**Description**
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Clsccyrest

Attribute	**Description**
Name	Clsccyrest
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTNO

Attribute	**Description**
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Bic

Attribute	Description
Name	Bic
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BICCD

Attribute	Description

Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

Linkedac

Attribute	**Description**
Name	Linkedac
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

VRFD

Attribute	**Description**
Name	VRFD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LINKEDACCNO

Attribute	**Description**
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

LINKEDACCIBAN

Attribute	**Description**
Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	20

TOP

LINKEDACCBIC

Attribute	Description
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

Jointventure

Attribute	Description
Name	Jointventure
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

PARTY_ID

Attribute	Description
Name	PARTY_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

PARTY_RATIO

Attribute	Description
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

PARTYNAME

Attribute	Description

Name	PARTYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Cust-Liab

Attribute	**Description**
Name	Cust-Liab
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITY_NUMBER

Attribute	**Description**
Name	LIABILITY_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LIABILTY_NAME

Attribute	**Description**
Name	LIABILTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LIAB_BRANCH

Attribute	**Description**
Name	LIAB_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	3

TOP

LIAB_CCY

Attribute	Description
Name	LIAB_CCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REVISION_DATE

Attribute	Description
Name	REVISION_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CATEGORY

Attribute	Description
Name	CATEGORY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

UNADV

Attribute	Description
Name	UNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

NETTING_REQUIRED

Attribute	Description
Name	NETTING_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

OVERALL_SCORE

Attribute	Description
Name	OVERALL_SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK_LIMIT

Attribute	Description
Name	FX_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_CLEAN_RISK_LIMIT

Attribute	Description
Name	SEC_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_PSTL_RISK_LIMIT

Attribute	Description
Name	SEC_PSTL_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAIN_LIAB_NO

Attribute	Description
Name	MAIN_LIAB_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UTIL_AMOUNT

Attribute	Description
Name	UTIL_AMOUNT
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Liab-Score

Attribute	Description
Name	Liab-Score
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

SCORE

Attribute	Description
Name	SCORE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

SCORE_NAME

Attribute	Description
Name	SCORE_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

Liab-Rating

Attribute	Description
Name	Liab-Rating
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

PRIMARY

Attribute	Description
Name	PRIMARY

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

AGENCY_NAME

Attribute	**Description**
Name	AGENCY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CREDIT_RATING

Attribute	**Description**
Name	CREDIT_RATING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Liab-Linkage

Attribute	**Description**
Name	Liab-Linkage
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPOSURE_NAME

Attribute	**Description**
Name	EXPOSURE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Liab-Udf

Attribute	Description
Name	Liab-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

Custsegment

Attribute	Description
Name	Custsegment
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTCCY

Attribute	Description

Name	CUSTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUSTSEGCD

Attribute	**Description**
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	**Description**
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

NETWORTH

Attribute	**Description**
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	**Description**
Name	NETWORTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

Mfi1

Attribute	Description	
Name	Mfi1	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

INSURANCE_NUMBER

Attribute	Description	
Name	INSURANCE_NUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MFI_CUST_TYPE

Attribute	Description	
Name	MFI_CUST_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	G,C,I

TOP

POVERTY_STATUS

Attribute	Description	
Name	POVERTY_STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

LITERACY_OF_CLIENT

Attribute	Description
Name	LITERACY_OF_CLIENT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

BUSINESS_ACTIVITY

Attribute	Description
Name	BUSINESS_ACTIVITY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

BLACKLISTED

Attribute	Description
Name	BLACKLISTED
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

BLACKLIST_COUNT

Attribute	Description
Name	BLACKLIST_COUNT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 2

TOP

PHYSICALLY_CHALLENGED

Attribute	Description
Name	PHYSICALLY_CHALLENGED

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Training

Attribute	**Description**
Name	Training
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CIF

Attribute	**Description**
Name	CIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Chklist

Attribute	**Description**
Name	Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

KEY_ID

Attribute	**Description**
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

VERIFIED

Attribute	Description
Name	VERIFIED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Mf-Cifdet

Attribute	Description
Name	Mf-Cifdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Id-Master

Attribute	Description
Name	Id-Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Id-Det-Main

Attribute	Description
Name	Id-Det-Main
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Iddetail

Attribute	Description
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERIES

Attribute	Description
Name	SERIES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DOC_ID

Attribute	Description
Name	DOC_ID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DATE_OF_ISSUE

Attribute	Description	
Name	DATE_OF_ISSUE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DATE_OF_EXPIRY

Attribute	Description	
Name	DATE_OF_EXPIRY	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISSUING_AUTHORITY

Attribute	Description	
Name	ISSUING_AUTHORITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PLACE_OF_ISSUE

Attribute	Description	
Name	PLACE_OF_ISSUE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKTOGRP

Attribute	Description
Name	LINKTOGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Custchnglog

Attribute	Description
Name	Custchnglog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

Baltrnsfrlog

Attribute	Description
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

Customermis

Attribute	Description
Name	Customermis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

Compositemis

Attribute	Description	
Name	Compositemis	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

MISCLS

Attribute	Description	
Name	MISCLS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

MISCD

Attribute	Description	
Name	MISCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

Jointcustomer

Attribute	Description	
Name	Jointcustomer	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates the Customer Joint.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTPREFIX

Attribute	Description
Name	CUSTPREFIX
Datatype	String
Description	Indicates the Customer Prefix.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FRSTNAME

Attribute	Description
Name	FRSTNAME
Datatype	String
Description	Indicates the First Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LASTNAME

Attribute	**Description**
Name	LASTNAME
Datatype	String
Description	Indicates the Last Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOB

Attribute	**Description**
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEX

Attribute	**Description**
Name	SEX
Datatype	String
Description	Indicates the Sex. The Value can be either M or F.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F

TOP

PPNO

Attribute	**Description**
Name	PPNO
Datatype	String
Description	Indicates the Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	20

TOP

PPTISSDT

Attribute	Description	
Name	PPTISSDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PPTEXPDT

Attribute	Description	
Name	PPTEXPDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

ADD1

Attribute	Description	
Name	ADD1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

ADD2

Attribute	Description	
Name	ADD2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

ADD3

Attribute	Description
Name	ADD3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DECEASED

Attribute	Description
Name	DECEASED
Datatype	String
Description	Indicates whether deceased or not. The value can be either D or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resident Status. The Value Could be either R or N.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,N

TOP

Cust-Acc-Det

Attribute	Description	
Name	Cust-Acc-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Diary-Mst

Attribute	Description	
Name	Diary-Mst	
Datatype		
Description	Indicates Diary Master.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

INSTRNO

Attribute	Description	
Name	INSTRNO	
Datatype	String	
Description	Indicates Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

UNTVAL

Attribute	Description
Name	UNTVAL
Datatype	String
Description	Indicates Unit Value.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INSTR

Attribute	Description
Name	INSTR
Datatype	String
Description	Indicates Instructions.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

INSTRTYPE

Attribute	Description

Name	INSTRTYPE
Datatype	String
Description	Indicates Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXEDAYS

Attribute	**Description**
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution Days.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXEMONTHS

Attribute	**Description**
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXEYEARS

Attribute	**Description**
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution years.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MNTHENDFLG

Attribute	**Description**
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. The flag should be either Y or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

OPRTR

Attribute	**Description**
Name	OPRTR
Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

CONDVAL

Attribute	**Description**
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOFCR

Attribute	**Description**
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLINSTRTYP

Attribute	**Description**
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry date.
Attributes	Attribute: minOccurs, Description: 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates Special Instruction.
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 1
Restrictions	Restrictions: maxLength, Description: 9

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage
Datatype	
Description	Include relationship linkage details.

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	Indicates the customer
Attributes	Attribute: minOccurs / Description: 1
Restrictions	Restrictions: maxLength / Description: 9

TOP

RELATIONSHIP

Attribute	Description
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	Attribute: minOccurs / Description: 1
Restrictions	Restrictions: maxLength / Description: 10

TOP

INHERIT

Attribute	Description
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	Attribute: minOccurs / Description: 0
Restrictions	Restrictions: enumeration / Description: Y,N

TOP

DESCP

Attribute	Description
Name	DESCP
Datatype	String
Description	Indicates description
Attributes	Attribute: minOccurs / Description: 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Custacdetail

Attribute	Description
Name	Custacdetail
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicates sequence number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TDESC

Attribute	**Description**
Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

Sttms-Debit

Attribute	Description
Name	Sttms-Debit
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

ACTNO

Attribute	Description
Name	ACTNO
Datatype	String
Description	Account Number
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

Sttms-Detail

Attribute	Description
Name	Sttms-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String

Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NAME_ON_CARD

Attribute	**Description**
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

OWNER_ID_NO

Attribute	**Description**
Name	OWNER_ID_NO
Datatype	String
Description	Owner Id number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

CARD_ISSUED_DT

Attribute	Description	
Name	CARD_ISSUED_DT	
Datatype	Date	
Description	Card Issued Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

CARD_EXPIRY_DT

Attribute	Description	
Name	CARD_EXPIRY_DT	
Datatype	Date	
Description	Card Expiry Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

CARD_STATUS

Attribute	Description	
Name	CARD_STATUS	
Datatype	String	
Description	Card Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

RECORD_STAT

Attribute	Description	
Name	RECORD_STAT	
Datatype	String	
Description	Record Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

AUTH_STAT

Attribute	Description
Name	AUTH_STAT

Datatype	String
Description	Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_BIN

Attribute	**Description**
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Extsys-Ws-Master

Attribute	**Description**
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

KEYID

Attribute	**Description**
Name	KEYID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

Extsys-Ws-Details

Attribute	Description
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Cust-Account

Attribute	Description
Name	Cust-Account
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACC

Attribute	Description

Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AC_DESC

Attribute	**Description**
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCOUNT_CLASS

Attribute	**Description**
Name	ACCOUNT_CLASS
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

AC_OPEN_DATE

Attribute	Description
Name	AC_OPEN_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ALT_ACC_NO

Attribute	Description
Name	ALT_ACC_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHQBOOK

Attribute	Description
Name	CHQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 15

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

OPMODE

Attribute	Description
Name	OPMODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	Description
Name	COUNTRY_CODE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	**Description**
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	**Description**
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	**Description**
Name	ACCOUNT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	**Description**
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

ACC_OPENING_AMT

Attribute	Description
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

GL_ACCC

Attribute	Description
Name	GL_ACCC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

REPL_CUST_SIG

Attribute	Description
Name	REPL_CUST_SIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

SALARY_ACCOUNT

Attribute	Description
Name	SALARY_ACCOUNT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

SPDANLSYS

Attribute	Description
Name	SPDANLSYS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

TYOFCHQ

Attribute	Description
Name	TYOFCHQ
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: E,C

TOP

Jointholders

Attribute	Description
Name	Jointholders

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUSTNO

Attribute	**Description**
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

JNTHLDTYP

Attribute	**Description**
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	Description	
Name	START_DATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

END_DATE

Attribute	Description	
Name	END_DATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

Acc-Nominees

Attribute	Description	
Name	Acc-Nominees	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

RELSHIP

Attribute	Description	
Name	RELSHIP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR1

Attribute	Description
Name	NADDR1

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR2

Attribute	**Description**
Name	NADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR3

Attribute	**Description**
Name	NADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR4

Attribute	**Description**
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NOMINEE_ID

Attribute	**Description**
Name	NOMINEE_ID
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUST_AC_NO

Attribute	Description	
Name	CUST_AC_NO	
Datatype	String	
Description	Account No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

BRANCH_CODE

Attribute	Description	
Name	BRANCH_CODE	
Datatype	String	
Description	Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

NOMMINOR

Attribute	Description	
Name	NOMMINOR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

GUARDNAM

Attribute	Description	
Name	GUARDNAM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GUARDRELNSHP

Attribute	Description
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

GADDR1

Attribute	Description
Name	GADDR1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

GADDR2

Attribute	Description
Name	GADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

GADDR3

Attribute	Description
Name	GADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

GADDR4

Attribute	Description
Name	GADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NAM

Attribute	Description
Name	NAM
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_AC_NO

Attribute	Description	
Name	CUST_AC_NO	
Datatype	String	
Description	Account No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHECKED

Attribute	Description	
Name	CHECKED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

Doctype-Remarks1

Attribute	Description	
Name	Doctype-Remarks1	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BRANCH_CODE

Attribute	Description	
Name	BRANCH_CODE	
Datatype	String	
Description	Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Cust-Acc-Check

Attribute	**Description**
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIRST_CHECK_NO

Attribute	**Description**
Name	FIRST_CHECK_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

CHECK_LEAVES

Attribute	Description	
Name	CHECK_LEAVES	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

CHEQUE_BOOK_TYPE

Attribute	Description	
Name	CHEQUE_BOOK_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

ORDER_DATE

Attribute	Description	
Name	ORDER_DATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

ORDER_DETAILS

Attribute	Description	
Name	ORDER_DETAILS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CHQ_TYPE

Attribute	**Description**
Name	CHQ_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / EURO,COMM

TOP

Cust-Acc-Card

Attribute	**Description**
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REQUEST_REFERENCE_NO

Attribute	**Description**
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	4

TOP

CARD_BIN

Attribute	Description	
Name	CARD_BIN	
Datatype	String	
Description	Card BIN	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

NAME_ON_CARD

Attribute	Description	
Name	NAME_ON_CARD	
Datatype	String	
Description	Name On Card	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CARD_NO

Attribute	Description	
Name	CARD_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	19

TOP

CARD_APPL_DATE

Attribute	Description	
Name	CARD_APPL_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Udfdetails

Attribute	Description
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCID

Attribute	Description
Name	FUNCID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

RECKEY

Attribute	Description
Name	RECKEY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 700

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	P,R

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: 1,2,3,4,5,6,7,8,9,

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	**Description**	
Name	LINKGRP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Misaccchangelog

Attribute	**Description**	
Name	Misaccchangelog	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Misbaltransferlog

Attribute	Description
Name	Misbaltransferlog

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

Classname

Attribute	Description
Name	Classname
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

B1

Attribute	Description
Name	B1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Cust-Ck-Det

Attribute	Description
Name	Cust-Ck-Det
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

LVL_EFFDT

Attribute	Description
Name	LVL_EFFDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 16

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID
Datatype	String
Description	Function
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 8

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String
Description	Document Category
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	Document Type
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

2.22.3.ST-CreateCustomer-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-Full*
    - *PRIVATE_CUSTOMER*
    - *CUSTNO*
    - *CTYPE*
    - *NAME*
    - *ADDRLN1*
    - *ADDRLN3*
    - *ADDRLN2*
    - *ADDRLN4*
    - *COUNTRY*
    - *SNAME*
    - *NLTY*
    - *LBRN*
    - *CCATEG*
    - *FULLNAME*
    - *CIFCREATIONDT*
    - *ISELCMCUST*
    - *ELCMCUSTNO*
    - *AR_AP_TRACKING*

EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
CREATEACC
CREATEDACCOUNT
TRACK_LIMITS
LIABID
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM
SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR

UTLTYPRVDRID
RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
LC_COLLAT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
UDF1
UDF2
UDF3
UDF4
UDF5
RM_ID
NETTREQD
LIABUNADV
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
MFI_CUSTOMER
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Custpersonal

FSTNAME
MIDNAME
LSTNAME
DOB
GENDR
NATIONID
PPTNO
PPTISSDT
PPTEXPDT
DADD2
DADD3
DPIN_CODE
TELEPHNO
FAXNUMBER
EMAILID
BENEFADDR1
ADDRS3
BENEFADDR2
DCNTRY
PCNTRY
RESSTATUS
CUSTPREFIX1
CUSTPREFIX2
MOBNUM
CUST_COMM_MODE
LANG
GUARDIAN
SBMTAGEPROOF
MINOR
KYCSTAT
SSTAFF
KYC_REFNO
SAME_CORR_ADDR
DADD1
SAME_PERM_ADDR
TITLE
ADDRS4
DADD4
PLACEOFBIRTH
BIRTHCOUNTRY
TELISDNOPERSONAL
MOBISDNO
FAXISDNO
USRESSTATUS

PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY
PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV
HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
- *CUSTNO*
- *EDUSTAT*
- *MARITALSTAT*
- *SPNAME*
- *SPEMPSTATUS*
- *DEPCHILD*
- *DEPOTH*
- *ACCOMODATE*
- *MOTHERMAIDN_NAME*

Custprof
- *CUSTNO*
- *EMPSTAT*
- *EMPTENURE*
- *RETIREAGE*
- *PREVDESIG*
- *PREVEMP*
- *CURRDESIG*
- *CURREMP*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *AMTCCY1*
- *TELEX*
- *FAX*
- *EMAIL*
- *SALARY*
- *OTHER1*
- *RENT*
- *INSURANCE*

LOANPMNT

OTHEXP

HOUSEVAL

CRCARD

CNTY

EMPLOYER_DESC

Custcorp

CORPNAME

REGADD1

REGADD2

REGADD3

R_PIN_CODE

AMTCCY

INCORPDT

CAPITAL

NETWORTH

CORPDESC

INCORPCNTRY

REGCNTRY

SAME_CORR_ADDR

REGADD4

JOINTVENTURE

CADDR1

CADDR3

CADDR2

CADDR4

CPINCODE

CNTRY

LANGUAGE

KYC_DETAILS

KYCREFNO

CNAME

UIDNAME

UIDVALUE

TELEPHONE

FAX

EMAILID

MOBILENUMBER

CUSTCOMMMODE

NATIONID

TELISDNOCRP

MOBISDNOCRP

FAXISDNOCRP

PREF_CNTACT_DATE

PREF_CNTACT_TIME

OWNERSHPTYPE

Custcorpdir

DIRNAME

NADDR1

NADDR2

NADDR3

NADDR4

ADDRESS1

ADDRESS2

ADDRESS3

COUNTRY

TEL

TAXID

MOBNO

EMAILID

TELISDNOCRPDIR

MOBISDNOCRPDIR

ADDRCOUNTRYCRPDIR

NATIONLTYCRPDIR

USRESSTATUSCRPDIR

PCTHOLDING

HOMETELNO

HOMETELISD

PPIN_CODE

PIN_CODE

Issuerdet

CUSTNO

OVERLMTCCY

OVERLIMIT

Issuerlmts

CLTRLTYP

LMTCCY

LMTAMT

Custdoc-Chklist

CUSTOMER_NO

DOCCATEGORY

DOCUMENTNAME

DOCUMENT_TYPE

CHECKED

DOCREF

DATEREQ

EXPECTDDATE

ACTUALDATE

- *EXPDATE*
- *REMARKSCHKLIST*

Doctype-Remarks

- *CUSTOMER_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *CUSTNO*
- *RELATION*

Custshhold

- *CUSTNO*
- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CUSTNO*
- *CCY*
- *DESC*

Bic

- *ACC*
- *CUSTNO*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Cust-Liab

- *LIABILITY_NUMBER*
- *LIABILTY_NAME*
- *LIAB_BRANCH*
- *LIAB_CCY*

- *OVERLIMIT*
- *REVISION_DATE*
- *CATEGORY*
- *USER_DEFINED_STATUS*
- *UNADV*
- *NETTING_REQUIRED*
- *OVERALL_SCORE*
- *FX_CLEAN_RISK_LIMIT*
- *SEC_CLEAN_RISK_LIMIT*
- *SEC_PSTL_RISK_LIMIT*
- *REMARKS*
- *MAIN_LIAB_NO*
- *UTIL_AMOUNT*
- *CRRATING*
- *Liab-Score*
  - *SCORE*
  - *SCORE_NAME*
  - *SCORE_DESC*
- *Liab-Rating*
  - *PRIMARY*
  - *AGENCY_NAME*
  - *CREDIT_RATING*
- *Liab-Linkage*
  - *EXPOSURE_NAME*
  - *EXPOSURE_DESC*
  - *EXPOSURE_TYPE*
- *Liab-Udf*
  - *FLDNAM*
  - *FLDVAL*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*

Mfi1

- *INSURANCE_NUMBER*
- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*
- *BLACKLISTED*
- *BLACKLIST_COUNT*
- *PHYSICALLY_CHALLENGED*

- *ACCOUNT_OFFICER*
- *Training*
  - *TRAINING_CODE*
  - *TRAINING_DATE*
  - *CIF*
- *Chklist*
  - *KEY_ID*
  - *CHKLIST_ITEM*
  - *VERIFIED*
- *Mf-Cifdet*
  - *CUSTOMER_NO*
  - *GROUP_CODE*
  - *MEETING_CODE*

Id-Master

- *CUSTOMER_NO*

Id-Det-Main

- *CUSTOMER_NO*
- *SNO*
- *DOCUMENT_TYPE*
- *Iddetail*
  - *CUSTOMER_NO*
  - *SNO*
  - *DOCUMENT_TYPE*
  - *SERIES*
  - *DOC_ID*
  - *DATE_OF_ISSUE*
  - *DATE_OF_EXPIRY*
  - *ISSUING_AUTHORITY*
  - *PLACE_OF_ISSUE*
  - *NAME*

Custmis

- *MISGRP*
- *CUST*
- *BRNCD*
- *LINKTOGRP*
- *Custchnglog*
  - *MISCLS*
  - *TXNDT*
  - *OLDMISCD*
  - *NWMISCD*
- *Baltrnsfrlog*
  - *BRN*
  - *PRDCD*
  - *FINYR*

TXNDT
GLCODE
MISCLS
OLDMISCD
NWMISCD
TRNIND
CCY
AMT
XRATE
Customermis
MISCLS
MISCD
Compositemis
MISCLS
MISCD
Custloghead
Jointcustomer
CUSTNO
Custjoint
CUSTPREFIX
FRSTNAME
MIDNAME
LASTNAME
DOB
SEX
PPNO
PPTISSDT
PPTEXPDT
ADD1
ADD2
ADD3
TEL
EMAIL
SSN
DECEASED
RESISTAT
Cust-Acc-Det
CUSTNO
Diary-Mst
INSTRNO
UNTTYP
UNTVAL
BRN
INSTR

INSTRTYPE
EXEDAYS
EXEMONTHS
EXEYEARS
MNTHENDFLG
HLDRULE
FRSTDUEDT
NXTDUEDT
NXTEXEDT
CONDELEM
OPRTR
CONDVAL
ACCOFCR
SPLINSTRTYP
EXPDT
SPLINSTR
Custaccdet
CUSTNO
BRNCD
Relationship-Linkage
CUSTOMER
RELATIONSHIP
INHERIT
DESCP
Custacdetail
CUSTNO
CUSTTEXT
SEQNO
CUSTNO
TDESC
UDFDETAILS
FLDNAM
FLDVAL
Sttms-Debit
BRANCH_CODE
CUST_NO
ACTNO
Sttms-Detail
BRANCH_CODE
REQUEST_REFERENCE_NO
CARDNO
CUST_NO
CARD_PRODUCT
PRIMARY_CARD

NAME_ON_CARD

OWNER_ID_NO

CARD_ISSUED_DT

CARD_EXPIRY_DT

CARD_STATUS

RECORD_STAT

AUTH_STAT

CARD_BIN

CUST_AC_NO

Extsys-Ws-Master

Extsys-Ws-Details

EXTWSRESP

USERREMARKS

Cust-Account

BRN

ACC

AC_DESC

CUSTNAME

CUST_NO

CCY

ACCOUNT_CLASS

AC_OPEN_DATE

ALT_ACC_NO

CHQBOOK

ATM

PASSBOOK

ATMACC

ATMDLIM

ATMDCNTLIM

CHKNAME1

CHKNAME2

AUTOREORDERCHKREQ

AUTOREORDERCHKLVL

AUTOREORDERCHKLVS

DORMPRM

LOCATION

MEDIA

OPMODE

COUNTRY_CODE

AUTO_CHEQUE_BOOK_REQ

AUTO_DEBIT_CARD_REQUEST

ACCOUNT_TYPE

MAX_NO_CHEQUE_REJECTIONS

ACC_OPENING_AMT

GL_ACCC
OFFSET_BRN
PAY_IN_OPTION
WAIVE_ACC_OPEN_CHARGE
CODATMBRN
REPL_CUST_SIG
SALARY_ACCOUNT
SDREFNO
SPDANLSYS
TYOFCHQ
Account-Generation
Jointholders-Main
Jointholders
- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUSTNO*
- *CUSTNAME1*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees
- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMINEE_ID*
- *CUST_AC_NO*
- *BRANCH_CODE*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist
- *BRANCH_CODE*
- *CUST_AC_NO*
- *DOCUMENT_TYPE*
- *MANDATORY*
- *CHECKED*

Doctype-Remarks1

BRANCH_CODE

CUST_AC_NO

REMARK1

REMARK2

REMARK3

REMARK4

REMARK5

REMARK6

REMARK7

REMARK8

REMARK9

REMARK10

Cust-Acc-Check

BRANCH

ACCOUNT

FIRST_CHECK_NO

CHECK_LEAVES

CHEQUE_BOOK_TYPE

ORDER_DATE

ORDER_DETAILS

LANG_CODE

REQUEST_STATUS

CHQ_TYPE

Cust-Acc-Card

BRANCH_CODE

CUST_AC_NO

CUST_NO

REQUEST_REFERENCE_NO

CARD_PRODUCT

CARD_BIN

NAME_ON_CARD

CARD_NO

CARD_APPL_DATE

PRIMARY_CARD

CARD_STATUS

Udfdetails

FUNCID

RECKEY

FLDNAM

FLDVAL

Custacc

Misdetails

TXNMIS7

COMPMIS8
TXNMIS8
COMPMIS9
TXNMIS9
COMPMIS10
TXNMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
REFRTSPRD
REFRTTYPE
REFRTCD
BRN
ACC
POOLCD
RTFLAG
REFRATE
CALCMETH
MISGRP
MISGRPTXN
MISGRPCOMP
COMPMIS1
TXNMIS1
COMPMIS2
TXNMIS2
COMPMIS3
TXNMIS3
COMPMIS4
TXNMIS4
COMPMIS5
TXNMIS5
COMPMIS6
TXNMIS6
COMPMIS7
LINKGRP
Misaccchangelog
- *MISCLS*
- *TXNDT*
- *OLDMISCD*
- *NWMISCD*

Misbaltransferlog
- *BRN*

PRDCD

FINYR

GLCODE

TRNIND

MISCLS

TXNDT

OLDMISCD

NWMISCD

CCY

AMT

XRATE

Chglog

Tsfrlog

Classname

B1

C1

C2

C3

C4

C5

C6

C7

C8

C9

C10

T1

T2

T3

T4

T5

T6

T7

T8

T9

T10

Nsf-Enq

CUSTOMER_NO

CUSTOMER_NAME1

NSFIB_CS_EVENT_NO

NSFIB_CS_LVL

NSFIB_CS_LVL_EFFDT

NSFIB_CS_LVL_EXPDT

NSFIB_CS_BLK_STAT

NSFIB_CS_LAST_TRN_DT

NSFIB_CS_WBRCK_STAT
NSFIB_CS_WBRCK_EFFDT
NSFIB_CS_WBRCK_EXPDT
NSFIB_IB_BLK_STAT
NSFIB_IB_BLK_EFFDT
NSFIB_IB_BLK_EXPDT
NSFIB_IB_BLK_DESC
NSFIB_CB_BLK_STAT
NSFIB_CB_DESC
NSFIB_CB_EFFDT
NSFIB_CB_EXPDT
NSFIB_CS_BLK_DESC
NSFIB_CS_WBRCK_STAT_DESC
Cust
CUSTNO
CNAME
Cust-Ck-Det
CHQ_AMT
CHQ_PROCESS_ORDER
LVL_COMP_EXPDT
BRANCH_CODE
CG_REF_NO
CUSTOMER_NO
ACCOUNT_NO
CHQ_NO
EVENT_NO
NSF_LVL
LVL_EFFDT
LVL_EXPDT
CHQ_DT
CHQ_VALUEDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Customer-Full

Attribute	Description

Name	Customer-Full
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description
Name	PRIVATE_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CTYPE

Attribute	Description
Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,C,B

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	Description

Name	ADDRLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN3

Attribute	Description
Name	ADDRLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN2

Attribute	Description
Name	ADDRLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN4

Attribute	Description
Name	ADDRLN4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SNAME

Attribute	**Description**
Name	SNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

NLTY

Attribute	**Description**
Name	NLTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LBRN

Attribute	**Description**
Name	LBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCATEG

Attribute	**Description**
Name	CCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FULLNAME

Attribute	**Description**
Name	FULLNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CIFCREATIONDT

Attribute	**Description**
Name	CIFCREATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISELCMCUST

Attribute	**Description**
Name	ISELCMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

ELCMCUSTNO

Attribute	**Description**
Name	ELCMCUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AR_AP_TRACKING

Attribute	Description
Name	AR_AP_TRACKING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

EXPCNTRY

Attribute	Description
Name	EXPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UIDNAME

Attribute	Description
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

UIDVAL

Attribute	Description
Name	UIDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FROZEN

Attribute	Description
Name	FROZEN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DEAD

Attribute	**Description**
Name	DEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

WHRUNKN

Attribute	**Description**
Name	WHRUNKN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CRRATE

Attribute	**Description**
Name	CRRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MEDIA

Attribute	**Description**
Name	MEDIA
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

SSN

Attribute	**Description**	
Name	SSN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

SWIFTCD

Attribute	**Description**	
Name	SWIFTCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

LOC

Attribute	**Description**	
Name	LOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MAILRSREQD

Attribute	**Description**	
Name	MAILRSREQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

GRPCD

Attribute	**Description**
Name	GRPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXPCAT

Attribute	**Description**
Name	EXPCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUSTCLASSFN

Attribute	**Description**
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CIFSTAT

Attribute	**Description**
Name	CIFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CIFSTATSNC

Attribute	Description
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGGRP

Attribute	Description
Name	CHGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSTCLGGRP

Attribute	Description
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TAXGROUP

Attribute	Description
Name	TAXGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLSPARTICIPANT

Attribute	Description
Name	CLSPARTICIPANT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

FXNETTCUST

Attribute	Description
Name	FXNETTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRMCUST

Attribute	Description
Name	CRMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ISSUCUST

Attribute	Description
Name	ISSUCUST
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

TRSRYCUST

Attribute	Description
Name	TRSRYCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

RELPRICING

Attribute	Description
Name	RELPRICING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

MT920

Attribute	Description
Name	MT920
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

FLGJOINT

Attribute	Description
Name	FLGJOINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

CREATEACC

Attribute	**Description**
Name	CREATEACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

CREATEDACCOUNT

Attribute	**Description**
Name	CREATEDACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

TRACK_LIMITS

Attribute	**Description**
Name	TRACK_LIMITS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

LIABID

Attribute	**Description**
Name	LIABID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LMCCY

Attribute	Description
Name	LMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOACNO

Attribute	Description
Name	HOACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RISKPRFL

Attribute	Description
Name	RISKPRFL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRCAT

Attribute	Description
Name	DRCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

AMLREQD

Attribute	Description
Name	AMLREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

AMLCUSTGRP

Attribute	Description
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

CHKDIGITVALREQD

Attribute	Description
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

ALGID

Attribute	Description
Name	ALGID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

FTACCASOF

Attribute	Description
Name	FTACCASOF

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,N,D

TOP

CUSTUNADV

Attribute	**Description**
Name	CUSTUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CONSTAXCERTRQD

Attribute	**Description**
Name	CONSTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

INDTAXCERTRQD

Attribute	**Description**
Name	INDTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CLSCCYALLWD

Attribute	**Description**
Name	CLSCCYALLWD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,A

TOP

RISKCATEG

Attribute	Description
Name	RISKCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UPTYPE

Attribute	Description
Name	UPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFLBL1

Attribute	Description
Name	UDFLBL1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL2

Attribute	Description
Name	UDFLBL2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL3

Attribute	Description
Name	UDFLBL3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDF1

Attribute	Description
Name	UDF1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF2

Attribute	Description
Name	UDF2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF3

Attribute	Description
Name	UDF3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF4

Attribute	Description
Name	UDF4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF5

Attribute	Description
Name	UDF5

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

RM_ID

Attribute	**Description**
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

NETTREQD

Attribute	**Description**
Name	NETTREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABUNADV

Attribute	**Description**
Name	LIABUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AUTOGENSTMTPLAN

Attribute	**Description**
Name	AUTOGENSTMTPLAN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	Description
Name	STMTDAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MFI_CUSTOMER

Attribute	Description
Name	MFI_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

INVESTCUST

Attribute	Description	
Name	INVESTCUST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

ALLOWVRTLACCNTS

Attribute	Description	
Name	ALLOWVRTLACCNTS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

VRTLCUSTOMERID

Attribute	Description	
Name	VRTLCUSTOMERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	**Description**
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Custpersonal

Attribute	**Description**
Name	Custpersonal
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FSTNAME

Attribute	**Description**
Name	FSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MIDNAME

Attribute	**Description**
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

LSTNAME

Attribute	Description
Name	LSTNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PPTNO

Attribute	Description
Name	PPTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DADD2

Attribute	Description
Name	DADD2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD3

Attribute	Description
Name	DADD3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

DPIN_CODE

Attribute	Description	
Name	DPIN_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

TELEPHNO

Attribute	Description	
Name	TELEPHNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

FAXNUMBER

Attribute	Description	
Name	FAXNUMBER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

EMAILID

Attribute	Description	
Name	EMAILID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

BENEFADDR1

Attribute	Description	
Name	BENEFADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRS3

Attribute	Description	
Name	ADDRS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEFADDR2

Attribute	Description	
Name	BENEFADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DCNTRY

Attribute	Description	
Name	DCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

RESSTATUS

Attribute	Description
Name	RESSTATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,R

TOP

CUSTPREFIX1

Attribute	Description
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

CUSTPREFIX2

Attribute	Description
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

MOBNUM

Attribute	Description
Name	MOBNUM

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_COMM_MODE

Attribute	**Description**
Name	CUST_COMM_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,M

TOP

LANG

Attribute	**Description**
Name	LANG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

GUARDIAN

Attribute	**Description**
Name	GUARDIAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SBMTAGEPROOF

Attribute	**Description**
Name	SBMTAGEPROOF
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,N,V

TOP

MINOR

Attribute	Description
Name	MINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

KYCSTAT

Attribute	Description
Name	KYCSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,V,F

TOP

SSTAFF

Attribute	Description
Name	SSTAFF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

KYC_REFNO

Attribute	Description
Name	KYC_REFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

DADD1

Attribute	Description	
Name	DADD1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

SAME_PERM_ADDR

Attribute	Description	
Name	SAME_PERM_ADDR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

TITLE

Attribute	Description	
Name	TITLE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	30

TOP

ADDRS4

Attribute	Description
Name	ADDRS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD4

Attribute	Description
Name	DADD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PLACEOFBIRTH

Attribute	Description
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

BIRTHCOUNTRY

Attribute	Description
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

EDUSTAT

Attribute	Description
Name	EDUSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / U,N,G,P

TOP

MARITALSTAT

Attribute	Description
Name	MARITALSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,D,R,S,P,E

TOP

SPNAME

Attribute	Description
Name	SPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SPEMPSTATUS

Attribute	Description
Name	SPEMPSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description	
Name	DEPCHILD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DEPOTH

Attribute	Description	
Name	DEPOTH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCOMODATE

Attribute	Description	
Name	ACCOMODATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description	
Name	MOTHERMAIDN_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Custprof

Attribute	Description
Name	Custprof

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

EMPSTAT

Attribute	Description
Name	EMPSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description
Name	EMPTENURE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETIREAGE

Attribute	Description
Name	RETIREAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PREVEMP

Attribute	Description
Name	PREVEMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURRDESIG

Attribute	Description
Name	CURRDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURREMP

Attribute	Description
Name	CURREMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADD1

Attribute	Description
Name	ADD1

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMTCCY1

Attribute	Description
Name	AMTCCY1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

TELEX

Attribute	Description
Name	TELEX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SALARY

Attribute	Description
Name	SALARY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OTHER1

Attribute	Description
Name	OTHER1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOUSEVAL

Attribute	Description
Name	HOUSEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CRCARD

Attribute	Description
Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CNTY

Attribute	Description
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EMPLOYER_DESC

Attribute	Description
Name	EMPLOYER_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Custcorp

Attribute	Description
Name	Custcorp
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CORPNAME

Attribute	Description	
Name	CORPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD1

Attribute	Description	
Name	REGADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD2

Attribute	Description	
Name	REGADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD3

Attribute	Description	
Name	REGADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

R_PIN_CODE

Attribute	Description
Name	R_PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

AMTCCY

Attribute	Description
Name	AMTCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

INCORPDT

Attribute	Description
Name	INCORPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CAPITAL

Attribute	Description
Name	CAPITAL
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CORPDESC

Attribute	Description	
Name	CORPDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

INCORPCNTRY

Attribute	Description	
Name	INCORPCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

REGCNTRY

Attribute	Description	
Name	REGCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

REGADD4

Attribute	Description
Name	REGADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JOINTVENTURE

Attribute	Description
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CADDR1

Attribute	Description
Name	CADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR3

Attribute	Description
Name	CADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR2

Attribute	Description
Name	CADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CADDR4

Attribute	Description
Name	CADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CPINCODE

Attribute	Description
Name	CPINCODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

CNTRY

Attribute	Description
Name	CNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

LANGUAGE

Attribute	Description
Name	LANGUAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

KYC_DETAILS

Attribute	**Description**
Name	KYC_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,V,F

TOP

KYCREFNO

Attribute	**Description**
Name	KYCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CNAME

Attribute	**Description**
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

UIDVALUE

Attribute	Description
Name	UIDVALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TELEPHONE

Attribute	Description
Name	TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MOBILENUMBER

Attribute	**Description**
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CUSTCOMMMODE

Attribute	**Description**
Name	CUSTCOMMMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,M

TOP

NATIONID

Attribute	**Description**
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

TELISDNOCRP

Attribute	**Description**
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DIRNAME

Attribute	Description
Name	DIRNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR1

Attribute	Description
Name	NADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR2

Attribute	Description
Name	NADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR3

Attribute	Description
Name	NADDR3

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TAXID

Attribute	Description	
Name	TAXID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MOBNO

Attribute	Description	
Name	MOBNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	105

TOP

EMAILID

Attribute	Description	
Name	EMAILID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

TELISDNOCRPDIR

Attribute	Description	
Name	TELISDNOCRPDIR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MOBISDNOCRPDIR

Attribute	Description	
Name	MOBISDNOCRPDIR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description	
Name	ADDRCOUNTRYCRPDIR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

NATIONLTYCRPDIR

Attribute	Description
Name	NATIONLTYCRPDIR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

USRESSTATUSCRPDIR

Attribute	**Description**
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PCTHOLDING

Attribute	**Description**
Name	PCTHOLDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOMETELNO

Attribute	**Description**
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	**Description**
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Issuerlmts

Attribute	Description
Name	Issuerlmts
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CLTRLTYP

Attribute	Description
Name	CLTRLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LMTCCY

Attribute	Description
Name	LMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	**Description**
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

DOCREF

Attribute	**Description**
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

DATEREQ

Attribute	**Description**
Name	DATEREQ
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECTDDATE

Attribute	Description
Name	EXPECTDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Custgrp

Attribute	**Description**
Name	Custgrp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

GRPNO

Attribute	**Description**
Name	GRPNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

RELATION

Attribute	Description	
Name	RELATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

Custshhold

Attribute	Description	
Name	Custshhold	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDPCT

Attribute	Description
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Clsccyrest

Attribute	Description
Name	Clsccyrest
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Bic

Attribute	Description
Name	Bic
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BICCD

Attribute	Description
Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

Linkedac

Attribute	Description
Name	Linkedac
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

VRFD

Attribute	Description
Name	VRFD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LINKEDACCNO

Attribute	Description
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

LINKEDACCIBAN

Attribute	Description

Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LINKEDACCBIC

Attribute	**Description**
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Jointventure

Attribute	**Description**
Name	Jointventure
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PARTY_ID

Attribute	**Description**
Name	PARTY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PARTY_RATIO

Attribute	**Description**
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

PARTYNAME

Attribute	Description
Name	PARTYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Cust-Liab

Attribute	Description
Name	Cust-Liab
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITY_NUMBER

Attribute	Description
Name	LIABILITY_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LIABILTY_NAME

Attribute	Description
Name	LIABILTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LIAB_BRANCH

Attribute	Description
Name	LIAB_BRANCH

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LIAB_CCY

Attribute	**Description**
Name	LIAB_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	**Description**
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVISION_DATE

Attribute	**Description**
Name	REVISION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CATEGORY

Attribute	**Description**
Name	CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

UNADV

Attribute	Description
Name	UNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

NETTING_REQUIRED

Attribute	Description
Name	NETTING_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

OVERALL_SCORE

Attribute	Description
Name	OVERALL_SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK_LIMIT

Attribute	Description
Name	FX_CLEAN_RISK_LIMIT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_CLEAN_RISK_LIMIT

Attribute	Description
Name	SEC_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_PSTL_RISK_LIMIT

Attribute	Description
Name	SEC_PSTL_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAIN_LIAB_NO

Attribute	Description
Name	MAIN_LIAB_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UTIL_AMOUNT

Attribute	Description
Name	UTIL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRRATING

Attribute	Description
Name	CRRATING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Liab-Score

Attribute	Description
Name	Liab-Score
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCORE

Attribute	Description
Name	SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

SCORE_NAME

Attribute	Description
Name	SCORE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	50

TOP

SCORE_DESC

Attribute	Description
Name	SCORE_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 250

TOP

Liab-Rating

Attribute	Description
Name	Liab-Rating
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

PRIMARY

Attribute	Description
Name	PRIMARY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

AGENCY_NAME

Attribute	Description
Name	AGENCY_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

CREDIT_RATING

Attribute	Description
Name	CREDIT_RATING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Liab-Linkage

Attribute	Description
Name	Liab-Linkage
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXPOSURE_NAME

Attribute	Description
Name	EXPOSURE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXPOSURE_DESC

Attribute	Description
Name	EXPOSURE_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXPOSURE_TYPE

Attribute	Description
Name	EXPOSURE_TYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Liab-Udf

Attribute	**Description**
Name	Liab-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

Custsegment

Attribute	**Description**
Name	Custsegment
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Mfi1

Attribute	**Description**
Name	Mfi1
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSURANCE_NUMBER

Attribute	**Description**
Name	INSURANCE_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MFI_CUST_TYPE

Attribute	**Description**
Name	MFI_CUST_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / G,C,I

TOP

POVERTY_STATUS

Attribute	**Description**
Name	POVERTY_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

LITERACY_OF_CLIENT

Attribute	Description	
Name	LITERACY_OF_CLIENT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

BUSINESS_ACTIVITY

Attribute	Description	
Name	BUSINESS_ACTIVITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

BLACKLISTED

Attribute	Description	
Name	BLACKLISTED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

BLACKLIST_COUNT

Attribute	Description	
Name	BLACKLIST_COUNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

TOP

PHYSICALLY_CHALLENGED

Attribute	Description
Name	PHYSICALLY_CHALLENGED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ACCOUNT_OFFICER

Attribute	Description
Name	ACCOUNT_OFFICER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Training

Attribute	Description
Name	Training
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TRAINING_CODE

Attribute	Description
Name	TRAINING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRAINING_DATE

Attribute	Description

Name	TRAINING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CIF

Attribute	Description
Name	CIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Chklist

Attribute	Description
Name	Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHKLIST_ITEM

Attribute	Description
Name	CHKLIST_ITEM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VERIFIED

Attribute	Description
Name	VERIFIED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Mf-Cifdet

Attribute	Description
Name	Mf-Cifdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

GROUP_CODE

Attribute	Description
Name	GROUP_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MEETING_CODE

Attribute	Description
Name	MEETING_CODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Id-Master

Attribute	**Description**
Name	Id-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Id-Det-Main

Attribute	**Description**
Name	Id-Det-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Iddetail

Attribute	Description
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 20

TOP

SERIES

Attribute	Description
Name	SERIES
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

DOC_ID

Attribute	Description
Name	DOC_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

DATE_OF_ISSUE

Attribute	Description
Name	DATE_OF_ISSUE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DATE_OF_EXPIRY

Attribute	Description
Name	DATE_OF_EXPIRY
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	Description
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CUST

Attribute	Description
Name	CUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LINKTOGRP

Attribute	Description
Name	LINKTOGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Custchnglog

Attribute	Description

Name	Custchnglog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	**Description**
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

OLDMISCD

Attribute	**Description**
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Baltrnsfrlog

Attribute	Description
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	Description

Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

GLCODE

Attribute	Description
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

TRNIND

Attribute	Description
Name	TRNIND
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Customermis

Attribute	Description
Name	Customermis

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Compositemis

Attribute	Description
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

ORACLE

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Custloghead

Attribute	Description
Name	Custloghead
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates Customer Joint.

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTPREFIX

Attribute	Description
Name	CUSTPREFIX
Datatype	String
Description	Indicates the Customer Prefix.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

FRSTNAME

Attribute	Description
Name	FRSTNAME
Datatype	String
Description	Indicates the First Name.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

LASTNAME

Attribute	Description
Name	LASTNAME
Datatype	String
Description	Indicates the Last Name.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEX

Attribute	Description
Name	SEX
Datatype	String
Description	Indicates the Sex. The value can be either M or F.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F

TOP

PPNO

Attribute	Description
Name	PPNO
Datatype	String
Description	Indicates Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

ADD1

Attribute	Description	
Name	ADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description	
Name	ADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD3

Attribute	Description	
Name	ADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

DECEASED

Attribute	Description
Name	DECEASED
Datatype	String
Description	Indicates whether Deceased or not. The value should be either D or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resistant Status. The value could be either R or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

UNTVAL

Attribute	Description
Name	UNTVAL
Datatype	String
Description	Indicates Unit Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INSTR

Attribute	Description
Name	INSTR
Datatype	String
Description	Indicates Instructions
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

INSTRTYPE

Attribute	Description
Name	INSTRTYPE
Datatype	String
Description	Indicates Instruction Type
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

EXEDAYS

Attribute	Description
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution Days
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXEMONTHS

Attribute	Description
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution Years
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. Flag Can be either Y or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OPRTR

Attribute	Description
Name	OPRTR

Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates Special Instructions.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage

Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER

Attribute	**Description**
Name	CUSTOMER
Datatype	String
Description	Indicates the customer
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATIONSHIP

Attribute	**Description**
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	**Description**
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	**Description**
Name	DESCP
Datatype	String
Description	Indicates description

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Custacdetail

Attribute	Description
Name	Custacdetail
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicates sequence number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TDESC

Attribute	Description
Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

Sttms-Debit

Attribute	Description	
Name	Sttms-Debit	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

BRANCH_CODE

Attribute	Description	
Name	BRANCH_CODE	
Datatype	String	
Description	Branch Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

CUST_NO

Attribute	Description	
Name	CUST_NO	
Datatype	String	
Description	Customer No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

ACTNO

Attribute	Description	
Name	ACTNO	
Datatype	String	
Description	Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

TOP

Sttms-Detail

Attribute	Description
Name	Sttms-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String

Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NAME_ON_CARD

Attribute	**Description**
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

OWNER_ID_NO

Attribute	**Description**
Name	OWNER_ID_NO
Datatype	String
Description	Owner Id number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

CARD_ISSUED_DT

Attribute	Description
Name	CARD_ISSUED_DT
Datatype	Date
Description	Card Issued Date
Attributes	Attribute: minOccurs, Description: 0

TOP

CARD_EXPIRY_DT

Attribute	Description
Name	CARD_EXPIRY_DT
Datatype	Date
Description	Card Expiry Date
Attributes	Attribute: minOccurs, Description: 0

TOP

CARD_STATUS

Attribute	Description
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 1

TOP

RECORD_STAT

Attribute	Description
Name	RECORD_STAT
Datatype	String
Description	Record Status
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 1

TOP

AUTH_STAT

Attribute	Description
Name	AUTH_STAT

Datatype	String
Description	Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_BIN

Attribute	**Description**
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Extsys-Ws-Master

Attribute	**Description**
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	**Description**
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

Cust-Account

Attribute	Description
Name	Cust-Account
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC

Attribute	Description
Name	ACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AC_DESC

Attribute	**Description**
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTNAME

Attribute	**Description**
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT_CLASS

Attribute	Description
Name	ACCOUNT_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

AC_OPEN_DATE

Attribute	Description
Name	AC_OPEN_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ALT_ACC_NO

Attribute	Description
Name	ALT_ACC_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHQBOOK

Attribute	Description
Name	CHQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

OPMODE

Attribute	Description
Name	OPMODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	Description
Name	COUNTRY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	Description
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	Description
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	Description
Name	ACCOUNT_TYPE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	Description
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	Description
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GL_ACCC

Attribute	Description
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OFFSET_BRN

Attribute	Description
Name	OFFSET_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

CODATMBRN

Attribute	Description
Name	CODATMBRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

REPL_CUST_SIG

Attribute	Description
Name	REPL_CUST_SIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

SALARY_ACCOUNT

Attribute	Description
Name	SALARY_ACCOUNT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SDREFNO

Attribute	**Description**
Name	SDREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

SPDANLSYS

Attribute	**Description**
Name	SPDANLSYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TYOFCHQ

Attribute	**Description**
Name	TYOFCHQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,C

TOP

Account-Generation

Attribute	**Description**
Name	Account-Generation
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Jointholders-Main

Attribute	Description
Name	Jointholders-Main
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

Jointholders

Attribute	Description
Name	Jointholders
Datatype	
Description	
Attributes	Attribute: maxOccurs, Description: unbounded Attribute: minOccurs, Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME1

Attribute	**Description**
Name	CUSTNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JNTHLDTYP

Attribute	**Description**
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	**Description**
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

END_DATE

Attribute	**Description**
Name	END_DATE
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Acc-Nominees

Attribute	Description	
Name	Acc-Nominees	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RELSHIP

Attribute	Description	
Name	RELSHIP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NOMINEE_ID

Attribute	Description
Name	NOMINEE_ID
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String

Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOMMINOR

Attribute	**Description**
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GUARDNAM

Attribute	**Description**
Name	GUARDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GUARDRELNSHP

Attribute	**Description**
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR1

Attribute	**Description**
Name	GADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR2

Attribute	Description	
Name	GADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR3

Attribute	Description	
Name	GADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR4

Attribute	Description	
Name	GADDR4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NAM

Attribute	Description	
Name	NAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MANDATORY

Attribute	**Description**
Name	MANDATORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

Doctype-Remarks1

Attribute	**Description**
Name	Doctype-Remarks1
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Cust-Acc-Check

Attribute	**Description**
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FIRST_CHECK_NO

Attribute	Description
Name	FIRST_CHECK_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHECK_LEAVES

Attribute	Description
Name	CHECK_LEAVES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQUE_BOOK_TYPE

Attribute	Description
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

ORDER_DATE

Attribute	Description
Name	ORDER_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ORDER_DETAILS

Attribute	Description
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REQUEST_STATUS

Attribute	Description
Name	REQUEST_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Requested

TOP

CHQ_TYPE

Attribute	Description
Name	CHQ_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	EURO,COMM

TOP

Cust-Acc-Card

Attribute	Description
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

CARD_PRODUCT

Attribute	Description
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 11

TOP

NAME_ON_CARD

Attribute	Description
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CARD_NO

Attribute	Description
Name	CARD_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CARD_APPL_DATE

Attribute	Description
Name	CARD_APPL_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_CARD

Attribute	Description
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_STATUS

Attribute	Description
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Udfdetails

Attribute	Description
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCID

Attribute	Description
Name	FUNCID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

RECKEY

Attribute	Description
Name	RECKEY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 700

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

Custacc

Attribute	Description
Name	Custacc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	**Description**
Name	COMPMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	**Description**
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	**Description**
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10

Attribute	**Description**
Name	TXNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACC

Attribute	**Description**
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

POOLCD

Attribute	**Description**
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RTFLAG

Attribute	**Description**
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,R

TOP

REFRATE

Attribute	**Description**
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CALCMETH

Attribute	Description	
Name	CALCMETH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	1,2,3,4,5,6,7,8,9,

TOP

MISGRP

Attribute	Description	
Name	MISGRP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MISGRPTXN

Attribute	Description	
Name	MISGRPTXN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MISGRPCOMP

Attribute	Description	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

Misaccchangelog

Attribute	Description
Name	Misaccchangelog
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description

Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Misbaltransferlog

Attribute	**Description**
Name	Misbaltransferlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRDCD

Attribute	**Description**
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	**Description**
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

GLCODE

Attribute	**Description**
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TRNIND

Attribute	**Description**
Name	TRNIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Chglog

Attribute	Description
Name	Chglog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Tsfrlog

Attribute	Description
Name	Tsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Classname

Attribute	Description
Name	Classname
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

B1

Attribute	Description
Name	B1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

C1

Attribute	**Description**
Name	C1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

C2

Attribute	**Description**
Name	C2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

C3

Attribute	**Description**
Name	C3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

C4

Attribute	**Description**
Name	C4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1000

TOP

C5

Attribute	Description	
Name	C5	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C6

Attribute	Description	
Name	C6	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C7

Attribute	Description	
Name	C7	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C8

Attribute	Description	
Name	C8	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C9

Attribute	Description
Name	C9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C10

Attribute	Description
Name	C10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T1

Attribute	Description
Name	T1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T2

Attribute	Description
Name	T2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T3

Attribute	Description
Name	T3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T4

Attribute	Description
Name	T4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T5

Attribute	Description
Name	T5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T6

Attribute	Description
Name	T6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T7

Attribute	Description
Name	T7

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T8

Attribute	Description
Name	T8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T9

Attribute	Description
Name	T9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T10

Attribute	Description
Name	T10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER_NAME1

Attribute	Description	
Name	CUSTOMER_NAME1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NSFIB_CS_EVENT_NO

Attribute	Description	
Name	NSFIB_CS_EVENT_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NSFIB_CS_LVL

Attribute	Description	
Name	NSFIB_CS_LVL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

NSFIB_CS_LVL_EFFDT

Attribute	Description
Name	NSFIB_CS_LVL_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_LVL_EXPDT

Attribute	Description
Name	NSFIB_CS_LVL_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_BLK_STAT

Attribute	Description
Name	NSFIB_CS_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_STAT

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_WBRCK_EFFDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_EXPDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_STAT

Attribute	Description
Name	NSFIB_IB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_IB_BLK_EFFDT

Attribute	Description
Name	NSFIB_IB_BLK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_EXPDT

Attribute	Description
Name	NSFIB_IB_BLK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_DESC

Attribute	Description
Name	NSFIB_IB_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_BLK_STAT

Attribute	Description
Name	NSFIB_CB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NSFIB_CB_DESC

Attribute	Description
Name	NSFIB_CB_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_EFFDT

Attribute	Description
Name	NSFIB_CB_EFFDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NSFIB_CB_EXPDT

Attribute	Description
Name	NSFIB_CB_EXPDT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

NSFIB_CS_BLK_DESC

Attribute	Description
Name	NSFIB_CS_BLK_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NSFIB_CS_WBRCK_STAT_DESC

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

Cust

Attribute	Description
Name	Cust
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cust-Ck-Det

Attribute	Description
Name	Cust-Ck-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_PROCESS_ORDER

Attribute	Description
Name	CHQ_PROCESS_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LVL_COMP_EXPDT

Attribute	Description

Name	LVL_COMP_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CG_REF_NO

Attribute	**Description**
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ACCOUNT_NO

Attribute	**Description**
Name	ACCOUNT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHQ_NO

Attribute	**Description**
Name	CHQ_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EVENT_NO

Attribute	**Description**
Name	EVENT_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NSF_LVL

Attribute	**Description**
Name	NSF_LVL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

LVL_EFFDT

Attribute	**Description**
Name	LVL_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LVL_EXPDT

Attribute	**Description**
Name	LVL_EXPDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_VALUEDT

Attribute	Description
Name	CHQ_VALUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID

Datatype	String
Description	Function
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

Doc-Upload

Attribute	**Description**
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	**Description**
Name	DCREFNO
Datatype	String
Description	Document Reference
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	**Description**
Name	DOC_CATEGORY
Datatype	String
Description	Document Category
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	**Description**
Name	DOC_TYPE
Datatype	String
Description	Document Type
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.22.4.ST-CreateCustomer-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Customer-PK*
      - *CUSTNO*
    - *Customer-IO*
      - *PRIVATE_CUSTOMER*
      - *CUSTNO*
      - *CTYPE*
      - *NAME*
      - *ADDRLN1*
      - *ADDRLN3*
      - *ADDRLN2*
      - *ADDRLN4*
      - *COUNTRY*
      - *SNAME*
      - *NLTY*
      - *LBRN*
      - *CCATEG*
      - *FULLNAME*
      - *CIFCREATIONDT*

ISELCMCUST
ELCMCUSTNO
AR_AP_TRACKING
EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
CREATEACC
TRACK_LIMITS
LIABID
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM
SECCUSTPSRILIM

SECPSRILIM
FLGUTLTYPRVDR
UTLTYPRVDRID
RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
LC_COLLAT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
UDF1
UDF2
UDF3
UDF4
UDF5
RM_ID
NETTREQD
LIABUNADV
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
MFI_CUSTOMER
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
Custpersonal
- *FSTNAME*
- *MIDNAME*
- *LSTNAME*
- *DOB*
- *GENDR*

NATIONID
PPTNO
PPTISSDT
PPTEXPDT
DADD2
DADD3
DPIN_CODE
TELEPHNO
FAXNUMBER
EMAILID
BENEFADDR1
ADDRS3
BENEFADDR2
DCNTRY
PCNTRY
RESSTATUS
CUSTPREFIX1
CUSTPREFIX2
MOBNUM
CUST_COMM_MODE
LANG
GUARDIAN
SBMTAGEPROOF
MINOR
KYCSTAT
SSTAFF
KYC_REFNO
SAME_CORR_ADDR
DADD1
SAME_PERM_ADDR
TITLE
ADDRS4
DADD4
PLACEOFBIRTH
BIRTHCOUNTRY
TELISDNOPERSONAL
MOBISDNO
FAXISDNO
USRESSTATUS
PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY

PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV
HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
- *CUSTNO*
- *EDUSTAT*
- *MARITALSTAT*
- *SPNAME*
- *SPEMPSTATUS*
- *DEPCHILD*
- *DEPOTH*
- *ACCOMODATE*
- *MOTHERMAIDN_NAME*

Custprof
- *CUSTNO*
- *EMPSTAT*
- *EMPTENURE*
- *RETIREAGE*
- *PREVDESIG*
- *PREVEMP*
- *CURRDESIG*
- *CURREMP*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *AMTCCY1*
- *TELEX*
- *FAX*
- *EMAIL*
- *SALARY*
- *OTHER1*
- *RENT*
- *INSURANCE*
- *LOANPMNT*
- *OTHEXP*
- *HOUSEVAL*
- *CRCARD*
- *CNTY*

EMPLOYER_DESC

Custcorp

CORPNAME

REGADD1

REGADD2

REGADD3

R_PIN_CODE

AMTCCY

INCORPDT

CAPITAL

NETWORTH

CORPDESC

INCORPCNTRY

REGCNTRY

SAME_CORR_ADDR

REGADD4

JOINTVENTURE

CADDR1

CADDR3

CADDR2

CADDR4

CPINCODE

CNTRY

LANGUAGE

KYC_DETAILS

KYCREFNO

CNAME

UIDNAME

UIDVALUE

TELEPHONE

FAX

EMAILID

MOBILENUMBER

CUSTCOMMMODE

NATIONID

TELISDNOCRP

MOBISDNOCRP

FAXISDNOCRP

PREF_CNTACT_DATE

PREF_CNTACT_TIME

OWNERSHPTYPE

Custcorpdir

DIRNAME

NADDR1

- *NADDR2*
- *NADDR3*
- *NADDR4*
- *ADDRESS1*
- *ADDRESS2*
- *ADDRESS3*
- *COUNTRY*
- *TEL*
- *TAXID*
- *MOBNO*
- *EMAILID*
- *TELISDNOCRPDIR*
- *MOBISDNOCRPDIR*
- *ADDRCOUNTRYCRPDIR*
- *NATIONLTYCRPDIR*
- *USRESSTATUSCRPDIR*
- *PCTHOLDING*
- *HOMETELNO*
- *HOMETELISD*
- *PPIN_CODE*
- *PIN_CODE*
- *Issuerdet*
  - *CUSTNO*
  - *OVERLMTCCY*
  - *OVERLIMIT*
  - *Issuerlmts*
    - *CLTRLTYP*
    - *LMTCCY*
    - *LMTAMT*
- *Custdoc-Chklist*
  - *CUSTOMER_NO*
  - *DOCCATEGORY*
  - *DOCUMENTNAME*
  - *DOCUMENT_TYPE*
  - *CHECKED*
  - *DOCREF*
  - *DATEREQ*
  - *EXPECTDDATE*
  - *ACTUALDATE*
  - *EXPDATE*
  - *REMARKSCHKLIST*
- *Doctype-Remarks*
  - *CUSTOMER_NO*
  - *REMARK1*

- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *CUSTNO*
- *RELATION*

Custshhold

- *CUSTNO*
- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CUSTNO*
- *CCY*
- *DESC*

Bic

- *ACC*
- *CUSTNO*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Cust-Liab

- *LIABILITY_NUMBER*
- *LIABILTY_NAME*
- *LIAB_BRANCH*
- *LIAB_CCY*
- *OVERLIMIT*
- *REVISION_DATE*
- *CATEGORY*
- *USER_DEFINED_STATUS*
- *UNADV*

- *NETTING_REQUIRED*
- *OVERALL_SCORE*
- *FX_CLEAN_RISK_LIMIT*
- *SEC_CLEAN_RISK_LIMIT*
- *SEC_PSTL_RISK_LIMIT*
- *REMARKS*
- *MAIN_LIAB_NO*
- *UTIL_AMOUNT*
- *Liab-Score*
  - *SCORE*
  - *SCORE_NAME*
- *Liab-Rating*
  - *PRIMARY*
  - *AGENCY_NAME*
  - *CREDIT_RATING*
- *Liab-Linkage*
  - *EXPOSURE_NAME*
- *Liab-Udf*
  - *FLDNAM*
  - *FLDVAL*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*

Mfi1

- *INSURANCE_NUMBER*
- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*
- *BLACKLISTED*
- *BLACKLIST_COUNT*
- *PHYSICALLY_CHALLENGED*
- *Training*
  - *CIF*
- *Chklist*
  - *KEY_ID*
  - *VERIFIED*
- *Mf-Cifdet*
  - *CUSTOMER_NO*

Id-Master

- *CUSTOMER_NO*

Id-Det-Main
- *CUSTOMER_NO*
- *SNO*
- *DOCUMENT_TYPE*
- *Iddetail*
  - *CUSTOMER_NO*
  - *SNO*
  - *SERIES*
  - *DOC_ID*
  - *DATE_OF_ISSUE*
  - *DATE_OF_EXPIRY*
  - *ISSUING_AUTHORITY*
  - *PLACE_OF_ISSUE*
  - *NAME*

Custmis
- *MISGRP*
- *CUSTNO*
- *LINKTOGRP*
- *Custchnglog*
- *Baltrnsfrlog*
- *Customermis*
  - *MISCLS*
  - *MISCD*
- *Compositemis*
  - *MISCLS*
  - *MISCD*

Jointcustomer
- *CUSTNO*
- *Custjoint*
  - *CUSTPREFIX*
  - *FRSTNAME*
  - *MIDNAME*
  - *LASTNAME*
  - *DOB*
  - *SEX*
  - *PPNO*
  - *PPTISSDT*
  - *PPTEXPDT*
  - *ADD1*
  - *ADD2*
  - *ADD3*
  - *TEL*
  - *EMAIL*
  - *DECEASED*

- *RESISTAT*
- *Cust-Acc-Det*
  - *CUSTNO*
  - *Diary-Mst*
    - *INSTRNO*
    - *UNTTYP*
    - *UNTVAL*
    - *BRN*
    - *INSTR*
    - *INSTRTYPE*
    - *EXEDAYS*
    - *EXEMONTHS*
    - *EXEYEARS*
    - *MNTHENDFLG*
    - *HLDRULE*
    - *FRSTDUEDT*
    - *NXTDUEDT*
    - *NXTEXEDT*
    - *CONDELEM*
    - *OPRTR*
    - *CONDVAL*
    - *ACCOFCR*
    - *SPLINSTRTYP*
    - *EXPDT*
    - *SPLINSTR*
- *Custaccdet*
  - *CUSTNO*
  - *Relationship-Linkage*
    - *CUSTOMER*
    - *RELATIONSHIP*
    - *INHERIT*
    - *DESCP*
- *Custacdetail*
  - *CUSTNO*
  - *CUSTTEXT*
    - *SEQNO*
    - *CUSTNO*
    - *TDESC*
- *UDFDETAILS*
  - *FLDNAM*
  - *FLDVAL*
- *Sttms-Debit*
  - *BRANCH_CODE*
  - *CUST_NO*

- *ACTNO*
- *Sttms-Detail*
  - *BRANCH_CODE*
  - *REQUEST_REFERENCE_NO*
  - *CARDNO*
  - *CUST_NO*
  - *CARD_PRODUCT*
  - *PRIMARY_CARD*
  - *NAME_ON_CARD*
  - *OWNER_ID_NO*
  - *CARD_ISSUED_DT*
  - *CARD_EXPIRY_DT*
  - *CARD_STATUS*
  - *RECORD_STAT*
  - *AUTH_STAT*
  - *CARD_BIN*
  - *CUST_AC_NO*
- *Extsys-Ws-Master*
  - *KEYID*
  - *Extsys-Ws-Details*
    - *USERREMARKS*
- *Cust-Account*
  - *BRN*
  - *ACC*
  - *AC_DESC*
  - *CUST_NO*
  - *CCY*
  - *ACCOUNT_CLASS*
  - *AC_OPEN_DATE*
  - *ALT_ACC_NO*
  - *CHQBOOK*
  - *ATM*
  - *PASSBOOK*
  - *ATMACC*
  - *ATMDLIM*
  - *ATMDCNTLIM*
  - *CHKNAME1*
  - *CHKNAME2*
  - *AUTOREORDERCHKREQ*
  - *AUTOREORDERCHKLVL*
  - *AUTOREORDERCHKLVS*
  - *DORMPRM*
  - *LOCATION*
  - *MEDIA*

OPMODE
COUNTRY_CODE
AUTO_CHEQUE_BOOK_REQ
AUTO_DEBIT_CARD_REQUEST
ACCOUNT_TYPE
MAX_NO_CHEQUE_REJECTIONS
ACC_OPENING_AMT
GL_ACCC
PAY_IN_OPTION
WAIVE_ACC_OPEN_CHARGE
REPL_CUST_SIG
SALARY_ACCOUNT
SPDANLSYS
TYOFCHQ
Jointholders
- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUSTNO*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees
- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMINEE_ID*
- *CUST_AC_NO*
- *BRANCH_CODE*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist
- *BRANCH_CODE*
- *CUST_AC_NO*
- *CHECKED*

Doctype-Remarks1

BRANCH_CODE
CUST_AC_NO
REMARK1
REMARK2
REMARK3
REMARK4
REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10
Cust-Acc-Check
FIRST_CHECK_NO
CHECK_LEAVES
CHEQUE_BOOK_TYPE
ORDER_DATE
ORDER_DETAILS
LANG_CODE
CHQ_TYPE
Cust-Acc-Card
REQUEST_REFERENCE_NO
CARD_PRODUCT
CARD_BIN
NAME_ON_CARD
CARD_NO
CARD_APPL_DATE
Udfdetails
FUNCID
RECKEY
FLDVAL
Misdetails
TXNMIS7
COMPMIS8
TXNMIS8
COMPMIS9
TXNMIS9
COMPMIS10
TXNMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5

REFRTSPRD
REFRTTYPE
REFRTCD
POOLCD
RTFLAG
REFRATE
CALCMETH
COMPMIS1
TXNMIS1
COMPMIS2
TXNMIS2
COMPMIS3
TXNMIS3
COMPMIS4
TXNMIS4
COMPMIS5
TXNMIS5
COMPMIS6
TXNMIS6
COMPMIS7
LINKGRP
Misaccchangelog
MISCLS
TXNDT
OLDMISCD
NWMISCD
Misbaltransferlog
MISCLS
Classname
B1
Nsf-Enq
CUSTOMER_NO
NSFIB_CS_LAST_TRN_DT
Cust-Ck-Det
CHQ_AMT
CUSTOMER_NO
LVL_EFFDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DOC_CATEGORY
DOC_TYPE
REMARKS

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8 Restrictions: pattern — Description: [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	**Description**
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Customer-PK

Attribute	Description
Name	Customer-PK
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Customer-IO

Attribute	Description
Name	Customer-IO
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description	
Name	PRIVATE_CUSTOMER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CTYPE

Attribute	**Description**
Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,C,B

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	**Description**
Name	ADDRLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN3

Attribute	**Description**
Name	ADDRLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN2

Attribute	Description
Name	ADDRLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN4

Attribute	Description
Name	ADDRLN4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SNAME

Attribute	Description
Name	SNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NLTY

Attribute	Description
Name	NLTY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

LBRN

Attribute	Description
Name	LBRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CCATEG

Attribute	Description
Name	CCATEG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 10

TOP

FULLNAME

Attribute	Description
Name	FULLNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CIFCREATIONDT

Attribute	Description
Name	CIFCREATIONDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISELCMCUST

Attribute	Description
Name	ISELCMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ELCMCUSTNO

Attribute	Description
Name	ELCMCUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AR_AP_TRACKING

Attribute	Description
Name	AR_AP_TRACKING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

EXPCNTRY

Attribute	Description
Name	EXPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

UIDVAL

Attribute	**Description**
Name	UIDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FROZEN

Attribute	**Description**
Name	FROZEN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

DEAD

Attribute	**Description**
Name	DEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

WHRUNKN

Attribute	Description
Name	WHRUNKN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CRRATE

Attribute	Description
Name	CRRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

SWIFTCD

Attribute	Description
Name	SWIFTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

LOC

Attribute	Description
Name	LOC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

MAILRSREQD

Attribute	Description
Name	MAILRSREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

GRPCD

Attribute	Description
Name	GRPCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

EXPCAT

Attribute	Description
Name	EXPCAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTCLASSFN

Attribute	Description
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTAT

Attribute	Description
Name	CIFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTATSNC

Attribute	Description
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGGRP

Attribute	Description
Name	CHGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CUSTCLGGRP

Attribute	**Description**
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TAXGROUP

Attribute	**Description**
Name	TAXGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLSPARTICIPANT

Attribute	**Description**
Name	CLSPARTICIPANT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

FXNETTCUST

Attribute	**Description**
Name	FXNETTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRMCUST

Attribute	Description
Name	CRMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ISSUCUST

Attribute	Description
Name	ISSUCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

TRSRYCUST

Attribute	Description
Name	TRSRYCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

RELPRICING

Attribute	Description
Name	RELPRICING
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

MT920

Attribute	Description
Name	MT920
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

FLGJOINT

Attribute	Description
Name	FLGJOINT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

CREATEACC

Attribute	Description
Name	CREATEACC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

TRACK_LIMITS

Attribute	Description
Name	TRACK_LIMITS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABID

Attribute	**Description**
Name	LIABID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LMCCY

Attribute	**Description**
Name	LMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOACNO

Attribute	**Description**
Name	HOACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FXCUSTCLRILIM

Attribute	**Description**
Name	FXCUSTCLRILIM
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RISKPRFL

Attribute	Description
Name	RISKPRFL
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRCAT

Attribute	Description
Name	DRCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

AMLREQD

Attribute	Description
Name	AMLREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AMLCUSTGRP

Attribute	Description
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CHKDIGITVALREQD

Attribute	Description
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

ALGID

Attribute	Description	
Name	ALGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

TOP

FTACCASOF

Attribute	Description	
Name	FTACCASOF	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,N,D

TOP

CUSTUNADV

Attribute	Description	
Name	CUSTUNADV	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

CONSTAXCERTRQD

Attribute	Description	
Name	CONSTAXCERTRQD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

INDTAXCERTRQD

Attribute	Description
Name	INDTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CLSCCYALLWD

Attribute	Description
Name	CLSCCYALLWD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,A

TOP

RISKCATEG

Attribute	Description
Name	RISKCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UPTYPE

Attribute	Description
Name	UPTYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFLBL1

Attribute	Description
Name	UDFLBL1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL2

Attribute	Description
Name	UDFLBL2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL3

Attribute	Description
Name	UDFLBL3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDF1

Attribute	Description
Name	UDF1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF2

Attribute	Description
Name	UDF2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF3

Attribute	Description
Name	UDF3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

UDF4

Attribute	**Description**
Name	UDF4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

UDF5

Attribute	**Description**
Name	UDF5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

RM_ID

Attribute	**Description**
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

NETTREQD

Attribute	**Description**
Name	NETTREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

LIABUNADV

Attribute	Description
Name	LIABUNADV
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

AUTOGENSTMTPLAN

Attribute	Description
Name	AUTOGENSTMTPLAN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	Description
Name	STMTDAY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 2

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

MFI_CUSTOMER

Attribute	Description
Name	MFI_CUSTOMER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

INVESTCUST

Attribute	Description
Name	INVESTCUST
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

ALLOWVRTLACCNTS

Attribute	Description
Name	ALLOWVRTLACCNTS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

VRTLCUSTOMERID

Attribute	Description
Name	VRTLCUSTOMERID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Custpersonal

Attribute	**Description**
Name	Custpersonal
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FSTNAME

Attribute	**Description**
Name	FSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MIDNAME

Attribute	**Description**
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LSTNAME

Attribute	**Description**
Name	LSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: enumeration, Description: M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 105

TOP

PPTNO

Attribute	Description
Name	PPTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DADD2

Attribute	Description
Name	DADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DADD3

Attribute	Description
Name	DADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DPIN_CODE

Attribute	Description
Name	DPIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

TELEPHNO

Attribute	**Description**
Name	TELEPHNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FAXNUMBER

Attribute	**Description**
Name	FAXNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAILID

Attribute	**Description**
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

BENEFADDR1

Attribute	**Description**
Name	BENEFADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRS3

Attribute	Description
Name	ADDRS3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

BENEFADDR2

Attribute	Description
Name	BENEFADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DCNTRY

Attribute	Description
Name	DCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

RESSTATUS

Attribute	Description
Name	RESSTATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,R

TOP

CUSTPREFIX1

Attribute	Description
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

CUSTPREFIX2

Attribute	Description
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

MOBNUM

Attribute	Description
Name	MOBNUM
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CUST_COMM_MODE

Attribute	Description
Name	CUST_COMM_MODE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,M

TOP

LANG

Attribute	Description
Name	LANG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

GUARDIAN

Attribute	Description
Name	GUARDIAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SBMTAGEPROOF

Attribute	Description
Name	SBMTAGEPROOF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,N,V

TOP

MINOR

Attribute	Description
Name	MINOR
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

KYCSTAT

Attribute	Description
Name	KYCSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,V,F

TOP

SSTAFF

Attribute	Description
Name	SSTAFF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

KYC_REFNO

Attribute	Description
Name	KYC_REFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

DADD1

Attribute	Description
Name	DADD1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

SAME_PERM_ADDR

Attribute	Description
Name	SAME_PERM_ADDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

TITLE

Attribute	Description
Name	TITLE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

ADDRS4

Attribute	Description
Name	ADDRS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD4

Attribute	Description
Name	DADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PLACEOFBIRTH

Attribute	Description
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

BIRTHCOUNTRY

Attribute	Description
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

VSTUSPREV

Attribute	**Description**
Name	VSTUSPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

HOMETELNO

Attribute	**Description**
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

HOMETELISD

Attribute	**Description**
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

P_PIN_CODE

Attribute	**Description**
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

EDUSTAT

Attribute	Description
Name	EDUSTAT
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	U,N,G,P

TOP

MARITALSTAT

Attribute	Description	
Name	MARITALSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,D,R,S,P,E

TOP

SPNAME

Attribute	Description	
Name	SPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SPEMPSTATUS

Attribute	Description	
Name	SPEMPSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description	
Name	DEPCHILD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DEPOTH

Attribute	Description
Name	DEPOTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOMODATE

Attribute	Description
Name	ACCOMODATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description
Name	MOTHERMAIDN_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custprof

Attribute	Description
Name	Custprof
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

EMPSTAT

Attribute	Description
Name	EMPSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description
Name	EMPTENURE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETIREAGE

Attribute	Description
Name	RETIREAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREVEMP

Attribute	Description
Name	PREVEMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURRDESIG

Attribute	Description
Name	CURRDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURREMP

Attribute	Description
Name	CURREMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADD1

Attribute	Description
Name	ADD1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADD2

Attribute	Description
Name	ADD2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMTCCY1

Attribute	Description
Name	AMTCCY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TELEX

Attribute	Description
Name	TELEX
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FAX

Attribute	**Description**
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAIL

Attribute	**Description**
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

SALARY

Attribute	**Description**
Name	SALARY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OTHER1

Attribute	**Description**
Name	OTHER1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

HOUSEVAL

Attribute	Description
Name	HOUSEVAL
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

CRCARD

Attribute	Description

Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CNTY

Attribute	**Description**
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EMPLOYER_DESC

Attribute	**Description**
Name	EMPLOYER_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Custcorp

Attribute	**Description**
Name	Custcorp
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CORPNAME

Attribute	**Description**
Name	CORPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REGADD1

Attribute	Description
Name	REGADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD2

Attribute	Description
Name	REGADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD3

Attribute	Description
Name	REGADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

R_PIN_CODE

Attribute	Description
Name	R_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

AMTCCY

Attribute	Description
Name	AMTCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

INCORPDT

Attribute	Description
Name	INCORPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CAPITAL

Attribute	Description
Name	CAPITAL
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CORPDESC

Attribute	Description
Name	CORPDESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

INCORPCNTRY

Attribute	Description	
Name	INCORPCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

REGCNTRY

Attribute	Description	
Name	REGCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

REGADD4

Attribute	Description	
Name	REGADD4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

JOINTVENTURE

Attribute	Description
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

CADDR1

Attribute	Description
Name	CADDR1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 35

TOP

CADDR3

Attribute	Description
Name	CADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CADDR2

Attribute	Description
Name	CADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CADDR4

Attribute	Description
Name	CADDR4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CPINCODE

Attribute	**Description**
Name	CPINCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

CNTRY

Attribute	**Description**
Name	CNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LANGUAGE

Attribute	**Description**
Name	LANGUAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

KYC_DETAILS

Attribute	**Description**
Name	KYC_DETAILS
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,V,F

TOP

KYCREFNO

Attribute	Description
Name	KYCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UIDNAME

Attribute	Description
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

UIDVALUE

Attribute	Description
Name	UIDVALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	20

TOP

TELEPHONE

Attribute	Description
Name	TELEPHONE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

MOBILENUMBER

Attribute	Description
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CUSTCOMMMODE

Attribute	Description
Name	CUSTCOMMMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,M

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TELISDNOCRP

Attribute	Description
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

DIRNAME

Attribute	Description
Name	DIRNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR1

Attribute	**Description**
Name	NADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR2

Attribute	**Description**
Name	NADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR3

Attribute	**Description**
Name	NADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR4

Attribute	**Description**
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

TAXID

Attribute	Description
Name	TAXID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

MOBNO

Attribute	Description
Name	MOBNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

TELISDNOCRPDIR

Attribute	Description
Name	TELISDNOCRPDIR
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

MOBISDNOCRPDIR

Attribute	Description
Name	MOBISDNOCRPDIR
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description
Name	ADDRCOUNTRYCRPDIR
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

NATIONLTYCRPDIR

Attribute	Description
Name	NATIONLTYCRPDIR
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

USRESSTATUSCRPDIR

Attribute	Description
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

PCTHOLDING

Attribute	Description
Name	PCTHOLDING
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Issuerlmts

Attribute	Description
Name	Issuerlmts
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CLTRLTYP

Attribute	Description
Name	CLTRLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

LMTCCY

Attribute	Description
Name	LMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	

Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	20

TOP

CHECKED

Attribute	Description	
Name	CHECKED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

DOCREF

Attribute	Description	
Name	DOCREF	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	50

TOP

DATEREQ

Attribute	Description	
Name	DATEREQ	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

EXPECTDDATE

Attribute	Description	
Name	EXPECTDDATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK6

Attribute	**Description**
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK7

Attribute	**Description**
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK8

Attribute	**Description**
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Custgrp

Attribute	Description
Name	Custgrp
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

GRPNO

Attribute	Description
Name	GRPNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RELATION

Attribute	Description
Name	RELATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custshhold

Attribute	Description
Name	Custshhold
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDPCT

Attribute	Description

Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Clsccyrest

Attribute	Description
Name	Clsccyrest
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

ORACLE

TOP

Bic

Attribute	Description
Name	Bic
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BICCD

Attribute	Description
Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

Linkedac

Attribute	Description

Name	Linkedac
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VRFD

Attribute	**Description**
Name	VRFD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

LINKEDACCNO

Attribute	**Description**
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

LINKEDACCIBAN

Attribute	**Description**
Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LINKEDACCBIC

Attribute	**Description**
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	20

TOP

Jointventure

Attribute	Description
Name	Jointventure
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

PARTY_ID

Attribute	Description
Name	PARTY_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

PARTY_RATIO

Attribute	Description
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

PARTYNAME

Attribute	Description
Name	PARTYNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

Cust-Liab

Attribute	Description

Name	Cust-Liab
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITY_NUMBER

Attribute	**Description**
Name	LIABILITY_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LIABILTY_NAME

Attribute	**Description**
Name	LIABILTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LIAB_BRANCH

Attribute	**Description**
Name	LIAB_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LIAB_CCY

Attribute	**Description**
Name	LIAB_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REVISION_DATE

Attribute	Description
Name	REVISION_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CATEGORY

Attribute	Description
Name	CATEGORY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

UNADV

Attribute	Description
Name	UNADV

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

NETTING_REQUIRED

Attribute	**Description**
Name	NETTING_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

OVERALL_SCORE

Attribute	**Description**
Name	OVERALL_SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK_LIMIT

Attribute	**Description**
Name	FX_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_CLEAN_RISK_LIMIT

Attribute	**Description**
Name	SEC_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_PSTL_RISK_LIMIT

Attribute	Description
Name	SEC_PSTL_RISK_LIMIT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 50

TOP

MAIN_LIAB_NO

Attribute	Description
Name	MAIN_LIAB_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

UTIL_AMOUNT

Attribute	Description
Name	UTIL_AMOUNT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

Liab-Score

Attribute	Description
Name	Liab-Score
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

SCORE

Attribute	Description	
Name	SCORE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

TOP

SCORE_NAME

Attribute	Description	
Name	SCORE_NAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

TOP

Liab-Rating

Attribute	Description	
Name	Liab-Rating	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

PRIMARY

Attribute	Description	
Name	PRIMARY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

AGENCY_NAME

Attribute	Description
Name	AGENCY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CREDIT_RATING

Attribute	Description
Name	CREDIT_RATING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Liab-Linkage

Attribute	Description
Name	Liab-Linkage
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXPOSURE_NAME

Attribute	Description
Name	EXPOSURE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Liab-Udf

Attribute	Description
Name	Liab-Udf
Datatype	

Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FLDNAM

Attribute	**Description**	
Name	FLDNAM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

FLDVAL

Attribute	**Description**	
Name	FLDVAL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	150

TOP

Custsegment

Attribute	**Description**	
Name	Custsegment	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTCCY

Attribute	**Description**	
Name	CUSTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

Mfi1

Attribute	Description
Name	Mfi1

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSURANCE_NUMBER

Attribute	Description
Name	INSURANCE_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MFI_CUST_TYPE

Attribute	Description
Name	MFI_CUST_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / G,C,I

TOP

POVERTY_STATUS

Attribute	Description
Name	POVERTY_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

LITERACY_OF_CLIENT

Attribute	Description
Name	LITERACY_OF_CLIENT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

BUSINESS_ACTIVITY

Attribute	Description	
Name	BUSINESS_ACTIVITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

BLACKLISTED

Attribute	Description	
Name	BLACKLISTED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

BLACKLIST_COUNT

Attribute	Description	
Name	BLACKLIST_COUNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

TOP

PHYSICALLY_CHALLENGED

Attribute	Description	
Name	PHYSICALLY_CHALLENGED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

Training

Attribute	Description
Name	Training
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CIF

Attribute	Description
Name	CIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Chklist

Attribute	Description
Name	Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

VERIFIED

Attribute	Description
Name	VERIFIED

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Mf-Cifdet

Attribute	Description
Name	Mf-Cifdet
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Id-Master

Attribute	Description
Name	Id-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Id-Det-Main

Attribute	Description
Name	Id-Det-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Iddetail

Attribute	Description
Name	Iddetail
Datatype	

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERIES

Attribute	Description
Name	SERIES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DOC_ID

Attribute	Description
Name	DOC_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DATE_OF_ISSUE

Attribute	Description
Name	DATE_OF_ISSUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DATE_OF_EXPIRY

Attribute	Description
Name	DATE_OF_EXPIRY
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	Description
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LINKTOGRP

Attribute	Description
Name	LINKTOGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Custchnglog

Attribute	Description
Name	Custchnglog

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

Baltrnsfrlog

Attribute	**Description**
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

Customermis

Attribute	**Description**
Name	Customermis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISCD

Attribute	**Description**
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Compositemis

Attribute	Description
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates the Customer Joint.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTPREFIX

Attribute	Description
Name	CUSTPREFIX
Datatype	String
Description	Indicates the Customer Prefix.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FRSTNAME

Attribute	Description
Name	FRSTNAME
Datatype	String
Description	Indicates the First Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LASTNAME

Attribute	**Description**
Name	LASTNAME
Datatype	String
Description	Indicates the Last Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DOB

Attribute	**Description**
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SEX

Attribute	**Description**
Name	SEX
Datatype	String
Description	Indicates the Sex. The Value can be either M or F.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,F

TOP

PPNO

Attribute	**Description**
Name	PPNO
Datatype	String
Description	Indicates the Passport Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

ADD1

Attribute	Description
Name	ADD1
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

TEL

Attribute	**Description**
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAIL

Attribute	**Description**
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DECEASED

Attribute	**Description**
Name	DECEASED
Datatype	String
Description	Indicates whether deceased or not. The value can be either D or N.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,N

TOP

RESISTAT

Attribute	**Description**
Name	RESISTAT
Datatype	String
Description	Indicates the Resident Status. The Value Could be either R or N.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String

Description	Indicates Unit Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

UNTVAL

Attribute	**Description**
Name	UNTVAL
Datatype	String
Description	Indicates Unit Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

INSTR

Attribute	**Description**
Name	INSTR
Datatype	String
Description	Indicates Instructions.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

INSTRTYPE

Attribute	**Description**
Name	INSTRTYPE
Datatype	String
Description	Indicates Instruction Type.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXEDAYS

Attribute	Description
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution Days.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEMONTHS

Attribute	Description
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution years.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. The flag should be either Y or N.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OPRTR

Attribute	Description
Name	OPRTR

Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates Special Instruction.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage
Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String

Description	Indicates the customer
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATIONSHIP

Attribute	**Description**
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	**Description**
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	**Description**
Name	DESCP
Datatype	String
Description	Indicates description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Custacdetail

Attribute	**Description**
Name	Custacdetail
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicates sequence number
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

TDESC

Attribute	Description

Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

Sttms-Debit

Attribute	**Description**
Name	Sttms-Debit
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ACTNO

Attribute	Description
Name	ACTNO
Datatype	String
Description	Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Sttms-Detail

Attribute	Description
Name	Sttms-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description

Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

REQUEST_REFERENCE_NO

Attribute	**Description**
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CARDNO

Attribute	**Description**
Name	CARDNO
Datatype	String
Description	Card Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 19

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRIMARY_CARD

Attribute	Description
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NAME_ON_CARD

Attribute	Description
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

OWNER_ID_NO

Attribute	Description
Name	OWNER_ID_NO
Datatype	String
Description	Owner Id number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

CARD_ISSUED_DT

Attribute	Description
Name	CARD_ISSUED_DT
Datatype	Date
Description	Card Issued Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CARD_EXPIRY_DT

Attribute	Description
Name	CARD_EXPIRY_DT
Datatype	Date
Description	Card Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CARD_STATUS

Attribute	Description
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECORD_STAT

Attribute	Description
Name	RECORD_STAT
Datatype	String
Description	Record Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTH_STAT

Attribute	Description
Name	AUTH_STAT
Datatype	String
Description	Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN

Datatype	String
Description	Card BIN
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Extsys-Ws-Master

Attribute	**Description**
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

KEYID

Attribute	**Description**
Name	KEYID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

Extsys-Ws-Details

Attribute	**Description**
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

Cust-Account

Attribute	Description
Name	Cust-Account
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AC_DESC

Attribute	Description
Name	AC_DESC

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACCOUNT_CLASS

Attribute	**Description**
Name	ACCOUNT_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

AC_OPEN_DATE

Attribute	**Description**
Name	AC_OPEN_DATE
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

ALT_ACC_NO

Attribute	Description	
Name	ALT_ACC_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHQBOOK

Attribute	Description	
Name	CHQBOOK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATM

Attribute	Description	
Name	ATM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PASSBOOK

Attribute	Description	
Name	PASSBOOK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 15

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

OPMODE

Attribute	Description
Name	OPMODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	Description
Name	COUNTRY_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	Description
Name	AUTO_CHEQUE_BOOK_REQ

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	**Description**
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	**Description**
Name	ACCOUNT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	**Description**
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	**Description**
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GL_ACCC

Attribute	Description
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

REPL_CUST_SIG

Attribute	Description
Name	REPL_CUST_SIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SALARY_ACCOUNT

Attribute	Description
Name	SALARY_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPDANLSYS

Attribute	Description
Name	SPDANLSYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TYOFCHQ

Attribute	Description
Name	TYOFCHQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,C

TOP

Jointholders

Attribute	Description
Name	Jointholders
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String

Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUSTNO

Attribute	**Description**
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

JNTHLDTYP

Attribute	**Description**
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	**Description**
Name	START_DATE
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

END_DATE

Attribute	Description
Name	END_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Acc-Nominees

Attribute	Description
Name	Acc-Nominees
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

RELSHIP

Attribute	Description
Name	RELSHIP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NADDR1

Attribute	Description
Name	NADDR1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NADDR2

Attribute	Description

Name	NADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NADDR3

Attribute	**Description**
Name	NADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NADDR4

Attribute	**Description**
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NOMINEE_ID

Attribute	**Description**
Name	NOMINEE_ID
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOMMINOR

Attribute	**Description**
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GUARDNAM

Attribute	**Description**
Name	GUARDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GUARDRELNSHP

Attribute	**Description**
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR1

Attribute	Description
Name	GADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GADDR2

Attribute	Description
Name	GADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GADDR3

Attribute	Description
Name	GADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GADDR4

Attribute	Description
Name	GADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NAM

Attribute	Description
Name	NAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

Doctype-Remarks1

Attribute	Description
Name	Doctype-Remarks1
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK9

Attribute	Description
Name	REMARK9

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Cust-Acc-Check

Attribute	**Description**
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIRST_CHECK_NO

Attribute	**Description**
Name	FIRST_CHECK_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHECK_LEAVES

Attribute	**Description**
Name	CHECK_LEAVES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQUE_BOOK_TYPE

Attribute	Description
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

ORDER_DATE

Attribute	Description
Name	ORDER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ORDER_DETAILS

Attribute	Description
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CHQ_TYPE

Attribute	Description
Name	CHQ_TYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / EURO,COMM

TOP

Cust-Acc-Card

Attribute	Description
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CARD_PRODUCT

Attribute	Description
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

NAME_ON_CARD

Attribute	**Description**
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CARD_NO

Attribute	**Description**
Name	CARD_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CARD_APPL_DATE

Attribute	**Description**
Name	CARD_APPL_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Udfdetails

Attribute	**Description**
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCID

Attribute	**Description**

Name	FUNCID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

RECKEY

Attribute	**Description**
Name	RECKEY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 700

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

Misdetails

Attribute	**Description**
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNMIS7

Attribute	**Description**
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8

Attribute	**Description**
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8

Attribute	**Description**
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	**Description**
Name	COMPMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	**Description**
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / X,F

TOP

REFRTCD

Attribute	**Description**
Name	REFRTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

POOLCD

Attribute	**Description**
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RTFLAG

Attribute	**Description**
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,R

TOP

REFRATE

Attribute	**Description**
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,4,5,6,7,8,9,

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Misaccchangelog

Attribute	Description
Name	Misaccchangelog
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Misbaltransferlog

Attribute	Description
Name	Misbaltransferlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

Classname

Attribute	Description
Name	Classname
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

B1

Attribute	Description
Name	B1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Cust-Ck-Det

Attribute	Description
Name	Cust-Ck-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LVL_EFFDT

Attribute	Description
Name	LVL_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID
Datatype	String
Description	Function
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String

Description	Document Category	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

DOC_TYPE

Attribute	**Description**	
Name	DOC_TYPE	
Datatype	String	
Description	Document Type	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REMARKS

Attribute	**Description**	
Name	REMARKS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

FCUBS_ERROR_RESP

Attribute	**Description**	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	**Description**	
Name	ERROR	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.23.CreateNSFMutual

Create NSF mutal settlement

2.23.1.ST-CreateNSFMutual-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MutClr-Full*
    - *REF_NO*
    - *CUSTOMER_NO*
    - *CUST_NAME*
    - *SETT_TXN_STAT*
    - *REMARKS*
    - *CHEQUE_NO*
    - *CG_REF_NO*
    - *Branch_code*
    - *CHQ_DT*
    - *TXN_DT*
    - *CHQ_AMT*
    - *CHQ_PROC_STAT*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*

CHECKERSTAMP

MODNO

TXNSTAT

AUTHSTAT

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

MutClr-Full

Attribute	Description

Name	MutClr-Full
Datatype	
Description	

TOP

REF_NO

Attribute	Description
Name	REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 64

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 36

TOP

CUST_NAME

Attribute	Description
Name	CUST_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

SETT_TXN_STAT

Attribute	Description
Name	SETT_TXN_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1020

TOP

CHEQUE_NO

Attribute	Description
Name	CHEQUE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 64

TOP

CG_REF_NO

Attribute	Description
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 64

TOP

Branch_code

Attribute	Description
Name	Branch_code
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXN_DT

Attribute	Description
Name	TXN_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_PROC_STAT

Attribute	Description
Name	CHQ_PROC_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	**Description**
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
MutClr-IO
REF_NO
CUSTOMER_NO
SETT_TXN_STAT
REMARKS
CHEQUE_NO

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

MutClr-IO

Attribute	Description
Name	MutClr-IO
Datatype	
Description	

TOP

REF_NO

Attribute	Description	
Name	REF_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	64

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 36

TOP

SETT_TXN_STAT

Attribute	**Description**
Name	SETT_TXN_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

REMARKS

Attribute	**Description**
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1020

TOP

CHEQUE_NO

Attribute	**Description**
Name	CHEQUE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 64

TOP

2.23.3.ST-CreateNSFMutual-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MutClr-Full*
    - *REF_NO*
    - *CUSTOMER_NO*
    - *CUST_NAME*
    - *SETT_TXN_STAT*
    - *REMARKS*
    - *CHEQUE_NO*
    - *CG_REF_NO*
    - *Branch_code*
    - *CHQ_DT*
    - *TXN_DT*
    - *CHQ_AMT*
    - *CHQ_PROC_STAT*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*

AUTHSTAT
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	Restrictions: maxLength — Description: 12 Restrictions: pattern — Description: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	Restrictions: length — Description: 3 Restrictions: pattern — Description: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	**Description**
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

MutClr-Full

Attribute	Description
Name	MutClr-Full
Datatype	
Description	

TOP

REF_NO

Attribute	Description	
Name	REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	64

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	36

TOP

CUST_NAME

Attribute	Description	
Name	CUST_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

SETT_TXN_STAT

Attribute	Description
Name	SETT_TXN_STAT
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1020

TOP

CHEQUE_NO

Attribute	Description
Name	CHEQUE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 64

TOP

CG_REF_NO

Attribute	Description
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 64

TOP

Branch_code

Attribute	Description
Name	Branch_code
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	5

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

TXN_DT

Attribute	Description
Name	TXN_DT
Datatype	Date
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

CHQ_PROC_STAT

Attribute	Description
Name	CHQ_PROC_STAT
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 10

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *MutClr-PK*
      - *REF_NO*
    - *MutClr-IO*
      - *REF_NO*
      - *CUSTOMER_NO*
      - *SETT_TXN_STAT*
      - *REMARKS*
      - *CHEQUE_NO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

MutClr-PK

Attribute	Description
Name	MutClr-PK
Datatype	
Description	

TOP

REF_NO

Attribute	Description
Name	REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 64

TOP

MutClr-IO

Attribute	Description
Name	MutClr-IO
Datatype	
Description	

TOP

REF_NO

Attribute	Description
Name	REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 64

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 36

TOP

SETT_TXN_STAT

Attribute	Description
Name	SETT_TXN_STAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1020

TOP

CHEQUE_NO

Attribute	Description
Name	CHEQUE_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 64

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

ERROR

Attribute	Description

Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.24.CloseTDAmountBlock

CloseTDAmountBlock

2.24.1.ST-CloseTDAmountBlock-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*

MODNO

TXNSTAT

AUTHSTAT

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates Amount
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / F,S,P,E,A,C,B,D

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	Indicates Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HOLDDESC

Attribute	Description
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHECKER

Attribute	**Description**
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHECKERSTAMP

Attribute	**Description**
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	**Description**
Name	TXNSTAT
Datatype	String
Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	**Description**
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

2.24.2.ST-CloseTDAmountBlock-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *AMTBLKNO*
    - *MODNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	Attribute: nillable, Description: true
Restrictions	Restrictions: pattern, Description: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	Attribute: nillable, Description: true
Restrictions	Restrictions: pattern, Description: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: pattern, Description: [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.

Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	totalDigits	22

TOP

2.24.3.ST-CloseTDAmountBlock-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates Amount	
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description

Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

ABLKTYPE

Attribute	**Description**
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,S,P,E,A,C,B,D

TOP

REFERENCE_NO

Attribute	**Description**
Name	REFERENCE_NO
Datatype	String
Description	Indicates Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

HPCODE

Attribute	**Description**
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	Attribute: minOccurs — Description: 0

TOP

HOLDDESC

Attribute	Description
Name	HOLDDESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	Restrictions: length — Description: 3 Restrictions: pattern — Description: [a-zA-Z_0-9]{3}

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERSTAMP

Attribute	Description

Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String

Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	**Description**
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	255
	minLength	0

TOP

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *AMTBLKNO*
      - *MODNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length 3; pattern [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	

ORACLE

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	Attribute: maxOccurs; Description: unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	Attribute: maxOccurs; Description: unbounded Attribute: minOccurs; Description: 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	Attribute: maxOccurs; Description: unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.25.CreateClosureData

CreateClosureData

2.25.1.ST-CreateClosureData-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Closure-Full*
    - *ENTITY_TYPE*
    - *ENTITY_ID*
    - *CLOSURE_ALLOWED*
    - *SOURCE_CODE*
    - *PROCESSING_DATE*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cust-Closure-Full

Attribute	Description
Name	Cust-Closure-Full
Datatype	
Description	

TOP

ENTITY_TYPE

Attribute	Description
Name	ENTITY_TYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,

TOP

ENTITY_ID

Attribute	**Description**
Name	ENTITY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLOSURE_ALLOWED

Attribute	**Description**
Name	CLOSURE_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SOURCE_CODE

Attribute	**Description**
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROCESSING_DATE

Attribute	**Description**
Name	PROCESSING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
Cust-Closure-IO
ENTITY_TYPE
ENTITY_ID
CLOSURE_ALLOWED
SOURCE_CODE
PROCESSING_DATE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cust-Closure-IO

Attribute	Description
Name	Cust-Closure-IO
Datatype	
Description	

TOP

ENTITY_TYPE

Attribute	Description	
Name	ENTITY_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,

TOP

ENTITY_ID

Attribute	Description
Name	ENTITY_ID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLOSURE_ALLOWED

Attribute	**Description**
Name	CLOSURE_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	**Description**
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROCESSING_DATE

Attribute	**Description**
Name	PROCESSING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

2.25.3.ST-CreateClosureData-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Closure-Full*
    - *ENTITY_TYPE*
    - *ENTITY_ID*
    - *CLOSURE_ALLOWED*
    - *SOURCE_CODE*
    - *PROCESSING_DATE*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cust-Closure-Full

Attribute	Description

Name	Cust-Closure-Full
Datatype	
Description	

TOP

ENTITY_TYPE

Attribute	Description
Name	ENTITY_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,

TOP

ENTITY_ID

Attribute	Description
Name	ENTITY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLOSURE_ALLOWED

Attribute	Description
Name	CLOSURE_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	Description
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROCESSING_DATE

Attribute	Description
Name	PROCESSING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE

Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.25.4.ST-CreateClosureData-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cust-Closure-PK*
      - *ENTITY_ID*
      - *SOURCE_CODE*
      - *ENTITY_TYPE*
    - *Cust-Closure-IO*
      - *ENTITY_TYPE*
      - *ENTITY_ID*
      - *CLOSURE_ALLOWED*
      - *SOURCE_CODE*
      - *PROCESSING_DATE*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cust-Closure-PK

Attribute	Description
Name	Cust-Closure-PK
Datatype	
Description	

TOP

ENTITY_ID

Attribute	Description	
Name	ENTITY_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SOURCE_CODE

Attribute	Description	
Name	SOURCE_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ENTITY_TYPE

Attribute	Description	
Name	ENTITY_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Cust-Closure-IO

Attribute	Description
Name	Cust-Closure-IO
Datatype	
Description	

TOP

ENTITY_TYPE

Attribute	Description
Name	ENTITY_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ENTITY_ID

Attribute	Description
Name	ENTITY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLOSURE_ALLOWED

Attribute	Description
Name	CLOSURE_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	Description
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROCESSING_DATE

Attribute	Description
Name	PROCESSING_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	**Description**
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	**Description**
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	**Description**
Name	WDESC
Datatype	String
Description	

TOP

2.26.CloseCustSegAssociation

CloseCustSegAssociation

2.26.1.ST-CloseCustSegAssociation-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-Full*
    - *CUSTNO*
    - *CUSTSEGCD*
    - *CUSTSEGSTATUS*
    - *NETWORTH*
    - *NETWORTHCCY*
    - *CUST_NAME*
    - *SEGEMENT_DESCRIPTION*
    - *CUSTCCY*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cust-Seg-Mapping-Full

Attribute	Description

Name	Cust-Seg-Mapping-Full
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / U,D,R,

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_NAME

Attribute	Description
Name	CUST_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

SEGEMENT_DESCRIPTION

Attribute	Description
Name	SEGEMENT_DESCRIPTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

MAKER

Attribute	Description

Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	**Description**
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	**Description**
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

UDFDETAILS

Attribute	Description	
Name	UDFDETAILS	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FLDNAM

Attribute	Description	
Name	FLDNAM	
Datatype	String	
Description	Indicates the Field Name	
Restrictions	**Restrictions**	**Description**
	maxLength	105
	minLength	1

TOP

FLDVAL

<table>
<tr><th>Attribute</th><th>Description</th></tr>
<tr><td>Name</td><td>FLDVAL</td></tr>
<tr><td>Datatype</td><td>String</td></tr>
<tr><td>Description</td><td>Indicates the Field Value</td></tr>
<tr><td>Attributes</td><td>
<table>
<tr><th>Attribute</th><th>Description</th></tr>
<tr><td>minOccurs</td><td>0</td></tr>
</table>
</td></tr>
<tr><td>Restrictions</td><td>
<table>
<tr><th>Restrictions</th><th>Description</th></tr>
<tr><td>maxLength</td><td>255</td></tr>
<tr><td>minLength</td><td>0</td></tr>
</table>
</td></tr>
</table>

TOP

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
Cust-Seg-Mapping-IO
CUSTNO
MAKER
MAKERSTAMP
MODNO

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cust-Seg-Mapping-IO

Attribute	Description
Name	Cust-Seg-Mapping-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MAKER

Attribute	Description
Name	MAKER

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

2.26.3.ST-CloseCustSegAssociation-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-Full*
    - *CUSTNO*
    - *CUSTSEGCD*
    - *CUSTSEGSTATUS*
    - *NETWORTH*
    - *NETWORTHCCY*
    - *CUST_NAME*
    - *SEGEMENT_DESCRIPTION*
    - *CUSTCCY*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8 Restrictions: pattern — Description: [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	**Description**
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cust-Seg-Mapping-Full

Attribute	Description
Name	Cust-Seg-Mapping-Full
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTSEGCD

Attribute	Description	
Name	CUSTSEGCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

CUSTSEGSTATUS

Attribute	Description	
Name	CUSTSEGSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	U,D,R,

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

NETWORTHCCY

Attribute	Description	
Name	NETWORTHCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_NAME

Attribute	Description	
Name	CUST_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

SEGEMENT_DESCRIPTION

Attribute	Description	
Name	SEGEMENT_DESCRIPTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CUSTCCY

Attribute	Description	
Name	CUSTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name

Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cust-Seg-Mapping-PK*
      - *CUSTNO*
    - *Cust-Seg-Mapping-IO*
      - *CUSTNO*
      - *MAKER*
      - *MAKERSTAMP*
      - *MODNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cust-Seg-Mapping-PK

Attribute	Description
Name	Cust-Seg-Mapping-PK
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Cust-Seg-Mapping-IO

Attribute	Description
Name	Cust-Seg-Mapping-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.27.CloseCustomer

Closure of Customer

2.27.1.ST-CloseCustomer-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-Full*
    - *PRIVATE_CUSTOMER*
    - *CUSTNO*
    - *CTYPE*
    - *NAME*
    - *ADDRLN1*
    - *ADDRLN3*
    - *ADDRLN2*
    - *ADDRLN4*
    - *COUNTRY*
    - *SNAME*
    - *NLTY*
    - *LBRN*
    - *CCATEG*
    - *FULLNAME*
    - *CIFCREATIONDT*

ISELCMCUST
ELCMCUSTNO
AR_AP_TRACKING
EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
CREATEACC
CREATEDACCOUNT
TRACK_LIMITS
LIABID
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM

SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR
UTLTYPRVDRID
RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
LC_COLLAT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
UDF1
UDF2
UDF3
UDF4
UDF5
RM_ID
NETTREQD
LIABUNADV
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
MFI_CUSTOMER
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO

TXNSTAT

AUTHSTAT

Custpersonal

- *FSTNAME*
- *MIDNAME*
- *LSTNAME*
- *DOB*
- *GENDR*
- *NATIONID*
- *PPTNO*
- *PPTISSDT*
- *PPTEXPDT*
- *DADD2*
- *DADD3*
- *DPIN_CODE*
- *TELEPHNO*
- *FAXNUMBER*
- *EMAILID*
- *BENEFADDR1*
- *ADDRS3*
- *BENEFADDR2*
- *DCNTRY*
- *PCNTRY*
- *RESSTATUS*
- *CUSTPREFIX1*
- *CUSTPREFIX2*
- *MOBNUM*
- *CUST_COMM_MODE*
- *LANG*
- *GUARDIAN*
- *SBMTAGEPROOF*
- *MINOR*
- *KYCSTAT*
- *SSTAFF*
- *KYC_REFNO*
- *SAME_CORR_ADDR*
- *DADD1*
- *SAME_PERM_ADDR*
- *TITLE*
- *ADDRS4*
- *DADD4*
- *PLACEOFBIRTH*
- *BIRTHCOUNTRY*
- *TELISDNOPERSONAL*

MOBISDNO
FAXISDNO
USRESSTATUS
PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY
PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV
HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
- *CUSTNO*
- *EDUSTAT*
- *MARITALSTAT*
- *SPNAME*
- *SPEMPSTATUS*
- *DEPCHILD*
- *DEPOTH*
- *ACCOMODATE*
- *MOTHERMAIDN_NAME*

Custprof
- *CUSTNO*
- *EMPSTAT*
- *EMPTENURE*
- *RETIREAGE*
- *PREVDESIG*
- *PREVEMP*
- *CURRDESIG*
- *CURREMP*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *AMTCCY1*
- *TELEX*
- *FAX*
- *EMAIL*
- *SALARY*

- *OTHER1*
- *RENT*
- *INSURANCE*
- *LOANPMNT*
- *OTHEXP*
- *HOUSEVAL*
- *CRCARD*
- *CNTY*
- *EMPLOYER_DESC*

Custcorp

- *CORPNAME*
- *REGADD1*
- *REGADD2*
- *REGADD3*
- *R_PIN_CODE*
- *AMTCCY*
- *INCORPDT*
- *CAPITAL*
- *NETWORTH*
- *CORPDESC*
- *INCORPCNTRY*
- *REGCNTRY*
- *SAME_CORR_ADDR*
- *REGADD4*
- *JOINTVENTURE*
- *CADDR1*
- *CADDR3*
- *CADDR2*
- *CADDR4*
- *CPINCODE*
- *CNTRY*
- *LANGUAGE*
- *KYC_DETAILS*
- *KYCREFNO*
- *CNAME*
- *UIDNAME*
- *UIDVALUE*
- *TELEPHONE*
- *FAX*
- *EMAILID*
- *MOBILENUMBER*
- *CUSTCOMMMODE*
- *NATIONID*
- *TELISDNOCRP*

MOBISDNOCRP
FAXISDNOCRP
PREF_CNTACT_DATE
PREF_CNTACT_TIME
OWNERSHPTYPE
Custcorpdir
DIRNAME
NADDR1
NADDR2
NADDR3
NADDR4
ADDRESS1
ADDRESS2
ADDRESS3
COUNTRY
TEL
TAXID
MOBNO
EMAILID
TELISDNOCRPDIR
MOBISDNOCRPDIR
ADDRCOUNTRYCRPDIR
NATIONLTYCRPDIR
USRESSTATUSCRPDIR
PCTHOLDING
HOMETELNO
HOMETELISD
PPIN_CODE
PIN_CODE
Issuerdet
CUSTNO
OVERLMTCCY
OVERLIMIT
Issuerlmts
CLTRLTYP
LMTCCY
LMTAMT
Custdoc-Chklist
CUSTOMER_NO
DOCCATEGORY
DOCUMENTNAME
DOCUMENT_TYPE
CHECKED
DOCREF

- *DATEREQ*
- *EXPECTDDATE*
- *ACTUALDATE*
- *EXPDATE*
- *REMARKSCHKLIST*

Doctype-Remarks

- *CUSTOMER_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *CUSTNO*
- *RELATION*

Custshhold

- *CUSTNO*
- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CUSTNO*
- *CCY*
- *DESC*

Bic

- *ACC*
- *CUSTNO*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Cust-Liab

- *LIABILITY_NUMBER*

- *LIABILTY_NAME*
- *LIAB_BRANCH*
- *LIAB_CCY*
- *OVERLIMIT*
- *REVISION_DATE*
- *CATEGORY*
- *USER_DEFINED_STATUS*
- *UNADV*
- *NETTING_REQUIRED*
- *OVERALL_SCORE*
- *FX_CLEAN_RISK_LIMIT*
- *SEC_CLEAN_RISK_LIMIT*
- *SEC_PSTL_RISK_LIMIT*
- *REMARKS*
- *MAIN_LIAB_NO*
- *UTIL_AMOUNT*
- *CRRATING*
- *Liab-Score*
  - *SCORE*
  - *SCORE_NAME*
  - *SCORE_DESC*
- *Liab-Rating*
  - *PRIMARY*
  - *AGENCY_NAME*
  - *CREDIT_RATING*
- *Liab-Linkage*
  - *EXPOSURE_NAME*
  - *EXPOSURE_DESC*
  - *EXPOSURE_TYPE*
- *Liab-Udf*
  - *FLDNAM*
  - *FLDVAL*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*

Mfi1

- *INSURANCE_NUMBER*
- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*

BLACKLISTED
BLACKLIST_COUNT
PHYSICALLY_CHALLENGED
ACCOUNT_OFFICER
Training
TRAINING_CODE
TRAINING_DATE
CIF
Chklist
KEY_ID
CHKLIST_ITEM
VERIFIED
Mf-Cifdet
CUSTOMER_NO
GROUP_CODE
MEETING_CODE
Id-Master
CUSTOMER_NO
Id-Det-Main
CUSTOMER_NO
SNO
DOCUMENT_TYPE
Iddetail
CUSTOMER_NO
SNO
DOCUMENT_TYPE
SERIES
DOC_ID
DATE_OF_ISSUE
DATE_OF_EXPIRY
ISSUING_AUTHORITY
PLACE_OF_ISSUE
NAME
Custmis
MISGRP
CUST
BRNCD
LINKTOGRP
Custchnglog
MISCLS
TXNDT
OLDMISCD
NWMISCD
Baltrnsfrlog

BRN
PRDCD
FINYR
TXNDT
GLCODE
MISCLS
OLDMISCD
NWMISCD
TRNIND
CCY
AMT
XRATE
Customermis
MISCLS
MISCD
Compositemis
MISCLS
MISCD
Custloghead
Jointcustomer
CUSTNO
Custjoint
CUSTPREFIX
FRSTNAME
MIDNAME
LASTNAME
DOB
SEX
PPNO
PPTISSDT
PPTEXPDT
ADD1
ADD2
ADD3
TEL
EMAIL
SSN
DECEASED
RESISTAT
Cust-Acc-Det
CUSTNO
Diary-Mst
INSTRNO
UNTTYP

- *UNTVAL*
- *BRN*
- *INSTR*
- *INSTRTYPE*
- *EXEDAYS*
- *EXEMONTHS*
- *EXEYEARS*
- *MNTHENDFLG*
- *HLDRULE*
- *FRSTDUEDT*
- *NXTDUEDT*
- *NXTEXEDT*
- *CONDELEM*
- *OPRTR*
- *CONDVAL*
- *ACCOFCR*
- *SPLINSTRTYP*
- *EXPDT*
- *SPLINSTR*

Custaccdet

- *CUSTNO*
- *BRNCD*
- *Relationship-Linkage*
  - *CUSTOMER*
  - *RELATIONSHIP*
  - *INHERIT*
  - *DESCP*

Custacdetail

- *CUSTNO*
- *CUSTTEXT*
  - *SEQNO*
  - *CUSTNO*
  - *TDESC*

UDFDETAILS

- *FLDNAM*
- *FLDVAL*

Sttms-Debit

- *BRANCH_CODE*
- *CUST_NO*
- *ACTNO*
- *Sttms-Detail*
  - *BRANCH_CODE*
  - *REQUEST_REFERENCE_NO*
  - *CARDNO*

CUST_NO

CARD_PRODUCT

PRIMARY_CARD

NAME_ON_CARD

OWNER_ID_NO

CARD_ISSUED_DT

CARD_EXPIRY_DT

CARD_STATUS

RECORD_STAT

AUTH_STAT

CARD_BIN

CUST_AC_NO

Extsys-Ws-Master

Extsys-Ws-Details

EXTWSRESP

USERREMARKS

Cust-Account

BRN

ACC

AC_DESC

CUSTNAME

CUST_NO

CCY

ACCOUNT_CLASS

AC_OPEN_DATE

ALT_ACC_NO

CHQBOOK

ATM

PASSBOOK

ATMACC

ATMDLIM

ATMDCNTLIM

CHKNAME1

CHKNAME2

AUTOREORDERCHKREQ

AUTOREORDERCHKLVL

AUTOREORDERCHKLVS

DORMPRM

LOCATION

MEDIA

OPMODE

COUNTRY_CODE

AUTO_CHEQUE_BOOK_REQ

AUTO_DEBIT_CARD_REQUEST

ACCOUNT_TYPE
MAX_NO_CHEQUE_REJECTIONS
ACC_OPENING_AMT
GL_ACCC
OFFSET_BRN
PAY_IN_OPTION
WAIVE_ACC_OPEN_CHARGE
CODATMBRN
REPL_CUST_SIG
SALARY_ACCOUNT
SDREFNO
SPDANLSYS
TYOFCHQ
Account-Generation
Jointholders-Main
Jointholders
- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUSTNO*
- *CUSTNAME1*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees
- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMINEE_ID*
- *CUST_AC_NO*
- *BRANCH_CODE*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist
- *BRANCH_CODE*
- *CUST_AC_NO*

- *DOCUMENT_TYPE*
- *MANDATORY*
- *CHECKED*

Doctype-Remarks1

- *BRANCH_CODE*
- *CUST_AC_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Cust-Acc-Check

- *BRANCH*
- *ACCOUNT*
- *FIRST_CHECK_NO*
- *CHECK_LEAVES*
- *CHEQUE_BOOK_TYPE*
- *ORDER_DATE*
- *ORDER_DETAILS*
- *LANG_CODE*
- *REQUEST_STATUS*
- *CHQ_TYPE*

Cust-Acc-Card

- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUST_NO*
- *REQUEST_REFERENCE_NO*
- *CARD_PRODUCT*
- *CARD_BIN*
- *NAME_ON_CARD*
- *CARD_NO*
- *CARD_APPL_DATE*
- *PRIMARY_CARD*
- *CARD_STATUS*

Udfdetails

- *FUNCID*
- *RECKEY*
- *FLDNAM*
- *FLDVAL*

- *Custacc*
  - *Misdetails*
    - *TXNMIS7*
    - *COMPMIS8*
    - *TXNMIS8*
    - *COMPMIS9*
    - *TXNMIS9*
    - *COMPMIS10*
    - *TXNMIS10*
    - *COSTCOD1*
    - *COSTCOD2*
    - *COSTCOD3*
    - *COSTCOD4*
    - *COSTCOD5*
    - *REFRTSPRD*
    - *REFRTTYPE*
    - *REFRTCD*
    - *BRN*
    - *ACC*
    - *POOLCD*
    - *RTFLAG*
    - *REFRATE*
    - *CALCMETH*
    - *MISGRP*
    - *MISGRPTXN*
    - *MISGRPCOMP*
    - *COMPMIS1*
    - *TXNMIS1*
    - *COMPMIS2*
    - *TXNMIS2*
    - *COMPMIS3*
    - *TXNMIS3*
    - *COMPMIS4*
    - *TXNMIS4*
    - *COMPMIS5*
    - *TXNMIS5*
    - *COMPMIS6*
    - *TXNMIS6*
    - *COMPMIS7*
    - *LINKGRP*
    - *Misaccchangelog*
      - *MISCLS*
      - *TXNDT*
      - *OLDMISCD*

NWMISCD

Misbaltransferlog

BRN

PRDCD

FINYR

GLCODE

TRNIND

MISCLS

TXNDT

OLDMISCD

NWMISCD

CCY

AMT

XRATE

Chglog

Tsfrlog

Classname

B1

C1

C2

C3

C4

C5

C6

C7

C8

C9

C10

T1

T2

T3

T4

T5

T6

T7

T8

T9

T10

Nsf-Enq

CUSTOMER_NO

CUSTOMER_NAME1

NSFIB_CS_EVENT_NO

NSFIB_CS_LVL

NSFIB_CS_LVL_EFFDT

NSFIB_CS_LVL_EXPDT
NSFIB_CS_BLK_STAT
NSFIB_CS_LAST_TRN_DT
NSFIB_CS_WBRCK_STAT
NSFIB_CS_WBRCK_EFFDT
NSFIB_CS_WBRCK_EXPDT
NSFIB_IB_BLK_STAT
NSFIB_IB_BLK_EFFDT
NSFIB_IB_BLK_EXPDT
NSFIB_IB_BLK_DESC
NSFIB_CB_BLK_STAT
NSFIB_CB_DESC
NSFIB_CB_EFFDT
NSFIB_CB_EXPDT
NSFIB_CS_BLK_DESC
NSFIB_CS_WBRCK_STAT_DESC
Cust
CUSTNO
CNAME
Cust-Ck-Det
CHQ_AMT
CHQ_PROCESS_ORDER
LVL_COMP_EXPDT
BRANCH_CODE
CG_REF_NO
CUSTOMER_NO
ACCOUNT_NO
CHQ_NO
EVENT_NO
NSF_LVL
LVL_EFFDT
LVL_EXPDT
CHQ_DT
CHQ_VALUEDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Customer-Full

Attribute	Description
Name	Customer-Full
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description
Name	PRIVATE_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CTYPE

Attribute	Description
Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,C,B

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	Description
Name	ADDRLN1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN3

Attribute	Description	
Name	ADDRLN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN2

Attribute	Description	
Name	ADDRLN2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN4

Attribute	Description	
Name	ADDRLN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SNAME

Attribute	**Description**
Name	SNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

NLTY

Attribute	**Description**
Name	NLTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LBRN

Attribute	**Description**
Name	LBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCATEG

Attribute	**Description**
Name	CCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FULLNAME

Attribute	Description
Name	FULLNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CIFCREATIONDT

Attribute	Description
Name	CIFCREATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISELCMCUST

Attribute	Description
Name	ISELCMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ELCMCUSTNO

Attribute	Description
Name	ELCMCUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AR_AP_TRACKING

Attribute	Description
Name	AR_AP_TRACKING

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

EXPCNTRY

Attribute	**Description**
Name	EXPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

UIDVAL

Attribute	**Description**
Name	UIDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FROZEN

Attribute	**Description**
Name	FROZEN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

DEAD

Attribute	Description
Name	DEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

WHRUNKN

Attribute	Description
Name	WHRUNKN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CRRATE

Attribute	Description
Name	CRRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

SSN

Attribute	Description	
Name	SSN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	11

TOP

SWIFTCD

Attribute	Description	
Name	SWIFTCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

TOP

LOC

Attribute	Description	
Name	LOC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

MAILRSREQD

Attribute	Description	
Name	MAILRSREQD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

GRPCD

Attribute	Description
Name	GRPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

EXPCAT

Attribute	Description
Name	EXPCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTCLASSFN

Attribute	Description
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTAT

Attribute	Description
Name	CIFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTATSNC

Attribute	Description
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGGRP

Attribute	Description
Name	CHGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSTCLGGRP

Attribute	Description
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TAXGROUP

Attribute	Description
Name	TAXGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLSPARTICIPANT

Attribute	Description
Name	CLSPARTICIPANT
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FXNETTCUST

Attribute	Description	
Name	FXNETTCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

XREF

Attribute	Description	
Name	XREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRMCUST

Attribute	Description	
Name	CRMCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

ISSUCUST

Attribute	Description	
Name	ISSUCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

TRSRYCUST

Attribute	Description
Name	TRSRYCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

RELPRICING

Attribute	Description
Name	RELPRICING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

MT920

Attribute	Description
Name	MT920
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

FLGJOINT

Attribute	Description
Name	FLGJOINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

CREATEACC

Attribute	Description
Name	CREATEACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CREATEDACCOUNT

Attribute	Description
Name	CREATEDACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TRACK_LIMITS

Attribute	Description
Name	TRACK_LIMITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABID

Attribute	Description
Name	LIABID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LMCCY

Attribute	Description
Name	LMCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

HOACNO

Attribute	Description
Name	HOACNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

RISKPRFL

Attribute	Description
Name	RISKPRFL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

DRCAT

Attribute	Description
Name	DRCAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

AMLREQD

Attribute	Description

Name	AMLREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AMLCUSTGRP

Attribute	**Description**
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CHKDIGITVALREQD

Attribute	**Description**
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ALGID

Attribute	**Description**
Name	ALGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FTACCASOF

Attribute	**Description**
Name	FTACCASOF
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,N,D

TOP

CUSTUNADV

Attribute	Description	
Name	CUSTUNADV	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

CONSTAXCERTRQD

Attribute	Description	
Name	CONSTAXCERTRQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

INDTAXCERTRQD

Attribute	Description	
Name	INDTAXCERTRQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

CLSCCYALLWD

Attribute	Description	
Name	CLSCCYALLWD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	D,A

TOP

RISKCATEG

Attribute	Description
Name	RISKCATEG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

UPTYPE

Attribute	Description
Name	UPTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

UDFLBL1

Attribute	Description
Name	UDFLBL1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL2

Attribute	Description
Name	UDFLBL2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL3

Attribute	Description
Name	UDFLBL3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDF1

Attribute	Description
Name	UDF1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF2

Attribute	Description
Name	UDF2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF3

Attribute	Description
Name	UDF3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF4

Attribute	Description
Name	UDF4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF5

Attribute	Description
Name	UDF5
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	150

TOP

RM_ID

Attribute	Description
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

NETTREQD

Attribute	Description
Name	NETTREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABUNADV

Attribute	Description
Name	LIABUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AUTOGENSTMTPLAN

Attribute	Description
Name	AUTOGENSTMTPLAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

FREQ

Attribute	**Description**
Name	FREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	**Description**
Name	STMTDAY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

PIN_CODE

Attribute	**Description**
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MFI_CUSTOMER

Attribute	**Description**
Name	MFI_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INVESTCUST

Attribute	Description
Name	INVESTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWVRTLACCNTS

Attribute	Description
Name	ALLOWVRTLACCNTS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

VRTLCUSTOMERID

Attribute	Description
Name	VRTLCUSTOMERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1

TOP

Custpersonal

Attribute	Description
Name	Custpersonal
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FSTNAME

Attribute	Description
Name	FSTNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

LSTNAME

Attribute	Description
Name	LSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PPTNO

Attribute	Description
Name	PPTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DADD2

Attribute	Description
Name	DADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DADD3

Attribute	Description
Name	DADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DPIN_CODE

Attribute	Description
Name	DPIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

TELEPHNO

Attribute	Description
Name	TELEPHNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAXNUMBER

Attribute	Description
Name	FAXNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BENEFADDR1

Attribute	Description
Name	BENEFADDR1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADDRS3

Attribute	Description
Name	ADDRS3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

BENEFADDR2

Attribute	Description
Name	BENEFADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DCNTRY

Attribute	Description
Name	DCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

RESSTATUS

Attribute	**Description**
Name	RESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,R

TOP

CUSTPREFIX1

Attribute	**Description**
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CUSTPREFIX2

Attribute	**Description**
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

MOBNUM

Attribute	**Description**
Name	MOBNUM
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CUST_COMM_MODE

Attribute	Description	
Name	CUST_COMM_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,M

TOP

LANG

Attribute	Description	
Name	LANG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

GUARDIAN

Attribute	Description	
Name	GUARDIAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SBMTAGEPROOF

Attribute	Description	
Name	SBMTAGEPROOF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	P,N,V

TOP

MINOR

Attribute	Description	
Name	MINOR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

KYCSTAT

Attribute	Description	
Name	KYCSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,V,F

TOP

SSTAFF

Attribute	Description	
Name	SSTAFF	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

KYC_REFNO

Attribute	Description	
Name	KYC_REFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

DADD1

Attribute	Description	
Name	DADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SAME_PERM_ADDR

Attribute	Description	
Name	SAME_PERM_ADDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

TITLE

Attribute	Description	
Name	TITLE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ADDRS4

Attribute	Description
Name	ADDRS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD4

Attribute	Description
Name	DADD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PLACEOFBIRTH

Attribute	Description
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

BIRTHCOUNTRY

Attribute	Description
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	9

TOP

EDUSTAT

Attribute	Description	
Name	EDUSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	U,N,G,P

TOP

MARITALSTAT

Attribute	Description	
Name	MARITALSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,D,R,S,P,E

TOP

SPNAME

Attribute	Description	
Name	SPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SPEMPSTATUS

Attribute	Description	
Name	SPEMPSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description
Name	DEPCHILD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DEPOTH

Attribute	Description
Name	DEPOTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOMODATE

Attribute	Description
Name	ACCOMODATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description
Name	MOTHERMAIDN_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custprof

Attribute	Description
Name	Custprof
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

EMPSTAT

Attribute	Description	
Name	EMPSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description	
Name	EMPTENURE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RETIREAGE

Attribute	Description	
Name	RETIREAGE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREVEMP

Attribute	**Description**
Name	PREVEMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CURRDESIG

Attribute	**Description**
Name	CURRDESIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CURREMP

Attribute	**Description**
Name	CURREMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD1

Attribute	**Description**
Name	ADD1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMTCCY1

Attribute	Description
Name	AMTCCY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

TELEX

Attribute	Description	
Name	TELEX	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

FAX

Attribute	Description	
Name	FAX	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

EMAIL

Attribute	Description	
Name	EMAIL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

SALARY

Attribute	Description	
Name	SALARY	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

OTHER1

Attribute	Description
Name	OTHER1
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

HOUSEVAL

Attribute	Description

Name	HOUSEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRCARD

Attribute	Description
Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CNTY

Attribute	Description
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EMPLOYER_DESC

Attribute	Description
Name	EMPLOYER_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custcorp

Attribute	Description
Name	Custcorp
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPNAME

Attribute	Description
Name	CORPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD1

Attribute	Description
Name	REGADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD2

Attribute	Description
Name	REGADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD3

Attribute	Description
Name	REGADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

R_PIN_CODE

Attribute	Description

Name	R_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

AMTCCY

Attribute	**Description**
Name	AMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INCORPDT

Attribute	**Description**
Name	INCORPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITAL

Attribute	**Description**
Name	CAPITAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTH

Attribute	**Description**
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPDESC

Attribute	Description
Name	CORPDESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

INCORPCNTRY

Attribute	Description
Name	INCORPCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

REGCNTRY

Attribute	Description
Name	REGCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

REGADD4

Attribute	Description

Name	REGADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JOINTVENTURE

Attribute	**Description**
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CADDR1

Attribute	**Description**
Name	CADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR3

Attribute	**Description**
Name	CADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR2

Attribute	**Description**
Name	CADDR2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CADDR4

Attribute	**Description**	
Name	CADDR4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CPINCODE

Attribute	**Description**	
Name	CPINCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

CNTRY

Attribute	**Description**	
Name	CNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

LANGUAGE

Attribute	**Description**	
Name	LANGUAGE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

KYC_DETAILS

Attribute	**Description**
Name	KYC_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,V,F

TOP

KYCREFNO

Attribute	**Description**
Name	KYCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CNAME

Attribute	**Description**
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

UIDVALUE

Attribute	Description
Name	UIDVALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TELEPHONE

Attribute	Description
Name	TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MOBILENUMBER

Attribute	Description
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CUSTCOMMMODE

Attribute	Description
Name	CUSTCOMMMODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: E,M

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

TELISDNOCRP

Attribute	Description
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

DIRNAME

Attribute	Description	
Name	DIRNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR3

Attribute	Description	
Name	NADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

TAXID

Attribute	Description
Name	TAXID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

MOBNO

Attribute	Description
Name	MOBNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

EMAILID

Attribute	Description
Name	EMAILID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TELISDNOCRPDIR

Attribute	Description
Name	TELISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNOCRPDIR

Attribute	Description
Name	MOBISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description
Name	ADDRCOUNTRYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

NATIONLTYCRPDIR

Attribute	Description
Name	NATIONLTYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

USRESSTATUSCRPDIR

Attribute	Description
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PCTHOLDING

Attribute	Description
Name	PCTHOLDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Issuerlmts

Attribute	Description
Name	Issuerlmts
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CLTRLTYP

Attribute	Description
Name	CLTRLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LMTCCY

Attribute	Description
Name	LMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DOCREF

Attribute	Description
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

DATEREQ

Attribute	Description
Name	DATEREQ
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPECTDDATE

Attribute	Description
Name	EXPECTDDATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REMARK1

Attribute	**Description**
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK2

Attribute	**Description**
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK3

Attribute	**Description**
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK4

Attribute	**Description**
Name	REMARK4
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Custgrp

Attribute	**Description**
Name	Custgrp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

GRPNO

Attribute	**Description**
Name	GRPNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RELATION

Attribute	Description
Name	RELATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custshhold

Attribute	Description
Name	Custshhold
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDPCT

Attribute	**Description**
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Clsccyrest

Attribute	**Description**
Name	Clsccyrest
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	**Description**
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Bic

Attribute	Description
Name	Bic
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BICCD

Attribute	Description

Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

Linkedac

Attribute	**Description**
Name	Linkedac
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

VRFD

Attribute	**Description**
Name	VRFD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LINKEDACCNO

Attribute	**Description**
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

LINKEDACCIBAN

Attribute	**Description**
Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	20

TOP

LINKEDACCBIC

Attribute	Description
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

Jointventure

Attribute	Description
Name	Jointventure
Datatype	
Description	
Attributes	maxOccurs: unbounded minOccurs: 0

TOP

PARTY_ID

Attribute	Description
Name	PARTY_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

PARTY_RATIO

Attribute	Description
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

PARTYNAME

Attribute	Description

Name	PARTYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Cust-Liab

Attribute	**Description**
Name	Cust-Liab
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITY_NUMBER

Attribute	**Description**
Name	LIABILITY_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LIABILTY_NAME

Attribute	**Description**
Name	LIABILTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LIAB_BRANCH

Attribute	**Description**
Name	LIAB_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	3

TOP

LIAB_CCY

Attribute	Description
Name	LIAB_CCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REVISION_DATE

Attribute	Description
Name	REVISION_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CATEGORY

Attribute	Description
Name	CATEGORY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

UNADV

Attribute	Description
Name	UNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

NETTING_REQUIRED

Attribute	Description
Name	NETTING_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

OVERALL_SCORE

Attribute	Description
Name	OVERALL_SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK_LIMIT

Attribute	Description
Name	FX_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_CLEAN_RISK_LIMIT

Attribute	Description
Name	SEC_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_PSTL_RISK_LIMIT

Attribute	Description
Name	SEC_PSTL_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAIN_LIAB_NO

Attribute	Description
Name	MAIN_LIAB_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UTIL_AMOUNT

Attribute	Description
Name	UTIL_AMOUNT
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CRRATING

Attribute	Description
Name	CRRATING
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

Liab-Score

Attribute	Description
Name	Liab-Score
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

SCORE

Attribute	Description
Name	SCORE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

SCORE_NAME

Attribute	Description
Name	SCORE_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

SCORE_DESC

Attribute	Description

Name	SCORE_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 250

TOP

Liab-Rating

Attribute	**Description**
Name	Liab-Rating
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PRIMARY

Attribute	**Description**
Name	PRIMARY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

AGENCY_NAME

Attribute	**Description**
Name	AGENCY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CREDIT_RATING

Attribute	**Description**
Name	CREDIT_RATING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	10

TOP

Liab-Linkage

Attribute	Description	
Name	Liab-Linkage	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXPOSURE_NAME

Attribute	Description	
Name	EXPOSURE_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXPOSURE_DESC

Attribute	Description	
Name	EXPOSURE_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXPOSURE_TYPE

Attribute	Description	
Name	EXPOSURE_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

Liab-Udf

Attribute	Description
Name	Liab-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

Custsegment

Attribute	Description
Name	Custsegment
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Mfi1

Attribute	Description
Name	Mfi1
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE_NUMBER

Attribute	Description
Name	INSURANCE_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MFI_CUST_TYPE

Attribute	Description
Name	MFI_CUST_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / G,C,I

TOP

POVERTY_STATUS

Attribute	Description
Name	POVERTY_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

LITERACY_OF_CLIENT

Attribute	Description
Name	LITERACY_OF_CLIENT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

BUSINESS_ACTIVITY

Attribute	**Description**
Name	BUSINESS_ACTIVITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

BLACKLISTED

Attribute	**Description**
Name	BLACKLISTED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BLACKLIST_COUNT

Attribute	**Description**
Name	BLACKLIST_COUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

PHYSICALLY_CHALLENGED

Attribute	**Description**
Name	PHYSICALLY_CHALLENGED
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ACCOUNT_OFFICER

Attribute	Description
Name	ACCOUNT_OFFICER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Training

Attribute	Description
Name	Training
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TRAINING_CODE

Attribute	Description
Name	TRAINING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRAINING_DATE

Attribute	Description
Name	TRAINING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CIF

Attribute	Description
Name	CIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Chklist

Attribute	Description
Name	Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHKLIST_ITEM

Attribute	Description
Name	CHKLIST_ITEM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VERIFIED

Attribute	Description
Name	VERIFIED

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Mf-Cifdet

Attribute	Description
Name	Mf-Cifdet
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

GROUP_CODE

Attribute	Description
Name	GROUP_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MEETING_CODE

Attribute	Description
Name	MEETING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	35

TOP

Id-Master

Attribute	Description	
Name	Id-Master	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Id-Det-Main

Attribute	Description	
Name	Id-Det-Main	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

SNO

Attribute	Description

Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	**Description**
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Iddetail

Attribute	**Description**
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	**Description**
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SERIES

Attribute	Description
Name	SERIES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

DOC_ID

Attribute	Description
Name	DOC_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DATE_OF_ISSUE

Attribute	Description
Name	DATE_OF_ISSUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DATE_OF_EXPIRY

Attribute	Description
Name	DATE_OF_EXPIRY
Datatype	Date

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	Description
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CUST

Attribute	**Description**
Name	CUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BRNCD

Attribute	**Description**
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKTOGRP

Attribute	**Description**
Name	LINKTOGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Custchnglog

Attribute	**Description**
Name	Custchnglog
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

MISCLS

Attribute	Description	
Name	MISCLS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNDT

Attribute	Description	
Name	TXNDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

TOP

OLDMISCD

Attribute	Description	
Name	OLDMISCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

NWMISCD

Attribute	Description	
Name	NWMISCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

Baltrnsfrlog

Attribute	Description
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	Description
Name	TXNDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

GLCODE

Attribute	Description
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TRNIND

Attribute	**Description**
Name	TRNIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMT

Attribute	**Description**
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

XRATE

Attribute	**Description**
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Customermis

Attribute	**Description**
Name	Customermis

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Compositemis

Attribute	Description
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Custloghead

Attribute	Description
Name	Custloghead
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates Customer Joint.

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTPREFIX

Attribute	Description
Name	CUSTPREFIX
Datatype	String
Description	Indicates the Customer Prefix.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

FRSTNAME

Attribute	Description
Name	FRSTNAME
Datatype	String
Description	Indicates the First Name.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

LASTNAME

Attribute	Description
Name	LASTNAME
Datatype	String
Description	Indicates the Last Name.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEX

Attribute	Description
Name	SEX
Datatype	String
Description	Indicates the Sex. The value can be either M or F.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F

TOP

PPNO

Attribute	Description
Name	PPNO
Datatype	String
Description	Indicates Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

ADD1

Attribute	Description	
Name	ADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description	
Name	ADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD3

Attribute	Description	
Name	ADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

DECEASED

Attribute	Description
Name	DECEASED
Datatype	String
Description	Indicates whether Deceased or not. The value should be either D or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resistant Status. The value could be either R or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

UNTVAL

Attribute	**Description**	
Name	UNTVAL	
Datatype	String	
Description	Indicates Unit Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

INSTR

Attribute	**Description**	
Name	INSTR	
Datatype	String	
Description	Indicates Instructions	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

INSTRTYPE

Attribute	**Description**	
Name	INSTRTYPE	
Datatype	String	
Description	Indicates Instruction Type	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXEDAYS

Attribute	Description
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution Days
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEMONTHS

Attribute	Description
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution Years
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. Flag Can be either Y or N.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OPRTR

Attribute	Description
Name	OPRTR

Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates Special Instructions.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage

Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER

Attribute	**Description**
Name	CUSTOMER
Datatype	String
Description	Indicates the customer
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATIONSHIP

Attribute	**Description**
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	**Description**
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	**Description**
Name	DESCP
Datatype	String
Description	Indicates description

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Custacdetail

Attribute	Description
Name	Custacdetail
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 1
Restrictions	**Restrictions** / **Description**
	maxLength / 9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicates sequence number
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TDESC

Attribute	**Description**
Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

Sttms-Debit

Attribute	Description
Name	Sttms-Debit
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

ACTNO

Attribute	Description
Name	ACTNO
Datatype	String
Description	Account Number
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

Sttms-Detail

Attribute	Description
Name	Sttms-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String

Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NAME_ON_CARD

Attribute	**Description**
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

OWNER_ID_NO

Attribute	**Description**
Name	OWNER_ID_NO
Datatype	String
Description	Owner Id number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

CARD_ISSUED_DT

Attribute	Description	
Name	CARD_ISSUED_DT	
Datatype	Date	
Description	Card Issued Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

CARD_EXPIRY_DT

Attribute	Description	
Name	CARD_EXPIRY_DT	
Datatype	Date	
Description	Card Expiry Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

CARD_STATUS

Attribute	Description	
Name	CARD_STATUS	
Datatype	String	
Description	Card Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

RECORD_STAT

Attribute	Description	
Name	RECORD_STAT	
Datatype	String	
Description	Record Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

AUTH_STAT

Attribute	Description
Name	AUTH_STAT

Datatype	String
Description	Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_BIN

Attribute	**Description**
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Extsys-Ws-Master

Attribute	**Description**
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	**Description**
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

Cust-Account

Attribute	Description
Name	Cust-Account
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC

Attribute	Description
Name	ACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AC_DESC

Attribute	**Description**
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTNAME

Attribute	**Description**
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT_CLASS

Attribute	Description	
Name	ACCOUNT_CLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

AC_OPEN_DATE

Attribute	Description	
Name	AC_OPEN_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ALT_ACC_NO

Attribute	Description	
Name	ALT_ACC_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHQBOOK

Attribute	Description	
Name	CHQBOOK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

OPMODE

Attribute	Description
Name	OPMODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	**Description**
Name	COUNTRY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	**Description**
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	**Description**
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	**Description**
Name	ACCOUNT_TYPE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	Description
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	Description
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GL_ACCC

Attribute	Description
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OFFSET_BRN

Attribute	Description
Name	OFFSET_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CODATMBRN

Attribute	Description
Name	CODATMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

REPL_CUST_SIG

Attribute	Description
Name	REPL_CUST_SIG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SALARY_ACCOUNT

Attribute	Description
Name	SALARY_ACCOUNT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SDREFNO

Attribute	**Description**
Name	SDREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

SPDANLSYS

Attribute	**Description**
Name	SPDANLSYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TYOFCHQ

Attribute	**Description**
Name	TYOFCHQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,C

TOP

Account-Generation

Attribute	**Description**
Name	Account-Generation
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Jointholders-Main

Attribute	Description
Name	Jointholders-Main
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Jointholders

Attribute	Description
Name	Jointholders
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME1

Attribute	**Description**
Name	CUSTNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JNTHLDTYP

Attribute	**Description**
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	**Description**
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

END_DATE

Attribute	**Description**
Name	END_DATE
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Acc-Nominees

Attribute	Description	
Name	Acc-Nominees	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RELSHIP

Attribute	Description	
Name	RELSHIP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NOMINEE_ID

Attribute	Description
Name	NOMINEE_ID
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String

Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOMMINOR

Attribute	**Description**
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GUARDNAM

Attribute	**Description**
Name	GUARDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GUARDRELNSHP

Attribute	**Description**
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR1

Attribute	**Description**
Name	GADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR2

Attribute	Description	
Name	GADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR3

Attribute	Description	
Name	GADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR4

Attribute	Description	
Name	GADDR4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NAM

Attribute	Description	
Name	NAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MANDATORY

Attribute	**Description**
Name	MANDATORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

Doctype-Remarks1

Attribute	**Description**
Name	Doctype-Remarks1
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Cust-Acc-Check

Attribute	**Description**
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FIRST_CHECK_NO

Attribute	Description
Name	FIRST_CHECK_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHECK_LEAVES

Attribute	Description
Name	CHECK_LEAVES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQUE_BOOK_TYPE

Attribute	Description
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

ORDER_DATE

Attribute	Description
Name	ORDER_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ORDER_DETAILS

Attribute	Description
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REQUEST_STATUS

Attribute	Description
Name	REQUEST_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Requested

TOP

CHQ_TYPE

Attribute	Description
Name	CHQ_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	EURO,COMM

TOP

Cust-Acc-Card

Attribute	Description
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

CARD_PRODUCT

Attribute	Description
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 11

TOP

NAME_ON_CARD

Attribute	Description
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CARD_NO

Attribute	Description
Name	CARD_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CARD_APPL_DATE

Attribute	Description
Name	CARD_APPL_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_CARD

Attribute	Description
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_STATUS

Attribute	Description
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Udfdetails

Attribute	Description
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCID

Attribute	Description
Name	FUNCID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

RECKEY

Attribute	Description
Name	RECKEY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 700

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

Custacc

Attribute	Description
Name	Custacc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

COMPMIS9

Attribute	Description	
Name	COMPMIS9	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

COMPMIS10

Attribute	Description	
Name	COMPMIS10	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACC

Attribute	**Description**
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

POOLCD

Attribute	**Description**
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RTFLAG

Attribute	**Description**
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,R

TOP

REFRATE

Attribute	**Description**
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CALCMETH

Attribute	Description	
Name	CALCMETH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	1,2,3,4,5,6,7,8,9,

TOP

MISGRP

Attribute	Description	
Name	MISGRP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MISGRPTXN

Attribute	Description	
Name	MISGRPTXN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MISGRPCOMP

Attribute	Description	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

Misaccchangelog

Attribute	Description
Name	Misaccchangelog
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description

Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Misbaltransferlog

Attribute	**Description**
Name	Misbaltransferlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRDCD

Attribute	**Description**
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

FINYR

Attribute	Description	
Name	FINYR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

GLCODE

Attribute	Description	
Name	GLCODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TRNIND

Attribute	Description	
Name	TRNIND	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

MISCLS

Attribute	Description	
Name	MISCLS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

AMT

Attribute	Description
Name	AMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Chglog

Attribute	Description
Name	Chglog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Tsfrlog

Attribute	Description
Name	Tsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Classname

Attribute	Description
Name	Classname
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

B1

Attribute	Description
Name	B1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C1

Attribute	Description
Name	C1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C2

Attribute	Description
Name	C2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C3

Attribute	Description
Name	C3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C4

Attribute	Description
Name	C4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1000

TOP

C5

Attribute	Description	
Name	C5	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C6

Attribute	Description	
Name	C6	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C7

Attribute	Description	
Name	C7	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C8

Attribute	Description	
Name	C8	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C9

Attribute	Description
Name	C9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C10

Attribute	Description
Name	C10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T1

Attribute	Description
Name	T1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T2

Attribute	Description
Name	T2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T3

Attribute	Description
Name	T3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T4

Attribute	Description
Name	T4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T5

Attribute	Description
Name	T5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T6

Attribute	Description
Name	T6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T7

Attribute	Description
Name	T7

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T8

Attribute	Description
Name	T8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T9

Attribute	Description
Name	T9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T10

Attribute	Description
Name	T10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER_NAME1

Attribute	Description	
Name	CUSTOMER_NAME1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NSFIB_CS_EVENT_NO

Attribute	Description	
Name	NSFIB_CS_EVENT_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NSFIB_CS_LVL

Attribute	Description	
Name	NSFIB_CS_LVL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

NSFIB_CS_LVL_EFFDT

Attribute	Description
Name	NSFIB_CS_LVL_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_LVL_EXPDT

Attribute	Description
Name	NSFIB_CS_LVL_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_BLK_STAT

Attribute	Description
Name	NSFIB_CS_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_STAT

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_WBRCK_EFFDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_EXPDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_STAT

Attribute	Description
Name	NSFIB_IB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_IB_BLK_EFFDT

Attribute	Description
Name	NSFIB_IB_BLK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_EXPDT

Attribute	Description
Name	NSFIB_IB_BLK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_DESC

Attribute	Description
Name	NSFIB_IB_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_BLK_STAT

Attribute	Description
Name	NSFIB_CB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NSFIB_CB_DESC

Attribute	Description
Name	NSFIB_CB_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_EFFDT

Attribute	Description
Name	NSFIB_CB_EFFDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NSFIB_CB_EXPDT

Attribute	Description
Name	NSFIB_CB_EXPDT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

NSFIB_CS_BLK_DESC

Attribute	Description
Name	NSFIB_CS_BLK_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NSFIB_CS_WBRCK_STAT_DESC

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

Cust

Attribute	Description
Name	Cust
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cust-Ck-Det

Attribute	Description
Name	Cust-Ck-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_PROCESS_ORDER

Attribute	Description
Name	CHQ_PROCESS_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LVL_COMP_EXPDT

Attribute	Description

Name	LVL_COMP_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CG_REF_NO

Attribute	**Description**
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ACCOUNT_NO

Attribute	**Description**
Name	ACCOUNT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

CHQ_NO

Attribute	Description
Name	CHQ_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

EVENT_NO

Attribute	Description
Name	EVENT_NO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSF_LVL

Attribute	Description
Name	NSF_LVL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8

TOP

LVL_EFFDT

Attribute	Description
Name	LVL_EFFDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

LVL_EXPDT

Attribute	Description
Name	LVL_EXPDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_VALUEDT

Attribute	Description
Name	CHQ_VALUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID

Datatype	String
Description	Function
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

Doc-Upload

Attribute	**Description**
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	**Description**
Name	DCREFNO
Datatype	String
Description	Document Reference
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	**Description**
Name	DOC_CATEGORY
Datatype	String
Description	Document Category
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	**Description**
Name	DOC_TYPE
Datatype	String
Description	Document Type
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	20

TOP

REMARKS

Attribute	Description	
Name	REMARKS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

TOP

Ui-Columns

Attribute	Description	
Name	Ui-Columns	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
Customer-IO
CUSTNO
MAKER
MAKERSTAMP
MODNO

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Customer-IO

Attribute	Description
Name	Customer-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

MAKER

Attribute	Description
Name	MAKER

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

2.27.3.ST-CloseCustomer-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-Full*
    - *PRIVATE_CUSTOMER*
    - *CUSTNO*
    - *CTYPE*
    - *NAME*
    - *ADDRLN1*
    - *ADDRLN3*
    - *ADDRLN2*
    - *ADDRLN4*
    - *COUNTRY*
    - *SNAME*
    - *NLTY*
    - *LBRN*
    - *CCATEG*
    - *FULLNAME*
    - *CIFCREATIONDT*
    - *ISELCMCUST*
    - *ELCMCUSTNO*
    - *AR_AP_TRACKING*

EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
CREATEACC
CREATEDACCOUNT
TRACK_LIMITS
LIABID
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM
SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR

UTLTYPRVDRID
RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
LC_COLLAT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
UDF1
UDF2
UDF3
UDF4
UDF5
RM_ID
NETTREQD
LIABUNADV
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
MFI_CUSTOMER
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Custpersonal

FSTNAME
MIDNAME
LSTNAME
DOB
GENDR
NATIONID
PPTNO
PPTISSDT
PPTEXPDT
DADD2
DADD3
DPIN_CODE
TELEPHNO
FAXNUMBER
EMAILID
BENEFADDR1
ADDRS3
BENEFADDR2
DCNTRY
PCNTRY
RESSTATUS
CUSTPREFIX1
CUSTPREFIX2
MOBNUM
CUST_COMM_MODE
LANG
GUARDIAN
SBMTAGEPROOF
MINOR
KYCSTAT
SSTAFF
KYC_REFNO
SAME_CORR_ADDR
DADD1
SAME_PERM_ADDR
TITLE
ADDRS4
DADD4
PLACEOFBIRTH
BIRTHCOUNTRY
TELISDNOPERSONAL
MOBISDNO
FAXISDNO
USRESSTATUS

PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY
PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV
HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
- *CUSTNO*
- *EDUSTAT*
- *MARITALSTAT*
- *SPNAME*
- *SPEMPSTATUS*
- *DEPCHILD*
- *DEPOTH*
- *ACCOMODATE*
- *MOTHERMAIDN_NAME*

Custprof
- *CUSTNO*
- *EMPSTAT*
- *EMPTENURE*
- *RETIREAGE*
- *PREVDESIG*
- *PREVEMP*
- *CURRDESIG*
- *CURREMP*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *AMTCCY1*
- *TELEX*
- *FAX*
- *EMAIL*
- *SALARY*
- *OTHER1*
- *RENT*
- *INSURANCE*

LOANPMNT

OTHEXP

HOUSEVAL

CRCARD

CNTY

EMPLOYER_DESC

Custcorp

CORPNAME

REGADD1

REGADD2

REGADD3

R_PIN_CODE

AMTCCY

INCORPDT

CAPITAL

NETWORTH

CORPDESC

INCORPCNTRY

REGCNTRY

SAME_CORR_ADDR

REGADD4

JOINTVENTURE

CADDR1

CADDR3

CADDR2

CADDR4

CPINCODE

CNTRY

LANGUAGE

KYC_DETAILS

KYCREFNO

CNAME

UIDNAME

UIDVALUE

TELEPHONE

FAX

EMAILID

MOBILENUMBER

CUSTCOMMMODE

NATIONID

TELISDNOCRP

MOBISDNOCRP

FAXISDNOCRP

PREF_CNTACT_DATE

PREF_CNTACT_TIME

OWNERSHPTYPE

Custcorpdir

DIRNAME

NADDR1

NADDR2

NADDR3

NADDR4

ADDRESS1

ADDRESS2

ADDRESS3

COUNTRY

TEL

TAXID

MOBNO

EMAILID

TELISDNOCRPDIR

MOBISDNOCRPDIR

ADDRCOUNTRYCRPDIR

NATIONLTYCRPDIR

USRESSTATUSCRPDIR

PCTHOLDING

HOMETELNO

HOMETELISD

PPIN_CODE

PIN_CODE

Issuerdet

CUSTNO

OVERLMTCCY

OVERLIMIT

Issuerlmts

CLTRLTYP

LMTCCY

LMTAMT

Custdoc-Chklist

CUSTOMER_NO

DOCCATEGORY

DOCUMENTNAME

DOCUMENT_TYPE

CHECKED

DOCREF

DATEREQ

EXPECTDDATE

ACTUALDATE

- *EXPDATE*
- *REMARKSCHKLIST*

Doctype-Remarks

- *CUSTOMER_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *CUSTNO*
- *RELATION*

Custshhold

- *CUSTNO*
- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CUSTNO*
- *CCY*
- *DESC*

Bic

- *ACC*
- *CUSTNO*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Cust-Liab

- *LIABILITY_NUMBER*
- *LIABILTY_NAME*
- *LIAB_BRANCH*
- *LIAB_CCY*

- *OVERLIMIT*
- *REVISION_DATE*
- *CATEGORY*
- *USER_DEFINED_STATUS*
- *UNADV*
- *NETTING_REQUIRED*
- *OVERALL_SCORE*
- *FX_CLEAN_RISK_LIMIT*
- *SEC_CLEAN_RISK_LIMIT*
- *SEC_PSTL_RISK_LIMIT*
- *REMARKS*
- *MAIN_LIAB_NO*
- *UTIL_AMOUNT*
- *CRRATING*
- *Liab-Score*
  - *SCORE*
  - *SCORE_NAME*
  - *SCORE_DESC*
- *Liab-Rating*
  - *PRIMARY*
  - *AGENCY_NAME*
  - *CREDIT_RATING*
- *Liab-Linkage*
  - *EXPOSURE_NAME*
  - *EXPOSURE_DESC*
  - *EXPOSURE_TYPE*
- *Liab-Udf*
  - *FLDNAM*
  - *FLDVAL*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*

Mfi1

- *INSURANCE_NUMBER*
- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*
- *BLACKLISTED*
- *BLACKLIST_COUNT*
- *PHYSICALLY_CHALLENGED*

- *ACCOUNT_OFFICER*
- *Training*
  - *TRAINING_CODE*
  - *TRAINING_DATE*
  - *CIF*
- *Chklist*
  - *KEY_ID*
  - *CHKLIST_ITEM*
  - *VERIFIED*
- *Mf-Cifdet*
  - *CUSTOMER_NO*
  - *GROUP_CODE*
  - *MEETING_CODE*

Id-Master

- *CUSTOMER_NO*

Id-Det-Main

- *CUSTOMER_NO*
- *SNO*
- *DOCUMENT_TYPE*
- *Iddetail*
  - *CUSTOMER_NO*
  - *SNO*
  - *DOCUMENT_TYPE*
  - *SERIES*
  - *DOC_ID*
  - *DATE_OF_ISSUE*
  - *DATE_OF_EXPIRY*
  - *ISSUING_AUTHORITY*
  - *PLACE_OF_ISSUE*
  - *NAME*

Custmis

- *MISGRP*
- *CUST*
- *BRNCD*
- *LINKTOGRP*
- *Custchnglog*
  - *MISCLS*
  - *TXNDT*
  - *OLDMISCD*
  - *NWMISCD*
- *Baltrnsfrlog*
  - *BRN*
  - *PRDCD*
  - *FINYR*

TXNDT
GLCODE
MISCLS
OLDMISCD
NWMISCD
TRNIND
CCY
AMT
XRATE
Customermis
MISCLS
MISCD
Compositemis
MISCLS
MISCD
Custloghead
Jointcustomer
CUSTNO
Custjoint
CUSTPREFIX
FRSTNAME
MIDNAME
LASTNAME
DOB
SEX
PPNO
PPTISSDT
PPTEXPDT
ADD1
ADD2
ADD3
TEL
EMAIL
SSN
DECEASED
RESISTAT
Cust-Acc-Det
CUSTNO
Diary-Mst
INSTRNO
UNTTYP
UNTVAL
BRN
INSTR

INSTRTYPE
EXEDAYS
EXEMONTHS
EXEYEARS
MNTHENDFLG
HLDRULE
FRSTDUEDT
NXTDUEDT
NXTEXEDT
CONDELEM
OPRTR
CONDVAL
ACCOFCR
SPLINSTRTYP
EXPDT
SPLINSTR
Custaccdet
CUSTNO
BRNCD
Relationship-Linkage
CUSTOMER
RELATIONSHIP
INHERIT
DESCP
Custacdetail
CUSTNO
CUSTTEXT
SEQNO
CUSTNO
TDESC
UDFDETAILS
FLDNAM
FLDVAL
Sttms-Debit
BRANCH_CODE
CUST_NO
ACTNO
Sttms-Detail
BRANCH_CODE
REQUEST_REFERENCE_NO
CARDNO
CUST_NO
CARD_PRODUCT
PRIMARY_CARD

NAME_ON_CARD
OWNER_ID_NO
CARD_ISSUED_DT
CARD_EXPIRY_DT
CARD_STATUS
RECORD_STAT
AUTH_STAT
CARD_BIN
CUST_AC_NO

Extsys-Ws-Master

Extsys-Ws-Details
EXTWSRESP
USERREMARKS

Cust-Account

BRN
ACC
AC_DESC
CUSTNAME
CUST_NO
CCY
ACCOUNT_CLASS
AC_OPEN_DATE
ALT_ACC_NO
CHQBOOK
ATM
PASSBOOK
ATMACC
ATMDLIM
ATMDCNTLIM
CHKNAME1
CHKNAME2
AUTOREORDERCHKREQ
AUTOREORDERCHKLVL
AUTOREORDERCHKLVS
DORMPRM
LOCATION
MEDIA
OPMODE
COUNTRY_CODE
AUTO_CHEQUE_BOOK_REQ
AUTO_DEBIT_CARD_REQUEST
ACCOUNT_TYPE
MAX_NO_CHEQUE_REJECTIONS
ACC_OPENING_AMT

GL_ACCC

OFFSET_BRN

PAY_IN_OPTION

WAIVE_ACC_OPEN_CHARGE

CODATMBRN

REPL_CUST_SIG

SALARY_ACCOUNT

SDREFNO

SPDANLSYS

TYOFCHQ

Account-Generation

Jointholders-Main

Jointholders

- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUSTNO*
- *CUSTNAME1*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees

- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMINEE_ID*
- *CUST_AC_NO*
- *BRANCH_CODE*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist

- *BRANCH_CODE*
- *CUST_AC_NO*
- *DOCUMENT_TYPE*
- *MANDATORY*
- *CHECKED*

Doctype-Remarks1

BRANCH_CODE

CUST_AC_NO

REMARK1

REMARK2

REMARK3

REMARK4

REMARK5

REMARK6

REMARK7

REMARK8

REMARK9

REMARK10

Cust-Acc-Check

BRANCH

ACCOUNT

FIRST_CHECK_NO

CHECK_LEAVES

CHEQUE_BOOK_TYPE

ORDER_DATE

ORDER_DETAILS

LANG_CODE

REQUEST_STATUS

CHQ_TYPE

Cust-Acc-Card

BRANCH_CODE

CUST_AC_NO

CUST_NO

REQUEST_REFERENCE_NO

CARD_PRODUCT

CARD_BIN

NAME_ON_CARD

CARD_NO

CARD_APPL_DATE

PRIMARY_CARD

CARD_STATUS

Udfdetails

FUNCID

RECKEY

FLDNAM

FLDVAL

Custacc

Misdetails

TXNMIS7

COMPMIS8
TXNMIS8
COMPMIS9
TXNMIS9
COMPMIS10
TXNMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
REFRTSPRD
REFRTTYPE
REFRTCD
BRN
ACC
POOLCD
RTFLAG
REFRATE
CALCMETH
MISGRP
MISGRPTXN
MISGRPCOMP
COMPMIS1
TXNMIS1
COMPMIS2
TXNMIS2
COMPMIS3
TXNMIS3
COMPMIS4
TXNMIS4
COMPMIS5
TXNMIS5
COMPMIS6
TXNMIS6
COMPMIS7
LINKGRP
Misaccchangelog
- *MISCLS*
- *TXNDT*
- *OLDMISCD*
- *NWMISCD*

Misbaltransferlog
- *BRN*

PRDCD

FINYR

GLCODE

TRNIND

MISCLS

TXNDT

OLDMISCD

NWMISCD

CCY

AMT

XRATE

Chglog

Tsfrlog

Classname

B1

C1

C2

C3

C4

C5

C6

C7

C8

C9

C10

T1

T2

T3

T4

T5

T6

T7

T8

T9

T10

Nsf-Enq

CUSTOMER_NO

CUSTOMER_NAME1

NSFIB_CS_EVENT_NO

NSFIB_CS_LVL

NSFIB_CS_LVL_EFFDT

NSFIB_CS_LVL_EXPDT

NSFIB_CS_BLK_STAT

NSFIB_CS_LAST_TRN_DT

NSFIB_CS_WBRCK_STAT
NSFIB_CS_WBRCK_EFFDT
NSFIB_CS_WBRCK_EXPDT
NSFIB_IB_BLK_STAT
NSFIB_IB_BLK_EFFDT
NSFIB_IB_BLK_EXPDT
NSFIB_IB_BLK_DESC
NSFIB_CB_BLK_STAT
NSFIB_CB_DESC
NSFIB_CB_EFFDT
NSFIB_CB_EXPDT
NSFIB_CS_BLK_DESC
NSFIB_CS_WBRCK_STAT_DESC
Cust
CUSTNO
CNAME
Cust-Ck-Det
CHQ_AMT
CHQ_PROCESS_ORDER
LVL_COMP_EXPDT
BRANCH_CODE
CG_REF_NO
CUSTOMER_NO
ACCOUNT_NO
CHQ_NO
EVENT_NO
NSF_LVL
LVL_EFFDT
LVL_EXPDT
CHQ_DT
CHQ_VALUEDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Customer-Full

Attribute	Description

Name	Customer-Full
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description
Name	PRIVATE_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CTYPE

Attribute	Description
Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,C,B

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	Description

Name	ADDRLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN3

Attribute	Description
Name	ADDRLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN2

Attribute	Description
Name	ADDRLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN4

Attribute	Description
Name	ADDRLN4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SNAME

Attribute	Description
Name	SNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NLTY

Attribute	Description
Name	NLTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LBRN

Attribute	Description
Name	LBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCATEG

Attribute	Description
Name	CCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FULLNAME

Attribute	**Description**
Name	FULLNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CIFCREATIONDT

Attribute	**Description**
Name	CIFCREATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISELCMCUST

Attribute	**Description**
Name	ISELCMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

ELCMCUSTNO

Attribute	**Description**
Name	ELCMCUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AR_AP_TRACKING

Attribute	Description
Name	AR_AP_TRACKING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

EXPCNTRY

Attribute	Description
Name	EXPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UIDNAME

Attribute	Description
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

UIDVAL

Attribute	Description
Name	UIDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FROZEN

Attribute	Description
Name	FROZEN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DEAD

Attribute	**Description**
Name	DEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

WHRUNKN

Attribute	**Description**
Name	WHRUNKN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CRRATE

Attribute	**Description**
Name	CRRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MEDIA

Attribute	**Description**
Name	MEDIA
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

SWIFTCD

Attribute	Description
Name	SWIFTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

LOC

Attribute	Description
Name	LOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MAILRSREQD

Attribute	Description
Name	MAILRSREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

GRPCD

Attribute	Description
Name	GRPCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

EXPCAT

Attribute	Description
Name	EXPCAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUSTCLASSFN

Attribute	Description
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CIFSTAT

Attribute	Description
Name	CIFSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CIFSTATSNC

Attribute	Description
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGGRP

Attribute	Description
Name	CHGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSTCLGGRP

Attribute	Description
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TAXGROUP

Attribute	Description
Name	TAXGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLSPARTICIPANT

Attribute	Description
Name	CLSPARTICIPANT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

FXNETTCUST

Attribute	**Description**
Name	FXNETTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

XREF

Attribute	**Description**
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRMCUST

Attribute	**Description**
Name	CRMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ISSUCUST

Attribute	**Description**
Name	ISSUCUST
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

TRSRYCUST

Attribute	Description
Name	TRSRYCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

RELPRICING

Attribute	Description
Name	RELPRICING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

MT920

Attribute	Description
Name	MT920
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

FLGJOINT

Attribute	Description
Name	FLGJOINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

CREATEACC

Attribute	**Description**
Name	CREATEACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

CREATEDACCOUNT

Attribute	**Description**
Name	CREATEDACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

TRACK_LIMITS

Attribute	**Description**
Name	TRACK_LIMITS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

LIABID

Attribute	**Description**
Name	LIABID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LMCCY

Attribute	Description
Name	LMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOACNO

Attribute	Description
Name	HOACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RISKPRFL

Attribute	Description
Name	RISKPRFL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRCAT

Attribute	Description
Name	DRCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

AMLREQD

Attribute	Description
Name	AMLREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

AMLCUSTGRP

Attribute	Description
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

CHKDIGITVALREQD

Attribute	Description
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

ALGID

Attribute	Description
Name	ALGID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

FTACCASOF

Attribute	Description
Name	FTACCASOF

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,N,D

TOP

CUSTUNADV

Attribute	Description
Name	CUSTUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CONSTAXCERTRQD

Attribute	Description
Name	CONSTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

INDTAXCERTRQD

Attribute	Description
Name	INDTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CLSCCYALLWD

Attribute	Description
Name	CLSCCYALLWD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,A

TOP

RISKCATEG

Attribute	Description
Name	RISKCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UPTYPE

Attribute	Description
Name	UPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFLBL1

Attribute	Description
Name	UDFLBL1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL2

Attribute	Description
Name	UDFLBL2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL3

Attribute	Description
Name	UDFLBL3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDF1

Attribute	Description
Name	UDF1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF2

Attribute	Description
Name	UDF2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF3

Attribute	Description
Name	UDF3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF4

Attribute	Description
Name	UDF4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

UDF5

Attribute	Description
Name	UDF5

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

RM_ID

Attribute	**Description**
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

NETTREQD

Attribute	**Description**
Name	NETTREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABUNADV

Attribute	**Description**
Name	LIABUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AUTOGENSTMTPLAN

Attribute	**Description**
Name	AUTOGENSTMTPLAN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	Description
Name	STMTDAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MFI_CUSTOMER

Attribute	Description
Name	MFI_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

INVESTCUST

Attribute	Description	
Name	INVESTCUST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

ALLOWVRTLACCNTS

Attribute	Description	
Name	ALLOWVRTLACCNTS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

VRTLCUSTOMERID

Attribute	Description	
Name	VRTLCUSTOMERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	**Description**
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Custpersonal

Attribute	**Description**
Name	Custpersonal
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FSTNAME

Attribute	**Description**
Name	FSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MIDNAME

Attribute	**Description**
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

LSTNAME

Attribute	Description
Name	LSTNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PPTNO

Attribute	Description
Name	PPTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DADD2

Attribute	Description
Name	DADD2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD3

Attribute	Description
Name	DADD3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

DPIN_CODE

Attribute	Description	
Name	DPIN_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

TELEPHNO

Attribute	Description	
Name	TELEPHNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

FAXNUMBER

Attribute	Description	
Name	FAXNUMBER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

EMAILID

Attribute	Description	
Name	EMAILID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

BENEFADDR1

Attribute	Description	
Name	BENEFADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRS3

Attribute	Description	
Name	ADDRS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEFADDR2

Attribute	Description	
Name	BENEFADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DCNTRY

Attribute	Description	
Name	DCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

RESSTATUS

Attribute	Description
Name	RESSTATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,R

TOP

CUSTPREFIX1

Attribute	Description
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

CUSTPREFIX2

Attribute	Description
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

MOBNUM

Attribute	Description
Name	MOBNUM

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_COMM_MODE

Attribute	**Description**
Name	CUST_COMM_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,M

TOP

LANG

Attribute	**Description**
Name	LANG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

GUARDIAN

Attribute	**Description**
Name	GUARDIAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SBMTAGEPROOF

Attribute	**Description**
Name	SBMTAGEPROOF
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,N,V

TOP

MINOR

Attribute	Description
Name	MINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

KYCSTAT

Attribute	Description
Name	KYCSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,V,F

TOP

SSTAFF

Attribute	Description
Name	SSTAFF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

KYC_REFNO

Attribute	Description
Name	KYC_REFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

DADD1

Attribute	Description	
Name	DADD1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

SAME_PERM_ADDR

Attribute	Description	
Name	SAME_PERM_ADDR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

TITLE

Attribute	Description	
Name	TITLE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	30

TOP

ADDRS4

Attribute	Description
Name	ADDRS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD4

Attribute	Description
Name	DADD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PLACEOFBIRTH

Attribute	Description
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

BIRTHCOUNTRY

Attribute	Description
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

EDUSTAT

Attribute	Description
Name	EDUSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / U,N,G,P

TOP

MARITALSTAT

Attribute	Description
Name	MARITALSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,D,R,S,P,E

TOP

SPNAME

Attribute	Description
Name	SPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SPEMPSTATUS

Attribute	Description
Name	SPEMPSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description	
Name	DEPCHILD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DEPOTH

Attribute	Description	
Name	DEPOTH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCOMODATE

Attribute	Description	
Name	ACCOMODATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description	
Name	MOTHERMAIDN_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Custprof

Attribute	Description
Name	Custprof

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

EMPSTAT

Attribute	Description
Name	EMPSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description
Name	EMPTENURE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETIREAGE

Attribute	Description
Name	RETIREAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PREVEMP

Attribute	Description
Name	PREVEMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURRDESIG

Attribute	Description
Name	CURRDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURREMP

Attribute	Description
Name	CURREMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADD1

Attribute	Description
Name	ADD1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMTCCY1

Attribute	Description
Name	AMTCCY1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

TELEX

Attribute	Description	
Name	TELEX	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

FAX

Attribute	Description	
Name	FAX	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EMAIL

Attribute	Description	
Name	EMAIL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

SALARY

Attribute	Description	
Name	SALARY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OTHER1

Attribute	Description
Name	OTHER1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOUSEVAL

Attribute	Description
Name	HOUSEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CRCARD

Attribute	Description
Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CNTY

Attribute	Description
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EMPLOYER_DESC

Attribute	Description
Name	EMPLOYER_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Custcorp

Attribute	Description
Name	Custcorp
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CORPNAME

Attribute	Description	
Name	CORPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD1

Attribute	Description	
Name	REGADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD2

Attribute	Description	
Name	REGADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD3

Attribute	Description	
Name	REGADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

R_PIN_CODE

Attribute	Description
Name	R_PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

AMTCCY

Attribute	Description
Name	AMTCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

INCORPDT

Attribute	Description
Name	INCORPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CAPITAL

Attribute	Description
Name	CAPITAL
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CORPDESC

Attribute	Description	
Name	CORPDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

INCORPCNTRY

Attribute	Description	
Name	INCORPCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

REGCNTRY

Attribute	Description	
Name	REGCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

REGADD4

Attribute	Description
Name	REGADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JOINTVENTURE

Attribute	Description
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CADDR1

Attribute	Description
Name	CADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR3

Attribute	Description
Name	CADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR2

Attribute	Description
Name	CADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CADDR4

Attribute	Description
Name	CADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CPINCODE

Attribute	Description
Name	CPINCODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

CNTRY

Attribute	Description
Name	CNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

LANGUAGE

Attribute	Description
Name	LANGUAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

KYC_DETAILS

Attribute	**Description**
Name	KYC_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,V,F

TOP

KYCREFNO

Attribute	**Description**
Name	KYCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CNAME

Attribute	**Description**
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

UIDVALUE

Attribute	**Description**
Name	UIDVALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

TELEPHONE

Attribute	**Description**
Name	TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FAX

Attribute	**Description**
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAILID

Attribute	**Description**
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MOBILENUMBER

Attribute	**Description**
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CUSTCOMMMODE

Attribute	**Description**
Name	CUSTCOMMMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,M

TOP

NATIONID

Attribute	**Description**
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

TELISDNOCRP

Attribute	**Description**
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DIRNAME

Attribute	Description
Name	DIRNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR1

Attribute	Description
Name	NADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR2

Attribute	Description
Name	NADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR3

Attribute	Description
Name	NADDR3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NADDR4

Attribute	**Description**
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	**Description**
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	**Description**
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	**Description**
Name	ADDRESS3
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TAXID

Attribute	Description
Name	TAXID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MOBNO

Attribute	Description
Name	MOBNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAILID

Attribute	**Description**
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

TELISDNOCRPDIR

Attribute	**Description**
Name	TELISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MOBISDNOCRPDIR

Attribute	**Description**
Name	MOBISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADDRCOUNTRYCRPDIR

Attribute	**Description**
Name	ADDRCOUNTRYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NATIONLTYCRPDIR

Attribute	**Description**
Name	NATIONLTYCRPDIR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

USRESSTATUSCRPDIR

Attribute	**Description**
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PCTHOLDING

Attribute	**Description**
Name	PCTHOLDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOMETELNO

Attribute	**Description**
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	**Description**
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	**Description**
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Issuerlmts

Attribute	**Description**
Name	Issuerlmts
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CLTRLTYP

Attribute	**Description**
Name	CLTRLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LMTCCY

Attribute	**Description**
Name	LMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	**Description**
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

DOCREF

Attribute	**Description**
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

DATEREQ

Attribute	**Description**
Name	DATEREQ
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECTDDATE

Attribute	Description
Name	EXPECTDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Custgrp

Attribute	**Description**
Name	Custgrp
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

GRPNO

Attribute	**Description**
Name	GRPNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

RELATION

Attribute	Description	
Name	RELATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

Custshhold

Attribute	Description	
Name	Custshhold	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDPCT

Attribute	Description
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Clsccyrest

Attribute	Description
Name	Clsccyrest
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Bic

Attribute	Description
Name	Bic
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BICCD

Attribute	Description
Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

Linkedac

Attribute	Description
Name	Linkedac
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

VRFD

Attribute	Description
Name	VRFD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LINKEDACCNO

Attribute	Description
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

LINKEDACCIBAN

Attribute	Description

Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LINKEDACCBIC

Attribute	**Description**
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Jointventure

Attribute	**Description**
Name	Jointventure
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PARTY_ID

Attribute	**Description**
Name	PARTY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PARTY_RATIO

Attribute	**Description**
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

PARTYNAME

Attribute	Description
Name	PARTYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Cust-Liab

Attribute	Description
Name	Cust-Liab
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITY_NUMBER

Attribute	Description
Name	LIABILITY_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LIABILTY_NAME

Attribute	Description
Name	LIABILTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LIAB_BRANCH

Attribute	Description
Name	LIAB_BRANCH

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LIAB_CCY

Attribute	**Description**
Name	LIAB_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	**Description**
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVISION_DATE

Attribute	**Description**
Name	REVISION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CATEGORY

Attribute	**Description**
Name	CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

UNADV

Attribute	Description
Name	UNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

NETTING_REQUIRED

Attribute	Description
Name	NETTING_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

OVERALL_SCORE

Attribute	Description
Name	OVERALL_SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK_LIMIT

Attribute	Description
Name	FX_CLEAN_RISK_LIMIT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_CLEAN_RISK_LIMIT

Attribute	Description
Name	SEC_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_PSTL_RISK_LIMIT

Attribute	Description
Name	SEC_PSTL_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAIN_LIAB_NO

Attribute	Description
Name	MAIN_LIAB_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UTIL_AMOUNT

Attribute	Description
Name	UTIL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRRATING

Attribute	Description
Name	CRRATING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Liab-Score

Attribute	Description
Name	Liab-Score
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCORE

Attribute	Description
Name	SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

SCORE_NAME

Attribute	Description
Name	SCORE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	50

TOP

SCORE_DESC

Attribute	Description
Name	SCORE_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 250

TOP

Liab-Rating

Attribute	Description
Name	Liab-Rating
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

PRIMARY

Attribute	Description
Name	PRIMARY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

AGENCY_NAME

Attribute	Description
Name	AGENCY_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

CREDIT_RATING

Attribute	Description
Name	CREDIT_RATING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Liab-Linkage

Attribute	Description
Name	Liab-Linkage
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXPOSURE_NAME

Attribute	Description
Name	EXPOSURE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXPOSURE_DESC

Attribute	Description
Name	EXPOSURE_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXPOSURE_TYPE

Attribute	Description
Name	EXPOSURE_TYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Liab-Udf

Attribute	**Description**
Name	Liab-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

Custsegment

Attribute	**Description**
Name	Custsegment
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Mfi1

Attribute	**Description**
Name	Mfi1
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSURANCE_NUMBER

Attribute	**Description**
Name	INSURANCE_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MFI_CUST_TYPE

Attribute	**Description**
Name	MFI_CUST_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / G,C,I

TOP

POVERTY_STATUS

Attribute	**Description**
Name	POVERTY_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

LITERACY_OF_CLIENT

Attribute	Description	
Name	LITERACY_OF_CLIENT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

BUSINESS_ACTIVITY

Attribute	Description	
Name	BUSINESS_ACTIVITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

BLACKLISTED

Attribute	Description	
Name	BLACKLISTED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

BLACKLIST_COUNT

Attribute	Description	
Name	BLACKLIST_COUNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

TOP

PHYSICALLY_CHALLENGED

Attribute	Description
Name	PHYSICALLY_CHALLENGED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ACCOUNT_OFFICER

Attribute	Description
Name	ACCOUNT_OFFICER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Training

Attribute	Description
Name	Training
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TRAINING_CODE

Attribute	Description
Name	TRAINING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRAINING_DATE

Attribute	Description

Name	TRAINING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CIF

Attribute	Description
Name	CIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Chklist

Attribute	Description
Name	Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHKLIST_ITEM

Attribute	Description
Name	CHKLIST_ITEM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VERIFIED

Attribute	Description
Name	VERIFIED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Mf-Cifdet

Attribute	Description
Name	Mf-Cifdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

GROUP_CODE

Attribute	Description
Name	GROUP_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MEETING_CODE

Attribute	Description
Name	MEETING_CODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Id-Master

Attribute	**Description**
Name	Id-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Id-Det-Main

Attribute	**Description**
Name	Id-Det-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Iddetail

Attribute	Description
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

DOCUMENT_TYPE

Attribute	Description	
Name	DOCUMENT_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SERIES

Attribute	Description	
Name	SERIES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

DOC_ID

Attribute	Description	
Name	DOC_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DATE_OF_ISSUE

Attribute	Description	
Name	DATE_OF_ISSUE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DATE_OF_EXPIRY

Attribute	Description
Name	DATE_OF_EXPIRY
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	Description
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CUST

Attribute	Description
Name	CUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LINKTOGRP

Attribute	Description
Name	LINKTOGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Custchnglog

Attribute	Description

Name	Custchnglog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	**Description**
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

OLDMISCD

Attribute	**Description**
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Baltrnsfrlog

Attribute	Description
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	Description

Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

GLCODE

Attribute	**Description**
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OLDMISCD

Attribute	**Description**
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TRNIND

Attribute	**Description**
Name	TRNIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMT

Attribute	**Description**
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

XRATE

Attribute	**Description**
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Customermis

Attribute	**Description**
Name	Customermis

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Compositemis

Attribute	Description
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Custloghead

Attribute	Description
Name	Custloghead
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates Customer Joint.

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTPREFIX

Attribute	Description
Name	CUSTPREFIX
Datatype	String
Description	Indicates the Customer Prefix.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

FRSTNAME

Attribute	Description
Name	FRSTNAME
Datatype	String
Description	Indicates the First Name.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

LASTNAME

Attribute	Description
Name	LASTNAME
Datatype	String
Description	Indicates the Last Name.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEX

Attribute	Description
Name	SEX
Datatype	String
Description	Indicates the Sex. The value can be either M or F.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F

TOP

PPNO

Attribute	Description
Name	PPNO
Datatype	String
Description	Indicates Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

ADD1

Attribute	Description
Name	ADD1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

DECEASED

Attribute	Description
Name	DECEASED
Datatype	String
Description	Indicates whether Deceased or not. The value should be either D or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resistant Status. The value could be either R or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

UNTVAL

Attribute	**Description**	
Name	UNTVAL	
Datatype	String	
Description	Indicates Unit Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

INSTR

Attribute	**Description**	
Name	INSTR	
Datatype	String	
Description	Indicates Instructions	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

INSTRTYPE

Attribute	**Description**	
Name	INSTRTYPE	
Datatype	String	
Description	Indicates Instruction Type	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1

TOP

EXEDAYS

Attribute	Description
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution Days
Attributes	Attribute: minOccurs, Description: 0

TOP

EXEMONTHS

Attribute	Description
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months
Attributes	Attribute: minOccurs, Description: 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution Years
Attributes	Attribute: minOccurs, Description: 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. Flag Can be either Y or N.
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: enumeration, Description: Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OPRTR

Attribute	Description
Name	OPRTR

Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates Special Instructions.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage

Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER

Attribute	**Description**
Name	CUSTOMER
Datatype	String
Description	Indicates the customer
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATIONSHIP

Attribute	**Description**
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	**Description**
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	**Description**
Name	DESCP
Datatype	String
Description	Indicates description

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Custacdetail

Attribute	Description
Name	Custacdetail
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 1
Restrictions	**Restrictions** / **Description**
	maxLength / 9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicates sequence number
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TDESC

Attribute	Description
Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

Sttms-Debit

Attribute	Description
Name	Sttms-Debit
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

ACTNO

Attribute	Description
Name	ACTNO
Datatype	String
Description	Account Number
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

Sttms-Detail

Attribute	Description
Name	Sttms-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String

Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NAME_ON_CARD

Attribute	**Description**
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

OWNER_ID_NO

Attribute	**Description**
Name	OWNER_ID_NO
Datatype	String
Description	Owner Id number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

CARD_ISSUED_DT

Attribute	Description	
Name	CARD_ISSUED_DT	
Datatype	Date	
Description	Card Issued Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

CARD_EXPIRY_DT

Attribute	Description	
Name	CARD_EXPIRY_DT	
Datatype	Date	
Description	Card Expiry Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

CARD_STATUS

Attribute	Description	
Name	CARD_STATUS	
Datatype	String	
Description	Card Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

RECORD_STAT

Attribute	Description	
Name	RECORD_STAT	
Datatype	String	
Description	Record Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

AUTH_STAT

Attribute	Description
Name	AUTH_STAT

Datatype	String
Description	Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_BIN

Attribute	**Description**
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Extsys-Ws-Master

Attribute	**Description**
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	**Description**
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

Cust-Account

Attribute	Description
Name	Cust-Account
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC

Attribute	Description
Name	ACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AC_DESC

Attribute	**Description**
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTNAME

Attribute	**Description**
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT_CLASS

Attribute	Description	
Name	ACCOUNT_CLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

AC_OPEN_DATE

Attribute	Description	
Name	AC_OPEN_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ALT_ACC_NO

Attribute	Description	
Name	ALT_ACC_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHQBOOK

Attribute	Description	
Name	CHQBOOK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

OPMODE

Attribute	Description
Name	OPMODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	Description
Name	COUNTRY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	Description
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	Description
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	Description
Name	ACCOUNT_TYPE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	Description
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	Description
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GL_ACCC

Attribute	Description
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OFFSET_BRN

Attribute	Description
Name	OFFSET_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

CODATMBRN

Attribute	Description
Name	CODATMBRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

REPL_CUST_SIG

Attribute	Description
Name	REPL_CUST_SIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

SALARY_ACCOUNT

Attribute	Description
Name	SALARY_ACCOUNT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SDREFNO

Attribute	**Description**
Name	SDREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

SPDANLSYS

Attribute	**Description**
Name	SPDANLSYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TYOFCHQ

Attribute	**Description**
Name	TYOFCHQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,C

TOP

Account-Generation

Attribute	**Description**
Name	Account-Generation
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Jointholders-Main

Attribute	Description	
Name	Jointholders-Main	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Jointholders

Attribute	Description	
Name	Jointholders	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

BRANCH_CODE

Attribute	Description	
Name	BRANCH_CODE	
Datatype	String	
Description	Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_AC_NO

Attribute	Description	
Name	CUST_AC_NO	
Datatype	String	
Description	Account No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME1

Attribute	**Description**
Name	CUSTNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JNTHLDTYP

Attribute	**Description**
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	**Description**
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

END_DATE

Attribute	**Description**
Name	END_DATE
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Acc-Nominees

Attribute	Description	
Name	Acc-Nominees	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RELSHIP

Attribute	Description	
Name	RELSHIP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NOMINEE_ID

Attribute	Description
Name	NOMINEE_ID
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String

Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOMMINOR

Attribute	**Description**
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GUARDNAM

Attribute	**Description**
Name	GUARDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GUARDRELNSHP

Attribute	**Description**
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR1

Attribute	**Description**
Name	GADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR2

Attribute	Description	
Name	GADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR3

Attribute	Description	
Name	GADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR4

Attribute	Description	
Name	GADDR4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NAM

Attribute	Description	
Name	NAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MANDATORY

Attribute	**Description**
Name	MANDATORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

Doctype-Remarks1

Attribute	**Description**
Name	Doctype-Remarks1
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Cust-Acc-Check

Attribute	**Description**
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FIRST_CHECK_NO

Attribute	Description
Name	FIRST_CHECK_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHECK_LEAVES

Attribute	Description
Name	CHECK_LEAVES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQUE_BOOK_TYPE

Attribute	Description
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

ORDER_DATE

Attribute	Description
Name	ORDER_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ORDER_DETAILS

Attribute	Description
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REQUEST_STATUS

Attribute	Description
Name	REQUEST_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Requested

TOP

CHQ_TYPE

Attribute	Description
Name	CHQ_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	EURO,COMM

TOP

Cust-Acc-Card

Attribute	Description
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

CARD_PRODUCT

Attribute	Description
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 11

TOP

NAME_ON_CARD

Attribute	Description
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CARD_NO

Attribute	Description
Name	CARD_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CARD_APPL_DATE

Attribute	**Description**
Name	CARD_APPL_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_STATUS

Attribute	**Description**
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Udfdetails

Attribute	**Description**
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCID

Attribute	Description
Name	FUNCID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

RECKEY

Attribute	Description
Name	RECKEY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 700

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

Custacc

Attribute	Description
Name	Custacc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	**Description**
Name	COMPMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	**Description**
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	**Description**
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10

Attribute	**Description**
Name	TXNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: 1,2,3,4,5,6,7,8,9,

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	**Description**
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	**Description**
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	**Description**
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7

Attribute	**Description**
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

Misaccchangelog

Attribute	Description
Name	Misaccchangelog
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description

Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Misbaltransferlog

Attribute	**Description**
Name	Misbaltransferlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	**Description**
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

FINYR

Attribute	Description	
Name	FINYR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

GLCODE

Attribute	Description	
Name	GLCODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TRNIND

Attribute	Description	
Name	TRNIND	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

MISCLS

Attribute	Description	
Name	MISCLS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

AMT

Attribute	Description
Name	AMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Chglog

Attribute	Description
Name	Chglog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Tsfrlog

Attribute	Description
Name	Tsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Classname

Attribute	Description
Name	Classname
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

B1

Attribute	Description
Name	B1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C1

Attribute	Description	
Name	C1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C2

Attribute	Description	
Name	C2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C3

Attribute	Description	
Name	C3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C4

Attribute	Description	
Name	C4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1000

TOP

C5

Attribute	Description	
Name	C5	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C6

Attribute	Description	
Name	C6	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C7

Attribute	Description	
Name	C7	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C8

Attribute	Description	
Name	C8	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C9

Attribute	Description
Name	C9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C10

Attribute	Description
Name	C10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T1

Attribute	Description
Name	T1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T2

Attribute	Description
Name	T2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T3

Attribute	Description
Name	T3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T4

Attribute	Description
Name	T4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T5

Attribute	Description
Name	T5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T6

Attribute	Description
Name	T6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T7

Attribute	Description
Name	T7

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T8

Attribute	Description
Name	T8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T9

Attribute	Description
Name	T9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T10

Attribute	Description
Name	T10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER_NAME1

Attribute	Description	
Name	CUSTOMER_NAME1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NSFIB_CS_EVENT_NO

Attribute	Description	
Name	NSFIB_CS_EVENT_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NSFIB_CS_LVL

Attribute	Description	
Name	NSFIB_CS_LVL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

NSFIB_CS_LVL_EFFDT

Attribute	Description
Name	NSFIB_CS_LVL_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NSFIB_CS_LVL_EXPDT

Attribute	Description
Name	NSFIB_CS_LVL_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NSFIB_CS_BLK_STAT

Attribute	Description
Name	NSFIB_CS_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NSFIB_CS_WBRCK_STAT

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

NSFIB_CS_WBRCK_EFFDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_EXPDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_STAT

Attribute	Description
Name	NSFIB_IB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_IB_BLK_EFFDT

Attribute	Description
Name	NSFIB_IB_BLK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_EXPDT

Attribute	Description
Name	NSFIB_IB_BLK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_DESC

Attribute	Description
Name	NSFIB_IB_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_BLK_STAT

Attribute	Description
Name	NSFIB_CB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NSFIB_CB_DESC

Attribute	Description
Name	NSFIB_CB_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_EFFDT

Attribute	Description
Name	NSFIB_CB_EFFDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NSFIB_CB_EXPDT

Attribute	Description
Name	NSFIB_CB_EXPDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

NSFIB_CS_BLK_DESC

Attribute	Description
Name	NSFIB_CS_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CS_WBRCK_STAT_DESC

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

Cust

Attribute	Description
Name	Cust
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cust-Ck-Det

Attribute	Description
Name	Cust-Ck-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_PROCESS_ORDER

Attribute	Description
Name	CHQ_PROCESS_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LVL_COMP_EXPDT

Attribute	Description

Name	LVL_COMP_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CG_REF_NO

Attribute	**Description**
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ACCOUNT_NO

Attribute	**Description**
Name	ACCOUNT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

CHQ_NO

Attribute	Description	
Name	CHQ_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

TOP

EVENT_NO

Attribute	Description	
Name	EVENT_NO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

NSF_LVL

Attribute	Description	
Name	NSF_LVL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8

TOP

LVL_EFFDT

Attribute	Description	
Name	LVL_EFFDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

LVL_EXPDT

Attribute	Description
Name	LVL_EXPDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_VALUEDT

Attribute	Description
Name	CHQ_VALUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID

Datatype	String
Description	Function
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

Doc-Upload

Attribute	**Description**
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	**Description**
Name	DCREFNO
Datatype	String
Description	Document Reference
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	**Description**
Name	DOC_CATEGORY
Datatype	String
Description	Document Category
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	**Description**
Name	DOC_TYPE
Datatype	String
Description	Document Type
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REMARKS

Attribute	**Description**
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Ui-Columns

Attribute	**Description**
Name	Ui-Columns
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	**Description**
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	**Description**
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	**Description**
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Customer-PK*
      - *CUSTNO*
    - *Customer-IO*
      - *CUSTNO*
      - *MAKER*
      - *MAKERSTAMP*
      - *MODNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Customer-PK

Attribute	Description
Name	Customer-PK
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Customer-IO

Attribute	Description
Name	Customer-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.28.AuthorizeCustSegAssociation

AuthorizeCustSegAssociation

2.28.1.ST-AuthorizeCustSegAssociation-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-Full*
    - *CUSTNO*
    - *CUSTSEGCD*
    - *CUSTSEGSTATUS*
    - *NETWORTH*
    - *NETWORTHCCY*
    - *CUST_NAME*
    - *SEGEMENT_DESCRIPTION*
    - *CUSTCCY*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cust-Seg-Mapping-Full

Attribute	Description

Name	Cust-Seg-Mapping-Full
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / U,D,R,

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_NAME

Attribute	Description
Name	CUST_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SEGEMENT_DESCRIPTION

Attribute	Description
Name	SEGEMENT_DESCRIPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MAKER

Attribute	Description

Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	**Description**
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	**Description**
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

UDFDETAILS

Attribute	Description	
Name	UDFDETAILS	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FLDNAM

Attribute	Description	
Name	FLDNAM	
Datatype	String	
Description	Indicates the Field Name	
Restrictions	**Restrictions**	**Description**
	maxLength	105
	minLength	1

TOP

FLDVAL

<table>
<tr><th>Attribute</th><th>Description</th></tr>
<tr><td>Name</td><td>FLDVAL</td></tr>
<tr><td>Datatype</td><td>String</td></tr>
<tr><td>Description</td><td>Indicates the Field Value</td></tr>
<tr><td>Attributes</td><td>
<table>
<tr><th>Attribute</th><th>Description</th></tr>
<tr><td>minOccurs</td><td>0</td></tr>
</table>
</td></tr>
<tr><td>Restrictions</td><td>
<table>
<tr><th>Restrictions</th><th>Description</th></tr>
<tr><td>maxLength</td><td>255</td></tr>
<tr><td>minLength</td><td>0</td></tr>
</table>
</td></tr>
</table>

TOP

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
Cust-Seg-Mapping-IO
CUSTNO
CHECKER
CHECKERSTAMP
MODNO

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cust-Seg-Mapping-IO

Attribute	Description
Name	Cust-Seg-Mapping-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CHECKER

Attribute	Description
Name	CHECKER

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHECKERSTAMP

Attribute	**Description**
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

2.28.3.ST-AuthorizeCustSegAssociation-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Seg-Mapping-Full*
    - *CUSTNO*
    - *CUSTSEGCD*
    - *CUSTSEGSTATUS*
    - *NETWORTH*
    - *NETWORTHCCY*
    - *CUST_NAME*
    - *SEGEMENT_DESCRIPTION*
    - *CUSTCCY*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8 Restrictions: pattern — Description: [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	**Description**
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cust-Seg-Mapping-Full

Attribute	Description
Name	Cust-Seg-Mapping-Full
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTSEGCD

Attribute	Description	
Name	CUSTSEGCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

CUSTSEGSTATUS

Attribute	Description	
Name	CUSTSEGSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	U,D,R,

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

NETWORTHCCY

Attribute	Description	
Name	NETWORTHCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_NAME

Attribute	Description	
Name	CUST_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

SEGEMENT_DESCRIPTION

Attribute	Description	
Name	SEGEMENT_DESCRIPTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CUSTCCY

Attribute	Description	
Name	CUSTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name

Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cust-Seg-Mapping-PK*
      - *CUSTNO*
    - *Cust-Seg-Mapping-IO*
      - *CUSTNO*
      - *CHECKER*
      - *CHECKERSTAMP*
      - *MODNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cust-Seg-Mapping-PK

Attribute	Description
Name	Cust-Seg-Mapping-PK
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Cust-Seg-Mapping-IO

Attribute	Description
Name	Cust-Seg-Mapping-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.29.AuthorizeCustomer

Authorization of Customer

2.29.1.ST-AuthorizeCustomer-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-Full*
    - *PRIVATE_CUSTOMER*
    - *CUSTNO*
    - *CTYPE*
    - *NAME*
    - *ADDRLN1*
    - *ADDRLN3*
    - *ADDRLN2*
    - *ADDRLN4*
    - *COUNTRY*
    - *SNAME*
    - *NLTY*
    - *LBRN*
    - *CCATEG*
    - *FULLNAME*
    - *CIFCREATIONDT*

ISELCMCUST
ELCMCUSTNO
AR_AP_TRACKING
EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
CREATEACC
CREATEDACCOUNT
TRACK_LIMITS
LIABID
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM

SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR
UTLTYPRVDRID
RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
LC_COLLAT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
UDF1
UDF2
UDF3
UDF4
UDF5
RM_ID
NETTREQD
LIABUNADV
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
MFI_CUSTOMER
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO

TXNSTAT

AUTHSTAT

Custpersonal

- *FSTNAME*
- *MIDNAME*
- *LSTNAME*
- *DOB*
- *GENDR*
- *NATIONID*
- *PPTNO*
- *PPTISSDT*
- *PPTEXPDT*
- *DADD2*
- *DADD3*
- *DPIN_CODE*
- *TELEPHNO*
- *FAXNUMBER*
- *EMAILID*
- *BENEFADDR1*
- *ADDRS3*
- *BENEFADDR2*
- *DCNTRY*
- *PCNTRY*
- *RESSTATUS*
- *CUSTPREFIX1*
- *CUSTPREFIX2*
- *MOBNUM*
- *CUST_COMM_MODE*
- *LANG*
- *GUARDIAN*
- *SBMTAGEPROOF*
- *MINOR*
- *KYCSTAT*
- *SSTAFF*
- *KYC_REFNO*
- *SAME_CORR_ADDR*
- *DADD1*
- *SAME_PERM_ADDR*
- *TITLE*
- *ADDRS4*
- *DADD4*
- *PLACEOFBIRTH*
- *BIRTHCOUNTRY*
- *TELISDNOPERSONAL*

MOBISDNO
FAXISDNO
USRESSTATUS
PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY
PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV
HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
- *CUSTNO*
- *EDUSTAT*
- *MARITALSTAT*
- *SPNAME*
- *SPEMPSTATUS*
- *DEPCHILD*
- *DEPOTH*
- *ACCOMODATE*
- *MOTHERMAIDN_NAME*

Custprof
- *CUSTNO*
- *EMPSTAT*
- *EMPTENURE*
- *RETIREAGE*
- *PREVDESIG*
- *PREVEMP*
- *CURRDESIG*
- *CURREMP*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *AMTCCY1*
- *TELEX*
- *FAX*
- *EMAIL*
- *SALARY*

OTHER1
RENT
INSURANCE
LOANPMNT
OTHEXP
HOUSEVAL
CRCARD
CNTY
EMPLOYER_DESC

Custcorp

CORPNAME
REGADD1
REGADD2
REGADD3
R_PIN_CODE
AMTCCY
INCORPDT
CAPITAL
NETWORTH
CORPDESC
INCORPCNTRY
REGCNTRY
SAME_CORR_ADDR
REGADD4
JOINTVENTURE
CADDR1
CADDR3
CADDR2
CADDR4
CPINCODE
CNTRY
LANGUAGE
KYC_DETAILS
KYCREFNO
CNAME
UIDNAME
UIDVALUE
TELEPHONE
FAX
EMAILID
MOBILENUMBER
CUSTCOMMMODE
NATIONID
TELISDNOCRP

MOBISDNOCRP
FAXISDNOCRP
PREF_CNTACT_DATE
PREF_CNTACT_TIME
OWNERSHPTYPE
Custcorpdir
DIRNAME
NADDR1
NADDR2
NADDR3
NADDR4
ADDRESS1
ADDRESS2
ADDRESS3
COUNTRY
TEL
TAXID
MOBNO
EMAILID
TELISDNOCRPDIR
MOBISDNOCRPDIR
ADDRCOUNTRYCRPDIR
NATIONLTYCRPDIR
USRESSTATUSCRPDIR
PCTHOLDING
HOMETELNO
HOMETELISD
PPIN_CODE
PIN_CODE
Issuerdet
CUSTNO
OVERLMTCCY
OVERLIMIT
Issuerlmts
CLTRLTYP
LMTCCY
LMTAMT
Custdoc-Chklist
CUSTOMER_NO
DOCCATEGORY
DOCUMENTNAME
DOCUMENT_TYPE
CHECKED
DOCREF

- *DATEREQ*
- *EXPECTDDATE*
- *ACTUALDATE*
- *EXPDATE*
- *REMARKSCHKLIST*

Doctype-Remarks

- *CUSTOMER_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *CUSTNO*
- *RELATION*

Custshhold

- *CUSTNO*
- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CUSTNO*
- *CCY*
- *DESC*

Bic

- *ACC*
- *CUSTNO*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Cust-Liab

- *LIABILITY_NUMBER*

- *LIABILTY_NAME*
- *LIAB_BRANCH*
- *LIAB_CCY*
- *OVERLIMIT*
- *REVISION_DATE*
- *CATEGORY*
- *USER_DEFINED_STATUS*
- *UNADV*
- *NETTING_REQUIRED*
- *OVERALL_SCORE*
- *FX_CLEAN_RISK_LIMIT*
- *SEC_CLEAN_RISK_LIMIT*
- *SEC_PSTL_RISK_LIMIT*
- *REMARKS*
- *MAIN_LIAB_NO*
- *UTIL_AMOUNT*
- *CRRATING*
- *Liab-Score*
  - *SCORE*
  - *SCORE_NAME*
  - *SCORE_DESC*
- *Liab-Rating*
  - *PRIMARY*
  - *AGENCY_NAME*
  - *CREDIT_RATING*
- *Liab-Linkage*
  - *EXPOSURE_NAME*
  - *EXPOSURE_DESC*
  - *EXPOSURE_TYPE*
- *Liab-Udf*
  - *FLDNAM*
  - *FLDVAL*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*

Mfi1

- *INSURANCE_NUMBER*
- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*

BLACKLISTED
BLACKLIST_COUNT
PHYSICALLY_CHALLENGED
ACCOUNT_OFFICER
Training
TRAINING_CODE
TRAINING_DATE
CIF
Chklist
KEY_ID
CHKLIST_ITEM
VERIFIED
Mf-Cifdet
CUSTOMER_NO
GROUP_CODE
MEETING_CODE
Id-Master
CUSTOMER_NO
Id-Det-Main
CUSTOMER_NO
SNO
DOCUMENT_TYPE
Iddetail
CUSTOMER_NO
SNO
DOCUMENT_TYPE
SERIES
DOC_ID
DATE_OF_ISSUE
DATE_OF_EXPIRY
ISSUING_AUTHORITY
PLACE_OF_ISSUE
NAME
Custmis
MISGRP
CUST
BRNCD
LINKTOGRP
Custchnglog
MISCLS
TXNDT
OLDMISCD
NWMISCD
Baltrnsfrlog

- *BRN*
- *PRDCD*
- *FINYR*
- *TXNDT*
- *GLCODE*
- *MISCLS*
- *OLDMISCD*
- *NWMISCD*
- *TRNIND*
- *CCY*
- *AMT*
- *XRATE*

Customermis

- *MISCLS*
- *MISCD*

Compositemis

- *MISCLS*
- *MISCD*

Custloghead

Jointcustomer

CUSTNO

Custjoint

- *CUSTPREFIX*
- *FRSTNAME*
- *MIDNAME*
- *LASTNAME*
- *DOB*
- *SEX*
- *PPNO*
- *PPTISSDT*
- *PPTEXPDT*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *EMAIL*
- *SSN*
- *DECEASED*
- *RESISTAT*

Cust-Acc-Det

CUSTNO

Diary-Mst

- *INSTRNO*
- *UNTTYP*

UNTVAL
BRN
INSTR
INSTRTYPE
EXEDAYS
EXEMONTHS
EXEYEARS
MNTHENDFLG
HLDRULE
FRSTDUEDT
NXTDUEDT
NXTEXEDT
CONDELEM
OPRTR
CONDVAL
ACCOFCR
SPLINSTRTYP
EXPDT
SPLINSTR
Custaccdet
CUSTNO
BRNCD
Relationship-Linkage
CUSTOMER
RELATIONSHIP
INHERIT
DESCP
Custacdetail
CUSTNO
CUSTTEXT
SEQNO
CUSTNO
TDESC
UDFDETAILS
FLDNAM
FLDVAL
Sttms-Debit
BRANCH_CODE
CUST_NO
ACTNO
Sttms-Detail
BRANCH_CODE
REQUEST_REFERENCE_NO
CARDNO

CUST_NO

CARD_PRODUCT

PRIMARY_CARD

NAME_ON_CARD

OWNER_ID_NO

CARD_ISSUED_DT

CARD_EXPIRY_DT

CARD_STATUS

RECORD_STAT

AUTH_STAT

CARD_BIN

CUST_AC_NO

Extsys-Ws-Master

Extsys-Ws-Details

EXTWSRESP

USERREMARKS

Cust-Account

BRN

ACC

AC_DESC

CUSTNAME

CUST_NO

CCY

ACCOUNT_CLASS

AC_OPEN_DATE

ALT_ACC_NO

CHQBOOK

ATM

PASSBOOK

ATMACC

ATMDLIM

ATMDCNTLIM

CHKNAME1

CHKNAME2

AUTOREORDERCHKREQ

AUTOREORDERCHKLVL

AUTOREORDERCHKLVS

DORMPRM

LOCATION

MEDIA

OPMODE

COUNTRY_CODE

AUTO_CHEQUE_BOOK_REQ

AUTO_DEBIT_CARD_REQUEST

ACCOUNT_TYPE
MAX_NO_CHEQUE_REJECTIONS
ACC_OPENING_AMT
GL_ACCC
OFFSET_BRN
PAY_IN_OPTION
WAIVE_ACC_OPEN_CHARGE
CODATMBRN
REPL_CUST_SIG
SALARY_ACCOUNT
SDREFNO
SPDANLSYS
TYOFCHQ
Account-Generation
Jointholders-Main
Jointholders
- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUSTNO*
- *CUSTNAME1*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees
- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMINEE_ID*
- *CUST_AC_NO*
- *BRANCH_CODE*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist
- *BRANCH_CODE*
- *CUST_AC_NO*

- *DOCUMENT_TYPE*
- *MANDATORY*
- *CHECKED*

Doctype-Remarks1

- *BRANCH_CODE*
- *CUST_AC_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Cust-Acc-Check

- *BRANCH*
- *ACCOUNT*
- *FIRST_CHECK_NO*
- *CHECK_LEAVES*
- *CHEQUE_BOOK_TYPE*
- *ORDER_DATE*
- *ORDER_DETAILS*
- *LANG_CODE*
- *REQUEST_STATUS*
- *CHQ_TYPE*

Cust-Acc-Card

- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUST_NO*
- *REQUEST_REFERENCE_NO*
- *CARD_PRODUCT*
- *CARD_BIN*
- *NAME_ON_CARD*
- *CARD_NO*
- *CARD_APPL_DATE*
- *PRIMARY_CARD*
- *CARD_STATUS*

Udfdetails

- *FUNCID*
- *RECKEY*
- *FLDNAM*
- *FLDVAL*

- *Custacc*
  - *Misdetails*
    - *TXNMIS7*
    - *COMPMIS8*
    - *TXNMIS8*
    - *COMPMIS9*
    - *TXNMIS9*
    - *COMPMIS10*
    - *TXNMIS10*
    - *COSTCOD1*
    - *COSTCOD2*
    - *COSTCOD3*
    - *COSTCOD4*
    - *COSTCOD5*
    - *REFRTSPRD*
    - *REFRTTYPE*
    - *REFRTCD*
    - *BRN*
    - *ACC*
    - *POOLCD*
    - *RTFLAG*
    - *REFRATE*
    - *CALCMETH*
    - *MISGRP*
    - *MISGRPTXN*
    - *MISGRPCOMP*
    - *COMPMIS1*
    - *TXNMIS1*
    - *COMPMIS2*
    - *TXNMIS2*
    - *COMPMIS3*
    - *TXNMIS3*
    - *COMPMIS4*
    - *TXNMIS4*
    - *COMPMIS5*
    - *TXNMIS5*
    - *COMPMIS6*
    - *TXNMIS6*
    - *COMPMIS7*
    - *LINKGRP*
    - *Misaccchangelog*
      - *MISCLS*
      - *TXNDT*
      - *OLDMISCD*

NWMISCD

Misbaltransferlog

BRN

PRDCD

FINYR

GLCODE

TRNIND

MISCLS

TXNDT

OLDMISCD

NWMISCD

CCY

AMT

XRATE

Chglog

Tsfrlog

Classname

B1

C1

C2

C3

C4

C5

C6

C7

C8

C9

C10

T1

T2

T3

T4

T5

T6

T7

T8

T9

T10

Nsf-Enq

CUSTOMER_NO

CUSTOMER_NAME1

NSFIB_CS_EVENT_NO

NSFIB_CS_LVL

NSFIB_CS_LVL_EFFDT

NSFIB_CS_LVL_EXPDT
NSFIB_CS_BLK_STAT
NSFIB_CS_LAST_TRN_DT
NSFIB_CS_WBRCK_STAT
NSFIB_CS_WBRCK_EFFDT
NSFIB_CS_WBRCK_EXPDT
NSFIB_IB_BLK_STAT
NSFIB_IB_BLK_EFFDT
NSFIB_IB_BLK_EXPDT
NSFIB_IB_BLK_DESC
NSFIB_CB_BLK_STAT
NSFIB_CB_DESC
NSFIB_CB_EFFDT
NSFIB_CB_EXPDT
NSFIB_CS_BLK_DESC
NSFIB_CS_WBRCK_STAT_DESC
Cust
CUSTNO
CNAME
Cust-Ck-Det
CHQ_AMT
CHQ_PROCESS_ORDER
LVL_COMP_EXPDT
BRANCH_CODE
CG_REF_NO
CUSTOMER_NO
ACCOUNT_NO
CHQ_NO
EVENT_NO
NSF_LVL
LVL_EFFDT
LVL_EXPDT
CHQ_DT
CHQ_VALUEDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Customer-Full

Attribute	Description
Name	Customer-Full
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description
Name	PRIVATE_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CTYPE

Attribute	Description
Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,C,B

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	Description
Name	ADDRLN1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN3

Attribute	Description	
Name	ADDRLN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN2

Attribute	Description	
Name	ADDRLN2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRLN4

Attribute	Description	
Name	ADDRLN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SNAME

Attribute	**Description**
Name	SNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

NLTY

Attribute	**Description**
Name	NLTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LBRN

Attribute	**Description**
Name	LBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCATEG

Attribute	**Description**
Name	CCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FULLNAME

Attribute	Description
Name	FULLNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CIFCREATIONDT

Attribute	Description
Name	CIFCREATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISELCMCUST

Attribute	Description
Name	ISELCMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ELCMCUSTNO

Attribute	Description
Name	ELCMCUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AR_AP_TRACKING

Attribute	Description
Name	AR_AP_TRACKING

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

EXPCNTRY

Attribute	**Description**
Name	EXPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

UIDVAL

Attribute	**Description**
Name	UIDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FROZEN

Attribute	**Description**
Name	FROZEN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

DEAD

Attribute	Description
Name	DEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

WHRUNKN

Attribute	Description
Name	WHRUNKN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CRRATE

Attribute	Description
Name	CRRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

SSN

Attribute	**Description**
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

SWIFTCD

Attribute	**Description**
Name	SWIFTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

LOC

Attribute	**Description**
Name	LOC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

MAILRSREQD

Attribute	**Description**
Name	MAILRSREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

GRPCD

Attribute	Description
Name	GRPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

EXPCAT

Attribute	Description
Name	EXPCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTCLASSFN

Attribute	Description
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTAT

Attribute	Description
Name	CIFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CIFSTATSNC

Attribute	Description
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGGRP

Attribute	Description
Name	CHGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSTCLGGRP

Attribute	Description
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TAXGROUP

Attribute	Description
Name	TAXGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLSPARTICIPANT

Attribute	Description
Name	CLSPARTICIPANT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FXNETTCUST

Attribute	**Description**	
Name	FXNETTCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

XREF

Attribute	**Description**	
Name	XREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRMCUST

Attribute	**Description**	
Name	CRMCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

ISSUCUST

Attribute	**Description**	
Name	ISSUCUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

TRSRYCUST

Attribute	**Description**
Name	TRSRYCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

RELPRICING

Attribute	**Description**
Name	RELPRICING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

MT920

Attribute	**Description**
Name	MT920
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

FLGJOINT

Attribute	**Description**
Name	FLGJOINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

CREATEACC

Attribute	Description
Name	CREATEACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CREATEDACCOUNT

Attribute	Description
Name	CREATEDACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TRACK_LIMITS

Attribute	Description
Name	TRACK_LIMITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABID

Attribute	Description
Name	LIABID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LMCCY

Attribute	Description
Name	LMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOACNO

Attribute	Description
Name	HOACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RISKPRFL

Attribute	Description
Name	RISKPRFL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRCAT

Attribute	Description
Name	DRCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

AMLREQD

Attribute	Description

Name	AMLREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AMLCUSTGRP

Attribute	**Description**
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CHKDIGITVALREQD

Attribute	**Description**
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ALGID

Attribute	**Description**
Name	ALGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FTACCASOF

Attribute	**Description**
Name	FTACCASOF
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,N,D

TOP

CUSTUNADV

Attribute	Description	
Name	CUSTUNADV	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

CONSTAXCERTRQD

Attribute	Description	
Name	CONSTAXCERTRQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

INDTAXCERTRQD

Attribute	Description	
Name	INDTAXCERTRQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

CLSCCYALLWD

Attribute	Description	
Name	CLSCCYALLWD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	D,A

TOP

RISKCATEG

Attribute	Description
Name	RISKCATEG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

UPTYPE

Attribute	Description
Name	UPTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

UDFLBL1

Attribute	Description
Name	UDFLBL1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL2

Attribute	Description
Name	UDFLBL2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL3

Attribute	Description
Name	UDFLBL3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDF1

Attribute	Description
Name	UDF1

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

UDF2

Attribute	Description
Name	UDF2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

UDF3

Attribute	Description
Name	UDF3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

UDF4

Attribute	Description
Name	UDF4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

UDF5

Attribute	Description
Name	UDF5
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

RM_ID

Attribute	**Description**
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

NETTREQD

Attribute	**Description**
Name	NETTREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

LIABUNADV

Attribute	**Description**
Name	LIABUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

AUTOGENSTMTPLAN

Attribute	**Description**
Name	AUTOGENSTMTPLAN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	Description	
Name	STMTDAY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

TOP

PIN_CODE

Attribute	Description	
Name	PIN_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

MFI_CUSTOMER

Attribute	Description	
Name	MFI_CUSTOMER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

INVESTCUST

Attribute	Description
Name	INVESTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWVRTLACCNTS

Attribute	Description
Name	ALLOWVRTLACCNTS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

VRTLCUSTOMERID

Attribute	Description
Name	VRTLCUSTOMERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Custpersonal

Attribute	Description
Name	Custpersonal
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FSTNAME

Attribute	Description
Name	FSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LSTNAME

Attribute	Description
Name	LSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PPTNO

Attribute	Description
Name	PPTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DADD2

Attribute	Description
Name	DADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DADD3

Attribute	Description
Name	DADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DPIN_CODE

Attribute	Description
Name	DPIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

TELEPHNO

Attribute	Description
Name	TELEPHNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAXNUMBER

Attribute	Description
Name	FAXNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BENEFADDR1

Attribute	Description
Name	BENEFADDR1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADDRS3

Attribute	Description
Name	ADDRS3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

BENEFADDR2

Attribute	Description
Name	BENEFADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DCNTRY

Attribute	Description
Name	DCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

RESSTATUS

Attribute	**Description**
Name	RESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,R

TOP

CUSTPREFIX1

Attribute	**Description**
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CUSTPREFIX2

Attribute	**Description**
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

MOBNUM

Attribute	**Description**
Name	MOBNUM
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CUST_COMM_MODE

Attribute	Description	
Name	CUST_COMM_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,M

TOP

LANG

Attribute	Description	
Name	LANG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

GUARDIAN

Attribute	Description	
Name	GUARDIAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SBMTAGEPROOF

Attribute	Description	
Name	SBMTAGEPROOF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	P,N,V

TOP

MINOR

Attribute	Description	
Name	MINOR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

KYCSTAT

Attribute	Description	
Name	KYCSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,V,F

TOP

SSTAFF

Attribute	Description	
Name	SSTAFF	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

KYC_REFNO

Attribute	Description	
Name	KYC_REFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DADD1

Attribute	Description
Name	DADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SAME_PERM_ADDR

Attribute	Description
Name	SAME_PERM_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

TITLE

Attribute	Description
Name	TITLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ADDRS4

Attribute	Description
Name	ADDRS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD4

Attribute	Description
Name	DADD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PLACEOFBIRTH

Attribute	Description
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

BIRTHCOUNTRY

Attribute	Description
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	9

TOP

EDUSTAT

Attribute	Description	
Name	EDUSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	U,N,G,P

TOP

MARITALSTAT

Attribute	Description	
Name	MARITALSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,D,R,S,P,E

TOP

SPNAME

Attribute	Description	
Name	SPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SPEMPSTATUS

Attribute	Description	
Name	SPEMPSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description
Name	DEPCHILD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DEPOTH

Attribute	Description
Name	DEPOTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOMODATE

Attribute	Description
Name	ACCOMODATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description
Name	MOTHERMAIDN_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custprof

Attribute	Description
Name	Custprof
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

EMPSTAT

Attribute	Description	
Name	EMPSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description	
Name	EMPTENURE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RETIREAGE

Attribute	Description	
Name	RETIREAGE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PREVEMP

Attribute	**Description**
Name	PREVEMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CURRDESIG

Attribute	**Description**
Name	CURRDESIG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CURREMP

Attribute	**Description**
Name	CURREMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADD1

Attribute	**Description**
Name	ADD1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description
Name	ADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADD3

Attribute	Description
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMTCCY1

Attribute	Description
Name	AMTCCY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TELEX

Attribute	**Description**
Name	TELEX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FAX

Attribute	**Description**
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAIL

Attribute	**Description**
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

SALARY

Attribute	**Description**
Name	SALARY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OTHER1

Attribute	Description
Name	OTHER1
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

HOUSEVAL

Attribute	Description

Name	HOUSEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRCARD

Attribute	Description
Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CNTY

Attribute	Description
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EMPLOYER_DESC

Attribute	Description
Name	EMPLOYER_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custcorp

Attribute	Description
Name	Custcorp
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPNAME

Attribute	Description
Name	CORPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD1

Attribute	Description
Name	REGADD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD2

Attribute	Description
Name	REGADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REGADD3

Attribute	Description
Name	REGADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

R_PIN_CODE

Attribute	Description

Name	R_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

AMTCCY

Attribute	**Description**
Name	AMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INCORPDT

Attribute	**Description**
Name	INCORPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITAL

Attribute	**Description**
Name	CAPITAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTH

Attribute	**Description**
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CORPDESC

Attribute	Description
Name	CORPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

INCORPCNTRY

Attribute	Description
Name	INCORPCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

REGCNTRY

Attribute	Description
Name	REGCNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SAME_CORR_ADDR

Attribute	Description
Name	SAME_CORR_ADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

REGADD4

Attribute	Description

Name	REGADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JOINTVENTURE

Attribute	**Description**
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CADDR1

Attribute	**Description**
Name	CADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR3

Attribute	**Description**
Name	CADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR2

Attribute	**Description**
Name	CADDR2
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CADDR4

Attribute	Description
Name	CADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CPINCODE

Attribute	Description
Name	CPINCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

CNTRY

Attribute	Description
Name	CNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LANGUAGE

Attribute	Description
Name	LANGUAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

KYC_DETAILS

Attribute	**Description**
Name	KYC_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,V,F

TOP

KYCREFNO

Attribute	**Description**
Name	KYCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CNAME

Attribute	**Description**
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

UIDVALUE

Attribute	Description
Name	UIDVALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TELEPHONE

Attribute	Description
Name	TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FAX

Attribute	Description
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MOBILENUMBER

Attribute	Description
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTCOMMMODE

Attribute	Description
Name	CUSTCOMMMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,M

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

TELISDNOCRP

Attribute	Description
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

DIRNAME

Attribute	Description	
Name	DIRNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR3

Attribute	Description	
Name	NADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

TEL

Attribute	Description
Name	TEL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

TAXID

Attribute	Description
Name	TAXID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

MOBNO

Attribute	Description
Name	MOBNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

EMAILID

Attribute	Description
Name	EMAILID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TELISDNOCRPDIR

Attribute	Description
Name	TELISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNOCRPDIR

Attribute	Description
Name	MOBISDNOCRPDIR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description
Name	ADDRCOUNTRYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

NATIONLTYCRPDIR

Attribute	Description
Name	NATIONLTYCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

USRESSTATUSCRPDIR

Attribute	Description
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PCTHOLDING

Attribute	Description
Name	PCTHOLDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Issuerlmts

Attribute	Description
Name	Issuerlmts
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CLTRLTYP

Attribute	Description
Name	CLTRLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LMTCCY

Attribute	Description
Name	LMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DOCREF

Attribute	Description
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

DATEREQ

Attribute	Description
Name	DATEREQ
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPECTDDATE

Attribute	Description
Name	EXPECTDDATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REMARK1

Attribute	**Description**
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK2

Attribute	**Description**
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK3

Attribute	**Description**
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK4

Attribute	**Description**
Name	REMARK4
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK5

Attribute	Description	
Name	REMARK5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK6

Attribute	Description	
Name	REMARK6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK7

Attribute	Description	
Name	REMARK7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK8

Attribute	Description	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Custgrp

Attribute	**Description**
Name	Custgrp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

GRPNO

Attribute	**Description**
Name	GRPNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RELATION

Attribute	Description
Name	RELATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Custshhold

Attribute	Description
Name	Custshhold
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SHHOLDPCT

Attribute	**Description**
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Clsccyrest

Attribute	**Description**
Name	Clsccyrest
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTNO

Attribute	**Description**
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Bic

Attribute	Description
Name	Bic
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BICCD

Attribute	Description

Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

Linkedac

Attribute	**Description**
Name	Linkedac
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VRFD

Attribute	**Description**
Name	VRFD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

LINKEDACCNO

Attribute	**Description**
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

LINKEDACCIBAN

Attribute	**Description**
Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	20

TOP

LINKEDACCBIC

Attribute	Description
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

Jointventure

Attribute	Description
Name	Jointventure
Datatype	
Description	
Attributes	maxOccurs: unbounded minOccurs: 0

TOP

PARTY_ID

Attribute	Description
Name	PARTY_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

PARTY_RATIO

Attribute	Description
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

PARTYNAME

Attribute	Description

Name	PARTYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Cust-Liab

Attribute	**Description**
Name	Cust-Liab
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITY_NUMBER

Attribute	**Description**
Name	LIABILITY_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LIABILTY_NAME

Attribute	**Description**
Name	LIABILTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LIAB_BRANCH

Attribute	**Description**
Name	LIAB_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	3

TOP

LIAB_CCY

Attribute	Description
Name	LIAB_CCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

OVERLIMIT

Attribute	Description
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REVISION_DATE

Attribute	Description
Name	REVISION_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CATEGORY

Attribute	Description
Name	CATEGORY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

UNADV

Attribute	Description
Name	UNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

NETTING_REQUIRED

Attribute	Description
Name	NETTING_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

OVERALL_SCORE

Attribute	Description
Name	OVERALL_SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK_LIMIT

Attribute	Description
Name	FX_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_CLEAN_RISK_LIMIT

Attribute	Description
Name	SEC_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_PSTL_RISK_LIMIT

Attribute	Description
Name	SEC_PSTL_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAIN_LIAB_NO

Attribute	Description
Name	MAIN_LIAB_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UTIL_AMOUNT

Attribute	Description
Name	UTIL_AMOUNT
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CRRATING

Attribute	Description
Name	CRRATING
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

Liab-Score

Attribute	Description
Name	Liab-Score
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

SCORE

Attribute	Description
Name	SCORE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

SCORE_NAME

Attribute	Description
Name	SCORE_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

SCORE_DESC

Attribute	Description

Name	SCORE_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 250

TOP

Liab-Rating

Attribute	**Description**
Name	Liab-Rating
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PRIMARY

Attribute	**Description**
Name	PRIMARY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

AGENCY_NAME

Attribute	**Description**
Name	AGENCY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CREDIT_RATING

Attribute	**Description**
Name	CREDIT_RATING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	10

TOP

Liab-Linkage

Attribute	Description	
Name	Liab-Linkage	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXPOSURE_NAME

Attribute	Description	
Name	EXPOSURE_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXPOSURE_DESC

Attribute	Description	
Name	EXPOSURE_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXPOSURE_TYPE

Attribute	Description	
Name	EXPOSURE_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

Liab-Udf

Attribute	Description
Name	Liab-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

Custsegment

Attribute	Description
Name	Custsegment
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Mfi1

Attribute	Description
Name	Mfi1
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE_NUMBER

Attribute	Description
Name	INSURANCE_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MFI_CUST_TYPE

Attribute	Description
Name	MFI_CUST_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / G,C,I

TOP

POVERTY_STATUS

Attribute	Description
Name	POVERTY_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

LITERACY_OF_CLIENT

Attribute	Description
Name	LITERACY_OF_CLIENT

ORACLE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

BUSINESS_ACTIVITY

Attribute	**Description**
Name	BUSINESS_ACTIVITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

BLACKLISTED

Attribute	**Description**
Name	BLACKLISTED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BLACKLIST_COUNT

Attribute	**Description**
Name	BLACKLIST_COUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

PHYSICALLY_CHALLENGED

Attribute	**Description**
Name	PHYSICALLY_CHALLENGED
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ACCOUNT_OFFICER

Attribute	Description
Name	ACCOUNT_OFFICER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Training

Attribute	Description
Name	Training
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TRAINING_CODE

Attribute	Description
Name	TRAINING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRAINING_DATE

Attribute	Description
Name	TRAINING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CIF

Attribute	Description
Name	CIF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Chklist

Attribute	Description
Name	Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHKLIST_ITEM

Attribute	Description
Name	CHKLIST_ITEM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VERIFIED

Attribute	Description
Name	VERIFIED

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Mf-Cifdet

Attribute	Description
Name	Mf-Cifdet
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

GROUP_CODE

Attribute	Description
Name	GROUP_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MEETING_CODE

Attribute	Description
Name	MEETING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	35

TOP

Id-Master

Attribute	Description
Name	Id-Master
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

Id-Det-Main

Attribute	Description
Name	Id-Det-Main
Datatype	
Description	
Attributes	maxOccurs: unbounded; minOccurs: 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

SNO

Attribute	Description

Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	**Description**
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Iddetail

Attribute	**Description**
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	**Description**
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SERIES

Attribute	Description
Name	SERIES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

DOC_ID

Attribute	Description
Name	DOC_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DATE_OF_ISSUE

Attribute	Description
Name	DATE_OF_ISSUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DATE_OF_EXPIRY

Attribute	Description
Name	DATE_OF_EXPIRY
Datatype	Date

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	Description
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CUST

Attribute	**Description**
Name	CUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BRNCD

Attribute	**Description**
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKTOGRP

Attribute	**Description**
Name	LINKTOGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Custchnglog

Attribute	**Description**
Name	Custchnglog
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

Baltrnsfrlog

Attribute	Description
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	Description
Name	TXNDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

GLCODE

Attribute	Description
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TRNIND

Attribute	**Description**
Name	TRNIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMT

Attribute	**Description**
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

XRATE

Attribute	**Description**
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Customermis

Attribute	**Description**
Name	Customermis

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Compositemis

Attribute	Description
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

ORACLE

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Custloghead

Attribute	Description
Name	Custloghead
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates Customer Joint.

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTPREFIX

Attribute	Description	
Name	CUSTPREFIX	
Datatype	String	
Description	Indicates the Customer Prefix.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

FRSTNAME

Attribute	Description	
Name	FRSTNAME	
Datatype	String	
Description	Indicates the First Name.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

MIDNAME

Attribute	Description	
Name	MIDNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

LASTNAME

Attribute	Description	
Name	LASTNAME	
Datatype	String	
Description	Indicates the Last Name.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEX

Attribute	Description
Name	SEX
Datatype	String
Description	Indicates the Sex. The value can be either M or F.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F

TOP

PPNO

Attribute	Description
Name	PPNO
Datatype	String
Description	Indicates Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

ADD1

Attribute	Description	
Name	ADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description	
Name	ADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD3

Attribute	Description	
Name	ADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

DECEASED

Attribute	Description
Name	DECEASED
Datatype	String
Description	Indicates whether Deceased or not. The value should be either D or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resistant Status. The value could be either R or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

UNTVAL

Attribute	Description
Name	UNTVAL
Datatype	String
Description	Indicates Unit Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INSTR

Attribute	Description
Name	INSTR
Datatype	String
Description	Indicates Instructions
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

INSTRTYPE

Attribute	Description
Name	INSTRTYPE
Datatype	String
Description	Indicates Instruction Type
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

EXEDAYS

Attribute	Description
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution Days
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXEMONTHS

Attribute	Description
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution Years
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. Flag Can be either Y or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OPRTR

Attribute	Description
Name	OPRTR

Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates Special Instructions.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage

Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER

Attribute	**Description**
Name	CUSTOMER
Datatype	String
Description	Indicates the customer
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATIONSHIP

Attribute	**Description**
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	**Description**
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	**Description**
Name	DESCP
Datatype	String
Description	Indicates description

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Custacdetail

Attribute	Description
Name	Custacdetail
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 1
Restrictions	**Restrictions** / **Description**
	maxLength / 9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicates sequence number
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TDESC

Attribute	**Description**
Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

Sttms-Debit

Attribute	Description
Name	Sttms-Debit
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

ACTNO

Attribute	Description
Name	ACTNO
Datatype	String
Description	Account Number
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

Sttms-Detail

Attribute	Description
Name	Sttms-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String

Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NAME_ON_CARD

Attribute	**Description**
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

OWNER_ID_NO

Attribute	**Description**
Name	OWNER_ID_NO
Datatype	String
Description	Owner Id number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

CARD_ISSUED_DT

Attribute	Description	
Name	CARD_ISSUED_DT	
Datatype	Date	
Description	Card Issued Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

CARD_EXPIRY_DT

Attribute	Description	
Name	CARD_EXPIRY_DT	
Datatype	Date	
Description	Card Expiry Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

CARD_STATUS

Attribute	Description	
Name	CARD_STATUS	
Datatype	String	
Description	Card Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

RECORD_STAT

Attribute	Description	
Name	RECORD_STAT	
Datatype	String	
Description	Record Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

AUTH_STAT

Attribute	Description
Name	AUTH_STAT

Datatype	String
Description	Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_BIN

Attribute	**Description**
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Extsys-Ws-Master

Attribute	**Description**
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	**Description**
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

Cust-Account

Attribute	Description
Name	Cust-Account
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

ACC

Attribute	Description
Name	ACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AC_DESC

Attribute	**Description**
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTNAME

Attribute	**Description**
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT_CLASS

Attribute	Description
Name	ACCOUNT_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

AC_OPEN_DATE

Attribute	Description
Name	AC_OPEN_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ALT_ACC_NO

Attribute	Description
Name	ALT_ACC_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHQBOOK

Attribute	Description
Name	CHQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

OPMODE

Attribute	Description
Name	OPMODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	**Description**
Name	COUNTRY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	**Description**
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	**Description**
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	**Description**
Name	ACCOUNT_TYPE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	Description
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	Description
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GL_ACCC

Attribute	Description
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OFFSET_BRN

Attribute	Description
Name	OFFSET_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

CODATMBRN

Attribute	Description
Name	CODATMBRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

REPL_CUST_SIG

Attribute	Description
Name	REPL_CUST_SIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

SALARY_ACCOUNT

Attribute	Description
Name	SALARY_ACCOUNT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SDREFNO

Attribute	Description
Name	SDREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

SPDANLSYS

Attribute	Description
Name	SPDANLSYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TYOFCHQ

Attribute	Description
Name	TYOFCHQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,C

TOP

Account-Generation

Attribute	Description
Name	Account-Generation
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Jointholders-Main

Attribute	Description	
Name	Jointholders-Main	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Jointholders

Attribute	Description	
Name	Jointholders	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

BRANCH_CODE

Attribute	Description	
Name	BRANCH_CODE	
Datatype	String	
Description	Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_AC_NO

Attribute	Description	
Name	CUST_AC_NO	
Datatype	String	
Description	Account No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME1

Attribute	**Description**
Name	CUSTNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JNTHLDTYP

Attribute	**Description**
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	**Description**
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

END_DATE

Attribute	**Description**
Name	END_DATE
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Acc-Nominees

Attribute	Description	
Name	Acc-Nominees	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RELSHIP

Attribute	Description	
Name	RELSHIP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 105

TOP

NOMINEE_ID

Attribute	Description
Name	NOMINEE_ID
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String

Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOMMINOR

Attribute	**Description**
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GUARDNAM

Attribute	**Description**
Name	GUARDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GUARDRELNSHP

Attribute	**Description**
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR1

Attribute	**Description**
Name	GADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR2

Attribute	Description	
Name	GADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR3

Attribute	Description	
Name	GADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR4

Attribute	Description	
Name	GADDR4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NAM

Attribute	Description	
Name	NAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MANDATORY

Attribute	**Description**
Name	MANDATORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

Doctype-Remarks1

Attribute	**Description**
Name	Doctype-Remarks1
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Cust-Acc-Check

Attribute	**Description**
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FIRST_CHECK_NO

Attribute	Description
Name	FIRST_CHECK_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHECK_LEAVES

Attribute	Description
Name	CHECK_LEAVES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQUE_BOOK_TYPE

Attribute	Description
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

ORDER_DATE

Attribute	Description
Name	ORDER_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ORDER_DETAILS

Attribute	Description
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REQUEST_STATUS

Attribute	Description
Name	REQUEST_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Requested

TOP

CHQ_TYPE

Attribute	Description
Name	CHQ_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	EURO,COMM

TOP

Cust-Acc-Card

Attribute	Description
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

CARD_PRODUCT

Attribute	Description
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 11

TOP

NAME_ON_CARD

Attribute	Description
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CARD_NO

Attribute	Description
Name	CARD_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CARD_APPL_DATE

Attribute	**Description**
Name	CARD_APPL_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_STATUS

Attribute	**Description**
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Udfdetails

Attribute	**Description**
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCID

Attribute	Description
Name	FUNCID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

RECKEY

Attribute	Description
Name	RECKEY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 700

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

Custacc

Attribute	Description
Name	Custacc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,4,5,6,7,8,9,

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

Misaccchangelog

Attribute	Description
Name	Misaccchangelog
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description

Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Misbaltransferlog

Attribute	Description
Name	Misbaltransferlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

FINYR

Attribute	Description	
Name	FINYR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

GLCODE

Attribute	Description	
Name	GLCODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

TOP

TRNIND

Attribute	Description	
Name	TRNIND	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

MISCLS

Attribute	Description	
Name	MISCLS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

AMT

Attribute	Description
Name	AMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Chglog

Attribute	Description
Name	Chglog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Tsfrlog

Attribute	Description
Name	Tsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Classname

Attribute	Description
Name	Classname
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

B1

Attribute	Description
Name	B1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C1

Attribute	Description	
Name	C1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C2

Attribute	Description	
Name	C2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C3

Attribute	Description	
Name	C3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C4

Attribute	Description	
Name	C4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1000

TOP

C5

Attribute	Description	
Name	C5	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C6

Attribute	Description	
Name	C6	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C7

Attribute	Description	
Name	C7	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C8

Attribute	Description	
Name	C8	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C9

Attribute	Description
Name	C9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C10

Attribute	Description
Name	C10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T1

Attribute	Description
Name	T1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T2

Attribute	Description
Name	T2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T3

Attribute	Description
Name	T3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T4

Attribute	Description
Name	T4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T5

Attribute	Description
Name	T5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T6

Attribute	Description
Name	T6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

T7

Attribute	Description
Name	T7

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T8

Attribute	Description
Name	T8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T9

Attribute	Description
Name	T9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T10

Attribute	Description
Name	T10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER_NAME1

Attribute	Description	
Name	CUSTOMER_NAME1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NSFIB_CS_EVENT_NO

Attribute	Description	
Name	NSFIB_CS_EVENT_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NSFIB_CS_LVL

Attribute	Description	
Name	NSFIB_CS_LVL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

NSFIB_CS_LVL_EFFDT

Attribute	Description
Name	NSFIB_CS_LVL_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_LVL_EXPDT

Attribute	Description
Name	NSFIB_CS_LVL_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_BLK_STAT

Attribute	Description
Name	NSFIB_CS_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_STAT

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_WBRCK_EFFDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_EXPDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_STAT

Attribute	Description
Name	NSFIB_IB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_IB_BLK_EFFDT

Attribute	Description
Name	NSFIB_IB_BLK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_EXPDT

Attribute	Description
Name	NSFIB_IB_BLK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_IB_BLK_DESC

Attribute	Description
Name	NSFIB_IB_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_BLK_STAT

Attribute	Description
Name	NSFIB_CB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NSFIB_CB_DESC

Attribute	Description
Name	NSFIB_CB_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_EFFDT

Attribute	Description
Name	NSFIB_CB_EFFDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NSFIB_CB_EXPDT

Attribute	Description
Name	NSFIB_CB_EXPDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

NSFIB_CS_BLK_DESC

Attribute	Description
Name	NSFIB_CS_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CS_WBRCK_STAT_DESC

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

Cust

Attribute	Description
Name	Cust
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cust-Ck-Det

Attribute	Description
Name	Cust-Ck-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_PROCESS_ORDER

Attribute	Description
Name	CHQ_PROCESS_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LVL_COMP_EXPDT

Attribute	Description

Name	LVL_COMP_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CG_REF_NO

Attribute	**Description**
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ACCOUNT_NO

Attribute	**Description**
Name	ACCOUNT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

CHQ_NO

Attribute	Description
Name	CHQ_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

EVENT_NO

Attribute	Description
Name	EVENT_NO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

NSF_LVL

Attribute	Description
Name	NSF_LVL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8

TOP

LVL_EFFDT

Attribute	Description
Name	LVL_EFFDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

LVL_EXPDT

Attribute	Description
Name	LVL_EXPDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_VALUEDT

Attribute	Description
Name	CHQ_VALUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID

Datatype	String
Description	Function
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

Doc-Upload

Attribute	**Description**
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	**Description**
Name	DCREFNO
Datatype	String
Description	Document Reference
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	**Description**
Name	DOC_CATEGORY
Datatype	String
Description	Document Category
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	**Description**
Name	DOC_TYPE
Datatype	String
Description	Document Type
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
Customer-IO
CUSTNO
CHECKER
CHECKERSTAMP
MODNO

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Customer-IO

Attribute	Description
Name	Customer-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

CHECKER

Attribute	Description
Name	CHECKER

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	**Description**
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

2.29.3.ST-AuthorizeCustomer-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Customer-Full*
    - *PRIVATE_CUSTOMER*
    - *CUSTNO*
    - *CTYPE*
    - *NAME*
    - *ADDRLN1*
    - *ADDRLN3*
    - *ADDRLN2*
    - *ADDRLN4*
    - *COUNTRY*
    - *SNAME*
    - *NLTY*
    - *LBRN*
    - *CCATEG*
    - *FULLNAME*
    - *CIFCREATIONDT*
    - *ISELCMCUST*
    - *ELCMCUSTNO*
    - *AR_AP_TRACKING*

EXPCNTRY
UIDNAME
UIDVAL
FROZEN
DEAD
WHRUNKN
CRRATE
MEDIA
SSN
SWIFTCD
LOC
MAILRSREQD
GRPCD
EXPCAT
CUSTCLASSFN
CIFSTAT
CIFSTATSNC
CHGGRP
CUSTCLGGRP
TAXGROUP
CLSPARTICIPANT
FXNETTCUST
XREF
CRMCUST
ISSUCUST
TRSRYCUST
RELPRICING
MT920
FLGJOINT
CREATEACC
CREATEDACCOUNT
TRACK_LIMITS
LIABID
LMCCY
HOACNO
FXCUSTCLRILIM
OVRLIM
FX_CLEAN_RISK
REVDT
SECCUSTCLRILIM
SECCLRILIM
SECCUSTPSRILIM
SECPSRILIM
FLGUTLTYPRVDR

UTLTYPRVDRID
RISKPRFL
DRCAT
AMLREQD
AMLCUSTGRP
CHKDIGITVALREQD
ALGID
FTACCASOF
CUSTUNADV
CONSTAXCERTRQD
INDTAXCERTRQD
CLSCCYALLWD
RISKCATEG
LC_COLLAT_PCT
UPTYPE
UDFLBL1
UDFLBL2
UDFLBL3
UDFLBL4
UDFLBL5
UDF1
UDF2
UDF3
UDF4
UDF5
RM_ID
NETTREQD
LIABUNADV
AUTOGENSTMTPLAN
FREQ
STMTDAY
PIN_CODE
MFI_CUSTOMER
INVESTCUST
ALLOWVRTLACCNTS
VRTLCUSTOMERID
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Custpersonal

FSTNAME
MIDNAME
LSTNAME
DOB
GENDR
NATIONID
PPTNO
PPTISSDT
PPTEXPDT
DADD2
DADD3
DPIN_CODE
TELEPHNO
FAXNUMBER
EMAILID
BENEFADDR1
ADDRS3
BENEFADDR2
DCNTRY
PCNTRY
RESSTATUS
CUSTPREFIX1
CUSTPREFIX2
MOBNUM
CUST_COMM_MODE
LANG
GUARDIAN
SBMTAGEPROOF
MINOR
KYCSTAT
SSTAFF
KYC_REFNO
SAME_CORR_ADDR
DADD1
SAME_PERM_ADDR
TITLE
ADDRS4
DADD4
PLACEOFBIRTH
BIRTHCOUNTRY
TELISDNOPERSONAL
MOBISDNO
FAXISDNO
USRESSTATUS

PAISSUED
PAHOLDERNAME
PAHOLDERNATIONALTY
PAHOLDERADDR
PAHOLDERADDRCOUNTRY
PAHOLDERTELISD
PAHOLDERTELNO
VSTUSPREV
HOMETELNO
HOMETELISD
P_PIN_CODE
PREF_CNTACT_DATE
PREF_CNTACT_TIME
Custdomestic
- *CUSTNO*
- *EDUSTAT*
- *MARITALSTAT*
- *SPNAME*
- *SPEMPSTATUS*
- *DEPCHILD*
- *DEPOTH*
- *ACCOMODATE*
- *MOTHERMAIDN_NAME*

Custprof
- *CUSTNO*
- *EMPSTAT*
- *EMPTENURE*
- *RETIREAGE*
- *PREVDESIG*
- *PREVEMP*
- *CURRDESIG*
- *CURREMP*
- *ADD1*
- *ADD2*
- *ADD3*
- *TEL*
- *AMTCCY1*
- *TELEX*
- *FAX*
- *EMAIL*
- *SALARY*
- *OTHER1*
- *RENT*
- *INSURANCE*

LOANPMNT

OTHEXP

HOUSEVAL

CRCARD

CNTY

EMPLOYER_DESC

Custcorp

CORPNAME

REGADD1

REGADD2

REGADD3

R_PIN_CODE

AMTCCY

INCORPDT

CAPITAL

NETWORTH

CORPDESC

INCORPCNTRY

REGCNTRY

SAME_CORR_ADDR

REGADD4

JOINTVENTURE

CADDR1

CADDR3

CADDR2

CADDR4

CPINCODE

CNTRY

LANGUAGE

KYC_DETAILS

KYCREFNO

CNAME

UIDNAME

UIDVALUE

TELEPHONE

FAX

EMAILID

MOBILENUMBER

CUSTCOMMMODE

NATIONID

TELISDNOCRP

MOBISDNOCRP

FAXISDNOCRP

PREF_CNTACT_DATE

PREF_CNTACT_TIME

OWNERSHPTYPE

Custcorpdir

DIRNAME

NADDR1

NADDR2

NADDR3

NADDR4

ADDRESS1

ADDRESS2

ADDRESS3

COUNTRY

TEL

TAXID

MOBNO

EMAILID

TELISDNOCRPDIR

MOBISDNOCRPDIR

ADDRCOUNTRYCRPDIR

NATIONLTYCRPDIR

USRESSTATUSCRPDIR

PCTHOLDING

HOMETELNO

HOMETELISD

PPIN_CODE

PIN_CODE

Issuerdet

CUSTNO

OVERLMTCCY

OVERLIMIT

Issuerlmts

CLTRLTYP

LMTCCY

LMTAMT

Custdoc-Chklist

CUSTOMER_NO

DOCCATEGORY

DOCUMENTNAME

DOCUMENT_TYPE

CHECKED

DOCREF

DATEREQ

EXPECTDDATE

ACTUALDATE

- *EXPDATE*
- *REMARKSCHKLIST*

Doctype-Remarks

- *CUSTOMER_NO*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Custgrp

- *GRPNO*
- *CUSTNO*
- *RELATION*

Custshhold

- *CUSTNO*
- *SHHOLDID*
- *SHHOLDPCT*

Clsccyrest

- *CUSTNO*
- *CCY*
- *DESC*

Bic

- *ACC*
- *CUSTNO*
- *BICCD*

Linkedac

- *VRFD*
- *LINKEDACCNO*
- *LINKEDACCIBAN*
- *LINKEDACCBIC*

Jointventure

- *PARTY_ID*
- *PARTY_RATIO*
- *PARTYNAME*

Cust-Liab

- *LIABILITY_NUMBER*
- *LIABILTY_NAME*
- *LIAB_BRANCH*
- *LIAB_CCY*

- *OVERLIMIT*
- *REVISION_DATE*
- *CATEGORY*
- *USER_DEFINED_STATUS*
- *UNADV*
- *NETTING_REQUIRED*
- *OVERALL_SCORE*
- *FX_CLEAN_RISK_LIMIT*
- *SEC_CLEAN_RISK_LIMIT*
- *SEC_PSTL_RISK_LIMIT*
- *REMARKS*
- *MAIN_LIAB_NO*
- *UTIL_AMOUNT*
- *CRRATING*
- *Liab-Score*
  - *SCORE*
  - *SCORE_NAME*
  - *SCORE_DESC*
- *Liab-Rating*
  - *PRIMARY*
  - *AGENCY_NAME*
  - *CREDIT_RATING*
- *Liab-Linkage*
  - *EXPOSURE_NAME*
  - *EXPOSURE_DESC*
  - *EXPOSURE_TYPE*
- *Liab-Udf*
  - *FLDNAM*
  - *FLDVAL*

Custsegment

- *CUSTCCY*
- *CUSTSEGCD*
- *CUSTSEGSTATUS*
- *NETWORTH*
- *NETWORTHCCY*

Mfi1

- *INSURANCE_NUMBER*
- *MFI_CUST_TYPE*
- *POVERTY_STATUS*
- *LITERACY_OF_CLIENT*
- *BUSINESS_ACTIVITY*
- *BLACKLISTED*
- *BLACKLIST_COUNT*
- *PHYSICALLY_CHALLENGED*

ACCOUNT_OFFICER

Training

TRAINING_CODE

TRAINING_DATE

CIF

Chklist

KEY_ID

CHKLIST_ITEM

VERIFIED

Mf-Cifdet

CUSTOMER_NO

GROUP_CODE

MEETING_CODE

Id-Master

CUSTOMER_NO

Id-Det-Main

CUSTOMER_NO

SNO

DOCUMENT_TYPE

Iddetail

CUSTOMER_NO

SNO

DOCUMENT_TYPE

SERIES

DOC_ID

DATE_OF_ISSUE

DATE_OF_EXPIRY

ISSUING_AUTHORITY

PLACE_OF_ISSUE

NAME

Custmis

MISGRP

CUST

BRNCD

LINKTOGRP

Custchnglog

MISCLS

TXNDT

OLDMISCD

NWMISCD

Baltrnsfrlog

BRN

PRDCD

FINYR

TXNDT
GLCODE
MISCLS
OLDMISCD
NWMISCD
TRNIND
CCY
AMT
XRATE
Customermis
MISCLS
MISCD
Compositemis
MISCLS
MISCD
Custloghead
Jointcustomer
CUSTNO
Custjoint
CUSTPREFIX
FRSTNAME
MIDNAME
LASTNAME
DOB
SEX
PPNO
PPTISSDT
PPTEXPDT
ADD1
ADD2
ADD3
TEL
EMAIL
SSN
DECEASED
RESISTAT
Cust-Acc-Det
CUSTNO
Diary-Mst
INSTRNO
UNTTYP
UNTVAL
BRN
INSTR

INSTRTYPE
EXEDAYS
EXEMONTHS
EXEYEARS
MNTHENDFLG
HLDRULE
FRSTDUEDT
NXTDUEDT
NXTEXEDT
CONDELEM
OPRTR
CONDVAL
ACCOFCR
SPLINSTRTYP
EXPDT
SPLINSTR
Custaccdet
CUSTNO
BRNCD
Relationship-Linkage
CUSTOMER
RELATIONSHIP
INHERIT
DESCP
Custacdetail
CUSTNO
CUSTTEXT
SEQNO
CUSTNO
TDESC
UDFDETAILS
FLDNAM
FLDVAL
Sttms-Debit
BRANCH_CODE
CUST_NO
ACTNO
Sttms-Detail
BRANCH_CODE
REQUEST_REFERENCE_NO
CARDNO
CUST_NO
CARD_PRODUCT
PRIMARY_CARD

NAME_ON_CARD

OWNER_ID_NO

CARD_ISSUED_DT

CARD_EXPIRY_DT

CARD_STATUS

RECORD_STAT

AUTH_STAT

CARD_BIN

CUST_AC_NO

Extsys-Ws-Master

Extsys-Ws-Details

EXTWSRESP

USERREMARKS

Cust-Account

BRN

ACC

AC_DESC

CUSTNAME

CUST_NO

CCY

ACCOUNT_CLASS

AC_OPEN_DATE

ALT_ACC_NO

CHQBOOK

ATM

PASSBOOK

ATMACC

ATMDLIM

ATMDCNTLIM

CHKNAME1

CHKNAME2

AUTOREORDERCHKREQ

AUTOREORDERCHKLVL

AUTOREORDERCHKLVS

DORMPRM

LOCATION

MEDIA

OPMODE

COUNTRY_CODE

AUTO_CHEQUE_BOOK_REQ

AUTO_DEBIT_CARD_REQUEST

ACCOUNT_TYPE

MAX_NO_CHEQUE_REJECTIONS

ACC_OPENING_AMT

GL_ACCC

OFFSET_BRN

PAY_IN_OPTION

WAIVE_ACC_OPEN_CHARGE

CODATMBRN

REPL_CUST_SIG

SALARY_ACCOUNT

SDREFNO

SPDANLSYS

TYOFCHQ

Account-Generation

Jointholders-Main

Jointholders

- *BRANCH_CODE*
- *CUST_AC_NO*
- *CUSTNO*
- *CUSTNAME1*
- *JNTHLDTYP*
- *START_DATE*
- *END_DATE*

Acc-Nominees

- *RELSHIP*
- *NADDR1*
- *NADDR2*
- *NADDR3*
- *NADDR4*
- *NOMINEE_ID*
- *CUST_AC_NO*
- *BRANCH_CODE*
- *NOMMINOR*
- *GUARDNAM*
- *GUARDRELNSHP*
- *GADDR1*
- *GADDR2*
- *GADDR3*
- *GADDR4*
- *NAM*
- *DOB*

Doctype-Checklist

- *BRANCH_CODE*
- *CUST_AC_NO*
- *DOCUMENT_TYPE*
- *MANDATORY*
- *CHECKED*

Doctype-Remarks1

BRANCH_CODE

CUST_AC_NO

REMARK1

REMARK2

REMARK3

REMARK4

REMARK5

REMARK6

REMARK7

REMARK8

REMARK9

REMARK10

Cust-Acc-Check

BRANCH

ACCOUNT

FIRST_CHECK_NO

CHECK_LEAVES

CHEQUE_BOOK_TYPE

ORDER_DATE

ORDER_DETAILS

LANG_CODE

REQUEST_STATUS

CHQ_TYPE

Cust-Acc-Card

BRANCH_CODE

CUST_AC_NO

CUST_NO

REQUEST_REFERENCE_NO

CARD_PRODUCT

CARD_BIN

NAME_ON_CARD

CARD_NO

CARD_APPL_DATE

PRIMARY_CARD

CARD_STATUS

Udfdetails

FUNCID

RECKEY

FLDNAM

FLDVAL

Custacc

Misdetails

TXNMIS7

COMPMIS8
TXNMIS8
COMPMIS9
TXNMIS9
COMPMIS10
TXNMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
REFRTSPRD
REFRTTYPE
REFRTCD
BRN
ACC
POOLCD
RTFLAG
REFRATE
CALCMETH
MISGRP
MISGRPTXN
MISGRPCOMP
COMPMIS1
TXNMIS1
COMPMIS2
TXNMIS2
COMPMIS3
TXNMIS3
COMPMIS4
TXNMIS4
COMPMIS5
TXNMIS5
COMPMIS6
TXNMIS6
COMPMIS7
LINKGRP
Misaccchangelog
- *MISCLS*
- *TXNDT*
- *OLDMISCD*
- *NWMISCD*

Misbaltransferlog
- *BRN*

PRDCD

FINYR

GLCODE

TRNIND

MISCLS

TXNDT

OLDMISCD

NWMISCD

CCY

AMT

XRATE

Chglog

Tsfrlog

Classname

B1

C1

C2

C3

C4

C5

C6

C7

C8

C9

C10

T1

T2

T3

T4

T5

T6

T7

T8

T9

T10

Nsf-Enq

CUSTOMER_NO

CUSTOMER_NAME1

NSFIB_CS_EVENT_NO

NSFIB_CS_LVL

NSFIB_CS_LVL_EFFDT

NSFIB_CS_LVL_EXPDT

NSFIB_CS_BLK_STAT

NSFIB_CS_LAST_TRN_DT

NSFIB_CS_WBRCK_STAT
NSFIB_CS_WBRCK_EFFDT
NSFIB_CS_WBRCK_EXPDT
NSFIB_IB_BLK_STAT
NSFIB_IB_BLK_EFFDT
NSFIB_IB_BLK_EXPDT
NSFIB_IB_BLK_DESC
NSFIB_CB_BLK_STAT
NSFIB_CB_DESC
NSFIB_CB_EFFDT
NSFIB_CB_EXPDT
NSFIB_CS_BLK_DESC
NSFIB_CS_WBRCK_STAT_DESC
Cust
CUSTNO
CNAME
Cust-Ck-Det
CHQ_AMT
CHQ_PROCESS_ORDER
LVL_COMP_EXPDT
BRANCH_CODE
CG_REF_NO
CUSTOMER_NO
ACCOUNT_NO
CHQ_NO
EVENT_NO
NSF_LVL
LVL_EFFDT
LVL_EXPDT
CHQ_DT
CHQ_VALUEDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Customer-Full

Attribute	Description

Name	Customer-Full
Datatype	
Description	

TOP

PRIVATE_CUSTOMER

Attribute	Description
Name	PRIVATE_CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CTYPE

Attribute	Description
Name	CTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,C,B

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

ADDRLN1

Attribute	Description

Name	ADDRLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN3

Attribute	**Description**
Name	ADDRLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN2

Attribute	**Description**
Name	ADDRLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRLN4

Attribute	**Description**
Name	ADDRLN4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	**Description**
Name	COUNTRY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SNAME

Attribute	Description
Name	SNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NLTY

Attribute	Description
Name	NLTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LBRN

Attribute	Description
Name	LBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCATEG

Attribute	Description
Name	CCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FULLNAME

Attribute	**Description**
Name	FULLNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CIFCREATIONDT

Attribute	**Description**
Name	CIFCREATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISELCMCUST

Attribute	**Description**
Name	ISELCMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

ELCMCUSTNO

Attribute	**Description**
Name	ELCMCUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AR_AP_TRACKING

Attribute	Description
Name	AR_AP_TRACKING
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

EXPCNTRY

Attribute	Description
Name	EXPCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

UIDNAME

Attribute	Description
Name	UIDNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

UIDVAL

Attribute	Description
Name	UIDVAL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

FROZEN

Attribute	Description
Name	FROZEN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

DEAD

Attribute	**Description**
Name	DEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

WHRUNKN

Attribute	**Description**
Name	WHRUNKN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CRRATE

Attribute	**Description**
Name	CRRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MEDIA

Attribute	**Description**
Name	MEDIA
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

SWIFTCD

Attribute	Description
Name	SWIFTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

LOC

Attribute	Description
Name	LOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MAILRSREQD

Attribute	Description
Name	MAILRSREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

GRPCD

Attribute	**Description**
Name	GRPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXPCAT

Attribute	**Description**
Name	EXPCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUSTCLASSFN

Attribute	**Description**
Name	CUSTCLASSFN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CIFSTAT

Attribute	**Description**
Name	CIFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CIFSTATSNC

Attribute	Description
Name	CIFSTATSNC
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGGRP

Attribute	Description
Name	CHGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSTCLGGRP

Attribute	Description
Name	CUSTCLGGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TAXGROUP

Attribute	Description
Name	TAXGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLSPARTICIPANT

Attribute	Description
Name	CLSPARTICIPANT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

FXNETTCUST

Attribute	**Description**
Name	FXNETTCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

XREF

Attribute	**Description**
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRMCUST

Attribute	**Description**
Name	CRMCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

ISSUCUST

Attribute	**Description**
Name	ISSUCUST
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

TRSRYCUST

Attribute	Description
Name	TRSRYCUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

RELPRICING

Attribute	Description
Name	RELPRICING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

MT920

Attribute	Description
Name	MT920
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

FLGJOINT

Attribute	Description
Name	FLGJOINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

CREATEACC

Attribute	**Description**
Name	CREATEACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

CREATEDACCOUNT

Attribute	**Description**
Name	CREATEDACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

TRACK_LIMITS

Attribute	**Description**
Name	TRACK_LIMITS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

LIABID

Attribute	**Description**
Name	LIABID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LMCCY

Attribute	Description
Name	LMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOACNO

Attribute	Description
Name	HOACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FXCUSTCLRILIM

Attribute	Description
Name	FXCUSTCLRILIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OVRLIM

Attribute	Description
Name	OVRLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK

Attribute	Description
Name	FX_CLEAN_RISK
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

REVDT

Attribute	Description
Name	REVDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTCLRILIM

Attribute	Description
Name	SECCUSTCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCLRILIM

Attribute	Description
Name	SECCLRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECCUSTPSRILIM

Attribute	Description
Name	SECCUSTPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SECPSRILIM

Attribute	Description
Name	SECPSRILIM
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FLGUTLTYPRVDR

Attribute	Description
Name	FLGUTLTYPRVDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

UTLTYPRVDRID

Attribute	Description
Name	UTLTYPRVDRID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

RISKPRFL

Attribute	Description
Name	RISKPRFL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

DRCAT

Attribute	Description
Name	DRCAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

AMLREQD

Attribute	Description
Name	AMLREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

AMLCUSTGRP

Attribute	Description
Name	AMLCUSTGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

CHKDIGITVALREQD

Attribute	Description
Name	CHKDIGITVALREQD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

ALGID

Attribute	Description
Name	ALGID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

FTACCASOF

Attribute	Description
Name	FTACCASOF

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,N,D

TOP

CUSTUNADV

Attribute	**Description**
Name	CUSTUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CONSTAXCERTRQD

Attribute	**Description**
Name	CONSTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

INDTAXCERTRQD

Attribute	**Description**
Name	INDTAXCERTRQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CLSCCYALLWD

Attribute	**Description**
Name	CLSCCYALLWD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,A

TOP

RISKCATEG

Attribute	Description
Name	RISKCATEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LC_COLLAT_PCT

Attribute	Description
Name	LC_COLLAT_PCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UPTYPE

Attribute	Description
Name	UPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFLBL1

Attribute	Description
Name	UDFLBL1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UDFLBL2

Attribute	Description
Name	UDFLBL2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL3

Attribute	Description
Name	UDFLBL3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL4

Attribute	Description
Name	UDFLBL4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDFLBL5

Attribute	Description
Name	UDFLBL5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

UDF1

Attribute	Description
Name	UDF1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF2

Attribute	Description
Name	UDF2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF3

Attribute	Description
Name	UDF3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF4

Attribute	Description
Name	UDF4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

UDF5

Attribute	Description
Name	UDF5

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 150

TOP

RM_ID

Attribute	**Description**
Name	RM_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

NETTREQD

Attribute	**Description**
Name	NETTREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LIABUNADV

Attribute	**Description**
Name	LIABUNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

AUTOGENSTMTPLAN

Attribute	**Description**
Name	AUTOGENSTMTPLAN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

FREQ

Attribute	**Description**	
Name	FREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	S,A,Q,M,F,W,D,

TOP

STMTDAY

Attribute	**Description**	
Name	STMTDAY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

PIN_CODE

Attribute	**Description**	
Name	PIN_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MFI_CUSTOMER

Attribute	**Description**	
Name	MFI_CUSTOMER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

INVESTCUST

Attribute	Description	
Name	INVESTCUST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

ALLOWVRTLACCNTS

Attribute	Description	
Name	ALLOWVRTLACCNTS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

VRTLCUSTOMERID

Attribute	Description	
Name	VRTLCUSTOMERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

TOP

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	**Description**
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Custpersonal

Attribute	**Description**
Name	Custpersonal
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FSTNAME

Attribute	**Description**
Name	FSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MIDNAME

Attribute	**Description**
Name	MIDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

LSTNAME

Attribute	Description
Name	LSTNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

GENDR

Attribute	Description
Name	GENDR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: M,F,O,P

TOP

NATIONID

Attribute	Description
Name	NATIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PPTNO

Attribute	Description
Name	PPTNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DADD2

Attribute	Description
Name	DADD2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD3

Attribute	Description
Name	DADD3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

DPIN_CODE

Attribute	Description	
Name	DPIN_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

TELEPHNO

Attribute	Description	
Name	TELEPHNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

FAXNUMBER

Attribute	Description	
Name	FAXNUMBER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

EMAILID

Attribute	Description	
Name	EMAILID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

BENEFADDR1

Attribute	Description	
Name	BENEFADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRS3

Attribute	Description	
Name	ADDRS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEFADDR2

Attribute	Description	
Name	BENEFADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DCNTRY

Attribute	Description	
Name	DCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PCNTRY

Attribute	Description
Name	PCNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

RESSTATUS

Attribute	Description
Name	RESSTATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,R

TOP

CUSTPREFIX1

Attribute	Description
Name	CUSTPREFIX1
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

CUSTPREFIX2

Attribute	Description
Name	CUSTPREFIX2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

MOBNUM

Attribute	Description
Name	MOBNUM

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_COMM_MODE

Attribute	**Description**
Name	CUST_COMM_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,M

TOP

LANG

Attribute	**Description**
Name	LANG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

GUARDIAN

Attribute	**Description**
Name	GUARDIAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SBMTAGEPROOF

Attribute	**Description**
Name	SBMTAGEPROOF
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,N,V

TOP

MINOR

Attribute	Description	
Name	MINOR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

KYCSTAT

Attribute	Description	
Name	KYCSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,V,F

TOP

SSTAFF

Attribute	Description	
Name	SSTAFF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

KYC_REFNO

Attribute	Description	
Name	KYC_REFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	16

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

DADD1

Attribute	Description	
Name	DADD1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

SAME_PERM_ADDR

Attribute	Description	
Name	SAME_PERM_ADDR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,Y

TOP

TITLE

Attribute	Description	
Name	TITLE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	30

TOP

ADDRS4

Attribute	Description
Name	ADDRS4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DADD4

Attribute	Description
Name	DADD4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PLACEOFBIRTH

Attribute	Description
Name	PLACEOFBIRTH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

BIRTHCOUNTRY

Attribute	Description
Name	BIRTHCOUNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

TELISDNOPERSONAL

Attribute	Description
Name	TELISDNOPERSONAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MOBISDNO

Attribute	Description
Name	MOBISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNO

Attribute	Description
Name	FAXISDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USRESSTATUS

Attribute	Description
Name	USRESSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAISSUED

Attribute	Description
Name	PAISSUED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PAHOLDERNAME

Attribute	Description
Name	PAHOLDERNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERNATIONALTY

Attribute	Description
Name	PAHOLDERNATIONALTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERADDR

Attribute	Description
Name	PAHOLDERADDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAHOLDERADDRCOUNTRY

Attribute	Description
Name	PAHOLDERADDRCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAHOLDERTELISD

Attribute	Description
Name	PAHOLDERTELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAHOLDERTELNO

Attribute	Description
Name	PAHOLDERTELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

VSTUSPREV

Attribute	Description
Name	VSTUSPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

HOMETELNO

Attribute	Description
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	Description
Name	HOMETELISD
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

P_PIN_CODE

Attribute	Description
Name	P_PIN_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Custdomestic

Attribute	Description
Name	Custdomestic
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

EDUSTAT

Attribute	Description
Name	EDUSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / U,N,G,P

TOP

MARITALSTAT

Attribute	Description
Name	MARITALSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,D,R,S,P,E

TOP

SPNAME

Attribute	Description
Name	SPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SPEMPSTATUS

Attribute	Description
Name	SPEMPSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / T,S,U,R,P,F,N,O

TOP

DEPCHILD

Attribute	Description
Name	DEPCHILD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DEPOTH

Attribute	Description
Name	DEPOTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOMODATE

Attribute	Description
Name	ACCOMODATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,O,S

TOP

MOTHERMAIDN_NAME

Attribute	Description
Name	MOTHERMAIDN_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Custprof

Attribute	Description
Name	Custprof

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

EMPSTAT

Attribute	Description
Name	EMPSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / T,U,F,S,P,R,N,O

TOP

EMPTENURE

Attribute	Description
Name	EMPTENURE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETIREAGE

Attribute	Description
Name	RETIREAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREVDESIG

Attribute	Description
Name	PREVDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

PREVEMP

Attribute	Description
Name	PREVEMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURRDESIG

Attribute	Description
Name	CURRDESIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

CURREMP

Attribute	Description
Name	CURREMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

ADD1

Attribute	Description
Name	ADD1

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADD2

Attribute	**Description**
Name	ADD2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADD3

Attribute	**Description**
Name	ADD3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

TEL

Attribute	**Description**
Name	TEL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMTCCY1

Attribute	**Description**
Name	AMTCCY1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TELEX

Attribute	**Description**
Name	TELEX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FAX

Attribute	**Description**
Name	FAX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EMAIL

Attribute	**Description**
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

SALARY

Attribute	**Description**
Name	SALARY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OTHER1

Attribute	Description
Name	OTHER1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RENT

Attribute	Description
Name	RENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE

Attribute	Description
Name	INSURANCE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOANPMNT

Attribute	Description
Name	LOANPMNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OTHEXP

Attribute	Description
Name	OTHEXP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOUSEVAL

Attribute	Description
Name	HOUSEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CRCARD

Attribute	Description
Name	CRCARD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CNTY

Attribute	Description
Name	CNTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EMPLOYER_DESC

Attribute	Description
Name	EMPLOYER_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Custcorp

Attribute	Description
Name	Custcorp
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CORPNAME

Attribute	Description	
Name	CORPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD1

Attribute	Description	
Name	REGADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD2

Attribute	Description	
Name	REGADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGADD3

Attribute	Description	
Name	REGADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

R_PIN_CODE

Attribute	Description
Name	R_PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

AMTCCY

Attribute	Description
Name	AMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INCORPDT

Attribute	Description
Name	INCORPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITAL

Attribute	Description
Name	CAPITAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CORPDESC

Attribute	Description	
Name	CORPDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

INCORPCNTRY

Attribute	Description	
Name	INCORPCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

REGCNTRY

Attribute	Description	
Name	REGCNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SAME_CORR_ADDR

Attribute	Description	
Name	SAME_CORR_ADDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

REGADD4

Attribute	Description
Name	REGADD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JOINTVENTURE

Attribute	Description
Name	JOINTVENTURE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

CADDR1

Attribute	Description
Name	CADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR3

Attribute	Description
Name	CADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CADDR2

Attribute	Description
Name	CADDR2
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CADDR4

Attribute	Description
Name	CADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CPINCODE

Attribute	Description
Name	CPINCODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

CNTRY

Attribute	Description
Name	CNTRY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 3

TOP

LANGUAGE

Attribute	Description
Name	LANGUAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

KYC_DETAILS

Attribute	**Description**
Name	KYC_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,V,F

TOP

KYCREFNO

Attribute	**Description**
Name	KYCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CNAME

Attribute	**Description**
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UIDNAME

Attribute	**Description**
Name	UIDNAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

UIDVALUE

Attribute	**Description**	
Name	UIDVALUE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

TELEPHONE

Attribute	**Description**	
Name	TELEPHONE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

FAX

Attribute	**Description**	
Name	FAX	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EMAILID

Attribute	**Description**	
Name	EMAILID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MOBILENUMBER

Attribute	**Description**
Name	MOBILENUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CUSTCOMMMODE

Attribute	**Description**
Name	CUSTCOMMMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,M

TOP

NATIONID

Attribute	**Description**
Name	NATIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

TELISDNOCRP

Attribute	**Description**
Name	TELISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MOBISDNOCRP

Attribute	Description
Name	MOBISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FAXISDNOCRP

Attribute	Description
Name	FAXISDNOCRP
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_DATE

Attribute	Description
Name	PREF_CNTACT_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PREF_CNTACT_TIME

Attribute	Description
Name	PREF_CNTACT_TIME
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OWNERSHPTYPE

Attribute	Description
Name	OWNERSHPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Custcorpdir

Attribute	Description
Name	Custcorpdir
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DIRNAME

Attribute	Description
Name	DIRNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR1

Attribute	Description
Name	NADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR2

Attribute	Description
Name	NADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NADDR3

Attribute	Description
Name	NADDR3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TAXID

Attribute	Description	
Name	TAXID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MOBNO

Attribute	Description	
Name	MOBNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	105

TOP

EMAILID

Attribute	Description
Name	EMAILID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

TELISDNOCRPDIR

Attribute	Description
Name	TELISDNOCRPDIR
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

MOBISDNOCRPDIR

Attribute	Description
Name	MOBISDNOCRPDIR
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

ADDRCOUNTRYCRPDIR

Attribute	Description
Name	ADDRCOUNTRYCRPDIR
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

NATIONLTYCRPDIR

Attribute	Description
Name	NATIONLTYCRPDIR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

USRESSTATUSCRPDIR

Attribute	**Description**
Name	USRESSTATUSCRPDIR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

PCTHOLDING

Attribute	**Description**
Name	PCTHOLDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOMETELNO

Attribute	**Description**
Name	HOMETELNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HOMETELISD

Attribute	**Description**
Name	HOMETELISD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPIN_CODE

Attribute	Description
Name	PPIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PIN_CODE

Attribute	Description
Name	PIN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Issuerdet

Attribute	Description
Name	Issuerdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

OVERLMTCCY

Attribute	Description
Name	OVERLMTCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	**Description**
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Issuerlmts

Attribute	**Description**
Name	Issuerlmts
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CLTRLTYP

Attribute	**Description**
Name	CLTRLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LMTCCY

Attribute	**Description**
Name	LMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LMTAMT

Attribute	Description
Name	LMTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Custdoc-Chklist

Attribute	Description
Name	Custdoc-Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

DOCCATEGORY

Attribute	Description
Name	DOCCATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOCUMENTNAME

Attribute	Description
Name	DOCUMENTNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOCUMENT_TYPE

Attribute	**Description**
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

DOCREF

Attribute	**Description**
Name	DOCREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

DATEREQ

Attribute	**Description**
Name	DATEREQ
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECTDDATE

Attribute	Description
Name	EXPECTDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACTUALDATE

Attribute	Description
Name	ACTUALDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKSCHKLIST

Attribute	Description
Name	REMARKSCHKLIST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Doctype-Remarks

Attribute	Description
Name	Doctype-Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Custgrp

Attribute	**Description**
Name	Custgrp
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

GRPNO

Attribute	**Description**
Name	GRPNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

RELATION

Attribute	Description	
Name	RELATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

Custshhold

Attribute	Description	
Name	Custshhold	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	9

TOP

SHHOLDID

Attribute	Description
Name	SHHOLDID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SHHOLDPCT

Attribute	Description
Name	SHHOLDPCT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Clsccyrest

Attribute	Description
Name	Clsccyrest
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Bic

Attribute	Description
Name	Bic
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BICCD

Attribute	Description
Name	BICCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

Linkedac

Attribute	Description
Name	Linkedac
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

VRFD

Attribute	Description
Name	VRFD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

LINKEDACCNO

Attribute	Description
Name	LINKEDACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

LINKEDACCIBAN

Attribute	Description

Name	LINKEDACCIBAN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LINKEDACCBIC

Attribute	**Description**
Name	LINKEDACCBIC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Jointventure

Attribute	**Description**
Name	Jointventure
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PARTY_ID

Attribute	**Description**
Name	PARTY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PARTY_RATIO

Attribute	**Description**
Name	PARTY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

PARTYNAME

Attribute	Description
Name	PARTYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Cust-Liab

Attribute	Description
Name	Cust-Liab
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITY_NUMBER

Attribute	Description
Name	LIABILITY_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LIABILTY_NAME

Attribute	Description
Name	LIABILTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

LIAB_BRANCH

Attribute	Description
Name	LIAB_BRANCH

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LIAB_CCY

Attribute	**Description**
Name	LIAB_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERLIMIT

Attribute	**Description**
Name	OVERLIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVISION_DATE

Attribute	**Description**
Name	REVISION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CATEGORY

Attribute	**Description**
Name	CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

UNADV

Attribute	Description
Name	UNADV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

NETTING_REQUIRED

Attribute	Description
Name	NETTING_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,Y

TOP

OVERALL_SCORE

Attribute	Description
Name	OVERALL_SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FX_CLEAN_RISK_LIMIT

Attribute	Description
Name	FX_CLEAN_RISK_LIMIT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_CLEAN_RISK_LIMIT

Attribute	Description
Name	SEC_CLEAN_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_PSTL_RISK_LIMIT

Attribute	Description
Name	SEC_PSTL_RISK_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAIN_LIAB_NO

Attribute	Description
Name	MAIN_LIAB_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UTIL_AMOUNT

Attribute	Description
Name	UTIL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CRRATING

Attribute	Description
Name	CRRATING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Liab-Score

Attribute	Description
Name	Liab-Score
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCORE

Attribute	Description
Name	SCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

SCORE_NAME

Attribute	Description
Name	SCORE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	50

TOP

SCORE_DESC

Attribute	Description
Name	SCORE_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 250

TOP

Liab-Rating

Attribute	Description
Name	Liab-Rating
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

PRIMARY

Attribute	Description
Name	PRIMARY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: N,Y

TOP

AGENCY_NAME

Attribute	Description
Name	AGENCY_NAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

CREDIT_RATING

Attribute	Description
Name	CREDIT_RATING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Liab-Linkage

Attribute	Description
Name	Liab-Linkage
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXPOSURE_NAME

Attribute	Description
Name	EXPOSURE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXPOSURE_DESC

Attribute	Description
Name	EXPOSURE_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXPOSURE_TYPE

Attribute	Description
Name	EXPOSURE_TYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Liab-Udf

Attribute	**Description**
Name	Liab-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150

TOP

Custsegment

Attribute	**Description**
Name	Custsegment
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTCCY

Attribute	Description
Name	CUSTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUSTSEGCD

Attribute	Description
Name	CUSTSEGCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CUSTSEGSTATUS

Attribute	Description
Name	CUSTSEGSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

NETWORTH

Attribute	Description
Name	NETWORTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NETWORTHCCY

Attribute	Description
Name	NETWORTHCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Mfi1

Attribute	**Description**
Name	Mfi1
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSURANCE_NUMBER

Attribute	**Description**
Name	INSURANCE_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MFI_CUST_TYPE

Attribute	**Description**
Name	MFI_CUST_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / G,C,I

TOP

POVERTY_STATUS

Attribute	**Description**
Name	POVERTY_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

LITERACY_OF_CLIENT

Attribute	Description	
Name	LITERACY_OF_CLIENT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

BUSINESS_ACTIVITY

Attribute	Description	
Name	BUSINESS_ACTIVITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	15

TOP

BLACKLISTED

Attribute	Description	
Name	BLACKLISTED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

TOP

BLACKLIST_COUNT

Attribute	Description	
Name	BLACKLIST_COUNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

TOP

PHYSICALLY_CHALLENGED

Attribute	Description
Name	PHYSICALLY_CHALLENGED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ACCOUNT_OFFICER

Attribute	Description
Name	ACCOUNT_OFFICER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Training

Attribute	Description
Name	Training
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TRAINING_CODE

Attribute	Description
Name	TRAINING_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRAINING_DATE

Attribute	Description

Name	TRAINING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CIF

Attribute	Description
Name	CIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Chklist

Attribute	Description
Name	Chklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHKLIST_ITEM

Attribute	Description
Name	CHKLIST_ITEM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VERIFIED

Attribute	Description
Name	VERIFIED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Mf-Cifdet

Attribute	Description
Name	Mf-Cifdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

GROUP_CODE

Attribute	Description
Name	GROUP_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MEETING_CODE

Attribute	Description
Name	MEETING_CODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Id-Master

Attribute	**Description**
Name	Id-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Id-Det-Main

Attribute	**Description**
Name	Id-Det-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Iddetail

Attribute	Description
Name	Iddetail
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 20

TOP

SERIES

Attribute	Description
Name	SERIES
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

DOC_ID

Attribute	Description
Name	DOC_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

DATE_OF_ISSUE

Attribute	Description
Name	DATE_OF_ISSUE
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DATE_OF_EXPIRY

Attribute	Description
Name	DATE_OF_EXPIRY
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISSUING_AUTHORITY

Attribute	Description
Name	ISSUING_AUTHORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PLACE_OF_ISSUE

Attribute	Description
Name	PLACE_OF_ISSUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

Custmis

Attribute	Description
Name	Custmis
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CUST

Attribute	Description
Name	CUST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LINKTOGRP

Attribute	Description
Name	LINKTOGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Custchnglog

Attribute	Description

Name	Custchnglog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	**Description**
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

OLDMISCD

Attribute	**Description**
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Baltrnsfrlog

Attribute	Description
Name	Baltrnsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	Description
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	Description

Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

GLCODE

Attribute	**Description**
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

OLDMISCD

Attribute	**Description**
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	9

TOP

TRNIND

Attribute	Description
Name	TRNIND
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

Customermis

Attribute	Description
Name	Customermis

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

Compositemis

Attribute	Description
Name	Compositemis
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Custloghead

Attribute	Description
Name	Custloghead
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Jointcustomer

Attribute	Description
Name	Jointcustomer
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Custjoint

Attribute	Description
Name	Custjoint
Datatype	
Description	Indicates Customer Joint.

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTPREFIX

Attribute	Description
Name	CUSTPREFIX
Datatype	String
Description	Indicates the Customer Prefix.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

FRSTNAME

Attribute	Description
Name	FRSTNAME
Datatype	String
Description	Indicates the First Name.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

MIDNAME

Attribute	Description
Name	MIDNAME
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

LASTNAME

Attribute	Description
Name	LASTNAME
Datatype	String
Description	Indicates the Last Name.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEX

Attribute	Description
Name	SEX
Datatype	String
Description	Indicates the Sex. The value can be either M or F.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,F

TOP

PPNO

Attribute	Description
Name	PPNO
Datatype	String
Description	Indicates Passport Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PPTISSDT

Attribute	Description
Name	PPTISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PPTEXPDT

Attribute	Description
Name	PPTEXPDT
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

ADD1

Attribute	Description	
Name	ADD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD2

Attribute	Description	
Name	ADD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADD3

Attribute	Description	
Name	ADD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

TEL

Attribute	Description	
Name	TEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

SSN

Attribute	Description
Name	SSN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

DECEASED

Attribute	Description
Name	DECEASED
Datatype	String
Description	Indicates whether Deceased or not. The value should be either D or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,N

TOP

RESISTAT

Attribute	Description
Name	RESISTAT
Datatype	String
Description	Indicates the Resistant Status. The value could be either R or N.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,N

TOP

Cust-Acc-Det

Attribute	Description
Name	Cust-Acc-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Diary-Mst

Attribute	Description
Name	Diary-Mst
Datatype	
Description	Indicates Diary Master.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

UNTTYP

Attribute	Description
Name	UNTTYP
Datatype	String
Description	Indicates Unit Type

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

UNTVAL

Attribute	**Description**	
Name	UNTVAL	
Datatype	String	
Description	Indicates Unit Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

INSTR

Attribute	**Description**	
Name	INSTR	
Datatype	String	
Description	Indicates Instructions	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

INSTRTYPE

Attribute	**Description**	
Name	INSTRTYPE	
Datatype	String	
Description	Indicates Instruction Type	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXEDAYS

Attribute	Description
Name	EXEDAYS
Datatype	Number
Description	Indicates Execution Days
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEMONTHS

Attribute	Description
Name	EXEMONTHS
Datatype	Number
Description	Indicates Execution Months
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXEYEARS

Attribute	Description
Name	EXEYEARS
Datatype	Number
Description	Indicates Execution Years
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MNTHENDFLG

Attribute	Description
Name	MNTHENDFLG
Datatype	String
Description	Indicates Month End Flag. Flag Can be either Y or N.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

HLDRULE

Attribute	Description
Name	HLDRULE
Datatype	String
Description	Indicates Holiday Rule

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FRSTDUEDT

Attribute	Description
Name	FRSTDUEDT
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTDUEDT

Attribute	Description
Name	NXTDUEDT
Datatype	Date
Description	Indicates Next Due Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NXTEXEDT

Attribute	Description
Name	NXTEXEDT
Datatype	Date
Description	Indicates Next Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONDELEM

Attribute	Description
Name	CONDELEM
Datatype	String
Description	Indicates Condition Elements.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OPRTR

Attribute	Description
Name	OPRTR

Datatype	String
Description	Indicates Operator.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

CONDVAL

Attribute	Description
Name	CONDVAL
Datatype	Number
Description	Indicates Condition Value.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOFCR

Attribute	Description
Name	ACCOFCR
Datatype	String
Description	Indicates Account Officer.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINSTRTYP

Attribute	Description
Name	SPLINSTRTYP
Datatype	String
Description	Indicates Special Instruction Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXPDT

Attribute	Description
Name	EXPDT
Datatype	Date
Description	Indicates Expiry Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLINSTR

Attribute	Description
Name	SPLINSTR
Datatype	String
Description	Indicates Special Instructions.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Custaccdet

Attribute	Description
Name	Custaccdet
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRNCD

Attribute	Description
Name	BRNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Relationship-Linkage

Attribute	Description
Name	Relationship-Linkage

Datatype	
Description	Include relationship linkage details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTOMER

Attribute	**Description**
Name	CUSTOMER
Datatype	String
Description	Indicates the customer
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RELATIONSHIP

Attribute	**Description**
Name	RELATIONSHIP
Datatype	String
Description	Indicate relations
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INHERIT

Attribute	**Description**
Name	INHERIT
Datatype	String
Description	Indicate,include relationship Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DESCP

Attribute	**Description**
Name	DESCP
Datatype	String
Description	Indicates description

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Custacdetail

Attribute	Description
Name	Custacdetail
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 1
Restrictions	**Restrictions** / **Description**
	maxLength / 9

TOP

CUSTTEXT

Attribute	Description
Name	CUSTTEXT
Datatype	
Description	Include customer details
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	Indicates sequence number
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TDESC

Attribute	Description
Name	TDESC
Datatype	String
Description	Indicate text description.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

Sttms-Debit

Attribute	Description
Name	Sttms-Debit
Datatype	
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 3

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 9

TOP

ACTNO

Attribute	Description
Name	ACTNO
Datatype	String
Description	Account Number
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 20

TOP

Sttms-Detail

Attribute	Description
Name	Sttms-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String

Description	Customer No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CARD_PRODUCT

Attribute	**Description**
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NAME_ON_CARD

Attribute	**Description**
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

OWNER_ID_NO

Attribute	**Description**
Name	OWNER_ID_NO
Datatype	String
Description	Owner Id number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	150

TOP

CARD_ISSUED_DT

Attribute	Description
Name	CARD_ISSUED_DT
Datatype	Date
Description	Card Issued Date
Attributes	Attribute: minOccurs, Description: 0

TOP

CARD_EXPIRY_DT

Attribute	Description
Name	CARD_EXPIRY_DT
Datatype	Date
Description	Card Expiry Date
Attributes	Attribute: minOccurs, Description: 0

TOP

CARD_STATUS

Attribute	Description
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 1

TOP

RECORD_STAT

Attribute	Description
Name	RECORD_STAT
Datatype	String
Description	Record Status
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 1

TOP

AUTH_STAT

Attribute	Description
Name	AUTH_STAT

Datatype	String
Description	Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_BIN

Attribute	**Description**
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CUST_AC_NO

Attribute	**Description**
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Extsys-Ws-Master

Attribute	**Description**
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	**Description**
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4000

TOP

Cust-Account

Attribute	Description
Name	Cust-Account
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

ACC

Attribute	Description
Name	ACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AC_DESC

Attribute	**Description**
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUSTNAME

Attribute	**Description**
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUST_NO

Attribute	**Description**
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	**Description**
Name	CCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT_CLASS

Attribute	Description	
Name	ACCOUNT_CLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

AC_OPEN_DATE

Attribute	Description	
Name	AC_OPEN_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ALT_ACC_NO

Attribute	Description	
Name	ALT_ACC_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHQBOOK

Attribute	Description	
Name	CHQBOOK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATM

Attribute	Description
Name	ATM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMACC

Attribute	Description
Name	ATMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 13

TOP

ATMDLIM

Attribute	Description
Name	ATMDLIM
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ATMDCNTLIM

Attribute	Description
Name	ATMDCNTLIM

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHKNAME1

Attribute	Description
Name	CHKNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHKNAME2

Attribute	Description
Name	CHKNAME2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AUTOREORDERCHKREQ

Attribute	Description
Name	AUTOREORDERCHKREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTOREORDERCHKLVL

Attribute	Description
Name	AUTOREORDERCHKLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOREORDERCHKLVS

Attribute	Description
Name	AUTOREORDERCHKLVS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DORMPRM

Attribute	Description
Name	DORMPRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,D,M,B

TOP

LOCATION

Attribute	Description
Name	LOCATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MEDIA

Attribute	Description
Name	MEDIA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

OPMODE

Attribute	Description
Name	OPMODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,J,E,F,M,

TOP

COUNTRY_CODE

Attribute	**Description**
Name	COUNTRY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_CHEQUE_BOOK_REQ

Attribute	**Description**
Name	AUTO_CHEQUE_BOOK_REQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

AUTO_DEBIT_CARD_REQUEST

Attribute	**Description**
Name	AUTO_DEBIT_CARD_REQUEST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCOUNT_TYPE

Attribute	**Description**
Name	ACCOUNT_TYPE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,Y

TOP

MAX_NO_CHEQUE_REJECTIONS

Attribute	Description
Name	MAX_NO_CHEQUE_REJECTIONS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACC_OPENING_AMT

Attribute	Description
Name	ACC_OPENING_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GL_ACCC

Attribute	Description
Name	GL_ACCC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OFFSET_BRN

Attribute	Description
Name	OFFSET_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PAY_IN_OPTION

Attribute	Description
Name	PAY_IN_OPTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: A,G

TOP

WAIVE_ACC_OPEN_CHARGE

Attribute	Description
Name	WAIVE_ACC_OPEN_CHARGE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

CODATMBRN

Attribute	Description
Name	CODATMBRN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1000

TOP

REPL_CUST_SIG

Attribute	Description
Name	REPL_CUST_SIG
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

SALARY_ACCOUNT

Attribute	Description
Name	SALARY_ACCOUNT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SDREFNO

Attribute	**Description**
Name	SDREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

SPDANLSYS

Attribute	**Description**
Name	SPDANLSYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TYOFCHQ

Attribute	**Description**
Name	TYOFCHQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,C

TOP

Account-Generation

Attribute	**Description**
Name	Account-Generation
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Jointholders-Main

Attribute	Description	
Name	Jointholders-Main	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Jointholders

Attribute	Description	
Name	Jointholders	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

BRANCH_CODE

Attribute	Description	
Name	BRANCH_CODE	
Datatype	String	
Description	Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CUST_AC_NO

Attribute	Description	
Name	CUST_AC_NO	
Datatype	String	
Description	Account No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CUSTNO

Attribute	Description

Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME1

Attribute	**Description**
Name	CUSTNAME1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

JNTHLDTYP

Attribute	**Description**
Name	JNTHLDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,POA

TOP

START_DATE

Attribute	**Description**
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

END_DATE

Attribute	**Description**
Name	END_DATE
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

Acc-Nominees

Attribute	Description	
Name	Acc-Nominees	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RELSHIP

Attribute	Description	
Name	RELSHIP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR1

Attribute	Description	
Name	NADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR2

Attribute	Description	
Name	NADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NADDR3

Attribute	Description
Name	NADDR3
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NADDR4

Attribute	Description
Name	NADDR4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NOMINEE_ID

Attribute	Description
Name	NOMINEE_ID
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String

Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOMMINOR

Attribute	**Description**
Name	NOMMINOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GUARDNAM

Attribute	**Description**
Name	GUARDNAM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GUARDRELNSHP

Attribute	**Description**
Name	GUARDRELNSHP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GADDR1

Attribute	**Description**
Name	GADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR2

Attribute	Description	
Name	GADDR2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR3

Attribute	Description	
Name	GADDR3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

GADDR4

Attribute	Description	
Name	GADDR4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

NAM

Attribute	Description	
Name	NAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

DOB

Attribute	Description
Name	DOB
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doctype-Checklist

Attribute	Description
Name	Doctype-Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DOCUMENT_TYPE

Attribute	Description
Name	DOCUMENT_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MANDATORY

Attribute	**Description**
Name	MANDATORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHECKED

Attribute	**Description**
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,Y

TOP

Doctype-Remarks1

Attribute	**Description**
Name	Doctype-Remarks1
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 225

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	**Description**
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	**Description**
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Cust-Acc-Check

Attribute	**Description**
Name	Cust-Acc-Check
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FIRST_CHECK_NO

Attribute	Description
Name	FIRST_CHECK_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHECK_LEAVES

Attribute	Description
Name	CHECK_LEAVES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQUE_BOOK_TYPE

Attribute	Description
Name	CHEQUE_BOOK_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

ORDER_DATE

Attribute	Description
Name	ORDER_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ORDER_DETAILS

Attribute	Description
Name	ORDER_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LANG_CODE

Attribute	Description
Name	LANG_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REQUEST_STATUS

Attribute	Description
Name	REQUEST_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Requested

TOP

CHQ_TYPE

Attribute	Description
Name	CHQ_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	enumeration	EURO,COMM

TOP

Cust-Acc-Card

Attribute	Description
Name	Cust-Acc-Card
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CUST_AC_NO

Attribute	Description
Name	CUST_AC_NO
Datatype	String
Description	Account No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 20

TOP

CUST_NO

Attribute	Description
Name	CUST_NO
Datatype	String
Description	Customer No
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REQUEST_REFERENCE_NO

Attribute	Description
Name	REQUEST_REFERENCE_NO
Datatype	String
Description	Request Reference Number
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 16

TOP

CARD_PRODUCT

Attribute	Description
Name	CARD_PRODUCT
Datatype	String
Description	Card products
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 4

TOP

CARD_BIN

Attribute	Description
Name	CARD_BIN
Datatype	String
Description	Card BIN
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 11

TOP

NAME_ON_CARD

Attribute	Description
Name	NAME_ON_CARD
Datatype	String
Description	Name On Card
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CARD_NO

Attribute	Description
Name	CARD_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 19

TOP

CARD_APPL_DATE

Attribute	**Description**
Name	CARD_APPL_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_CARD

Attribute	**Description**
Name	PRIMARY_CARD
Datatype	String
Description	Primary Card
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CARD_STATUS

Attribute	**Description**
Name	CARD_STATUS
Datatype	String
Description	Card Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Udfdetails

Attribute	**Description**
Name	Udfdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCID

Attribute	Description
Name	FUNCID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8

TOP

RECKEY

Attribute	Description
Name	RECKEY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 700

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 150

TOP

Custacc

Attribute	Description
Name	Custacc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	**Description**
Name	COMPMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	**Description**
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	**Description**
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10

Attribute	**Description**
Name	TXNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 9

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: X,F

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 10

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: 1,2,3,4,5,6,7,8,9,

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: Y,N

TOP

Misaccchangelog

Attribute	Description
Name	Misaccchangelog
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs — Description: 1

TOP

OLDMISCD

Attribute	Description

Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	**Description**
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Misbaltransferlog

Attribute	**Description**
Name	Misbaltransferlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRDCD

Attribute	**Description**
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FINYR

Attribute	**Description**
Name	FINYR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

GLCODE

Attribute	**Description**
Name	GLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TRNIND

Attribute	**Description**
Name	TRNIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISCLS

Attribute	**Description**
Name	MISCLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNDT

Attribute	Description
Name	TXNDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

OLDMISCD

Attribute	Description
Name	OLDMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

NWMISCD

Attribute	Description
Name	NWMISCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

XRATE

Attribute	Description
Name	XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Chglog

Attribute	Description
Name	Chglog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Tsfrlog

Attribute	Description
Name	Tsfrlog
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Classname

Attribute	Description
Name	Classname
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

B1

Attribute	Description
Name	B1
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C1

Attribute	Description	
Name	C1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C2

Attribute	Description	
Name	C2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C3

Attribute	Description	
Name	C3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

C4

Attribute	Description	
Name	C4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1000

TOP

C5

Attribute	Description	
Name	C5	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C6

Attribute	Description	
Name	C6	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C7

Attribute	Description	
Name	C7	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C8

Attribute	Description	
Name	C8	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

TOP

C9

Attribute	Description
Name	C9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

C10

Attribute	Description
Name	C10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T1

Attribute	Description
Name	T1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T2

Attribute	Description
Name	T2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T3

Attribute	Description
Name	T3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T4

Attribute	Description
Name	T4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T5

Attribute	Description
Name	T5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T6

Attribute	Description
Name	T6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

T7

Attribute	Description
Name	T7

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

T8

Attribute	Description
Name	T8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

T9

Attribute	Description
Name	T9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

T10

Attribute	Description
Name	T10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

Nsf-Enq

Attribute	Description
Name	Nsf-Enq
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER_NAME1

Attribute	Description	
Name	CUSTOMER_NAME1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

NSFIB_CS_EVENT_NO

Attribute	Description	
Name	NSFIB_CS_EVENT_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NSFIB_CS_LVL

Attribute	Description	
Name	NSFIB_CS_LVL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

NSFIB_CS_LVL_EFFDT

Attribute	Description
Name	NSFIB_CS_LVL_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_LVL_EXPDT

Attribute	Description
Name	NSFIB_CS_LVL_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_BLK_STAT

Attribute	Description
Name	NSFIB_CS_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_LAST_TRN_DT

Attribute	Description
Name	NSFIB_CS_LAST_TRN_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NSFIB_CS_WBRCK_STAT

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NSFIB_CS_WBRCK_EFFDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NSFIB_CS_WBRCK_EXPDT

Attribute	Description
Name	NSFIB_CS_WBRCK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NSFIB_IB_BLK_STAT

Attribute	Description
Name	NSFIB_IB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

NSFIB_IB_BLK_EFFDT

Attribute	Description
Name	NSFIB_IB_BLK_EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NSFIB_IB_BLK_EXPDT

Attribute	Description
Name	NSFIB_IB_BLK_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NSFIB_IB_BLK_DESC

Attribute	Description
Name	NSFIB_IB_BLK_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_BLK_STAT

Attribute	Description
Name	NSFIB_CB_BLK_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NSFIB_CB_DESC

Attribute	Description
Name	NSFIB_CB_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NSFIB_CB_EFFDT

Attribute	Description
Name	NSFIB_CB_EFFDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

NSFIB_CB_EXPDT

Attribute	Description
Name	NSFIB_CB_EXPDT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 30

TOP

NSFIB_CS_BLK_DESC

Attribute	Description
Name	NSFIB_CS_BLK_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 105

TOP

NSFIB_CS_WBRCK_STAT_DESC

Attribute	Description
Name	NSFIB_CS_WBRCK_STAT_DESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 100

TOP

Cust

Attribute	Description
Name	Cust
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CNAME

Attribute	Description
Name	CNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cust-Ck-Det

Attribute	Description
Name	Cust-Ck-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHQ_AMT

Attribute	Description
Name	CHQ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_PROCESS_ORDER

Attribute	Description
Name	CHQ_PROCESS_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LVL_COMP_EXPDT

Attribute	Description

Name	LVL_COMP_EXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BRANCH_CODE

Attribute	**Description**
Name	BRANCH_CODE
Datatype	String
Description	Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CG_REF_NO

Attribute	**Description**
Name	CG_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CUSTOMER_NO

Attribute	**Description**
Name	CUSTOMER_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ACCOUNT_NO

Attribute	**Description**
Name	ACCOUNT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	16

TOP

CHQ_NO

Attribute	Description	
Name	CHQ_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

TOP

EVENT_NO

Attribute	Description	
Name	EVENT_NO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

NSF_LVL

Attribute	Description	
Name	NSF_LVL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8

TOP

LVL_EFFDT

Attribute	Description	
Name	LVL_EFFDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

LVL_EXPDT

Attribute	Description
Name	LVL_EXPDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_DT

Attribute	Description
Name	CHQ_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHQ_VALUEDT

Attribute	Description
Name	CHQ_VALUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID

Datatype	String
Description	Function
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

Doc-Upload

Attribute	**Description**
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DCREFNO

Attribute	**Description**
Name	DCREFNO
Datatype	String
Description	Document Reference
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOC_CATEGORY

Attribute	**Description**
Name	DOC_CATEGORY
Datatype	String
Description	Document Category
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DOC_TYPE

Attribute	**Description**
Name	DOC_TYPE
Datatype	String
Description	Document Type
Attributes	**Attribute** / **Description** minOccurs / 1

Restrictions	Restrictions	Description
	maxLength	20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Customer-PK*
      - *CUSTNO*
    - *Customer-IO*
      - *CUSTNO*
      - *CHECKER*
      - *CHECKERSTAMP*
      - *MODNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Customer-PK

Attribute	Description
Name	Customer-PK
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Customer-IO

Attribute	Description
Name	Customer-IO
Datatype	
Description	

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.30.AuthorizeTDAmountBlock

AuthorizeTDAmountBlock

2.30.1.ST-AuthorizeTDAmountBlock-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*

MODNO

TXNSTAT

AUTHSTAT

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates Amount	
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description	
Name	EXPDATE	
Datatype	Date	
Description	Indicates the Expiry Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / F,S,P,E,A,C,B,D

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	Indicates Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HOLDDESC

Attribute	Description
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

2.30.2.ST-AuthorizeTDAmountBlock-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *AMTBLKNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

2.30.3.ST-AuthorizeTDAmountBlock-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

UDFDETAILS
FLDNAM
FLDVAL
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates Amount	
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description

Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

ABLKTYPE

Attribute	**Description**
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,S,P,E,A,C,B,D

TOP

REFERENCE_NO

Attribute	**Description**
Name	REFERENCE_NO
Datatype	String
Description	Indicates Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

HPCODE

Attribute	**Description**
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HOLDDESC

Attribute	Description
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description

Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String

Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	255
	minLength	0

TOP

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *AMTBLKNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length 3; pattern [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC

Datatype	String
Description	

TOP

2.31.AuthorizeClosureData

AuthorizeClosureData

2.31.1.ST-AuthorizeClosureData-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Closure-Full*
    - *ENTITY_TYPE*
    - *ENTITY_ID*
    - *CLOSURE_ALLOWED*
    - *SOURCE_CODE*
    - *PROCESSING_DATE*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cust-Closure-Full

Attribute	Description
Name	Cust-Closure-Full
Datatype	
Description	

TOP

ENTITY_TYPE

Attribute	Description
Name	ENTITY_TYPE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,

TOP

ENTITY_ID

Attribute	Description
Name	ENTITY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLOSURE_ALLOWED

Attribute	Description
Name	CLOSURE_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	Description
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROCESSING_DATE

Attribute	Description
Name	PROCESSING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
Cust-Closure-IO
ENTITY_TYPE
ENTITY_ID
SOURCE_CODE
CHECKER
CHECKERSTAMP
MODNO

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cust-Closure-IO

Attribute	Description
Name	Cust-Closure-IO
Datatype	
Description	

TOP

ENTITY_TYPE

Attribute	Description	
Name	ENTITY_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,

TOP

ENTITY_ID

Attribute	Description
Name	ENTITY_ID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SOURCE_CODE

Attribute	**Description**
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHECKER

Attribute	**Description**
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHECKERSTAMP

Attribute	**Description**
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

2.31.3.ST-AuthorizeClosureData-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cust-Closure-Full*
    - *ENTITY_TYPE*
    - *ENTITY_ID*
    - *CLOSURE_ALLOWED*
    - *SOURCE_CODE*
    - *PROCESSING_DATE*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cust-Closure-Full

Attribute	Description

Name	Cust-Closure-Full
Datatype	
Description	

TOP

ENTITY_TYPE

Attribute	Description
Name	ENTITY_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,

TOP

ENTITY_ID

Attribute	Description
Name	ENTITY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLOSURE_ALLOWED

Attribute	Description
Name	CLOSURE_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	Description
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROCESSING_DATE

Attribute	Description
Name	PROCESSING_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE

Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.31.4.ST-AuthorizeClosureData-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cust-Closure-PK*
      - *ENTITY_ID*
      - *SOURCE_CODE*
      - *ENTITY_TYPE*
    - *Cust-Closure-IO*
      - *ENTITY_TYPE*
      - *ENTITY_ID*
      - *SOURCE_CODE*
      - *CHECKER*
      - *CHECKERSTAMP*
      - *MODNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cust-Closure-PK

Attribute	Description
Name	Cust-Closure-PK
Datatype	
Description	

TOP

ENTITY_ID

Attribute	Description	
Name	ENTITY_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SOURCE_CODE

Attribute	Description	
Name	SOURCE_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ENTITY_TYPE

Attribute	Description	
Name	ENTITY_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Cust-Closure-IO

Attribute	Description
Name	Cust-Closure-IO
Datatype	
Description	

TOP

ENTITY_TYPE

Attribute	Description
Name	ENTITY_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ENTITY_ID

Attribute	Description
Name	ENTITY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SOURCE_CODE

Attribute	Description
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	Attribute: minOccurs, Description: 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	Attribute: maxOccurs, Description: unbounded Attribute: minOccurs, Description: 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	Attribute: maxOccurs, Description: unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.32.DeleteAmtBlk

DeleteAmtBlk

2.32.1.CA-DeleteAmtBlk-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *BENEFICIARY_EMAIL_ID*
    - *BENEFICIARY_FACEBOOK_ID*
    - *BENEFICIARY_TELEPHONE*
    - *VERIFY_AVL_BAL*

SOURCE_CODE
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
UDFDETAILS
FLDNAM
FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description

Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

ABLKTYPE

Attribute	**Description**
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / F,S,P,E,A,C,B,I

TOP

REFERENCE_NO

Attribute	**Description**
Name	REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

HPCODE

Attribute	**Description**
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

EFFDATE

Attribute	Description	
Name	EFFDATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

HOLDDESC

Attribute	Description	
Name	HOLDDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

BENEFICIARY_EMAIL_ID

Attribute	Description	
Name	BENEFICIARY_EMAIL_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

BENEFICIARY_FACEBOOK_ID

Attribute	Description

Name	BENEFICIARY_FACEBOOK_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_TELEPHONE

Attribute	**Description**
Name	BENEFICIARY_TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

VERIFY_AVL_BAL

Attribute	**Description**
Name	VERIFY_AVL_BAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	**Description**
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL

Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

2.32.2.CA-DeleteAmtBlk-Req-IO-MSG.xsd

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
Amount-Blocks-IO
AMTBLKNO

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

2.32.3.CA-DeleteAmtBlk-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *BENEFICIARY_EMAIL_ID*
    - *BENEFICIARY_FACEBOOK_ID*
    - *BENEFICIARY_TELEPHONE*
    - *VERIFY_AVL_BAL*
    - *SOURCE_CODE*
    - *MAKER*
    - *MAKERSTAMP*

CHECKER

CHECKERSTAMP

MODNO

TXNSTAT

AUTHSTAT

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	**Description**
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,S,P,E,A,C,B,I

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

EFFDATE

Attribute	**Description**
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HOLDDESC

Attribute	**Description**
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

BENEFICIARY_EMAIL_ID

Attribute	**Description**
Name	BENEFICIARY_EMAIL_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFICIARY_FACEBOOK_ID

Attribute	Description
Name	BENEFICIARY_FACEBOOK_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_TELEPHONE

Attribute	Description
Name	BENEFICIARY_TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

VERIFY_AVL_BAL

Attribute	Description
Name	VERIFY_AVL_BAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	Description
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *AMTBLKNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length 3; pattern [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC

Datatype	String
Description	

TOP

2.33.ModifyAccountStructure

Modification of Account Structure

2.33.1.CA-ModifyAccountStructure-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Struct-Full*
    - *STRUCTG*
    - *GRPDESC*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Struct-Detail*
      - *SEQNO*
      - *PACCOUNT*
      - *PBRANCH*
      - *PCCY*
      - *CACCOUNT*

CBRANCH

CCCY

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Struct-Full

Attribute	Description

Name	Struct-Full
Datatype	
Description	

TOP

STRUCTG

Attribute	Description
Name	STRUCTG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

GRPDESC

Attribute	Description
Name	GRPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Struct-Detail

Attribute	Description
Name	Struct-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PACCOUNT

Attribute	Description
Name	PACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PBRANCH

Attribute	Description
Name	PBRANCH
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PCCY

Attribute	Description
Name	PCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CACCOUNT

Attribute	Description
Name	CACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CBRANCH

Attribute	Description
Name	CBRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCCY

Attribute	Description
Name	CCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	Restrictions: maxLength — Description: 105 Restrictions: minLength — Description: 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255 Restrictions: minLength — Description: 0

TOP

2.33.2.CA-ModifyAccountStructure-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Struct-IO*
    - *STRUCTG*
    - *GRPDESC*
    - *MODNO*
    - *Struct-Detail*
      - *PACCOUNT*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE

Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description

Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Struct-IO

Attribute	Description
Name	Struct-IO
Datatype	
Description	

TOP

STRUCTG

Attribute	Description
Name	STRUCTG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GRPDESC

Attribute	Description
Name	GRPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

Struct-Detail

Attribute	Description
Name	Struct-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PACCOUNT

Attribute	Description
Name	PACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS

Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

2.33.3.CA-ModifyAccountStructure-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Struct-Full*
    - *STRUCTG*
    - *GRPDESC*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Struct-Detail*
      - *SEQNO*
      - *PACCOUNT*
      - *PBRANCH*
      - *PCCY*
      - *CACCOUNT*
      - *CBRANCH*
      - *CCCY*
    - *UDFDETAILS*

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	**Description**
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Struct-Full

Attribute	Description
Name	Struct-Full
Datatype	
Description	

TOP

STRUCTG

Attribute	Description	
Name	STRUCTG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

GRPDESC

Attribute	Description	
Name	GRPDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description	The User Id who has created/last modified the record.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description	Specifies whether the record is authorized or not	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

Struct-Detail

Attribute	Description	
Name	Struct-Detail	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

SEQNO

Attribute	Description	
Name	SEQNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PACCOUNT

Attribute	Description	
Name	PACCOUNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

TOP

PBRANCH

Attribute	Description

Name	PBRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PCCY

Attribute	**Description**
Name	PCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CACCOUNT

Attribute	**Description**
Name	CACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CBRANCH

Attribute	**Description**
Name	CBRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCCY

Attribute	**Description**
Name	CCCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**
	maxLength / 105
	minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description**
	minOccurs / 0
Restrictions	**Restrictions** / **Description**
	maxLength / 255
	minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE

Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.33.4.CA-ModifyAccountStructure-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Struct-PK*
      - *STRUCTG*
    - *Struct-IO*
      - *STRUCTG*
      - *GRPDESC*
      - *MODNO*
      - *Struct-Detail*
        - *PACCOUNT*
      - *UDFDETAILS*
        - *FLDNAM*
        - *FLDVAL*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Struct-PK

Attribute	Description
Name	Struct-PK
Datatype	
Description	

TOP

STRUCTG

Attribute	Description	
Name	STRUCTG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Struct-IO

Attribute	Description
Name	Struct-IO
Datatype	
Description	

TOP

STRUCTG

Attribute	Description	
Name	STRUCTG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

GRPDESC

Attribute	Description	
Name	GRPDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

Struct-Detail

Attribute	Description
Name	Struct-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PACCOUNT

Attribute	Description
Name	PACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM

Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC

Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.34.ModifyAmtBlk

ModifyAmtBlk

2.34.1.CA-ModifyAmtBlk-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *BENEFICIARY_EMAIL_ID*
    - *BENEFICIARY_FACEBOOK_ID*
    - *BENEFICIARY_TELEPHONE*
    - *VERIFY_AVL_BAL*

SOURCE_CODE

MAKER

MAKERSTAMP

CHECKER

CHECKERSTAMP

MODNO

TXNSTAT

AUTHSTAT

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description

Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / F,S,P,E,A,C,B,I

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

EFFDATE

Attribute	Description	
Name	EFFDATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

HOLDDESC

Attribute	Description	
Name	HOLDDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

BENEFICIARY_EMAIL_ID

Attribute	Description	
Name	BENEFICIARY_EMAIL_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

BENEFICIARY_FACEBOOK_ID

Attribute	Description

Name	BENEFICIARY_FACEBOOK_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_TELEPHONE

Attribute	**Description**
Name	BENEFICIARY_TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

VERIFY_AVL_BAL

Attribute	**Description**
Name	VERIFY_AVL_BAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	**Description**
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL

Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *HPCODE*
    - *MAKER*
    - *MAKERSTAMP*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length 3; pattern [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value

Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	255
	minLength	0

TOP

2.34.3.CA-ModifyAmtBlk-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *BENEFICIARY_EMAIL_ID*
    - *BENEFICIARY_FACEBOOK_ID*
    - *BENEFICIARY_TELEPHONE*
    - *VERIFY_AVL_BAL*
    - *SOURCE_CODE*
    - *MAKER*
    - *MAKERSTAMP*

CHECKER

CHECKERSTAMP

MODNO

TXNSTAT

AUTHSTAT

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	**Description**	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 128 Restrictions: pattern — Description: [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,S,P,E,A,C,B,I

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

EFFDATE

Attribute	**Description**
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HOLDDESC

Attribute	**Description**
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

BENEFICIARY_EMAIL_ID

Attribute	**Description**
Name	BENEFICIARY_EMAIL_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFICIARY_FACEBOOK_ID

Attribute	Description
Name	BENEFICIARY_FACEBOOK_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_TELEPHONE

Attribute	Description
Name	BENEFICIARY_TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

VERIFY_AVL_BAL

Attribute	Description
Name	VERIFY_AVL_BAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	Description
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

MODNO

Attribute	Description
Name	MODNO

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.34.4.CA-ModifyAmtBlk-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *AMTBLKNO*
      - *AMT*
      - *EXPDATE*
      - *REM*
      - *HPCODE*
      - *MAKER*
      - *MAKERSTAMP*
      - *UDFDETAILS*
        - *FLDNAM*
        - *FLDVAL*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description

Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	**Description**
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE

Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.35.QueryAccountStructure

Query of Account Structure

2.35.1.CA-QueryAccountStructure-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Struct-IO*
    - *STRUCTG*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	**Description**	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Struct-IO

Attribute	Description
Name	Struct-IO
Datatype	
Description	

TOP

STRUCTG

Attribute	Description	
Name	STRUCTG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	20

TOP

2.35.2.CA-QueryAccountStructure-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Struct-IO*
      - *STRUCTG*
    - *Struct-Full*
      - *STRUCTG*
      - *GRPDESC*
      - *MAKER*
      - *MAKERSTAMP*
      - *CHECKER*
      - *CHECKERSTAMP*
      - *MODNO*
      - *TXNSTAT*
      - *AUTHSTAT*
      - *Struct-Detail*
        - *SEQNO*
        - *PACCOUNT*
        - *PBRANCH*
        - *PCCY*
        - *CACCOUNT*

CBRANCH
CCCY
UDFDETAILS
FLDNAM
FLDVAL
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	**Description**
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Struct-IO

Attribute	Description
Name	Struct-IO
Datatype	
Description	

TOP

STRUCTG

Attribute	Description	
Name	STRUCTG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Struct-Full

Attribute	Description
Name	Struct-Full
Datatype	
Description	

TOP

STRUCTG

Attribute	Description	
Name	STRUCTG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	20

TOP

GRPDESC

Attribute	Description
Name	GRPDESC
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 50

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 25

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Struct-Detail

Attribute	Description
Name	Struct-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PACCOUNT

Attribute	Description
Name	PACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PBRANCH

Attribute	Description
Name	PBRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PCCY

Attribute	Description
Name	PCCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CACCOUNT

Attribute	Description
Name	CACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CBRANCH

Attribute	Description
Name	CBRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCCY

Attribute	Description
Name	CCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.36.QueryAmtBlk

QueryAmtBlk

2.36.1.CA-QueryAmtBlk-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *AMTBLKNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 1
Restrictions	Restrictions: maxLength — Description: 35

TOP

2.36.2.CA-QueryAmtBlk-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-IO*
      - *AMTBLKNO*
    - *Amount-Blocks-Full*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EXPDATE*
      - *REM*
      - *ABLKTYPE*
      - *REFERENCE_NO*
      - *HPCODE*
      - *EFFDATE*
      - *HOLDDESC*
      - *BRANCH*
      - *BENEFICIARY_EMAIL_ID*
      - *BENEFICIARY_FACEBOOK_ID*
      - *BENEFICIARY_TELEPHONE*
      - *VERIFY_AVL_BAL*

SOURCE_CODE
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
UDFDETAILS
FLDNAM
FLDVAL
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description

Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / F,S,P,E,A,C,B,I

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOLDDESC

Attribute	Description
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

BENEFICIARY_EMAIL_ID

Attribute	Description
Name	BENEFICIARY_EMAIL_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_FACEBOOK_ID

Attribute	Description
Name	BENEFICIARY_FACEBOOK_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_TELEPHONE

Attribute	Description

Name	BENEFICIARY_TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

VERIFY_AVL_BAL

Attribute	**Description**
Name	VERIFY_AVL_BAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	**Description**
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description

Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	**Description**
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	**Description**
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	**Description**
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	**Description**
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	**Description**
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.37.ReopenAmtBlk

ReopenAmtBlk

2.37.1.CA-ReopenAmtBlk-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *BENEFICIARY_EMAIL_ID*
    - *BENEFICIARY_FACEBOOK_ID*
    - *BENEFICIARY_TELEPHONE*
    - *VERIFY_AVL_BAL*

SOURCE_CODE

MAKER

MAKERSTAMP

CHECKER

CHECKERSTAMP

MODNO

TXNSTAT

AUTHSTAT

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description

Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

ABLKTYPE

Attribute	**Description**
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,S,P,E,A,C,B,I

TOP

REFERENCE_NO

Attribute	**Description**
Name	REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

HPCODE

Attribute	**Description**
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

EFFDATE

Attribute	Description	
Name	EFFDATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

HOLDDESC

Attribute	Description	
Name	HOLDDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

BENEFICIARY_EMAIL_ID

Attribute	Description	
Name	BENEFICIARY_EMAIL_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

BENEFICIARY_FACEBOOK_ID

Attribute	Description

Name	BENEFICIARY_FACEBOOK_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_TELEPHONE

Attribute	**Description**
Name	BENEFICIARY_TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

VERIFY_AVL_BAL

Attribute	**Description**
Name	VERIFY_AVL_BAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	**Description**
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	**Description**	
Name	CHECKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	**Description**	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	**Description**	
Name	MODNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL

Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *AMTBLKNO*
    - *MAKER*
    - *MAKERSTAMP*
    - *MODNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MAKER

Attribute	Description
Name	MAKER

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

2.37.3.CA-ReopenAmtBlk-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *BENEFICIARY_EMAIL_ID*
    - *BENEFICIARY_FACEBOOK_ID*
    - *BENEFICIARY_TELEPHONE*
    - *VERIFY_AVL_BAL*
    - *SOURCE_CODE*
    - *MAKER*
    - *MAKERSTAMP*

CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
UDFDETAILS
FLDNAM
FLDVAL
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	**Description**
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,S,P,E,A,C,B,I

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

EFFDATE

Attribute	**Description**
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HOLDDESC

Attribute	**Description**
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

BENEFICIARY_EMAIL_ID

Attribute	**Description**
Name	BENEFICIARY_EMAIL_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFICIARY_FACEBOOK_ID

Attribute	Description
Name	BENEFICIARY_FACEBOOK_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_TELEPHONE

Attribute	Description
Name	BENEFICIARY_TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

VERIFY_AVL_BAL

Attribute	Description
Name	VERIFY_AVL_BAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	Description
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

MODNO

Attribute	Description
Name	MODNO

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *AMTBLKNO*
      - *MAKER*
      - *MAKERSTAMP*
      - *MODNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.38.AmountBlocksNew

Input of Customer Account Amount Blocks

2.38.1.CA-AmountBlocksNew-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *BRANCH*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EFFDATE*
    - *EXPDATE*
    - *REM*
    - *HOLD_CODE*
    - *MAKERID*
    - *MAKERDTSTAMP*
    - *CHECKERID*
    - *CHECKERDTSTAMP*
    - *MODNO*
    - *AUTHSTAT*
    - *RECSTAT*

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	include amount-Blocks full type details.

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates the Account Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates the Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EFFDATE

Attribute	Description

Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	**Description**
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	**Description**
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MAKERID

Attribute	**Description**
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description
Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description**: maxLength 105; minLength 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 255; minLength 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 2; minLength 0

TOP

2.38.2.CA-AmountBlocksNew-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *BRANCH*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EFFDATE*
    - *EXPDATE*
    - *REM*
    - *HOLD_CODE*
    - *MAKERID*
    - *MAKERDTSTAMP*
    - *CHECKERID*
    - *CHECKERDTSTAMP*
    - *MODNO*
    - *AUTHSTAT*
    - *RECSTAT*
    - *ONCEAUTH*
    - *UDFDETAILS*
      - *FUNCTIONID*

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

Amount-Blocks-IO

Attribute	Description

Name	Amount-Blocks-IO
Datatype	
Description	Include amount blocks IO type details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date

Attributes	Attribute	Description
	minOccurs	0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	Attribute: minOccurs — Description: 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 12

TOP

CHECKERDTSTAMP

Attribute	Description
Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	Attribute: minOccurs, Description: 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RECSTAT

Attribute	**Description**	
Name	RECSTAT	
Datatype	String	
Description	Indicates the Record Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ONCEAUTH

Attribute	**Description**	
Name	ONCEAUTH	
Datatype	String	
Description	Specifies whether the record is authorized atleast once	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

UDFDETAILS

Attribute	**Description**	
Name	UDFDETAILS	
Datatype		
Description	User Defined Fields details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description**: maxLength 105; minLength 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 255; minLength 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 2; minLength 0

TOP

2.38.3.CA-AmountBlocksNew-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *BRANCH*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EFFDATE*
      - *EXPDATE*
      - *REM*
      - *HOLD_CODE*
      - *MAKERID*
      - *MAKERDTSTAMP*
      - *CHECKERID*
      - *CHECKERDTSTAMP*
      - *MODNO*
      - *AUTHSTAT*
      - *RECSTAT*

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

Amount-Blocks-Full

BRANCH

ACC

AMTBLKNO

AMT

EFFDATE

EXPDATE

REM

HOLD_CODE

MAKERID

MAKERDTSTAMP

CHECKERID

CHECKERDTSTAMP

MODNO

AUTHSTAT

RECSTAT

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	Include Amount Blocks PK type details

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	Include Amount Blocks IO type details

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MAKERID

Attribute	**Description**	
Name	MAKERID	
Datatype	String	
Description	Indicates the User Identification who inputted the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERDTSTAMP

Attribute	**Description**	
Name	MAKERDTSTAMP	
Datatype	String	
Description	Indicates the inputting Date time of the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

CHECKERID

Attribute	**Description**	
Name	CHECKERID	
Datatype	String	
Description	Indicates the User Identification who authorised the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERDTSTAMP

Attribute	**Description**	
Name	CHECKERDTSTAMP	
Datatype	String	
Description	Indicates the Authorised time of the record	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255
	minLength	0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2; minLength / 0

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	Include Amount Blocks full details

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description

Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description

Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Include error type details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description	Include warning type details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.38.4.CA-AmountBlocksNew-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *BRANCH*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EFFDATE*
      - *EXPDATE*
      - *REM*
      - *HOLD_CODE*
      - *MAKERID*
      - *MAKERDTSTAMP*
      - *CHECKERID*
      - *CHECKERDTSTAMP*
      - *MODNO*
      - *AUTHSTAT*
      - *RECSTAT*

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

Amount-Blocks-Full

BRANCH

ACC

AMTBLKNO

AMT

EFFDATE

EXPDATE

REM

HOLD_CODE

MAKERID

MAKERDTSTAMP

CHECKERID

CHECKERDTSTAMP

MODNO

AUTHSTAT

RECSTAT

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	Include amount blocks Pk type details.

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	Include amount blocks IO type details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	Attribute: minOccurs — Description: 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	Attribute: minOccurs — Description: 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	Attribute: minOccurs — Description: 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description
Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

VAL_TYPE

Attribute	**Description**
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2 minLength / 0

TOP

Amount-Blocks-Full

Attribute	**Description**
Name	Amount-Blocks-Full
Datatype	
Description	Include amount blocks Full details.

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	**Description**
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTBLKNO

Attribute	**Description**

Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description

Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	Attribute: Description maxOccurs: unbounded minOccurs: 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 8 pattern: [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	Restrictions: Description maxLength: 105 minLength: 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Include error type details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Include warning type details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.39.AmountBlocksQuery

Query of Customer Account Amount Blocks

2.39.1.CA-AmountBlocksQuery-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *AMTBLKNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	Includes amount blocks PK type details

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

2.39.2.CA-AmountBlocksQuery-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *BRANCH*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EFFDATE*
      - *EXPDATE*
      - *REM*
      - *HOLD_CODE*
      - *MAKERID*
      - *MAKERDTSTAMP*
      - *CHECKERID*
      - *CHECKERDTSTAMP*
      - *MODNO*
      - *AUTHSTAT*
      - *RECSTAT*

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

Amount-Blocks-Full

BRANCH

ACC

AMTBLKNO

AMT

EFFDATE

EXPDATE

REM

HOLD_CODE

MAKERID

MAKERDTSTAMP

CHECKERID

CHECKERDTSTAMP

MODNO

AUTHSTAT

RECSTAT

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length 3; pattern [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	include amount blocksPK type details

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	include amount blocks IO type details

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	Attribute: minOccurs, Description: 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	Attribute: minOccurs, Description: 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	Attribute: minOccurs, Description: 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MAKERID

Attribute	**Description**	
Name	MAKERID	
Datatype	String	
Description	Indicates the User Identification who inputted the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERDTSTAMP

Attribute	**Description**	
Name	MAKERDTSTAMP	
Datatype	String	
Description	Indicates the inputting Date time of the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

CHECKERID

Attribute	**Description**	
Name	CHECKERID	
Datatype	String	
Description	Indicates the User Identification who authorised the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERDTSTAMP

Attribute	**Description**	
Name	CHECKERDTSTAMP	
Datatype	String	
Description	Indicates the Authorised time of the record	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255
	minLength	0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2; minLength / 0

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	include amount blocks Full type details

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description

Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description

Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	Attribute: Description maxOccurs: unbounded minOccurs: 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 8 pattern: [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	Restrictions: Description maxLength: 105 minLength: 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Include error type details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description	Include warning type details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.40.AmountBlocksReopen

Reopen of Customer Account Amount Blocks

2.40.1.CA-AmountBlocksReopen-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *BRANCH*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EFFDATE*
    - *EXPDATE*
    - *REM*
    - *HOLD_CODE*
    - *MAKERID*
    - *MAKERDTSTAMP*
    - *CHECKERID*
    - *CHECKERDTSTAMP*
    - *MODNO*
    - *AUTHSTAT*
    - *RECSTAT*

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	Include amount blocks full details.

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates the Account Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates the Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EFFDATE

Attribute	Description

Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	**Description**
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	**Description**
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MAKERID

Attribute	**Description**
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description
Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

ORACLE

Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description**: maxLength 105; minLength 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 255; minLength 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 2; minLength 0

TOP

2.40.2.CA-AmountBlocksReopen-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *AMTBLKNO*
    - *MODNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	Include amount blocks PK ACR Type details.

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record

Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	totalDigits	22

TOP

2.40.3.CA-AmountBlocksReopen-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *BRANCH*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EFFDATE*
      - *EXPDATE*
      - *REM*
      - *HOLD_CODE*
      - *MAKERID*
      - *MAKERDTSTAMP*
      - *CHECKERID*
      - *CHECKERDTSTAMP*
      - *MODNO*
      - *AUTHSTAT*
      - *RECSTAT*

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

Amount-Blocks-Full

BRANCH

ACC

AMTBLKNO

AMT

EFFDATE

EXPDATE

REM

HOLD_CODE

MAKERID

MAKERDTSTAMP

CHECKERID

CHECKERDTSTAMP

MODNO

AUTHSTAT

RECSTAT

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length 3; pattern [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	Include amount block PK type details.

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	Include amount block IO type details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	Attribute: minOccurs — Description: 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	Attribute: minOccurs — Description: 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	Attribute: minOccurs — Description: 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description
Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255
	minLength	0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2; minLength / 0

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	Include amount block full type details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description

Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description

Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Include error type details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Include warning type details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.40.4.CA-AmountBlocksReopen-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *BRANCH*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EFFDATE*
      - *EXPDATE*
      - *REM*
      - *HOLD_CODE*
      - *MAKERID*
      - *MAKERDTSTAMP*
      - *CHECKERID*
      - *CHECKERDTSTAMP*
      - *MODNO*
      - *AUTHSTAT*
      - *RECSTAT*

ONCEAUTH
UDFDETAILS
FUNCTIONID
FIELD_NAME
DATATYPE
FIELD_VALUE
VAL_TYPE
Amount-Blocks-Full
BRANCH
ACC
AMTBLKNO
AMT
EFFDATE
EXPDATE
REM
HOLD_CODE
MAKERID
MAKERDTSTAMP
CHECKERID
CHECKERDTSTAMP
MODNO
AUTHSTAT
RECSTAT
ONCEAUTH
UDFDETAILS
FUNCTIONID
FIELD_NAME
DATATYPE
FIELD_VALUE
VAL_TYPE
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length 3; pattern [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	Include amount blocks PK type details

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	Include amount blocks IO type details

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	12

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates the Amount.	
Attributes	Attribute	Description
	minOccurs	0

TOP

EFFDATE

Attribute	Description	
Name	EFFDATE	
Datatype	Date	
Description	Indicates the Effective Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

EXPDATE

Attribute	Description	
Name	EXPDATE	
Datatype	Date	
Description	Indicates the Expiry Date	
Attributes	Attribute	Description
	minOccurs	0

TOP

REM

Attribute	Description	
Name	REM	
Datatype	String	
Description	Indicates the Remarks.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MAKERID

Attribute	**Description**	
Name	MAKERID	
Datatype	String	
Description	Indicates the User Identification who inputted the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERDTSTAMP

Attribute	**Description**	
Name	MAKERDTSTAMP	
Datatype	String	
Description	Indicates the inputting Date time of the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

CHECKERID

Attribute	**Description**	
Name	CHECKERID	
Datatype	String	
Description	Indicates the User Identification who authorised the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERDTSTAMP

Attribute	**Description**	
Name	CHECKERDTSTAMP	
Datatype	String	
Description	Indicates the Authorised time of the record	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTHSTAT

Attribute	**Description**
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECSTAT

Attribute	**Description**
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ONCEAUTH

Attribute	**Description**
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255
	minLength	0

TOP

VAL_TYPE

Attribute	**Description**
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2; minLength / 0

TOP

Amount-Blocks-Full

Attribute	**Description**
Name	Amount-Blocks-Full
Datatype	
Description	Include amount blocks full type details

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	**Description**
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	**Description**

Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description

Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Include error type details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description	Include warning type details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.41.AuthorizeAmtBlk

AuthorizeAmtBlk

2.41.1.CA-AuthorizeAmtBlk-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *BENEFICIARY_EMAIL_ID*
    - *BENEFICIARY_FACEBOOK_ID*
    - *BENEFICIARY_TELEPHONE*
    - *VERIFY_AVL_BAL*

SOURCE_CODE
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
UDFDETAILS
FLDNAM
FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description

Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

ABLKTYPE

Attribute	**Description**
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,S,P,E,A,C,B,I

TOP

REFERENCE_NO

Attribute	**Description**
Name	REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

HPCODE

Attribute	**Description**
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

EFFDATE

Attribute	Description	
Name	EFFDATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

HOLDDESC

Attribute	Description	
Name	HOLDDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

BENEFICIARY_EMAIL_ID

Attribute	Description	
Name	BENEFICIARY_EMAIL_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

BENEFICIARY_FACEBOOK_ID

Attribute	Description

Name	BENEFICIARY_FACEBOOK_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_TELEPHONE

Attribute	**Description**
Name	BENEFICIARY_TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

VERIFY_AVL_BAL

Attribute	**Description**
Name	VERIFY_AVL_BAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	**Description**
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL

Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
Amount-Blocks-IO
AMTBLKNO
CHECKER
CHECKERSTAMP
MODNO

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	**Description**	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes		
	Attribute	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description
Name	CHECKER

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHECKERSTAMP

Attribute	**Description**
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

2.41.3.CA-AuthorizeAmtBlk-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *BENEFICIARY_EMAIL_ID*
    - *BENEFICIARY_FACEBOOK_ID*
    - *BENEFICIARY_TELEPHONE*
    - *VERIFY_AVL_BAL*
    - *SOURCE_CODE*
    - *MAKER*
    - *MAKERSTAMP*

CHECKER

CHECKERSTAMP

MODNO

TXNSTAT

AUTHSTAT

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,S,P,E,A,C,B,I

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

EFFDATE

Attribute	**Description**
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HOLDDESC

Attribute	**Description**
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

BENEFICIARY_EMAIL_ID

Attribute	**Description**
Name	BENEFICIARY_EMAIL_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFICIARY_FACEBOOK_ID

Attribute	Description
Name	BENEFICIARY_FACEBOOK_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_TELEPHONE

Attribute	Description
Name	BENEFICIARY_TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

VERIFY_AVL_BAL

Attribute	Description
Name	VERIFY_AVL_BAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	Description
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

MODNO

Attribute	Description
Name	MODNO

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *AMTBLKNO*
      - *CHECKER*
      - *CHECKERSTAMP*
      - *MODNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.42.CloseAmtBlk

CloseAmtBlk

2.42.1.CA-CloseAmtBlk-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *BENEFICIARY_EMAIL_ID*
    - *BENEFICIARY_FACEBOOK_ID*
    - *BENEFICIARY_TELEPHONE*
    - *VERIFY_AVL_BAL*

SOURCE_CODE

MAKER

MAKERSTAMP

CHECKER

CHECKERSTAMP

MODNO

TXNSTAT

AUTHSTAT

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description

Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

ABLKTYPE

Attribute	**Description**
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / F,S,P,E,A,C,B,I

TOP

REFERENCE_NO

Attribute	**Description**
Name	REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

HPCODE

Attribute	**Description**
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

EFFDATE

Attribute	Description	
Name	EFFDATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

HOLDDESC

Attribute	Description	
Name	HOLDDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

BENEFICIARY_EMAIL_ID

Attribute	Description	
Name	BENEFICIARY_EMAIL_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

BENEFICIARY_FACEBOOK_ID

Attribute	Description

Name	BENEFICIARY_FACEBOOK_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_TELEPHONE

Attribute	**Description**
Name	BENEFICIARY_TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

VERIFY_AVL_BAL

Attribute	**Description**
Name	VERIFY_AVL_BAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	**Description**
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL

<table>
<tr><td>Datatype</td><td>String</td></tr>
<tr><td>Description</td><td>Indicates the Field Value</td></tr>
<tr><td>Attributes</td><td><table>
<tr><th>Attribute</th><th>Description</th></tr>
<tr><td>minOccurs</td><td>0</td></tr>
</table></td></tr>
<tr><td>Restrictions</td><td><table>
<tr><th>Restrictions</th><th>Description</th></tr>
<tr><td>maxLength</td><td>255</td></tr>
<tr><td>minLength</td><td>0</td></tr>
</table></td></tr>
</table>

TOP

2.42.2.CA-CloseAmtBlk-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *AMTBLKNO*
    - *MAKER*
    - *MAKERSTAMP*
    - *MODNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MAKER

Attribute	Description
Name	MAKER

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	**Description**
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

2.42.3.CA-CloseAmtBlk-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *BENEFICIARY_EMAIL_ID*
    - *BENEFICIARY_FACEBOOK_ID*
    - *BENEFICIARY_TELEPHONE*
    - *VERIFY_AVL_BAL*
    - *SOURCE_CODE*
    - *MAKER*
    - *MAKERSTAMP*

CHECKER

CHECKERSTAMP

MODNO

TXNSTAT

AUTHSTAT

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	**Description**
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 128 Restrictions: pattern — Description: [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,S,P,E,A,C,B,I

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

EFFDATE

Attribute	**Description**
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HOLDDESC

Attribute	**Description**
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

BENEFICIARY_EMAIL_ID

Attribute	**Description**
Name	BENEFICIARY_EMAIL_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFICIARY_FACEBOOK_ID

Attribute	Description
Name	BENEFICIARY_FACEBOOK_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_TELEPHONE

Attribute	Description
Name	BENEFICIARY_TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

VERIFY_AVL_BAL

Attribute	Description
Name	VERIFY_AVL_BAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	Description
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

MODNO

Attribute	Description
Name	MODNO

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *AMTBLKNO*
      - *MAKER*
      - *MAKERSTAMP*
      - *MODNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.43.CreateAccountStructure

Creation of Account Structure

2.43.1.CA-CreateAccountStructure-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Struct-Full*
    - *STRUCTG*
    - *GRPDESC*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Struct-Detail*
      - *SEQNO*
      - *PACCOUNT*
      - *PBRANCH*
      - *PCCY*
      - *CACCOUNT*

CBRANCH

CCCY

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Struct-Full

Attribute	Description

Name	Struct-Full
Datatype	
Description	

TOP

STRUCTG

Attribute	Description
Name	STRUCTG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

GRPDESC

Attribute	Description
Name	GRPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	The User Id who has created/last modified the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Struct-Detail

Attribute	Description
Name	Struct-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PACCOUNT

Attribute	Description
Name	PACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PBRANCH

Attribute	Description
Name	PBRANCH
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

TOP

PCCY

Attribute	Description
Name	PCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CACCOUNT

Attribute	Description
Name	CACCOUNT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CBRANCH

Attribute	Description
Name	CBRANCH
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 3

TOP

CCCY

Attribute	Description
Name	CCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

Restrictions	Restrictions	Description
	maxLength	3

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	Restrictions: maxLength — Description: 105 Restrictions: minLength — Description: 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255 Restrictions: minLength — Description: 0

TOP

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
Struct-IO
STRUCTG
GRPDESC
Struct-Detail
PACCOUNT
UDFDETAILS
FLDNAM
FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	Restrictions: enumeration = FCUBS,FCIS (Description)

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	Attribute: minOccurs = 0 (Description)
Restrictions	Restrictions: pattern = [a-zA-Z_0-9]* (Description)

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	Attribute: minOccurs = 0 (Description)
Restrictions	Restrictions: pattern = [a-zA-Z_0-9]* (Description)

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	Restrictions: maxLength = 12; pattern = [A-Z_0-9]* (Description)

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Struct-IO

Attribute	Description
Name	Struct-IO
Datatype	
Description	

TOP

STRUCTG

Attribute	Description	
Name	STRUCTG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

GRPDESC

Attribute	Description
Name	GRPDESC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

Struct-Detail

Attribute	**Description**
Name	Struct-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PACCOUNT

Attribute	**Description**
Name	PACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

2.43.3.CA-CreateAccountStructure-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Struct-Full*
    - *STRUCTG*
    - *GRPDESC*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Struct-Detail*
      - *SEQNO*
      - *PACCOUNT*
      - *PBRANCH*
      - *PCCY*
      - *CACCOUNT*
      - *CBRANCH*
      - *CCCY*
    - *UDFDETAILS*

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8 Restrictions: pattern — Description: [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: enumeration — Description: SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	**Description**
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Struct-Full

Attribute	Description
Name	Struct-Full
Datatype	
Description	

TOP

STRUCTG

Attribute	Description	
Name	STRUCTG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

GRPDESC

Attribute	Description	
Name	GRPDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description	The User Id who has created/last modified the record.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has created\last modified the record.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	The User Id who has Authorized the creation\modificaiton of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates Date and Stamp when the User has Authorized the creation\modification of the record.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modification number i.e. the number of times the record has been modified.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Indicates the Transaction Status O - Open C - Close
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description	Specifies whether the record is authorized or not	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TOP

Struct-Detail

Attribute	Description	
Name	Struct-Detail	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

SEQNO

Attribute	Description	
Name	SEQNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

PACCOUNT

Attribute	Description	
Name	PACCOUNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

TOP

PBRANCH

Attribute	Description

Name	PBRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PCCY

Attribute	**Description**
Name	PCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CACCOUNT

Attribute	**Description**
Name	CACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CBRANCH

Attribute	**Description**
Name	CBRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCCY

Attribute	**Description**
Name	CCCY
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**
	maxLength / 105
	minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description**
	minOccurs / 0
Restrictions	**Restrictions** / **Description**
	maxLength / 255
	minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE

Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.43.4.CA-CreateAccountStructure-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Struct-PK*
      - *STRUCTG*
    - *Struct-IO*
      - *STRUCTG*
      - *GRPDESC*
      - *Struct-Detail*
        - *PACCOUNT*
      - *UDFDETAILS*
        - *FLDNAM*
        - *FLDVAL*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Struct-PK

Attribute	Description
Name	Struct-PK
Datatype	
Description	

TOP

STRUCTG

Attribute	Description	
Name	STRUCTG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Struct-IO

Attribute	Description
Name	Struct-IO
Datatype	
Description	

TOP

STRUCTG

Attribute	Description	
Name	STRUCTG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

GRPDESC

Attribute	Description	
Name	GRPDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

Struct-Detail

Attribute	Description
Name	Struct-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PACCOUNT

Attribute	Description
Name	PACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	UDF Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255
	minLength	0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.44.CreateAmtBlk

CreateAmtBlk

2.44.1.CA-CreateAmtBlk-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *BENEFICIARY_EMAIL_ID*
    - *BENEFICIARY_FACEBOOK_ID*
    - *BENEFICIARY_TELEPHONE*
    - *VERIFY_AVL_BAL*

SOURCE_CODE

MAKER

MAKERSTAMP

CHECKER

CHECKERSTAMP

MODNO

TXNSTAT

AUTHSTAT

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description

Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

ABLKTYPE

Attribute	**Description**
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,S,P,E,A,C,B,I

TOP

REFERENCE_NO

Attribute	**Description**
Name	REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

HPCODE

Attribute	**Description**
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	15

TOP

EFFDATE

Attribute	Description	
Name	EFFDATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

TOP

HOLDDESC

Attribute	Description	
Name	HOLDDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

BENEFICIARY_EMAIL_ID

Attribute	Description	
Name	BENEFICIARY_EMAIL_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

TOP

BENEFICIARY_FACEBOOK_ID

Attribute	Description

Name	BENEFICIARY_FACEBOOK_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_TELEPHONE

Attribute	**Description**
Name	BENEFICIARY_TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

VERIFY_AVL_BAL

Attribute	**Description**
Name	VERIFY_AVL_BAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	**Description**
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKER

Attribute	**Description**
Name	MAKER
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL

Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

2.44.2.CA-CreateAmtBlk-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *BENEFICIARY_EMAIL_ID*
    - *BENEFICIARY_FACEBOOK_ID*
    - *BENEFICIARY_TELEPHONE*
    - *VERIFY_AVL_BAL*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / F,S,P,E,A,C,B,I

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOLDDESC

Attribute	Description
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

BENEFICIARY_EMAIL_ID

Attribute	Description
Name	BENEFICIARY_EMAIL_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_FACEBOOK_ID

Attribute	Description
Name	BENEFICIARY_FACEBOOK_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_TELEPHONE

Attribute	Description

Name	BENEFICIARY_TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

VERIFY_AVL_BAL

Attribute	**Description**
Name	VERIFY_AVL_BAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	**Description**
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	**Description**
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	255
	minLength	0

TOP

2.44.3.CA-CreateAmtBlk-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EXPDATE*
    - *REM*
    - *ABLKTYPE*
    - *REFERENCE_NO*
    - *HPCODE*
    - *EFFDATE*
    - *HOLDDESC*
    - *BRANCH*
    - *BENEFICIARY_EMAIL_ID*
    - *BENEFICIARY_FACEBOOK_ID*
    - *BENEFICIARY_TELEPHONE*
    - *VERIFY_AVL_BAL*
    - *SOURCE_CODE*
    - *MAKER*
    - *MAKERSTAMP*

CHECKER

CHECKERSTAMP

MODNO

TXNSTAT

AUTHSTAT

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	**Description**
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	**Description**
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	**Description**
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,S,P,E,A,C,B,I

TOP

REFERENCE_NO

Attribute	Description
Name	REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

HPCODE

Attribute	Description
Name	HPCODE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

EFFDATE

Attribute	**Description**
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HOLDDESC

Attribute	**Description**
Name	HOLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

BENEFICIARY_EMAIL_ID

Attribute	**Description**
Name	BENEFICIARY_EMAIL_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFICIARY_FACEBOOK_ID

Attribute	Description
Name	BENEFICIARY_FACEBOOK_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFICIARY_TELEPHONE

Attribute	Description
Name	BENEFICIARY_TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

VERIFY_AVL_BAL

Attribute	Description
Name	VERIFY_AVL_BAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SOURCE_CODE

Attribute	Description
Name	SOURCE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 35

TOP

MODNO

Attribute	Description
Name	MODNO

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.44.4.CA-CreateAmtBlk-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EXPDATE*
      - *REM*
      - *ABLKTYPE*
      - *REFERENCE_NO*
      - *HPCODE*
      - *EFFDATE*
      - *HOLDDESC*
      - *BRANCH*
      - *BENEFICIARY_EMAIL_ID*
      - *BENEFICIARY_FACEBOOK_ID*
      - *BENEFICIARY_TELEPHONE*
      - *VERIFY_AVL_BAL*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

ABLKTYPE

Attribute	Description
Name	ABLKTYPE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	F,S,P,E,A,C,B,I

TOP

REFERENCE_NO

Attribute	Description	
Name	REFERENCE_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	40

TOP

HPCODE

Attribute	Description	
Name	HPCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

EFFDATE

Attribute	Description	
Name	EFFDATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

HOLDDESC

Attribute	Description	
Name	HOLDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

BENEFICIARY_EMAIL_ID

Attribute	Description
Name	BENEFICIARY_EMAIL_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFICIARY_FACEBOOK_ID

Attribute	Description
Name	BENEFICIARY_FACEBOOK_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFICIARY_TELEPHONE

Attribute	Description
Name	BENEFICIARY_TELEPHONE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFY_AVL_BAL

Attribute	Description

Name	VERIFY_AVL_BAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.45.AmountBlocksAuthorize

Authorization of Customer Account Amount Blocks

2.45.1.CA-AmountBlocksAuthorize-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *BRANCH*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EFFDATE*
    - *EXPDATE*
    - *REM*
    - *HOLD_CODE*
    - *MAKERID*
    - *MAKERDTSTAMP*
    - *CHECKERID*
    - *CHECKERDTSTAMP*
    - *MODNO*
    - *AUTHSTAT*
    - *RECSTAT*

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	Include amount blocks Full details.

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates the Account Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates the Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EFFDATE

Attribute	Description

Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	**Description**
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	**Description**
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MAKERID

Attribute	**Description**
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description
Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	**Description**
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	**Description**
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FUNCTIONID

Attribute	**Description**
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description**: maxLength 105; minLength 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 255; minLength 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 2; minLength 0

TOP

2.45.2.CA-AmountBlocksAuthorize-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *AMTBLKNO*
    - *MODNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	Include amount blocks PK ACR type details.

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	This gives the Amount block PK request

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record

Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	totalDigits	22

TOP

2.45.3.CA-AmountBlocksAuthorize-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *BRANCH*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EFFDATE*
      - *EXPDATE*
      - *REM*
      - *HOLD_CODE*
      - *MAKERID*
      - *MAKERDTSTAMP*
      - *CHECKERID*
      - *CHECKERDTSTAMP*
      - *MODNO*
      - *AUTHSTAT*
      - *RECSTAT*

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

Amount-Blocks-Full

BRANCH

ACC

AMTBLKNO

AMT

EFFDATE

EXPDATE

REM

HOLD_CODE

MAKERID

MAKERDTSTAMP

CHECKERID

CHECKERDTSTAMP

MODNO

AUTHSTAT

RECSTAT

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	Include amount blocks Pk type details.

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	Include amount blocks IO type details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	Attribute: minOccurs, Description: 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	Attribute: minOccurs, Description: 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	Attribute: minOccurs, Description: 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MAKERID

Attribute	**Description**	
Name	MAKERID	
Datatype	String	
Description	Indicates the User Identification who inputted the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERDTSTAMP

Attribute	**Description**	
Name	MAKERDTSTAMP	
Datatype	String	
Description	Indicates the inputting Date time of the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

CHECKERID

Attribute	**Description**	
Name	CHECKERID	
Datatype	String	
Description	Indicates the User Identification who authorised the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERDTSTAMP

Attribute	**Description**	
Name	CHECKERDTSTAMP	
Datatype	String	
Description	Indicates the Authorised time of the record	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8 Restrictions: pattern — Description: [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	Restrictions: maxLength — Description: 105 Restrictions: minLength — Description: 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255
	minLength	0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2; minLength / 0

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	Include amount blocks Full details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description

Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description

Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	Attribute: Description maxOccurs: unbounded minOccurs: 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 8 pattern: [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	Restrictions: Description maxLength: 105 minLength: 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Include error type details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Include warning type details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.45.4.CA-AmountBlocksAuthorize-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *BRANCH*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EFFDATE*
      - *EXPDATE*
      - *REM*
      - *HOLD_CODE*
      - *MAKERID*
      - *MAKERDTSTAMP*
      - *CHECKERID*
      - *CHECKERDTSTAMP*
      - *MODNO*
      - *AUTHSTAT*
      - *RECSTAT*

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

Amount-Blocks-Full

BRANCH

ACC

AMTBLKNO

AMT

EFFDATE

EXPDATE

REM

HOLD_CODE

MAKERID

MAKERDTSTAMP

CHECKERID

CHECKERDTSTAMP

MODNO

AUTHSTAT

RECSTAT

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length 3; pattern [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	Include amount blocks PK type details.

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	Include amount blocks IO type details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	Attribute: minOccurs, Description: 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	Attribute: minOccurs, Description: 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	Attribute: minOccurs, Description: 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MAKERID

Attribute	**Description**	
Name	MAKERID	
Datatype	String	
Description	Indicates the User Identification who inputted the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERDTSTAMP

Attribute	**Description**	
Name	MAKERDTSTAMP	
Datatype	String	
Description	Indicates the inputting Date time of the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

CHECKERID

Attribute	**Description**	
Name	CHECKERID	
Datatype	String	
Description	Indicates the User Identification who authorised the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERDTSTAMP

Attribute	**Description**	
Name	CHECKERDTSTAMP	
Datatype	String	
Description	Indicates the Authorised time of the record	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255
	minLength	0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2; minLength / 0

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	Include amount blocks Full type details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description

Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description

Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	Attribute: Description maxOccurs: unbounded minOccurs: 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 8 pattern: [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	Restrictions: Description maxLength: 105 minLength: 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Include error type details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description	Include warning type details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.46.AmountBlocksClose

Closure of Customer Account Amount Blocks

2.46.1.CA-AmountBlocksClose-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *BRANCH*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EFFDATE*
    - *EXPDATE*
    - *REM*
    - *HOLD_CODE*
    - *MAKERID*
    - *MAKERDTSTAMP*
    - *CHECKERID*
    - *CHECKERDTSTAMP*
    - *MODNO*
    - *AUTHSTAT*
    - *RECSTAT*

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	Include amount blocks Full details.

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates the Account Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates the Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EFFDATE

Attribute	Description

Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	**Description**
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	**Description**
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MAKERID

Attribute	**Description**
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description
Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description**: maxLength 105; minLength 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 255; minLength 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 2; minLength 0

TOP

2.46.2.CA-AmountBlocksClose-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *AMTBLKNO*
    - *MODNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	Include amount blocks PK ACR type details.

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record

Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	totalDigits	22

TOP

2.46.3.CA-AmountBlocksClose-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *BRANCH*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EFFDATE*
      - *EXPDATE*
      - *REM*
      - *HOLD_CODE*
      - *MAKERID*
      - *MAKERDTSTAMP*
      - *CHECKERID*
      - *CHECKERDTSTAMP*
      - *MODNO*
      - *AUTHSTAT*
      - *RECSTAT*

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

Amount-Blocks-Full

BRANCH

ACC

AMTBLKNO

AMT

EFFDATE

EXPDATE

REM

HOLD_CODE

MAKERID

MAKERDTSTAMP

CHECKERID

CHECKERDTSTAMP

MODNO

AUTHSTAT

RECSTAT

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	**Description**
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	Include amount blocks PK type details.

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	Include amount blocks IO type details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	Attribute: minOccurs — Description: 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	Attribute: minOccurs — Description: 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	Attribute: minOccurs — Description: 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MAKERID

Attribute	**Description**	
Name	MAKERID	
Datatype	String	
Description	Indicates the User Identification who inputted the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERDTSTAMP

Attribute	**Description**	
Name	MAKERDTSTAMP	
Datatype	String	
Description	Indicates the inputting Date time of the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

CHECKERID

Attribute	**Description**	
Name	CHECKERID	
Datatype	String	
Description	Indicates the User Identification who authorised the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERDTSTAMP

Attribute	**Description**	
Name	CHECKERDTSTAMP	
Datatype	String	
Description	Indicates the Authorised time of the record	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255
	minLength	0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2; minLength / 0

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	Include amount blocks Full details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description

Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description

Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

MODNO

Attribute	**Description**
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTHSTAT

Attribute	**Description**
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECSTAT

Attribute	**Description**
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ONCEAUTH

Attribute	**Description**
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	Attribute: Description maxOccurs: unbounded minOccurs: 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 8 pattern: [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	Restrictions: Description maxLength: 105 minLength: 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Include error type details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Include warning type details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.46.4.CA-AmountBlocksClose-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *BRANCH*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EFFDATE*
      - *EXPDATE*
      - *REM*
      - *HOLD_CODE*
      - *MAKERID*
      - *MAKERDTSTAMP*
      - *CHECKERID*
      - *CHECKERDTSTAMP*
      - *MODNO*
      - *AUTHSTAT*
      - *RECSTAT*

ONCEAUTH
UDFDETAILS
FUNCTIONID
FIELD_NAME
DATATYPE
FIELD_VALUE
VAL_TYPE
Amount-Blocks-Full
BRANCH
ACC
AMTBLKNO
AMT
EFFDATE
EXPDATE
REM
HOLD_CODE
MAKERID
MAKERDTSTAMP
CHECKERID
CHECKERDTSTAMP
MODNO
AUTHSTAT
RECSTAT
ONCEAUTH
UDFDETAILS
FUNCTIONID
FIELD_NAME
DATATYPE
FIELD_VALUE
VAL_TYPE
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length = 3; pattern = [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs = 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable = true
Restrictions	**Restrictions** / **Description**: pattern = [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable = true
Restrictions	**Restrictions** / **Description**: pattern = [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	Include amount blocks PK type details.

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	Include amount blocks IO type details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	Attribute: minOccurs, Description: 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	Attribute: minOccurs, Description: 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	Attribute: minOccurs, Description: 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description
Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 8 Restrictions: pattern — Description: [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	Restrictions: maxLength — Description: 105 Restrictions: minLength — Description: 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255
	minLength	0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2; minLength / 0

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	Include amount blocks full details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description

Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description

Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	Attribute: Description maxOccurs: unbounded minOccurs: 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 8 pattern: [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	Restrictions: Description maxLength: 105 minLength: 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Include error type details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description	Include warning type details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.47.AmountBlocksDelete

Deletion of Customer Account Amount Blocks

2.47.1.CA-AmountBlocksDelete-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *BRANCH*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EFFDATE*
    - *EXPDATE*
    - *REM*
    - *HOLD_CODE*
    - *MAKERID*
    - *MAKERDTSTAMP*
    - *CHECKERID*
    - *CHECKERDTSTAMP*
    - *MODNO*
    - *AUTHSTAT*
    - *RECSTAT*

ONCEAUTH
UDFDETAILS
FUNCTIONID
FIELD_NAME
DATATYPE
FIELD_VALUE
VAL_TYPE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	Include amount blocks Full details.

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates the Account Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates the Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EFFDATE

Attribute	Description

Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	**Description**
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	**Description**
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MAKERID

Attribute	**Description**
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description
Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	**Description**
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	**Description**
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FUNCTIONID

Attribute	**Description**
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description**: maxLength 105; minLength 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 255; minLength 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 2; minLength 0

TOP

2.47.2.CA-AmountBlocksDelete-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *AMTBLKNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	Attribute: nillable — Description: true
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: pattern — Description: [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	**Description**
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	Include amount blocks Pk type details.

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	This gives the Amount Block PK request

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

2.47.3.CA-AmountBlocksDelete-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *BRANCH*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EFFDATE*
    - *EXPDATE*
    - *REM*
    - *HOLD_CODE*
    - *MAKERID*
    - *MAKERDTSTAMP*
    - *CHECKERID*
    - *CHECKERDTSTAMP*
    - *MODNO*
    - *AUTHSTAT*
    - *RECSTAT*
    - *ONCEAUTH*
    - *UDFDETAILS*
      - *FUNCTIONID*

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	Include amount blocks Full details.

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates the Account Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.

Attributes	Attribute	Description
	minOccurs	0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	Attribute: minOccurs — Description: 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	Attribute: minOccurs — Description: 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

MAKERID

Attribute	Description
Name	MAKERID

Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description
Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record

Attributes	Attribute	Description
	minOccurs	0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details.
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 2 Restrictions: minLength, Description: 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Include error type details
Attributes	Attribute: maxOccurs, Description: unbounded Attribute: minOccurs, Description: 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	Attribute: maxOccurs, Description: unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP

Datatype	
Description	Include warning type details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-PK*
    - *AMTBLKNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description

Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	**Description**
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	**Description**
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	**Description**
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	**Description**
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: enumeration; Description: SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 128 Restrictions: pattern; Description: [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	Include amount blocks PK type details.

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	12

TOP

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description	Include error type details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description	Include warning type details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.48.AmountBlocksModify

Modification of Customer Account Amount Blocks

2.48.1.CA-AmountBlocksModify-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-Full*
    - *BRANCH*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EFFDATE*
    - *EXPDATE*
    - *REM*
    - *HOLD_CODE*
    - *MAKERID*
    - *MAKERDTSTAMP*
    - *CHECKERID*
    - *CHECKERDTSTAMP*
    - *MODNO*
    - *AUTHSTAT*
    - *RECSTAT*

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**
	minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**
	maxOccurs / unbounded
	minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	Include amount blocks Full type details.

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates the Account Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description	
Name	AMTBLKNO	
Datatype	String	
Description	Indicates the Amount Block Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description	Indicates the Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EFFDATE

Attribute	Description

Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	**Description**
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	**Description**
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	**Description**
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MAKERID

Attribute	**Description**
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description
Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	**Description**
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	**Description**
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	**Description**
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FUNCTIONID

Attribute	**Description**
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description**: maxLength 105; minLength 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 255; minLength 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs 0
Restrictions	**Restrictions** / **Description**: maxLength 2; minLength 0

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Amount-Blocks-IO*
    - *BRANCH*
    - *ACC*
    - *AMTBLKNO*
    - *AMT*
    - *EFFDATE*
    - *EXPDATE*
    - *REM*
    - *HOLD_CODE*
    - *MODNO*
    - *UDFDETAILS*
      - *FUNCTIONID*
      - *FIELD_NAME*
      - *DATATYPE*
      - *FIELD_VALUE*
      - *VAL_TYPE*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	Include amount blocks IO type details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	Restrictions: maxLength — Description: 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Restrictions	Restrictions: maxLength — Description: 35

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	Attribute: minOccurs — Description: 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	Attribute: minOccurs — Description: 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date

Attributes	Attribute	Description
	minOccurs	0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: maxLength — Description: 15

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	Attribute: minOccurs — Description: 0
Restrictions	Restrictions: totalDigits — Description: 22

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	Attribute: maxOccurs — Description: unbounded Attribute: minOccurs — Description: 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

VAL_TYPE

<table>
<tr><th>Attribute</th><th>Description</th></tr>
<tr><td>Name</td><td>VAL_TYPE</td></tr>
<tr><td>Datatype</td><td>String</td></tr>
<tr><td>Description</td><td>Indicates Value type.</td></tr>
<tr><td>Attributes</td><td>
<table>
<tr><th>Attribute</th><th>Description</th></tr>
<tr><td>minOccurs</td><td>0</td></tr>
</table>
</td></tr>
<tr><td>Restrictions</td><td>
<table>
<tr><th>Restrictions</th><th>Description</th></tr>
<tr><td>maxLength</td><td>2</td></tr>
<tr><td>minLength</td><td>0</td></tr>
</table>
</td></tr>
</table>

TOP

2.48.3.CA-AmountBlocksModify-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *BRANCH*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EFFDATE*
      - *EXPDATE*
      - *REM*
      - *HOLD_CODE*
      - *MAKERID*
      - *MAKERDTSTAMP*
      - *CHECKERID*
      - *CHECKERDTSTAMP*
      - *MODNO*
      - *AUTHSTAT*
      - *RECSTAT*

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

Amount-Blocks-Full

BRANCH

ACC

AMTBLKNO

AMT

EFFDATE

EXPDATE

REM

HOLD_CODE

MAKERID

MAKERDTSTAMP

CHECKERID

CHECKERDTSTAMP

MODNO

AUTHSTAT

RECSTAT

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length 3; pattern [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	Include amount blocks PK type details.

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	Include amount blocks IO type details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	Attribute: minOccurs, Description: 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	Attribute: minOccurs, Description: 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	Attribute: minOccurs, Description: 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MAKERID

Attribute	**Description**	
Name	MAKERID	
Datatype	String	
Description	Indicates the User Identification who inputted the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERDTSTAMP

Attribute	**Description**	
Name	MAKERDTSTAMP	
Datatype	String	
Description	Indicates the inputting Date time of the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

CHECKERID

Attribute	**Description**	
Name	CHECKERID	
Datatype	String	
Description	Indicates the User Identification who authorised the record	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERDTSTAMP

Attribute	**Description**	
Name	CHECKERDTSTAMP	
Datatype	String	
Description	Indicates the Authorised time of the record	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255
	minLength	0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2; minLength / 0

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	Include amount blocks Full type details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description

Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description

Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	Attribute: Description maxOccurs: unbounded minOccurs: 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 8 pattern: [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	Restrictions: Description maxLength: 105 minLength: 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Include error type details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Include warning type details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.48.4.CA-AmountBlocksModify-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Amount-Blocks-PK*
      - *AMTBLKNO*
    - *Amount-Blocks-IO*
      - *BRANCH*
      - *ACC*
      - *AMTBLKNO*
      - *AMT*
      - *EFFDATE*
      - *EXPDATE*
      - *REM*
      - *HOLD_CODE*
      - *MAKERID*
      - *MAKERDTSTAMP*
      - *CHECKERID*
      - *CHECKERDTSTAMP*
      - *MODNO*
      - *AUTHSTAT*
      - *RECSTAT*

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

Amount-Blocks-Full

BRANCH

ACC

AMTBLKNO

AMT

EFFDATE

EXPDATE

REM

HOLD_CODE

MAKERID

MAKERDTSTAMP

CHECKERID

CHECKERDTSTAMP

MODNO

AUTHSTAT

RECSTAT

ONCEAUTH

UDFDETAILS

FUNCTIONID

FIELD_NAME

DATATYPE

FIELD_VALUE

VAL_TYPE

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length 3; pattern [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable true
Restrictions	**Restrictions** / **Description**: pattern [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	Attribute: maxOccurs = unbounded; minOccurs = 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Amount-Blocks-PK

Attribute	Description
Name	Amount-Blocks-PK
Datatype	
Description	Include amount blocks PK type details.

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Amount-Blocks-IO

Attribute	Description
Name	Amount-Blocks-IO
Datatype	
Description	Include amount blocks IO type details.

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description
Name	ACC
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	Attribute: minOccurs, Description: 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	Attribute: minOccurs, Description: 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	Attribute: minOccurs, Description: 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	Attribute: minOccurs, Description: 0
Restrictions	Restrictions: maxLength, Description: 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description
Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.

Attributes	Attribute	Description
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255
	minLength	0

TOP

VAL_TYPE

Attribute	Description	
Name	VAL_TYPE	
Datatype	String	
Description	Indicates Value type.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2
	minLength	0

TOP

Amount-Blocks-Full

Attribute	Description
Name	Amount-Blocks-Full
Datatype	
Description	Include amount blocks Full details.

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

ACC

Attribute	Description	
Name	ACC	
Datatype	String	
Description	Indicates the Account Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTBLKNO

Attribute	Description

Name	AMTBLKNO
Datatype	String
Description	Indicates the Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates the Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPDATE

Attribute	Description
Name	EXPDATE
Datatype	Date
Description	Indicates the Expiry Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REM

Attribute	Description
Name	REM
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HOLD_CODE

Attribute	Description
Name	HOLD_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the User Identification who inputted the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERDTSTAMP

Attribute	Description
Name	MAKERDTSTAMP
Datatype	String
Description	Indicates the inputting Date time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the User Identification who authorised the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERDTSTAMP

Attribute	Description

Name	CHECKERDTSTAMP
Datatype	String
Description	Indicates the Authorised time of the record
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates the Modification number of the record
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECSTAT

Attribute	Description
Name	RECSTAT
Datatype	String
Description	Indicates the Record Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ONCEAUTH

Attribute	Description
Name	ONCEAUTH
Datatype	String
Description	Specifies whether the record is authorized atleast once
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	Restrictions	Description
	maxLength	1

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	User Defined Fields details
Attributes	Attribute: Description maxOccurs: unbounded minOccurs: 0

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 8 pattern: [A-Z_0-9]*

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the User Defined Field Name.
Restrictions	Restrictions: Description maxLength: 105 minLength: 1

TOP

DATATYPE

Attribute	Description
Name	DATATYPE
Datatype	String
Description	Indicates Data Type
Attributes	Attribute: Description minOccurs: 0
Restrictions	Restrictions: Description maxLength: 15

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the User Defined Field Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

VAL_TYPE

Attribute	Description
Name	VAL_TYPE
Datatype	String
Description	Indicates Value type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Include error type details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description	Include warning type details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

Account Service
[April] [2014]

Oracle Financial Services software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax:+91 22 6718 3001
www.oracle.com/financialservices/

Copyright © [2007], [2013], Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are commercial computer software pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of
this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any

kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.