



Corporate Headquarters
5200 Paramount Parkway
Morrisville, NC 27560 USA
Phone +1.888.628.5521
+1.919.468.5500
Fax: +1.919.380.3862
E-mail: info@tekelec.com

Copyright TEKELEC 2013. All Rights Reserved

Open Source Notice

SDM 9.X

Tekelec Global, Inc. ("Tekelec") distributes certain open source software licensed under various open source licenses in association with certain Tekelec products. Below is a listing of open source software distributed by Tekelec identified by the associated Tekelec product.

SDM

The following files are licensed under the GNU General Public License v. 2.0:

- (1) chkconfig v. 1.3.49.3
Copyright © Red Hat
- (2) ctcs v. 1.3.0
Copyright © Jason T. Collins <jcollins@valinux.com> for VA Linux Systems
- (3) drbd v. 8.3.7
Copyright © Philipp Reisner <philipp.reisner@linbit.com> & Lars Ellenberg
<lars.ellenberg@linbit.com>
- (4) e2fsprogs-libs v. 1.39
Copyright © Theodore Ts'o
- (5) gdbm v. 1.8.0
Copyright © Philip A. Nelson, Jason Downs, Sergey Poznyakoff
- (6) hp-be2iscsi v. 4.0.480.0
Copyright © ServerEngines Corporation
- (7) hp-be2net v. 4.1.450.7
Copyright © Emulex Corporation
- (8) hp-e1000 v. 8.0.25
Copyright © Intel Corporation
- (9) hp-igb v. 3.2.10
Copyright © Intel Corporation
- (10) hp-netxtreme2 v. 7.2.55
Copyright © Broadcom Corporation
- (11) hp-netxtreme2-iscsi v. 7.0.39
Copyright © Broadcom Corporation
- (12) hp-tg3 v. 3.122q
Copyright © Broadcom Corporation
- (13) i2c-tools v. 3.0.0
Copyright © Frodo Looijaard, Mark D. Studebaker and Jean Delvare
- (14) initscripts v. 9.03.31
Copyright © Canonical Ltd.
- (15) iptables v. 1.4.7
Copyright © Rusty Russell
- (16) kernel v. 2.6.32
Copyright © Linus Torvalds
- (17) lm_sensors v. 3.1.1
Copyright © Frodo Looijaard, Merlin Hughes, Bob Schlaermann, Mark M. Hoffman, Jean Delvare
- (18) lzma v. 4.32.7
Copyright © Igor Pavlov, Ville Koskinen and Lasse Collin
- (19) module-init-tools v. 3.9
Copyright © Jon Masters <jcm@jonmasters.org>
- (20) net-tools v. 1.6
Copyright © 1988-1994 MicroWalt Corporation, Copyright © 1995-1996 Bernd Eckenfels,
Copyright © 1997-2000 Andi Kleen, Copyright © 1997-2000 Donald Becker
- (21) qla2xxx v. 8.03.07.13.06.0
Copyright © QLogic Corporation
- (22) rhpl v. 0.221
Copyright © Red Hat
- (23) rinetd v. 0.62
Copyright © Thomas Boutell

- (24) rpm v. 4.8.0
Copyright © Erik Troan and Marc Ewing
- (25) Tungsten Replicator v2.0.3
Copyright © 2011 Continuent Inc.
- (26) udev v. 147
Copyright © Greg Kroah-Hartman

Each of these programs is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

Each of these programs is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with these programs; if not, see <<http://www.gnu.org/licenses/>> or write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA.

The following files are licensed under the GNU General Public License v. 3.0:

- (1) readline v. 6
Copyright © Chet Ramey
- (2) selinux-policy v. 3.7.19
Copyright © Tresys Technology
- (3) setools v. 3.3.7
Copyright © Tresys Technology

Each of these programs is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

Each of these programs is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with these programs; if not, see <<http://www.gnu.org/licenses/>> or write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA.

The following files are licensed under the GNU Lesser General Public License v. 2.1:

- (1) Glib v. 1.231
Copyright © 2003-2005 by the gtk2-perl team
- (2) gobject-introspection v. 0.10.8
Copyright © Colin Walters <walters@verbum.org>, Johan Dahlin <johan@gnome.org>, Matthias Clasen <mclasen@redhat.com> and <j@bitron.ch>
- (3) kiratool v. 1.5.15
Copyright © Raritan, Inc.
- (4) libmicrohttpd v0.4.6
Copyright © Christian Grothoff
- (5) libvirt v. 0.9.10
Copyright © Daniel Veillard <veillard@redhat.com>
- (6) lkscpt-tools v. 1.0.11

- Copyright © 2002 La Monte H. P. Yarroll; Copyright © 2002, 2004 IBM Corp.; Copyright © 2010, 2013 Red Hat
- (7) mysql++ v. 3.0.8
Copyright © Kevin Atkinson
 - (8) open-vm-tools v. 0.0.0.217847
Copyright © VMware Guest Components Team
 - (9) perl-Glib-Object-Introspection v. 0.001.20110920git
Copyright © Emmanuele Bassi, muppet, Torsten Schöfeld
 - (10) perl-Net-XMPP v. 1.02_04
Copyright © Ryan Eatmon
 - (11) perl-XML-Stream v. 1.23_06
Copyright © Darian Anthony Patrick, Ryan Eatmon, Thomas Charron, Jeremie
 - (12) teng v. 2.0.4
Copyright © Seznam.cz, a.s., Jan Nemeč

Each of these programs is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

Each of these programs is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with these programs; if not, see <<http://www.gnu.org/licenses/>> or write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA.

The following files are licensed under the MPL License v. 1.1:

- (1) nss v. 3.13.5
Copyright © The Regents of the University of California, The Open Group, Network Computing Devices, Inc., X Consortium, Sun Microsystems, Inc., Massachusetts Institute of Technology, Jean-loup Gailly, Mark Adler, Red Hat, Inc, RSA Security Inc., Netscape Communications Corporation, Michael J. Fromberger, Mark Adler
- (2) nss-softokn v. 3.12.9
Copyright © The Regents of the University of California, The Open Group, Network Computing Devices, Inc., X Consortium, Sun Microsystems Inc., Netscape Communications Corporation, Michael J. Fromberger
- (3) nss-util v. 3.13.5
Copyright © The Regents of the University of California, The Open Group, Network Computing Devices, Inc., X Consortium, Network Computing Devices, Inc., RSA Security Inc., Sun Microsystems Inc.
- (4) Blue/apps/webci/src/com/blueslice/util/EscapeChars.java
Copyright © Frederico Knabben

The contents of each of these files are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use these files except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The following files are licensed under the MPL License v. 2.0:

- (1) nspr v. 4.9.1
Copyright © Netscape Communications Corporation, Lucent Technologies, Student Information Processing Board of the Massachusetts Institute of Technology, The Regents of the University of California, Digital Equipment Corporation, Internet Systems Consortium, Inc.

The Source Code Form of this file is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, you can obtain one at <http://mozilla.org/MPL/2.0/>. A copy of the Source Code Form of each of these files can be located as <http://support.tekelec.com>.

The following files are licensed under the BSD license:

- (1) Blue/apps/sprlite/lib/relaxngDatatype.jar
Copyright© Kohsuke Kawaguchi
- (2) Blue/apps/auc/server/src/gsmMilenage.
Copyright© 3GPP
- (3) Blue/apps/blueCli/libedit/chared.h
Copyright© Jaromir Dolecek
- (4) Blue/apps/blueCli/libedit/
Copyright© Regents of the University of California
- (5) Blue/apps/ims/dns/src
Copyright© Sam Trenholme
- (6) Blue/apps/ims/Radius/src/Radius
Copyright© Alex Agranov
- (7) Blue/apps/webci/webapp/jsp/js/treemenu.js
Copyright© Morten Wang & contributors
- (8) Blue/apps/xmlDataServer/test/org/fife/ui/rsyntaxtextarea
Copyright© Robert Futrell
- (9) zend-framework-1.11.9-5.0.0_50.29.0.noarch
Copyright © Zend Technologies, Ltd.
- (10) memcached-1.2.6-5.0.0_50.1.0.x86_64
Copyright © memcached.org
- (11) PHPUnit-3.4.2-4.2.1-70.68.0
Copyright © Sebastian Bergmann, et al (sebastian@phpunit.de)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following files are licensed under the modified BSD license:

- (1) Blue/apps/auc/server/include/keyEncryption.h
Copyright © The Dojo foundation (dojofoundation.org)
- (2) dojo-1.4.1-5.0.0_50.1.0.noarch.rpm
Copyright © The Dojo foundation (dojofoundation.org)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following files are licensed under the Apache License v. 1.1

- (1) log4cplus-1.0.2-6.0.0_80.8.0.x86_64.rpm
Copyright © Tad E. Smith tcsmith@users.sourceforge.net

You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-1.1> (the "License"). This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The following files are licensed under the Apache License v. 2.0:

- (1) jarFilesExpanded/collections/commons-collections.jar
Copyright© The Apache Software Foundation
- (2) jarFilesExpanded/beanutils/commons-beanutils.jar
Copyright© The Apache Software Foundation
- (3) jarFilesExpanded/digester/commons-digester.jar
Copyright© The Apache Software Foundation
- (4) jarFilesExpanded/fileupload/commons-fileupload.jar
Copyright© The Apache Software Foundation
- (5) jarFilesExpanded/lang/commons-lang.jar
Copyright© The Apache Software Foundation
- (6) jarFilesExpanded/logging/commons-logging.jar
Copyright© The Apache Software Foundation
- (7) jarFilesExpanded/validator/commons-validator.jar
Copyright© The Apache Software Foundation
- (8) jarFilesExpanded/jakarta/jakarta-oro.jar
Copyright© The Apache Software Foundation
- (9) jarFilesExpanded/struts
Copyright© The Apache Software Foundation
- (10) jarFilesExpanded/xjc/org/apache/xml/resolver/apps
Copyright© The Apache Software Foundation
- (11) Blue/apps/webservice/webapp/WEB-INF/lib/axis.jar
Copyright© The Apache Software Foundation
- (12) Blue/apps/sprlite/lib/httpclient-4.0.jar
Copyright© The Apache Software Foundation
- (13) Blue/apps/webservice/webapp/WEB-INF/lib/log4j.jar
Copyright© The Apache Software Foundation
- (14) Blue/apps/webservice/webapp/WEB-INF/lib/xercesImpl.jar
Copyright© The Apache Software Foundation
- (15) Blue/apps/versionAwareReplicator/binLog/EventHeader.h
Copyright© The Apache Software Foundation

You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0> (the "License").

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The following files are licensed under the Common Public License v1.0:

- (1) Blue/apps/ims/EapCrypto/src/EAPHmac.cpp
Copyright © AT&T

The contents of each of these files are subject to the Common Public License Version 1.0 (the "License") at opensource.org/licenses/cpl1.0.php. The software distributed under the License is distributed on an "AS-IS" basis, WITHOUT WARRANTY OR CONDITIONS OF ANY KIND BY ANY CONTRIBUTOR, either express or implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose. All liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits, are hereby disclaimed on behalf of any Contributor. Any provisions of this license that differ from the License are not offered by any other party or Contributor. See the License for the specific language governing rights and limitations under the License.

The following files are licensed under the Artistic license:

- (1) Blue/common/db/Script/SyncTable.pl
Copyright © Baron Schwartz
You may obtain a standard version of the above program here: <http://support.tekelec.com>
The following files differ from the standard version of the program: none.

The "Artistic License"

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

"Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.

"Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder as specified below.

"Copyright Holder" is whoever is named in the copyright or copyrights for the package.

"You" is you, if you're thinking about copying or distributing this Package.

"Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:

- (a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as uunet.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.

- (b) use the modified Package only within your corporation or organization.
- (c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
- (d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

- (a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
- (b) accompany the distribution with the machine-readable source of the Package with your modifications.
- (c) give non-standard executables non-standard names, and clearly document the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.
- (d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own. You may embed this Package's interpreter within an executable of yours (by linking); this shall be construed as a mere form of aggregation, provided that the complete Standard Version of the interpreter is so embedded.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whoever generated them, and may be sold commercially, and may be aggregated with this Package. If such scripts or library files are aggregated with this Package via the so-called "undump" or "unexec" methods of producing a binary executable image, then distribution of such an image shall neither be construed as a distribution of this Package nor shall it fall under the restrictions of Paragraphs 3 and 4, provided that you do not represent such an executable image as a Standard Version of this Package.

7. C subroutines (or comparably compiled subroutines in other languages) supplied by you and linked into this Package in order to emulate subroutines and variables of the language defined by this Package shall not be considered part of this Package, but are the equivalent of input as in Paragraph 6, provided these subroutines do not change the language in any way that would cause it to fail the regression tests for the language.

8. Aggregation of this Package with a commercial distribution is always permitted provided that the use of this Package is embedded; that is, when no overt attempt is made to make this Package's interfaces visible to the end user of the commercial distribution. Such use shall not be construed as a distribution of this Package.

9. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

10. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

The following files are licensed under the Creative Commons Attribution License v. 2.5:

- (1) Blue/apps/sprlite/lib/jcip-annotations-1.0.jar
Copyright© Brian Goetz and Tim Peierls

You may obtain a copy of the License at <http://creativecommons.org/licenses/by/2.5/legalcode>.

The following files are licensed under the Eclipse Public License v. 1.0:

- (1) Infocenter-3.4.2-6.0.0_80.8.0.noarch
Copyright © IBM

The contents of each of these files are subject to the Eclipse Public License Version 1.0 (the "License"). The software distributed under the License is distributed on an "AS-IS" basis, WITHOUT WARRANTY OR CONDITIONS OF ANY KIND BY ANY CONTRIBUTOR, either express or implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose. All liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits, are hereby disclaimed on behalf of any Contributor. Any provisions of this license that differ from the License are not offered by any other party or Contributor. See the License for the specific language governing rights and limitations under the License.

The following files are licensed under the PHP License v. 3.01:

- (1) memcache-2.2.6-5.0.0_50.1.0.x86_64
Copyright © The PHP Group (us1.php.net)
- (2) uploadprogress-1.0.3.1-5.0.0_50.1.0.x86_64
Copyright © The PHP Group (us1.php.net)

The PHP License, version 3.01
Copyright (c) The PHP Group. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, is permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "PHP" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact group@php.net.
4. Products derived from this software may not be called "PHP", nor may "PHP" appear in their name, without prior written permission from group@php.net. You may indicate that your software works in conjunction with PHP by saying "Foo for PHP" instead of calling it "PHP Foo" or "phpfoo."

5. The PHP Group may publish revised and/or new versions of the license from time to time. Each version will be given a distinguishing version number. Once covered code has been published under a particular version of the license, you may always continue to use it under the terms of that version. You may also choose to use such covered code under the terms of any subsequent version of the license published by the PHP Group. No one other than the PHP Group has the right to modify the terms applicable to covered code created under this License.

6. Redistributions of any form whatsoever must retain the following acknowledgment: "This product includes PHP software, freely available from <<http://www.php.net/software/>>".

7. THIS SOFTWARE IS PROVIDED BY THE PHP DEVELOPMENT TEAM ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE PHP DEVELOPMENT TEAM OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the PHP Group.

The PHP Group can be contacted via Email at group@php.net.

For more information on the PHP Group and the PHP project, please see <<http://www.php.net/>>.

PHP includes the Zend Engine, freely available at <<http://www.zend.com/>>.

The following files are licensed under the DOC Software License:

- (1) ace-6.0.1-6.0.0_80.8.0.x86_64.rpm
Douglas C. Schmidt
- (2) Ace-6.0.1-6.0.0_80.1.0
Douglas C. Schmidt

You may obtain a copy of the License at <http://www.cs.wustl.edu/~schmidt/ACE-copying.html>.

License and Trademark information on packages in Linux distributed by Tekelec

The following is a list of package with the licensing information that was gleaned from the sources. The latest and most accurate information can always be found in the licensing documentation contained within the source packages.

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
4Suite	4Suite	Apacheish
a2ps	a2ps a2ps emacs-a2ps emacs-a2ps-el	GPL GPLv3+ starting 6.0
acl	acl libacl libacl-devel acl libacl libacl-devel	GPL GPLv2+ starting 6.0
acpid	acpid acpid	GPL GPLv2+ starting 5.4
alchemist	alchemist alchemist-devel	GPL
alsa-lib	alsa-lib alsa-lib-devel alsa-lib alsa-lib-devel	LGPL LGPLv2+ starting 6.0
alsa-utils	alsa-utils alsa-utils	GPL GPLv2+ starting 6.0
amanda	amanda amanda-client amanda-devel amanda-server amanda amanda-client amanda-devel amanda-server	BSD BSD and LGPLv2 and GPLv3+ and GPLv2 starting 6.0
amtu	amtu amtu	Common Public License CPL starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
am-utils	am-utils	BSD
anaconda	anaconda anaconda-runtime anaconda	GPL GPLv2+ starting 6.0
anaconda-help	anaconda-help	distributable
anacron	anacron	GPL
apel	apel apel-xemacs	GPL
apmd	apmd	GPL
apr	apr apr-devel apr-docs apr apr-devel	Apache Software License ASL 2.0 starting 6.0
apr-util	apr-util apr-util-devel apr-util apr-util-devel apr-util-docs apr-util-mysql apr-util apr-util-devel apr-util-ldap apr-util-mysql apr-util-odbc apr-util-pgsql apr-util-sqlite	Apache Software License Apache Software License 2.0 starting 5.0 ASL 2.0 starting 6.0
arptables_jf	arptables_jf arptables_jf	GPL GPLv2+ starting 6.0
arts	arts arts-devel arts arts-devel	LGPL LGPLv2+ starting 6.0
ash	ash	BSD
aspell	aspell aspell-devel aspell aspell-devel	LGPL LGPLv2 and LGPLv2+ and GPLv2+ and MIT starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
aspell-ca	aspell-ca	GPL
aspell-cs	aspell-cs	GPL
aspell-cy	aspell-cy	GPL
aspell-da	aspell-da	GPL
aspell-de	aspell-de	GPL
aspell-el	aspell-el	GPL
aspell-en	aspell-en	distributable
aspell-es	aspell-es	GPL
aspell-fr	aspell-fr	GPL
aspell-it	aspell-it	GPL
aspell-nl	aspell-nl aspell-nl	distributable GPL starting 5.0
aspell-no	aspell-no	GPL
aspell-pl	aspell-pl aspell-pl	GPL Creative Commons ShareAlike starting 5.0
aspell-pt	aspell-pt	GPL
aspell-sv	aspell-sv	GPL
at	at at	GPL GPLv2+ starting 6.0
atk	atk atk-devel atk atk-devel	LGPL LGPLv2+ starting 6.0
at-spi	at-spi at-spi-devel at-spi at-spi-devel at-spi-python	LGPL LGPLv2+ starting 6.0
attr	attr libattr libattr-devel attr libattr libattr-devel	GPL GPLv2+ starting 6.0
audiofile	audiofile audiofile-devel audiofile audiofile-devel	LGPL LGPLv2+ starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
audit	audit audit-libs audit-libs-devel audit-libs-python audispd-plugins system-config-audit audispd-plugins audit audit-libs audit-libs-devel audit-libs-python audit-libs-static	GPL GPLv2+ starting 6.0
aumix	aumix	GPL
authconfig	authconfig authconfig-gtk authconfig authconfig-gtk	GPL GPLv2+ starting 5.2
authd	authd authd	GPL GPLv2+ starting 6.0
autoconf213	autoconf213 autoconf213	GPL GPLv2+ and MIT starting 6.0
autoconf	autoconf autoconf	GPL GPLv3+ and GFDL starting 6.0
autofs	autofs autofs	GPL GPLv2+ starting 6.0
automake14	automake14 automake14	GPL GPLv2+ starting 6.0
automake15	automake15 automake15	GPL GPLv2+ starting 6.0
automake16	automake16 automake16	GPL GPLv2+ and MIT and OFSFDL starting 6.0
automake17	automake17	GPL
automake	automake automake	GPL GPLv2+ and GFDL starting 6.0
autorun	autorun	GPL
basesystem	basesystem basesystem	public domain Public Domain starting 6.0
bash	bash	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	bash bash bash-doc	GPLv2+ starting 5.2 GPLv3+ starting 6.0
bc	bc bc	GPL GPLv2+ starting 6.0
beecrypt	beecrypt beecrypt-devel beecrypt-python	LGPL
bg5ps	bg5ps	GPL
bind	bind bind-chroot bind-devel bind-libs bind-utils bind-libbind-devel bind-sdb caching-nameserver bind bind-chroot bind-devel bind-libs bind-sdb bind-utils	BSD-like ISC starting 6.0
binutils	binutils binutils-devel binutils binutils-devel	GPL GPLv3+ starting 6.0
bison	bison bison-devel bison-runtime bison bison-devel bison-runtime	GPL GPLv3+ starting 6.0
bitmap-fonts	bitmap-fonts bitmap-fonts-cjk bitmap-console-fonts bitmap-fangsongti-fonts bitmap-fixed-fonts	distributable Lucida and MIT and Public Domain and GPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	bitmap-fonts-compat bitmap-lucida-typewriter-fonts bitmap-miscfixed-fonts	
bitstream-vera-fonts	bitstream-vera-fonts	Redistributable, with restrictions
bluez-bluefw	bluez-bluefw	GPL
bluez-hcidump	bluez-hcidump	GPL
bluez-libs	bluez-libs bluez-libs-devel	GPL
bluez-pin	bluez-pin	GPL
bluez-utils	bluez-utils bluez-utils-cups	GPL
bogl	bogl bogl-bterm bogl-devel	GPL
boost	boost boost-devel boost-doc boost-date-time boost-filesystem boost-graph boost-graph-mpich2 boost-graph-openmpi boost-iostreams boost-math boost-mpich2 boost-mpich2-devel boost-mpich2-python boost-openmpi boost-openmpi-devel boost-openmpi-python boost-program-options boost-python boost-regex boost-serialization boost-signals boost-static boost-system boost-test boost-thread	Boost Software License

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	boost-wave	
bootparamd	bootparamd	BSD
booty	booty	LGPL
bridge-utils	bridge-utils bridge-utils-devel bridge-utils	GPL GPLv2+ starting 6.0
brlty	brlty brlapi brlapi-devel brlapi brlapi-devel brlapi-java brlty brlty-at-spi brlty-xw python-brlapi tcl-brlapi	GPL GPLv2+ starting 6.0
bug-buddy	bug-buddy	GPL
busybox	busybox busybox-anaconda busybox busybox-petitboot	GPL GPLv2 starting 6.0
byacc	byacc byacc	public domain Public Domain starting 6.0
bzip2	bzip2 bzip2-devel bzip2-libs	BSD
caching-nameserver	caching-nameserver	Public Domain
cadaver	cadaver	GPL
Canna	Canna Canna-devel Canna-libs	Distributable
cdecl	cdecl	distributable
cdparanoia	cdparanoia cdparanoia-devel cdparanoia-libs cdparanoia cdparanoia-devel	GPL GPLv2 and LGPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	cdparanoia-libs	
cdrtools	cd-da2wav cdrecord cdrecord-devel mkisofs	GPL
checkpolicy	checkpolicy checkpolicy	GPL GPLv2 starting 6.0
chkconfig	chkconfig ntsysv chkconfig ntsysv	GPL GPLv2 starting 6.0
chkfontpath	chkfontpath	GPL
ckernit	ckernit	Special (see COPYING.TXT.gz)
compat-db	compat-db compat-db42 compat-db43	BSDish
compat-gcc-296	compat-libgcc-296 compat-libstdc++-296 compat-libgcc-296 compat-libstdc++-296	GPL GPLv2+ starting 6.0
compat-gcc-32	compat-gcc-32 compat-gcc-32-c++ compat-libstdc++-33 compat-libstdc++-33	GPL GPLv2+ with exceptions starting 6.0
compat-glibc	compat-glibc compat-glibc-headers compat-glibc compat-glibc-headers	LGPL LGPLv2+ and LGPLv2+ with exceptions and GPLv2+ starting 6.0
compat-libcom_err	compat-libcom_err	MIT
comps	comps	GPL
comps-extras	comps-extras comps-extras	GPL GPL+ and LGPL+ starting 6.0
control-center	control-center control-center-devel control-center control-center-devel control-center-extra control-center-filesystem	GPL/LGPL GPLv2+ and GFDL starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
convmv	convmv	GPL
coreutils	coreutils coreutils coreutils coreutils-libs	GPL GPLv2+ starting 5.2 GPLv3+ starting 6.0
cpio	cpio cpio	GPL GPLv3+ starting 6.0
cproto	cproto	Public Domain
cracklib	cracklib cracklib-dicts cracklib cracklib-devel cracklib-dicts cracklib-python	Artistic LGPLv2+ starting 6.0
crash	crash crash-devel crash crash-devel crash-devel crash crash-devel	GPL GPLv2 starting 5.5 GPLv3 starting 6.0
crontabs	crontabs crontabs	Public Domain Public Domain and GPLv2 starting 6.0
crypto-utils	crypto-utils crypto-utils	Various MIT and GPLv2+ starting 6.0
cryptsetup	cryptsetup	GPL
cscope	cscope	BSD
ctags	ctags ctags ctags-etags	GPL GPLv2+ or Public Domain starting 6.0
cups	cups cups-devel cups-libs cups-lpd cups cups-devel cups-libs cups-lpd cups-php	GPL GPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
curl	curl curl-devel curl curl-devel libcurl libcurl-devel	MPL MIT starting 5.0
cvs	cvs cvs cvs-inetd	GPL GPL+ and GPLv2+ and LGPL+ starting 6.0
cyrus-imapd	cyrus-imapd cyrus-imapd-devel cyrus-imapd-murder cyrus-imapd-nntp cyrus-imapd-utils perl-Cyrus cyrus-imapd cyrus-imapd-devel cyrus-imapd-perl cyrus-imapd-utils	OSI Approved BSD starting 5.0
cyrus-sasl	cyrus-sasl cyrus-sasl-devel cyrus-sasl-gssapi cyrus-sasl-md5 cyrus-sasl-ntlm cyrus-sasl-plain cyrus-sasl-sql cyrus-sasl-ldap cyrus-sasl-lib cyrus-sasl cyrus-sasl-devel cyrus-sasl-gssapi cyrus-sasl-ldap cyrus-sasl-lib cyrus-sasl-md5 cyrus-sasl-ntlm cyrus-sasl-plain cyrus-sasl-sql	Freely Distributable BSD starting 6.0
dasher	dasher	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
db4	db4 db4-devel db4-java db4-tcl db4-utils db4 db4-cxx db4-devel db4-devel-static db4-java db4-tcl db4-utils db4 db4-cxx db4-devel db4-devel-static db4-java db4-tcl db4-utils	GPL BSD starting 6.0 Sleepycat and BSD starting 6.3
dbskkd-cdb	dbskkd-cdb	GPL
dbus	dbus dbus-devel dbus-glib dbus-python dbus-x11 dbus dbus dbus-devel dbus-devel dbus-libs dbus-libs dbus-x11 dbus-doc	AFL/GPL GPLv2+ or AFL starting 5.3
ddd	ddd	GPL or BSD
dejagnum	dejagnum dejagnum	GPL GPLv2+ starting 6.0
desktop-backgrounds	desktop-backgrounds-basic desktop-backgrounds-extra	LGPL
desktop-file-utils	desktop-file-utils	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	desktop-file-utils	GPLv2+ starting 6.0
desktop-printing	desktop-printing	GPL
dev86	dev86 dev86	GPL GPL+ and GPLv2+ and LGPLv2+ starting 6.0
devhelp	devhelp devhelp-devel devhelp devhelp-devel	GPL GPLv2+ starting 6.0
device-mapper	device-mapper device-mapper-event	GPL
device-mapper- multipath	device-mapper-multipath kpartx device-mapper-multipath device-mapper-multipath-libs kpartx	GPL GPL+ starting 5.6
dhcp	dhclient dhcp dhcp-devel dhclient dhcp dhcp-devel libdhcp4client libdhcp4client-devel dhclient dhcp dhcp-devel dhcp-common	distributable BSD starting 4.8 ISC starting 6.0
dhcpv6	dhcpv6 dhcpv6_client dhcpv6 dhcpv6_client libdhcp6client libdhcp6client-devel dhcpv6 dhcpv6-client libdhcp6client libdhcp6client-devel	GPL BSD starting 4.7 LGPLv2+ starting 5.2
dia	dia	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
dialog	dialog dialog dialog-devel	GPL LGPLv2 starting 6.0
dietlibc	dietlibc	GPL
diffstat	diffstat diffstat	distributable MIT starting 6.0
diffutils	diffutils diffutils	GPL GPLv2+ starting 6.0
diskdumputils	diskdumputils	GPL
distcache	distcache distcache-devel	LGPL
dmalloc	dmalloc	public domain
dmraid	dmraid dmraid-devel dmraid-events dmraid-events-logwatch dmraid dmraid-devel dmraid-events dmraid-events-logwatch	GPL GPLv2+ starting 6.0
docbook-dtds	docbook-dtds docbook-dtds	Distributable Copyright only starting 6.0
docbook-simple	docbook-simple docbook-simple	Distributable Freely redistributable without restriction starting 6.0
docbook-slides	docbook-slides docbook-slides	BSD MIT starting 6.0
docbook-style-dsssl	docbook-style-dsssl docbook-style-dsssl	Distributable Copyright only starting 6.0
docbook-style-xsl	docbook-style-xsl docbook-style-xsl	Distributable Copyright only starting 6.0
docbook-utils	docbook-utils docbook-utils-pdf docbook-utils docbook-utils-pdf	GPL GPLv2+ starting 6.0
dos2unix	dos2unix dos2unix	Freely distributable BSD starting 6.0
dosfstools	dosfstools dosfstools	GPL GPLv3+ starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
dovecot	dovecot dovecot dovecot-devel dovecot-mysql dovecot-pgsql dovecot-pigeonhole	LGPL MIT and LGPLv2 starting 6.0
doxygen	doxygen doxygen-doxywizard doxygen doxygen-doxywizard	GPL GPL+ starting 6.0
dtach	dtach dtach	GPL GPLv2+ starting 6.0
dump	dump rmt	BSD
dvd+rw-tools	dvd+rw-tools dvd+rw-tools	GPL GPLv2 starting 6.0
e2fsprogs	e2fsprogs e2fsprogs-devel uuuid e2fsprogs-libs e2fsprogs e2fsprogs-devel e2fsprogs-libs libcom_err libcom_err-devel libss libss-devel	GPL GPLv2 starting 6.0
ecj	ecj ecj	IBM Common Public License EPL starting 6.0
ed	ed ed	GPL GPLv3+ and GFDL starting 6.0
eel2	eel2 eel2-devel eel2 eel2-devel	GPL LGPL starting 5.0
eject	eject eject	GPL GPLv2+ starting 6.0
ElectricFence	ElectricFence ElectricFence	GPL GPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
elfutils	elfutils elfutils-devel elfutils-libelf elfutils-libelf-devel elfutils-devel-static elfutils-libelf-devel-static elfutils-libs elfutils elfutils-devel elfutils-devel elfutils-devel-static elfutils-devel-static elfutils-libelf elfutils-libelf elfutils-libelf-devel elfutils-libelf-devel elfutils-libelf-devel-static elfutils-libelf-devel-static elfutils-libs elfutils-libs	GPL GPLv2 with exceptions starting 5.3
elinks	elinks elinks	GPL GPLv2 starting 6.0
emacs	emacs emacs-common emacs-el emacs-leim emacs-nox emacs emacs-common emacs-el emacs-nox	GPL GPLv3+ starting 6.0
emacspeak	emacspeak	GPL
enscript	enscript enscript	GPL GPLv2+ starting 6.0
enterprise-release	enterprise-release	GPL
eog	eog eog eog-devel	GPL GPLv2+ and GFDL starting 6.0
esound	esound	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	esound-devel esound-devel esound-libs esound-tools	LGPLv2+ starting 6.0
etherreal	etherreal etherreal-gnome	GPL
ethtool	ethtool ethtool	GPL GPLv2 starting 6.0
evolution	evolution evolution-devel evolution evolution-conduits evolution-devel evolution-help evolution-perl evolution-pst evolution-spamassassin	GPL GPLv2+ and GFDL starting 6.0
evolution-connector	evolution-connector	GPL
evolution-data-server	evolution-data-server evolution-data-server-devel evolution-data-server evolution-data-server-devel evolution-data-server-doc evolution-data-server evolution-data-server-devel evolution-data-server-doc	GPL LGPL starting 5.0 LGPLv2+ starting 6.0
evolution-webcal	evolution-webcal	GPL
exim	exim exim-doc exim-mon exim-sa	GPL
expat	expat expat-devel expat expat-devel	BSD MIT starting 6.0
expect	expect expect-devel expectk	Public Domain
fbset	fbset	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
festival	festival festival-devel festival festival-devel festival festival-devel festival-docs festival-lib festival-speechtools-devel festival-speechtools-libs festival-speechtools-utils festvox-awb-arctic-hts festvox-bdl-arctic-hts festvox-clb-arctic-hts festvox-jmk-arctic-hts festvox-kal-diphone festvox-ked-diphone festvox-rms-arctic-hts festvox-slt-arctic-hts hispavoces-pal-diphone hispavoces-sfl-diphone	BSD X11-style starting 5.0 MIT and GPL+ and TCL starting 6.0
fetchmail	fetchmail fetchmail	GPL GPL+ and Public Domain starting 6.0
file	file file file-devel file-libs file-static python-magic	distributable BSD starting 6.0
file-roller	file-roller file-roller	GPL GPLv2+ starting 6.0
filesystem	filesystem	Public Domain
findutils	findutils findutils	GPL GPLv3+ starting 6.0
finger	finger finger-server	BSD
firefox	firefox firefox-devel	MPL/LGPL MPLv1.1 or GPLv2+ or LGPLv2+ starting 5.2

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	firefox	
firstboot	firstboot firstboot-tui firstboot	GPL GPLv2+ starting 6.0
flac	flac flac-devel xmms-flac flac flac-devel	LGPL/GPL BSD and GPLv2+ starting 6.0
flex	flex	BSD
fontconfig	fontconfig fontconfig-devel	MIT
fonts-arabic	fonts-arabic	GPL
fonts-bengali	fonts-bengali	GPL
fonts-hebrew	fonts-hebrew	GPL
fonts-ISO8859-2	fonts-ISO8859-2-100dpi fonts-ISO8859-2 fonts-ISO8859-2-75dpi	Freely distributable
fonts-ja	fonts-ja	Distributable
fonts-KOI8-R	fonts-KOI8-R-100dpi fonts-KOI8-R fonts-KOI8-R-75dpi	distributable
fonts-xorg	fonts-xorg-100dpi fonts-xorg-75dpi fonts-xorg-base fonts-xorg-cyrillic fonts-xorg-ISO8859-14-100dpi fonts-xorg-ISO8859-14-75dpi fonts-xorg-ISO8859-15-100dpi fonts-xorg-ISO8859-15-75dpi fonts-xorg-ISO8859-2-100dpi fonts-xorg-ISO8859-2-75dpi fonts-xorg-ISO8859-9-100dpi fonts-xorg-ISO8859-9-75dpi fonts-xorg-syriac fonts-xorg-truetype	Redistributable
foomatic	foomatic foomatic	GPL GPLv2+ starting 6.0
freeglut	freeglut	MIT

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	freeglut-devel	
freeradius	freeradius freeradius-mysql freeradius-postgresql freeradius-unixODBC freeradius freeradius-krb5 freeradius-ldap freeradius-mysql freeradius-perl freeradius-postgresql freeradius-python freeradius-unixODBC freeradius-utils	GPL GPLv2+ and LGPLv2+ starting 6.0
freetype	freetype freetype-demos freetype-devel freetype-utils freetype freetype-demos freetype-devel	BSD/GPL dual license FTL or GPLv2+ starting 6.0
FreeWnn	FreeWnn FreeWnn-devel FreeWnn-libs	Distributable
fribidi	fribidi fribidi-devel	LGPL
frysk	frysk frysk-devel frysk-gnome	GPL
fsh	fsh	GPL
ftp	ftp ftp	BSD BSD with advertising starting 6.0
gail	gail gail-devel	LGPL
gaim	gaim	GPL
gamin	gamin gamin-devel gamin-python gamin	LGPL LGPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	gamin-devel gamin-python	
gawk	gawk gawk	GPL GPLv3+ starting 6.0
gcc	cpp gcc gcc-c++ gcc-g77 gcc-gnat gcc-java gcc-objc libf2c libgcc libgcj libgcj-devel libgnat libobjc libstdc++ libstdc++-devel gcc-gfortran gcc-objc++ libgcj-src libgfortran libgomp libmudflap libmudflap-devel cpp gcc gcc-c++ gcc-gfortran gcc-gnat gcc-java gcc-objc gcc-objc++ libgcc libgcj libgcj-devel libgcj-src	GPL GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libgfortran libgnat libgnat-devel libgomp libmudflap libmudflap-devel libobjc libstdc++ libstdc++-devel libstdc++-docs	
gcc4	gcc4 gcc4-c++ gcc4-gfortran gcc4-java libgcj4 libgcj4-devel libgcj4-src libgfortran libgomp libmudflap libmudflap-devel	GPL
GConf2	GConf2 GConf2-devel GConf2 GConf2-devel GConf2-gtk	LGPL LGPLv2+ starting 6.0
gconf-editor	gconf-editor gconf-editor	GPL GPLv2+ and GFDL starting 6.0
gd	gd gd-devel gd-progs gd gd-devel gd-progs	BSD-style MIT starting 6.0
gdb	gdb gdb gdb	GPL GPLv3+ starting 5.3 GPLv3+ and GPLv3+ with exceptions and GPLv2+ and GPLv2+ with exceptions and GPLv+ and LGPLv2+ and GFDL and BSD and Public Domain

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	gdb-gdbserver	starting 6.0
gdbm	gdbm gdbm-devel gdbm gdbm-devel	GPL GPLv2+ starting 6.0
gdk-pixbuf	gdk-pixbuf gdk-pixbuf-devel	LGPL
gdm	gdm gdm-docs gdm gdm-libs gdm-plugin-fingerprint gdm-plugin-smartcard gdm-user-switch-applet	LGPL/GPL GPLv2+ starting 6.0
gedit	gedit gedit-devel gedit gedit-devel	GPL GPLv2+ and GFDL starting 6.0
gettext	gettext gettext-devel gettext gettext-devel gettext-libs	GPL/LGPL GPLv3 and LGPLv2+ starting 5.6
gftp	gftp	GPL
ggv	ggv	GPL
ghostscript	ghostscript ghostscript-devel ghostscript-gtk ghostscript ghostscript-devel ghostscript-gtk ghostscript-doc	GPL GPLv3+ and Redistributable, no modification permitted starting 5.6
ghostscript-fonts	ghostscript-fonts ghostscript-fonts	GPL GPLv2+ and Hershey and MIT and OFL and Public Domain starting 6.0
gimp	gimp	GPL, LGPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	gimp-devel gimp-libs gimp gimp-devel gimp-devel-tools gimp-help-browser gimp-libs	GPLv2+ starting 6.0
gimp-data-extras	gimp-data-extras gimp-data-extras	GPL GPLv2+ starting 6.0
gimp-gap	gimp-gap	GPL
gimp-help	gimp-help gimp-help	GNU FDL GFDL starting 6.0
gimp-print	gimp-print gimp-print-cups gimp-print-devel gimp-print-plugin gimp-print-utils	GPL
glade2	glade2	GPL
glib	glib glib-devel	LGPL
glib2	glib2 glib2-devel glib2 glib2-devel glib2-static	LGPL LGPLv2+ starting 6.0
glibc	glibc glibc glibc-common glibc-devel glibc-headers glibc-profile glibc-utils nptl-devel nptl-devel nscd glibc glibc-common glibc-devel	LGPL LGPLv2+ and LGPLv2+ with exceptions and GPLv2+ starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	glibc-headers glibc-static glibc-utils nscd	
glibc-kernheaders	glibc-kernheaders	GPL
gmp	gmp gmp-devel gmp gmp-devel gmp-static	LGPL LGPLv2+ and GPLv3+ and LGPLv3+ starting 6.0
gnome-applets	gnome-applets gnome-applets	GPL GPLv2+ and GFDL starting 6.0
gnome-audio	gnome-audio gnome-audio-extra	LGPL
gnome-desktop	gnome-desktop gnome-desktop-devel gnome-desktop gnome-desktop-devel	GPL GPLv2+ and LGPLv2+ starting 6.0
gnome-games	gnome-games gnome-games gnome-games-extra gnome-games-help	LGPL GPLv2+ and GFDL starting 6.0
gnome-icon-theme	gnome-icon-theme gnome-icon-theme	GPL GPL+ starting 6.0
gnome-kerberos	gnome-kerberos	GPL
gnome-keyring	gnome-keyring gnome-keyring-devel gnome-keyring gnome-keyring-devel gnome-keyring-pam	GPL/LGPL GPLv2+ and LGPLv2+ starting 6.0
gnome-keyring- manager	gnome-keyring-manager	GPL
gnome-libs	gnome-libs gnome-libs-devel	LGPL
gnome-mag	gnome-mag gnome-mag-devel gnome-mag gnome-mag-devel	LGPL LGPLv2+ starting 6.0
gnome-media	gnome-media	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	gnome-media-devel gnome-media gnome-media-apps gnome-media-devel gnome-media-libs	GPLv2+ and GFDL starting 6.0
gnomemeeting	gnomemeeting	GPL
gnome-mime-data	gnome-mime-data	GPL
gnome-netstatus	gnome-netstatus	GPL
gnome-nettool	gnome-nettool	GPL
gnome-panel	gnome-panel gnome-panel-devel gnome-panel gnome-panel-devel gnome-panel-libs	GPL GPLv2+ and LGPLv2+ and GFDL starting 6.0
gnome-pilot	gnome-pilot gnome-pilot-devel gnome-pilot gnome-pilot-devel	LGPL LGPLv2+ and GPLv2+ starting 6.0
gnome-pilot-conduits	gnome-pilot-conduits gnome-pilot-conduits	LGPL GPLv2+ and MPLv1.0 starting 6.0
gnome-python2	gnome-python2 gnome-python2-applet gnome-python2-bonobo gnome-python2-canvas gnome-python2-gconf gnome-python2-gnomeprint gnome-python2-gnomevfs gnome-python2-gtkhtml2 gnome-python2-nautilus gnome-python2 gnome-python2-bonobo gnome-python2-canvas gnome-python2-devel gnome-python2-gconf gnome-python2-gnome gnome-python2-gnomevfs	LGPL LGPLv2+ starting 6.0
gnome-session	gnome-session gnome-session	GPL GPLv2+ starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	gnome-session-custom-session gnome-session-xsession	
gnome-speech	gnome-speech gnome-speech-devel gnome-speech gnome-speech-devel gnome-speech-espeak	LGPL LGPLv2+ starting 6.0
gnome-spell	gnome-spell	GPL
gnome-system-monitor	gnome-system-monitor gnome-system-monitor	GPL GPLv2+ starting 6.0
gnome-terminal	gnome-terminal gnome-terminal	GPL GPLv2+ and GFDL starting 6.0
gnome-themes	gnome-themes gnome-themes	LGPL LGPLv2 and GPLv2 starting 6.0
gnome-user-docs	gnome-user-docs gnome-user-docs	FDL GFDL starting 6.0
gnome-utils	gnome-utils gnome-utils-devel gnome-system-log gnome-utils gnome-utils-devel gnome-utils-libs	GPL GPLv2+ starting 6.0
gnome-vfs2	gnome-vfs2 gnome-vfs2-devel gnome-vfs2-smb gnome-vfs2 gnome-vfs2-devel gnome-vfs2-smb	LGPL LGPLv2+ and GPLv2+ starting 6.0
gnome-volume-manager	gnome-volume-manager	GPL
gnopernicus	gnopernicus	LGPL
gnupg	gnupg	GPL
gnuplot	gnuplot gnuplot-emacs emacs-gnuplot emacs-gnuplot-el gnuplot gnuplot-common gnuplot-doc	Redistributable, with restrictions gnuplot starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	gnuplot-latex gnuplot-minimal	
gnutls	gnutls gnutls-devel gnutls-utils gnutls gnutls-devel gnutls-guile gnutls-utils	LGPL GPLv3+ and LGPLv2+ starting 6.0
gok	gok gok-devel gok gok-devel	GPL LGPLv2+ starting 6.0
gpdf	gpdf	GPL
gperf	gperf gperf	GPL GPLv2+ starting 6.0
gphoto2	gphoto2 gphoto2-devel	LGPL
gpm	gpm gpm-devel gpm gpm-devel gpm-libs gpm-static	GPL GPLv2+ starting 6.0
grep	grep grep	GPL GPLv3+ starting 6.0
groff	groff groff-gxditview groff-perl groff groff-gxditview groff-perl	GPL GPLv2 and GFDL starting 6.0
grub	grub grub	GPL GPLv2+ starting 6.0
gsl	gsl gsl-devel gsl gsl gsl-devel	GPL GPLv3 and GFDL and BSD starting 5.5

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	gsl-devel gsl-static	
gstreamer	gstreamer gstreamer-devel gstreamer-tools gstreamer gstreamer gstreamer-devel gstreamer-devel gstreamer-tools gstreamer-devel-docs	LGPL LGPLv2+ starting 5.3
gstreamer-plugins	gstreamer-plugins gstreamer-plugins-devel	LGPL
gthumb	gthumb gthumb	GPL GPLv2+ starting 6.0
gtk+	gtk+ gtk+-devel	LGPL
gtk2	gtk2 gtk2-devel gtk2 gtk2-devel gtk2-devel-docs gtk2-immodules gtk2-immodule-xim	LGPL LGPLv2+ starting 6.0
gtk2-engines	gtk2-engines gtk2-engines gtk2-engines-devel	GPL LGPLv2+ starting 6.0
gtk-doc	gtk-doc gtk-doc	LGPL GPLv2+ and GFDL starting 6.0
gtk-engines	gtk-engines	GPL
gtkhtml2	gtkhtml2 gtkhtml2-devel gtkhtml2 gtkhtml2-devel	LGPL LGPLv2+ starting 6.0
gtkhtml3	gtkhtml3 gtkhtml3-devel gtkhtml3 gtkhtml3-devel gtkhtml3	LGPL LGPL/GPL starting 5.0 LGPLv2+ and GPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	gtkhtml3-devel	
gtksourceview	gtksourceview gtksourceview-devel gtksourceview gtksourceview-devel	LGPL GPLv2+ starting 6.0
gtkspell	gtkspell gtkspell-devel gtkspell gtkspell-devel	GPL GPLv2+ starting 6.0
guile	guile guile-devel guile guile-devel	GPL GPLv2+ and LGPLv2+ starting 6.0
gzip	gzip gzip	GPL GPLv2+ and GFDL starting 6.0
h2ps	h2ps	Distributable
hal	hal hal-devel hal-gnome hal hal-devel hal-docs hal-libs hal-storage-addon	AFL/GPL AFL or GPLv2 starting 6.0
hal-cups-utils	hal-cups-utils	GPL
hdparm	hdparm hdparm	BSD BSD and GPLv2 starting 6.0
HelixPlayer	HelixPlayer	RPSL, EULA
hesiod	hesiod hesiod-devel	MIT
hicolor-icon-theme	hicolor-icon-theme hicolor-icon-theme	GPL GPL+ starting 6.0
hotplug	hotplug	GPL
hpijs	hpijs	BSD
hpoj	hpoj hpoj-devel libsane-hpoj xojpanel	GPL
htdig	htdig	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	htdig-web htdig htdig-web	GPLv2 starting 6.0
htmlview	htmlview	Public Domain
httpd	httpd httpd-devel httpd-manual httpd-suexec mod_ssl httpd httpd-devel httpd-manual httpd-tools mod_ssl	Apache Software License ASL 2.0 starting 6.0
hwbrowser	hwbrowser	GPL
hwdata	hwdata hwdata	GPL/MIT GPLv2+ and LGPLv2+ starting 5.2
ibmasm	ibmasm	GPL
icon-slicer	icon-slicer	MIT
iiimf-le-chinput	iiimf-le-chinput	Distributable
iiimf-le-xcin	iiimf-le-xcin	GPL
ImageMagick	ImageMagick ImageMagick-c++ ImageMagick-c++-devel ImageMagick-devel ImageMagick-perl ImageMagick ImageMagick-c++ ImageMagick-c++-devel ImageMagick-devel ImageMagick-doc ImageMagick-perl	freeware ImageMagick starting 6.0
imlib	imlib imlib-devel	LGPL
im-sdk	iiimf-csconv iiimf-docs iiimf-emacs iiimf-gnome-im-switcher iiimf-gtk	Distributable

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	iiimf-le-canna iiimf-le-hangul iiimf-le-sun-thai iiimf-le-unit iiimf-libs iiimf-libs-devel iiimf-server iiimf-x	
indent	indent indent	GPL GPLv3+ starting 6.0
indexhtml	indexhtml	distributable
initscripts	initscripts initscripts debugmode	GPL GPLv2 and GPLv2+ starting 5.3
inn	inews inn inn-devel	GPL
intltool	intltool intltool	GPL GPLv2 with exceptions starting 6.0
iproute	iproute iproute iproute-doc	GNU GPL GPLv2+ and Public Domain starting 6.0
ipsec-tools	ipsec-tools	BSD
iptables	iptables iptables-devel iptables-ipv6 iptables iptables-devel iptables-ipv6	GPL GPLv2 starting 6.0
iptraf	iptraf iptraf	GPL GPLv2+ starting 6.0
iptstate	iptstate iptstate	distributable zlib License starting 5.0
iputils	iputils iputils	BSD BSD with advertising and GPLv2+ and Rdisc starting 6.0
irda-utils	irda-utils	GPL
iscsi-initiator-utils	iscsi-initiator-utils iscsi-initiator-utils	GPL GPLv2+ starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	iscsi-initiator-utils-devel	
isdn4k-utils	isdn4k-utils isdn4k-utils-devel isdn4k-utils-vboxgetty xisdnload isdn4k-utils isdn4k-utils-devel isdn4k-utils-vboxgetty xisdnload	GPL GPLv2+ and GPL+ and MIT and BSD and zlib starting 6.0
jadetex	jadetex jadetex	Distributable Freely redistributable without restriction starting 6.0
java-1.4.2-gcj-compat	java-1.4.2-gcj-compat java-1.4.2-gcj-compat-devel java-1.4.2-gcj-compat-javadoc java-1.4.2-gcj-compat-src	GPL
jisksp14	jisksp14	Public Domain
jisksp16-1990	jisksp16-1990	Public Domain
joe	joe	GPL
jpackage-utils	jpackage-utils jpackage-utils	JPackage License BSD starting 6.0
jwhois	jwhois jwhois	GPL GPLv3 starting 6.0
k3b	k3b k3b k3b-common k3b-devel k3b-libs	GPL GPLv2+ starting 6.0
kappa20	kappa20	Public Domain
katana	katana katana-build	GPL
kbd	kbd kbd kbd-misc	GPL GPLv2+ starting 6.0
kdbg	kdbg	GPL
kdeaddons	kdeaddons kdeaddons-atlantikdesigner kdeaddons-xmms	GPL
kdeadmin	kdeadmin	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	kdeadmin	GPLv2 starting 6.0
kdeartwork	kdeartwork kdeartwork-icons kdeartwork kdeartwork-screensavers kdeartwork-sounds kdeartwork-wallpapers kde-style-phase nuvola-icon-theme	GPL GPLv2 and MIT starting 6.0
kdebase	kdebase kdebase-devel kdebase kdebase-devel kdebase-libs	GPL GPLv2 starting 6.0
kdegames	kdegames kdegames-devel kdegames kdegames-devel kdegames-libs	GPL GPLv2 starting 6.0
kdegraphics	kdegraphics kdegraphics-devel kdegraphics kdegraphics-devel kdegraphics-libs	GPL GPLv2 starting 6.0
kde-i18n	kde-i18n-Bengali kde-i18n-Brazil kde-i18n-British kde-i18n-Bulgarian kde-i18n-Catalan kde-i18n-Chinese kde-i18n-Chinese-Big5 kde-i18n-Czech kde-i18n-Danish kde-i18n-Dutch kde-i18n-Estonian kde-i18n-Finnish kde-i18n-French kde-i18n-German kde-i18n-Greek	GPL GFDL starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	kde-i18n-Hebrew kde-i18n-Hindi kde-i18n-Hungarian kde-i18n-Icelandic kde-i18n-Italian kde-i18n-Japanese kde-i18n-Norwegian kde-i18n-Norwegian-Nynorsk kde-i18n-Polish kde-i18n-Portuguese kde-i18n-Punjabi kde-i18n-Romanian kde-i18n-Russian kde-i18n-Serbian kde-i18n-Slovak kde-i18n-Slovenian kde-i18n-Spanish kde-i18n-Swedish kde-i18n-Tamil kde-i18n-Turkish kde-i18n-Ukrainian kde-i18n-Arabic kde-i18n-Korean kde-i18n-Lithuanian kde-i18n-Arabic kde-i18n-Bengali kde-i18n-Brazil kde-i18n-British kde-i18n-Bulgarian kde-i18n-Catalan kde-i18n-Chinese kde-i18n-Chinese-Big5 kde-i18n-Czech kde-i18n-Danish kde-i18n-Dutch kde-i18n-Estonian kde-i18n-Finnish kde-i18n-French kde-i18n-German	

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	kde-i18n-Greek kde-i18n-Hebrew kde-i18n-Hindi kde-i18n-Hungarian kde-i18n-Icelandic kde-i18n-Italian kde-i18n-Japanese kde-i18n-Korean kde-i18n-Lithuanian kde-i18n-Norwegian kde-i18n-Norwegian-Nynorsk kde-i18n-Polish kde-i18n-Portuguese kde-i18n-Punjabi kde-i18n-Romanian kde-i18n-Russian kde-i18n-Serbian kde-i18n-Slovak kde-i18n-Slovenian kde-i18n-Spanish kde-i18n-Swedish kde-i18n-Tamil kde-i18n-Turkish kde-i18n-Ukrainian	
kdelibs	kdelibs kdelibs-devel kdelibs-apidocs kdelibs kdelibs-apidocs kdelibs-common kdelibs-devel	LGPL LGPLv2+ starting 6.0
kdemultimedia	kdemultimedia kdemultimedia-devel kdemultimedia kdemultimedia-devel kdemultimedia-libs	GPL GPLv2+ starting 6.0
kdenetwork	kdenetwork kdenetwork-devel kdenetwork-nowlistening	GPL GPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	kdenetwork kdenetwork-devel kdenetwork-libs	
kdepim	kdepim kdepim-devel kdepim kdepim-devel kdepim-libs	GPL GPLv2 starting 6.0
kdesdk	kdesdk kdesdk-devel kdesdk kdesdk-devel kdesdk-libs kdesdk-utils	GPL GPLv2 starting 6.0
kdeutils	kdeutils kdeutils-devel kdeutils kdeutils-libs	GPL GPLv2 and LGPLv2 and MIT and BSD starting 6.0
kdevelop	kdevelop	GPL
kernel	kernel kernel-devel kernel-doc kernel-hugemem kernel-hugemem-devel kernel-smp kernel-smp-devel kernel-largesmp kernel-largesmp-devel kernel-sourcecode kernel-xenU kernel-xenU-devel kernel-headers kernel-PAE kernel-PAE-devel kernel-xen-devel kernel-debug kernel-debug-devel kernel-firmware	GPLv2

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	perf kernel-BOOT kernel-BOOT-devel kernel-kdump kernel-kdump-devel kernel-ovs kernel-ovs-devel python-perf	
kernel-utils	kernel-utils	GPL/OSL
keyutils	keyutils keyutils-devel keyutils-libs keyutils-libs-devel keyutils keyutils-libs keyutils-libs-devel	GPL/LGPL GPLv2+ and LGPLv2+ starting 6.0
kinput2	kinput2	Distributable
knm_new	knm_new	GPL
kon2	kon2 kon2-fonts	distributable
krb5	krb5-devel krb5-libs krb5-server krb5-workstation krb5-server-ldap krb5-pkinit-openssl	MIT, freely distributable.
krb5-auth-dialog	krb5-auth-dialog krb5-auth-dialog	GPL GPLv2+ starting 6.0
krbafs	krbafs krbafs-devel krbafs-utils	Freely Distributable
kudzu	kudzu kudzu-devel	GPL
lam	lam lam-devel lam-libs	BSD
lapack	blas lapack blas-devel	Freely distributable BSD starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	lapack-devel blas blas-devel lapack lapack-devel	
less	less less	GPL GPLv3+ starting 6.0
lftp	lftp lftp lftp lftp lftp-scripts	GPL GPLv2 starting 4.8 GPLv3 starting 5.4 GPLv3+ starting 6.0
lha	lha	freeware
libaio	libaio libaio-devel libaio libaio-devel	LGPL LGPLv2+ starting 6.0
libao	libao libao-devel libao libao-devel	GPL GPLv2+ starting 6.0
libart_lgpl	libart_lgpl libart_lgpl-devel libart_lgpl libart_lgpl-devel	LGPL LGPLv2+ starting 6.0
libavc1394	libavc1394 libavc1394-devel libavc1394 libavc1394-devel libavc1394 libavc1394-devel	GPL LGPL starting 5.0 GPLv2+ and LGPLv2+ starting 6.0
libbonobo	libbonobo libbonobo-devel libbonobo libbonobo-devel	LGPL GPLv2+ and LGPLv2+ starting 6.0
libbonoboui	libbonoboui libbonoboui-devel libbonoboui libbonoboui-devel	LGPL GPLv2+ and LGPLv2+ starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
libcap	libcap libcap-devel libcap libcap-devel	BSD-like and LGPL LGPLv2+ or BSD starting 6.0
libc-client	libc-client libc-client-devel libc-client libc-client-devel	University of Washington Free-Fork License ASL 2.0 starting 6.0
libcroco	libcroco libcroco-devel libcroco libcroco-devel	LGPL LGPLv2 starting 6.0
libdbi	libdbi libdbi-dbd-mysql libdbi-dbd-pgsql libdbi-devel libdbi libdbi-devel	LGPL LGPLv2+ starting 6.0
libdv	libdv libdv-devel libdv-tools libdv libdv-devel libdv-tools	LGPL LGPLv2+ starting 6.0
libexif	libexif libexif-devel libexif libexif-devel	LGPL LGPLv2+ starting 6.0
libgail-gnome	libgail-gnome libgail-gnome-devel libgail-gnome libgail-gnome-devel	LGPL LGPLv2+ starting 6.0
libgal2	libgal2 libgal2-devel	GPL
libgcrypt	libgcrypt libgcrypt-devel libgcrypt libgcrypt-devel	LGPL LGPLv2+ starting 5.4

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
libglade2	libglade2 libglade2-devel libglade2 libglade2-devel	LGPL LGPLv2+ starting 6.0
libgnome	libgnome libgnome-devel libgnome libgnome-devel	LGPL LGPLv2+ starting 6.0
libgnomecanvas	libgnomecanvas libgnomecanvas-devel libgnomecanvas libgnomecanvas-devel	LGPL LGPLv2+ starting 6.0
libgnomecups	libgnomecups libgnomecups-devel libgnomecups libgnomecups-devel	LGPL LGPLv2 starting 6.0
libgnomeprint22	libgnomeprint22 libgnomeprint22-devel libgnomeprint22 libgnomeprint22-devel	LGPL LGPLv2+ and BSD starting 6.0
libgnomeprintui22	libgnomeprintui22 libgnomeprintui22-devel libgnomeprintui22 libgnomeprintui22-devel	LGPL LGPLv2+ starting 6.0
libgnomeui	libgnomeui libgnomeui-devel libgnomeui libgnomeui-devel	LGPL LGPLv2+ starting 6.0
libgpg-error	libgpg-error libgpg-error-devel libgpg-error libgpg-error-devel	LGPL LGPLv2+ starting 6.0
libgsf	libgsf libgsf-devel libgsf libgsf-devel libgsf-gnome libgsf-gnome-devel libgsf-python	LGPL LGPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
libgssapi	libgssapi libgssapi-devel	GPL
libgtop2	libgtop2 libgtop2-devel libgtop2 libgtop2-devel	GPL GPLv2+ starting 6.0
libIDL	libIDL libIDL-devel libIDL libIDL-devel	LGPL LGPLv2+ starting 6.0
libidn	libidn libidn-devel libidn libidn-devel	LGPL LGPLv2+ and GPLv3+ and GFDL starting 6.0
libieee1284	libieee1284 libieee1284-devel libieee1284-python libieee1284 libieee1284-devel libieee1284-python	GPL GPLv2+ starting 6.0
libjpeg	libjpeg libjpeg-devel libjpeg libjpeg-devel libjpeg-static	distributable IJG starting 6.0
libmng	libmng libmng-devel libmng-static libmng libmng-devel	BSD-like zlib starting 6.0
libmusicbrainz	libmusicbrainz libmusicbrainz-devel libmusicbrainz libmusicbrainz-devel	LGPL LGPLv2+ starting 6.0
libogg	libogg libogg-devel libogg-devel-docs	BSD
libpng10	libpng10	OSI certified

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libpng10-devel libpng10 libpng10 libpng10-devel	zlib starting 4.6
libpng	libpng libpng-devel libpng libpng libpng-devel libpng-static	OSI certified zlib starting 4.6
libraw1394	libraw1394 libraw1394-devel libraw1394 libraw1394-devel	LGPL LGPLv2+ starting 6.0
librsvg2	librsvg2 librsvg2-devel librsvg2 librsvg2-devel	LGPL LGPLv2+ starting 6.0
libselinux	libselinux libselinux-devel libselinux-python libselinux-utils libselinux-ruby libselinux libselinux-devel libselinux-python libselinux-ruby libselinux-static libselinux-utils	Public domain (uncopyrighted) Public Domain starting 6.0
libsepol	libsepol libsepol-devel libsepol libsepol-devel libsepol-static	GPL LGPLv2+ starting 5.4
libsilc	libsilc libsilc-devel libsilc-doc	GPL
libsoup	libsoup libsoup-devel	LGPL LGPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libsoup libsoup-devel	
libtabe	libtabe libtabe-devel	Redistributable
libtermcap	libtermcap libtermcap-devel	LGPL
libtheora	libtheora libtheora-devel theora-tools libtheora-devel-docs	BSD
libtiff	libtiff libtiff-devel libtiff libtiff libtiff-devel libtiff-devel libtiff-static	distributable libtiff starting 5.3
libtool	libtool libtool-libs libtool-ltdl libtool-ltdl-devel libtool libtool-ltdl libtool-ltdl-devel	GPL GPLv2+ and LGPLv2+ and GFDL starting 6.0
libungif	libungif libungif-devel libungif-progs	MIT
libusb	libusb libusb-devel libusb libusb-devel libusb-static	LGPL LGPLv2+ starting 6.0
libuser	libuser libuser-devel libuser libuser-devel libuser-python	LGPL LGPLv2+ starting 6.0
libvorbis	libvorbis	BSD

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libvorbis-devel libvorbis-devel-docs	
libwmf	libwmf libwmf-devel libwmf libwmf-devel libwmf-lite	LGPL LGPLv2+ and GPLv2+ and GPL+ starting 6.0
libwnck	libwnck libwnck-devel libwnck libwnck-devel	LGPL LGPLv2+ starting 6.0
libwvstreams	libwvstreams libwvstreams-devel libwvstreams libwvstreams-devel	LGPL LGPLv2+ starting 6.0
libxklavier	libxklavier libxklavier-devel libxklavier libxklavier-devel	LGPL LGPLv2+ starting 6.0
libxml2	libxml2 libxml2-devel libxml2-python libxml2-static	MIT
libxslt	libxslt libxslt-devel libxslt-python	MIT
lilo	lilo	MIT
linuxdoc-tools	linuxdoc-tools linuxdoc-tools	Freely distributable Copyright only starting 6.0
linuxwacom	linuxwacom linuxwacom-devel	GPL/X11
lksctp-tools	lksctp-tools lksctp-tools-devel lksctp-tools-doc lksctp-tools lksctp-tools-devel lksctp-tools-doc	LGPL GPLv2 and GPLv2+ and LGPLv2 and BSD starting 6.0
lm_sensors	lm_sensors	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	lm_sensors-devel lm_sensors lm_sensors-devel lm_sensors-libs lm_sensors-sensord	GPLv2+ starting 6.0
lockdev	lockdev lockdev-devel lockdev lockdev-devel	LGPL LGPLv2 starting 6.0
logrotate	logrotate logrotate	GPL GPL+ starting 6.0
logwatch	logwatch	MIT
lrzsz	lrzsz lrzsz	GPL GPLv2+ starting 6.0
lsk	lsk lsk	Free zlib starting 6.0
lsof	lsof lsof	Free zlib starting 6.0
ltrace	ltrace ltrace	GPL GPLv2+ starting 6.0
lvm2	lvm2 cmirror device-mapper device-mapper-devel device-mapper-event device-mapper-event-devel device-mapper-event-libs device-mapper-libs lvm2 lvm2-cluster lvm2-devel lvm2-libs	GPL GPLv2 starting 6.0
lynx	lynx lynx	GPL GPLv2 starting 6.0
m4	m4 m4	GPL GPLv3+ starting 6.0
mailcap	mailcap mailcap	public domain Public Domain and MIT starting 6.0
mailman	mailman	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	mailman	GPLv2+ starting 6.0
mailx	mailx mailx	BSD BSD with advertising and MPLv1.1 starting 6.0
make	make make	GPL GPLv2+ starting 6.0
MAKEDEV	MAKEDEV MAKEDEV	GPL GPLv2 starting 6.0
man	man man	GPL GPLv2 starting 6.0
man-pages	man-pages man-pages	distributable GPLv2+ and GPL+ and BSD and MIT and Copyright only and IEEE starting 6.0
man-pages-cs	man-pages-cs man-pages-cs	Distributable GFDL and GPL+ starting 6.0
man-pages-da	man-pages-da	Distributable
man-pages-de	man-pages-de	Distributable
man-pages-es	man-pages-es man-pages-es man-pages-es-extra	Distributable IEEE starting 6.0
man-pages-fr	man-pages-fr man-pages-fr	Distributable GPL+ starting 6.0
man-pages-it	man-pages-it man-pages-it	Distributable IEEE starting 6.0
man-pages-ja	man-pages-ja man-pages-ja	Distributable Freely redistributable without restriction starting 6.0
man-pages-ko	man-pages-ko man-pages-ko	GPL Copyright only starting 6.0
man-pages-pl	man-pages-pl man-pages-pl	Distributable GPL+ starting 6.0
man-pages-ru	man-pages-ru man-pages-ru	Distributable BSD and GPL+ and MIT and GFDL starting 6.0
mc	mc mc	GPL GPLv2 starting 6.0
mdadm	mdadm mdadm	GPL GPLv2+ starting 6.0
memtest86+	memtest86+ memtest86+	GPL GPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
metacity	metacity metacity metacity-devel	GPL GPLv2+ starting 6.0
mgetty	mgetty mgetty-sendfax mgetty-viewfax mgetty-voice mgetty mgetty-sendfax mgetty-viewfax mgetty-voice	GPL GPLv2+ starting 6.0
mikmod	mikmod mikmod-devel mikmod mikmod-devel	LGPL GPL/LGPL starting 5.0
mingetty	mingetty mingetty	GPL GPLv2+ starting 6.0
miniChinput	miniChinput	GPL
minicom	minicom minicom	GPL GPLv2+ starting 6.0
mkbootdisk	mkbootdisk mkbootdisk	GPL GPLv2+ starting 6.0
mkinitrd	mkinitrd libbdevid-python mkinitrd-devel nash	GPL
mktemp	mktemp	BSD
mod_auth_kerb	mod_auth_kerb mod_auth_kerb	Apache BSD and MIT starting 6.0
mod_auth_mysql	mod_auth_mysql mod_auth_mysql	Apache Software License ASL 1.1 starting 6.0
mod_auth_pgsq	mod_auth_pgsq mod_auth_pgsq	Apache Software License BSD starting 6.0
mod_authz_ldap	mod_authz_ldap	BSD
mod_perl	mod_perl mod_perl-devel mod_perl mod_perl-devel mod_perl-devel	GPL ASL 2.0 starting 5.3

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
mod_python	mod_python	Apache Software License
module-init-tools	module-init-tools module-init-tools	GPL GPLv2+ starting 6.0
mpage	mpage mpage	GPL GPLv2+ starting 6.0
mrtg	mrtg mrtg mrtg-libs	GPL GPLv2+ starting 6.0
mtools	mtools mtools	GPL GPLv2+ starting 6.0
mtr	mtr mtr-gtk mtr mtr-gtk	GPL GPLv2+ starting 6.0
mt-st	mt-st mt-st	GPL GPL+ starting 6.0
mtx	mtx mtx	GPL GPLv2 starting 6.0
mutt	mutt mutt	GPL GPLv2+ and Public Domain starting 6.0
mx	mx	eGenix.com Public License (Python)
MyODBC	MyODBC	Public Domain
mysql	mysql mysql-bench mysql-devel mysql-server mysql-test mysql mysql-bench mysql-devel mysql-server mysql-test mysql-embedded mysql-embedded-devel mysql-libs	GPL GPLv2 with exceptions starting 5.2
mysqlclient10	mysqlclient10 mysqlclient10-devel	LGPL
MySQL-python	MySQL-python MySQL-python	GPL GPLv2+ starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
nabi	nabi	GPL
nano	nano nano	GPL GPLv3+ starting 6.0
nasm	nasm nasm-doc nasm-rdoff nasm nasm-doc nasm-rdoff	LGPL BSD and LGPLv2+ and GPLv2+ starting 6.0
nautilus	nautilus nautilus-devel nautilus-extensions nautilus nautilus-devel nautilus-extensions	GPL GPLv2+ starting 6.0
nautilus-cd-burner	nautilus-cd-burner nautilus-cd-burner-devel	LGPL/GPL
nautilus-media	nautilus-media	LGPL
nc	nc nc	GPL BSD starting 6.0
ncompress	ncompress ncompress	distributable Public Domain starting 6.0
ncurses	ncurses ncurses-devel ncurses ncurses-base ncurses-devel ncurses-libs ncurses-static ncurses-term	distributable MIT starting 6.0
nedit	nedit nedit	distributable GPLv2 starting 5.3
neon	neon neon-devel neon neon-devel	LGPL LGPLv2+ starting 6.0
netdump	netdump netdump-server	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
netpbm	netpbm netpbm-devel netpbm-progs netpbm netpbm netpbm-devel netpbm-progs	freeware BSD and GPLv2 and IJG and MIT and Public Domain starting 4.8
net-snmp	net-snmp net-snmp-devel net-snmp-libs net-snmp-perl net-snmp-utils net-snmp-python	BSDish
net-tools	net-tools net-tools	GPL GPL+ starting 6.0
NetworkManager	NetworkManager NetworkManager-gnome NetworkManager-devel NetworkManager-glib NetworkManager-glib-devel NetworkManager NetworkManager NetworkManager-devel NetworkManager-devel NetworkManager-glib NetworkManager-glib NetworkManager-glib-devel NetworkManager-glib-devel NetworkManager-gnome	GPL GPLv2+ starting 5.3
newt	newt newt-devel newt newt-devel newt-python newt-static	LGPL LGPLv2 starting 6.0
newt-perl	newt-perl	Artistic
nfs-utils	nfs-utils nfs-utils	GPL MIT and GPLv2 and GPLv2+ and BSD starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
nfs-utils-lib	nfs-utils-lib nfs-utils-lib-devel nfs-utils-lib nfs-utils-lib-devel	GPL BSD starting 6.0
nhpf	nhpf	Distributable
nmap	nmap nmap-frontend nmap nmap-frontend	GPL GPLv2 and LGPLv2+ and GPLv2+ and BSD starting 6.0
nss_db	nss_db nss_db-compat nss_db	GPL Sleepycat and LGPLv2+ starting 6.0
nss_ldap	nss_ldap	LGPL
ntp	ntp ntp ntpdate ntp-doc ntp-perl	distributable (MIT and BSD and BSD with advertising) and GPLv2 starting 6.0
numactl	numactl numactl-devel numactl numactl-devel	LGPL/GPL LGPLv2/GPLv2 starting 6.0
ocfs2-2.6.9- 42.0.0.0.1.EL	ocfs2-2.6.9-42.0.0.0.1.EL ocfs2-2.6.9-42.0.0.0.1.ELhugemem ocfs2-2.6.9-42.0.0.0.1.ELsmp ocfs2-2.6.9-42.0.0.0.1.ELlargesmp	GPL
ocfs2-tools	ocfs2console ocfs2-tools ocfs2-tools-devel	GPL
octave	octave octave-devel	GPL
oddjob	oddjob oddjob-devel oddjob-libs oddjob-mkhomedir	BSD
Omni	Omni Omni-foomatic	LGPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
open	open	GPL
openh323	openh323 openh323-devel	MPL
openib	dapl dapl-devel kernel-ib libibcm libibcommon libibcommon-devel libibmad libibmad-devel libibumad libibumad-devel libibverbs libibverbs-devel libibverbs-utils libmthca libmthca-devel librdmacm libsdp mstflint openib-diags opensm opensm-devel opensm-libs perftest srptools tvflash libipathverbs libipathverbs-devel libibcm-devel librdmacm-devel librdmacm-utils openib-mstflint openib-perftest openib-srptools openib-tvflash dapl-utils libcxgb3	GPL/BSD

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libcxgb3-devel qlvnictools sdpnetstat	
OpenIPMI	OpenIPMI OpenIPMI-devel OpenIPMI-libs OpenIPMI-tools OpenIPMI-perl OpenIPMI-python OpenIPMI-gui OpenIPMI OpenIPMI-devel OpenIPMI-libs OpenIPMI-perl OpenIPMI-python	GPL LGPLv2+ and GPLv2+ or BSD starting 6.0
openjade	openjade openjade-devel openjade	Distributable BSD starting 6.0
openldap	compat-openldap openldap openldap-clients openldap-devel openldap-servers openldap-servers-sql openldap-servers-overlays	OpenLDAP
openmotif21	openmotif21	Open Group Public License
openmotif	openmotif openmotif-devel	Open Group Public License
openoffice.org	openoffice.org openoffice.org-i18n openoffice.org-kde openoffice.org-libs autocorr-af autocorr-bg autocorr-cs autocorr-da	LGPL LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and (CDDL or GPLv2) and Public Domain starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	autocorr-de autocorr-en autocorr-es autocorr-eu autocorr-fa autocorr-fi autocorr-fr autocorr-ga autocorr-hu autocorr-it autocorr-ja autocorr-ko autocorr-lb autocorr-lt autocorr-mn autocorr-nl autocorr-pl autocorr-pt autocorr-ru autocorr-sk autocorr-sl autocorr-sv autocorr-tr autocorr-vi autocorr-zh broffice.org-base broffice.org-brand broffice.org-calc broffice.org-draw broffice.org-impress broffice.org-math broffice.org-writer openoffice.org-base openoffice.org-base-core openoffice.org-brand openoffice.org-bsh openoffice.org-calc openoffice.org-calc-core openoffice.org-core	

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	openoffice.org-devel openoffice.org-draw openoffice.org-draw-core openoffice.org-emailmerge openoffice.org-graphicfilter openoffice.org-headless openoffice.org-impress openoffice.org-impress-core openoffice.org-javafilter openoffice.org-langpack-af_ZA openoffice.org-langpack-ar openoffice.org-langpack-as_IN openoffice.org-langpack-bg_BG openoffice.org-langpack-bn openoffice.org-langpack-ca_ES openoffice.org-langpack-cs_CZ openoffice.org-langpack-cy_GB openoffice.org-langpack-da_DK openoffice.org-langpack-de openoffice.org-langpack-dz openoffice.org-langpack-el_GR openoffice.org-langpack-en openoffice.org-langpack-es openoffice.org-langpack-et_EE openoffice.org-langpack-eu_ES openoffice.org-langpack-fi_FI openoffice.org-langpack-fr openoffice.org-langpack-ga_IE openoffice.org-langpack-gl_ES openoffice.org-langpack-gu_IN openoffice.org-langpack-he_IL openoffice.org-langpack-hi_IN openoffice.org-langpack-hr_HR openoffice.org-langpack-hu_HU openoffice.org-langpack-it openoffice.org-langpack-ja_JP openoffice.org-langpack-kn_IN openoffice.org-langpack-ko_KR openoffice.org-langpack-lt_LT	

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	openoffice.org-langpack-mai_IN openoffice.org-langpack-ml_IN openoffice.org-langpack-mr_IN openoffice.org-langpack-ms_MY openoffice.org-langpack-nb_NO openoffice.org-langpack-nl openoffice.org-langpack-nn_NO openoffice.org-langpack-nr_ZA openoffice.org-langpack-nso_ZA openoffice.org-langpack-or_IN openoffice.org-langpack-pa openoffice.org-langpack-pl_PL openoffice.org-langpack-pt_BR openoffice.org-langpack-pt_PT openoffice.org-langpack-ro openoffice.org-langpack-ru openoffice.org-langpack-sk_SK openoffice.org-langpack-sl_SI openoffice.org-langpack-sr openoffice.org-langpack-ss_ZA openoffice.org-langpack-st_ZA openoffice.org-langpack-sv openoffice.org-langpack-ta_IN openoffice.org-langpack-te_IN openoffice.org-langpack-th_TH openoffice.org-langpack-tn_ZA openoffice.org-langpack-tr_TR openoffice.org-langpack-ts_ZA openoffice.org-langpack-uk openoffice.org-langpack-ur openoffice.org-langpack-ve_ZA openoffice.org-langpack-xh_ZA openoffice.org-langpack-zh_CN openoffice.org-langpack-zh_TW openoffice.org-langpack-zu_ZA openoffice.org-math openoffice.org-math-core openoffice.org-ogltrans openoffice.org-opensymbol-fonts	

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	openoffice.org-pdfimport openoffice.org-presentation-minimizer openoffice.org-presenter-screen openoffice.org-pyuno openoffice.org-report-builder openoffice.org-rhino openoffice.org-sdk openoffice.org-sdk-doc openoffice.org-testtools openoffice.org-ure openoffice.org-wiki-publisher openoffice.org-writer openoffice.org-writer-core openoffice.org-xsltfilter	
openssh	openssh openssh-askpass openssh-askpass-gnome openssh-clients openssh-server pam_ssh_agent_auth openssh-ldap	BSD
openssl096b	openssl096b	BSDish
openssl	openssl openssl openssl-devel openssl-perl openssl openssl-devel openssl-perl openssl-static	BSDish OpenSSL starting 6.0
oprofile	oprofile oprofile-devel oprofile-gui oprofile-jit oprofile oprofile-devel oprofile-gui oprofile-jit	GPL GPLv2 starting 6.0
oracleasm-2.6.9-	oracleasm-2.6.9-42.0.0.0.1.EL	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
42.0.0.0.1.EL	oracleasm-2.6.9-42.0.0.0.1.ELhugemem oracleasm-2.6.9-42.0.0.0.1.ELsmp oracleasm-2.6.9-42.0.0.0.1.ELlargesmp	
oracleasm-support	oracleasm-support	GPL
oracle-logos	oracle-logos oracle-logos oracle-logos	In flux for the moment,... Copyright 2007 Oracle All rights reserved. starting 5.0 Copyright 1999-2010 Oracle America, Inc. All rights reserved. starting 6.0
ORBit	ORBit ORBit-devel	LGPL/GPL
ORBit2	ORBit2 ORBit2-devel ORBit2 ORBit2-devel	LGPL/GPL LGPLv2+ and GPLv2+ starting 6.0
pam	pam pam-devel pam pam-devel	GPL or BSD BSD and GPLv2+ starting 6.0
pam_ccreds	pam_ccreds	GPL
pam_krb5	pam_krb5 pam_krb5	LGPL BSD or LGPLv2+ starting 6.0
pam_passwdqc	pam_passwdqc pam_passwdqc	BSD-compatible BSD and Copyright only starting 6.0
pam_smb	pam_smb	GPL
pango	pango pango-devel pango pango-devel	LGPL LGPLv2+ starting 6.0
parted	parted parted-devel parted parted-devel parted parted-devel	GPL GPLv2+ starting 4.7 GPLv3+ starting 6.0
passivetex	passivetex passivetex	LaTeX Project Public License (http) Copyright only starting 6.0
passwd	passwd passwd	BSD BSD or GPLv2+ starting 6.0
patch	patch	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	patch	GPLv2+ starting 6.0
patchutils	patchutils patchutils	GPL GPLv2+ starting 6.0
pax	pax	BSD
pciutils	pciutils pciutils-devel pciutils pciutils-devel pciutils-devel-static pciutils-libs	GPL GPLv2+ starting 5.6
pcmcia-cs	pcmcia-cs	GPL
pcre	pcre pcre-devel pcre pcre-devel pcre-static	distributable BSD starting 5.0
pdksh	pdksh	Public Domain
perl	perl perl-suidperl perl perl-Archive-Extract perl-Archive-Tar perl-CGI perl-Compress-Raw-Zlib perl-Compress-Zlib perl-core perl-CPAN perl-CPANPLUS perl-devel perl-Digest-SHA perl-ExtUtils-CBuilder perl-ExtUtils-Embed perl-ExtUtils-MakeMaker perl-ExtUtils-ParseXS perl-File-Fetch perl-IO-Compress-Base perl-IO-Compress-Zlib	Artistic or GPL (GPL+ or Artistic) and (GPLv2+ or Artistic) and Copyright Only and MIT and Public Domain and UCD starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	perl-IO-Zlib perl-IPC-Cmd perl-libs perl-Locale-Maketext-Simple perl-Log-Message perl-Log-Message-Simple perl-Module-Build perl-Module-CoreList perl-Module-Load perl-Module-Load-Conditional perl-Module-Loaded perl-Module-Pluggable perl-Object-Accessor perl-Package-Constants perl-Params-Check perl-parent perl-Parse-CPAN-Meta perl-Pod-Escapes perl-Pod-Simple perl-suidperl perl-Term-UI perl-Test-Harness perl-Test-Simple perl-Time-HiRes perl-Time-Piece perl-version perl-Compress-Raw-Bzip2 perl-IO-Compress-Bzip2	
perl-Bit-Vector	perl-Bit-Vector perl-Bit-Vector perl-Bit-Vector	distributable GPL or Artistic starting 5.0 (GPLv2+ or Artistic) and LGPLv2+ starting 6.0
perl-Convert-ASN1	perl-Convert-ASN1 perl-Convert-ASN1	GPL or Artistic GPL+ or Artistic starting 6.0
perl-Crypt-SSLeay	perl-Crypt-SSLeay perl-Crypt-SSLeay perl-Crypt-SSLeay	distributable GPL or Artistic starting 5.0 GPL+ or Artistic starting 6.0
perl-Date-Calc	perl-Date-Calc perl-Date-Calc	distributable GPL or Artistic starting 5.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	perl-Date-Calc	GPL+ or Artistic starting 6.0
perl-DateManip	perl-DateManip perl-DateManip	distributable GPL or Artistic starting 5.0
perl-DBD-MySQL	perl-DBD-MySQL perl-DBD-MySQL perl-DBD-MySQL	distributable GPL or Artistic starting 5.0 GPL+ or Artistic starting 6.0
perl-DBD-Pg	perl-DBD-Pg perl-DBD-Pg perl-DBD-Pg	distributable GPL or Artistic starting 5.0 GPL+ or Artistic starting 6.0
perl-DBI	perl-DBI perl-DBI perl-DBI	Artistic GPL or Artistic starting 5.0 GPL+ or Artistic starting 6.0
perl-Digest-HMAC	perl-Digest-HMAC perl-Digest-HMAC perl-Digest-HMAC	distributable GPL or Artistic starting 5.0 GPL+ or Artistic starting 6.0
perl-Digest-SHA1	perl-Digest-SHA1 perl-Digest-SHA1 perl-Digest-SHA1	distributable GPL or Artistic starting 5.0 GPL+ or Artistic starting 6.0
perl-Filter	perl-Filter	distributable
perl-HTML-Parser	perl-HTML-Parser perl-HTML-Parser	GPL or Artistic GPL+ or Artistic starting 6.0
perl-HTML-Tagset	perl-HTML-Tagset perl-HTML-Tagset perl-HTML-Tagset	distributable Artistic or GPL starting 5.0 GPL+ or Artistic starting 6.0
perl-LDAP	perl-LDAP perl-LDAP	GPL or Artistic GPL+ or Artistic starting 6.0
perl-libwww-perl	perl-libwww-perl perl-libwww-perl	GPL or Artistic GPL+ or Artistic starting 6.0
perl-libxml-enno	perl-libxml-enno	distributable
perl-libxml-perl	perl-libxml-perl perl-libxml-perl perl-libxml-perl	distributable GPL or Artistic starting 5.0 GPL+ or Artistic starting 6.0
perl-Net-DNS	perl-Net-DNS perl-Net-DNS perl-Net-DNS perl-Net-DNS-Nameserver	Distributable GPL or Artistic starting 5.0 GPL+ or Artistic starting 6.0
perl-Parse-Yapp	perl-Parse-Yapp perl-Parse-Yapp	distributable GPL+ or Artistic starting 6.0
perl-SGMLSpm	perl-SGMLSpm	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	perl-SGMLSpm	GPLv2+ starting 6.0
perl-Time-HiRes	perl-Time-HiRes	distributable
perl-URI	perl-URI perl-URI perl-URI	distributable GPL or Artistic starting 5.0 GPL+ or Artistic starting 6.0
perl-XML-Dumper	perl-XML-Dumper perl-XML-Dumper perl-XML-Dumper	GPL GPL or Artistic starting 5.0 GPL+ or Artistic starting 6.0
perl-XML-Encoding	perl-XML-Encoding	distributable
perl-XML-Grove	perl-XML-Grove perl-XML-Grove perl-XML-Grove	distributable Artistic starting 5.0 GPL+ or Artistic starting 6.0
perl-XML-LibXML	perl-XML-LibXML perl-XML-LibXML	GPL or Artistic GPL+ or Artistic starting 6.0
perl-XML-LibXML-Common	perl-XML-LibXML-Common	GPL or Artistic
perl-XML- NamespaceSupport	perl-XML- NamespaceSupport perl-XML- NamespaceSupport perl-XML- NamespaceSupport	distributable GPL or Artistic starting 5.0 GPL+ or Artistic starting 6.0
perl-XML-Parser	perl-XML-Parser perl-XML-Parser perl-XML-Parser	distributable GPL or Artistic starting 5.0 GPL+ or Artistic starting 6.0
perl-XML-SAX	perl-XML-SAX perl-XML-SAX	GPL or Artistic GPL+ or Artistic starting 6.0
perl-XML-Twig	perl-XML-Twig perl-XML-Twig perl-XML-Twig	distributable GPL or Artistic starting 5.0 GPL+ or Artistic starting 6.0
php	php php-devel php-domxml php-gd php- imap php- ldap php- mbstring php- mysql php- ncurses php- odbc php- pear php- pgsql	The PHP License The PHP License v3.01 starting 5.0 PHP starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	php-snmpphp-xmlrpc php php-bcmath php-cliphp-common php-dba php-devel php-gd php-imap php-ldap php-mbstring php-mysql php-ncurses php-odbc php-pdo php-pgsql php-snmpphp-soap php-xml php-xmlrpc php php-bcmath php-cliphp-common php-dba php-devel php-embedded php-enchant php-gd php-imap php-intl php-ldap php-mbstring php-mysql php-odbc php-pdo php-pgsql php-process	

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	php-pspell php-recode php-snmp php-soap php-tidy php-xml php-xmlrpc php-zts	
pilot-link	pilot-link pilot-link-devel pilot-link pilot-link-devel pilot-link-perl	GPL GPLv2 and GPLv2+ and LGPLv2+ and public domain starting 6.0
pinfo	pinfo pinfo	GPL GPLv2 starting 6.0
pkgconfig	pkgconfig pkgconfig	GPL GPLv2+ starting 6.0
planner	planner planner planner-devel planner-eds	GPL GPLv2+ starting 6.0
pmake	pmake	BSD
pnm2ppa	pnm2ppa pnm2ppa	GPL GPLv2 starting 6.0
policycoreutils	policycoreutils policycoreutils-gui policycoreutils-newrole policycoreutils policycoreutils-gui policycoreutils-newrole policycoreutils-python policycoreutils-sandbox	GPL GPLv2+ starting 6.0
portmap	portmap	BSD
postfix	postfix postfix-pflogsumm postfix-perl-scripts	IBM Public License
postgresql	postgresql postgresql-contrib	BSD PostgreSQL starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	postgresql-devel postgresql-docs postgresql-jdbc postgresql-libs postgresql-pl postgresql-python postgresql-server postgresql-tcl postgresql-test postgresql postgresql-contrib postgresql-devel postgresql-docs postgresql-libs postgresql-plperl postgresql-plpython postgresql-pltcl postgresql-server postgresql-test	
postgresql-odbc	postgresql-odbc postgresql-odbc	LGPL LGPLv2+ starting 6.0
ppp	ppp ppp ppp-devel	distributable BSD and LGPLv2+ and GPLv2+ and Public Domain starting 6.0
prelink	prelink prelink	GPL GPLv2+ starting 6.0
procmail	procmail procmail	GPL or Artistic GPLv2+ or Artistic starting 6.0
procps	procps procps procps-devel	GPL GPLv2+ and LGPLv2+ starting 6.0
psacct	psacct psacct	GPL GPLv2+ and Public Domain starting 6.0
psgml	psgml	GPL
psmisc	psmisc psmisc	BSD/GPL GPLv2+ starting 6.0
pstack	pstack	GPL
psutils	psutils	distributable

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	psutils psutils-perl	psutils starting 6.0
pump	netconfig pump-devel	MIT
pvm	pvm pvm-gui	freely distributable
pwlib	pwlib pwlib-devel	MPL
pygtk2	pygtk2 pygtk2-devel pygtk2-libglade pygtk2-codegen pygtk2 pygtk2-codegen pygtk2-devel pygtk2-doc pygtk2-libglade	LGPL LGPLv2+ starting 6.0
pyOpenSSL	pyOpenSSL pyOpenSSL	LGPL LGPLv2+ starting 6.0
pyorbit	pyorbit pyorbit-devel pyorbit pyorbit-devel	LGPL LGPLv2+ starting 6.0
pyparted	pyparted pyparted	GPL GPLv2+ starting 6.0
PyQt	PyQt PyQt-devel PyQt-examples	GPL
Pyrex	Pyrex emacs-pyrex	Public Domain
python	python python-devel python-docs python-tools tkinter python-libs python python-devel	PSF - see LICENSE Python starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	python-libs python-test python-tools tkinter	
python-elementtree	python-elementtree	PSF
python-ldap	python-ldap python-ldap python-ldap	PSF - see LICENSE PSF - see LICENCE starting 5.0 Python starting 6.0
python-sqlite	python-sqlite	GPL
python-urlgrabber	python-urlgrabber python-urlgrabber	LGPL LGPLv2+ starting 5.3
pyx86config	pyx86config pyx86config	GPL GPLv2 starting 6.0
PyXML	PyXML PyXML	Apacheish MIT and Python and ZPLv1.0 and BSD starting 6.0
qt	qt qt-config qt-designer qt-devel qt-MySQL qt-ODBC qt-PostgreSQL qt-devel-docs phonon-backend-gstreamer qt qt-demos qt-devel qt-doc qt-examples qt-mysql qt-odbc qt-postgresql qt-sqlite qt-x11	GPL/QPL (LGPLv2 with exceptions or GPLv3 with exceptions) and ASL 2.0 and BSD and FLT and MIT starting 6.0
quagga	quagga quagga-contrib quagga-devel	GPL GPLv2+ starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	quagga quagga-contrib quagga-devel	
quota	quota quota quota-devel	BSD BSD and GPLv2+ starting 6.0
radvd	radvd radvd radvd	BSD BSD-style starting 5.0 BSD with advertising starting 6.0
rarpd	rarpd	GPL
rcs	rcs rcs rcs-docs	GPL GPLv2+ starting 6.0
rdate	rdate rdate	GPL GPLv2+ starting 6.0
rdesktop	rdesktop rdesktop	GPL GPLv2+ starting 6.0
rdist	rdist	BSD
readline	readline readline-devel readline readline-devel readline-static	GPL GPLv3+ starting 6.0
redhat-artwork	redhat-artwork	GPL
redhat-lsb	redhat-lsb redhat-lsb-graphics redhat-lsb-printing	GPL
redhat-menus	redhat-menus redhat-menus	XFree86 GPLv2+ starting 6.0
redhat-rpm-config	redhat-rpm-config redhat-rpm-config	GPL GPL+ starting 6.0
rhdb-utils	rhdb-utils rhdb-utils	GPL GPLv2+ and MIT starting 6.0
rhgb	rhgb	GPL
rhn-applet	rhn-applet	GPL
rhnlb	rhnlb rhnlb	GPL GPLv2 starting 5.5
rhpl	rhpl	GPL
rhythmbox	rhythmbox	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	rhythmbox rhythmbox-upnp	GPLv2+ with exceptions and GFDL starting 6.0
rootfiles	rootfiles	Public Domain
rpm	popt rpm rpm-build rpm-devel rpm-libs rpm-python popt popt rpm rpm-apidocs rpm-build rpm-devel rpm-devel rpm-libs rpm-libs rpm-python rpm-cron	GPL GPLv2+ starting 5.3
rpmdb-enterprise	rpmdb-enterprise	GPL
rp-pppoe	rp-pppoe rp-pppoe	GPL GPLv2+ starting 6.0
rsh	rsh rsh-server	BSD
rsync	rsync rsync	GPL GPLv3+ starting 6.0
ruby	irb ruby ruby-devel ruby-docs ruby-libs ruby-mode ruby-tcltk ruby ruby-devel ruby-docs ruby-irb	Distributable Ruby License/GPL - see COPYING starting 5.0 Ruby or GPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	ruby-libs ruby-mode ruby-rdoc ruby-ri ruby-tcltk ruby ruby-devel ruby-docs ruby-irb ruby-libs ruby-rdoc ruby-ri ruby-static ruby-tcltk	
rusers	rusers rusers-server	BSD
rwho	rwho	BSD
samba	samba samba-client samba-common samba-swat libsmbclient libsmbclient-devel libsmbclient libsmbclient-devel samba samba-client samba-common samba-doc samba-domainjoin-gui samba-swat samba-winbind samba-winbind-clients samba-winbind-devel samba-winbind-krb5-locator	GNU GPL Version 2 GPLv3+ and LGPLv3+ starting 6.0
sane-backends	sane-backends sane-backends-devel	GPL (programs), relaxed LGPL (libraries), and public domain (docs) GPLv2+ and GPLv2+ with exceptions and Public Domain starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	sane-backends-libs sane-backends sane-backends-devel sane-backends-libs sane-backends-libs-gphoto2	
sane-frontends	sane-frontends sane-frontends	GPL GPLv2+ starting 6.0
sblim	sblim-cmpi-base sblim-cmpi-base-devel sblim-cmpi-base-test sblim-cmpi-devel sblim-cmpi-fsvol sblim-cmpi-fsvol-devel sblim-cmpi-fsvol-test sblim-cmpi-network sblim-cmpi-network-devel sblim-cmpi-network-test sblim-cmpi-nfsv3 sblim-cmpi-nfsv3-test sblim-cmpi-nfsv4 sblim-cmpi-nfsv4-test sblim-cmpi-params sblim-cmpi-params-test sblim-cmpi-sysfs sblim-cmpi-sysfs-test sblim-cmpi-syslog sblim-cmpi-syslog-test sblim-gather sblim-gather-devel sblim-gather-provider sblim-gather-test sblim-testsuite sblim-wbemcli sblim-cim-client sblim-cim-client-javadoc sblim-cim-client-manual sblim-cmpi-dns sblim-cmpi-dns-devel sblim-cmpi-dns-test	IBM Common Public License (CPL) EPL starting 5.5

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	sblim-cmpi-samba sblim-cmpi-samba-devel sblim-cmpi-samba-test sblim-tools-libra sblim-tools-libra-devel sblim-cmpi-dhcp sblim-cmpi-dhcp-devel sblim-cmpi-dhcp-test sblim-cim-client sblim-cim-client-javadoc sblim-cim-client-manual sblim-cmpi-base sblim-cmpi-base sblim-cmpi-base-devel sblim-cmpi-base-devel sblim-cmpi-base-test sblim-cmpi-devel sblim-cmpi-devel sblim-cmpi-dhcp sblim-cmpi-dhcp sblim-cmpi-dhcp-devel sblim-cmpi-dhcp-devel sblim-cmpi-dhcp-test sblim-cmpi-dns sblim-cmpi-dns sblim-cmpi-dns-devel sblim-cmpi-dns-devel sblim-cmpi-dns-test sblim-cmpi-fsvol sblim-cmpi-fsvol sblim-cmpi-fsvol-devel sblim-cmpi-fsvol-devel sblim-cmpi-fsvol-test sblim-cmpi-network sblim-cmpi-network sblim-cmpi-network-devel sblim-cmpi-network-devel sblim-cmpi-network-test sblim-cmpi-nfsv3	

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	sblim-cmpi-nfsv3-test sblim-cmpi-nfsv4 sblim-cmpi-nfsv4-test sblim-cmpi-params sblim-cmpi-params-test sblim-cmpi-samba sblim-cmpi-samba sblim-cmpi-samba-devel sblim-cmpi-samba-devel sblim-cmpi-samba-test sblim-cmpi-sysfs sblim-cmpi-sysfs-test sblim-cmpi-syslog sblim-cmpi-syslog-test sblim-gather sblim-gather sblim-gather-devel sblim-gather-devel sblim-gather-provider sblim-gather-provider sblim-gather-test sblim-sfcb sblim-sfcc sblim-sfcc sblim-sfcc-devel sblim-sfcc-devel sblim-smis-hba sblim-testsuite sblim-tools-libra sblim-tools-libra sblim-tools-libra-devel sblim-tools-libra-devel sblim-wbemcli sblim-gather-plugins-virt sblim-gather-provider-plugins-virt	
schedutils	schedutils	GPL
screen	screen screen	GPL2 GPLv2+ starting 6.0
scrollkeeper	scrollkeeper	LGPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
SDL	SDL SDL-devel SDL SDL-devel SDL-static	LGPL LGPLv2+ starting 6.0
seamonkey	seamonkey seamonkey-chat seamonkey-devel seamonkey-dom-inspector seamonkey-js-debugger seamonkey-mail seamonkey-nspr seamonkey-nspr-devel seamonkey-nss seamonkey-nss-devel	MPL/NPL/GPL/LGPL
sed	sed sed	GPL GPLv2+ starting 6.0
selinux-doc	selinux-doc	Public Use License v1.0
selinux-policy-targeted	selinux-policy-targeted selinux-policy-targeted-sources	GPL
sendmail	sendmail sendmail-cf sendmail-devel sendmail-doc sendmail-milter	Sendmail
setarch	setarch	GPL
setools	setools setools-gui setools-devel setools setools-console setools-devel setools-gui setools-libs setools-libs-java setools-libs-python setools-libs-tcl	GPL GPLv2 starting 6.0
setserial	setserial setserial	GPL GPL+ starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
setup	setup setup	public domain Public Domain starting 6.0
setuptools	setuptools setuptools	GPL GPLv2+ starting 6.0
sg3_utils	sg3_utils sg3_utils-devel sg3_utils-libs sg3_utils sg3_utils-devel sg3_utils-libs	GPL GPLv2+ and BSD starting 5.2
sgml-common	sgml-common xml-common sgml-common xml-common	GPL GPL+ starting 6.0
shadow-utils	shadow-utils shadow-utils	BSD BSD and GPLv2+ starting 6.0
shared-mime-info	shared-mime-info shared-mime-info	GPL GPLv2+ starting 6.0
sharutils	sharutils sharutils	GPL GPLv3+ starting 6.0
sip	sip sip-devel sip sip-devel	GPL GPLv2 or GPLv3 starting 6.0
skkdic	skkdic	GPL
skkinput	skkinput	GPL
slang	slang slang-devel slang slang-devel slang-slash slang-static	GPL GPLv2+ starting 6.0
slocate	slocate	GPL
sound-juicer	sound-juicer sound-juicer	GPL GPLv2+ starting 6.0
sox	sox sox-devel sox sox-devel	LGPL GPL starting 5.0 GPLv2+ and LGPLv2+ starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	sox sox-devel	
spamassassin	spamassassin spamassassin	Apache License ASL 2.0 starting 5.3
specspo	specspo	GPL
speex	speex speex-devel speex-tools	BSD
splint	splint	GPL
sqlite	sqlite sqlite-devel lemon sqlite-doc sqlite-tcl	Public Domain
squid	squid squid	GPL GPLv2 and (LGPLv2+ and Public Domain) starting 6.0
squirrelmail	squirrelmail	GPL
star	star star	GPL CDDL starting 5.0
startup-notification	startup-notification startup-notification-devel startup-notification startup-notification-devel	LGPL LGPLv2 starting 6.0
statserial	statserial	BSD
strace	strace	BSD
stunnel	stunnel stunnel	GPL GPLv2 starting 6.0
subversion	mod_dav_svn subversion subversion-devel subversion-perl subversion-javahl subversion-ruby mod_dav_svn subversion subversion-devel subversion-javahl subversion-perl	BSD ASL 1.1 starting 5.6

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	subversion-ruby subversion-gnome subversion-kde subversion-svn2cl	
sudo	sudo sudo	BSD ISC starting 6.0
swig	swig swig swig-doc	BSD GPLv2+ and LGPLv2+ and BSD starting 6.0
switchdesk	switchdesk switchdesk-gui	GPL
symlinks	symlinks symlinks	distributable Copyright only starting 6.0
synaptics	synaptics	GPL
sysfsutils	sysfsutils sysfsutils-devel libsysfs libsysfs-devel libsysfs libsysfs-devel sysfsutils libsysfs libsysfs-devel sysfsutils	GPL/LGPL GPLv2 starting 6.0 LGPLv2+ starting 5.7
sysklogd	sysklogd	GPL
syslinux	syslinux syslinux syslinux-devel syslinux-extlinux syslinux-perl syslinux-tftpboot	GPL GPLv2+ starting 6.0
sysreport	sysreport	GPL
sysstat	sysstat sysstat	GPL GPLv2+ starting 6.0
system-config-boot	system-config-boot	GPL
system-config-date	system-config-date system-config-date	GPL GPLv2+ starting 6.0
system-config-display	system-config-display	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
system-config-httpd	system-config-httpd	GPL
system-config-keyboard	system-config-keyboard system-config-keyboard system-config-keyboard-base	GPL GPLv2+ starting 6.0
system-config-kickstart	system-config-kickstart system-config-kickstart	GPL GPLv2+ starting 6.0
system-config-language	system-config-language system-config-language	GPL GPLv2 starting 6.0
system-config-lvm	system-config-lvm system-config-lvm	GPL GPLv2 starting 4.7
system-config-mouse	system-config-mouse	GPL
system-config-netboot	system-config-netboot system-config-netboot-cmd system-config-netboot system-config-netboot-cmd	GPL GPLv2+ starting 5.2
system-config-network	system-config-network system-config-network-tui system-config-network-tui	GPL GPLv2+ starting 6.0
system-config-nfs	system-config-nfs	GPL
system-config-packages	system-config-packages	GPL
system-config-printer	system-config-printer system-config-printer-gui system-config-printer-libs system-config-printer system-config-printer-libs system-config-printer-udev	GPL GPLv2+ starting 6.0
system-config-rootpassword	system-config-rootpassword	GPL
system-config-samba	system-config-samba	GPL
system-config-securitylevel	system-config-securitylevel system-config-securitylevel-tui	GPL
system-config-services	system-config-services system-config-services	GPL GPLv2+ starting 6.0
system-config-soundcard	system-config-soundcard	GPL
system-config-users	system-config-users system-config-users	GPL GPLv2+ starting 6.0
system-logviewer	system-logviewer	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
system-switch-im	system-switch-im	GPL
system-switch-mail	system-switch-mail system-switch-mail-gnome	GPL
systemtap	systemtap systemtap-runtime systemtap systemtap-runtime systemtap-testsuite systemtap-client systemtap-server systemtap-initscript systemtap-sdt-devel systemtap-grapher systemtap systemtap-client systemtap-grapher systemtap-initscript systemtap-runtime systemtap-sdt-devel systemtap-server systemtap-testsuite systemtap-devel	GPL GPLv2+ starting 4.7 GPLv2+, Public Domain starting 6.1
SysVinit	SysVinit	GPL
taipeifonts	taipeifonts	Distributable
talk	talk talk-server	BSD
tar	tar tar	GPL GPLv3+ starting 6.0
tcl	tcl tcl-devel tcl-html tcl tcl-devel	BSD TCL starting 6.0
tclx	tclx tclx-devel tclx-doc	BSD
tcpdump	arpwatch libpcap tcpdump	BSD BSD with advertising starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libpcap-devel tcpdump	
tcp_wrappers	tcp_wrappers tcp_wrappers tcp_wrappers-devel tcp_wrappers-libs	Distributable BSD starting 6.0
tcsh	tcsh tcsh	distributable BSD starting 6.0
telnet	telnet telnet-server	BSD
termcap	termcap	Public Domain
tetex	tetex tetex-afm tetex-doc tetex-dvips tetex-fonts tetex-latex tetex-xdvi	distributable
texinfo	info texinfo texinfo-tex info texinfo texinfo-tex	GPL GPLv3+ starting 6.0
tftp	tftp tftp-server	BSD
thunderbird	thunderbird thunderbird	MPL MPLv1.1 or GPLv2+ or LGPLv2+ starting 6.0
time	time time	GPL GPLv2+ starting 6.0
tix	tix tix-devel tix-doc	BSD
tk	tk tk-devel tk tk-devel	BSD TCL starting 6.0
tmpwatch	tmpwatch	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	tmpwatch	GPLv2 starting 6.0
tn5250	tn5250 tn5250-devel tn5250 tn5250-devel	GPL LGPLv2+ starting 6.0
tog-pegasus	tog-pegasus tog-pegasus-devel tog-pegasus-test tog-pegasus tog-pegasus-devel tog-pegasus-libs	Open Group Pegasus Open Source MIT starting 6.0
tora	tora	GPL
traceroute	traceroute traceroute traceroute	BSD GPL starting 5.0 GPLv2+ starting 6.0
transfig	transfig transfig	distributable MIT starting 6.0
tsclient	tsclient tsclient tsclient-devel	GPL GPL+ starting 6.0
ttfonts-indic	ttfonts-bn ttfonts-gu ttfonts-hi ttfonts-pa ttfonts-ta	GPL
ttfonts-ja	ttfonts-ja	Distributable
ttfonts-ko	ttfonts-ko	Distributable
ttfonts-zh_CN	ttfonts-zh_CN ttfonts-zh_CN	Distributable under Licenses Arphic Public License (GPL-like) starting 4.8
ttfonts-zh_TW	ttfonts-zh_TW	Arphic Public License (GPL-like)
ttfprint	ttfprint	Distributable
ttmkfdir	ttmkfdir ttmkfdir	GPL LGPLv2+ starting 6.0
tux	tux	GPL
tzdata	tzdata tzdata-java tzdata tzdata-java	GPL Public Domain starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
udev	udev libvolume_id libvolume_id-devel libgudev1 libgudev1-devel libudev libudev-devel udev	GPL GPLv2 starting 6.0
uln-yumconf	uln-yumconf	GPL
umb-scheme	umb-scheme	GPL SLIB
units	units units	GPL GPLv3+ starting 6.0
unix2dos	unix2dos unix2dos	distributable BSD starting 6.0
unixODBC	unixODBC unixODBC-devel unixODBC-kde unixODBC unixODBC-devel unixODBC-kde unixODBC-libs	LGPL GPLv2+ and LGPLv2+ starting 6.0
unzip	unzip	BSD
up2date	up2date up2date-gnome	GPL
urw-fonts	urw-fonts urw-fonts	GPL, URW holds copyright GPL+ with exceptions starting 6.0
usbutils	usbutils usbutils	GPL GPLv2+ starting 6.0
usermode	usermode usermode-gtk usermode usermode-gtk	GPL GPLv2+ starting 6.0
utempter	utempter	MIT/LGPL
util-linux	util-linux	distributable
uucp	uucp	GPL
valgrind	valgrind valgrind-devel valgrind valgrind-devel	GPL GPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	valgrind-openmpi	
valgrind-callgrind	valgrind-callgrind	GPL
vconfig	vconfig vconfig vconfig	LGPL GPL starting 5.0 GPLv2+ starting 6.0
VFlib2	VFlib2 VFlib2-conf-ja VFlib2-devel VFlib2-VFjfm	GPL
vim	vim-common vim-enhanced vim-minimal vim-X11 vim-common vim-enhanced vim-minimal vim-X11 vim-common vim-enhanced vim-minimal vim-X11	freeware Vim starting 4.8 Vim and GPLv2+ and BSD and LGPLv2+ and Open Publication starting 6.0
vino	vino vino	GPL GPLv2+ starting 6.0
vixie-cron	vixie-cron	distributable
vlock	vlock vlock	GPL GPLv2+ starting 6.0
vnc	vnc vnc-server	GPL
vorbis-tools	vorbis-tools vorbis-tools	GPL GPLv2 starting 6.0
vsftpd	vsftpd vsftpd	GPL GPLv2 with exceptions starting 6.0
vte	vte vte-devel vte vte-devel	LGPL LGPLv2+ starting 6.0
w3c-libwww	w3c-libwww w3c-libwww-apps	W3C (see

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	w3c-libwww-devel	
webalizer	webalizer webalizer	GPL GPLv2+ starting 6.0
wget	wget wget	GPL GPLv3+ and GFDL starting 6.0
which	which which	GPL GPLv3 starting 6.0
wireless-tools	wireless-tools wireless-tools-devel wireless-tools wireless-tools-devel	GPL GPL+ starting 6.0
words	words words	public domain Public Domain starting 6.0
wvdial	wvdial wvdial	LGPL LGPLv2+ starting 6.0
x3270	x3270 x3270-text x3270-x11	MIT
Xaw3d	Xaw3d Xaw3d-devel	MIT
xcdroast	xcdroast	GPL
xchat	xchat xchat xchat-tcl	GPL GPLv2+ starting 6.0
xcin	xcin	GPL
xdelta	xdelta xdelta-devel xdelta xdelta-devel	GPL GPLv2 starting 6.0
xemacs	xemacs xemacs-common xemacs-el xemacs-info xemacs-nox	GPL
xemacs-sumo	xemacs-sumo xemacs-sumo-el xemacs-sumo-info	GPL
xfig	xfig xfig	Freeware MIT starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	xfig-common xfig-plain	
xhtml1-dtds	xhtml1-dtds	W3C IPR
xinetd	xinetd xinetd	Distributable (BSD-like) xinetd starting 6.0
xinitrc	xinitrc	GPLv2, MIT/X11
xloadimage	xloadimage	MIT
xmlsec1	xmlsec1 xmlsec1-devel xmlsec1-openssl xmlsec1-openssl-devel xmlsec1-gnutls xmlsec1-gnutls-devel xmlsec1-nss xmlsec1-nss-devel	MIT
xmltex	xmltex xmltex	LaTeX Project Public License (http://www.latex-project.org/licenses/lppl.txt) LPPL starting 6.0
xmlto	xmlto xmlto xmlto-tex xmlto-xhtml	GPL GPLv2+ starting 6.0
xmms	xmms xmms-devel xmms-skins	GPL
xorg-x11	xorg-x11 xorg-x11-deprecated-libs xorg-x11-deprecated-libs-devel xorg-x11-devel xorg-x11-doc xorg-x11-font-utils xorg-x11-libs xorg-x11-Mesa-libGL xorg-x11-Mesa-libGLU xorg-x11-sdk xorg-x11-tools xorg-x11-twm xorg-x11-xauth xorg-x11-xdm xorg-x11-Xdmx	MIT/X11, and others

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	xorg-x11-xfs xorg-x11-Xnest xorg-x11-Xvfb	
xpdf	xpdf	GPL
xrestop	xrestop xrestop	GPL GPLv2+ starting 6.0
xsane	xsane xsane-gimp xsane xsane-common xsane-gimp	GPL GPLv2+ starting 6.0
xscreensaver	xscreensaver	BSD
xsri	xsri	GPL
xterm	xterm	MIT
yelp	yelp yelp	GPL GPLv2+ starting 6.0
ypbind	ypbind ypbind	GPL GPLv2 starting 6.0
ypserv	ypserv ypserv	GPL GPLv2 starting 6.0
yp-tools	yp-tools yp-tools	GPL GPLv2 starting 6.0
yum	yum yum-updatesd yum yum-cron	GPL GPLv2+ starting 5.2
zip	zip zip	distributable BSD starting 6.0
zisosfs-tools	zisosfs-tools	GPL
zlib	zlib zlib-devel minizip minizip-devel zlib zlib-devel zlib-static	BSD zlib and Boost starting 6.0
zsh	zsh zsh-html	BSD
mcelog	mcelog	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	mcelog	GPLv2 starting 6.0
ibutils	ibutils ibutils-devel ibutils-libs ibutils ibutils-devel ibutils-libs	GPL/BSD GPLv2 or BSD starting 6.0
ocfs2-2.6.9-55.0.0.0.2.EL	ocfs2-2.6.9-55.0.0.0.2.EL ocfs2-2.6.9-55.0.0.0.2.ELhugemem ocfs2-2.6.9-55.0.0.0.2.ELsmp ocfs2-2.6.9-55.0.0.0.2.ELlargesmp	GPL
openmpi	openmpi openmpi-devel openmpi-libs openmpi openmpi-devel openmpi-psm openmpi-psm-devel	BSD BSD, MIT and Romio starting 6.0
oracleasm-2.6.9-55.0.0.0.2.EL	oracleasm-2.6.9-55.0.0.0.2.EL oracleasm-2.6.9-55.0.0.0.2.ELhugemem oracleasm-2.6.9-55.0.0.0.2.ELsmp oracleasm-2.6.9-55.0.0.0.2.ELlargesmp	GPL
wireshark	wireshark wireshark-gnome wireshark wireshark-devel wireshark-gnome	GPL GPL+ starting 6.0
wpa_supplicant	wpa_supplicant wpa_supplicant-gui wpa_supplicant wpa_supplicant-gui	GPL BSD starting 5.3
autofs5	autofs5	GPL
evolution28	evolution28 evolution28-devel	GPL
evolution28-atk	evolution28-atk evolution28-atk-devel	LGPL
evolution28-cairo	evolution28-cairo evolution28-cairo-devel	LGPL/MPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
evolution28-evolution-connector	evolution28-evolution-connector	GPL
evolution28-evolution-data-server	evolution28-evolution-data-server evolution28-evolution-data-server-devel	LGPL
evolution28-glib2	evolution28-glib2 evolution28-glib2-devel	LGPL
evolution28-gtk2	evolution28-gtk2 evolution28-gtk2-devel	LGPL
evolution28-gtkhtml3	evolution28-gtkhtml3 evolution28-gtkhtml3-devel	LGPL/GPL
evolution28-libsoup	evolution28-libsoup evolution28-libsoup-devel	LGPL
evolution28-pango	evolution28-pango evolution28-pango-devel	LGPL
ibmasm-xinput	ibmasm-xinput	MIT
liberation-fonts	liberation-fonts liberation-fonts-common liberation-mono-fonts liberation-sans-fonts liberation-serif-fonts	GPL + font exception Liberation starting 6.0
ocfs2-2.6.9-67.0.0.0.1.EL	ocfs2-2.6.9-67.0.0.0.1.EL ocfs2-2.6.9-67.0.0.0.1.ELlargesmp ocfs2-2.6.9-67.0.0.0.1.ELsmp ocfs2-2.6.9-67.0.0.0.1.ELxenU ocfs2-2.6.9-67.0.0.0.1.ELhugemem	GPL
ocfs2-2.6.9-67.EL		GPL
oracleasm-2.6.9-67.0.0.0.1.EL	oracleasm-2.6.9-67.0.0.0.1.EL oracleasm-2.6.9-67.0.0.0.1.ELlargesmp oracleasm-2.6.9-67.0.0.0.1.ELsmp oracleasm-2.6.9-67.0.0.0.1.ELxenU oracleasm-2.6.9-67.0.0.0.1.ELhugemem	GPL
oracleasm-2.6.9-67.EL		GPL
perl-Archive-Tar	perl-Archive-Tar	GPL or Artistic
perl-Compress-Zlib	perl-Compress-Zlib	GPL or Artistic
perl-IO-String	perl-IO-String perl-IO-String	GPL or Artistic GPL+ or Artistic starting 6.0
perl-IO-Zlib	perl-IO-Zlib	GPL or Artistic
perl-TimeDate	perl-TimeDate	GPL or Artistic

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	perl-TimeDate	GPL+ or Artistic starting 6.0
pidgin	pidgin finch finch-devel libpurple libpurple-devel libpurple-perl libpurple-tcl pidgin pidgin-devel pidgin-perl pidgin-docs	GPL GPLv2+ and GPLv2 and MIT starting 4.7
sos	sos sos	GPL GPLv2+ starting 6.0
wdaemon	wdaemon wdaemon	GPL GPLv3+ starting 6.2
aide	aide aide	GPL GPLv2+ starting 6.0
compat-boost-1331	compat-boost-1331 compat-boost-1331-devel	Boost Software License
dapl	compat-dapl-1.2.5 compat-dapl-devel-1.2.5 compat-dapl-static-1.2.5 dapl dapl-devel dapl-static dapl-utils compat-dapl-utils dapl dapl-devel dapl-static dapl-utils	Dual GPL/BSD/CPL GPLv2 or BSD or CPL starting 6.0
edac-utils	edac-utils edac-utils-devel edac-utils edac-utils-devel	GPL GPLv2+ starting 6.0
ibsim	ibsim ibsim	GPL/BSD GPLv2 or BSD starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
infiniband-diags	infiniband-diags infiniband-diags infiniband-diags-devel infiniband-diags-devel-static	GPL/BSD GPLv2 or BSD starting 6.0
libcxgb3	libcxgb3 libcxgb3-static libcxgb3 libcxgb3-static	GPL/BSD GPLv2 or BSD starting 6.0
libibcm	libibcm libibcm-devel libibcm-static libibcm libibcm-devel libibcm-static	GPL/BSD GPLv2 or BSD starting 6.0
libibcommon	libibcommon libibcommon-devel libibcommon-static libibcommon libibcommon-devel libibcommon-static	GPL/BSD GPLv2 or BSD starting 6.0
libibmad	libibmad libibmad-devel libibmad-static libibmad libibmad-devel libibmad-static	GPL/BSD GPLv2 or BSD starting 6.0
libibumad	libibumad libibumad-devel libibumad-static libibumad libibumad-devel libibumad-static	GPL/BSD GPLv2 or BSD starting 6.0
libibverbs	libibverbs libibverbs-devel libibverbs-static libibverbs-utils libibverbs libibverbs-devel libibverbs-devel-static	GPL/BSD GPLv2 or BSD starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libibverbs-utils	
libmlx4	libmlx4 libmlx4-static libmlx4 libmlx4-static	GPL/BSD GPLv2 or BSD starting 6.0
libmthca	libmthca libmthca-static libmthca libmthca-static	GPL/BSD GPLv2 or BSD starting 6.0
libnes	libnes libnes-static libnes	GPL/BSD GPLv2 or BSD starting 6.1
librdmacm	librdmacm librdmacm-devel librdmacm-static librdmacm-utils librdmacm librdmacm-devel librdmacm-static librdmacm-utils	GPL/BSD GPLv2 or BSD starting 6.0
libsdp	libsdp	GPL/BSD
libsmi	libsmi libsmi-devel libsmi libsmi-devel	BSD BSD and GPLv2+ starting 6.0
mpi-selector	mpi-selector	BSD
nspr	nspr nspr-devel nspr nspr-devel nspr nspr-devel	MPL/GPL/LGPL MPLv1.1 or GPLv2+ or LGPLv2+ starting 5.6 MPLv2.0 starting 5.9
nss	nss nss-devel nss-tools nss-pkcs11-devel nss nss-devel	MPL/GPL/LGPL MPLv1.1 or GPLv2+ or LGPLv2+ starting 5.6

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	nss-pkcs11-devel nss-tools nss-sysinit	
ocfs2-2.6.9-78.0.0.0.1.EL	ocfs2-2.6.9-78.0.0.0.1.EL ocfs2-2.6.9-78.0.0.0.1.ELhugemem ocfs2-2.6.9-78.0.0.0.1.ELsmp ocfs2-2.6.9-78.0.0.0.1.ELxenU ocfs2-2.6.9-78.0.0.0.1.ELlargesmp	GPL
ocfs2-2.6.9-78.EL		GPL
ofed-docs	ofed-docs	GPL/BSD
openib-mstflint	openib-mstflint	BSD 3-Clause, GPL v2 or later
openib-perftest	openib-perftest	BSD 3-Clause, GPL v2 or later
openib-tvflash	openib-tvflash	GPL/BSD
opensm	opensm opensm-devel opensm-libs opensm-static opensm opensm-devel opensm-libs opensm-static	GPL/BSD GPLv2 or BSD starting 6.0
oracleasm-2.6.9-78.0.0.0.1.EL	oracleasm-2.6.9-78.0.0.0.1.EL oracleasm-2.6.9-78.0.0.0.1.ELhugemem oracleasm-2.6.9-78.0.0.0.1.ELsmp oracleasm-2.6.9-78.0.0.0.1.ELxenU oracleasm-2.6.9-78.0.0.0.1.ELlargesmp	GPL
oracleasm-2.6.9-78.EL		GPL
oracle-validated	oracle-validated	GPL
pexpect	pexpect pexpect	MIT MIT license starting m..
qlvnictools	ibvexdmtools qlvnictools	GPLv2
qperf	qperf qperf	BSD 3-Clause, GPL v2 GPLv2 or BSD starting 6.0
srptools	srptools srptools	GPL/BSD GPLv2 or BSD starting 6.0
wacomexpresskeys	wacomexpresskeys	GPLv2+
libipathverbs	libipathverbs	GPL/BSD

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libipathverbs-static libipathverbs libipathverbs-static	GPLv2 or BSD starting 6.0
mpitests	mpitests-mvapich2 mpitests-mvapich mpitests-openmpi mpitests-mvapich2-psm mpitests-mvapich-psm mpitests-openmpi-psm	BSD
mvapich	mvapich mvapich mvapich-common mvapich-devel mvapich-psm mvapich-psm-devel mvapich-psm-static mvapich-static	BSD
mvapich2	mvapich2 mvapich2 mvapich2-common mvapich2-devel mvapich2-psm mvapich2-psm-devel	BSD
ocfs2-2.6.9-89.0.0.0.1.EL	ocfs2-2.6.9-89.0.0.0.1.EL ocfs2-2.6.9-89.0.0.0.1.ELlargesmp ocfs2-2.6.9-89.0.0.0.1.ELsmp ocfs2-2.6.9-89.0.0.0.1.ELxenU ocfs2-2.6.9-89.0.0.0.1.ELhugemem	GPL
openmpi11	openmpi11	BSD
oracleasm-2.6.9-89.0.0.0.1.EL	oracleasm-2.6.9-89.0.0.0.1.EL oracleasm-2.6.9-89.0.0.0.1.ELlargesmp oracleasm-2.6.9-89.0.0.0.1.ELsmp oracleasm-2.6.9-89.0.0.0.1.ELxenU oracleasm-2.6.9-89.0.0.0.1.ELhugemem	GPL
adaptx	adaptx adaptx-doc adaptx-javadoc adaptx adaptx-doc	Exolab Software License BSD starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	adaptx-javadoc	
adjtimex	adjtimex	distributable
agg	agg agg-devel	MIT
alacarte	alacarte alacarte	GPL LGPLv2+ starting 6.0
ant	ant ant-antr ant-apache-bcel ant-apache-bsf ant-apache-log4j ant-apache-oro ant-apache-regexp ant-apache-resolver ant-commons-logging ant-javadoc ant-javamaail ant-jdepend ant-jmf ant-jsch ant-junit ant-manifest-only ant-manual ant-nodeps ant-scripts ant-swing ant-trax ant ant-antr ant-apache-bcel ant-apache-bsf ant-apache-log4j ant-apache-oro ant-apache-regexp ant-apache-resolver ant-commons-logging ant-commons-net ant-javadoc ant-javamaail	Apache Software License ASL 2.0 and W3C starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	ant-jdepend ant-jmf ant-jsch ant-junit ant-manual ant-nodeps ant-scripts ant-swing ant-trax	
anthy	anthy anthy-devel anthy-el anthy anthy-devel emacs-anthy emacs-anthy-el	GPL LGPLv2+ and GPLv2 starting 6.0
antlr	antlr antlr-javadoc antlr-manual	Public Domain
aspell-af	aspell-af	GPL
aspell-bg	aspell-bg	GPL
aspell-br	aspell-br	GPL
aspell-fo	aspell-fo	GPL
aspell-ga	aspell-ga	GPL
aspell-gd	aspell-gd	GPL
aspell-gl	aspell-gl	GPL
aspell-hr	aspell-hr	GPL
aspell-id	aspell-id	GPL
aspell-is	aspell-is	GPL
aspell-ru	aspell-ru	GPL
aspell-sl	aspell-sl	GPL
aspell-sr	aspell-sr	GPL
avahi	avahi avahi-compat-howl avahi-compat-howl-devel avahi-compat-libdns_sd avahi-compat-libdns_sd-devel avahi-devel avahi-glib	LGPL LGPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	avahi-glib-devel avahi-qt3 avahi-qt3-devel avahi-tools avahi avahi-autoipd avahi-compatible-howl avahi-compatible-howl-devel avahi-compatible-libdns_sd avahi-compatible-libdns_sd-devel avahi-devel avahi-dnsconfd avahi-glib avahi-glib-devel avahi-gobject avahi-gobject-devel avahi-libs avahi-qt3 avahi-qt3-devel avahi-qt4 avahi-qt4-devel avahi-tools avahi-ui avahi-ui-devel avahi-ui-tools	
avalon-framework	avalon-framework avalon-framework-javadoc avalon-framework-manual avalon-framework avalon-framework-javadoc avalon-framework-manual	Apache Software License ASL 1.1 starting 6.0
avalon-logkit	avalon-logkit avalon-logkit-javadoc avalon-logkit avalon-logkit-javadoc	Apache Software License ASL 1.1 starting 6.0
axis	axis axis-javadoc axis-manual axis	Apache Software License ASL 2.0 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	axis-javadoc axis-manual	
bcel	bcel bcel-demo bcel-javadoc bcel-manual bcel bcel-javadoc bcel-manual	Apache Software License ASL 2.0 starting 6.0
bluez-gnome	bluez-gnome	GPL
bsf	bsf bsf-javadoc bsf bsf-javadoc	Apache License ASL 2.0 starting 6.0
bsh	bsh bsh-demo bsh-javadoc bsh-manual bsh bsh-demo bsh-desktop bsh-javadoc bsh-manual	LGPL SPL or LGPLv2+ starting 6.0
cachefilesd	cachefilesd	GPL
cairo	cairo cairo-devel cairo cairo-devel	LGPL/MPL LGPLv2 or MPLv1.1 starting 6.0
cairo-java	cairo-java cairo-java-devel	LGPL
castor	castor castor-demo castor-doc castor-javadoc castor-test castor-xml castor castor-demo castor-doc	Exolab Software License BSD starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	castor-javadoc castor-test castor-xml	
ccid	ccid ccid	LGPL LGPLv2+ starting 5.3
cdrdao	cdrdao cdrdao gcdmaster	GPL GPLv2+ starting 6.0
check	check-devel check check-devel check-static	LGPL LGPLv2+ starting 6.0
classpathx-jaf	classpathx-jaf classpathx-jaf-javadoc classpathx-jaf classpathx-jaf-javadoc	LGPL GPLv2+ starting 6.0
classpathx-mail	classpathx-mail classpathx-mail-javadoc classpathx-mail classpathx-mail-javadoc	GPL with library exception GPLv2+ with exceptions starting 6.0
clustermon	cluster-cim cluster-snmp modcluster cluster-cim cluster-snmp modcluster	GPL GPLv2 starting 5.3
cman	cman cman-devel	GPL
compat-gcc-34	compat-gcc-34 compat-gcc-34-c++ compat-gcc-34-g77 compat-libf2c-34 compat-gcc-34 compat-gcc-34-c++ compat-gcc-34-g77 compat-libf2c-34	GPL GPLv2+ and GPLv2+ with exceptions starting 6.0
compat-readline43	compat-readline43	GPL
compat-slang	compat-slang	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
conga	luci ricci	GPL
conman	conman conman	GPL GPLv2+ starting 6.0
coolkey	coolkey coolkey-devel coolkey coolkey-devel	LGPL LGPLv2 starting 6.0
cpuspeed	cpuspeed cpuspeed	GPL GPLv2+ starting 6.0
createrepo	createrepo createrepo	GPL GPLv2 starting 5.2
cryptsetup-luks	cryptsetup-luks cryptsetup-luks-devel cryptsetup-luks cryptsetup-luks-devel cryptsetup-luks-libs	GPL GPLv2 starting 6.0
dbus-glib	dbus-glib dbus-glib-devel dbus-glib dbus-glib-devel	AFL/GPL AFL and GPLv2+ starting 6.0
dbus-python	dbus-python dbus-python dbus-python-devel	AFL/GPL MIT starting 6.0
dcraw	dcraw dcraw	GPL GPLv2+ starting 6.0
dejavu-lgc-fonts	dejavu-lgc-fonts	Redistributable, with restrictions
dhcdbd	dhcdbd dhcdbd	GPL GPLv2 starting 5.3
dmidecode	dmidecode dmidecode	GPL GPLv2+ starting 5.4
dogtail	dogtail	GPL
dvgrab	dvgrab dvgrab	GPL GPLv2+ starting 6.0
eclipse	eclipse-ecj eclipse-jdt eclipse-jdt-sdk eclipse-pde eclipse-pde-runtime	EPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	eclipse-pde-sdk eclipse-platform eclipse-platform-sdk eclipse-rcp eclipse-rcp-sdk eclipse-sdk libswt3-gtk2 eclipse-swt	
efax	efax efax	GPL GPLv2+ starting 6.0
enterprise-release- notes	enterprise-release-notes	GPL
epic	epic	Distributable
eruby	eruby eruby-devel eruby-libs	distributable
esc	esc esc	GPL GPL+ starting 6.0
evince	evince evince evince-devel evince-dvi evince-libs	GPL GPLv2+ and GFDL starting 6.0
exim-doc	exim-doc	GPL
fonts-indic	fonts-bengali fonts-gujarati fonts-hindi fonts-kannada fonts-malayalam fonts-oriya fonts-punjabi fonts-tamil fonts-telugu fonts-bengali fonts-gujarati fonts-hindi fonts-kannada fonts-malayalam fonts-oriya	GPL GPLv2 starting 5.2

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	fonts-punjabi fonts-tamil fonts-telugu	
fonts-japanese	fonts-japanese	Distributable
fonts-korean	fonts-korean	Distributable
fonts-sinhala	fonts-sinhala	GPL
gcalctool	gcalctool gcalctool	GPL GPLv2+ starting 6.0
geronimo-specs	geronimo-specs geronimo-specs-compat geronimo-specs geronimo-specs-compat	Apache Software License 2 ASL 2.0 starting 6.0
gfs2-utils	gfs2-utils	GPL
gfs-kmod	kmod-gfs kmod-gfs-PAE kmod-gfs-xen	GPL
gfs-utils	gfs-utils	GPL
giflib	giflib giflib-devel giflib-utils	MIT
gjdoc	gjdoc	GPL
glib-java	glib-java glib-java-devel	LGPL
gnbd	gnbd	GPL
gnbd-kmod	kmod-gnbd kmod-gnbd-PAE kmod-gnbd-xen	GPL
gnome-applet-vm	gnome-applet-vm	GPL
gnome-backgrounds	gnome-backgrounds gnome-backgrounds	GPL GPLv2 starting 6.0
gnome-bluetooth	gnome-bluetooth gnome-bluetooth-devel gnome-bluetooth-libs gnome-bluetooth gnome-bluetooth-libs gnome-bluetooth-libs-devel	GPL GPLv2+ starting 6.0
gnome-doc-utils	gnome-doc-utils gnome-doc-utils	LGPL GPLv2+ and LGPLv2+ and GFDL starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	gnome-doc-utils-stylesheets	
gnome-menus	gnome-menus gnome-menus-devel gnome-menus gnome-menus-devel	LGPL LGPLv2+ starting 6.0
gnome-mount	gnome-mount gnome-mount-devel gnome-mount-nautilus-properties	GPL
gnome-power-manager	gnome-power-manager gnome-power-manager gnome-power-manager-extra	GPL GPLv2+ and GFDL starting 6.0
gnome-python2-desktop	gnome-python2-applet gnome-python2-desktop gnome-python2-gnomedesktop gnome-python2-gnomekeyring gnome-python2-gnomeprint gnome-python2-gtksourceview gnome-python2-libgtop2 gnome-python2-libwnck gnome-python2-metacity gnome-python2-nautilus-cd-burner gnome-python2-rsvg gnome-python2-totem gnome-python2-applet gnome-python2-brasero gnome-python2-bugbuddy gnome-python2-desktop gnome-python2-evinced gnome-python2-evolution gnome-python2-gnomedesktop gnome-python2-gnomekeyring gnome-python2-gnomeprint gnome-python2-gtksourceview gnome-python2-libgtop2 gnome-python2-libwnck gnome-python2-metacity gnome-python2-rsvg gnome-python2-totem	GPL/LGPL GPLv2+ starting 6.0
gnome-python2-extras	gnome-python2-extras	GPL/LGPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	gnome-python2-gtkhtml2 gnome-python2-gtkmozembed gnome-python2-gtkspell gnome-python2-libegg gnome-python2-extras gnome-python2-gtkhtml2 gnome-python2-gtkspell gnome-python2-libegg	GPLv2+ and LGPLv2+ starting 6.0
gnome-screensaver	gnome-screensaver gnome-screensaver	GPL GPLv2+ starting 6.0
gnu-crypto	gnu-crypto gnu-crypto-javadoc gnu-crypto-sasl-jdk1.4	GPL with library exception
gnu-efi	gnu-efi gnu-efi	GPL GPLv2+ starting 6.0
gob2	gob2 gob2	GPL GPLv2+ starting 6.0
gpart	gpart	GPL GPLv2+ starting 5.5
gstreamer-plugins-base	gstreamer-plugins-base gstreamer-plugins-base-devel gstreamer-plugins-base gstreamer-plugins-base gstreamer-plugins-base-devel gstreamer-plugins-base-devel gstreamer-plugins-base-devel-docs	LGPL LGPLv2+ starting 5.3
gstreamer-plugins-good	gstreamer-plugins-good gstreamer-plugins-good-devel gstreamer-plugins-good gstreamer-plugins-good-devel	LGPL LGPLv2+ starting 6.0
gucharmap	gucharmap gucharmap-devel gucharmap gucharmap-devel	GPL GPLv2+ and GFDL and MIT starting 6.0
hardlink	hardlink hardlink	GPL GPLv2+ starting 6.0
hesinfo	hesinfo	MIT
hfsutils	hfsutils hfsutils-devel	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	hfsutils-x11	
hplip	hpijs hplip libsane-hpaio hpijs hplip hplip-common hplip-gui hplip-libs libsane-hpaio	GPL/MIT/BSD GPLv2+ and MIT starting 6.0
icon-naming-utils	icon-naming-utils icon-naming-utils	GPL GPLv2 starting 6.0
icu	icu libicu libicu-devel libicu-doc icu libicu libicu-devel libicu-doc	X License MIT and UCD and Public Domain starting 6.0
ifd-egate	ifd-egate	BSD/LGPL
imake	imake	MIT/X11
im-chooser	im-chooser im-chooser	GPL GPLv2+ starting 6.0
ipv6calc	ipv6calc	GNU GPL version 2
ipvsadm	ipvsadm ipvsadm	GPL GPLv2+ starting 6.0
irqbalance	irqbalance irqbalance	GPL/OSL GPLv2 starting 6.0
iso-codes	iso-codes iso-codes-devel iso-codes iso-codes-devel	LGPL LGPLv2+ starting 6.0
jakarta-commons-beanutils	jakarta-commons-beanutils jakarta-commons-beanutils-javadoc jakarta-commons-beanutils jakarta-commons-beanutils-javadoc	Apache Software License ASL 2.0 starting 6.0
jakarta-commons-	jakarta-commons-codec	Apache Software License

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
codec	jakarta-commons-codec-javadoc jakarta-commons-codec jakarta-commons-codec-javadoc	ASL 2.0 starting 6.0
jakarta-commons-collections	jakarta-commons-collections jakarta-commons-collections-javadoc jakarta-commons-collections-testframework jakarta-commons-collections-testframework-javadoc jakarta-commons-collections jakarta-commons-collections-javadoc jakarta-commons-collections-testframework jakarta-commons-collections-testframework-javadoc jakarta-commons-collections-tomcat5	Apache Software License v2 ASL 2.0 starting 5.2
jakarta-commons-daemon	jakarta-commons-daemon jakarta-commons-daemon-javadoc jakarta-commons-daemon jakarta-commons-daemon-javadoc jakarta-commons-daemon-jsvc	Apache Software License 2.0 ASL 2.0 starting 6.0
jakarta-commons-dbc	jakarta-commons-dbc jakarta-commons-dbc-javadoc jakarta-commons-dbc jakarta-commons-dbc-javadoc jakarta-commons-dbc-tomcat5	Apache Software License 2.0 ASL 2.0 starting 6.0
jakarta-commons-digester	jakarta-commons-digester jakarta-commons-digester-javadoc jakarta-commons-digester jakarta-commons-digester-javadoc	Apache Software License ASL 2.0 starting 6.0
jakarta-commons-discovery	jakarta-commons-discovery jakarta-commons-discovery-javadoc jakarta-commons-discovery jakarta-commons-discovery-javadoc	Apache Software License ASL 2.0 starting 6.0
jakarta-commons-el	jakarta-commons-el jakarta-commons-el-javadoc jakarta-commons-el jakarta-commons-el-javadoc	Apache Software License ASL 1.1 starting 6.0
jakarta-commons-fileupload	jakarta-commons-fileupload jakarta-commons-fileupload-javadoc	Apache Software License
jakarta-commons-	jakarta-commons-httpclient	Apache Software License

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
httpclient	jakarta-commons-httpclient-demo jakarta-commons-httpclient-javadoc jakarta-commons-httpclient-manual jakarta-commons-httpclient jakarta-commons-httpclient-demo jakarta-commons-httpclient-javadoc jakarta-commons-httpclient-manual	ASL 2.0 starting 6.0
jakarta-commons-lang	jakarta-commons-lang jakarta-commons-lang-javadoc jakarta-commons-lang jakarta-commons-lang-javadoc	Apache Software License ASL 2.0 starting 6.0
jakarta-commons-launcher	jakarta-commons-launcher jakarta-commons-launcher-javadoc	Apache Software License
jakarta-commons-logging	jakarta-commons-logging jakarta-commons-logging-javadoc jakarta-commons-logging jakarta-commons-logging-javadoc	Apache Software License ASL 2.0 starting 6.0
jakarta-commons-modeler	jakarta-commons-modeler jakarta-commons-modeler-javadoc	Apache Software License
jakarta-commons-pool	jakarta-commons-pool jakarta-commons-pool-javadoc jakarta-commons-pool jakarta-commons-pool-javadoc jakarta-commons-pool-tomcat5	Apache Software License 2.0 ASL 2.0 starting 6.0
jakarta-commons-validator	jakarta-commons-validator jakarta-commons-validator-javadoc	Apache Software License
jakarta-oro	jakarta-oro jakarta-oro-javadoc jakarta-oro jakarta-oro-javadoc	Apache License ASL 1.1 starting 6.0
jakarta-taglibs-standard	jakarta-taglibs-standard jakarta-taglibs-standard-javadoc jakarta-taglibs-standard jakarta-taglibs-standard-javadoc	Apache Software License ASL 2.0 starting 6.0
javacc	javacc javacc-demo javacc-manual	BSD
java_cup	java_cup java_cup-javadoc	BSD-style BSD and LGPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	java_cup-manual java_cup java_cup-javadoc java_cup-manual	
jdepend	jdepend jdepend-demo jdepend-javadoc jdepend jdepend-demo jdepend-javadoc	Clarkware License BSD starting 6.0
jdom	jdom jdom-demo jdom-javadoc jdom jdom-demo jdom-javadoc	Apache Software License-like BSD starting 6.0
jlex	jlex jlex-javadoc jlex jlex-javadoc	Free BSD starting 6.0
joystick	joystick	GPL
jrefactory	jrefactory jrefactory	Apache Software License BSD and ASL 1.1 and GPL+ starting 6.0
jsch	jsch jsch-demo jsch-javadoc	BSD-style
junit	junit junit-demo junit-javadoc junit-manual junit junit-demo junit-javadoc junit-manual	Common Public License CPL starting 6.0
jzlib	jzlib jzlib-demo jzlib-javadoc	BSD-style
kasumi	kasumi	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	kasumi	GPLv2+ starting 6.0
kcc	kcc	GPL
kdeaccessibility	kdeaccessibility kdeaccessibility kdeaccessibility-libs	GPL GPLv2 starting 6.0
kdebindings	kdebindings kdebindings-devel kross-python PyKDE4 PyKDE4-akonadi PyKDE4-devel	GPL LGPLv2+ starting 6.0
kdewebdev	kdewebdev kdewebdev-devel kdewebdev kdewebdev-libs	GPL GPLv2 starting 6.1
kdnssd-avahi	kdnssd-avahi kdnssd-avahi-devel	LGPL
kexec-tools	kexec-tools kexec-tools	GPL GPLv2 starting 6.0
ksh	ksh ksh	Common Public License Version 1.0 CPL starting 6.0
latex2html	latex2html latex2html	Free To Use But Restricted (See LICENSE) GPLv2+ starting 6.0
lcms	lcms lcms-devel python-lcms lcms lcms-devel lcms-libs python-lcms	LGPL MIT starting 6.0
ldapjdk	ldapjdk ldapjdk-javadoc ldapjdk ldapjdk-javadoc ldapjdk ldapjdk-javadoc	MPL MPL/GPL/LGPL starting 5.1 MPLv1.1 or GPLv2+ or LGPLv2+ starting 6.0
libbtctl	libbtctl libbtctl-devel	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
libchewing	libchewing libchewing-devel libchewing libchewing-devel libchewing-python	GPL LGPLv2+ starting 6.0
libdaemon	libdaemon libdaemon-devel libdaemon libdaemon-devel	GPL LGPLv2+ starting 6.0
libdbi-drivers	libdbi-dbd-mysql libdbi-dbd-pgsql libdbi-drivers libdbi-dbd-mysql libdbi-dbd-pgsql libdbi-dbd-sqlite libdbi-drivers	LGPL LGPLv2+ starting 6.0
libdhcp	libdhcp libdhcp-devel libdhcp libdhcp-devel	GPL GPLv2 starting 5.2
libdmx	libdmx libdmx-devel	MIT/X11
libdrm	libdrm libdrm-devel	MIT/X11
libevent	libevent libevent-devel libevent-doc libevent-headers	BSD
libfontenc	libfontenc libfontenc-devel	MIT/X11
libFS	libFS libFS-devel	MIT/X11
libgconf-java	libgconf-java libgconf-java-devel	LGPL
libglade-java	libglade-java libglade-java-devel	LGPL
libgnome-java	libgnome-java libgnome-java-devel	LGPL
libgtk-java	libgtk-java	LGPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libgtk-java-devel	
libhugetlbf	libhugetlbf libhugetlbf-devel libhugetlbf-lib libhugetlbf libhugetlbf-devel libhugetlbf-utils	LGPL LGPLv2+ starting 5.2
libICE	libICE libICE-devel	MIT/X11
libiec61883	libiec61883 libiec61883-devel libiec61883-utils libiec61883 libiec61883-devel libiec61883-utils	LGPL LGPLv2+ starting 6.0
libnl	libnl libnl-devel libnl libnl-devel	LGPL LGPLv2 starting 6.0
libnotify	libnotify libnotify-devel libnotify libnotify-devel	LGPL LGPLv2+ starting 6.0
liboil	liboil liboil-devel liboil liboil-devel	LGPL BSD starting 6.0
libpfm	libpfm libpfm-devel	MIT-style
libsemanage	libsemanage libsemanage-devel libsemanage libsemanage-devel libsemanage-python libsemanage-static	GPL LGPLv2+ starting 6.0
libSM	libSM libSM-devel	MIT/X11
libutempter	libutempter libutempter-devel	LGPL LGPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libutempter libutempter-devel	
libvirt	libvirt libvirt-devel libvirt-python libvirt libvirt-devel libvirt-python libvirt-client libvirt-lock-sanlock	LGPL LGPLv2+ starting 5.4
libvte-java	libvte-java libvte-java-devel	LGPL
libX11	libX11 libX11-devel libX11-common	MIT/X11
libXau	libXau libXau-devel	MIT/X11
libXaw	libXaw libXaw-devel	MIT/X11
libXcomposite	libXcomposite libXcomposite-devel	MIT/X11
libXcursor	libXcursor libXcursor-devel	MIT/X11
libXdamage	libXdamage libXdamage-devel	MIT/X11
libXdmcp	libXdmcp libXdmcp-devel	MIT/X11
libXevie	libXevie libXevie-devel	MIT/X11
libXext	libXext libXext-devel	MIT/X11
libXfixes	libXfixes libXfixes-devel	MIT/X11
libXfont	libXfont libXfont-devel	MIT/X11
libXfontcache	libXfontcache libXfontcache-devel	MIT/X11
libXft	libXft libXft-devel	MIT/X11

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
libXi	libXi libXi-devel	MIT/X11
libXinerama	libXinerama libXinerama-devel	MIT/X11
libxkbfile	libxkbfile libxkbfile-devel	MIT/X11
libXmu	libXmu libXmu-devel	MIT/X11
libXp	libXp libXp-devel	MIT/X11
libXpm	libXpm libXpm-devel	MIT/X11
libXrandr	libXrandr libXrandr-devel	MIT/X11
libXrender	libXrender libXrender-devel	MIT/X11
libXres	libXres libXres-devel	MIT/X11
libXScrnsaver	libXScrnsaver libXScrnsaver-devel	MIT/X11
libXt	libXt libXt-devel	MIT/X11
libXTrap	libXTrap libXTrap-devel	MIT/X11
libXtst	libXtst libXtst-devel	MIT/X11
libXv	libXv libXv-devel	MIT/X11
libXvMC	libXvMC libXvMC-devel	MIT/X11
libXxf86dga	libXxf86dga libXxf86dga-devel	MIT/X11
libXxf86misc	libXxf86misc libXxf86misc-devel	MIT/X11
libXxf86vm	libXxf86vm libXxf86vm-devel	MIT/X11
log4j	log4j log4j-javadoc log4j-manual	Apache Software License ASL 2.0 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	log4j log4j-javadoc log4j-manual	
lsscsi	lsscsi lsscsi	GPL GPLv2+ starting 6.0
lucene	lucene lucene-demo lucene-devel lucene-javadoc lucene lucene-contrib lucene-demo lucene-javadoc	Apache Software License ASL 2.0 starting 6.0
lv	lv	distributable
lvm2-cluster	lvm2-cluster	GPL
m17n-db	m17n-db m17n-db-amharic m17n-db-arabic m17n-db-armenian m17n-db-assamese m17n-db-bengali m17n-db-chinese m17n-db-common-cjk m17n-db-croatian m17n-db-datafiles m17n-db-dhivehi m17n-db-farsi m17n-db-generic m17n-db-georgian m17n-db-greek m17n-db-gujarati m17n-db-hebrew m17n-db-hindi m17n-db-japanese m17n-db-kannada m17n-db-kazakh m17n-db-khmer m17n-db-korean m17n-db-lao	LGPL LGPLv2+ starting 5.2

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	m17n-db-latin m17n-db-malayalam m17n-db-marathi m17n-db-myanmar m17n-db-nepali m17n-db-oriya m17n-db-punjabi m17n-db-russian m17n-db-serbian m17n-db-sinhala m17n-db-slovak m17n-db-swedish m17n-db-syriac m17n-db-tamil m17n-db-telugu m17n-db-thai m17n-db-tibetan m17n-db-urdu m17n-db-vietnamese m17n-db m17n-db-amharic m17n-db-arabic m17n-db-armenian m17n-db-assamese m17n-db-bengali m17n-db-chinese m17n-db-common-cjk m17n-db-croatian m17n-db-datafiles m17n-db-dhivehi m17n-db-farsi m17n-db-generic m17n-db-georgian m17n-db-greek m17n-db-gujarati m17n-db-hebrew m17n-db-hindi m17n-db-japanese m17n-db-kannada	

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	m17n-db-kazakh m17n-db-khmer m17n-db-korean m17n-db-lao m17n-db-latin m17n-db-malayalam m17n-db-marathi m17n-db-myanmar m17n-db-nepali m17n-db-oriya m17n-db-punjabi m17n-db-russian m17n-db-serbian m17n-db-sinhala m17n-db-slovak m17n-db-swedish m17n-db-syriac m17n-db-tamil m17n-db-telugu m17n-db-thai m17n-db-tibetan m17n-db-urdu m17n-db-vietnamese m17n-db-cham m17n-db-danish m17n-db-devel m17n-db-french m17n-db-gregorian m17n-db-sanskrit m17n-db-uyghur	
m17n-lib	m17n-lib m17n-lib-devel m17n-lib m17n-lib-devel	LGPL LGPLv2+ starting 6.0
m2crypto	m2crypto m2crypto	BSDish MIT starting 6.0
mcstrans	mcstrans mcstrans	GPL GPL+ starting 6.0
mesa	glx-utils	MIT/X11

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	mesa-libGL mesa-libGL-devel mesa-libGLU mesa-libGLU-devel mesa-libGLw mesa-libGLw-devel mesa-libOSMesa mesa-libOSMesa-devel mesa-source mesa-demos mesa-dri-drivers mesa-dri-drivers-experimental	
microcode_ctl	microcode_ctl microcode_ctl	GPL GPLv2+ starting 6.0
mlocate	mlocate	GPLv2
mockobjects	mockobjects mockobjects-alt-httpclient mockobjects-alt-jdk1.4 mockobjects-httpclient mockobjects-jdk1.4	BSD Style
mod_nss	mod_nss mod_nss	Apache Software License ASL 2.0 starting 5.6
mx4j	mx4j mx4j-javadoc mx4j-manual mx4j mx4j-javadoc mx4j-manual	Apache License ASL 1.1 starting 6.0
mysql-connector-odbc	mysql-connector-odbc mysql-connector-odbc	GPL GPLv2 with exceptions starting 5.4
nautilus-open-terminal	nautilus-open-terminal nautilus-open-terminal	GPL GPLv2+ starting 6.0
netlabel_tools	netlabel_tools netlabel_tools	GPL GPLv2 starting 6.0
nkf	nkf perl-NKF	BSD-like
notification-daemon	notification-daemon notification-daemon	GPL GPLv2+ starting 6.0
notify-python	notify-python	LGPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	notify-python	LGPLv2+ starting 6.0
ocfs2-2.6.18-8.el5	ocfs2-2.6.18-8.el5 ocfs2-2.6.18-8.el5PAE ocfs2-2.6.18-8.el5xen	GPL
openais	openais openais-devel openaislib openaislib-devel	BSD
openCryptoki	openCryptoki openCryptoki-devel	Other License(s), see package
openhpi	openhpi openhpi-devel openhpi-subagent openhpi-libs	BSD
openmotif22	openmotif22	Open Group Public License
openobex	openobex openobex-apps openobex-devel openobex openobex-apps openobex-devel	LGPL GPLv2+ and LGPLv2+ starting 6.0
opensp	opensp opensp-devel opensp opensp-devel	Distributable MIT starting 6.0
openssl097a	openssl097a	BSDish
oracleasm-2.6.18-8.el5	oracleasm-2.6.18-8.el5 oracleasm-2.6.18-8.el5PAE oracleasm-2.6.18-8.el5xen	GPL
orca	orca orca	LGPL LGPLv2+ starting 6.0
pam_pkcs11	pam_pkcs11 pam_pkcs11	LGPL LGPLv2+ starting 6.0
paps	paps paps paps-devel paps-libs	LGPL LGPLv2+ starting 6.0
pcmciautils	pcmciautils	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	pcmciautils	GPLv2 starting 6.0
pcsc-lite	pcsc-lite pcsc-lite-devel pcsc-lite-doc pcsc-lite-libs	BSD
perl-BSD-Resource	perl-BSD-Resource perl-BSD-Resource	GPL or Artistic GPL+ or Artistic starting 6.0
perl-Carp-Clan	perl-Carp-Clan perl-Carp-Clan	GPL or Artistic GPL+ or Artistic starting 6.0
perl-IO-Socket-INET6	perl-IO-Socket-INET6 perl-IO-Socket-INET6	Artistic or GPL GPL+ or Artistic starting 6.0
perl-IO-Socket-SSL	perl-IO-Socket-SSL perl-IO-Socket-SSL	GPL or Artistic GPL+ or Artistic starting 6.0
perl-Net-IP	perl-Net-IP perl-Net-IP	GPL or Artistic MIT and (GPL+ or Artistic) starting 6.0
perl-Net-SSLeay	perl-Net-SSLeay perl-Net-SSLeay	BSDish OpenSSL starting 6.0
perl-Net-Telnet	perl-Net-Telnet perl-Net-Telnet	GPL or Artistic GPL+ or Artistic starting 6.0
perl-Socket6	perl-Socket6	BSD
perl-String-CRC32	perl-String-CRC32	Public Domain
perl-XML-Simple	perl-XML-Simple perl-XML-Simple	GPL or Artistic GPL+ or Artistic starting 6.0
pfmon	pfmon	GPL
php-pear	php-pear php-pear	The PHP License 3.0 BSD and PHP and LGPLv2+ starting 6.0
piranha	piranha piranha	GPLv2 GPLv2+ starting 6.0
pirut	pirut	GPL
pkinit-nss	pkinit-nss pkinit-nss	BSD LGPL starting 5.1
pm-utils	pm-utils pm-utils pm-utils-devel	GPL GPLv2 starting 6.0
poppler	poppler poppler-devel poppler-utils poppler	GPL GPLv2 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	poppler-devel poppler-glib poppler-glib-devel poppler-qt poppler-qt4 poppler-qt4-devel poppler-qt-devel poppler-utils	
postgresql-jdbc	postgresql-jdbc postgresql-jdbc	BSD BSD and ASL 2.0 starting 6.0
privoxy	privoxy	GPL
procinfo	procinfo	GPL
pycairo	pycairo pycairo-devel pycairo pycairo-devel	LGPL MPLv1.1 or LGPLv2 starting 6.0
pygobject2	pygobject2 pygobject2-devel pygobject2-doc pygobject2 pygobject2-codegen pygobject2-devel pygobject2-doc	LGPL LGPLv2+ starting 6.0
pykickstart	pykickstart pykickstart	GPL GPLv2 starting 6.0
pyspi	pyspi	LGPL
python-docs	python-docs python-docs	PSF - see LICENSE Python starting 6.0
python-numeric	python-numeric	Python
python-pyblock	python-pyblock python-pyblock	GPL GPLv2 or GPLv3 starting 6.0
python-virtinst	python-virtinst python-virtinst	GPL GPLv2+ starting 5.2
qt4	qt4 qt4-devel qt4-doc qt4-mysql qt4-odbc qt4-postgresql	GPL/QPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	qt4-sqlite	
readahead	readahead readahead	GPL/OSL GPLv2+ starting 6.0
regexp	regexp regexp-javadoc regexp regexp-javadoc	Apache Software License ASL 2.0 starting 6.0
rgmanager	rgmanager rgmanager	GPL,LGPL GPLv2+ and LGPLv2+ starting 6.0
rhel-instnum	rhel-instnum	GPL
rhppl	rhppl	GPL
rng-utils	rng-utils	GPL
sabayon	sabayon sabayon-apply sabayon sabayon-apply	GPL GPLv2+ starting 6.0
scim	scim scim-devel scim-doc scim-libs	LGPL
scim-anthy	scim-anthy	GPL
scim-bridge	scim-bridge scim-bridge-gtk	LGPL
scim-chewing	scim-chewing	GPL
scim-chinese-standard	scim-chinese-standard	LGPL
scim-hangul	scim-hangul	GPL
scim-m17n	scim-m17n	GPL
scim-pinyin	scim-pinyin	GPL
scim-qtim	scim-qtim	GPL
scim-sinhala	scim-sinhala	GPL
scim-tables	scim-tables scim-tables-additional scim-tables-amharic scim-tables-arabic scim-tables-chinese scim-tables-nepali scim-tables-russian scim-tables-thai	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	scim-tables-vietnamese	
selinux-policy	selinux-policy selinux-policy-devel selinux-policy-mls selinux-policy-strict selinux-policy-targeted selinux-policy-minimum selinux-policy selinux-policy-doc selinux-policy-minimum selinux-policy-mls selinux-policy-targeted	GPL GPLv2+ starting 6.0
setroubleshoot	setroubleshoot setroubleshoot setroubleshoot-server setroubleshoot-doc	GPL GPLv2+ starting 5.2
slrn	slrn slrn-pull	GPL
smartmontools	smartmontools smartmontools	GPL GPLv2+ starting 6.0
squashfs-tools	squashfs-tools squashfs-tools	GPL GPLv2+ starting 6.0
stardict	stardict	GPL
struts	struts struts-javadoc struts-manual struts-webapps-tomcat5	Apache License
system-config-bind	system-config-bind	GPL
system-config-cluster	system-config-cluster	GPL
system-config-kdump	system-config-kdump system-config-kdump system-config-kdump	GPL GPL2+ starting 5.2 GPLv2+ starting 6.0
texi2html	texi2html texi2html	GPL GPLv2+ and OFSFDL and (CC-BY-SA or GPLv2) starting 6.0
tomcat5	tomcat5 tomcat5-admin-webapps tomcat5-common-lib	Apache Software License

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	tomcat5-jasper tomcat5-jasper-javadoc tomcat5-jsp-2.0-api tomcat5-jsp-2.0-api-javadoc tomcat5-server-lib tomcat5-servlet-2.4-api tomcat5-servlet-2.4-api-javadoc tomcat5-webapps	
totem	totem totem-devel totem-mozplugin totem totem-devel totem-jamendo totem-mozplugin totem-nautilus totem-upnp totem-youtube	GPL GPLv2+ with exceptions starting 6.0
tree	tree tree	GPL GPLv2+ starting 6.0
unifdef	unifdef	BSD
velocity	velocity velocity-demo velocity-javadoc velocity-manual velocity velocity-demo velocity-javadoc velocity-manual	Apache Software License ASL 2.0 starting 6.0
virt-manager	virt-manager virt-manager	GPL GPLv2+ starting 5.2
w3m	w3m w3m-img w3m w3m-img	BSD MIT starting 6.0
werken-xpath	werken-xpath werken-xpath-javadoc werken-xpath werken-xpath-javadoc	Apache Software License-like ASL 1.1 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
wSDL4j	wSDL4j wSDL4j-javadoc wSDL4j wSDL4j-javadoc	IBM Common Public License CPL starting 6.0
x86info	x86info x86info	GPL GPLv2+ starting 6.0
xalan-j2	xalan-j2 xalan-j2-demo xalan-j2-javadoc xalan-j2-manual xalan-j2-xslt xalan-j2 xalan-j2-demo xalan-j2-javadoc xalan-j2-manual xalan-j2-xslt	Apache Software License ASL 1.1 and ASL 2.0 and W3C starting 6.0
xDoclet	xDoclet xDoclet-javadoc xDoclet-manual xDoclet xDoclet-javadoc xDoclet-manual	XDoclet Open Source Licence BSD starting 6.0
xen	xen xen-devel xen-libs xen xen-devel xen-libs xen-64 xen-debugger xen-pvhvm-devel xen-tools	GPL GPLv2+, LGPLv2+ starting 5.2
xerces-j2	xerces-j2 xerces-j2-demo xerces-j2-javadoc-apis xerces-j2-javadoc-impl xerces-j2-javadoc-other xerces-j2-javadoc-xni	Apache Software License ASL 2.0 starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	xerces-j2-scripts xerces-j2 xerces-j2-demo xerces-j2-javadoc-apis xerces-j2-javadoc-impl xerces-j2-javadoc-other xerces-j2-javadoc-xni xerces-j2-scripts	
xferstats	xferstats xferstats	GPL GPLv2+ starting 6.0
xjavadoc	xjavadoc xjavadoc-javadoc	BSD Style
xkeyboard-config	xkeyboard-config	MIT
xml-commons	xml-commons xml-commons-apis xml-commons-apis-javadoc xml-commons-apis-manual xml-commons-which xml-commons-which-javadoc	Apache Software License
xml-commons-resolver	xml-commons-resolver xml-commons-resolver-javadoc xml-commons-resolver xml-commons-resolver-javadoc	Apache Software License ASL 1.1 starting 6.0
xmlrpc	xmlrpc xmlrpc-javadoc	Apache Software License
xorg-x11-apps	xorg-x11-apps	MIT/X11
xorg-x11-drivers	xorg-x11-drivers	MIT/X11
xorg-x11-drv-acecad	xorg-x11-drv-acecad	MIT/X11
xorg-x11-drv-aiptek	xorg-x11-drv-aiptek	MIT/X11
xorg-x11-drv-apm	xorg-x11-drv-apm	MIT/X11
xorg-x11-drv-ark	xorg-x11-drv-ark	MIT/X11
xorg-x11-drv-ast	xorg-x11-drv-ast	MIT/X11
xorg-x11-drv-ati	xorg-x11-drv-ati xorg-x11-drv-ati-firmware	MIT/X11
xorg-x11-drv-calcomp	xorg-x11-drv-calcomp	MIT/X11
xorg-x11-drv-chips	xorg-x11-drv-chips	MIT/X11
xorg-x11-drv-cirrus	xorg-x11-drv-cirrus	MIT/X11
xorg-x11-drv-citron	xorg-x11-drv-citron	MIT/X11

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
xorg-x11-drv-cyrix	xorg-x11-drv-cyrix	MIT/X11
xorg-x11-drv-digitaledge	xorg-x11-drv-digitaledge	MIT/X11
xorg-x11-drv-dmc	xorg-x11-drv-dmc	MIT/X11
xorg-x11-drv-dummy	xorg-x11-drv-dummy	MIT/X11
xorg-x11-drv-dynapro	xorg-x11-drv-dynapro	MIT/X11
xorg-x11-drv-elo2300	xorg-x11-drv-elo2300	MIT/X11
xorg-x11-drv-elographics	xorg-x11-drv-elographics	MIT/X11
xorg-x11-drv-evdev	xorg-x11-drv-evdev xorg-x11-drv-evdev-devel	MIT/X11
xorg-x11-drv-fbdev	xorg-x11-drv-fbdev	MIT/X11
xorg-x11-drv-fpit	xorg-x11-drv-fpit	MIT/X11
xorg-x11-drv-glnt	xorg-x11-drv-glnt	MIT/X11
xorg-x11-drv-hyperpen	xorg-x11-drv-hyperpen	MIT/X11
xorg-x11-drv-i128	xorg-x11-drv-i128	MIT/X11
xorg-x11-drv-i740	xorg-x11-drv-i740	MIT/X11
xorg-x11-drv-i810	xorg-x11-drv-i810 xorg-x11-drv-i810-devel	MIT/X11
xorg-x11-drv-jamstudio	xorg-x11-drv-jamstudio	MIT/X11
xorg-x11-drv-joystick	xorg-x11-drv-joystick	MIT/X11
xorg-x11-drv-keyboard	xorg-x11-drv-keyboard	MIT/X11
xorg-x11-drv-magellan	xorg-x11-drv-magellan	MIT/X11
xorg-x11-drv-magictouch	xorg-x11-drv-magictouch	MIT/X11
xorg-x11-drv-mga	xorg-x11-drv-mga	MIT/X11
xorg-x11-drv-microtouch	xorg-x11-drv-microtouch	MIT/X11
xorg-x11-drv-mouse	xorg-x11-drv-mouse	MIT/X11
xorg-x11-drv-mutouch	xorg-x11-drv-mutouch	MIT/X11
xorg-x11-drv-neomagic	xorg-x11-drv-neomagic	MIT/X11
xorg-x11-drv-nsc	xorg-x11-drv-nsc	MIT/X11
xorg-x11-drv-nv	xorg-x11-drv-nv	MIT/X11
xorg-x11-drv-palmax	xorg-x11-drv-palmax	MIT/X11
xorg-x11-drv-penmount	xorg-x11-drv-penmount	MIT/X11

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
xorg-x11-drv-rendition	xorg-x11-drv-rendition	MIT/X11
xorg-x11-drv-s3	xorg-x11-drv-s3	MIT/X11
xorg-x11-drv-s3virge	xorg-x11-drv-s3virge	MIT/X11
xorg-x11-drv-savage	xorg-x11-drv-savage	MIT/X11
xorg-x11-drv-siliconmotion	xorg-x11-drv-siliconmotion	MIT/X11
xorg-x11-drv-sis	xorg-x11-drv-sis	MIT/X11
xorg-x11-drv-sisusb	xorg-x11-drv-sisusb	MIT/X11
xorg-x11-drv-spaceorb	xorg-x11-drv-spaceorb	MIT/X11
xorg-x11-drv-summa	xorg-x11-drv-summa	MIT/X11
xorg-x11-drv-tdfx	xorg-x11-drv-tdfx	MIT/X11
xorg-x11-drv-tek4957	xorg-x11-drv-tek4957	MIT/X11
xorg-x11-drv-trident	xorg-x11-drv-trident	MIT/X11
xorg-x11-drv-tseng	xorg-x11-drv-tseng	MIT/X11
xorg-x11-drv-ur98	xorg-x11-drv-ur98	MIT/X11
xorg-x11-drv-v4l	xorg-x11-drv-v4l	MIT/X11
xorg-x11-drv-vesa	xorg-x11-drv-vesa	MIT/X11
xorg-x11-drv-vga	xorg-x11-drv-vga	MIT/X11
xorg-x11-drv-via	xorg-x11-drv-via xorg-x11-drv-via-devel	MIT/X11
xorg-x11-drv-vmouse	xorg-x11-drv-vmouse	MIT/X11
xorg-x11-drv-vmware	xorg-x11-drv-vmware	MIT/X11
xorg-x11-drv-void	xorg-x11-drv-void	MIT/X11
xorg-x11-drv-vooodoo	xorg-x11-drv-vooodoo	MIT/X11
xorg-x11-filesystem	xorg-x11-filesystem	MIT/X11
xorg-x11-fonts	xorg-x11-fonts-100dpi xorg-x11-fonts-75dpi xorg-x11-fonts-base xorg-x11-fonts-cyrillic xorg-x11-fonts-ethiopic xorg-x11-fonts-ISO8859-1-100dpi xorg-x11-fonts-ISO8859-14-100dpi xorg-x11-fonts-ISO8859-14-75dpi xorg-x11-fonts-ISO8859-15-100dpi xorg-x11-fonts-ISO8859-15-75dpi	Various licenses MIT and Lucida and Public Domain starting 6.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	xorg-x11-fonts-ISO8859-1-75dpi xorg-x11-fonts-ISO8859-2-100dpi xorg-x11-fonts-ISO8859-2-75dpi xorg-x11-fonts-ISO8859-9-100dpi xorg-x11-fonts-ISO8859-9-75dpi xorg-x11-fonts-misc xorg-x11-fonts-syriac xorg-x11-fonts-truetype xorg-x11-fonts-Type1 xorg-x11-fonts-100dpi xorg-x11-fonts-75dpi xorg-x11-fonts-cyrillic xorg-x11-fonts-ethiopic xorg-x11-fonts-ISO8859-1-100dpi xorg-x11-fonts-ISO8859-14-100dpi xorg-x11-fonts-ISO8859-14-75dpi xorg-x11-fonts-ISO8859-15-100dpi xorg-x11-fonts-ISO8859-15-75dpi xorg-x11-fonts-ISO8859-1-75dpi xorg-x11-fonts-ISO8859-2-100dpi xorg-x11-fonts-ISO8859-2-75dpi xorg-x11-fonts-ISO8859-9-100dpi xorg-x11-fonts-ISO8859-9-75dpi xorg-x11-fonts-misc xorg-x11-fonts-Type1	
xorg-x11-font-utils	xorg-x11-font-utils bdftruncate	MIT/X11
xorg-x11-proto-devel	xorg-x11-proto-devel xorg-x11-proto-devel	The Open Group License MIT starting 6.0
xorg-x11-resutils	xorg-x11-resutils	MIT/X11
xorg-x11-server	xorg-x11-server-sdk xorg-x11-server-Xdmx xorg-x11-server-Xephyr xorg-x11-server-Xnest xorg-x11-server-Xorg xorg-x11-server-Xvfb xorg-x11-server-randr-source xorg-x11-server-Xvnc-source xorg-x11-server-common	MIT/X11

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	xorg-x11-server-devel xorg-x11-server-source	
xorg-x11-server-utils	xorg-x11-server-utils	MIT/X11
xorg-x11-twm	xorg-x11-twm	MIT/X11
xorg-x11-util-macros	xorg-x11-util-macros xorg-x11-util-macros	The Open Group License MIT starting 6.0
xorg-x11-utils	xorg-x11-utils	MIT/X11
xorg-x11-xauth	xorg-x11-xauth	MIT/X11
xorg-x11-xbitmaps	xorg-x11-xbitmaps	MIT/X11
xorg-x11-xfs	xorg-x11-xfs xorg-x11-xfs-utils	MIT/X11
xorg-x11-xfwp	xorg-x11-xfwp	MIT/X11
xorg-x11-xinit	xorg-x11-xinit xorg-x11-xinit-session	MIT/X11
xorg-x11-xkb-utils	xorg-x11-xkb-utils xorg-x11-xkb-extras	MIT/X11
xorg-x11-xsm	xorg-x11-xsm	MIT/X11
xorg-x11-xtrans-devel	xorg-x11-xtrans-devel	MIT/X11
yum-metadata-parser	yum-metadata-parser yum-metadata-parser	GPL GPLv2 starting 5.2
zenity	zenity zenity	GPL LGPLv2+ starting 6.0
cpufreq-utils	cpufreq-utils	GPL
dnsmasq	dnsmasq dnsmasq dnsmasq-utils	GPL GPLv2 or GPLv3 starting 6.0
gfs2-kmod	kmod-gfs2 kmod-gfs2-xen kmod-gfs2-PAE	GPL
mozldap	mozldap mozldap-devel mozldap-devel mozldap-tools	MPL/GPL/LGPL
nfs4-acl-tools	nfs4-acl-tools	BSD
ocfs2-2.6.18-53.el5	ocfs2-2.6.18-53.el5 ocfs2-2.6.18-53.el5debug ocfs2-2.6.18-53.el5xen ocfs2-2.6.18-53.el5PAE	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
oracleasm-2.6.18-53.el5	oracleasm-2.6.18-53.el5 oracleasm-2.6.18-53.el5debug oracleasm-2.6.18-53.el5xen oracleasm-2.6.18-53.el5PAE	GPL
perl-Mozilla-LDAP	perl-Mozilla-LDAP perl-Mozilla-LDAP	MPL/GPL/LGPL GPLv2+ and LGPLv2+ and MPLv1.1 starting 6.1
python-imaging	python-imaging python-imaging-devel python-imaging-devel python-imaging python-imaging-devel python-imaging-sane python-imaging-tk	Distributable MIT starting 6.0
scsi-target-utils	scsi-target-utils scsi-target-utils	GPL GPLv2 starting 5.3
svrcore	svrcore svrcore svrcore-devel svrcore-devel svrcore	MPL/GPL/LGPL MPLv1.1 or GPLv2+ or LGPLv2+ starting 6.1
watchdog	watchdog watchdog	GPL GPL+ starting 5.4
yum-utils	yum-changelog yum-downloadonly yum-kmod yum-protectbase yum-security yum-skip-broken yum-updateonboot yum-utils yum-versionlock yum-aliases yum-basearchonly yum-filter-data yum-list-data yum-protect-packages yum-aliases yum-changelog	GPL GPLv2+ starting 5.3

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	yum-downloadonly yum-fastestmirror yum-filter-data yum-keys yum-kmod yum-list-data yum-NetworkManager-dispatcher yum-protectbase yum-protect-packages yum-security yum-tmprepo yum-updateonboot yum-utils yum-verify yum-versionlock yum-plugin-aliases yum-plugin-auto-update-debug-info yum-plugin-changelog yum-plugin-downloadonly yum-plugin-fastestmirror yum-plugin-filter-data yum-plugin-fs-snapshot yum-plugin-keys yum-plugin-list-data yum-plugin-local yum-plugin-merge-conf yum-plugin-post-transaction-actions yum-plugin-priorities yum-plugin-protectbase yum-plugin-protect-packages yum-plugin-remove-with-leaves yum-plugin-rpm-warm-cache yum-plugin-security yum-plugin-show-leaves yum-plugin-tmprepo yum-plugin-tsflags yum-plugin-upgrade-helper yum-plugin-verify yum-plugin-versionlock	

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	yum-priorities yum-plugin-ps	
dstat	dstat dstat	GPL GPLv2 starting 6.0
ecryptfs-utils	ecryptfs-utils ecryptfs-utils-devel ecryptfs-utils ecryptfs-utils ecryptfs-utils-devel ecryptfs-utils-devel ecryptfs-utils-gui ecryptfs-utils-python	GPL GPLv2+ starting 5.3
freeipmi	freeipmi freeipmi-bmc-watchdog freeipmi-devel freeipmi-ipmidetectd	GPLv2+
gtk-vnc	gtk-vnc gtk-vnc-devel gtk-vnc-python	LGPLv2+
isns-utils	isns-utils	LGPLv2+
mstflint	mstflint mstflint	BSD 3-Clause, GPL v2 or later GPLv2+ or BSD starting 6.0
nspluginwrapper	nspluginwrapper nspluginwrapper nspluginwrapper	GPL GPLv2+ starting 5.5
ocfs2-2.6.18-92.el5	ocfs2-2.6.18-92.el5 ocfs2-2.6.18-92.el5debug ocfs2-2.6.18-92.el5PAE ocfs2-2.6.18-92.el5xen	GPL
openswan	openswan openswan-doc	GPLv2+
oracleasm-2.6.18-92.el5	oracleasm-2.6.18-92.el5 oracleasm-2.6.18-92.el5debug oracleasm-2.6.18-92.el5PAE oracleasm-2.6.18-92.el5xen	GPL
perftest	perftest perftest	BSD 3-Clause, GPL v2 or later GPLv2 or BSD starting 6.0
python-iniparse	python-iniparse	MIT
python-setuptools	python-setuptools	PSFL/ZPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	python-setuptools	Python or ZPLv2.0 starting 6.0
rsyslog	rsyslog rsyslog-mysql rsyslog rsyslog-gnutls rsyslog-gssapi rsyslog-mysql rsyslog-pgsql rsyslog-relp rsyslog-snmp rsyslog rsyslog-gnutls rsyslog-gssapi rsyslog-mysql rsyslog-pgsql rsyslog-relp rsyslog-snmp	GPLv2+ GPLv3+ starting 5.5 (GPLv3+ and ASL 2.0) starting 6.3
setroubleshoot-plugins	setroubleshoot-plugins	GPLv2+
tpm-tools	tpm-tools tpm-tools-devel tpm-tools-pkcs11	CPL
trousers	trousers trousers-devel trousers-static	CPL
tvflash	tvflash	GPL/BSD
udftools	udftools	GPLv2+
virt-viewer	virt-viewer	GPLv2+
xulrunner	xulrunner xulrunner-devel xulrunner-devel-unstable	MPLv1.1 or GPLv2+ or LGPLv2+
yum-updatesd	yum-updatesd	GPLv2
cmirror	cmirror	GPL
cmirror-kmod	kmod-cmirror kmod-cmirror-xen kmod-cmirror-PAE	GPL
e4fsprogs	e4fsprogs e4fsprogs-devel e4fsprogs-libs	GPLv2

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
fipscheck	fipscheck fipscheck fipscheck-devel fipscheck-devel fipscheck-lib	BSD
fonts-chinese	fonts-chinese	Arphic Public License (GPL-like)
gcc43	gcc43 gcc43-c++ gcc43-gfortran libgfortran43 libgfortran43 libgomp libgomp libstdc++43-devel libstdc++43-devel	GPLv3+ and GPLv2+ with exceptions
java-1.6.0-openjdk	java-1.6.0-openjdk java-1.6.0-openjdk-demo java-1.6.0-openjdk-devel java-1.6.0-openjdk-javadoc java-1.6.0-openjdk-src java-1.6.0-openjdk java-1.6.0-openjdk-demo java-1.6.0-openjdk-devel java-1.6.0-openjdk-javadoc java-1.6.0-openjdk-src java-1.6.0-openjdk-plugin	GPLv2 with exceptions ASL 1.1, ASL 2.0, GPL+, GPLv2, GPLv2 with exceptions, LGPL+, LGPLv2, MPLv1.0, MPLv1.1, Public Domain, W3C starting 5.6
ktune	ktune	GPLv2
libcmptutil	libcmptutil libcmptutil libcmptutil-devel libcmptutil-devel	LGPLv2+
libvirt-cim	libvirt-cim	LGPLv2+
ocfs2-2.6.18-128.el5	ocfs2-2.6.18-128.el5 ocfs2-2.6.18-128.el5debug ocfs2-2.6.18-128.el5xen ocfs2-2.6.18-128.el5PAE	GPL
oracleasm-2.6.18-	oracleasm-2.6.18-128.el5	GPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
128.el5	oracleasm-2.6.18-128.el5debug oracleasm-2.6.18-128.el5xen oracleasm-2.6.18-128.el5PAE	
perl-Archive-Zip	perl-Archive-Zip perl-Archive-Zip	GPL or Artistic GPL+ or Artistic starting 6.0
perl-Config-General	perl-Config-General	GPL+ or Artistic
sgpio	sgpio	GPLv2+
blktrace	blktrace	GPLv2+
celt051	celt051 celt051-devel	BSD
elilo	elilo	GPL
etherboot	etherboot-pxes etherboot-roms etherboot-roms-kvm etherboot-zroms etherboot-zroms-kvm	GPLv2
fcoe-utils	fcoe-utils	GPLv2
fuse	fuse fuse-devel fuse-libs	GPL+
gcc44	gcc44 gcc44-c++ gcc44-gfortran libgfortran44 libgomp libstdc++44-devel gcc44 gcc44-c++ gcc44-gfortran libgfortran44 libgomp libstdc++44-devel	GPLv3+, GPLv3+ with exceptions and GPLv2+ with exceptions GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions starting 5.6
gnupg2	gnupg2 gnupg2-smime	GPLv3+
hmaccalc	hmaccalc	MIT
iasl	iasl	Intel ACPI
kvm	kmod-kvm	GPLv2

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	kvm kvm-qemu-img kvm-tools kmod-kvm-debug	
libassuan	libassuan-devel	LGPLv2+ and GPLv3+
libhbaapi	libhbaapi libhbaapi-devel	SNIA
libhbalinux	libhbalinux libhbalinux-devel	LGPLv2
libksba	libksba libksba-devel	GPLv3+
libpciaccess	libpciaccess libpciaccess-devel	MIT
libunwind	libunwind	BSD
log4cpp	log4cpp log4cpp-devel log4cpp-docs	LGPLv2+
ocfs2-2.6.18-164.el5	ocfs2-2.6.18-164.el5 ocfs2-2.6.18-164.el5debug ocfs2-2.6.18-164.el5PAE ocfs2-2.6.18-164.el5xen	GPL
oracleasm-2.6.18-164.el5	oracleasm-2.6.18-164.el5 oracleasm-2.6.18-164.el5debug oracleasm-2.6.18-164.el5PAE oracleasm-2.6.18-164.el5xen	GPL
perl-Sys-Virt	perl-Sys-Virt	GPLv2+ or Artistic
pinentry	pinentry pinentry-gtk pinentry-qt pinentry-qt4	GPLv2+
prctl	prctl	GPL
pth	pth pth-devel	LGPLv2+
qcairo	qcairo qcairo-devel	LGPLv2 or MPLv1.1
qffmpeg	qffmpeg-devel qffmpeg-libs	GPLv2+
qpixmap	qpixmap qpixmap-devel	MIT

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
qspice	qspice qspice-libs qspice-libs-devel	GPLv2+
rds-tools	rds-tools rds-tools	GPLv2+ or BSD GPLv2 or BSD starting 5.9
salinfo	salinfo	GPL
xorg-x11-drv-qxl	xorg-x11-drv-qxl	MIT
xorg-x11-xdm	xorg-x11-xdm	MIT/X11
ctdb	ctdb ctdb-devel ctdb-devel	GPLv3+
freeradius2	freeradius2 freeradius2-krb5 freeradius2-ldap freeradius2-mysql freeradius2-perl freeradius2-postgresql freeradius2-python freeradius2-unixODBC freeradius2-utils	GPLv2+ and LGPLv2+
gpxe	gpxe-roms-qemu gpxe-bootimgs	GPLv2 and BSD
ocfs2-2.6.18-194.el5	ocfs2-2.6.18-194.el5 ocfs2-2.6.18-194.el5debug ocfs2-2.6.18-194.el5xen ocfs2-2.6.18-194.el5PAE	GPL
oracleasm-2.6.18-194.el5	oracleasm-2.6.18-194.el5 oracleasm-2.6.18-194.el5debug oracleasm-2.6.18-194.el5xen oracleasm-2.6.18-194.el5PAE	GPL
postgresql84	postgresql84 postgresql84-contrib postgresql84-devel postgresql84-devel postgresql84-docs postgresql84-libs postgresql84-libs postgresql84-plperl postgresql84-plpython	MIT PostgreSQL starting 5.6

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	postgresql84-pltcl postgresql84-python postgresql84-server postgresql84-tcl postgresql84-test postgresql84 postgresql84-contrib postgresql84-devel postgresql84-docs postgresql84-libs postgresql84-plperl postgresql84-plpython postgresql84-pltcl postgresql84-python postgresql84-server postgresql84-tcl postgresql84-test	
python-dmidecode	python-dmidecode python-dmidecode	GPLv2 GPLv2+ starting 6.0
samba3x	libtalloc libtalloc libtalloc-devel libtalloc-devel libtdb libtdb libtdb-devel libtdb-devel samba3x samba3x-client samba3x-common samba3x-doc samba3x-domainjoin-gui samba3x-swat samba3x-winbind samba3x-winbind samba3x-winbind-devel samba3x-winbind-devel tdb-tools	GPLv3+ and LGPLv3+
tunctl	tunctl	GPL+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
xz	xz xz-devel xz-devel xz-libs xz-libs xz-lzma-compat	LGPLv2+
aic94xx-firmware	aic94xx-firmware	Redistributable, no modification permitted
atmel-firmware	atmel-firmware	Redistributable, no modification permitted
bfa-firmware	bfa-firmware	Redistributable, no modification permitted
bind97	bind97 bind97-chroot bind97-devel bind97-libs bind97-utils	ISC
c-ares	c-ares c-ares-devel	MIT
certmonger	certmonger	GPLv3+
dropwatch	dropwatch	GPLv2+
eatables	eatables	GPLv2+
hplip3	hpijs3 hplip3 hplip3-common hplip3-gui hplip3-libs libsane-hpaio3	GPLv2+ and MIT
ipa-client	ipa-client ipa-client	GPLv2 GPLv3+ starting 5.7
ipa-gothic-fonts	ipa-gothic-fonts	IPA
ipa-mincho-fonts	ipa-mincho-fonts	IPA
ipa-pgothic-fonts	ipa-pgothic-fonts	IPA
ipa-pmincho-fonts	ipa-pmincho-fonts	IPA
ipw2100-firmware	ipw2100-firmware	Redistributable, no modification permitted
ipw2200-firmware	ipw2200-firmware	Redistributable, no modification permitted
ivtv-firmware	ivtv-firmware	Redistributable, no modification permitted
iwl1000-firmware	iwl1000-firmware	Redistributable, no modification permitted
iwl3945-firmware	iwl3945-firmware	Redistributable, no modification permitted

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
iwl4965-firmware	iwl4965-firmware	Redistributable, no modification permitted
iwl5000-firmware	iwl5000-firmware	Redistributable, no modification permitted
iwl5150-firmware	iwl5150-firmware	Redistributable, no modification permitted
iwl6000-firmware	iwl6000-firmware	Redistributable, no modification permitted
iwl6050-firmware	iwl6050-firmware	Redistributable, no modification permitted
kernel-uek	kernel-uek kernel-uek-debug kernel-uek-debug-devel kernel-uek-devel kernel-uek-doc kernel-uek-firmware kernel-uek-headers	GPLv2
latencytop	latencytop latencytop-common latencytop-tui	GPLv2
libertas-usb8388-firmware	libertas-usb8388-firmware	Redistributable, no modification permitted
libldb	ldb-tools libldb libldb-devel	LGPLv3+
libtalloc	libtalloc libtalloc-compat1 libtalloc-devel	LGPLv3+
libtdb	libtdb libtdb-devel tdb-tools python-tdb	LGPLv3+
libtevent	libtevent libtevent-devel	LGPLv3+
mod_revocator	mod_revocator	ASL 2.0
netxen-firmware	netxen-firmware	Redistributable, no modification permitted
ocfs2-2.6.18-238.el5	ocfs2-2.6.18-238.el5 ocfs2-2.6.18-238.el5debug ocfs2-2.6.18-238.el5PAE ocfs2-2.6.18-238.el5xen	GPL
ofa-2.6.32-100.23.30.el5		GPL/BSD

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
ofa-2.6.32-100.23.34.el5		GPL/BSD
oracleasm-2.6.18-238.el5	oracleasm-2.6.18-238.el5 oracleasm-2.6.18-238.el5debug oracleasm-2.6.18-238.el5PAE oracleasm-2.6.18-238.el5xen	GPL
oracle-linux	oracle-linux	GPL
oraclelinux-release	oraclelinux-release	GPL
php53	php53 php53-bcmath php53-cli php53-common php53-dba php53-devel php53-gd php53-imap php53-intl php53-ldap php53-mbstring php53-mysql php53-odbc php53-pdo php53-pgsql php53-process php53-pspell php53-snmp php53-soap php53-xml php53-xmlrpc	PHP and LGPLv2 and LGPLv2+
python-pycurl	python-pycurl python-pycurl	LGPL LGPLv2+ or MIT starting 6.0
ql2xxx-firmware	ql2xxx-firmware	Redistributable, no modification permitted
reflink	reflink	GPL
rt61pci-firmware	rt61pci-firmware	Redistributable, no modification permitted
rt73usb-firmware	rt73usb-firmware	Redistributable, no modification permitted
sssd	libcollection libcollection-devel libdhash	GPLv3+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libdhash-devel libini_config libini_config-devel libpath_utils libpath_utils-devel libref_array libref_array-devel sssd sssd-client sssd-tools libipa_hbac libipa_hbac-devel libipa_hbac-python libsss_autofs	
xmlrpc-c	xmlrpc-c xmlrpc-c-apps xmlrpc-c-c++ xmlrpc-c-client xmlrpc-c-client++ xmlrpc-c-devel	BSD and MIT
yum-rhn-plugin	yum-rhn-plugin yum-rhn-plugin	GPL GPLv2 starting 6.0
zd1211-firmware	zd1211-firmware	GPLv2
ofa-2.6.32- 100.26.2.el5	ofa-2.6.32-100.26.2.el5 ofa-2.6.32-100.26.2.el5debug	GPL/BSD
abrt	abrt abrt-addon-ccpp abrt-addon-kerneloops abrt-addon-python abrt-cli abrt-desktop abrt-devel abrt-gui abrt-libs abrt-plugin-bugzilla abrt-plugin-filetransfer abrt-plugin-logger abrt-plugin-mailx abrt-plugin-reportuploader	GPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	abrt-plugin-runapp abrt-plugin-sosreport abrt-addon-vmcore abrt-tui	
abyssinica-fonts	abyssinica-fonts	OFL
akonadi	akonadi akonadi-devel	LGPLv2+
alsa-plugins	alsa-plugins-arcamav alsa-plugins-maemo alsa-plugins-oss alsa-plugins-pulseaudio alsa-plugins-samplerate alsa-plugins-speex alsa-plugins-upmix alsa-plugins-usbstream alsa-plugins-vdownmix	GPLv2+ and LGPLv2+ and BSD
anaconda-yum-plugins	anaconda-yum-plugins	GPLv2+
ant-contrib	ant-contrib ant-contrib-javadoc	ASL 2.0
apache-jasper	apache-jasper apache-jasper-javadoc	ASL 2.0
apache-tomcat-apis	apache-tomcat-apis	ASL 2.0
arpwatch	arpwatch	BSD with advertising
asciidoc	asciidoc	GPL+ and GPLv2+
atlas	atlas atlas-3dnow atlas-3dnow-devel atlas-devel atlas-sse2 atlas-sse2-devel atlas-sse3 atlas-sse atlas-sse3-devel atlas-sse-devel	BSD
audit-viewer	audit-viewer	GPLv2
augeas	augeas augeas-devel augeas-libs	LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
automoc	automoc	BSD
autotrace	autotrace autotrace-devel	GPLv2+ and LGPLv2+
b43-fwcutter	b43-fwcutter	BSD
b43-openfwwf	b43-openfwwf	GPLv2
b43-tools	b43-tools	GPLv2 and GPLv2+ and GPLv3
babel	babel python-babel	BSD
babl	babl babl-devel babl-devel-docs	LGPLv3+ and GPLv3+
bacula	bacula-client bacula-common bacula-console bacula-console-bat bacula-director-common bacula-director-mysql bacula-director-postgresql bacula-director-sqlite bacula-docs bacula-storage-common bacula-storage-mysql bacula-storage-postgresql bacula-storage-sqlite bacula-traymonitor	GPLv2 with exceptions
baekmuk-ttf-fonts	baekmuk-ttf-batang-fonts baekmuk-ttf-dotum-fonts baekmuk-ttf-fonts-common baekmuk-ttf-fonts-ghostscript baekmuk-ttf-gulim-fonts baekmuk-ttf-hline-fonts	Baekmuk
batik	batik batik-demo batik-javadoc batik-rasterizer batik-slideshow batik-squiggle batik-svgpp batik-ttf2svg	ASL 2.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
bea-stax	bea-stax bea-stax-api bea-stax-javadoc	ASL 2.0 and ASL 1.1
bind-dyndb-ldap	bind-dyndb-ldap	GPLv2+
bltk	bltk	BSD
bluez	bluez bluez-alsa bluez-compatible bluez-cups bluez-gstreamer bluez-libs bluez-libs-devel	GPLv2+
bpg-fonts	bpg-algeti-fonts bpg-chveulebrivi-fonts bpg-courier-fonts bpg-courier-s-fonts bpg-elite-fonts bpg-fonts-common bpg-glaho-fonts bpg-ingiri-fonts bpg-nino-medium-cond-fonts bpg-nino-medium-fonts bpg-sans-fonts bpg-sans-medium-fonts bpg-sans-modern-fonts bpg-sans-regular-fonts bpg-serif-fonts bpg-serif-modern-fonts	GPL+ with exceptions
brasero	brasero brasero-devel brasero-libs brasero-nautilus	GPLv2+
bwidget	bwidget	TCL
byaccj	byaccj	Public Domain
bzr	bzr bzr-doc	GPLv2+
c2050	c2050	GPL+
c2070	c2070	GPL+
ca-certificates	ca-certificates	Public Domain

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
cairomm	cairomm cairomm-devel	LGPLv2+
cairo-spice	cairo-spice cairo-spice-devel	LGPLv2 or MPLv1.1
cas	cas	GPLv3+
cdrkit	dirsplit genisoimage icedax wodim	GPLv2
cheese	cheese	GPLv2+
chrpath	chrpath	GPL+
cifs-utils	cifs-utils	GPLv3
cim-schema	cim-schema cim-schema-docs	DMTF
cjet	cjet	GPLv2+
CJKuni-fonts	CJKuni-fonts-common CJKuni-fonts-ghostscript CJKuni-ukai-fonts CJKuni-uming-fonts	Arphic
cloog	cloog-ppl cloog-ppl-devel	GPLv2+
clucene	clucene-core clucene-core-devel	LGPLv2+ or ASL 2.0
cluster	clusterlib cman dlm-pcmk gfs2-utils gfs-pcmk clusterlib-devel	GPLv2+ and LGPLv2+
cluster-glue	cluster-glue cluster-glue-libs cluster-glue-libs-devel	GPLv2+ and LGPLv2+
clutter	clutter clutter-devel clutter-doc	LGPLv2+
clutter-gtk	clutter-gtk clutter-gtk-devel	LGPLv2+
cmake	cmake cmake-gui	BSD

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
compat-expat1	compat-expat1	MIT
compat-libcap1	compat-libcap1	BSD-like and LGPL
compat-libgfortran-41	compat-libgfortran-41	GPLv2+ with exceptions
compat-libtermcap	compat-libtermcap	GPLv2+
compat-readline5	compat-readline5 compat-readline5-devel compat-readline5-static	GPLv2+
compiz	compiz compiz-devel compiz-gnome	GPLv2+ and LGPLv2+ and MIT
ConsoleKit	ConsoleKit ConsoleKit-devel ConsoleKit-docs ConsoleKit-libs ConsoleKit-x11	GPLv2+
corosync	corosync corosynclib corosynclib-devel	BSD
cppunit	cppunit cppunit-devel cppunit-doc	LGPLv2+
cpufrequtils	cpufrequtils cpufrequtils-devel	GPLv2
crash-trace-command	crash-trace-command	GPLv2
crda	crda	ISC
cronie	cronie cronie-anacron cronie-noanacron	MIT and BSD and ISC and GPLv2
ctan-cm-lgc-fonts	ctan-cm-lgc-fonts-common ctan-cm-lgc-roman-fonts ctan-cm-lgc-sans-fonts ctan-cm-lgc-typewriter-fonts tex-cm-lgc	GPLv2+ with exceptions
ctan-kerkis-fonts	ctan-kerkis-calligraphic-fonts ctan-kerkis-fonts-common ctan-kerkis-sans-fonts ctan-kerkis-serif-fonts	LPPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	tex-kerkis	
ctapi-common	ctapi-common	MIT
culmus-fonts	culmus-aharoni-clm-fonts culmus-caladings-clm-fonts culmus-david-clm-fonts culmus-drugulin-clm-fonts culmus-ellinia-clm-fonts culmus-fonts-common culmus-fonts-compatible culmus-frank-ruehl-clm-fonts culmus-miriam-clm-fonts culmus-miriam-mono-clm-fonts culmus-nachlieli-clm-fonts culmus-yehuda-clm-fonts	GPLv2
cups-pk-helper	cups-pk-helper	GPLv2+
cvsp	cvsp	GPLv2
dash	dash	BSD
dbus-c++	dbus-c++ dbus-c++-devel	LGPLv2+
dbus-qt	dbus-qt dbus-qt-devel	AFL or GPLv2+
dejavu-fonts	dejavu-fonts-common dejavu-lgc-sans-fonts dejavu-lgc-sans-mono-fonts dejavu-lgc-serif-fonts dejavu-sans-fonts dejavu-sans-mono-fonts dejavu-serif-fonts	Bitstream Vera and Public Domain
deltarpm	deltarpm deltarpm drpmsync python-deltarpm	BSD
desktop-effects	desktop-effects	GPLv2+
DeviceKit-power	DeviceKit-power DeviceKit-power-devel DeviceKit-power-devel-docs	GPLv2+
dirmngr	dirmngr	GPLv2+ and GPLv3+ and OpenLDAP
dmz-cursor-themes	dmz-cursor-themes	CC-BY-SA
docbook5-schemas	docbook5-schemas	Freely redistributable without restriction

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
docbook5-style-xsl	docbook5-style-xsl	MIT and MPLv1.1
dracut	dracut dracut-fips dracut-generic dracut-kernel dracut-network dracut-tools dracut-caps dracut-fips-aesni	GPLv2+
dumpet	dumpet	GPLv2+
dvipdfm	dvipdfm	GPLv2+
dvipdfmx	dvipdfmx	GPLv2+
dvipng	dvipng	GPLv2+ and OFSFDL
eclipse-birt	eclipse-birt	EPL
eclipse-callgraph	eclipse-callgraph	EPL
eclipse-cdt	eclipse-cdt eclipse-cdt-parsers eclipse-cdt-sdk	EPL and CPL
eclipse-changelog	eclipse-changelog	EPL
eclipse-dtp	eclipse-dtp	EPL
eclipse-emf	eclipse-emf eclipse-emf-examples eclipse-emf-sdk eclipse-emf-xsd eclipse-emf-xsd-sdk	EPL
eclipse-gef	eclipse-gef eclipse-gef-examples eclipse-gef-sdk	EPL
eclipse-linuxprofilingframework	eclipse-linuxprofilingframework	EPL
eclipse-mylyn	eclipse-mylyn eclipse-mylyn-cdt eclipse-mylyn-java eclipse-mylyn-pde eclipse-mylyn-trac eclipse-mylyn-webtasks eclipse-mylyn-wikitext	EPL and ASL 2.0
eclipse-nls	eclipse-nls	EPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	eclipse-nls-ar eclipse-nls-bg eclipse-nls-cs eclipse-nls-da eclipse-nls-de eclipse-nls-el eclipse-nls-en_AA eclipse-nls-en_AU eclipse-nls-es eclipse-nls-et eclipse-nls-fi eclipse-nls-fr eclipse-nls-he eclipse-nls-hi eclipse-nls-hu eclipse-nls-it eclipse-nls-ja eclipse-nls-ko eclipse-nls-mn eclipse-nls-nl eclipse-nls-no eclipse-nls-pl eclipse-nls-pt eclipse-nls-pt_BR eclipse-nls-ro eclipse-nls-ru eclipse-nls-sv eclipse-nls-tr eclipse-nls-uk eclipse-nls-zh eclipse-nls-zh_TW	
eclipse-oprofile	eclipse-oprofile	EPL
eclipse-rpm-editor	eclipse-rpm-editor	EPL
eclipse-rse	eclipse-rse	EPL
eclipse-subclipse	eclipse-subclipse eclipse-subclipse-graph	EPL and CC-BY
eclipse-valgrind	eclipse-valgrind	EPL
efibootmgr	efibootmgr	GPLv2+
eggdbus	eggdbus	LGPLv2

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	eggdbus-devel	
ekiga	ekiga	GPLv2+
emacs-auctex	emacs-auctex emacs-auctex-doc emacs-auctex-el tex-preview	GPLv3+
enchant	enchant enchant-aspell enchant-devel enchant-voikko	LGPLv2+
environment-modules	environment-modules	GPLv2+
epydock	epydock	MIT
espeak	espeak espeak-devel	GPLv3+
evolution-exchange	evolution-exchange	GPLv2+
evolution-mapi	evolution-mapi evolution-mapi-devel	LGPLv2+
exempi	exempi exempi-devel	BSD
exiv2	exiv2 exiv2-devel exiv2-libs	GPLv2+
fakechroot	fakechroot fakechroot-libs	LGPLv2+
fakeroot	fakeroot fakeroot-libs	GPL+
farsight2	farsight2 farsight2-devel farsight2-python	LGPLv2+
fence-agents	fence-agents	GPLv2+ and LGPLv2+
fence-virt	fence-virt fence-virt-d fence-virt-d-libvirt fence-virt-d-libvirt-qpid fence-virt-d-multicast fence-virt-d-serial fence-virt-d-checkpoint	GPLv2+
ffmpeg-spice	ffmpeg-spice-devel	GPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	ffmpeg-spice-libs	
fftw	fftw fftw-devel fftw-static	GPLv2+
firstaidkit	firstaidkit firstaidkit-devel firstaidkit-engine firstaidkit-gui firstaidkit-plugin-all firstaidkit-plugin-grub firstaidkit-plugin-key-recovery firstaidkit-plugin-mdadm-conf firstaidkit-plugin-passwd firstaidkit-plugin-xserver firstaidkit-plugin-freespace firstaidkit-plugin-openscap	GPLv2+
flightrecorder	flightrecorder	LGPLv2
flute	flute flute-javadoc	W3C and LGPLv2+
fontforge	fontforge fontforge-devel	BSD
fontpackages	fontpackages-devel fontpackages-filesystem fontpackages-tools	LGPLv3+
foomatic-db	foomatic-db foomatic-db-filesystem foomatic-db-ppds	GPLv2+
fop	fop fop-javadoc	ASL 2.0
fprintd	fprintd fprintd-devel fprintd-pam	GPLv2+
gc	gc gc-devel	BSD
gconfmm26	gconfmm26 gconfmm26-devel	LGPLv2+
gedit-plugins	gedit-plugins	GPLv2+
gegl	gegl	LGPLv3+ and GPLv3+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	gegl-devel	
geoclue	geoclue geoclue-devel geoclue-doc geoclue-gui geoclue-gypsy	LGPLv2
ggz-base-libs	ggz-base-libs ggz-base-libs-devel	LGPLv2+ and GPLv2+
git	emacs-git emacs-git-el git git-all git-cvs git-daemon git-email git-gui gitk git-svn gitweb perl-Git	GPLv2
glade3	glade3 glade3-libgladeui glade3-libgladeui-devel	GPLv2+
glibmm24	glibmm24 glibmm24-devel glibmm24-doc	LGPLv2+
glpk	glpk glpk-devel glpk-doc glpk-static glpk-utils	GPLv3
gnome-common	gnome-common	GPLv2
gnome-devel-docs	gnome-devel-docs	GFDL
gnome-disk-utility	gnome-disk-utility gnome-disk-utility-devel gnome-disk-utility-libs gnome-disk-utility-ui-devel gnome-disk-utility-ui-libs	LGPLv2+
gnome-packagekit	gnome-packagekit	GPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	gnome-packagekit-extra	
gnome-settings-daemon	gnome-settings-daemon gnome-settings-daemon-devel	GPLv2+
gnome-user-share	gnome-user-share	GPLv2+
gnome-vfsmm26	gnome-vfsmm26 gnome-vfsmm26-devel	LGPLv2+
gnote	gnote	GPLv3+
gnuchess	gnuchess	GPLv2+
gpgme	gpgme gpgme-devel	LGPLv2+
gprolog	gprolog gprolog-docs gprolog-examples	GPLv2+
graphviz	graphviz graphviz-devel graphviz-doc graphviz-gd graphviz-graphs graphviz-guile graphviz-java graphviz-lua graphviz-perl graphviz-php graphviz-python graphviz-ruby graphviz-tcl	CPL
grubby	grubby	GPLv2+
gsm	gsm gsm-devel gsm-tools	MIT
gssdp	gssdp gssdp-devel gssdp-docs	LGPLv2+
gststreamer-plugins-bad-free	gststreamer-plugins-bad-free gststreamer-plugins-bad-free-devel gststreamer-plugins-bad-free-devel-docs gststreamer-plugins-bad-free-extras	LGPLv2+ and LGPLv2
gststreamer-python	gststreamer-python gststreamer-python-devel	LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
gtk+extra	gtk+extra gtk+extra-devel	GPLv2+
gtkglext	gtkglext-devel gtkglext-libs	LGPLv2+ or GPLv2+
gtkmm24	gtkmm24 gtkmm24-devel gtkmm24-docs	LGPLv2+
gtksourceview2	gtksourceview2 gtksourceview2-devel	LGPLv2+ and GPLv2+
gupnp	gupnp gupnp-devel gupnp-docs	LGPLv2+
gupnp-igd	gupnp-igd gupnp-igd-devel	LGPLv2+
gutenprint	gutenprint gutenprint-cups gutenprint-devel gutenprint-doc gutenprint-extras gutenprint-foomatic gutenprint-plugin	GPLv2+
gvfs	gvfs gvfs-afc gvfs-archive gvfs-devel gvfs-fuse gvfs-gphoto2 gvfs-obexftp gvfs-smb	LGPLv2+
gypsy	gypsy gypsy-devel gypsy-docs	LGPLv2 and GPLv2
hal-info	hal-info	AFL or GPLv2
hamcrest	hamcrest hamcrest-demo hamcrest-javadoc	BSD
help2man	help2man	GPLv2+
hspell	hspell hspell-devel	GPLv2

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	hunspell-he	
hsqldb	hsqldb hsqldb-demo hsqldb-javadoc hsqldb-manual	BSD
ht2html	ht2html	Python
html2ps	html2ps xhtml2ps	GPLv2+
hunspell	hunspell hunspell-devel	(LGPLv2+ or GPLv2+ or MPLv1.1) and (LGPLv2+ or SISSL)
hunspell-af	hunspell-af	LGPLv2+
hunspell-ar	hunspell-ar	GPLv2 or LGPLv2 or MPLv1.1
hunspell-as	hunspell-as	GPLv2+ or LGPLv2+ or MPLv1.1
hunspell-az	hunspell-az	GPL+
hunspell-be	hunspell-be hyphen-be	GPL+
hunspell-ber	hunspell-ber	GPL+ or LGPLv2+ or MPLv1.1
hunspell-bg	hunspell-bg	GPL+
hunspell-bn	hunspell-bn	GPLv2+
hunspell-br	hunspell-br	LGPLv2+
hunspell-ca	hunspell-ca	GPLv2+
hunspell-cop	hunspell-cop	GPLv3+
hunspell-csb	hunspell-csb	GPL+
hunspell-cy	hunspell-cy	GPL+
hunspell-da	hunspell-da	GPLv2+
hunspell-de	hunspell-de	GPLv2 or GPLv3
hunspell-el	hunspell-el	GPLv2+ or LGPLv2+ or MPL
hunspell-en	hunspell-en	LGPLv2+ and BSD
hunspell-eo	hunspell-eo	GPL+
hunspell-es	hunspell-es	LGPLv3+ or GPLv3+ or MPLv1.1
hunspell-et	hunspell-et hyphen-et	LGPLv2+ and LPPL
hunspell-eu	hunspell-eu	GPLv2
hunspell-fa	hunspell-fa	GPL+
hunspell-fj	hunspell-fj	LGPLv2+
hunspell-fo	hunspell-fo	GPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
hunspell-fr	hunspell-fr	GPLv2 or LGPLv2 or MPLv1.1
hunspell-fur	hunspell-fur	GPLv2+
hunspell-fy	hunspell-fy	LGPLv2+
hunspell-ga	hunspell-ga	GPLv2+
hunspell-gd	hunspell-gd	GPLv2+
hunspell-gl	hunspell-gl	GPLv2
hunspell-gu	hunspell-gu	GPL+
hunspell-gv	hunspell-gv	GPL+
hunspell-hi	hunspell-hi	GPLv2+
hunspell-hil	hunspell-hil	GPLv3+
hunspell-hr	hunspell-hr hyphen-hr	LGPLv2+ or SISSL
hunspell-hsb	hunspell-hsb	GPLv2+
hunspell-hu	hunspell-hu	LGPLv2+ or GPLv2+ or MPLv1.1
hunspell-hy	hunspell-hy	GPLv2+
hunspell-ia	hunspell-ia	LGPLv2+
hunspell-id	hunspell-id	GPLv2
hunspell-is	hunspell-is	GPLv2+
hunspell-it	hunspell-it	GPLv2+
hunspell-kk	hunspell-kk	GPLv2+ or LGPLv2+ or MPLv1.1
hunspell-km	hunspell-km	GPLv3
hunspell-kn	hunspell-kn	GPLv2+ or LGPLv2+ or MPLv1.1
hunspell-ko	hunspell-ko	MPLv1.1 or GPLv2 or LGPLv2
hunspell-ku	hunspell-ku	GPLv3 or LGPLv3 or MPLv1.1
hunspell-la	hunspell-la	GPLv2+
hunspell-lt	hunspell-lt	BSD
hunspell-mai	hunspell-mai	GPLv2+ or LGPLv2+ or MPLv1.1
hunspell-mg	hunspell-mg	GPLv2+
hunspell-mi	hunspell-mi	GPLv3+
hunspell-mk	hunspell-mk	GPL+
hunspell-ml	hunspell-ml	GPLv3+
hunspell-mn	hunspell-mn	GPLv2+
hunspell-mr	hunspell-mr	LGPLv2+
hunspell-ms	hunspell-ms	GFDL and GPL+
hunspell-mt	hunspell-mt	LGPLv2+
hunspell-nds	hunspell-nds	GPLv2+
hunspell-ne	hunspell-ne	LGPLv2
hunspell-nl	hunspell-nl	BSD or CC-BY
hunspell-no	hunspell-nb	GPL+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	hunspell-nn hyphen-nb hyphen-nn mythes-nb mythes-nn	
hunspell-nr	hunspell-nr	LGPLv2+
hunspell-nso	hunspell-nso	LGPLv2+
hunspell-ny	hunspell-ny	GPLv2+
hunspell-oc	hunspell-oc	GPLv3+
hunspell-or	hunspell-or	GPLv2+
hunspell-pa	hunspell-pa	GPLv2+
hunspell-pl	hunspell-pl	LGPLv2+ or GPL+ or MPLv1.1
hunspell-pt	hunspell-pt	LGPLv2+ and (GPLv2+ or LGPLv2+ or MPL)
hunspell-ro	hunspell-ro	GPLv2+ or LGPLv2+ or MPLv1.1
hunspell-ru	hunspell-ru	BSD
hunspell-rw	hunspell-rw	GPLv2+
hunspell-sc	hunspell-sc	AGPLv3
hunspell-si	hunspell-si	GPLv2+
hunspell-sk	hunspell-sk	LGPLv2 or GPLv2 or MPLv1.1
hunspell-sl	hunspell-sl	LGPLv2+
hunspell-so	hunspell-so	GPLv2+
hunspell-sq	hunspell-sq	GPLv2+
hunspell-sr	hunspell-sr hyphen-sr	LGPLv2+
hunspell-ss	hunspell-ss	LGPLv2+
hunspell-st	hunspell-st	LGPLv2+
hunspell-sv	hunspell-sv	LGPLv2+ or GPLv2+ or MPLv1.1
hunspell-sw	hunspell-sw	LGPLv2+
hunspell-ta	hunspell-ta	GPLv2+
hunspell-te	hunspell-te	GPL+
hunspell-tet	hunspell-tet	GPLv2+
hunspell-th	hunspell-th	LGPLv2+
hunspell-tk	hunspell-tk	GPLv2+
hunspell-tl	hunspell-tl	GPLv2+
hunspell-tn	hunspell-tn	GPL+
hunspell-ts	hunspell-ts	LGPLv2+
hunspell-uk	hunspell-uk	GPLv2+ or LGPLv2+ or MPLv1.1
hunspell-ur	hunspell-ur	LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
hunspell-uz	hunspell-uz	GPLv2+
hunspell-ve	hunspell-ve	LGPLv2+
hunspell-vi	hunspell-vi	GPL+
hunspell-wa	hunspell-wa	LGPLv2+
hunspell-xh	hunspell-xh	LGPLv2+
hunspell-zu	hunspell-zu	LGPLv2+
hyphen	hyphen hyphen-devel hyphen-en	LGPLv2+ or MPLv1.1
hyphen-as	hyphen-as	LGPLv3+
hyphen-bg	hyphen-bg	GPL+
hyphen-bn	hyphen-bn	LGPLv3+
hyphen-ca	hyphen-ca	GPLv3
hyphen-cy	hyphen-cy	LPPL
hyphen-da	hyphen-da	LGPLv2+
hyphen-de	hyphen-de	LGPLv2+
hyphen-el	hyphen-el	LGPLv2+
hyphen-es	hyphen-es	LGPLv2+
hyphen-eu	hyphen-eu	LPPL
hyphen-fa	hyphen-fa	LPPL
hyphen-fr	hyphen-fr	LGPLv2+
hyphen-ga	hyphen-ga	GPL+
hyphen-gl	hyphen-gl	GPLv3
hyphen-gu	hyphen-gu	LGPLv3+
hyphen-hi	hyphen-hi	LGPLv3+
hyphen-hsb	hyphen-hsb	LPPL
hyphen-hu	hyphen-hu	GPLv2+
hyphen-ia	hyphen-ia	LPPL
hyphen-id	hyphen-id	GPL+
hyphen-is	hyphen-is	LGPLv2+ or SISSL
hyphen-it	hyphen-it	LGPLv2+
hyphen-kn	hyphen-kn	LGPLv3+
hyphen-lt	hyphen-lt	LPPL
hyphen-mi	hyphen-mi	GPLv3+
hyphen-ml	hyphen-ml	LGPLv3+
hyphen-mn	hyphen-mn	LPPL
hyphen-mr	hyphen-mr	LGPLv3+
hyphen-nl	hyphen-nl	GPLv2
hyphen-or	hyphen-or	LGPLv3+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
hyphen-pa	hyphen-pa	LGPLv3+
hyphen-pl	hyphen-pl	LGPLv2+
hyphen-pt	hyphen-pt	GPL+
hyphen-ro	hyphen-ro	GPLv2+
hyphen-ru	hyphen-ru	LGPLv2+
hyphen-sa	hyphen-sa	LPPL
hyphen-sk	hyphen-sk	GPL+
hyphen-sl	hyphen-sl	LGPLv2+
hyphen-sv	hyphen-sv	GPLv2+ or LGPLv2+
hyphen-ta	hyphen-ta	LGPLv3+
hyphen-te	hyphen-te	LGPLv3+
hyphen-uk	hyphen-uk	GPLv2+
ibus	ibus ibus-devel ibus-devel-docs ibus-gtk ibus-libs	LGPLv2+
ibus-anthy	ibus-anthy	GPLv2+
ibus-chewing	ibus-chewing	GPLv2+
ibus-hangul	ibus-hangul	GPLv2+
ibus-m17n	ibus-m17n	GPLv2+
ibus-pinyin	ibus-pinyin ibus-pinyin-open-phrase	GPLv2+
ibus-qt	ibus-qt ibus-qt-devel ibus-qt-docs	GPLv2+
ibus-rawcode	ibus-rawcode	GPLv2+
ibus-sayura	ibus-sayura	GPLv2+
ibus-table	ibus-table ibus-table-additional ibus-table-devel	LGPLv2+
ibus-table-cangjie	ibus-table-cangjie	GPLv3
ibus-table-erbi	ibus-table-erbi	GPLv2+
ibus-table-wubi	ibus-table-wubi	GPLv3+
icu4j	icu4j icu4j-eclipse icu4j-javadoc	MIT and EPL
ilmbase	ilmbase ilmbase-devel	BSD

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
imsettings	imsettings imsettings-devel imsettings-libs	LGPLv2+
inkscape	inkscape inkscape-docs inkscape-view	GPLv2+
iok	iok	GPLv2+
iotop	iotop	GPLv2
ipmitool	ipmitool	BSD
irssi	irssi irssi-devel	GPLv2+
isomd5sum	isomd5sum isomd5sum-devel	GPLv2+
iw	iw	ISC
jakarta-commons-io	jakarta-commons-io jakarta-commons-io-javadoc	ASL 2.0
jakarta-commons-net	jakarta-commons-net jakarta-commons-net-javadoc	ASL 2.0
jasper	jasper jasper-devel jasper-libs jasper-utils	JasPer
java-1.5.0-gcj	java-1.5.0-gcj java-1.5.0-gcj-devel java-1.5.0-gcj-javadoc java-1.5.0-gcj-src	GPLv2+
javassist	javassist javassist-javadoc	MPLv1.1 or LGPLv2+
jcommon-serializer	jcommon-serializer jcommon-serializer-javadoc	LGPLv2+
jetty-eclipse	jetty-eclipse	ASL 2.0
jflex	jflex jflex-javadoc	GPLv2
jline	jline	BSD
jna	jna jna-examples jna-javadoc	LGPLv2+
jomolhari-fonts	jomolhari-fonts	OFL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
jss	jss jss-javadoc	MPLv1.1 or GPLv2+ or LGPLv2+
jtidy	jtidy jtidy-javadoc jtidy-scripts	BSD
junit4	junit4 junit4-demo junit4-javadoc junit4-manual	CPL
jython	jython jython-demo jython-javadoc jython-manual	ASL 1.1 and BSD and CNRI and JPython and Python
kabi-whitelists	kabi-whitelists	GPLv2
kabi-yum-plugins	kabi-yum-plugins	GPLv2
kacst-fonts	kacst-art-fonts kacst-book-fonts kacst-decorative-fonts kacst-digital-fonts kacst-farsi-fonts kacst-fonts-common kacst-letter-fonts kacst-naskh-fonts kacst-office-fonts kacst-one-fonts kacst-pen-fonts kacst-poster-fonts kacst-qurn-fonts kacst-screen-fonts kacst-title-fonts kacst-titlel-fonts	GPLv2
kcoloredit	kcoloredit kcoloredit-doc	GPLv2+
kdebase-runtime	kdebase-runtime kdebase-runtime-libs	LGPLv2+
kdebase-workspace	kdebase-workspace kdebase-workspace-akonadi kdebase-workspace-devel	GPLv2

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	kdebase-workspace-libs kdebase-workspace-python-applet kdebase-workspace-wallpapers kdm ksysguardd oxygen-cursor-themes	
kde-filesystem	kde-filesystem	Public Domain
kde-l10n	kde-l10n kde-l10n-Arabic kde-l10n-Basque kde-l10n-Bengali-India kde-l10n-Brazil kde-l10n-British kde-l10n-Bulgarian kde-l10n-Catalan kde-l10n-Chhattisgarhi kde-l10n-Chinese kde-l10n-Chinese-Traditional kde-l10n-Croatian kde-l10n-Czech kde-l10n-Danish kde-l10n-Dutch kde-l10n-Estonian kde-l10n-Finnish kde-l10n-French kde-l10n-Frisian kde-l10n-Galician kde-l10n-German kde-l10n-Greek kde-l10n-Gujarati kde-l10n-Hebrew kde-l10n-Hindi kde-l10n-Hungarian kde-l10n-Icelandic kde-l10n-Irish kde-l10n-Italian kde-l10n-Japanese kde-l10n-Kannada kde-l10n-Kashubian	LGPLv2

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	kde-l10n-Kazakh kde-l10n-Khmer kde-l10n-Korean kde-l10n-Kurdish kde-l10n-Latvian kde-l10n-Lithuanian kde-l10n-LowSaxon kde-l10n-Macedonian kde-l10n-Maithili kde-l10n-Malayalam kde-l10n-Marathi kde-l10n-Norwegian kde-l10n-Norwegian-Nynorsk kde-l10n-Polish kde-l10n-Portuguese kde-l10n-Punjabi kde-l10n-Romanian kde-l10n-Russian kde-l10n-Serbian kde-l10n-Slovak kde-l10n-Slovenian kde-l10n-Spanish kde-l10n-Swedish kde-l10n-Tajik kde-l10n-Thai kde-l10n-Turkish kde-l10n-Ukrainian kde-l10n-Walloon	
kdelibs3	kdelibs3 kdelibs3-apidocs kdelibs3-devel	LGPLv2
kdelibs-experimental	kdelibs-experimental kdelibs-experimental-devel	LGPLv2+
kdepim3	kdepim3-devel kdepim3-libs	GPLv2
kdepimlibs	kdepimlibs kdepimlibs-akonadi kdepimlibs-apidocs kdepimlibs-devel	LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
kdepim-runtime	kdepim-runtime kdepim-runtime-devel kdepim-runtime-libs	GPLv2
kdeplasma-addons	kdeplasma-addons kdeplasma-addons-devel kdeplasma-addons-libs	GPLv2
kde-settings	kde-settings kde-settings-kdm kde-settings-pulseaudio	Public Domain
khmeros-fonts	khmeros-base-fonts khmeros-battambang-fonts khmeros-bokor-fonts khmeros-fonts-common khmeros-handwritten-fonts khmeros-metal-chrieng-fonts khmeros-muol-fonts khmeros-siemreap-fonts	LGPLv2+
kiconedit	kiconedit	GPLv2+
kio_sysinfo	kio_sysinfo	GPLv2+
kipi-plugins	kipi-plugins kipi-plugins-libs	GPLv2+
kmid	kmid kmid-common kmid-devel	GPLv2+
konq-plugins	konq-plugins konq-plugins-doc	GPLv2+ and LGPLv2+
krb5-appl	krb5-appl-clients krb5-appl-servers	MIT
ksig	ksig ksig-doc	GPLv2+
ksshaskpass	ksshaskpass	GPLv2
kurdit-unikurd-web-fonts	kurdit-unikurd-web-fonts	GPLv3
ladspa	ladspa ladspa-devel	LGPLv2+
latrace	latrace	GPLv3+
libarchive	libarchive libarchive-devel	BSD
libasyncns	libasyncns	LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libasyncns-devel	
libatasmart	libatasmart libatasmart-devel	LGPLv2+
libatomic_ops	libatomic_ops-devel	GPLv2+ and MIT
libbase	libbase libbase-javadoc	LGPLv2+
libburn	cdrskin libburn libburn-devel	GPLv2
libcanberra	libcanberra libcanberra-devel libcanberra-gtk2	LGPLv2+
libcap-ng	libcap-ng libcap-ng-devel libcap-ng-python libcap-ng-utils	LGPLv2+
libcdio	libcdio libcdio-devel	GPLv3+
libcgroup	libcgroup libcgroup-devel libcgroup-pam	LGPLv2+
libconfig	libconfig libconfig-devel	LGPLv2+
libdc1394	libdc1394 libdc1394-devel libdc1394-docs libdc1394-tools	LGPLv2+
libdiscid	libdiscid libdiscid-devel	LGPLv2+
libdvdrread	libdvdrread libdvdrread-devel	GPLv2+
libedit	libedit libedit-devel	BSD
libEMF	libEMF libEMF-devel	LGPLv2+ and GPLv2+
libesmtp	libesmtp libesmtp-devel	LGPLv2+
libffi	libffi libffi-devel	BSD

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
libfonts	libfonts libfonts-javadoc	LGPLv2+
libformula	libformula libformula-javadoc	LGPLv2+
libfprint	libfprint libfprint-devel	LGPLv2+
libgdata	libgdata libgdata-devel	LGPLv2+
libgladem24	libgladem24 libgladem24-devel	LGPLv2+
libgnomecanvasmm26	libgnomecanvasmm26 libgnomecanvasmm26-devel	LGPLv2+
libgnomekbd	libgnomekbd libgnomekbd-capplet libgnomekbd-devel	LGPLv2+
libgnomemm26	libgnomemm26 libgnomemm26-devel	LGPLv2+
libgnomeuimm26	libgnomeuimm26 libgnomeuimm26-devel	LGPLv2+
libgphoto2	libgphoto2 libgphoto2-devel	GPLv2+ and GPLv2 and LGPLv2+
libgpod	libgpod libgpod-devel libgpod-doc python-gpod	LGPLv2+
libgssglue	libgssglue libgssglue-devel	GPL+
libgweather	libgweather libgweather-devel	GPLv2+
libgxim	libgxim libgxim-devel	LGPLv2+
libhangul	libhangul libhangul-devel	LGPLv2+
libical	libical libical-devel	LGPLv2 or MPLv1.1
libid3tag	libid3tag libid3tag-devel	GPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
libimobiledevice	libimobiledevice libimobiledevice-devel libimobiledevice-python	LGPLv2+
libiptcdata	libiptcdata libiptcdata-devel libiptcdata-python	LGPLv2+
libisofs	libisofs libisofs-devel	GPLv2
liblayout	liblayout liblayout-javadoc	LGPLv2+
libloader	libloader libloader-javadoc	LGPLv2+
libmatchbox	libmatchbox libmatchbox-devel	LGPLv2+
libmemcached	libmemcached libmemcached-devel	BSD
libmpcdec	libmpcdec libmpcdec-devel	BSD
libmsn	libmsn libmsn-devel	GPLv2
libmtp	libmtp libmtp-devel libmtp-examples	LGPLv2+
libmusicbrainz3	libmusicbrainz3 libmusicbrainz3-devel	LGPLv2+
libnetfilter_conntrack	libnetfilter_conntrack libnetfilter_conntrack-devel	GPLv2+
libnfnetlink	libnfnetlink libnfnetlink-devel	GPLv2
libnice	libnice libnice-devel	LGPLv2 and MPLv1.1
libnih	libnih libnih-devel	GPLv2
libntlm	libntlm libntlm-devel	LGPLv2+
libopenraw	libopenraw libopenraw-devel libopenraw-gnome libopenraw-gnome-devel	LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
libotf	libotf libotf-devel	LGPLv2+
libpanelappletmm	libpanelappletmm libpanelappletmm-devel	LGPLv2+
libpaper	libpaper libpaper-devel	GPLv2
libpcap	libpcap libpcap-devel	BSD with advertising
libplist	libplist libplist-devel libplist-python	LGPLv2+
libproxy	libproxy libproxy-bin libproxy-devel libproxy-gnome libproxy-kde libproxy-mozjs libproxy-python libproxy-webkit	LGPLv2+
libpst	libpst libpst-devel libpst-devel-doc libpst-doc libpst-libs libpst-python	GPLv2+
libreadline-java	libreadline-java libreadline-java-javadoc	LGPLv2+
librelp	librelp librelp-devel	GPLv3+
librepository	librepository librepository-javadoc	LGPLv2+
libsamplerate	libsamplerate libsamplerate-devel	GPLv2+
libsexy	libsexy libsexy-devel	LGPLv2+
libshout	libshout libshout-devel	LGPLv2+
libsigc++20	libsigc++20 libsigc++20-devel	LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libsigc++20-doc	
libsndfile	libsndfile libsndfile-devel	LGPLv2+ and GPLv2+ and BSD
libspectre	libspectre libspectre-devel	GPLv2+
libspiro	libspiro libspiro-devel	GPLv2+
libssh2	libssh2 libssh2-devel libssh2-docs	BSD
libtar	libtar libtar-devel	MIT
libtasn1	libtasn1 libtasn1-devel libtasn1-tools	GPLv3+ and LGPLv2+
libtextcat	libtextcat libtextcat-devel	BSD
libthai	libthai libthai-devel	LGPLv2+
libtirpc	libtirpc libtirpc-devel	SISSL and BSD
libtopology	libtopology libtopology-devel libtopology-doc	LGPLv2
libuninameslist	libuninameslist libuninameslist-devel	BSD
libusb1	libusb1 libusb1-devel libusb1-static	LGPLv2+
libv4l	libv4l libv4l-devel	LGPLv2+ and GPLv2
libvirt-java	libvirt-java libvirt-java-devel libvirt-java-javadoc	LGPLv2+
libvirt-qpidd	libvirt-qpidd	LGPLv2+
libvisual	libvisual libvisual-devel	LGPLv2+
libvncserver	libvncserver	GPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libvncserver-devel	
libvoikko	libvoikko libvoikko-devel python-libvoikko voikko-tools	GPLv2+
libvpx	libvpx libvpx-devel libvpx-utils	BSD
libwpd	libwpd libwpd-devel libwpd-tools	LGPLv2+
libwpg	libwpg libwpg-devel libwpg-tools	GPLv2+
libxcb	libxcb libxcb-devel libxcb-doc libxcb-python	MIT
libzip	libzip libzip-devel	BSD
lklug-fonts	lklug-fonts	GPLv2
lldpad	lldpad lldpad-devel	GPLv2
lohit-assamese-fonts	lohit-assamese-fonts	GPLv2 with exceptions
lohit-bengali-fonts	lohit-bengali-fonts	GPLv2
lohit-devanagari-fonts	lohit-devanagari-fonts	GPLv2 with exceptions
lohit-gujarati-fonts	lohit-gujarati-fonts	GPLv2 with exceptions
lohit-kannada-fonts	lohit-kannada-fonts	GPLv2 with exceptions
lohit-malayalam-fonts	lohit-malayalam-fonts	GPLv2 with exceptions
lohit-oriya-fonts	lohit-oriya-fonts	GPLv2 with exceptions
lohit-punjabi-fonts	lohit-punjabi-fonts	GPLv2 with exceptions
lohit-tamil-fonts	lohit-tamil-fonts	GPLv2 with exceptions
lohit-telugu-fonts	lohit-telugu-fonts	GPLv2 with exceptions
lpg	lpg lpg-java lpg-java-compat	EPL
lpsolve	lpsolve	LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	lpsolve-devel	
lua	lua lua-devel lua-static	MIT
luci	luci	GPLv2
lx	lx	GPL+
lzo	lzo lzo-devel lzo-minilzo	GPLv2+
m17n-contrib	m17n-contrib m17n-contrib-assamese m17n-contrib-bengali m17n-contrib-chinese m17n-contrib-czech m17n-contrib-esperanto m17n-contrib-gujarati m17n-contrib-hindi m17n-contrib-kannada m17n-contrib-kashmiri m17n-contrib-maithili m17n-contrib-malayalam m17n-contrib-marathi m17n-contrib-nepali m17n-contrib-oriya m17n-contrib-pashto m17n-contrib-punjabi m17n-contrib-russian m17n-contrib-sindhi m17n-contrib-sinhala m17n-contrib-tai m17n-contrib-tamil m17n-contrib-telugu m17n-contrib-urdu m17n-contrib-vietnamese	LGPLv2+
madan-fonts	madan-fonts	GPL+
makebootfat	makebootfat	GPLv2+
malaga	libmalaga malaga malaga-devel	GPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
malaga-suomi-voikko	malaga-suomi-voikko	GPLv2+
man-pages-overrides	man-pages-overrides	GPLv2
man-pages-uk	man-pages-uk	GFDL
matchbox-window-manager	matchbox-window-manager	GPLv2+
mcpp	libmcpp libmcpp-devel mcpp mcpp-doc	BSD
meanwhile	meanwhile meanwhile-devel meanwhile-doc	LGPLv2+
media-player-info	media-player-info	BSD
memcached	memcached memcached-devel	BSD
mercurial	emacs-mercurial emacs-mercurial-el mercurial mercurial-hgk	GPLv2
migrationtools	migrationtools	BSD
min12xxw	min12xxw	GPLv2+
mip6-daemon	mip6-daemon	GPLv2
mksh	mksh	MirOS and ISC and BSD
mobile-broadband-provider-info	mobile-broadband-provider-info mobile-broadband-provider-info-devel	Public Domain
mod_dnssd	mod_dnssd	ASL 2.0
ModemManager	ModemManager	GPLv2+
mod_wsgi	mod_wsgi	ASL 2.0
mousetweaks	mousetweaks	GPLv3 and GFDL
mozilla-filesystem	mozilla-filesystem	MPLv1.1
mpfr	mpfr mpfr-devel	LGPLv2+ and GPLv2+ and GFDL
mpich2	mpich2 mpich2-devel mpich2-doc	MIT
mysql-connector-java	mysql-connector-java	GPLv2 with exceptions
mythes-bg	mythes-bg	GPL+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
mythes-ca	mythes-ca	GPL+
mythes-cs	mythes-cs	BSD
mythes-da	mythes-da	GPLv2 or LGPLv2 or MPLv1.1
mythes-de	mythes-de	LGPLv2+
mythes-el	mythes-el	GPLv2+
mythes-en	mythes-en	MIT and Public Domain and (GPL+ or Artistic)
mythes-es	mythes-es	LGPLv2+
mythes-fr	mythes-fr	LGPLv2+
mythes-ga	mythes-ga	GFDL
mythes-hu	mythes-hu	GPLv2+
mythes-it	mythes-it	AGPLv3
mythes-mi	mythes-mi	Public Domain
mythes-nl	mythes-nl	BSD or CC-BY
mythes-pl	mythes-pl	LGPLv2+
mythes-pt	mythes-pt	GPLv2+
mythes-ro	mythes-ro	GPLv2+
mythes-ru	mythes-ru	LGPLv2+
mythes-sk	mythes-sk	BSD
mythes-sl	mythes-sl	LGPLv2+
mythes-sv	mythes-sv	MIT
mythes-uk	mythes-uk	GPLv2+ or LGPLv2+
nafees-web-naskh-fonts	nafees-web-naskh-fonts	Bitstream Vera
nautilus-sendto	nautilus-sendto nautilus-sendto-devel	GPLv2+
netcf	netcf netcf-devel netcf-libs	LGPLv2+
NetworkManager-openswan	NetworkManager-openswan	GPLv2+
nss_compat_oss1	nss_compat_oss1 nss_compat_oss1-devel	MIT
nss-pam-ldapd	nss-pam-ldapd	LGPLv2+
nss-softokn	nss-softokn nss-softokn-devel nss-softokn-freebl nss-softokn-freebl-devel	MPLv1.1 or GPLv2+ or LGPLv2+
nss-util	nss-util	MPLv1.1 or GPLv2+ or LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	nss-util-devel	
numpy	numpy numpy-f2py	BSD
obexd	obexd	GPLv2+
obex-data-server	obex-data-server	GPLv2+
objectweb-anttask	objectweb-anttask objectweb-anttask-javadoc	LGPLv2+
objectweb-asm	objectweb-asm objectweb-asm-javadoc	BSD
ocaml	ocaml ocaml-camlp4 ocaml-camlp4-devel ocaml-docs ocaml-emacs ocaml-labltk ocaml-labltk-devel ocaml-ocamldoc ocaml-runtime ocaml-source ocaml-x11	QPL and (LGPLv2+ with exceptions)
ocaml-calendar	ocaml-calendar ocaml-calendar-devel	LGPLv2
ocaml-csv	ocaml-csv ocaml-csv-devel	LGPLv2+
ocaml-curses	ocaml-curses ocaml-curses-devel	LGPLv2+
ocaml-extlib	ocaml-extlib ocaml-extlib-devel	LGPLv2+ with exceptions
ocaml-fileutils	ocaml-fileutils ocaml-fileutils-devel	LGPLv2 with exceptions
ocaml-findlib	ocaml-findlib ocaml-findlib-devel	BSD
ocaml-gettext	ocaml-gettext ocaml-gettext-devel	LGPLv2+ with exceptions
ocaml-libvirt	ocaml-libvirt ocaml-libvirt-devel	LGPLv2+
ocaml-xml-light	ocaml-xml-light ocaml-xml-light-devel	LGPLv2+
oniguruma	oniguruma	BSD

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	oniguruma-devel	
opal	opal opal-devel	MPLv1.0
openchange	openchange openchange-client openchange-devel openchange-devel-docs	GPLv3+ and Public Domain
opencryptoki	opencryptoki opencryptoki-devel opencryptoki-libs	CPL
openct	openct openct-devel pcsc-lite-openct	LGPLv2+
opencv	opencv opencv-devel opencv-devel-docs opencv-python	BSD
OpenEXR	OpenEXR OpenEXR-devel OpenEXR-libs	BSD
openhpi-subagent	openhpi-subagent	BSD
openjpeg	openjpeg openjpeg-devel openjpeg-libs	BSD
openoffice-lv	hunspell-lv hyphen-lv mythes-lv	LGPLv2+
openoffice.org-dict- cs_CZ	hunspell-cs hyphen-cs	GPLv2+
openscap	openscap openscap-devel openscap-perl openscap-python openscap-utils openscap-content openscap-extra-probes	LGPLv2+
openssl098e	openssl098e	OpenSSL
openwsman	libwsman1 libwsman-devel	BSD

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	openwsman-client openwsman-perl openwsman-python openwsman-ruby openwsman-server	
oraclelinux-release- notes	oraclelinux-release-notes	GPL
oxygen-icon-theme	oxygen-icon-theme	LGPLv3+
pacemaker	pacemaker pacemaker-cts pacemaker-doc pacemaker-libs pacemaker-libs-devel pacemaker-cli pacemaker-cluster-libs	GPLv2+ and LGPLv2+
PackageKit	PackageKit PackageKit-backend-devel PackageKit-browser-plugin PackageKit-command-not-found PackageKit-cron PackageKit-debug-install PackageKit-device-rebind PackageKit-docs PackageKit-glib PackageKit-glib-devel PackageKit-gstreamer-plugin PackageKit-gtk-module PackageKit-qt PackageKit-qt-devel PackageKit-yum PackageKit-yum-plugin	GPLv2+
pakchois	pakchois pakchois-devel	LGPLv2+
paktype-fonts	paktype-fonts-common paktype-naqsh-fonts paktype-tehreer-fonts	GPLv2 with exceptions
pam_idap	pam_idap	LGPLv2+
pangomm	pangomm pangomm-devel	LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
papi	papi papi-devel	BSD
pbm2l2030	pbm2l2030	GPLv2+
pbm2l7k	pbm2l7k	GPLv2
pentaho-libxml	pentaho-libxml pentaho-libxml-javadoc	LGPLv2+
pentaho-reporting-flow-engine	pentaho-reporting-flow-engine pentaho-reporting-flow-engine-javadoc	LGPLv2+
perl-Algorithm-Diff	perl-Algorithm-Diff	GPL+ or Artistic
perl-AppConfig	perl-AppConfig	GPL+ or Artistic
perl-Authen-SASL	perl-Authen-SASL	GPL+ or Artistic
perl-B-Keywords	perl-B-Keywords	GPL+ or Artistic
perl-Business-ISBN	perl-Business-ISBN	GPL+ or Artistic
perl-Business-ISBN-Data	perl-Business-ISBN-Data	GPL+ or Artistic
perl-Cache-Memcached	perl-Cache-Memcached	GPL+ or Artistic
perl-CGI-Session	perl-CGI-Session	GPL+ or Artistic
perl-Class-Accessor	perl-Class-Accessor	GPL+ or Artistic
perl-Class-Data-Inheritable	perl-Class-Data-Inheritable	GPL+ or Artistic
perl-Class-Inspector	perl-Class-Inspector	GPL+ or Artistic
perl-Class-Singleton	perl-Class-Singleton	GPL+ or Artistic
perl-Class-Trigger	perl-Class-Trigger	GPL+ or Artistic
perl-Clone	perl-Clone	GPL+ or Artistic
perl-Config-Simple	perl-Config-Simple	GPL+ or Artistic
perl-Config-Tiny	perl-Config-Tiny	GPL+ or Artistic
perl-Convert-BinHex	perl-Convert-BinHex	GPL+ or Artistic
perl-Crypt-OpenSSL-Bignum	perl-Crypt-OpenSSL-Bignum	GPL+ or Artistic
perl-Crypt-OpenSSL-Random	perl-Crypt-OpenSSL-Random	GPL+ or Artistic
perl-Crypt-OpenSSL-RSA	perl-Crypt-OpenSSL-RSA	GPL+ or Artistic
perl-Crypt-PasswdMD5	perl-Crypt-PasswdMD5	GPL+ or Artistic
perl-CSS-Tiny	perl-CSS-Tiny	GPL+ or Artistic
perl-Data-OptList	perl-Data-OptList	GPL+ or Artistic
perl-Date-Manip	perl-Date-Manip	GPL+ or Artistic
perl-DateTime	perl-DateTime	GPL+ or Artistic

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
perl-DateTime-Format-DateParse	perl-DateTime-Format-DateParse	GPL+ or Artistic
perl-DateTime-Format-Mail	perl-DateTime-Format-Mail	GPL+ or Artistic
perl-DateTime-Format-W3CDTF	perl-DateTime-Format-W3CDTF	GPL+ or Artistic
perl-DBD-SQLite	perl-DBD-SQLite	GPL+ or Artistic
perl-DBIx-Simple	perl-DBIx-Simple	Public Domain
perl-Devel-Cover	perl-Devel-Cover	GPL+ or Artistic
perl-Devel-Cycle	perl-Devel-Cycle	GPL+ or Artistic
perl-Devel-Leak	perl-Devel-Leak	GPL+ or Artistic
perl-Devel-StackTrace	perl-Devel-StackTrace	GPL+ or Artistic
perl-Devel-Symdump	perl-Devel-Symdump	GPL+ or Artistic
perl-Digest-BubbleBabble	perl-Digest-BubbleBabble	GPL+ or Artistic
perl-Email-Date-Format	perl-Email-Date-Format	GPL+ or Artistic
perl-Encode-Detect	perl-Encode-Detect	MPLv1.1 or GPLv2+ or LGPLv2+
perl-Error	perl-Error	GPL+ or Artistic
perl-Exception-Class	perl-Exception-Class	GPL+ or Artistic
perl-ExtUtils-MakeMaker-Coverage	perl-ExtUtils-MakeMaker-Coverage	GPL+ or Artistic
perl-File-Copy-Recursive	perl-File-Copy-Recursive	GPL+ or Artistic
perl-File-Find-Rule	perl-File-Find-Rule	GPL+ or Artistic
perl-File-Find-Rule-Perl	perl-File-Find-Rule-Perl	GPL+ or Artistic
perl-File-HomeDir	perl-File-HomeDir	GPL+ or Artistic
perl-File-pushd	perl-File-pushd	ASL 2.0
perl-File-Remove	perl-File-Remove	GPL+ or Artistic
perl-File-Slurp	perl-File-Slurp	GPL+ or Artistic
perl-File-Which	perl-File-Which	GPL+ or Artistic
perl-Font-AFM	perl-Font-AFM	GPL+ or Artistic
perl-Font-TTF	perl-Font-TTF	Artistic 2.0
perl-FreezeThaw	perl-FreezeThaw	GPL+ or Artistic
perl-Frontier-RPC	perl-Frontier-RPC perl-Frontier-RPC-Client perl-Frontier-RPC-doc	GPL+ or Artistic
perl-GD	perl-GD	GPL+ or Artistic

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
perl-GD-Barcode	perl-GD-Barcode	GPL+ or Artistic
perl-GDGraph	perl-GDGraph	GPL+ or Artistic
perl-GDGraph3d	perl-GDGraph3d	GPL+ or Artistic
perl-GDTextUtil	perl-GDTextUtil	GPL+ or Artistic
perl-GSSAPI	perl-GSSAPI	GPL+ or Artistic
perl-Hook-LexWrap	perl-Hook-LexWrap	GPL+ or Artistic
perl-HTML-Format	perl-HTML-Format	GPL+ or Artistic
perl-HTML-Tree	perl-HTML-Tree	GPL+ or Artistic
perl-Image-Base	perl-Image-Base	LGPL+ and GPL+
perl-Image-Info	perl-Image-Info	GPL+ or Artistic
perl-Image-Size	perl-Image-Size	LGPLv2 or Artistic 2.0
perl-Image-Xbm	perl-Image-Xbm	LGPLv2+
perl-Image-Xpm	perl-Image-Xpm	GPL+
perl-IO-stringy	perl-IO-stringy	GPL+ or Artistic
perl-IPC-Run3	perl-IPC-Run3	(GPL+ or Artistic) or BSD
perl-JSON	perl-JSON	GPL+ or Artistic
perl-List-MoreUtils	perl-List-MoreUtils	GPL+ or Artistic
perl-Locale-Maketext-Gettext	perl-Locale-Maketext-Gettext	GPL+ or Artistic
perl-Locale-PO	perl-Locale-PO	GPL+ or Artistic
perl-Mail-DKIM	perl-Mail-DKIM	GPL+ or Artistic
perl-MailTools	perl-MailTools	GPL+ or Artistic
perl-Makefile-DOM	perl-Makefile-DOM	GPL+ or Artistic
perl-Makefile-Parser	perl-Makefile-Parser	GPL+ or Artistic
perl-MIME-Lite	perl-MIME-Lite	GPL+ or Artistic
perl-MIME-tools	perl-MIME-tools	GPL+ or Artistic
perl-MIME-Types	perl-MIME-Types	GPL+ or Artistic
perl-Module-Info	perl-Module-Info	GPL+ or Artistic
perl-Module-Install	perl-Module-Install	GPL+ or Artistic
perl-Module-ScanDeps	perl-Module-ScanDeps	GPL+ or Artistic
perl-NetAddr-IP	perl-NetAddr-IP	Artistic 2.0
perl-Net-Jabber	perl-Net-Jabber	(GPL+ or Artistic) or LGPLv2+
perl-Net-LibIDN	perl-Net-LibIDN	GPL+ or Artistic
perl-Net-SMTP-SSL	perl-Net-SMTP-SSL	GPL+ or Artistic
perl-Net-XMPP	perl-Net-XMPP	(GPL+ or Artistic) or LGPLv2+
perl-Newt	perl-Newt	GPL+ or Artistic
perl-Number-Compare	perl-Number-Compare	GPL+ or Artistic
perl-Object-Deadly	perl-Object-Deadly	GPL+ or Artistic

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
perl-Package-Generator	perl-Package-Generator	GPL+ or Artistic
perl-PadWalker	perl-PadWalker	GPL+ or Artistic
perl-Params-Util	perl-Params-Util	GPL+ or Artistic
perl-Params-Validate	perl-Params-Validate	GPL+ or Artistic
perl-PAR-Dist	perl-PAR-Dist	GPL+ or Artistic
perl-PDF-Reuse	perl-PDF-Reuse	GPL+ or Artistic
perl-Perl-Critic	perl-Perl-Critic	GPL+ or Artistic
perl-Perlilog	perl-Perlilog	GPLv2
perl-Perl-MinimumVersion	perl-Perl-MinimumVersion	GPL+ or Artistic
perl-Pod-Coverage	perl-Pod-Coverage	GPL+ or Artistic
perl-Pod-POM	perl-Pod-POM	GPL+ or Artistic
perl-Pod-Spell	perl-Pod-Spell	GPL+ or Artistic
perl-PPI	perl-PPI	GPL+ or Artistic
perl-PPI-HTML	perl-PPI-HTML	GPL+ or Artistic
perl-prefork	perl-prefork	GPL+ or Artistic
perl-Probe-Perl	perl-Probe-Perl	GPL+ or Artistic
perl-ReadOnly	perl-ReadOnly	GPL+ or Artistic
perl-ReadOnly-XS	perl-ReadOnly-XS	GPL+ or Artistic
perl-SNMP_Session	perl-SNMP_Session	Artistic 2.0
perl-SOAP-Lite	perl-SOAP-Lite	GPL+ or Artistic
perl-Spiffy	perl-Spiffy	GPL+ or Artistic
perl-String-Format	perl-String-Format	GPLv2
perl-Sub-Exporter	perl-Sub-Exporter	GPL+ or Artistic
perl-Sub-Install	perl-Sub-Install	GPL+ or Artistic
perl-Sub-Uplevel	perl-Sub-Uplevel	GPL+ or Artistic
perl-Syntax-Highlight-Engine-Kate	perl-Syntax-Highlight-Engine-Kate	GPL+ or Artistic
perl-Taint-Runtime	perl-Taint-Runtime	GPL+ or Artistic
perl-Task-Weaken	perl-Task-Weaken	GPL+ or Artistic
perl-Template-Toolkit	perl-Template-Toolkit	GPL+ or Artistic
perl-TermReadKey	perl-TermReadKey	Copyright only
perl-Test-Base	perl-Test-Base	GPL+ or Artistic
perl-Test-ClassAPI	perl-Test-ClassAPI	GPL+ or Artistic
perl-Test-CPAN-Meta	perl-Test-CPAN-Meta	GPL+ or Artistic
perl-Test-Deep	perl-Test-Deep	GPL+ or Artistic

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
perl-Test-Differences	perl-Test-Differences	GPL+ or Artistic
perl-Test-Exception	perl-Test-Exception	GPL+ or Artistic
perl-Test-Manifest	perl-Test-Manifest	GPL+ or Artistic
perl-Test-Memory-Cycle	perl-Test-Memory-Cycle	GPL+ or Artistic
perl-Test-MinimumVersion	perl-Test-MinimumVersion	GPL+ or Artistic
perl-Test-MockObject	perl-Test-MockObject	GPL+ or Artistic
perl-Test-NoWarnings	perl-Test-NoWarnings	LGPLv2+
perl-Test-Object	perl-Test-Object	GPL+ or Artistic
perl-Test-Output	perl-Test-Output	GPL+ or Artistic
perl-Test-Perl-Critic	perl-Test-Perl-Critic	GPL+ or Artistic
perl-Test-Pod	perl-Test-Pod	GPL+ or Artistic
perl-Test-Pod-Coverage	perl-Test-Pod-Coverage	GPL+ or Artistic
perl-Test-Prereq	perl-Test-Prereq	GPL+ or Artistic
perl-Test-Script	perl-Test-Script	GPL+ or Artistic
perl-Test-Spelling	perl-Test-Spelling	GPL+ or Artistic
perl-Test-SubCalls	perl-Test-SubCalls	GPL+ or Artistic
perl-Test-Taint	perl-Test-Taint	GPL+ or Artistic
perl-Test-Tester	perl-Test-Tester	Artistic clarified
perl-Test-Warn	perl-Test-Warn	GPL+ or Artistic
perl-TeX-Hyphen	perl-TeX-Hyphen	GPL+ or Artistic
perl-Text-Autoformat	perl-Text-Autoformat	GPL+ or Artistic
perl-Text-Diff	perl-Text-Diff	GPL+ or Artistic
perl-Text-Glob	perl-Text-Glob	GPL+ or Artistic
perl-Text-Iconv	perl-Text-Iconv	GPL+ or Artistic
perl-Text-PDF	pdf-tools perl-Text-PDF	GPL+ or Artistic
perl-Text-Reform	perl-Text-Reform	GPL+ or Artistic
perl-Text-Unidecode	perl-Text-Unidecode	GPL+ or Artistic
perltidy	perltidy	GPLv2+
perl-Tie-IxHash	perl-Tie-IxHash	GPL+ or Artistic
perl-Time-modules	perl-Time-modules	Copyright only and Public Domain
perl-Tree-DAG_Node	perl-Tree-DAG_Node	GPL+ or Artistic
perl-Unicode-Map8	perl-Unicode-Map8	GPL+ or Artistic
perl-Unicode-String	perl-Unicode-String	GPL+ or Artistic

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
perl-UNIVERSAL-can	perl-UNIVERSAL-can	GPL+ or Artistic
perl-UNIVERSAL-isa	perl-UNIVERSAL-isa	GPL+ or Artistic
perl-WWW-Curl	perl-WWW-Curl	MPLv1.1 or MIT
perl-XML-DOM	perl-XML-DOM	GPL+ or Artistic
perl-XML-Filter-BufferText	perl-XML-Filter-BufferText	GPL+ or Artistic
perl-XML-LibXSLT	perl-XML-LibXSLT	GPL+ or Artistic
perl-XML-RegExp	perl-XML-RegExp	GPL+ or Artistic
perl-XML-RSS	perl-XML-RSS	GPL+ or Artistic
perl-XML-SAX-Writer	perl-XML-SAX-Writer	GPL+ or Artistic
perl-XML-Stream	perl-XML-Stream	(GPL+ or Artistic) or LGPLv2+
perl-XML-TokeParser	perl-XML-TokeParser	GPL+ or Artistic
perl-XML-TreeBuilder	perl-XML-TreeBuilder	GPL+ or Artistic
perl-XML-XPath	perl-XML-XPath	GPL+ or Artistic
perl-XML-XPathEngine	perl-XML-XPathEngine	GPL+ or Artistic
perl-YAML	perl-YAML	GPL+ or Artistic
perl-YAML-Syck	perl-YAML-Syck	BSD and MIT and Public Domain and GPLv2+
perl-YAML-Tiny	perl-YAML-Tiny	GPL+ or Artistic
pessulus	pessulus	GPLv2+
php-pecl-apc	php-pecl-apc php-pecl-apc-devel	PHP
php-pecl-memcache	php-pecl-memcache	PHP
pixman	pixman pixman-devel	MIT
pixman-spice	pixman-spice pixman-spice-devel	MIT
pl	pl pl-devel pl-jpl pl-static	Artistic and LGPLv2 and GPLv2 and GPLv2+ and UCD and Public Domain
plotutils	plotutils	GPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	plotutils-devel	
plpa	plpa plpa-devel plpa-libs	BSD and AMDPLPA
plymouth	plymouth plymouth-core-libs plymouth-devel plymouth-gdm-hooks plymouth-graphics-libs plymouth-plugin-fade-throbber plymouth-plugin-label plymouth-plugin-script plymouth-plugin-space-flares plymouth-plugin-throbgress plymouth-plugin-two-step plymouth-scripts plymouth-system-theme plymouth-theme-fade-in plymouth-theme-rings plymouth-theme-script plymouth-theme-solar plymouth-theme-spinfinity plymouth-utils	GPLv2+
polkit	polkit polkit-desktop-policy polkit-devel polkit-docs	LGPLv2+
polkit-gnome	polkit-gnome polkit-gnome-devel polkit-gnome-docs	LGPLv2+
poppler-data	poppler-data	BSD and GPLv2
popt	popt popt-devel popt-static	MIT
portreserve	portreserve	GPLv2+
pothana2000-fonts	pothana2000-fonts	GPLv2+ with exceptions
powertop	powertop	GPLv2
ppl	ppl ppl-devel	GPLv3+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	ppl-docs ppl-gprolog ppl-gprolog-static ppl-java ppl-java-javadoc ppl-pwl ppl-pwl-devel ppl-pwl-docs ppl-pwl-static ppl-static ppl-swiprolog ppl-swiprolog-static ppl-utils ppl-yap	
pptp	pptp pptp-setup	GPLv2+
printer-filters	printer-filters	Public Domain
pstoedit	pstoedit pstoedit-devel	GPLv2+
ptlib	ptlib ptlib-devel	MPLv1.0
ptouch-driver	ptouch-driver	GPLv2+
publican	publican publican-doc	(GPLv2+ or Artistic) and CC0
pulseaudio	pulseaudio pulseaudio-esound-compat pulseaudio-gdm-hooks pulseaudio-libs pulseaudio-libs-devel pulseaudio-libs-glib2 pulseaudio-libs-zeroconf pulseaudio-module-bluetooth pulseaudio-module-gconf pulseaudio-module-x11 pulseaudio-module-zeroconf pulseaudio-utils	LGPLv2+
pychart	pychart pychart-doc	GPLv2+
pygpgme	pygpgme	LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
PyGreSQL	PyGreSQL	MIT or Python
pygtkglext	pygtkglext pygtkglext-devel	LGPLv2+
pygtksourceview	pygtksourceview pygtksourceview-devel pygtksourceview-doc	LGPLv2+
PyOpenGL	PyOpenGL PyOpenGL-Tk	BSD
PyQt4	PyQt4 PyQt4-devel	GPLv3 or GPLv2 with exceptions
python-beaker	python-beaker	BSD
python-cheetah	python-cheetah	MIT
python-Coherence	python-Coherence	MIT
python-configobj	python-configobj	BSD
python-coverage	python-coverage	BSD and (MIT or GPLv2)
python-crypto	python-crypto python-crypto	Public Domain GPL starting m..
python-cryptsetup	python-cryptsetup	GPLv2+
python-dateutil	python-dateutil	Python
python-decorator	python-decorator	BSD
python-decoratortools	python-decoratortools	Python or ZPLv2.1
python-docutils	python-docutils	Public Domain and MIT and Python and GPLv2
python-dtopt	python-dtopt	MIT
python-elixer	python-elixer	MIT
python-enchant	python-enchant	LGPLv2+
python-ethtool	python-ethtool	GPLv2
python-formencode	python-formencode	Python
python-fpconst	python-fpconst	ASL 2.0
python-genshi	python-genshi	BSD
python-gtkextra	python-gtkextra	GPLv2
python-gudev	python-gudev	LGPLv3+
python-iwlib	python-iwlib	GPLv2
python-jinja2	python-jinja2	BSD
python-kid	python-kid	MIT
python-louie	python-louie	BSD
python-lxml	python-lxml	BSD
python-mako	python-mako	MIT

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
python-markdown	python-markdown	BSD
python-markupsafe	python-markupsafe	BSD
python-matplotlib	python-matplotlib python-matplotlib-tk	Python
python-meh	python-meh	GPLv2+
python-memcached	python-memcached	Python
python-mutagen	python-mutagen	GPLv2
python-myghty	python-myghty	MIT
python-nose	python-nose	LGPLv2
python-nss	python-nss python-nss-doc	MPLv1.1 or GPLv2+ or LGPLv2+
python-paramiko	python-paramiko python-paramiko	LGPLv2+ GPL starting m..
python-paste	python-paste	MIT and ZPLv2.0 and Python and Public Domain and (AFL or MIT) and (MIT or ASL 2.0)
python-paste-deploy	python-paste-deploy	MIT
python-paste-script	python-paste-script	MIT and BSD and (MIT or Python)
python-paver	python-paver	BSD and (MIT or GPLv2)
python-peak-rules	python-peak-rules	Python or ZPLv2.1
python-peak-util-addons	python-peak-util-addons	Python or ZPLv2.1
python-peak-util-assembler	python-peak-util-assembler	Python or ZPLv2.1
python-peak-util-extremes	python-peak-util-extremes	Python or ZPLv2.1
python-peak-util-symbols	python-peak-util-symbols	Python or ZPLv2.1
python-prioritized-methods	python-prioritized-methods	MIT
python-psycopg2	python-psycopg2 python-psycopg2-doc python-psycopg2 python-psycopg2-doc	GPLv2+ with exceptions GPLv3+ with exceptions starting 6.3
python-pygments	python-pygments	BSD
python-pylons	python-pylons	BSD
python-qmf	python-qmf	ASL 2.0
python-qpuid	python-qpuid	ASL 2.0
python-reportlab	python-reportlab python-reportlab-docs	BSD
python-repoze-tm2	python-repoze-tm2	BSD

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
python-repoze-what	python-repoze-what python-repoze-what-docs	BSD
python-repoze-what-plugins-sql	python-repoze-what-plugins-sql	BSD
python-repoze-what-pylons	python-repoze-what-pylons	BSD
python-repoze-who	python-repoze-who	BSD
python-repoze-who-friendlyform	python-repoze-who-friendlyform	BSD
python-repoze-who-plugins-sa	python-repoze-who-plugins-sa	BSD
python-repoze-who-testutil	python-repoze-who-testutil	BSD
python-routes	python-routes	BSD
python-sexy	python-sexy	LGPLv2+
python-simplejson	python-simplejson	MIT
python-slip	python-slip python-slip-dbus python-slip-gtk	GPLv2+
python-sphinx	python-sphinx python-sphinx-doc	BSD
python-sqlalchemy	python-sqlalchemy	MIT
python-tempita	python-tempita	MIT
python-toscawidgets	python-toscawidgets	MIT
python-transaction	python-transaction	ZPLv2.1
python-turbocheetah	python-turbocheetah	MIT
python-turbojson	python-turbojson	MIT
python-turbokid	python-turbokid	MIT
python-tw-forms	python-tw-forms	MIT and LGPLv2+
python-twisted	python-twisted	MIT
python-twisted-conch	python-twisted-conch	MIT
python-twisted-core	python-twisted-core python-twisted-core-doc python-twisted-core-zsh	MIT
python-twisted-lore	python-twisted-lore	MIT
python-twisted-mail	python-twisted-mail	MIT
python-twisted-names	python-twisted-names	MIT
python-twisted-news	python-twisted-news	MIT

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
python-twisted-runner	python-twisted-runner	MIT
python-twisted-web	python-twisted-web	MIT
python-twisted-words	python-twisted-words	MIT
python-weberror	python-weberror	MIT and ZPLv2.0 and (MIT or GPLv2)
python-webflash	python-webflash	MIT
python-webhelpers	python-webhelpers	BSD
python-webob	python-webob	MIT
python-webtest	python-webtest	MIT
python-wsgiproxy	python-wsgiproxy	MIT
python-zope-filesystem	python-zope-filesystem	ZPLv2.1
python-zope-interface	python-zope-interface	ZPLv2.1
python-zope-sqlalchemy	python-zope-sqlalchemy	ZPLv2.1
pytz	pytz	MIT
pywbem	pywbem	LGPLv2
pywebkitgtk	pywebkitgtk	LGPLv2+
pyxdg	pyxdg	LGPLv2
qca2	qca2 qca2-devel	LGPLv2+
qca-openssl	qca-openssl	LGPLv2+
qdox	qdox qdox-javadoc	ASL 2.0
qimageblitz	qimageblitz qimageblitz-devel qimageblitz-examples	BSD and ImageMagick
ql2100-firmware	ql2100-firmware	Redistributable, no modification permitted
ql2200-firmware	ql2200-firmware	Redistributable, no modification permitted
ql23xx-firmware	ql23xx-firmware	Redistributable, no modification permitted
ql2400-firmware	ql2400-firmware	Redistributable, no modification permitted
ql2500-firmware	ql2500-firmware	Redistributable, no modification permitted
qpidd-cpp	qmf qpidd-cpp-client qpidd-cpp-server ruby-qmf qpidd-cpp-client-ssl	ASL 2.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	qpid-cpp-server-ssl	
qpid-tests	qpid-tests	ASL 2.0
qpid-tools	qpid-tools	ASL 2.0
qt3	qt3 qt3-config qt3-designer qt3-devel qt3-devel-docs qt3-MySQL qt3-ODBC qt3-PostgreSQL qt3-sqlite	QPL or GPLv2 or GPLv3
qwt	qwt qwt-devel	LGPLv2 with exceptions
raptor	raptor raptor-devel	LGPLv2+ or ASL 2.0
rarian	rarian rarian-compat rarian-devel	LGPLv2+
rasqal	rasqal rasqal-devel	LGPLv2+ or ASL 2.0
rdma	rdma	GPLv2+
recode	recode recode-devel	GPLv2+
redhat-bookmarks	redhat-bookmarks	GFDL
redhat-indexhtml	redhat-indexhtml	Distributable
redland	redland redland-devel	LGPLv2+ or ASL 2.0
report	report report-config-ftp report-config-localsave report-config-scp report-gtk report-newt report-plugin-ftp report-plugin-localsave report-plugin-scp	GPLv2+
resource-agents	resource-agents	GPLv2+ and LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
rftkill	rftkill	ISC
rhino	rhino rhino-demo rhino-javadoc rhino rhino-javadoc	GPL+ and LGPL+ and Netscape and MPLv1.0 and (MPLv1.1 or GPLv2+) GPL+ and LGPLv2+ and Netscape and MPLv1.0 and (MPLv1.1 or GPLv2+) starting 5.7
rhn-client-tools	rhn-check rhn-client-tools rhn-setup rhn-setup-gnome	GPLv2
rhnsd	rhnsd	GPLv2
ricci	ricci ccs	GPLv2
rng-tools	rng-tools	GPLv2+
rome	rome rome-javadoc	ASL 2.0
rpcbind	rpcbind	GPL
rpmdevtools	rpmdevtools	GPLv2+ and GPLv2
rpmlint	rpmlint	GPLv2
rrdtool	rrdtool rrdtool-devel rrdtool-doc rrdtool-perl rrdtool-php rrdtool-python rrdtool-ruby rrdtool-tcl	GPLv2+ with exceptions
rtkit	rtkit	GPLv3+ and BSD
rubygem-flexmock	ruby-flexmock rubygem-flexmock rubygem-flexmock-doc	Copyright only
rubygem-rake	rubygem-rake	MIT
rubygems	rubygems	Ruby or GPL+
ruby-qpid	ruby-qpid	ASL 2.0
saab-fonts	saab-fonts	GPLv3+ with exceptions
sac	sac sac-javadoc	W3C

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
samba4	ldb-tools libldb libldb-devel samba4 samba4-devel samba4-libs samba4-pidl	GPLv3+ and LGPLv3+
samyak-fonts	samyak-devanagari-fonts samyak-fonts-common samyak-gujarati-fonts samyak-malayalam-fonts samyak-oriya-fonts samyak-tamil-fonts	GPLv3+ with exceptions
saslwrapper	python-saslwrapper ruby-saslwrapper saslwrapper saslwrapper-devel	ASL 2.0
sat4j	sat4j	EPL or LGPLv2
saxon	saxon saxon-aelfred saxon-demo saxon-javadoc saxon-jdom saxon-manual saxon-scripts	MPLv1.0
sblim-cim-client	sblim-cim-client sblim-cim-client-javadoc sblim-cim-client-manual	EPL
sblim-cim-client2	sblim-cim-client2 sblim-cim-client2-javadoc sblim-cim-client2-manual	EPL
sblim-cmpi-base	sblim-cmpi-base sblim-cmpi-base-devel sblim-cmpi-base-test	EPL
sblim-cmpi-devel	libcmpiCppImpl0 sblim-cmpi-devel	EPL
sblim-cmpi-dhcp	sblim-cmpi-dhcp sblim-cmpi-dhcp-devel sblim-cmpi-dhcp-test	EPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
sblim-cmpi-dns	sblim-cmpi-dns sblim-cmpi-dns-devel sblim-cmpi-dns-test	EPL
sblim-cmpi-fsvol	sblim-cmpi-fsvol sblim-cmpi-fsvol-devel sblim-cmpi-fsvol-test	EPL
sblim-cmpi-network	sblim-cmpi-network sblim-cmpi-network-devel sblim-cmpi-network-test	EPL
sblim-cmpi-nfsv3	sblim-cmpi-nfsv3 sblim-cmpi-nfsv3-test	EPL
sblim-cmpi-nfsv4	sblim-cmpi-nfsv4 sblim-cmpi-nfsv4-test	EPL
sblim-cmpi-params	sblim-cmpi-params sblim-cmpi-params-test	EPL
sblim-cmpi-samba	sblim-cmpi-samba sblim-cmpi-samba-devel sblim-cmpi-samba-test	EPL
sblim-cmpi-sysfs	sblim-cmpi-sysfs sblim-cmpi-sysfs-test	EPL
sblim-cmpi-syslog	sblim-cmpi-syslog sblim-cmpi-syslog-test	EPL
sblim-gather	sblim-gather sblim-gather-devel sblim-gather-provider sblim-gather-test sblim-gather sblim-gather-devel sblim-gather-provider sblim-gather-test	CPL EPL starting 6.2
sblim-indication_helper	sblim-indication_helper sblim-indication_helper-devel	CPL
sblim-sfcb	sblim-sfcb	EPL
sblim-sfcc	sblim-sfcc sblim-sfcc-devel	EPL
sblim-smis-hba	sblim-smis-hba	EPL and SNIA
sblim-testsuite	sblim-testsuite	EPL
sblim-tools-libra	sblim-tools-libra sblim-tools-libra-devel	EPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
sblim-wbemcli	sblim-wbemcli	EPL
scenery-backgrounds	scenery-backgrounds	CC-BY
scrub	scrub	GPLv2+
sdparm	sdparm	BSD
seahorse	seahorse seahorse-devel	GPLv2+ and LGPLv2+
seahorse-plugins	seahorse-plugins	GPLv2+ and GFDL
seekwatcher	seekwatcher	GPLv2
sil-padauk-fonts	sil-padauk-fonts	OFL
sinjdoc	sinjdoc	GPL+
slf4j	slf4j slf4j-javadoc slf4j-manual	MIT and ASL 2.0
smc-fonts	smc-anjalioldipi-fonts smc-dyuthi-fonts smc-fonts-common smc-kalyani-fonts smc-meera-fonts smc-rachana-fonts smc-raghumalayalam-fonts smc-suruma-fonts	GPLv3+ with exceptions and GPLv2+ with exceptions and GPLv2+ and GPLv2 and GPL+
smp_utils	smp_utils	BSD
SOAPpy	SOAPpy	BSD and ZPLv2.0
soprano	soprano soprano-apidocs soprano-devel	LGPLv2+
sound-theme-freedesktop	sound-theme-freedesktop	GPLv2+ and LGPLv2+ and CC-BY-SA and CC-BY
spice-client	spice-client spice-client	GPLv2+ LGPLv2+ starting 6.1
spice-common	spice-common-devel	GPLv2+
spice-xpi	spice-xpi	GPLv2+
stix-fonts	stix-fonts stix-integrals-fonts stix-pua-fonts stix-sizes-fonts stix-variants-fonts	STIX
strigi	strigi	LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	strigi-devel strigi-libs	
svnkit	eclipse-svnkit svnkit svnkit-javadoc	TMate License and ASL 1.1
system-config-date-docs	system-config-date-docs	GPLv2+
system-config-firewall	system-config-firewall system-config-firewall-base system-config-firewall-tui	GPLv2+
system-config-services-docs	system-config-services-docs	GPLv2+
system-config-users-docs	system-config-users-docs	GPLv2+
system-gnome-theme	system-gnome-theme	GPLv2+
system-icon-theme	system-icon-theme	GPLv2+
system-setup-keyboard	system-setup-keyboard	MIT
sysvinit	sysvinit-tools	GPLv2+
t1lib	t1lib t1lib-apps t1lib-devel t1lib-static	LGPLv2+
taglib	taglib taglib-devel taglib-doc	LGPLv2
taskjuggler	taskjuggler taskjuggler-libs	GPLv2
tcl-pgtcl	tcl-pgtcl	MIT
teckit	teckit teckit-devel	LGPLv2+ or CPL
terminus-fonts	terminus-fonts terminus-fonts-console	GPLv2+
tetex-tex4ht	tetex-tex4ht	LPPL
texlive	kpathsea kpathsea-devel mendexk texlive texlive-afm texlive-context	GPLv2 and BSD and Public Domain and LGPLv2+ and GPLv2+ and LPPL

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	texlive-dvips texlive-dviutils texlive-east-asian texlive-latex texlive-utils texlive-xetex	
texlive-texmf	texlive-texmf texlive-texmf-afm texlive-texmf-context texlive-texmf-doc texlive-texmf-dvips texlive-texmf-east-asian texlive-texmf-fonts texlive-texmf-latex texlive-texmf-xetex	Artistic 2.0 and GPLv2 and GPLv2+ and LGPLv2+ and LPPL and MIT and Public Domain and UCD and Utopia
texlive-texmf-errata	texlive-texmf-errata texlive-texmf-errata-afm texlive-texmf-errata-context texlive-texmf-errata-doc texlive-texmf-errata-dvips texlive-texmf-errata-east-asian texlive-texmf-errata-fonts texlive-texmf-errata-latex texlive-texmf-errata-xetex	Artistic 2.0 and GPLv2 and GPLv2+ and LGPLv2+ and LPPL and MIT and Public Domain and UCD and Utopia
thai-scalable-fonts	thai-scalable-fonts-common thai-scalable-fonts-compatible thai-scalable-garuda-fonts thai-scalable-kinnari-fonts thai-scalable-loma-fonts thai-scalable-norasi-fonts thai-scalable-purisa-fonts thai-scalable-sawasdee-fonts thai-scalable-tlwgmono-fonts thai-scalable-tlwgtypewriter-fonts thai-scalable-tlwgtypist-fonts thai-scalable-tlwgtypo-fonts thai-scalable-umpush-fonts thai-scalable-waree-fonts	GPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
tibetan-machine-uni-fonts	tibetan-machine-uni-fonts	GPLv3+ with exceptions
tidy	libtidy libtidy-devel tidy	W3C
tigervnc	tigervnc tigervnc-server tigervnc-server-applet tigervnc-server-module	GPLv2+
tokyocabinet	tokyocabinet tokyocabinet-devel	LGPLv2+
tomcat6	tomcat6 tomcat6-admin-webapps tomcat6-docs-webapp tomcat6-el-2.1-api tomcat6-javadoc tomcat6-jsp-2.1-api tomcat6-lib tomcat6-log4j tomcat6-servlet-2.5-api tomcat6-webapps	ASL 2.0
totem-pl-parser	totem-pl-parser totem-pl-parser-devel	LGPLv2+
trace-cmd	trace-cmd	GPLv2 and LGPLv2.1
trilead-ssh2	trilead-ssh2 trilead-ssh2-javadoc	BSD
tuned	tuned tuned-utils	GPLv2+
TurboGears2	TurboGears2	MIT
udisks	udisks udisks-devel	GPLv2+
un-core-fonts	un-core-batang-fonts un-core-dinaru-fonts un-core-dotum-fonts un-core-fonts-common un-core-graphic-fonts un-core-gungseo-fonts un-core-pilgi-fonts	GPLv2
unicap	unicap	GPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	unicap-devel	
unique	unique unique-devel	LGPLv2+
upstart	upstart	GPLv2 and LGPLv2+
urlview	urlview	GPLv2+
usbmuxd	usbmuxd usbmuxd-devel	GPLv3+ or GPLv2+ and LGPLv2+
ustr	ustr ustr-debug ustr-debug-static ustr-devel ustr-static	MIT or LGPLv2+ or BSD
util-linux-ng	libblkid libblkid-devel libuuid libuuid-devel util-linux-ng uuuid	GPLv1+ and GPLv2 and GPLv2+ and LGPLv2+ and MIT and BSD with advertising and Public Domain
uuid	uuid uuid-c++ uuid-c++-devel uuid-dce uuid-dce-devel uuid-devel uuid-perl uuid-pgsql uuid-php	MIT
vemana2000-fonts	vemana2000-fonts	GPLv2+ with exceptions
vigra	vigra vigra-devel	MIT
vinagre	vinagre vinagre-devel	GPLv2+
virt-top	virt-top	GPLv2+
vlgothic-fonts	vlgothic-fonts vlgothic-fonts-common	mplus and BSD

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	vlgothic-p-fonts	
volume_key	python-volume_key volume_key volume_key-devel volume_key-libs	GPLv2
wacomcpl	wacomcpl	GPLv2+
wavpack	wavpack wavpack-devel	BSD
webkitgtk	webkitgtk webkitgtk-devel webkitgtk-doc	LGPLv2+ and BSD
wordnet	wordnet wordnet-devel	MIT and GPLv2+
wqy-zenhei-fonts	wqy-zenhei-fonts wqy-zenhei-fonts-common	GPLv2 with exceptions
ws-commons-util	ws-commons-util ws-commons-util-javadoc	ASL 2.0
ws-jaxme	ws-jaxme ws-jaxme-javadoc ws-jaxme-manual	ASL 2.0
wsmancli	wsmancli	BSD
xcb-proto	xcb-proto	MIT
xcb-util	xcb-util xcb-util-devel	MIT
xdg-user-dirs	xdg-user-dirs	GPLv2+ and MIT
xdg-user-dirs-gtk	xdg-user-dirs-gtk	GPLv2+
xdg-utils	xdg-utils	MIT
xdvipdfmx	xdvipdfmx	GPLv2+
xerces-c	xerces-c xerces-c-devel xerces-c-doc	ASL 2.0
xguest	xguest	GPLv2+
xhtml2fo-style-xsl	xhtml2fo-style-xsl	Copyright only
xml-commons-apis	xml-commons-apis xml-commons-apis-javadoc xml-commons-apis-manual	ASL 2.0 and W3C and Public Domain
xmlldb-api	xmlldb-api xmlldb-api-javadoc xmlldb-api-sdk	BSD

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
xmlgraphics-commons	xmlgraphics-commons xmlgraphics-commons-javadoc	ASL 2.0
xmlrpc3	xmlrpc3-client xmlrpc3-client-devel xmlrpc3-common xmlrpc3-common-devel xmlrpc3-javadoc xmlrpc3-server xmlrpc3-server-devel	ASL 2.0
xmltoman	xmltoman	GPLv2+
xorg-sgml-doctools	xorg-sgml-doctools	MIT
xorg-x11-docs	xorg-x11-docs	MIT
xorg-x11-drv-geode	xorg-x11-drv-geode	MIT
xorg-x11-drv-intel	intel-gpu-tools xorg-x11-drv-intel xorg-x11-drv-intel-devel	MIT
xorg-x11-drv-mach64	xorg-x11-drv-mach64	MIT
xorg-x11-drv-nouveau	xorg-x11-drv-nouveau	MIT
xorg-x11-drv-openchrome	xorg-x11-drv-openchrome xorg-x11-drv-openchrome-devel	MIT
xorg-x11-drv-r128	xorg-x11-drv-r128	MIT
xorg-x11-drv-synaptics	xorg-x11-drv-synaptics xorg-x11-drv-synaptics-devel	MIT
xorg-x11-drv-wacom	xorg-x11-drv-wacom xorg-x11-drv-wacom-devel	GPLv2+
xqilla	xqilla xqilla-devel xqilla-doc	ASL 2.0
xsettings-kde	xsettings-kde	GPLv2+
xvattr	xvattr	GPLv2+
yajl	yajl yajl-devel	BSD
yap	yap yap-devel yap-docs	Artistic 2.0 or LGPLv2+
yum-presto	yum-presto	GPLv2+
zaf	hyphen-af	LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	hyphen-zu	
btrfs-progs	btrfs-progs	GPLv2
compat-dapl	compat-dapl compat-dapl-devel compat-dapl-static compat-dapl-utils	GPLv2 or BSD or CPL
febootstrap	febootstrap febootstrap-supermin-helper	GPLv2+
hivex	hivex hivex hivex-devel hivex-devel ocaml-hivex ocaml-hivex-devel ocaml-hivex-devel perl-hivex python-hivex	LGPLv2
infinipath-psm	infinipath-psm infinipath-psm-devel	BSD or GPLv2
libguestfs	guestfish libguestfs libguestfs-devel libguestfs-java libguestfs-java-devel libguestfs-javadoc libguestfs-mount libguestfs-tools ocaml-libguestfs ocaml-libguestfs-devel perl-libguestfs python-libguestfs ruby-libguestfs libguestfs-tools-c perl-Sys-Guestfs	LGPLv2+
lzop	lzop	GPLv2+
perl-libintl	perl-libintl	LGPLv2+
perl-Module-Find	perl-Module-Find	GPL+ or Artistic
perl-XML-DOM-XPath	perl-XML-DOM-XPath	GPL+ or Artistic

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
perl-XML-Writer	perl-XML-Writer	MIT
qemu-kvm	qemu-img qemu-kvm qemu-kvm-tools qemu-guest-agent	GPLv2+ and LGPLv2+ and BSD
seabios	seabios	LGPLv3
spice-server	spice-server spice-server-devel spice-server spice-server-devel	GPLv2+ LGPLv2+ starting 6.1
vgabios	vgabios	LGPLv2
virt-v2v	virt-v2v	GPLv2+ and LGPLv2+
xfsdump	xfsdump	GPL+
xfspgrog	xfspgrog xfspgrog xfspgrog-devel xfspgrog-qa-devel	GPL+ and LGPLv2+
compat-libvirt	compat-libvirt compat-libvirt-python	LGPL
compat-python-virtinst	compat-python-virtinst	GPL
libblockfile	libblockfile libblockfile-devel	GPL
ovs-agent	ovs-agent	GPL
ovs-release	enterprise-linux-ovs ovs-release	GPL
ovs-utils	ovs-utils	GPL2
p2v-util	p2v-util	GPL
pypxeboot	pypxeboot	GPL
udhcp	udhcp	GPL
multiprocessing	multiprocessing	BSD Licence
open-ovf	open-ovf	EPL
rdac-mpp-tools	rdac-mpp-tools	GPL
389-ds-base	389-ds-base 389-ds-base-libs 389-ds-base-devel	GPLv2 with exceptions
biosdevname	biosdevname	GPLv2
compat-openldap	compat-openldap	OpenLDAP
ding-libs	libcollection	LGPLv3+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libcollection-devel libdhash libdhash-devel libini_config libini_config-devel libpath_utils libpath_utils-devel libref_array libref_array-devel	
foghorn	foghorn	GPLv2+
hwloc	hwloc hwloc-devel	BSD
icedtea-web	icedtea-web icedtea-web-javadoc	LGPLv2+ and GPLv2 with exceptions
ipa	ipa-admintools ipa-client ipa-python ipa-server ipa-server-selinux	GPLv3+
ipa-pki-theme	ipa-pki-ca-theme ipa-pki-common-theme	GPLv2
iwl100-firmware	iwl100-firmware	Redistributable, no modification permitted
iwl6000g2a-firmware	iwl6000g2a-firmware	Redistributable, no modification permitted
iwl6000g2b-firmware	iwl6000g2b-firmware	Redistributable, no modification permitted
libccard	libccard libccard-devel libccard-tools	LGPLv2+
libcxgb4	libcxgb4 libcxgb4-static	GPLv2 or BSD
matahari	matahari matahari-agent-lib matahari-broker matahari-host matahari-lib matahari-net matahari-service	GPLv2

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	matahari-consoles matahari-network matahari-sysconfig matahari-core matahari-python matahari-rpc matahari-shell matahari-vios-proxy-guest matahari-vios-proxy-host	
mingw32-matahari	mingw32-matahari	GPLv2
nuxwdog	nuxwdog nuxwdog-client-java nuxwdog-devel	LGPLv2 and (GPL+ or Artistic)
ofa-2.6.32-100.34.1.el6uek	ofa-2.6.32-100.34.1.el6uek ofa-2.6.32-100.34.1.el6uekdebug	GPL/BSD
omping	omping	ISC
osutil	osutil	GPLv2
pki-core	pki-ca pki-common pki-java-tools pki-native-tools pki-selinux pki-setup pki-silent pki-symkey pki-util pki-common-javadoc pki-java-tools-javadoc pki-util-javadoc	GPLv2
PyPAM	PyPAM	LGPLv2
python-kerberos	python-kerberos	ASL 2.0
python-krbV	python-krbV	LGPLv2+
python-netaddr	python-netaddr	BSD
python-pyasn1	python-pyasn1	BSD
python-repoze-what-quickstart	python-repoze-what-quickstart	BSD
qpidd-qmf	python-qpidd-qmf qpidd-qmf ruby-qpidd-qmf	ASL 2.0

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
sigar	sigar sigar-devel	ASL 2.0
slapi-nis	slapi-nis	GPLv2
spice-protocol	spice-protocol	BSD and LGPLv2+
spice-vdagent	spice-vdagent	GPLv3+
tomcatjss	tomcatjss	LGPLv2+
virt-what	virt-what	GPLv2+
xorg-x11-drv-xgi	xorg-x11-drv-xgi	MIT
perl-Class-MethodMaker	perl-Class-MethodMaker	GPL+ or Artistic
perl-Term-ProgressBar	perl-Term-ProgressBar	GPL+ or Artistic
buildsys-macros	buildsys-macros	GPLv2
ocfs2-2.6.18-274.0.0.0.1.el5		GPL
ocfs2-2.6.18-274.el5	ocfs2-2.6.18-274.el5 ocfs2-2.6.18-274.el5debug ocfs2-2.6.18-274.el5PAE ocfs2-2.6.18-274.el5xen	GPL
ofa-2.6.32-200.13.1.el5uek	ofa-2.6.32-200.13.1.el5uek ofa-2.6.32-200.13.1.el5uekdebug	GPL/BSD
openldap24-libs	openldap24-libs openldap24-libs-devel	OpenLDAP
oracleasm-2.6.18-274.0.0.0.1.el5		GPL
oracleasm-2.6.18-274.el5	oracleasm-2.6.18-274.el5 oracleasm-2.6.18-274.el5debug oracleasm-2.6.18-274.el5PAE oracleasm-2.6.18-274.el5xen	GPL
python-suds	python-suds	LGPLv3+
tcsh617	tcsh617	BSD
vmpinfo	vmpinfo	GPL2
btparser	btparser btparser-devel btparser-python	GPLv2+
compat-openmpi	compat-openmpi compat-openmpi-devel compat-openmpi-psm compat-openmpi-psm-devel	BSD, MIT and Romio
compat-opensm-libs	compat-opensm-libs	GPLv2 or BSD

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
fcoe-target-utils	fcoe-target-utils	AGPLv3
libreport	libreport libreport-cli libreport-devel libreport-gtk libreport-gtk-devel libreport-newt libreport-plugin-bugzilla libreport-plugin-kerneloops libreport-plugin-logger libreport-plugin-mailx libreport-plugin-reportuploader libreport-python	GPLv2+
libunistring	libunistring libunistring-devel	LGPLv3+
libvirt-qmf	libvirt-qmf	LGPLv2+
libvirt-snmp	libvirt-snmp	GPLv2+
mesa-libGLw	mesa-libGLw mesa-libGLw-devel	MIT
mingw32-binutils	mingw32-binutils	GPLv2+ and LGPLv2+ and GPLv3+ and LGPLv3+
mingw32-boost	mingw32-boost mingw32-boost-static	Boost
mingw32-bzip2	mingw32-bzip2	BSD
mingw32-dlfcn	mingw32-dlfcn mingw32-dlfcn-static	LGPLv2+
mingw32-expat	mingw32-expat	MIT
mingw32-filesystem	mingw32-filesystem	GPLv2+
mingw32-gcc	mingw32-cpp mingw32-gcc mingw32-gcc-c++ mingw32-gcc-gfortran mingw32-gcc-objc mingw32-gcc-objc++	GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions
mingw32-gettext	mingw32-gettext mingw32-gettext-static	GPLv2+ and LGPLv2+
mingw32-glib2	mingw32-glib2 mingw32-glib2-static	LGPLv2+
mingw32-gnutls	mingw32-gnutls	GPLv3+ and LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
mingw32-iconv	mingw32-iconv mingw32-iconv-static	GPLv2+ and LGPLv2+
mingw32-libgcrypt	mingw32-libgcrypt	LGPLv2+ and GPLv2+
mingw32-libgpg-error	mingw32-libgpg-error	LGPLv2+
mingw32-libxml2	mingw32-libxml2 mingw32-libxml2-static	MIT
mingw32-libxslt	mingw32-libxslt mingw32-libxslt-static	MIT
mingw32-nsis	mingw32-nsis	zlib and CPL
mingw32-pcre	mingw32-pcre	BSD
mingw32-pthreads	mingw32-pthreads	LGPLv2+
mingw32-qpidd-cpp	mingw32-qpidd-cpp	ASL 2.0
mingw32-readline	mingw32-readline	GPLv2+
mingw32-runtime	mingw32-runtime	Public Domain
mingw32-sigar	mingw32-sigar	ASL 2.0
mingw32-srvany	mingw32-srvany	GPLv2+
mingw32-termcap	mingw32-termcap	GPLv2+
mingw32-w32api	mingw32-w32api	Public Domain
mingw32-zlib	mingw32-minizip mingw32-zlib mingw32-zlib-static	zlib
mlnx_en-2.6.32-300.3.1.el6uek	mlnx_en-2.6.32-300.3.1.el6uek mlnx_en-2.6.32-300.3.1.el6uekdebug	GPL/BSD
ofa-2.6.32-300.3.1.el6uek	ofa-2.6.32-300.3.1.el6uek ofa-2.6.32-300.3.1.el6uekdebug	GPL/BSD
openslp	openslp openslp-devel openslp-server	BSD
perl-IO-Tty	perl-IO-Tty	GPL+ or Artistic
perl-Parse-RecDescent	perl-Parse-RecDescent	GPL+ or Artistic
perl-Test-Inter	perl-Test-Inter	GPL+ or Artistic
python-configshell	python-configshell	AGPLv3
python-ipaddr	python-ipaddr	ASL 2.0
python-rtslib	python-rtslib	AGPLv3
python-simpleparse	python-simpleparse	BSD
python-urwid	python-urwid	LGPLv2+
ras-utils	ras-utils	GPLv2

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
sanlock	sanlock sanlock-devel sanlock-lib sanlock-python sanlock sanlock-devel sanlock-lib sanlock-python	GPLv2, GPLv2+, LGPLv2+ GPLv2 and GPLv2+ and LGPLv2+ starting 6.3
sgabios	sgabios sgabios-bin	ASL 2.0
spice-gtk	spice-glib spice-glib-devel spice-gtk spice-gtk-devel spice-gtk-python spice-gtk-tools	LGPLv2+
tboot	tboot	BSD
vios-proxy	vios-proxy vios-proxy-guest vios-proxy-host vios-proxy-doc vios-proxy-guest vios-proxy-host	Apache License, Version 2.0 ASL 2.0 starting 6.3
perl-IPC-Run	perl-IPC-Run	GPL+ or Artistic
scons	scons	MIT
devmon	devmon	GPLv2
kernel-ovs	kernel-ovs kernel-ovs-firmware	GPLv2
libyaml	libyaml	MIT
monitor	monitor	GPLv2
osc-oracle-generic	osc-oracle-generic	GPLv2
osc-oracle-ocfs2	osc-oracle-ocfs2	GPLv2
osc-plugin-manager	osc-plugin-manager osc-plugin-manager-devel	GPLv2 / Oracle Specification, Development and Distribution License
ovm-console	ovm-console	GPLv2
ovmwatch	ovmwatch	GPLv2

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
ovs-python-uuid	ovs-python-uuid	PSF
ovs-storage-utils	ovs-storage-utils	GPLv2
python-hashlib	python-hashlib	Python
PyYAML	PyYAML	MIT
socat	socat	GPL
vbox-img	vbox-img	GPLv2
xenpvboot	xenpvboot	GPLv2
binutils220	binutils220	GPLv3+
mlnx_en-2.6.32-300.10.1.el5uek	mlnx_en-2.6.32-300.10.1.el5uek mlnx_en-2.6.32-300.10.1.el5uekdebug	GPL/BSD
mysql-connector-odbc64	mysql-connector-odbc64	GPLv2 with exceptions
ocfs2-2.6.18-308.el5	ocfs2-2.6.18-308.el5 ocfs2-2.6.18-308.el5debug ocfs2-2.6.18-308.el5PAE ocfs2-2.6.18-308.el5xen	GPL
ofa-2.6.32-300.10.1.el5uek	ofa-2.6.32-300.10.1.el5uek ofa-2.6.32-300.10.1.el5uekdebug	GPL/BSD
oracleasm-2.6.18-308.el5	oracleasm-2.6.18-308.el5 oracleasm-2.6.18-308.el5debug oracleasm-2.6.18-308.el5PAE oracleasm-2.6.18-308.el5xen	GPL
postgresql-odbc64	postgresql-odbc64	LGPLv2+
python-ctypes	python-ctypes	MIT
unixODBC64	unixODBC64 unixODBC64-devel unixODBC64-libs	GPLv2+ and LGPLv2+
ant17	ant17 ant17-antlr ant17-apache-bcel ant17-apache-bsf ant17-apache-log4j ant17-apache-oro ant17-apache-regexp ant17-apache-resolver ant17-commons-logging ant17-javadoc ant17-javamail ant17-jdepend	Apache Software License

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	ant17-jmf ant17-jsch ant17-junit ant17-manifest-only ant17-manual ant17-nodeps ant17-scripts ant17-swing ant17-trax	
hypervkvpd	hypervkvpd	GPLv2
java-1.7.0-openjdk	java-1.7.0-openjdk java-1.7.0-openjdk-demo java-1.7.0-openjdk-devel java-1.7.0-openjdk-javadoc java-1.7.0-openjdk-src	ASL 1.1 and ASL 2.0 and GPL+ and GPLv2 and GPLv2 with exceptions and LGPL+ and LGPLv2 and MPLv1.0 and MPLv1.1 and Public Domain and W3C
libitm	libitm	GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD
ocfs2-2.6.18-348.el5	ocfs2-2.6.18-348.el5 ocfs2-2.6.18-348.el5debug ocfs2-2.6.18-348.el5PAE ocfs2-2.6.18-348.el5xen	GPL
oracleasm-2.6.18-348.el5	oracleasm-2.6.18-348.el5 oracleasm-2.6.18-348.el5debug oracleasm-2.6.18-348.el5PAE oracleasm-2.6.18-348.el5xen	GPL
php53-odbc64	php53-odbc64	PHP
redhat-release	redhat-release	GPL
rsyslog5	rsyslog5 rsyslog5-gnutls rsyslog5-gssapi rsyslog5-mysql rsyslog5-pgsql rsyslog5-snmp	(GPLv3+ and ASL 2.0)

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
scl-utils	scl-utils scl-utils-build	GPLv2+
byzanz	byzanz	GPLv3+
crash-gcore-command	crash-gcore-command	GPLv2
device-mapper- persistent-data	device-mapper-persistent-data	GPLv3+
i2c-tools	i2c-tools i2c-tools-EEPROMer	GPLv2+
ibacm	ibacm ibacm-devel	GPLv2 or BSD
ipset	ipset ipset-devel	GPLv2
ledmon	ledmon	GPLv2+
libmnl	libmnl libmnl-devel	LGPLv2+
libqb	libqb libqb-devel	LGPLv2+
libreoffice	autocorr-af autocorr-bg autocorr-cs autocorr-da autocorr-de autocorr-en autocorr-es autocorr-eu autocorr-fa autocorr-fi autocorr-fr autocorr-ga autocorr-hr autocorr-hu autocorr-it autocorr-ja autocorr-ko autocorr-lb autocorr-lt autocorr-mn autocorr-nl	(MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and (CDDL or GPLv2) and Public Domain and ASL 2.0 and Artistic

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	autocorr-pl autocorr-pt autocorr-ru autocorr-sk autocorr-sl autocorr-sr autocorr-sv autocorr-tr autocorr-vi autocorr-zh libreoffice libreoffice-base libreoffice-bsh libreoffice-calc libreoffice-core libreoffice-draw libreoffice-emailmerge libreoffice-gdb-debug-support libreoffice-graphicfilter libreoffice-headless libreoffice-impress libreoffice-javafilter libreoffice-langpack-af libreoffice-langpack-ar libreoffice-langpack-as libreoffice-langpack-bg libreoffice-langpack-bn libreoffice-langpack-ca libreoffice-langpack-cs libreoffice-langpack-cy libreoffice-langpack-da libreoffice-langpack-de libreoffice-langpack-dz libreoffice-langpack-el libreoffice-langpack-en libreoffice-langpack-es libreoffice-langpack-et libreoffice-langpack-eu libreoffice-langpack-fi	

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libreoffice-langpack-fr libreoffice-langpack-ga libreoffice-langpack-gl libreoffice-langpack-gu libreoffice-langpack-he libreoffice-langpack-hi libreoffice-langpack-hr libreoffice-langpack-hu libreoffice-langpack-it libreoffice-langpack-ja libreoffice-langpack-kn libreoffice-langpack-ko libreoffice-langpack-lt libreoffice-langpack-mai libreoffice-langpack-ml libreoffice-langpack-mr libreoffice-langpack-ms libreoffice-langpack-nb libreoffice-langpack-nl libreoffice-langpack-nn libreoffice-langpack-nr libreoffice-langpack-nso libreoffice-langpack-or libreoffice-langpack-pa libreoffice-langpack-pl libreoffice-langpack-pt-BR libreoffice-langpack-pt-PT libreoffice-langpack-ro libreoffice-langpack-ru libreoffice-langpack-sk libreoffice-langpack-sl libreoffice-langpack-sr libreoffice-langpack-ss libreoffice-langpack-st libreoffice-langpack-sv libreoffice-langpack-ta libreoffice-langpack-te libreoffice-langpack-th libreoffice-langpack-tn	

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	libreoffice-langpack-tr libreoffice-langpack-ts libreoffice-langpack-uk libreoffice-langpack-ur libreoffice-langpack-ve libreoffice-langpack-xh libreoffice-langpack-zh-Hans libreoffice-langpack-zh-Hant libreoffice-langpack-zu libreoffice-math libreoffice-ogltrans libreoffice-opensymbol-fonts libreoffice-pdfimport libreoffice-presentation-minimizer libreoffice-presenter-screen libreoffice-pyuno libreoffice-report-builder libreoffice-rhino libreoffice-sdk libreoffice-sdk-doc libreoffice-testtools libreoffice-ure libreoffice-wiki-publisher libreoffice-writer libreoffice-xsltfilter	
libwacom	libwacom libwacom-data libwacom-devel	MIT
lxc	lxc lxc-devel lxc-libs	LGPL
numad	numad	LGPLv2
oracle-rdbms-server-11gR2-preinstall	oracle-rdbms-server-11gR2-preinstall	GPL
usbredir	usbredir usbredir-devel usbredir-server	LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
virt-p2v	virt-p2v	AFL and (AFL or GPLv2) and BSD and (BSD or GPLv2+) and BSD with advertising and Bitstream Vera and Boost and CC-BY and (FTL or GPLv2+) and GFDL and GPL+ and (GPL+ or Artistic) and GPLv1+ and GPLv2 and (GPLv2 or GPLv3) and (GPLv2 or Ruby) and GPLv2 with exceptions and GPLv2+ and (GPLv2+ or AFL) and (GPLv2+ or Artistic) and GPLv2+ with exceptions and GPLv3 and GPLv3+ and GPLv3+ with exceptions and IJG and ISC and JasPer and LGPLv2 and (LGPLv2 or MPLv1.1) and LGPLv2+ and (LGPLv2+ or BSD) and LGPLv2+ with exceptions and LGPLv2/GPLv2 and LGPLv3+ and MIT and (MPLv1.1 or GPLv2+ or LGPLv2+) and Open Publication and OpenLDAP and OpenSSL and Public Domain and Python and Rdisc and Redistributable, no modification permitted and Ruby and (Ruby or GPL+) and (Ruby or GPLv2) and Sleepycat and UCD and Vim and libtiff and zlib
iperf	iperf	BSD
openvswitch	openvswitch	ASL 2.0
openvswitch-kmod	kmod-openvswitch-uek	GPLv2
ovs-support-tools	ovs-support-tools	GPL
vmpinfo3-sosreport	vmpinfo3-sosreport	GPL

License information on distribution packages with Oracle Trademarks

The following files include ORACLE trademarks; therefore, in order to avoid infringement, you will need to modify those files to remove the relevant marks before distribution. Do not delete these files, as deletion may corrupt the Software or Additional Software.

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
anaconda	anaconda anaconda-runtime anaconda	GPL GPLv2+
anaconda-help	anaconda-help	distributable
comps	comps	GPL
firefox	firefox	MPL/LGPL MPLv1.1 or GPLv2+ or LGPLv2+

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
	firefox-devel firefox	
firstboot	firstboot firstboot-tui firstboot	GPL GPLv2+
gnome-desktop	gnome-desktop gnome-desktop-devel gnome-desktop gnome-desktop-devel	GPL GPLv2+ and LGPLv2+
gnome-session	gnome-session gnome-session gnome-session-custom-session gnome-session-xsession	GPL GPLv2+
httpd	httpd httpd-devel httpd-manual httpd-suexec mod_ssl httpd httpd-devel httpd-manual httpd-tools mod_ssl	Apache Software License ASL 2.0
indexhtml	indexhtml	distributable
initscripts	initscripts initscripts debugmode	GPL GPLv2 and GPLv2+
oracle-logos	oracle-logos oracle-logos oracle-logos	In flux for the moment,... Copyright 2007 Oracle All rights reserved. Copyright 1999-2010 Oracle America, Inc. All rights reserved.

Source RPM Name	Associated Binary RPM Names (may be i386.rpm, x86_64.rpm or noarch.rpm)	License
enterprise-release	enterprise-release	GPL
oraclelinux-release	oraclelinux-release	GPL
uln-yumconf	uln-yumconf	GPL
python-elementtree	python-elementtree	PSF
python-sqlite	python-sqlite	GPL
python-urlgrabber	python-urlgrabber python-urlgrabber	LGPL LGPLv2+
redhat-artwork	redhat-artwork	GPL
rhn-applet	rhn-applet	GPL
sqlite	sqlite sqlite-devel lemon sqlite-doc sqlite-tcl	Public Domain
squirrelmail	squirrelmail	GPL
thunderbird	thunderbird thunderbird	MPL MPLv1.1 or GPLv2+ or LGPLv2+
up2date	up2date up2date-gnome	GPL
yum	yum yum-updatesd yum yum-cron	GPL GPLv2+