

OPERA Global Alerts
Step 1 Filter Condition Options

Filter Condition	Description
accompanying_names	names of accompanying guests
accompanying_yn	identifies if this reservation has accompanying guests yn
accountsource	source(s) of the account. used in sc module.
account_type	account type of this profile.
acct_contact	billing contact person in company.
actioncode	mailing action codes.
active_yn	profile is active or not.
actual_check_in_date	usually will be begin date and will have the time component
actual_check_out_date	this is the actual check out date with time component.
address1	the first line of street address.
address2	the second line of street address.
address3	the third line of street address.
address4	the fourth line of street address.
address_id	this column stores the internal id of an address for the guest.
address_type	the type of address.
adults	number of adults.
adults_tax_free	number of tax free adults
allotment_header_id	this is the id of the block to which this record belongs
all_membership_types	membership types from this reservation.
arrival	arrival date of the reservation
arrival_carrier_code	carrier code of the mode of transportation (airline no. or railway no., etc.)
arrival_comments	these are the comments regarding arrival of the guest.
arrival_date_time	scheduled arrival time of the transport
arrival_estimate_time	this is the arrival estimate time of the carrier or mode of transport
arrival_station_code	this is the identification of the guest's arrival station.
arrival_time	arrival time of the reservation
arrival_transportation_yn	is arrival transportation required or not? yn
arrival_transport_code	the actual code no. of the transportation
arrival_transport_type	guest's mode of transportation upon arrival.
ar_no	ar number
attach_cc_to_profile	not used.
authorised_billing_yn	authorized billing yn
autoenroll_member_yn	indicates if profile wants to auto enroll in default membership type.
availability_override	does profile have availability override yn.
award_number	has awards y or n.
balance	bill total.
base_rate_amount	not used.
billing_contact_id	contact name id chosen as billing contact
billing_contact_name	billing contact name
billing_instr	transaction codes
birth_country	country of birth.
birth_date	date of birth of the individual profile.
birth_date_str	stores the encrypted birth date.
birth_place	place of birth.
block_code	block code.
block_description	block name.
bl_msg	any message for the restricted profile.
booked_room_category	holds the category of room originally booked.
booked_room_category_label	this column holds the label (description) of room category originally booked, not necessarily the one in which the guest stayed.
break_to_empty_room_yn	not used.
business_date	business date the reservation was created
business_date_created	business date the reservation was created
business_title	the business title for this individual.
cancellation_date	this is the date when the reservation was cancelled.
cancellation_no	the cancellation number calculated by the system when a user cancels this detail record.
cancellation_reason_code	this is the reason code for the cancellation of the reservation

OPERA Global Alerts
Step 1 Filter Condition Options

Filter Condition	Description
cancellation_reason_desc	this is the free text to explain more about the cancellation reason, defaults to description of the code
card_usage	usage of card like debit or credit.
cbl_ind	normal, restricted and cash only information is stored in this column.
channel	channel code
children	number of children on this reservation line
children_tax_free	number of tax free children
cis_history_yn	has cis history y or n.
city	the city for this address.
city_ext	city extension mainly used for uk addresses.
comm1_id	first communication id
comm1_type	first communication type
comm1_value	first communication value
comm2_id	second communication id
comm2_type	second communication type
comm2_value	second communication value
comm3_id	third communication id
comm3_type	third communication type
comm3_value	third communication value
comments	free text column for comments.
commission_account_id	commission account id
commission_account_name	commission account name
commission_code	the commission code to be applied for this stay date for this reservation.
commission_paid	amount of commission paid
comm_pay_central	this flag will be used in case profiles are being controlled centrally (crs).
company	this column stores the name of the company profile.
company_id	this is the name_id of the profile type company.
company_name	the name of the company attached to that reservation, if any.
competition_code	competition code.
complimentary_yn	if the room has this rate code where complimentary_yn='y' then that night the room is free
computed_resv_status	computed reservation status
confirmation_leg_no	reservation leg no. for itinerary reservations. confirmation_no and this column will make unique identification for an external system
confirmation_letter	confirmation letter name.
confirmation_letter_id	confirmation letter internal id
confirmation_no	opera confirmation number of the reservation.
consumer_yn	not used.
contact_name_id	not used.
contact_yn	denotes if the profile is a contact type. used in sc module.
contract_no	group contract number.
contract_recv_date	the date the group contract was received.
country	country .
country_desc	description of the country.
credit_card_expiration_date	credit card expiration date
credit_card_exp_date	the credit card expiration date, if the payment method is credit card(visa, master, amex).
credit_card_id	this column connects name_credit_card table to get credit card number, type etc .
credit_card_name	credit card name
credit_card_number	the credit card number, if the payment method is by credit card(visa, master, amex).
credit_card_type	the credit card code if the payment method is by credit card (va =visa, ms = master, ax = amex etc.).
credit_limit	not used
cribs	number of cribs on the reservation
crs_nameid	this is a name_id (profile number) of profiles that exist in a central database in a typical crs environment.
currency_code	currency this reservation is confirmed for

OPERA Global Alerts
Step 1 Filter Condition Options

Filter Condition	Description
department	department description from the user (employee) edit screen. used in sc module.
departure	the day the guest checked out from the hotel.
departure_carrier_code	this is the departure carrier code
departure_comments	these are the comments of the guest's departure.
departure_date_time	this is the same as end date with time component.
departure_estimate_time	this is the departure estimate time of the carrier or mode of transport
departure_station_code	the name of the station from which the guest is departing.
departure_time	the actual time the guest departed or checked out from the hotel.
departure_transportation_yn	is departure transportation required or not? yn
departure_transport_code	the actual code no of the departure transportation
departure_transport_type	guest's mode of transportation upon departure.
dept_id	department code from the user (employee) edit screen. used in sc module.
direct_bill_batch_type	determines automatic direct bill settlement.
discount_amt	this is the discount amount applied on the rate obtained from the rate model
discount_prcnt	this is the discount percentage applied on the rate obtained from the rate model
discount_reason_code	not used.
display_name	last name and first name separated by comma.
download_date	not used.
download_resort	not used.
download_srep	not used.
do_not_move_room	not used.
do_not_move_yn	do not move indicator.
do_not_update_profile	not used.
drop_off_time	drop off time.
effective_rate_amount	effective rate amount.
email	the email address.
email_id	id for email address
email_yn	indicates if profile should be contacted via email.
enrollment_source	enrollment source.
envelope_greeting	field which stores the envelope greeting used in sc
event_id	this is the catering event id number.
exchange_posting_type	type of exchange posting, c - fixed at check in, r - fixed at reservation etc..
exchange_rate	not used.
extension_id	internal extension number for the main reservation
external_reference	identifies the source from which the reservation originated
extn_number	extension number
extn_type	type of extension
extra_beds	number of extra beds on the reservation
ext_seg_no	not used
ext_seq_no	not used
fax_id	id for fax number
fax_no	the type of the fax number.
fb_revenue	food and beverage revenue for the reservation. this is derived from revenue group seq 3.
financially_responsible_yn	the actual guest from whom payment has to be recovered (direct guest).
first	the first name of an individual name.
first_membership_upgrade_yn	first membership upgrade.
first_stay_yn	first stay y or n.
fixed_charge	total fixed charges on the reservation.
fixed_rate_yn	this determines the reservation is a fixed rate or not.
folio_yn	folio on the reservation?
gender	indicates gender of individual profile. either (m)ale or f(emale).
group_id	this is the name_id of the profile type group.
group_name	group name
guarantee_code	this is a guarantee code for the guest's reservation.
guarantee_code_desc	the description of the guarantee code.
guest_country	guest country

OPERA Global Alerts
Step 1 Filter Condition Options

Filter Condition	Description
guest_country_desc	guest country description
guest_first_name	this is guest first name
guest_first_name_sdx	this is soundex of guest first name - phonetic sound.
guest_last_name_sdx	this is soundex of guest last name - phonetic sound.
guest_name	last name of the guest who stayed in this hotel for this reservation.
guest_name_id	central internal id for the guest.
guest_phone	guest phone.
guest_priv_yn	flag to indicate guest privacy.
guest_signature	signature of the guest
hasattachments	guest profile has attachments y or n.
hasnotes	if guest has notes.
has_any_share_fixed_rate_yn	not used.
history_yn	keep guest in history yn.
hold_code	hold code for the commission handling purposes.
hurdle	this will be the average hurdle rate at the time of the original reservation per room per night, regardless of whether the rate was yieldable or not.
hurdle_override	this will be taken from the field override in the hurdle_rates table. this entry does not indicate that the rateable value of the reservation was less than the hurdle rate at the time of booking. in fact, if any date of the reservation touches an override.
iata_comp_type	specified whether name_code column has company # or iata #. for company # the value will be comp and for iata # the value of this column will be iata.
iata_corp_no	the unique key of this name stores iata#
id_country	the country where id was issued.
id_date	issued date of identification.
id_number	identification number.
id_number_str	stores the encrypted id number
id_place	the place where id was issued.
id_type	identification type. e.g. passport, driving license etc.
inactive_date	the date the record was marked as inactive.
industry_code	the industry this profile belongs to. used only for the non-individual profiles.
influence	influence code(s) listed on the guest profile used for this reservation. used in sc module.
insert_date	the date the record was created.
insert_user	the user that created the record.
insert_user_name	the user that created the record.
interest	interest code.
intermediary_yn	not used
inv_item_codes	inventory item codes from reservation_items table.
in_person_to_share_with	not used.
keyword	searchable keywords attached to the guest profile. used in sc module.
key_valid_until	expiration date for the key.
language	primary language used for the profile.
language_desc	description for each language code.
language_name	name of the language.
last_direct_bill_batch_date	latest date when a folio settlement was automatically performed using the 'auto folio settlement' option
last_group	last group in reservation
last_periodic_folio_date	latest date when a folio was printed using the 'periodic batch folios' option
last_rate	last rate.
last_room	last room number
last_source	last source in reservation
last_stay	last stay date.
legal_company	the legal company name for this company.
letter_greeting	greeting used in salutation for letters. used in sc module.
locator_yn	locator exists for the reservation yn.
logged_srep_code	logged in user code -> emp_package.get_srepcode()
mail_list	this indicates whether the mailing list must be sent to the guest.

OPERA Global Alerts
Step 1 Filter Condition Options

Filter Condition	Description
mail_type	the type of mail this user should be sent.
mail_yn	indicates if profile should be contacted via mail.
maintain_room_features	not used.
markets	market code(s) attached to the guest profile used in this reservation. used in sc module.
market_code	identifies the market segment associated with rate code
market_desc	description of the market code.
market_research_yn	indicates if profile wants to participate in market research.
master_share	indicates if this is a master or slave reservation for perfect share
mealplan_yn	not used.
membership_expiration_date	membership expiration date
membership_id	this is membership id, a foreign key to memberships.membership_id.
membership_join_date	membership join date.
membership_level	the current membership level, e.g. gold, classic etc.
membership_name_on_card	membership name on the card
membership_number	membership number
membership_type	indicates the membership type.
message_yn	identifies if there were any messages for the guest on this reservation.
middle	the middle name of this individual.
multiple_address_yn	multiple addresses y or n
multiple_adults_yn	multiple numbers of adults yn.
multiple_booked_room_cat_yn	multiple booked room categories yn.
multiple_children_yn	multiple numbers of children yn.
multiple_comments_yn	multiple comments yn.
multiple_cribs_yn	multiple number of cribs yn.
multiple_extensions_yn	multiple extensions yn.
multiple_fixed_rate	multiple fixed rates yn.
multiple_market_code_yn	multiple market codes yn.
multiple_memberships_yn	multiple memberships yn.
multiple_name_comments_yn	multiple name comments y or n
multiple_origin_of_booking_yn	multiple origin of booking yn.
multiple_phones_yn	multiple phones y or n
multiple_rate_code_yn	multiple rate codes yn.
multiple_room_category_yn	multiple room categories yn.
multiple_room_yn	multiple room numbers yn.
multiple_segments_yn	multiple segments yn.
multiple_share_amount_yn	multiple share amounts yn.
multiple_xbeds_yn	multiple amounts of extra beds yn.
multiple_yn	indicates if there any multiple values yn.
my_room_rate	not used.
name	last name or company name of the guest.
name2	not used.
name3	not used.
name_address_id	address id for the guest.
name_comment	profile notes.
name_commission_code	commission code
name_credit_card_id	credit card id
name_credit_card_number	credit card number
name_credit_card_type	credit card type
name_currency_code	commission currency code
name_id	the primary key for the name table.
name_insert_date	the date the name record was created.
name_insert_user	the user that created the name record.
name_keywords	the keyword to search on.
name_last_room	last room.
name_membership_id	membership id
name_membership_level	membership level
name_membership_number	membership number

OPERA Global Alerts
Step 1 Filter Condition Options

Filter Condition	Description
name_membership_type	membership type
name_of_tax_type	name of tax type.
name_phone_id	id for name phone
name_rate_code	rate code
name_tax_description	name tax description
name_tax_type	this stores the rules for tax calculation especially with tax exemption
name_total_revenue	total revenue amount for the current guest.
name_type	the type of profile.
name_type_desc	a description of the name type.
name_udfc01	user defined character column used by screen painter
name_udfc02	user defined character column used by screen painter
name_udfc03	user defined character column used by screen painter
name_udfc04	user defined character column used by screen painter
name_udfc05	user defined character column used by screen painter
name_udfc06	user defined character column used by screen painter
name_udfc07	user defined character column used by screen painter
name_udfc08	user defined character column used by screen painter
name_udfc09	user defined character column used by screen painter
name_udfc10	user defined character column used by screen painter
name_udfc11	user defined character column used by screen painter
name_udfc12	user defined character column used by screen painter
name_udfc13	user defined character column used by screen painter
name_udfc14	user defined character column used by screen painter
name_udfc15	user defined character column used by screen painter
name_udfc16	user defined character column used by screen painter
name_udfc17	user defined character column used by screen painter
name_udfc18	user defined character column used by screen painter
name_udfc19	user defined character column used by screen painter
name_udfc20	user defined character column used by screen painter
name_udfc21	user defined character column used by screen painter
name_udfc22	user defined character column used by screen painter
name_udfc23	user defined character column used by screen painter
name_udfc24	user defined character column used by screen painter
name_udfc25	user defined character column used by screen painter
name_udfc26	user defined character column used by screen painter
name_udfc27	user defined character column used by screen painter
name_udfc28	user defined character column used by screen painter
name_udfc29	user defined character column used by screen painter
name_udfc30	user defined character column used by screen painter
name_udfc31	user defined character column used by screen painter
name_udfc32	user defined character column used by screen painter
name_udfc33	user defined character column used by screen painter
name_udfc34	user defined character column used by screen painter
name_udfc35	user defined character column used by screen painter
name_udfc36	user defined character column used by screen painter
name_udfc37	user defined character column used by screen painter
name_udfc38	user defined character column used by screen painter
name_udfc39	user defined character column used by screen painter
name_udfc40	user defined character column used by screen painter
name_udfd01	user defined date field
name_udfd02	user defined date field
name_udfd03	user defined date field
name_udfd04	user defined date field
name_udfd05	user defined date field
name_udfd06	user defined date field
name_udfd07	user defined date field
name_udfd08	user defined date field
name_udfd09	user defined date field

OPERA Global Alerts
Step 1 Filter Condition Options

Filter Condition	Description
name_udfd10	user defined date field
name_udfd11	user defined date field
name_udfd12	user defined date field
name_udfd13	user defined date field
name_udfd14	user defined date field
name_udfd15	user defined date field
name_udfd16	user defined date field
name_udfd17	user defined date field
name_udfd18	user defined date field
name_udfd19	user defined date field
name_udfd20	user defined date field
name_udfn01	user defined number field
name_udfn02	user defined number field
name_udfn03	user defined number field
name_udfn04	user defined number field
name_udfn05	user defined number field
name_udfn06	user defined number field
name_udfn07	user defined number field
name_udfn08	user defined number field
name_udfn09	user defined number field
name_udfn10	user defined number field
name_udfn11	user defined number field
name_udfn12	user defined number field
name_udfn13	user defined number field
name_udfn14	user defined number field
name_udfn15	user defined number field
name_udfn16	user defined number field
name_udfn17	user defined number field
name_udfn18	user defined number field
name_udfn19	user defined number field
name_udfn20	user defined number field
name_udfn21	user defined number field
name_udfn22	user defined number field
name_udfn23	user defined number field
name_udfn24	user defined number field
name_udfn25	user defined number field
name_udfn26	user defined number field
name_udfn27	user defined number field
name_udfn28	user defined number field
name_udfn29	user defined number field
name_udfn30	user defined number field
name_udfn31	user defined number field
name_udfn32	user defined number field
name_udfn33	user defined number field
name_udfn34	user defined number field
name_udfn35	user defined number field
name_udfn36	user defined number field
name_udfn37	user defined number field
name_udfn38	user defined number field
name_udfn39	user defined number field
name_udfn40	user defined number field
name_update_date	the date the name record was modified.
name_update_user	the user that modified the name record.
name_usage_type	ag – accompanying guest, rd – regular reservation.
nationality	nationality of the individual.
nationality_desc	the description of nationality.
next_resvnameid	reservation id from next reservation with the same guest.
next_stay	stay from next reservation with the same guest.

OPERA Global Alerts
Step 1 Filter Condition Options

Filter Condition	Description
nights	total number of nights
no_of_rooms	number of rooms
number_of_nights_at_property	number of nights at the property.
number_of_nights_last_365_days	number of nights for the last 365 days.
original_base_rate	not used.
original_end_date	original departure date of the reservation
origin_of_booking	similar to market code but shows the origin like local market or internet etc
origin_of_booking_desc	description of the origin of booking code.
override_inventory_yn	not used.
parent_market_code	parent market code from the market code of this reservation.
parent_resv_name_id	this column connects this reservation with parent reservation.
party_code	a party_code will be assigned for the party reservations.
passport	passport number.
passport_str	stores the encrypted passport number.
payment_amount	the amount paid by the guest or the respective person for this reservation.
payment_due_days	the due date for payment for the profile.
payment_method	indicates the payment method to be used to pay for the reservation
payment_method_desc	payment method description
periodic_folio_freq	frequency in number of days when folios should be printed for this reservation
phone_id	this column stores the internal id of the phone number of the guest
phone_no	the phone number.
phone_type	the type of the phone number.
physical_quantity	physical quantity of the reservation.
points_eligibility_code	
points_expiring_this_year	points expiring this year.
posting_allowed_yn	flag used by interface program during check in
potential_nights	potential room nights for this profile. user enterable.
potential_revenue	potential room revenue for this profile. user enterable.
preferred_room_type	preferred room type.
print_rate_yn	this controls whether rate info will be printed on the confirmation letter
priority	priority of the account.
products	list of packages attached
product_interest	product interest(s) listed in the profile attached to this reservation. used in sc module.
profession	the profession of the individual.
profile_privacy_flg	profile privacy flag determines if the profile is marked as private for a property.
profile_room_features	preferences in room for the profile
profile_special_requests	special preferences for the profile
promotions	promotions.
psuedo_room_type	to identify pseudo room types. null indicates not a pseudo room
purge_date	date this reservation was purged into history
purpose_of_stay	purpose of stay
rateable_value	the net value of the rate based on what was set when the rate was accepted (=indifference rate).
rate_code	rate code for the reservation
rden_billing_contact_id	billing contact id from reservation_daily_element_name table (new data model, since v5.0.03.03). only to be used in where clause to allow index access.
rden_reservation_date	the particular day (date) of the reservation from reservation daily elements table.
rden_resv_contact_id	reservation contact id from reservation_daily_element_name table (new data model, since v5.0.03.03). only to be used in where clause to allow index access.
recalculate_rate_yn	not used.
registration_card_no	registration card number
reinstate_date	reinstate date
reinstate_yn	not used.
reservation_date	the particular day (date) of the reservation.
reservation_preferences	reservation preferences from reservation_preferences table.
resort	the property that the record belongs to

OPERA Global Alerts
Step 1 Filter Condition Options

Filter Condition	Description
restriction_override	this field will be populated with a 'y' if the user has overridden any restriction, with the exception of a hurdle override, to accept the reservation.
resv_cl_destination	delivery method for the confirmation letter -->print server or fax server or email server etc. null implies printer.
resv_cl_destination_id	destination id.
resv_conf_letter_id	reservation confirmation letter id
resv_conf_letter_lta	reservation confirmation letter last time attempted
resv_conf_letter_status	reservation confirmation letter status
resv_contact_id	contact name id chosen as reservation contact
resv_contact_name	reservation contact name
resv_name_id	internal reservation id.
resv_no	not used in pms currently.
resv_status	this is the status of the reservation
res_insert_source	reservation source.
res_insert_source_type	reservation source type.
revenue_type_code	revenue type (catering rooms)
rg_udfc01	user defined character column used by screen painter
rg_udfc02	user defined character column used by screen painter
rg_udfc03	user defined character column used by screen painter
rg_udfc04	user defined character column used by screen painter
rg_udfc05	user defined character column used by screen painter
rg_udfc06	user defined character column used by screen painter
rg_udfc07	user defined character column used by screen painter
rg_udfc08	user defined character column used by screen painter
rg_udfc09	user defined character column used by screen painter
rg_udfc10	user defined character column used by screen painter
rg_udfc11	user defined character column used by screen painter
rg_udfc12	user defined character column used by screen painter
rg_udfc13	user defined character column used by screen painter
rg_udfc14	user defined character column used by screen painter
rg_udfc15	user defined character column used by screen painter
rg_udfc16	user defined character column used by screen painter
rg_udfc17	user defined character column used by screen painter
rg_udfc18	user defined character column used by screen painter
rg_udfc19	user defined character column used by screen painter
rg_udfc20	user defined character column used by screen painter
rg_udfc21	user defined character column used by screen painter
rg_udfc22	user defined character column used by screen painter
rg_udfc23	user defined character column used by screen painter
rg_udfc24	user defined character column used by screen painter
rg_udfc25	user defined character column used by screen painter
rg_udfc26	user defined character column used by screen painter
rg_udfc27	user defined character column used by screen painter
rg_udfc28	user defined character column used by screen painter
rg_udfc29	user defined character column used by screen painter
rg_udfc30	user defined character column used by screen painter
rg_udfc31	user defined character column used by screen painter
rg_udfc32	user defined character column used by screen painter
rg_udfc33	user defined character column used by screen painter
rg_udfc34	user defined character column used by screen painter
rg_udfc35	user defined character column used by screen painter
rg_udfc36	user defined character column used by screen painter
rg_udfc37	user defined character column used by screen painter
rg_udfc38	user defined character column used by screen painter
rg_udfc39	user defined character column used by screen painter
rg_udfc40	user defined character column used by screen painter
rg_udfd01	user defined date field.
rg_udfd02	user defined date field.

OPERA Global Alerts
Step 1 Filter Condition Options

Filter Condition	Description
rg_udfd03	user defined date field.
rg_udfd04	user defined date field.
rg_udfd05	user defined date field.
rg_udfd06	user defined date field.
rg_udfd07	user defined date field.
rg_udfd08	user defined date field.
rg_udfd09	user defined date field.
rg_udfd10	user defined date field.
rg_udfd11	user defined date field.
rg_udfd12	user defined date field.
rg_udfd13	user defined date field.
rg_udfd14	user defined date field.
rg_udfd15	user defined date field.
rg_udfd16	user defined date field.
rg_udfd17	user defined date field.
rg_udfd18	user defined date field.
rg_udfd19	user defined date field.
rg_udfd20	user defined date field.
rg_udfn01	user defined number field.
rg_udfn02	user defined number field.
rg_udfn03	user defined number field.
rg_udfn04	user defined number field.
rg_udfn05	user defined number field.
rg_udfn06	user defined number field.
rg_udfn07	user defined number field.
rg_udfn08	user defined number field.
rg_udfn09	user defined number field.
rg_udfn10	user defined number field.
rg_udfn11	user defined number field.
rg_udfn12	user defined number field.
rg_udfn13	user defined number field.
rg_udfn14	user defined number field.
rg_udfn15	user defined number field.
rg_udfn16	user defined number field.
rg_udfn17	user defined number field.
rg_udfn18	user defined number field.
rg_udfn19	user defined number field.
rg_udfn20	user defined number field.
rg_udfn21	user defined number field.
rg_udfn22	user defined number field.
rg_udfn23	user defined number field.
rg_udfn24	user defined number field.
rg_udfn25	user defined number field.
rg_udfn26	user defined number field.
rg_udfn27	user defined number field.
rg_udfn28	user defined number field.
rg_udfn29	user defined number field.
rg_udfn30	user defined number field.
rg_udfn31	user defined number field.
rg_udfn32	user defined number field.
rg_udfn33	user defined number field.
rg_udfn34	user defined number field.
rg_udfn35	user defined number field.
rg_udfn36	user defined number field.
rg_udfn37	user defined number field.
rg_udfn38	user defined number field.
rg_udfn39	user defined number field.
rg_udfn40	user defined number field.

OPERA Global Alerts
Step 1 Filter Condition Options

Filter Condition	Description
rn_billing_contact_id	billing contact id from reservation_name table (old data model, before v5.0.03.03). only to be used in where clause to allow index access.
rn_resv_contact_id	reservation contact id from reservation_name table (old data model, before v5.0.03.03). only to be used in where clause to allow index access.
room	the room that is booked for this reservation .
rooms_potential	potential no of rooms per year for an account.
room_category	the room category that is booked for this reservation.
room_category_label	room type label
room_class	this is the type of room class
room_cost	estimated costs for the rate
room_features	not used
room_plan_color	reservation color.
room_resort	property this record belongs to from daily elements table. added to enhance performance
room_revenue	total room revenue.
routing_yn	indicates if there were any routing instructions.
salesrep	sales representative code for this profile.
salutation	salutation greeting.
scope	scope of the account.
scope_city	scope city.
sfirst	uppercase value of first name.
sfirst_guest_name	upper case version of first name of the guest who stayed in this hotel for this reservation. this is used for the search purposes.
sguest_name	this is the uppercase version of guest_name
shared_yn	identifies if this reservation is shared or not. yn
share_amount	the rate amount for the reservation date.
share_id	this column identifies any shared reservations existing with this reservation. the corresponding share id is stored in this column.
share_prcnt	not used.
share_seq_no	type of revenue from the cris system.
sname	the uppercase value of last or company.
source_id	the name_id of the profile type source.
source_name	the name of the source attached to that reservation, if any.
special_requests	preferences for the reservation requested by the guest.
srep_code	user (employee) code displayed as owner from the user (employee) edit screen. used in qms module.
srep_id	internal id of sales rep
state	the state of this address.
state_desc	the state description.
suite_with	suite room attached
summ_ref_cc	summary reference currency for the folio generation.
swcard_issue_number	swipe card issue number
swcard_start_date	switch card start date
sxfirst_name	internal indexed field for searching by extended byte first name.
sxname	internal indexed field for searching by extended byte name.
sys_status	not used.
tax1_no	the tax id of this name. usually issued by a government agency. used by 1099 printing.
tax2_no	tax no.
tax_exempt_no	tax exempt number on the profile
tax_perc1	tax 1 percentage for collecting agent
tax_perc2	tax 2 percentage for collecting agent
tax_perc3	tax 3 percentage for collecting agent
tax_perc4	tax 4 percentage for collecting agent
tax_perc5	tax 5 percentage for collecting agent
territory	territory of an account.
third_party_yn	indicates if profile wants to receive information from third parties.
tiad	not used.

OPERA Global Alerts
Step 1 Filter Condition Options

Filter Condition	Description
title	the title of the individual.
title_desc	a description of the title.
title_name	a description of the title.
total_cancels	total cancelations.
total_cancels_lastyr	total cancelations last year.
total_day_use	total day use reservations.
total_day_use_lastyr	total day use last year.
total_nights	total nights the guest has stayed.
total_nights_lastyr	total nights for last year.
total_no_shows	total no shows.
total_no_shows_lastyr	total no shows last year.
total_number_of_avail_points	total number of available points.
total_revenue	total revenue amount for the current record's key value.
total_revenue_lastyr	total revenue last year.
total_stay	total stay.
total_stay_lastyr	total stay last year.
tracecode	code to trace a record for all triggered actions.
trace_yn	identifies if there were any traces for the guest on this reservation.
travel_agent_id	this is the name_id of the profile type travel agent.
travel_agent_name	the name of the travel agent attached to that reservation, if any.
trunc_actual_check_out_date	this is the actual check out date with no time component
trunc_arrival	arrival date without time element
trunc_departure	departure date without time element
turndown_yn	turndown reservation flag.
update_date	the date the record was modified.
update_user	the user that modified the record.
update_user_name	the user that updated the record.
upload_date	not used.
video_checkout_yn	flag to determine if the guest can use video checkout
vip_desc	description of vip
vip_name	name of vip
vip_status	vip status of the individual.
walkin_yn	did the guest come to the hotel without a reservation? yn.
wl_priority	tells which wait list reservation is more important to the hotel, e.g. high, medium, low
wl_reason_code	this is the reason code for wait listing
wl_reason_description	the reason why the reservation was wait listed. free form text.
wl_telephone_no	this is waitlist telephone number.
xcompany_name	extended byte name for profiles other than individuals.
xdisplay_name	extended byte for complete name of profile.
xenvelope_greeting	field which stores the multibyte envelope greeting used in sc
xfirst_name	extended byte first name of profile.
xlanguge	the extended byte language of the profile.
xlanguge_desc	description of the extended byte language of the profile.
xname	extended byte last name of profile.
xsalutation	extended byte salutation.
xtitle	extended byte title code.
yieldable_yn	this is the yieldable status of the rate code selected. the contents of this field will not be updated in the event that the reservation is updated and another rate code is selected.
zip_code	the postal code of this address.