

OPERA Guest Stay Export By Date  
Data Definition

**HEADER**

FILE_TYPE	FILE_GROUP_ID	FILE_TYPE_DESC	SOURCE_VIEW_CODE	FILE_NAME	FILE_EXTENSION	WHERE_CLAUSE	ZIP_FILE_NAME
GS_EXPORT_DAY	MISC	Guest Stay Export	EXP_CHKOUT_RESERVATIONS	'OP'    lpad(substr(property_code,3,4),4,'0')    to_char(considered_date,'DD')	'0'    to_char(considered_date,'MM')	export_id=exp_create_data.get_last_report_id	

**DETAILS**

COL_NAME	COL_LENGTH	COL_FORMAT	COL_TYPE	FORMULA	GEN_DATA_TYPE
RECORD_TYPE_H	132		FORMULA	'H'    rpad(nvl(property_code,''),6)    to_char(considered_date,'YYYYMMDD')    rpad(' ',115)    chr(13)    chr(10)	H
RECORD_TYPE_1	1		FORMULA	decode(record_type,1,rpad('1',5),null)	D
SOURCE_CODE	7		FORMULA	decode(record_type,1,rpad(nvl(source_code,''),7),null)	D
DEPARTURE_DATE	8		FORMULA	decode(record_type,1,nvl(to_char(departure_date,'YYYYMMDD'),rpad(' ',8)),null)	D
FOLIO_NUMBER	4		FORMULA	decode(record_type,1,rpad(' ',4),null)	D
SOURCE_CODE	4		FORMULA	decode(record_type,1,rpad(nvl(source_code,''),4),null)	D
PAYMENT_CODE	2		FORMULA	decode(record_type,1,rpad(nvl(payment_code,''),2),null)	D
GUEST_COUNTRY_CODE	4		FORMULA	decode(record_type,1,rpad(nvl(guest_country_code,' '),4),null)	D
GROUP_NAME_ID	5		FORMULA	decode(record_type,1,rpad(nvl(to_char(group_name_id,' '),5),null)	D
ROOM	4		FORMULA	decode(record_type,1,rpad(nvl(room,' '),4),null)	D
RESERVATION_FOLIO_NUMBER	24		FORMULA	decode(record_type,1,rpad(nvl(to_char(reservation_folio_number,' '),24),null)	D
RESV_NAME_ID	24		FORMULA	decode(record_type,1,rpad(nvl(to_char(resv_name_id,' '),24),null)	D
CHANNEL_CODE	4		FORMULA	decode(record_type,1,rpad(nvl(channel_code,' '),4),null)	D
CRIBS	2		FORMULA	decode(record_type,1,rpad(nvl(to_char(cribs,' '),2),null)	D
CHILDREN	2		FORMULA	decode(record_type,1,rpad(nvl(to_char(children,' '),2),null)	D
RATE_CODE	4		FORMULA	decode(record_type,1,rpad(nvl(rate_code,' '),4),null)	D
PACKAGE_PLAN	4		FORMULA	decode(record_type,1,rpad(nvl(substr(rate_code,5,4),' '),4),null)	D
EXTRA_BEDS	2		FORMULA	decode(record_type,1,rpad(nvl(to_char(extra_beds,' '),2),null)	D
CREDIT_CARD_NO	24		FORMULA	decode(record_type,1,rpad(nvl(credit_card_no,' '),24),null)	D
CREDIT_CARD_EXPIRATION	4		FORMULA	decode(record_type,1,nvl(to_char(credit_card_expiration,'YYYYMM'),' '),null)	D
MARKET_GROUP	4		FORMULA	decode(record_type,1,rpad(nvl(market_group,' '),4),null)	D
GUEST_LAST_NAME	24		FORMULA	decode(record_type,1,rpad(nvl(guest_last_name,' '),24),null)	D
GUEST_TITLE_CODE	4		FORMULA	decode(record_type,1,rpad(nvl(guest_title_code,' '),4),null)	D
GUEST_FIRST_NAME	10		FORMULA	decode(record_type,1,rpad(nvl(guest_first_name,' '),10),null)	D
GUEST_ADDRESS_1	24		FORMULA	decode(record_type,1,rpad(nvl(guest_address_1,' '),24),null)	D
GUEST_ADDRESS_2	24		FORMULA	decode(record_type,1,rpad(nvl(guest_address_2,' '),24),null)	D
GUEST_CITY	16		FORMULA	decode(record_type,1,rpad(nvl(guest_city,' '),16),null)	D
RECORD_DELIMITER	2		FORMULA	decode(record_type,1,chr(13)    chr(10),null)	D
RECORD_TYPE_2	1		FORMULA	decode(record_type,1,'2',null)	D

OPERA Guest Stay Export By Date  
Data Definition

GUEST_COUNTRY_DESCRIPTOR	16		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(GUEST_COUNTRY_DESCRIPTOR),''),16),NULL)	D
GUEST_POSTAL_CODE	12		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(GUEST_POSTAL_CODE),''),12),NULL)	D
GOLD_CARD_INDICATOR	1		FORMULA	DECODE(RECORD_TYPE,1,'',NULL)	D
GROUP_NAME	24		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(GROUP_NAME),''),24),NULL)	D
ROOM_TYPE	4		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(ROOM_TYPE),''),4),NULL)	D
GUEST_TELEPHONE	12		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(GUEST_TELEPHONE),''),12),NULL)	D
ARRIVAL_DATE	8		FORMULA	DECODE(RECORD_TYPE,1,NVL(TO_CHAR(ARRIVAL_DATE,'YYMMDD'),RPAD(' ',8)),NULL)	D
POINT_OF_SALE	4		FORMULA	DECODE(RECORD_TYPE,1,RPAD(' ',4),NULL)	D
GUEST_NAME_ID	5		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(TO_CHAR(GUEST_NAME_ID),' '),5),NULL)	D
ROOM_NIGHTS_TOTAL	2		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(TO_CHAR(ROOM_NIGHTS_TOTAL),' '),2),NULL)	D
ADULTS	2		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(TO_CHAR(ADULTS),' '),2),NULL)	D
CHILDREN	2		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(TO_CHAR(CHILDREN),' '),2),NULL)	D
BED_REQUIRED_INDICATOR	1		FORMULA	DECODE(RECORD_TYPE,1,DECODE(SUBSTR(ROOM_TYPE,1,1),'P','N','Y'),NULL)	D
CHECKOUT_TIME	4		FORMULA	DECODE(RECORD_TYPE,1,NVL(TO_CHAR(ACTUAL_CHECK_OUT_DATE,'MIHH'),RPAD(' ',4)),NULL)	D
GROUP_MASTER_INDICATOR	1		FORMULA	DECODE(RECORD_TYPE,1,DECODE(SUBSTR(ROOM_TYPE,1,1),'P','Y','N'),NULL)	D
COMPANY_TYPE	1		FORMULA	DECODE(RECORD_TYPE,1,'',NULL)	D
INSERT_DATE	8		FORMULA	DECODE(RECORD_TYPE,1,NVL(TO_CHAR(INSERT_DATE,'YYYYMMDD'),RPAD(' ',8)),NULL)	D
RECORD_DELIMITER	2		FORMULA	DECODE(RECORD_TYPE,1,CHR(13)    CHR(10),NULL)	D
POSTING_DATE	8		FORMULA	DECODE(RECORD_TYPE,2,4'    NVL(TO_CHAR(TRX_DATE,'YYMMDD'),RPAD(' ',8)),NULL)	D
POSTING_REF_NUMBER	6		FORMULA	DECODE(RECORD_TYPE,2,RPAD(DECODE(MARKET_GROUP,NULL,'',NVL(SUBSTR(MARKET_CODE,1,3)    TO_CHAR(EXP_CREATE_DATA.SUM_BUCKET_GET(1),' ')),6),NULL)	D
POSTING_ADJUSTMENT_CODE	1		FORMULA	DECODE(RECORD_TYPE,2,'0',NULL)	D
POSTING_AMOUNT	10		FORMULA	DECODE(RECORD_TYPE,2,RPAD(NVL(TO_CHAR(ABS(TRX_AMOUNT)),','),10),NULL)	D
POSTING_AMOUNT_SIGN	1		FORMULA	DECODE(RECORD_TYPE,2,DECODE(SIGN(TRX_AMOUNT),'-','+'),NULL)	D
POSTING_DESCRIPTION	14		FORMULA	DECODE(RECORD_TYPE,2,RPAD(NVL(TRX_DESCRIPTION),''),14),NULL)	D
CASHIER_ID	3		FORMULA	DECODE(RECORD_TYPE,2,RPAD(NVL(TO_CHAR(CASHIER_ID),' '),3),NULL)	D
POSTING_PAYMENT_INDICATOR	1		FORMULA	DECODE(RECORD_TYPE,2,'',NULL)	D
POSTING_TYPE	3		FORMULA	DECODE(RECORD_TYPE,2,RPAD(NVL(SUBSTR(RTRIM(TRX_CODE),LENGTH(RTRIM(TRX_CODE))-3),' '),4),NULL)	D
POSTING_CATEGORY	2		FORMULA	DECODE(RECORD_TYPE,2,RPAD(NVL(EXPORT_BUCKET),''),2),NULL)	D
PLAN_INDICATOR	1		FORMULA	DECODE(RECORD_TYPE,2,RPAD(POSTING_PLAN_INDICATOR,' '),1),NULL)	D
CRLF	2		FORMULA	DECODE(RECORD_TYPE,2,CHR(13)    CHR(10),NULL)	D
GNR_NUMBER	10		FORMULA	DECODE(RECORD_TYPE,3,'A'    RPAD(NVL(GNR_NUMBER),''),10),NULL)	D
CRS_CONFIRMATION_NO	10		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(CRS_CONFIRMATION_NO),' '),10),NULL)	D
RATE_LEVEL	1		FORMULA	DECODE(RECORD_TYPE,3,'',NULL)	D
SRP_CODE	6		FORMULA	DECODE(RECORD_TYPE,3,RPAD(' ',6),NULL)	D

OPERA Guest Stay Export By Date  
Data Definition

QUOTED_COST	12		FORMULA	DECODE(RECORD_TYPE,3,RPAD(' ',12),NULL)	D
LOYALTY_MEMBER_NO	22		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(LOYALTY_MEMBER_NO,NVL(AIRLINE_MEMBER_NO,' ')),22),NULL)	D
CURRENCY_CODE	3		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(PROPERTY_CURRENCY_CODE,' '),3),NULL)	D
GUEST_ID_TAG	2		FORMULA	DECODE(RECORD_TYPE,3,DECODE(AIRLINE_MEMBER_NO,NULL,DECODE(LOYALTY_MEMBER_NO,NULL,' '),DECODE(LOYALTY_MEMBER_TYPE,'MM','MM','FG')),'FF'),N	D
RATE_CATEGORY	32		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(RATE_CATEGORY,' '),32),NULL)	D
PROFILE_PRIVACY	141		FORMULA	DECODE(RECORD_TYPE,3,RPAD(MAIL_LIST_YN    MKT_RESE ARCH_YN    THIRD_PARTY_YN    AUTOENROLL_YN,139)    CHR(13)    CHR(10),NULL)	D
RECORD_TYPE_B	1		FORMULA	DECODE(RECORD_TYPE,3,'B',NULL)	D
AGENT_IATA_NO	22		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(AGENT_IATA_NO,' '),22),NULL)	D
RESERVER_NAME	60		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(RESERVER_NAME,' '),60),NULL)	D
RESERVER_CONTACT_NAME	24		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(RESERVER_CONTACT_NAME,' '),24),NULL)	D
RESERVER_ADDRESS1	30		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(RESERVER_ADDRESS1,' '),30),NULL)	D
RESERVER_ADDRESS2	30		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(RESERVER_ADDRESS2,' '),30),NULL)	D
RESERVER_ADDRESS3	30		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(RESERVER_ADDRESS3,' '),30),NULL)	D
RESERVER_CITY	24		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(RESERVER_CITY,' '),24),NULL)	D
RESERVER_STATE	24		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(RESERVER_STATE,' '),24),NULL)	D
RESERVER_POSTAL_CODE	12		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(RESERVER_POSTAL_CODE,' '),12),NULL)	D
RESERVER_COUNTRY	4		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(RESERVER_COUNTRY,' '),4),NULL)	D
RESERVER_TELEPHONE	15		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(RESERVER_TELEPHONE,' '),15),NULL)	D
RESERVER_FAX	15		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(RESERVER_FAX,' '),15),NULL)	D
RESERVER_ID_FLAG	2		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(RESERVER_ID_TAG,' '),2),NULL)	D
CRLF	2		FORMULA	DECODE(RECORD_TYPE,3,CHR(13)    CHR(10),NULL)	D
RECORD_TYPE_C	1		FORMULA	DECODE(RECORD_TYPE,3,'C',NULL)	D
COMPANY_CORP_ID	22		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(COMPANY_CORP_ID,' '),22),NULL)	D
COMPANY_NAME	60		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(COMPANY_NAME,' '),60),NULL)	D
COMPANY_CONTACT_NAME	24		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(COMPANY_CONTACT_NAME,' '),24),NULL)	D
COMPANY_ADDRESS1	30		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(COMPANY_ADDRESS1,' '),30),NULL)	D
COMPANY_ADDRESS2	30		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(COMPANY_ADDRESS2,' '),30),NULL)	D
COMPANY_ADDRESS3	30		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(COMPANY_ADDRESS3,' '),30),NULL)	D
COMPANY_CITY	24		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(COMPANY_CITY,' '),24),NULL)	D
COMPANY_STATE	24		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(COMPANY_STATE,' '),24),NULL)	D
COMPANY_POSTAL_CODE	12		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(COMPANY_POSTAL_CODE,' '),12),NULL)	D

OPERA Guest Stay Export By Date  
Data Definition

COMPANY_COUNTRY	4		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(COMPANY_COUNTRY,''),4),NULL)	D
COMPANY_TELEPHONE	15		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(COMPANY_TELEPHONE,' '),15),NULL)	D
COMPANY_FAX	15		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(COMPANY_FAX,' '),15),NULL)	D
COMPANY_ID_TAG	2		FORMULA	DECODE(RECORD_TYPE,3,RPAD(NVL(COMPANY_ID_TAG,' '),2),NULL)	D
CRLF	2		FORMULA	DECODE(RECORD_TYPE,3,CHR(13)  CHR(10),NULL)	D
RECORD_TYPE_9	1		FORMULA	'9'    RPAD(' ',129)    CHR(13)    CHR(10)	F
INIT	0		FORMULA	DECODE(ROWNUM-1,0,EXP_CREATE_DATA.SUM_BUCKET_INIT(1),NULL)	D
SUM_SAVE	0		FORMULA	DECODE(RECORD_TYPE,2,EXP_CREATE_DATA.SUM_BUCKET_SAVE(1,DECODE(MARKET_GROUP,NULL,0,1)),NULL)	D
RE_INIT	0		FORMULA	DECODE(RECORD_TYPE,2,DECODE(EXP_CREATE_DATA.SUM_BUCKET_GET(1),999,EXP_CREATE_DATA.SUM_BUCKET_INIT(1),NULL),NULL)	D