

OPERA Profiles Export
Data Definition

HEADER

FILE_TYPE	FILE_GROUP_ID	FILE_TYPE_DESC	SOURCE_VIEW_CODE	FILE_NAME	FILE_EXTENSION	WHERE_CLAUSE	ZIP_FILE_NAME
PROFEXPORT	MISC	Profiles Export	EXP_PROFILES	'WY_P296_' to_char(pms_p.business_date,'MMDDYY') 'EXP'	'TXT'	export_id=exp_create_data.get_last_report_id	''WY_296''

DETAILS

COL_NAME	COL_LENGTH	COL_FORMAT	COL_TYPE	FORMULA	GEN_DATA_TYPE
NAME_ID	40		FORMULA	chr(13) chr(10) '001NUMMER ' TO_CHAR(NAME_ID)	D
TITLE_CODE	40		FORMULA	chr(13) chr(10) '002ANREDE ' TITLE_CODE	D
SALUTATION	40		FORMULA	chr(13) chr(10) '003PANREDE ' SALUTATION	D
LANGUAGE	20		FORMULA	chr(13) chr(10) '004SPRACHE ' LANGUAGE	D
LAST_NAME	40		FORMULA	chr(13) chr(10) '005NAME ' LAST_NAME	D
FIRST_NAME	40		FORMULA	chr(13) chr(10) '006VORNAME ' FIRST_NAME	D
BUSINESS_TITLE	40		FORMULA	chr(13) chr(10) '007TITEL ' BUSINESS_TITLE	D
COMPANY_NAME	40		FORMULA	chr(13) chr(10) '008FIRMA ' COMPANY_NAME	D
ADDRESS_1	40		FORMULA	chr(13) chr(10) '009STRASSE1 ' ADDRESS_1	D
ADDRESS_2	40		FORMULA	chr(13) chr(10) '010STRASSE2 ' ADDRESS_2	D
COUNTRY_CODE	40		FORMULA	chr(13) chr(10) '011LAND ' COUNTRY_CODE	D
POSTAL_CODE	40		FORMULA	chr(13) chr(10) '012PLZ ' POSTAL_CODE	D
CITY	40		FORMULA	chr(13) chr(10) '013ORT ' CITY	D
TELEPHONE	40		FORMULA	chr(13) chr(10) '014TELEFON ' TELEPHONE	D
TELEX	20		FORMULA	chr(13) chr(10) '015TELEX'	D
FAX	40		FORMULA	chr(13) chr(10) '016TELEFAX ' FAX	D
NOTIZ1	20		FORMULA	chr(13) chr(10) '017NOTIZ1'	D
VIP_STATUS	30		FORMULA	chr(13) chr(10) '018VIP ' VIP_STATUS	D
GRUPPE	20		FORMULA	chr(13) chr(10) '019GRUPPE'	D
PROVISION	20		FORMULA	chr(13) chr(10) '020PROVISION'	D
LCONTRACT	20		FORMULA	chr(13) chr(10) '021LCONTRACT'	D
BRIEFNR	20		FORMULA	chr(13) chr(10) '022BRIEFNR'	D
BIRTHDAY	40		FORMULA	chr(13) chr(10) '023GEBDAT ' TO_CHAR(BIRTHDAY,'YYYYMMDD')	D
FIRST_STAY	40		FORMULA	chr(13) chr(10) '024ERSTER ' TO_CHAR(FIRST_STAY,'YYYYMMDD')	D
LAST_STAY	40		FORMULA	chr(13) chr(10) '025LETZTER ' TO_CHAR(LAST_STAY,'YYYYMMDD')	D
BERUF	20		FORMULA	chr(13) chr(10) '026BERUF'	D
TOTAL_ARRIVALS	40		FORMULA	chr(13) chr(10) '027ANREISEN ' TO_CHAR(TOTAL_ARRIVALS)	D
TOTAL_NIGHTS	40		FORMULA	chr(13) chr(10) '028NAECHTE ' TO_CHAR(TOTAL_NIGHTS)	D
NEXT_ARRIVAL	40		FORMULA	chr(13) chr(10) '029RESERV ' TO_CHAR(NEXT_ARRIVAL,'YYYYMMDD')	D
TOTAL_CANCELLATION	40		FORMULA	chr(13) chr(10) '030STORNOS ' TO_CHAR(TOTAL_CANCELLATIONS)	D
TOTAL_NO_SHOWS	40		FORMULA	chr(13) chr(10) '031NOSHOW ' TO_CHAR(TOTAL_NO_SHOWS)	D
DEFAULT_RATE_CODE	40		FORMULA	chr(13) chr(10) '032PKZ ' DEFAULT_RATE_CODE	D
PREFERRED_ROOM	40		FORMULA	chr(13) chr(10) '033WUNSCHZI ' PREFERRED_ROOM	D
LAST_ROOM	40		FORMULA	chr(13) chr(10) '034ZIMMER ' LAST_ROOM	D
KZ7	20		FORMULA	chr(13) chr(10) '035KZ7'	D
ROOM_REVENUE_YTD	40		FORMULA	chr(13) chr(10) '036UMSATZ ' TO_CHAR(ROOM_REVENUE_YTD)	D
LAST_RATE	40		FORMULA	chr(13) chr(10) '037LPREIS ' TO_CHAR(LAST_RATE)	D
SPECIAL_PRICE	40		FORMULA	chr(13) chr(10) '038SPREIS'	D
PROFILE_TYPE	30		FORMULA	chr(13) chr(10) '039MEMO ' PROFILE_TYPE	D
AGENT	10		FORMULA	chr(13) chr(10) '040AGENT'	D

OPERA Profiles Export
Data Definition

SOURCE	10	FORMULA	chr(13) chr(10) '041SOURCE'	D
CONTACT_LAST_NAME	20	FORMULA	chr(13) chr(10) '042KONTAKT1'	D
CONTACT_FIRST_NAME	20	FORMULA	chr(13) chr(10) '043KT1_VOR'	D
KONTAKT2	15	FORMULA	chr(13) chr(10) '044KONTAKT2'	D
STATE	40	FORMULA	chr(13) chr(10) '045STATE ' STATE	D
SM_ACCID	15	FORMULA	chr(13) chr(10) '046SM_ACCID'	D
INSERT_DATE	40	FORMULA	chr(13) chr(10) '047CREATED ' TO_CHAR(INSERT_DATE,'YYYYMMDD')	D
HISTORY_YN	30	FORMULA	chr(13) chr(10) '048SAVEGUEST ' HISTORY_YN	D
ROOM_REVENUE_LAST_YEAR	40	FORMULA	chr(13) chr(10) '049VJUMSATZ ' TO_CHAR(ROOM_REVENUE_LAST_YEAR)	D
TOTAL_CANCELLATIONS_LAST_YEAR	40	FORMULA	chr(13) chr(10) '050VJSTORNO ' TO_CHAR(TOTAL_CANCELLATIONS_LAST_YEAR)	D
TOTAL_NO_SHOWS_LAST_YEAR	40	FORMULA	chr(13) chr(10) '051VJNOSHOW ' TO_CHAR(TOTAL_NO_SHOWS_LAST_YEAR)	D
DEFAULT_BILLINST	40	FORMULA	chr(13) chr(10) '052BILLINST ' DEFAULT_BILLINST	D
CASH_BL_IND	30	FORMULA	chr(13) chr(10) '053BLACKLIST ' CASH_BL_IND	D
PREFERRED_ROOM_FEATURES	40	FORMULA	chr(13) chr(10) '054FEATURES ' PREFERRED_ROOM_FEATURES	D
MASTERACC	15	FORMULA	chr(13) chr(10) '055MASTERACC'	D
LOYALTY_MEMBER_NO	40	FORMULA	chr(13) chr(10) '056MEMBERNR	D
NOTESNR	15	FORMULA	chr(13) chr(10) '057NOTESNR'	D
AVAILABILITY_OVERRIDE_FLAG	30	FORMULA	chr(13) chr(10) '058OVERBOOK ' AVAILABILITY_OVERRIDE_FLAG	D
NATIONALITY	40	FORMULA	chr(13) chr(10) '059NATION ' NATIONALITY	D
AR_ACCOUNT_NO	40	FORMULA	chr(13) chr(10) '060AR_NUMBER ' AR_ACCOUNT_NO	D
TOTAL_NIGHTS_LAST_YEAR	40	FORMULA	chr(13) chr(10) '061VJNAECHTE ' TO_CHAR(TOTAL_NIGHTS_LAST_YEAR)	D
POTENTIAL_REVENUE	40	FORMULA	chr(13) chr(10) '062POTREV ' TO_CHAR(POTENTIAL_REVENUE)	D
MAILING_CODES	40	FORMULA	chr(13) chr(10) '063MAILING ' MAILING_CODES	D
POTENTIAL_ROOM_NIGHTS	40	FORMULA	chr(13) chr(10) '064POTNIGHTS ' TO_CHAR(POTENTIAL_ROOM_NIGHTS)	D
CURRENCY_CODE	40	FORMULA	chr(13) chr(10) '065TACURRENCY ' CURRENCY_CODE	D
COMMISSION_CODE	40	FORMULA	chr(13) chr(10) '066COMM_CODE' COMMISSION_CODE	D
BLACK_LIST_MESSAGE	40	FORMULA	chr(13) chr(10) '067BL_MESSAGE	D
INTEREST	40	FORMULA	chr(13) chr(10) '068INTEREST ' INTEREST	D
LOYALTY_MEMBER_TYPE	40	FORMULA	chr(13) chr(10) '069MEMBERTYPE ' LOYALTY_MEMBER_TYPE	D
GUEST_INSERT_USER_ID	40	FORMULA	chr(13) chr(10) '070USERID ' TO_CHAR(GUEST_INSERT_USER_ID)	D
PASSPORT	40	FORMULA	chr(13) chr(10) '071PASS ' PASSPORT	D
PASSPORT1	15	FORMULA	chr(13) chr(10) '072PASSPORT'	D
SPECIALS_CODES	40	FORMULA	chr(13) chr(10) '073SPECIALS ' SPECIALS_CODES	D
SPECIAL2	12	FORMULA	chr(13) chr(10) '074SPECIAL2'	D
TOTAL_ARRIVAL_LAST_YEAR	40	FORMULA	chr(13) chr(10) '075VJANREIS ' TO_CHAR(TOTAL_ARRIVAL_LAST_YEAR)	D
KZ4	10	FORMULA	chr(13) chr(10) '076KZ4'	D
SCREENNAME	15	FORMULA	chr(13) chr(10) '077SCREENNAME'	D
UPDATE_USER	40	FORMULA	chr(13) chr(10) '078LAST_WHO ' TO_CHAR(UPDATE_USER)	D
UPDATE_TIME	40	FORMULA	chr(13) chr(10) '079LAST_TIME ' TO_CHAR(UPDATE_DATE,'HH:MI:SS')	D
UPDATE_DATE	40	FORMULA	chr(13) chr(10) '080LAST_DATE ' TO_CHAR(UPDATE_DATE,'YYYYMMDD')	D
DID_1	10	FORMULA	chr(13) chr(10) '081DID_1'	D
DID_2	10	FORMULA	chr(13) chr(10) '082DID_2'	D

OPERA Profiles Export
Data Definition

DID_3	10	FORMULA	chr(13) chr(10) '083DID_3'	D
DID_4	10	FORMULA	chr(13) chr(10) '084DID_4'	D
DID_5	10	FORMULA	chr(13) chr(10) '085DID_5'	D
ROW_SEQUENCE	30	FORMULA	chr(13) chr(10) '086SEQUENCE_NO	D
GENDER	10	FORMULA	chr(13) chr(10) '087SEX'	D
CREDIT_CARD_TYPE1	40	FORMULA	chr(13) chr(10) '088CARDTYPE ' CREDIT_CARD_TYPE1	D
CREDIT_CARD_NO1	40	FORMULA	chr(13) chr(10) '089CARDNR ' CREDIT_CARD_NO1	D
CREDIT_CARD_EXPIRATION1	40	FORMULA	chr(13) chr(10) '090CARDEXPY ' TO_CHAR(CREDIT_CARD_EXPIRATION1,'YYYYMMDD')	D
CREDIT_CARD_TYPE2	40	FORMULA	chr(13) chr(10) '091CARDTYPE ' CREDIT_CARD_TYPE2	D
CREDIT_CARD_NO2	40	FORMULA	chr(13) chr(10) '092CARDNR ' CREDIT_CARD_NO2	D
CREDIT_CARD_EXPIRATION2	40	FORMULA	chr(13) chr(10) '093CARDEXPY ' TO_CHAR(CREDIT_CARD_EXPIRATION2,'YYYYMMDD')	D
CREDIT_CARD_TYPE3	40	FORMULA	chr(13) chr(10) '094CARDTYPE ' CREDIT_CARD_TYPE3	D
CREDIT_CARD_NO3	40	FORMULA	chr(13) chr(10) '095CARDNR ' CREDIT_CARD_NO3	D
CREDIT_CARD_EXPIRATION3	40	FORMULA	chr(13) chr(10) '096CARDEXPY ' TO_CHAR(CREDIT_CARD_EXPIRATION3,'YYYYMMDD')	D
CREDIT_CARD_TYPE4	40	FORMULA	chr(13) chr(10) '097CARDTYPE ' CREDIT_CARD_TYPE4	D
CREDIT_CARD_NO4	40	FORMULA	chr(13) chr(10) '098CARDNR ' CREDIT_CARD_NO4	D
CREDIT_CARD_EXPIRATION4	40	FORMULA	chr(13) chr(10) '099CARDEXPY ' TO_CHAR(CREDIT_CARD_EXPIRATION4,'YYYYMMDD')	D
CREDIT_CARD_TYPE5	40	FORMULA	chr(13) chr(10) '100CARDTYPE ' CREDIT_CARD_TYPE5	D
CREDIT_CARD_NO5	40	FORMULA	chr(13) chr(10) '101CARDNR ' CREDIT_CARD_NO5	D
CREDIT_CARD_EXPIRATION5	40	FORMULA	chr(13) chr(10) '102CARDEXPY ' TO_CHAR(CREDIT_CARD_EXPIRATION5,'YYYYMMDD')	D
MEMBER_CARD_TYPE1	40	FORMULA	chr(13) chr(10) '103CARDTYPE ' rtrim(MEMBER_CARD_TYPE1)	D
MEMBER_CARD_NO1	40	FORMULA	chr(13) chr(10) '104CARDNR ' rtrim(MEMBER_CARD_NO1)	D
MEMBER_CARD_EXPIRATION1	40	FORMULA	chr(13) chr(10) '105CARDEXPY ' TO_CHAR(MEMBER_CARD_EXPIRATION1,'YYYYMMDD')	D
MEMBER_CARD_LEVEL1	40	FORMULA	chr(13) chr(10) '106MISC_1 ' rtrim(MEMBER_CARD_LEVEL1)	D
MEMBER_CARD_TYPE2	40	FORMULA	chr(13) chr(10) '107CARDTYPE ' rtrim(MEMBER_CARD_TYPE2)	D
MEMBER_CARD_NO2	40	FORMULA	chr(13) chr(10) '108CARDNR ' rtrim(MEMBER_CARD_NO2)	D
MEMBER_CARD_EXPIRATION2	40	FORMULA	chr(13) chr(10) '109CARDEXPY ' TO_CHAR(MEMBER_CARD_EXPIRATION2,'YYYYMMDD')	D
MEMBER_CARD_LEVEL2	40	FORMULA	chr(13) chr(10) '110MISC_1 ' rtrim(MEMBER_CARD_LEVEL2)	D
MEMBER_CARD_TYPE3	40	FORMULA	chr(13) chr(10) '111CARDTYPE ' MEMBER_CARD_TYPE3	D
MEMBER_CARD_NO3	40	FORMULA	chr(13) chr(10) '112CARDNR ' MEMBER_CARD_NO3	D
MEMBER_CARD_EXPIRATION3	40	FORMULA	chr(13) chr(10) '113CARDEXPY ' TO_CHAR(MEMBER_CARD_EXPIRATION3,'YYYYMMDD')	D
MEMBER_CARD_LEVEL3	40	FORMULA	chr(13) chr(10) '114MISC_1 ' MEMBER_CARD_LEVEL3	D
MEMBER_CARD_TYPE4	40	FORMULA	chr(13) chr(10) '115CARDTYPE ' MEMBER_CARD_TYPE4	D
MEMBER_CARD_NO4	40	FORMULA	chr(13) chr(10) '116CARDNR ' MEMBER_CARD_NO4	D
MEMBER_CARD_EXPIRATION4	40	FORMULA	chr(13) chr(10) '117CARDEXPY ' TO_CHAR(MEMBER_CARD_EXPIRATION4,'YYYYMMDD')	D
MEMBER_CARD_LEVEL4	40	FORMULA	chr(13) chr(10) '118MISC_1 ' MEMBER_CARD_LEVEL4	D
MEMBER_CARD_TYPE5	40	FORMULA	chr(13) chr(10) '119CARDTYPE ' MEMBER_CARD_TYPE5	D
MEMBER_CARD_NO5	40	FORMULA	chr(13) chr(10) '120CARDNR ' MEMBER_CARD_NO5	D
MEMBER_CARD_EXPIRATION5	40	FORMULA	chr(13) chr(10) '121CARDEXPY ' TO_CHAR(MEMBER_CARD_EXPIRATION5,'YYYYMMDD')	D
MEMBER_CARD_LEVEL5	40	FORMULA	chr(13) chr(10) '122MISC_1 ' MEMBER_CARD_LEVEL5	D
MEMBER_CARD_TYPE6	40	FORMULA	chr(13) chr(10) '123CARDTYPE ' MEMBER_CARD_TYPE6	D

OPERA Profiles Export
Data Definition

MEMBER_CARD_NO6	40		FORMULA	chr(13) chr(10) '124CARDNR ' MEMBER_CARD_NO6	D
MEMBER_CARD_EXPIRATION6	40		FORMULA	chr(13) chr(10) '125CARDEXPY ' TO_CHAR(MEMBER_CARD_EXPIRATION6,'YYYYMMDD')	D
MEMBER_CARD_LEVEL6	40		FORMULA	chr(13) chr(10) '126MISC_1 ' MEMBER_CARD_LEVEL6	D
MEMBER_CARD_TYPE7	40		FORMULA	chr(13) chr(10) '127CARDTYPE ' MEMBER_CARD_TYPE7	D
MEMBER_CARD_NO7	40		FORMULA	chr(13) chr(10) '128CARDNR ' MEMBER_CARD_NO7	D
MEMBER_CARD_EXPIRATION7	40		FORMULA	chr(13) chr(10) '129CARDEXPY ' TO_CHAR(MEMBER_CARD_EXPIRATION7,'YYYYMMDD')	D
MEMBER_CARD_LEVEL7	40		FORMULA	chr(13) chr(10) '130MISC_1 ' MEMBER_CARD_LEVEL7	D
MEMBER_CARD_TYPE8	40		FORMULA	chr(13) chr(10) '131CARDTYPE ' MEMBER_CARD_TYPE8	D
MEMBER_CARD_NO8	40		FORMULA	chr(13) chr(10) '132CARDNR ' MEMBER_CARD_NO8	D
MEMBER_CARD_EXPIRATION8	40		FORMULA	chr(13) chr(10) '133CARDEXPY ' TO_CHAR(MEMBER_CARD_EXPIRATIONS8,'YYYYMMDD')	D
MEMBER_CARD_LEVEL8	40		FORMULA	chr(13) chr(10) '134MISC_1 ' MEMBER_CARD_LEVEL8	D
MEMBER_CARD_TYPE9	40		FORMULA	chr(13) chr(10) '135CARDTYPE ' MEMBER_CARD_TYPE9	D
MEMBER_CARD_NO9	40		FORMULA	chr(13) chr(10) '136CARDNR ' MEMBER_CARD_NO9	D
MEMBER_CARD_EXPIRATION9	40		FORMULA	chr(13) chr(10) '137CARDEXPY ' TO_CHAR(MEMBER_CARD_EXPIRATIONS9,'YYYYMMDD')	D
MEMBER_CARD_LEVEL9	40		FORMULA	chr(13) chr(10) '138MISC_1 ' MEMBER_CARD_LEVEL9	D
MEMBER_CARD_TYPE10	40		FORMULA	chr(13) chr(10) '139CARDTYPE	D
MEMBER_CARD_NO10	40		FORMULA	chr(13) chr(10) '140CARDNR ' MEMBER_CARD_NO10	D
MEMBER_CARD_EXPIRATION10	40		FORMULA	chr(13) chr(10) '141CARDEXPY ' TO_CHAR(MEMBER_CARD_EXPIRATION10,'YYYYMMDD')	D
MEMBER_CARD_LEVEL10	40		FORMULA	chr(13) chr(10) '142MISC_1 ' MEMBER_CARD_LEVEL10	D
MASTER_ACCOUNT_CODE	40		FORMULA	chr(13) chr(10) '143CARDNR ' MASTER_ACCOUNT_CODE	D
MASTER_ACCOUNT_NAME	40		FORMULA	chr(13) chr(10) '144MISC_1 ' MASTER_ACCOUNT_NAME	D
CRS_NAMEID	40		FORMULA	chr(13) chr(10) '145CRS_NAMEID ' TO_CHAR(CRS_NAMEID)	D
PROPERTY_CODE	40		FORMULA	chr(13) chr(10) '146RESORT ' PROPERTY_CODE	D
EMAIL	40		FORMULA	chr(13) chr(10) '147EMAIL ' EMAIL	D
CONSIDERED_DATE	40		FORMULA	'000DATE ' TO_CHAR(CONSIDERED_DATE,'YYYYMMDD')	H