

Oracle Tuxedo Application Runtime for IMS

Release Notes

12c Release 2 (12.1.3)

April 2014

ORACLE®

Oracle Tuxedo Application Runtime for IMS, 12c Release 2 (12.1.3)

Copyright © 2010, 2014 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Oracle Tuxedo Application Runtime for IMS Release Notes

About This Product	2
Key Features and Components	2
What's New in This Release	2
Interoperability	4
Installation	4
Platform Support	4
Limitations and Known Issues.	4
See Also.	5

Oracle Tuxedo Application Runtime for IMS Release Notes

April 2014

Table 1 Revision History

Revision Date	Summary of Change
April, 2014	12c Release 2 (12.1.3)

This chapter contains the following topics:

- [About This Product](#)
 - [Key Features and Components](#)
- [What's New in This Release](#)
- [Interoperability](#)
- [Installation](#)
- [Platform Support](#)
- [Limitations and Known Issues](#)

About This Product

Oracle Tuxedo Application Runtime for IMS (Tuxedo ART for IMS) supports migration of IBM IMS applications from mainframe to Oracle Tuxedo. It provides a combination of APIs, tools, and services that allows both online and batch IMS applications to run unchanged, preserving years of investment in IMS business logic and data. It protects application users from change by supporting standard 3270 terminal emulators. It also supports familiar APIs and functions that developers use in their mainframe applications. The result is the ability to quickly and with low risk migrate legacy COBOL and C/C++ mainframe applications to open systems running Oracle Tuxedo. This provides substantial cost savings, elastic scalability, and greater flexibility.

Key Features and Components

The IMS Runtime provides:

- Support for DL/I functions that can be called by COBOL and C programs migrated from mainframe.
- Session management based on Oracle Tuxedo to handle concurrent connections from tn3270 terminal emulators with support for IMS Message Format Service (MFS.)
- An MPP execution environment to process transactions received from 3270 terminals, MQ-IMS bridge or via ATMI-IMS gateway by calling migrated COBOL/C programs.
- A BMP execution environment to run messages queued from MPP or IMS batch programs submitted via batch jobs in ART for Batch.
- A plug-in interface for partner-provided DLI-to-SQL bridge solutions that enable DLI calls from migrated COBOL/C programs to access IMS DB data migrated to relational database
- An IMS ODBA proxy for remote access to IMS/DB data on the mainframe.

What's New in This Release

Tuxedo ART for IMS 12c Release 2 (12.1.3) is certified to run on Oracle Tuxedo 12c Release 2 (12.1.3) and work with Oracle Tuxedo Application Rehosting Workbench 12c Release 2 (12.1.3) and Oracle Tuxedo Application Runtime for Batch 12c Release 2 (12.1.3).

Tuxedo ART for IMS 12c Release 2 (12.1.3) includes the following new features and enhancements:

- Additional DL/I calls:

- CMD/GCMD
- SYNC
- POS
- INQY
- OPEN/CLSE
- CHKP (Symbolic)
- XRST
- POS
- ROLL
- Extended PSB/PCB parameter support
- CEE3ABD ABEND handling module
- IMS AIBTDLI interface
- Support for IMS/C programs migrated from mainframe and ctdli() interface
- Enhanced tn3270 connectivity options
 - SSL support for tn3270 connections
 - MFS bypass mode support
 - Multi-Byte Character Set (MBCS) support
- New integration channels
 - MQ - IMS Bridge
 - ATMI - IMS Gateway for non-terminal access
 - Connection to CICS through EXCI
- Support for persistent messaging in MPP containers
- Support for transaction-oriented in BMP containers
- Enhanced database support options
 - Automated ODBA Proxy buffer conversion
 - Support for RECFM=VB file types for GSAM DB

- Support for DD variables passed from ART for Batch to IMS runtime
- XRST/Symbolic CHKP persistent checkpoints for recoverability
- Support for ART IMS real-time monitoring, extended callpath, and alerting in TSAM Plus

Interoperability

Tuxedo ART for IMS maintains full interoperability with:

- Oracle Tuxedo 12c Release 2 (12.1.3)
- Oracle Tuxedo Application Runtime for Batch 12c Release 2 (12.1.3)
- Oracle Tuxedo Application Runtime for CICS and Batch 12c Release 2 (12.1.3)
- Oracle Tuxedo Application Rehosting Workbench 12c Release 2 (12.1.3)
- Oracle Tuxedo System and Application Monitor Plus (TSAM Plus) 12c Release 2 (12.1.3)
- Oracle Services Architecture Leveraging Tuxedo (SALT) 12c Release 2 (12.1.3)
- Standard tn3270 terminal emulators
- IBM WebSphere MQ 7.x

Installation

Tuxedo ART for IMS 12c Release 2 (12.1.3) installation requires Oracle Tuxedo 12c Release 2 (12.1.3) installation.

For more information, see the [Oracle Tuxedo Application Runtime for IMS Installation Guide](#).

Platform Support

Tuxedo ART for IMS 12c Release 2 (12.1.3) supported platforms are listed in the [Oracle Tuxedo Application Runtime for IMS Installation Guide](#).

Limitations and Known Issues

Please note the following limitations in ART for IMS:

1. Only one input message from a terminal is allowed in a single transaction.

2. Cannot switch to a terminal other than the originator.
3. Only Message formatting option 1 is supported.
4. Cannot deploy IMS Region in Tuxedo MP cluster using heterogeneous machines.
5. Does support IMS default system MOD - DFSMO2 which is used when MOD does not specify both in the application program and the MID "nxt" field. ARTIMS displays the output message as plain text in the terminal, users first need to clear the terminal.
6. Due to byte ordering differences between "big endian" and "little endian" architectures, when using 'Dynamic Attribute Modification' in COBOL programs you cannot specify a decimal integer for attribute bytes. It is suggested to specify a hexadecimal value one byte at a time in attribute bytes.

See Also

- [Oracle Tuxedo Application Runtime for IMS Installation Guide](#)
- [Oracle Tuxedo Application Runtime for IMS Users Guide](#)
- [Oracle Tuxedo Application Runtime for IMS and Reference Guide](#)

