

# **Oracle Commerce Guided Search Platform Services**

**Migration Guide**

**Version 11.1 • July 2014**





# Contents

<b>Copyright and disclaimer.....</b>	<b>v</b>
<b>Preface.....</b>	<b>7</b>
About this guide.....	7
Who should use this guide.....	7
Conventions used in this guide.....	7
Contacting Oracle Support.....	8
<b>Chapter 1: Upgrading Platform Services to Version 11.1.....</b>	<b>9</b>
About Oracle Commerce Guided Search.....	9
About the documentation.....	9
Recommended reading.....	9
Upgrading from Platform Services 11.1.....	10
Upgrading a Developer Studio project.....	11
Provisioning your system.....	11
Converting your Developer Studio project.....	12
Running a baseline update.....	12
Updating the APIs on the application server.....	13
<b>Chapter 2: Required Changes.....</b>	<b>15</b>
Changes from 6.1.2 to 6.1.3.....	15
The Endeca Control System is not supported.....	15
The VOID ID_LANGUAGE expression is no longer supported.....	15
<b>Chapter 3: Behavioral Changes.....</b>	<b>17</b>
Changes from 6.1.0 to 6.1.1.....	17



---

# Copyright and disclaimer

Copyright © 2003, 2014, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

**U.S. GOVERNMENT END USERS:** Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

---

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

# Preface

Oracle Commerce Guided Search is the most effective way for your customers to dynamically explore your storefront and find relevant and desired items quickly. An industry-leading faceted search and Guided Navigation solution, Guided Search enables businesses to influence customers in each step of their search experience. At the core of Guided Search is the MDEX Engine™, a hybrid search-analytical database specifically designed for high-performance exploration and discovery. The Oracle Commerce Content Acquisition System provides a set of extensible mechanisms to bring both structured data and unstructured content into the MDEX Engine from a variety of source systems. The Oracle Commerce Assembler dynamically assembles content from any resource and seamlessly combines it into results that can be rendered for display.

Oracle Commerce Experience Manager enables non-technical users to create, manage, and deliver targeted, relevant content to customers. With Experience Manager, you can combine unlimited variations of virtual product and customer data into personalized assortments of relevant products, promotions, and other content and display it to buyers in response to any search or facet refinement. Out-of-the-box templates and experience cartridges are provided for the most common use cases; technical teams can also use a software developer's kit to create custom cartridges.

## About this guide

This guide describes the major tasks necessary to upgrade to Platform Services 11.1 from Platform Services 11.0.

## Who should use this guide

This guide is intended for developers who are upgrading Oracle Endeca Guided Search, as well as for system administrators managing Oracle Endeca Guided Search on Windows, UNIX, Solaris, or Linux.



**Note:** Unless otherwise indicated, whenever this document specifies UNIX, it applies to Linux and Solaris as well.

## Conventions used in this guide

This guide uses the following typographical conventions:

Code examples, inline references to code elements, file names, and user input are set in monospace font. In the case of long lines of code, or when inline monospace text occurs at the end of a line, the following symbol is used to show that the content continues on to the next line: `¬`

When copying and pasting such examples, ensure that any occurrences of the symbol and the corresponding line break are deleted and any remaining space is closed up.

## Contacting Oracle Support

Oracle Support provides registered users with answers to implementation questions, product and solution help, and important news and updates about Guided Search software.

You can contact Oracle Support through the My Oracle Support site at <https://support.oracle.com>.

## Chapter 1

---

# Upgrading Platform Services to Version 11.1

This section describes the steps that you must take to upgrade your version of Platform Services to version 11.1. After you complete the upgrade procedures described in this section, be sure to review this guide for any additional changes that may be required to upgrade your application.

## About Oracle Commerce Guided Search

Oracle Commerce Guided Search consists of four primary components:

- Oracle Commerce MDEX Engine
- Oracle Commerce Guided Search Platform Services
- Oracle Commerce Guided Search Tools and Frameworks
- Oracle Commerce Content Acquisition System

Each component is upgraded individually. For more information about these packages, see the *Oracle Commerce Guided Search Getting Started Guide* available on the Oracle Technology Network.

## About the documentation

Documentation for all components is available on the Oracle Technology Network (OTN) for viewing or download.

For a complete list of documents associated with each product, refer to the *Oracle Commerce Guided Search Getting Started Guide*, which is available on the Oracle Technology Network (OTN).

## Recommended reading

In addition to reading this document, Oracle recommends that you read the following documents for important information about the release.

### **Release Announcement**

The *Release Announcement* provides a brief explanation of the new features that were added in Version 11.1. The *Release Announcement* is available for download from the Oracle Technology Network.

## Release Notes

The release notes for each package provide information about new features, changed features, and bug fixes for this release. You can download the release notes (README.txt) from the Oracle Technology Network. After installation, release notes are also available in the following location:

- Windows: C:\Endeca\PlatformServices\<version>\README.txt
- UNIX: /usr/local/endeca/PlatformServices/<version>/README.txt

On Windows, you can also access the release notes from **Start > Programs > Endeca > Platform Services > Release Notes**.

## Getting Started Guide

The *Oracle Commerce Guided Search Getting Started Guide* gives an overview of components and includes information about configuration scenarios. After installing all the components in your deployment, read this guide for information about how to verify your installation.

# Upgrading from Platform Services 11.1

This procedure provides high-level steps needed to upgrade from Platform Services 11.0 to Platform Services 11.1.

The high-level procedure of upgrading a Platform Services 11.0 platform is:

1. Back up your EAC store.
2. Uninstall Platform Services 11.0.
3. Install Platform Services 11.1.
4. Restore the backed-up EAC store.
5. Upgrade other Endeca components as required.

Before installing upgraded versions of Endeca components, check the appropriate Installation Guide for the version that you are uninstalling for a list of environment variables used by all Endeca components, and ensure that any environment variables from previous installations are removed from your servers. This is because, on UNIX, when you uninstall the previous versions, the environment variables from the previous installations are not removed automatically.

### Step 1: Back up your existing configuration

The EAC store contains application configuration.



**Note:** This step is necessary only if you are using EAC scripts to provision your application.

Implementations relying on the Deployment Template do not need to back up the EAC store because the information is stored in the Deployment Template's AppConfig.xml file.

To back up the EAC store:

1. Stop the Endeca HTTP service if it is running.
2. Copy the eacstore directory from %ENDECA\_CONF%\state (on Windows) or \$ENDECA\_CONF/state/ (on UNIX) to another location.

### Step 2: Uninstall Platform Services 11.0

Uninstall the software as documented in the 11.0 version of the *Oracle Commerce Guided Search Platform Services Installation Guide*.



**Note:** If you have the Endeca Document Conversion module, uninstall it before uninstalling Platform Services.

### Step 3: Install Platform Services 11.1

Install Platform Services 11.1 as documented in the 11.1 version of the *Oracle Commerce Guided Search Platform Services Installation Guide*.

If you have purchased the Endeca Document Conversion module, install version 11.1.

### Step 4: Restore the backed-up EAC store

To restore a backup of the EAC store on the Platform Services 11.1 location:

1. Stop the Endeca HTTP service if it is running.
2. If there is an `eacstore` directory in `%ENDECA_CONF%\state` (on Windows) or `$/ENDECA_CONF/state/` (on UNIX), delete the directory.
3. Copy the backup `eacstore` directory into `%ENDECA_CONF%\state` (on Windows) or `$/ENDECA_CONF/state/` (on UNIX).
4. Start the Endeca HTTP service.

Keep in mind that this step is necessary only if you used EAC scripts to provision your application in 11.0. Implementations relying on the Deployment Template do not need to back up or restore the EAC store.

### Step 5: Upgrade other Endeca components

After you have upgraded to Platform Services 11.1, check your other Endeca components and upgrade them as necessary:

1. Upgrade the MDEX Engine to the latest version. For details, see the *Oracle Commerce Guided Search MDEX Engine Migration Guide* and the *Oracle Commerce Guided Search MDEX Engine Installation Guide*.
2. Upgrade Tools and Frameworks to version 11.1. For details, see the *Oracle Commerce Guided Search Workbench Migration Guide* and *Oracle Commerce Guided Search Workbench Installation Guide*.
3. Upgrade Developer Studio to version 11.1. For details, see the section "Upgrading a Developer Studio project" in this chapter.
4. Upgrade any other Guided Search packages to maintain compatibility among the components.

## Upgrading a Developer Studio project

This section provides instructions for the basic tasks involved in upgrading a Developer Studio project from 11.0 to 11.1.

Because Oracle Commerce Guided Search projects are highly configurable, some implementations may require further migration changes. Please review this guide for additional changes required to upgrade your specific implementation.

## Provisioning your system

To provision your application, Oracle recommends using the Deployment Template. You can also provision your system using EAC scripts.

To provision your system:

Run the provisioning script from your existing application. (This step assumes that you already have an EAC script that you used in version 6.x for your application's provisioning).

For information about the Deployment Template and the Endeca Application Controller, see the *Oracle Commerce Administrator's Guide*.

## Converting your Developer Studio project

If you have installed version 11.1 of Developer Studio, you can upgrade projects based on version 11.0 or earlier versions.

Before converting your project to Developer Studio version 11.1, ensure that you have already provisioned your application.

To convert your Developer Studio project to version 11.1:

1. If you have not already done so, upgrade your Endeca Tools and Frameworks installation to version 11.1. For details, see the *Oracle Commerce Tools and Frameworks Migration Guide* and *Oracle Endeca Tools and Frameworks Installation Guide*.
2. Start Developer Studio version 11.1.
3. Open the project you want to convert. Developer Studio issues a message stating that the project will be converted to the new format. Click **OK**, and specify the location to which you want to save your updated project. Replace the old project files (under `<AppName>/config/pipeline`) with the upgraded project files.
4. There may be further migration necessary before you can process your data in version 11.1. Consult this guide for more information. Do not proceed until you have completed all necessary migration steps.
5. Select **Tools > Oracle Endeca Workbench Settings**. In the Oracle Endeca Workbench Settings dialog box, make sure that the machine name and port information for your Workbench host and port are correct. (The default port number is 8006.) Also make sure you select the appropriate application to associate with this project, because Workbench can support multiple applications.



**Note:** Although the Developer Studio UI reads "Oracle Endeca Workbench," the settings apply to all Endeca Tools and Frameworks editions.

6. Save your changes.
7. From the **Tools > Oracle Endeca Workbench** menu, select **Set Instance Configuration**. This uploads the instance configuration from Developer Studio to Endeca Workbench.



**Note:** If you had modified any pre-11.0 XML project files by hand (rather than through Developer Studio), verify that the upgrade preserved your changes to those files. For example, if you have a Chinese-language application, check your `languages.xml` and `stemming.xml` files to make sure that they are using the `zh-CN` or `zh-TW` language code (and not the incorrect `zh` code). Note that if you hand-edit the `stemming.xml` file, the order of its `STEM` elements must match the order of the languages listed in the Developer Studio's Stemming Editor.

## Running a baseline update

Run a baseline update to start the Dgraphs.

To run a baseline update:

1. You can run a baseline update in the same manner as in your 11.0 or 6.x implementations. Oracle recommends using the Deployment Template to perform updates.
2. Optionally, start any other Endeca components required by your application, such as the Log Server component (if your baseline update script does not start it for you).

## Updating the APIs on the application server

After upgrading, ensure that the server or servers running your front-end application are using the latest versions of the Presentation API and Logging API.

The Presentation and Logging APIs are shipped as part of the Platform Services package.



## Chapter 2

---

# Required Changes

You must make the changes specified in this section, if they apply to your application.

## Changes from 6.1.2 to 6.1.3

This section describes changes to Platform Services that occurred between version 6.1.2 and 6.1.3.

### The Endeca Control System is not supported

As part of the MDEX Engine 6.2.0 release, the Endeca Control System is unsupported. The Endeca Control System includes the Endeca JCD and the Control Interpreter, both of which have been deprecated since Endeca IAP 5.0.

You should use the Endeca Application Controller to control, manage, and monitor components in your Endeca implementation. For details, see the *Endeca Platform Services Application Controller Guide*.

The *Control System Guide* is no longer included in the Platform Services documentation set.

### The `VOID ID_LANGUAGE` expression is no longer supported

The `VOID ID_LANGUAGE` expression was typically used in a Record Manipulator to identify the language of a specified property and then add a language identifier property to a record. This expression is no longer supported.



## Chapter 3

---

# Behavioral Changes

This section describes changes that do not require action on the developer's part, but will have an effect on how your Endeca application behaves after you upgrade.

## Changes from 6.1.0 to 6.1.1

This section describes behavioral general changes to the Endeca software when upgrading from Platform Services 6.1.0.

### **DVAL\_STATIC\_RANK attribute is reinstated in the STATS element**

The `DVAL_STATIC_RANK` attribute has been reinstated in the XML Configuration Reference. This attribute specifies whether every dimension value's static rank should be returned as a property on the dimension value. The default value is `FALSE`.

Setting this attribute to `TRUE` causes the MDEX Engine to return the static rank with each dimension value. Like other attributes in the `STATS` element configuration, the value for this attribute can be specified both at the individual dimension level and at the global level.



**Note:** This attribute is reinstated starting with the MDEX Engine release 6.1.4. However, this attribute has been deprecated in 6.1.0-6.1.3 releases of MDEX Engine. For those releases, the MDEX Engine ignores this attribute and issues a warning about its presence in the file.

