

Gateway Documentation - OR Service
Oracle FLEXCUBE Universal Banking
Release FCUBS_12.0.87.1.0
[August] [2014]



Table Of Contents

1. BACKGROUND	1
2. FCUBSORService	2
2.1. CreateFCDBLead	2
2.1.1. <i>OR-CreateFCDBLead-Req-Full-MSG.xsd</i>	2
2.1.2. <i>OR-CreateFCDBLead-Res-Full-MSG.xsd</i>	74
2.2. QueryFCDBLead	148
2.2.1. <i>OR-QueryFCDBLead-Res-Full-MSG.xsd</i>	148
2.2.2. <i>OR-QueryFCDBLead-Req-IO-MSG.xsd</i>	223
2.3. ModifyFCDBLead	229
2.3.1. <i>OR-ModifyFCDBLead-Res-Full-MSG.xsd</i>	229
2.3.2. <i>OR-ModifyFCDBLead-Req-Full-MSG.xsd</i>	303

1.BACKGROUND

Integration of different applications and solutions is a key area in today's systems. A variety of specialized applications deployed on disparate platforms and using different infrastructure need to be able to communicate and integrate seamlessly with FLEXCUBE UBS in order to exchange data. The FLEXCUBE UBS Integration Gateway (referred to as Gateway) will cater to these integration needs.

The integration needs supported by the Gateway can be broadly categorized from the perspective of the Gateway as follows:

1. Inbound application integration – used when any external system needs to add, modify or query information within FLEXCUBE UBS

2. Outbound application integration– used when any external system needs to be notified of the various events that occur within FLEXCUBE UBS

The following sections provide detailed XSD documentation of all operations available in FCUBSORService of OR-Module

2.FCUBSORService

OR ServiceOR Service

2.1.CreateFCDBLead

CreateFCDBLead

2.1.1.OR-CreateFCDBLead-Req-Full-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

PASSWORD

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Application-Details-Full

LEADID

APPTYPE

DESCRIPTION

BRN

DOE

NEW_AC_NO

PROMOTION_CODE

CONV_ID

REQUESTDATE

CHANNEL

NEWSTAT

CURRENT_STATUS

REQID
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Customer-Details
SEQNO
CUSTTYPE
RESPONSIBILITY
LIABILITY
SALUT
FSTNM
MIDNM
LSTNM
SNAME
NATID
CNTY
NLTY
SSN
CUSTCAT
GENDER
DOB
MOTHERNM
LANG
DEPEND
EMAIL
MARSTAT
PASSNO
PASSISDT
PASSEXPDT
MOBNO
LANDNO
OFFNO
FAX
FINCCY
INCORPDT
CAPITAL
NETWORTH
BUSDESC
INCORPCNTY
CUSTNAME

LEADID
EXISTING
CUSTNO
CUSID_ACCNU
RELATION_TYPE
CR_CD_NO
PREF_TIME_OF_CONT
PRE_DATE_OF_CONTACT
CITY
LCLBRN
Customer-Address

LEADID
ADDTYPE
CURRENT
CONNO
ADDLN1
ADDLN2
ADDLN3
PIN_CODE
CNTY
ADDLN4

Employer-Details

LEADID
EMPTYTYPE
EMP
CUSTOCC
DESIG
ADDLN1
ADDLN2
ADDLN3
ADDLN4
PIN_CODE
CNTY
PHONE
EXTN
CONTACT
CONTNAME
CONPHN
CONPHNEXTN
COMMENT
DEPT
EMPID
FREQ
EMPYRS

EMPMONTHS
INCOMECCY
INCOMEAMT
CCY
ANNLTRNOVR
TYPE_OF_BUSS
TYP_OF_OWNER
OTHERS
NAME_BUSNS

Requested-Loan-Dtls

REQCCY
REQAMT
TENORM
RATE
DPMNTPER
LOANPURPOSE
PAYMENT
LEADID
PURPOSE_OF_ACCNT
OVR_LIM_REQ
LOAN_TYPE
TYPE_OF_ACCNT
VEHICLE_TYPE
PURCHASE_TYPE

Financial-Dtls

AMOUNT
FREQ
CCY
INCOMETYP

Stage-Doc-Master

Doc-Upload

DCCATGRY
DCREFNO
DOCTYPE
WORKFLOWREFERENCE
REMARKS

Ui-Columns

PRNAME

Process-Advices

RPNAM
ATTTEMP
ATTFMT
ATTLCL

Report-Options

Checklist

MANDATORY

CHECKLIST_ITEM

VERIFY

COMMENTS

Simulation-Details

APPCAT

USERREFNO

PRDCD

DESC

APPBRN

ENQUIRY_ID

ENQUIRY_DATE

CUSTNO

FSTNM

LSTNM

CONTACTNO

EMAIL

STATUS

REQID

REQDATE

LEADID

Requested-Dtls

REQCCY

REQAMT

TENORM

INTRATE

PROMO

LOANPURPOSE

Loan-Offers

OFFERREFNO

OFFID

NOOFINST

FREQUNIT

FREQ

RATE

RATECD

FORMAT

ACCEPTED

Loan-Details

LOANAMT

LOANCCY

LNBRN

VALDT

TAX
LNACNUM
STSCHGMD
NOOFINST
MATDT
FREQUNIT
INSSTDY
FREQ
Loan-Effective-Dates
EFFDT
Loan-Ude-Values
UDEID
UDEVAL
RATECODE
CODEUSAGE
RESOLVEDVAL
Loan-Components
COMPNAME
COMPCCY
MAINCOMP
LIQDMD
CAPITALIZED
WAIVE
VERFUNDS
Loan-Schedule-Master
SCHTYP
NOOFSCH
FREQ
UNIT
SCHSTDY
FRSTDUEDT
AMT
FORMULANAME
SCHENDDT
SCHFLG
EMIAMT
CAPITALIZED
WAIVE
COMPOUNDDAYS
COMPOUNDMONTHS
COMPOUNDYEARS
DUEDATESON
DAYSYEAR
DAYSMTH

Loan-Schedule-Details

ENQUIRY_ID
COMPNM
DUEDT
AMTDUE
EMI_AMOUNT
AMORPRI
AMTSETTL
ACCRAMT
CAPITALIZED
WAIVE

Loan-Disbursals

ENQUIRY_ID
COMPNAME
SCHDUEDT
TOTDSBRAMT
AMTTODSBR
AMTDISBURSED

Loan-Disbursal-Split

SPLSEQNO
CUST
SPLPERCENTAGE
PAYMOD
SETTLACNO
SETTLACCBRN
STLCCY
ACDESC
SPLITAMT

Loan-Charge-Component

COMPNAME
COMPCCY
EFFDT
WAIVE

Loan-Charge-Details

EVENTCD
AMT
AMTSETTLED
SCHDUEDT

Report-Options

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/*]*

[TOP](#)

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

[TOP](#)

Application-Details-Full

Attribute	Description
Name	Application-Details-Full
Datatype	
Description	

[TOP](#)

LEADID

Attribute	Description
Name	LEADID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

APPTYPE

Attribute	Description	
Name	APPTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	RET,COR,CAS

[TOP](#)

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

DOE

Attribute	Description	
Name	DOE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)**NEW_AC_NO**

Attribute	Description	
Name	NEW_AC_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)**PROMOTION_CODE**

Attribute	Description	
Name	PROMOTION_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)**CONV_ID**

Attribute	Description	
Name	CONV_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)**REQUESTDATE**

Attribute	Description	
Name	REQUESTDATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**CHANNEL**

Attribute	Description
Name	CHANNEL

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	I,M,W

[TOP](#)

NEWSTAT

Attribute	Description	
Name	NEWSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CURRENT_STATUS

Attribute	Description	
Name	CURRENT_STATUS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REQID

Attribute	Description	
Name	REQID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Customer-Details

Attribute	Description	
Name	Customer-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

SEQNO

Attribute	Description	
Name	SEQNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

CUSTTYPE

Attribute	Description	
Name	CUSTTYPE	
Datatype	String	

Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,C

[TOP](#)

RESPONSIBILITY

Attribute	Description	
Name	RESPONSIBILITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	,AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOJ,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

[TOP](#)

LIABILITY

Attribute	Description	
Name	LIABILITY	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SALUT

Attribute	Description	
Name	SALUT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Mr,Mrs,Miss,Dr

[TOP](#)

FSTNM

Attribute	Description	
Name	FSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

MIDNM

Attribute	Description	
Name	MIDNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

LSTNM

Attribute	Description	
Name	LSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

SNAME

Attribute	Description	
Name	SNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

NATID

Attribute	Description	
Name	NATID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**CNTY**

Attribute	Description	
Name	CNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**NLTY**

Attribute	Description	
Name	NLTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**SSN**

Attribute	Description	
Name	SSN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	11

[TOP](#)**CUSTCAT**

Attribute	Description	
Name	CUSTCAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)**GENDER**

Attribute	Description	
Name	GENDER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,F

[TOP](#)

DOB

Attribute	Description	
Name	DOB	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MOTHERNM

Attribute	Description	
Name	MOTHERNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

LANG

Attribute	Description	
Name	LANG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

DEPEND

Attribute	Description	
Name	DEPEND	
Datatype	Number	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMAIL

Attribute	Description	
Name	EMAIL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

MARSTAT

Attribute	Description	
Name	MARSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,M,D,R,P,E

[TOP](#)

PASSNO

Attribute	Description	
Name	PASSNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

PASSISSDT

Attribute	Description	
Name	PASSISSDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PASSEXPDT

Attribute	Description	
Name	PASSEXPDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MOBNO

Attribute	Description	
Name	MOBNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LANDNO

Attribute	Description	
Name	LANDNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

OFFNO

Attribute	Description	
Name	OFFNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FAX

Attribute	Description	
Name	FAX	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FINCCY

Attribute	Description
-----------	-------------

Name	FINCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

INCORPDT

Attribute	Description	
Name	INCORPDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CAPITAL

Attribute	Description	
Name	CAPITAL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NETWORTH

Attribute	Description	
Name	NETWORTH	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

BUSDESC

Attribute	Description	
Name	BUSDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

INCORPCNTY

Attribute	Description	
Name	INCORPCNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CUSTNAME

Attribute	Description	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

EXISTING

Attribute	Description	
Name	EXISTING	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

CUSTNO

Attribute	Description
-----------	-------------

Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CUSID_ACCNU

Attribute	Description	
Name	CUSID_ACCNU	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

RELATION_TYPE

Attribute	Description	
Name	RELATION_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

CR_CD_NO

Attribute	Description	
Name	CR_CD_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

PREF_TIME_OF_CONT

Attribute	Description	
Name	PREF_TIME_OF_CONT	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24

[TOP](#)

PRE_DATE_OF_CONTACT

Attribute	Description	
Name	PRE DATE OF CONTACT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CITY

Attribute	Description	
Name	CITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

LCLBRN

Attribute	Description	
Name	LCLBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

Customer-Address

Attribute	Description	
Name	Customer-Address	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)**LEADID**

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**ADDTYPE**

Attribute	Description	
Name	ADDTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,H,W,T,O,C,R

[TOP](#)**CURRENT**

Attribute	Description	
Name	CURRENT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**CONNO**

Attribute	Description	
Name	CONNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**ADDLN1**

Attribute	Description
Name	ADDLN1

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN2

Attribute	Description	
Name	ADDLN2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN3

Attribute	Description	
Name	ADDLN3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

PIN_CODE

Attribute	Description	
Name	PIN_CODE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CNTY

Attribute	Description	
Name	CNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

ADDLN4

Attribute	Description	
Name	ADDLN4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Employer-Details

Attribute	Description	
Name	Employer-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

EMPTYE

Attribute	Description	
Name	EMPTYE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	PART,FULL,CONT,SELF,OTHR

[TOP](#)

EMP

Attribute	Description	
Name	EMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

CUSTOCC

Attribute	Description	
Name	CUSTOCC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DESIG

Attribute	Description	
Name	DESIG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN1

Attribute	Description	
Name	ADDLN1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN2

Attribute	Description
-----------	-------------

Name	ADDLN2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN3

Attribute	Description	
Name	ADDLN3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN4

Attribute	Description	
Name	ADDLN4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

PIN_CODE

Attribute	Description	
Name	PIN_CODE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CNTY

Attribute	Description	
Name	CNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

PHONE

Attribute	Description	
Name	PHONE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EXTN

Attribute	Description	
Name	EXTN	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONTACT

Attribute	Description	
Name	CONTACT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONTNAME

Attribute	Description	
Name	CONTNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CONPHN

Attribute	Description	
Name	CONPHN	
Datatype	Number	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONPHNEXTN

Attribute	Description	
Name	CONPHNEXTN	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMMENT

Attribute	Description	
Name	COMMENT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DEPT

Attribute	Description	
Name	DEPT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

EMPID

Attribute	Description	
Name	EMPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

EMPYRS

Attribute	Description	
Name	EMPYRS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMPMONTHS

Attribute	Description	
Name	EMPMONTHS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

INCOMECCY

Attribute	Description	
Name	INCOMECCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

INCOMEAMT

Attribute	Description	
Name	INCOMEAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

ANNLTRNOVR

Attribute	Description	
Name	ANNLTRNOVR	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TYPE_OF_BUSS

Attribute	Description	
Name	TYPE_OF_BUSS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

TYP_OF_OWNER

Attribute	Description	
Name	TYP_OF_OWNER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

OTHERS

Attribute	Description
Name	OTHERS

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

NAME_BUSNS

Attribute	Description	
Name	NAME_BUSNS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Requested-Loan-Dtls

Attribute	Description	
Name	Requested-Loan-Dtls	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

REQCCY

Attribute	Description	
Name	REQCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

REQAMT

Attribute	Description	
Name	REQAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**TENORM**

Attribute	Description	
Name	TENORM	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**RATE**

Attribute	Description	
Name	RATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**DPMNTPER**

Attribute	Description	
Name	DPMNTPER	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**LOANPURPOSE**

Attribute	Description	
Name	LOANPURPOSE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**PAYMENT**

Attribute	Description	
Name	PAYMENT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**LEADID**

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**PURPOSE_OF_ACCNT**

Attribute	Description	
Name	PURPOSE OF ACCNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**OVR_LIM_REQ**

Attribute	Description	
Name	OVR_LIM_REQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**LOAN_TYPE**

Attribute	Description	
Name	LOAN_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	VEH,BUS,HOM,PER

[TOP](#)**TYPE_OF_ACCNT**

Attribute	Description	
Name	TYPE_OF_ACCNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	C,S

[TOP](#)

VEHICLE_TYPE

Attribute	Description	
Name	VEHICLE_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	F,T,C

[TOP](#)

PURCHASE_TYPE

Attribute	Description	
Name	PURCHASE_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	NEW,USD,CON,LAN,FLT,OTR

[TOP](#)

Financial-Dtls

Attribute	Description	
Name	Financial-Dtls	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number

Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

INCOMETYP

Attribute	Description	
Name	INCOMETYP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	S,R,B,O

[TOP](#)

Stage-Doc-Master

Attribute	Description	
Name	Stage-Doc-Master	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Doc-Upload

Attribute	Description	
Name	Doc-Upload	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

DCCATGRY

Attribute	Description	
Name	DCCATGRY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

DCREFNO

Attribute	Description	
Name	DCREFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

DOCTYPE

Attribute	Description	
Name	DOCTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

WORKFLOWREFERENCE

Attribute	Description
Name	WORKFLOWREFERENCE

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

REMARKS

Attribute	Description	
Name	REMARKS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Ui-Columns

Attribute	Description	
Name	Ui-Columns	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PRNAME

Attribute	Description	
Name	PRNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

[TOP](#)

Process-Advices

Attribute	Description	
Name	Process-Advices	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**RPNAM**

Attribute	Description	
Name	RPNAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**ATTEMP**

Attribute	Description	
Name	ATTEMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	30

[TOP](#)**ATTFMT**

Attribute	Description	
Name	ATTFMT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	PDF,RTF

[TOP](#)**ATTLCL**

Attribute	Description	
Name	ATTLCL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)**Report-Options**

Attribute	Description	
Name	Report-Options	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Checklist

Attribute	Description	
Name	Checklist	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

MANDATORY

Attribute	Description	
Name	MANDATORY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

CHECKLIST_ITEM

Attribute	Description	
Name	CHECKLIST_ITEM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

VERIFY

Attribute	Description	
Name	VERIFY	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

COMMENTS

Attribute	Description	
Name	COMMENTS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

Simulation-Details

Attribute	Description	
Name	Simulation-Details	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

APPCAT

Attribute	Description	
Name	APPCAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

USERREFNO

Attribute	Description	
Name	USERREFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)**PRDCD**

Attribute	Description	
Name	PRDCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	4

[TOP](#)**DESC**

Attribute	Description	
Name	DESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**APPBRN**

Attribute	Description	
Name	APPBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**ENQUIRY_ID**

Attribute	Description	
Name	ENQUIRY_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**ENQUIRY_DATE**

Attribute	Description	
Name	ENQUIRY_DATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FSTNM

Attribute	Description	
Name	FSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

LSTNM

Attribute	Description	
Name	LSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

CONTACTNO

Attribute	Description	
Name	CONTACTNO	
Datatype	Number	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMAIL

Attribute	Description	
Name	EMAIL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

STATUS

Attribute	Description	
Name	STATUS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	ACTIVE,CLOSED

[TOP](#)

REQID

Attribute	Description	
Name	REQID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REQDATE

Attribute	Description	
Name	REQDATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Requested-Dtls

Attribute	Description	
Name	Requested-Dtls	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

REQCCY

Attribute	Description	
Name	REQCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

REQAMT

Attribute	Description	
Name	REQAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TENORM

Attribute	Description	
Name	TENORM	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

INTRATE

Attribute	Description	
Name	INTRATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

PROMO

Attribute	Description	
Name	PROMO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

LOANPURPOSE

Attribute	Description	
Name	LOANPURPOSE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Loan-Offers

Attribute	Description	
Name	Loan-Offers	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

OFFERREFNO

Attribute	Description
Name	OFFERREFNO
Datatype	String

Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

OFFID

Attribute	Description	
Name	OFFID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

NOOFINST

Attribute	Description	
Name	NOOFINST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FREQUNIT

Attribute	Description	
Name	FREQUNIT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,W,M,Q,H,Y,B

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

RATE

Attribute	Description	
Name	RATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

RATECD

Attribute	Description	
Name	RATECD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FORMAT

Attribute	Description	
Name	FORMAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	PDF,RTF

[TOP](#)

ACCEPTED

Attribute	Description	
Name	ACCEPTED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Details

Attribute	Description	
Name	Loan-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

LOANAMT

Attribute	Description	
Name	LOANAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

LOANCCY

Attribute	Description	
Name	LOANCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

LNBRN

Attribute	Description	
Name	LNBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

VALDT

Attribute	Description	
Name	VALDT	
Datatype	Date	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TAX

Attribute	Description	
Name	TAX	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LNACNUM

Attribute	Description	
Name	LNACNUM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

STSCHGMD

Attribute	Description	
Name	STSCHGMD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,M

[TOP](#)

NOOFINST

Attribute	Description	
Name	NOOFINST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MATDT

Attribute	Description	
Name	MATDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FREQUNIT

Attribute	Description	
Name	FREQUNIT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,W,M,Q,H,Y,B

[TOP](#)

INSSTD

Attribute	Description	
Name	INSSTD	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Loan-Effective-Dates

Attribute	Description
Name	Loan-Effective-Dates
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

Loan-Ude-Values

Attribute	Description	
Name	Loan-Ude-Values	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

UDEID

Attribute	Description	
Name	UDEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	30

[TOP](#)

UDEVAL

Attribute	Description	
Name	UDEVAL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

RATECODE

Attribute	Description
Name	RATECODE

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CODEUSAGE

Attribute	Description	
Name	CODEUSAGE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	,P,A

[TOP](#)

RESOLVEDVAL

Attribute	Description	
Name	RESOLVEDVAL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Loan-Components

Attribute	Description	
Name	Loan-Components	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**COMPCCY**

Attribute	Description	
Name	COMPCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**MAINCOMP**

Attribute	Description	
Name	MAINCOMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**LIQDMD**

Attribute	Description	
Name	LIQDMD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,M

[TOP](#)**CAPITALIZED**

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**WAIVE**

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

VERFUNDS

Attribute	Description	
Name	VERFUNDS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Schedule-Master

Attribute	Description	
Name	Loan-Schedule-Master	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

SCHTYP

Attribute	Description	
Name	SCHTYP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,D,R,X

[TOP](#)

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number

Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

UNIT

Attribute	Description	
Name	UNIT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,W,M,Q,H,Y,B

[TOP](#)

SCHSTD

Attribute	Description	
Name	SCHSTD	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

FRSTDUEDT

Attribute	Description	
Name	FRSTDUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMT

Attribute	Description
-----------	-------------

Name	AMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FORMULANAME

Attribute	Description	
Name	FORMULANAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SCHENDDT

Attribute	Description	
Name	SCHENDDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SCHFLG

Attribute	Description	
Name	SCHFLG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,M

[TOP](#)

EMIAMT

Attribute	Description	
Name	EMIAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CAPITALIZED

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

WAIVE

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

COMPOUND_DAYS

Attribute	Description	
Name	COMPOUND_DAYS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMPOUND_MONTHS

Attribute	Description	
Name	COMPOUND_MONTHS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMPOUND_YEARS

Attribute	Description	
Name	COMPOUND_YEARS	
Datatype	Number	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DUEDATESON

Attribute	Description	
Name	DUEDATESON	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DAYSYEAR

Attribute	Description	
Name	DAYSYEAR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,

[TOP](#)

DAYSMTM

Attribute	Description	
Name	DAYSMTM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,

[TOP](#)

Loan-Schedule-Details

Attribute	Description	
Name	Loan-Schedule-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ENQUIRY_ID

Attribute	Description
-----------	-------------

Name	ENQUIRY_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

COMPNM

Attribute	Description	
Name	COMPNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DUEDT

Attribute	Description	
Name	DUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTDUE

Attribute	Description	
Name	AMTDUE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMI_AMOUNT

Attribute	Description	
Name	EMI_AMOUNT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMORPRI

Attribute	Description	
Name	AMORPRI	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTSETTL

Attribute	Description	
Name	AMTSETTL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ACCRAMT

Attribute	Description	
Name	ACCRAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CAPITALIZED

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

WAIVE

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Disbursals

Attribute	Description	
Name	Loan-Disbursals	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ENQUIRY_ID

Attribute	Description	
Name	ENQUIRY_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SCHDUEDT

Attribute	Description	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TOTDSBRAMT

Attribute	Description
-----------	-------------

Name	TOTDSBRAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTTODSBR

Attribute	Description	
Name	AMTTODSBR	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTDISBURSED

Attribute	Description	
Name	AMTDISBURSED	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Loan-Disbursal-Split

Attribute	Description	
Name	Loan-Disbursal-Split	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

SPLSEQNO

Attribute	Description	
Name	SPLSEQNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CUST

Attribute	Description	
Name	CUST	
Datatype	String	

Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

[TOP](#)

SPLPERCENTAGE

Attribute	Description	
Name	SPLPERCENTAGE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMOD

Attribute	Description	
Name	PAYMOD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

SETTLACNO

Attribute	Description	
Name	SETTLACNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

SETTLACCBRN

Attribute	Description	
Name	SETTLACCBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

STLCCY

Attribute	Description	
Name	STLCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

ACDESC

Attribute	Description	
Name	ACDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

SPLITAMT

Attribute	Description	
Name	SPLITAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Loan-Charge-Component

Attribute	Description	
Name	Loan-Charge-Component	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String

Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

COMPCCY

Attribute	Description	
Name	COMPCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

WAIVE

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Charge-Details

Attribute	Description	
Name	Loan-Charge-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**EVENTCD**

Attribute	Description	
Name	EVENTCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**AMT**

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**AMTSETTLED**

Attribute	Description	
Name	AMTSETTLED	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**SCHDUEDT**

Attribute	Description	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**Report-Options**

Attribute	Description	
Name	Report-Options	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

2.1.2.OR-CreateFCDBLead-Res-Full-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

PASSWORD

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Application-Details-Full

LEADID

APPTYPE

DESCRIPTION

BRN

DOE

NEW_AC_NO

PROMOTION_CODE

CONV_ID

REQUESTDATE

CHANNEL

NEWSTAT

CURRENT_STATUS

REQID

MAKER

MAKERSTAMP

CHECKER

CHECKERSTAMP

MODNO

TXNSTAT
AUTHSTAT
Customer-Details
SEQNO
CUSTTYPE
RESPONSIBILITY
LIABILITY
SALUT
FSTNM
MIDNM
LSTNM
SNAME
NATID
CNTY
NLTY
SSN
CUSTCAT
GENDER
DOB
MOTHERNM
LANG
DEPEND
EMAIL
MARSTAT
PASSNO
PASSISDT
PASSEXPDT
MOBNO
LANDNO
OFFNO
FAX
FINCCY
INCORPDT
CAPITAL
NETWORTH
BUSDESC
INCORPCNTY
CUSTNAME
LEADID
EXISTING
CUSTNO
CUSID_ACCNU
RELATION_TYPE
CR_CD_NO

PREF_TIME_OF_CONT
PRE_DATE_OF_CONTACT
CITY
LCLBRN
Customer-Address

LEADID
ADDTYPE
CURRENT
CONNO
ADDLN1
ADDLN2
ADDLN3
PIN_CODE
CNTY
ADDLN4

Employer-Details

LEADID
EMPTYPE
EMP
CUSTOCC
DESIG
ADDLN1
ADDLN2
ADDLN3
ADDLN4
PIN_CODE
CNTY
PHONE
EXTN
CONTACT
CONTNAME
CONPHN
CONPHNEXTN
COMMENT
DEPT
EMPID
FREQ
EMPYRS
EMPMONTHS
INCOMECCY
INCOMEAMT
CCY
ANNLTRNOVR
TYPE_OF_BUSS

TYP_OF_OWNER
OTHERS
NAME_BUSNS
Requested-Loan-Dtls
REQCCY
REQAMT
TENORM
RATE
DPMNTPER
LOANPURPOSE
PAYMENT
LEADID
PURPOSE_OF_ACCNT
OVR_LIM_REQ
LOAN_TYPE
TYPE_OF_ACCNT
VEHICLE_TYPE
PURCHASE_TYPE
Financial-Dtls
AMOUNT
FREQ
CCY
INCOMETYP
Stage-Doc-Master
Doc-Upload
DCCATGRY
DCREFNO
DOCTYPE
WORKFLOWREFERENCE
REMARKS
Ui-Columns
PRNAME
Process-Advices
RPNAM
ATTTEMP
ATTFMT
ATTLCL
Report-Options
Checklist
MANDATORY
CHECKLIST_ITEM
VERIFY
COMMENTS
Simulation-Details

APPCAT
USERREFNO
PRDCD
DESC
APPBRN
ENQUIRY_ID
ENQUIRY_DATE
CUSTNO
FSTNM
LSTNM
CONTACTNO
EMAIL
STATUS
REQID
REQDATE
LEADID
Requested-Dtls
 REQCCY
 REQAMT
 TENORM
 INTRATE
 PROMO
 LOANPURPOSE
Loan-Offers
 OFFERREFNO
 OFFID
 NOOFINST
 FREQUNIT
 FREQ
 RATE
 RATECD
 FORMAT
 ACCEPTED
Loan-Details
 LOANAMT
 LOANCCY
 LNBRN
 VALDT
 TAX
 LNACNUM
 STSCHGMD
 NOOFINST
 MATDT
 FREQUNIT

INSSTD

FREQ

Loan-Effective-Dates

EFFDT

Loan-Ude-Values

UDEID

UDEVAL

RATECODE

CODEUSAGE

RESOLVEDVAL

Loan-Components

COMPNAME

COMPCCY

MAINCOMP

LIQDMD

CAPITALIZED

WAIVE

VERFUNDS

Loan-Schedule-Master

SCHTYP

NOOFSCH

FREQ

UNIT

SCHSTD

FRSTDUEDT

AMT

FORMULANAME

SCHENDDT

SCHFLG

EMIAMT

CAPITALIZED

WAIVE

COMPOUNDDAYS

COMPOUNDMONTHS

COMPOUNDYEARS

DUEDATESON

DAYSYEAR

DAYSMTH

Loan-Schedule-Details

ENQUIRY_ID

COMPNM

DUEDT

AMTDUE

EMI_AMOUNT

AMORPRI
 AMTSETTL
 ACCRAMT
 CAPITALIZED
 WAIVE

Loan-Disbursals

ENQUIRY_ID
 COMPNAME
 SCHDUEDT
 TOTDSBRAMT
 AMTTODSBR
 AMTDISBURSED

Loan-Disbursal-Split

SPLSEQNO
 CUST
 SPLPERCENTAGE
 PAYMOD
 SETTLACNO
 SETTLACCBRN
 STLCCY
 ACDESC
 SPLITAMT

Loan-Charge-Component

COMPNAME
 COMPCCY
 EFFDT
 WAIVE

Loan-Charge-Details

EVENTCD
 AMT
 AMTSETTLED
 SCHDUEDT

Report-Options

FCUBS_ERROR_RESP

ERROR
 ECODE
 EDESC

FCUBS_WARNING_RESP

WARNING
 WCODE
 WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description
Name	USERID

Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)**SOURCE_OPERATION**

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)**SOURCE_USERID**

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**DESTINATION**

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)**MULTITRIPID**

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)**FUNCTIONID**

Attribute	Description
Name	FUNCTIONID

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/*]*

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

[TOP](#)

Application-Details-Full

Attribute	Description
Name	Application-Details-Full
Datatype	
Description	

[TOP](#)

LEADID

Attribute	Description
Name	LEADID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

APPTYPE

Attribute	Description	
Name	APPTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	RET,COR,CAS

[TOP](#)

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

DOE

Attribute	Description	
Name	DOE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)**NEW_AC_NO**

Attribute	Description	
Name	NEW_AC_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)**PROMOTION_CODE**

Attribute	Description	
Name	PROMOTION_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)**CONV_ID**

Attribute	Description	
Name	CONV_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)**REQUESTDATE**

Attribute	Description	
Name	REQUESTDATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**CHANNEL**

Attribute	Description
Name	CHANNEL

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	I,M,W

[TOP](#)

NEWSTAT

Attribute	Description	
Name	NEWSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CURRENT_STATUS

Attribute	Description	
Name	CURRENT_STATUS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REQID

Attribute	Description	
Name	REQID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Customer-Details

Attribute	Description	
Name	Customer-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

SEQNO

Attribute	Description	
Name	SEQNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

CUSTTYPE

Attribute	Description	
Name	CUSTTYPE	
Datatype	String	

Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,C

[TOP](#)

RESPONSIBILITY

Attribute	Description	
Name	RESPONSIBILITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	,AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOJ,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

[TOP](#)

LIABILITY

Attribute	Description	
Name	LIABILITY	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SALUT

Attribute	Description	
Name	SALUT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Mr,Mrs,Miss,Dr

[TOP](#)

FSTNM

Attribute	Description	
Name	FSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

MIDNM

Attribute	Description	
Name	MIDNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

LSTNM

Attribute	Description	
Name	LSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

SNAME

Attribute	Description	
Name	SNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

NATID

Attribute	Description	
Name	NATID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**CNTY**

Attribute	Description	
Name	CNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**NLTY**

Attribute	Description	
Name	NLTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**SSN**

Attribute	Description	
Name	SSN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	11

[TOP](#)**CUSTCAT**

Attribute	Description	
Name	CUSTCAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)**GENDER**

Attribute	Description	
Name	GENDER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,F

[TOP](#)

DOB

Attribute	Description	
Name	DOB	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MOTHERNM

Attribute	Description	
Name	MOTHERNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

LANG

Attribute	Description	
Name	LANG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

DEPEND

Attribute	Description
Name	DEPEND
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMAIL

Attribute	Description	
Name	EMAIL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

MARSTAT

Attribute	Description	
Name	MARSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,M,D,R,P,E

[TOP](#)

PASSNO

Attribute	Description	
Name	PASSNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

PASSISSDT

Attribute	Description	
Name	PASSISSDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PASSEXPDT

Attribute	Description	
Name	PASSEXPDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MOBNO

Attribute	Description	
Name	MOBNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LANDNO

Attribute	Description	
Name	LANDNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

OFFNO

Attribute	Description	
Name	OFFNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FAX

Attribute	Description	
Name	FAX	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FINCCY

Attribute	Description
-----------	-------------

Name	FINCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

INCORPDT

Attribute	Description	
Name	INCORPDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CAPITAL

Attribute	Description	
Name	CAPITAL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NETWORTH

Attribute	Description	
Name	NETWORTH	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

BUSDESC

Attribute	Description	
Name	BUSDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

INCORPCNTY

Attribute	Description	
Name	INCORPCNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CUSTNAME

Attribute	Description	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

EXISTING

Attribute	Description	
Name	EXISTING	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

CUSTNO

Attribute	Description
-----------	-------------

Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CUSID_ACCNU

Attribute	Description	
Name	CUSID_ACCNU	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

RELATION_TYPE

Attribute	Description	
Name	RELATION_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

CR_CD_NO

Attribute	Description	
Name	CR_CD_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

PREF_TIME_OF_CONT

Attribute	Description	
Name	PREF_TIME_OF_CONT	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24

[TOP](#)

PRE_DATE_OF_CONTACT

Attribute	Description	
Name	PRE DATE OF CONTACT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CITY

Attribute	Description	
Name	CITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

LCLBRN

Attribute	Description	
Name	LCLBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

Customer-Address

Attribute	Description	
Name	Customer-Address	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)**LEADID**

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**ADDTYPE**

Attribute	Description	
Name	ADDTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,H,W,T,O,C,R

[TOP](#)**CURRENT**

Attribute	Description	
Name	CURRENT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**CONNO**

Attribute	Description	
Name	CONNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**ADDLN1**

Attribute	Description
Name	ADDLN1

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN2

Attribute	Description	
Name	ADDLN2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN3

Attribute	Description	
Name	ADDLN3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

PIN_CODE

Attribute	Description	
Name	PIN_CODE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CNTY

Attribute	Description	
Name	CNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

ADDLN4

Attribute	Description	
Name	ADDLN4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Employer-Details

Attribute	Description	
Name	Employer-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

EMPTYE

Attribute	Description	
Name	EMPTYE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	PART,FULL,CONT,SELF,OTHR

[TOP](#)

EMP

Attribute	Description	
Name	EMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

CUSTOCC

Attribute	Description	
Name	CUSTOCC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DESIG

Attribute	Description	
Name	DESIG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN1

Attribute	Description	
Name	ADDLN1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN2

Attribute	Description
-----------	-------------

Name	ADDLN2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN3

Attribute	Description	
Name	ADDLN3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN4

Attribute	Description	
Name	ADDLN4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

PIN_CODE

Attribute	Description	
Name	PIN_CODE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CNTY

Attribute	Description	
Name	CNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

PHONE

Attribute	Description	
Name	PHONE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EXTN

Attribute	Description	
Name	EXTN	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONTACT

Attribute	Description	
Name	CONTACT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONTNAME

Attribute	Description	
Name	CONTNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CONPHN

Attribute	Description	
Name	CONPHN	
Datatype	Number	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONPHNEXTN

Attribute	Description	
Name	CONPHNEXTN	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMMENT

Attribute	Description	
Name	COMMENT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DEPT

Attribute	Description	
Name	DEPT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

EMPID

Attribute	Description	
Name	EMPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

EMPYRS

Attribute	Description	
Name	EMPYRS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMPMONTHS

Attribute	Description	
Name	EMPMONTHS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

INCOMECCY

Attribute	Description	
Name	INCOMECCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

INCOMEAMT

Attribute	Description	
Name	INCOMEAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

ANNLTRNOVR

Attribute	Description	
Name	ANNLTRNOVR	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TYPE_OF_BUSS

Attribute	Description	
Name	TYPE_OF_BUSS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

TYP_OF_OWNER

Attribute	Description	
Name	TYP_OF_OWNER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

OTHERS

Attribute	Description
Name	OTHERS

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

NAME_BUSNS

Attribute	Description	
Name	NAME_BUSNS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Requested-Loan-Dtls

Attribute	Description	
Name	Requested-Loan-Dtls	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

REQCCY

Attribute	Description	
Name	REQCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

REQAMT

Attribute	Description	
Name	REQAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**TENORM**

Attribute	Description	
Name	TENORM	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**RATE**

Attribute	Description	
Name	RATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**DPMNTPER**

Attribute	Description	
Name	DPMNTPER	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**LOANPURPOSE**

Attribute	Description	
Name	LOANPURPOSE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**PAYMENT**

Attribute	Description	
Name	PAYMENT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**LEADID**

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**PURPOSE_OF_ACCNT**

Attribute	Description	
Name	PURPOSE OF ACCNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**OVR_LIM_REQ**

Attribute	Description	
Name	OVR_LIM_REQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**LOAN_TYPE**

Attribute	Description	
Name	LOAN_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	VEH,BUS,HOM,PER

[TOP](#)**TYPE_OF_ACCNT**

Attribute	Description	
Name	TYPE_OF_ACCNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	C,S

[TOP](#)

VEHICLE_TYPE

Attribute	Description	
Name	VEHICLE_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	F,T,C

[TOP](#)

PURCHASE_TYPE

Attribute	Description	
Name	PURCHASE_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	NEW,USD,CON,LAN,FLT,OTR

[TOP](#)

Financial-Dtls

Attribute	Description	
Name	Financial-Dtls	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number

Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

INCOMETYP

Attribute	Description	
Name	INCOMETYP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	S,R,B,O

[TOP](#)

Stage-Doc-Master

Attribute	Description	
Name	Stage-Doc-Master	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Doc-Upload

Attribute	Description	
Name	Doc-Upload	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

DCCATGRY

Attribute	Description	
Name	DCCATGRY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

DCREFNO

Attribute	Description	
Name	DCREFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

DOCTYPE

Attribute	Description	
Name	DOCTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

WORKFLOWREFERENCE

Attribute	Description
Name	WORKFLOWREFERENCE

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

REMARKS

Attribute	Description	
Name	REMARKS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Ui-Columns

Attribute	Description	
Name	Ui-Columns	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PRNAME

Attribute	Description	
Name	PRNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

[TOP](#)

Process-Advices

Attribute	Description	
Name	Process-Advices	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**RPNAM**

Attribute	Description	
Name	RPNAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**ATTEMP**

Attribute	Description	
Name	ATTEMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	30

[TOP](#)**ATTFMT**

Attribute	Description	
Name	ATTFMT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	PDF,RTF

[TOP](#)**ATTLCL**

Attribute	Description	
Name	ATTLCL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)**Report-Options**

Attribute	Description	
Name	Report-Options	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Checklist

Attribute	Description	
Name	Checklist	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

MANDATORY

Attribute	Description	
Name	MANDATORY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

CHECKLIST_ITEM

Attribute	Description	
Name	CHECKLIST_ITEM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

VERIFY

Attribute	Description	
Name	VERIFY	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

COMMENTS

Attribute	Description	
Name	COMMENTS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

Simulation-Details

Attribute	Description	
Name	Simulation-Details	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

APPCAT

Attribute	Description	
Name	APPCAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

USERREFNO

Attribute	Description	
Name	USERREFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)**PRDCD**

Attribute	Description	
Name	PRDCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	4

[TOP](#)**DESC**

Attribute	Description	
Name	DESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**APPBRN**

Attribute	Description	
Name	APPBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**ENQUIRY_ID**

Attribute	Description	
Name	ENQUIRY_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**ENQUIRY_DATE**

Attribute	Description	
Name	ENQUIRY_DATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FSTNM

Attribute	Description	
Name	FSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

LSTNM

Attribute	Description	
Name	LSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

CONTACTNO

Attribute	Description	
Name	CONTACTNO	
Datatype	Number	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMAIL

Attribute	Description	
Name	EMAIL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

STATUS

Attribute	Description	
Name	STATUS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	ACTIVE,CLOSED

[TOP](#)

REQID

Attribute	Description	
Name	REQID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REQDATE

Attribute	Description	
Name	REQDATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Requested-Dtls

Attribute	Description	
Name	Requested-Dtls	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

REQCCY

Attribute	Description	
Name	REQCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

REQAMT

Attribute	Description	
Name	REQAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TENORM

Attribute	Description	
Name	TENORM	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

INTRATE

Attribute	Description	
Name	INTRATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

PROMO

Attribute	Description	
Name	PROMO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

LOANPURPOSE

Attribute	Description	
Name	LOANPURPOSE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Loan-Offers

Attribute	Description	
Name	Loan-Offers	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

OFFERREFNO

Attribute	Description
Name	OFFERREFNO
Datatype	String

Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

OFFID

Attribute	Description	
Name	OFFID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

NOOFINST

Attribute	Description	
Name	NOOFINST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FREQUNIT

Attribute	Description	
Name	FREQUNIT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,W,M,Q,H,Y,B

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

RATE

Attribute	Description	
Name	RATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

RATECD

Attribute	Description	
Name	RATECD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FORMAT

Attribute	Description	
Name	FORMAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	PDF,RTF

[TOP](#)

ACCEPTED

Attribute	Description	
Name	ACCEPTED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Details

Attribute	Description	
Name	Loan-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

LOANAMT

Attribute	Description	
Name	LOANAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

LOANCCY

Attribute	Description	
Name	LOANCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

LNBRN

Attribute	Description	
Name	LNBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

VALDT

Attribute	Description	
Name	VALDT	
Datatype	Date	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TAX

Attribute	Description	
Name	TAX	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LNACNUM

Attribute	Description	
Name	LNACNUM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

STSCHGMD

Attribute	Description	
Name	STSCHGMD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,M

[TOP](#)

NOOFINST

Attribute	Description	
Name	NOOFINST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MATDT

Attribute	Description	
Name	MATDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FREQUNIT

Attribute	Description	
Name	FREQUNIT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,W,M,Q,H,Y,B

[TOP](#)

INSSTD

Attribute	Description	
Name	INSSTD	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Loan-Effective-Dates

Attribute	Description
Name	Loan-Effective-Dates
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

Loan-Ude-Values

Attribute	Description	
Name	Loan-Ude-Values	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

UDEID

Attribute	Description	
Name	UDEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	30

[TOP](#)

UDEVAL

Attribute	Description	
Name	UDEVAL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

RATECODE

Attribute	Description
Name	RATECODE

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CODEUSAGE

Attribute	Description	
Name	CODEUSAGE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	,P,A

[TOP](#)

RESOLVEDVAL

Attribute	Description	
Name	RESOLVEDVAL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Loan-Components

Attribute	Description	
Name	Loan-Components	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**COMPCCY**

Attribute	Description	
Name	COMPCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**MAINCOMP**

Attribute	Description	
Name	MAINCOMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**LIQDMD**

Attribute	Description	
Name	LIQDMD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,M

[TOP](#)**CAPITALIZED**

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**WAIVE**

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

VERFUNDS

Attribute	Description	
Name	VERFUNDS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Schedule-Master

Attribute	Description	
Name	Loan-Schedule-Master	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

SCHTYP

Attribute	Description	
Name	SCHTYP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,D,R,X

[TOP](#)

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number

Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

UNIT

Attribute	Description	
Name	UNIT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,W,M,Q,H,Y,B

[TOP](#)

SCHSTD

Attribute	Description	
Name	SCHSTD	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

FRSTDUEDT

Attribute	Description	
Name	FRSTDUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMT

Attribute	Description
-----------	-------------

Name	AMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FORMULANAME

Attribute	Description	
Name	FORMULANAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SCHENDDT

Attribute	Description	
Name	SCHENDDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SCHFLG

Attribute	Description	
Name	SCHFLG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,M

[TOP](#)

EMIAMT

Attribute	Description	
Name	EMIAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CAPITALIZED

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

WAIVE

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

COMPOUND_DAYS

Attribute	Description	
Name	COMPOUND_DAYS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMPOUND_MONTHS

Attribute	Description	
Name	COMPOUND_MONTHS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMPOUND_YEARS

Attribute	Description	
Name	COMPOUND_YEARS	
Datatype	Number	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DUEDATESON

Attribute	Description	
Name	DUEDATESON	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DAYSYEAR

Attribute	Description	
Name	DAYSYEAR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,

[TOP](#)

DAYSMTM

Attribute	Description	
Name	DAYSMTM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,

[TOP](#)

Loan-Schedule-Details

Attribute	Description	
Name	Loan-Schedule-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ENQUIRY_ID

Attribute	Description
-----------	-------------

Name	ENQUIRY_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

COMPNM

Attribute	Description	
Name	COMPNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DUEDT

Attribute	Description	
Name	DUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTDUE

Attribute	Description	
Name	AMTDUE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMI_AMOUNT

Attribute	Description	
Name	EMI_AMOUNT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMORPRI

Attribute	Description	
Name	AMORPRI	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTSETTL

Attribute	Description	
Name	AMTSETTL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ACCRAMT

Attribute	Description	
Name	ACCRAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CAPITALIZED

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

WAIVE

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Disbursals

Attribute	Description	
Name	Loan-Disbursals	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ENQUIRY_ID

Attribute	Description	
Name	ENQUIRY_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SCHDUEDT

Attribute	Description	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TOTDSBRAMT

Attribute	Description
-----------	-------------

Name	TOTDSBRAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTTODSBR

Attribute	Description	
Name	AMTTODSBR	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTDISBURSED

Attribute	Description	
Name	AMTDISBURSED	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Loan-Disbursal-Split

Attribute	Description	
Name	Loan-Disbursal-Split	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

SPLSEQNO

Attribute	Description	
Name	SPLSEQNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CUST

Attribute	Description	
Name	CUST	
Datatype	String	

Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

[TOP](#)

SPLPERCENTAGE

Attribute	Description	
Name	SPLPERCENTAGE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMOD

Attribute	Description	
Name	PAYMOD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

SETTLACNO

Attribute	Description	
Name	SETTLACNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

SETTLACBRN

Attribute	Description	
Name	SETTLACBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

STLCCY

Attribute	Description	
Name	STLCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

ACDESC

Attribute	Description	
Name	ACDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

SPLITAMT

Attribute	Description	
Name	SPLITAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Loan-Charge-Component

Attribute	Description	
Name	Loan-Charge-Component	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String

Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

COMPCCY

Attribute	Description	
Name	COMPCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

WAIVE

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Charge-Details

Attribute	Description	
Name	Loan-Charge-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**EVENTCD**

Attribute	Description	
Name	EVENTCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**AMT**

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**AMTSETTLED**

Attribute	Description	
Name	AMTSETTLED	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**SCHDUEDT**

Attribute	Description	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**Report-Options**

Attribute	Description	
Name	Report-Options	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**FCUBS_ERROR_RESP**

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**ERROR**

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)**ECODE**

Attribute	Description	
Name	ECODE	
Datatype	String	
Description		

[TOP](#)**EDESC**

Attribute	Description	
Name	EDESC	
Datatype	String	
Description		

[TOP](#)**FCUBS_WARNING_RESP**

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**WARNING**

Attribute	Description	
Name	WARNING	
Datatype		

Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

[TOP](#)

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

[TOP](#)

2.2.QueryFCDBLead

QueryFCDBLead

2.2.1.OR-QueryFCDBLead-Res-Full-MSG.xsd

```
FCUBS_HEADER
  SOURCE
  UBSCOMP
  MSGID
  CORRELID
  USERID
  BRANCH
  MODULEID
  SERVICE
  OPERATION
  SOURCE_OPERATION
  SOURCE_USERID
  DESTINATION
  MULTITRIPID
  FUNCTIONID
  ACTION
  MSGSTAT
  PASSWORD
  ADDL
    PARAM
      NAME
      VALUE
FCUBS_BODY
  CHOICE
    Application-Details-IO
      LEADID
    Application-Details-Full
      LEADID
      APPTYPE
      DESCRIPTION
      BRN
      DOE
      NEW_AC_NO
      PROMOTION_CODE
      CONV_ID
      REQUESTDATE
      CHANNEL
      NEWSTAT
      CURRENT_STATUS
```

REQID
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Customer-Details
SEQNO
CUSTTYPE
RESPONSIBILITY
LIABILITY
SALUT
FSTNM
MIDNM
LSTNM
SNAME
NATID
CNTY
NLTY
SSN
CUSTCAT
GENDER
DOB
MOTHERNM
LANG
DEPEND
EMAIL
MARSTAT
PASSNO
PASSISDT
PASSEXPDT
MOBNO
LANDNO
OFFNO
FAX
FINCCY
INCORPDT
CAPITAL
NETWORTH
BUSDESC
INCORPCNTY
CUSTNAME

LEADID
EXISTING
CUSTNO
CUSID_ACCNU
RELATION_TYPE
CR_CD_NO
PREF_TIME_OF_CONT
PRE_DATE_OF_CONTACT
CITY
LCLBRN

Customer-Address

LEADID
ADDTYPE
CURRENT
CONNO
ADDLN1
ADDLN2
ADDLN3
PIN_CODE
CNTY
ADDLN4

Employer-Details

LEADID
EMPTYTYPE
EMP
CUSTOCC
DESIG
ADDLN1
ADDLN2
ADDLN3
ADDLN4
PIN_CODE
CNTY
PHONE
EXTN
CONTACT
CONTNAME
CONPHN
CONPHNEXTN
COMMENT
DEPT
EMPID
FREQ
EMPYRS

EMPMONTHS
INCOMECCY
INCOMEAMT
CCY
ANNLTRNOVR
TYPE_OF_BUSS
TYP_OF_OWNER
OTHERS
NAME_BUSNS
Requested-Loan-Dtls
REQCCY
REQAMT
TENORM
RATE
DPMNTPER
LOANPURPOSE
PAYMENT
LEADID
PURPOSE_OF_ACCNT
OVR_LIM_REQ
LOAN_TYPE
TYPE_OF_ACCNT
VEHICLE_TYPE
PURCHASE_TYPE
Financial-Dtls
AMOUNT
FREQ
CCY
INCOMETYP
Stage-Doc-Master
Doc-Upload
DCCATGRY
DCREFNO
DOCTYPE
WORKFLOWREFERENCE
REMARKS
Ui-Columns
PRNAME
Process-Advices
RPNAM
ATTTEMP
ATTFMT
ATTLCL
Report-Options

Checklist

MANDATORY
CHECKLIST_ITEM
VERIFY
COMMENTS

Simulation-Details

APPCAT
USERREFNO
PRDCD
DESC
APPBRN
ENQUIRY_ID
ENQUIRY_DATE
CUSTNO
FSTNM
LSTNM
CONTACTNO
EMAIL
STATUS
REQID
REQDATE
LEADID

Requested-Dtls

REQCCY
REQAMT
TENORM
INTRATE
PROMO
LOANPURPOSE

Loan-Offers

OFFERREFNO
OFFID
NOOFINST
FREQUNIT
FREQ
RATE
RATECD
FORMAT
ACCEPTED

Loan-Details

LOANAMT
LOANCCY
LNBRN
VALDT

TAX
LNACNUM
STSGHMD
NOOFINST
MATDT
FREQUNIT
INSSTD
FREQ
Loan-Effective-Dates
EFFDT
Loan-Ude-Values
UDEID
UDEVAL
RATECODE
CODEUSAGE
RESOLVEDVAL
Loan-Components
COMPNAME
COMPCCY
MAINCOMP
LIQDMD
CAPITALIZED
WAIVE
VERFUNDS
Loan-Schedule-Master
SCHTYP
NOOFSCH
FREQ
UNIT
SCHSTD
FRSTDUEDT
AMT
FORMULANAME
SCHENDDT
SCHFLG
EMIAMT
CAPITALIZED
WAIVE
COMPOUNDDAYS
COMPOUNDMONTHS
COMPOUNDYEARS
DUEDATESON
DAYSYEAR
DAYSMTH

Loan-Schedule-Details

ENQUIRY_ID
COMPNM
DUEDT
AMTDUE
EMI_AMOUNT
AMORPRI
AMTSETTL
ACCRAMT
CAPITALIZED
WAIVE

Loan-Disbursals

ENQUIRY_ID
COMPNAME
SCHDUEDT
TOTDSBRAMT
AMTTODSBR
AMTDISBURSED

Loan-Disbursal-Split

SPLSEQNO
CUST
SPLPERCENTAGE
PAYMOD
SETTLACNO
SETTLACCBRN
STLCCY
ACDESC
SPLITAMT

Loan-Charge-Component

COMPNAME
COMPCCY
EFFDT
WAIVE

Loan-Charge-Details

EVENTCD
AMT
AMTSETTLED
SCHDUEDT

Report-Options

FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description				
Name	SOURCE				
Datatype	String				
Description					
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*
Restrictions	Description				
pattern	[a-zA-Z_0-9]*				

[TOP](#)

UBSCOMP

Attribute	Description				
Name	UBSCOMP				
Datatype	String				
Description					
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>	Restrictions	Description	enumeration	FCUBS,FCIS
Restrictions	Description				
enumeration	FCUBS,FCIS				

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description				
Name	CORRELID				
Datatype	String				
Description					
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>	Attribute	Description	minOccurs	0
Attribute	Description				
minOccurs	0				

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/*]

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

[TOP](#)

CHOICE

Attribute	Description
-----------	-------------

Name	CHOICE
Datatype	
Description	

[TOP](#)

Application-Details-IO

Attribute	Description	
Name	Application-Details-IO	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Application-Details-Full

Attribute	Description	
Name	Application-Details-Full	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

APPTYPE

Attribute	Description
-----------	-------------

Name	APPTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	RET,COR,CAS

[TOP](#)

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

DOE

Attribute	Description	
Name	DOE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

NEW_AC_NO

Attribute	Description	
Name	NEW_AC_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

PROMOTION_CODE

Attribute	Description	
Name	PROMOTION_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CONV_ID

Attribute	Description	
Name	CONV_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

REQUESTDATE

Attribute	Description	
Name	REQUESTDATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CHANNEL

Attribute	Description	
Name	CHANNEL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	I,M,W

[TOP](#)

NEWSTAT

Attribute	Description	
Name	NEWSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CURRENT_STATUS

Attribute	Description	
Name	CURRENT_STATUS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REQID

Attribute	Description	
Name	REQID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Customer-Details

Attribute	Description	
Name	Customer-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

SEQNO

Attribute	Description	
Name	SEQNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

CUSTTYPE

Attribute	Description	
Name	CUSTTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,C

[TOP](#)

RESPONSIBILITY

Attribute	Description
-----------	-------------

Name	RESPONSIBILITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	,AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

[TOP](#)

LIABILITY

Attribute	Description	
Name	LIABILITY	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SALUT

Attribute	Description	
Name	SALUT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Mr,Mrs,Miss,Dr

[TOP](#)

FSTNM

Attribute	Description	
Name	FSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

MIDNM

Attribute	Description	
Name	MIDNM	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

LSTNM

Attribute	Description	
Name	LSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

SNAME

Attribute	Description	
Name	SNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

NATID

Attribute	Description	
Name	NATID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

CNTY

Attribute	Description	
Name	CNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

NLTY

Attribute	Description	
Name	NLTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

SSN

Attribute	Description	
Name	SSN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	11

[TOP](#)

CUSTCAT

Attribute	Description	
Name	CUSTCAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

GENDER

Attribute	Description	
Name	GENDER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,F

[TOP](#)**DOB**

Attribute	Description	
Name	DOB	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**MOTHERNM**

Attribute	Description	
Name	MOTHERNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**LANG**

Attribute	Description	
Name	LANG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**DEPEND**

Attribute	Description	
Name	DEPEND	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**EMAIL**

Attribute	Description	
Name	EMAIL	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

MARSTAT

Attribute	Description	
Name	MARSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,M,D,R,P,E

[TOP](#)

PASSNO

Attribute	Description	
Name	PASSNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

PASSISSDT

Attribute	Description	
Name	PASSISSDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PASSEXPDT

Attribute	Description	
Name	PASSEXPDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MOBNO

Attribute	Description	
Name	MOBNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LANDNO

Attribute	Description	
Name	LANDNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

OFFNO

Attribute	Description	
Name	OFFNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FAX

Attribute	Description	
Name	FAX	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FINCCY

Attribute	Description	
Name	FINCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

INCORPDT

Attribute	Description	
Name	INCORPDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CAPITAL

Attribute	Description	
Name	CAPITAL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NETWORTH

Attribute	Description	
Name	NETWORTH	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

BUSDESC

Attribute	Description	
Name	BUSDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

INCORPCNTY

Attribute	Description	
Name	INCORPCNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CUSTNAME

Attribute	Description	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

EXISTING

Attribute	Description	
Name	EXISTING	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**CUSID_ACCNU**

Attribute	Description	
Name	CUSID_ACCNU	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)**RELATION_TYPE**

Attribute	Description	
Name	RELATION_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**CR_CD_NO**

Attribute	Description	
Name	CR_CD_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)**PREF_TIME_OF_CONT**

Attribute	Description	
Name	PREF_TIME_OF_CONT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24

[TOP](#)

PRE_DATE_OF_CONTACT

Attribute	Description	
Name	PRE_DATE_OF_CONTACT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CITY

Attribute	Description	
Name	CITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

LCLBRN

Attribute	Description	
Name	LCLBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

Customer-Address

Attribute	Description	
Name	Customer-Address	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

LEADID

Attribute	Description
Name	LEADID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

ADDTYPE

Attribute	Description	
Name	ADDTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,H,W,T,O,C,R

[TOP](#)

CURRENT

Attribute	Description	
Name	CURRENT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

CONNO

Attribute	Description	
Name	CONNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ADDLN1

Attribute	Description	
Name	ADDLN1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**ADDLN2**

Attribute	Description	
Name	ADDLN2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**ADDLN3**

Attribute	Description	
Name	ADDLN3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**PIN_CODE**

Attribute	Description	
Name	PIN_CODE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**CNTY**

Attribute	Description	
Name	CNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**ADDLN4**

Attribute	Description
Name	ADDLN4

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Employer-Details

Attribute	Description	
Name	Employer-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

EMPTYE

Attribute	Description	
Name	EMPTYE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	PART,FULL,CONT,SELF,OTHR

[TOP](#)

EMP

Attribute	Description	
Name	EMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

CUSTOCC

Attribute	Description	
Name	CUSTOCC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DESIG

Attribute	Description	
Name	DESIG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN1

Attribute	Description	
Name	ADDLN1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN2

Attribute	Description	
Name	ADDLN2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**ADDLN3**

Attribute	Description	
Name	ADDLN3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**ADDLN4**

Attribute	Description	
Name	ADDLN4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**PIN_CODE**

Attribute	Description	
Name	PIN_CODE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**CNTY**

Attribute	Description	
Name	CNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**PHONE**

Attribute	Description
Name	PHONE

Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EXTN

Attribute	Description	
Name	EXTN	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONTACT

Attribute	Description	
Name	CONTACT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONTNAME

Attribute	Description	
Name	CONTNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CONPHN

Attribute	Description	
Name	CONPHN	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONPHNEXTN

Attribute	Description	
Name	CONPHNEXTN	

Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMMENT

Attribute	Description	
Name	COMMENT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DEPT

Attribute	Description	
Name	DEPT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

EMPID

Attribute	Description	
Name	EMPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

EMPYRS

Attribute	Description	
Name	EMPYRS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMPMONTHS

Attribute	Description	
Name	EMPMONTHS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

INCOMECCY

Attribute	Description	
Name	INCOMECCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

INCOMEAMT

Attribute	Description	
Name	INCOMEAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

ANNLTRNOVR

Attribute	Description	
Name	ANNLTRNOVR	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TYPE_OF_BUSS

Attribute	Description	
Name	TYPE_OF_BUSS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

TYP_OF_OWNER

Attribute	Description	
Name	TYP OF OWNER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

OTHERS

Attribute	Description	
Name	OTHERS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**NAME_BUSNS**

Attribute	Description	
Name	NAME_BUSNS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**Requested-Loan-Dtls**

Attribute	Description	
Name	Requested-Loan-Dtls	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**REQCCY**

Attribute	Description	
Name	REQCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**REQAMT**

Attribute	Description	
Name	REQAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**TENORM**

Attribute	Description	
Name	TENORM	
Datatype	Number	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

RATE

Attribute	Description	
Name	RATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DPMNTPER

Attribute	Description	
Name	DPMNTPER	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LOANPURPOSE

Attribute	Description	
Name	LOANPURPOSE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

PAYMENT

Attribute	Description	
Name	PAYMENT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

PURPOSE_OF_ACCNT

Attribute	Description	
Name	PURPOSE_OF_ACCNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

OVR_LIM_REQ

Attribute	Description	
Name	OVR_LIM_REQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

LOAN_TYPE

Attribute	Description	
Name	LOAN_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	VEH,BUS,HOM,PER

[TOP](#)

TYPE_OF_ACCNT

Attribute	Description	
Name	TYPE_OF_ACCNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	C,S

[TOP](#)

VEHICLE_TYPE

Attribute	Description	
Name	VEHICLE_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	F,T,C

[TOP](#)

PURCHASE_TYPE

Attribute	Description	
Name	PURCHASE_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	NEW,USD,CON,LAN,FLT,OTR

[TOP](#)

Financial-Dtls

Attribute	Description	
Name	Financial-Dtls	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

FREQ

Attribute	Description
-----------	-------------

Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

INCOMETYP

Attribute	Description	
Name	INCOMETYP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	S,R,B,O

[TOP](#)

Stage-Doc-Master

Attribute	Description	
Name	Stage-Doc-Master	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Doc-Upload

Attribute	Description	
Name	Doc-Upload	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**DCCATGRY**

Attribute	Description	
Name	DCCATGRY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)**DCREFNO**

Attribute	Description	
Name	DCREFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)**DOCTYPE**

Attribute	Description	
Name	DOCTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)**WORKFLOWREFERENCE**

Attribute	Description	
Name	WORKFLOWREFERENCE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)**REMARKS**

Attribute	Description	
Name	REMARKS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Ui-Columns

Attribute	Description	
Name	Ui-Columns	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PRNAME

Attribute	Description	
Name	PRNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

[TOP](#)

Process-Advices

Attribute	Description	
Name	Process-Advices	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

RPNAM

Attribute	Description
Name	RPNAM
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

ATTTEMP

Attribute	Description	
Name	ATTTEMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	30

[TOP](#)

ATTFMT

Attribute	Description	
Name	ATTFMT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	PDF,RTF

[TOP](#)

ATTLCL

Attribute	Description	
Name	ATTLCL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

Report-Options

Attribute	Description	
Name	Report-Options	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

Checklist

Attribute	Description	
Name	Checklist	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

MANDATORY

Attribute	Description	
Name	MANDATORY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

CHECKLIST_ITEM

Attribute	Description	
Name	CHECKLIST_ITEM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

VERIFY

Attribute	Description	
Name	VERIFY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

COMMENTS

Attribute	Description
-----------	-------------

Name	COMMENTS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

Simulation-Details

Attribute	Description	
Name	Simulation-Details	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

APPCAT

Attribute	Description	
Name	APPCAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

USERREFNO

Attribute	Description	
Name	USERREFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

PRDCD

Attribute	Description	
Name	PRDCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	4

[TOP](#)

DESC

Attribute	Description	
Name	DESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

APPBRN

Attribute	Description	
Name	APPBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

ENQUIRY_ID

Attribute	Description	
Name	ENQUIRY_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

ENQUIRY_DATE

Attribute	Description	
Name	ENQUIRY_DATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FSTNM

Attribute	Description	
Name	FSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

LSTNM

Attribute	Description	
Name	LSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

CONTACTNO

Attribute	Description	
Name	CONTACTNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

STATUS

Attribute	Description	
Name	STATUS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	ACTIVE,CLOSED

[TOP](#)

REQID

Attribute	Description	
Name	REQID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REQDATE

Attribute	Description	
Name	REQDATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**Requested-Dtls**

Attribute	Description	
Name	Requested-Dtls	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**REQCCY**

Attribute	Description	
Name	REQCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**REQAMT**

Attribute	Description	
Name	REQAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**TENORM**

Attribute	Description	
Name	TENORM	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**INTRATE**

Attribute	Description	
Name	INTRATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

PROMO

Attribute	Description	
Name	PROMO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

LOANPURPOSE

Attribute	Description	
Name	LOANPURPOSE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Loan-Offers

Attribute	Description	
Name	Loan-Offers	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

OFFERREFNO

Attribute	Description	
Name	OFFERREFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

OFFID

Attribute	Description
-----------	-------------

Name	OFFID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

NOOFINST

Attribute	Description	
Name	NOOFINST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FREQUNIT

Attribute	Description	
Name	FREQUNIT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,W,M,Q,H,Y,B

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

RATE

Attribute	Description	
Name	RATE	
Datatype	Number	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

RATECD

Attribute	Description	
Name	RATECD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FORMAT

Attribute	Description	
Name	FORMAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	PDF,RTF

[TOP](#)

ACCEPTED

Attribute	Description	
Name	ACCEPTED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Details

Attribute	Description	
Name	Loan-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

LOANAMT

Attribute	Description	
Name	LOANAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

LOANCCY

Attribute	Description	
Name	LOANCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

LNBRN

Attribute	Description	
Name	LNBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

VALDT

Attribute	Description	
Name	VALDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TAX

Attribute	Description
Name	TAX
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LNACNUM

Attribute	Description	
Name	LNACNUM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

STSCHGMD

Attribute	Description	
Name	STSCHGMD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,M

[TOP](#)

NOOFINST

Attribute	Description	
Name	NOOFINST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MATDT

Attribute	Description	
Name	MATDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FREQUNIT

Attribute	Description	
Name	FREQUNIT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,W,M,Q,H,Y,B

[TOP](#)

INSSTD

Attribute	Description	
Name	INSSTD	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Loan-Effective-Dates

Attribute	Description	
Name	Loan-Effective-Dates	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		

Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

Loan-Ude-Values

Attribute	Description	
Name	Loan-Ude-Values	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

UDEID

Attribute	Description	
Name	UDEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	30

[TOP](#)

UDEVAL

Attribute	Description	
Name	UDEVAL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

RATECODE

Attribute	Description	
Name	RATECODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CODEUSAGE

Attribute	Description
-----------	-------------

Name	CODEUSAGE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	,P,A

[TOP](#)

RESOLVEDVAL

Attribute	Description	
Name	RESOLVEDVAL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Loan-Components

Attribute	Description	
Name	Loan-Components	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

COMPCCY

Attribute	Description	
Name	COMPCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**MAINCOMP**

Attribute	Description	
Name	MAINCOMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**LIQDMD**

Attribute	Description	
Name	LIQDMD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,M

[TOP](#)**CAPITALIZED**

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**WAIVE**

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**VERFUNDS**

Attribute	Description	
Name	VERFUNDS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Schedule-Master

Attribute	Description	
Name	Loan-Schedule-Master	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

SCHTYP

Attribute	Description	
Name	SCHTYP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,D,R,X

[TOP](#)

NOOFSCH

Attribute	Description	
Name	NOOFSCH	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FREQ

Attribute	Description
Name	FREQ
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

UNIT

Attribute	Description	
Name	UNIT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,W,M,Q,H,Y,B

[TOP](#)

SCHSTD

Attribute	Description	
Name	SCHSTD	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

FRSTDUEDT

Attribute	Description	
Name	FRSTDUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FORMULANAME

Attribute	Description
Name	FORMULANAME

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SCHENDDT

Attribute	Description	
Name	SCHENDDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SCHFLG

Attribute	Description	
Name	SCHFLG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,M

[TOP](#)

EMIAMT

Attribute	Description	
Name	EMIAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CAPITALIZED

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

WAIVE

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

COMPOUND_DAYS

Attribute	Description	
Name	COMPOUND_DAYS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMPOUND_MONTHS

Attribute	Description	
Name	COMPOUND_MONTHS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMPOUND_YEARS

Attribute	Description	
Name	COMPOUND_YEARS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DUE_DATES_ON

Attribute	Description	
Name	DUE_DATES_ON	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DAYSYEAR

Attribute	Description	
Name	DAYSYEAR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,

[TOP](#)

DAYSMTM

Attribute	Description	
Name	DAYSMTM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,

[TOP](#)

Loan-Schedule-Details

Attribute	Description	
Name	Loan-Schedule-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ENQUIRY_ID

Attribute	Description	
Name	ENQUIRY_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

COMPNM

Attribute	Description
-----------	-------------

Name	COMPNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DUEDT

Attribute	Description	
Name	DUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTDUE

Attribute	Description	
Name	AMTDUE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMI_AMOUNT

Attribute	Description	
Name	EMI_AMOUNT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMORPRI

Attribute	Description	
Name	AMORPRI	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTSETTL

Attribute	Description
-----------	-------------

Name	AMTSETTL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ACCRAMT

Attribute	Description	
Name	ACCRAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CAPITALIZED

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

WAIVE

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Disbursals

Attribute	Description	
Name	Loan-Disbursals	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**ENQUIRY_ID**

Attribute	Description	
Name	ENQUIRY_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**COMPNAME**

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**SCHDUEDT**

Attribute	Description	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**TOTDSBRAMT**

Attribute	Description	
Name	TOTDSBRAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**AMTTODSBR**

Attribute	Description	
Name	AMTTODSBR	
Datatype	Number	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTDISBURSED

Attribute	Description	
Name	AMTDISBURSED	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Loan-Disbursal-Split

Attribute	Description	
Name	Loan-Disbursal-Split	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

SPLSEQNO

Attribute	Description	
Name	SPLSEQNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CUST

Attribute	Description	
Name	CUST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

[TOP](#)

SPLPERCENTAGE

Attribute	Description	
Name	SPLPERCENTAGE	
Datatype	Number	

Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMOD

Attribute	Description	
Name	PAYMOD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

SETTLACNO

Attribute	Description	
Name	SETTLACNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

SETTLACBRN

Attribute	Description	
Name	SETTLACBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

STLCCY

Attribute	Description	
Name	STLCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

ACDESC

Attribute	Description	
Name	ACDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

SPLITAMT

Attribute	Description	
Name	SPLITAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Loan-Charge-Component

Attribute	Description	
Name	Loan-Charge-Component	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String

Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

WAIVE

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Charge-Details

Attribute	Description	
Name	Loan-Charge-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

EVENTCD

Attribute	Description	
Name	EVENTCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**AMT**

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**AMTSETTLED**

Attribute	Description	
Name	AMTSETTLED	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**SCHDUEDT**

Attribute	Description	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**Report-Options**

Attribute	Description	
Name	Report-Options	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**FCUBS_ERROR_RESP**

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

[TOP](#)

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

[TOP](#)

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

[TOP](#)

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

[TOP](#)

2.2.2.OR-QueryFCDBLead-Req-IO-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

PASSWORD

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Application-Details-IO

LEADID

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description
Name	ACTION

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/?]*

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**NAME**

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)**VALUE**

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)**FCUBS_BODY**

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

[TOP](#)**Application-Details-IO**

Attribute	Description
Name	Application-Details-IO
Datatype	
Description	

[TOP](#)**LEADID**

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

2.3.ModifyFCDBLead

ModifyFCDBLead

2.3.1.OR-ModifyFCDBLead-Res-Full-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

PASSWORD

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Application-Details-Full

LEADID

APPTYPE

DESCRIPTION

BRN

DOE

NEW_AC_NO

PROMOTION_CODE

CONV_ID

REQUESTDATE

CHANNEL

NEWSTAT

CURRENT_STATUS

REQID

MAKER

MAKERSTAMP

CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Customer-Details
SEQNO
CUSTTYPE
RESPONSIBILITY
LIABILITY
SALUT
FSTNM
MIDNM
LSTNM
SNAME
NATID
CNTY
NLTY
SSN
CUSTCAT
GENDER
DOB
MOTHERNM
LANG
DEPEND
EMAIL
MARSTAT
PASSNO
PASSISDT
PASSEXPDT
MOBNO
LANDNO
OFFNO
FAX
FINCCY
INCORPDT
CAPITAL
NETWORTH
BUSDESC
INCORPCNTY
CUSTNAME
LEADID
EXISTING
CUSTNO

CUSID_ACCNU
RELATION_TYPE
CR_CD_NO
PREF_TIME_OF_CONT
PRE_DATE_OF_CONTACT
CITY
LCLBRN

Customer-Address

LEADID
ADDTYPE
CURRENT
CONNO
ADDLN1
ADDLN2
ADDLN3
PIN_CODE
CNTY
ADDLN4

Employer-Details

LEADID
EMPTYTYPE
EMP
CUSTOCC
DESIG
ADDLN1
ADDLN2
ADDLN3
ADDLN4
PIN_CODE
CNTY
PHONE
EXTN
CONTACT
CONTNAME
CONPHN
CONPHNEXTN
COMMENT
DEPT
EMPID
FREQ
EMPYRS
EMPMONTHS
INCOMECCY
INCOMEAMT

CCY
ANLNTRNOVR
TYPE_OF_BUSS
TYP_OF_OWNER
OTHERS
NAME_BUSNS
Requested-Loan-Dtls
REQCCY
REQAMT
TENORM
RATE
DPMNTPER
LOANPURPOSE
PAYMENT
LEADID
PURPOSE_OF_ACCNT
OVR_LIM_REQ
LOAN_TYPE
TYPE_OF_ACCNT
VEHICLE_TYPE
PURCHASE_TYPE
Financial-Dtls
AMOUNT
FREQ
CCY
INCOMETYP
Stage-Doc-Master
Doc-Upload
DCCATGRY
DCREFNO
DOCTYPE
WORKFLOWREFERENCE
REMARKS
Ui-Columns
PRNAME
Process-Advices
RPNAM
ATTTEMP
ATTFMT
ATTLCL
Report-Options
Checklist
MANDATORY
CHECKLIST_ITEM

VERIFY
COMMENTS
Simulation-Details
APPCAT
USERREFNO
PRDCD
DESC
APPBRN
ENQUIRY_ID
ENQUIRY_DATE
CUSTNO
FSTNM
LSTNM
CONTACTNO
EMAIL
STATUS
REQID
REQDATE
LEADID
Requested-Dtls
REQCCY
REQAMT
TENORM
INTRATE
PROMO
LOANPURPOSE
Loan-Offers
OFFERREFNO
OFFID
NOOFINST
FREQUINT
FREQ
RATE
RATECD
FORMAT
ACCEPTED
Loan-Details
LOANAMT
LOANCCY
LNBRN
VALDT
TAX
LNACNUM
STSCHGMD

NOOFINST

MATDT

FREQUNIT

INSSTDY

FREQ

Loan-Effective-Dates

EFFDT

Loan-Ude-Values

UDEID

UDEVAL

RATECODE

CODEUSAGE

RESOLVEDVAL

Loan-Components

COMPNAME

COMPCCY

MAINCOMP

LIQDMD

CAPITALIZED

WAIVE

VERFUNDS

Loan-Schedule-Master

SCHTYP

NOOFSCH

FREQ

UNIT

SCHSTDY

FRSTDUEDY

AMT

FORMULANAME

SCHENDDY

SCHFLG

EMIAMT

CAPITALIZED

WAIVE

COMPOUNDDAYS

COMPOUNDMONTHS

COMPOUNDYEARS

DUEDATESON

DAYSYEAR

DAYSMTY

Loan-Schedule-Details

ENQUIRY_ID

COMPNM

DUEDT
 AMTDUE
 EMI_AMOUNT
 AMORPRI
 AMTSETTL
 ACCRAMT
 CAPITALIZED
 WAIVE
 Loan-Disbursals
 ENQUIRY_ID
 COMPNAME
 SCHDUEDT
 TOTDSBRAMT
 AMTTODSBR
 AMTDISBURSED
 Loan-Disbursal-Split
 SPLSEQNO
 CUST
 SPLPERCENTAGE
 PAYMOD
 SETTLACNO
 SETTLACCBRN
 STLCCY
 ACDESC
 SPLITAMT
 Loan-Charge-Component
 COMPNAME
 COMPCCY
 EFFDT
 WAIVE
 Loan-Charge-Details
 EVENTCD
 AMT
 AMTSETTLED
 SCHDUEDT
 Report-Options
 FCUBS_ERROR_RESP
 ERROR
 ECODE
 EDESC
 FCUBS_WARNING_RESP
 WARNING
 WCODE
 WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description				
Name	SOURCE				
Datatype	String				
Description					
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*
Restrictions	Description				
pattern	[a-zA-Z_0-9]*				

[TOP](#)

UBSCOMP

Attribute	Description				
Name	UBSCOMP				
Datatype	String				
Description					
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>	Restrictions	Description	enumeration	FCUBS,FCIS
Restrictions	Description				
enumeration	FCUBS,FCIS				

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z 0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/*]*

[TOP](#)**ADDL**

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**PARAM**

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**NAME**

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)**VALUE**

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)**FCUBS_BODY**

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

[TOP](#)**Application-Details-Full**

Attribute	Description
Name	Application-Details-Full
Datatype	
Description	

[TOP](#)**LEADID**

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**APPTYPE**

Attribute	Description	
Name	APPTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	RET,COR,CAS

[TOP](#)**DESCRIPTION**

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)**BRN**

Attribute	Description	
Name	BRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**DOE**

Attribute	Description	
Name	DOE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

NEW_AC_NO

Attribute	Description	
Name	NEW_AC_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

PROMOTION_CODE

Attribute	Description	
Name	PROMOTION_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CONV_ID

Attribute	Description	
Name	CONV_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

REQUESTDATE

Attribute	Description	
Name	REQUESTDATE	
Datatype	Date	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CHANNEL

Attribute	Description	
Name	CHANNEL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	I,M,W

[TOP](#)

NEWSTAT

Attribute	Description	
Name	NEWSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CURRENT_STATUS

Attribute	Description	
Name	CURRENT STATUS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REQID

Attribute	Description	
Name	REQID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Customer-Details

Attribute	Description	
Name	Customer-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

CUSTTYPE

Attribute	Description	
Name	CUSTTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,C

[TOP](#)

RESPONSIBILITY

Attribute	Description	
Name	RESPONSIBILITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	,AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

[TOP](#)

LIABILITY

Attribute	Description	
Name	LIABILITY	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SALUT

Attribute	Description	
Name	SALUT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Mr,Mrs,Miss,Dr

[TOP](#)**FSTNM**

Attribute	Description	
Name	FSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**MIDNM**

Attribute	Description	
Name	MIDNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**LSTNM**

Attribute	Description	
Name	LSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**SNAME**

Attribute	Description	
Name	SNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)**NATID**

Attribute	Description	
Name	NATID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

CNTY

Attribute	Description	
Name	CNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

NLTY

Attribute	Description	
Name	NLTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

SSN

Attribute	Description	
Name	SSN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	11

[TOP](#)

CUSTCAT

Attribute	Description
Name	CUSTCAT

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

GENDER

Attribute	Description	
Name	GENDER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,F

[TOP](#)

DOB

Attribute	Description	
Name	DOB	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MOTHERNM

Attribute	Description	
Name	MOTHERNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

LANG

Attribute	Description	
Name	LANG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

DEPEND

Attribute	Description	
Name	DEPEND	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMAIL

Attribute	Description	
Name	EMAIL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

MARSTAT

Attribute	Description	
Name	MARSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,M,D,R,P,E

[TOP](#)

PASSNO

Attribute	Description	
Name	PASSNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

PASSISSDT

Attribute	Description	
Name	PASSISSDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PASSEXPDT

Attribute	Description	
Name	PASSEXPDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MOBNO

Attribute	Description	
Name	MOBNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LANDNO

Attribute	Description	
Name	LANDNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

OFFNO

Attribute	Description	
Name	OFFNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FAX

Attribute	Description
-----------	-------------

Name	FAX	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FINCCY

Attribute	Description	
Name	FINCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

INCORPDT

Attribute	Description	
Name	INCORPDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CAPITAL

Attribute	Description	
Name	CAPITAL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NETWORTH

Attribute	Description	
Name	NETWORTH	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

BUSDESC

Attribute	Description
------------------	--------------------

Name	BUSDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

INCORPCNTY

Attribute	Description	
Name	INCORPCNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CUSTNAME

Attribute	Description	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

EXISTING

Attribute	Description	
Name	EXISTING	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CUSID_ACCNU

Attribute	Description	
Name	CUSID_ACCNU	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

RELATION_TYPE

Attribute	Description	
Name	RELATION_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

CR_CD_NO

Attribute	Description	
Name	CR_CD_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

PREF_TIME_OF_CONT

Attribute	Description	
Name	PREF_TIME_OF_CONT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24

[TOP](#)

PRE_DATE_OF_CONTACT

Attribute	Description	
Name	PRE_DATE_OF_CONTACT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CITY

Attribute	Description	
Name	CITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

LCLBRN

Attribute	Description	
Name	LCLBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

Customer-Address

Attribute	Description	
Name	Customer-Address	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

ADDTYPE

Attribute	Description	
Name	ADDTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,H,W,T,O,C,R

[TOP](#)

CURRENT

Attribute	Description	
Name	CURRENT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

CONNO

Attribute	Description
Name	CONNO

Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ADDLN1

Attribute	Description	
Name	ADDLN1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN2

Attribute	Description	
Name	ADDLN2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN3

Attribute	Description	
Name	ADDLN3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

PIN_CODE

Attribute	Description	
Name	PIN_CODE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**CNTY**

Attribute	Description	
Name	CNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**ADDLN4**

Attribute	Description	
Name	ADDLN4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**Employer-Details**

Attribute	Description	
Name	Employer-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**LEADID**

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**EMPTYE**

Attribute	Description
-----------	-------------

Name	EMPTYTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	PART,FULL,CONT,SELF,OTHR

[TOP](#)

EMP

Attribute	Description	
Name	EMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

CUSTOCC

Attribute	Description	
Name	CUSTOCC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DESIG

Attribute	Description	
Name	DESIG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN1

Attribute	Description	
Name	ADDLN1	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN2

Attribute	Description	
Name	ADDLN2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN3

Attribute	Description	
Name	ADDLN3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN4

Attribute	Description	
Name	ADDLN4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

PIN_CODE

Attribute	Description	
Name	PIN_CODE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**CNTY**

Attribute	Description	
Name	CNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**PHONE**

Attribute	Description	
Name	PHONE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**EXTN**

Attribute	Description	
Name	EXTN	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**CONTACT**

Attribute	Description	
Name	CONTACT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**CONTNAME**

Attribute	Description	
Name	CONTNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CONPHN

Attribute	Description	
Name	CONPHN	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONPHNEXTN

Attribute	Description	
Name	CONPHNEXTN	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMMENT

Attribute	Description	
Name	COMMENT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DEPT

Attribute	Description	
Name	DEPT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

EMPID

Attribute	Description
Name	EMPID

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

EMPYRS

Attribute	Description	
Name	EMPYRS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMPMONTHS

Attribute	Description	
Name	EMPMONTHS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

INCOMECCY

Attribute	Description	
Name	INCOMECCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**INCOMEAMT**

Attribute	Description	
Name	INCOMEAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**CCY**

Attribute	Description	
Name	CCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**ANNLTRNOVR**

Attribute	Description	
Name	ANNLTRNOVR	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**TYPE_OF_BUSS**

Attribute	Description	
Name	TYPE_OF_BUSS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**TYP_OF_OWNER**

Attribute	Description	
Name	TYP_OF_OWNER	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

OTHERS

Attribute	Description	
Name	OTHERS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

NAME_BUSNS

Attribute	Description	
Name	NAME_BUSNS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Requested-Loan-Dtls

Attribute	Description	
Name	Requested-Loan-Dtls	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

REQCCY

Attribute	Description	
Name	REQCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**REQAMT**

Attribute	Description	
Name	REQAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**TENORM**

Attribute	Description	
Name	TENORM	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**RATE**

Attribute	Description	
Name	RATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**DPMNTPER**

Attribute	Description	
Name	DPMNTPER	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**LOANPURPOSE**

Attribute	Description	
Name	LOANPURPOSE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**PAYMENT**

Attribute	Description	
Name	PAYMENT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**LEADID**

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**PURPOSE_OF_ACCNT**

Attribute	Description	
Name	PURPOSE_OF_ACCNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**OVR_LIM_REQ**

Attribute	Description	
Name	OVR_LIM_REQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**LOAN_TYPE**

Attribute	Description
Name	LOAN_TYPE

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	VEH,BUS,HOM,PER

[TOP](#)

TYPE_OF_ACCNT

Attribute	Description	
Name	TYPE_OF_ACCNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	C,S

[TOP](#)

VEHICLE_TYPE

Attribute	Description	
Name	VEHICLE_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	F,T,C

[TOP](#)

PURCHASE_TYPE

Attribute	Description	
Name	PURCHASE_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	NEW,USD,CON,LAN,FLT,OTR

[TOP](#)

Financial-Dtls

Attribute	Description
Name	Financial-Dtls
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

INCOMETYP

Attribute	Description	
Name	INCOMETYP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	S,R,B,O

[TOP](#)

Stage-Doc-Master

Attribute	Description	
Name	Stage-Doc-Master	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Doc-Upload

Attribute	Description	
Name	Doc-Upload	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

DCCATGRY

Attribute	Description	
Name	DCCATGRY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

DCREFNO

Attribute	Description	
Name	DCREFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

DOCTYPE

Attribute	Description
Name	DOCTYPE
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

WORKFLOWREFERENCE

Attribute	Description	
Name	WORKFLOWREFERENCE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

REMARKS

Attribute	Description	
Name	REMARKS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Ui-Columns

Attribute	Description	
Name	Ui-Columns	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PRNAME

Attribute	Description	
Name	PRNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

[TOP](#)

Process-Advices

Attribute	Description	
Name	Process-Advices	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

RPNAM

Attribute	Description	
Name	RPNAM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

ATTEMP

Attribute	Description	
Name	ATTEMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	30

[TOP](#)

ATTFMT

Attribute	Description	
Name	ATTFMT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	PDF,RTF

[TOP](#)

ATTLCL

Attribute	Description
-----------	-------------

Name	ATTLCL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

Report-Options

Attribute	Description	
Name	Report-Options	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Checklist

Attribute	Description	
Name	Checklist	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

MANDATORY

Attribute	Description	
Name	MANDATORY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

CHECKLIST_ITEM

Attribute	Description	
Name	CHECKLIST_ITEM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

VERIFY

Attribute	Description	
Name	VERIFY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

COMMENTS

Attribute	Description	
Name	COMMENTS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

Simulation-Details

Attribute	Description	
Name	Simulation-Details	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

APPCAT

Attribute	Description	
Name	APPCAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

USERREFNO

Attribute	Description
Name	USERREFNO

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

PRDCD

Attribute	Description	
Name	PRDCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	4

[TOP](#)

DESC

Attribute	Description	
Name	DESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

APPBRN

Attribute	Description	
Name	APPBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

ENQUIRY_ID

Attribute	Description	
Name	ENQUIRY_ID	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

ENQUIRY_DATE

Attribute	Description	
Name	ENQUIRY_DATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FSTNM

Attribute	Description	
Name	FSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

LSTNM

Attribute	Description	
Name	LSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**CONTACTNO**

Attribute	Description	
Name	CONTACTNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**EMAIL**

Attribute	Description	
Name	EMAIL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)**STATUS**

Attribute	Description	
Name	STATUS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	ACTIVE,CLOSED

[TOP](#)**REQID**

Attribute	Description	
Name	REQID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**REQDATE**

Attribute	Description
Name	REQDATE

Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Requested-Dtls

Attribute	Description	
Name	Requested-Dtls	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

REQCCY

Attribute	Description	
Name	REQCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

REQAMT

Attribute	Description	
Name	REQAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TENORM

Attribute	Description	
Name	TENORM	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

INTRATE

Attribute	Description	
Name	INTRATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

PROMO

Attribute	Description	
Name	PROMO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

LOANPURPOSE

Attribute	Description	
Name	LOANPURPOSE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Loan-Offers

Attribute	Description	
Name	Loan-Offers	
Datatype		
Description		

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

OFFERREFNO

Attribute	Description	
Name	OFFERREFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

OFFID

Attribute	Description	
Name	OFFID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

NOOFINST

Attribute	Description	
Name	NOOFINST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FREQUNIT

Attribute	Description	
Name	FREQUNIT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,W,M,Q,H,Y,B

[TOP](#)**FREQ**

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)**RATE**

Attribute	Description	
Name	RATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**RATECD**

Attribute	Description	
Name	RATECD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**FORMAT**

Attribute	Description	
Name	FORMAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	PDF,RTF

[TOP](#)**ACCEPTED**

Attribute	Description
Name	ACCEPTED

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Details

Attribute	Description	
Name	Loan-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

LOANAMT

Attribute	Description	
Name	LOANAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

LOANCCY

Attribute	Description	
Name	LOANCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

LNBRN

Attribute	Description	
Name	LNBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**VALDT**

Attribute	Description	
Name	VALDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**TAX**

Attribute	Description	
Name	TAX	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**LNACNUM**

Attribute	Description	
Name	LNACNUM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)**STSCHGMD**

Attribute	Description	
Name	STSCHGMD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,M

[TOP](#)**NOOFINST**

Attribute	Description	
Name	NOOFINST	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MATDT

Attribute	Description	
Name	MATDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FREQUNIT

Attribute	Description	
Name	FREQUNIT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,W,M,Q,H,Y,B

[TOP](#)

INSSTD

Attribute	Description	
Name	INSSTD	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Loan-Effective-Dates

Attribute	Description	
Name	Loan-Effective-Dates	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

Loan-Ude-Values

Attribute	Description	
Name	Loan-Ude-Values	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

UDEID

Attribute	Description	
Name	UDEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	30

[TOP](#)

UDEVAL

Attribute	Description	
Name	UDEVAL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

RATECODE

Attribute	Description	
Name	RATECODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CODEUSAGE

Attribute	Description	
Name	CODEUSAGE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	,P,A

[TOP](#)

RESOLVEDVAL

Attribute	Description	
Name	RESOLVEDVAL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Loan-Components

Attribute	Description	
Name	Loan-Components	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String

Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

COMPCCY

Attribute	Description	
Name	COMPCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

MAINCOMP

Attribute	Description	
Name	MAINCOMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

LIQDMD

Attribute	Description	
Name	LIQDMD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,M

[TOP](#)

CAPITALIZED

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

WAIVE

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

VERFUNDS

Attribute	Description	
Name	VERFUNDS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Schedule-Master

Attribute	Description	
Name	Loan-Schedule-Master	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

SCHTYP

Attribute	Description	
Name	SCHTYP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,D,R,X

[TOP](#)

NOOFSCH

Attribute	Description	
Name	NOOFSCH	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

UNIT

Attribute	Description	
Name	UNIT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,W,M,Q,H,Y,B

[TOP](#)

SCHSTD

Attribute	Description	
Name	SCHSTD	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

FRSTDUEDT

Attribute	Description	
Name	FRSTDUEDT	
Datatype	Date	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FORMULANAME

Attribute	Description	
Name	FORMULANAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SCHENDDT

Attribute	Description	
Name	SCHENDDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SCHFLG

Attribute	Description	
Name	SCHFLG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,M

[TOP](#)

EMIAMT

Attribute	Description
Name	EMIAMT

Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CAPITALIZED

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

WAIVE

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

COMPOUND_DAYS

Attribute	Description	
Name	COMPOUND_DAYS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMPOUND_MONTHS

Attribute	Description	
Name	COMPOUND_MONTHS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMPOUND_YEARS

Attribute	Description	
Name	COMPOUNDYEARS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DUEDATESON

Attribute	Description	
Name	DUEDATESON	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DAYSYEAR

Attribute	Description	
Name	DAYSYEAR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,

[TOP](#)

DAYSMTM

Attribute	Description	
Name	DAYSMTM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,

[TOP](#)

Loan-Schedule-Details

Attribute	Description
Name	Loan-Schedule-Details
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ENQUIRY_ID

Attribute	Description	
Name	ENQUIRY_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

COMPNM

Attribute	Description	
Name	COMPNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DUEDT

Attribute	Description	
Name	DUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTDUE

Attribute	Description	
Name	AMTDUE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMI_AMOUNT

Attribute	Description
------------------	--------------------

Name	EMI_AMOUNT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMORPRI

Attribute	Description	
Name	AMORPRI	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTSETTL

Attribute	Description	
Name	AMTSETTL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ACCRAMT

Attribute	Description	
Name	ACCRAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CAPITALIZED

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

WAIVE

Attribute	Description
------------------	--------------------

Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Disbursals

Attribute	Description	
Name	Loan-Disbursals	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ENQUIRY_ID

Attribute	Description	
Name	ENQUIRY_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SCHDUEDT

Attribute	Description	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**TOTDSBRAMT**

Attribute	Description	
Name	TOTDSBRAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**AMTTODSBR**

Attribute	Description	
Name	AMTTODSBR	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**AMTDISBURSED**

Attribute	Description	
Name	AMTDISBURSED	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**Loan-Disbursal-Split**

Attribute	Description	
Name	Loan-Disbursal-Split	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**SPLSEQNO**

Attribute	Description	
Name	SPLSEQNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**CUST**

Attribute	Description	
Name	CUST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

[TOP](#)**SPLPERCENTAGE**

Attribute	Description	
Name	SPLPERCENTAGE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**PAYMOD**

Attribute	Description	
Name	PAYMOD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)**SETTLACNO**

Attribute	Description	
Name	SETTLACNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)**SETTLACBRN**

Attribute	Description
Name	SETTLACBRN

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

STLCCY

Attribute	Description	
Name	STLCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

ACDESC

Attribute	Description	
Name	ACDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

SPLITAMT

Attribute	Description	
Name	SPLITAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Loan-Charge-Component

Attribute	Description	
Name	Loan-Charge-Component	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**COMPNAME**

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**COMPCCY**

Attribute	Description	
Name	COMPCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**EFFDT**

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)**WAIVE**

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**Loan-Charge-Details**

Attribute	Description
Name	Loan-Charge-Details

Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

EVENTCD

Attribute	Description	
Name	EVENTCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTSETTLED

Attribute	Description	
Name	AMTSETTLED	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SCHDUEDT

Attribute	Description	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Report-Options

Attribute	Description
------------------	--------------------

Name	Report-Options	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

ECODE

Attribute	Description	
Name	ECODE	
Datatype	String	
Description		

[TOP](#)

EDESC

Attribute	Description	
Name	EDESC	
Datatype	String	
Description		

[TOP](#)

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

[TOP](#)

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

[TOP](#)

2.3.2.OR-ModifyFCDBLead-Req-Full-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

PASSWORD

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Application-Details-Full

LEADID

APPTYPE

DESCRIPTION

BRN

DOE

NEW_AC_NO

PROMOTION_CODE

CONV_ID

REQUESTDATE

CHANNEL

NEWSTAT

CURRENT_STATUS

REQID

MAKER

MAKERSTAMP

CHECKER

CHECKERSTAMP

MODNO

TXNSTAT
AUTHSTAT
Customer-Details
SEQNO
CUSTTYPE
RESPONSIBILITY
LIABILITY
SALUT
FSTNM
MIDNM
LSTNM
SNAME
NATID
CNTY
NLTY
SSN
CUSTCAT
GENDER
DOB
MOTHERNM
LANG
DEPEND
EMAIL
MARSTAT
PASSNO
PASSISDT
PASSEXPDT
MOBNO
LANDNO
OFFNO
FAX
FINCCY
INCORPDT
CAPITAL
NETWORTH
BUSDESC
INCORPCNTY
CUSTNAME
LEADID
EXISTING
CUSTNO
CUSID_ACCNU
RELATION_TYPE
CR_CD_NO

PREF_TIME_OF_CONT
PRE_DATE_OF_CONTACT
CITY
LCLBRN

Customer-Address

LEADID
ADDTYPE
CURRENT
CONNO
ADDLN1
ADDLN2
ADDLN3
PIN_CODE
CNTY
ADDLN4

Employer-Details

LEADID
EMPTYTYPE
EMP
CUSTOCC
DESIG
ADDLN1
ADDLN2
ADDLN3
ADDLN4
PIN_CODE
CNTY
PHONE
EXTN
CONTACT
CONTNAME
CONPHN
CONPHNEXTN
COMMENT
DEPT
EMPID
FREQ
EMPYRS
EMPMONTHS
INCOMECCY
INCOMEAMT
CCY
ANNLTRNOVR
TYPE_OF_BUSS

TYP_OF_OWNER
OTHERS
NAME_BUSNS
Requested-Loan-Dtls
REQCCY
REQAMT
TENORM
RATE
DPMNTPER
LOANPURPOSE
PAYMENT
LEADID
PURPOSE_OF_ACCNT
OVR_LIM_REQ
LOAN_TYPE
TYPE_OF_ACCNT
VEHICLE_TYPE
PURCHASE_TYPE
Financial-Dtls
AMOUNT
FREQ
CCY
INCOMETYP
Stage-Doc-Master
Doc-Upload
DCCATGRY
DCREFNO
DOCTYPE
WORKFLOWREFERENCE
REMARKS
Ui-Columns
PRNAME
Process-Advices
RPNAM
ATTTEMP
ATTFMT
ATTLCL
Report-Options
Checklist
MANDATORY
CHECKLIST_ITEM
VERIFY
COMMENTS
Simulation-Details

APPCAT
USERREFNO
PRDCD
DESC
APPBRN
ENQUIRY_ID
ENQUIRY_DATE
CUSTNO
FSTNM
LSTNM
CONTACTNO
EMAIL
STATUS
REQID
REQDATE
LEADID
Requested-Dtls
 REQCCY
 REQAMT
 TENORM
 INTRATE
 PROMO
 LOANPURPOSE
Loan-Offers
 OFFERREFNO
 OFFID
 NOOFINST
 FREQUNIT
 FREQ
 RATE
 RATECD
 FORMAT
 ACCEPTED
Loan-Details
 LOANAMT
 LOANCCY
 LNBRN
 VALDT
 TAX
 LNACNUM
 STSCHGMD
 NOOFINST
 MATDT
 FREQUNIT

INSSTD

FREQ

Loan-Effective-Dates

EFFDT

Loan-Ude-Values

UDEID

UDEVAL

RATECODE

CODEUSAGE

RESOLVEDVAL

Loan-Components

COMPNAME

COMPCCY

MAINCOMP

LIQDMD

CAPITALIZED

WAIVE

VERFUNDS

Loan-Schedule-Master

SCHTYP

NOOFSCH

FREQ

UNIT

SCHSTD

FRSTDUEDT

AMT

FORMULANAME

SCHENDDT

SCHFLG

EMIAMT

CAPITALIZED

WAIVE

COMPOUNDDAYS

COMPOUNDMONTHS

COMPOUNDYEARS

DUEDATESON

DAYSYEAR

DAYSMTH

Loan-Schedule-Details

ENQUIRY_ID

COMPNM

DUEDT

AMTDUE

EMI_AMOUNT

AMORPRI
AMTSETTL
ACCRAMT
CAPITALIZED
WAIVE

Loan-Disbursals

ENQUIRY_ID
COMPNAME
SCHDUEDT
TOTDSBRAMT
AMTTODSBR
AMTDISBURSED

Loan-Disbursal-Split

SPLSEQNO
CUST
SPLPERCENTAGE
PAYMOD
SETTLACNO
SETTLACCBRN
STLCCY
ACDESC
SPLITAMT

Loan-Charge-Component

COMPNAME
COMPCCY
EFFDT
WAIVE

Loan-Charge-Details

EVENTCD
AMT
AMTSETTLED
SCHDUEDT

Report-Options

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description
-----------	-------------

Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)**SOURCE_USERID**

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**DESTINATION**

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)**MULTITRIPID**

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)**FUNCTIONID**

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)**ACTION**

Attribute	Description
-----------	-------------

Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/*]

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

[TOP](#)

Application-Details-Full

Attribute	Description
Name	Application-Details-Full
Datatype	
Description	

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

APPTYPE

Attribute	Description
Name	APPTYPE

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	RET,COR,CAS

[TOP](#)

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

DOE

Attribute	Description	
Name	DOE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

NEW_AC_NO

Attribute	Description	
Name	NEW_AC_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

PROMOTION_CODE

Attribute	Description	
Name	PROMOTION_CODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CONV_ID

Attribute	Description	
Name	CONV_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

REQUESTDATE

Attribute	Description	
Name	REQUESTDATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CHANNEL

Attribute	Description	
Name	CHANNEL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	I,M,W

[TOP](#)

NEWSTAT

Attribute	Description	
Name	NEWSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CURRENT_STATUS

Attribute	Description	
Name	CURRENT_STATUS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REQID

Attribute	Description	
Name	REQID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Customer-Details

Attribute	Description	
Name	Customer-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

SEQNO

Attribute	Description	
Name	SEQNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

CUSTTYPE

Attribute	Description	
Name	CUSTTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,C

[TOP](#)

RESPONSIBILITY

Attribute	Description
-----------	-------------

Name	RESPONSIBILITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	,AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

[TOP](#)

LIABILITY

Attribute	Description	
Name	LIABILITY	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SALUT

Attribute	Description	
Name	SALUT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Mr,Mrs,Miss,Dr

[TOP](#)

FSTNM

Attribute	Description	
Name	FSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

MIDNM

Attribute	Description	
Name	MIDNM	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

LSTNM

Attribute	Description	
Name	LSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

SNAME

Attribute	Description	
Name	SNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

NATID

Attribute	Description	
Name	NATID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

CNTY

Attribute	Description	
Name	CNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

NLTY

Attribute	Description	
Name	NLTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

SSN

Attribute	Description	
Name	SSN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	11

[TOP](#)

CUSTCAT

Attribute	Description	
Name	CUSTCAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

GENDER

Attribute	Description	
Name	GENDER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,F

[TOP](#)**DOB**

Attribute	Description	
Name	DOB	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**MOTHERNM**

Attribute	Description	
Name	MOTHERNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**LANG**

Attribute	Description	
Name	LANG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**DEPEND**

Attribute	Description	
Name	DEPEND	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**EMAIL**

Attribute	Description	
Name	EMAIL	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

MARSTAT

Attribute	Description	
Name	MARSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,M,D,R,P,E

[TOP](#)

PASSNO

Attribute	Description	
Name	PASSNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

PASSISSDT

Attribute	Description	
Name	PASSISSDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PASSEXPDT

Attribute	Description	
Name	PASSEXPDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MOBNO

Attribute	Description	
Name	MOBNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LANDNO

Attribute	Description	
Name	LANDNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

OFFNO

Attribute	Description	
Name	OFFNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FAX

Attribute	Description	
Name	FAX	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FINCCY

Attribute	Description	
Name	FINCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

INCORPDT

Attribute	Description	
Name	INCORPDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CAPITAL

Attribute	Description	
Name	CAPITAL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NETWORTH

Attribute	Description	
Name	NETWORTH	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

BUSDESC

Attribute	Description	
Name	BUSDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

INCORPCNTY

Attribute	Description	
Name	INCORPCNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CUSTNAME

Attribute	Description	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

EXISTING

Attribute	Description	
Name	EXISTING	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**CUSID_ACCNU**

Attribute	Description	
Name	CUSID_ACCNU	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)**RELATION_TYPE**

Attribute	Description	
Name	RELATION_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**CR_CD_NO**

Attribute	Description	
Name	CR_CD_NO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)**PREF_TIME_OF_CONT**

Attribute	Description	
Name	PREF_TIME_OF_CONT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24

[TOP](#)

PRE_DATE_OF_CONTACT

Attribute	Description	
Name	PRE_DATE_OF_CONTACT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CITY

Attribute	Description	
Name	CITY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

LCLBRN

Attribute	Description	
Name	LCLBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

Customer-Address

Attribute	Description	
Name	Customer-Address	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

LEADID

Attribute	Description
Name	LEADID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

ADDTYPE

Attribute	Description	
Name	ADDTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,H,W,T,O,C,R

[TOP](#)

CURRENT

Attribute	Description	
Name	CURRENT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

CONNO

Attribute	Description	
Name	CONNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ADDLN1

Attribute	Description	
Name	ADDLN1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**ADDLN2**

Attribute	Description	
Name	ADDLN2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**ADDLN3**

Attribute	Description	
Name	ADDLN3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**PIN_CODE**

Attribute	Description	
Name	PIN_CODE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**CNTY**

Attribute	Description	
Name	CNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**ADDLN4**

Attribute	Description
Name	ADDLN4

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Employer-Details

Attribute	Description	
Name	Employer-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

EMPTYE

Attribute	Description	
Name	EMPTYE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	PART,FULL,CONT,SELF,OTHR

[TOP](#)

EMP

Attribute	Description	
Name	EMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

CUSTOCC

Attribute	Description	
Name	CUSTOCC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DESIG

Attribute	Description	
Name	DESIG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN1

Attribute	Description	
Name	ADDLN1	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADDLN2

Attribute	Description	
Name	ADDLN2	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**ADDLN3**

Attribute	Description	
Name	ADDLN3	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**ADDLN4**

Attribute	Description	
Name	ADDLN4	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**PIN_CODE**

Attribute	Description	
Name	PIN_CODE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**CNTY**

Attribute	Description	
Name	CNTY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**PHONE**

Attribute	Description
Name	PHONE

Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EXTN

Attribute	Description	
Name	EXTN	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONTACT

Attribute	Description	
Name	CONTACT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONTNAME

Attribute	Description	
Name	CONTNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CONPHN

Attribute	Description	
Name	CONPHN	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONPHNEXTN

Attribute	Description	
Name	CONPHNEXTN	

Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMMENT

Attribute	Description	
Name	COMMENT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DEPT

Attribute	Description	
Name	DEPT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

EMPID

Attribute	Description	
Name	EMPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

EMPYRS

Attribute	Description	
Name	EMPYRS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMPMONTHS

Attribute	Description	
Name	EMPMONTHS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

INCOMECCY

Attribute	Description	
Name	INCOMECCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

INCOMEAMT

Attribute	Description	
Name	INCOMEAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

ANNLTRNOVR

Attribute	Description	
Name	ANNLTRNOVR	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TYPE_OF_BUSS

Attribute	Description	
Name	TYPE_OF_BUSS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

TYP_OF_OWNER

Attribute	Description	
Name	TYP OF OWNER	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

OTHERS

Attribute	Description	
Name	OTHERS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**NAME_BUSNS**

Attribute	Description	
Name	NAME_BUSNS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**Requested-Loan-Dtls**

Attribute	Description	
Name	Requested-Loan-Dtls	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**REQCCY**

Attribute	Description	
Name	REQCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**REQAMT**

Attribute	Description	
Name	REQAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**TENORM**

Attribute	Description	
Name	TENORM	
Datatype	Number	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

RATE

Attribute	Description	
Name	RATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DPMNTPER

Attribute	Description	
Name	DPMNTPER	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LOANPURPOSE

Attribute	Description	
Name	LOANPURPOSE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

PAYMENT

Attribute	Description	
Name	PAYMENT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

PURPOSE_OF_ACCNT

Attribute	Description	
Name	PURPOSE_OF_ACCNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

OVR_LIM_REQ

Attribute	Description	
Name	OVR_LIM_REQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

LOAN_TYPE

Attribute	Description	
Name	LOAN_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	VEH,BUS,HOM,PER

[TOP](#)

TYPE_OF_ACCNT

Attribute	Description	
Name	TYPE_OF_ACCNT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	enumeration	C,S

[TOP](#)

VEHICLE_TYPE

Attribute	Description	
Name	VEHICLE_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	F,T,C

[TOP](#)

PURCHASE_TYPE

Attribute	Description	
Name	PURCHASE_TYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	NEW,USD,CON,LAN,FLT,OTR

[TOP](#)

Financial-Dtls

Attribute	Description	
Name	Financial-Dtls	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

FREQ

Attribute	Description
-----------	-------------

Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

INCOMETYP

Attribute	Description	
Name	INCOMETYP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	S,R,B,O

[TOP](#)

Stage-Doc-Master

Attribute	Description	
Name	Stage-Doc-Master	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Doc-Upload

Attribute	Description	
Name	Doc-Upload	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**DCCATGRY**

Attribute	Description	
Name	DCCATGRY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)**DCREFNO**

Attribute	Description	
Name	DCREFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)**DOCTYPE**

Attribute	Description	
Name	DOCTYPE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)**WORKFLOWREFERENCE**

Attribute	Description	
Name	WORKFLOWREFERENCE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)**REMARKS**

Attribute	Description	
Name	REMARKS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Ui-Columns

Attribute	Description	
Name	Ui-Columns	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PRNAME

Attribute	Description	
Name	PRNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1000

[TOP](#)

Process-Advices

Attribute	Description	
Name	Process-Advices	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

RPNAM

Attribute	Description
Name	RPNAM
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

ATTTEMP

Attribute	Description	
Name	ATTTEMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	30

[TOP](#)

ATTFMT

Attribute	Description	
Name	ATTFMT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	PDF,RTF

[TOP](#)

ATTLCL

Attribute	Description	
Name	ATTLCL	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

Report-Options

Attribute	Description	
Name	Report-Options	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Checklist

Attribute	Description	
Name	Checklist	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

MANDATORY

Attribute	Description	
Name	MANDATORY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

CHECKLIST_ITEM

Attribute	Description	
Name	CHECKLIST_ITEM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

VERIFY

Attribute	Description	
Name	VERIFY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

COMMENTS

Attribute	Description
-----------	-------------

Name	COMMENTS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

Simulation-Details

Attribute	Description	
Name	Simulation-Details	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

APPCAT

Attribute	Description	
Name	APPCAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

USERREFNO

Attribute	Description	
Name	USERREFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

PRDCD

Attribute	Description	
Name	PRDCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	4

[TOP](#)

DESC

Attribute	Description	
Name	DESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

APPBRN

Attribute	Description	
Name	APPBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

ENQUIRY_ID

Attribute	Description	
Name	ENQUIRY_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

ENQUIRY_DATE

Attribute	Description	
Name	ENQUIRY_DATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FSTNM

Attribute	Description	
Name	FSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

LSTNM

Attribute	Description	
Name	LSTNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

CONTACTNO

Attribute	Description	
Name	CONTACTNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMAIL

Attribute	Description
Name	EMAIL
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

STATUS

Attribute	Description	
Name	STATUS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	ACTIVE,CLOSED

[TOP](#)

REQID

Attribute	Description	
Name	REQID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REQDATE

Attribute	Description	
Name	REQDATE	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LEADID

Attribute	Description	
Name	LEADID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**Requested-Dtls**

Attribute	Description	
Name	Requested-Dtls	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**REQCCY**

Attribute	Description	
Name	REQCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**REQAMT**

Attribute	Description	
Name	REQAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**TENORM**

Attribute	Description	
Name	TENORM	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**INTRATE**

Attribute	Description	
Name	INTRATE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

PROMO

Attribute	Description	
Name	PROMO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

LOANPURPOSE

Attribute	Description	
Name	LOANPURPOSE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Loan-Offers

Attribute	Description	
Name	Loan-Offers	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

OFFERREFNO

Attribute	Description	
Name	OFFERREFNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

OFFID

Attribute	Description
-----------	-------------

Name	OFFID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

NOOFINST

Attribute	Description	
Name	NOOFINST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FREQUNIT

Attribute	Description	
Name	FREQUNIT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,W,M,Q,H,Y,B

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

RATE

Attribute	Description	
Name	RATE	
Datatype	Number	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

RATECD

Attribute	Description	
Name	RATECD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FORMAT

Attribute	Description	
Name	FORMAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	PDF,RTF

[TOP](#)

ACCEPTED

Attribute	Description	
Name	ACCEPTED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Details

Attribute	Description	
Name	Loan-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

LOANAMT

Attribute	Description	
Name	LOANAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

LOANCCY

Attribute	Description	
Name	LOANCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

LNBRN

Attribute	Description	
Name	LNBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

VALDT

Attribute	Description	
Name	VALDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TAX

Attribute	Description
Name	TAX
Datatype	Number
Description	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

LNACNUM

Attribute	Description	
Name	LNACNUM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

STSCHGMD

Attribute	Description	
Name	STSCHGMD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,M

[TOP](#)

NOOFINST

Attribute	Description	
Name	NOOFINST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MATDT

Attribute	Description	
Name	MATDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FREQUNIT

Attribute	Description	
Name	FREQUNIT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,W,M,Q,H,Y,B

[TOP](#)

INSSTD

Attribute	Description	
Name	INSSTD	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Loan-Effective-Dates

Attribute	Description	
Name	Loan-Effective-Dates	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

Loan-Ude-Values

Attribute	Description	
Name	Loan-Ude-Values	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

UDEID

Attribute	Description	
Name	UDEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	30

[TOP](#)

UDEVAL

Attribute	Description	
Name	UDEVAL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

RATECODE

Attribute	Description	
Name	RATECODE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CODEUSAGE

Attribute	Description
-----------	-------------

Name	CODEUSAGE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	,P,A

[TOP](#)

RESOLVEDVAL

Attribute	Description	
Name	RESOLVEDVAL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Loan-Components

Attribute	Description	
Name	Loan-Components	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

COMPCCY

Attribute	Description	
Name	COMPCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)**MAINCOMP**

Attribute	Description	
Name	MAINCOMP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**LIQDMD**

Attribute	Description	
Name	LIQDMD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,M

[TOP](#)**CAPITALIZED**

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**WAIVE**

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)**VERFUNDS**

Attribute	Description	
Name	VERFUNDS	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Schedule-Master

Attribute	Description	
Name	Loan-Schedule-Master	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

SCHTYP

Attribute	Description	
Name	SCHTYP	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,D,R,X

[TOP](#)

NOOFSCH

Attribute	Description	
Name	NOOFSCH	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FREQ

Attribute	Description	
Name	FREQ	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

UNIT

Attribute	Description	
Name	UNIT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,W,M,Q,H,Y,B

[TOP](#)

SCHSTD

Attribute	Description	
Name	SCHSTD	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

FRSTDUEDT

Attribute	Description	
Name	FRSTDUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FORMULANAME

Attribute	Description
Name	FORMULANAME

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SCHENDDT

Attribute	Description	
Name	SCHENDDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SCHFLG

Attribute	Description	
Name	SCHFLG	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	N,M

[TOP](#)

EMIAMT

Attribute	Description	
Name	EMIAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CAPITALIZED

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

WAIVE

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

COMPOUND_DAYS

Attribute	Description	
Name	COMPOUND_DAYS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMPOUND_MONTHS

Attribute	Description	
Name	COMPOUND_MONTHS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMPOUND_YEARS

Attribute	Description	
Name	COMPOUND_YEARS	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DUE_DATES_ON

Attribute	Description	
Name	DUE_DATES_ON	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DAYSYEAR

Attribute	Description	
Name	DAYSYEAR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,

[TOP](#)

DAYSMTM

Attribute	Description	
Name	DAYSMTM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,

[TOP](#)

Loan-Schedule-Details

Attribute	Description	
Name	Loan-Schedule-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ENQUIRY_ID

Attribute	Description	
Name	ENQUIRY_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

COMPNM

Attribute	Description
-----------	-------------

Name	COMPNM	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DUEDT

Attribute	Description	
Name	DUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTDUE

Attribute	Description	
Name	AMTDUE	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

EMI_AMOUNT

Attribute	Description	
Name	EMI_AMOUNT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMORPRI

Attribute	Description	
Name	AMORPRI	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTSETTL

Attribute	Description
------------------	--------------------

Name	AMTSETTL	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ACCRAMT

Attribute	Description	
Name	ACCRAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CAPITALIZED

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

WAIVE

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Disbursals

Attribute	Description	
Name	Loan-Disbursals	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**ENQUIRY_ID**

Attribute	Description	
Name	ENQUIRY_ID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**COMPNAME**

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)**SCHDUEDT**

Attribute	Description	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**TOTDSBRAMT**

Attribute	Description	
Name	TOTDSBRAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**AMTTODSBR**

Attribute	Description	
Name	AMTTODSBR	
Datatype	Number	
Description		

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTDISBURSED

Attribute	Description	
Name	AMTDISBURSED	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Loan-Disbursal-Split

Attribute	Description	
Name	Loan-Disbursal-Split	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

SPLSEQNO

Attribute	Description	
Name	SPLSEQNO	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CUST

Attribute	Description	
Name	CUST	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

[TOP](#)

SPLPERCENTAGE

Attribute	Description	
Name	SPLPERCENTAGE	
Datatype	Number	

Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMOD

Attribute	Description	
Name	PAYMOD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

SETTLACNO

Attribute	Description	
Name	SETTLACNO	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

SETTLACBRN

Attribute	Description	
Name	SETTLACBRN	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

STLCCY

Attribute	Description	
Name	STLCCY	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

ACDESC

Attribute	Description	
Name	ACDESC	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

SPLITAMT

Attribute	Description	
Name	SPLITAMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Loan-Charge-Component

Attribute	Description	
Name	Loan-Charge-Component	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String

Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

WAIVE

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Loan-Charge-Details

Attribute	Description	
Name	Loan-Charge-Details	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

EVENTCD

Attribute	Description	
Name	EVENTCD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

AMT

Attribute	Description	
Name	AMT	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMTSETTLED

Attribute	Description	
Name	AMTSETTLED	
Datatype	Number	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SCHDUEDT

Attribute	Description	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Report-Options

Attribute	Description	
Name	Report-Options	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)



OR Service
[August] [2014]

Oracle Financial Services software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
www.oracle.com/financialservices/

Copyright © [2007], [2014], Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are commercial computer software pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any

kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.