



ORACLE® HYPERION FINANCIAL MANAGEMENT

Release 11.1.2.4

Oracle Hyperion Financial Management Error Message
Reference

ORACLE®

EPMHFM-03878: IC transaction detail only allowed on base entities.

Cause: Entity was not base-level, therefore IC Transaction detail was not allowed.

Action: Select a base level Entity.

Level: 1

Type: ERROR

EPMHFM-03927: General error in {HFM_EXCLUDE}HFMICACM{/HFM_EXCLUDE} object.

Cause: Generic error in IC ACM resulted in failed operation.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-03928: General error in {HFM_EXCLUDE}HFMICM{/HFM_EXCLUDE} object.

Cause: Generic error in ICM resulted in failed operation.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-03929: General error in {HFM_EXCLUDE}HFMDVICM{/HFM_EXCLUDE} object.

Cause: Generic error in DS ICM resulted in failed operation.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-03931: {HFM_EXCLUDE}E_HFM_ICACM_PERIOD_CLOSED{/HFM_EXCLUDE}

Cause: Period was closed.

Action: Open the period to perform the action.

Level: 1

Type: ERROR

EPMHFM-03932: Error processing {HFM_EXCLUDE}XML{/HFM_EXCLUDE}.

Cause: Processing XML results did not complete.

Action: Check and provide a valid XML file.

Level: 1

Type: ERROR

EPMHFM-03933: You do not have rights to perform this task.

Cause: User did not have security rights to perform the task.

Action: User should be provided with required security access rights to perform the task.

Level: 1

Type: ERROR

EPMHFM-03934: Period settings cannot be changed due to the Match Validate Before Posting rules.

Cause: Unable to change the period settings because Matched/Validated transactions are not posted.

Action: Retry the scenario by posting Match/Validate transactions.

Level: 1

Type: ERROR

EPMHFM-03943: General error in HFMICParamObject

Cause: Generic error in IC Parameter Object resulted in failed operation.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-03995: Requested intercompany transaction not found in database.

Cause: Requested intercompany transaction was not found in database.

Action: Requested Intercompany transaction is not present in the database. Add the required transaction and retry.

Level: 1

Type: ERROR

EPMHFM-03996: Transaction has already been posted.

Cause: HFM server could not post the transaction which was already posted.

Action: You must unpost the transaction before posting the already posted transaction.

Level: 1

Type: ERROR

EPMHFM-03997: The specified transaction status must be either matched or mismatched with a reason code.

Cause: The specified transaction status was neither matched, nor mismatched with a reason code.

Action: Match the transaction, or mismatch the transaction with the reason code.

Level: 1

Type: ERROR

EPMHFM-03999: Entity must be an Intercompany Entity.

Cause: Entity was not an Intercompany Entity.

Action: Check and set the IsICP flag to Y for the Entity.

Level: 1

Type: ERROR

EPMHFM-04000: Account must be an {HFM_EXCLUDE}INPUT{/HFM_EXCLUDE} account.

Cause: Account was not an input account.

Action: You must specify the account as an Input Account.

Level: 1

Type: ERROR

EPMHFM-04001: Account must be an Intercompany account.

Cause: Account was not an Intercompany Account.

Action: You must specify the account as an Intercompany Account.

Level: 1

Type: ERROR

EPMHFM-04002: {HFM_EXCLUDE}ICP{/HFM_EXCLUDE} member is not valid for the account.

Cause: ICP dimension member was not valid for the account.

Action: You must select a valid ICP member for the account.

Level: 1

Type: ERROR

EPMHFM-04003: {HFM_EXCLUDE}[ICP None]{/HFM_EXCLUDE} is not allowed.

Cause: [ICP None] member is not allowed for this action.

Action: You must select an ICP member other than [ICP None].

Level: 1

Type: ERROR

EPMHFM-04004: Operation was terminated before this transaction could be processed.

Cause: Operation was terminated before this transaction could be processed.

Action: You must allow the transaction to complete processing.

Level: 1

Type: ERROR

EPMHFM-04005: {HFM_EXCLUDE}View{/HFM_EXCLUDE}, {HFM_EXCLUDE}Value{/HFM_EXCLUDE}, {HFM_EXCLUDE}Period{/HFM_EXCLUDE} or {HFM_EXCLUDE}ICP{/HFM_EXCLUDE} members cannot be specified for {HFM_EXCLUDE}SupportsTran{/HFM_EXCLUDE}

Cause: Dimensions View, Value, Period, ICP members were specified for SupportsTran.

Action: You should not specify members for dimensions View, Value, Period, ICP for SupportsTran.

Level: 1

Type: ERROR

EPMHFM-04016: Cell does not support intercompany transaction details.

Cause: Cell does not support intercompany transaction details.

Action: You must specify the cell to support intercompany transaction details through rules in Sub Transactions routine.

Level: 1

Type: ERROR

EPMHFM-04017: You cannot unpost a transaction that has not been posted.

Cause: The transaction must be posted to unpost.

Action: You must post the transaction before unposting.

Level: 1

Type: ERROR

EPMHFM-04018: Transactions cannot be deleted if POSTED.

Cause: You cannot delete posted transactions.

Action: You must unpost the transaction to delete.

Level: 1
Type: ERROR

EPMHFM-04019: Transactions that are matched cannot be deleted.

Cause: You cannot delete matched transactions.

Action: Unmatch the transaction to delete.

Level: 1
Type: ERROR

EPMHFM-04043: Transactions can only be loaded into the input frequency of the scenario.

Cause: Transactions could not be loaded because the selected period does not match Scenario's input frequency.

Action: You must select the period in the Scenario member's default frequency.

Level: 1
Type: ERROR

EPMHFM-04062: You do not have access rights to the data.

Cause: User does not have required access rights to the data.

Action: Ensure the user has required access rights to access the data.

Level: 1
Type: ERROR

EPMHFM-04081: Period not open.

Cause: The period was not open.

Action: Open the Period for the required Scenario and Year.

Level: 1
Type: ERROR

EPMHFM-04100: Invalid {HFM_EXCLUDE}%s{/HFM_EXCLUDE} member : {HFM_EXCLUDE}%s{/HFM_EXCLUDE}

Cause: Member was invalid.

Action: Specify a valid member.

Level: 1
Type: ERROR

EPMHFM-04101: Intercompany transactions are locked for the entity.

Cause: Intercompany transactions were locked for the Entity.

Action: Unlock intercompany transactions for the Entity to proceed.

Level: 1
Type: ERROR

EPMHFM-04102: Data for the entity is locked

Cause: Data for the Entity was locked.

Action: You must unlock the Entity.

Level: 1
Type: ERROR

EPMHFM-04103: Cells supporting Line Item Details cannot support intercompany transaction details.

Cause: Cells supporting Line Item details could not support intercompany transaction details.

Action: You must specify that the cell does not support Line Item details to support intercompany transaction details for that cell.

Level: 1

Type: ERROR

EPMHFM-04107: Invalid cell intersection

Cause: Cell intersection was invalid for Intercompany transactions.

Action: Select a valid cell intersection for Intercompany transactions.

Level: 1

Type: ERROR

EPMHFM-04112: Can't replace a transaction that is matched or posted.

Cause: You cannot save or update an intercompany transaction if it was already posted or matched.

Action: You must unpost the transaction before saving or updating it.

Level: 1

Type: ERROR

EPMHFM-04134: Clear not allowed if Intercompany transactions have been posted. Scenario, Year, Period, Value: %s, %s, %s, %s.

Cause: The Clear action is not allowed if transactions are posted.

Action: You must unpost the transactions before clearing.

Level: 1

Type: ERROR

EPMHFM-04292: Comment{HFM_EXCLUDE}2{/HFM_EXCLUDE} field exceeds 256 characters

Cause: The user-specified COMMENT2 field was too long.

Action: Make sure that the Comment2 field is less than 256 characters.

Level: 1

Type: ERROR

EPMHFM-04293: Comment{HFM_EXCLUDE}1{/HFM_EXCLUDE} field exceeds {HFM_EXCLUDE}256{/HFM_EXCLUDE} characters

Cause: The user-specified COMMENT1 field was too long and was logged in ICT load file.

Action: Make sure that Comment1 field is within the specified limit.

Level: 1

Type: ERROR

EPMHFM-04294: Transaction{HFM_EXCLUDE}ID{/HFM_EXCLUDE} field exceeds {HFM_EXCLUDE}40{/HFM_EXCLUDE} characters.

Cause: Transaction ID specified was too long for IC Transactions.

Action: Make sure that specified Transaction ID is within the specified limit.

Level: 1

Type: ERROR

EPMHFM-04295: Transaction Sub{HFM_EXCLUDE}ID{/HFM_EXCLUDE} field exceeds {HFM_EXCLUDE}40{/HFM_EXCLUDE} characters.

Cause: SUB ID specified was too long for Intercompany transactions.

Action: Make sure that the SUB ID is within the specified limits.

Level: 1
Type: ERROR

EPMHFM-04296: Transaction Reference {HFM_EXCLUDE}ID{/HFM_EXCLUDE} field exceeds {HFM_EXCLUDE}40{/HFM_EXCLUDE} characters.

Cause: Transaction reference ID was too long for Intercompany transactions.
Action: Make sure that the transaction reference ID is within the specified limits.
Level: 1
Type: ERROR

EPMHFM-04297: Invalid Transaction date.

Cause: Transaction date specified was invalid for Intercompany transactions.
Action: Specify a valid transaction date.
Level: 1
Type: ERROR

EPMHFM-04300: Invalid Transaction currency.

Cause: Transaction currency (TRANSCURR) specified was invalid for IC transactions.
Action: Specify a valid transaction currency.
Level: 1
Type: ERROR

EPMHFM-04301: Invalid combination of Transaction currency amount, Entity currency amount, and conversion rate.

Cause: Invalid combination of Transaction currency amount, Entity currency amount, and conversion rate was specified for IC transactions.
Action: Specify a valid combination of Transaction currency amount, Entity currency amount, and conversion rate.
Level: 1
Type: ERROR

EPMHFM-04325: Error loading Inter-Company reason codes

Cause: Error loading Intercompany reason codes.
Action: Contact Oracle Support Services.
Level: 1
Type: ERROR

EPMHFM-04355: There is currently another rules load in progress. Please try again once the load has completed.

Cause: There is currently another rules load in progress.
Action: Allow the rules file to load completely before validating the rule.
Level: 1
Type: ERROR

EPMHFM-04368: Another rules file validation is in progress. Please try again later.

Cause: There is currently another rules validation in progress.
Action: Another rules validation is in progress. Retry later.
Level: 1
Type: ERROR

EPMHFM-04369: VB Script Engine could not be initialized.

Cause: VB script engine failed to initialize during validation of VB script rules.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-04565: Cannot sort a column multiple times.

Cause: For IC Transactions reports you cannot sort a column multiple times.

Action: Select a column for sort only once.

Level: 1

Type: ERROR

EPMHFM-04744: An unexpected database error occurred. Check event log for details.

Cause: This was an unexpected database error. Examples of problems may be not enough database connections or SQL query was invalid.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-04900: Unable to process request. Waiting for an asynchronous task to complete.

Cause: Task was in progress for intercompany transactions.

Action: Wait until the current intercompany task is completed.

Level: 1

Type: ERROR

EPMHFM-04913: Some of the transactions could not be processed because of Entities that were locked.

Cause: Some of the intercompany transactions were not processed because the process flow state was locked.

Action: You must unlock the Entity to process the intercompany transactions.

Level: 1

Type: TRACE

EPMHFM-04914: Some of the transactions were not processed because the process flow state was incorrect.

Cause: Some of the intercompany transactions were not processed because the process flow state was incorrect.

Action: Ensure that the process flow state is correct to process the intercompany transactions.

Level: 1

Type: TRACE

EPMHFM-04915: Some of the transactions were not processed because you do not have the correct security rights to them.

Cause: Some of the intercompany transactions were not processed due to insufficient security rights.

Action: You must have the required security access rights to process all the transactions.

Level: 1

Type: TRACE

EPMHFM-04917: There were no transactions to process, possibly due to locked entities, invalid process flow state or insufficient security.

Cause: There were no transactions to process, possibly due to locked Entities, invalid process flow state or insufficient security.

Action: Contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-05023: The cell text length is invalid. Contact your system administrator for information on cell text limits.

Cause: Cell text length exceeds the limit.

Action: Cell text must be within specified limits. Contact the system administrator for information.

Level: 1

Type: ERROR

EPMHFM-05096: The custom document is too large. Reduce the size of the custom document or contact your system administrator.

Cause: The custom document size was too large.

Action: Specify a custom document that is within the specified size limits. Contact the administrator for custom document size limits.

Level: 1

Type: ERROR

EPMHFM-05097: Unable to add custom document. Your system administrator has limited the number of custom documents to {HFM_EXCLUDE}%0{/HFM_EXCLUDE}. You currently have {HFM_EXCLUDE}%1{/HFM_EXCLUDE} documents saved for this application.

Cause: Unable to add custom document; system exceeded the maximum number of custom documents supported.

Action: Contact the system administrator to increase the limit of number of custom documents that can be saved in the application.

Level: 1

Type: ERROR

EPMHFM-05313: The following subcube is locked: the Scenario is: {HFM_EXCLUDE}%0{/HFM_EXCLUDE}, the Year is: {HFM_EXCLUDE}%1{/HFM_EXCLUDE}, the Period is {HFM_EXCLUDE}%2{/HFM_EXCLUDE}, the Entity is: {HFM_EXCLUDE}%3{/HFM_EXCLUDE}, the Parent is: {HFM_EXCLUDE}%4{/HFM_EXCLUDE}, and the Value is: {HFM_EXCLUDE}%5{/HFM_EXCLUDE}.

Cause: Calc status was locked for specified periods.

Action: Contact Oracle Support Services.

Level: 1

Type: WARNING

EPMHFM-05430: You must be in the Transaction Match Template role to save templates.

Cause: The Transaction Match Template role is required to save templates.

Action: You must have the Transaction Match Template role to save templates.

Level: 1

Type: ERROR

EPMHFM-05467: Please select valid Single Parent/Entity combination.

Cause: The selected Parent/Entity combination was not valid.

Action: Select a valid Parent/Entity combination.

Level: 1

Type: ERROR

EPMHFM-05478: {HFM_EXCLUDE}TransactionID{/HFM_EXCLUDE} field is missing.

Cause: Transaction ID was missing.

Action: Enter a Transaction ID. This cannot be left blank.

Level: 1

Type: ERROR

EPMHFM-05623: An error occurred in the DME Listener process.

Cause: Failure in DME listener process caused this error.

Action: Contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-05690: Invalid Transaction ID. Cannot contain ','

Cause: Transaction ID was invalid.

Action: Specify a valid transaction ID that does not contain ','.

Level: 1

Type: ERROR

EPMHFM-05716: Invalid {HFM_EXCLUDE}Extended Analytics{/HFM_EXCLUDE} Template label. Specify a valid template label.

Cause: Template label was not valid.

Action: Specify a valid Extended Analytics Template label.

Level: 1

Type: ERROR

EPMHFM-05717: Warning: Unable to update cardinality on RTD table. User may want to manually perform this to improve consolidation times. Contact support regarding steps.

Cause: Could not update cardinality on RTD table.

Action: Contact Oracle support for steps required to update cardinality on RTD table.

Level: 1

Type: WARNING

EPMHFM-05745: Invalid data load option: The Thousands character and Decimal character cannot be the same.

Cause: Invalid data load option was selected. The thousands and decimal character must be different.

Action: Select a different value for thousands and decimal characters in the data load options. They cannot be the same character.

Level: 1

Type: ERROR

EPMHFM-05746: Invalid data load option: The Thousands character cannot be the same as the Delimiter character.

Cause: Invalid data load option was selected. The thousands and delimiter character must be different.

Action: Select a different value for thousands and delimiter characters in the data load options. They cannot be the same character.

Level: 1

Type: ERROR

EPMHFM-05747: Invalid data load option: The Decimal character cannot be the same as the Delimiter character.

Cause: Invalid data load option was selected. Decimal and delimiter characters must be different.

Action: Select a different value for decimal and delimiter characters in the data load options. They cannot be the same character.

Level: 1

Type: ERROR

EPMHFM-05753: HsvDatasource for application {HFM_EXCLUDE}%0{/HFM_EXCLUDE} with a process ID of {HFM_EXCLUDE}%1{/HFM_EXCLUDE} on server {HFM_EXCLUDE}%2{/HFM_EXCLUDE} failed to start.

Cause: The Hsvdatasource for specified application failed to start.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-06115: Translation cannot be run until calculation is performed on the default value of the entity.

Cause: You attempted to run translation on an Entity before calculating the default currency.

Action: Perform the calculation on the default currency of the Entity before running translation.

Level: 1

Type: ERROR

EPMHFM-06117: Duplicate member list names are not allowed.

Cause: Duplicate member list names were entered.

Action: Select unique member list names.

Level: 1

Type: ERROR

EPMHFM-06199: The automatic-journal %0 is read-only and cannot be modified.

Cause: Automatic journal was read-only and could not be modified.

Action: Automatic journals cannot be modified by the user. These journals are generated during the consolidation process.

Level: 1

Type: ERROR

EPMHFM-06200: The Value dimension specified for the journal %0 is invalid. Select a valid Value dimension member.

Cause: Value dimension for journal was invalid.

Action: Select a valid Value dimension member for journals.

Level: 1

Type: ERROR

EPMHFM-06248: The username provided is too long and cannot be saved.

Cause: Username was too long and could not be saved.

Action: Enter a username within the specified limit and save.

Level: 1

Type: ERROR

EPMHFM-06249: The parameter key provided is too long and cannot be saved.

Cause: Parameter key was too long and could not be saved.

Action: Enter a parameter key within the specified limit and then save.

Level: 1

Type: ERROR

EPMHFM-06250: Invalid {HFM_EXCLUDE}Extended Analytics{/HFM_EXCLUDE} template label. The label cannot be greater than 22 characters.

Cause: EA template label was invalid.

Action: Specify a valid EA template label less than 22 characters.

Level: 1

Type: ERROR

EPMHFM-06331: Failed to load database connection parameters from HIT registry.

Cause: DataSource has failed to load DB connections.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-06332: Failed to load parameter {HFM_EXCLUDE}%s{/HFM_EXCLUDE} value from HIT registry.

Cause: DataSource has failed to read DB parameters.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-06333: Failed to load database connection parameters from NT registry.

Cause: DataSource has failed to read DB parameters from registry.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-06965: Invalid record deletion was not run. Invalid record deletion is only run for Provisioning Managers.

Cause: Invalid record deletion was not run. Only Provisioning Managers can delete invalid records.

Action: You must be a Provisioning Manager to delete invalid records.

Level: 1
Type: ERROR

EPMHFM-07072: An invalid metadata attribute was specified.

Cause: Invalid metadata attribute was specified.
Action: Specify a valid metadata attribute.
Level: 1
Type: ERROR

EPMHFM-07141: Invalid member {HFM_EXCLUDE}"%0"/HFM_EXCLUDE} for {HFM_EXCLUDE}%1{/HFM_EXCLUDE}.

Cause: Invalid member was provided.
Action: Specify a valid member.
Level: 1
Type: ERROR

EPMHFM-65536: An unexpected error has occurred.

Cause: An unexpected error has occurred.
Action: Contact Oracle Support Services.
Level: 1
Type: INCIDENT_ERROR

EPMHFM-65538: There is no registered cluster or server.

Cause: System was not able to find any registered server or cluster.
Action: Complete the system configuration and try again. If the problem persists, contact Oracle Support Services.
Level: 1
Type: INCIDENT_ERROR

EPMHFM-65541: The logged- on user has not been authenticated.

Cause: User is not authenticated.
Action: Enter the user credentials on login screen and try again.
Level: 1
Type: ERROR

EPMHFM-65542: The system cannot authenticate the user.

Cause: System is not able to authenticate the user.
Action: Make sure user credentials are entered correctly.
Level: 1
Type: ERROR

EPMHFM-65543: Invalid SSO token.

Cause: Invalid SSO token was passed to the system.
Action: Login into the application again. If problem persists, contact application administrator.
Level: 1
Type: ERROR

EPMHFM-65544: Invalid CSS provider. No provider exists with specified name.

Cause: Invalid directory provider.

Action: Contact Application Administrator.

Level: 1

Type: ERROR

EPMHFM-65546: Invalid CSS identity.

Cause: The stored User ID is incorrect and possibly caused by a deleted user.

Action: Correct the user assignment in the module and remove the invalid user identities.

Level: 1

Type: ERROR

EPMHFM-65547: Invalid CSS group.

Cause: The stored Group ID is incorrect, possibly caused by a deleted group.

Action: Correct the group assignment in the module and remove the invalid group identities.

Level: 1

Type: ERROR

EPMHFM-65548: CSS configuration error.

Cause: The system detected an error in determining the common security services configuration.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-65557: The system was unable to retrieve the HIT Registry instance.

Cause: System was not able to communicate with the EPM System Registry.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-65558: Invalid HIT Registry component object.

Cause: System was not able to retrieve information about a registry component.

Action: Contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65565: Initialization of \"{0}\" did not complete.

Cause: An unexpected error has occurred.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-65566: Downloading the file \"{0}\" did not complete. Contact your administrator or check the error logs.

Cause: Unable to download the file from server.

Action: Contact the Application Administrator.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-65567: Transferring the file \"{0}\" did not complete. Contact your administrator or check the error logs.

Cause: Unable to transfer the file to the server.
Action: Contact the Application Administrator.
Level: 1
Type: INCIDENT_ERROR

EPMHFM-65575: The system was unable to retrieve the application parameter \"{0}\"

Cause: An unexpected error has occurred.
Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.
Level: 1
Type: ERROR

EPMHFM-65576: The system was unable to delete the application parameter \"{0}\".

Cause: An unexpected error has occurred.
Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.
Level: 1
Type: ERROR

EPMHFM-65578: The system was unable to retrieve user preferences for \"{0}\" on \"{1}\".

Cause: An unexpected error has occurred.
Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.
Level: 1
Type: ERROR

EPMHFM-65579: The system was unable to create temp files for loading {0}. Contact the administrator or check the error logs.

Cause: System was not able to create temporary files.
Action: Contact the Application Administrator.
Level: 1
Type: INCIDENT_ERROR

EPMHFM-65587: The system was unable to display the dimensions.

Cause: An unexpected error has occurred.
Action: Check if metadata has been loaded. Check system logs for additional details. If problem persists, contact Oracle Support Services.
Level: 1
Type: ERROR

EPMHFM-65588: The system was unable to display the member lists.

Cause: An unexpected error has occurred.
Action: Check if user-defined member lists are loaded. Check system logs for additional details. If problem persists, contact Oracle Support Services.
Level: 1
Type: ERROR

EPMHFM-65589: The system was unable to list members.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65590: The system was unable to create the default POV because all dimensions must have at least 1 member. Check that loading metadata has occurred and you have sufficient security rights.

Cause: The system was unable to create the default POV because all dimensions must have at least one member.

Action: Check that metadata has been loaded and user has sufficient security rights. Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65591: The system was unable to create a default POV for this application.

Cause: The system was unable to create the default POV.

Action: Check that metadata has been loaded and user has sufficient security rights. Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65594: The system attempted to open application \"{0}\" to invalid module \"{1}\".

Cause: Unable to open the module in the application.

Action: Check if user roles have changed and if the last open module is not available for the user. Check if any modules have been disabled by the administrator. You can set the open module to Document Manager and log in again.

Level: 1

Type: ERROR

EPMHFM-65595: No valid logical Web application for component type \"{0}\" was found.

Cause: System was not able to find internal components in the system registry.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-65596: No valid Web app for component type \"{0}\" was found.

Cause: System was not able to find internal components in the system registry.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-65597: No valid component \"{0}\" was found.

Cause: System was not able to find internal components in the system registry.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-65599: Invalid HIT Registry property.

Cause: System was not able to find internal components in the system registry.

Action: Contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65600: Invalid HIT Registry component type.

Cause: System was not able to find internal components in the system registry.

Action: Contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65601: The system was unable to retrieve journal periods.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65602: The system was unable to retrieve journals.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65603: The system was unable to retrieve journal details.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65604: There was an error reading document content for {0}. Check the error logs.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65605: The system was unable to retrieve journal template details.

Cause: Unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65609: There was an error exporting data. Check the system error logs.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65610: The system was unable to retrieve documents.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65611: An error occurred creating the folder.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65612: An error occurred deleting documents.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65613: An error occurred adding documents to Favorites.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65614: An error occurred while removing documents from Favorites.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65615: The system was unable to retrieve document types.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65616: The system was unable to retrieve document file types.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65617: An error occurred while saving the document.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65618: The system was unable to retrieve security classes.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65620: An error occurred adding the journal groups.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65622: An error occurred retrieving the list of journal periods.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65628: An error occurred running the journal report.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65629: An error occurred retrieving the journals.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65630: An error occurred retrieving the list of journal templates.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65631: An error occurred retrieving the journal.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65632: An error occurred retrieving the journal template.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65633: An error occurred saving the journal.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65634: An error occurred saving the journal template.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65641: An error occurred enumerating the DSNs for extract. Check the system logs.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65645: An error occurred retrieving data on this page. Please close the page and retry.

Cause: System encountered an unexpected error while creating a temporary file.

Action: Contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65646: A server error occurred validating the journal line item. Check the system logs.

Cause: A webservice error occurred validating the journal line Item. Check the system logs.

Action: A webservice error occurred validating the journal line Item. Check the system logs.

Level: 1
Type: ERROR

EPMHFM-65649: An error occurred adding new row.

Cause: An unexpected error has occurred.
Action: Contact Oracle Support Services.
Level: 1
Type: INCIDENT_ERROR

EPMHFM-65650: No application exists to update the current module.

Cause: An unexpected error has occurred.
Action: Contact Oracle Support Services.
Level: 1
Type: INCIDENT_ERROR

EPMHFM-65653: The system was unable to delete data grid with ID {0}.

Cause: an unexpected error has occurred.
Action: Contact Oracle Support Services.
Level: 1
Type: INCIDENT_ERROR

EPMHFM-65654: An error occurred saving the data grid definition.

Cause: An unexpected error has occurred.
Action: Contact Oracle Support Services.
Level: 1
Type: INCIDENT_ERROR

EPMHFM-65655: An error occurred retrieving data grid definition for grid {0}.

Cause: Unable to retrieve the contents of the report definition.
Action: Contact application administrator.
Level: 1
Type: ERROR

EPMHFM-65656: An error occurred retrieving data grid page data for grid {0}.

Cause: Unable to retrieve data grid page.
Action: Contact the application administrator.
Level: 1
Type: ERROR

EPMHFM-65657: The system was unable to process the data grid definition.

Cause: Unable to define grid definition.
Action: Contact the application administrator.
Level: 1
Type: ERROR

EPMHFM-65661: An error occurred drilling to the member/dimension. Check the error logs.

Cause: An unknown error occurred while drilling to a member or dimension.
Action: Reattempt the scenario. If the error persists, contact application administrator.
Level: 1
Type: ERROR

EPMHFM-65671: Failed to retrieve application dimension information for application {0}.

Cause: Unable to retrieve dimension information.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65672: An error occurred setting up the Manage Ownership table. Invalid row size.

Cause: Row size for consolidation and ownership grid are different.

Action: Close the Manage Ownership page and reopen.

Level: 1

Type: ERROR

EPMHFM-65673: An error occurred setting up the Manage Ownership table. Unable to retrieve default currencies for entities.

Cause: An unknown error occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65674: An error occurred retrieving the grid cell.

Cause: Grid cell indices are out of bounds.

Action: Close the grid or web form and try again.

Level: 1

Type: ERROR

EPMHFM-65677: The selected period is invalid and not in the selected scenario default frequency.

Cause: The selected period is invalid.

Action: Select a period that is in the default frequency of a scenario.

Level: 1

Type: ERROR

EPMHFM-65689: One or more invalid parameters exist.

Cause: One or more parameters are invalid.

Action: Check the values specified as parameters for the actions. Potential arguments are SSO token, application name.

Level: 1

Type: ERROR

EPMHFM-65703: The system cannot complete this action because data is locked.

Cause: You attempted to perform an action on locked data.

Action: Unlock the data or have an administrator unlock the data and perform the action again.

Level: 1

Type: ERROR

EPMHFM-65704: You cannot promote a process unit to a level higher than any of its direct dependents. This can include the contribution total from a child, input currency for this entity or translated currencies for this entity.

Cause: You cannot promote a process unit without promoting the children or dependent members of Value dimension.

Action: Promote the dependent process units first.

Level: 1

Type: ERROR

EPMHFM-65705: You cannot reject a process unit to a level lower than any of its immediate parents. This can include the input currency at an immediate parent, contribution total of an immediate parent or any of the translated currencies of the parent.

Cause: You cannot reject a process unit without rejecting the children or dependent members of value dimension.

Action: Reject the dependent process units first.

Level: 1

Type: ERROR

EPMHFM-65706: The system cannot complete this action because calculations, translations, or consolidations must be performed.

Cause: You attempted to perform an action that requires the subcube status to be OK.

Action: Perform the Calculate, Translate or Consolidate action first.

Level: 1

Type: ERROR

EPMHFM-65707: Contributions need to be calculated for one or more parents.

Cause: You cannot perform a process management task without having the contributions calculated.

Action: Calculate contributions to the parent by consolidating the parent and perform the process management action.

Level: 1

Type: ERROR

EPMHFM-65708: You do not have the proper security access to perform the requested task.

Cause: You do not have the required security authorization.

Action: Contact application administrator to get assigned security roles required for the action.

Level: 1

Type: ERROR

EPMHFM-65709: The system cannot perform the requested action on the process unit because it is not at the proper review level.

Cause: Process Management status is at incorrect review level.

Action: Select the appropriate review level. You can only promote to a review level higher than current status or reject to a review level lower than current level.

Level: 1

Type: ERROR

EPMHFM-65710: The system cannot complete this action because the validation account is not zero.

Cause: Validations for the subcube have failed.

Action: Review the validation errors and resolve them first.

Level: 1

Type: ERROR

EPMHFM-65711: The process unit is already at the requested level.

Cause: Process Management status is at the requested level.

Action: Select a Process Management status higher than current level.

Level: 1

Type: ERROR

EPMHFM-65712: Process Management is not supported for Entity [None].

Cause: Process Management is not supported for Entity member [None].

Action: Do not attempt to perform Process Management actions on Entity member [None].

Level: 1

Type: ERROR

EPMHFM-65713: The comment is too long; it must be less than 256 characters.

Cause: Comment entered is greater than 256 characters.

Action: Truncate the comment to less than or equal to 256 characters.

Level: 1

Type: ERROR

EPMHFM-65714: You cannot perform process management for multiple cells when the Value dimension is specified on the grid and "Apply to all value members" is selected.

Cause: You cannot perform Process Management for multiple cells when the Value dimension is specified on the grid and "Apply to all value members" is selected.

Action: Select one cell and perform the Process Management operation.

Level: 1

Type: ERROR

EPMHFM-65715: Process Management is not supported for Value dimension [None].

Cause: Process Management is not supported for Value member [None].

Action: Do not attempt to perform Process Management actions on Value member [None].

Level: 1

Type: ERROR

EPMHFM-65716: The system was unable to perform the requested task.

Cause: An unknown error occurred while performing a Process Management action.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-65717: An unexpected error has occurred.

Cause: An unknown error occurred while performing a Process Management action.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1
Type: ERROR

EPMHFM-65718: You cannot perform the process management action because the Validation Account is invalid. You cannot specify ALL as a top member for the validation account.

Cause: Validation account has been assigned ALL as a top member for one of the custom dimensions.

Action: Validation accounts should be assigned a valid member from the custom dimension or left empty. If empty, [None] member is valid for the validation account.

Level: 1
Type: ERROR

EPMHFM-65719: Invalid 'From' email address format.

Cause: Incorrect email address format in the "From" field.

Action: Correct the "From" email address.

Level: 1
Type: ERROR

EPMHFM-65720: Invalid 'To' email addresses format. Email addresses should be separated by a ','

Cause: Incorrect email address format in the "To" field.

Action: Correct the "To" email addresses. Multiple email addresses should be separated with ";".

Level: 1
Type: ERROR

EPMHFM-65721: Invalid 'CC' email addresses format. Email addresses should be separated by a ','

Cause: Incorrect email address format in the "CC" field.

Action: Correct the "CC" email addresses. Multiple email addresses should be separated with ";".

Level: 1
Type: ERROR

EPMHFM-65722: Invalid 'BCC' email addresses format. Email addresses should be separated by a ','.

Cause: Incorrect email address format in the "CC" field.

Action: Correct the "BCC" email addresses. Multiple email addresses should be separated with ";".

Level: 1
Type: ERROR

EPMHFM-65723: The system was unable to retrieve {0} property from Shared Services Product Registry.

Cause: System was unable to retrieve a property from Shared Services registry.

Action: Check the Shared Services registry report. If the property is not set, contact Oracle Support Services.

Level: 1
Type: ERROR

EPMHFM-65728: Description is limited to 255 characters.

Cause: Journal description entered is more than 255 characters.

Action: Modify the description of the journal to 255 characters or less.

Level: 1
Type: ERROR

EPMHFM-65729: Invalid Journal label - has more than 20 characters, is empty, or contains invalid characters.

Cause: Invalid Journal label is entered.
Action: Modify the journal label. Label cannot be more than 20 characters. The following characters are invalid for Journal label . + - * / # { } ; , @ ???.
Level: 1
Type: ERROR

EPMHFM-65730: Invalid or empty application name.

Cause: Application name specified is invalid or empty.
Action: Use a valid application name.
Level: 1
Type: ERROR

EPMHFM-65742: Invalid Template label - has more than 20 characters, is empty or contains invalid characters.

Cause: Invalid Template label is entered.
Action: Modify the template label. Label cannot be more than 20 characters. The following characters are invalid for Journal label . + - * / # { } ; , @ ???.
Level: 1
Type: ERROR

EPMHFM-65756: The selected {0} member was not found or is blank.

Cause: An invalid member was selected for a dimension.
Action: Select a valid member for the dimension.
Level: 1
Type: ERROR

EPMHFM-65758: The system was unable to retrieve the Web file transfer folder.

Cause: An unexpected error has occurred.
Action: Contact Oracle Support Services.
Level: 1
Type: INCIDENT_ERROR

EPMHFM-65822: The journal that you are trying to load has been deleted and cannot be processed. Refresh the Journals list.

Cause: Selected journal for processing is not valid.
Action: Refresh the journals grid and attempt to process again.
Level: 1
Type: ERROR

EPMHFM-65851: The system cannot retrieve the list of Intercompany transaction currencies. Check that the metadata load occurred.

Cause: Unable to retrieve Intercompany transaction currencies.
Action: Verify if metadata has been loaded. Contact Oracle Support Services.
Level: 1

Type: ERROR

EPMHFM-66011: No application server was found for Financial Management.

Cause: System was not able to find any registered Financial Management Server.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-66022: The system was unable to find datasource in path:{0}.

Cause: System was not able to find the application.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-66030: An unexpected communication error has occurred.

Cause: An unexpected error has occurred.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-66090: Not enough disk space is available to proceed.

Cause: Unable to persist the information to the disk while writing to a temporary file.

Action: Contact application administrator. Delete unused temporary files for additional storage.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-66093: The load file specified in CES was not found.

Cause: Unable to find the specified load file.

Action: Correct the load file path.

Level: 1

Type: ERROR

EPMHFM-66096: An error occurred loading the table data.

Cause: Unable to load the data into table during application restore.

Action: Check system logs and take necessary corrective actions. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-66097: An error occurred loading the table information.

Cause: Unable to load the data into table during application restore.

Action: Check system logs and take necessary corrective actions. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-66098: An error occurred creating the table.

Cause: Unable to create the table during application restore.

Action: Check system logs and take necessary corrective actions. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-66099: An error occurred creating the table index information.

Cause: Unable to create the table index information during application restore.

Action: Check system logs and take necessary corrective actions. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-66100: An error occurred deleting the table.

Cause: Unable to delete the table during application restore or application copy.

Action: Check system logs and take necessary corrective actions. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-66101: An error occurred inserting the table data.

Cause: Unable to insert data during application restore.

Action: Check system logs and take necessary corrective actions. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-66104: An error occurred retrieving table information.

Cause: Unable to retrieve database table information when performing a backup.

Action: Check system logs and take necessary corrective actions. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-66105: An error occurred retrieving table data.

Cause: Unable to retrieve database table data when performing a backup.

Action: Check system logs and take necessary corrective actions. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-66107: {0} errors occurred when trying to perform the journal action: {1}.

Cause: Multiple errors occurred when processing the journals action.

Action: Check system logs and take necessary corrective actions. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-66117: Unique ID generation failed.

Cause: Unique file generation failed.

Action: Ensure the File Transfer Folder is accessible and has enough disk space. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-66148: An error occurred with the Backup Task, please check the log file.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-66149: An error occurred with the Restore Task, please check the log file.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-66150: An error occurred with the Duplicate Task, please check the log file.

Cause: An unexpected error has occurred.

Action: Check system logs for additional details. If problem persists, contact Oracle Support Services.

Level: 1

Type: ERROR

EPMHFM-66151: No Database components found for this product component.

Cause: System was not able to retrieve database configuration information.

Action: Contact Oracle Support Services.

Level: 1

Type: INCIDENT_ERROR

EPMHFM-66152: An error occurred in executing the query.

Cause: Unexpected database exception.

Action: Contact system administrator to check system logs.

Level: 1

Type: ERROR

EPMHFM-66153: An error occurred in validating the profile, duplicate languages found in the profile.

Cause: Invalid information was entered for languages in the application profile.

Action: Verify languages defined in the profile and remove any duplicates.

Level: 1

Type: ERROR

EPMHFM-66154: An error occurred in validating the profile, duplicate members found in the frequency.

Cause: Invalid information was entered for frequencies in the application profile.

Action: Verify frequency information in the profile and remove any duplicates.

Level: 1

Type: ERROR

EPMHFM-66155: An error occurred in validating the profile, duplicate members found in the period.

Cause: Invalid information was entered for periods in the application profile.

Action: Verify period members defined and remove any duplicates.

Level: 1

Type: ERROR

EPMHFM-66156: An error occurred in validating the profile, duplicate custom dimensions found in the profile.

Cause: Invalid information was entered for custom dimensions in the application profile.

Action: Verify custom dimensions defined and remove any duplicates.

Level: 1

Type: ERROR

EPMHFM-66159: There are pending tasks (synchronous/ asynchronous) for this application. Unable to change to admin mode.

Cause: The application was attempted to be shut down when there are pending tasks.

Action: Allow sufficient time for the pending tasks to complete and then shut down the application.

Level: 1

Type: ERROR

EPMHFM-66160: The system failed to shut down the datasource process for the application.

Cause: Unable to stop the datasource process.

Action: Contact system administrator. Datasource process may have be forced to end using operating system functionality.

Level: 1

Type: ERROR

EPMHFM-69043: The query is empty or query process did not complete.

Cause: Query argument cannot be null or empty for method HssQryPerformOperation.

Action: Query string formatted per ALE query should be passed.

Level: 1

Type: ERROR

EPMHFM-69070: The data edge is not properly defined.

Cause: Invalid tuple, layer or property value passed in for HssQryGetEdgeCellPropertyEx method.

Action: Argument values are expected to be positive.

Level: 1

Type: ERROR

EPMHFM-69071: The property is not properly defined.

Cause: Edge cell property requested is not valid for the method HssQryGetEdgeCellPropertyEx.

Action: Valid properties for edge cell are 0 to 2.

Level: 1

Type: ERROR

EPMHFM-69072: The edge property is not properly defined.

Cause: Edge property specified is not valid for the HssQryGetDataSize method.

Action: Valid values for the edge property are 0 to 3.

Level: 1

Type: ERROR

EPMHFM-69240: Unable to create application profile.

Cause: Unable to create application profile file.

Action: Check messages in system logs and take appropriate corrective action.

Level: 1

Type: ERROR

EPMHFM-69241: Unable to create rules file.

Cause: Unable to create rules file.

Action: Check messages in system logs and take appropriate corrective action.

Level: 1

Type: ERROR

EPMHFM-69242: Unable to create security file.

Cause: Unable to retrieve the security information from the metadata file.

Action: Check messages in system logs and take appropriate corrective action.

Level: 1

Type: ERROR

EPMHFM-69245: The system failed to load the metadata.

Cause: System was not able to load metadata.

Action: Check additional messages in the deployment result and take necessary corrective action.

Level: 1

Type: ERROR

EPMHFM-69254: Unable to transfer file from the server.

Cause: The system was not able to retrieve the log file content from server.

Action: Check additional messages in the deployment result and take necessary corrective action.

Level: 1

Type: ERROR

EPMHFM-69255: The system failed to create the file.

Cause: System was not able to create necessary files for deploying EPMA metadata or Calc Manager rules.

Action: Check additional messages in the deployment result and take necessary corrective action.

Level: 1

Type: ERROR

EPMHFM-69542: Each dimension must be used only once.

Cause: The POV slice has a definition of a dimension in more than one instance.

Action: Change the POV slice to use each dimension instance once.

Level: 1
Type: ERROR

COPYRIGHT NOTICE

Financial Management Oracle Hyperion Financial Management Error Message Reference, 11.1.2.4

Copyright © 2015, Oracle and/or its affiliates. All rights reserved.

Authors: EPM Information Development Team

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS:

Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.