



ORACLE® FINANCIAL MANAGEMENT ANALYTICS

Release 11.1.2.4.000

Error Message Reference

ORACLE®

**EPMOFMA-10101: An error has occurred in the Configuration Utility**

**Cause:** An error has occurred while processing the XML parser.

**Action:** Contact Oracle support

**Level:** 1

**Type:** ERROR

**EPMOFMA-10102: An error has occurred in the Configuration Utility**

**Cause:** The existing XML file is either corrupted or malformed

**Action:** Re-run the Configuration Utility and if the problem still persist then contact Oracle support.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10103: Unknown exception has occurred while loading the XML file.**

**Cause:** Unable to load XML document

**Action:** Re-run the Configuration Utility and if the problem still persist then contact Oracle support.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10104: Failed to create Configuration Utility user interface.**

**Cause:** An error has occurred while creating Configuration Utility user interface

**Action:** Re-run the Configuration Utility and if the problem still persist then contact Oracle support.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10106: Unable to read OFMA configuration file.**

**Cause:** The OFMA.XML file is not correct.

**Action:** Contact Oracle support

**Level:** 1

**Type:** ERROR

**EPMOFMA-10107: Failed to update the Dashboard Links in the OBIEE Catalog folder.**

**Cause:** An exception has occurred

**Action:** You need to manually Show or Hide the Dashboard Links.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10108: Unable to re-name the file**

Cause: File is currently open.

Action: Ensure to close the file, while you perform this action.

Level: 1

Type: ERROR

**EPMOFMA-10109: File Not Found**

Cause: The Configuration Utility could not find the file.

Action: Re-run the Configuration Utility and if the problem still persist then contact Oracle support.

Level: 1

Type: ERROR

**EPMOFMA-10110: An exception has occurred**

Cause: An exception has occurred while expanding the left tree.

Action: Perform the same step

Level: 1

Type: ERROR

**EPMOFMA-10111: Set the HFM Environment variables properly, and try.**

Cause: HFM Environment variables are not set properly

Action: Specify the path variables: EPM\_ORACLE\_HOME and EPM\_ORACLE\_INSTANCE in the OFMA.XML file.

Level: 1

Type: ERROR

**EPMOFMA-10113: Unknown exception has occurred**

Cause: An exception has occurred while performing the current operation.

Action: Re-run the Configuration Utility and if the problem still persist then contact Oracle support.

Level: 1

Type: ERROR

**EPMOFMA-10114: The Configuration Utility is not able to read data from the repository(RPD).**

Cause: RPD is not correctly formed.

Action: Re-run the Configuration Utility and if the problem still persist then contact Oracle support.

Level: 1

Type: ERROR

**EPMOFMA-10115: An error has occurred while displaying the selected screen.**

Cause: An exception has occurred

Action: Re-run the Configuration Utility and if the problem still persist then contact Oracle support.

Level: 1

Type: ERROR

**EPMOFMA-10117: None of the product configurations are available in the RPD file.**

Cause: The RPD file is created without any product configuration details.

**Action:** Re-run the Configuration Utility and if the problem still persist then contact Oracle support.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10118: Unable to update the repository(RPD).**

**Cause:** An error has occurred

**Action:** Re-run the Configuration Utility and if the problem still persist then contact Oracle support.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10120: Failed to retrieve the existing configuration details from the RPD file.**

**Cause:** The RPD file is not correct.

**Action:** Re-run the Configuration Utility and if the problem still persist then contact Oracle support.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10121: Unable to convert the RPD to XML file.**

**Cause:** The repository(RPD) password is not correct.

**Action:** You must provide the repository(RPD) password that was provided during the first time configuration.

**Cause:** OBIEE XML to RPD conversion utility is not working

**Action:** Re-run the Configuration Utility and if the problem still persist then contact Oracle support.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10123: Unable to update the repository(RPD) file.**

**Cause:** Failed to update the repository(RPD) file. Perform the steps, correctly.

**Action:** Re-run the Configuration Utility.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10124: Could not acquire lock on RPD. Update cannot happen.**

**Cause:** The repository(RPD) file is currently open.

**Action:** Ensure to close the file, while you perform this action.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10125: The RPD file cannot be found or being currently used. Close the RPD file.**

**Cause:** The RPD file cannot be found or being currently used.

**Action:** Close the RPD file.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10126: System could not find the specified file.**

**Cause:** File Not Found.

**Action:** Re-run the Configuration Utility

**Level:** 1

**Type:** ERROR

**EPMOFMA-10127: The repository(RPD) file is present, but failed to update the values within the file.**

**Cause:** Unknown error has occurred

**Action:** Re-run the Configuration Utility

**Level:** 1

**Type:** ERROR

**EPMOFMA-10128: Unable to create the repository(RPD) file.**

**Cause:** Failed to re-name the repository(RPD) file.

**Action:** Re-run the Configuration Utility.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10129: Unable to release lock on repository(RPD).**

**Cause:** Another application is holding lock on RPD file.

**Action:** Re-run the Configuration Utility and check no other application is holding lock on RPD file.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10130: An error has occurred while running bat or sh file**

**Cause:** An error has occurred while running bat or sh file

**Action:** You must have the permission to execute the file. Check the file privileges.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10131: An error has occurred while running an executable file.**

**Cause:** An exception occurred while running an executable file.

**Action:** Re-run the Configuration Utility

**Level:** 1

**Type:** ERROR

**EPMOFMA-10132: Unable to retrieve the default dimension members from RPD.**

**Cause:** Default Dimension members are not properly set in the repository(RPD) file.

**Action:** Open the repository(RPD) file, and then provide the default dimensions for each members.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10133: Unable to update the variable in RPD.**

**Cause:** Variable may not exists in RPD.

**Action:** Create at least one variable in the RPD file.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10134: Unable to read the Dimension List name from RPD.**

**Cause:** Unknown exception has occurred

**Action:** Open the RPD and check the dimension name.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10135: Unable to create or update the Dimension List in RPD.**

**Cause:** Unknown exception has occurred.

**Action:** Re-run the Configuration Utility

**Level:** 1

**Type:** ERROR

**EPMOFMA-10136: Unable to delete the Dimension List in RPD**

**Cause:** Unknown exception has occurred

**Action:** Re-run the Configuration Utility

**Level:** 1

**Type:** ERROR

**EPMOFMA-10137: Unable to create or update fact in RPD.**

**Cause:** Unknown exception has occurred

**Action:** Re-run the Configuration Utility and create scenario alias again.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10139: Unable to update the attribute in RPD.**

**Cause:** Attribute does not exist

**Action:** Re-run the Configuration Utility

**Level:** 1

**Type:** ERROR

**EPMOFMA-10140: Unable to delete the file.**

**Cause:** File is locked by another process.

**Action:** Close the file and perform this action.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10141: Unable to remove the product from the repository(RPD) file.**

**Cause:** Temporary RPD file does not exist.

**Action:** Re-run the Configuration Utility

**Level:** 1

**Type:** ERROR

**EPMOFMA-10142: Unable to delete the variables from RPD.**

**Cause:** Unexpected error has occurred

**Action:** No action required

**Level:** 1

**Type:** ERROR

**EPMOFMA-10143: Unable to display Summary Screen.**

**Cause:** An exception has occurred in Summary Screen

**Action:** Re-run the Configuration Utility

**Level:** 1

Type: ERROR

**EPMOFMA-10144: Error while updating files from {0}: Details: {1}**

Cause: An exception has occurred

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10146: Unable to close the file.**

Cause: Unknown error has occurred

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10147: Unable to delete the RPD temporary log file.**

Cause: An exception has occurred

Action: Delete the RPD log file from OFMA Home location.

Level: 1

Type: ERROR

**EPMOFMA-10148: Unable to add HFM Custom Dimension in the RPD.**

Cause: Unknown exception has occurred

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10149: Unable to add HFM Custom Dimension hierarchy in the RPD.**

Cause: Unknown exception has occurred

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10151: Unable to read workspace details from OFMA.XML file**

Cause: The OFMA.XML is not correct.

Action: Check the workspace information exist in OFMA.XML file

Level: 1

Type: ERROR

**EPMOFMA-10152: Integer value is acceptable in Port field.**

Cause: You have entered the wrong values.

Action: Only integer value needs to be provided.

Level: 1

Type: ERROR

**EPMOFMA-10153: All fields are mandatory**

Cause: Value is not provided in one of the field.

Action: Provide value to all the filed in the Configuration Utility.

Level: 1

Type: ERROR

**EPMOFMA-10154: Unable to update MDS Connection details.**

**Cause:** OBIEE Administrator details are not correct, as provided in Workspace Integration.

**Action:** Verify the OBIEE Administrator details provided in the Configuration Utility for Workspace Integration.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10155: Unable to load XML parser in the Configuration Utility**

**Cause:** Unable to find the XML parser

**Action:** Contact Oracle support

**Level:** 1

**Type:** ERROR

**EPMOFMA-10156: An error has occurred while updating XML file.**

**Cause:** An exception has occurred

**Action:** Re-run the Configuration Utility

**Level:** 1

**Type:** ERROR

**EPMOFMA-10157: Unable to show OFMA Help**

**Cause:** Browser might have an issue.

**Action:** Try opening in another browser by copy-pasting the link.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10158: Unable to write the content to XML**

**Cause:** Unknown exception has occurred

**Action:** Re-run the Configuration Utility

**Level:** 1

**Type:** ERROR

**EPMOFMA-10159: Unable to get the system locale**

**Cause:** An exception has occurred

**Action:** Check the system regional setting and re-run the Configuration Utility

**Level:** 1

**Type:** ERROR

**EPMOFMA-10161: Unable to find OBIEE version**

**Cause:** Unable to read the OBIEE version

**Action:** Contact oracle support

**Level:** 1

**Type:** ERROR

**EPMOFMA-10162: An error has occurred while updating attribute in XML file.**

**Cause:** The XML file is corrupted.

**Action:** Re-run the Configuration Utility and if the problem still persist then contact Oracle support.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10163: An error has occurred while reading attribute from the XML file.**

**Cause:** The XML file is corrupted.

**Action:** Re-run the Configuration Utility and if the problem still persist then contact Oracle support.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10164: An error has occurred while modifying the HFM Process Management file.**

**Cause:** An issue with the XML file.

**Action:** Re-run the Configuration Utility

**Level:** 1

**Type:** ERROR

**EPMOFMA-10165: Unable to get the HFM version.**

**Cause:** ADM driver is not installed in the system

**Action:** Ensure that ADM driver is installed and registered in Oracle central inventory.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10166: An error has occurred while updating Financial Statement dashboard prompt.**

**Cause:** The Dashboard prompt file is corrupted

**Action:** Re-run the Configuration Utility and if the problem still persist then contact Oracle support.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10167: Unable to perform Show or Hide action in 'Custom Analysis' page of OFMA catalog**

**Cause:** The Dashboard page name might have changed or is missing.

**Action:** Re-run the Configuration Utility and if the problem still persist, using OBIEE you must manually change the page settings.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10168: Unable to set default for each Dimension Members.**

**Cause:** Default Dimension members are not properly set in the repository(RPD) file.

**Action:** Re-run the Configuration Utility and if the problem still persist, open the repository(RPD) file, and then provide the Default Dimensions for each members.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10169: WEB.XML file is not properly formed.**

**Cause:** An error has occurred while updating WEB.XML file within OBIEE

**Action:** Contact Oracle support

**Level:** 1

**Type:** ERROR

**EPMOFMA-10170: Unable to update FCM details in the repository(RPD).**

**Cause:** An error has occurred while updating repository(RPD)

**Action:** Re-run the Configuration Utility



Level: 1  
Type: ERROR

**EPMOFMA-10171: Unable to update ARM details in the repository(RPD).**

Cause: An error has occurred while updating repository(RPD)

Action: Re-run the Configuration Utility

Level: 1  
Type: ERROR

**EPMOFMA-10172: Error while creating views**

Cause: An error has occurred while creating the view in FCM database.

Action: Re-run the FCM System Setup in the Configuration Utility

Level: 1  
Type: ERROR

**EPMOFMA-10173: An error has occurred while running the SQL query**

Cause: Unknown exception has occurred

Action: Re-run the Configuration Utility

Level: 1  
Type: ERROR

**EPMOFMA-10174: An error has occurred while creating table in FCM database.**

Cause: Unknown exception has occurred

Action: Re-run the FCM System Setup in the Configuration Utility

Level: 1  
Type: ERROR

**EPMOFMA-10175: Unable to connect to database.**

Cause: Connection parameters are not correct.

Action: Ensure that correct database details are provided in the Configuration Utility.

Level: 1  
Type: ERROR

**EPMOFMA-10176: Configuration is missing.**

Cause: Unable to find tnsname.ora file within OBIEE

Action: Re-run the FCM System Setup in the Configuration Utility

Level: 1  
Type: ERROR

**EPMOFMA-10177: The data source is not available**

Cause: Unable to find OFMA\_FCM entry in the tnsname.ora file within OBIEE.

Action: Re-run the FCM System Setup in the Configuration Utility.

Level: 1  
Type: ERROR

**EPMOFMA-10178: Unable to update the tnsname.ora file**

Cause: Unknown exception has occurred

Action: Re-run the FCM System Setup in the Configuration Utility.

Level: 1  
Type: ERROR

**EPMOFMA-10179: User does not have rights to create table or view.**

Cause: User does not have required right in the database.

Action: You must ensure that user has rights to create table or view in the database.

Level: 1

Type: ERROR

**EPMOFMA-10180: Unable to initialize SQL Driver in the Configuration Utility.**

Cause: Unknown exception has occurred

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10181: An error has occurred while displaying Account List Pop-up in the Configuration Utility.**

Cause: Unknown exception has occurred

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10182: Unable to populate HFM member list in the Configuration Utility.**

Cause: Unknown exception has occurred

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10183: Unable to get HFM period hierarchy in the Configuration Utility.**

Cause: Unable to connect to HFM Server.

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10184: Unable to get HFM Dimension hierarchy in the Configuration Utility.**

Cause: Unable to connect to HFM Server

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10185: Failed to retrieve members of HFM member list in the Configuration Utility.**

Cause: Unable to connect to HFM Server.

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10187: Unable to retrieve the level of HFM Dimension hierarchy in the Configuration Utility.**

Cause: Unable to connect to HFM Server.

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10188: An error has occurred while showing Default Dimension screen.**

Cause: Unknown exception has occurred

**Action:** Re-run the Configuration Utility  
**Level:** 1  
**Type:** ERROR

**EPMOFMA-10189: An error has occurred while showing "Year" in the Default Dimension screen.**

**Cause:** Unknown exception has occurred  
**Action:** Re-run the Configuration Utility  
**Level:** 1  
**Type:** ERROR

**EPMOFMA-10190: ADM Object cannot be created. Check whether the variables are set properly.**

**Cause:** HFM Environment variables are not set properly.  
**Action:** Specify the path variables: EPM\_ORACLE\_HOME and EPM\_ORACLE\_INSTANCE in the OFMA.XML file.  
**Level:** 1  
**Type:** ERROR

**EPMOFMA-10191: Unable to retrieve Dimension name from HFM Server.**

**Cause:** Unable to connect to HFM Server.  
**Action:** Specify the path variables: EPM\_ORACLE\_HOME and EPM\_ORACLE\_INSTANCE in the OFMA.XML file.  
**Level:** 1  
**Type:** ERROR

**EPMOFMA-10192: Unable to connect to HFM server. Verify connection details and ensure that connectivity to HFM server is fine.**

**Cause:** HFM Environment variables are not set properly or HFM server is not running.  
**Action:** Specify the path variables: EPM\_ORACLE\_HOME and EPM\_ORACLE\_INSTANCE in the OFMA.XML file.  
**Level:** 1  
**Type:** ERROR

**EPMOFMA-10193: An error has occurred while updating TAX reports.**

**Cause:** Unknown exception has occurred  
**Action:** Re-run the Configuration Utility  
**Level:** 1  
**Type:** ERROR

**EPMOFMA-10194: An error has occurred while displaying HFM Dimension List screen.**

**Cause:** Unknown exception has occurred  
**Action:** Re-run the Configuration Utility  
**Level:** 1  
**Type:** ERROR

**EPMOFMA-10195: An error has occurred while creating Dimension List filter in the OBIEE catalog.**

**Cause:** Unknown exception has occurred  
**Action:** Re-run the Configuration Utility  
**Level:** 1  
**Type:** ERROR

**EPMOFMA-10196: Unable to retrieve the status of dashboard.**

Cause: Unknown exception has occurred

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10197: An error has occurred in the Financial Statement screen.**

Cause: Unknown exception has occurred

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10198: Unable to connect to HFM server. Verify connection details and ensure that connectivity to HFM server is fine.**

Cause: HFM Environment variables are not set properly or HFM server is not running.

Action: Specify the path variables: EPM\_ORACLE\_HOME and EPM\_ORACLE\_INSTANCE in the OFMA.XML file. Also check if HFM Server is running or not.

Cause: HFM connection details are not correct

Action: Provide the correct HFM Connection details.

Level: 1

Type: ERROR

**EPMOFMA-10199: An error has occurred in the KPI Screen.**

Cause: Unknown exception has occurred

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10200: An error has occurred in the HFM Process Management screen.**

Cause: Unknown exception has occurred

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10201: An error has occurred in the System Setup screen.**

Cause: Unknown exception has occurred

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10202: An error has occurred while updating the OPMN.XML file.**

Cause: Unknown exception has occurred

Action: Re-run the Configuration Utility

Level: 1

Type: ERROR

**EPMOFMA-10203: An error has occurred while deleting the jar file from OBIEE installed location.**

Cause: OBIEE services is running

**Action:** Manually delete all the jars except admimport.jar and admintegration.jar from 'OBIEE\_HOME/bifoundation/javahost/lib/obisintegration/adm' location

**Level:** 1

**Type:** ERROR

**EPMOFMA-10204: Unable to restart OBIEE services**

**Cause:** An exception has occurred

**Action:** Use OBIEE command tool to restart services.

**Level:** 1

**Type:** ERROR

**EPMOFMA-10205: Error occurred while updating EPM registry of HFM application for Workspace Integration.**

**Cause:** An exception has occurred

**Action:** Re-run the Configuration Utility

**Level:** 1

**Type:** ERROR

**EPMOFMA-10206: Error occurred while reading EPM registry of HFM application for Workspace Integration.**

**Cause:** An exception has occurred

**Action:** Re-run the Configuration Utility

**Level:** 1

**Type:** ERROR

**EPMOFMA-10207: An error has occurred in the Tax Provision KPI screen.**

**Cause:** An exception has occurred

**Action:** Re-run the Configuration Utility

**Level:** 1

**Type:** ERROR

## COPYRIGHT NOTICE

Oracle Financial Management Analytics Error Message Reference, 11.1.2.4.000

Copyright © 2014, Oracle and/or its affiliates. All rights reserved.

Authors: EPM Information Development Team

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS:

Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.