



ORACLE® HYPERION PLANNING

Release 11.1.2.4

Error Message Reference

ORACLE®

HSP-000000001: An error occurred when trying to initialize the Registry component.

Cause: One possibility is that the system is not configured properly.

Action: Ensure environment is properly configured.

Level: 1

Type: ERROR

HSP-000000002: An error occurred while testing database connection

Cause: An error occurred while testing database connection

Action: Ensure database information is correct and appropriate security access is granted.

Level: 1

Type: ERROR

HSP-000000003: An error occurred while testing Essbase connection

Cause: An error occurred while testing Essbase connection

Action: Ensure Essbase information is correct and appropriate security access is granted.

Level: 1

Type: ERROR

HSP-000000004: An error occurred while closing database connection

Cause: An error occurred while closing database connection

Action: Ensure database is running.

Level: 1

Type: ERROR

HSP-000000005: Failed to initialize CSS client.

Cause: CSS Client is not set up correctly.

Action: Ensure CSS is configured properly.

Level: 1

Type: ERROR

HSP-000000006: Java Library Path = {0}

Level: 1

Type: NOTIFICATION

HSP-000000007: ADM Mode is detected. Loading Library (HspEssbaseEnvAdm)...

Level: 1

Type: NOTIFICATION

HSP-000000008: Using 64 bit Essbase RTC...

Level: 1

Type: NOTIFICATION

HSP-000000009: New path after updating Essbase RTC location to PATH is: {0}

Level: 1

Type: NOTIFICATION

HSP-000000010: Setting ARBORPATH environment variable to {0}

Level: 1

Type: NOTIFICATION

HSP-000000011: using Java property for Hyperion Home: {0}

Level: 1

Type: NOTIFICATION

HSP-000000012: using Java property for ARBORPATH: {0}

Level: 1

Type: NOTIFICATION

HSP-000000013: Using 32 bit Essbase RTC...

Level: 1

Type: TRACE

HSP-000001000: An error occurred processing the application manager (HspAppManagerServlet) request.

Cause: The xml received may contain invalid members.

Action: Fix the issues related to invalid members and redeploy the application.

Level: 1

Type: WARNING

HSP-000001001: Application not created {0}.

Cause: Invalid application properties were specified.

Action: Define valid application properties.

Cause: An invalid data source was specified.

Action: Define valid data source

Cause: The connection to Essbase failed.

Action: Ensure the connection information is correct, and retry the connection

Level: 1

Type: ERROR

HSP-000001002: An error occurred migrating the application {0}.

Cause: Failure to update the system database information.

Action: Ensure the connection to system database is valid.

Cause: Failure to register the application with Shared Services.

Action: Ensure Shared Services is running.

Level: 1

Type: ERROR

HSP-0000001003: An error occurred creating or refreshing the Essbase application or database.

Cause: Invalid members were specified.

Action: Review the dimensional structure to ensure that all members are valid, and resolve any duplicate members.

Level: 1

Type: ERROR

HSP-0000001004: An error occurred processing dimensional information.

Cause: Invalid dimension information was specified.

Action: Review the dimensions and their properties to ensure that all dimensions are valid, and redeploy the application.

Level: 1

Type: ERROR

HSP-0000001005: An error occurred deploying or redeploying the application {0}.

Cause: An invalid data source was specified

Action: Ensure the data source is valid.

Cause: The Essbase connection failed.

Action: Ensure Essbase is running on the host and port specified in the data source.

Cause: Invalid members were specified.

Action: Review the dimensional structure to ensure that all members are valid.

Cause: The application may already exist.

Action: Delete the application or use a different name.

Level: 1

Type: ERROR

HSP-0000001006: An error occurred processing the Calculation Manager request.

Cause: Invalid calculation rule XML files were deployed.

Action: Review the calculation rule to ensure that all rules are valid, and redeploy the rules.

Level: 1

Type: ERROR

HSP-0000001007: An error occurred adding members to attribute dimension {0}.

Cause: Invalid attribute members were specified.

Action: Review the attribute members to ensure that the members are valid.

Level: 1

Type: ERROR

HSP-0000001008: An error occurred adding members to a dimension {0}.

Cause: Invalid members are specified.

Action: Review the dimensional structure to ensure that the members are valid.

Level: 1

Type: ERROR

HSP-0000001009: An error occurred posting deployment results to callback URL {0}.

Cause: Failed to post deployment results to callback URL.

Action: Confirm that the server is running at the callback URL.

Level: 1

Type: ERROR

HSP-0000001010: Failed to create Job Attachment File. Error:{0}.

Cause: Job Attachment File not created.

Action: Ensure the application is running and that there is sufficient disk space and try again.

Level: 1

Type: ERROR

HSP-0000002000: The compressed/Zip file stream is NULL.

Cause: Missing artifact files from Lifecycle Management.

Action: Check the Lifecycle Management log files for more information about this error.

Level: 1

Type: WARNING

HSP-0000002001: The compressed/Zip file stream is empty, no files found.

Cause: Missing artifact files from Lifecycle Management.

Action: Check the Lifecycle Management log files for more information about this error.

Level: 1

Type: WARNING

HSP-0000002003: Unable to process artifact [Name={0}].

Cause: Unknown artifact type for the current release.

Action: Unknown artifact type for the current release. Contact system administrator for assistance.

Level: 1

Type: ERROR

HSP-0000002004: Unable to instantiate/access artifact class.

Cause: Not able to instantiate/access artifact class.

Action: Please check the associated exception message in logs.

Level: 1

Type: ERROR

HSP-0000002005: An error occurred closing the Zip file.

Cause: An error occurred closing the Zip file.

Action: Please check the associated exception message in logs.

Level: 1

Type: ERROR

HSP-0000002006: An error occurred exporting artifacts.

Cause: An error occurred exporting artifacts.

Action: Please check the associated exception message in logs.

Level: 1

Type: ERROR

HSP-0000002007: An error occurred importing artifacts.

Cause: An error occurred importing artifacts.

Action: Please check the associated exception message in logs.

Level: 1

Type: ERROR

HSP-0000002008: An error occurred synchronizing user provisioning.

Cause: An error occurred synchronizing user provisioning.

Action: Please check the associated exception message in logs.

Level: 1

Type: ERROR

HSP-0000002009: An error occurred refreshing the Essbase cubes.

Cause: An error occurred refreshing the Essbase cubes.

Action: Please check the associated exception message in logs.

Level: 1

Type: WARNING

HSP-0000002010: An error occurred during data source creation.

Cause: An error occurred during data source creation.

Action: Please check the associated exception message in logs.

Level: 1

Type: ERROR

HSP-0000002011: An error occurred during application creation.

Cause: An error occurred during application creation.

Action: Please check the associated exception message in logs.

Level: 1

Type: ERROR

HSP-0000002012: An error occurred while data source/application creation.

Cause: An error occurred while data source/application creation.

Action: Please check the associated exception message in logs.

Level: 1

Type: ERROR

HSP-0000002013: An error occurred processing the LCM request.

Cause: An error occurred processing the LCM request.

Action: Please check the associated exception message in logs.

Level: 1

Type: WARNING

HSP-0000002014: Empty file/stream for artifact ({0}) using handler ({1}) to export.

Cause: Empty file/stream for artifact.

Action: Please check the associated exception message in logs.

Level: 1

Type: WARNING

HSP-0000002015: The import file was not found in the ZIP for artifact ({0}) using handler ({1}).

Cause: The import file was not found in the ZIP, may be filename is different.

Action: Verify that the file name is correct.

Level: 1

Type: WARNING

HSP-0000002016: An error occurred exporting artifact ({0}).

Cause: An error occurred exporting artifact.

Action: Please check the associated exception message in logs.

Level: 1

Type: WARNING

HSP-000002017: An error occurred importing artifact ({0}).

Cause: An error occurred importing artifact.

Action: Please check the associated exception message in logs.

Level: 1

Type: WARNING

HSP-000002018: The intermediate cube refresh failed for Period dimension.(log and skip...).

Cause: The intermediate cube refresh failed for Period dimension.

Action: Please check the associated exception message in logs.

Level: 1

Type: TRACE

HSP-000002019: An error occurred updating entity members for base currency.

Cause: An error occurred updating entity members for base currency.

Action: Please check the associated exception message in logs.

Level: 1

Type: ERROR

HSP-000002020: An error occurred setting locale for EssbaseImportExportEngine.

Cause: An error occurred setting locale for EssbaseImportExportEngine.

Action: Please check the associated exception message in logs.

Level: 1

Type: ERROR

HSP-000002021: Unable to process dependency for artifact [Name={0}].

Cause: Unknown dependent artifact type for the current release.

Action: Unknown dependent artifact type for the current release. Contact system administrator for assistance.

Level: 1

Type: ERROR

HSP-000002022: An error occurred fetching reporting application mapping for decision package type: {0}.

Cause: An error occurred fetching reporting application mapping for decision package type

Action: Check the Planning log files for more information about this error.

Level: 1

Type: ERROR

HSP-000002023: An error occurred creating the document.

Cause: An error occurred creating the document

Action: Check the Planning log files for more information about this error.

Level: 1

Type: ERROR

HSP-000002024: An error occurred processing dependency for:{0}.

Cause: Unable to process dependency for the selected artifact

Action: Check the Planning log files for more information about this error.
Level: 1
Type: ERROR

HSP-0000002025: An error occurred setting the locale for EssbaseImportExportEngine.

Cause: An error occurred setting the locale for EssbaseImportExportEngine
Action: Check the Planning log files for more information about this error.
Level: 1
Type: ERROR

HSP-0000002026: Unexpected artifact [Artifact Type={0}] for this action, skipping...

Cause: Unknown artifact type for the current release.
Action: Unknown artifact type for the current release. Contact system administrator for assistance.
Level: 1
Type: NOTIFICATION

HSP-0000002027: Application creation notification to FDMEE failed with error: {0}

Cause: FDMEE may not be up and running
Action: Check if FDMEE is up and running
Level: 1
Type: WARNING

HSP-0000003000: An error occurred when sending the request to URL :{0}

Cause: Invalid URL specified
Action: Verify the server is running on specified URL
Level: 1
Type: ERROR

HSP-0000004012: An error occurred loading Essbase, application "{0}", cube name "{1}", rules file "{2}", data file "{3}".

Cause: An error occurred attempting to load to essbase
Action: Verify application, cube name, rule file and data content is correct and try again.
Level: 1
Type: WARNING

HSP-0000004014: Attributes cannot be assigned to Shared Members, ignoring for member "{0}".

Cause: Attributes cannot be assigned to Shared Members
Action: Remove attributes from shared members.
Level: 1
Type: NOTIFICATION

HSP-0000004015: Invalid reviewers removed.

Cause: Some invalid reviewers removed.
Action: No action required.
Level: 1
Type: NOTIFICATION

HSP-0000004016: Invalid notifiees removed.

Cause: Invalid (null) notifiees removed.

Action: No action required.

Level: 1

Type: NOTIFICATION

HSP-0000004017: Unable to send email notification.

Cause: Unable to send email notification

Action: Verify email address is valid.

Level: 1

Type: ERROR

HSP-0000004018: Cannot send email notification because the From field is empty.

Cause: From email field is blank

Action: Specify email in from field.

Level: 1

Type: WARNING

HSP-0000004022: An error occurred loading Calculation Scripts.

Cause: Error loading calc scripts

Action: Ensure database is running.

Level: 1

Type: ERROR

HSP-0000004023: An error occurred loading Rules.

Cause: Error loading rules

Action: Ensure database is running.

Level: 1

Type: ERROR

HSP-0000004024: An error occurred loading Rule Sets.

Cause: Error loading rule sets

Action: Ensure database is running.

Level: 1

Type: ERROR

HSP-0000004025: An error occurred retrieving the Rule Set Children.

Cause: Error getting rule set children:

Action: Ensure database is running.

Level: 1

Type: ERROR

HSP-0000004028: URL is undefined for Cluster : {0}

Cause: URL is undefined for Cluster

Action: Verify EPM registry contains the correct Planning logical WEB application configuration.

Level: 1

Type: ERROR

HSP-0000004029: An error occurred connecting to the database: {0}

Cause: Error while getting database connection

Action: Ensure database is running.

Level: 1
Type: ERROR

HSP-0000004031: Unexpected database table found {0}. Deleting the database table.

Cause: Unexpected database table found
Action: No action required.
Level: 1
Type: WARNING

HSP-0000004036: An error occurred executing query {0} with parameters {1}

Cause: Query Failed
Action: Verify that the database is running.
Level: 1
Type: ERROR

HSP-0000004037: Cannot establish a JDBC connection.

Cause: Cannot get JDBC connection.
Action: Ensure JDBC connection information is correct and database is running.
Level: 1
Type: ERROR

HSP-0000004038: An invalid value ({0}) was specified for JDBC_MAX_WAIT_FOR_CONNECTION, using default value.

Cause: Invalid value for JDBC_MAX_WAIT_FOR_CONNECTION, using default value
Action: Specify a valid value.
Level: 1
Type: NOTIFICATION

HSP-0000004039: An invalid value ({0}) was specified for JDBC_MIN_CONNECTIONS, using default value.

Cause: Invalid value for JDBC_MIN_CONNECTIONS, using default value
Action: Specify a valid value.
Level: 1
Type: NOTIFICATION

HSP-0000005000: Invalid Product URL Specified {0}.

Cause: The Product URL specified is not in the Data Sync Format
Action: Ensure product URL is properly specified.
Cause: Missing application name in the product url
Action: Ensure application name is specified.
Level: 1
Type: ERROR

HSP-0000005001: An error occurred when creating log file {0}.

Cause: Failed to create the log file
Action: Ensure environment has sufficient disk space for the file.
Level: 1
Type: ERROR

HSP-000005002: An error occurred when executing data synchronization request.

Cause: Invalid data sync request specified
Action: Ensure data request specification is valid.
Cause: Invalid data specified
Action: Ensure data is valid.
Level: 1
Type: ERROR

HSP-000006001: An error occurred when loading data for form {0}

Cause: Occurs when loading data for a form
Action: Make sure Essbase is running and cube is created/refreshed with latest metadata.
Level: 1
Type: ERROR

HSP-000006002: An error occurred validating data validation rule {0}.

Cause: Occurs when validating data validation rule for the form data.
Action: Ensure data validation rule is valid.
Level: 1
Type: ERROR

HSP-000006003: An error occurred validating formula {0}.

Cause: Occurs when validating formula for the form.
Action: Ensure formula is valid.
Level: 1
Type: ERROR

HSP-000006004: An error occurred retrieving forms for the folder.

Cause: This error occurs when trying to retrieve forms for folder.
Action: Ensure that you have valid forms in the folder.
Level: 1
Type: ERROR

HSP-000007000: An error occurred when loading data for form {0} using MDX Query {1}.

Cause: Invalid MDX Query executed.
Action: Ensure the form definition is correct and Essbase outline is in sync with Planning.
Level: 1
Type: ERROR

HSP-000008000: A calculation script error occurred.

Cause: Due to a configuration error, unable to initialize the Hyperion Business Rules in embedded mode.
Action: Ensure that you have the access required to run the calculation script.
Level: 1
Type: ERROR

HSP-000008001: An error occurred initializing embedded Hyperion Business Rules. Will retry after {0} seconds.

Cause: Due to a configuration error, unable to initialize the Hyperion Business Rules in embedded mode.

Action: Ensure Hyperion RMI Registry service is running.

Level: 1

Type: ERROR

HSP-000008002: An error occurred disconnecting user {0} from embedded Hyperion Business Rules.

Cause: Possible user time out.

Action: Ensure Hyperion RMI Registry service is running. Try to access Business Rules again.

Level: 1

Type: WARNING

HSP-000008003: An error occurred retrieving Smart Lists from Business Rules.

Cause: Unable to retrieve Smart Lists from Business Rules.

Action: Ensure Smart Lists are valid.

Level: 1

Type: ERROR

HSP-000008004: An error occurred exporting the Business Rules Repository.

Cause: Unable to connect to Hyperion Business Rules.

Action: Ensure Hyperion RMI Registry service is running.

Level: 1

Type: ERROR

HSP-000008005: An error occurred migrating business rules to Hyperion Business Rules.

Cause: Invalid business rule code was passed.

Action: Ensure the validity of business rules and retry the migration.

Level: 1

Type: ERROR

HSP-000008006: A parse exception occurred during Calculation Manager deployment at line number: {0}, column number: {1}.

Cause: Invalid calc script was specified

Action: Ensure the validity of the calc script and redeploy.

Level: 1

Type: ERROR

HSP-000008007: An error occurred during Calculation Manager deployment.

Cause: Invalid calculation script was specified.

Action: Ensure the validity of the calc script and redeploy.

Level: 1

Type: ERROR

HSP-000008008: An error occurred during Calculation Manager calculation script analysis.

Cause: Error occurred during Calc Manager Calc Script Analysis

Action: Ensure the validity of the calc script.

Level: 1

Type: ERROR

HSP-000008009: An error occurred during Calculation Manager validation.

Cause: Error occurred during Calc Manager validate

Action: Ensure the validity of the calc script.

Level: 1
Type: ERROR

HSP-000008010: Failed to execute {0}

Cause: Failed to execute
Action: Ensure the validity of the calc script and try again.
Level: 1
Type: ERROR

HSP-000008011: You cannot specify both a rule and rule set.

Cause: Both a rule and rule set cannot be specified
Action: Use only one of the /S or /R options.
Level: 1
Type: ERROR

HSP-000008012: Cannot launch the rule or rule set because they were not specified.

Cause: Rule or Rule set has to be specified
Action: Specify a rule or rule set.
Level: 1
Type: ERROR

HSP-000008013: Default launch values are used for rule sets. The runtime prompt file you specified will be ignored.

Cause: With default launch values, RTP file will be ignored.
Action: No action required.
Level: 1
Type: NOTIFICATION

HSP-000008014: An error occurred running the command line launcher.

Cause: Error occurred during command line launcher
Action: Check command line logs for details.
Level: 1
Type: ERROR

HSP-000008015: Error when getting CDF and CDM info from Essbase

Cause: Error when getting CDF and CDM info from Essbase
Action: Ensure environment is properly configured and CDF and CDM are registered.
Level: 1
Type: ERROR

HSP-000008016: Data Extract calculation script failed:

Cause: Data Extract calculation script failed
Action: Ensure data extract specification is valid.
Level: 1
Type: ERROR

HSP-000009000: Unable to connect to the Essbase server on host {0};{1}.

Cause: The Essbase Server may not be running on the specified host and port.
Action: Confirm that the Essbase is running on the specified host and port.
Level: 1

Type: ERROR

HSP-000009001: An error occurred retrieving substitution variables from Essbase.

Cause: The Essbase Server may not be running on the specified host and port.

Action: Ensure the Essbase is running on the specified host and port.

Cause: The specified Essbase application may not exist.

Action: Ensure the Essbase application exists.

Level: 1

Type: WARNING

HSP-000009002: An error occurred deleting substitution variable {0} from Essbase.

Cause: The Essbase Server may not be running on the specified host and port.

Action: Ensure the Essbase is running on the specified host and port.

Cause: The specified Essbase application may not exist.

Action: Ensure the Essbase application exists.

Level: 1

Type: WARNING

HSP-000009003: An error occurred setting the substitution variable value.

Cause: The Essbase Server may not be running on the specified host and port.

Action: Ensure the Essbase is running on the specified host and port.

Cause: The specified Essbase application may not exist.

Action: Ensure the Essbase application exists.

Level: 1

Type: WARNING

HSP-000009004: An error occurred retrieving substitution variable values.

Cause: The Essbase Server may not be running on the specified host and port.

Action: Ensure the Essbase is running on the specified host and port.

Cause: The specified Essbase application may not exist.

Action: Ensure the Essbase application exists.

Level: 1

Type: WARNING

HSP-000009005: An error occurred during the cube refresh.

Cause: This error occurs if unable to do cube refresh.

Action: Ensure Essbase is running and outline structure and member information is valid.

Level: 1

Type: ERROR

HSP-000009006: Cannot establish OLAP connection: {0}.

Cause: Cannot get OLAP connection

Action: Ensure Essbase server is running.

Level: 1

Type: ERROR

HSP-000009007: Error terminating Essbase connection: {0}.

Cause: Essbase Connection Failed

Action: Ensure Essbase server is running.

Level: 1
Type: ERROR

HSP-000009008: An OLAP error occurred during database shutdown: {0}.

Cause: Error attempting to term OLAP database on shutdown

Action: Ensure Essbase server is running.

Level: 1

Type: ERROR

HSP-000009009: Unknown member name found on MDX grid: {0} .

Cause: Unknown member name found on MDX grid

Action: Ensure Essbase outline is in sync with Planning. Run cube refresh.

Level: 1

Type: WARNING

HSP-000009010: Unable to generate weighted average formulas; unable to locate Q1-Q4.

Cause: Unable to generate Weighted Average formulas

Action: Confirm members Q1-Q4 exists. Ensure Essbase outline is in sync with Planning.
Run cube refresh.

Level: 1

Type: WARNING

HSP-000009012: Cannot establish the OLAP connection: {0} .

Cause: Cannot get OLAP connection

Action: Ensure Essbase server is running.

Level: 1

Type: ERROR

HSP-000009013: Error terminating Essbase connection: {0}

Cause: Error terminating Essbase connection

Action: Ensure Essbase server is running.

Level: 1

Type: ERROR

HSP-000009014: Unable to create connection for the pool: {0}.

Cause: Unable to create connection for the pool

Action: Ensure Essbase server is running.

Level: 1

Type: ERROR

HSP-000009015: Essbase server with same name on target app not found. Creating an entry with empty password.

Cause: Essbase server with same name on target app not found.

Action: Ensure Essbase outline is in sync with Planning. Run cube refresh.

Level: 1

Type: WARNING

HSP-000009016: Unable to close Essbase Outline handle

Cause: Error closing outline handle

Action: Ensure Essbase server is running.

Level: 1
Type: ERROR

HSP-0000011000: An error occurred saving the data source.

Cause: This error occurs if unable to save data source.
Action: Ensure system database is properly configured and running.
Level: 1
Type: ERROR

HSP-0000011001: An error occurred deleting the data source.

Cause: This error occurs if unable to delete a data source.
Action: Ensure system database is properly configured and running.
Level: 1
Type: ERROR

HSP-0000011002: An error occurred retrieving the list of applications.

Cause: This error occurs if unable to retrieving list of applications
Action: Ensure system database is properly configured and running.
Level: 1
Type: ERROR

HSP-0000011003: An error occurred upgrading application {0}.

Cause: Error Occurred while upgrading Application.
Action: Ensure application database is properly configured and running.
Level: 1
Type: ERROR

HSP-0000011004: An error occurred checking application upgrade status for application: {0}

Cause: Error Occurred while Checking Application upgrade status.
Action: Ensure application database is properly configured and running.
Level: 1
Type: ERROR

HSP-0000011005: An error occurred upgrading application {0}. For upgrade logs, check file ({1}).

Cause: Error Occurred while upgrading Application.
Action: Ensure application database is properly configured and running.
Level: 1
Type: ERROR

HSP-0000011006: {0}(s) to be added: {1}

Cause: Error while comparing the database schema between the expected list of database objects vrs the current state.
Action: Ensure application database schema is correct. Contact system administrator for assistance.
Level: 1
Type: ERROR

HSP-0000011007: {0}(s) to be dropped: {1}

Cause: Error while comparing the database schema between the expected list of database objects vrs the current state.

Action: Ensure application database schema is correct. Contact system administrator for assistance.

Level: 1

Type: ERROR

HSP-0000011008: Database {0} {1} is not same.

Cause: Error while comparing the database schema between the expected list of database objects vrs the current state.

Action: Ensure application database schema is correct. Contact system administrator for assistance.

Level: 1

Type: ERROR

HSP-0000011009: Application {0} database schema compare failed with Error - {1}

Cause: Error while comparing the database schema between the expected list of database objects vrs the current state.

Action: Ensure application database schema is correct. Contact system administrator for assistance.

Level: 1

Type: ERROR

HSP-0000013001: You have insufficient access to perform the action.

Cause: This error occurs if user does not have proper security access established for the planning unit.

Action: Ensure proper security access is granted to the user.

Level: 1

Type: WARNING

HSP-0000013002: Unable to locate the rule required to perform this action.

Cause: This error occurs if system is unable to find a rule to perform corresponding action for the planning unit.

Action: Ensure your database contains a rule for this action. Contact system administrator for assistance.

Level: 1

Type: WARNING

HSP-0000013003: An error occurred processing the Planning Unit.

Cause: This error occurs if system is unable to process the planning unit.

Action: Verify data and security access is correct, verify planning unit hierarchy is in sync and try again.

Level: 1

Type: WARNING

HSP-0000013004: Cannot process the Planning Unit due to a validation rule.

Cause: A validation rule prevented the planning unit from moving forward.

Action: Verify that your data complies within the data validation rule limits.

Level: 1

Type: WARNING

HSP-0000013005: Cannot pass the Planning Unit to the specified user.

Cause: A validation rule override prevented the movement of the planning unit to the specified user.

Action: Verify that your data complies within the data validation rule limits or select automatic user.

Level: 1

Type: WARNING

HSP-0000013006: You have multiple selections that conflict. Please clear one or more selections.

Cause: You have selected multiple planning units that conflict.

Action: Unselect a child or parent planning unit in conflict.

Level: 1

Type: WARNING

HSP-0000013007: You cannot modify a Planning Unit that is being processed.

Cause: You are attempting to modify a planning unit already in process.

Action: Wait until planning unit has finished processing before proceeding.

Level: 1

Type: WARNING

HSP-0000013008: A validation rule prevented the approve action.

Cause: Approve action failed due to a validation rule override.

Action: Verify that your data complies within the data validation rule limits.

Level: 1

Type: WARNING

HSP-0000013009: Unable to determine the automatic user.

Cause: Either no user was found or multiple users was found for action.

Action: Select a specific user. If no users are available contact your administrator for assistance.

Level: 1

Type: WARNING

HSP-0000013010: Detected a circular reference for Out of Office user.

Cause: The Out of Office user flow chain detected a circular reference.

Action: Contact your administrator to remove the circular reference.

Level: 1

Type: WARNING

HSP-0000013011: An error occurred adding an annotation to the Planning Unit.

Cause: This error may be caused by a database error.

Action: Ensure your database is running.

Level: 1

Type: ERROR

HSP-0000013012: An error occurred adding history to the Planning Unit.

Cause: This error may be caused by a database error.

Action: Ensure your database is running.

Level: 1

Type: ERROR

HSP-0000013013: An error occurred copying the decision package dimension.

Cause: This error may be caused by a database error.

Action: Ensure your database is running.

Level: 1

Type: ERROR

HSP-0000013014: An error occurred copying decision package notes.

Cause: This error may be caused by a database error.

Action: Ensure your database is running.

Level: 1

Type: ERROR

HSP-0000013015: An error occurred copying the decision package child members.

Cause: This error may be caused by a database error.

Action: Ensure your database is running.

Level: 1

Type: ERROR

HSP-0000013016: An error occurred copying the decision package Planning Unit Hierarchy.

Cause: This error may be caused by a database error.

Action: Ensure your database is running.

Level: 1

Type: ERROR

HSP-0000013017: The Planning Unit hierarchy associated with the decision package must be assigned to a scenario and version.

Cause: This error occurs when a planning unit hierarchy is not bound to a scenario and version.

Action: Associate the planning unit hierarchy to a scenario and version.

Level: 1

Type: WARNING

HSP-0000013018: The decision package was not copied due to a missing entity.

Cause: This error occurs when a planning unit hierarchy does not contain the entity required for the target decision package.

Action: Include the missing entities to the planning unit hierarchy.

Level: 1

Type: WARNING

HSP-0000013019: The decision package was not copied due to an unowned version, or a version in the approved state.

Cause: This error occurs when a version in the decision package does not have proper ownership or version is in approved state.

Action: Verify selected version is valid and not in approved state.

Level: 1

Type: WARNING

HSP-0000013020: An error occurred unlocking the Planning Unit Hierarchy.

Cause: This error may be caused by a database error.

Action: Ensure your database is running.

Level: 1

Type: ERROR

HSP-0000013021: Unable to set Planning Unit Hierarchy to out of synch.

Cause: This error may be caused by a database error.

Action: Ensure your database is running.

Level: 1

Type: ERROR

HSP-0000013023: Failed to migrate the JDBC Driver/URL for the data source {0}

Cause: Invalid JDBC Driver was specified.

Action: Associate the correct JDBC driver.

Level: 1

Type: ERROR

HSP-0000013024: An error occurred retrieving the user identity (SID) for user {0}

Cause: Error occurred when getting user SID

Action: Ensure your user configuration is correct and authentication services are active.

Level: 1

Type: ERROR

HSP-0000013025: An error occurred retrieving the group {0} by name

Cause: Error occurred when getting the group by name

Action: Ensure your authentication services are active.

Level: 1

Type: ERROR

HSP-0000013026: Verify that the authentication server is running at {0}

Cause: Authentication server may not be running or may not be specified in HspJSHome.properties

Action: Ensure your authentication services are active.

Level: 1

Type: ERROR

HSP-0000013027: An error occurred starting the Planning Authentication server. Restart the server.

Cause: Error encountered while starting the Planning Authentication server.

Action: Ensure your authentication services are active.

Level: 1

Type: ERROR

HSP-0000013029: Error occurred when setting the default currency for member

Cause: Error occurred when setting the default currency for member

Action: Select a valid currency to associate with member.

Level: 1

Type: WARNING

HSP-0000013030: Please type 'y' or 'n'

Cause: Please type 'y' or 'n'

Action: Please type 'y' or 'n'

Level: 1

Type: WARNING

HSP-0000013042: Cannot log in to application.{0}

Cause: Cannot login to applications

Action: Ensure your authentication services are active.

Level: 1

Type: WARNING

HSP-0000013047: An error occurred sending the HTTP request to the Strategic Finance Server.

Cause: Error when sending HTTP request to Strategic Finance Server

Action: Ensure Strategic Finance server is running.

Level: 1

Type: ERROR

HSP-0000013051: An error occurred processing task list alerts: {0}

Cause: Error occurred while processing task list alerts

Action: Ensure your database is running.

Level: 1

Type: ERROR

HSP-0000013052: An error occurred sending task list alert: {0}

Cause: Error sending task list alert

Action: Ensure your database is running.

Level: 1

Type: ERROR

HSP-0000013054: {0} is not a valid application name. Please enter the application name in correct case.

Cause: Application name is not recognized.

Action: Please enter the application name in correct case.

Level: 1

Type: ERROR

HSP-0000014500: An error occurred connecting to Planning.

Level: 1

Type: NOTIFICATION

HSP-0000014501: An error occurred during an import or export operation.

Level: 1

Type: NOTIFICATION

HSP-0000014502: Information: {0}

Level: 1

Type: TRACE

HSP-0000014503: Warning: {0}

Level: 1

Type: NOTIFICATION

HSP-0000014504: Error: {0}

Level: 1

Type: NOTIFICATION

HSP-0000016000: An error occurred processing incoming XML (HspSmartViewServlet) request.

Cause: Some error occurred while processing Smart View incoming request

Action: see error messages displayed on SVC UI.

Level: 1

Type: ERROR

HSP-0000016001: An error occurred parsing incoming XML by (HspSmartViewServlet) request.

Cause: Some error occurred while processing Smart View incoming request

Action: see error messages displayed on SVC UI.

Level: 1

Type: WARNING

HSP-0000016002: An error occurred parsing incoming XML by (HspSmartViewServlet) request.

Cause: Unknown error occurred while processing XML request.

Action: SmartView Client is sending Invalid XML request, please contact SmartView Client support.

Level: 1

Type: ERROR

HSP-0000016003: An error occurred using the security API to confirm CSS agent protection by (HspSmartViewServlet) request.

Cause: Unknow error occurred while using CSS API.

Action: Please check CSS configuration.

Level: 1

Type: ERROR

HSP-0000016004: Planning failed to instantiate XML reader from (HspSmartViewServlet) request.

Cause: This is most probably CLASSPATH configuration problem.

Action: Please check that Planning classpath has not been changed.

Level: 1

Type: ERROR

HSP-0000016005: An error occurred when the Planning Smart View Provider tried to encode a file.

Cause: There is a problem with decoding.

Action: Please check that Planning classpath has not been changed.

Level: 1

Type: ERROR

HSP-0000016006: An error occurred when Planning Smart View tried to set user variable.

Cause: There are some problems with user variable name, length etc....

Action: Please check user variable name for special characters, length etc..

Level: 1

Type: ERROR

HSP-000016007: An error occurred when Planning Smart View tried to create or delete local file object.

Cause: There are some issues with access to local file system objects.

Action: Please check access right to file system

Level: 1

Type: ERROR

HSP-000016008: An error occurred when Planning Smart View tried to evaluate member expression.

Cause: Member expression cannot be evaluated to valid planning members

Action: Please check member expression for valid member names, functions etc..

Level: 1

Type: ERROR

HSP-000016009: An error occurred when Planning Smart View tried to get list of Hyperion Business Rules parameters.

Cause: This is most probably Calculation Manager configuration issue.

Action: Please make sure that Calculation Manager is properly configured.

Level: 1

Type: ERROR

HSP-000016010: An error occurred when Planning Smart View tried to get the selected members from Hyperion Business Rules parameters.

Cause: This is most probably Calculation Manager configuration issue.

Action: Please make sure that Calculation Manager is properly configured.

Level: 1

Type: ERROR

HSP-000016011: An error occurred when Planning Smart View tried to get list of business rules.

Cause: This is most probably Calculation Manager configuration issue.

Action: Please make sure that Calculation Manager is properly configured.

Level: 1

Type: ERROR

HSP-000016012: An error occurred when Planning Smart View tried to update the user task.

Cause: User task or Task List could be already changed.

Action: Please check the state of that task in task list.

Level: 1

Type: ERROR

HSP-000016013: An error occurred when Smart View used JAPI.

Cause: Planning Provider cannot invoke JAPI

Action: Please check that JAPI jars are installed and are on classpath.

Level: 1

Type: ERROR

HSP-000016014: An error occurred when Smart View retrieved the user's job status.

Cause: User could be deprovisioned from application

Action: Please check if a user is still provisioned to application.

Level: 1

Type: ERROR

HSP-0000016015: Error running business rule.

Cause: Error while running business rule.

Action: Please check the validity of Business rule and actual run time values of Run Time Prompts.

Level: 1

Type: ERROR

HSP-0000016016: Unexpected member type found at location: {0} , {1}

Cause: Unexpected Member type found.

Action: Please check the validity of the form.

Level: 1

Type: WARNING

HSP-0000017000: Error occurred when processing ADM Driver request

Cause: Failed to open application invalid query specified

Action: Review the error message and retry the request.

Level: 1

Type: WARNING

HSP-0000018001: An error occurred launching supporting details

Cause: An error occurred while launching supporting details

Action: Verify connection to database is valid.

Level: 1

Type: ERROR

HSP-0000018002: An error occurred fetching access information for form - {0}

Cause: This error occurs while fetching access information for the data form & proper security is not granted

Action: Ensure proper security access is granted to the user for the form.

Level: 1

Type: ERROR

HSP-0000018003: An error occurred initializing smart lists for cell with enum Id - {0}

Cause: This error occurs while initializing smart lists with invalid enumeration Id context

Action: Ensure Smart Lists are valid & review if member is associated with valid smart list.

Level: 1

Type: ERROR

HSP-0000018004: An error occurred fetching drill URLs for cell with following intersection - {0}

Cause: An error occurred while fetching drill URLs

Action: Ensure that valid drill URLs are seeded for the cell intersection.

Level: 1

Type: ERROR

HSP-0000018007: An error occurred during the mass allocate

Cause: An error occurred during Mass allocate operation

Action: Ensure that valid relative member information is selected prior to performing mass allocate.

Level: 1
Type: ERROR

HSP-0000018009: Formula evaluation on data form <{0}> failed at <{1}, {2}> possibly due to circular references: {3}

Cause: Formula evaluation on data form failed
Action: Ensure that there are no circular references in formula.
Level: 1
Type: NOTIFICATION

HSP-0000019250: Error when creating/opening migration log file for app : {0}. Error: {1}

Cause: One possibility is that another user may be migrating this application.
Action: Please check the associated exception message in logs.
Level: 1
Type: NOTIFICATION

HSP-0000019251: An error occurred migrating application {0} by user {1}.

Cause: One possibility is that another user may be migrating this application.
Action: Please check the associated exception message in logs.
Level: 1
Type: ERROR

HSP-0000019256: An error occurred performing Cube Refresh.

Cause: A member may contain an invalid property or property combination
Action: Correct the property and try again.
Level: 1
Type: ERROR

HSP-0000019260: Unable to retrieve Planning Creator URL from the EPM Registry.

Cause: Planning may not be able to connect to the registry database
Action: Verify that the database connection is valid.
Level: 1
Type: ERROR

HSP-0000019261: Verify that the authentication server is running and that it is specified properly in HspJSHome.properties: {0}

Cause: The server information may not be correct.
Action: Verify that the server information is correct.
Level: 1
Type: ERROR

HSP-0000019264: Error occurred during migration. Please check the log/console output. Application is not migrated.

Cause: One or more of the database migration script may have failed.
Action: Please see the associated exception message for corrective action.
Level: 1
Type: ERROR

HSP-0000019273: Unable to create JDBC connection.

Cause: The database connection information may not be correct.

Action: Verify that the database connection information is correct.

Level: 1

Type: ERROR

HSP-0000019275: Cannot set database catalog name, skipping set of catalog name: {0}

Cause: The database catalog name may be invalid.

Action: Verify that the database catalog name is correct.

Level: 1

Type: ERROR

HSP-0000019292: Mail/SMTP Server is not set in EPM Registry.

Cause: Your Mail/SMTP server information is missing.

Action: Please contact your administrator to configure Mail/SMTP server in EPM Configurator under Hyperion Foundation->Configure Common Settings task.

Level: 1

Type: ERROR

HSP-0000021000: An error occurred registering the application {0} with Shared Services.

Cause: Shared Services registration failure.

Action: After deployment, re-register the application with Shared Services.

Level: 1

Type: NOTIFICATION

HSP-0000021001: An error occurred initializing application {0}.

Cause: Failed to initialize Workforce Planning, Public Sector Planning and Budgeting, or Capital Asset Planning.

Action: Review the dimensional structure and redeploy the application.

Level: 1

Type: NOTIFICATION

HSP-0000021002: An error occurred unregistering the application {0} from Shared Services.

Cause: The application could not be unregistered from Shared Services. It may not yet be registered.

Action: Unregister the application from Shared Services later.

Level: 1

Type: NOTIFICATION

HSP-0000021003: An error occurred loading exchange rates data.

Cause: The properties required to load exchange rate data may be invalid.

Action: Review the exchange rates data, correct any errors, and try to deploy again.

Level: 1

Type: NOTIFICATION

HSP-0000021004: An error occurred loading Smart List data.

Cause: The properties required to load Smart Lists may be invalid.

Action: Review the Smart List data, correct any errors, and try to deploy again.

Level: 1

Type: NOTIFICATION

HSP-000021005: An error occurred deleting the alias table {0}.

Cause: Invalid alias table name specified.

Action: Review the alias table name and try to deploy again.

Level: 1

Type: NOTIFICATION

HSP-000021006: An error occurred creating the alias table.

Cause: An invalid alias table name was specified.

Action: Specify a valid table name.

Level: 1

Type: NOTIFICATION

HSP-000028000: An error occurred evaluating function {0} for dimension {1}.

Level: 1

Type: NOTIFICATION

HSP-000028001: An error occurred evaluating dimension name for member or type {0}.

Level: 1

Type: NOTIFICATION

HSP-000028002: Failed to evaluate variable {0}.

Level: 1

Type: NOTIFICATION

HSP-000028003: An error occurred retrieving entry {0} for Smart List {1}.

Level: 1

Type: NOTIFICATION

HSP-000028004: An error occurred retrieving the UDA with value {0}.

Level: 1

Type: NOTIFICATION

HSP-000028005: Error translating expression {0}

Level: 1

Type: NOTIFICATION

HSP-000028006: An error occurred executing getRules().

Level: 1

Type: NOTIFICATION

HSP-000028007: An error occurred executing execute getSequenceChildren().

Level: 1

Type: NOTIFICATION

HSP-000028008: An error occurred executing getSmartLists().

Level: 1

Type: NOTIFICATION

HSP-000028009: An error getting the launcher for application {0}, user {1}.

Level: 1

Type: NOTIFICATION

HSP-0000028010: Unable to retrieve launch permission for {0} {1} for the current user {2}.

Level: 1

Type: NOTIFICATION

HSP-0000040000: Planning server started on locale: {0}.

Level: 1

Type: NOTIFICATION

HSP-0000040001: Planning server initialized successfully.

Level: 1

Type: NOTIFICATION

HSP-0000040002: Connected to System database.

Level: 1

Type: NOTIFICATION

HSP-0000040003: Embedded Hyperion Business Rules component successfully initialized.

Level: 1

Type: NOTIFICATION

HSP-0000040004: Planning application ({0}) successfully initialized.

Level: 1

Type: NOTIFICATION

HSP-0000040005: Planning application ({0}) successfully shutdown.

Level: 1

Type: NOTIFICATION

HSP-0000040006: Planning application ({0}) successfully deleted.

Level: 1

Type: NOTIFICATION

HSP-0000040007: Planning server successfully shutdown.

Level: 1

Type: NOTIFICATION

HSP-0000040008: Waiting ({0} seconds) for other running Planning servers to shutdown Planning application ({1})

Level: 1

Type: NOTIFICATION

HSP-0000041000: Application deleted {0}.

Level: 1

Type: NOTIFICATION

HSP-0000041001: Application (re)deployed {0}.

Level: 1

Type: NOTIFICATION

HSP-0000041002: Application migrated {0}.

Level: 1

Type: NOTIFICATION

HSP-0000041003: Application created {0}.

Level: 1

Type: NOTIFICATION

HSP-0000041004: An invalid value {0} was specified for FiscalYearStartDate. The current calendar year will be used.

Cause: You specified an invalid value for FiscalYearStartDate.

Action: Unless you want to use the current calendar year, specify a valid value for this variable

Level: 1

Type: NOTIFICATION

HSP-0000041005: Post logoff URL for security agent is not configured in Planning and Workspace.

Cause: Post logoff URL for security agent is not configured in Planning and Workspace.

Action: Administrator needs to set the Post Logoff URL in Workspace Server Settings.

Level: 1

Type: NOTIFICATION

HSP-0000041006: Post logoff URL for security agent is configured in Planning - {0}

Level: 1

Type: NOTIFICATION

HSP-0000041007: Post logoff URL for security agent is configured in Workspace - {0}

Level: 1

Type: NOTIFICATION

HSP-0000042000: Artifact Query : {0}

Level: 1

Type: NOTIFICATION

HSP-0000042001: Processing next artifact

Level: 1

Type: NOTIFICATION

HSP-0000042002: Empty locale objects found; using the default

Level: 1

Type: NOTIFICATION

HSP-0000042003: Incorrect data content location for Lifecycle management migration - {0}.

Level: 1

Type: NOTIFICATION

HSP-0000042004: FDMEE not configured...skipping application create notification to FDMEE.

Level: 1

Type: NOTIFICATION

HSP-0000042005: Application creation notification sent to FDMEE.

Level: 1

Type: NOTIFICATION

HSP-0000048000: Launch ended. Server/Application/Database: {0} Business Rule Name: {1} By Planning user: {2}.

Level: 1

Type: NOTIFICATION

HSP-0000048001: Exception: {0}

Level: 1

Type: NOTIFICATION

HSP-0000048002: Launch Started. Server/Application/Database: {0} Business Rule Name: {1} By Planning user: {2}

Level: 1

Type: NOTIFICATION

HSP-0000048003: Launch Started. Server/Application/Database: {0} Business Rule Name: {1} By Planning user: {2} Values entered for run-time prompts: {3}{4}Script launched: {5}

Level: 1

Type: NOTIFICATION

HSP-0000048004: Launch Started. Server/Application/Database: {0} Business Rule Name: {1} By Planning user: {2}{3}Script launched: {4}

Level: 1

Type: NOTIFICATION

HSP-0000048005: Launch Started. Server/Application/Database: {0} Business Rule Name: {1} By Planning user: {2} Values entered for run-time prompts: {3}

Level: 1

Type: NOTIFICATION

HSP-0000048006: Launch ended. There were threshold violations. Server/Application/Database: {0} Business Rule Name: {1} By Planning user: {2}.

Level: 1

Type: NOTIFICATION

HSP-0000049000: Creating Essbase Application: {0}

Level: 1

Type: NOTIFICATION

HSP-0000049001: Creating location alias for {0}

Level: 1

Type: NOTIFICATION

HSP-0000049002: Skipping creation of location alias for ASO cube {0}

Level: 1

Type: NOTIFICATION

HSP-0000049003: Deleting database: {0}

Level: 1

Type: NOTIFICATION

HSP-000049004: Deleting application: {0}

Level: 1

Type: NOTIFICATION

HSP-000049005: Processing database: {0}

Level: 1

Type: NOTIFICATION

HSP-000049006: Setting System CFG properties for Attribute Dimensions

Level: 1

Type: NOTIFICATION

HSP-000049007: Verifying outline for database: {0}

Level: 1

Type: NOTIFICATION

HSP-000049008: Restructuring outline for database: {0}

Level: 1

Type: NOTIFICATION

HSP-000049009: Closing outline for database: {0}

Level: 1

Type: NOTIFICATION

HSP-000049010: Opening outline for renames: {0}

Level: 1

Type: NOTIFICATION

HSP-000049011: Verifying outline for renames: {0}

Level: 1

Type: NOTIFICATION

HSP-000049012: Restructuring outline for renames: {0}

Level: 1

Type: NOTIFICATION

HSP-000049013: Closing outline for renames: {0}

Level: 1

Type: NOTIFICATION

HSP-000049014: Open outline for renaming dynamic members: {0}

Level: 1

Type: NOTIFICATION

HSP-000049015: Verifying outline for renaming dynamic members: {0}

Level: 1

Type: NOTIFICATION

HSP-000049016: Restructuring outline for renaming dynamic members: {0}

Level: 1

Type: NOTIFICATION

HSP-0000049017: Closing outline for renaming dynamic members: {0}

Level: 1

Type: NOTIFICATION

HSP-0000049018: Open outline for formulas: {0}

Level: 1

Type: NOTIFICATION

HSP-0000049019: Verifying outline for formulas: {0}

Level: 1

Type: NOTIFICATION

HSP-0000049020: Restructuring outline for formulas: {0}

Level: 1

Type: NOTIFICATION

HSP-0000049021: Closing outline for formulas: {0}

Level: 1

Type: NOTIFICATION

HSP-0000049022: Cube Create of cube [{0}] elapsed time: {1}

Level: 1

Type: NOTIFICATION

HSP-0000049023: Cube Refresh of cube [{0}] elapsed time: {1}

Level: 1

Type: NOTIFICATION

HSP-0000049024: Adding dimension: {0}

Level: 1

Type: NOTIFICATION

HSP-0000049025: Processing Stored ASO hierarchy member: {0}

Level: 1

Type: NOTIFICATION

HSP-0000049026: Processing Dynamic ASO hierarchy member: {0}

Level: 1

Type: NOTIFICATION

HSP-0000049027: Processing hierarchy type Not Set, member: {0}

Level: 1

Type: NOTIFICATION

HSP-0000049028: Skipping currency member: {0}

Level: 1

Type: NOTIFICATION

HSP-0000049029: Skipping HSP_ member for ASO, member: {0}

Level: 1

Type: NOTIFICATION

HSP-000049030: Skipping DTS member for ASO, member: {0}

Level: 1

Type: NOTIFICATION

HSP-000049031: Setting data storage for level zero dynamic member to store for ASO, member: {0}

Level: 1

Type: NOTIFICATION

HSP-000049032: Setting consolidation operator to Addition for member: {0}

Level: 1

Type: NOTIFICATION

HSP-000049033: Creating external Essbase application: {0}

Level: 1

Type: NOTIFICATION

HSP-000049034: Ignoring invalid data value ({0}) specified for driver member {1}

Cause: Invalid data value was specified for the driver member.

Action: Ensure the data value and the driver member are valid.

Level: 1

Type: NOTIFICATION

HSP-000051000: Application {0} already upgraded to the latest release.

Level: 1

Type: NOTIFICATION

HSP-000051001: Application ({0}) release is not the latest release. Current Release: ({1}), Expected Release: ({2}).

Level: 1

Type: NOTIFICATION

HSP-000051002: Application ({0}) upgrade started...

Level: 1

Type: NOTIFICATION

HSP-000051003: Application ({0}) has been upgraded to the latest release ({1}).

Level: 1

Type: NOTIFICATION

HSP-000051004: Application ({0}) upgrade failed! Error Msg = ({1}). For logs check ({2}).

Level: 1

Type: NOTIFICATION

HSP-000051005: Application ({0}) upgrade is in progress by other thread/process. Please try again later.

Level: 1

Type: NOTIFICATION

HSP-000051006: Application {0} database schema compare started...

Level: 1

Type: NOTIFICATION

HSP-0000051007: Application {0} database schema compare completed.

Level: 1

Type: NOTIFICATION

HSP-0000051008: Application database schema comparison is only supported for unicode Oracle database!

Level: 1

Type: NOTIFICATION

HSP-0000056000: Security agent is protected.

Level: 1

Type: NOTIFICATION

HSP-0000056001: Security agent is not protected.

Level: 1

Type: NOTIFICATION

HSP-0000058000: An error occurred loading composite grid

Cause: An error occurred while loading composite grid

Action: Make sure Essbase is running and cube is created/refreshed with latest metadata.

Level: 1

Type: NOTIFICATION

HSP-0000060000: [PLANNING_APPLICATION_METRICS_BEGIN: TRUE] [EXEC_TIME: 0] Planning Usage Metrics Begin

Level: 1

Type: NOTIFICATION

HSP-0000060001: Planning Usage Metrics

Level: 1

Type: NOTIFICATION

HSP-0000060002: [PLANNING_APPLICATION_METRICS_BEGIN: FALSE] [EXEC_TIME: 0] Planning Usage Metrics End

Level: 1

Type: NOTIFICATION

HSP-0000060003: Planning Usage

Level: 1

Type: NOTIFICATION

COPYRIGHT NOTICE

Planning Error Message Reference, 11.1.2.4

Copyright © 2015, Oracle and/or its affiliates. All rights reserved.

Authors: EPM Information Development Team

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS:

Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.