



ORACLE® HYPERION TAX GOVERNANCE

Release 11.1.2.4

Error Message Reference

ORACLE®

EPMFCM-00649: Error attempting to duplicate task {0} to set of tasks {1} (Schedule or Template) because new task ID is null. Valid Task ID should be provided.

Cause: Task ID is null.

Action: Valid Task ID should be provided.

Level: 16

Type: WARNING

EPMFCM-00650: Cannot duplicate an existing set of tasks {0} (Schedule or Template) to itself. This is not supported.

Cause: Cannot duplicate an existing set of tasks.

Action: Not supported.

Level: 16

Type: WARNING

EPMFCM-20000: Failed to publish Business Event. Verify Business Events configuration

Cause: Invalid Business Event configuration.

Action: Verify the business events configuration based on the database type.

Level: 16

Type: ERROR

EPMFCM-20001: Querying SOA Server for tasks returned no items. The task and HWF task are out of sync.

Cause: The FCM task and HWF task are out of sync.

Action: Find the underlying composite instance and look the flow trace for errors.

Level: 16

Type: ERROR

EPMFCM-20002: Error initializing connection to SOA Server. Check EPMRegistry for SOA server information.

Cause: The EPM Registry might have incorrect SOA server information.

Action: Generate EPM Registry Report and verify the SOA server information.

Level: 16

Type: ERROR

EPMFCM-20003: Could not retrieve SOA host and port from Close Component.

Cause: The Close component of EPM registry does not have a SOA host port information.

Action: Generate EPM Registry Report and verify the SOA server information for close component.

Level: 16
Type: ERROR

EPMFCM-20004: Could not retrieve Close Component from Registry.

Cause: The EPM Registry does not have Close component.
Action: Generate EPM Registry Report and verify the Close component.
Level: 16
Type: ERROR

EPMFCM-30000: Invalid import file - line {LINE_NUMBER}.

Cause: Invalid import file.
Action: Check format of importing file.
Level: 16
Type: ERROR

EPMFCM-30001: Missing value for required attribute, {ATTRIBUTE_NAME}, for object, {OBJECT_NAME}.

Cause: Missing value for required attribute.
Action: Provide valid value for the required attribute.
Level: 16
Type: ERROR

EPMFCM-30002: Invalid value {ATTRIBUTE_VALUE} for attribute {ATTRIBUTE_NAME} for object, {OBJECT_NAME}.

Cause: Invalid value for attribute.
Action: Check the value of the attribute.
Level: 16
Type: ERROR

EPMFCM-30003: Invalid parent found for the period, {PERIOD_NAME}. Fix parentName attribute from periods import file (All Periods.xml).

Cause: Invalid parent found for the period.
Action: Fix parentName attribute from periods import file.
Level: 16
Type: ERROR

EPMFCM-30004: User with the logon name {LOGIN_NAME} is not found in the system.

Cause: User logon name is not found in the system.
Action: Make sure the user logon name is correct.
Level: 16
Type: ERROR

EPMFCM-30005: {OBJECT_TYPE} {OBJECT_NAME} is dependent on a missing {DEPENDENT_OBJECT_TYPE} {DEPENDENT_OBJECT_NAME}.

Cause: Dependent attribute is missing.
Action: Make sure no dependent attribute is missing.
Level: 16
Type: ERROR

EPMFCM-30006: Missing value for attribute "{ATTRIBUTE_NAME}" for system automated integration type "{OBJECT_NAME}".

Cause: Missing value for attribute for system automated integration type.

Action: Provide a valid value for the required attribute for system automated integration type.

Level: 16

Type: ERROR

EPMFCM-30007: A System Automated integration must contain at least one step.

Cause: A System Automated integration must contain at least one step.

Action: Add at least one step to System Automated integration.

Level: 16

Type: ERROR

EPMFCM-30008: Invalid LCM import ZIP file. Make sure the LCM import file is in the correct format; for example, a number attribute has a number format value.

Cause: Invalid LCM import ZIP file.

Action: Make sure the LCM import file is in the correct format; for example, a number attribute has a number format value.

Level: 16

Type: ERROR

EPMFCM-30009: {ERROR_MSG} (on row {ROW_NUMBER}, column name {COLUMN_NAME}, column number {COLUMN_NUMBER}). Artifacts should be imported in correct order and dependent artifacts or attributes should be available.

Cause: General LCM message.

Action: Artifacts should be imported in correct order and dependent artifacts or attributes should be available.

Level: 16

Type: ERROR

EPMFCM-30010: Invalid user ID or email.

Cause: Invalid user ID or email.

Action: Make sure the user ID and email are correct.

Level: 16

Type: ERROR

EPMFCM-30011: Invalid date format.

Cause: Invalid date format.

Action: Make sure the date format is correct.

Level: 16

Type: ERROR

EPMFCM-30012: Could not find custom attribute.

Cause: Could not find custom attribute.

Action: Make sure the custom attribute exists.

Level: 16

Type: ERROR

EPMFCM-30013: Cannot embed template {NAME} because it has not been imported yet.

Cause: Cannot embed template.

Action: The template has not been imported yet.

Level: 16

Type: ERROR

EPMFCM-30014: Cannot create attachment {NAME}.

Cause: Cannot create attachment.

Action: Make sure the attachment is correct.

Level: 16

Type: ERROR

EPMFCM-30015: Invalid date value is provided for date type Custom Attribute, {ATTRIBUTE_NAME}.

Cause: Invalid date value is provided for date type Custom Attribute.

Action: Make sure the date value is correct.

Level: 16

Type: ERROR

EPMFCM-30016: Invalid number value is provided for number type Custom Attribute, {ATTRIBUTE_NAME}.

Cause: Invalid number value is provided for number type Custom Attribute.

Action: Make sure the number value is correct.

Level: 16

Type: ERROR

EPMFCM-30017: {ATTRIBUTE_VALUE} already exists in the database as a different type.

Cause: The attribute already exists in the target database, but as a different type.

Action: Change the name of the attribute or remove it completely from the import file.

Level: 16

Type: ERROR

EPMFCM-30018: Custom Attribute {ATTRIBUTE_NAME} is List type attribute but has no associated list values.

Cause: The list attribute has no values.

Action: Add list values to the attribute.

Level: 16

Type: ERROR

EPMFCM-30019: Filter {FILTER_NAME} in settings for user {USER_NAME} not found in the system.

Cause: Filter in settings for the user not found in the system.

Action: Make sure the filter name is correct.

Level: 16

Type: ERROR

EPMFCM-30020: {DEPENDENT_OBJECT_TYPE} {DEPENDENT_OBJECT_NAME} cannot be deleted because it is depended on by {OBJECT_TYPE} {OBJECT_NAME}

Cause: The object cannot be deleted because another object is dependent on it.

Action: Either break the dependency, add the object to the import file, or change the mode to Replace.

Level: 16
Type: ERROR

EPMSDM-20000: Failed to publish SOA Business Event. Verify Business Events configuration.

Cause: Failed to publish the SOA Business events.

Action:

Level: 16

Type: ERROR

EPMSDM-30000: Failed to get clusters from HFM.

Cause: Failed to get the HFM cluster information.

Action: Check for the HFM installation.

Level: 16

Type: ERROR

EPMSDM-30001: Failed to get HFM applications for the cluster.

Cause: Failed to get the application for the cluster.

Action: Check if the application exists for the cluster.

Level: 16

Type: ERROR

EPMSDM-30002: Unable to connect to HFM. Verify HFM services are running.

Cause: Failed to connect to HFM.

Action: Check if the HFM services are running.

Level: 16

Type: ERROR

EPMSDM-30003: Unable to process the request. Error occurred from HFM.

Cause: An error occurred in HFM.

Action: Check the HFM logs.

Level: 16

Type: ERROR

COPYRIGHT NOTICE

Tax Governance Error Message Reference, 11.1.2.4

Copyright © 2014, Oracle and/or its affiliates. All rights reserved.

Authors: EPM Information Development Team

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS:

Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.