

Oracle Financial Services
Analytical Applications
Infrastructure (OFS AAI)
Installation & Configuration
Guide

Version 8.0.1.1.0



DOCUMENT CONTROL

Version Number	Revision Date	Changes Done
Version 1.0	October 2015	Created document to capture OFSAAI 8.0.1.1.0 Maintenance Level Release
Created by: Vibha Nag	Reviewed by: Jeev, Kusuma	Approved by: Subhashini, Deepthi, Surag

Executive Summary

This document includes the necessary instructions to apply the OFS AAI 8.0.1.1.0 Maintenance Level Release and perform the required post install configurations. You can find the latest copy of this document in [OHC Documentation Library](#) which includes all the recent additions/revisions (if any).

TABLE OF CONTENTS

1	OFS AAI RELEASE 8.0.1.1.0	4
1.1	Pre Installation Requirements	5
1.2	How to Apply This Maintenance Level Release?	5
1.3	Additional Configurations	7
1.3.1	Configurations for ORE Execution.....	7

1 OFS AAI Release 8.0.1.1.0

OFS AAI 8.0.1.1.0 Maintenance Level (ML) includes all the bug fixes and minor enhancements done since the previous GA (General Availability) release, that is, 8.0.1.0.0.

This ML release of OFS AAI can be installed on a setup with any OFSAA 8.0.1.0.0 Application Pack.

Conventions and Acronyms

Conventions	Description
Screen actions are indicated in Bold	
IR	Interim Release
ML	Maintenance Level Release
OFSAAI	Oracle Financial Services Analytical Applications Infrastructure
AIX	Advanced Interactive eXecutive
RHEL	Red Hat Enterprise Linux
OEL	Oracle Enterprise Linux
OHC	Oracle Help Center
OS	Operating System
EAR / WAR	Enterprise Archive / Web Archive
J2EE	Java 2 Enterprise Edition
Atomic Schema	Database schema where the application data model is uploaded.
Configuration Schema	Database schema which contains setup related configurations and metadata.

1.1 Pre Installation Requirements

- You should have OFS AAI version **8.0.1.0.0** as the minimum patch set level.

1.2 How to Apply This Maintenance Level Release?

Refer to the following instructions to install this patch set.

1. Login to <https://support.oracle.com/> and search for **21964839** under the *Patches & Updates* tab.
2. Download the OFSAA 8.0.1.0.0 AAI ML RELEASE #1 archive file and copy it to your OFSAA server in **Binary** mode.

NOTE: There are different archive files for different operating systems such as AIX, Solaris, and RHEL/OEL.

3. Stop all the OFSAAI services. For more information, see the *Start/Stop Infrastructure Services* section in [Oracle Financial Services Analytical Applications Infrastructure Installation & Configuration Guide 8.0.0.0.0](#).
4. Login to the OFSAA server as a non-root user and navigate to the \$FIC_HOME folder.
5. Assign WRITE permission to the files/ folders such as commonscripts, EXEWebService, ficapp, ficweb, and ficdb by executing the command:

```
chmod -R 775 *
```

6. If you have Unzip utility, skip to the next step or download the Unzip utility (OS specific) and copy it in **Binary** mode to the directory that is included in your PATH variable, typically **\$HOME** path or directory in which you have copied the 8.0.1.1.0 ML.
 - Uncompress the unzip installer file using the command:

```
uncompress unzip_<os>.Z
```

NOTE: If you notice an error message “**uncompress: not found [No such file or directory]**” when the package is not installed, contact your UNIX administrator.

- Give EXECUTE permission to the utility using the command:

```
chmod 751 unzip_<os>
```

For example, `chmod 751 unzip_aix`

7. Extract the contents of the 8.0.1.1.0 ML archive file using either of the following commands:

```
unzip_<os> -a <name of the file to be unzipped>
```

OR

```
unzip -a <name of the file to be unzipped>
```

NOTE: The above "-a" option is mandatory to unzip the archive file.

For example: For AIX operating system

```
unzip_aix -a p21964839_80110_AIX64-5L.zip
```

8. Give EXECUTE permission to the ML patch installer script. Navigate to the folder *OFS_AAI* and execute the command:

```
chmod 755 OFSAAIUpdate.sh
```

9. Execute the following command:

```
./OFSAAIUpdate.sh
```

Verify if the ML is applied successfully by checking the log file generated in *OFS_AAI/logs* folder. You can ignore ORA-00001 and ORA-02292 in the log file. In case of any other errors, contact Oracle Support.

10. Post successful installation of the ML, perform the following steps:

- Clear the application cache. Navigate to the following path depending on the configured web application server and delete the files.
 - **Tomcat:**
<Tomcat installation folder>/work/Catalina/localhost/<Application name>/org/apache/jsp
 - **Weblogic:**
<Weblogic installation location>/domains/<Domain name>/servers/<Server name>/tmp/_WL_user/<Application name>
 - **Websphere:**
<Websphere installation directory>/AppServer/profiles/<Profile name>/temp/<Node name>/server1/<Application name>/<.war file name>

11. Delete the existing EAR/WAR file available in the folder `$FIC_HOME/ficweb`.

12. Restart all the OFSAAI services. For more information, refer to the *Start/Stop Infrastructure Services* section in [Oracle Financial Services Analytical Applications Infrastructure Installation & Configuration Guide 8.0.0.0.0](#).

13. Generate the application EAR/WAR file and redeploy the application onto your configured web application server. For more information on generating and deploying the EAR/ WAR file, refer to the *Post Installation Configuration* section in [Oracle Financial Services Analytical Applications Infrastructure Installation & Configuration Guide 8.0.0.0.0](#).

14. Perform the configurations mentioned under the *Additional Configurations* section.

1.3 Additional Configurations

1.3.1 Configurations for ORE Execution

This is an optional step and required only if you have installed and configured Oracle R distribution and Oracle R Enterprise:

1. Log in to the Oracle Database Server.
2. Add an entry in **tnsnames.ora** file with same name as that of the value set for ORACLE_SID.

NOTE: For a RAC database, follow the aforementioned configuration in all nodes of the RAC cluster.



OFSAAI

8.0.1.1.0 Installation & Configuration Guide

Oracle Corporation
World Headquarters
500 Oracle Parkway
Redwood Shores, CA 94065
U.S.A.

Worldwide Inquiries:

Phone: +1.650.506.7000

Fax: +1.650.506.7200

www.oracle.com/financial_services/

Copyright © 2016 Oracle Financial Services Software Limited. All rights reserved.

No part of this work may be reproduced, stored in a retrieval system, adopted or transmitted in any form or by any means, electronic, mechanical, photographic, graphic, optic recording or otherwise, translated in any language or computer language, without the prior written permission of Oracle Financial Services Software Limited.

Due care has been taken to make this 8.0.1.1.0 Installation & Configuration Guide and accompanying software package as accurate as possible. However, Oracle Financial Services Software Limited makes no representation or warranties with respect to the contents hereof and shall not be responsible for any loss or damage caused to the user by the direct or indirect use of this 8.0.1.1.0 Installation & Configuration Guide and the accompanying Software System. Furthermore, Oracle Financial Services Software Limited reserves the right to alter, modify or otherwise change in any manner the content hereof, without obligation of Oracle Financial Services Software Limited to notify any person of such revision or changes.

All company and product names are trademarks of the respective companies with which they are associated.