

This document highlights the major changes for the 16.0.0.1 bundled hot fix of Oracle Retail Xstore Suite.

Overview

Oracle Retail Xstore Suite 16.0.0.1 includes the products below.

Oracle Retail Xstore Point of Service

Oracle Retail Xstore Point of Service is a point-of-sale application that provides the capabilities to carry out day-to-day transactions and conduct daily store activities. Tasks such as scanning items, applying price adjustments, tendering, and printing receipts as well as processing returns and web orders can be performed. Store operations including opening the store, managing registers and tills, and closing the store can be handled through Oracle Retail Xstore Point of Service.

As part of Oracle Retail Xstore Point of Service, these release notes include information about Xstore Point of Service Mobile and Xenvironment.

Oracle Retail Xstore Office

Oracle Retail Xstore Office is a central web-based management console that provides for the facile management of the data and configurations that empower your associates. The user interface within Oracle Retail Xstore Office provides streamlined functionality that guides users through configuration changes, data changes, and deployments. Granular security access can create a custom experience for users of all access levels. Multiple support tools and alerts enable IT leaders to take a proactive approach to managing multiple installations.

Hardware and Software Requirements

See the *Oracle Retail Xstore Suite Implementation and Security Guide* for information about the following:

- Hardware and software requirements
- Oracle Retail application software compatibility

Important

Xstore Point of Service 16.0.0.1 can only communicate with Xenvironment 16.0.0.1.

Functional Enhancements

The following functional enhancements are included in this release.

Xstore Point of Service Lane Checkout User Interface

The name of Xstore for Grocery has been changed to Xstore Lane Checkout User Interface. Functionality is unaffected by this name change.

Adding Customers with Tax Exemptions in Lane Checkout User Interface

Customer tax exemptions can be added to the Xstore POS Lane Checkout User Interface. For more information, see the Oracle Retail Xstore Point-of-Service, Lane Checkout User Interface User Guide.

Noteworthy Fixed Issues

The following noteworthy defect fixes are included in this release:

Resolved Issue	Defect Number
In Xenvironment, close errors are displayed in non-lead registers.	22189358
When Xstore POS and Xstore Office are in two different time zones, Xstore Office will display data in the Flash Sales report.	24797684
In Xstore POS, post void reason codes are captured in the RTLog.	24950823
The Electronic Journal in Xstore Office can filter results both by last name and credit card number.	24964109
Xstore POS sets the email contact flag correctly in Oracle Retail Customer Engagement.	25064044
When performing a return transaction, Xstore POS displays loyalty points retrieved from Oracle Retail Customer Engagement after skipping customer association and scanning the original receipt.	25064062
In Xstore Office, the values displayed in percentage columns properly add up to 100%	25071080
At beginning time of business day in Xstore POS, all alerts are displayed.	25071085
For a Verified Return in the Xstore POS Lane Checkout User Interface, where original receipt information is manually entered, a prompt for the original transaction date is displayed.	25111118
When Xstore POS is configured to retrieve house account information from the Xcenter database, Xstore POS retrieves the correct house account balance.	25137918
After first installing Xstore POS, employees do not have the ability to change their roles.	25096147
In Xstore POS, the security override prompt text wraps correctly for the window in which it is displayed.	25104861
Xstore POS posts correctly rounded taxes to the RTLog.	25106616
After accepting a layaway deposit amount, then removing the deposit amount in Xstore POS, a warning message is displayed correctly.	25128105
The Xstore Office reprocess replication queue can handle logged-in-user IDs greater than 20 characters.	25133215
In Xstore POS, a confirmation prompt is displayed when selecting the Disable Hardware option.	25153217
When requesting customer information from Oracle Retail Customer Engagement for customer not yet in Xstore POS, Xstore POS will only send the Get Transaction History request once.	25183457

Resolved Issue	Defect Number
When pressing the [1] key in the Xenvironment System Menu, Xenvironment opens the file explorer.	25230730
When clicking the Save & Exit button for a closed shipment document, Xstore POS will only add information to the <code>Inventory.xml</code> file if the data has been changed.	25218270
Item lookups can be performed through the Xstore POS Inventory Locator function using Item ID and distance.	25241081
The Xstore POS paid in/out report includes correct data if there is a paid in and paid out reason code that are the same.	25246240
Xstore POS special orders can be picked up when a warranty is contained in the special order.	25255479
When applying a transaction to multiple commissioned associates in Xstore POS, the amount applied to each associate is reduced by the appropriate fraction in the Employee Performance Report.	25269760
In a verified return containing one item, on an Xstore POS system that does not show lists if only one item is listed in a transaction, the verified return can complete correctly.	25291345
When configured to do so, Xstore POS will validate serial numbers of serialized items against store stock.	25298595
When modifying a discount in Xstore POS, only the discount type being modified will be displayed.	25305189
Loyalty customer data is included in the Xstore POS RTLog.	25311976
In Xstore POS Mobile, UPC codes can be scanned during a cycle count.	25312210
When performing a tender exchange, Xstore POS will display details about the tender exchange.	25315048
When tendering with a gift card in Xstore POS, the card number will be posted to the RTLog.	25341084
When opening a register for a new business date in an Xstore POS system configured for 24/7 operation, the process for changing the business date will continue even if there are errors in the Dataloader.	25341906
The commissioned associate will remain on-screen in Xstore POS during the tendering process of a return transaction.	25344575
Xstore POS passes subtotal and tax information to Opera.	25354115
After canceling out of a serial number prompt in shipping or receiving in Xstore POS, all menu buttons are displayed correctly.	25368215
The lead Xenvironment register is able to retrieve pospoll packages from the non-lead registers.	25380479
After canceling out of a serial number prompt in inventory adjustment or item transfer in Xstore POS, all menu buttons are displayed correctly.	25388081
Xstore POS can be installed on an operating system set to use French.	25420901
In Xstore POS Lane Checkout User Interface, the reason code prompt will be displayed even when there is only one reason code available.	25436547

Resolved Issue	Defect Number
In a verified return in Xstore POS, when searching for the original transaction by credit card number, if there are multiple sale transactions that can be associated, the sale transaction can be selected and the return continued.	25451182
During a tender exchange in Xstore POS, the Register button is disabled after adding an incoming tender.	25480910
When Border Control is enabled in Xstore POS, Xstore POS correctly handles the product availability response message from Oracle Retail Order Broker Cloud Service.	25526741
The <code>ant.install.properties</code> file for Xstore POS installation includes a configuration for the Oracle Retail Customer Engagement authorization token name.	25643426
In the Xstore POS transaction list, the loyalty badge icon is displayed regardless of whether loyalty is implemented.	25644005

Known Issues

For a list of known issues, speak with your Oracle product representative.

Related Documentation

For more information, see the following documents in the Oracle Retail Xstore Suite 16.0.0.1 documentation set:

- *Oracle Retail Xstore Point-of-Service User Guide*
- *Oracle Retail Xstore Point-of-Service Mobile User Guide*
- *Oracle Retail Xstore Point-of-Service Reports Guide*
- *Oracle Retail Xstore Point-of-Service Manager's Guide*
- *Oracle Retail Xstore Point-of-Service Shipping, Receiving, and Inventory Guide*
- *Oracle Retail Xstore Office User Guide*
- *Oracle Retail Xstore Point-of-Service, Lane Checkout User Interface User Guide*
- *Oracle Retail Xstore Suite Implementation and Security Guide*
- *Oracle Retail Xstore Point-of-Service Technical Guide*
- *Oracle Retail Xstore Point-of-Service Frameworks and Technologies Guide*
- *Oracle Retail Xstore Suite Deal Pricing Guide*
- *Oracle Retail Xenvironment User Guide*
- *Oracle Retail Xstore Point-of-Service Services Guide*
- *Oracle Retail Xstore Point-of-Service Host Interface Guide*
- *Oracle Retail Xstore Point-of-Service POS Log Files*
- *Oracle Retail Xstore Point-of-Service Database Dictionary Guide*
- *Oracle Retail Xstore Office Database Dictionary Guide*

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

E86009-01

Copyright © 2017 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Value-Added Reseller (VAR) Language

Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

- (i) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (ii) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.
- (iii) the software component known as **Access Via™** licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (iv) the software component known as **Adobe Flex™** licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR Applications. For purposes of this section, "alteration" refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle's licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.