

Oracle Retail Customer Engagement Cloud Services
16.0
User Guide
Release 16.0
E88107-03

May 2018

E88107-03

Copyright © 2018, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Value-Added Reseller (VAR) Language

Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

- (i) the MicroStrategy Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (ii) the Wavelink component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.
- (iii) the software component known as Access Via™ licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (iv) the software component known as Adobe Flex™ licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR Applications. For purposes of this section, "alteration" refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle's licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.



Contents

- Send Us Your Comments xxxi
- Preface xxxii
 - Audience xxxii
 - Documentation Accessibility xxxii
 - Related Documents xxxii
 - Customer Support xxxii
 - Improved Process for Oracle Retail Documentation Corrections xxxiii
 - Oracle Retail Documentation on the Oracle Technology Network xxxiii
 - Conventions xxxiii

- 1 Introduction 1-1**
 - Overview 1-1**
 - About This Guide 1-1
 - About This Chapter 1-1
 - Conventions 1-2**
 - Login 1-2**
 - Logout 1-4**
 - My Account 1-4**
 - Change Name 1-5
 - Change E-mail 1-6
 - User Interface 1-7**
 - Accessing Pages 1-7
 - Menu 1-7
 - Main Page 1-8
 - Link 1-8
 - Tabs 1-9
 - Data Elements 1-9
 - Text Field 1-9
 - Searches 1-9
 - Text Area Field 1-10
 - Selection Menu 1-10
 - Matching Rule Menu 1-10
 - Numeric Comparison Menu 1-11
 - Time Menus 1-11
 - Multi-Select Menu 1-11
 - Check Box 1-11
 - Radio Buttons 1-12
 - Calendar Menu 1-12
 - Actions Menu 1-13
 - List 1-13
 - Filter 1-14
 - Sorting 1-14
 - Page Navigation 1-15
 - Layer List 1-16
 - Layer List Hierarchy 1-16

File Upload	1-17
Window.....	1-18
Search User Window	1-19
Search Customer Window	1-20
Wizard.....	1-22
Wizard Navigation.....	1-22
Data Validation.....	1-22
Save Current Settings.....	1-23
Cancel Wizard.....	1-23
Eligibility Rules	1-24
Location Eligibility	1-24
Define Location Eligibility	1-25
Add Location Eligibility Rule.....	1-25
Delete Location Eligibility Rule	1-26
Segment/Target Eligibility.....	1-27
Define Segment Eligibility	1-28
Add Segment Eligibility Rule.....	1-28
Delete Segment Eligibility Rule	1-30
Item Eligibility.....	1-30
Define Item Eligibility.....	1-30
Add Item Eligibility Rule (Simple)	1-30
Determining Included Items	1-31
Add Item Eligibility Rule (Advanced).....	1-32
Item Attribute Filter Groups	1-35
Add Item Eligibility Rule (Culinary).....	1-35
Delete Item Eligibility Rule.....	1-37
Delete All Item Eligibility Rules.....	1-37
Import Item Eligibility Rules	1-38
CSV File Format	1-38
Import Existing Deal.....	1-38
Time Eligibility.....	1-39
Define Time Eligibility.....	1-40
Add Time Eligibility Rule	1-40
Edit Time Eligibility Rule.....	1-41
Delete Time Eligibility Rule.....	1-42
Tender Eligibility	1-42
Define Tender Eligibility	1-42
2 Customers	2-1
Overview	2-1
About This Chapter	2-1
Customer Lookup/Edit.....	2-3
Customer Lookup.....	2-3
Customer List.....	2-6

Actions Menu	2-7
Open a Customer Record	2-7
Customer Summary Window	2-7
More Actions Menu.....	2-9
Open Customer Dashboard	2-9
Customer Dashboard	2-9
Customer Actions Menu.....	2-11
Customer Basics	2-12
Open Card	2-12
Customer Data	2-13
Purchase Activity.....	2-14
Associate Assignments	2-14
Addresses.....	2-15
Email.....	2-15
Telephone Numbers.....	2-16
Customer Attributes.....	2-16
Alternate Key	2-17
Cards/Accounts.....	2-17
Customer Notes	2-18
Segment Association	2-18
Top 3 Depts - Current Calendar Year	2-19
Promotion Events/Responses	2-19
Preference Centers.....	2-19
Social Profile.....	2-20
Franchisee Assignments	2-20
Edit/View Customer Record	2-21
Customer Information	2-21
Edit Customer Information.....	2-22
Search for New Owner	2-22
Remove an Owner.....	2-23
Create a Customer	2-23
Address	2-24
Address Screen	2-24
Address Detail Window	2-25
Edit an Address	2-26
Add an Address.....	2-26
Delete an Address	2-26
Telephone Number	2-26
Telephone Number Screen.....	2-27
Phone Detail Window.....	2-27
Edit a Telephone Number	2-28
Delete a Telephone Number	2-28
Email.....	2-29
Email Screen.....	2-29
Email Detail Window	2-30

Edit an Email Address	2-30
Delete an Email Address	2-31
Attributes	2-31
Attributes Screen	2-31
Attribute Detail Window	2-32
Edit an Attribute	2-32
Delete an Attribute	2-33
Transaction History	2-33
Transaction History Screen	2-33
Transaction History Lookup	2-34
Transaction Detail Window	2-35
General	2-35
Transaction Attributes	2-36
Sales Line Items	2-36
Item Details Window	2-37
Commission Line Item Modifiers	2-37
Price Line Item Modifiers	2-38
Tax Line Items	2-38
Tender Line Items	2-39
Card Association	2-39
Card Association Screen	2-40
Card Detail Window	2-40
Card Search	2-42
Associate a Card With a Customer	2-43
Disassociate a Card From a Customer	2-44
Change Primary Cardholder	2-44
Alternate Keys	2-45
Alternate Keys Screen	2-46
Alt Key Detail Window	2-46
Add an Alt Key	2-46
Delete an Alt Key	2-47
Customer Notes	2-48
Customer Notes Screen	2-48
Add a Customer Note	2-49
Promotion History	2-49
Promotion History Search	2-49
Promotion History Screen	2-50
Customer Merge	2-51
Customer Merge Screen	2-52
Add Customer to Merge List	2-52
Delete Customer from Merge List	2-53
Merge Customers	2-54
Household	2-55
Household Screen	2-55
Security Groups	2-56

Security Group Rules	2-56
Security Group Privilege Types	2-57
Security Groups Screen	2-57
Security Group Detail Window	2-58
Assign a Security Group to a Customer.....	2-58
Change a Security Group Privilege	2-59
Delete a Security Group Assignment	2-59
Associate Assignments	2-59
Associate Assignments Screen	2-60
Associate Assignment Detail Window.....	2-60
Change/Add Assigned Associate.....	2-61
Lock/Unlock an Associate Assignment.....	2-61
Delete Assigned Associate	2-62
Segment Association	2-63
Segment Association Screen	2-63
Segment Detail Window	2-63
Add Customer to a Manual Segment.....	2-65
Remove a Customer From a Manual Segment	2-65
Tasks	2-66
Tasks Screen	2-66
Change Task Status	2-67
Open a Task.....	2-67
Add a Task	2-67
Item Visualizer	2-67
Item Visualizer Screen	2-68
List View.....	2-68
Tile View.....	2-70
Add Item to Wish List	2-71
Remove Wish List Item	2-72
Update Customer Image	2-72
Item Registry	2-75
Registry Information Window	2-76
More Actions Menu	2-77
Create a New Item Registry.....	2-77
Item Registry Visualizer	2-78
View Registry Items	2-78
Item Registry Visualizer Screen	2-78
List View.....	2-79
Change the Desired Quantity of an Item.....	2-79
Remove an Item from the Registry.....	2-79
Tile View.....	2-80
Add an Item	2-80
Preference Centers.....	2-82
Preference Centers Screen	2-82
Preference Center Detail Window	2-83

Create a Preference Center.....	2-84
Delete a Preference Center.....	2-84
Edit a Preference Center.....	2-85
Add or Update a Customer Authorization Document.....	2-85
Remove a Customer Authorization Document.....	2-86
Social Profile.....	2-86
Social Profile Screen.....	2-86
Social Profile Detail Window.....	2-87
Delete a Social Profile.....	2-87
Social Activity.....	2-88
Social Activity Screen.....	2-88
Franchisee Assignment.....	2-89
Franchisee Assignment Screen.....	2-89
Change Customer Franchisee Assignments.....	2-89
Customer Validation.....	2-90
Names.....	2-90
Prefix (Salutation).....	2-90
Suffix.....	2-90
Gender.....	2-90
Address.....	2-90
Postal Code.....	2-91
Email Address.....	2-91
Phone.....	2-91
3 Clienteling.....	3-1
Overview.....	3-1
About This Chapter.....	3-1
Clienteling Customer Lookup/Edit.....	3-2
Clienteling Search.....	3-2
Clienteling Customer List.....	3-4
Actions Menu.....	3-5
Filter Menu.....	3-5
Open a Customer Record.....	3-5
4 Customer Merge Review.....	4-1
Overview.....	4-1
Merge Description.....	4-1
About this Chapter.....	4-1
Customer Merge Review.....	4-2
Actions Menu.....	4-2
View Duplicates.....	4-2
View Duplicate Differences.....	4-4
Approve Duplicates.....	4-4
Disallow Duplicate Merges.....	4-5

Delete Duplicates	4-5
5 Customer Item Registry	5-1
Overview	5-1
About This Chapter	5-1
Customer Item Registry	5-2
Item Registry Lookup	5-2
Actions Menu	5-3
Customer Item Registry List	5-4
Actions Menu	5-5
Open a Customer Item Registry	5-5
Registry Information Window	5-5
Open Registry in a Customer Record	5-6
Edit a Customer Item Registry	5-7
Open a Registry for Printing	5-7
Item Registry Print	5-8
Print an Item Registry	5-8
Create a Customer Item Registry	5-10
6 Segments	6-1
Overview	6-1
About this Chapter	6-1
Unstratified Segments	6-3
Unstratified Segment List	6-3
Actions Menu	6-4
Filter Menus	6-4
Open an Unstratified Segment	6-5
Unstratified Segment Window	6-5
Copy Unstratified Segment	6-6
Actions Menu	6-8
Create Unstratified Segment	6-9
Job Processing Window	6-16
Stratified Segments	6-17
Stratified Segment List	6-17
Actions Menu	6-18
Filter Menus	6-18
Open a Stratified Segment	6-19
Stratified Segment Window	6-19
Copy Stratified Segment	6-21
Actions Menu	6-22
Create Stratified Segment	6-23
Job Processing Window	6-34
Manual Segments	6-35
Manual Segment List	6-35

Actions Menu.....	6-36
Filter Menu.....	6-36
Open a Manual Segment.....	6-36
Manual Segment Window.....	6-37
Actions Menu.....	6-38
Create Manual Segment.....	6-39
Edit Manual Segment.....	6-42
View Customer List.....	6-42
Delete Manual Segment.....	6-44
7 Promotions.....	7-1
Overview.....	7-1
About This Chapter.....	7-1
Promotion Event Types.....	7-2
Targeted Promotions.....	7-3
Untargeted Promotions.....	7-3
Social Media Listening.....	7-3
Control Groups.....	7-3
Promotion List.....	7-4
Actions Menu.....	7-5
Filter Menus.....	7-5
Open a Promotion.....	7-6
Bulk Approve.....	7-6
Bulk Terminate.....	7-7
Bulk Export Promotion Definition.....	7-7
Bulk Export to Batch.....	7-7
Create a Promotion.....	7-9
New Promotion Wizard.....	7-9
Promotion Window.....	7-10
Actions Menu.....	7-14
View Coupon Codes.....	7-14
Coupon Codes for Deal Window.....	7-15
Open Promotion Scorecard.....	7-15
Update a Promotion.....	7-15
Copy a Promotion.....	7-15
Generate a Promotion.....	7-16
Create Coupons.....	7-17
Conflict Report.....	7-18
Approve a Promotion.....	7-19
Export a Promotion Definition.....	7-19
Export a Promotion to Batch.....	7-19
Terminate a Promotion.....	7-19
Promotion Scorecard.....	7-19
Scorecard.....	7-20

Facebook Scorecard	7-24
Twitter Scorecard.....	7-25
Event Manager.....	7-26
Actions Menu	7-27
Open a Task.....	7-28
Open Promotion Scorecard	7-28
Add a Task.....	7-28
Contact List	7-30
Actions Menu	7-30
Print Contact List.....	7-30
Edit Task Window	7-31
Edit a Task	7-32
8 Create a Coupon Promotion	8-1
9 Create a Product Promotion	9-1
10 Create an Award Promotion	10-1
11 Create a Message Promotion	11-1
12 Deals	12-1
Overview	12-1
About This Chapter.....	12-1
Deal Elements.....	12-1
Deal Types.....	12-1
Intended Use.....	12-2
Deal List.....	12-2
Actions Menu	12-3
Filters	12-3
Open a Deal.....	12-3
Deal Window.....	12-4
Actions Menu	12-6
Edit a Deal.....	12-6
Create a Deal.....	12-7
13 Card Definitions	13-1
Overview	13-1
About this Chapter	13-1
Programs.....	13-2
Card Definitions Page.....	13-3
Actions Menu	13-4

Open Card Definition	13-4
Card Definition	13-5
Card Definition Basics	13-5
Programs Tab	13-6
Card Series Distribution Tab.....	13-7
Actions Menu	13-8
Edit Card Intended Use	13-9
Edit Card Definition Basics	13-9
Edit Card Type Attributes.....	13-10
Edit Card Vendor Data	13-11
View/Edit Franchisees.....	13-12
Edit Franchisees.....	13-12
Create New Card Definition.....	13-13
Card Series Distribution	13-17
Open a Card Series Distribution	13-17
Actions Menu	13-18
Create a Card Series Distribution.....	13-19
CSV File Format	13-21
Generate Cards.....	13-23
Activate Cards.....	13-23
Edit Card Series Attributes	13-25
Deactivate Cards.....	13-25
Change Batch Expiration Date.....	13-26
Rename Card Series Batches	13-28
14 Programs	14-1
Overview	14-1
Program Types.....	14-1
About this Chapter	14-1
Open a Program	14-3
Tender Program.....	14-3
Actions Menu	14-5
Edit a Tender Program.....	14-5
Award Program	14-6
Actions Menu	14-8
Edit an Award Program	14-8
Entitlement Deal	14-8
Open an Entitlement Deal.....	14-8
Certificate Details Tab.....	14-9
Time Eligibility Tab.....	14-10
Location Eligibility Tab	14-11
Add an Entitlement Deal.....	14-11
Loyalty Program.....	14-12
Actions Menu	14-14

Edit a Loyalty Program.....	14-14
Loyalty Level.....	14-14
Open a Loyalty Level.....	14-14
Actions Menu.....	14-15
Level Parameters Tab.....	14-15
Edit Level Parameters.....	14-16
Issue Rules Tab.....	14-17
Award Rules Tab.....	14-18
Movement Rules Tab.....	14-19
Add a Loyalty Level.....	14-20
Issue Rule.....	14-21
Actions Menu.....	14-21
Issue Rule Parameters Tab.....	14-21
Time Eligibility Tab.....	14-23
Item Eligibility Tab.....	14-23
Location Eligibility Tab.....	14-24
Tender Eligibility Tab.....	14-24
Segment Eligibility Tab.....	14-25
Add Issue Rule.....	14-25
Delete Issue Rule.....	14-30
Award Rule.....	14-30
Actions Menu.....	14-30
View/Edit Award Rule.....	14-31
Add Award Rule.....	14-33
Delete Award Rule.....	14-34
Movement Rule.....	14-34
Actions Menu.....	14-34
View/Edit Movement Rule.....	14-34
Extend a Sustain Period.....	14-37
Add Movement Rule.....	14-38
Delete Movement Rule.....	14-38
Create New Program.....	14-39
Create a Tender Program.....	14-40
Create a Loyalty Program.....	14-44
Create an Award Program.....	14-47

15 Card/Account Administration..... 15-1

Overview.....	15-1
About this Chapter.....	15-1
Card/Account Search.....	15-2
Open a Customer Card.....	15-3
Card/Account Administration.....	15-3
Basic Card/Account Information.....	15-3
Card/Account Administration with Attributes.....	15-4

- Add Card Attribute 15-5
- Work with Card Attribute 15-6
- Actions Menu 15-6
- Open Customer Record 15-6
- Activate Card 15-7
 - Through the Actions Menu 15-7
 - Using the Card Status Link 15-7
- Deactivate Card 15-8
 - Through the Actions Menu 15-8
 - Using the Card Status Link 15-9
- Set New Card Expiration Date 15-9
- Merge Card 15-10
- Account Information 15-11
 - Tender Account 15-11
 - Filter Activity Menu 15-12
 - Actions Menu 15-12
 - Redeem an Amount 15-13
 - Reload a Card 15-14
 - Pre-Authorize an Amount 15-15
 - Activity Detail Window 15-16
 - Actions Menu 15-17
 - Void an Activity 15-18
 - Reverse an Activity 15-19
 - Award Account 15-19
 - Filter Activity Menu 15-20
 - Actions Menu 15-21
 - Issue a Coupon 15-21
 - Expire Coupon 15-22
 - View Coupons 15-23
 - Activity Detail Window 15-24
 - Actions Menu 15-25
 - Void an Activity 15-25
 - Loyalty Account 15-26
 - Filter Activity Menu 15-27
 - Actions Menu 15-27
 - Issue Points 15-27
 - Issue an Award 15-29
 - Change Level 15-30
 - Recover Points 15-31
 - Activity Detail Window 15-32

- 16 Location Management 16-1**
 - Overview 16-1**
 - About this Chapter 16-1

Location Search	16-2
Location Lookup.....	16-2
Location List.....	16-3
More Actions Menu.....	16-4
Open a Location.....	16-4
Location Window.....	16-4
Open Location Dashboard	16-5
More Actions Menu.....	16-5
Location Dashboard	16-5
Location Actions Menu.....	16-6
Edit Location Data	16-7
Edit Location Attributes	16-8
Update an Attribute	16-8
Add an Attribute	16-9
Delete an Attribute	16-10
Create a Location.....	16-10
17 Attributes	17-1
Overview	17-1
About this Chapter.....	17-1
Attribute Definition List	17-2
Actions Menu	17-3
Filter Menu	17-3
Open an Attribute.....	17-4
Edit Attribute Definition Window.....	17-4
Edit an Attribute.....	17-6
Delete an Attribute	17-6
Create a New Attribute.....	17-7
18 Tasks.....	18-1
Overview	18-1
About this Chapter	18-1
My Tasks	18-3
Actions Menu	18-4
Filter Menus.....	18-4
Change Task Status	18-5
Open/Edit a Task	18-5
Reassign a Task.....	18-5
Search Tasks	18-7
Search Tasks Screen.....	18-7
Actions Menu	18-8
Select Users From Hierarchy	18-9
Task List.....	18-10
Actions Menu	18-11

Filter Menus.....	18-11
Edit Task Window	18-12
Actions Menu	18-14
Open/Edit a Task	18-14
Add/Change User	18-15
Remove a User	18-15
Add/Change Customer.....	18-16
Remove a Customer	18-16
Add a Note	18-17
Create a Task.....	18-17
19 Process Queue.....	19-1
Overview	19-1
About this Chapter	19-1
Process Queue.....	19-2
Open Job.....	19-3
Actions Menu	19-3
Filter Menus.....	19-3
Job Details Window	19-4
20 Job Scheduling	20-1
Overview	20-1
About this Chapter	20-1
Scheduled Jobs List	20-3
Open Scheduled Job	20-3
Actions Menu	20-3
Scheduled Job Window	20-4
Actions Menu	20-5
Edit Job	20-6
Disable Job	20-6
Enable Job	20-6
Delete Job	20-6
Run Job Immediately	20-6
View Job in Process Queue	20-7
Schedule a Job	20-7
Job Processing Window	20-11
Jobs and Tasks.....	20-12
Customer Tasks.....	20-12
Location Mass Assignment	20-12
Duplicate Search.....	20-12
Duplicate Merge	20-12
Household Identification	20-13
Home Location Re-Assignment	20-13
Franchisee Assignment.....	20-13

Customer Sync Export	20-13
Customer Address Sync Export	20-13
Customer Attributes Sync Export	20-13
Customer Household Sync Export	20-14
BI/Analytics Package Exporter	20-14
Reset Customer YTD Totals	20-14
Associate Assignment Tasks	20-14
Automated Associate Assignment	20-14
Associate Mass Re-assignment	20-14
Customer Segment Tasks	20-14
Unstratified Segment	20-14
Stratified Segment	20-14
Segment Sync Export	20-14
Account Tasks	20-15
Export Card Series	20-15
Release Expired PreAuth	20-15
Notify Card Renewal	20-15
Tender Sync Export	20-15
Award Account Tasks	20-15
Issue Anniversary Awards	20-15
Notify Awards Expire	20-16
Award Sync Export	20-16
Loyalty Tasks	20-16
Distribute Loyalty Awards	20-16
Create Loyalty Awards	20-16
Earn Loyalty Points	20-16
Expire Loyalty Points	20-16
Reset Loyalty YTD Points	20-16
Loyalty Sync Export	20-16
Housekeeping Tasks	20-17
Delete Customers	20-17
Delete Inactive Customers	20-17
Delete Inactive Customer Addresses	20-17
Delete Inactive Customer Phone Numbers	20-17
Delete Inactive Customer Email Addresses	20-17
Delete Transaction History	20-17
Delete Promotion	20-17
Delete Merged/Archived Customers	20-17
Delete Loyalty Accounts and Activities	20-17
Delete Loyalty Inquiry Activities	20-17
Delete Segments	20-18
Delete Segment History	20-18
Delete Job History	20-18
Delete Gift Registries	20-18
Delete Inactive Item Registries	20-18

Delete Social Activities	20-18
Delete Award Inquiry Activities.....	20-18
Delete Web Service Tracking.....	20-18
OLAP Tasks.....	20-18
Aggregate Loyalty Facts.....	20-18
Aggregate Tender Facts.....	20-19
Campaign Tasks.....	20-19
Dynamic Promotions	20-19
Promotion Response Data Import	20-19
Social Network Integration Tasks	20-19
Social Network Listener	20-19
Social Network Update	20-19
Clienteling.....	20-19
Task Generator.....	20-19
Configure Job Parameters	20-20
Location Mass Assignment	20-22
Duplicate Search	20-22
Search Strategy Field Comparisons	20-23
Duplicate Merge	20-24
Merge Behavior.....	20-24
Merge Records Logic	20-24
Household Identification.....	20-25
Home Location Re-Assignment.....	20-26
Franchisee Assignment.....	20-27
Customer Sync Export	20-28
Customer Sync Export - Marketing	20-29
Customer Export File - Marketing.....	20-31
Customer "Delete" Export File - Marketing.....	20-31
Customer Sync Export - BI/Analytics.....	20-32
Customer Export File - BI/Analytics.....	20-32
Customer Address Sync Export	20-34
Customer Address Export File - BI/Analytics.....	20-34
Customer Attributes Sync Export	20-35
Customer Attributes Sync Export - Marketing	20-35
Customer Attribute Export File - Marketing.....	20-36
Customer Attributes Sync Export - BI/Analytics.....	20-37
Customer Attribute Metadata Export File - BI/Analytics.....	20-37
Customer Attribute Export File - BI/Analytics	20-38
Customer Household Sync Export.....	20-39
Household Export File - BI/Analytics.....	20-39
Household Customer Association Export File - BI/Analytics.....	20-39
BI/Analytics Package Exporter	20-40
Reset Customer YTD Totals	20-41
Automated Associate Assignment.....	20-41
Associate Mass Re-assignment.....	20-42

Change/Add Associate	20-43
Unstratified Segment	20-44
Stratified Segment	20-45
Segment Sync Export	20-45
Segment Sync Export - Marketing	20-46
Customer Segment File for Marketing: Stratified Segments	20-47
Customer Segment Export File for Marketing: Unstratified Segments.....	20-48
Segment Sync Export - BI/Analytics	20-48
Segment Export File - BI/Analytics.....	20-49
Segment Attributes Export File - BI/Analytics.....	20-50
Customer Segment Association Export File - BI/Analytics.....	20-50
Attribute Metadata Export File - BI/Analytics	20-51
Customer Segment Category - BI/Analytics	20-51
Export Card Series	20-51
Release Expired PreAuth.....	20-51
Notify Card Renewal	20-52
Tender Account Sync	20-52
Tender Account Export File.....	20-53
Tender Account Activity Export File.....	20-53
Issue Anniversary Awards.....	20-55
Export File	20-56
Notify Awards Expire.....	20-56
Award Sync Export	20-57
Award Account Export File	20-59
Award Coupon Export File.....	20-59
Distribute Loyalty Awards.....	20-60
Export File	20-60
Create Loyalty Awards.....	20-60
Export Files.....	20-61
Earn Loyalty Points	20-61
Expire Loyalty Points.....	20-62
Reset Loyalty YTD Points.....	20-62
Loyalty Sync Export	20-63
Loyalty Export File	20-64
Delete Customers.....	20-65
Delete Inactive Customers.....	20-65
Delete Inactive Customer Addresses.....	20-66
Delete Inactive Customer Phone Numbers	20-67
Delete Inactive Customer Email Addresses	20-68
Delete Transaction History	20-69
Delete Promotion.....	20-69
Delete Merged/Archived Customers.....	20-70
Delete Loyalty Accounts and Activities.....	20-70
Delete Loyalty Inquiry Activities	20-71

Delete Segments.....	20-72
Delete Segment History.....	20-72
Delete Job History.....	20-73
Delete Gift Registries.....	20-74
Delete Inactive Item Registries.....	20-74
Delete Social Activity.....	20-75
Delete Award Inquiry Activities.....	20-76
Delete Web Service Tracking.....	20-76
Aggregate Loyalty Facts.....	20-77
Aggregate Tender Facts.....	20-78
Dynamic Promotions.....	20-78
Promotion Response Data Import.....	20-79
SENT_EMAILS Promotion Import File.....	20-79
CLICK_EMAILS Promotion Import File.....	20-79
OPEN_EMAILS Promotion Import File.....	20-80
FAIL_EMAILS Promotion Import File.....	20-81
Social Network Listener.....	20-81
Social Network Update.....	20-82
Task Generator.....	20-82

21 Analytics/Reports 21-1

Overview.....	21-1
About this Chapter.....	21-1
Reports.....	21-2
Run a Report.....	21-3
Refresh Report List.....	21-4
Report Organization.....	21-4
Account Management.....	21-5
Award Management.....	21-5
Campaign Management.....	21-6
Card Management.....	21-6
Customer Management.....	21-6
Item Management.....	21-7
Location Operations.....	21-7
Loyalty Management.....	21-8
Registry Management.....	21-9
Segment Management.....	21-9
Task Management.....	21-10
Tender Account Management.....	21-10
Displaying Report.....	21-11
BI Publisher Toolbar.....	21-12
View Report Options.....	21-13
BI Publisher Actions.....	21-13
Report Generation Options and Contents.....	21-15

Account Management Report.....	21-15
Account Activity Summary Report	21-15
Selection Criteria	21-15
Report Contents.....	21-15
Award Management Reports.....	21-17
Award Account Activity Details Report.....	21-17
Selection Criteria:	21-17
Report Contents.....	21-18
Award Account Activity Errors Report	21-20
Selection Criteria:	21-20
Report Contents.....	21-22
Award Account Activity Trend Report	21-24
Selection Criteria:	21-24
Report Contents.....	21-26
Award Account Balance Report.....	21-28
Selection Criteria:	21-28
Report Contents.....	21-28
Award Account Error Trend Report	21-29
Selection Criteria:	21-29
Report Contents.....	21-31
Report Contents.....	21-31
Award Account Last Use Report	21-32
Selection Criteria:	21-32
Report Contents.....	21-33
Award Activity By Location Report	21-33
Selection Criteria:	21-34
Report Contents.....	21-35
Award Activity By Program Report.....	21-36
Selection Criteria:	21-36
Report Contents.....	21-37
Award Entitlement Expiration Report	21-39
Selection Criteria:	21-39
Report Contents.....	21-39
Award Entitlement Redemption (Trend) Report	21-40
Selection Criteria:	21-40
Report Contents.....	21-42
Award Entitlement Summary Report	21-44
Selection Criteria:	21-44
Report Contents.....	21-44
Award Program Balance Summary Report.....	21-45
Selection Criterion:.....	21-45
Report Contents.....	21-45
Award Program Definition Report.....	21-46
Selection Criteria:	21-46
Report Contents.....	21-47
Award Redemption Rate Report.....	21-48
Selection Criterion:.....	21-48

Report Contents.....	21-48
Campaign Management Reports	21-49
Promotion Response by Category Report	21-49
Selection Criteria	21-49
Report Contents.....	21-50
Promotion Response by Date Report	21-51
Selection Criteria	21-51
Report Contents.....	21-52
Promotion Response by Deal Report.....	21-54
Selection Criteria	21-54
Report Contents.....	21-55
Promotion Response by Location Report	21-57
Selection Criteria	21-57
Report Contents.....	21-58
Promotion Response by Target Report	21-60
Selection Criteria	21-60
Report Contents.....	21-61
Promotion Response Detail Report	21-62
Selection Criteria	21-62
Report Contents.....	21-63
Promotion Target Details Report	21-65
Selection Criteria	21-65
Report Contents.....	21-66
Promotion Target List Report.....	21-67
Selection Criteria	21-67
Report Contents.....	21-68
Promotion Target Segment List Report.....	21-69
Selection Criteria	21-69
Report Contents.....	21-70
Card Management Reports	21-70
Card Batch Activation Rate Report.....	21-70
Selection Criteria	21-70
Report Contents.....	21-71
Card Detail Report	21-71
Selection Criteria	21-71
Report Contents.....	21-72
Card Series Activation Rate Report	21-73
Selection Criteria	21-73
Report Contents.....	21-73
Customer Management Reports.....	21-74
Address Summary Report.....	21-74
Selection Criteria	21-74
Report Contents.....	21-74
Birthday Summary Report.....	21-75
Selection Criteria	21-75
Report Contents.....	21-76
Customer Alt Key Summary Report	21-76

Selection Criteria	21-76
Report Contents.....	21-77
Customer Associate Assignment by Associate and Role Report	21-77
Selection Criteria	21-78
Report Contents.....	21-78
Customer Contact Email List Report.....	21-79
Selection Criteria	21-79
Report Contents.....	21-79
Customer Contact Phone List Report.....	21-80
Selection Criteria	21-80
Report Contents.....	21-81
Customer Purchase by Department by Year Report.....	21-81
Selection Criteria	21-82
Report Contents.....	21-82
Customer Status Summary Report	21-83
Selection Criteria	21-83
Report Contents.....	21-84
Gender Summary Report	21-84
Selection Criteria	21-85
Report Contents.....	21-85
Location (Store) Capture Rate Report	21-85
Selection Criteria	21-85
Report Contents.....	21-86
Postal Code Summary Report	21-86
Selection Criteria	21-87
Report Contents.....	21-87
Social Network Summary Report	21-88
Report Contents.....	21-88
State Summary Report.....	21-88
Selection Criteria	21-88
Report Contents.....	21-89
Summary Detail Report.....	21-89
Selection Criteria	21-89
Report Contents.....	21-90
Item Management Reports.....	21-91
Item Attribute Summary Report	21-91
Selection Criteria	21-91
Report Contents.....	21-91
Location Operations Reports	21-91
Capture Quality Summary Report.....	21-91
Selection Criteria	21-91
Report Contents.....	21-92
Customer by Home Location Report.....	21-94
Selection Criteria	21-94
Report Contents.....	21-94
Shoppers by Location Report	21-95
Selection Criteria	21-95

Report Contents.....	21-96
Signup Location (Store) by Postal Code Report	21-96
Selection Criteria	21-96
Report Contents.....	21-97
Signup Location by State Report.....	21-98
Selection Criteria	21-98
Report Contents.....	21-99
Signup Location Report.....	21-99
Selection Criteria	21-99
Report Contents.....	21-100
Signup Location Daily Trend Report	21-100
Selection Criteria	21-101
Report Contents.....	21-101
Loyalty Management Reports	21-102
Loyalty Account Detail Report.....	21-102
Selection Criteria	21-102
Report Contents.....	21-103
Loyalty Account Activity Errors Report	21-104
Selection Criteria	21-104
Report Contents.....	21-105
Loyalty Account Level Summary Report	21-106
Selection Criteria	21-106
Report Contents.....	21-107
Loyalty Activity Type Summary Report.....	21-108
Selection Criteria	21-108
Report Contents.....	21-109
Loyalty Activity Type Trend Report	21-110
Selection Criteria	21-111
Report Contents.....	21-112
Loyalty Issue Rule Impact Report.....	21-115
Selection Criteria	21-115
Report Contents.....	21-116
Loyalty Rules Results Summary Report	21-117
Selection Criteria	21-117
Report Contents.....	21-118
Loyalty Rules Results Trend Report.....	21-118
Selection Criteria	21-119
Report Contents.....	21-120
Loyalty Account Balance Summary Report	21-123
Selection Criteria	21-123
Report Contents.....	21-124
Loyalty Account Last Use Summary Report.....	21-125
Selection Criteria	21-125
Report Contents.....	21-126
Loyalty Account Life Cycle Summary Report	21-127
Selection Criteria	21-127
Report Contents.....	21-128

Loyalty Account Activity Summary Award Report	21-129
Selection Criteria	21-129
Report Contents.....	21-130
Loyalty Account Activity Summary Issue Report.....	21-130
Selection Criteria	21-130
Report Contents.....	21-131
Loyalty Program Level Summary Report.....	21-132
Selection Criteria	21-132
Report Contents.....	21-133
Registry Management Reports	21-134
Registry Detail Report	21-134
Selection Criteria	21-134
Report Contents.....	21-135
Segment Management Reports.....	21-136
N-Tile / Range Strata Report.....	21-136
Selection Criteria	21-136
Report Contents.....	21-137
Segment by Home Location Report.....	21-138
Selection Criteria	21-138
Report Contents.....	21-139
Segment by State Report	21-139
Selection Criteria	21-139
Report Contents.....	21-140
Segment Count List Report.....	21-140
Selection Criteria	21-140
Report Contents.....	21-141
Segment Customer Master Report.....	21-141
Selection Criteria	21-142
Report Contents.....	21-142
Segment Purchase Profile Report.....	21-143
Selection Criteria	21-143
Report Contents.....	21-143
Segment Trend Analysis Report	21-145
Selection Criteria	21-145
Report Contents.....	21-146
Task Management Reports.....	21-148
Associate Task Details Report	21-148
Selection Criteria	21-148
Report Contents.....	21-149
Associate Task Summary Report	21-150
Selection Criteria	21-150
Report Contents.....	21-151
Task Status Summary Report	21-151
Selection Criteria	21-151
Report Contents.....	21-152
Tender Account Management Reports	21-153
Tender (Account) Activity Summary Report.....	21-153

	Selection Criteria	21-153
	Report Contents.....	21-155
	Tender Activity Summary by Batch Report	21-156
	Selection Criteria	21-156
	Report Contents.....	21-157
	Tender Activity Type Trend Report	21-159
	Selection Criteria	21-159
	Report Contents.....	21-160
22	System Menu Options	22-1
	Overview	22-1
23	Web Service Tracking	23-1
	Overview	23-1
	About this Chapter	23-1
	Daily Activity	23-2
	Actions Menu	23-3
	Detailed Web Service Tracking Window	23-3
	Weekly Activity.....	23-4
	Monthly Activity.....	23-6
24	Exchange Rates	24-1
	Overview	24-1
	About this Chapter	24-1
	Exchange Rate.....	24-2
	Actions Menu	24-2
	Exchange Rate History Window	24-3
	Create Exchange Rate Window	24-4
25	Segment Queries	25-1
	Overview	25-1
	Segment Queries.....	25-1
	Stratified Queries.....	25-1
	Segment Queries.....	25-2
	Customer Demographics.....	25-2
	Customer Contact.....	25-4
	Customer Attributes.....	25-5
	Purchase Activity.....	25-6
	Basic Programs.....	25-11
	Segment Elements	25-13
	Promotion Activity	25-13
	Strategic Segments.....	25-13
	Loyalty Segments.....	25-14
	Social Networks	25-17
	Social Profiles	25-17

Strata Queries	25-18
Loyalty Summary	25-18
Transaction Criteria.....	25-20
Line Item Detail	25-21



Send Us Your Comments

Oracle Retail Customer Engagement Cloud Services User Guide, Release 16.0

Oracle welcomes customers' comments and suggestions on the quality and usefulness of this document.

Your feedback is important, and helps us to best meet your needs as a user of our products. For example:

- Are the implementation steps correct and complete?
- Did you understand the context of the procedures?
- Did you find any errors in the information?
- Does the structure of the information help you with your tasks?
- Do you need different information or graphics? If so, where, and in what format?
- Are the examples correct? Do you need more examples?

If you find any errors or have any other suggestions for improvement, then please tell us your name, the name of the company who has licensed our products, the title and part number of the documentation and the chapter, section, and page number (if available).

Note: Before sending us your comments, you might like to check that you have the latest version of the document and if any concerns are already addressed. To do this, access the Online Documentation available on the Oracle Technology Network Web site. It contains the most current Documentation Library plus all documents revised or released recently.

Send your comments to us using the electronic mail address: retail-doc_us@oracle.com

Please give your name, address, electronic mail address, and telephone number (optional).

If you need assistance with Oracle software, then please contact your support representative or Oracle Support Services.

If you require training or instruction in using Oracle software, then please contact your Oracle local office and inquire about our Oracle University offerings. A list of Oracle offices is available on our Web site at <http://www.oracle.com>.

Preface

The Oracle Retail Customer Engagement Cloud Services User Guide provides guidance on the screens available for use within the application.

Audience

This User Guide is for the following audiences:

- Implementation staff for the retailer
- Business analysts who need information about product processes and interfaces

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/us/corporate/accessibility/index.html>.

Access to Oracle Support

Customers that have purchased support have access to electronic support at My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Related Documents

For more information, see the following documents in the Oracle Retail Customer Engagement Cloud Services Release 16.0 documentation set:

- *Oracle Retail Customer Engagement Cloud Services Release Notes*
- *Oracle Retail Customer Engagement Cloud Services Batch Processing and Web Services Guide*
- *Oracle Retail Customer Engagement Cloud Services Implementation Guide*
- *Oracle Retail Customer Engagement Cloud Services Administration Guide*

See the Oracle Retail Customer Engagement Cloud Services 16.0 documentation library at the following URL:

<http://www.oracle.com/technetwork/documentation/oracle-retail-100266.html>

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:

<https://support.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create

- Exact error message received
- Screen shots of each step you take

Improved Process for Oracle Retail Documentation Corrections

To more quickly address critical corrections to Oracle Retail documentation content, Oracle Retail documentation may be republished whenever a critical correction is needed. For critical corrections, the republication of an Oracle Retail document may at times not be attached to a numbered software release; instead, the Oracle Retail document will simply be replaced on the Oracle Technology Network Web site.

An updated version of the applicable Oracle Retail document is indicated by Oracle part number, as well as print date (month and year). An updated version uses the same part number, with a higher-numbered suffix. For example, part number E123456-02 is an updated version of a document with part number E123456-01.

If a more recent version of a document is available, that version supersedes all previous versions.

Oracle Retail Documentation on the Oracle Technology Network

Oracle Retail product documentation is available on the following web site:

<http://www.oracle.com/technetwork/documentation/oracle-retail-100266.html>

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, emphasis, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Introduction

Overview

Oracle Retail Customer Engagement Cloud Services™ is a comprehensive, web-based, direct-marketing application designed for today's fast-paced retail environment.

Because Customer Engagement is a web-based application that runs through web browsers, it uses conventions familiar to both traditional desktop applications and web-based applications.

About This Guide

This document provides you with detailed instructions for using Customer Engagement through its web interface. This interface is accessed through a web browser connecting to the Customer Engagement server.

About This Chapter

This chapter contains the following information:

- [“Conventions” on page 2](#) - Describes the conventions used in this guide.
- [“Login” on page 2](#) - Describes how to log into Customer Engagement.
- [“Logout” on page 4](#) - Describes how to log out of Customer Engagement.
- [“My Account” on page 4](#) - Describes the options available to update your account.
Options include:
 - [“Change Name” on page 5](#)
 - [“Change E-mail” on page 6](#)
- [“User Interface” on page 7](#) - Describes common elements of the user interface.
Elements include:
 - [“Accessing Pages” on page 7](#)
 - [“Tabs” on page 9](#)
 - [“Data Elements” on page 9](#)
 - [“Actions Menu” on page 13](#)
 - [“List” on page 13](#)
 - [“Layer List” on page 16](#)
 - [“File Upload” on page 17](#)
 - [“Window” on page 18](#)
 - [“Wizard” on page 22](#)

- [“Eligibility Rules” on page 24](#) - Describes the rules used to determine eligibility to certain types of groups. Eligibility rules include:
 - [“Location Eligibility” on page 24](#)
 - [“Segment/Target Eligibility” on page 27](#)
 - [“Item Eligibility” on page 30](#)
 - [“Time Eligibility” on page 39](#)
 - [“Tender Eligibility” on page 42](#)

Conventions

The following conventions are used throughout this document to denote information for special emphasis or to bring your attention to an important point.

Note: Information that can improve your understanding, simplify a task, or point out special circumstances.

Important: Information that is important for the user to be aware of, such as information that can help ensure procedures are completed properly, or prevent the loss of, corruption of, or recording of incorrect data.

Tip: Information that is related to the task at hand, but not required to perform the task. This would include best practices or practical information that would help the user in the performance of the task.

[REQUIRED] - This marks a field on a form that *must* be completed. You will not be allowed to continue until the field is completed.

[OPTIONAL] - This marks a field or step that is not required and you may complete at your discretion.


[DEFAULT] - This marks the system default option for a particular field. You have the choice of accepting the default by doing nothing or selecting another option.

Login

User must have a login name and password to access Customer Engagement. Use the following procedure to log into the Customer Engagement application:

1. Use a web browser to navigate to the URL provided at the time of implementation (similar to: `https://<hostname>:<port_number>/<ORG_ID>/OrceUI/relate.html`).

The Customer Engagement login page is displayed.



SIGN IN TO
**CUSTOMER ENGAGEMENT
CLOUD SERVICES**

Username

Password

Sign In

ORACLE®

Figure 1-1: Customer Engagement Login

2. Enter your username in the **Username** field.
3. Enter your password in the **Password** field.
4. Click the **Login** button, or press the [Enter] key.

If the username and password are correct, the main page opens.

The Customer Engagement pages are displayed in the language defined for your user profile.

Logout

To log out of Customer Engagement:

1. Click your username in the upper-right corner of the screen.

A menu of user options opens.




Figure 1-2: User Options Menu

2. Click **LOGOUT**.

You are logged out of Customer Engagement and the interface returns to the Customer Engagement Login page.

My Account

In Customer Engagement, you can view information about your account, and make changes to some of your account settings.

To view your account information:

1. Click your username in the upper-right corner of the screen.

A menu of user options opens.




Figure 1-3: User Options Menu

2. Click **MY ACCOUNT**.

The My Account page opens, displaying information about your account.




Figure 1-4: My Account Page

This page displays the following:

- **User ID** - Unique ID for your user account.
- **Name** - Name associated with your account.
- **E-mail** - Email address associated with your account.
- **Effective Roles** - Displays all of the Roles currently assigned to your user account.

Note: Your assigned roles cannot be changed through the My Account page. For more information about assigning Roles, see the *Oracle Retail Customer Engagement Cloud Services Implementation Guide*.

Change Name

To change the name associated with your account:

Note: This procedure does not change the login name used by the [Login](#) procedure. The name is only a display name for the account.

1. In the **Name** [Text Field](#), replace the current value with the new Name.
2. Click **Update**.

The new Name is saved and displayed in the upper-right corner of the screen.

[Tester1 \(Tester1\)](#) ▶

Figure 1-5: Updated Name

Change E-mail

To change the e-mail address associated with your account:

1. In the **E-mail** [Text Field](#), replace the current value with the new e-mail address.
2. Click **Update**.

The e-mail address for your account is changed to the entered address. All messages sent from the system will be sent to the new address.

User Interface

All User actions in Customer Engagement are performed through the user interface. This interface is accessed and used in a web browser.

The Customer Engagement pages are displayed in the language defined for your user profile.

Accessing Pages

To access the various functions of Customer Engagement, you must open the proper page(s). While many pages can be accessed through both a Menu and the Main Page, some pages can only be accessed through a Menu.

Many pages can also be accessed by clicking a link in another page. These links are described in the sections dedicated to the screens and windows where the links can be found.

Menu

You can use the menu at the top of the Customer Engagement screen to access most of the pages in Customer Engagement. This menu is available from every page in Customer Engagement, allowing instant access to most of Customer Engagement's functionality.

To access a page through the Customer Engagement menu, open the proper menu, then select the page within that menu. In this manual, this is described in the following way:

<Menu>-><Menu Item>

where **<Menu>** is the name of the menu and **<Menu Item>** is the item in the menu to select.

For example, to open the Customer Lookup/Edit page, use the **Customer->Customer Lookup/Edit** option. To select this option, click **Customer** in the Menu bar, then click **Customer Lookup/Edit** in the Customer Menu.




Figure 1-6: Customer Lookup/Edit Menu Option

Main Page

Some pages can also be accessed through the Customer Engagement Main Page, though many of them can only be accessed through the Customer Engagement Menu (e.g. pages in the Analytics and System Menus).




Figure 1-7: Main Page

The Customer Engagement Main Page displays separate sections containing links to Customer Engagement pages. The Main Page does not link to every page in Customer Engagement. However, the Main Page can be used to access many of the most commonly-used pages.

Link

A Link is an HTML hypertext link that can be used to open another page or menu in Customer Engagement. Link text will usually be a blue color to differentiate them from normal text, and they will frequently (but not necessarily) be underlined.

[2](#) [Click here](#) [next](#) [New Set](#) [Import Existing Deal](#) [Import Csv](#)

Figure 1-8: Links

Tabs

When opening Pages within the Customer Engagement application, the pages are organized into Tabs at the top of the screen.



Figure 1-9: Tabs

- To switch to a different page within Customer Engagement, click on the Tab for that page.
- To close a page in Customer Engagement, click the Red X (✖) at the top right of the Tab.
- If there are so many Tabs open that they are being pushed off the screen, click the **more** [Link](#) (more ⌵) in the top-right corner of the page to open a list of currently open Tabs.




Figure 1-10: Tab List

In the list of open Tabs, click a Tab name to select and display that Tab.

Data Elements

When entering information into Customer Engagement, there are several standard types of entry fields used to provide information to Customer Engagement or display retrieved information.

Text Field

Information is entered into a Text Field by typing the information into the field. There are no limits on the information that can be entered into a Text Field, unless they are set for a specific instance of a text entry field.

User Label	<input type="text"/>
Email	<input type="text" value="hj@xyx.com"/>

Figure 1-11: Text Fields

Searches

When using a Text Field in a search, Customer Engagement searches for data that matches the entered information. If the Text Field is blank, the field will be ignored by Customer Engagement.

- If there is no [Matching Rule Menu](#), Customer Engagement will only return data that matches the field text exactly.
- If there is a [Matching Rule Menu](#), Customer Engagement will match the field text by the selected matching rule.

Text Area Field

Similar to a [Text Field](#), information is entered into a Text Area Field by typing the information into the field. Unlike a [Text Field](#), a Text Area Field allows carriage returns and multiple lines of information, rather than a single line of text. There are no limits on the information that can be entered into a Text Area Field, unless they are set for a specific instance of the field.




Figure 1-12: Text Area Field

Selection Menu

A Selection Menu is a drop-down menu with a limited number of possible options.

To use a Selection Menu, click the menu to open a drop-down menu that displays a list of possible choices, then click an item in the list to select it.





Figure 1-13: Selection Menus

Matching Rule Menu

In Customer Engagement, a [Text Field](#) can be associated with a [Selection Menu](#) that is used as a Matching Rule Menu. These Matching Rule Menus determine the rules that Customer Engagement uses when comparing the information in a text field with the data in the system.




Customer Engagement provides the following matching rules:

- **Equals** - The data must match the information in the [Text Field](#) exactly.
- **Starts With** - The data must begin with the information in the [Text Field](#).
- **Ends With** - The data must end with the information in the [Text Field](#).
- **Contains** - The data can have the information in the [Text Field](#) anywhere within it.

If the associated text field is blank, the Matching Rule Menu will be ignored by Customer Engagement.

Numeric Comparison Menu

In Customer Engagement, a [Text Field](#) can be associated with a [Selection Menu](#) that is used as a Comparison Menu, to compare numeric values in the [Text Field](#) with numeric values in the system. Whereas a [Matching Rule Menu](#) sets rules for matching text, a Numeric Comparison Menu sets rules for comparing relative values of numbers.



Customer Engagement provides the following numeric comparison rules:

- >= - The value must be greater than or equal to the value in the [Text Field](#).
- > - The value must be greater than the value in the [Text Field](#).
- <= - The value must be less than or equal to the value in the [Text Field](#).
- < - The value must be less than the value in the [Text Field](#).

Time Menus


In Customer Engagement, time configurations can be performed through Time Menus. This is a set of [Selection Menus](#) that contain hour, minute, and AM/PM information.



To use Time Menus, select the hour of the time in the first menu, the minute of the time in the second menu and select either AM or PM in the third menu.

Multi-Select Menu

In Customer Engagement, a Multi-Select Menu is a [Selection Menu](#) that allows users to select one or multiple options in the menu.



To select one option in a Multi-Select Menu, click that option; any other option(s) that are currently selected are unselected.

To select multiple options in a Multi-Select Menu, hold the [CTRL] button while clicking each option; all of the selected menu options are selected.

Check Box

A Check Box is used to configure true/false or yes/no values.



Figure 1-14: Check Boxes

- When a Check Box has a check mark () in it, the value is set to **true** or **yes**.
- When a Check Box is unchecked () , the value is set to **false** or **no**.

Radio Buttons

Radio Buttons define sets of mutually exclusive options in which only one option can be selected.



Figure 1-15: Radio Buttons

- When a Radio Button has been selected (☑), that option has been chosen.
- If another option is chosen in the set of Radio Buttons, the new option will be selected and the previously selected option will be unselected (☐).

Calendar Menu

When a date must be entered in a search field, Customer Engagement provides a Calendar Menu that is used to select dates.

To use a calendar search field:

1. Click in the field.

The Calendar Menu opens.




Figure 1-16: Calendar Menu

2. To display a different month for date selection in the calendar, use the navigation buttons along the top of the calendar:
 - Click < to move the calendar back one month.
 - Click > to move the calendar forward one month.
 - Click << to move the calendar back one year.
 - Click >> to move the calendar forward one year.
 - Click <<< to move the calendar back 10 years.
 - Click >>> to move the calendar forward 10 years.
3. Click the proper date to select it.

The date is entered into the date field and the Calendar Menu closes.

Actions Menu

Many pages in Customer Engagement include an Actions Menu that contains a collection of commands that can be performed on that page. The commands will be specific to that page and will vary depending upon the page on which the menu appears.

The Actions Menu may have any number of names, depending upon the page on which it is located. For example, the name may be “More Actions” or “Customer Actions”.

Open the Actions Menu by clicking on the page’s Actions button. The menu will then open and display the options available on that page.




Figure 1-17: Actions Menu




Figure 1-18: Customer Actions Menu




Figure 1-19: More Actions Menu

List

In Customer Engagement, many pages display its entities, such as Promotions or Customers, in a List. The interface provides methods for sorting and filtering these Lists.

Promotion Id	Promotion Name	Campaign Name	Type	Start Date	End Date	Generated	Status	Exported
1224	DynamicPromo	DynamicPromo	Product	2014 Dec 27	2015 Jan 4	Yes	Saved	No
1223	testDynamicPromo	testDynamicPromo	Product	2014 Dec 25	2015 Jan 4	Yes	Saved	No
1222	Holiday Closeout Promotion	Holiday Closeout Promotion	Product	2014 Nov 19	2015 Nov 13	Yes	Saved	No
1221	Holiday Closeout Promotion	Holiday Closeout Promotion	Product	2014 Nov 19	2015 Nov 27	Yes	Saved	No
1220	Holiday Closeout Promotion	Holiday Closeout Promotion	Product	2014 Nov 19	2015 Nov 28	Yes	Clear	No
1219	Promo 54444 ETL-new	Promo 54444 ETL-new	Entitlement	2014 Aug 1	2014 Nov 21	N/A	Conflict	No
1218	test-random	test-random	Product	2014 Jul 29	2014 Jul 31	Yes	Saved	No
1217	test	test	Product	2014 Jul 15	2014 Jul 31	Yes	Saved	No
1216	NewEntitlement	NewEntitlement	Entitlement	2014 Jul 15	2014 Jul 31	N/A	Approved	Yes

Figure 1-20: List

Filter

[List](#) pages in Customer Engagement commonly include one or more Filters that allow you to narrow a [List](#) of items to those meeting certain criteria. A Filter will take the form of a [Selection Menu](#), [Calendar Menu](#), or [Text Field](#).




Figure 1-21: [Selection Menu](#) Filter




Figure 1-22: [Calendar Menu](#) Filter







Figure 1-23: [Text Field](#) Filter

After selecting an option in a Filter, the [List](#) will display only those [List](#) items that match the selected Filter criteria.

Sorting

The sort order for a [List](#) is selected by clicking on the name of the column that you are using to sort the [List](#). The double arrow () next to the column name will change to show the sort order.

- An up arrow () indicates that the column is sorted in ascending order.
- A down arrow () indicates that the column is sorted in descending order.

Tip: Some [Lists](#) in Customer Engagement may not have sorting arrows displayed. However, the [Lists](#) can still be sorted in ascending and descending order by clicking on the name of the column.


Page Navigation


A [List](#) is often limited to display only a certain number of records. If a user wants to view a record outside of the first set of records, that user will use the Page Navigation options.










Figure 1-24: Page Navigation

Page Navigation has the following elements:


- 

Record Numbers - Indicates the range of records displayed on the current [List](#) page.
- 

Page Movement - Indicates the current [List](#) page, the number of [List](#) pages, and provides buttons to navigate through the pages:

 -  - Move to the next [List](#) page.
 -  - Move to the previous [List](#) page.
 -  - Move forward several [List](#) pages.
 -  - Move backward several [List](#) pages.
 -  - Move to the last [List](#) page.
 -  - Move to the first [List](#) page.
- 

Go To Page - Used to select a specific [List](#) page.

To use this element, enter the number of the [List](#) page in the [Text Field](#), then click the GO button.
- 

Page Size - Used to select the number of records on each [List](#) page.

Select the number of records in the [Selection Menu](#) to change the number of records in each [List](#) page. Note that this will change the number of [List](#) pages.

Layer List

Layer Lists organize data into navigable layers of information. By clicking on an item in a Layer List, a child page is opened, displaying information for the related item. This child page can then contain more Layer Lists, which are navigated in the same way.

Award - Edit Award - Edit	Programs ▶ Award: Award - Edit	Status Series Defined 0 Generated Series 0 Total Cards 0	Card Prefix 03549 User Org Count 0 Active Yes	
ALW Gift Card0411-1 ALW Gift Card 0411-1	Programs ▶ Tender: ALW 0411-1	Status Series Defined 1 Generated Series 1 Total Cards 30	Card Prefix 04111 User Org Count 0 Active Yes	
ALWCard-3 ALW Gift Card 3	Programs ▶ Loyalty: Loyalty 0414-2 ▶ Tender: ALW Program 3	Status Series Defined 0 Generated Series 0 Total Cards 0	Card Prefix 04113 User Org Count 0 Active Yes	

Figure 1-25: Layer List

Layer List Hierarchy

While moving through Layer Lists, Customer Engagement displays the hierarchy navigated to open the current page. During navigation through the Layer Lists, each child layer is added to the List to the right of the parent layer with an arrow pointing to the child layer (▶).

Card Def: ALWCard-3 ▶ Loyalty Program: Loyalty 0414-2 ▶ Level: Loyalty 0414-2

Figure 1-26: Layer List Hierarchy

To return to a page in the hierarchy, click the page name in the layer navigation display.

File Upload

When a file must be uploaded to the system, a File Upload field is displayed.



Figure 1-27: File Upload Field

To use a File Upload field:

1. Click the **Browse...** button.

A Choose File to Upload window opens.




Figure 1-28: Choose File to Upload

2. Navigate to the directory in which the file is located.
3. Click the file to select it. Only files with the file extensions of jpg, jpeg, png, pdf, doc, docx, xls, and xlsx can be uploaded.
4. Click **Open**.

The Choose File to Upload window closes and the filename is entered into the file upload field. The file will be uploaded by the system when the changes entered are submitted.

Window

In some areas of Customer Engagement, information may be accessed or edited through a pop-up Window within the Customer Engagement interface.







Figure 1-29: Window

Note: The pop-up Window is displayed within Customer Engagement, and is not a browser pop-up window. Therefore, it will not be affected by pop-up blockers.

To close a pop-up Window in Customer Engagement, do one of the following:

- Click the X () in the upper-right corner of the Window.
- Click the Customer Engagement interface outside of the Window.

If the Window displays a record from within a [List](#), the records in the [List](#) can sometimes be navigated by clicking the arrows in the Window.

- Click the up arrow () to open the previous record in the [List](#).
- Click the down arrow () to open the next record in the [List](#).

Search User Window

In some areas of Customer Engagement, searching for a User is performed through a Search User Window.

The screenshot shows the 'Search User' window with a single search criteria field. The 'Field' dropdown is set to 'Name', the 'Operations' dropdown is set to 'Equals', and the 'Value' field is empty. There is an 'Add' button to the right of the 'Value' field. At the bottom right, there are 'Search', 'Cancel', and 'OK' buttons.

Figure 1-30: Search User Window

1. Use the **Field Selection Menu** to select the criteria on which to search.
2. Use the **Operations Matching Rule Menu** to select the matching rule.
3. Enter the **Value** to search for.
4. If necessary, add or delete search criteria:
 - To delete an unneeded set of search criteria fields click the **Delete** button for the search criteria.
 - To add another search criteria, click the **Add** button, then repeat steps 1-3 in the new search criteria fields.

The screenshot shows the 'Search User' window with two search criteria fields. The first field has 'Field' set to 'Email', 'Operations' set to 'Equals', and 'Value' set to 'mail'. The second field has 'Field' set to 'Name', 'Operations' set to 'Equals', and 'Value' is empty. There is an 'Add' button to the right of the first field's 'Value' field, and an 'Add' button and a 'Delete' button to the right of the second field's 'Value' field. At the bottom right, there are 'Search', 'Cancel', and 'OK' buttons.


Figure 1-31: Search User - Added Criteria

Note: When entering search criteria:

- When two or more search criteria are included for one Field, the search results will include Customers that match ANY ONE of the entered criteria (a logical OR).
 - When search criteria is included for different Fields, the search results will include Customers that match ALL of the entered criteria (a logical AND).
-

5. Click the **Search** button to perform the search.

The search results are displayed in a [List](#).




The screenshot shows a 'Search User' window. At the top, there is a title 'Search User'. Below the title, there are three dropdown menus: 'Field' set to 'Name', 'Operations' set to 'Starts With', and 'Value' set to 'ja'. To the right of these is an 'Add' button. Below these controls are three buttons: 'Search', 'Cancel', and 'OK'. Below the buttons is a table with the following data:

User ID	Name	Email	Location Id
jmadison	James Madison	james.madison@example.com	

Figure 1-32: Search User - Search Results

Search Customer Window

In some areas of Customer Engagement, searching for a Customer is performed through a Search Customer Window.



The screenshot shows a 'Search Customer' window. At the top, there is a title 'Search Customer'. Below the title, there are three dropdown menus: 'Field' set to 'First Name', 'Operations' set to 'StartsWith', and 'Value' is empty. To the right of these is an 'Add' button. Below these controls are three buttons: 'Search', 'Cancel', and 'OK'.

Figure 1-33: Search Customer Window

To use the Search Customer Window:

1. Select the **Field** to search. This [Selection Menu](#) has the following options:
 - **First Name** - Customer first name.
 - **Last Name** - Customer last name.
 - **Email** - Customer email address.
 - **Phone Number** - Customer phone number.
 - **Customer Id** - ID of the Customer.
 - **Alternate Key** - Alternate Key associated with the Customer.
2. Use the **Operations** menu to select the matching rule used in the search. This [Matching Rule Menu](#) has the following options:
 - **Starts With** - The data must begin with the information in the text field.
 - **Ends With** - The data must end with the information in the text field.
 - **Contains** - The data can have the information in the text field anywhere within it.
 - **Equals** - The data must match the information in the text field exactly.
3. Enter the **Value** to use in the search.
4. If necessary, add or delete search criteria:
 - To remove a set of search criteria, click the **Delete** button next to the line.

- To add another search criteria to the search, click the **Add** button, then repeat step 1-3 in the new search criteria fields.

Search Customer

Field **First Name** Operations **Equals** Value **Veronica** **Add**

Field **First Name** Operations **StartsWith** Value **Add** **Delete**

Search **Cancel** **OK**

Figure 1-34: Search Customer - Added Criteria

- When two or more search criteria are included for one Field, the search results will include Customers that match ANY ONE of the entered criteria (a logical OR).
- When search criteria is included for different Fields, the search results will include Customers that match ALL of the entered criteria (a logical AND).

5. Click the **Search** button when the search criteria is complete.

A [List](#) of search results is displayed.

Search Customer

Field **First Name** Operations **Equals** Value **Veronica** **Add Criteria**

Field **Last Name** Operations **Starts With** Value **H** **Add Criteria** **Delete**

Search **Cancel** **OK**

Customer Id	First Name	Last Name	City	State	Home Location
23320	Veronica	Hardman	SHELBY	NC	188
9565	Veronica	Held	PHILADELPHIA	PA	188
34734	Veronica	Huston	LINCOLN	NE	188
37684	Veronica	Holbrook	CHARLESTON	WV	188

Figure 1-35: Customer Search Results

This [List](#) displays the following information:

- **Customer Id** - ID of the Customer.
- **First Name** - Customer first name.
- **Last Name** - Customer last name.
- **City** - Customer city.
- **State** - Customer state.
- **Home Location** - Home Location assigned to the Customer.

Wizard

Many of the elements within Customer Engagement are created and/or updated through a Wizard. These Wizards provide a step-by-step configuration process for all the fields that define an element in Customer Engagement.




Figure 1-36: Sample Wizard

Table 1-1: Sample Wizard Key

Item	Description
1	Wizard Navigation Panel - Allows navigation to a specific step in the Wizard. See “Wizard Navigation” on page 22 for more information.
2	Data Entry Panel - Used for data entry and configuration fields.
3	Progress Panel - Lists the steps in the configuration process, and shows the current progress through that process.
4	Navigation Links - Moves to the next or previous step in the Wizard. See “Wizard Navigation” on page 22 for more information.
5	Save Link - Saves the current settings entered into the creation or update and closes the Wizard. See “Save Current Settings” on page 23 for more information.
6	Cancel Link - Cancels the creation or update and closes the Wizard without saving changes. See “Cancel Wizard” on page 23 for more information.

Wizard Navigation

To navigate through a Wizard, do one of the following:

- Use the **previous** and **next** buttons to navigate through the steps in the Wizard.
- Click a step name in the Wizard Navigation panel to navigate directly to that step.

When you have navigated to a step in the Wizard you can, if necessary, make changes to any enabled field in that step.

Data Validation

In the Wizard, data is validated whenever the user moves from one step to another.

- If the user clicks the **next** [Link](#) in a page with invalid information, the Wizard will not move to the next step while invalid data remains in the step.
- An error message or error icon (❗) is displayed for each validation error in a Wizard step.
- In the Wizard Navigation panel, an error icon (❗) is shown next to each step with one or more validation errors.

Save Current Settings

To save in a Wizard, click the **save** [Link](#).

- When creating an element in a Wizard, the data cannot be saved until every step in the creation process has been performed, all required data entered, and [Data Validation](#) performed on all entered information.
- When performing updates in a Wizard, changes can be saved at any time.

Cancel Wizard

To close a Wizard while canceling all unsaved changes:

1. Click the **cancel** [Link](#).

A confirmation prompt opens.




Figure 1-37: Confirmation Prompt

2. Click **OK** to exit the Wizard.
 - When creating an element in a Wizard, the data will not be saved and the element will not be created.
 - When editing an element in a Wizard, the element will keep its existing values.

Eligibility Rules

Customer Engagement uses Eligibility Rules to set limits on how and when elements are applied and used. Customer Engagement has the following Eligibility Rule types:

- [“Location Eligibility” on page 24](#) - These Eligibility Rules determine the Locations that will be eligible for a Customer Engagement element.
- [“Segment/Target Eligibility” on page 27](#) - These Eligibility Rules define Segments and determine which Customers belong to those Segments.
- [“Item Eligibility” on page 30](#) - These Eligibility Rules determine which items are eligible for a Customer Engagement element.
- [“Time Eligibility” on page 39](#) - These Eligibility Rules determine the days, times, and date range in which a Customer Engagement element is valid.
- [“Tender Eligibility” on page 42](#) - These Eligibility Rules determine the tenders that can be used in a Transaction for it to be eligible for some Customer Engagement element.

Location Eligibility

The Locations eligible for each Location Eligibility Rule are determined as follows:

- Locations must meet the inclusion and exclusion parameters of the Location Eligibility Rule:
 - If no Locations are configured in either Included Locations or Excluded Locations, all Locations are eligible.
 - If Locations are configured in the Included Locations and none are configured in the Excluded Locations, then only those Locations in the Included Locations are eligible.
 - If Locations are configured in both Included Locations and Excluded Locations, only those Locations that are in the Included Locations and not in the Excluded Locations are eligible.
 - If Locations are configured in the Excluded Locations and none are configured in the Included Locations, then all Locations except those in the Excluded Locations are eligible.
- For a Location to be an Included or Excluded Location, it must be part of a Group.

Location Attributes	Value	Enabled	
STORE_ID	0022	<input checked="" type="checkbox"/>	And
High Volume	YES	<input checked="" type="checkbox"/>	
Add			
Or			
Location Attributes	Value	Enabled	
STORE_ID	0034	<input checked="" type="checkbox"/>	
Add			
Add Group(s)			

Figure 1-38: Location Groups

- For a Location to be part of a Group, it must meet **all** the criteria of the Group.
- A Location that meets the criteria of any one Group within either the Included or Excluded Locations will be Included or Excluded.
- Each Group displays a [List](#) containing the following information:

- * **Location Attribute** - The name of the criteria.
- * **Value** - The criteria value that a Location must have to belong to the Group.
- * **Enabled** - Whether the attribute and value constraint is currently enabled. If the [Check Box](#) has a check mark, the constraint is active and a location must meet the criteria to belong to the Group.

Define Location Eligibility

Use the following procedures to define Location Eligibility for a Customer Engagement element:

- [“Add Location Eligibility Rule” on page 25](#) to add a Location Eligibility Rule to an element.
- [“Delete Location Eligibility Rule” on page 26](#) to delete an existing Location Eligibility Rule from an element.

Add Location Eligibility Rule

To add a Location Eligibility Rule:

1. Click the proper option to create a Location Eligibility Rule (see [“Location Eligibility” on page 24](#) for a description of Inclusion, Exclusion, and Group rules):
 - If no Rule has been configured for the proper set of Groups, click the **Click Here Link** to add a Rule.
 - To add a Location to an existing Group, click the **Add Location to Group Link**.
 - To add a new Group, click the **Add Include Group** or **Add Exclude Group Link**.

A Location Selection [Window](#) opens.



The screenshot shows a dialog box titled 'Location Selection Window'. It contains a 'Filter Type' dropdown menu with 'Store Id' selected. To the right is a 'Filter Criteria' text input field. A 'Search' button is located to the right of the input field. At the bottom right, there are 'Cancel' and 'OK' buttons.

Figure 1-39: Location Selection Window

2. In the Filter Type [Selection Menu](#), select the type of criteria to add to the Rule.
3. In the Search Criteria [Text Field](#), enter the value to search for.
4. Click the **Search** button.

Eligibility Rules

A [List](#) of search results is displayed.

Location Id	Name
2202	2202 new on 10.
44139	44139
AA11	asdfasdf
519	Beachwood
110	Carson City
100	Corporate Office
701	Crocker Park
188	Crystal Run

Figure 1-40: Location Results List

Note: If Franchisee support is enabled and the element using the Location Eligibility Rule is associated with one or more Franchisees, the search results will only show the Locations associated with the selected Franchisee(s).

If no Locations match the search criteria, Customer Engagement will display the message “No results found.”

5. Click a search result item to select it.

Tip: Press and hold the [CTRL] button to select multiple list items.

6. Click the **OK** button to add the Location(s) to the Rule, or click the **Cancel** button to discard the changes.

The Location Selection [Window](#) closes and the selected row(s) are added to the Rule.

Delete Location Eligibility Rule

To delete a Location Eligibility Rule:

1. Click the Location Eligibility Rule.

A menu opens displaying a list of options.

2. Click **Delete Attribute**.

The rule is deleted.

Segment/Target Eligibility

The Segments eligible for each Segment Eligibility Rule are determined as follows:

- Segments or Strata must meet the inclusion and exclusion parameters of the Segment Eligibility Rule:
 - If no Segments or Strata are configured in either Included Segments or Excluded Segments, all Segments and Strata are eligible.
 - If Segments are configured in the Included Segments and none are configured in the Excluded Segments, then only those Segments and Strata in the Included Segments are eligible.
 - If Segments are configured in both Included Segments and Excluded Segments, only those Segments and Strata that are in the Included Segments and not in the Excluded Segments are eligible.
 - If Segments are configured in the Excluded Segments and none are configured in the Included Segments, then all Segments and Strata except those in the Excluded Segments are eligible.
- For a Segment or Strata to be an Included or Excluded Segment, it must be part of a Group.

Target Name	Segment Name	Customer Count
LG New customers		34
	LG New customers	34
	Add	
Target Name	Segment Name	Customer Count
Purch last 21 days		191
	Purch last 21 days	191
	Add	

Figure 1-41: Target Groups

- For a Segment or Strata to be part of a Group, it must be listed in a Group.
- Each Group contains a [List](#) displaying the following information for each Segment or Strata in the Rule:
 - * **Name** - Name of the Segment or Strata.
 - * **Description** - Description of the Segment or Strata.
 - * **Customer Count** - The number of Customers that are currently included in the Segment or Strata.
- Each Group displays a Customer Count for the entire Group. This Count is the total number of unique Customers that are actually a part of the Group, not a simple total of the Customer Counts within the Group.
 - * If a Customer is a member of two separate Strata or Segments in a Group, the Customer will only be counted as one Customer.
 - * If a Customer is a member of a previously defined Group, the Customer will not be included as a member of the latter Group, lowering its count.

Define Segment Eligibility

Use the following procedures to define Segment Eligibility for a Customer Engagement element:

- [“Add Segment Eligibility Rule” on page 28](#) to add a Segment Eligibility Rule to an element.
- [“Delete Segment Eligibility Rule” on page 30](#) to delete an existing Segment Eligibility Rule from an element.

Add Segment Eligibility Rule

1. Click the **Add Rule** button, or the **Click Here** [Link](#) to add a Segment Eligibility rule.

An Add Segment Eligibility [Window](#) opens.




Figure 1-42: Segment Eligibility Window

2. Select the type of Segment to add:

- **Unstratified Segment - [DEFAULT]** Add the Customers in an Unstratified Segment.

A [List](#) of Unstratified Segments is displayed. Select the Segment(s) to include in the Eligibility Rule:

- 1) Click a Segment to select it for inclusion.

Hold the [CTRL] button to click and select multiple Segments.

- 2) Continue with step 3.

- **Stratified Segment** - Add the Customers in a Strata belonging to a Stratified Segment.

A [List](#) of Stratified Segments is displayed. Select the Strata(s) to include in the Eligibility Rule:

Name	Description	Customer Count
+ test strata segment	test strata segment	37
+ segment	segment	50386
+ test strata segment	test strata segment	173
+ segment	segment	50387
+ test	test	1
+ test strata segment	test strata segment	116

Figure 1-43: Stratified Segments

- 1) Click the expand (+) button for each Segment whose Strata(s) are being included in the Segment Eligibility rule.

<input type="checkbox"/> Open Strata 44055		
<input type="checkbox"/> Strata 1 (1)	Open Strata 44055	2
<input type="checkbox"/> Strata 2 (1)		

Figure 1-44: Open Stratified Segment

- 2) Click to enter a check mark () in the [Check Box](#) for each Strata to include in the Segment Eligibility rule.
 - 3) Continue with step 3.
- **Manual Segment** - Add the Customers in a Manual Segment.

Name	Description	Customer Count
March 29 riley-2	March 29 riley-2	1
March 29 riley-1	March 29 riley-1	6
same customer admin	same customer admin	1
same customer	same customer	1
test email	test email	1
Read Only MS	Read Only MS	2
MS Limited Read	MS Limited Read	3

Figure 1-45: Manual Segments

A [List](#) of Manual Segments opens. Select the Segment(s) to include in the Eligibility Rule:

- 1) Click a Segment to select it for inclusion.
Hold the [CTRL] button to click and select multiple Segments.
- 2) Continue with step 3.

Eligibility Rules

3. Click the **OK** button to add the selected Segments or Strata to the [List](#) and close the [Window](#).
Click **Cancel** to discard the changes and close the [Window](#).

Delete Segment Eligibility Rule

1. Click the rule in the Segment Eligibility [List](#).
A menu opens displaying a [List](#) of options.
2. Click **Delete Rule**.
The rule is deleted.

Item Eligibility

The Items eligible for each Item Eligibility Rule are determined as follows:

- Items must meet the inclusion and exclusion parameters of the Item Eligibility configuration:
 - If no Items are configured in either Included Items or Excluded Items, all Items are eligible.
 - If Items are configured in the Included Items and none are configured in the Excluded Items, then only those Items in the Included Items are eligible.
 - If Items are configured in both Included Items and Excluded Items, only those Items that are in the Included Items and not in the Excluded Items are eligible.
 - If Items are configured in the Excluded Items and none are configured in the Included Items, then all Items except those in the Excluded Items are eligible.
- Each [List](#) contains the following information:
 - **Filter** - The criteria used for the Item Eligibility Rule.
 - **Value** - The criteria value that an Item must have to belong to the Item Eligibility Rule.
 - **Description** - A description of the Item(s) belonging to the criteria value.

Define Item Eligibility

Use the following procedures to define Item Eligibility for a Customer Engagement element:

- [“Add Item Eligibility Rule \(Simple\)” on page 30](#), [“Add Item Eligibility Rule \(Advanced\)” on page 32](#), or [“Add Item Eligibility Rule \(Culinary\)” on page 35](#) to add an Item Eligibility Rule to a Customer Engagement element.
- [“Delete Item Eligibility Rule” on page 37](#) to delete an existing Item Eligibility Rule from a Customer Engagement element.
- [“Import Item Eligibility Rules” on page 38](#) to import a set of Items into the Item Eligibility Rule through a comma-separated values (CSV) file.
- [“Import Existing Deal” on page 38](#) to import the Item Eligibility Rules from an existing Deal.

Add Item Eligibility Rule (Simple)

To add a simple Item Eligibility Rule to a Customer Engagement element:

1. Click the proper option to create an Item Eligibility Rule (see [“Item Eligibility” on page 30](#) for a description of Inclusion and Exclusion rules):

- If no Rule has been configured for the proper set of Groups, click the [Click Here Link](#) to add a Rule.
- To add new criteria to an existing set of Included or Excluded Items, click the **Add** button for the appropriate list.

An Item Hierarchy Search [Window](#) opens.

Figure 1-46: Item Selection Window (Simple)

2. In the **Item Filter Selection Menu**, select the type of Item Filter to add to the Rule.
3. In the Search Criteria [Text Field](#), enter the value to search for in the Hierarchy Level.
4. Click the **Search** button.

A [List](#) displays the items matching the entered Search Criteria.

Hierarchy Id	Name	Description
925	Accessory Department	Accessory Department
950	Shoe Department	Shoe Department
975	Beauty/Fragrance Department	Beauty/Fragrance Department

Figure 1-47: Item Selection Window - Search Results

Note: If Franchisee support is enabled and the element using the Item Eligibility Rule is associated with one or more Franchisees, the search results will only show the items associated with the selected Franchisee(s).

5. Click an item in the search result [List](#) to select it.

Tip: Press and hold the [CTRL] button to click and select multiple items.

6. Click the **OK** button to add the selected items to the Item Eligibility Rule and close the Item Selection [Window](#).

Click the **Cancel** button to close the Item Selection [Window](#) without adding items.

Determining Included Items

When creating an Item Eligibility Rule using the Simple method, Items will be included in the Rule according to the following rules:

- If Attribute values are configured, ALL Attribute values in the Rule must be matched.

Eligibility Rules

- If any other non-Attribute condition is configured, at least one non-Attribute condition must be matched.

For example, if a rule were set up with the following criteria:

- Department = 24
- Department = 26
- Season = Fall
- Attribute Size = 8.5
- Attribute Width = EE

And the following Items were configured in the system:

Item A (Included)	Item B (Not Included)	Item C (Not Included)
<ul style="list-style-type: none">• Department = 24• Season = Spring• Attribute Size = 8.5• Attribute Width = EE	<ul style="list-style-type: none">• Department = 24• Season = Spring• Attribute Size = 8.5• Attribute Width = C	<ul style="list-style-type: none">• Department = 70• Season = Spring• Attribute Size = 8.5• Attribute Width = EE

Item A would be included in the Item Eligibility Rule, because all the Attributes match, and the Department matches the Rule configuration, even though the Season does not.

Item B is not included because the Width attribute does not match.

Item C is not included because neither the Department nor Season match.

Add Item Eligibility Rule (Advanced)

To add an advanced Item Eligibility Rule to a Customer Engagement element:

1. Click the proper option to create an Item Eligibility Rule (see [“Item Eligibility” on page 30](#) for a description of Inclusion and Exclusion rules):
 - If no Rule has been configured for the proper set of Groups, click the **Click Here Link** to add a Rule.
 - To add new criteria to an existing set of Included or Excluded Items, click the **Add** button for the appropriate list.

An Item Hierarchy Search [Window](#) opens.




Figure 1-48: Item Selection Window

2. In the **Hierarchy Level Selection Menu**, select the type of Item Hierarchy Level to add to the Rule.
 - If you select **All Items**, a search area and [Filter](#) fields open.
Continue with step 6.
 - If you select **Item ID**, [Filter](#) fields open.

Continue with step 11.

- For any other selected value, continue with the next step.
3. In the Search Criteria [Text Field](#), enter the value to search for in the Hierarchy Level.

Search for and select qualifying items or enter ID and press the <Enter> key to accept.

Item Hierarchy Search

Hierarchy Level: Search Criteria:

Filters

Brand: Color:
 Season:
 Item Min Price: Item Max Price:

Item Attributes: [Add Group\(s\)](#)

Attribute Code	Value	Remove
Add		

Figure 1-49: Item Selection Window - Hierarchy Level

4. Click the **Search** button or press the [Enter] key.
- If the Search Criteria equals an ID for the Hierarchy Level, the ID is added to the Eligibility Rule. Return to step 2 to add more items to the rule.
 - If the Search Criteria does not equal an ID for the Hierarchy Level, a [List](#) displays the levels matching the entered Search Criteria. Continue with the next step.
5. Click an item in the search result [List](#) to select it.

Tip: Press and hold the [CTRL] button to click and select multiple items.

6. Use the **Filters** fields to set additional rules on the eligible items.

Figure 1-50: Item Hierarchy Search - Filters

- **Brand** - Use this [Selection Menu](#) to indicate whether the item should have a brand name attached to it. Select **None [DEFAULT]** to not filter by brand.
 - **Season** - Use this [Selection Menu](#) to indicate the season of the item. Select **None [DEFAULT]** to not filter by season.
 - **Color** - Use this [Multi-Select Menu](#) to indicate the color(s) of the item. Select **None [DEFAULT]** to not filter by color.
 - **Item Min Price** - Use this [Text Field](#) to define the minimum price of the item. Leave blank **[DEFAULT]** to have no minimum item price.
 - **Item Max Price** - Use this [Text Field](#) to define the maximum price of the item. Leave blank **[DEFAULT]** to have no maximum item price.
7. If necessary, define the Item Attribute filters for a Group (see [“Item Attribute Filter Groups” on page 35](#) for a description of the rules used for Item Attribute Filters).

a. Click the **Add Link** in an Item Attribute Group.

A new Item Attribute filter is added to the Group.

Figure 1-51: New Item Attribute Filter

- b. In the **Attribute Code Selection Menu**, select the Item Attribute to add.
- c. In the **Value** field, select or enter the Attribute value to use for the filter.

Note: The method used to enter the filter value will depend on the Attribute Type.

- d. If necessary, click the **Remove Link** to remove an Attribute from a Group.
 - e. If necessary, repeat steps a-c for each Attribute to include in the Group.
8. If necessary, click the **Add Group(s) Link** to add another Group, then repeat step 7 to add Attributes to the Group.
9. Click the **Add** button to add the selected Item(s) to the Rule.
10. Do one of the following:

- Return to step 2 to add more Item(s) to the Eligibility Rule.
 - Click the **Cancel** button to close the Item Selection [Window](#).
11. If you selected **Item ID** in the **Hierarchy Level Selection Menu**, enter the value to search for in the **Search Criteria Text Field**.

Figure 1-52: Item Hierarchy Search - Item ID

12. Click the **Search** button or press the [Enter] key.
- If the Search Criteria equals an Item ID, the Item is added to the Eligibility Rule. Return to step 2 to add more Items.
 - If the Search Criteria does not equal an Item ID, a [List](#) displays the Items matching the entered Search Criteria. Click an Item in the search result [List](#) to select it.

Tip: Press and hold the [CTRL] button to click and select multiple items.

13. Click the **Add** button to add the selected Item(s) to the Rule.

14. Do one of the following:

- Return to step 2 to add more Item(s) to the Eligibility Rule.
- Click the **Close** button to close the Item Selection [Window](#).

Item Attribute Filter Groups

When using Item Attributes to filter the items that are included in the Eligibility Rule, Customer Engagement uses the following rules for determining eligibility:

- If no Attribute Filter Groups are included, Customer Engagement will not use Item Attributes as a filter.
- For an Item to be included in the rule, it must be included in at least one Group (i.e. there is a logical OR relationship between separate Groups).
- For an Item to be part of a Group, it must be assigned each Attribute Code and Attribute Value listed in the Group (i.e. there is a logical AND relationship between Attributes in a Group).
- Each Group contains a [List](#) displaying the following information for each Segment or Strata in the Rule:
 - * **Attribute Code** - Name of the Attribute.
 - * **Value** - Value of the Attribute.

Add Item Eligibility Rule (Culinary)

To add an Item Eligibility Rule for culinary items:

Eligibility Rules

1. Click the proper option to create an Item Eligibility Rule (see [“Item Eligibility” on page 30](#) for a description of Inclusion and Exclusion rules):
 - If no Rule has been configured for the proper set of Groups, click the **Click Here Link** to add a Rule.
 - To add new criteria to an existing set of Included or Excluded Items, click the **Add** button for the appropriate list.

An Item Selection [Window](#) opens.

Search for and select qualifying Items or enter ID and press the <Enter> key to accept.

Category Rule Definition

Attribute Code	Value	Remove

[Add](#)


Item Hierarchy Search

Hierarchy Level: Search Criteria:

Figure 1-53: Item Selection Window

2. Culinary items can be added either by Item Hierarchy, or by Item ID search.
 - Add Items by Attribute:
 - 1) Click the **Add Link** in the Category Rule Definition area.
 - 2) An Attribute Code entry line opens.
 - 3) Select the Attribute Code for the Item in the [Selection Menu](#).
 - 4) The Value [Selection Menu](#) opens.
 - 5) Select the Value for the Item Attribute in the [Selection Menu](#).
 - 6) If necessary, repeat steps 1-5 for each Item Attribute to add to the Item search.
 - 7) If necessary, click the Remove [Link](#) for each Attribute to remove.
 - 8) Continue with [step 3 on page 37](#).
 - Add Items by Item ID search:
 - 1) In the Search Criteria [Text Field](#), enter the value to search for in the Item ID.
 - 2) Click the **Search** button.

A [List](#) displays the items matching the entered Search Criteria.



- 3) Click an item in the search result [List](#) to select it.
- 4) If necessary, repeat steps 1-3 for each Item to add to the Item search.

Tip: Press and hold the [CTRL] button to click and select multiple items.

- 5) Continue with step 3 (below).
3. Click the **Add** button to add the selected Item(s) to the Rule.
4. Repeat [step 2 on page 36](#) to add additional Item(s) to the Rule.
5. When you are done adding Items, click the **Close** button to close the Item Selection [Window](#).

Delete Item Eligibility Rule

To delete an Item Eligibility Rule:

1. Click the Item Eligibility Rule to select it.

Tip: Press and hold the [CTRL] button to click and select multiple items.

2. Click **Remove**.

A confirmation prompt opens.




Figure 1-54: Delete Item Eligibility Rule Confirmation

3. Click the **OK** button to delete the Rule, or click the **Cancel** button to keep the Rule in place.

Delete All Item Eligibility Rules

To delete all Item Eligibility Rules from either the Included Items or Excluded Items [List](#), click the **Remove All** [Link](#) for that [List](#). All the Rules are removed.

Import Item Eligibility Rules

A set of Item Eligibility Rules can be imported into Customer Engagement using a comma-separated values (CSV) file. To import a set of Item Eligibility Rules:

1. Open the Import CSV [Window](#) by doing one of the following:
 - If there are items in the Item Eligibility Rule, click the **Import Csv** [Link](#).
 - If no items have been added, click the **click here** [Link](#) for importing CSV files.

The Import CSV [Window](#) opens.



Figure 1-55: Import CSV Window

2. Use the [File Upload](#) (Browse) field to select the CSV file to import.
3. Click the **Import** button.
4. The Import CSV [Window](#) closes and the items are added as Item Eligibility Rules.

CSV File Format

When importing Items into an Item Eligibility Rule, the CSV file listing the items must have the following fields for each line:

- **HIERARCHY LEVEL [REQUIRED]**
 - If the Hierarchy Level is Item, use the value `_ITEM_ID_` for this field.
 - For a non-Item Hierarchy Level, use the value configured in System Configuration.

For information about System Configuration and configuring the names of Hierarchy Levels, see the *Oracle Retail Customer Engagement Cloud Services Implementation Guide*.

- **HIERARCHY VALUE [REQUIRED]**
- **BRAND [OPTIONAL]**
- **SEASON [OPTIONAL]**
- **COLOR [OPTIONAL]**
- **MIN PRICE [OPTIONAL]**
- **MAX PRICE [OPTIONAL]**

Each line in the CSV file corresponds to one Hierarchy Level being imported.

A placeholder must be used for all fields. For example, to include an item with an ID of 343, from the Acme brand, colored brown, with a minimum price of 13.50, with no season, and with no maximum price, the following line would be included in the CSV file:

```
_ITEM_ID_, 343, Acme, , brown, 13.50,
```

Note the empty SEASON and MAX PRICE fields in the example.

Import Existing Deal

In some areas of Customer Engagement, the Item Eligibility Rules in an existing Deal can be imported as a whole. To import the Item Eligibility Rules from an existing Deal:

1. Click the **Import Existing Deal** [Link](#).
The Import Existing Deal [Window](#) opens.

Figure 1-56: Import Existing Deal Window

2. Enter the search terms for the Deal in the [Text Field](#).
Note: Keep the [Text Field](#) empty to return all Deals.

3. Click the **Search** button.
A [List](#) of Deals matching the search criteria is displayed.

Deal ID	Deal Name	Deal Type
210	lg test buy x get x	Buy X Get X
162	XST Buy X Get X	Buy X Get X
160	XST Buy X Get X	Buy X Get X

Figure 1-57: Search Results Returned

4. Click a Deal to select it. Press and hold the [CTRL] button to select multiple items.
5. Click the **OK** button to import the Item Eligibility Rules for the selected Deal(s) and close the [Window](#), or click **Cancel** to close the [Window](#) without performing the import.

Time Eligibility

Time rules constrain Customer Engagement elements to certain days or times, or to certain time-related events (such as sign-up anniversaries or birthdays).

If one or more Time Rules are defined for a Customer Engagement element, the Time Rule [List](#) displays the following information for each Time Rule:

- **Name** - Name of the Time Rule.
- **Description** - Description of the Time Rule.
- **Type** - The type of Time Rule. This can be one of the following:
 - **Birthday Anniversary** - Rule that is active during the time around the Customer's birthday.
 - **Signup Anniversary** - Rule that is active during the time around the date when the Customer signed up for the Loyalty Program.

Eligibility Rules

- **Bonus Period** - Rule that causes the Customer Engagement element to be active during a defined period of time.
- **Blackout Period** - Rule that prevents the Customer Engagement element from being active during a defined period of time.

Define Time Eligibility

The following procedures can be used to configure Time Eligibility Rules:

- [“Add Time Eligibility Rule” on page 40](#) to add a Time Eligibility Rule to a Customer Engagement element.
- [“Edit Time Eligibility Rule” on page 41](#) to edit an existing Time Eligibility Rule.
- [“Delete Time Eligibility Rule” on page 42](#) to delete an existing Time Eligibility Rule.

Add Time Eligibility Rule

To add a Time Eligibility Rule to an element:

1. Click the **Add Rule** button, or the **Click Here** [Link](#) to add a Time Rule.

A Time Rule Definition [Window](#) opens.




Figure 1-58: Time Rule Definition Window

2. Enter the name of the Time Rule in the **Name** field.
3. Enter a description of the Time Rule in the **Description** field.
4. In the **Rule Type** [Selection Menu](#), select the type of Time Rule to add:
 - **Birthday Anniversary** - Rule that is active during the time around the Customer’s birthday. Continue with step 6.
 - **Signup Anniversary** - Rule that is active during the time around the date when the Customer signed up for the Loyalty Program. Continue with step 6.
 - **Bonus Period** - Rule that causes the Customer Engagement element to be active during a defined period of time.
 - **Blackout Period** - Rule that prevents the Customer Engagement element from being active during a defined period of time.

5. If you selected **Bonus Period** or **Blackout Period** for the Rule Type, select the time for the Rule:

Figure 1-59: Time Configuration

- a. In the **Days of Week** [Check Box](#) set, select the days of the week on which the Time Rule will be effective.
 - b. In the **Start Time** [Time Menus](#), select the time of day at which the Time Rule will become effective.
 - c. In the **End Time** [Time Menus](#), select the last time of day at which the Time Rule will remain in effect.
 - d. In the **Start Date** [Calendar Menu](#), select the date on which the Time Rule will become effective.
 - e. In the **End Date** [Calendar Menu](#), select the last date on which the Time Rule will still be effective.
6. Click the **OK** button to add the selected Times to the [List](#) and close the [Window](#), or click **Cancel** to discard the changes and close the [Window](#).

Edit Time Eligibility Rule

To edit an existing Time Eligibility Rule:

1. In the Time Rule Definition [List](#), click the Rule to edit.
The Time Rule is opened in a Time Rule Definition [Window](#).
2. Make the necessary changes to the current configuration:
 - **Name** - Name of the Time Rule.
 - **Description** - Description of the Time Rule.
 - **Rule Type** - The type of Time Rule:
 - * **Birthday Anniversary** - Rule that is active during the time around the Customer's birthday.
 - * **Signup Anniversary** - Rule that is active during the time around the date when the Customer signed up for the Loyalty Program.
 - * **Bonus Period** - Rule that causes the Customer Engagement element to be active during a defined period of time.
 - * **Blackout Period** - Rule that prevents the Customer Engagement element from being active during a defined period of time.
 - If the Rule Type is **Bonus Period** or **Blackout Period**, the following configurations are displayed:
 - * **Days of Week** - Days of the week on which the Time Rule will be effective.
 - * **Start Time** - Time of day at which the Time Rule will become effective.

Eligibility Rules

- * **End Time** - Last time of day at which the Time Rule will remain in effect.
 - * **Start Date** - Date on which the Time Rule will become effective.
 - * **End Date** - Last date on which the Time Rule will still be effective.
3. Click the **OK** button to add the selected Times to the [List](#) and close the [Window](#), or click **Cancel** to discard the changes and close the [Window](#).

Delete Time Eligibility Rule

To delete a Time Eligibility Rule:

1. Click the rule in the Time Eligibility [List](#).
A Time Rule Definition [Window](#) opens.
2. Click the **Delete Rule** button.
3. A confirmation [Window](#) opens.
4. Click **OK** to delete the Rule and close the Time Rule Definition [Window](#), or click **Cancel** to return to the Time Rule Definition [Window](#).

Tender Eligibility

Tender eligibility rules determine whether a Customer Engagement element is enabled for a transaction, depending upon the tender used in a transaction.

Define Tender Eligibility

Tenders are selected for eligibility or ineligibility through [Check Box](#) configurations. To define Tender Eligibility for a Customer Engagement element:

- The **Enable all tender types** [Check Box](#) is checked () , all tenders are eligible for the Issue Rule.



Figure 1-60: Enable All Tender Types Check Box

- If the **Enable all tender types** [Check Box](#) is unchecked () , tenders must be individually selected as being eligible for the Issue Rule.

<input type="checkbox"/> Enable all tenders types. (No restrictions will be placed on the eligibility rule.)	
Tender Types	ID
<input type="checkbox"/> Account Credit	ACCOUNT_CREDIT
<input type="checkbox"/> Accounts Receivable	ACCOUNT_RECEIVABLE
<input type="checkbox"/> American Express cards	AMERICAN_EXPRESS
<input type="checkbox"/> American Express Credit Card	AMERICAN_EXPRESS
<input type="checkbox"/> Canada Cash	CAD_CURRENCY
<input type="checkbox"/> Canadian Traveler Cheque	CAD_TRAVELERS_CHECK

Figure 1-61: Select Individual Tender Types

- Click to place a check mark () in the [Check Box](#) for each tender that is eligible for the Issue Rule.
- If a Customer uses a tender that is unchecked () , that transaction will not qualify for points issued by the Issue Rule.

Customers

Overview

Customer records store basic information about each Customer. These records can be associated with a Card or account used to track transactions and provide incentives to customers.

Customer records can be used to track individual Customers and their shopping preferences, habits, and tendencies. This allows locations and chains to target promotions to Customers most likely to take advantage of purchase incentives given by the location or chain.

About This Chapter

This chapter contains the following information:

- [“Customer Lookup/Edit” on page 3](#) - Describes the Customer Lookup/Edit page and the procedure for looking up Customers. Options include:
 - [“Customer Lookup” on page 3](#)
- [“Customer List” on page 6](#) - Describes the information displayed and options available on the Customer List page. Options include:
 - [“Actions Menu” on page 7](#)
 - [“Open a Customer Record” on page 7](#)
- [“Customer Summary Window” on page 7](#) - Describes the information displayed and options available at the Customer Summary window. Options include:
 - [“More Actions Menu” on page 9](#)
 - [“Open Customer Dashboard” on page 9](#)
- [“Customer Dashboard” on page 9](#) - Describes the Customer Dashboard and the information displayed on it. Options include:
 - [“Customer Actions Menu” on page 11](#)
 - [“Customer Basics” on page 12](#)
 - [“Customer Data” on page 13](#)
 - [“Purchase Activity” on page 14](#)
 - [“Associate Assignments” on page 14](#)
 - [“Addresses” on page 15](#)
 - [“Email” on page 15](#)
 - [“Telephone Numbers” on page 16](#)

- [“Customer Attributes” on page 16](#)
- [“Alternate Key” on page 17](#)
- [“Cards/Accounts” on page 17](#)
- [“Customer Notes” on page 18](#)
- [“Segment Association” on page 18](#)
- [“Top 3 Depts - Current Calendar Year” on page 19](#)
- [“Promotion Events/Responses” on page 19](#)
- [“Preference Centers” on page 19](#)
- [“Social Profile” on page 20](#)
- [“Franchisee Assignments” on page 20](#)
- [“Edit/View Customer Record” on page 21](#) - Describes the screens used to edit Customer records and view Customer data. Options include:
 - [“Customer Information” on page 21](#)
 - [“Address” on page 24](#)
 - [“Telephone Number” on page 26](#)
 - [“Email” on page 29](#)
 - [“Attributes” on page 31](#)
 - [“Transaction History” on page 33](#)
 - [“Card Association” on page 39](#)
 - [“Alternate Keys” on page 45](#)
 - [“Customer Notes” on page 48](#)
 - [“Promotion History” on page 49](#)
 - [“Customer Merge” on page 51](#)
 - [“Household” on page 55](#)
 - [“Security Groups” on page 56](#)
 - [“Associate Assignments” on page 59](#)
 - [“Segment Association” on page 63](#)
 - [“Tasks” on page 66](#)
 - [“Item Visualizer” on page 67](#)
 - [“Update Customer Image” on page 72](#)
 - [“Item Registry” on page 75](#)
 - [“Item Registry Visualizer” on page 78](#)
 - [“Preference Centers” on page 82](#)
 - [“Social Profile” on page 86](#)
 - [“Social Activity” on page 88](#)
 - [“Franchisee Assignment” on page 89](#)
- [“Customer Validation” on page 90](#) - Describes Customer validation rules in Customer Engagement. Options include:

- [“Names” on page 90](#)
- [“Prefix \(Salutation\)” on page 90](#)
- [“Suffix” on page 90](#)
- [“Gender” on page 90](#)
- [“Address” on page 90](#)
- [“Postal Code” on page 91](#)
- [“Email Address” on page 91](#)
- [“Phone” on page 91](#)

Customer Lookup/Edit

Use the Customer Lookup/Edit page to search for and modify Customer information stored in Customer Engagement.


Note: This is different from a [Clienteling Search](#), which searches for a set of Customers that meet certain, specified criteria.

Customer Lookup

To look up a Customer in Customer Engagement:

1. Open the [Customer Lookup/Edit](#) page with the **Customer->Customer Lookup/Edit** menu option, or by clicking the **Customer Lookup/Edit** [Link](#) on the [Main Page](#).

The [Customer Lookup/Edit](#) page opens.



The screenshot shows a web browser window titled "Customer Lookup / Edit". The main content area is titled "CUSTOMER SEARCH" and contains a form with the following fields:

- Last Name: Equals [dropdown] [text input]
- First Name: Equals [dropdown] [text input]
- Business Name: Equals [dropdown] [text input]
- Address: Equals [dropdown] [text input]
- City: Equals [dropdown] [text input]
- State: Equals [dropdown] [text input]
- Postal Code: Equals [dropdown] [text input]
- Email: Equals [dropdown] [text input]
- Phone: Equals [dropdown] [text input]
- Second First Name: Equals [dropdown] [text input]
- Second Last Name: Equals [dropdown] [text input]
- Customer Id: [text input]
- Alternate Key: [text input]
- Card Number: [text input]
- Card Serial Number: [text input]
- Associate Id: [text input]
- Segment Id: All [dropdown]
- Franchisee: All [dropdown]

A "Search" button is located at the bottom right of the form.

Figure 2-1: Customer Lookup/Edit Page

2. Enter the search information for the Customer.

Tip: Be as specific as possible when entering search information. The more specific the information, the fewer Customer records will be returned.

The Customer Lookup/Edit page uses the following [Data Elements](#) for search entry:

- **Last Name** - Customer last name (uses a [Matching Rule Menu](#)).
- **First Name** - Customer first name (uses a [Matching Rule Menu](#)).
- **Business Name** - Name of the Customer's business (uses a [Matching Rule Menu](#)).
- **Address** - Address line for the Customer—searches Address Line 1 in the record (uses a [Matching Rule Menu](#)).
- **City** - Customer city (uses a [Matching Rule Menu](#)).
- **State** - Customer state or province (uses a [Matching Rule Menu](#)).
- **Postal Code** - Customer Postal Code or ZIP Code (uses a [Matching Rule Menu](#)).
- **Email** - Customer email address (uses a [Matching Rule Menu](#)).
- **Phone** - Customer telephone number (uses a [Matching Rule Menu](#)).
- **Second First Name** - Customer's second first name (uses a [Matching Rule Menu](#)).

This field only appears if the system is configured to display additional customer names. See the Oracle Retail Customer Engagement Cloud Services Implementation Guide for more information.

- **Second Last Name** - Customer's second last name (uses a [Matching Rule Menu](#)).

This field only appears if the system is configured to display additional customer names. See the Oracle Retail Customer Engagement Cloud Services Implementation Guide for more information.

- **Customer Id** - Customer ID.
- **Alternate Key** - Customer Alternate Key.
- **Card Number** - Card Number associated with the Customer.
- **Card Serial Number** - Serial Number of the Card associated with the Customer.
- **Associate Id** - ID of an Associate assigned to the Customer.
- **Segment Id** - ID for a Customer segment.
- **Franchisee** - Name of the Franchisee.

3. Click **Search** to perform the search.

Customer Engagement returns a [List](#) of all the Customer records that match the entered search criteria.



The screenshot displays a search interface with the following elements:

- Search Criteria =**: First Name Starts With [J] Last Name Starts With [M]
- Search Results**: Displaying: 1-2 of 2
- Navigation: 1 of 1 Pages, Go To Page: [input], Items per page: 50
- Table of Results**:

Customer Id	First Name	Last Name	Address	City	State
523	James	Madison	267 SAMPLE STREET	WORCESTER	MA
539	John	Marshall	1234 SAMPLE AVENUE	BOSTON	MA

Figure 2-2: Customer Search Results List

Customer List

The Customer [List](#) is accessed through the [Customer Lookup](#) process.




Figure 2-3: Customer List

Table 2-1: Customer List Page Key

Item	Description
1	Search Criteria - Displays the search criteria used for the search results displayed in the List .
2	Search Button - Click to return to the Customer Lookup/Edit page and perform another search.
3	Actions Menu - Click to open a menu of actions that can be performed in the Customer List page. See " Actions Menu " on page 7 for more information.
4	Page Navigation - Page Navigation for the List .
5	<p>Customer List - A List of Customers currently in the system that match the search criteria.</p> <p>This List includes the following information for each Customer:</p> <ul style="list-style-type: none"> • Customer Id - Unique identifier for the Customer. • First Name - Customer's first name. • Last Name - Customer's last name. • Address - Street address for the Customer. • City - Customer's city. • State - State or province for the Customer.

Actions Menu

The [Actions Menu](#) for the Customer [List](#) page includes the following option:

- **Add Customer** - Create a new Customer. See [“Create a Customer” on page 23](#).



Open a Customer Record

To open a Customer Record in the Customer [List](#), click the Customer in the [List](#). The Customer record is opened in a [Customer Summary Window](#).

Customer Summary Window

The Customer Summary Window displays summary information for a Customer.




Figure 2-4: Customer Summary Window

This [Window](#) displays the following information:

- **Customer Detail** - Details about the Customer. This area displays the following information:


- **Customer Id** - Customer ID.
- **First Name** - Customer first name.
- **Second First Name** - Customer's second first name.

This field appears only if the system is configured to display additional customer names. See the Oracle Retail Customer Engagement Cloud Services Implementation Guide for more information.

- **Middle Name** - Customer middle name.
- **Last Name** - Customer last name.

Customer Summary Window

- **Second Last Name** - Customer's second last name.
This field appears only if the system is configured to display additional customer names. See the Oracle Retail Customer Engagement Cloud Services Implementation Guide for more information.
- **Signup Date** - Date the Customer was signed up.
- **Signup Location** - Location ID of the Location where the Customer signed up.
- **Address** - Address line 1 for the Customer.
- **City** - Customer city.
- **State** - Customer state or province.
- **Postal Code** - Customer Postal Code or ZIP Code.
- **Phone** - Customer telephone number.
- **Email** - Customer email address.
- **Contact Permissions** - Indicates the methods through which the Customer may be contacted. This area displays the following information:
 - **Mail** - Indicates whether the Customer can be contacted by mail.
 - **Email** - Indicates whether the Customer can be contacted by email.
 - **Phone** - Indicates whether the Customer can be contacted by phone.
 - **Fax** - Indicates whether the Customer can be contacted by fax.
- **Purchase Activity** - Displays the purchase activity recorded for the Customer. This area displays the following information:
 - **YTD Sales Amt** - Amount of all sales associated with the Customer during the year to date.
 - **YTD Returns Amt** - Amount of all returns associated with the Customer during the year to date.
 - **YTD Transaction Count** - Number of transactions, during the year to date, associated with the Customer
 - **Total Sales Amt** - Total amount of all sales associated with the Customer.
 - **Total Returns Amt** - Total amount of all returns associated with the Customer.
 - **Total Transaction Count** - Total number of transactions associated with the Customer.
- **Cards** - Lists the Cards associated with the Customer. This area displays the following information:
 - The type of Card.
 - The Card Number [Link](#) and an icon (🔍) that can be clicked to open a menu with the following option:
 - * **Card Administration** - Open the Card in the [Card/Account Administration](#) page. See [page 1 in Chapter 15, "Card/Account Administration"](#).
 - If the Customer is the primary holder of the Card, the primary holder icon (👤) will be shown.



More Actions Menu

The More Actions Menu displayed in the Customer Summary [Window](#) (see [Figure 2-4 on page 7](#)) provides access to some Customer functions without going through the Customer Dashboard. These functions are:



- **Customer** - Edit Customer Information found in the Customer Basics and Customer Data sections (see [“Customer Information” on page 21](#)).
- **Card Association** - Add, edit, or delete Cards associated with the Customer (see [“Card Association” on page 39](#)).

Open Customer Dashboard

To open a Customer in the [Customer Dashboard](#), click the **Dashboard** button in the Customer Summary [Window](#).

Customer Dashboard

The Customer Dashboard displays all the information available for a Customer and provides access to pages for editing Customer Information. The Customer Dashboard can be accessed through one of the following procedures:

- [“Customer Lookup” on page 3](#)
- [“Clienteling Search” on page 2](#)
- [“Item Registry Lookup” on page 2](#)

 A screenshot of the Customer Dashboard for 'Ms Gloria Mundi'. The dashboard is divided into several sections:

- Customer Detail:** Shows Customer Id 2, Create Date 2015-12-03, Create User Id bsample, Update Date 2016-03-16, Update User Id bsample, Source walkin, Phone, and Email.
- Card Detail:** Shows elise_test_card 1235546260637751 with a lock icon.
- Customer edit:** A table of customer information:

Business Name	Sample Business	Gender	Net Worth 0.00	Signup Location
Organization Name		Education Level	Rent No	Signup Date 2015-12-03
Organization Type		Marital Status UNKNOWN	Class SYSTEM CLASS	Home Location
Birth Date		Ethnicity	Language EN	Prospect No
Birth Month		Annual Income 0.00	Source walkin	Owner ID
Anniversary				
- Purchase Activity:** A table of sales and returns data:

First Transaction Date	2016-01-22	Total Sales Amount	562.92	YTD Sales Amount	562.92
Last Transaction Date	2016-01-22	Total Sales Item Count	6	YTD Sales Item Count	6
Total Profit Percent	27.63%	Total Returns Amount	0.00	YTD Returns Amount	0.00
YTD Profit Percent	27.63%	Total Returns Item Count	0	YTD Returns Item Count	0
		Total Transaction Count	6		

Figure 2-5: Customer Dashboard

The information displayed in the Customer Dashboard is divided into several sections:

- **Customer Basics** - Basic information about the Customer, such as Name, Primary Address, Customer ID, etc. See [“Customer Basics” on page 12](#).
- **Customer Data** - Data collected for the Customer, such as Business Name, Birth Date, Gender, Marital Status, etc. See [“Customer Data” on page 13](#).

Customer Dashboard

- **Purchase Activity** - Sales statistics for the Customer. See [“Purchase Activity” on page 14.](#)
- **Associate Assignments** - Associates assigned to the Customer. See [“Associate Assignments” on page 14.](#)
- **Addresses** - Physical addresses for the Customer, such as home and business addresses. See [“Addresses” on page 15.](#)
- **Email Addresses** - Email addresses for the Customer. See [“Email” on page 15.](#)
- **Telephone Numbers** - Phone numbers for the Customer. See [“Telephone Numbers” on page 16.](#)
- **Customer Attributes** - Attributes assigned to the Customer. See [“Customer Attributes” on page 16.](#)
- **Alternate Keys** - Alternate keys assigned to the Customer. See [“Alternate Key” on page 17.](#)
- **Cards/Accounts** - Cards and accounts associated with the Customer. See [“Cards/Accounts” on page 17.](#)
- **Customer Notes** - Notes written about the Customer. See [“Customer Notes” on page 18.](#)
- **Segment Association** - Segments to which the Customer belongs. See [“Segment Association” on page 18.](#)
- **Top 3 Depts - Current Calendar Year** - Statistics and charts displaying the top purchases by the Customer. See [“Top 3 Depts - Current Calendar Year” on page 19.](#)
- **Promotion Events/Responses** - Statistics and charts showing the rate at which the Customer responds to Promotions. See [“Promotion Events/Responses” on page 19.](#)
- **Preference Centers** - Preference Centers to which the Customer is assigned. See [“Preference Centers” on page 19.](#)
- **Social Profile** - Social networks associated with the Customer. See [“Social Profile” on page 20.](#)
- **Franchisee Assignments** - Franchisees to whom the Customer has been assigned. See [“Franchisee Assignments” on page 20.](#)


Many of the sections have an **edit** [Link](#) next to the section name. Click the **edit** [Link](#) to edit the information/data in that section.

Customer Actions Menu

The Customer Actions menu is the [Actions Menu](#) for the Customer Dashboard. It provides the ability to view and edit information/data associated with the Customer.

The Customer Actions menu has the following options:

- **Dashboard** - Return to the Customer Dashboard.
- **Customer** - Edit basic Customer information (see [“Customer Information” on page 21](#)).
- **Address** - Add, edit, or delete Customer Addresses (see [“Address” on page 24](#)).
- **Phone** - Add, edit, or delete Customer Telephone Numbers (see [“Telephone Number” on page 26](#)).
- **Email** - Add, edit, or delete Customer Email Addresses (see [“Email” on page 29](#)).
- **Attributes** - Add, edit, or delete Customer Attributes (see [“Attributes” on page 31](#)).
- **Transaction History** - View the Transaction History for the Customer (see [“Transaction History” on page 33](#)).
- **Card Association** - Add, edit, or delete Cards associated with the Customer (see [“Card Association” on page 39](#)).
- **Alternate Key** - Add, view, or delete Alternate Keys assigned to the Customer (see [“Alternate Keys” on page 45](#)).
- **Notes** - View or add Customer Notes (see [“Customer Notes” on page 48](#)).
- **Promotion History** - View the Promotion History for the Customer (see [“Promotion History” on page 49](#)).
- **Merge** - Merge Customer records (see [“Customer Merge” on page 51](#)).
- **Household** - View all customers in the same Household (see [“Household” on page 55](#)).
- **Security Group** - Add, view, or delete the Security Groups assigned to the Customer (see [“Security Groups” on page 56](#)).
- **Associate Assignment** - Add, view, or delete Associate assignments (see [“Associate Assignments” on page 59](#)).
- **Segment Association** - View the [Segments](#) to which the Customer belongs, or add the Customer to one or more [Segments](#) (see [“Segment Association” on page 63](#)).
- **Tasks** - Add, view, or delete Tasks attached to the Customer (see [“Tasks” on page 66](#)).
- **Item Visualizer** - Displays recently purchased items and items on the Customer’s Wish List (see [“Item Visualizer” on page 67](#)).
- **Update Customer Image** - Upload a new image for the Customer (see [“Update Customer Image” on page 72](#)).



Customer Dashboard

- **Item Registry** - View the Customer Item Registries associated with the Customer (see [“Item Registry” on page 75](#)).
- **Item Registry Visualizer** - View the Items in an existing Customer Item Registry (see [“Item Registry Visualizer” on page 78](#)).
- **Preference Center** - View the Preference Center settings for the Customer (see [“Preference Centers” on page 82](#)).
- **Social Profile** - View the Social Profiles associated with the Customer (see [“Social Profile” on page 86](#)).
- **Social Activity** - View the social media posts made by the Customer (see [“Social Activity” on page 88](#)).
- **Franchisee Assignment** - View or edit the Franchisees to whom the Customer has been assigned (see [“Franchisee Assignment” on page 89](#)).

Customer Basics

The Customer Basics area is displayed in all areas of Customer editing and the Customer Dashboard. The Customer Basics provides basic information about the Customer.

Customer Detail		Card Detail			
Customer Id	2	Create Date	2015-12-03	test_card_0012	1235546260637751
Create User Id	bsample	Update Date	2016-03-16		
Update User Id	bsample	Source	walkin		
Phone	5085550100	Email	gmundi@example.com		

Figure 2-6: Customer Basics Area

The Customer Basics area contains the following information:


- **Customer Picture** (if available)
- Customer **Name**
- Primary **Address**
- **Customer Id** used by Customer Engagement
- **Create User Id** of user who created the Customer record
- **Update User Id** of user who last updated the Customer record
- Primary **Phone** Number
- **Create Date** for the Customer record
- Last **Update Date** for the Customer record
- **Source** of the Customer record
- Primary **Email** address
- **Card Detail** of the Card(s) associated with the Customer; the Card(s) can be opened in the Card Administration page (see [“Open Card” on page 12](#))

Note: If the primary cardholder icon (P) is displayed next to the Card Number, the current Customer is the primary holder of the Card

Open Card

To open a Card listed in the Card Detail in the [Card/Account Administration](#) page:

1. In the Card Detail area, click the Card Number [Link](#).
A menu opens.
2. Click **Card Administration** in the menu.



The Card is opened in the [Card/Account Administration](#) page.

For more information about the [Card/Account Administration](#) page and the actions that can be performed within it, see [page 1 in Chapter 15, "Card/Account Administration"](#).

Customer Data

The Customer Data section of the Customer Dashboard displays basic data about the Customer.

Customer edit			
Business Name	ConferenceCrasher.com	Gender	Female
Organization Name	ConferenceCrasher.com	Education Level	PHD
Organization Type	Wholesaler	Marital Status	SINGLE
Birth Date	1973-08-20	Ethnicity	WHITE
Birth Month		Annual Income	155,000.00
Anniversary		Net Worth	110,000.00
		Rent No	
		Class	WHOLESALE
		Language	EN
		Source	Walkin
		Signup Location	99002
		Signup Date	2010-03-12
		Home Location	77777
		Prospect	Yes
		Owner ID	

Figure 2-7: Customer Data Section

The Customer Data section contains the following information:

- **Business Name** - Name of the business associated with the Customer.
- **Organization Name** - Name of the organization associated with the Customer.
- **Organization Type** - Type of organization associated with the Customer.
- **Birth Date** - Date of birth for the Customer.
- **Birth Month** - Month of the Customer's birthday.
- **Anniversary** - Customer anniversary.
- **Gender** - Gender of the Customer.
- **Education Level** - Highest level of education completed by the Customer.
- **Marital Status** - Current marital status of the Customer.
- **Ethnicity** - Ethnicity of the Customer.
- **Annual Income** - Annual income of the Customer.
- **Net Worth** - Net worth of the Customer.
- **Rent** - Indicates whether the Customer name can be rented to other companies for prospecting efforts.
- **Class** - The class to which the Customer belongs.
- **Language** - The Customer's preferred language.
- **Source** - The source for the Customer.
- **Signup Location** - Location where the Customer signed up.
- **Signup Date** - Date the Customer signed up.
- **Home Location** - Home location for the Customer.
- **Prospect** - Indicates whether the Customer is a prospect.
- **Owner ID** - ID for the Associate who owns the Customer record.

Purchase Activity

The Purchase Activity section of the Customer Dashboard provides summary information about the purchases made by the Customer.

Purchase Activity		
First Transaction Date	2011-03-15	Total Sales Amount 70.99
		YTD Sales Amount 0.00
Last Transaction Date	2011-03-15	Total Sales Item Count 2
		YTD Sales Item Count 0
Total Profit Percent	45.09%	Total Returns Amount 0.00
		YTD Returns Amount 0.00
YTD Profit Percent	0.00%	Total Returns Item Count 0
		YTD Returns Item Count 0
		Total Transaction Count 1

Figure 2-8: Purchase Activity Section

The Purchase Activity section contains the following information:

- **First Transaction Date** - Date of the Customer’s first transaction.
- **Last Transaction Date** - Date of the Customer’s most recent transaction.
- **Total Profit Percent** - The percentage of profit made from all of the Customer’s transactions.
- **YTD Profit Percent** - The percentage of profit made from all of the Customer’s transactions so far this year.
- **Total Sales Amount** - The total amount of all sales made to the Customer.
- **Total Sales Item Count** - The total number of all items sold to the Customer.
- **Total Returns Amount** - The total amount of all returns made by the Customer.
- **Total Returns Item Count** - The total number of all items returned by the Customer.
- **Total Transaction Count** - The total number of transactions performed by the Customer.
- **YTD Sales Amount** - The total amount of the sales made to the Customer during the year-to-date.
- **YTD Sales Item Count** - The total number of items sold to the Customer during the year-to-date.
- **YTD Returns Amount** - The total amount of the returns made by the Customer during the year-to-date.
- **YTD Returns Item Count** - The total number of all items returned by the Customer during the year-to-date.

Associate Assignments

The Associate Assignments section of the Customer Dashboard provides a summary [List](#) of all the Associates assigned to the Customer.

Associate Assignments edit				
Primary	Role	Location	Associate	Locked
Yes	Fine Jewelry	100	Alex	No
No	Accessories			
No	Sportswear & Summer Gear			

Figure 2-9: Associate Assignments

The Associate Assignments section contains the following information for each Associate assignment.

- **Primary** - Indicates whether the Associate is the primary Associate for the Customer.
 - **Yes** - The Associate is the primary Associate.
 - **No** - The Associate is not the primary Associate.
- **Role** - The role served by the Associate.
- **Location** - The location to which the Associate belongs.
- **Associate** - Name of the Associate.
- **Locked** - Indicates whether the Associate assignment is locked.

Addresses

The Addresses section of the Customer Dashboard provides a summary [List](#) of all the addresses associated with the Customer.

Addresses [edit](#)

Address	Type	Primary	User Label	Contact Permission/Opt In
1234 SAMPLE STREET WORCESTER, MA 01602	HOME	Yes		

Figure 2-10: Addresses Section

The Addresses section contains the following information for each address.

- **Address** - The address for the Customer.
- **Type** - The Type of address.
- **Primary** - Indicates whether the address is the primary address for the Customer.
 - **Yes** - The address is the primary address.
 - **No** - The address is not the primary address.
- **User Label** - User Label for the address.
- **Contact Permission/Opt In** - The contact permission rule for the address.

Email

The Email section of the Customer Dashboard provides a summary [List](#) of all the email addresses associated with the Customer.

Email Addresses [edit](#)

Email	Type	Primary	User Label	Contact Permission/Opt In	Format Preference
bbarker@email.com	HOME	Yes			HTML

Figure 2-11: Email Section

The Email section contains the following information for each email:

- **Email** - The Email address.
- **Type** - The Type of email address.
- **Primary** - Indicates whether the email is the primary email for the Customer.

Customer Dashboard

- **Yes** - The email is the primary email address.
- **No** - The email is not the primary email address.
- **User Label** - User Label for the email address.
- **Contact Permission/Opt In** - The contact permission rule for the email address.
- **Format Preference** - The preferred format of the emails.

Telephone Numbers

The Telephone Numbers section of the Customer Dashboard provides a summary [List](#) of all the telephone numbers associated with the Customer.

Phone Number	Type	Primary	User Label	Contact Permission/Opt In
5085550100	HOME	Yes	home	orderinfo

Figure 2-12: Telephone Numbers Section

The Telephone Numbers section contains the following information for each telephone number:

- **Phone Number** - The telephone number, including the extension (if any).
- **Type** - The Type of telephone number.
- **Primary** - Indicates whether the email is the primary telephone number for the Customer.
 - **Yes** - The phone is the primary telephone number.
 - **No** - The phone is not the primary telephone number.
- **User Label** - User Label for the telephone number.
- **Contact Permission/Opt In** - The contact permission rule for the telephone number.

Customer Attributes

The Customer Attributes section of the Customer Dashboard provides a [List](#) of all the attributes and attribute values associated with the Customer.

Group	Name	Value	Description
Counts for Customer	Number of Pets	3	Number of Pets
	CUSTOMER_GROUPS	26	CUSTOMER GROUPS

Figure 2-13: Customer Attributes Section

The Customer Attribute section contains the following information for each customer attribute:

- **Group** - The group associated with the attribute.
- **Name** - The name of the attribute.
- **Value** - The value set for the attribute.
- **Description** - Description of the information provided by the attribute.

Alternate Key

The Alternate Key section of the Customer Dashboard displays all of the Alternate Key types and Alternate Key values associated with the Customer.

Alternate Keys edit	
WR_SHOPPER_ID	1002878
WR_CUST_ID	110223
XSTORE_CUST_ID	110223
XSTORE_ID	110223

Figure 2-14: Alternate Key Section

Cards/Accounts

The Cards/Accounts section of the Customer Dashboard provides information about all the Cards and Accounts associated with the Customer.

Cards / Accounts						
Card xxxxxxxxxxxx8995 (Active)						
Program	Type	Account Number	Program Level	Balance	YTD Points	LTD Points
2011 Loyalty LOY2	loyalty	1569	2011 LOY2 - Test Level 1	336.96	336.96	336.96
2011 Loyalty Test LOY3	loyalty	1570	2011 Test LOY3 level 1	337.00	337.00	337.00

Figure 2-15: Cards/Accounts Section

The following information is displayed for each Card:

- **Card** - The Card Number and current status of the Card.
- A [List](#) of Accounts associated with the Card. This [List](#) contains the following information for each Account:
 - **Program** - The Program to which the Account belongs.
 - **Type** - Type of Account.
 - **Account Number** - The Account Number for the Account.
 - **Program Level** - The Program Level for the Account (only used for Loyalty Accounts).
 - **Balance** - The current Points balance, Tender balance, or Award balance of the Account.
 - **YTD Points** - The year-to-date Loyalty Points balance of the Account (only used for Loyalty Accounts).
 - **LTD Points** - The lifetime-to-date Loyalty Points balance of the Account (only used for Loyalty Accounts).

Customer Notes

The Customer Notes section of the Customer Dashboard provides information about all of the Notes written about the Customer.

Note	Type	Create User	Create Date
Flowers for wedding - pink orchids - yel...	COMMENT	Tester	2010 Jan 15 03:00:00
Activated customer card (887996628474853...	EVT_ACTIVATE_CARD	Tester	2014 Jun 30 11:04:42
Associated customer card (88799662847485...	EVT_ASSOCIATE_CARD	Tester	2014 Jun 30 11:04:42
Set as primary account holder: customer ...	EVT_SET_AS_PRIMARY	Tester	2014 Jun 30 11:04:42

Figure 2-16: Customer Notes Section

The following information is displayed for each Customer Note:

- **Note** - The content of the note.
- **Type** - The type of note.
- **Create User** - The ID of the user who created the record.
- **Create Date** - The date on which the note was created.

Customer notes can be created through the [Promotion Response Data Import](#). These note Types are EMAIL_SENT, EMAIL_FAILED, EMAIL_CLICKED, and EMAIL_OPENED. Each of these notes indicate the CAMPAIGN_ID, PROMOTION_ID, and EVENT_TYPE_ID. For an EVENT_CLICKED Note, the OFFER_NAME, OFFER_NUMBER, OFFER_CATEGORY, and OFFER_URL are also indicated.

Segment Association

The Segment Association section of the Customer Dashboard provides information about all the Segments to which the Customer belongs.

Segment Id	Segment Name	Description	Type	Create User	Added On
3381	WSDL-TestCase3-SegmentServices	WSDL-TestCase3-SegmentServices	Stratified	Tester	2014-09-04
2817	WSDL-TestCase3-SegmentServices	WSDL-TestCase3-SegmentServices	Stratified	Tester	2014-09-05
2815	WSDL-TestCase1-SegmentServices	WSDL-TestCase1-SegmentServices	Non-Stratified	Tester	2014-09-04
1793	PromoteExport	PromoteExport	Non-Stratified	Tester	2014-09-05
61	AllCustomers	AllCustomers	Non-Stratified	Tester	2012-03-07
60	AllCustomers	AllCustomers	Non-Stratified	Tester	2012-03-23
40	Strata-OpenAccess-List-Perm	Strata-OpenAccess-List-Perm	Stratified	Tester	2012-09-29
37	Strata-Public-List-NotPerm	Strata-Public-List-NotPerm	Stratified	Tester	2012-02-01
32	Strata-Private-List-Perm	Strata-Private-List-Perm	Stratified	Tester	2012-02-01

Figure 2-17: Segment Association Section

The following information is displayed for each Segment associated with the Customer:

- **Segment Id** - ID of the Segment.
- **Segment Name** - Name of the Segment.
- **Description** - Description of the Segment.
- **Type** - Type of Segment.
- **Create User** - The User who created the Segment.
- **Added On** - The date on which the Customer was added to the Segment.

Top 3 Depts - Current Calendar Year

The Top 3 Depts - Current Calendar Year section displays the three Departments (by revenue) from which the Customer made purchases during the current year. It displays a bar graph displaying the relative revenue amounts received from the three Departments.




Figure 2-18: Top 3 Depts - Current Calendar Year

Promotion Events/Responses

The Promotion Events/Responses section displays the Promotions to which the Customer has responded. For each Promotion responded to, it displays the name of the Promotion, the Promotion ID, and the total amount of the purchases made for that Promotion.




Figure 2-19: Promotion Events/Responses

Preference Centers

The Preference Centers section displays information about all the Preference Centers to which the Customer is assigned.

Preference Center	Channels	Opt In	Frequency	Customer Authorization	Comm Last Sent Date	Updated Date/Time	Updated By
NEWSLETTER	Email	✓	MONTHLY			2013 Jul 23 13:22:31	am
	Mail	✓	MONTHLY	approve.txt		2013 Jul 23 13:22:31	am
	Phone		MONTHLY			2013 Jul 23 13:22:31	am

Figure 2-20: Preference Centers Section

The following information is displayed for each Preference Center:

- **Preference Center** - Name of the Preference Center. This is displayed only for the first channel in a Preference Center.

Customer Dashboard

- **Channels** - The communication channel.
- **Opt In** - Indicates whether the Customer has opted to be contacted through the channel. If there is a check mark (✔) in the field, the Customer will be contacted through the channel.
- **Frequency** - The frequency at which the Customer will be contacted through the channel.
- **Customer Authorization** - Name of the file in which the Customer authorized communication.
- **Comm Last Sent Date** - Last date on which the Customer was sent a communication via the channel.
- **Updated Date/Time** - Date and time the channel was last updated.
- **Updated By** - ID of the User who last updated the channel.

Social Profile

The Social Profile section displays information about the social networks associated with the Customer.



Social Media Type	Profile Name	Profile	Exp. Date
	Susan Relate		2014-01-02
	susanrelate		


Figure 2-21: Social Profile Section

The following information is displayed for each Social Network:

- **Social Media Type** - An icon indicating the social media network associated with the Social Profile.
- **Profile Name** - Name of the social profile.
- **Profile** - Image representing the customer on the social network.
- **Exp. Date** - Date the token associated with the network expires.

Franchisee Assignments

The Franchisee Assignments Section displays information about the Franchisees to whom the Customer has been assigned.



Franchisee ID	Name	Description
1	Rico's Garden Club	Rico's Garden Club

Figure 2-22: Franchisee Assignment Section

The following information is displayed for each Franchisee Assignment:

- **Franchisee ID** - ID of the Franchisee.
- **Name** - Name of the Franchisee.
- **Description** - A description of the Franchisee.

Edit/View Customer Record

The process for editing or viewing information in a Customer record depends upon the information that is being edited or viewed.

Customer Information

The Customer Information screen enables users to view or edit Customer information in the Customer Basics and Customer Data sections of the Customer Dashboard.

The screenshot shows a web form for editing customer information. The form is titled "Customer" and includes the following fields and sections:

- Language:** JA - Japanese (dropdown)
- Class:** FOODSERVICE (dropdown)
- Prospect:**
- Prefix:** Ms
- First Name:** Mary B
- Middle Name:** B
- Last Name:** Smith
- Suffix:** IV
- Business Name:** (empty)
- Organization Name:** (empty)
- Organization Type:** (empty)
- Birth Date:** 1972-10-16
- Anniversary:** (empty)
- Gender:** Female (dropdown)
- Education Level:** GRADUATE
- Marital Status:** UNKNOWN
- Ethnicity:** ASIAN
- Annual Income:** 140000
- Net Worth:** 95000
- Owner ID:** (empty)
- Buttons:** Search Owner, Remove Owner
- Signup Location / Home Location:**
 - Signup Location: 99901
 - Home Location: 7777
- Contact Permissions:**
 - Mail:
 - Email:
 - Phone:
 - Fax:
- Rent:**

Figure 2-23: Edit Customer Information Screen

This screen contains the following fields:

- **Language** - **[REQUIRED]** The Customer's preferred language.
- **Class** - **[REQUIRED]** The class to which the Customer belongs.
- **Prospect** - **[OPTIONAL]** Indicates whether the Customer is a prospect.
- **Prefix** - **[OPTIONAL]** Prefix to the Customer name.
- **First Name** - **[OPTIONAL]** First name for the Customer.
- **Middle Name** - **[OPTIONAL]** Middle name or middle initial for the Customer.
- **Last Name** - **[OPTIONAL]** Last name for the Customer.
- **Suffix** - **[OPTIONAL]** Suffix to the Customer name.
- **Business Name** - **[OPTIONAL]** Name of the business associated with the Customer.
- **Organization Name** - **[OPTIONAL]** Name of the organization associated with the Customer.
- **Organization Type** - **[OPTIONAL]** Type of organization associated with the Customer.
- **Second First Name** - **[OPTIONAL]** Second first name for the Customer.
This field only appears if the system is configured to display additional customer names. See the Oracle Retail Customer Engagement Cloud Services Implementation Guide for more information.
- **Second Last Name** - **[OPTIONAL]** Second last name for the Customer.

Edit/View Customer Record

This field only appears if the system is configured to display additional customer names. See the Oracle Retail Customer Engagement Cloud Services Implementation Guide for more information.

- **Birth Date** - [OPTIONAL] Customer birth date.
- **Anniversary** - [OPTIONAL] Customer anniversary.
- **Gender** - [OPTIONAL] Customer gender.
- **Education Level** - [OPTIONAL] Education level of the Customer.
- **Marital Status** - [OPTIONAL] Marital status of the Customer.
- **Ethnicity** - [OPTIONAL] Customer ethnicity.
- **Annual Income** - [OPTIONAL] Customer's annual income.
- **Net Worth** - [OPTIONAL] Net worth of the Customer.
- **Owner ID** - [OPTIONAL] ID of the associate who owns the Customer record.
- **Signup Location** - [OPTIONAL] Location where the Customer signed up.
- **Home Location** - [OPTIONAL] Home location for the Customer.
- **Contact Permissions** - This [Check Box](#) set determines the methods that can be used to contact the Customer: **Mail**, **Email**, **Telephone**, and/or **Fax**.
- **Rent** - This [Check Box](#) Indicates whether the Customer name can be rented to other companies for prospecting efforts.

Edit Customer Information

To edit the information in the Customer Basics and/or Customer Data sections:

1. Access the [Customer Information](#) screen by doing one of the following:
 - Click **Customer** in the [Actions Menu](#) of the Customer summary pop-up [Window](#) in the [Customer Lookup/Edit](#) page.
 - Click the **edit Link** in the Customer Data section of the Customer Dashboard.The [Customer Information](#) screen opens.
2. Make the necessary changes to the fields. See ["Customer Information" on page 21](#) for more information about the fields.

Tip: To change the Owner for the Customer, perform the procedure ["Search for New Owner" on page 22](#).

3. After updating the record, click **Save** to save the changes.

To discard the changes, use the [Customer Actions Menu](#) to navigate away from the [Customer Information](#) screen, or close the tab.

Search for New Owner

To add or change the Owner for a Customer:

Important: The owner of a Customer record will always have full read and write access to the Customer, regardless of Security Group configuration.

1. In the [Customer Information](#) screen, click the [Search Owner Link](#).
A Search User [Window](#) opens.

Figure 2-24: Search User Window

2. Use the **Field Selection Menu** to select the criteria on which to search.
3. Use the **Operations Matching Rule Menu** to select the matching rule.
4. Enter the **Value** to search for.
5. If necessary, add or delete search criteria:
 - To add another search criterion, click the **Add** button, then repeat steps 2-4 in the new search criteria fields.
 - To delete an unneeded set of search criteria fields click the **Delete** button for the search criteria.
6. Click the **Search** button to perform the search.

The search results are displayed in a [List](#).

User ID	Name	Email
sammy206	sammy206	sammy206@mail.com
Sierra	Sierra	sierra@email.com
tester	tester	tester@email.com
user301	user301	user301@email.com

Figure 2-25: Search User - Search Results

7. Do one of the following:
 - To add an Owner ID, click to select a User, then click the **OK** button. Customer Engagement returns to the [Customer Information](#) screen and the User ID is inserted into the Owner ID field.
 - To search for a different User, return to step 2 to change the search criteria.
 - To return to the [Customer Information](#) screen without adding an Owner ID, click the **Cancel** button.

Remove an Owner

To remove an Owner from a Customer record, click the [Remove Owner Link](#) in the [Customer Information](#) screen. The ID for the owner is removed from the **Owner ID** field.

Create a Customer

To create a new Customer in Customer Engagement:

1. Do one of the following:
 - In the [Customer Lookup/Edit](#) page, click the **Add** button.
 - In the [Customer List](#), click **Add Customer** in the [Actions Menu](#).

The [Customer Information](#) screen opens with the fields blank.

2. Enter the necessary information into the fields. See [“Customer Information” on page 21](#) for more information.
3. After updating the record, click **Save** to save the changes.

To discard the changes, use the [Customer Actions Menu](#) to navigate away from the [Customer Information](#) screen, or close the tab.

Address

The Address screen enables users to add, update, or delete addresses associated with a Customer. To access the Address screen, do one of the following:

- Click **Address** in the [Customer Actions Menu](#).
- Click the **edit Link** in the Addresses section of the Customer Dashboard.

The Address screen opens.




Figure 2-26: Address Screen

Address Screen

The Address screen contains the following information:

- The [Customer Basics](#) area.
- An Address [List](#) displaying the following information for each address:
 - **Primary** - Indicates whether the address is the primary address for the Customer.
 - * **Yes** - The address is the primary address.
 - * **No** - The address is not the primary address.
 - **Address Seq** - The order in which the address was added to the Customer record.
 - **Address Type** - The Type of address.
 - **Address Line 1** - The first line of the Customer address.
 - **City** - The address city.
 - **State** - The address state or province.
 - **Postal Code** - The Postal Code or ZIP Code for the address.
 - **Contact Permission/Opt In** - The contact permission set for the address.

Address Detail Window

The Address Detail [Window](#) is used to enter or update information for a Customer address.

The screenshot shows the 'Address Detail' window with the following data:

Create User Id	tester	Update User Id	ekaplan
Create Date	2015-12-03	Update Date	2016-03-16
User Label		City	WORCESTER
Address Line 1	1234 SAMPLE STREET	State	MA
Address Line 2		Postal Code	01602
Address Line 3		County	WORCESTER
Address Line 4		Country	US - UNITED STATES
Apartment	APT 1234	Address Type	HOME
Contact Permission/Opt In	orderinfo	Primary	Yes

Buttons: Save, Delete

Figure 2-27: Address Detail Window


The Address Detail [Window](#) contains the following fields:

- **Create User Id** - ID of the User who created the address. *This field cannot be edited.*
- **Create Date** - Date on which the address was created. *This field cannot be edited.*
- **Update User Id** - Employee ID of the last user to update the address. *This field cannot be edited.*
- **Update Date** - Last date on which the address was updated. *This field cannot be edited.*
- **User Label** - [OPTIONAL] User Label for the Customer.
- **Address Line 1** - [OPTIONAL] First line of the Customer's address.
- **Address Line 2** - [OPTIONAL] Second line of the Customer's address.
- **Address Line 3** - [OPTIONAL] Third line of the Customer's address.
- **Address Line 4** - [OPTIONAL] Fourth line of the Customer's address.
- **Apartment** - [OPTIONAL] Apartment number.
- **Contact Permission/Opt In** - [OPTIONAL] Indicates the contact permissions for this address.
- **City** - [OPTIONAL] Customer city.
- **County** - [OPTIONAL] County of the Customer.
- **State** - [OPTIONAL] State or province code for the Customer.
- **Country** - [OPTIONAL] Country code for the Customer.
- **Postal Code** - [OPTIONAL] Postal Code (ZIP Code) for the Customer.
- **Address Type** - [REQUIRED] The type of address.
- **Primary** - Indicates whether the address is the primary address. *This field is edited through the Set Primary [Check Box](#) (see below).*
- **Set Primary** - Select this option to make the address the primary address for the Customer; this option is only available if the address is not the primary address.

Edit an Address

To edit an existing address in a Customer record:


1. In the [Address](#) screen, click the Address to edit.
The Address opens in an [Address Detail Window](#).
2. Modify the Address (see [“Address Detail Window” on page 25](#) for more information).
3. Click **Save** to save the changes and close the [Address Detail Window](#).

To close the [Window](#) without saving the changes, click the X () in the top-right corner of the [Window](#).

Add an Address

To add a new address into a Customer record:

1. In the [Address](#) screen, click the **Add Address** button.
An [Address Detail Window](#) opens with all of the fields blank.
2. Enter the Address information (see [“Address Detail Window” on page 25](#) for more information).
3. Click **Save** to save the changes and close the [Address Detail Window](#).


To close the [Address Detail Window](#) without saving the changes, click the X () in the top-right corner of the [Window](#).

Delete an Address

To delete an address from a Customer record:

1. In the [Address](#) screen, click the Address to delete.
The Address displays in an [Address Detail Window](#).
2. Click **Delete** to delete the address and close the [Address Detail Window](#).

Important: Customer Engagement does not ask you to confirm that you want to delete the address. **Once you click the Delete button, the address will be gone!**

To close the [Window](#) without deleting, click the X () in the top-right corner of the [Window](#).

Telephone Number

The Telephone Number screen enables users to add, update, or delete telephone numbers associated with a Customer.

To access the Telephone Number screen, do one of the following:

- Click **Phone** in the [Customer Actions Menu](#).
- Click the **edit Link** in the Phones section of the Customer Dashboard.

The Telephone Number screen opens.




Figure 2-28: Telephone Numbers Screen

Telephone Number Screen

The Telephone Number screen contains the following information:

- The [Customer Basics](#) area.
- A [List](#) of telephone numbers containing the following information for each telephone number:
 - **Primary** - Indicates whether it is the primary telephone number for the Customer.
 - * **Yes** - The phone is the primary telephone number.
 - * **No** - The phone is not the primary telephone number.
 - **Phone Seq** - Indicates the order in which the telephone number was entered into the system.
 - **Phone Type** - The type of telephone number.
 - **Phone Number** - The telephone number.
 - **Extension** - The extension at the telephone number.
 - **Contact Permission/Opt In** - The contact permission set for the telephone number.

Phone Detail Window

The Phone Detail [Window](#) is used to enter or update information for a Customer phone.




Figure 2-29: Phone Detail Window

The Phone Detail [Window](#) displays the following information:

- **Create User Id** - Employee ID of the user who created the telephone number. *This field cannot be edited.*

Edit/View Customer Record

- **Create Date** - Date on which the telephone number was created. *This field cannot be edited.*
- **Update User Id** - Employee ID of the last user to update the telephone number. *This field cannot be edited.*
- **Update Date** - Last date on which the telephone number was created. *This field cannot be edited.*
- **User Label** - [OPTIONAL] User Label for the telephone number.
- **Phone Number** - [REQUIRED] The Customer's telephone number.
- **Extension** - [OPTIONAL] The Customer's extension at the given telephone number.
- **Phone Type** - [REQUIRED] The type of phone. Customer Engagement includes the following basic types:
 - **Business** - Business telephone number for the Customer.
 - **Cell** - Cell telephone number for the Customer.
 - **Fax** - Fax number for the Customer.
 - **Home** - Home telephone number for the Customer.


Note: Depending upon the configuration of your system, you may have different or additional options.

- **Contact Permission/Opt In** - [OPTIONAL] Determines the contact permission for the telephone number.
- **Primary** - Indicates whether the telephone number is the primary telephone number. *This field is edited through the Set Primary [Check Box](#) (see below).*
- **Set Primary** - Select this option to make the telephone number the primary telephone number for the Customer; this option is only available if the phone is not the primary telephone number.

Edit a Telephone Number

To edit an existing Telephone Number in a Customer record:

1. In the [Telephone Number](#) screen, click the Telephone Number to edit.
The Telephone Number opens in a [Phone Detail Window](#).
2. Modify the Telephone Number.
3. Click **Save** to save the changes and close the [Phone Detail Window](#).

To close the [Phone Detail Window](#) without saving the changes, click the X () in the top-right corner of the [Window](#).

Delete a Telephone Number

To delete a Telephone Number from a Customer record:

1. In the [Telephone Number](#) screen, click the Telephone Number to edit.
The Telephone Number opens in a [Phone Detail Window](#).

- Click **Delete** to delete the Telephone Number and close the [Phone Detail Window](#).

Important: Customer Engagement does not ask you to confirm that you want to delete the phone. **Once you click the Delete button, the Telephone Number will be gone!**

To close the [Window](#) without deleting, click the X (✕) in the top-right corner of the [Window](#).

Email

The Email screen enables users to add, update, or delete email addresses associated with a Customer.

To access the Email screen, do one of the following:

- Click **Email** in the [Customer Actions Menu](#).
- Click the **edit Link** in the Email section of the Customer Dashboard.

The Email screen opens.




Figure 2-30: Email Screen

Email Screen

The Email screen contains the following information:

- The [Customer Basics](#) area.
- A [List](#) of email addresses containing the following information for each email address:
 - **Primary** - Indicates whether the email is the primary email address.
 - * **Yes** - The email is the primary email address.
 - * **No** - The email is not the primary email address.
 - **Email Seq** - The order in which the email was entered into the system.
 - **Email Type** - The type of email.
 - **Email** - The email address.
 - **Contact Permission/Opt In** - The contact permission set for the address.
 - **Format Preference** - The formatting used for the emails sent to the address.
 - * **HTML** - HTML formatting
 - * **Text** - Plain-text formatting

Email Detail Window

The Email Detail [Window](#) is used to enter or update information for a Customer email.

The screenshot shows the 'Email Detail' window with the following fields and values:

Create User Id	am	Update User Id	
Create Date	2013-08-01	Update Date	
User Label	Alternate	Email Type	BUSINESS
Email	gmundi@example.com	Contact Permission/Opt In	ORDER ACKNOWLEDGEMENTS ONLY
Primary	No	Format Preference	TEXT
Set Primary	<input type="checkbox"/>		

Buttons: Save, Delete

Figure 2-31: Email Detail Window

The Email Detail [Window](#) displays the following information:

- **Create User Id** - Employee ID of the user who created the email. *This field cannot be edited.*
- **Create Date** - Date on which the email was created. *This field cannot be edited.*
- **Update User Id** - Employee ID of the last user to update the email. *This field cannot be edited.*
- **Update Date** - Last date on which the email was updated. *This field cannot be edited.*
- **User Label** - [OPTIONAL] User Label for the email address.
- **Email** - [REQUIRED] The email address for the Customer.
- **Email Type** - [REQUIRED] The type of email. Customer Engagement includes the following basic types:
 - **BUSINESS** - Business email for the Customer.
 - **HOME** - Home email for the Customer.

Note: Depending upon the configuration of your system, you may have different or additional options.

- **Contact Permission/Opt In** - [OPTIONAL] Determines the contact permission for the email.
- **Format Preference** - Determines the formatting used for the emails sent to the address. This [Selection Menu](#) has the following options:
 - **HTML** - Use HTML formatting.
 - **Text** - Use plain-text formatting.
- **Primary** - Indicates whether the email is the primary email. *This field is edited through the Set Primary [Check Box](#) (see below).*
- **Set Primary** - Select this option to make the email the primary email for the Customer; this option is only available if the email is not the primary email.

Edit an Email Address

To edit an existing Email in a Customer record:

1. In the [Email](#) screen, click the Email to edit.

- The Email opens in an [Email Detail Window](#).
- 2. Make changes to the Email.
- 3. Click **Save** to save the changes and close the [Email Detail Window](#).

To close the [Email Detail Window](#) without saving the changes, click the X (✕) in the top-right corner of the [Window](#).

Delete an Email Address

To delete an email from a Customer record:

- 1. In the [Email](#) screen, click the Email to edit.
The Email opens in an [Email Detail Window](#).
- 2. Click the **Delete** button to delete the email and close the [Email Detail Window](#).

Important: Customer Engagement does not ask you to confirm that you want to delete the email. **Once you click the Delete button, the email will be gone!**

To close the [Window](#) without deleting, click the X (✕) in the top-right corner of the [Window](#).

Attributes

The Attributes screen enables users to add, update, or delete attributes associated with a Customer.

To access the Attributes screen, do one of the following:

- Click **Attributes** in the [Customer Actions Menu](#).
- Click the **edit Link** in the Customer Attributes section of the Customer Dashboard.

The Attributes screen opens.

The screenshot shows the 'Customer Detail' section for Ms Gloria Mundi. It includes fields for Customer Id, Create Date, Update Date, Source, and Email. Below this is the 'Customer Attributes' section, which contains a table with columns for Group, Name, Description, Value, Data Type, Unique, Editable, and Open Access.

Group	Name	Description	Value	Data Type	Unique	Editable	Open Access
	birthdate	customer birth date	1986-06-28	Date	No	Yes	No
Social Media	SCHOOL_NAME	SCHOOL_NAME	Riverdale High	Character	Yes	No	Yes

Figure 2-32: Attributes Screen

Attributes Screen

The Attributes Screen contains the following information:


- The [Customer Basics](#) area.
- A [List](#) of attributes containing the following information for each Attribute:

Edit/View Customer Record

- **Group** - The group associated with the Attribute.
- **Name** - The name of the Attribute.
- **Description** - A description of the Attribute.
- **Value** - The value of the Attribute.
- **Data Type** - The type of data contained in the Attribute value.
- **Unique** - Indicates whether this Attribute can only be set once for each Customer.
 - * **Yes** - This Attribute can only be set once for each Customer.
 - * **No** - This Attribute can be set multiple times for each Customer.
- **Editable** - Indicates the permissions required for a User to edit this Attribute value in a Customer record.
 - * **Yes** - This Attribute can be edited by any User with permission to edit Customer records.
 - * **No** - This Attribute can only be edited by a User with system administration permissions.
- **OpenAccess** - Indicates whether there is Open Access to this Attribute.
 - * **Yes** - This Attribute has Open Access.
 - * **No** - This Attribute does not have Open Access.

Attribute Detail Window

The Attribute Detail [Window](#) is used to enter or update information for a Customer attribute.



The screenshot shows a window titled "Attribute Detail" with a dark border and standard window controls (close, up, down). The content area is white and contains the following text: "Name PARTY_TYPE_CODE", "Description Party Type Code", "Data Type Character", "Unique No", and "Value" followed by a text input field containing "CUSTOMER". At the bottom right of the window are two buttons: "Save" and "Delete".

Figure 2-33: Attribute Detail Window

The Attribute Detail [Window](#) displays the following information:

- **Name** - The name of the Attribute.
- **Description** - A description of the Attribute.
- **Data Type** - The type of data stored in the Attribute.
- **Unique** - Indicates whether this Attribute can only be set once for each Customer.
 - **Yes** - This Attribute can only be set once for each Customer.
 - **No** - This Attribute can be set multiple times for each Customer.

The Attribute Detail [Window](#) contains the following field for editing:

- **Value** - **[REQUIRED]** The value for the attribute.

Edit an Attribute

To edit an existing Attribute in a Customer record:

1. Click the Attribute to edit.
The Attribute is opened in an [Attribute Detail Window](#).
2. Make changes to the Attribute.
3. Click **Save** to save the changes and close the [Attribute Detail Window](#).

To close the [Window](#) without saving the changes, click the X (✕) in the top-right corner of the [Window](#).

Delete an Attribute

To delete an attribute from a Customer record:

1. In the [Attributes](#) screen, click the Attribute to edit.
The Attribute opens in an [Attribute Detail Window](#).
2. Click **Delete** to delete the Attribute and close the [Attribute Detail Window](#).

Important: Customer Engagement does not ask you to confirm that you want to delete the attribute. **Once you click the Delete button, the Attribute will be gone!**

To close the [Window](#) without deleting, click the X (✕) in the top-right corner of the [Window](#).

Transaction History

To view the Transaction History for Customer, users must open the Transaction History screen. Transaction History cannot be viewed on the Customer Dashboard.

To View a Customer's Transaction History, click **Transaction History** in the [Customer Actions Menu](#).

The Transaction History screen opens.

The screenshot displays the Transaction History screen for a customer named Ms Gloria Mundi. The interface is divided into several sections:

- Customer Profile:** Includes a placeholder for a profile picture, the name "Ms Gloria Mundi", and the address "1234 SAMPLE STREET, WORCESTER, MA".
- Customer Detail:** A table of key information:

Customer Id	2	Create Date	2015-12-03
Create User Id	Tester	Update Date	2016-03-16
Update User Id	Tester	Source	walkin
Phone	5085550100	Email	gmundi@example.com
- Card Detail:** Shows a card with ID "elise_test_card" and number "1235546260637751".
- Transaction History Search:** A section with two date input fields: "Start Date" (2016-02-16) and "End Date" (2016-03-16), along with "Clear" and "Search" buttons.
- Customer Actions:** A dropdown menu icon in the top right corner.

Figure 2-34: Transaction History Screen

Transaction History Screen

The Transaction History Screen contains the following information:

- The [Customer Basics](#) area.
- Date range search criteria entry fields.

After performing a [Transaction History Lookup](#), a Transaction History Result [List](#) opens, displaying the following information for each transaction:

Transaction History Result						
Location	Register	Business Date	Transaction	Cashier	Status	Total
99901	1	2014-07-30	11384004	100	DELIVERED	384.21
99901	1	2014-07-30	40995004	100	DELIVERED	384.21

Figure 2-35: Transaction History Result List

- **Location** - The location where the transaction was performed.
- **Register** - The register on which the transaction was performed.
- **Business Date** - The business date of the transaction.
- **Transaction** - The transaction number.
- **Cashier** - The Employee ID of the cashier who performed the transaction.
- **Status** - The status of the transaction.
- **Total** - The total amount of the transaction.

Transaction History Lookup

To look up the transaction history for a Customer:

1. Using the [Calendar Menu](#) for the **Start Date** field, select the beginning date of the date range to use for the transaction lookup.
2. Using the [Calendar Menu](#) for the **End Date** field, select the ending date of the date range to use for the transaction lookup.
3. Click the **Search** button.

The Transaction History Result [List](#) displays all the transactions performed between the Start Date and End Date.

4. To view the Transaction Details for a transaction, click the transaction in the Transaction History Search.

The transaction is opened in a [Transaction Detail Window](#).

5. Click the **Clear** button to clear the Start Date field, the End Date field, and the Transaction History Result [List](#).

Transaction History Result						
Location	Register	Business Date	Transaction	Cashier	Status	Total
99901	1	2014-07-30	11384004	100	DELIVERED	384.21
99901	1	2014-07-30	40995004	100	DELIVERED	384.21

Figure 2-36: Transaction History Result List

Transaction Detail Window

The Transaction Detail [Window](#) displays detailed information about a transaction associated with a Customer record.

The screenshot shows a window titled 'Transaction Detail Window' with a 'General' tab selected. The window contains several sections of data:

General

Transaction	59378004	Currency	USD	Start Time	2011-09-13T20:33:35.000-04:00
Grand Total	360.54	Original Currency		End Time	2011-09-13T20:38:53.000-04:00
Location	110	Exchange Rate		Tax Amt	23.58
Business Date	2011-09-13	Net Amt	336.96	Cashier	100
Void Flag	false	Linked Transaction		Show Tender and Tax	<input type="checkbox"/>
Register	2	Status	DELIVERED		

Sales Line Items

Void Flag	Seq.	Item Id	Actual Price	Qty	Ext. Amt	Regular Price	Unit Cost	Item Type	Scan Id	DEPT	SUB_DEPT	CLASS	STYLE_ID
No	1	9999222200020	169.99	1.00	169.99	169.99	169.99	Stock	9999222200020				
No	2	9999222200017	34.99	1.00	34.99	69.99	34.99	Stock	9999222200017				
No	3	9999222200018	61.99	1.00	61.99	61.99	61.99	Stock	9999222200018				
No	4	9999222200016	69.99	1.00	69.99	69.99	69.99	Stock	9999222200016				

Commission Line Item Modifiers

Void Flag	Line Item Seq.	Commission Amt	Commission Percent	Commission Percent Of Item	Commissioned Employee Id
No	1			1.00	100
No	2			1.00	100
No	3			1.00	100
No	4			1.00	100

Price Line Item Modifiers

Void Flag	Line Item Seq.	Price Change Amt	Price Modifier Type	Price Change Reason	Promotion Id
No	1	0.00	Subtract	XmasClearance	6:5:

Figure 2-37: Transaction Detail Window

The Transaction Detail [Window](#) is divided into separate sections containing certain types of information. Each section of the [Window](#) is described below.

General

The general section contains the following information:

- **Transaction** - ID of the transaction.
- **Grand Total** - The total amount of the transaction.
- **Location** - ID of the location.
- **Business Date** - Business date of the transaction.
- **Void Flag** - Indicates whether the transaction was voided.
 - **Yes** - The transaction was voided.
 - **No** - The transaction was not voided.
- **Register** - ID of the register, within the location, used in the transaction.
- **Currency** - Currency Code of the currency in which the transaction is stored.
- **Original Currency** - Currency Code of the currency used in the transaction.
- **Exchange Rate** - Exchange rate used between the Currency and the Original Currency.
- **Net Amt** - The net amount of the transaction.
- **Linked Transaction** - Transaction ID of the transaction to which the current transaction is linked. For example, it may be the original transaction for the sale of an item returned in a return transaction, or the layaway setup transaction associated with a subsequent layaway payment transaction.
- **Status** - Current status of the transaction.

- **Start Time** - Time at which the transaction started.
- **End Time** - Time at which the transaction ended.
- **Tax Amt** - The amount of the tax applied to the transaction.
- **Cashier** - Employee ID for the cashier who performed the transaction.
- **Show Tender and Tax** - Check this item to display the [Tax Line Items](#) and [Tender Line Items](#) sections.

Tax Line Items									
Void Flag	Seq.	Tax Amt	Taxable Amt	Exempt Amt	Exempt Id	Override Amt	Override Flag	Override Percentage	Override Reason
No	4	8.83	135.84				No		
No	5	0.68	135.84				No		

Tender Line Items													
Void Flag	Seq.	Tender Id	Tender Amt	Auth. Code	Account #	Activity	Adjudication Code	Exp. Date	Face Value	Issue Date	Issue Type	Serial #	Remain
No	3	MASTERCARD	145.35	5556									

Figure 2-38: Tender Line Items and Tax Line Items

Transaction Attributes

The Transaction Attributes section contains a [List](#) of Attributes assigned to the transaction. The following information is displayed for each Attribute:

- **Code** - The name/code of the Attribute.
- **Value** - The value for the Attribute.

Sales Line Items

The Sales Line Items section contains a [List](#) of line items processed in the transaction. The following information is displayed for each line item:

- **Void Flag** - Indicates whether the line item was voided.
 - **Yes** - The line item was voided.
 - **No** - The line item was not voided.
- **Seq.** - The order in which the line item was added to the transaction.
- **Item Id** - Item ID for the item in the transaction.


The Item ID also acts as a [Link](#) to more information about the Item. Click the Item ID to open an [Item Details Window](#) containing more information about the item.

- **Actual Price** - The actual price for the item.
- **Qty** - The number of this item sold/returned.
- **Ext. Amt** - The extended amount of the item.
- **Regular Price** - The regular price of the item.
- **Unit Cost** - The unit cost of the item.
- **Item Type** - The type of item.
- **Scan Id** - The Scan ID for the item.
- **Dept.** - The Department ID to which the item belongs.
- **Sub Dept.** - The Subdepartment ID to which the item belongs.
- **Class** - The Class ID to which the item belongs.

- **Style** - The Style ID to which the item belongs.

Item Details Window

The Item Details [Window](#) displays the following information for an Item:



The screenshot shows a window titled "Item Details" with a close button (X) and navigation arrows (up, down) on the right. The window displays the following information:

Item Id	111100061	DEPT	Clothing Department
Description	Womens Dress Gucci - Red	SUB_DEPT	Womens Clothing
Brand	Gucci	CLASS	Blouses - Womens
Season	Spring-Summer	SUB_CLASS	Dresses - Womens
Color	Red	STYLE_ID	Womens Dresses

Attribute Code	Attribute Value
Item 1 Test - Clearance	Test7
Item 2 Test - Collection	Summer Collection
Item 3 Test - Special	Test1
Item 4 Test - New Items	Test2
Item 5 Test - Saturday	Test3
Item 6 Test - Fall Items	Test4

Figure 2-39: Item Details Window

- **Item Id** - Item ID for the Item.
- **Description** - Description of the Item.
- **Brand** - Brand of the Item.
- **Season** - Season for the Item.
- **Color** - Color of the Item.
- **Item Hierarchy** - Names of the Item Hierarchy levels and the levels to which the Item belongs.
- **Item Attributes** - The Attributes associated with the Item. The following information is displayed for each Attribute:
 - **Attribute Code** - Name of the Attribute.
 - **Attribute Value** - Value set for the Attribute.

Commission Line Item Modifiers

The Commission Line Item Modifiers section contains a [List](#) of commissions for each item in the transaction. The following information is displayed for each commission:

- **Void Flag** - Indicates whether the line item was voided.
 - **Yes** - The line item was voided.
 - **No** - The line item was not voided.
- **Line Item Seq.** - The order in which the line item was added to the transaction.
- **Commission Amt** - The amount of the commission.
- **Commission Percent** - The percentage of the total amount of commission paid for the transaction.
- **Commission Percent Of Item** - The percent of the item amount that is paid in commission.

- **Commissioned Employee Id** - Unique ID for the employee receiving the commission.

Price Line Item Modifiers

The Price Line Item Modifiers section contains a [List](#) of price modifications that were made to any line items (listed in the [Sales Line Items](#) section) in the transaction. The following information is displayed for each line item modifier:

- **Void Flag** - Indicates whether the line item modification was voided.
 - **Yes** - The modification was voided.
 - **No** - The modification was not voided.
- **Line Item Seq.** - Sequence number of the line item that is being modified.
- **Price Change Amt** - If the modification is an amount off of the price, the amount taken off of the price.
- **PriceModifier Type** - Type code for the price modifier.
- **Price Change Reason** - Reason code for the price change.
- **Promotion ID** - Unique ID for the Promotion applied to the line item.

Tax Line Items

The Tax Line Items section contains a [List](#) of taxes associated with the transaction. The following information is displayed for each tax line item:

Note: This section is displayed only if the Show Tender and Tax [Check Box](#) is checked.

- **Void Flag** - Indicates whether the line item was voided.
 - **Yes** - The line item was voided.
 - **No** - The line item was not voided.
- **Seq.** - The order in which the line item was added to the transaction.
- **Tax Amt** - The amount of the tax.
- **Taxable Amt** - The amount to which the tax was applied.
- **Exempt Amt** - The amount of the transaction that was exempted from tax.
- **Exempt Id** - The ID of the tax exemption certificate.
- **Override Amt** - The amount of the tax override, if the Override Flag is "Yes".
- **Override Flag** - Indicates whether the tax was overridden.
 - **Yes** - The tax was overridden.
 - **No** - The tax was not overridden.
- **Override Percentage** - The percentage of the tax that was overridden.
- **Override Reason** - The reason given for the tax override.

Tender Line Items

The Tender Line Items section displays a [List](#) of tenders used in the transaction. The following information is displayed for each tender line item:

Note: This section is displayed only if the Show Tender and Tax [Check Box](#) is checked.

- **Void Flag** - Indicates whether the line item was voided.
 - **Yes** - The line item was voided.
 - **No** - The line item was not voided.
- **Seq.** - The order in which the line item was added to the transaction.
- **Tender Id** - Tender ID of the tender used.
- **Tender Amt** - Amount applied to the tender.
- **Auth. Code** - The authorization code for the tender.
- **Account #** - The account number of the tender.
- **Activity** - The activity for the tender.
- **Adjudication Code** - The adjudication code for the tender.
- **Exp. Date** - The expiration date of the tender.
- **Face Value** - The face value of the tender (e.g. gift cards).
- **Issue Date** - The issue date of the tender.
- **Issue Type** - The issue type of the tender.
- **Serial #** - The serial number for the tender.
- **Remaining Amt** - The remaining amount of the tender (e.g. gift cards).

Card Association

The Card Association screen enables users to associate Cards to, or disassociate Cards from a Customer, as well as determine which Customer is the primary holder of a Card.

Edit/View Customer Record

To access the Card Association screen, click **Card Association** in the [Customer Actions Menu](#). The Card Association screen opens.

The screenshot displays the 'Card Association' screen for a customer. At the top left, there is a customer profile card for 'Ms Gloria Mundi' with address '1234 SAMPLE STREET, WORCESTER, MA'. To the right, there are two tabs: 'Customer Detail' and 'Card Detail'. The 'Customer Detail' tab shows fields for Customer Id (2), Create Date (2015-12-03), Create User Id (Tester), Update Date (2016-03-16), Update User Id (Tester), Source (walkin), Phone (5085550100), and Email (gmundi@example.com). The 'Card Detail' tab shows a card with 'elise_test_card' and ID '1235546260637751'. Below the tabs is an 'Add Card Association' form with input fields for Card Number, Serial Number, and Account Id, and a Search button. At the bottom, there is a 'Card Association' table with the following data:

Serial Number	Card Number	Card Type	Number of Card Holders	Status
4567804001000004	1235546260637751	test_card	1	Active

Figure 2-40: Card Association Screen

Card Association Screen

The Card Association Screen contains the following information:

- The [Customer Basics](#) area.
- Card Search criteria, containing the following fields:
 - **Card Number** - Card Number for the Card.
 - **Serial Number** - Serial Number for the Card.
 - **Account Id** - ID of the account associated with the Card.
- A [List](#) of Cards associated with the Customer, containing the following information for each Card:
 - **Serial Number** - The Serial Number for the Card.
 - **Card Number** - The Card Number for the Card.
 - **Card Type** - The type of Card.
 - **Number of Card Holders** - The number of Customers assigned to the Card. If the primary cardholder icon (P) is displayed in this column, the current Customer is the primary cardholder.
 - **Status** - The current status of the Card.

Card Detail Window

The Card Detail [Window](#) displays information about a Card and allows users to [Associate a Card With a Customer](#) or [Disassociate a Card From a Customer](#).

To open a Card in a Card Detail [Window](#), perform the procedure [“Card Search” on page 42](#).




Figure 2-41: Card Detail Window

The Card Detail [Window](#) displays the following information:

- **Card Number** - Card number for the Card.
- **Serial Number** - Serial number for the Card.
- **Card Status** - Current status of the Card.
- **Card Type** - Type of Card.
- **Owner Cust ID** - Customer ID of the Customer with whom the Card is associated.
- **Owner Name** - Name of the Customer with whom the Card is associated.
- **Accounts List** - Displays a [List](#) of accounts attached to the Card. The following information is displayed for each account in the [List](#):
 - **Account Number** - Account Number identifying the account.
 - **Account Type** - Type of account.
 - **Program Name** - The name of the program to which the account belongs.
 - **Balance** - The balance on the account.
 - **YTD Points** - The year-to-date number of points for the loyalty account.
 - **LTD Points** - The lifetime-to-date number of points for the loyalty account.
 - **Status** - The current status of the account.
- **Card account holders** - Displays a [List](#) of Customers associated with the Card. The following information is displayed for each Customer in the [List](#):
 - **Customer Id** - ID of the Customer.
 - **First Name** - Customer first name.
 - **Last Name** - Customer last name.
 - **Primary holder** - [Radio Buttons](#) indicating which Customer is the primary Customer for the Card.

- **Disassociate** - Used to disassociate the Customer from a Card (see [“Disassociate a Card From a Customer” on page 44](#)).

The Card Detail [Window](#) will also have the following button:

- **Associate** - If the **Associate** button is clicked, the Card will be associated with the current Customer (see [“Associate a Card With a Customer” on page 43](#)).

Card Search

To search for a Card through the Card Association screen:

1. Enter search criteria into one of the following fields:
 - **Card Number** - The Card Number for the Card.
 - **Serial Number** - The Serial Number for the Card.
 - **Account ID** - The Account ID of an account associated with the Card.

Note: If information is entered in more than one field, the data in each field must be for the same Card. If the data is associated with different Cards, no Cards will be returned by the search.

2. Click **Search**.
 - If a Card matching the search criteria is found, the Card will be opened in the [Card Detail Window](#).




Figure 2-42: Card Detail Window

- If no Card is found that matches the search criteria, an error message will be displayed at the top of the screen.





Figure 2-43: Requested Card Not Found Error

Associate a Card With a Customer

To associate a Card with a Customer:

1. Perform a [Card Search](#) for the Card you are associating with the Customer.

The Card opens in a [Card Detail Window](#).



Card Detail

Card Number 1234567890123456 Card Status Inactive Owner Cust ID
 Serial Number 4443010001000010 Card Type WSDL-TestCase-Card Services Owner Name

Accounts

Account Number	Account Type	Program Name	Balance	YTD Points	LTD Points	Status
12262	tender	WSDL-TestCase-CardServices	0.00			Inactive
12263	loyalty	WSDL-TestCase-CardServices	0.00	0.00	0.00	Inactive
12264	award	WSDL-TestCase-CardServices	0.00			Inactive

Associate card number 1234567890123456 (serial number 4443010001000010) with Michael Smith?

Card account holders

Customer Id	First Name	Last Name	Primary holder	Disassociate
				<input type="button" value="Save"/>

Figure 2-44: Card Detail Window

2. Click the **Associate** button.

The Card appears in the Card account holders [List](#).

3. Use the **Primary Holder Radio Buttons** to select the Customer to assign as the primary cardholder.

Note: If no other Customer is assigned to the Card, the newly assigned Customer will be the primary cardholder.

4. Click the **Save** button to save the changes and close the [Window](#).

A confirmation prompt opens. Continue with the next step.




Figure 2-45: Associate Card Confirmation Prompt

To close the [Window](#) without saving changes, click the X (✕) in the top-right corner; the procedure is complete.

5. In the confirmation prompt, click **OK** to confirm the change(s) and close the [Window](#), or click **Cancel** to return to the [Window](#).

Disassociate a Card From a Customer

To disassociate a Card from a Customer:

1. In the [Card Association](#) screen for a Customer currently associated with the Card, click the Card to be disassociated from the Customer.

The Card is opened in a [Card Detail Window](#).




Figure 2-46: Card Detail Window

2. For the Customer to dissociate from the Card, click the **Disassociate** [Check Box](#) to enter a check mark () in it.
3. Click the **Save** button.

A confirmation prompt opens.




Figure 2-47: Disassociate Card Confirmation Prompt

To return to the Card Detail [Window](#) without saving the change, click **Cancel**.

4. In the confirmation prompt, click **OK** to confirm the Card disassociation and close the [Window](#). The Card is disassociated from the Customer and the Card Detail [Window](#) closes. The Card is removed from the Customer's Cards/Accounts [List](#).

Change Primary Cardholder

To change the primary cardholder for a Card:

1. In the [Card Association](#) screen for a Customer currently associated with the Card, click the Card that is being changed.

The Card opens in a Card Detail [Window](#).

Card Detail

Card Number 1234567890123456 Card Status Active Owner Cust ID 133
 Serial Number 5555101025000006 Card Type LOY Test 1 No Pin Owner Name Mundi, Gloria

Accounts

Account Number	Account Type	Program Name	Balance	YTD Points	LTD Points	Status
1489	loyalty	2011 Loyalty - LOY	0.00	0.00	0.00	Active
1490	award	2011 Loyalty Program - AWD	0.00			Active

Card account holders

Customer Id	First Name	Last Name	Primary holder	Disassociate
38690	Aaron	Smith	<input type="radio"/>	<input type="checkbox"/>
133	Bonnie	Barker	<input checked="" type="radio"/>	<input type="checkbox"/>

Figure 2-48: Card Detail Window

- Use the **Primary holder** [Radio Buttons](#) to select the Customer to set as the primary cardholder.
- Click the **Save** button.

A confirmation prompt opens.

⚠ Do you want to proceed with the following changes?

- Change primary card holder from Aaron Smith to Bonnie Barker?

Figure 2-49: Change Primary Cardholder Confirmation Prompt

To return to the Card Detail [Window](#) without saving the change, click **Cancel**.

- In the confirmation prompt, click **OK** to confirm the primary cardholder change and close the [Window](#). The primary cardholder changes and the Card Detail [Window](#) closes.

Alternate Keys

The Alternate Key screen enables users to add, update, or delete Alternate Keys associated with a Customer.

To access the Alternate Key screen, do one of the following:

- Click **Alternate Key** in the [Customer Actions Menu](#).
- Click the **edit Link** in the Alternate Key section of the Customer Dashboard.

The Alternate Keys screen opens.



Figure 2-50: Alternate Key Screen

Alternate Keys Screen

The Alternate Keys Screen contains the following information:

- The [Customer Basics](#) area.
- A [List](#) of Alternate Keys containing the following information for each Alternate Key:
 - **Alt Key Type** - The type of Alternate Key.
 - **Alternate Key** - The value of the Alternate Key.

Alt Key Detail Window

The Alt Key Detail [Window](#) is used to view details about a Customer Alternate Key.

To open an Alternate Key in an Alt Key Detail [Window](#), click the Alternate Key in the [Alternate Keys List](#).




Figure 2-51: Alt Key Detail Window

The Alt Key Detail [Window](#) displays the following information:

- **Create User Id** - Employee ID of the user who created the Alternate Key.
- **Create Date** - Date on which the Alternate Key was created.
- **Update User Id** - Employee ID of the last user to update the Alternate Key.
- **Update Date** - Last date on which the Alternate Key was updated.
- **Alternate Key** - The value of the Alternate Key.
- **Alt Key Type** - The type of Alternate Key.

Add an Alt Key

To add an Alternate Key to a Customer record:

1. In the [Alternate Keys](#) screen, click the **Add Alt Key** button in the top-right corner of the screen.
2. An [Alt Key Detail Window](#) opens.




Figure 2-52: Alternate Key Detail Window

3. Enter the Alternate Key value in the **Alternate Key** field.
4. Select the Alternate Key type in the **Alt Key Type** [Selection Menu](#).
5. Click the **Save** button.


The Alternate Key is added to the Alternate Key [List](#) and the [Alt Key Detail Window](#) closes.

Delete an Alt Key

To delete an Alternate Key from a Customer record:

1. In the [Alternate Keys](#) screen, click the Alternate Key to delete.
The Alternate Key is opened in an [Alt Key Detail Window](#).
2. Click the **Delete** button to delete the Alternate Key and close the [Alt Key Detail Window](#).

Important: Customer Engagement does not ask you to confirm that you want to delete the Alternate Key. **Once you click the Delete button, the Alternate Key will be gone!**

To close the [Window](#) without deleting, click the X () in the top-right corner of the [Window](#).

Customer Notes

The Customer Notes screen allows Users to view and add Customer Notes.

To access the Customer Notes screen, click **Notes** in the [Customer Actions Menu](#). The Customer Notes screen opens.

The screenshot shows the Customer Notes screen for James Madison. At the top left is a profile picture and name. To the right is the 'Customer Detail' section with fields for Customer Id (44020), Create Date (2014-03-10), Create User Id (SoapUIUser), Update Date (2014-08-19), Update User Id (SoapUIUser), Source (Walkin), Phone (8371812346), and Email (jmadison@example.com). On the far right is the 'Card Detail' section with WSDL-SoapUI-Cust IDs and status icons. Below this is the 'Customer Notes' section with a 'Note Type Filter' set to 'All' and 'Notes by Create Date' set to 'Last 10 Notes'. A table displays the following notes:

Date	User	Location	Note Type	Note
2014 Aug 19 12:33:19	DuplicateMerge	99999	EVT_CUSTOMER_MERGE	Customer record merged from duplicate so...
2014 Aug 5 10:49:53	DuplicateMerge	99999	EVT_ACTIVATE_CARD	Activated customer card (134017312596899...
2014 Aug 5 10:49:53	DuplicateMerge	99999	EVT_ASSOCIATE_CARD	Associated customer card (13401731259689...
2014 Aug 5 10:49:53	DuplicateMerge	99999	EVT_SET_AS_PRIMARY	Set as primary account holder: customer ...

Figure 2-53: Customer Notes Screen

Customer Notes Screen

The Customer Notes Screen includes the following information:

- The [Customer Basics](#) area.
- Customer Notes [Filter](#) menus:
 - **Note Type Filter** - The type of Note.

The values in this [Selection Menu](#) are determined by configuration. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information.
 - **Notes by Create Date** - The time within which the Note was created.

This [Selection Menu](#) has the following values:

 - * **Last 10 Notes** - [DEFAULT] Display the last 10 Notes created.
 - * **Last 30 Days** - Display the Notes created within the last 30 days.
 - * **Last 60 Days** - Display the Notes created within the last 60 days.
 - * **Last 120 Days** - Display the Notes created within the last 120 days.
 - * **Last Year** - Display the Notes created within the last year.
 - * **All** - Display all Notes for the Customer.
- A [List](#) of Customer notes containing the following information for each Customer note:
 - **Date** - The date on which the note was created.
 - **User** - The ID of the user who created the record.
 - **Location** - The ID of the location where the note was created.
 - **Note Type** - The type of note.
 - **Note** - The content of the note.

Customer notes can be created through the [Promotion Response Data Import](#). These Note Types are EMAIL_SENT, EMAIL_FAILED, EMAIL_CLICKED, and

EMAIL_OPENED. Each of these notes indicate the CAMPAIGN_ID, PROMOTION_ID, and EVENT_TYPE_ID. For an EVENT_CLICKED Note, the OFFER_NAME, OFFER_NUMBER, OFFER_CATEGORY, and OFFER_URL are also indicated.

Add a Customer Note

To add a Customer Note to a Customer record:

1. Click the **Add Customer Note** button in the top-right corner.

The Add Customer Note [Window](#) opens.




Figure 2-54: Add Customer Note Window

2. Select the **Note Type** in the [Selection Menu](#).
3. In the **Note Text Field**, enter the text of the note.
4. Click the **Add** button.

The Add Customer Note [Window](#) closes and the Note is added to the Customer Notes [List](#).

Promotion History

A Customer’s Promotion History shows all of the Promotions that have been available to a Customer, and whether the Customer responded to the Promotion by making purchases. To view the Promotion History for Customer, users must open the Promotion History screen. Promotion History cannot be viewed on the Customer Dashboard.

To open the Promotion History screen, click **Promotion History** in the [Customer Actions Menu](#). The Promotion History Screen opens, providing access to the [Promotion History Search](#) functionality.



Figure 2-55: Promotion History Screen

Promotion History Search

To search for a Customer’s Promotion History:

1. In the **Promotion Start Date Calendar Menu**, select the first date of the date range for the Promotion History.

2. In the **Promotion End Date** [Calendar Menu](#), select the final date of the date range for the Promotion History.
3. Click the **Search** button.

The Promotion History search is performed and the results displayed in the [Promotion History Screen](#).

Promotion History Result

Number of Events: 17 Number of Responses: 4 Response Rate: 0.23 Total Promotion Revenue: 6,120.03

Campaign ID/Name	Promotion ID/Name	Start Date	End Date	Control Group?	Response Amount
458/cmp930 Promo 2	561/cmp930 Promo 2	2014-08-01	2015-07-11	No	0.00
457/Promo CRM-930	560/Promo CRM-930	2014-07-31	2015-07-11	No	0.00

Figure 2-56: Promotion History Search Results

Promotion History Screen

The Promotion History Screen includes the following fields:

Customer Detail

James Madison
12345 EXAMPLE STREET
WORCESTER, MA

Customer Id 30280 Create Date 2011-12-13
Create User Id SoapUIUpdateUser Update Date 2013-11-12
Update User Id SoapUIUpdateUser Source Internet
Phone 5085550100 Email jmadison@example.com

Card Detail

WSDL-SoapUI-TestCase-PosLog 47089049607405
WSDL-SoapUI-TestCase-PosLog 69426724534022
WSDL-SoapUI-TestCase-PosLog 7628235750957
WSDL-SoapUI-TestCase-PosLog 01879022538047

Promotion History Search

Promotion Start Date 2013-01-01
Promotion End Date 2014-09-05
[Clear] [Search]

Promotion History Result

Number of Events: 14 Number of Responses: 1 Response Rate: 0.07 Total Promotion Revenue: 13.19

Campaign ID/Name	Promotion ID/Name	Start Date	End Date	Control Group?	Response Amount
413/OH Customers Promo	490/OH Customers Promo	2014-04-09	2014-08-09	No	0.00
273/test	301/test	2013-04-27	2013-04-30	No	0.00
276/test	304/test	2013-04-12	2013-04-27	No	0.00
274/test	302/test	2013-04-12	2013-04-27	No	0.00
267/TestDynamic	295/TestDynamic	2013-03-28	2013-03-30	No	0.00
265/NewETTest	293/NewETTest	2013-03-28	2013-03-30	No	0.00
266/TestDynamic	294/TestDynamic	2013-03-27	2013-03-30	No	0.00
201/ScorecardTest	209/ScorecardTest	2013-01-17	2013-03-27	No	13.19
97/LS-DynamicTest2	97/LS-DynamicTest2	2012-08-27	2013-07-27	No	0.00
112/DynamicPromo	116/DynamicPromo	2012-08-09	2013-08-09	No	0.00
javascript: nicPromo	115/DynamicPromo	2012-08-09	2013-08-09	No	0.00

Figure 2-57: Promotion History Screen With Search Results

- The [Customer Basics](#) area.
- A Promotion History Search area containing the following fields:

Note: The search results will display any Promotion that has an active date anytime within the date range entered.

- **Promotion Start Date** - A [Calendar Menu](#) defining the beginning date of a Promotion History Search's date range.
- **Promotion End Date** - A [Calendar Menu](#) defining the ending date of a Promotion History Search's date range.

After performing a Promotion History Search, the Promotion History Screen includes the following information:

- A Promotion History Result [List](#) containing the following fields:
 - **Number of Events** - The number of Promotion events that have been available to the Customer within the date range of the search.
 - **Number of Responses** - The number of Promotions to which the Customer has responded within the data range of the search.
 - **Response Rate** - The percentage of available Promotions to which the Customer responded.
 - **Total Promotion Revenue** - The total revenue received from Customer responses to Promotions.
 - A [List](#) of the Promotions that have been available to the Customer within the date range. The following information is displayed for each Promotion:

Note: The number of Promotions displayed in the [List](#) depends upon a Customer Engagement configuration. For more information see the *Oracle Retail Customer Engagement Cloud Services Implementation Guide*.

 - * **Campaign ID/Name** - ID of the Campaign to which the Promotion belongs.
 - * **Promotion ID/Name** - ID of the Promotion.
 - * **Start Date** - Start Date of the Promotion.
 - * **End Date** - End Date of the Promotion.
 - * **Control Group?** - Indicates whether the Customer was part of a Control Group.
 - * **Response Amount** - Indicates how much revenue was received from the Customer's response to the Promotion.

Customer Merge

Customer Merges combine multiple Customer records into one, new Customer record. This new Customer record includes the Transaction, Card, and Account information from all the merged Customer records. Other Customer data—addresses, email addresses, phone numbers, etc.—are taken from a single source record selected during the [Customer Merge](#) process.

Customer Merges can be performed directly through Customer records. This allows users to search for and merge Customer records directly, rather than through [Duplicate Search](#) and [Duplicate Merge](#) jobs. This not only allows Customer records to be merged immediately, but also allows users to merge Customer duplicates that may not be found by a [Duplicate Search](#) job.

To open the Customer Merge screen, click **Merge** in the [Customer Actions Menu](#). The [Customer Merge Screen](#) opens.

The screenshot displays the Customer Merge Screen for James Madison. It includes a profile picture, customer details, and a table of duplicates.

Customer Detail

Customer Id	18816	Create Date	2013-06-27
Create User Id	SoapUIUser	Update Date	2010-05-01
Update User Id	SoapUIUser	Source	Walkin
Phone	5085550100	Email	jmadison@example.com

Card Detail

WSDL-TestCase-Card Services [1234567890123456](#)

Duplicates

Make Source	ID	Name	Address	City	State	Postal Code	Phone	Email
<input checked="" type="radio"/>	4	James Madison	12345 EXAMPLE STREET	WORCESTER	MA	01605	5085550100	jmadison@example.com

Figure 2-58: Customer Merge Screen

Customer Merge Screen

The Customer Merge screen contains the following information:

- The [Customer Basics](#) area.
- A Duplicates [List](#) of Customer records to be merged. The following information is displayed for each Customer:
 - **Make Source** - These [Radio Buttons](#) determine the Customer record into which all the Customers in the [List](#) will be merged.
 - **ID** - Unique ID of the Customer.
 - **Name** - Name of the Customer.
 - **Address** - Address Line 1 of the Customer's Primary Address.
 - **City** - City of the Customer's Primary Address.
 - **State** - State for the Customer's Primary Address.
 - **Postal Code** - Postal Code/ZIP Code for the Customer's Primary Address.
 - **Phone** - Primary telephone number for the Customer.
 - **Email** - Primary email address for the Customer.

Add Customer to Merge List

To add a Customer to the Merge [List](#):

1. Click the **Add Duplicate** button on the top right of the [Customer Merge Screen](#).

A Build Duplicate Customer List [Window](#) opens.

The screenshot shows the Build Duplicate Customer List window. It has a title bar and two radio buttons for selection.

Build Duplicate Customer List

Customer Id Alternate Key

Customer Id

Figure 2-59: Build Duplicate Customer List

2. Use the [Radio Buttons](#) to select the method to use when searching for Customers.
 - If **Customer Id** is selected, continue with step 3.
 - If **Alternate Key** is selected, continue with step 4.

3. Enter the **Customer Id** for the Customer to add to the [List](#).
Continue with step 6.
4. In the **Alt Key Type** [Selection Menu](#), select the Alternate Key to use for the search.

Figure 2-60: Alternate Key Search

5. In the **Alternate Key** field, enter the value to search for in the Alternate Key.
6. Click **Add to Duplicate List**.

A Duplicate Customer [List](#) opens, displaying all the Customers matching the search criteria.

ID	NAME	ADDRESS	CITY	STATE
355609	James Madison	12345 EXAMPLE STREET	WORCESTER	MA

Figure 2-61: Duplicate Customer List

The following information is displayed for each Customer:

- **ID** - Unique ID of the Customer.
 - **Name** - Name of the Customer.
 - **Address** - Address Line 1 of the Customer’s Primary Address.
 - **City** - City of the Customer’s Primary Address.
 - **State** - State for the Customer’s Primary Address.
7. Click the Customer to be added to the Duplicates [List](#).
If the Customer to be merged was not found by the search, click **Clear** to clear the Duplicate Customer [List](#) and return to step 2.
 8. Click **OK** to close the Build Duplicate Customer List [Window](#) and add the selected Customer to the Duplicates [List](#), or click **Cancel** to close the [Window](#) without making any changes.

Delete Customer from Merge List

To delete a Customer from a Merge [List](#):

1. In the Duplicates [List](#), click the Customer to delete.

Note: The first Customer in the [List](#) cannot be removed.

A Delete [Link](#) opens. 

2. Click **Delete**.

The Customer is removed from the Duplicates [List](#).

Merge Customers

After the Customer Merge [List](#) has been completed through the [Add Customer to Merge List](#) and [Delete Customer from Merge List](#) procedures, the Customers can be merged.

Duplicates								
Make Source	ID	Name	Address	City	State	Postal Code	Phone	Email
<input checked="" type="radio"/>	310751	Gloria Mundi	1234 SAMPLE STREET	WORCESTER	MA	01602	5085550100	gmundi@example.com
<input type="radio"/>	355609	James Madison	12345 EXAMPLE STREET	WORCESTER	MA	01605	5085550100	jmadison@example.com

Figure 2-62: Duplicates to Be Merged

To merge the Customers entered into the Duplicates [List](#):

1. Using the **Make Source** [Radio Buttons](#), select the Customer record to use as the source for all Customer data.
2. Click the **Merge Duplicates** button in the upper right of the [Customer Merge Screen](#).

A confirmation prompt opens.




Figure 2-63: Merge Customers Confirmation Prompt

To return to the [Customer Merge Screen](#) without performing the merge, click the **Cancel** button.

3. Click **OK** to perform the merge.

Customer Engagement displays a confirmation message and the new Customer record opens in the [Customer Dashboard](#).




Figure 2-64: Successful Customer Merge Message

Household

Households identify Customers who share the same primary home address. The Household Identification job creates the Household association between two or more Customers. This job provides the option to create a Household association based only on matching primary home address, or based on both matching primary home address plus matching last name. The Household Identification job assigns a Household key to customers who match based on the selected criteria.

To open the Household screen, click **Household** in the [Customer Actions Menu](#). The [Security Groups Screen](#) opens.

Customer Detail

Customer Id 327236 Create Date 2016-09-02
 Create User Id Ekaplan Update Date 2016-09-02
 Update User Id Ekaplan Source Relate
 Phone Email

Card Detail

N/A

Household

Displaying: 1-3 of 3

Go To Page: Items per page: 50

Customer Id	First Name	Last Name	Total Sales Amt	Total Transaction Count	YTD Sales Amt	YTD Transaction Count
327234	Theodore	Roosevelt	0.00	0	0.00	0
327235	James	Roosevelt	0.00	0	0.00	0
327236	Abraham	Lincoln	0.00	0	0.00	0

Figure 2-65: Household Screen

Household Screen

The Household Screen contains the following information:

- The [Customer Basics](#) area.
- A [List](#) of Customers, including the displayed Customer, assigned to the same Household, containing the following information for each Customer in the Household:
 - **Customer Id** - ID of the Customer.
 - **First Name** - First Name of the Customer.
 - **Last Name** - Last Name of the Customer.
 - **Total Sales Amt** - Total amount of all sales associated with the Customer.
 - **Total Transaction Count** - Total number of transactions associated with the Customer.
 - **YTD Sales Amt** - Amount of all sales associated with the Customer during the year to date.
 - **YTD Transaction Count** - Number of transactions, during the year to date, associated with the Customer

Click any Customer for the Household to open the [Customer Summary Window](#) for that Customer.

Security Groups

Security Groups determine whether Users can access and/or modify Customer information in that Security Group. Each Security Group is assigned a certain permission level for the Customers in that group. Each User assigned to a Security Group is assigned the permissions for that Security Group.

To open the Security Groups screen, click **Security Group** in the [Customer Actions Menu](#). The [Security Groups Screen](#) opens.




Figure 2-66: Security Groups Screen

Security Group Rules

Security Groups are used to determine the information that Users can access for specific Customers. The Default View Where No Security Group is Assigned property and the Default View Where User is Not Assigned to a Security Group property control the Security Group logic. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information and procedures for managing Users in Security Groups.

Table 0-1 Security Group Rules

If...	Then...
No Security Group has been applied to a Customer.	The setting of the Default View Where No Security Group is Assigned property applies, regardless of whether the User is assigned to a Security Group. For example, if the Default View Where No Security Group is Assigned property is set to Read/Write, and no Security Group has been applied to the Customer, all users have Read/Write access.
<ul style="list-style-type: none"> A Security Group has been applied to a Customer. -and- <ul style="list-style-type: none"> The current User is a member of that Security Group. 	The User can access the Customer information that is permitted by the Security Group's privilege level; otherwise, the Default View Where User is Not Assigned to a Security Group setting applies. For example, a Read Only Security Group is applied to a Customer, and the Default View Where User is Not Assigned to a Security Group is set to Limited Read. If the User is also assigned to a Read Only Security Group, the User has Read Only Access to the Customer; otherwise, the Default View Where User is Not Assigned to a Security Group setting of Limited Read applies.

Table 0-1 Security Group Rules (continued)

If...	Then...
<ul style="list-style-type: none"> More than one Security Group has been applied to a Customer. <p>-and-</p> <ul style="list-style-type: none"> The current User belongs to any of those Security Groups. 	<p>The User will have the highest level of permissions given by those Security Groups.</p> <p>For example, a Read/Write Security Group and a Read Only Security Group are applied to a Customer. A User is assigned to a Read Only Security Group and a Limited Access Security Group. The Read Only Security Group setting applies.</p>
<ul style="list-style-type: none"> One or more Security Groups are applied to a Customer. <p>-and-</p> <ul style="list-style-type: none"> The current User is not a member any Security Group applied to the Customer. 	<p>the Default View Where User is Not Assigned to a Security Group setting of Limited Read applies.</p> <p>For example, a Read Only Security Group is applied to the Customer, and the User is not assigned to that Security Group. The Default View Where User is Not Assigned to a Security Group property is set to Limited Read. The Limited Read setting applies.</p>

Regardless of the Security Group assignments for the Customer or the User, the following rules apply:

The owner or creator of a Customer record will always have full Read/Write access to that Customer's information. See ["Customer Information" on page 21](#) for more information about Customer record owners.

- A User with an Associate Assignment Role for a customer will have full read/write access to that Customer's information.
- A User with the `Relate_SystemAdmin` Roles will always have full read/write access to any and all Customers.
- A franchise User with the `Relate_FranchiseeAdmin` Role will always have full read/write access to a Customer assigned to that franchise.

Security Group Privilege Types

Security Groups have the following privilege types available, listed in order from most permissible to least:

- **Read/Write** - Users in the Security Group can read and update all data for Customers who have had the Security Group applied.
- **Read Only** - Users in the Security Group can read all data for Customers who have had the Security Group applied, but cannot make updates.
- **Limited Read** - Users in the Security Group can read some data for Customers who have had the Security Group applied, but cannot read sensitive Customer information (such as Address, Telephone Numbers, and Email Addresses) and cannot make updates.
- **No Access** - A User in the Security Group will not even see that the Customer exists in the system.

Security Groups Screen


The Security Groups Screen contains the following information:

- The [Customer Basics](#) area.

- A [List](#) of Security Groups assigned to the Customer, containing the following information for each Security Group:
 - **Group ID** - ID of the Security Group.
 - **Group Name** - Name of the Security Group.
 - **Read/Write** - Indicates whether the Users in the Security Group are assigned the Read/Write privilege level for this Customer.
 - **Read Only** - Indicates whether the Users in the Security Group are assigned the Read Only privilege level for this Customer.
 - **Limited Read** - Indicates whether the Users in the Security Group are assigned the Limited Read privilege level for this Customer.
 - **No Access** - Indicates whether the Users in the Security Group are assigned the No Access privilege level for this Customer.

Security Group Detail Window

To open a Security Group assignment in a Security Group Detail [Window](#), click the Security Group in the [Security Groups Screen](#). The Security Group Detail [Window](#) opens.



The screenshot shows a window titled "Security Group Detail". It contains the following fields and controls:

- Group ID: (empty text field)
- Group Name: Group2
- Privilege Type: Read/Write, Read Only, Limited Read, No Access
- Buttons: Save, Delete

Figure 2-67: Security Group Detail Window

The following information is displayed:


- **Group ID** - ID of the Security Group.
- **Group Name** - Name of the Security Group.
- **Privilege Type** - [Radio Buttons](#) that determine the access privileges given to Users in the Security Group. These access privileges are specific to the Customer. For a description of the [Radio Buttons](#), see "[Security Group Privilege Types](#)" on page 57.

Assign a Security Group to a Customer

To assign a Security Group to a Customer:

1. Click the **Add Group** button in the [Security Groups Screen](#).

A Security Group Detail [Window](#) opens.



The screenshot shows a window titled "Security Group Detail". It contains the following field and control:

- Select Group: (Please select) ▾
- Button: Save

Figure 2-68: Security Group Detail

2. In the **Select Group** [Selection Menu](#), select the Security Group to assign to the Customer.

3. The **Group ID** field, **Group Name** field, and **Privilege Type** [Radio Buttons](#) are displayed.
4. If necessary, select a new Security Group Privilege for the Customer.
The **[DEFAULT]** value is the default privilege level for that Security Group.
5. Click **Save** to save the Security Group assignment and close the [Security Group Detail Window](#).

To close the [Window](#) without saving the changes, click the X (✕) in the top-right corner of the [Window](#).

Change a Security Group Privilege

To change the privilege type provided to Users belonging to a Security Group that is assigned to a Customer:

1. Open the Security Group assignment in a [Security Group Detail Window](#).
2. Use the Privilege Type [Radio Buttons](#) to select the new privilege level.
3. Click **Save** to save the changes and close the [Security Group Detail Window](#).

To close the [Window](#) without saving the changes, click the X (✕) in the top-right corner of the [Window](#).

Delete a Security Group Assignment

To delete a Security Group that has been assigned to a Customer:

1. Open the Security Group assignment in a [Security Group Detail Window](#).
2. Click the **Delete** button.

The [Window](#) closes and the Security Group is removed from the Customer.

Associate Assignments

The Associate Assignments screen enables users to add, update, or delete associate assignments for a customer. To access the Associate Assignments screen, do one of the following:

- Click **Associate Assignment** in the [Customer Actions Menu](#).
- Click the **edit Link** in the Associate Assignments section of the Customer Dashboard.

The Associate Assignments screen opens:

The screenshot displays the 'Associate Assignments' screen for a customer named James Madison. The interface is divided into several sections:

- Customer Profile:** Includes a placeholder for a profile picture, the name 'James Madison', and the address '12345 EXAMPLE STREET, WORCESTER, MA'.
- Customer Detail:** Lists fields such as Customer Id (4), Create Date (2015-12-21), Create User Id (tester), Update Date (2016-03-16), Update User Id (tester), Phone (5085550100), Source (Relate), and Email (jmadison@example.com).
- Card Detail:** Shows a 'Test' card with ID 123456789044444 and an 'elise_test_card' with ID 123456789033333.
- Customer Actions:** A dropdown menu is visible in the top right corner.
- Associate Assignments Table:** A table with columns: Primary, Role, Location, Associate, Locked, Updated By, and Updated Date/Time. One row is visible with 'Yes' in the Primary column and 'test_associate' in the Role column.

Figure 2-69: Associate Assignments Screen


Associate Assignments Screen

The Associate Assignments screen contains the following information:

- The [Customer Basics](#) area.
- An Associate Assignments [List](#) displaying the following information for each Associate Assignment:
 - **Primary** - Indicates whether the Associate is the primary Associate for the Customer.
 - * **Yes** - The Associate is the primary Associate.
 - * **No** - The Associate is not the primary Associate.
 - **Role** - Associate Role. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information about Associate Roles.
 - **Location** - ID of the location where the Associate is located.
 - **Associate** - Name of the Associate.
 - **Locked** - Indicates whether the Associate is locked. For a description of this value, see [“Lock/Unlock an Associate Assignment” on page 61](#).
 - **Updated By** - ID of the User who most recently updated the Associate Assignment.
 - **Updated Date/Time** - Date and time of the most recent update.

Associate Assignment Detail Window

The Associate Assignment Detail [Window](#) is used to enter or update information for an Associate Assignment.



The screenshot shows a window titled "Associate Assignment Detail". It contains the following fields and values:

Role	WSDL2-Reception Coord	Create User Id	100
Associate	WSDL-User500	Create Date	2012-01-30
	Search Associate	Update User Id	WSDL-User300
Locked	<input type="checkbox"/>	Update Date	2012-01-30

At the bottom right, there are "Save" and "Delete" buttons.

Figure 2-70: Associate Assignment Detail Window

The Associate Assignment Detail [Window](#) displays the following information:

- **Role** - Associate Role. See the *Customer Engagement Implementation Guide* for more information about Associate Roles.
- **Associate** - Name of the Associate.
- **Locked** - Determines whether the Associate is locked. For a description of this value, see [“Lock/Unlock an Associate Assignment” on page 61](#).
- **Create User Id** - ID of user who originally assigned an Associate to the Customer.
- **Create Date** - Date on which an Associate was originally assigned to the Customer.
- **Update User Id** - ID of the user who most recently updated the Associate Assignment.
- **Update Date** - Date on which the Associate Assignment was most recently updated.

Change/Add Assigned Associate


To change the Associate assigned to a Customer:

1. In the [Associate Assignments Screen](#), click the Associate Assignment to edit.
The Associate Assignment is opened in an [Associate Assignment Detail Window](#).
2. Click the **Search Associate** [Link](#).
A Search Associate [Window](#) opens.

User ID	Name	Email
GMundi	Gloria Mundi	gmundi@example.com

Figure 2-71: Search Associate Window

3. Use the **Location** [Selection Menu](#) to select the Location where the new Associate is located.
The [List](#) is populated with Associates for the location. The following information is displayed for each Associate:
 - **User ID** - ID of the User.
 - **Name** - Name of the User.
 - **Email** - Email address for the User.
4. Click to select the User to assign as an Associate for the Customer.
5. Click **OK** to save the changes, or click **Cancel** to exit the [Window](#) without saving.
The Search Associate [Window](#) closes and Customer Engagement returns to the Associate Assignment Detail [Window](#).
6. Click **Save** to save the changes and close the Associate Assignment Detail [Window](#).

To close the [Window](#) without saving the changes, click the X () in the top-right corner of the [Window](#).

Lock/Unlock an Associate Assignment

A locked Associate is an Associate that cannot be changed by an automatic mass assignment. If a mass assignment is performed, the locked Associate will remain assigned to the Customer.

For example, if a Customer wishes to keep a particular personal shopper at a location that is transferring most of their customer base to another personal shopper, locking the Associate Assignment will allow that Customer to keep that personal shopper when the mass assignment is performed.


To lock an Associate Assignment for a Customer:

1. In the [Associate Assignments Screen](#), click the Associate Assignment to edit.

Edit/View Customer Record

The Associate Assignment is opened in an [Associate Assignment Detail Window](#).

2. Click the **Locked** [Check Box](#) to change the value.
 - **Checked** () - The Associate Assignment is locked.
 - **Unchecked** () - The Associate Assignment is not locked.
3. Click **Save** to save the changes and close the [Associate Assignment Detail Window](#).

To close the [Window](#) without saving the changes, click the X () in the top-right corner of the [Window](#).

Delete Assigned Associate

To delete an Associate Assignment from a Customer:

1. In the [Associate Assignments Screen](#), click the Associate Assignment to edit.

The Associate Assignment is opened in an [Associate Assignment Detail Window](#).
2. Click the **Delete** Button.

The [Associate Assignment Detail Window](#) closes and the Associate is removed from the Associate Assignment.


Segment Association

Segment Association screen allows Users to see all of the [Segments](#) to which a Customer belongs, and add the Customer to additional [Manual Segments](#).

To open the Segment Association screen, do one of the following:

- Click **Segment Association** in the [Customer Actions Menu](#).
- Click the **edit Link** in the Segment section of the Customer Dashboard.

The [Segment Association Screen](#) opens.



James Madison
257 SAMPLE STREET
WORCESTER, MA

Customer Detail

Customer Id	523	Create Date	2015-11-17
Create User Id	tester	Update Date	2016-01-14
Update User Id	tester	Source	Relate
Phone		Email	jmadison@example.com

Card Detail

EZKCard	123456789044444		
EZKCard	123456789033333		

Segment Association

Segment Id	Segment Name	Description	Type	Create User	Added On
25	cust523	cust523	Non-Stratified	bo	2016-02-11
22	Segment	unstratified	Non-Stratified	tester	2015-11-19
21	Segment	test segment	Manual	tester	2015-11-18

Figure 2-72: Segment Association Screen

Segment Association Screen


The Segment Association Screen contains the following information:

- The [Customer Basics](#) area.
- A [List](#) of [Segments](#) to which the Customer belongs. This [List](#) contains the following information for each Segment Association:
 - **Segment Id** - ID of the Segment.
 - **Segment Name** - Name of the Segment.
 - **Description** - Description of the Segment.
 - **Type** - Type of Segment.
 - **Create User** - ID of the user who created the Segment.
 - **Added On** - Date on which the Customer was added to a Manual Segment.

Segment Detail Window

To open a Segment in the Segment Detail [Window](#), click the Segment in the [Segment Association Screen](#).


The Segment Detail [Window](#) displays the following information:



The screenshot shows a window titled "Segment Detail" with a close button (X) and navigation arrows (up, down) on the right. The content is as follows:

Name	WSDL-TestCase1-SegmentServices
Description	WSDL-TestCase1-SegmentServices
Segment Type	Regular
Segment Owner	Tester
Added On	
Current Customer Count	4507

Figure 2-73: Segment Detail Window - Unstratified Segment




The screenshot shows a window titled "Segment Detail" with a close button (X) and navigation arrows (up, down) on the right. The content is as follows:

Name	WSDL-TestCase3-SegmentServices
Description	WSDL-TestCase3-SegmentServices
Segment Type	Regular
Segment Owner	Tester
Added On	
Current Customer Count	1536

Strata Type

Strata Type	Customer	Average Strata Value	323171
Strata Format	Range Strata	Number Of Strata	3
Based On Value	Customer	Customer Strata	3
Strata Field	Annual Income	Customer Value	190000

Figure 2-74: Segment Detail Window - Stratified Segment



The screenshot shows a window titled "Segment Detail" with a close button (X) and navigation arrows (up, down) on the right. The content is as follows:

Name	PROM21650-PromotionEventServices
Description	Target Customers For Promotion Event Test Case 1
Segment Type	Manual
Segment Owner	Tester
Added On	2014-09-04
Current Customer Count	26

Delete

Figure 2-75: Segment Detail Window - Manual Segment

The Segment Detail [Window](#) displays the following information for all Segments:

- **Name** - Name of the Segment.
- **Description** - Description of the Segment.
- **Segment Type** - Type of Segment.
- **Segment Owner** - ID of the user who owns the Segment.
- **Added On** - Date on which the Customer was added to a Manual Segment.
- **Current Customer Count** - Number of Customers currently belonging to the Segment.

The Segment Detail [Window](#) displays the following information for Stratified Segments:

- **Strata Type** - Describes how Customers are divided into Strata.
- **Strata Format** - Format used to create the Strata.

- **Based On Value** - Basis used for determining the Strata Field.
- **Strata Field** - Field used to create the Strata.
- **Average Strata Value** - Mean value of the Strata Field for all Customers in the Strata.
- **Number Of Strata** - Number of Strata into which the Segment is divided.
- **Customer Strata** - Strata to which the Customer belongs.
- **Customer Value** - Value of the Strata Field for the Customer.

Add Customer to a Manual Segment

To add the Customer to a Manual Segment:

1. Click the **Add Segment** button in the [Segment Association Screen](#).

A Segment Detail [Window](#) opens.





Figure 2-76: Create Segment Detail Window

2. Do one of the following:
 - Use the **Associate To Existing Manual Segment Selection Menu** to select the Segment to which the Customer will be added.
 - Use the **Segment Name** and **Description Text Field** to define a new Manual Segment to which the Customer will be added.
3. Click **Save** to save the changes and close the [Segment Detail Window](#).

To close the [Window](#) without saving the changes, click the X () in the top-right corner of the [Window](#).

Remove a Customer From a Manual Segment

To remove a Customer from a Manual Segment:

1. In the [Segment Association Screen](#), click the Segment to open it in a [Segment Detail Window](#).
2. Click the Delete button in the Segment Detail [Window](#).

The Customer is removed from the Segment and the Segment is removed from the [Segment Association Screen](#) for the Customer.

Tasks

The Tasks screen displays the Tasks that are associated with the Customer.

To open the Tasks screen, click **Tasks** in the [Customer Actions Menu](#). The [Tasks Screen](#) opens.

The screenshot shows the 'Tasks Screen' for a customer named James Madison. At the top, there is a customer profile card with a placeholder image, name, address (257 SAMPLE STREET, WORCESTER, MA), and contact information (Customer Id: 523, Create Date: 2015-11-17, Create User Id: tester, Update Date: 2016-01-14, Update User Id: tester, Source: Relate, Phone, Email: jmadison@example.com). There are buttons for 'Add Task' and 'Customer Actions'. Below the card, there are filter menus for 'Task Type' (All), 'Task Status' (All), and 'Task Start Date' (Last 10 Tasks). The main part of the screen is a table of tasks.

Task Id	Task Name	Start Date	End Date	Task Type	Creator	Status	Assigned To	Customer
1009	ezkTask1	2016-02-19	2016-02-19	TODO	tester	OPEN	Test User	
1010	Promotion Id:32:ezkProductPromo	2016-02-19	2016-03-31	EVENT	Relate	OPEN	Test User	

Figure 2-77: Tasks Screen

Tasks Screen

The Tasks screen displays the following information:

- The [Customer Basics](#) area.
- Task [Filter](#) menus:
 - **Task Type** - The type of Task. The values in this [Selection Menu](#) depend upon configuration. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for information about configuring custom Task types.
 - **Task Status** - Current status of the task.

This [Selection Menu](#) has the following possible values:


- * **All** - [DEFAULT] Include all Tasks.
- * **OPEN** - Include only open Tasks.
- * **IN_PROGRESS** - Include only Tasks in progress.
- * **CANCELLED** - Include only cancelled Tasks.
- * **CLOSED** - Include only closed Tasks.

- **Task Start Date** - Start date for the Task.

This [Selection Menu](#) has the following possible values:

- * **Last 10 Tasks** - [DEFAULT] The last 10 Tasks started.
- * **Last 30 Days** - Tasks started in the last 30 days.
- * **Last 60 Days** - Tasks started in the last 60 days.
- * **Last 120 Days** - Tasks started in the last 120 days.
- * **Last Year** - Tasks started in the last year.
- * **All** - All Tasks.

- A [List](#) of Tasks, containing the following information for each Task:
 - **Task Id** - ID of the Task.

- **Task Name** - Name of the Task.
- **Start Date** - Date on which the Task starts.
- **End Date** - Date on which the Task ends.
- **Task Type** - Type of Task.
- **Creator** - ID of the User who created the Task.
- **Status** - Status of the Task.
- **Assigned To** - ID of the User assigned to the Task.
- **Customer** - An icon () indicates whether the Task is assigned to a Customer. *On this screen, the icon will always appear.*

Change Task Status

To change the status of a Task, select the new status in the **Status Selection Menu** in the [Tasks Screen List](#).

Open a Task

To open a Task, click the Task in the [Tasks Screen List](#). The Task opens in an [Edit Task Window](#).

For more information about this [Window](#) and the functions that can be performed in it, see ["Edit Task Window" on page 12](#).

Add a Task

To add a Task, click the **Add Task** button in the upper right of the [Tasks Screen](#) to open the [Create a Task Window](#).

See ["Create a Task" on page 17](#) for the full procedure.

Item Visualizer

The Item Visualizer screen displays the Items purchased by the Customer, and the Items that the Customer wishes to own.

Note: This screen does not display items added to a Wish List through the [Customer Item Registry](#) option. To display these items, use the [Item Registry Visualizer](#) screen.

Note: The term "Wish List" here does not refer to an Item Registry Wish List. The term here refers only to Items that the Customer has expressed an interest in, but does not indicate that the Item has been added to a Registry.

To open the Item Visualizer screen, click **Item Visualizer** in the [Customer Actions Menu](#). The [Item Visualizer Screen](#) opens.

The screenshot shows the 'Item Visualizer' screen for James Madison. It includes a customer profile, 'Customer Detail' and 'Card Detail' sections, and a table of items. The table has columns for Date, DEPT, SUB_DEPT, CLASS, SUB_CLASS, STYLE_ID, Item Id, Description, Publish?, Wish List?, Delete, and View Image.

Date	DEPT	SUB_DEPT	CLASS	SUB_CLASS	STYLE_ID	Item Id	Description	Publish?	Wish List?	Delete	View Image
2013 Jul 18 16:31:41	D87		C121	S78	718771	410000030769	Metal Tissue St...	Yes	★	Remove	<input type="checkbox"/>
2011 Mar 15 14:04:08	D87		C121	S77	718640	410000030738	Retro Radar Sho...	Yes	<input type="checkbox"/>
2011 Mar 15 14:02:58	D87		C122	S79	721115	410000030806	Houndstooth Thr...	Yes	<input type="checkbox"/>

Figure 2-78: Item Visualizer Screen

Item Visualizer Screen

The Item Visualizer screen has two formats: [List View \[DEFAULT\]](#) and [Tile View](#).

- Click **Switch to list view** to view the Wish List in [List View](#).
- Click **Switch to tile view** to view the Wish List in [Tile View](#).

Note: The term “Wish List” here does not refer to an Item Registry Wish List. The term here refers only to Items that the Customer has expressed an interest in, but does not indicate that the Item has been added to a Registry.

List View

The Item Visualizer Screen displays the following information in [List View](#):

This screenshot is identical to Figure 2-78, showing the 'Item Visualizer' screen for James Madison with the 'List View' format selected. The table of items is the same as in Figure 2-78.

Figure 2-79: List View

- The [Customer Basics](#) area.
- Item [Filter](#) menus:
 - Date the Item was added to the Item Visualizer.

This [Selection Menu](#) has the following possible values:

- * **Last 10 Transactions - [DEFAULT]** Items added in the last 10 transactions.
- * **Last 30 Days** - Items added in the last 30 days.

- * **Last 60 Days** - Items added in the last 60 days.
 - * **Last 120 Days** - Items added in the last 120 days.
 - * **Last Year** - Items added in the last year.
 - * **All** - All Items added.
- How the Item was added to the [List](#).
- This [Selection Menu](#) has the following possible values:
- * **Purchased items only** - Include only purchased Items.
 - * **Wish list items only** - Include only Wish List Items.
 - * **Purchased and Wish list items** - **[DEFAULT]** Include both purchased and Wish List Items.

Note: The term “Wish List” here does not refer to an Item Registry Wish List. The term here refers only to Items that the Customer has expressed an interest in, but does not indicate that the Item has been added to a Registry.

- A [List](#) of Items, containing the following information for each Item:
 - **Date** - Date the Item was added to the Item Visualizer.
 - **Item Hierarchy** - A set of fields defining the Item Hierarchy to which the item belongs. The number and names of these fields depend upon configuration. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information about configuring the Item Hierarchy.
 - **Item Id** - ID of the Item.
 - **Description** - Description of the Item.
 - **Publish?** - Indicates whether the Item is available to be viewed within a virtual closet. Includes a [Link](#) to change the value.
 - **Wish List?** - Indicates whether the Item is in the Wish List. If the Item has a star (★) in this field, the Item is in the Wish List.
 - **Delete** - For Items in the Wish List, includes a [Link](#) to remove the Item from the Wish List.

Note: The term “Wish List” here does not refer to an Item Registry Wish List. The term here refers only to Items that the Customer has expressed an interest in, but does not indicate that the Item has been added to a Registry.

- **View Image** - Indicates whether the Item will be shown in the Tile View.

Tile View

The Item Visualizer screen displays the following information in Tile View:

James Madison
12345 EXAMPLE STREET
WORCESTER, MA

Customer Detail

Customer Id	133	Create Date	2011-03-14
Create User Id	1	Update Date	2012-09-14
Update User Id	Household job	Source	
Phone	5085550100	Email	jmadison@example.com

Card Detail

LOY Test 1 No Pin [123456789044444](#)

LOY Test 1 No Pin [123456789033333](#)

Item Visualizer

[Switch to list view](#)



 Date added: 2014-09-04 Item ID: 111100017 Description: Mens Casual Jeans Color: Blue	 Date purchased: 2013-02-26 Item ID: 111100003 Description: Mens Casual Jacket Color: Beige
--	--

Figure 2-80: Tile View

- The [Customer Basics](#) area.
- Selected Items in the Item Visualizer, with the following information for each Item:
 - Image for the Item.
 - **Date Purchased** - Date on which the Item was purchased. *This field is only shown for purchased items.*
 - **Date Added** - Date on which the Item was added to the Wish List. *This field is only shown for Wish List Items.*
 - **Item ID** - ID of the Item.
 - **Description** - Description of the Item.
 - **Color** - Color of the item.

Note: You cannot delete items from a Wish List in Tile View.

Note: The term “Wish List” here does not refer to an Item Registry Wish List. The term here refers only to Items that the Customer has expressed an interest in, but does not indicate that the Item has been added to a Registry.

Add Item to Wish List

To add an Item to the Wish List:

Tip: Prior to performing this procedure, select **Wish list items only** or **Purchased and Wish list items** in the [Selection Menu](#) for type of Item. The newly added Wish List Item will not appear if only Purchased Items are displayed.

1. Click the **Add Item** button in the [Item Visualizer Screen](#).

A [Window](#) opens for adding a Wish List Item.

Figure 2-81: Add Wish List Item Window

2. Use the **Filter Criteria** [Text Field](#) to enter the Item ID search criteria.
3. Click the **Search** button.

A [List](#) of Items with an Item ID containing the search criteria is displayed.

Item Id	Description
41000030141	Laptop Sling Bag
41000030714	Sonic Wave Silicone Case
41000031148	400 thread count sateen sheet set
41000031407	Lena Bootie
41000031414	Lena Bootie
41000031421	Lena Bootie

Figure 2-82: Search Results

4. Click an Item to select it.
5. Click the **OK** button to add the Item to the Wish List and return to the [Item Visualizer Screen](#).

Click the **Cancel** button to close the [Window](#) and return to the [Item Visualizer Screen](#).

Note: The term “Wish List” here does not refer to an Item Registry Wish List. The term here refers only to Items that the Customer has expressed an interest in, but does not indicate that the Item has been added to a Registry.

Remove Wish List Item

To remove an Item from a Wish List, click the **Remove Link** for the Item in the [Item Visualizer Screen](#). The Item is removed from the Wish List.

Important: Customer Engagement does not ask for confirmation prior to deleting an Item from the Wish List. Be careful to remove the correct Item.

Note: The term “Wish List” here does not refer to an Item Registry Wish List. The term here refers only to Items that the Customer has expressed an interest in, but does not indicate that the Item has been added to a Registry.

Update Customer Image

In Customer Engagement, an image of a Customer can be displayed in the Customer screen.

To upload a new image for a Customer:

1. Click **Update Customer Image** in the [Customer Actions Menu](#).
2. The Update Customer Image [Window](#) opens.




Figure 2-83: Update Customer Image Window

3. Use the **Action Radio Buttons** to select the method for updating the image:
 - **Link Image** - Link to an image through the internet. Continue with step 4.
 - **Import Image** - Import a file from a local directory. Continue with step 7.
 - **Reset Image** - Remove the current image. The image changes to the default “silhouette” image. Continue with step 9.
4. In the **Link Address** field, enter the URL of the image.
5. Click the **Test Image** button.

The image should appear in the left side of the [Window](#).




Figure 2-84: Test Image Displayed

If the image cannot be found or accessed, the [Window](#) displays an error. Return to step 4 and enter a correct, accessible URL.




Figure 2-85: Error Displaying Image

6. Continue with step 9.
 7. Use the **File to Import** [File Upload](#) field to select the file to upload.
- Upon selecting a file, the image appears in the left side of the [Window](#).




Figure 2-86: Import Image Displayed

If the image type is unsupported, the [Window](#) displays an error.




Figure 2-87: Image Type Unsupported




Figure 2-88: Image Display Error

8. Continue with step 9.
9. Click the **Save** button to save the changes and close the [Window](#).

Click the X () in the upper-right corner of the [Window](#) to close the [Window](#) without saving the changes.

Item Registry

The Item Registry screen displays information about the Customer Item Registries owned by the Customer.

This screen is opened by clicking **Item Registry** in the [Customer Actions Menu](#). The Item Registry Screen opens.

The screenshot shows the 'Item Registry' screen for a customer named Eleanor Roosevelt. The top section includes a customer profile picture and name. Below this is the 'Customer Detail' section with fields for Customer Id (327227), Create Date (2016-09-02), Create User Id (Ekaplan), Update Date (2016-11-11), Update User Id (Ekaplan), Source (Relate), Phone (5085550100), and Email. To the right is the 'Card Detail' section showing an ezkAwardCard (123456789). Below these sections is the 'Item Registries' section, which includes a 'Display' dropdown set to 'Future Events' and a 'Displaying: 1-2 of 2' indicator. A table of item registries is shown below, with columns for Registry Id, Registry Name, Event Type, Event Date, Venue Name, and Primary Owner. The table contains one row with Registry Id 520, Registry Name ERWishList, Event Type Wish List, and a green checkmark in the Primary Owner column.

Figure 2-89: Item Registry Screen

The Item Registry Screen displays the following information:

- The [Customer Basics](#) area.
- Item Registry [Filter](#) menus:
 - **Display** past or future events. This [Selection Menu](#) has the following options:
 - * **All Events** - All events, both past and future, and all Wish Lists.
 - * **Future Events** - **[DEFAULT]** Only display events that are happening in the future. Wish Lists are also displayed.
 - * **Past Events** - Only display events that have already occurred. Wish Lists are not displayed.
- A [List](#) of Item Registries, containing the following information for each Registry:
 - **Registry Id** - ID of the Registry.
 - **Registry Name** - Name of the Registry.
 - **Event Type** - Type of event, or indicates if the Registry is a Wish List.
 - **Event Date** - Date of the event. Blank for a Wish List.
 - **Venue Name** - Name of the venue. Blank for a Wish List.
 - **Primary Owner** - If there is a check mark (✓) in this column, the Customer is the primary owner of the Registry.

Registry Information Window

The Registry Information [Window](#) displays the following information:

The screenshot shows a web interface for a Registry Information Window. It includes a header with 'Edit' and 'More Actions' buttons. The main content is divided into several sections:

- Registry Information:** A list of key-value pairs including Registry Id (6891), Name (Test Case 1.0 - Housekeeping Test), Event Type (WEDDING_SHOWER), Event Date (2014 Sep 22 03:00:00), Expiration Date (2014 Nov 6 23:59:00), Comments (WSDL Test Case), Create Date (2014-08-08 16:41:37), Create User Id (Tester), Update Date (2014-09-04 15:15:59), Update User Id, and Published Status (Published).
- Registry Image:** A small image of two teddy bears, one in a white dress and one in a suit.
- Registry Attributes:** A table with columns 'Name' and 'Values'. It lists 'FLOWER-STYLE' with value 'Orchids' and 'GUEST-COUNT' with value '450'.
- Registry Addresses:** A table with columns 'Address Type', 'Name', and 'Address'. It lists 'After Event Shipping Address' (Mary Baker New, 1234 Example Boulevard, Westborough, MA -01581 US), 'Before Event Shipping Address' (Betty Smith New, 5678 Example Road West, Worcester, MA -01609 US), and 'Venue' (Wedding Song Banquet Hall-2, 9012 Example Path East, Boston, MA -02134US).
- Registry Owners and Contact Info:** A table with columns 'Name', 'Nickname', 'Primary', 'Address', 'Email', and 'Phone'. It lists 'Jackie Smith' with 'Yes' in the Primary column.
- Registry Items:** A table with columns 'Item Id', 'Description', 'Desired Quantity', and 'Purchased Quantity'. It lists item '111100004' (Mens Casual Jacket) with '1.00' in both quantity columns.

Figure 2-90: Registry Information Window


- **Registry Id** - ID for the Registry.
- **Name** - Name of the Registry.
- **Event Type** - Type of event for which the Registry was created, or indicates if the Registry is a Wish List.
- **Event Date** - Date of the event. Included only for a Gift Registry.
- **Expiration Date** - Date on which the Registry expires. Included only for a Gift Registry.
- **Comments** - Additional comments.
- **Create Date** - Date the Registry was created.
- **Create User Id** - ID of the User who created the Registry.
- **Update Date** - Most recent date on which the Registry was updated.
- **Update User Id** - ID of the User who most recently updated the Registry.
- **Published Status** - Indicates whether the Registry is publicly available.
- **Registry Image** - Image associated with the Registry.
- **Registry Attributes** - This [List](#) displays information about the Attributes assigned to the Registry. The following information is displayed for each Attribute:
 - **Name** - The name of the Attribute.
 - **Values** - The value(s) assigned to the Attribute.

- **Registry Addresses** - This [List](#) displays information about the address associated with the Registry. Included only for a Gift Registry. The following information is displayed for each address:
 - **Address Type** - The type of address.
 - **Name** - Name of the location.
 - **Address** - The address of the location.
- **Registry Owners and Contact Info** - This [List](#) displays information about the Customers who own the Registry. The following information is displayed for each Registry owner:
 - **Name** - Customer name.
 - **Nickname** - Nickname for the owner.
 - **Primary** - Indicates whether this Customer is the primary owner of the Registry.
 - **Address** - Customer address.
 - **Email** - Customer email address.
 - **Phone** - Customer phone number.
- **Registry Items** - This [List](#) displays information about the Items in the Registry. Click on an Item to view it in an [Item Details Window](#). The following information is displayed for each Item:
 - **Item Id** - ID of the Item.
 - **Description** - A description of the item.
 - **Desired Quantity** - Requested quantity.
 - **Purchased Quantity** - Quantity purchased.

More Actions Menu

The More Actions Menu is the [Actions Menu](#) for the [Registry Information Window](#). This menu has the following options:

- **Print Registry** - Open the Registry in the [Item Registry Print](#) page.
- **Visualize** - Go to the [Item Registry Visualizer](#) for the Customer.



Create a New Item Registry

To create a new Item Registry with the Customer as an owner:

1. Click the **Add New Item Registry** button.
2. Update the Item Registry.

Note: The Customer will be automatically entered as an owner in the [Wizard](#).

- Use [Wizard Navigation](#) to move through the Item Registry and make any necessary changes.
- Click **save** when you are finished making changes. The Item Registry will be saved and Customer Engagement will return to the [Item Registry](#) screen.

- Click **cancel** to discard the changes and return to the [Item Registry](#) screen.

Item Registry Visualizer

The Item Registry Visualizer displays the Items included in each Item Registry owned by the Customer.

This screen is opened by clicking **Item Registry Visualizer** in the [Customer Actions Menu](#), or by clicking **Visualize** in the [More Actions Menu](#) for the [Registry Information Window](#). The Item Registry Visualizer screen opens.




Figure 2-91: Item Registry Visualizer Screen

View Registry Items

Use the [Registry Selection Menu](#) to select a Registry. A [List](#) containing the Items in the Registry opens. The following information is displayed for each Item:




Figure 2-92: Item Registry Visualizer - Registry Selected

Item Registry Visualizer Screen

The Item Registry Visualizer screen has two formats: [List View \[DEFAULT\]](#) and [Tile View](#).

- Click **Switch to list view** to view the Item Registry in [List View](#).
- Click **Switch to tile view** to view the Item Registry in [Tile View](#). Only Items that have the View option selected are displayed.

List View

The Item Visualizer displays the following information in List View:

Customer Detail

James Madison
12345 EXAMPLE STREET
WORCESTER, MA

Customer Id 4
Create User Id tester
Update User Id tester
Phone 5085550100

Create Date 2015-12-21
Update Date 2016-03-16
Source Relate
Email jmadison@example.com

Card Detail

Test 4444555566667777
test_card 1234567890123456

Item Visualizer

Registry 532 | WSDL-TestCase6.0

Date	Item Id	Desired Quantity	Purchased Quantity	Description	View	Delete
2012-12-31	888800001	1.00	0.00	Toaster	<input type="checkbox"/>	Remove Item
2012-12-31	888800009	3.00	0.00	Meat Grinder	<input type="checkbox"/>	Remove Item

Figure 2-93: Item Registry Visualizer Screen - List View

- **Date** - Date and time the Item was added to the Registry.
- **Item Id** - ID of the Item.
- **Desired Quantity** - A [Text Field](#) containing the requested quantity of the Item, along with an [Update Item Link](#) used to [Change the Desired Quantity of an Item](#).
- **Purchased Quantity** - Number of this Item that was purchased for the Registry.
- **Description** - Description of the Item.
- **View** - A [Check Box](#) indicating whether to display an image for the Item in the [Tile View](#).
- **Delete** - Provides a [Link](#) for deleting the Item from the Registry.

Change the Desired Quantity of an Item

To change the requested quantity of an Item in a Registry:

1. Enter the new quantity in the **Desired Quantity** [Text Field](#).
2. Click the **Update Item** [Link](#).

The Desired Quantity of the Item is updated.

Note: You cannot change item quantities from the Registry while in Tile View.

Remove an Item from the Registry

Click the **Remove Item** [Link](#) for an Item to remove it from the Registry. The Item will be removed immediately—*no confirmation prompt is displayed*.

Note: You cannot delete items from the Registry while in Tile View.

Tile View

The Item Visualizer Screen displays the following information in Tile View:

Customer Detail

James Madison
12345 EXAMPLE STREET
WORCESTER, MA

Customer Id 4
Create User Id tester
Update User Id tester
Phone 5085550100

Create Date 2015-12-21
Update Date 2016-03-16
Source Relate
Email jmadison@example.com

Card Detail

Test 4444555566667777
test_card 1234567890123456

Item Visualizer

Registry 10241 | WSDL-TestCase 5.0

Switch to list view

Item ID: 111100003
Description: Mens Casual Jacket
Color: Beige

Item ID: 111100017
Description: Mens Casual Jeans
Color: Blue

Figure 2-94: Item Registry Visualizer - Tile View

- The [Customer Basics](#) area.
- Selected Items in the Item Registry Visualizer screen, with the following information for each Item:
 - Image for the Item.
 - **Item ID** - ID of the Item.
 - **Description** - Description of the Item.
 - **Color** - Color of the item.

Add an Item

To add an Item to a Registry:

1. Click the **Add Item** button in the [Item Registry Visualizer](#).
An Item Search [Window](#) opens.

Filter Type Filter Criteria Search

Cancel OK

Figure 2-95: Item Search Window

2. Enter the Item ID search criteria in the **Filter Criteria** [Text Field](#), or leave the **Filter Criteria** field empty to return a list of all Items.
3. Click the **Search** button.

A [List](#) of Items matching the search criteria is displayed.

Item Id	Description
111100012	Mens Formal Jacket White
222200012	Womens Handbag White
88433412	Friskies Cat Food

Figure 2-96: Item Search Results

4. Click an Item to select it.
5. Click the **OK** button.

An Item Quantity [Window](#) opens.

Item Id	Description	Desired Quantity
111100012	Mens Formal Jacket White	1

Figure 2-97: Item Quantity Window

6. Enter the requested quantity in the **Desired Quantity** [Text Field](#).
7. Click **Save** to add the Item to the Registry with the entered quantity.
The Item Search [Window](#) closes and the Item is added to the Registry.

Preference Centers

The Preference Centers screen displays the contact preferences for a Customers.

Access the Preference Centers screen by doing one of the following:

- Click **Preference Center** in the [Customer Actions Menu](#).
- Click the **edit Link** in the Preference Centers section of the Customer Dashboard.

The [Preference Centers Screen](#) opens.

The screenshot shows the Preference Centers screen for a customer named James Madison. The interface includes a customer profile card with contact information, a 'Preference Center' table, and a 'Card Detail' section with links to related WSDL-SoapUI-TestCase-Cust records.

Preference Center	Channels	Opt In	Frequency	Customer Authorization	Comm Last Sent Date	Updated Date/Time	Updated By
WEEKLY_SALES_FLYER	Email		WEEKLY	C:\Users\Tester\Documents\.....	2013 Jul 20 08:00:00	2013 Jul 26 08:00:00	Emily
	Mail	✓	MONTHLY				
	Phone	✓	YEARLY				

Figure 2-98: Preference Centers Screen

Preference Centers Screen

The Preference Centers screen displays the following information:

- The [Customer Basics](#) area.
- A [List](#) of Preference Centers, displaying the following information for each Preference Center:
 - **Preference Center** - Name of the Preference Center. This is displayed only for the first channel in a Preference Center.
 - **Channels** - The communication channel.
 - **Opt In** - Indicates whether the Customer has opted to be contacted through the channel. If there is a check mark (✓) in the field, the Customer will be contacted through the channel.
 - **Frequency** - The frequency at which the Customer will be contacted through the channel.
 - **Customer Authorization** - Name of the file in which the Customer authorized communication.
 - **Comm Last Sent Date** - Last date on which the Customer was sent a communication via the channel.
 - **Updated Date/Time** - Date and time the channel was last updated.
 - **Updated By** - ID of the User who last updated the channel.

Preference Center Detail Window

To open a Preference Center in a Preference Center Detail [Window](#), click the Preference Center in the [Preference Centers List](#).

The screenshot shows a window titled "Preference Center Detail". At the top, it displays "Preference Type ID: 3" and "Preference Type: WEEKLY_SALES_FLYER". Below this is a table with the following columns: Channels, Opt In, Frequency, Customer Authorization, Comm Last Sent Date, Updated Date/Time, and Updated By. The table contains three rows: Email, Mail, and Phone. The Email row has a checkbox for Opt In (unchecked), a dropdown for Frequency (WEEKLY), a text field for Customer Authorization containing "C:\Users\Tester\Docu" with a "Remove" link, a date field for Comm Last Sent Date (2013-07-20), a date/time field for Updated Date/Time (2013 Jul 25 08:00:00), and a text field for Updated By (Emily). The Mail row has a checked checkbox for Opt In, a dropdown for Frequency (MONTHLY), and a link "Attach a document". The Phone row has a checked checkbox for Opt In, a dropdown for Frequency (YEARLY), and a link "Attach a document". At the bottom right of the window are "Save" and "Delete" buttons.

Channels	Opt In	Frequency	Customer Authorization	Comm Last Sent Date	Updated Date/Time	Updated By
Email	<input type="checkbox"/>	WEEKLY	C:\Users\Tester\Docu Remove	2013-07-20	2013 Jul 25 08:00:00	Emily
Mail	<input checked="" type="checkbox"/>	MONTHLY	Attach a document			
Phone	<input checked="" type="checkbox"/>	YEARLY	Attach a document			

The Preference Center Detail [Window](#) displays the following information:

- **Preference Type ID** - ID of the Preference Center type.
- **Preference Type** - Name of the Preference Center type.
- A [List](#) of Preference Center channels, displaying the following information for each Preference Center:
 - **Channels** - The communication channel.
 - **Opt In** - A [Check Box](#) determining whether the Customer has opted to be contacted through the channel. If there is a check mark () in the field, the Customer will be contacted through the channel.
 - **Frequency** - A [Selection Menu](#) determining frequency at which the Customer will be contacted through the channel.
 - **Customer Authorization** - A [Link](#) to attach an authorization document and, if an authorization document has been uploaded, the name of the file in which the Customer authorized communication and a [Link](#) to remove the document.
 - **Comm Last Sent Date** - A [Calendar Menu](#) indicating the last date on which the Customer was sent a communication via the channel.
 - **Updated Date/Time** - Date and time the channel was last updated.
 - **Updated By** - ID of the User who last updated the channel.

Create a Preference Center

To create a Preference Center for a Customer, do the following:

1. Click the **Add Preference** button on the [Preference Centers](#) page.
2. A blank [Preference Center Detail Window](#) opens.

Channels	Opt In	Frequency	Customer Authorization	Comm Last Sent Date	Updated Date/Time	Updated By
Email	<input type="checkbox"/>	(Please select)	Attach a document			
Mail	<input type="checkbox"/>	(Please select)	Attach a document			
Phone	<input type="checkbox"/>	(Please select)	Attach a document			

Figure 2-99: Blank Preference Center Detail Window

3. Use the **Preference Type Selection Menu** to select the type of preference. *The options in this menu are determined by configuration.*

The **Frequency Selection Menu** for each channel is populated. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information about configuring Preference Types.

4. Configure the Preference Center:
 - Use the **Opt In Check Box** to define whether the Customer will be contacted through the channel. If there is a check mark () in the field, the Customer will be contacted through the channel.
 - Use the **Frequency Selection Menu** to define the frequency at which the Customer will be contacted through the channel.
 - If necessary, [Add or Update a Customer Authorization Document](#).
 - If necessary, use the **Comm Last Sent Date Calendar Menu** to change the most recent communication date for the channel.

5. Click the **Save** button.

The [Preference Center Detail Window](#) closes and the new Preference Center is added to the [Preference Centers List](#).


Delete a Preference Center

To delete an entire Preference Center for a Customer:

1. Click the Preference Center in the [Preference Centers List](#).
The Preference Center opens in a [Preference Center Detail Window](#).
2. Click the **Delete** button.
A confirmation [Window](#) opens.
3. Click **OK** to delete the Preference Center and return to the [Preference Centers List](#).
Click **Cancel** to return to the [Preference Center Detail Window](#) without deleting the Preference Center.

Edit a Preference Center

To edit a Preference Center for a Customer:

1. Open the Preference Center in a [Preference Center Detail Window](#).
2. Make the necessary changes to the Preference Center:
 - Use the **Opt In** [Check Box](#) to define whether the Customer will be contacted through the channel. If there is a check mark (☑) in the field, the Customer will be contacted through the channel.
 - Use the **Frequency** [Selection Menu](#) to define the frequency at which the Customer will be contacted through the channel.
 - If necessary, [Add or Update a Customer Authorization Document](#).
 - If necessary, [Remove a Customer Authorization Document](#).
 - Use the **Comm Last Sent Date** [Calendar Menu](#) to change the most recent communication date for the channel.
3. Click the **Save** button to save the changes and close the [Preference Center Detail Window](#), or click the  in the upper right corner to close the [Preference Center Detail Window](#) without saving.

Add or Update a Customer Authorization Document

To add or update the customer authorization document for a Preference Center channel:

1. In the [Preference Center Detail Window](#), click the [Link](#) in the Customer Authorization column (either **Attach a document**, or the name of the authorization file).

A **Choose a document file to import** [Window](#) opens.




Figure 2-100: Choose a Document File to Import Window

2. Click the **Browse...** button.
The file upload procedure depends upon the operating system and browser being used. See the appropriate documentation for assistance.
3. Once the file is selected, click the **Import** button to import the document
The [Window](#) closes and the filename is displayed in the Customer Authorization [Link](#).

Note: The Customer Authorization file is not actually saved until the Save button is clicked in the Preference Center Detail [Window](#).

Remove a Customer Authorization Document

To remove a customer authorization document for a Preference Center channel, click the **Remove Link** in the [Preference Center Detail Window](#). The file is removed from the channel.

Note: The Customer Authorization file is not actually removed until the Save button is clicked in the Preference Center Detail [Window](#).

Social Profile

The Social Profile screen displays the social profiles associated with the Customer.

Access the Social Profile screen by doing one of the following:

- Click **Social Profile** in the [Customer Actions Menu](#).
- Click the **edit Link** in the Social Profile section of the Customer Dashboard.

The [Social Profile Screen](#) opens.




Figure 2-101: Social Profile Screen

Social Profile Screen

The Social Profile screen displays the following information:

- The [Customer Basics](#) area.
- A [List](#) of Social Profiles, displaying the following information for each Social Profile:
 - **Social Media Type** - An icon indicating the social media network associated with the Social Profile.
 - **Name** - Name of the social profile.
 - **ID** - ID of the account on the social network.
 - **Profile** - Image representing the customer on the social network.
 - **Exp. Date** - Date the token associated with the network expires.

Social Profile Detail Window

To open a Social Profile in a Social Profile Detail [Window](#), click the Social Profile in the [Social Profile List](#).




Figure 2-102: Social Profile Detail Window

The Social Profile Detail [Window](#) displays the following information:

- Image associated with the account on the social network.
- **Create User Id** - ID of the User who created the Social Profile.
- **Create Date** - Date the Social Profile was created.
- **ID** - ID of the account on the social network.
- **Profile Name** - Name of the Customer on the social network.
- **Update User Id** - ID of the User who most recently updated the Social Profile.
- **Update Date** - Most recent date on which the Social Profile was updated.
- **Exp. Date** - Date the token allowing access to the social network expires.
- **Social Media Type** - The social network associated with the Social Profile.

Delete a Social Profile

To delete a Social Profile from a Customer account, do the following:

Important: You cannot recreate a Social Profile after deleting it. Only the Customer can reassociate their social network account with their Customer record.

1. Click the Social Profile in the [Social Profile List](#).
The Social Profile opens in a [Social Profile Detail Window](#).
2. Click the **Delete** button.
A confirmation [Window](#) opens.
3. Click **OK** to delete the Social Profile and return to the [Social Profile List](#).
Click **Cancel** to return to the [Social Profile Detail Window](#) without deleting the Social Profile.

Social Activity

The Social Activity Screen displays the posts by a Customer on their social media account(s). This includes all posts from all of the Customer's Social Profiles.

To access the Social Activity screen, click **Social Activity** in the [Customer Actions Menu](#).

The [Social Activity Screen](#) opens.

The screenshot shows the Social Activity Screen for a customer named James Madison. At the top, there is a customer profile card with a placeholder image, name, address (257 SAMPLE STREET, WORCESTER, MA), and contact information (Customer Id 523, Create Date 2015-11-17, Update Date 2016-01-14, Source Relate, Email jmadison@example.com). Below the profile card, there are tabs for 'Customer Detail' and 'Card Detail'. The main section is titled 'Social Activities' and includes a filter for 'Social Network' (set to 'All') and 'Activities by Activity Date' (set to 'Last 30 Days'). A 'Total Post Activity' of 3 is shown. Below the filters is a table with the following data:

Date	Social Network	Profile Name	Activity Type	Message
2013-12-04		MaryRelate	TWEET	My neighbor has my horse Crystal
2013-12-04		MaryRelate	TWEET	Love to ride my horse crystal
2013-12-04		MaryRelate	TWEET	Where's my horse crystal

Figure 2-103: Social Activity Screen

Social Activity Screen

The Social Activity screen displays the following information:

- The [Customer Basics](#) area.
- Social Activities [Filter](#) menus:
 - **Social Network** - Filters the [List](#) by the social network on which the post was made. This [Selection Menu](#) contains the names of the social networks configured for Customer Engagement. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for information about configuring social networks.
 - **Activities by Activity Date** - The time within which the post was made. This [Selection Menu](#) has the following values:
 - * **Last 30 Days** - Display the posts from within the last 30 days.
 - * **Last 60 Days** - Display the posts from within the last 60 days.
 - * **Last 120 Days** - Display the posts from within the last 120 days.
 - * **Last Year** - Display the posts from within the last year.
 - * **All** - Display all posts for the Customer.
- A [List](#) of social media posts, displaying the following information for each post:
 - **Date** - Date of the post.
 - **Social Network** - Image representing the social network on which the post was made.
 - **Profile Name** - Name of the Social Profile associated with the post.
 - **Activity Type** - Type of posting.
 - **Message** - Text of the post.

Franchisee Assignment

The Franchisee Assignment screen allows the user to view or change the Franchisees to which a Customer is assigned.

Access the Franchisee Assignment screen by doing one of the following:

- Click **Franchisee Assignment** in the [Customer Actions Menu](#).
- Click the **edit Link** in the Franchisee Assignment section of the Customer Dashboard.

The [Franchisee Assignment Screen](#) opens.

The screenshot shows the Franchisee Assignment screen for James Madison. The top section includes customer details: James Madison, 257 SAMPLE STREET, WORCESTER, MA. Customer ID is 523, Create Date is 2015-11-17, Update Date is 2016-01-14, Source is Retale, and Email is jmadison@example.com. Below this is the Franchisee Assignment section with a table of franchisees and checkboxes for selection. The table has columns for Select, Franchisee ID, Name, and Description. The first three rows are checked, indicating assignment to those franchisees.

Select	Franchisee ID	Name	Description
<input checked="" type="checkbox"/>	5208	WSDL20143-TestCase1.0-Franchisee	TestCase1.0 WSDL20143 Franchisee
<input checked="" type="checkbox"/>	5209	WSDL8611-TestCase1.0-Franchisee	TestCase1.0 WSDL8611 Franchisee
<input checked="" type="checkbox"/>	6207	WSDL60342-TestCase1.0-Franchisee	TestCase1.0 WSDL60342 Franchisee
<input type="checkbox"/>	1	<User & Org "Test", "Special">	<User & Org "Test", "Special">
<input type="checkbox"/>	1612	12113	
<input type="checkbox"/>	91	210 - Red River Mall	Red River Mall
<input type="checkbox"/>	1617	233	
<input type="checkbox"/>	589	45	
<input type="checkbox"/>	590	76	
<input type="checkbox"/>	588	81	
<input type="checkbox"/>	1615	abc23 Franchisee	
<input type="checkbox"/>	81	CrazyCatzDesigns	Designs for Cat Lovers
<input type="checkbox"/>	82	CrazyCatzShoppe	Shoppe Cat Lovers

Figure 2-104: Franchisee Assignment Screen

Franchisee Assignment Screen

The Franchisee Assignment screen displays the following information:

- The [Customer Basics](#) area.
- A [List](#) of Franchisees, displaying the following information for each Franchisee:
 - **Select** - A [Check Box](#) indicating whether the Customer is assigned to the Franchisee. If there is a check mark () in the field, the Customer is assigned to the Franchisee.
 - **Franchisee ID** - ID of the Franchisee.
 - **Name** - Name of the Franchisee.
 - **Description** - A description of the Franchisee.

Change Customer Franchisee Assignments

To change the Franchisees to which the Customer is assigned:

1. Use the **Select Check Box** for each Franchisee to determine whether the Customer is assigned to the Franchisee.
 - Click the **Check All Link** to include all Franchisees.
 - Click the **Uncheck All Link** to remove all Franchisees.
2. Click the **Save Franchisee(s)** button to save the changes.

Customer Validation

Note: The Customer Validation process is determined by configuration, including whether or not validation is performed. Refer to the *Customer Engagement Implementation Guide* for more information, or contact your Project Manager.

Whenever a new Customer is added or updated, the Customer information (first name, last name, prefix, suffix, gender, address, postal code, phone number, and email address) is validated. If any of the information provided does not meet the criteria of the Customer Engagement application, the Customer, address, phone, or email address is marked as “invalid” and a validation error is recorded. This does not affect how the information is saved or used, it just means the information did not meet the criteria.

Names

All numbers, punctuation, any repeating spaces, and special characters except (, - , \ , or) are removed from the first, middle, and last names. The first letter of each name, if applicable, is capitalized. If the middle initial is included as part of the first or last name, it is stripped out and saved into the data object.

If the first or last name is missing, the Customer is marked as invalid and the appropriate validation errors are generated.

Prefix (Salutation)

The prefix is checked to see if it matches or is very close to one of the following:

MR	Miss	MRS	MS	DR	Imam
Rev.	Sir	Sister	Father	Hon.	HRH

If the prefix does not match or is not close, the Customer is marked as invalid and a validation error is generated.

Suffix

The suffix is checked to see if it matches or is very close to one of the following:

Esq.	Sr.	Jr.	II	III
IV	V	2nd	3rd	4th

If the suffix does not match or is not close, the Customer is marked as invalid and a validation error is generated.

Gender

Any value can be entered for gender as long as the value starts with M, m, or 1 for male, or F, f, W, w, or 0 for female. If one of these values is found, the value is replaced with M or F and saved. If one of these values is not found; the original value is saved, the Customer is marked as invalid, and a validation error is generated.

Address

If all address lines are blank or there is no city or postal code, the address is marked as invalid and a validation error is generated.

Postal Code

Any non-numerical or non-alphabetic characters—except for a hyphen (-), comma (,), or period (.)—are removed from the postal code. If the results do not match 99999, 99999-9999, or A1A1A1, then the address is marked as invalid and a validation error is generated.

Email Address

The system looks for a @ symbol in the email address. If found, the system verifies that the email address is in the proper format: `accountname@sub-domain.domain`. If there is no @ symbol, the system looks for a # symbol. If one is found, it is replaced with an @ symbol and the system verifies that the email address is in the proper format. If the email address is in the wrong format, the email address is marked as invalid and a validation error is generated.

Phone

The application looks for and removes any non-numeric character except for E, e, X, x, T, or t. Any leading 1 (one) characters are removed. If the phone number starts with a 0, the phone number is marked as invalid and a validation error is generated.

The extension, if any, is identified, removed, and saved in the extension field.

Overview

The Clienteling module in Customer Engagement allows Users to search for sets of Customers that meet certain, specified criteria.

Important: The “Relate_ClientelingCustomerSearch” role is required to access this area of Customer Engagement and perform the functions available in it. See the *Customer Engagement Implementation Guide* for more information about Roles.

About This Chapter

This chapter contains the following information:

- [“Clienteling Customer Lookup/Edit” on page 2](#) describes the page used to search for Customers, as well as the search procedure. Options include:
 - [“Clienteling Search” on page 2](#)
- [“Clienteling Customer List” on page 4](#) describes the page showing a list of Customers found by a Clienteling Customer search. Options include:
 - [“Actions Menu” on page 5](#)
 - [Open a Customer Record” on page 5](#)

Clienteling Customer Lookup/Edit

Open the Clienteling Customer Lookup/Edit page by clicking the **Customer->Clienteling Customer Lookup/Edit** menu option, or by clicking the **Clienteling Customer Lookup/Edit** [Link](#) on the [Main Page](#)

Figure 3-1: Clienteling Customer Lookup/Edit Page

Use the Clienteling Customer Lookup/Edit page to perform a [Clienteling Search](#).

Clienteling Search

A Clienteling search is a search for a set of Customers that meet certain, specified criteria.

Note: This is different from a [Customer Lookup](#), which uses Customer profile information to help a User look up a specific Customer.

To perform a Clienteling search, do the following:

1. Open the [Clienteling Customer Lookup/Edit](#) page.
2. In the STEP 1 section, use the [Selection Menu](#) to filter the Segments contained in the **Segment Id** [Selection Menu](#).

Tip: It is not required to select a value in all (or any) of the three following menus. However, it is recommended that you narrow down the **Segment Id** [Selection Menu](#) as much as possible by selecting values in all three of the following menus.

- a. Select an **Attribute Group** in the [Selection Menu](#).

After selecting an Attribute Group:

- * The **Segment Id** [Selection Menu](#) only displays the Segments assigned the selected Attribute Group. Also, a Segment is displayed only if the Publish to Clienteling flag was selected.
- * The **Attribute Code** [Selection Menu](#) is activated and populated with the Attributes in the selected Attribute Group.

- b. Select an **Attribute Code** in the [Selection Menu](#). *This [Selection Menu](#) is only activated after an **Attribute Group** has been selected (see above).*

After selecting an Attribute Code:

- * The **Segment Id [Selection Menu](#)** only displays the Segments assigned the selected Attribute Group and Attribute.
 - * The **Attribute Value [Selection Menu](#)** is activated and populated with the values that have been assigned to the Attribute.
- c. Select an **Attribute Value** for selected Attribute (see step b) in the [Selection Menu](#). *This [Selection Menu](#) is only activated after an **Attribute Group** and an **Attribute Code** have been selected (see above).*

After selecting an Attribute Value, the **Segment Id [Selection Menu](#)** only displays the Segments assigned the selected Attribute Group, Attribute, and Attribute Value.

3. Select a **Segment Id** in the [Selection Menu](#) in the STEP 1 section.

4. If necessary, enter STEP 2 search criteria:

- **Associate Id** - ID of the Associate assigned to the Customer(s). Uses a [Selection Menu](#).
- **Role Id** - Role for an Associate assigned to the Customer(s). Uses a [Selection Menu](#).

This [Selection Menu](#) is populated with the Roles to which the User is assigned.

Note: If the User is not associated with any Role, or if the User is assigned to only one Role, this [Selection Menu](#) will be inactive.

- **City** - Customer city. Uses a [Text Field](#) with a [Matching Rule Menu](#).
- **State** - Customer state. Uses a [Text Field](#) with a [Matching Rule Menu](#).
- **Postal Code** - Customer Postal or ZIP code. Uses a [Text Field](#) with a [Matching Rule Menu](#).
- **LT Sales** - Total amount of lifetime sales for the Customer(s). Uses a [Text Field](#) with a [Numeric Comparison Menu](#).
- **Purchase In Last X Days** - Range of recent days in which the Customer(s) made a purchase. Uses a [Selection Menu](#).
- **Not Contacted In the Last X Days** - Range of recent days during which the Customer(s) have not been contacted. Uses a [Selection Menu](#).
- **Manager Override - Bypass location assignment filters** - Select this [Check Box](#) to search for Customers associated with at least one Transaction in which the User's Location is not the Customer's home location, and the Customer is associated with a Transaction at the User's Location.
- **Primary Associate Role** - Select to search for Customers associated with an Associate with the primary Associate Role.

Note: If the User is not associated with any Role, or if the User is assigned to only one Role, this [Selection Menu](#) will be inactive.

Clienteling Customer List

- Click the **Search** button in STEP 3.

The search results are displayed in a [Clienteling Customer List](#).

Clienteling Customer List

After performing a [Clienteling Search](#), the Customers found by the search are displayed in a Clienteling Customer [List](#) page.



Figure 3-2: Clienteling Customer List


Table 3-1: Clienteling Customer List Page Key

Item	Description
1	Search Criteria - Displays the search criteria used for the search results displayed in the List .
2	Search Button - Click to return to the Clienteling Customer Lookup/Edit page and perform another search.
3	Actions Menu - Click to open a menu of actions that can be performed in the Clienteling Customer List page. See Actions Menu for more information.
4	Page Navigation - Page Navigation for the List .
5	Customer List - A List of Customers matching the search criteria. This List includes the following information for each Customer: <ul style="list-style-type: none">Customer Id - Unique identifier for the Customer.First Name - Customer's first name.Last Name - Customer's last name.Address - Street address for the Customer.City - Customer's city.State - State or province for the Customer.

Actions Menu

The [Actions Menu](#) for the Clienteling Customer [List](#) page includes the following option:

- **Print Report** - Create a printable Customer Clienteling Report List of the Customers in the [Clienteling Customer List](#). This report displays a list of Customers grouped by the Associate to whom they are assigned through Clienteling. For more information about Reports, see [page 1 in Chapter 21, "Analytics/Reports"](#).
- **Add Customer** - Create a new Customer. See [Create a Customer](#).



Open a Customer Record

To open a Customer Record in the Clienteling Customer [List](#), click the Customer in the [List](#). The Customer record is opened in a [Customer Summary Window](#).

Customer Merge Review

Overview

The Customer Merge Review Process allows you to search for and view duplicates prior to approving a merge.

Merge Description

Customer Merges combine multiple Customer records into one, new Customer record. This new Customer record includes the Transaction, Card, and Account information from all the merged Customer records. Other Customer data—addresses, email addresses, phone numbers, and so on—are taken from a single source record determined by Customer Engagement.

About this Chapter

This chapter includes the following information:

- [“Customer Merge Review” on page 2](#) - This section describes the Customer Merge Review page and the activities performed through it. Options include:
 - [“Actions Menu” on page 2](#)
 - [“View Duplicates” on page 2](#)
 - [“View Duplicate Differences” on page 4](#)
 - [“Approve Duplicates” on page 4](#)
 - [“Disallow Duplicate Merges” on page 5](#)
 - [“Delete Duplicates” on page 5](#)

Customer Merge Review

To open the Customer Merge Review page, use the **Customer->Customer Merge Review** menu option, or by clicking the **Customer Merge Review** [Link](#) on the [Main Page](#).



Figure 4-1: Customer Merge Review


The Customer Merge Review page includes the following fields:

- **Duplicate Strategy** - This [Selection Menu](#) is used to select the Duplicate Strategy results to review.
- **Strategy Status** - This field displays the Strategy Status of the duplicates to be displayed.

Actions Menu

The [Actions Menu](#) for the Customer Merge Review page has the following options:

- **Approve** - Indicates to the system that the duplicates found by the currently selected Strategy should be merged. See [“Approve Duplicates” on page 4](#) for more information.
- **Clear** - Indicates to the system that the duplicates found by the currently selected Strategy should not be merged. See [“Disallow Duplicate Merges” on page 5](#) for more information.
- **Delete** - Delete all of the found duplicates from the currently selected Strategy. [“Delete Duplicates” on page 5](#) for more information.



View Duplicates

To review the duplicates found by the last [Duplicate Search](#):

1. In the **Duplicate Strategy** [Selection Menu](#), select the Strategy of the search to view.

A **Number of customers per set=set count** [Selection Menu](#) is displayed.



Figure 4-2: Search Strategy Selected

2. Select the **Number of customers per set=set count** duplicate sets.

This menu displays the following information:

- **Number of customers per set** - The number of Customers found as possible matches by the [Duplicate Search](#).
- **set count** - The number of duplicates found.

Once a selection is made, a [List](#) of duplicates is displayed.

Customer Merge Review						
Duplicate Strategy		Name Address				
Strategy Status		Unapproved				
Number of customers per set=set count		2=31				
Dupe Set Seq	First Name	Last Name	Address Line 1	City	State	Postal Code
1	Aditi	Prakash	7135 WITCH HAZEL LN	SOLOON	OH	44139-5082
2	Adriane	Jenkins	9600 1ST AVE	NORTH BERGEN	MD	07047-5124
3	Amanda	Porter	3995 HANOVER STREET	GARDEN CITY	NY	11530
4	Anthony	Porter	3232 KELLEY ROAD	GULFPORT	MS	39507
5	April	Miles	7912 ROYAL LN	DALLAS	TX	75230-3732
6	Barry	Pal	4791 DEREK DRIVE	TWINSBURG	OH	44087
7	Bernadine	Horton	329 PASSAIC STREET	WASHINGTON	DC	20005
8	Charles	Smithson	1826 MASONIC HILL ROAD	LITTLE ROCK	AR	72201

Figure 4-3: Duplicate List


The duplicate [List](#) displays the following information for each duplicate:

Note: The Address information displayed is from the source record.

- **Dupe Set Seq** - The order in which the duplicate was found during the duplicate search.
- **First Name** - First Name of the Customer.
- **Last Name** - Last Name of the Customer.
- **Address Line 1** - Line 1 of the Customer's primary street address.
- **City** - City of the Customer's primary address.
- **State** - State or province of the Customer's primary address.
- **Postal Code** - Postal Code or ZIP Code of the Customer's primary address.

View Duplicate Differences

To view the differences between duplicate Customer records, click the duplicate in the duplicate [List](#). A Duplicate Set Customer Differences [Window](#) opens.



Cust ID	Primary Addr Line 4	Primary Addr Line 3	Primary Addr Line 2	Middle Name	Prefix	Active Email Count
125787					Ms.	1
355573	null	null	null	null	MS	0
355574	null	null	null	null	MS	0

Figure 4-4: Duplicate Set Customer Differences Window

This [Window](#) displays the Customer ID for each Customer record in the duplicate, as well as each field and value in each Customer record that differs between the Customer records in the duplicate.

Approve Duplicates

To indicate that the duplicates found by the selected Duplication Strategy should be merged:

1. Select **APPROVE** from the Customer Merge Review [Actions Menu](#).

A confirmation window opens.




Figure 4-5: Confirmation Window

2. Click **OK** to approve the duplicates for merge.

The duplicates found by the currently selected Duplicate Strategy are approved for merge. The duplicates will be merged during the next run of the [Duplicate Merge](#) job.

Disallow Duplicate Merges

To indicate that the duplicates found by the selected Strategy should NOT be merged:

1. Select **Clear** from the Customer Merge Review [Actions Menu](#).

A confirmation window opens.




Figure 4-6: Confirmation Window

2. Click **OK** to disallow merging for the duplicates.

The duplicates found by the currently selected Duplicate Strategy will not be merged during the next run of the [Duplicate Merge](#) job.

Delete Duplicates

To empty the [List](#) of duplicates found by the selected Strategy:

1. Select **Delete** from the Customer Merge Review [Actions Menu](#).

A confirmation window opens.




Figure 4-7: Confirmation Window

2. Click **OK** to empty the [List](#) of duplicates for the selected Duplicates Strategy.

The duplicates previously found by the currently selected Duplicate Strategy will be deleted from the system. These duplicates must be found again by another [Duplicate Search](#) job before they can be reviewed and approved for merge.

Customer Item Registry

Overview

The Customer Item Registry allows you to set up:

- **Gift Registry:** Select items that the recipient would like to receive—usually for some special event, such as a wedding or baby shower.
- **Wish List:** Select items that the recipient would like to receive, without identifying a special event as with a Gift Registry.

Customers can then access the item registry and purchase registry items for the recipient. The Item Registry tracks the items that have been purchased for the recipient, and which desired items are still available.

About This Chapter

This chapter contains the following information:

- [“Customer Item Registry” on page 2](#) describes the Customer Item Registry page.
- [“Customer Item Registry List” on page 4](#) describes the [List](#) of Customer Item Registries returned by a [Item Registry Lookup](#).
- [“Registry Information Window” on page 5](#) describes the information and actions available in the Registry Information [Window](#).
- [“Item Registry Print” on page 8](#) provides information about the Item Registry Print page.
- [“Create a Customer Item Registry” on page 10](#) provides the procedure for creating a Customer Gift Registry.
- [“Edit a Customer Item Registry” on page 7](#) describes how to update an existing Customer Gift Registry.

Customer Item Registry

Use the Customer Item Registry page to locate and update an Item Registry.

Item Registry Lookup

To look up an Item Registry in Customer Engagement:

1. Use the **Customer->Customer Item Registry** menu option, or select the **Customer Item Registry Link** on the [Main Page](#) to open the [Customer Item Registry](#) page.

The Customer Item Registry lookup page opens.

The screenshot shows a web application interface for searching Customer Item Registries. At the top, there's a header 'Customer Item Registry' with a close icon. Below it, a search bar contains 'Search' and 'Actions' buttons. The main content area is titled 'Search Customer Item Registry'. It includes several search criteria: 'Registry Name' (with a dropdown set to 'Equals' and an input field), 'Registry Type' (dropdown set to 'All'), 'Event Type' (dropdown set to 'All'), 'Registry Status' (dropdown set to 'All Registries'), 'Event Date' (input field), and 'Registry Id' (input field). There is also a 'To' field next to the Registry Status dropdown. Below these is a 'Registry Owner' section with fields for 'First Name', 'Last Name', 'Email', 'Phone', 'Customer Id', and 'Card Number', each with a dropdown set to 'Equals' and an input field. A 'Search' button is located at the bottom of the form.

Figure 5-1: Customer Item Registry Lookup Page

2. Enter the search information for the Item Registry:

Note: To retrieve all the active Item Registries in the system, select **Search** without entering any search criteria.

To clear the search fields and restore default selections in the search page, click **Clear Search** in the [Actions Menu](#).

- **Search Customer Item Registry** - This section contains fields used to search for properties of the Item Registries themselves.
 - * **Registry Name** - Name of the Registry (uses a [Text Field](#) with a [Matching Rule Menu](#)).
 - * **Registry Type** - Select either Gift Registry or Wish List.
 - * **Event Type** - Type of event for which the Registry was created (uses a [Text Field](#) with a [Matching Rule Menu](#)). You should not select an Event Type when searching for a Wish List, because a Wish List is not associated with an event.
 - * **Registry Status** - A [Selection Menu](#) for the current status of the Registry. You can select All Registries, All Active Registries, or All Past Registries. If you select All Past Registries, you can select a date in the To field in order to display only Gift Registries whose Event Dates were on or earlier than the selected date.

- * **Event Date** - Either the date on which the event occurs (uses a [Calendar Menu](#)).
 - * **Registry Id** - ID of the Registry (uses a [Text Field](#)).
 - **Registry Owner** - This section contains fields used to search for Item Registries through the Customer who owns the Registry.
 - * **First Name** - First name of the Registry owner (uses a [Text Field](#) with a [Matching Rule Menu](#)).
 - * **Last Name** - Last name of the Registry owner (uses a [Text Field](#) with a [Matching Rule Menu](#)).
 - * **Email** - Registry owner's email address (uses a [Text Field](#) with a [Matching Rule Menu](#)).
 - * **Phone** - Registry owner's phone number (uses a [Text Field](#) with a [Matching Rule Menu](#)).
 - * **Customer Id** - ID of the Customer who owns the Registry (uses a [Text Field](#)).
 - * **Card Number** - Number for a Card associated with the Customer (uses a [Text Field](#)).
3. Click the **Search** button.

Customer Engagement displays a [List](#) of Registries matching the entered search criteria.

Customer Item Registry

Search Criteria =
Last Name Equals [Roosevelt]

Search Results
Registry Status : All Registries

Displaying: 1-2 of 2

1 of 1 Pages

Go To Page: Items per page: 50


Registry Id	Registry Type	Registry Name	Event Type	Event Date	Venue Name	First Name	Last Name
521	Gift Registry	ERShower	BABY_SHOWER	2017-10-11		Eleanor	Roosevelt
520	Wish List	ERWishList	Wish List			Eleanor	Roosevelt

Figure 5-2: Customer Item Registry Search Results

Actions Menu

The [Actions Menu](#) for the Customer Item Registry search page provides the following options:

- **Clear Search** - Clear the search fields and restore defaults.
- **Add New Item Registry** - [Create a Customer Item Registry](#) using the Customer Item Registry [Wizard](#).



Customer Item Registry List

The Customer [List](#) is accessed through the [Item Registry Lookup](#) process.




Figure 5-3: Customer Item Registry List


Table 5-1: Customer Item Registry List Page Key

Item	Description
1	Search Criteria - Displays the search criteria used for the search results displayed in the List .
2	Search Button - Click to return to the Customer Item Registry page and perform another search.
3	Actions Menu - Click to open a menu of actions that can be performed in the Customer Item Registry List page. See "Actions Menu" on page 5 for more information.
4	Filter Menu - Select criteria in the Selection Menu to view a subset of the Item Registries in the List based on status.
5	Page Navigation - Page Navigation for the List .
6	Customer Item Registry List - A List of Customer Item Registries currently in the system. The List displays a limited number of Customer Item Registries; use the Filter Menus to narrow down the List and locate a certain Registry. This List includes the following information for each Customer Item Registry: <ul style="list-style-type: none"> • Registry Id - Unique identifier for the Customer Item Registry. • Registry Type - Either Gift Registry or Wish List. • Registry Name - Name of the Registry. • Event Type - Type of event for which the Registry was created. Included only for a Gift Registry. • Event Date - Date of the event for a Gift Registry. • Venue Name - Name of the location where the event takes place. • First Name - First name of the Customer who owns the Registry. • Last Name - Last name of the Customer who owns the Registry.

Actions Menu

The [Actions Menu](#) for the Customer Gift Registry [List](#) page provides the following options:

- **Add New Gift Registry** - [Create a Customer Item Registry](#) using the Customer Gift Registry [Wizard](#).



Open a Customer Item Registry

To open a Customer Item Registry, click the Registry in the Customer Item Registry [List](#). The Registry will open in a [Registry Information Window](#).

Registry Information Window

The Registry Information [Window](#) displays the following information:

A screenshot of the 'Registry Information Window' in a web application. The window has a dark grey border and a white background. At the top right, there are three buttons: 'Edit', 'Customer', and 'Print Registry'. Below these is a section titled 'Registry Information' with key-value pairs for Registry Id, Name, Event Type, Event Date, Expiration Date, Create Date, Create User Id, Update Date, Update User Id, and Published Status. To the right of this section is a placeholder for a 'Registry Image' with the text 'Error loading image'. Below this is a table for 'Registry Attributes' with columns 'Name' and 'Values'. Underneath is a table for 'Registry Addresses' with columns 'Address Type', 'Name', and 'Address'. At the bottom is a section for 'Registry Owners and Contact Info' with a table header including Name, Nickname, Primary, Address, Email, and Phone.

Figure 5-4: Registry Information Window

- **Registry Id** - ID of the Registry.
- **Name** - Name of the Registry.
- **Event Type** - Type of event for which the Registry was created, or indicates if the Registry is a Wish List.
- **Event Date** - Date of the event. Included only for a Gift Registry.
- **Expiration Date** - Date on which the Registry expires. Included only for a Gift Registry.
- **Comments** - Additional comments.
- **Create Date** - Date the Registry was created.

Registry Information Window

- **Create User Id** - ID of the User who created the Registry.
- **Update Date** - Most recent date on which the Registry was updated.
- **Update User Id** - ID of the User who most recently updated the Registry.
- **Published Status** - Indicates whether the Registry is publicly available.
- **Registry Image** - Image associated with the Registry.
- **Registry Attributes** - This [List](#) displays information about the Attributes assigned to the Registry. The following information is displayed for each Attribute:
 - **Name** - The name of the Attribute.
 - **Values** - The value(s) assigned to the Attribute.
- **Registry Addresses** - This [List](#) displays information about the address associated with the Registry. Included only for a Gift Registry. The following information is displayed for each address:
 - **Address Type** - The type of address.
 - **Name** - Name of the location.
 - **Address** - The address of the location.
- **Registry Owners and Contact Info** - This [List](#) displays information about the Customers who own the Registry. The following information is displayed for each Registry owner:
 - **Name** - Customer name.
 - **Nickname** - Nickname for the owner.
 - **Primary** - Indicates whether this Customer is the primary owner of the Registry.
 - **Address** - Customer address.
 - **Email** - Customer email address.
 - **Phone** - Customer phone number.
- **Registry Items** - This [List](#) displays information about the Items in the Registry. Click on an Item to view it in an [Item Details Window](#). The following information is displayed for each Item:
 - **Item Id** - ID of the Item.
 - **Description** - A description of the item.
 - **Desired Quantity** - Requested quantity.
 - **Purchased Quantity** - Quantity purchased.

Open Registry in a Customer Record

To open a Registry in the Customer record for the primary owner, click the **Customer** button in the upper-right corner of the [Registry Information Window](#). The Registry opens in the [Item Registry Visualizer](#).

Edit a Customer Item Registry

To edit an Item Registry:

Tip: To make changes to the Items in an Item Registry, it may be easier to make changes through the [Item Registry Visualizer](#) for the primary owner's Customer record. See ["Open Registry in a Customer Record" on page 6](#) for instructions on opening the [Item Registry Visualizer](#).

The following procedures are available in the [Item Registry Visualizer](#):

- ["Add an Item" on page 80](#)
 - ["Change the Desired Quantity of an Item" on page 79](#)
 - ["Remove an Item from the Registry" on page 79](#)
-
-

1. Click the **Edit** button in the [Registry Information Window](#).

The Item Registry opens in a [Create a Customer Item Registry Wizard](#).


2. Update the Item Registry.
 - Use [Wizard Navigation](#) to move through the Item Registry.
 - Make any necessary changes.
 - Click **save** when you are finished making changes. The Item Registry will be saved and you will return to the [Customer Item Registry List](#).
 - Click **cancel** to discard the changes, cancel the operation, and return to the [Customer Item Registry List](#).

Open a Registry for Printing

To open an Item Registry for printing, click the **Print Registry** button in the [Registry Information Window](#). The Item Registry opens in the [Item Registry Print](#) page.

Item Registry Print

The Item Registry Print page displays Registry information suitable for a printout that can be given to a Customer. The Customer can then use the printout to locate Items on the Registry. This page displays the following information:



The screenshot shows a web application interface for printing a gift registry. It includes a 'Print' button in the top right corner. The page is divided into three main sections: General, Registry Items, and Registry Owners.

General

Registry Id: 5	Comments: test
Registry Name: Test Registry	Expiration Date: 2016-03-31 23:59:00
Event Date: 2016-03-31 12:00:00	Event Type: BIRTHDAY

Registry Items

			Item Count : 1
Item Id	Description	Desired Quantity	Purchased Quantity
111100068	Mens Casual Jacket - CLEARANCE	1.00	0.00

Registry Owners

				Owner Count : 1
Customer Id	First Name	Last Name	Primary	
523	James	Madison	Yes	

Figure 5-5: Item Registry Print

- **General** - General information about the Registry. This section displays the following information:
 - **Registry Id** - ID of the Registry.
 - **Registry Name** - Name of the Registry.
 - **Event Date** - Date on which the event occurs. Included only for a Gift Registry.
 - **Comments** - Comments about the Registry.
 - **Expiration Date** - Date on which the Registry expires.
 - **Event Type** - Type of event, or indicates if the Registry is a Wish List.
- **Registry Items** - This [List](#) displays the Items that are entered into the Registry. This [List](#) displays the following information for each Item:
 - **Item Id** - ID of the Item.
 - **Description** - Description of the Item.
 - **Desired Quantity** - Requested quantity of the Item.
 - **Purchased Quantity** - Quantity of the Item that has been purchased so far.
- **Registry Owners** - This [List](#) displays information about the Customers who own the Registry. This [List](#) displays the following information for each owner:
 - **Customer Id** - ID of the Customer.
 - **First Name** - Customer first name.
 - **Last Name** - Customer last name.
 - **Primary** - A value of Yes indicates the primary Registry owner.

Print an Item Registry

To print an Item Registry:

1. [Open a Customer Item Registry](#) in a [Registry Information Window](#).
2. In the [Registry Information Window](#), click the **Print Registry** button.
The Registry opens in the [Item Registry Print](#) page.
3. Click the **Print** button in the top-right corner of the [Item Registry Print](#) page.
After you click the **Print** button, the printing procedure will follow the rules specific to your browser and/or operating system. See the appropriate documentation for more information.

Create a Customer Item Registry

To create a Customer Item Registry:

1. From the [Customer Item Registry List Actions Menu](#), select **Add New Item Registry**. The Item Registry [Wizard](#) opens.
2. In the Registry Type step, select either Gift Registry or Wish List. A Gift Registry is tied to an event, while a Wish List is open-ended.




Figure 5-6: Item Gift Registry Wizard - Registry Type Step

3. Click **next** to continue with the next step. The Registry Information step opens.



Figure 5-7: Registry Information Step

4. In the Registry Name step, enter the basic information for the Registry:
 - **Name** - Name of the Registry.
 - **Event Date** - Use the [Calendar Menu](#) and [Time Menus](#) to select the date and time when the event is taking place. Required for a Gift Registry. Not included for a Wish List.
 - **Event Type** - Use this [Selection Menu](#) to select the type of event. Required for a Gift Registry. Not included for a Wish List.

- **Expiration Date** - Use the [Calendar Menu](#) and [Time Menus](#) to select the date and time when the Registry expires. Required for a Gift Registry. Not included for a Wish List.
 - **Comments** - Additional comments for the Registry.
5. If necessary, add or update an image for a Gift Registry. This option is not available for a Wish List. To add or update an image:
- a. Click the **Update Registry Image** [Link](#).
The Update Image [Window](#) opens.





Figure 5-8: Update Image Window

- b. Enter the URL for the image in the **Link Address** [Text Field](#).
- c. Click the **Test Image** button to test the URL and the image.
- d. If the image imports correctly, click the **Done** button to import the image into the Registry. The image is displayed in the Registry Image section.

To exit without importing an image, click the X () in the top-right corner.



6. Click **next** to continue with the next step.
The Registry Attributes step opens.



Figure 5-9: Registry Attributes Step

7. Use the **Attribute Group** [Selection Menu](#) to select the Attribute Group to use for the Registry.

Create a Customer Item Registry

The Attributes for the selected Attribute Group are displayed.




Figure 5-10: Registry Attributes Step - Attribute Group Selected

8. Select or enter the configuration values for each of the **Required** Attributes.
9. Configure any necessary **Optional** Attribute(s):
 - To Add an Attribute:
 - 1) Click the **Add** button for the Attribute.
A configuration field opens.
 - 2) Select or enter the configuration value for the Attribute.
 - To delete an Attribute, click the **Delete** button for the Attribute.
The Attribute is deleted.
10. Click **next** to continue with the next step.

The Registry Addresses step opens for a Gift Registry. Not included for a Wish List.




Figure 5-11: Registry Addresses Step

11. Select the [Check Box](#) for each type of address to add to the Gift Registry.

12. Address fields open for each address type selected.

The screenshot shows a form titled "Registry Addresses" with three columns of address types. Each type has a set of input fields for Name, Address Line 1-4, Apartment, City, State, Postal Code, County, and Country.

- Venue** (checked): Address for the event venue
- Before Event Shipping Address** (unchecked): Shipping Address
- After Event Shipping Address** (checked): Shipping address after the event date

Figure 5-12: Registry Address Fields Opened

13. Enter the address information for each address:

- **Name** - Name of the location.
- **Address Line 1** - Line 1 of the address.
- **Address Line 2** - Line 2 of the address.
- **Address Line 3** - Line 3 of the address.
- **Address Line 4** - Line 4 of the address.
- **Apartment** - Address apartment.
- **City** - Address city.
- **State** - Address state/province.
- **Postal Code** - Postal/ZIP code for the address.
- **County** - Address county.
- **Country** - Address country.

14. Click **next** to continue with the next step.

The Registry Owners step opens.

The screenshot shows the "Registry Owners" step in the Oracle Retail Customer Engagement Cloud Services user interface. It includes a breadcrumb trail, navigation buttons, a message to assign at least 1 registry owner, and a table header for the Registry Owners table.

Registry Owners

Please assign at least 1 registry owner before proceeding to the next step

Customer Id	First Name	Last Name	Nickname	Primary
-------------	------------	-----------	----------	---------

Figure 5-13: Registry Owners Step

Create a Customer Item Registry

Use the following procedure to add a Customer as a Registry owner:

Note: If you opened the [Wizard](#) through a Customer's [Item Registry](#) screen, the Customer will be entered as an owner.

- a. Click the **Add Link**.
A [Search Customer Window](#) opens.





Figure 5-14: Search Customer Window

- b. Use the [Search Customer Window](#) to enter search information, then click the **Search** button to search for Customers matching the search criteria.
A [List](#) of search results is displayed.



Customer Id	First Name	Last Name	City	State	Home Location
523	James	Madison	WORCESTER	MA	
539	John	Marshall	BOSTON	MA	

Figure 5-15: Customer Search Results

- c. Click the Customer to add as an owner.
- d. Click the **OK** button.
- e. The [Window](#) closes and the Customer is added to the [List](#) of Registry owners.



Customer Id	First Name	Last Name	Nickname	Primary
523	James	Madison	<input type="text"/>	<input checked="" type="radio"/>

Figure 5-16: Registry Owner Added

- f. Optionally, enter a Nickname for the owner(s).
- g. To add another Customer, repeat steps a-f.
15. If more than one owner was added to the Registry, use the **Primary Radio Buttons** to select the primary owner of the Registry.
16. If necessary, delete an owner by selecting the owner to delete, then selecting the **Delete** button.

The owner is deleted from the Registry.

17. Click **next** to continue with the next step.

The Contact Information step opens.

The screenshot shows the 'Contact Information' step of the registry creation process. The navigation bar at the top has three tabs: 'Registry Owners', 'Contact Information' (which is highlighted in blue), and 'Registry Items'. Below the navigation bar are navigation buttons: 'previous', 'save', 'cancel', and 'next'. The main content area is titled 'Contact Information' and lists two owners: James Madison and John Marshall. Each owner has a 'Clear contact information' link. The form for James Madison includes the following fields: Address Line 1 (257 SAMPLE STREET), Address Line 2, Address Line 3, Address Line 4, Apartment, City (WORCESTER), State (MA), Postal Code (01602), County, Country (US), Email (jmadison@example.com), Phone Number (5085550100), and Extension. The form for John Marshall includes: Address Line 1 (1234 SAMPLE AVENUE), Address Line 2, Address Line 3, Address Line 4, Apartment, City (BOSTON), State (MA), Postal Code (02135), County, Country (US), Email, Phone Number, and Extension.

The contact information for each owner is automatically populated with the primary address, email, and telephone number in the owner's Customer record.

18. If necessary, make changes to the owner contact information.

To clear all the fields for an owner, click the **Clear contact information** [Link](#).

Note: If the address, email, or phone is changed here, a new address, email, or phone is added to the Customer record with a Type of GIFTREGISTRYSAMPLE, where SAMPLE is the Registry ID.

19. Click **next** to continue with the next step.

The Registry Items step opens.

The screenshot shows the 'Registry Items' step of the registry creation process. The navigation bar at the top has four tabs: 'Registry Owners', 'Contact Information', 'Registry Items' (which is highlighted in blue), and 'Options After Save'. Below the navigation bar are navigation buttons: 'previous', 'save', 'cancel', and 'next'. The main content area is titled 'Registry Items' and features an 'Add' link. Below the 'Add' link is a table with the following columns: Date, Item Id, Desired Quantity, Purchased Quantity, and Description.

Figure 5-17: Registry Items Step

20. To add an item to the Registry:

a. Click the **Add** [Link](#).

Create a Customer Item Registry

- b. The Item Entry [Window](#) opens.




Figure 5-18: Item Entry Window

Enter all or part of the Item ID in the **Filter Criteria** field, or leave the field blank to retrieve all the Items in the system.

- c. Click the **Search** button.

A [List](#) of Items matching the entered search criteria is displayed.




Figure 5-19: Item Search Results

- d. Click to select the Item to add to the Registry.
e. Click the **OK** button.
f. The Item Entry [Window](#) closes and the Item is added to the Registry.

Date	Item Id	Desired Quantity	Purchased Quantity	Description
2012 Aug 15 16:47:21	410000030899	1.00	0.00	300 thread count sheet set

Figure 5-20: Item Added

- g. If necessary, update the **Desired Quantity** of the Item.
h. Repeat steps a-g for each Item to add to the Registry.
21. Click **next** to continue with the next step.

The Options After Save step opens.




Figure 5-21: Options After Save Step

22. To publish the Registry immediately upon saving, click to enter a check mark () in the **Publish Check Box**, or leave the **Check Box** empty () to keep the Registry unpublished until later.
23. Click **next** to continue with the next step.
The Review step opens.
24. Review the entered information to ensure that it is correct.
 - Click **save** to save the Gift Registry with the current settings and return to the [Customer Item Registry List](#).
 - Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
 - Click **cancel** to discard the changes and return to the [Customer Item Registry List](#).

Overview

Customer Segments organize Customers into groups related by certain, specified criteria. These Segments can be used to define the [Segment/Target Eligibility](#) rules used by various Customer Engagement elements.

There are three types of Customer Segments:

- **Unstratified** - Segments in which Customers belonging to the segment are not subdivided into different groups; i.e. the Customers within the Segment are not differentiated into subgroups by the Segment. These Segments are described in [“Unstratified Segments” on page 3](#).
- **Stratified** - Segments in which the Customers belonging to the segment are divided into stratified subgroups (or levels) determined by certain criteria, such as year-to-date total purchases, Customer age, annual income, or some other criteria. These Segments are described in [“Stratified Segments” on page 17](#).
- **Manual** - Segments created by selecting Customers one-by-one. Associates can use Manual Segments to create “Favorite Customer” lists. These Segments are described in [“Manual Segments” on page 35](#).

About this Chapter

This chapter includes the following information:

- [“Unstratified Segments” on page 3](#) - This section describes segments in which the Customers are not subdivided into different groups. Options include:
 - [“Unstratified Segment List” on page 3](#)
 - [“Unstratified Segment Window” on page 5](#)
 - [“Create Unstratified Segment” on page 9](#)
- [“Stratified Segments” on page 17](#) - This section describes segments in which the Customers are divided into subgroups based on certain criteria. Options include:
 - [“Stratified Segment List” on page 17](#)
 - [“Stratified Segment Window” on page 19](#)
 - [“Create Stratified Segment” on page 23](#)
- [“Manual Segments” on page 35](#) - This section describes segments created by manually selecting Customers. Options include:
 - [“Manual Segment List” on page 35](#)
 - [“Manual Segment Window” on page 37](#)

Overview

- [“Create Manual Segment” on page 39](#)
- [“Edit Manual Segment” on page 42](#)
- [“View Customer List” on page 42](#)
- [“Delete Manual Segment” on page 44](#)

Unstratified Segments

Unstratified Segments define groups of Customers. The Customers within an Unstratified Segment are not differentiated into separate groups.

Unstratified Segment List

The Unstratified Segment [List](#) page is opened using the **Segment->Unstratified Segment** menu option, or by clicking the **Unstratified Segment** [Link](#) on the [Main Page](#).

ID	Name	Description	Times Run	Customer Count	Save as List	Trend Results?	Last Run
2719	test 1982	test 1982	0	0	Yes	No	
2678	test 1982	test 1982	2	8744	Yes	No	2016 Apr 25 11:24:18
1634	WSDL-TestCase-JSTaskGenerator	WSDL-TestCase-JSTaskGenerator	1	10	Yes	No	2015 Nov 9 11:51:12
1632	test 1982	test 1982	2	4529	Yes	No	2015 Dec 4 13:49:04

Figure 6-1: Unstratified Segment List

Table 6-1: Unstratified Segment List Page Key

Item	Description
1	Actions Menu - Click to open a menu of actions that can be performed in the Unstratified Segment List page. See "Actions Menu" on page 4 for more information.
2	Filter Menus - Select criteria in the Filter Menus to view a subset of the Segments in the Unstratified Segment List . See "Filter Menus" on page 4 for more information.
3	<p>Unstratified Segment List - A List of Unstratified Segments currently in the system. The List displays a limited number of Segments; use the Filter Menus to narrow down the List and locate a certain Segment.</p> <p>This List includes the following information for each Segment:</p> <ul style="list-style-type: none"> • ID - Unique ID for the Segment. • Name - Name of the Segment. • Description - Description of the Segment. • Times Run - The number of times the Segment has been run. • Customer Count - Number of Customers in the Segment. • Save as List - Indicates whether a list of matching Customer IDs is created when the Segment is created. If this option is set to No, the Segment only creates a count of the Customers that meet the criteria. • Trend Results - Indicates whether trend results are saved for the Segment. • Last Run - The most recent date and time on which the Segment was run.

Actions Menu

The [Actions Menu](#) in the Unstratified Segment [List](#) contains the following options:

- **Create** - Create an Unstratified Segment (see [“Create Unstratified Segment” on page 9](#)).
- **Refresh** - Refresh the [List](#), displaying any updates to the Unstratified Segments.



Filter Menus

The Unstratified Segment [List](#) includes the following filter menus:



Figure 6-2: Unstratified Segment List Filter Menus

- **Segment Classification** - Filters the [List](#) by Segment Classification. This filter has the following options:
 - **Private** - **[DEFAULT]** Display only private Segments.
 - **Public** - Display only public Segments.
 - **Open Access** - Display only open access Segments.
- **Publish to Clienteling** - Filters the [List](#) by whether the Segments have been published to Clienteling. *This [Selection Menu](#) is displayed only if the Show Clienteling Customer Search Menu property is enabled in System Configuration. See the Oracle Retail Customer Engagement Cloud Services Implementation Guide for more information about System Configuration.*

This filter has the following options:

- **All** - **[DEFAULT]** Do not filter the [List](#) by Clienteling status.
 - **Yes** - Display only those Segments that are published to Clienteling.
 - **No** - Display only those Segments that are not published to Clienteling.
- **Publish to Task Generator** - Filters the [List](#) by whether the Segments can be used to create [Tasks](#). *This [Selection Menu](#) is only displayed if the Enable Task Generator property is enabled in System Configuration. See the Oracle Retail Customer Engagement Cloud Services Implementation Guide for more information about System Configuration.*

This filter has the following options:

- **All** - **[DEFAULT]** Do not filter the [List](#) by whether it generates [Tasks](#).
 - **Yes** - Display only those Segments that generate [Tasks](#).
 - **No** - Display only those Segments that do not generate [Tasks](#).
- **Publish to Batch Exporter** - Filters the [List](#) by whether the Segments are flagged for export to a Marketing system such as Responsys. *This [Selection Menu](#) is displayed only if the Supported Batch Exporter Types property in System Configuration specifies a type of batch exporter. See the Oracle Retail Customer Engagement Cloud Services Implementation Guide for more information about System Configuration.*

This filter has the following options:

- **All** - **[DEFAULT]** Do not filter the [List](#) to segments flagged for export to a Marketing system such as Responsys.

- **Yes** - Display only those Segments that are flagged for export to a Marketing system such as Responsys.
- **No** - Display only those Segments that are not flagged for export to a Marketing system such as Responsys.

Open an Unstratified Segment

To open a Unstratified Segment, click the Segment in the [List](#). The Segment opens in an [Unstratified Segment Window](#).

Unstratified Segment Window

The Unstratified Segment [Window](#) displays information about the Unstratified Segment opened in the [Window](#), and provides the ability to perform actions on the Unstratified Segment.

The screenshot shows the Unstratified Segment Window with the following sections:

- General**: Contains fields for Name, Description, Save as List, Trend Results?, Export, Publish To Clienteling, Public, Open Access, Permanent, Publish To Task Generator, and Publish To Batch Exporter.
- Segment Syntax**: Displays the segment criteria: "Customer city of residence = Euclid OR Customer city of residence = Columbus".
- Attributes**: Shows "INACTIVE?" set to "No".
- Trend Data**: A table with columns for Run ID, Run Date, and Customer Count.

Run ID	Run Date	Customer Count
0	2016 Jul 11 11:45:08	237

Figure 6-3: Unstratified Segment Window

The following information is displayed in the Unstratified Segment [Window](#):

- **General** - General information about the Segment. This area includes the following information:
 - **Name** - Name of the Segment.
 - **Save as List** - Indicates whether a list of matching Customer IDs is created when the Segment is created. If this option is set to **No**, the Segment only creates a count of the Customers that meet the criteria.
 - **Trend Results?** - Indicates whether the results of the Segment run are kept to provide trend information about the Segment.

Unstratified Segments

- **Export** - Indicates whether the Segment results are automatically exported after the Segment Query is run.
- **Publish to Clienteling** - Indicates whether the Segment has been made available to the Clienteling module.
- **Description** - A description of the Segment.
- **Public** - Indicates whether the Segment is Public.
- **Open Access** - Indicates whether the Segment has Open Access.
- **Permanent** - Indicates whether the Segment is kept in the system, even if it meets the criteria for deletion by the housekeeping job.
- **Publish to Task Generator** - Indicates whether the Segment has been made available to the Task Generator Job.
- **Publish to Batch Exporter** - Indicates whether the Segment has been made available for export to a Marketing system such as Responsys. *This [Selection Menu](#) is displayed only if the Supported Batch Exporter Types property in System Configuration specifies a type of batch exporter. See the Oracle Retail Customer Engagement Cloud Services Implementation Guide for more information about System Configuration.*
- **Segment Syntax** - The criteria that a Customer must meet to be included in the Segment.
- **Segment Messages** - For Public Segments with Open Access, this [List](#) displays the messages configured for the Segment. This [List](#) displays the following information:
 - **Language** - ID code for the language.
 - **POS Display** - Text displayed to the cashier using the POS.
 - **Customer Display** - Text shown to the customer on the customer-facing display.
 - **Receipt Display** - Text printed on the receipt.
- **Associated Franchisees** - IDs and names of the Franchisees, if any, included in the Segment. If Franchisees are assigned, only the Customers assigned to those Franchisees will be included in the Segment.
- **Attributes** - Attributes of the Segment. The following information is displayed for each attribute assigned to the Segment:
 - Name of the attribute.
 - Value(s) assigned to the attribute.
- **Trend Data** - If available, this [List](#) displays the Trend results for the Segment. This [List](#) displays the following information:
 - **Run ID** - The ID for the Segment run.
 - **Run Date** - Date on which the Segment was most recently run.
 - **Customer Count** - The number of Customers found in the Segment.

Copy Unstratified Segment

In the Unstratified Segment [Window](#), click the **Copy** button to create a copy of the Unstratified Segment in the [Create Unstratified Segment Wizard](#).

A copy of the Unstratified Segment is opened in the [Create Unstratified Segment Wizard](#), with all the same settings and information as the copied Segment.

- Use [Wizard Navigation](#) to move through the Segment.
- Make any necessary changes.
- Configure the Schedule Definition (the run schedule is not copied).
- Click **save** when you are finished making changes. The Segment will be saved and Customer Engagement will return to the [Unstratified Segment List](#).
- Click **cancel** to discard the changes, cancel the copy operation, and return to the [Unstratified Segment List](#).

For more information about the fields and information to be entered, see "[Create Unstratified Segment](#)" on page 9.

Actions Menu

The [Actions Menu](#) in the Unstratified Segment [Window](#) has the following options:

Note: Depending upon the current status of the Segment, all of the options below may not be available.

- **Export** - Exports the results after a Segment is run.

A confirmation prompt opens, asking whether to export the Segment.





Figure 6-4: Export Confirmation Prompt

- Click **OK** to export the Segment and close the prompt.
- Click **Cancel** to close the prompt and not export the Segment.

The completed export job is listed in the Process Queue, including compressed lists of the customers in the Segment in XML and CSV format.

- **Edit** - Edit the Segment.

The Segment opens in the Unstratified Segment [Wizard](#). See "[Create Unstratified Segment](#)" on page 9 for further information about editing the Segment.

- **Delete** - Deletes the Segment.

A confirmation prompt opens, asking whether to delete the segment.




Figure 6-5: Delete Confirmation Prompt

- Click **OK** to delete the Segment, and close the prompt and the Unstratified Segment [Window](#).
- Click **Cancel** to close the prompt and keep the Segment in place.
- **Show Sql** - Opens a Query [Window](#) showing the SQL used by the Segment Query.

The [Unstratified Segment Window](#) displays the SQL used to construct the Segment.

```

Show sql
create table #cust_seg_900_207_0( CUST_ID varchar(32) NOT NULL, HOUSEHOLD_KEY char(28) , CONSTRAINT
custid_unique_900_207_0 UNIQUE(CUST_ID));

insert into #cust_seg_900_207_0 (CUST_ID, HOUSEHOLD_KEY) select DISTINCT cst_customer.CUST_ID ,
CST_HOUSEHOLD.HOUSEHOLD_KEY from cst_customer with (nolock) left join CST_HOUSEHOLD ON
CST_CUSTOMER.CUST_ID = CST_HOUSEHOLD.CUST_ID and CST_HOUSEHOLD.organization_id=
cst_customer.organization_id where cst_customer.organization_id=900 and ( ( cst_customer.active_flag = 1 AND
cst_customer.cust_id in (SELECT distinct trn_transaction.cust_id FROM trn_transaction WHERE trn_transaction.cust_id IS
NOT NULL AND trn_transaction.organization_id = cst_customer.organization_id AND (DATEDIFF( d,
trn_transaction.business_date, GETDATE())) <= 30) );

insert into qry_customer_segment (organization_id, user_query_id, run_id, cust_id, strat_lvl_id, strat_value, run_date,
HOUSEHOLD_KEY) select 900, 207, 0, cust_id, 0, 0, GETDATE(), HOUSEHOLD_KEY from #cust_seg_900_207_0 with
(nolock) ;

drop table #cust_seg_900_207_0 ;

insert into qry_customer_trend_total (organization_id, user_query_id, run_id, strat_lvl_id, customer_count, run_date) select
900, 207, 0, 0, count(qry_customer_segment.cust_id), GETDATE() from qry_customer_segment where organization_id=900
and user_query_id=207 and run_id=0 ;

select sum(customer_count) from qry_customer_trend_total where organization_id=900 and user_query_id=207 and run_id=0 ;

```

Figure 6-6: Show SQL

Create Unstratified Segment

To create a new Unstratified Segment:

1. In the [Unstratified Segment List](#) page, click **Create** in the [Actions Menu](#).

The Unstratified Segment creation [Wizard](#) opens.

The screenshot shows the 'Create Segment: New' wizard interface. The 'Segment Name' step is selected, and the form contains the following fields and options:

- Name:
- Description:
- Publish To Clienteling:
- Publish To Task Generator:
- Public:
- Open Access:
- Export:
- Save as List:
- Trend Results?:
- Permanent:
- Publish To Batch Exporter:

The sidebar on the left lists the wizard steps: Segment Name, Segment Franchisees, Segment Query, Segment Attributes, Schedule Definition, Review, and Review.

Figure 6-7: Create Unstratified Segment Wizard

2. In the Segment Name step, enter information into the fields:
 - **Name** - The name of the Segment.
 - **Description** - A description of the Segment.

Unstratified Segments

- **Segment Options** - Use each [Check Box](#) to select whether the Segment will have the associated property:

- * **Publish To Clienteling** - Determines whether the Segment will be available in the [Clienteling](#) module. See [page 1 in Chapter 3, "Clienteling"](#) for more information.

Note: If the **Publish to Clienteling** option is selected, **Public**, **Save as List**, and **Permanent** are automatically checked and the [Check Boxes](#) are disabled; **Open Access** and **Export** are automatically unchecked and the [Check Boxes](#) are disabled.

A User must be assigned the `Relate_PublishClientelingSegment` Role to see this option. See the *Customer Engagement Implementation Guide* for more information about Roles.

- * **Publish to Task Generator** - Determines whether tasks will be created for this Segment.

Note: If the **Publish to Task Generator** option is selected, **Export**, **Save as List**, and **Permanent** are automatically checked and the [Check Boxes](#) are disabled; **Public**, **Open Access**, and **Trend Results** are automatically unchecked and the [Check Boxes](#) are disabled.

- * **Public** - Determines whether the Segment will be Public.
- * **Open Access** - Determines whether the Segment will have Open Access.

Note: If the **Open Access** option is selected, **Public**, **Save as List**, and **Permanent** are automatically checked and the [Check Boxes](#) are disabled; **Export** and **Trend Results** are automatically unchecked and the [Check Boxes](#) are disabled.

- * **Export** - Determines whether the Segment results will be automatically exported after the Segment Query is run.

Note: If the **Export** option is selected, **Save as List** is automatically checked and the [Check Box](#) is disabled; **Open Access** and **Trend Results** are automatically unchecked and the [Check Boxes](#) are disabled.

- * **Save as List** - Determines whether a [List](#) of matching Customer IDs will be created when the segment is created. If this option is not checked, the Segment will only create a count of the Customers that meet the criteria.
- * **Trend Results?** - Determines whether the results of the Segment run will be kept to provide trend information about the Segment.
- * **Permanent** - Determines whether the Segment will be kept, even if it meets the criteria for deletion by the housekeeping job.

- * **Publish To Batch Exporter** - Determines whether the Segment will be available to export to a Marketing system such as Responsys.

Note: If the **Publish to Batch Exporter** option is selected, **Public, Export, Save as List, and Permanent** are automatically checked and the [Check Boxes](#) are disabled; **Publish to Clienteling, Open Access** and **Trend Results** are automatically unchecked and the [Check Boxes](#) are disabled.

- When you have finished entering information, click **Next**.
 - If Franchisees are enabled in Customer Engagement, the Franchisees step opens. Continue with step 4.
 - If Franchisees are not enabled in Customer Engagement, the Segment Query step opens. Continue with step 6.
- Configure the Franchisees to be included in the Segment:
 - If only a subset of Franchisees will be included in the Segment, select the [Check Box](#) for each Franchisee to be included.
 - To select all the current Franchisees (so that any new Franchisees will be excluded from the Segment), click **Check All**.




Figure 6-8: Segment Franchisees

- Click **next** when you are finished. The Segment Query step opens.
- Build the Segment Query:




Figure 6-9: Segment Query

- Click the **ALL** or **ANY** node to open the query menu.

Unstratified Segments

- * In an ALL node, a record will only be included in the node if it matches all of the criteria in the subnodes of the current node. Equivalent to a logical AND.
 - * In an ANY node, a record will be included in the node if it matches any of the criteria in the subnodes of the current node. Equivalent to a logical OR.
- b. Select the option to perform:
- * **Delete** - Deletes the node (the root node cannot be deleted).
If the node is not the root node, a confirmation prompt opens.
Click **OK** to delete the node, or click **Cancel** to close the confirmation prompt and keep the node in place. Return to step a for the remaining nodes.
 - * **Add Criteria** - Add a new criteria to the ANY or ALL node.
A Criteria Selection [Window](#) opens. Continue with step c.
 - * **Change to 'ANY'** - Changes an ALL node to an ANY node; return to step a using the changed node.
 - * **Change to 'ALL'** - Changes an ANY node to an ALL node; return to step a using the changed node.
 - * **Add 'ALL' branch** - Adds an 'ALL' subnode to the current node.
To create the rules for this subnode, return to step a using this new node.
 - * **Add 'ANY' branch** - Adds an 'ANY' subnode to the current node.
To create the rules for this subnode, return to step a using this new node.
- c. In the Criteria Selection [Window](#), click a criteria group to expand its [List](#) of criteria, or click **Expand** to open all the criteria groups. See [Appendix 25: "Segment Queries" on page 1](#) for more information about criteria group organization.




Figure 6-10: Criteria Selection Window

- d. Click the [Check Box](#) for each search criteria you are entering into the query. You can select multiple criteria.

- e. Click the **Add** button.

The Criteria Selection [Window](#) closes and the search criteria is entered into the query, along with the associated criteria entry or selection fields.

- f. Enter the search criteria into the appropriate fields. See [Appendix 25: “Segment Queries” on page 1](#) for more information about criteria fields.

Figure 6-11: Search Criteria Fields

- g. If necessary, return to step a and make further changes or additions to the search criteria.
- When you have finished entering criteria information, click **next** to continue.
 - If the **Open Access Check Box** was checked () in the Segment Name step (see [step 2 on page 9](#)), the Text step opens. Continue with the next step.
 - If the **Open Access Check Box** was unchecked () in the Segment Name step, the Schedule Attribute step opens. Continue with step 10.
 - Define the Text that will be displayed for the Segment:

Figure 6-12: Text Step

Unstratified Segments

- a. Use the **Language Selection Menu** to select the language of the messages.

Tip: Only one set of texts can be configured for a language in one Segment. To replace a set of texts for a language, select the language in the [Selection Menu](#) and enter the new texts. The existing entry will be overwritten.


- b. In the **POS Display Text Area Field**, enter the text that will be displayed to the associate/employee using the POS system.
- c. In the **Customer Display Text Area Field**, enter the text that will be shown on the customer-facing display and, depending upon the configuration of the POS system, the signature capture device while the transaction is being performed.
- d. In the **Receipt Display Text Area Field**, enter the text that will be written on the customer receipt.
- e. Click the **Add** button to add the texts to the Segment.

The text is displayed in the table at the bottom of the page.

Language	POS Display	Customer Display	Receipt Display
DE	Das ist gut, ja?	Ja, das ist gut.	Das war gut.

Figure 6-13: Table of Configured Texts

- f. Repeat steps a-e to add text values for each required language.
 - g. To delete an existing text, click the text to open a menu, then click the **Delete Link**.
9. When you have completed configured text values, click **next** to continue.
 10. Define the Attributes for the Segment:



Segment Attributes	
Required	
INACTIVE?	Includes Inactive Customers? <input type="text" value="Yes"/>
Optional	
EXPORT-TO	Segment Export Integrators <input type="button" value="Add"/>
EXPORT-NOTES	Segment Export Notes <input type="button" value="Add"/>
EXPORT-COUNT	Segment Export Count <input type="button" value="Add"/>
EXPORT-COST	Segment Export Cost <input type="button" value="Add"/>
EXPORTABLE?	Segment Exportable? <input type="button" value="Add"/>
EXPORT-DATE	Segment Export Date <input type="button" value="Add"/>

Figure 6-14: Segment Attributes

- h. Select or enter the configuration values for each of the **Required** Attributes.
- i. Add any necessary **Optional** Attribute(s):
 - 1) Click the **Add** button for the Attribute to add.
A configuration field opens.
 - 2) Select or enter the configuration value for the Attribute.

- 3) Repeat until all necessary Attribute(s) are configured.
- j. Remove any unwanted Attributes by clicking the **Delete** button for each Attribute to remove.

The Attribute is deleted.

11. When you have completed configuring the Attributes, click **next** to continue.

12. Define the Schedule on which the Segment Query will run:

Figure 6-15: Schedule Definition Step

- a. Select the Job Execution Frequency. This [Selection Menu](#) has the following options:
 - * **Once, Immediately** - Run the Segment Query as soon as the Segment has been completed. If you select this option, continue with step g. *This option is not available if **Publish to Clienteling** is selected in the Segment Name step (see [step 2 on page 9](#)).*
 - * **Once, Later** - Run the Segment Query at a later date or time. *This option is not available if **Publish to Clienteling** is selected in the Segment Name step (see [step 2 on page 9](#)).*
 - * **Daily** - Run the Segment Query every day.
 - * **Daily, Business Days Only** - Run the Segment Query only on business days (i.e. Monday through Friday).
 - * **Weekly** - Run the Segment Query once each week.
 - * **Monthly** - Run the Segment Query once each month.
- b. Use the **Start Date** [Calendar Menu](#) to select the start of the time range in which the job will run.
If you selected a Job Execution Frequency of **Once, Later**, continue with step f.
- c. Use the **End Date** [Calendar Menu](#) to select the end of the time range in which the job will run.
 - * If you selected a Job Execution Frequency of **Daily**, or **Daily, Business Days Only**, continue with step f.
 - * If you selected a Job Execution Frequency of **Weekly**, continue with step d.
 - * If you selected a Job Execution Frequency of **Monthly**, continue with step e.
- d. Use the **Day of Week** [Selection Menu](#) to select the day of the week on which the job will run. Continue with step f.

Unstratified Segments

- e. Use the **Day of Month Selection Menu** to select the day of the month on which the job will run.
- f. Use the **Job Execution Time Time Menus** to determine the time at which the job will run.

Tip: It is recommended that you select a time that is within the [Job Processing Window](#). If you select a time outside the [Job Processing Window](#), the Override Job Processing Window setting (see step g) must be checked () for the job to run.

- g. Use the **Override Job Processing Window Check Box** to indicate whether the job should run, even if it is scheduled outside the Job Processing Window.
13. When you have finished defining the schedule, click **next** to continue.

The Review step opens.

14. Review the entered information to ensure that it is correct.
- Click **save** to save the Segment with the current settings and return to the [Unstratified Segment List](#).
 - Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
 - Click **cancel** to delete all information and return to the [Unstratified Segment List](#).

Job Processing Window

The Job Processing Window displays the time(s) at which scheduled jobs should run. The Window is intended to indicate times when there will be little processing load on the system, so that Job processing will not interfere with transaction processing.



Figure 6-16: Job Processing Window

Each line in the Job Processing Window field defines a portion of the Job Processing Window. These lines have the following format:

[Day of Week] - [Start Time], [Duration]

Where:

- [Day of Week] is a day of the week (e.g. Sunday).
- [Start Time] is the time at which the Window begins, in 24-hour clock time.
- [Duration] is the length of time that the Window is open.

Stratified Segments

Stratified Segments define groups of Customers. The Customers within a Stratified Segment are divided into levels within the Segment.

Stratified Segment List

The Stratified Segment List page is opened using the **Segment->Stratified Segment** menu option, or by clicking the **Stratified Segment Link** on the [Main Page](#).

ID	Name	Description	Times Run	Customer Count	Save as List	Trend Results?	Last Run
2817	WSDL-TestCase3-SegmentServices	WSDL-TestCase3-SegmentServices	1	2820	Yes	No	2016 May 3 04:15:14
1280	WSDL-TestCase3-SegmentServices	WSDL-TestCase3-SegmentServices	1	1636	Yes	No	2016 Jan 28 14:25:58
39	Strata-Private-NotList-NotPerm	Strata-Private-NotList-NotPerm	1	210	No	No	2016 May 31 15:05:12
36	Strata-Private-List-NotPerm	Strata-Private-List-Perm	1	210	Yes	No	2016 Feb 4 16:24:15
34	Strata-Private-NotList-Perm	Strata-Private-NotList-Perm	1	210	No	No	2015 Oct 13 14:14:41
32	Strata-Private-List-Perm	Strata-Private-List-Perm	1	210	Yes	No	2015 Sep 16 16:19:03

Figure 6-17: Stratified Segment List

Table 6-2: Stratified Segment List Page Key

Item	Description
1	Actions Menu - Click to open a menu of actions that can be performed in the Stratified Segment List page. See “Actions Menu” on page 8 for more information.
2	Filter Menus - Select criteria in the Filter Menus to view a subset of the Segments in the Stratified Segment List . See “Filter Menus” on page 18 for more information.
3	Stratified Segment List - A List of Stratified Segments currently in the system. The List displays a limited number of Segments; use the Filter Menus to narrow down the List and locate a certain Segment. This List includes the following information for each Segment: <ul style="list-style-type: none"> • ID - Unique ID for the Segment. • Name - Name of the Segment. • Description - Description of the Segment. • Times Run - The number of times the Segment has been run. • Customer Count - Number of Customers in the Segment. • Save as List - Indicates whether a list of matching Customer IDs is created when the Segment is created. If this option is set to No, the Segment only creates a count of the Customers that meet the criteria. • Trend Results - Indicates whether trend results are saved for the Segment. • Last Run - The most recent date and time on which the Segment was run.

Actions Menu

The [Actions Menu](#) in the Stratified Segment [List](#) contains the following option:



- **CREATE** - Create a Stratified Segment. See [“Create Stratified Segment” on page 23](#).
- **REFRESH** - Refresh the [List](#), displaying any updates to the Stratified Segments.

Filter Menus

The Stratified Segment [List](#) includes the following filter menus:



Figure 6-18: Stratified Segment List Filter Menus

- **Segment Classification** - Filters the [List](#) by Segment Classification. This filter has the following options:
 - **Private** - **[DEFAULT]** Display only private Segments.
 - **Public** - Display only public Segments.
 - **Open Access** - Display only open access Segments.
- **Publish to Clienteling** - Filters the [List](#) by whether the Segments have been published to Clienteling. *This [Selection Menu](#) is only displayed if the Show Clienteling Customer Search Menu property is enabled in System Configuration. See the Oracle Retail Customer Engagement Cloud Services Implementation Guide for more information about System Configuration.* This filter has the following options:
 - **All** - **[DEFAULT]** Do not filter the [List](#) by Clienteling status.
 - **Yes** - Display only those Segments that are published to Clienteling.
 - **No** - Display only those Segments that are not published to Clienteling.
- **Publish to Task Generator** - Filters the [List](#) by whether the Segments can be used to create [Tasks](#). *This [Selection Menu](#) is only displayed if the Enable Task Generator property is enabled in System Configuration. See the Oracle Retail Customer Engagement Cloud Services Implementation Guide for more information about System Configuration.* This filter has the following options:
 - **All** - **[DEFAULT]** Do not filter the [List](#) by whether it generates [Tasks](#).
 - **Yes** - Display only those Segments that generate [Tasks](#).
 - **No** - Display only those Segments that do not generate [Tasks](#).
- **Publish to Batch Exporter** - Filters the [List](#) by whether the Segments are flagged for export to a Marketing system such as Responsys. *This [Selection Menu](#) is displayed only if the Supported Batch Exporter Types property in System Configuration specifies a type of batch exporter. See the Oracle Retail Customer Engagement Cloud Services Implementation Guide for more information about System Configuration.* This filter has the following options:
 - **All** - **[DEFAULT]** Do not filter the [List](#) to segments flagged for export to a Marketing system such as Responsys.

- **Yes** - Display only those Segments that are flagged for export to a Marketing system such as Responsys.
- **No** - Display only those Segments that are not flagged for export to a Marketing system such as Responsys.

Open a Stratified Segment

To open a Stratified Segment, click the Segment in the [List](#). The Segment opens in a [Stratified Segment Window](#).

Stratified Segment Window

A Stratified Segment [Window](#) displays information about the Stratified Segment opened in the [Window](#), and provides the ability to perform actions on the Stratified Segment.




Figure 6-19: Stratified Segment Window

The following information is displayed in the Unstratified Segment [Window](#):

- **General** - General information about the Segment. This area includes the following information:
 - **Name** - Name of the Segment.
 - **Save as List** - Indicates whether a list of matching Customer IDs is created when the Segment is created. If this option is set to **No**, the Segment only creates a count of the Customers that meet the criteria.
 - **Trend Results?** - Indicates whether the results of the Segment run are kept to provide trend information about the Segment.
 - **Export** - Indicates whether the Segment results are automatically exported after the Segment Query is run.
 - **Publish to Clienteling** - Indicates whether the Segment has been made available to the Clienteling module.
 - **Description** - A description of the Segment.
 - **Public** - Indicates whether the Segment is Public.

Stratified Segments

- **Open Access** - Indicates whether the Segment has Open Access.
- **Permanent** - Indicates whether the Segment is kept in the system, even if it meets the criteria for deletion by the housekeeping job.
- **Publish to Task Generator** - Indicates whether the Segment has been made available to the Task Generator Job.
- **Publish to Batch Exporter** - Indicates whether the Segment has been made available for export to a Marketing system such as Responsys.
- **Segment Syntax** - The criteria that a Customer must meet to be included in the Segment.
- **Strata Type** - Describes how Customers are divided into Strata. This area includes the following information:
 - **Format** - The format used to create the Strata. This field has the following possible values:
 - * **Range Strata** - Strata are determined by configured ranges.
 - * **Ntile Strata** - Strata are placed into equally-sized groups of Customers.
 - **Based on** - The basis used for determining the Strata Field. This field has the following possible values:
 - * **Customer** - Customer fields.
 - * **Loyalty Summary** - Summary information of Loyalty Accounts.
 - * **Loyalty Detail** - Detailed information about Loyalty Accounts.
 - * **Header** - Transaction headers.
 - * **Detail** - Transaction details.
 - **Strata Type** - The type of data available in the Based On and Field to Stratify On fields. This field has the following possible values:
 - * **Customer** - Customer data.
 - * **Loyalty** - Loyalty Account information.
 - * **Transaction** - Transaction information.
 - **Strata Field** - The field used to create the Strata.
 - **Sort Order** - The order in which the Customer values will be organized in the Strata. *This field is only visible if the Format is Ntile Strata.*
 - * **Ascending** - The Strata having the lowest values will be displayed first.
 - * **Descending** - The Strata having the greatest values will be displayed first.
- **Strata Syntax** - The criteria that a Customer must meet to be included in a Strata.
- **Strata Levels Against <Strata Field>** - This [List](#) displays the Strata within the Segment. This [List](#) displays the following information:
 - **Strata Name** - Name of the Strata.
 - **Range From (>=)** - Bottom limit of the range for the <Strata Field>. *This field is only displayed if the Format is Range Strata.*
 - **Range From (<)** - Top limit of the range for the <Strata Field>. *This field is only displayed if the Format is Range Strata.*

- **Segment Messages** - This [List](#) displays the messages configured for the Segment. *This [List](#) is only displayed for Public Segments with Open Access.* This [List](#) displays the following information:
 - **Language** - ID code for the language.
 - **POS Display** - Text displayed to the cashier using the POS.
 - **Customer Display** - Text shown to the customer on the customer-facing display.
 - **Receipt Display** - Text printed on the receipt.
- **Associated Franchisees** - IDs and names of the Franchisees, if any, included in the Segment. If Franchisees are assigned, only the Customers assigned to those Franchisees will be included in the Segment.
- **Attributes** - Attributes of the Segment. The following information is displayed for each attribute assigned to the Segment:
 - Name of the attribute.
 - Value(s) assigned to the attribute.
- **Trend Data** - If available, this [List](#) displays the Trend results for the Segment Strata. This [List](#) displays the following information:
 - **Run ID** - The ID for the Segment run.
 - **Run Date** - Date on which the Segment was most recently run.
 - **Strata Level** - Number of the Strata Level.

Note: Strata Level 0 is used to indicate how many Customers were not included in a Strata. For example, Customers with a <Strata Field> value less than the bottom limit of the first Strata level.

 - **Min Value** - The smallest value for the field by a Customer in the Strata.
 - **Max Value** - The largest value for the field by a Customer in the Strata.
 - **Avg Value** - The average value for the field among the Customers in the Strata.
 - **Customer Count** - The number of Customers in the Strata.

Copy Stratified Segment

To create a copy of the Stratified Segment in the [Create Stratified Segment Wizard](#), click Copy.

A copy of the Stratified Segment is opened in the [Create Stratified Segment Wizard](#), with all the same settings and information as the copied Segment. For more information about the fields and information to be entered, see [“Create Stratified Segment” on page 23](#).

- Use [Wizard Navigation](#) to move through the Segment.
- Make any necessary changes.
- Configure the Schedule Definition (the run schedule is not copied).
- Click **save** when you are finished making changes. The Segment will be saved and Customer Engagement will return to the [Stratified Segment List](#).
- Click **cancel** to discard the changes, cancel the copy operation, and return to the [Stratified Segment List](#).

For more information about the fields and information to be entered, see [“Create Stratified Segment” on page 23](#).

Actions Menu

The [Actions Menu](#) in the Stratified Segment [Window](#) has the following options:

Note: Depending upon the current status of the Segment, all of the options below may not be available.

- **EXPORT** - Exports the results after a Segment is run.

A confirmation prompt opens, asking whether to export the Segment.





Figure 6-20: Export Confirmation Prompt

- Click **OK** to export the Segment and close the prompt.
- Click **Cancel** to close the prompt and not export the Segment.

The completed export job is listed in the Process Queue, including compressed lists of the customers in the Segment in XML and CSV format.

- **EDIT** - Edit the Segment.

The Segment opens in the Stratified Segment [Wizard](#). See [“Create Stratified Segment” on page 23](#) for further information about editing the Segment.

- **DELETE** - Deletes the Segment.

A confirmation prompt opens, asking whether to delete the segment.




Figure 6-21: Delete Confirmation Prompt

- Click **OK** to delete the Segment, and close the prompt and the Stratified Segment [Window](#).
- Click **Cancel** to close the prompt and keep the Segment in place.
- **SHOW SQL** - Opens a Query [Window](#) showing the SQL used by the Segment Query.

The [Stratified Segment Window](#) displays the SQL used to construct the Segment.

```

Show sql
create table #cust_seg_900_26_0( CUST_ID varchar(32) NOT NULL, CONSTRAINT custid_unique_900_26_0 UNIQUE
(CUST_ID));

insert into #cust_seg_900_26_0 (cust_id) select cst_customer.cust_id from cst_customer where
cst_customer.organization_id=900 and (( cst_customer.cust_id IN (SELECT cst_address.cust_id FROM cst_address
WHERE cst_customer.organization_id = cst_address.organization_id AND cst_address.postal_code = '44056' ));

insert into qry_customer_segment (organization_id, user_query_id, run_id, cust_id, strat_lvl_id, strat_value, run_date)
select 900, 26, 0, cust_id, 0, 0, GETDATE() from #cust_seg_900_26_0 with (nolock) ;

drop table #cust_seg_900_26_0 ;

update qry_customer_segment set strat_value=(select cst_customer.ytd_sales_amt from cst_customer where
cst_customer.organization_id=900 and qry_customer_segment.cust_id = cst_customer.cust_id and
cst_customer.organization_id=900 and qry_customer_segment.cust_id = cst_customer.cust_id ) WHERE
qry_customer_segment.organization_id=900 and qry_customer_segment.user_query_id=26 and
qry_customer_segment.run_id=0 ;

with CUST_SEG_WITH_ROWNUM as ( select *, row_number() over ( order by strat_value ASC ) as rownum from
qry_customer_segment where organization_id=900 and user_query_id=26 and run_id=0 and strat_lvl_id = 0 ) update
CUST_SEG_WITH_ROWNUM set strat_lvl_id=1 where rownum<=1 ;

insert into qry_customer_trend_total (organization_id, user_query_id, run_id, strat_lvl_id, customer_count, min_value,
max_value, avg_value, run_date) select 900, 26, 0, 1, count(qry_customer_segment.cust_id), min(strat_value), max
(strat_value), avg(strat_value), GETDATE() from qry_customer_segment where organization_id=900 and user_query_id=26

```

Figure 6-22: Show SQL

Create Stratified Segment

To create a new Stratified Segment:

1. In the [Stratified Segment List](#) page, click **Create** in the [Actions Menu](#).

The Stratified Segment creation [Wizard](#) opens.

The screenshot shows the 'Create Segment: New' wizard. The 'Segment Name' step is selected in the breadcrumb navigation. The sidebar on the left lists various configuration steps, with 'Segment Name' being the current step. The main form area is titled 'Enter segment name and information' and contains the following fields and options:

- Name:
- Description:
- Publish To Clienteling:
- Publish To Task Generator:
- Public:
- Open Access:
- Export:
- Save as List:
- Trend Results?:
- Permanent:
- Publish To Batch Exporter:

Figure 6-23: Create Stratified Segment Wizard

2. In the Segment Name step, enter information into the fields:
 - **Name** - The name of the Segment.

Stratified Segments

- **Description** - A description of the Segment.
- **Segment Options** - Use each [Check Box](#) to select whether the Segment will have the associated property:
 - * **Publish To Clienteling** - Determines whether the Segment will be made available to the [Clienteling](#) module. See [page 1 in Chapter 3, "Clienteling"](#) for more information.

Note: If the **Publish to Clienteling** option is selected, **Public**, **Save as List**, and **Permanent** are automatically checked and the [Check Boxes](#) are disabled; **Open Access** and **Export** are automatically unchecked and the [Check Boxes](#) are disabled.

A User must be assigned the `Relate_PublishClientelingSegment` Role to see this option. See the *Customer Engagement Implementation Guide* for more information about Roles.

- * **Publish to Task Generator** - Determines whether tasks will be created for this Segment.

Note: If the **Publish to Task Generator** option is selected, **Export**, **Save as List**, and **Permanent** are automatically checked and the [Check Boxes](#) are disabled; **Public**, **Open Access**, and **Trend Results** are automatically unchecked and the [Check Boxes](#) are disabled.

- * **Public** - Determines whether the Segment will be Public.
- * **Open Access** - Determines whether the Segment will have Open Access.

Note: If the **Open Access** option is selected, **Public**, **Save as List**, and **Permanent** are automatically checked and the [Check Boxes](#) are disabled; **Export** and **Trend Results** are automatically unchecked and the [Check Boxes](#) are disabled.

- * **Export** - Determines whether the Segment results will be automatically exported after the Segment Query is run.

Note: If the **Export** option is selected, **Save as List** is automatically checked and the [Check Box](#) is disabled; **Open Access** and **Trend Results** are automatically unchecked and the [Check Boxes](#) are disabled.

- * **Save as List** - Determines whether a [List](#) of matching Customer IDs will be created when the segment is created. If this option is not checked, the Segment will only create a count of the Customers that meet the criteria.
- * **Trend Results?** - Determines whether the results of the Segment run will be kept to provide trend information about the Segment.
- * **Permanent** - Determines whether the Segment will be kept, even if it meets the criteria for deletion by the housekeeping job.

- * **Publish To Batch Exporter** - Determines whether the Segment will be available to export to a Marketing system such as Responsys.

Note: If the **Publish to Batch Exporter** option is selected, **Public, Export, Save as List, and Permanent** are automatically checked and the [Check Boxes](#) are disabled; **Publish to Clienteling, Open Access** and **Trend Results** are automatically unchecked and the [Check Boxes](#) are disabled.

- When you have finished entering information, click **Next**.
 - If Franchisees are enabled in Customer Engagement, the Franchisees step opens. Continue with step 4.
 - If Franchisees are not enabled in Customer Engagement, the Segment Query step opens. Continue with step 6.
- Configure the Franchisees to be included in the Segment:
 - If only a subset of Franchisees will be included in the Segment, select the [Check Box](#) for each Franchisee to be included.
 - To select all the current Franchisees (so that any new Franchisees will be excluded from the Segment), click **Check All**.




Figure 6-24: Segment Franchisees

- Click **next** when you are finished.
Continue with the next step.
- Build the Segment Query:



Figure 6-25: Segment Query

Stratified Segments

- a. Click the **ALL** or **ANY** node to open the query menu.
 - * In an **ALL** node, a record will only be included in the node if it matches all of the criteria in the subnodes of the current node. Equivalent to a logical **AND**.
 - * In an **ANY** node, a record will be included in the node if it matches any of the criteria in the subnodes of the current node. Equivalent to a logical **OR**.
- b. Select the option to perform:
 - * **Delete** - Deletes the node (the root node cannot be deleted).
If the node is not the root node, a confirmation prompt opens.
Click **OK** to delete the node, or click **Cancel** to close the confirmation prompt and keep the node in place. Return to step a for the remaining nodes.
 - * **Add Criteria** - Add a new criteria to the **ANY** or **ALL** node.
A Criteria Selection [Window](#) opens. Continue with step c.
 - * **Change to 'ANY'** - Changes an **ALL** node to an **ANY** node; return to step a using the changed node.
 - * **Change to 'ALL'** - Changes an **ANY** node to an **ALL** node; return to step a using the changed node.
 - * **Add 'ALL' branch** - Adds an 'ALL' subnode to the current node.
To create the rules for this subnode, return to step a using this new node.
 - * **Add 'ANY' branch** - Adds an 'ANY' subnode to the current node.
To create the rules for this subnode, return to step a using this new node.
- c. In the Criteria Selection [Window](#), click a criteria group to expand its [List](#) of criteria, or click **Expand** to open all the criteria groups. See [Appendix 25: "Segment Queries" on page 1](#) for more information about criteria group organization.




Figure 6-26: Criteria Selection Window

- d. Click the [Check Box](#) for the search criteria you are entering into the query. You can select multiple criteria.
- e. Click the **Add** button.

The Criteria Selection [Window](#) closes and the search criteria is entered into the query, along with the associated criteria entry or selection fields.

- f. Enter the search criteria into the appropriate fields. See [Appendix 25: “Segment Queries” on page 1](#) for more information about criteria fields.

Figure 6-27: Search Criteria Fields

- g. If necessary, return to step a and make further changes or additions to the search criteria.

- 7. When you have finished entering criteria information, click **next** to continue.

The Strata Field step opens.

Figure 6-28: Strata Field Step

- 8. Select the criteria on which the Strata are determined:
 - **Format** - The Format of the Strata. This [Selection Menu](#) has the following options:
 - * **Range Strata** - Strata are determined by configured ranges.
 - * **Ntile Strata** - Strata are placed into equally-sized groups of Customers.
 - **Strata Type** - The type of data available in the Based On and Field to Stratify On fields. This [Selection Menu](#) has the following options:
 - * **Customer** - Customer data.
 - * **Loyalty** - Loyalty Account information.

Stratified Segments

- * **Transaction** - Transaction information.
- **Based on** - Determines the basis used for determining the Field to Stratify On. This [Selection Menu](#) has the following options, depending upon the selection in the Strata Type field:
 - If Strata Type = **Customer**, the following options are available:
 - * **Customer** - Customer fields.
 - If Strata Type = **Loyalty**, the following options are available:
 - * **Loyalty Summary** - Summary information of Loyalty Accounts.
 - * **Loyalty Detail** - Detailed information about Loyalty Accounts.
 - If Strata Type = **Transaction**, the following options are available:
 - * **Header** - Transaction headers.
 - * **Detail** - Transaction details.
- **Field to Stratify On** - Determines the field used to create the Strata. This [Selection Menu](#) has the following options, depending upon the selection in the Based On field:
 - If Based On = **Customer**, the following options are available:
 - * **Annual Income** - Customer's annual income.
 - * **Customer Net Worth** - Customer's net worth.
 - * **Lifetime Sales** - Lifetime total amount of all sales made to the Customer.
 - * **Lifetime Returns** - Lifetime total amount of all returns made by the Customer.
 - * **Lifetime Transaction Count** - Lifetime total number of transactions.
 - * **Lifetime Sold Item Count** - Lifetime total number of items sold.
 - * **Lifetime Return Item Count** - Lifetime total number of items returned.
 - * **Lifetime Profit Percent** - Lifetime percentage of profit on all Customer transactions.
 - * **YTD Sales** - Total amount of all sales during the year to date.
 - * **YTD Returns** - Total amount of all returns during the year to date.
 - * **YTD Trans Count** - Total number of transactions during the year to date.
 - * **YTD Sold Item Count** - Total number of items sold during the year to date.
 - * **YTD Return Item Count** - Total number of items returned during the year to date.
 - * **YTD Profit Percent** - Percentage of profit on all Customer transactions during the year to date.
 - * **Customer Age** - Age of the Customer.
 - * **Days Since Purchase** - Number of days since the Customer's last purchase.
 - * **Attributes** - Attribute values.
 - If Based On = **Loyalty Summary**, the following options are available:
 - * **Earned Points Balance** - Current balance of earned points.
 - * **YTD Points** - Total number of points earned during the year to date.

- * **LTD Points** - Total number of points earned over the lifetime of the Loyalty Account.

If Based On = **Loyalty Detail**, the following options are available:

- * **Sum Number of Points** - Total number of points in the Loyalty Account.
- * **Count Number of Transactions** - Total number of Loyalty transactions.
- * **Days Since Last Activity** - Days since the last Loyalty transaction.

If Based On = **Transaction Header**, the following options are available:

- * **Sum of Transaction Amount** - Total amount of all transactions.
- * **Number of Transactions** - Total number of transactions.
- * **Days Since Purchase** - Number of days since the last purchase transaction.

If Based On = **Transaction Detail**, the following options are available:

- * **Sum of Line Item** - Sum of all line items in all transactions.
- * **Days Since Purchase** - Number of days since the last purchase transaction.
- * **Sold Item Count** - Total number of items sold.
- * **Transaction Count** - Total number of transactions.

- **Number of Strata** - Determines the number of Strata Levels.
- **Sort Order** - Determines the order in which the Customer values will be organized in the Strata (this field is only visible if the Format is set to **Ntile Strata**). This [Selection Menu](#) has the following values:
 - * **Ascending** - The Strata having the lowest values will be displayed first.
 - * **Descending** - The Strata having the greatest values will be displayed first.

9. When you have finished defining the Strata Field, click **next** to continue.

The Strata Levels step opens.




Figure 6-29: Strata Levels Step

10. Define the Strata Levels:

- Enter a **Strata Name** for each Strata in the Segment.
- If the Format was set to **Range Strata** in the Strata Field step, define the ranges for the Strata:

1) In the **Range From (>=)** fields, enter the minimum value of each Strata.

If the Strata Field value for the Customer equals this value, it will be included in this Strata.

- 2) In the **Range To** fields, enter the maximum value of each Strata.
If the Strata Field value for the Customer equals this value, it will not be included in this Strata.
11. When you have finished defining the Strata Levels, click **next** to continue.
 - If the Strata Type = **Customer**, continue with the proper step:
 - * If the **Open Access Check Box** was checked () in the Segment Name step (see [step 2 on page 23](#)), the Text step opens. Continue with step 14.
 - * If the **Open Access Check Box** was unchecked () in the Segment Name step, the Segment Attribute Step opens. Continue with step 16.
 - If the Strata Type = **Loyalty** or **Transaction**, the Strata Query Step opens. Continue with the next step.
 12. Define the Stratification Query:
 - a. Click the **ALL** or **ANY** node to open the query menu.
 - * In an ALL node, a record will only be included in the node if it matches all of the criteria in the subnodes of the current node. Equivalent to a logical AND.
 - * In an ANY node, a record will be included in the node if it matches any of the criteria in the subnodes of the current node. Equivalent to a logical OR.
 - b. Select the option to perform:
 - * **Delete** - Deletes the node (the root node cannot be deleted).
If the node is not the root node, a confirmation prompt opens.
Click **OK** to delete the node, or click **Cancel** to close the confirmation prompt and keep the node in place. Return to step a for the remaining nodes.
 - * **Add Criteria** - Add a new criteria to the ANY or ALL node.
A Criteria Selection [Window](#) opens. Continue with step c.
 - * **Change to 'ANY'** - Changes an ALL node to an ANY node; return to step a using the changed node.
 - * **Change to 'ALL'** - Changes an ANY node to an ALL node; return to step a using the changed node.
 - * **Add 'ALL' branch** - Adds an 'ALL' subnode to the current node.
To create the rules for this subnode, return to step a using this new node.
 - * **Add 'ANY' branch** - Adds an 'ANY' subnode to the current node.
To create the rules for this subnode, return to step a using this new node.
 - c. In the Criteria Selection [Window](#), click a criteria group to expand its [List](#) of criteria, or click **Expand** to open all the criteria groups. See [Appendix 25: "Segment Queries" on page 1](#) for more information about criteria group organization.
 - d. Click the [Check Box](#) for the search criteria you are entering into the query. You can select multiple criteria.
 - e. Click the **Add** button.
The Criteria Selection [Window](#) closes and the search criteria is entered into the query, along with the associated criteria entry or selection fields.

- f. Enter the stratification criteria into the appropriate fields. See [Appendix 25: “Segment Queries” on page 1](#) for more information about criteria fields.
 - g. If necessary, return to step a and make further changes or additions to the search criteria.
13. When you are finished configuring the Stratification Query, continue with the proper step:
- If the **Open Access** [Check Box](#) was checked () in the Segment Name step (see [step 2 on page 23](#)), the Text step opens. Continue with step 14.
 - If the **Open Access** [Check Box](#) was unchecked () in the Segment Name step, the Segment Attribute Step opens. Continue with step 16.
14. Define the Text that will be displayed for the Segment:

Figure 6-30: Text Step

- a. Use the **Language** [Selection Menu](#) to select the language of the messages.

Tip: Only one set of texts can be configured for a language in one Segment. To replace a set of texts for a language, select the language in the [Selection Menu](#) and enter the new texts. The existing entry will be overwritten.


- b. In the **POS Display** [Text Area Field](#), enter the text that will be displayed to the associate/employee using the POS system.
- c. In the **Customer Display** [Text Area Field](#), enter the text that will be displayed to the customer while the transaction is being performed.
- d. In the **Receipt Display** [Text Area Field](#), enter the text that will be written on the customer receipt.
- e. Click the **Add** button to add the texts to the Segment.

The text is displayed in the table at the bottom of the page.

Language	POS Display	Customer Display	Receipt Display
DE	Das ist gut, ja?	Ja, das ist gut.	Das war gut.

Figure 6-31: Table of Configured Texts

- f. Repeat steps a-e to add text values for each required language.
 - g. To delete an existing text, click the text to open a menu, then click the **Delete Link**.
15. When you have completed configured text values, click **next** to continue.
 16. Define the Attributes for the Segment:



Segment Attributes

Required

INACTIVE? Includes Inactive Customers?

Optional

EXPORT-TO	Segment Export Integrators	Add
EXPORT-NOTES	Segment Export Notes	Add
EXPORT-COUNT	Segment Export Count	Add
EXPORT-COST	Segment Export Cost	Add
EXPORTABLE?	Segment Exportable?	Add
EXPORT-DATE	Segment Export Date	Add

Figure 6-32: Segment Attributes

- h. Select or enter the configuration values for each of the **Required** Attributes.
 - i. Add any necessary **Optional** Attribute(s):
 - 1) Click the **Add** button for the Attribute to add.
A configuration field opens.
 - 2) Select or enter the configuration value for the Attribute.
 - 3) Repeat until all necessary Attribute(s) are configured.
 - j. Remove any unwanted Attributes by clicking the **Delete** button for each Attribute to remove.
The Attribute is deleted.
17. When you have completed configuring the Attributes, click **next** to continue.

18. Define the Schedule on which the Segment Query will run:

Figure 6-33: Schedule Definition

- a. Select the Job Execution Frequency. This [Selection Menu](#) has the following options:
 - * **Once, Immediately** - Run the Segment Query as soon as the Segment has been completed. If you select this option, continue with step g. *This option is not available if **Publish to Clienteling** is selected in the Segment Name step (see [step 2 on page 23](#)).*
 - * **Once, Later** - Run the Segment Query at a later date. *This option is not available if **Publish to Clienteling** is selected in the Segment Name step (see [step 2 on page 23](#)).*
 - * **Daily** - Run the Segment Query every day.
 - * **Daily, Business Days Only** - Run the Segment Query only on business days (i.e. Monday through Friday).
 - * **Weekly** - Run the Segment Query once each week.
 - * **Monthly** - Run the Segment Query once each month.
- b. Use the **Start Date** [Calendar Menu](#) to select the start of the time range in which the job will run.
If you selected a Job Execution Frequency of **Once, Later**, continue with step f.
- c. Use the **End Date** [Calendar Menu](#) to select the end of the time range in which the job will run.
 - * If you selected a Job Execution Frequency of **Daily**, or **Daily, Business Days Only**, continue with step f.
 - * If you selected a Job Execution Frequency of **Weekly**, continue with step d.
 - * If you selected a Job Execution Frequency of **Monthly**, continue with step e.
- d. Use the **Day of Week** [Selection Menu](#) to select the day of the week on which the job will run. Continue with step f.
- e. Use the **Day of Month** [Selection Menu](#) to select the day of the month on which the job will run.

- f. Use the **Job Execution Time** [Time Menus](#) to determine the time at which the job will run.

Tip: It is recommended that you select a time that is within the [Job Processing Window](#). If you select a time outside the [Job Processing Window](#), the **Override Job Processing Window** setting (see step g) must be checked () for the job to run.

- g. Use the **Override Job Processing Window** [Check Box](#) to indicate whether the job should run, even if it is scheduled outside the Job Processing Window.

19. When you have finished defining the Schedule, click **next** to continue.

The Review step opens.

20. Review the entered information to ensure that it is correct.

- Click **save** to save the Segment with the current settings and return to the [Stratified Segment List](#).
- Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
- Click **cancel** to delete all information and return to the [Stratified Segment List](#).

Job Processing Window

The Job Processing Window displays the time(s) at which scheduled jobs should run. The Window is intended to indicate times when there will be little processing load on the system, so that Job processing will not interfere with transaction processing.

Monday - 16:00, 7 hours
Tuesday - 16:00, 7 hours
Wednesday - 16:00, 7 hours
Thursday - 16:00, 7 hours
Friday - 16:00, 7 hours
Saturday - 16:00, 7 hours
Sunday - 16:00, 7 hours

Figure 6-34: Job Processing Window

Each line in the Job Processing Window defines a portion of the Job Processing Window. These lines have the following format:

[Day of Week] - [Start Time], [Duration]

Where:

- [Day of Week] is a day of the week (e.g. Sunday).
- [Start Time] is the time at which the Window begins, in 24-hour clock time.
- [Duration] is the length of time that the Window is open.

Manual Segments

In Manual Segments Customers are selected individually for inclusion in the Segment. This allows Users to organize Customers into customized collections. For example, a User can create a list of their favorite customers.

Manual Segment List

The Manual Segment [List](#) page is opened using the **Segment->Manual Segment** menu option, or by clicking the **Manual Segment [Link](#)** on the [Main Page](#).

ID	Name	Description	Customer Count	Give as List
2751	TestSegmentSync	TestSegmentSync	15	Yes
2748	EZKManual	Manual Segment Example	7	Yes
2747	Auth Test	Auth Test	8	Yes
2743	ManualUnstratifiedSeg1	ManualUnstratifiedSeg1	9	Yes
2730	ManualSync-noEmail	ManualSync-noEmail	5	Yes
2727	ManualSegmentSync	ManualSegmentSync	10	Yes

Figure 6-35: Manual Segment List

Table 6-3: Manual Segment List Page Key

Item	Description
1	Actions Menu - Click to open a menu of actions that can be performed in the Manual Segment List page. See “Actions Menu” on page 36 for more information.
2	Filter Menus - Select criteria in the Filter Menus to view a subset of the Segments in the Manual Segment List . See “Filter Menu” on page 36 for more information.
3	<p>Manual Segment List - A List of Manual Segments currently in the system. The List displays a limited number of Segments; use the Filter Menu to narrow down the List and locate a certain Segment.</p> <p>This List includes the following information for each Segment:</p> <ul style="list-style-type: none"> • ID - Unique ID for the Segment. • Name - Name of the Segment. • Description - Description of the Segment. • Customer Count - Number of Customers in the Segment. • Save as List - Indicates whether a list of matching Customer IDs is created when the Segment is created. For Manual Segments, this configuration can only be set to Yes.

Actions Menu

The [Actions Menu](#) in the Manual Segment [List](#) contains the following option:

- **CREATE** - Create a Manual Segment (see "[Create Manual Segment](#)" on page 39).
- **REFRESH** - Refresh the [List](#), displaying any updates to the Manual Segments.




Filter Menu

The Manual Segment [List](#) includes the following filter menu:

- **Segment Classification** - Filters the [List](#) by Segment Classification.

This filter has the following options:

- **My Segments** - Only displays the Segments you created.
- **All** - Display all Segments created by all Users.



- **Publish to Batch Exporter** - Filters the [List](#) by whether the Segments are flagged for export to a Marketing system such as Responsys.

This filter has the following options:

- **All** - **[DEFAULT]** Do not filter the [List](#) to segments flagged for export to a Marketing system such as Responsys.
- **Yes** - Display only those Segments that are flagged for export to a Marketing system such as Responsys.
- **No** - Display only those Segments that are not flagged for export to a Marketing system such as Responsys.

Open a Manual Segment

To open a Manual Segment, click the Segment in the [List](#). The Segment opens in an [Manual Segment Window](#).

Manual Segment Window

The Manual Segment [Window](#) displays information about the Manual Segment opened in the [Window](#), and provides the ability to perform actions on the Manual Segment.




Figure 6-36: Manual Segment Window

The following information is displayed in the Manual Segment [Window](#):

- **General** - General information about the Segment. This area includes the following information:
 - **Name** - Name of the Segment.
 - **Save as List** - Indicates whether a list of matching Customer IDs is created when the Segment is created. For Manual Segments, this value is always set to **Yes**.
 - **Export** - Indicates whether the Segment list is automatically exported after the Segment is created or updated. For Manual Segments, this value is always set to **No**.
 - **Publish to Batch Exporter** - Indicates whether the Segment has been made available for export to a Marketing system such as Responsys.
 - **Description** - A description of the Segment.
 - **Public** - Indicates whether the Segment is Public.
 - **Permanent** - Indicates whether the Segment is kept in the system, even if it meets the criteria for deletion by the housekeeping job. For Manual Segments, this value is always set to **Yes**.
 - **Publish to Clienteling** - Indicates whether the Segment has been made available to the Clienteling module.
 - **Publish to Task Generator** - Indicates whether the Segment has been made available to the Task Generator Job.
 - **Create User Id** - ID of the User who created the Segment.


Manual Segments

- **Segment Member Count** - Information about the number of Customers in the Segment.
 - **Segment Member Count** - The number of Customers in the Segment.
- **Attributes** - Attributes of the Segment. The following information is displayed for each attribute assigned to the Segment:
 - Name of the attribute.
 - Value(s) assigned to the attribute.
- **Associated Franchisees** - IDs and names of the Franchisees, if any, included in the Segment. If Franchisees are assigned, the Customers assigned to those Franchisees will be included in the Segment.

Actions Menu

The [Actions Menu](#) in the Manual Segment [Window](#) has the following option:

- **VIEW CUSTOMER LIST** - Open a [List](#) of Customers in the Segment. See [“View Customer List” on page 42](#).
- **DELETE** - Delete the Manual Segment from the system. See [“Delete Manual Segment” on page 44](#).



Create Manual Segment

To create a new Manual Segment:

1. In the [Manual Segment List](#) page, click **Create** in the [Actions Menu](#).

The Manual Segment creation [Wizard](#) opens.

Figure 6-37: Create Manual Segment Wizard

2. Enter the required information in the Segment Name step.

The Segment Name step has the following fields:

- **Name** - Name of the Segment.
- **Description** - Description of the Segment.
- **Public** - This [Check Box](#) determines whether the Segment is public.
- **Publish to Clienteling** - This [Check Box](#) determines whether the Segment will be available in the [Clienteling](#) module. See [page 1 in Chapter 3, "Clienteling"](#) for more information.

Note: If the **Publish to Clienteling** option is selected, **Public** is automatically checked, **Generate Tasks** is unchecked and the [Check Boxes](#) are disabled.

A User must be assigned the Relate_PublishClientelingSegment Role to see this option. See the *Customer Engagement Implementation Guide* for more information about Roles.

-
- * **Publish to Task Generator** - Determines whether tasks will be created for this Segment.

Note: If the **Publish to Task Generator** option is selected, **Public** is automatically unchecked and the [Check Box](#) is disabled.

-
- * **Publish To Batch Exporter** - Determines whether the Segment will be available to export to a Marketing system such as Responsys.

Note: If the **Publish to Batch Exporter** option is selected, **Public** is automatically checked and the [Check Box](#) is disabled.

3. When you have finished entering information, click **Next**.
 - If Franchisees are enabled in Customer Engagement, the Segment Franchisees step opens. Continue with step 4.
 - If Franchisees are not enabled in Customer Engagement, the Segment Query step opens. Continue with step 6.
4. Configure the Franchisees to be included in the Segment:
 - If only a subset of Franchisees will be included in the Segment, select the [Check Box](#) for each Franchisee to be included.
 - To select all the current Franchisees (so that any new Franchisees will be excluded from the Segment), click **Check All**.




Figure 6-38: Segment Franchisees

5. Click **next** when you are finished.
The Segment Attributes step opens.
6. Configure the Segment Attributes:
The Attributes belonging to the selected Attribute Group are displayed.




Figure 6-39: Segment Attribute Step

- h. Select or enter the configuration values for each of the **Required** Attributes.
- i. Add any necessary **Optional** Attribute(s):

- 1) Click the **Add** button for the Attribute to add.
A configuration field opens.
 - 2) Select or enter the configuration value for the Attribute.
 - 3) Repeat until all necessary Attribute(s) are configured.
 - j. Remove any unwanted Attributes by clicking the **Delete** button for each Attribute to remove.
The Attribute is deleted.
7. Click **next** when you are finished.
The Segment Members step opens.



Figure 6-40: Segment Members Step

8. Add Customers to the Segment.
Use the following procedure to add Customers to a Manual Segment:
 - a. Click either the **Add Customer** or **Click here Link** (the [Link](#) depends upon whether or not the Segment currently contains one or more Customers).
A [Search Customer Window](#) opens.

Figure 6-41: Search Customer Window


- b. Use the [Search Customer Window](#) to enter search information, then click the **Search** button to search for Customers matching the search criteria.
A [List](#) of search results is displayed.

Customer Id	First Name	Last Name	City	State	Home Location
523	James	Madison	WORCESTER	MA	
539	John	Marshall	BOSTON	MA	

Figure 6-42: Customer Search Results

Manual Segments

- c. Click the Customer to add to the Manual Segment.
 - d. Click the **OK** button.
 - e. The [Window](#) closes and the Customer is added to the [List](#) of Segment Members.
 - f. To add another Customer, repeat steps a-e.
9. To delete a customer from the Segment:
- a. Click the Customer in the [List](#) of Segment Members.
 - b. Click the **Delete Customer** [Link](#).
The Customer is tagged for deletion. The Customer will be deleted when the Segment is saved.
10. To undelete a customer in the Segment:
- a. Click the Customer in the [List](#) of Segment Members.
 - b. Click the **Undelete Customer** [Link](#).
The Customer is no longer tagged for deletion.
11. Click **next** when you are done editing the [List](#) of Segment Members.
The Review step opens.
12. Review the entered information to ensure that it is correct.
- Click **save** to save the Segment with the current settings and return to the [Manual Segment List](#).
 - Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
 - Click **cancel** to delete all information and return to the [Manual Segment List](#).



Edit Manual Segment

To edit a Manual Segment:

1. In the [Manual Segment List](#), click the Segment to be edited.
The Segment opens in a [Manual Segment Window](#).
2. Click the **EDIT** button.
The Segment opens in a Manual Segment [Wizard](#). See [“Create Manual Segment” on page 39](#) for more information about editing a Manual Segment.
3. Update the Manual Segment.
 - Use [Wizard Navigation](#) to move through the Segment.
 - Make any necessary changes.
 - Click **save** when you are finished making changes. The Segment will be saved and Customer Engagement will return to the [Manual Segment List](#).
 - Click **cancel** to discard the changes, cancel the copy operation, and return to the [Manual Segment List](#).

View Customer List

To view the customers in a Manual Segment:

1. In the [Manual Segment List](#), click the Segment.

The Segment opens in a [Manual Segment Window](#).

2. In the [Actions Menu](#), click **VIEW CUSTOMER LIST**.

A [List](#) of Customers in the Segment is displayed in a [Customer List](#).

Important: The Customers in the Manual Segment cannot be edited in the [Customer List](#). The Manual Segment can only be edited in the Manual Segment [Wizard](#) (see "[Create Manual Segment](#)" on page 39 for more information about editing a Manual Segment).

Delete Manual Segment

To delete a Manual Segment from Customer Engagement:

1. In the [Manual Segment List](#), click the Segment.
The Segment opens in a [Manual Segment Window](#).
2. In the [Actions Menu](#), click **DELETE**.

A confirmation prompt opens.




Figure 6-43: Delete Manual Segment Confirmation Prompt

3. Click **OK** to delete the Manual Segment and close the prompt and [Manual Segment Window](#).

Click **Cancel** to close the prompt and return to the [Manual Segment Window](#).

Promotions

Overview

In Customer Engagement, a Promotion defines an offer, within a Campaign, that is intended to provide some purchase incentive to Customers. These offers may be made available to all Customers, or they may be offered only to specified subsets of Customers. These offers may provide price incentives on a specific item, they may provide coupons to be redeemed during a purchase, they may be messages notifying Customers of special events or pricing, or they may provide tender certificates that a Customer can use at a later date.

About This Chapter

This chapter contains the following information:

- [“Promotion Event Types” on page 2](#) - Describes the types of Promotions. Additional background includes:
 - [“Targeted Promotions” on page 3](#)
 - [“Untargeted Promotions” on page 3](#)
 - [“Social Media Listening” on page 3](#)
 - [“Control Groups” on page 3](#)
- [“Promotion List” on page 4](#) - Describes the Promotion List page. Options include:
 - [“Actions Menu” on page 5](#)
 - [“Filter Menus” on page 5](#)
 - [“Open a Promotion” on page 6](#)
 - [“Bulk Approve” on page 6](#)
 - [“Bulk Export Promotion Definition” on page 7](#)
 - [“Bulk Export to Batch” on page 7](#)
- [“Create a Promotion” on page 9](#) - Describes how to create a Promotion. Options include:
 - [“New Promotion Wizard” on page 9](#)
- [“Promotion Window” on page 10](#) - Describes the data and options at the Promotion window. Options include:
 - [“Actions Menu” on page 14](#)
 - [“View Coupon Codes” on page 14](#)
 - [“Open Promotion Scorecard” on page 15](#)

Promotion Event Types

- [“Update a Promotion” on page 15](#)
- [“Copy a Promotion” on page 15](#)
- [“Generate a Promotion” on page 16](#)
- [“Create Coupons” on page 17](#)
- [“Conflict Report” on page 18](#)
- [“Approve a Promotion” on page 19](#)
- [“Export a Promotion Definition” on page 19](#)
- [“Export a Promotion to Batch” on page 19](#)
- [“Terminate a Promotion” on page 19](#)
- [“Promotion Scorecard” on page 19](#) - Describes the information metrics about the response to a Promotion. Options include:
 - [“Scorecard” on page 20](#)
 - [“Facebook Scorecard” on page 24](#)
 - [“Twitter Scorecard” on page 25](#)
- [“Event Manager” on page 26](#) - Describes the Promotion Event and Tasks. Options include:
 - [“Actions Menu” on page 27](#)
 - [“Open a Task” on page 28](#)
 - [“Open Promotion Scorecard” on page 28](#)
 - [“Add a Task” on page 28](#)
- [“Contact List” on page 30](#) - Describes the list of Customers associated with an Event. Options include:
 - [“Actions Menu” on page 30](#)
 - [“Print Contact List” on page 30](#)
- [“Edit Task Window” on page 31](#) - Describes the window used to edit a Task. Options include:
 - [“Edit a Task” on page 32](#)

Promotion Event Types

Customer Engagement has the following Promotion event types:

- **Coupon** - An offer that is made through embedded coupons placed in various media, such as magazines or newspapers.
- **Product** - An offer to receive monetary savings in exchange for the purchase of specific merchandise.
- **Message** - A Promotion that is used to send out communications that are not specifically associated with any Deals.
- **Award** - An offer in which certain Customers are awarded an e-award or entitlement coupon.

Each promotion type is described below.

Targeted Promotions

Targeted Promotions are Promotion Events that are delivered exclusively to one or more Customer Segments (see [page 1 in Chapter 6, “Segments”](#) for more information about Segments). Within the Promotion framework, a “Customer Segment” becomes a “Promotion Target” when it is attached to a specific Promotion Event.

More than one target can be defined and tracked within the Promotion Event.

One or more Segments can be combined into a single Promotion Target. Only unique Customer IDs will be added to the target as each Segment is added.

In addition, Customer Engagement ensures that only unique Customer records are included in a Promotion Event across multiple targets. Customer records added to new targets are first netted out against the previously defined target(s). The first target created will always have the same number of unique Customer records as existed in the Segments.

Untargeted Promotions

Untargeted Promotion Events are Promotion Events delivered to the general population, rather than a specific set of Customers. Untargeted Promotion Events are often general sales events where awareness could be generated using a combination of media including: TV, Radio, Newspaper, and POP signage.

In Untargeted Promotions, the posting engine doesn’t evaluate the Customer ID in the transaction as a qualifier. Since the initial offer wasn’t targeted in advance, the offer and the response is put into the Customer history at the time the response is identified.

Social Media Listening

The Social Media Listening functionality in Customer Engagement provides the ability to manage and maintain social profile data for known customers, thereby enriching the customer database. A Promotion can be configured to check customers’ social media accounts and listen for customer posts that contain certain keywords defined for that Promotion. Through this, Customer Engagement provides retailers with the ability to better understand their customers and provide them with better service by learning what they do well and where they can improve their customer’s experience.

Control Groups

Best practices dictate that direct marketing strategy and tactics should be evaluated at least periodically. The primary method for doing this is for the marketer to set up a “test” and a “control” for a Promotional Event.

The “test” group is the target set that receives the new stimulus or offer. The “control” group is a statistically identical group that doesn’t receive the stimulus or offer. Following the promotional period, the results of the two groups are compared and the marketer can determine if the offer generated “incremental” revenue.

There are two methods for setting up a control group:

- **Promotion Level** - A balanced sample from a number of separate targets.

In the event that multiple targets are being tracked, and the user wishes to generate a control group to measure the overall impact of the Promotion, then this option will randomly generate a “balanced control” group based on the available target counts. This means that the control group quantity will be generated proportionally based on the counts of the individual target groups.

- **Target Level** - An individual pairing of a test and a control.

Promotion List

A control group is extracted from one or more targets, one at a time. This allows separate statistical conclusions to be made about each separate target within the group.

In either case, the key factor is that the control group is not included in the offer.

Promotion List

The Promotion [List](#) page is opened using the **Campaign->Promotion Definition** menu option, or by clicking the **Promotion Definition Link** on the [Main Page](#).




Figure 7-1: Promotions List

Table 7-1: Promotion List Page Key

Item	Description
1	Create Button - Click to create a new Promotion. See “Create a Promotion” on page 9 for more information.
2	Filter Menus - Select criteria in the Filter Menus to view a subset of the Promotions in the Promotion List . See “Filter Menus” on page 5 for more information.
3	Actions Menu - Click to open a menu of actions that can be performed in the Promotion List page. See “Actions Menu” on page 5 for more information.
4	Check Options - Links to place or remove a check mark (<input checked="" type="checkbox"/>) in each Check Box displayed in the current screen.
5	Page Navigation - Page Navigation for the List .


Table 7-1: Promotion List Page Key (continued)

Item	Description
6	<p>Promotions - A List of Promotions currently in the system. Use the Filter Menus to narrow down the List and locate a certain Promotion.</p> <p>This List includes the following information for each Promotion:</p> <ul style="list-style-type: none"> • Promotion ID - Unique ID for the Promotion. • Promotion Name - Name of the Promotion. • Campaign Name - Name of the Campaign associated with the Promotion. • Type - Type of Promotion. • Start Date - Date on which the Promotion is first active. • End Date - Last date on which the Promotion is active. • Generated - Indicates whether the Target data for the Promotion has been generated. • Status - Current status of the Promotion. • Exported - Indicates whether the Promotion has been exported to external systems, including POS systems.

Actions Menu

The [Actions Menu](#) in the Promotion [List](#) page includes the following options:

- **Approve** - Approve selected Promotion(s). See [“Bulk Approve” on page 6](#).
- **Terminate** - Terminate selected Promotion(s). See [“Bulk Terminate” on page 7](#).
- **Export Promotion Definition** - Export the definition(s) of selected Promotion(s). See [“Bulk Export Promotion Definition” on page 7](#)
- **Export to Batch** - Export selected Promotion(s). See [“Bulk Export to Batch” on page 7](#).
- **Refresh** - Refresh the Promotion [List](#), displaying any updates.



Filter Menus

The Promotion [List](#) page includes the following [Filter](#) fields:

Figure 7-2: Filter Menus

- **Campaign** - Filters the [List](#) to show only the Promotions associated with a selected campaign. Select **All [DEFAULT]** to view Promotions for all campaigns.
- **Type** - Filters the [List](#) by the Type of Promotion. This filter has the following options:
 - **All - [DEFAULT]** Do not filter by Type; display all Promotion Types.
 - **Coupon** - Display only Coupon Promotions.

Promotion List

- **Product** - Display only Product Promotions.
- **Message** - Display only Message Promotions.
- **Award** - Display only Award Promotions.
- **Status** - Filters the [List](#) by the current Promotion Status. This filter has the following options:
 - **All** - **[DEFAULT]** Do not filter by Status; display all Statuses
 - **Saved** - Display only Saved Promotions
 - **Terminated** - Display only Terminated Promotions
 - **Approved** - Display only Approved Promotions
 - **Clear** - Display only Promotions that have been Cleared
 - **Conflict** - Display only Promotions with Conflicts
- **Exported** - Filter the [List](#) by whether the promotion definition or data has been exported. This filter has the following options:
 - **All** - **[DEFAULT]** Do not filter by Export Status; display both exported and unexported Promotions
 - **Yes** - Display only exported Promotions
 - **No** - Display only Promotions that have not been exported
- **Attribute Type** - Filters the [List](#) by an Attribute that can be assigned to the Promotion. Select **All** **[DEFAULT]** to view Promotions with all Attributes, including those that do not have any assigned Attributes.
- **Coupon Code** - Filters the [List](#) to by the Coupon Code assigned to the Promotion.
- **Franchisee ID** - Filters the [List](#) to by the ID of the Franchisee assigned to the Promotion.

Open a Promotion

To open a Promotion for viewing or updating, click the Promotion in the [Promotion List](#). The Promotion will be displayed in a [Promotion Window](#) (see [“Promotion Window” on page 10](#)).

Bulk Approve

To approve multiple Promotions:

1. In the [Promotion List](#), click to enter a check mark () next to each Promotion to approve.
2. Click **Approve** in the [Actions Menu](#).

All the selected Promotions are approved.

Bulk Terminate

To terminate multiple Promotions:

1. In the [Promotion List](#), click to enter a check mark () next to each Promotion to terminate.
2. Click **Terminate** in the [Actions Menu](#).

All the selected Promotions are terminated. Terminated Promotions are not eligible for bulk export.

Bulk Export Promotion Definition

To export the definitions of multiple Promotions:

1. In the [Promotion List](#), click to enter a check mark () next to each Promotion to export.
2. Click **Export Promotion Definition** in the [Actions Menu](#).

The definitions of the selected Promotions are exported. Each exported Promotion is listed separately as an Export Promotion at the Process Queue page.

The generated Promotion Definition XML file includes the following information:

- Promotion name, including the ID
- Promotion type, and whether it is serialized
- Promotion begin date
- Promotion end date
- Description
- Promotion target type
- Name and value for each Promotion Attribute
- Target Segment Group
- Included and Excluded Store Locations
- Details on each Deal

This option is not available for an Award Promotion.

Bulk Export to Batch

To export multiple Promotions to batch:

1. In the [Promotion List](#), click to enter a check mark () next to each Promotion to export.
2. Click **Export to Batch** in the [Actions Menu](#).

All the selected Promotions are exported. Generated CSV sync files include:

- **Promotion Deals Sync file:**
 - Campaign ID
 - Promotion ID
 - Deal ID
 - Deal Name

- Deal Type
- Enabled Flag, where 1 = enabled
- Deal Group
- **Promotion Deals Attributes Sync File:**
 - Campaign ID
 - Promotion ID
 - Deal ID
 - Attribute Classification
 - Attribute ID
 - Attribute Name
 - Attribute Sequence Number
 - Attribute Value

This file is generated only if Deal Attributes have been specified for the Promotion. Attributes are not included for deals that have been disabled.

- **Promotion Sync File:**
 - Campaign ID
 - Promotion ID
 - Promotion Type
 - Promotion Name
 - Description
 - Start Date
 - Start Time
 - End Date
 - End Time
 - Status
 - Serialized Coupon Flag, where 1 = serialized coupon
 - Award Program ID
 - Coupon Prefix
- **Promotion Targets Sync File:**
 - Customer ID
 - Campaign ID
 - Promotion ID
 - Target Name (segment)
 - Active Flag, where 1 = active
 - Promotion Start Date and Promotion Start Time
 - Promotion End Date and Promotion End Time

This file is generated only if Targets are defined at the Define Targets step when creating the Promotion.

- **Promotion Serialized Coupon Sync File:**

- Campaign ID
- Promotion ID
- Coupon ID
- Customer ID

This file is generated only if Serialized Coupons are enabled for the Promotion.

- **Promotion Award Coupon Sync file:**

- Campaign ID
- Promotion ID
- Coupon ID
- Customer ID

The above files are all listed at the Process Queue page under the Promotion Batch Export job for each selected Promotion.

Create a Promotion

The process for creating a new Promotion in Customer Engagement depends upon the type of Promotion that is being created. To create a Promotion, start the New Promotion [Wizard](#), determine the type of Promotion to create, then perform the proper steps to complete the Promotion.

New Promotion Wizard

To start the Promotion creation process, click **CREATE** in the upper-right corner of the [Promotion List](#) page.

The New Promotion [Wizard](#) opens on the Promotion Type step.

The screenshot displays the 'New Promotion Wizard' interface. On the left is a navigation sidebar with the following items: Promotion Type (selected), General Information, Campaign, Start / End Date, Promotion Franchisees (No franchisees defined), Generic Attributes (No attributes defined), Associated Locations, Define Targets, Budget, Options After Save, Review (highlighted in blue), and Review. The main content area is titled 'Promotion Type' and features a progress bar at the top with three steps: 'Promotion Type' (active), 'General Information', and 'Campaign'. Below the progress bar are navigation buttons: '<< previous', 'save', 'cancel', and 'next >>'. The 'Promotion Type' section contains four radio button options: 'Coupon' (selected), 'Product', 'Message', and 'Award'. A checkbox labeled 'Enable Serialized Coupon Management' is located to the right of the 'Coupon' option.

Figure 7-3: New Promotion Wizard

In the Promotion Type step, select the type of Promotion you are creating, then follow the procedure for that type of Promotion:

Promotion Window

- **Coupon** - An offer that is made through embedded coupons placed in various media, such as magazines or newspapers. For more information about creating a Coupon Promotion, see [page 1 in Chapter 8, “Create a Coupon Promotion”](#).
- **Product** - An offer to receive monetary savings in exchange for the purchase of specific merchandise. For more information about creating a Product Promotion, see [page 1 in Chapter 9, “Create a Product Promotion”](#).
- **Message** - A Promotion that is used to send out communications that are not specifically associated with any Deals. For more information about creating a Message Promotion, see [page 1 in Chapter 11, “Create a Message Promotion”](#).
- **Award** - An offer in which certain Customers are awarded an e-award or entitlement coupon. For more information about creating an Award Promotion, see [page 1 in Chapter 10, “Create an Award Promotion”](#).

Promotion Window

The Promotion [Window](#) displays information about the selected Promotion and provides access to actions that can be performed on the Promotion.




Figure 7-4: Promotion Window

The Promotion [Window](#) can include the following information about the Promotion:

Note: Depending upon the configuration and/or status of the Promotion, some information may not be displayed.

- **General Information** - General information about the Promotion. This includes the following information:
 - **Promotion Id** - Unique ID for the Promotion.
 - **Name** - The name of the Promotion.
 - **Description** - A description of the Promotion.
 - **Type** - The type of Promotion (Coupon, Product, Message, or Award).

- **Campaign Name** - The name of the associated Campaign.
- **Promotion Start Date** - The date on which the Promotion begins.
- **Promotion End Date** - The final date of the Promotion.
- **Status** - Current status of the Promotion.
- **Create Date** - Date on which the Promotion was created.
- **Create User Id** - ID of the User who created the Promotion.
- **Update Date** - Most recent date on which the Promotion was updated.
- **Update User Id** - Last User to update the Promotion.
- **Social Listening** - Displays the social networks used by the social listening process (See below). *This information is only displayed for Promotions that use social listening.*
- **Event Description** - A description of the Promotion Event. *Displayed only if the Promotion uses the Clienteling Channel.*
- **Attachments** - [Links](#) to files attached to the Promotion. *Displayed only if the Promotion uses the Clienteling Channel.*
- **Event Image** - Displays an image associated with the Promotion. *Displayed only if the Promotion uses the Clienteling Channel.*
- **Generic Attributes** - The Generic Attributes assigned to the Promotion. This section displays the name of each Attribute assigned to the Promotion and its value.
- **Award Certificate** - The Certificate awarded by the Promotion. *This information is displayed only for Award Promotions.*
 - **Card Type Name** - Name of the Card Type receiving the Certificates.
 - **Award Program** - Award program receiving the Certificates.
 - **Coupon Prefix** - The prefix to assign to the coupon number.
 - **Certificate Type** - E-Award or Entitlement Coupon.
 - **Amount** - The amount of an e-award.
 - **Deal Coupon** - The description of an entitlement deal.
 - **Discount Type** - The type of discount offered for the promotion through the Deal Coupon.
 - **Issue Option** - Indicates which types of cards are eligible for the award program.
 - **Award Validity Period** - Period of time during which the Certificate will be valid.
 - **Start Date** - First date on which the Certificate is valid.
 - **End Date** - Last date on which the Certificate is valid.
- **Export/Approve Status** - Information about the export or approve status of the Promotion.
 - **Last Export Date** - Date on which the Promotion was most recently exported.
 - **Last Export User** - ID of the User who performed the most recent export.
 - **Export Count** - Number of times the Promotion has been exported.

Promotion Window

- **Last Approval Date** - Date on which the Promotion was most recently approved.
 - **Last Approval User** - ID of the User who performed the most recent approval.
 - **Approval Count** - Number of times the Promotion has been approved.
 - **Conflict at Approval** - Indicates whether there were any Conflicts at the most recent approval. The Enable Promotion Conflict property controls this option. See the *Implementation Guide* for more information.
 - **Included Locations** - The Locations included in the Promotion. This [List](#) displays the following information for each Location:
 - **Location Attributes** - The Attribute used to determine Location eligibility.
 - **Value** - The Attribute value used to determine Location eligibility.
 - **Enabled** - Indicates whether the Location inclusion rule is currently enabled.
 - **Excluded Locations** - The Locations excluded from the Promotion. This [List](#) displays the following information for each Location:
 - **Location Attributes** - The Attribute used to determine Location exclusion.
 - **Value** - The Attribute value used to determine Location exclusion.
 - **Enabled** - Indicates whether the Location exclusion rule is currently enabled.
 - **Associated Deals** - The Deals that are associated with a Product or Coupon Promotion. This [List](#) displays the following information for each Deal:

Tip: Click a deal in the Associated Deals [List](#) to open the Deal in a [Deal Window](#) (see "[Deal Window](#)" on page 4 for more information).
 - **Deal ID** - The numeric ID of the Deal.
 - **Deal Name** - The name of the Deal.
 - **Deal Type** - The type of Deal.
 - **Deal Code** - The Deal Code for the Deal.
 - **Coupons Defined** - The number of Coupons defined for the Deal. *This field is displayed only for Coupon Promotions.*

The field value provides a [Link](#) to [View Coupon Codes](#) for the Deal.
 - **Enabled** - Indicates whether the Deal is enabled for the Promotion.
 - **Serialized Coupons** - Indicates whether the Coupons are serialized. *This field is displayed only for Coupon Promotions.*
 - **Promotion Targets** - Information about the Promotion targets.
 - **Promotion Targets** - Indicates the type of targeting used by the Promotion (**Non-exclusive** or **Exclusive**).
 - **Targeting Type** - Indicates whether the targeting is **Static** or **Dynamic**. *This field is displayed only for dynamically targeted Promotions.*
 - **Dynamic Targeting Option** - The method used to update the Target (**Targets Added Only** or **Targets Added and Removed**). *This field is displayed only for dynamically targeted Promotions.*
- Target List** - This [List](#) displays the following information for each Target:

- **Target Name** - The Name of the Target.
- **Target Count Total** - The number of Customers in the Target.
- **Control Group Count** - The number of Customers in the Target's Control Group. *This field only appears if a Control Group is configured.*
- **Export Channels** - The possible export channels for the Target. Contact rules are displayed by channel:
 - * **Mail** - Indicates whether the Target will be notified of the Promotion by mail.
 - * **Email** - Indicates whether the Target will be notified of the Promotion by email.
 - * **Phone** - Indicates whether the Target will be notified of the Promotion by telephone.
 - * **ClientelingChannel** - Indicates whether Associates will notify the Target of the Promotion through the Clienteling Channel.
- **Total** - The total number of Customers in all Targets.
- **Promotion Costs** - The overall costs of the Promotion.
 - **Budget Amount** - The amount budgeted for the overall costs of the Promotion.
 - **Actual Amount** - The actual amount of the overall costs of the Promotion.
- **Batch exporter filenames** - The filenames selected for batch export at the Export Channels step in Promotion creation. Displayed regardless of whether the export files have been generated.
 - **Deals** - Contains information on the Deals associated with the Promotion. Displayed only if Deals have been associated with the Promotion.
 - **Deals and Promo-Deals Attributes** - Contains information on the Attributes for the Deals associated with the Promotion. Displayed only if Attributes have been selected for Deals associated with the Promotion.
 - **Promotion** - Contains information on the Promotion.
 - **Promotion Customer Targets** - Contains a listing of the Customers selected as Targets for the Promotion. Displayed only if Targets were selected for the Promotion.
 - **Serialized Coupons** - Contains a listing of the Serialized Coupons for the Promotion. Displayed only if Serialized Coupons were enabled for the Promotion.
 - **Award Coupons** - Contains information on EAward / Entitlement coupons. See ["Bulk Export to Batch" on page 7](#) for information on batch export of promotions.
- **Target Costs** - The Target-specific costs of the Promotion.
 - **Budget Amount** - The amount budgeted for Target-specific Promotion costs.
 - **Actual Amount** - The actual amount of Target-specific Promotion costs.
- **Associated Franchisees** - The Franchisees assigned to the Promotion.
 - ID of the Franchisee
 - Name of the Franchisee.

Promotion Window


- **Social Listening** - The social media listening settings for the Promotion. *This information is only displayed for Promotions that use social listening.*
 - **Target Name** - The name of the target.
 - **Social Network** - The social network to which the Promotion is listening.
 - **Keyword(s) To Listen For** - The keyword(s) for which the Promotion is listening.

Actions Menu

The [Actions Menu](#) for the Promotion [Window](#) has the following options:

Note: The options available in this menu will depend upon the configuration of the system and the current status of the Promotion. Some of the options below may not be available.

- **Edit** - Update or Edit the Promotion. See [“Update a Promotion” on page 15](#).
- **Copy** - Open an editable copy of the Promotion. See [“Copy a Promotion” on page 15](#).
- **Generate** - Generate the Promotion (this option only appears if the Promotion is targeted and the Target has not yet been generated). See [“Generate a Promotion” on page 16](#).
- **Create Coupons** - Create additional Serialized Coupons for the Promotion (this option only appears if the Promotion awards Serialized Coupons). See [“Create Coupons” on page 17](#).
- **Conflict Report** - Open the Conflict Report for the Promotion (this option only appears if the Organization is configured to perform Promotion Conflict analysis). See [“Conflict Report” on page 18](#).
- **Approve** - Approve the Promotion (this option only appears if the Promotion has not been approved). See [“Approve a Promotion” on page 19](#).
- **Export Promotion Definition** - Export the definition of the Promotion. See [“Export a Promotion Definition” on page 19](#).
- **Export To Batch** - Export details of the Promotion. See [“Export a Promotion to Batch” on page 19](#).
- **Terminate** - Terminate the Promotion. See [“Terminate a Promotion” on page 19](#).




View Coupon Codes

To view the Coupon Codes associated with a Deal, click the [Link](#) in the Coupons Defined field. A [Coupon Codes for Deal Window](#) opens.

Coupon Codes for Deal Window

The Coupon Codes for Deal [Window](#) displays a [List](#) of the Coupon Codes for a Deal associated with a Promotion.



Coupon Code	Media Description	Coupons Generated
EFG001	Telemarketing	88
HIJ001	Amazon	88

Figure 7-5: Coupon Codes for Deal Window

The [Window](#) displays the following information for each Coupon Code in the [List](#):

- **Coupon Code** - Coupon Code for the Coupon.
- **Media Descriptor** - Description of the media for the coupon.
- **Coupons Generated** - Number of coupons generated with the Coupon Code.

Open Promotion Scorecard

Click **Scorecard** in the [Promotion Window](#) to open the [Promotion Scorecard](#) for a Promotion from the [Promotion Window](#). The Promotion is then opened in the [Promotion Scorecard](#).

Update a Promotion

To update a Promotion, click **EDIT** in the [Actions Menu](#) in the [Promotion Window](#).

The Promotion opens in the Promotion [Wizard](#), with all of the editable fields populated with the current Promotion configurations.

- Use [Wizard Navigation](#) to move through the [Wizard](#).
- Make any necessary changes.
- Click **save** when you are finished making changes. The [Wizard](#) closes, saving the entered configurations and returning to the [Promotion List](#).
- Click **cancel** to exit the [Wizard](#) and return to the [Promotion List](#) without saving the changes.

For more information about the fields and information to be entered, see [“Create a Promotion” on page 9](#).

Copy a Promotion

To create a new Promotion with the same configurations as the current Promotion:

Note: Some information will not be copied from the existing Promotion to the new Promotion:

- Auto-created Campaigns
 - End Dates in the past
 - Coupon configurations
 - Target information
 - Options after saving
-

Promotion Window

1. Click **Copy** in the [Actions Menu](#) for the [Promotion Window](#).

A copy of Promotion opens in the Promotion [Wizard](#), prompting for the action to perform on the current Promotion.

The screenshot shows the 'Source Promotion Options' step of a wizard. At the top, there is a navigation bar with five tabs: 'Source Promotion Options' (active), 'General Information', 'Campaign', 'Start / End Date', and 'Generic Attrib'. Below the navigation bar, there are navigation buttons: '<< previous', 'save', 'cancel', and 'next >>'. The main content area is titled 'Source Promotion Options' and contains the text: 'With source promotion id 572, "test2", I want to:'. Below this text are three radio button options: 'leave it unchanged.' (selected), 'terminate and export it.', and 'modify its end date and export it.'

Figure 7-6: Source Promotion Options Step

2. Select the action to perform on the existing Promotion:
 - **leave it unchanged** - Do nothing to change the existing Promotion.
 - **terminate and export it** - Terminate the Promotion and export the termination to the POS systems.
 - **modify its end date and export it** - Change the end date for the Promotion and export the Promotion, with its new end date, to the POS systems.

If you select this option, Customer Engagement prompts for the new **End Date** and **End Time**.

The screenshot shows the input fields for the new end date and time. It includes the text 'Current End Date 2012 Apr 20 23:59:00'. Below this, there is an 'End Date' field with the value '2012-04-10'. Below the date field, there is an 'End Time' field with three dropdown menus: the first shows '11', the second shows ':59', and the third shows 'PM'.

Figure 7-7: New End Date and Time

- 1) Select the new **End Date** for the existing Promotion in the [Calendar Menu](#).
 - 2) Select the new **End Time** for the existing Promotion in the [Time Menus](#).
3. Click **next**.
 4. Edit the Promotion.
 - Use [Wizard Navigation](#) to move through the [Wizard](#).
 - Make any necessary changes.
 - Click **save** when you are finished making changes. The [Wizard](#) closes, saving the new Promotion and returning to the [Promotion List](#).
 - Click **cancel** to exit the [Wizard](#) and return to the [Promotion List](#) without saving the new Promotion.

For more information about the fields and information to be entered, see ["Create a Promotion" on page 9](#).

Generate a Promotion

Generating a Promotion creates a list of Customers targeted by the Promotion. This list is created based upon the Target Segments associated with the Promotion.

To Generate a Promotion, click **Generate** in the [Actions Menu](#) for the [Promotion Window](#). A Job starts to generate the Promotion. The results can be viewed through the [Process Queue](#). See [page 1 in Chapter 19, "Process Queue"](#) for more information.

Create Coupons

The Create Coupons option is used to create additional Coupons for a Promotion that issues Serialized Coupons. To create additional Serialized Coupons for a Coupon Promotion:

1. Click **Create Coupons** in the [Actions Menu](#) for the [Promotion Window](#).

The Create Coupons [Window](#) opens.

Deal Id	Deal Name	Deal Type	Coupon Code	Current Count	Additional Coupons
182	MK 913 Subtotal	SUBTOTAL_DISCOUNT	AB001	23	0
183	MK Test	LINE_ITEM_DISCOUNT	AB002	20	0

Buttons: Cancel, Create Coupons

Figure 7-8: Create Coupons Window

2. In the **Additional Coupons** field(s) for each Deal in the [Window](#), enter the number of additional Coupons to create.
3. Click the **Create Coupons** button.

The Create Coupons [Window](#) closes, a confirmation message is displayed and the Create Coupons Job is submitted. Use the [Process Queue](#) to view the Job progress (see [page 1 in Chapter 19, "Process Queue"](#) for more information).




Figure 7-9: Job Submitted Successfully

Conflict Report

To view a Conflict Report, click **Conflict Report** in the [Actions Menu](#) for the [Promotion Window](#). If the Promotion has conflicts, the Conflict Report opens.



Figure 7-10: Conflict Report

The Conflict Report displays the following information:

- **Conflicts were found in the following promotions** - This section displays the IDs of Deals that conflict with Deals in the Promotion.
- **Target Deal XX** - Where **XX** is the ID for the Deal within the Promotion that is being conflicted with, this section displays the conflicts for Deal **XX**. For each Target Deal, the following information is displayed for each conflict with the Deal:
 - **Target Deal XX** - The Deal in the Promotion that is being conflicted with. This section displays the following information:
 - * **Hierarchy Type** - The Type of Item Hierarchy in the Target Deal that is being conflicted.
 - * **Hierarchy ID** - The Hierarchy ID in the Target that is being conflicted.
 - **Source deal XX** - The Deal that is conflicting with the Deal in the Promotion. This section displays the following information:
 - * **Hierarchy Type** - The Type of Item Hierarchy in the Target Deal that is the source of the conflict.
 - * **Hierarchy ID** - The Hierarchy ID in the Target that is the source of the conflict.
 - **(Conflict Description)** - Describes the conflict between the Target Deal and the Source Deal.
 - **Target deal XX is contained in multiple promotions** - This message is displayed if the Target deal is contained in other Promotions.
- **Cross-reference of deals to promotions** - This section displays cross-references from Deals to Promotions. For each Deal in the Conflict Report, there is a line displaying the Promotions that use the Deal.
- **Cross-reference of promotions to deal** - This section displays cross-references from Promotions to Deals. For each Promotion in the Conflict Report, there is a line displaying the conflicting Deals that are used by that Promotion.

Approve a Promotion

To approve a Promotion, click **Approve** in the [Actions Menu](#) for the [Promotion Window](#). The Promotion status is set to Approved.

Export a Promotion Definition

To export a Promotion Definition, click **Export Promotion Definition** in the [Actions Menu](#) for the [Promotion Window](#). The definition of the Promotion is exported, and is listed as an Export Promotion at the Process Queue page.

See [“Bulk Export Promotion Definition” on page 7](#) for a description of the information included in the export file.

This option is not available for an Award Promotion.

Export a Promotion to Batch

To export a Promotion to batch, click **Export to Batch** in the [Actions Menu](#) for the [Promotion Window](#) to export details about the Promotion, including Promotion Deals, Promotion Deal Attributes, Promotion Targets, and Promotion Serialized Coupons. The files are all listed at the Process Queue page under the Promotion Batch Export job for the Promotion.

This option is available only if one or more types are selected for the Supported Batch Exporter Types property.

See [“Bulk Export to Batch” on page 7](#) for a description of the information included in the export files.

Terminate a Promotion

To terminate a Promotion, click **Terminate** in the [Actions Menu](#) for the [Promotion Window](#). The Promotion is terminated.

Promotion Scorecard

The Promotion Scorecard displays information about the Customer response to a Promotion. If you are associated with a Franchisee, the response and transaction totals displayed are based on your Franchisee.

If Include Social Listening is selected for the Promotion, the Promotion Scorecard will display the following tabs:

- [Scorecard](#) - General information about the Promotion.
- [Facebook Scorecard](#) - Information about social listening results from Facebook.
- [Twitter Scorecard](#) - Information about social listening results from Twitter.

Scorecard

The Scorecard tab displays the following information:

The screenshot shows a web interface with tabs for 'Scorecard', 'Facebook Scorecard', and 'Twitter Scorecard'. The main content area is titled 'Promotion Scorecard: AnotherETTest (268)'. It displays campaign and promotion details, followed by a 'Response Summary' section. This section is divided into 'Active Customers' and 'Inactive Customers', each with a table of metrics. A 'Financial Summary' table is partially visible at the bottom.

Promotion Scorecard: AnotherETTest (268)													
Campaign Id 262		Promotion Id 268											
Campaign Name AnotherETTest						Promotion Name AnotherETTest							
Response Summary													
Active Customers													
Target Name	Total	Sent	Opened	Clicked	Undeliverable	E-mail Channel Details							
						Net Targeted	Net Delivery	Respondents	Non-Respondents	Net Response Rate	Response Rate	Award Value	Redeemed Award Value
NewTest	4	3	0	0	0	4	3	0	4	0.00	0.00		
Inactive Customers													
Target Name	Total	Sent	Opened	Clicked	Undeliverable	E-mail Channel Details							
						Net Targeted	Net Delivery	Respondents	Non-Respondents	Net Response Rate	Response Rate	Award Value	Redeemed Award Value
NewTest	1	1	0	0	0	1	1	0	0	0.00	0.00		
Financial Summary													
Target	Direct	Indirect	Total	Cost Of Goods	Price	Margin	Promotion	Net					

Figure 7-11: Scorecard Tab

- Promotion Scorecard: [Promotion Name (Promotion ID)]** - This section contains basic information about the Promotion.
 - **Campaign Id** - ID number of the Campaign to which the Promotion belongs.
 - **Campaign Name** - Name of the Campaign to which the Promotion belongs.
 - **Promotion Id** - ID number of the Promotion.
 - **Promotion Name** - Name of the Promotion.
- Response Summary** - This section contains information about the responses to the Promotion. This information can be updated through the [Promotion Response Data Import](#) task.

A separate [List](#) of totals is provided for **Active Customers** and **Inactive Customers**. A customer might be inactive through a customer merge, dynamic target job processing, or customer deletes.

If you are associated with any Franchisees, the totals in this section include customers that belong to your Franchisee(s).

- **Target Name** - Name of the Target. A Target name ending in _CTL indicates a control group. Non-Targeted is displayed as the Target Name for customers who responded to the Promotion but were not included in Target Groups.
- **Total** - Number of Customers to whom emails were sent because they were in the Target Group. For Non-Targeted totals, this is the number of non-targeted customers who responded.
- **Sent** - Number of emails sent. This total is 0 for Non-Targeted customers.
- **Opened** - Number of emails opened.
- **Clicked** - Number of emails clicked on.
- **Undeliverable** - Number of emails that could not be delivered.
- **Net Targeted** - Total customers - Undeliverable emails.
- **Net Delivery** - Total number of emails Sent - Undeliverable emails.

- **Respondents** - Number of Customers in the Target who have responded to the Promotion. This is the same as the Total for Non-Targeted customers.
- **Non-Respondents** - Number of Customers in the Target who have not responded to the Promotion. This is 0 for Non-Targeted customers.
- **Net Response Rate** - Calculated by dividing the total number of Respondents by the Net Delivery total. Set to 0.00 for Non-Targeted customers.
- **Response Rate** - Calculated by dividing the total number of Respondents by the Total number targeted. Set to 100.00 for Non-Targeted customers.
- **Award Value** - The total value of Awards issued through the promotion. Included only for an Award Promotion.
- **Redeemed Award Value** - The total value of Awards redeemed. Included only for an Award Promotion.
- **Financial Summary** - This section contains a [List](#) displaying financial data about the Segment Target responses to the Promotion, as well as costs associated with the Promotion. This [List](#) displays the following information for each Target group:

If you are associated with any Franchisees, the totals in this section include transactions that took place in locations associated with your Franchisee.

 - **Target Name** - Name of the Target. Non-Targeted is displayed as the Target Name for customers who responded to the Promotion, but were not included in Target Groups. Unidentified is displayed as the Target Name for customers who responded to the Promotion, but do not exist in Customer Engagement.
 - **Direct Revenue** - Direct Revenue received from the Target: the total extended selling price of all line items sold for the Target that were associated with the Promotion.
 - **Indirect Revenue** - Indirect Revenue received from the Target: the total extended selling price of all line items that were not associated with the Promotion.
 - **Total Revenue** - Total Revenue (Direct + Indirect) received from the Target.
 - **Cost Of Goods Sold** - Total cost of goods sold to the Target for all line items, whether included in Direct or Indirect Revenue.
 - **Markdowns** - Value of markdowns applied to Indirect line items.
 - **Gross Profit** - Gross Profit of sales made to the Target: Total Revenue - Cost Of Goods Sold.
 - **Margin %** - Profit percentage of sales made to the Target: $\text{Gross Profit} / \text{Total Revenue}$.
 - **Net Profit** - Net Profit of sales made to the Target: $\text{Gross Profit} - \text{Promotion Cost}$.
 - **Promotion Cost** - Cost of the Promotion for the Target. Calculated for each Target group as follows:
 - 1) Determine the percentage of the Total Revenue for the Promotion that is made up of the Total Revenue for the Target. For example, if the Total Revenue for the Promotion is \$100,000, and the Total Revenue for the Target is \$25,000, then this percentage is 25.00%.
 - 2) Use this percentage to allocate the Target's share of the Promotion's actual cost (Actual Amount) from the Event-level Budget. For example, if the Actual Amount is \$40,000, then 25% of this Actual Amount is \$10,000.

Promotion Scorecard

- 3) Determine the Target's Actual cost per Channel. For example, \$4,000.00.
 - 4) Calculate the CPM for the Target-level Actual cost per Channel to determine the Actual cost per Target Customer. For example, the CPM based on the Target-level Actual cost is \$4000.00, so the Target-level Actual CPM is \$4.00. If there are 500 Customers in the Target, the result is \$2,000.00.
 - 5) Add the Target's share of the Promotion's Actual cost (step 2) + the Target-level Actual cost per Channel for each Channel (step 3) + the total Target-level Actual cost based on number of Target Customers and CPM (step 4) to determine the Promotion Cost per Target. In the examples above, this would be \$10,000 + \$4,000 + \$2,000, or \$16,000.
- **Deal Summary** - This section contains information about the Deals used by the Promotion, and the resulting revenue. These Deals are organized by Target.

The following information is displayed for each Target:

Target: - The name of a Target for the Promotion.

Note: The Target may be a Customer Segment or Target Split.

The following Deal information is displayed for each Target:

- **Deal Id** - Unique ID for the Deal.
- **Deal Name** - Name of the Deal.
- **Direct Revenue** - Direct revenue received through the Deal: the total extended price of all line items associated with the Deal for the Target.
- **Coupon List** - Additional information is included for a Coupon Promotion. For each Coupon Code:
 - * **Coupon Code** - ID Code for the Coupon.
 - * **Respondents** - Number of Customers who redeemed a Coupon.
 - * **Transactions** - Number of Transactions in which the Coupon Code was redeemed.
 - * **Value of Discount** - Total amount of the discounts given through the Coupons.
 - * **Average Sales By Coupon** - Average amount of the sales in the Transactions in which the Coupons were redeemed: Direct Revenue for Coupon / Transactions for Coupon.
 - * **Coupon Revenue** - Total amount of line items using the Coupon Code.
 - * **Estimated Distribution** - Estimated Distribution specified for Media for the Coupon.
 - * **Response %** - Percentage of Coupons distributed that have been redeemed, calculated by dividing the Respondents by the Estimated Distribution.
- **Additional Metrics** - This section displays a [List](#) of additional sales metrics for the Promotion.

If you are associated with any Franchisees, this section is displayed only if all your Franchisees are associated with the Promotion.

For each Target:

- **Target Name** - The name of the Target.

- **Promotion Cost Per Targeted Customer** - Cost of the Promotion per Customer targeted by the Promotion. Calculated based on the Budget information defined for the Target:
 - 1) Determine the Fixed Actual cost for the Target and Channel.
 - 2) Determine the CPM Actual cost for the Target and Channel, divided by 1000 and then multiplied by the number of Targeted customers.
 - 3) Determine the Target Revenue % by dividing the Total Target Revenue by the Total Revenue.
 - 4) Determine the Promotion Level Cost by multiplying the Promotion Level Actual Cost by the Target Revenue %, calculated in the previous step.
 - 5) Add the Fixed Actual cost (step 1) + the CPM Actual cost (step 2) + the Promotion Level Cost (step 4).
 - 6) Determine the Promotion Cost Per Targeted Customer by dividing the result of step 5 by the number of targeted customers.
- **Promotion Cost Per Responded Customer** - Cost of the Promotion per Customer who responded to the Promotion. The calculation is very similar to the Promotion Cost Per Targeted Customer, except that the response total is used instead of the targeted total:
 - 1) Determine the Fixed Actual cost for the Target and Channel.
 - 2) Determine the CPM Actual cost for the Target and Channel, divided by 1000 and then multiplied by the number of responses.
 - 3) Determine the Target Revenue % by dividing the Total Target Revenue by the Total Revenue.
 - 4) Determine the Promotion Level Cost by multiplying the Promotion Level Actual Cost by the Target Revenue %, calculated in the previous step.
 - 5) Add the Fixed Actual cost (step 1) + the CPM Actual cost (step 2) + the Promotion Level Cost (step 4).
 - 6) Determine the Promotion Cost Per Responded Customer by dividing the result of step 5 by the number of responding customers.
- **Revenue Per Targeted Customer** - Revenue received per Customer who was targeted by the Promotion: the Target's Direct Revenue / the total Targeted customers.
- **Revenue Per Responded Customer** - Revenue received per Customer who responded to the Promotion: the Target's Direct Revenue / the total responding customers.
- **Net Profit Per Targeted Customer** - Net Profit per Customer who was targeted by the Promotion: the Target's Gross Profit - the Promotion Costs / the total Targeted customers.
- **Net Profit Per Responded Customer** - Net Profit per Customer who responded to the Promotion: the Target's Gross Profit - the Promotion Costs / the total responding customers.

Facebook Scorecard

The Facebook Scorecard tab displays the social listening results for one social profile on Facebook.

This tab is available if the Enable Social Media Access property is selected, Facebook is enabled through the Social Media Types property, and the user has access through the PromotionSocialListeningAdmin role.

Use the **Social Profile Selection Menu** to select the social profile to view.

The Facebook Scorecard displays the following information for the Promotion:




Figure 7-12: Facebook Scorecard Tab

- Social Listening Summary** - Summarizes the number of people who are likely to see the Facebook posts for this social profile.
 - Total Followers** - Number of fans/followers of the social profile. This includes people whose Facebook accounts are **not** in the Customer Engagement database.
 - Known Followers** - Number of Customers in Customer Engagement with Facebook accounts associated with the social profile. This includes Customers **not** targeted by the Promotion.
 - Potential Reach** - Number of Facebook friends of all the Known Followers.
 - Targeted Followers** - Number of Known Followers targeted by the Promotion.
 - Potential Reach** - Number of Facebook friends of the Targeted Followers.
- Social Listening Keywords** - Displays information about the keyword(s) listened for by the Promotion. Click a row to view the messages, in the Social Listening Results section, containing the keyword(s).
 - Target Name** - Name of the Promotion Target.
 - Keyword(s)** - Keywords listened for by the Promotion.
 - Mentions** - Number of Facebook posts made by targeted Customers that contain the keyword(s).
 - Potential Reach** - Number of people who may have seen the posts containing the keyword(s). This is the number of Facebook friends of targeted Customers who have made posts containing the keyword(s).

- **Social Listening Results** - Displays the messages found by the social listener. *You must click a keyword set in Social Listening Keywords to view messages in this area.*

Target Name	Keyword(s)	Mentions	Potential Reach
Twitter segment	#TVOnSale	1	2

Social Listening Results: #BestTVOnSaleNow

Customer Sample
@CSSample

#BestTVOnSaleNow

Figure 7-13: Social Listening Results

Twitter Scorecard

The Twitter Scorecard tab displays the social listening results for one social profile on Twitter.

This tab is available if the Enable Social Media Access property is selected, Twitter is enabled through the Social Media Types property, and the user has access through the PromotionSocialListeningAdmin role.

Use the **Social Profile Selection Menu** to select a social profile to view.

The Twitter Scorecard displays the following information for the Promotion:

Target Name	Keyword(s)	Mentions	Potential Reach
Twitter segment	Monday	0	0
Twitter segment	cyber	0	0

Figure 7-14: Twitter Scorecard Tab

- **Social Listening Summary** - Summarizes the number of people who are likely to see the Twitter posts for this social profile.
 - **Total Followers** - Number of followers of the social profile. This includes people whose Twitter accounts are **not** in the Customer Engagement database.
 - **Known Followers** - Number of Customers in Customer Engagement with Twitter accounts associated with the social profile. This includes Customers **not** targeted by the Promotion.
 - **Potential Reach** - Number of Twitter followers of all the Known Followers.
 - **Targeted Followers** - Number of Known Followers targeted by the Promotion.
 - **Potential Reach** - Number of Twitter followers of the Targeted Followers.
- **Social Listening Keywords** - Displays information about the keyword(s) listened for by the Promotion. Click a row to view the messages, in the Social Listening Results section, containing the keyword(s).

Event Manager

- **Target Name** - Name of the Promotion Target.
- **Keyword(s)** - Keywords listened for by the Promotion.
- **Mentions** - Number of Twitter posts, by targeted Customers, containing the keyword(s).
- **Potential Reach** - Number of people who may have seen the posts containing the keyword(s). This is the number of Twitter followers of targeted Customers who have made posts containing the keyword(s).
- **Social Listening Results** - Displays the messages found by the social listener. *You must click a keyword set in Social Listening Keywords to view messages in this area.*



Figure 7-15: Social Listening Results

Event Manager

Note: The Event Manager can only be opened for Promotions in which, during the Export Channels step in the [Create a Promotion](#) procedure, the **Clienteling Channel** option was enabled for at least one Target.

The Event Manager allows Users to view a Promotion Event and manage Event Tasks created by and associated with a Promotion. The Event Manager displays the following information:

The screenshot shows the 'Event Manager' interface for 'Promotion Event: Promo CRM-930 (560)'. It features several sections: 'General Information' with details like Promotion Id (660), Name (Promo CRM-930), Description (Promo CRM-930), Type (Product), Campaign Name (Promo CRM-930), Promotion Start Date (2014 Jul 31 00:00:00), Promotion End Date (2015 Jul 11 23:59:00), Status (Approved), Create Date (2014-07-31), Create User Id (Relate), Update Date (2014-09-05), and Update User Id (Tester1). 'Event Description' shows 'Promo CRM-930'. 'Event Image' shows a product image. 'Task Status breakdown' shows a pie chart with four segments: OPEN (1, 25.00%), CANCELLED (1, 25.00%), IN_PROGRESS (1, 25.00%), and CLOSED (1, 25.00%). 'Attachments' shows 'There are no documents attached for this event.' At the bottom, a 'Tasks' table is displayed with columns: Task Id, Customer Id, First Name, Last Name, Email, Phone Number, and Status.

Task Id	Customer Id	First Name	Last Name	Email	Phone Number	Status
17893	44134	James	Madison			IN_PROGRESS
21119	44410	John	Marshall			OPEN

Figure 7-16: Event Manager


- **General Information** - General Information about the Promotion Event. This includes the following:
 - **Promotion Id** - ID of the Promotion.

- **Name** - Name of the Promotion.
- **Description** - Description of the Promotion.
- **Type** - Promotion type.
- **Campaign Name** - Name of the Campaign to which the Promotion belongs.
- **Promotion Start Date** - Date and time on which the Promotion becomes effective.
- **Promotion End Date** - Date and time on which the Promotion is last effective.
- **Status** - Status of the Promotion.
- **Create Date** - Date and time at which the Promotion was created.
- **Create User Id** - ID of the User who created the Promotion.
- **Update Date** - Date and time at which the Promotion was last updated.
- **Update User Id** - ID of the User who most recently updated the Promotion.
- **Event Description** - Description of the Promotion Event.
- **Attachments** - [Links](#) to files attached to the Promotion Event.
- **Task Status breakdown** - Chart of the Tasks associated with the Promotion Event, displaying the number of percentage of Tasks with each Task status.
- **Task Status** - Filters the [List](#) to show only the Tasks with the Task Status selected. This [Selection Menu](#) has the following options:
 - **All** - Show Tasks of all statuses.
 - **OPEN** - **[DEFAULT]** Show only open Tasks.
 - **IN_PROGRESS** - Show only Tasks that are in progress.
 - **CANCELLED** - Show only Tasks that have been cancelled.
 - **CLOSED** - Show only Tasks that have been closed.
- **Tasks** - [List](#) of the Tasks associated with the Promotion Event. This [List](#) displays the following information for each Task:
 - **Task Id** - ID of the Task.
 - **Customer Id** - ID of the Customer associated with the Task.
 - **First Name** - Customer first name.
 - **Last Name** - Customer last name.
 - **Email** - Email address of the Customer.
 - **Phone Number** - Phone number of the Customer.
 - **Status** - Status of the Task.

Actions Menu

The [Actions Menu](#) for the Event Manager has the following options:

- **New Task** - Add a new Task to the Promotion Event. See ["Add a Task" on page 28](#).



Event Manager

- **View Customer List** - View the list of Customers associated with the Promotion Event. See [“Contact List” on page 30](#).
- **Refresh** - Refresh the screen to view any updates.

Open a Task

To open a Task in the Event Manager, click the Task in the Task [List](#). The Task opens in an [Edit Task Window](#).

Open Promotion Scorecard

To open the [Promotion Scorecard](#) for the Promotion associated with the Promotion Event, click, the **SCORECARD** button. The Promotion is opened in a [Promotion Scorecard](#).

Add a Task

To add a Task to a Promotion Event:

1. Click the **New Task** button in the Event Manager [Actions Menu](#).

A Create New Task [Window](#) opens.

The screenshot shows the 'Create New Task' window with the following details:

- Task Type:** EVENT
- Creator:** ameske
- Status:** OPEN
- Start Date:** 2015-01-16
- Start Time:** 12 :00 AM
- End Date:** 2014-07-31
- End Time:** 11 :59 PM
- Subject:** test
- Priority:** LOW
- Location:** None
- Event:** 1217 | test

Below the form are three tables:

Assigned User		
User ID	Name	Email

Assigned Customer					
Customer Id	First Name	Last Name	City	State	Home Location

Notes			
Notes	Note Type	Create User Id	Create Date

Figure 7-17: Create New Task Window

2. Enter the information for the Task:

Note: Most of the fields in this [Window](#) cannot be edited. For a description of all of the fields in the [Window](#), see [“Edit Task Window” on page 12](#).

- **Location** - This [Selection Menu](#) determines the Location where the Task is to be performed.
 - **Status** - The status of the Task.
 - **Duration** - The duration of the Task.
-

Tip: Use this field to automatically set the End Time to a time, of the selected duration, after the selected Start Time. The End Time [Time Menu](#) cannot be edited directly.

3. If necessary, assign a User to the Task (see [“Add/Change User” on page 15](#)). The **Assigned User List** displays the User assigned to the Task.

The following information is displayed for the assigned User:

- **User ID** - ID of the User.
- **Name** - Name of the User.
- **Email** - Email of the User.

4. Associate a Customer with the Task (see [“Add/Change Customer” on page 16](#)). The **Assigned Customer List** displays the Customer associated with the Task.

The following information is displayed for the associated Customer:


- **Customer Id** - ID of the Customer.
- **First Name** - Customer first name.
- **Last Name** - Customer last name.
- **City** - Customer city.
- **State** - Customer state.
- **Home Location** - Home location for the Customer.

5. If necessary, add a Note(s) to the Task (see [“Add a Note” on page 17](#)). The **Notes List** displays the Notes added to the Task.

The following information is displayed for the Notes:

- **Notes** - Text of the Note.
- **Note Type** - Type of Note.
- **Create UserId** - ID of the User who entered the Note.
- **Create Date** - Date the Note was created.

6. Click **SAVE** to create the Task and close the [Window](#).

To close the [Window](#) without saving changes, click the X () in the top-right corner.

Contact List

To view a [List](#) of Customers associated with a Promotion Event, click **View Customer List** in the Event Manager [Actions Menu](#).

A [List](#) of Customers associated with the Promotion is displayed in a Contact List.

The screenshot shows a web interface for a Contact List. At the top right, there are buttons for 'Print' and 'Actions'. Below the header, the text 'Contact List' is displayed. Underneath, there are filters for 'Promotion Id : 562' and 'Promotion Name : March 14 Event'. To the right, it says 'Total Count : 29'. The main part of the interface is a table with the following data:

Customer Id	First Name	Last Name	Address	City	Phone Number	Email
101	James	Allen	257 SAMPLE STREET	LAS VEGAS		jmadison@example.com
106	John	Wright	1234 SAMPLE AVENUE	LAS VEGAS		

Figure 7-18: Contact List

The Contact [List](#) displays the following information:

- **Promotion Id** - ID of the Promotion.
- **Promotion Name** - Name of the Promotion.
- **Total Count** - Total number of Customers associated with the Promotion.
- A [List](#) of Customers associated with the Promotion. This [List](#) displays the following information for each Customer:
 - **Customer Id** - ID of the Customer.
 - **First Name** - Customer first name.
 - **Last Name** - Customer last name.
 - **Address** - Street address of the Customer.
 - **City** - Customer city.
 - **Phone Number** - Customer phone number.
 - **Email** - Customer email address.

Actions Menu

The [Actions Menu](#) for the Contact [List](#) has the following options:

- **Refresh** - Refresh the screen to view any updates.



Print Contact List

To print the [List](#) of Customers associated with a Promotion, click the **Print** button. The printing process will then follow the rules and settings for your system and browser. See your system documentation for more information.

Edit Task Window

The Edit Task [Window](#) allows Users to view and edit Task information:

Edit Task [Save] [Customer] [Actions]

Task Type: EVENT Creator: Relate Status: OPEN

Start Date: 2012-03-14 Start Time: 03 :00 AM Duration:

End Date: 2012-03-18 End Time: 02 :59 AM Update User Id

Subject: Promotion Id:562:March Priority: HOT Update Date

Location: None

Event: 562 | March 14 Event

Assigned User

User ID	Name	Email
rmartin	martin	jmadison@example.com

Assigned Customer

Customer Id	First Name	Last Name	City	State	Home Location
106	Debora	Wright	LAS VEGAS	NV	463

Notes

Notes	Note Type	Create UserId	Create Date
-------	-----------	---------------	-------------

Figure 7-19: Edit Task Window

The Edit Task [Window](#) contains the following information:

- **Task Type** - Type of Task.
- **Start Date** - The date on which the Task starts.
- **End Date** - The date on which the Task ends.
- **Subject** - This subject of the Task.
- **Location** - This [Selection Menu](#) determines the Location where the Task is to be performed.
- **Event** - The Promotion associated with the Task.
- **Creator** - ID of the User who created the Task.
- **Start Time** - The time at which the Task starts
- **End Time** - The time at which the Task ends.
- **Priority** - The priority assigned to the Task.
- **Status** - The status of the Task.
- **Duration** - The duration of the Task.
- **Update User Id** - ID of the User who most recently updated the Task.

Edit Task Window

- **Update Date** - Date on which the Task was most recently updated.
- **Assigned User** - A [List](#) containing the User assigned to the Task.
The following information is displayed for the User:
 - **User ID** - ID of the User.
 - **Name** - Name of the User.
 - **Email** - Email of the User.
- **Assigned Customer** - A [List](#) displaying the Customer associated with the Task.
The following information is displayed for the Customer:
 - **Customer Id** - ID of the Customer.
 - **First Name** - Customer first name.
 - **Last Name** - Customer last name.
 - **City** - Customer city.
 - **State** - Customer state.
 - **Home Location** - Home location for the Customer.
- **Notes** - A [List](#) containing Notes added to the Task.
The following information is displayed for the Notes:
 - **Notes** - Text of the Note.
 - **Create UserId** - ID of the User who entered the Note.
 - **Create Date** - Date the Note was created.

Edit a Task

To edit a Task in the Event Manager:

1. [Open a Task](#) in the Event Manager.

The Task opens in an [Edit Task Window](#).

2. Make updates to the fields.

The following fields can be updated:

- **Location** - This [Selection Menu](#) determines the Location where the Task is to be performed.
- **Status** - The status of the Task.
- **Duration** - The duration of the Task.

Tip: Use this field to automatically set the End Time to a time, of the selected duration, after the existing Start Time.

- **Assigned User** - A [List](#) containing the User assigned to the Task.
 - * To add or change the User assigned to a Task, see ["Add/Change User" on page 15](#).
 - * To delete an assigned User, see ["Remove a User" on page 15](#).
- **Assigned Customer** - A [List](#) displaying the Customer assigned to the Task.

- * To add or change the Customer associated with a Task, see [“Add/Change Customer” on page 16](#).
 - * To delete a Customer association, see [“Remove a Customer” on page 16](#).
 - **Notes** - A [List](#) containing Notes added to the Task.
 - * To add a note to a Task, see [“Add a Note” on page 17](#).
3. Click the **Save** button when you are finished.
- The changes are saved and the [Window](#) closes.

Create a Coupon Promotion

To create a Coupon Promotion, do the following:

1. Click **CREATE** in the upper-right corner of the [Promotion List](#) page.

The New Promotion [Wizard](#) opens on the Promotion Type step.

The screenshot shows the 'New Promotion Wizard' interface. The 'Promotion Type' step is active, indicated by a blue arrow in the top navigation bar. The left sidebar lists various steps: Promotion Type, General Information, Campaign, Start / End Date, Promotion Franchisees, Generic Attributes, Associated Locations, Define Targets, Budget, Options After Save, Review, and Review. The main content area shows the 'Promotion Type' section with four radio button options: Coupon (selected), Product, Message, and Award. There is also an unchecked checkbox labeled 'Enable Serialized Coupon Management'. Navigation buttons at the top right include '<< previous', 'save', 'cancel', and 'next >>'.

Figure 8-1: New Promotion Wizard

2. In the Promotion Type step in the [New Promotion Wizard](#), select **Coupon**.
3. Use the **Enable Serialized Coupon Management Check Box** to indicate whether the Coupon Promotion will use Serialized Coupons. *This [Check Box](#) is only available if the Serialized Coupon Enabled Flag configuration is set to Yes. See the [Implementation Guide](#) for more information about the Serialized Coupon Enabled Flag configuration.*
4. Click **next**.

The General Information step opens.

5. Configure the General Information for the Promotion:

The screenshot shows the 'General Information' step of the 'New Promotion Wizard'. The top navigation bar has 'General Information' highlighted with a blue arrow. The left sidebar is the same as in Figure 8-1. The main content area has a 'Name' text input field and a larger 'Description' text area. Below these is an unchecked checkbox labeled 'Include Social Listening'. Navigation buttons at the top right include '<< previous', 'save', 'cancel', and 'next >>'.

Figure 8-2: General Information Step

Create a Coupon Promotion

- a. Enter the **Name** of the Promotion in the Name [Text Field](#).
- b. Enter a **Description** of the Promotion in the Description [Text Field](#).
- c. Use the **Social Listening** [Check Box](#) to indicate whether social-media listening features will be enabled for the Promotion.

Note: This [Check Box](#) is only available if social media access has been enabled in **System Configuration**, and the User has been assigned the Relate_SystemAdmin and/or Relate_PromotionSocialListeningAdmin Role. See the *Implementation Guide* for more information about **System Configuration**, configuring social media access, and User Roles.

6. Click **next**.

The Campaign step opens.

7. Select how the Campaign should be associated with the Promotion:

The screenshot shows a wizard with five steps: Promotion Type, General Information, Campaign, Start / End Date, and General. The 'Campaign' step is active. Below the wizard, there are three radio button options:

- Auto create campaign
- Associate promotion with existing campaign
- Create a new campaign for this promotion

Figure 8-3: Campaign Step

- **Auto create campaign** - Customer Engagement will automatically create a new Campaign.
- **Associate promotion with existing campaign** - Select a previously-created Campaign to associate with the Promotion.

If you select this option, a Campaigns [Selection Menu](#) opens.

The screenshot shows the 'Associate promotion with existing campaign' radio button selected. Below it is a dropdown menu labeled 'Campaigns' with the text '(Please select)' and a downward arrow.

Figure 8-4: Campaigns Dropdown Menu

Select the Campaign you are associating with this Promotion using the **Campaigns** dropdown menu.

- **Create a new campaign for this promotion** - Manually create a new Campaign that will then be associated with this Promotion.

If you select this option, Name and Description fields open.

The screenshot shows the 'Create a new campaign for this promotion' radio button selected. Below it are two text input fields: 'Name' and 'Description'.

Figure 8-5: Create Campaign Fields

- 1) Enter the **Name** of the Campaign in the Name field.
 - 2) Enter a **Description** of the Campaign in the Description field.
8. Click **next**.

The Start/End Date step opens.

9. Configure the Start and End Dates for the Promotion:

Figure 8-6: Start/End Date Step

- a. Select the **Start Date** for the Promotion using the Start Date [Calendar Menu](#).
 - b. Select the **Start Time** for the Promotion using the Start Time [Time Menus](#).
 - c. Select the **End Date** for the Promotion using the End Date [Calendar Menu](#).
 - d. Select the **End Time** for the Promotion using the End Time [Time Menus](#).
10. Click **next**.
- If Franchisee support is not enabled, the Generic Attributes step opens. Continue with step 13.
 - If Franchisee support is enabled, the Promotion Franchisees step opens. Continue with the next step.

Note: See the *Implementation Guide* for more information about Franchisee support.

11. Select the Franchisee(s) to associate with the Promotion.

Select	Franchisee ID	Name	Description
<input type="checkbox"/>	2	NY Franchisee	NY Franchisee
<input type="checkbox"/>	1	OH Franchisee	OH Franchisee

Figure 8-7: Promotion Franchisees Step

Create a Coupon Promotion

12. Select **next**.

The Generic Attributes step opens.

13. Select or enter the configuration values for each of the **Required** Attributes.

The screenshot shows the 'Generic Attributes' step of the coupon promotion configuration. At the top, there is a navigation bar with steps: Campaign, Start / End Date, Generic Attributes (highlighted), Associated Locations, and Associate Deals. Below the navigation bar are buttons: << previous, save, cancel, next >>. The main content area is titled 'Generic Attributes' and is divided into two sections: 'Required' and 'Optional'. Under 'Required', there are two 'Back to School' attributes. The first is a text input field with 'Back to School' entered. The second is a dropdown menu with 'No' selected. Under 'Optional', there are two 'ST LOC ATTRIBUTE' entries. Each entry has a text input field for 'st date' and an 'Add' button to its right.

Figure 8-8: Generic Attributes Step

14. Configure any necessary **Optional** Attribute(s):

- To Add an Attribute:
 - 1) Select the **Add** button for the Attribute.
A configuration field opens.
 - 2) Select or enter the configuration value for the Attribute.
- To delete an Attribute, select the **Delete** button for the Attribute.
The Attribute is deleted.

15. Select **next**.

The Associated Locations step opens.

16. Define the Location Eligibility Rules for the Promotion.

The screenshot shows the 'Associated Locations' step of the coupon promotion configuration. At the top, there is a navigation bar with steps: Start / End Date, Generic Attributes, Associated Locations (highlighted), and Associate Deals. Below the navigation bar are buttons: << previous, save, cancel, next >>. The main content area is titled 'Associated Locations' and is divided into two sections: 'Included Locations' and 'Excluded Locations'. Under 'Included Locations', there is a text input field with the text 'All locations are included by default. No specific locations are included. [Click here](#) to add one.' Under 'Excluded Locations', there is a text input field with the text 'No locations are specifically excluded. [Click here](#) to add one.'

Figure 8-9: Associated Locations Step

- For instructions on configuring Location Eligibility Rules, see [“Define Location Eligibility” on page 25](#).
- For more information about Location Eligibility Rules, see [“Location Eligibility” on page 24](#).

17. Click **next**.

The Associate Deals step opens.

18. Add the Deal(s) for the Promotion:




Figure 8-10: Associate Deals Step

- a Click the **Add** button.
- A Deal [List Window](#) opens.




Figure 8-11: Deal List Window

- e. If necessary, use the [Filter](#) fields to display a subset of Deals.
 - * **Max Deal Id** - This [Text Field](#) filters the [List](#) with a maximum number for the Deal ID. The [List](#) will only show Deals with an ID less than or equal to the entered value.
 - * **Attribute Type** - This [Selection Menu](#) filters the [List](#) by the type of Attribute assigned to the Deal. Select **All [DEFAULT]** to view Deals with any or no Attribute assigned.

Upon selecting an Attribute Type, another [Filter](#) field opens that can be used to filter the [List](#) by Attribute value. *The type of field depends upon the Attribute's Data Type.*




Figure 8-12: Attribute Value Fields

- * **Deal Type** - This [Selection Menu](#) filters the [List](#) by Deal Type, and contains all the types of Deals that can be created in Customer Engagement. Select **All [DEFAULT]** to view all types of deals.
- * **Intended Use** - This [Selection Menu](#) filters the [List](#) by the Intended Use of the Deal.

Create a Coupon Promotion

- * **Intended Industry** - This [Selection Menu](#) filters the [List](#) by the intended industry of the Deal: either **Merchandise** or **Culinary**.
- f. Click a Deal to select it. You can select multiple Deals.
- g. Click the **Add** button to add the Deal(s) to the Promotion, or click the **Cancel** button to exit the [Window](#) without changing the [List](#) of Deals associated with the Promotion.

Deal Id	Deal Name	Deal Type	Deal Code	Enabled
260	0907_51	Line Item Discount	<input type="text"/>	<input checked="" type="checkbox"/>

Figure 8-13: Deal Added

- h. If necessary, return to step a to add another Deal to the Promotion.
19. For each Deal in the Associated Deals [List](#) that will have a Deal Code assigned to it, enter that Code in the **Deal Code** [Text Field](#).
 20. For each Deal in the Associated Deals [List](#), use the **Enabled** [Check Box](#) to select whether the Deal will be active in the Promotion.
 21. Click **next**.

The Promo-Deal Attributes step opens.

22. Configure the Promo-Deal Attributes for the Promotion event:

Associated Locations > Associate Deals > **Promo-Deal Attributes** > Define Targets

<< previous save cancel next >>

Promo-Deal Attributes

Bypass deal attributes for this event

Deal 6 - Buy 1 Get 1 Jean Sale

test logic test logic desc

No

Figure 8-14: Promo-Deal Attributes Step

- a. Use the **Bypass deal attributes for this event** [Check Box](#) to determine whether Promo-Deal Attributes will be used for this Promotion event:
 - * **Checked** () - Attributes will NOT be used. The available attributes are removed from the screen. Continue with step 23.
 - * **Unchecked** () - Attributes will be used. The available attributes are displayed. Continue with the next step.
 - b. Configure the Attribute(s) for the Promo-Deal(s).
23. Click **next**.

The Coupon Codes step opens.

24. For each Deal, define the Coupon Code to associate with the Deal:

Figure 8-15: Coupon Codes Step

- To specify a Coupon Code, enter it into the Coupon Code [Text Field](#).
- If the Organization is configured for Promotion Coupon (Ring Code) Management, click the **Get next coupon id** [Link](#) to add a sequentially-generated Coupon Code. See the *Implementation Guide* for more information about this configuration.

25. For each Deal, enter a **Media Description** for the Deal’s Coupons.

26. If **Enable Serialized Coupon Management** was not enabled, enter the **Estimated Distribution** for each of the Coupons in the Promotion.

27. To add a new set of Coupons to the Deal, click the **Add** [Link](#), then repeat steps 24-25 for the new Coupon.

28. To delete an unneeded set of Coupons from a Deal, click the **Delete** [Link](#) above the Coupon Code field.


29. If necessary, select the Deal Group for the Deal. Deal Groups are available only if Promotion Coupon (Ring Code) Management is enabled. See the *Implementation Guide* for more information about this configuration. To change the Deal Group:

- a. Click current Deal Group name.

A menu opens with a [List](#) of Deal Groups in the Promotion.

- b. Click the Deal Group to select it.

The menu closes and the new Deal Group name is displayed.



30. Click **next**.

The Define Targets step opens.

31. Define the Segment Target Eligibility Rules for the Promotion:

Figure 8-16: Define Targets Step

- a. Use the [Radio Buttons](#) to select the type of Targets.
 - * **Untargeted - [DEFAULT]** The Promotion has no Segment Targets.
If you selected **Include Social Listening**, continue with [step 42 on page 16](#).

If you did not select **Include Social Listening**, continue with [step 48 on page 19](#).

- * **Exclusive** - The Promotion is only limited to Customers within the eligible Segments. Continue with step b.
 - * **Non-exclusive** - The Promotion is directed toward eligible Segments, but other Customers can take advantage of it. Continue with step b.
- b. The next step you perform depends upon the configuration of both your system and your User account:
- * If the **Targeting Type** [Radio Buttons](#) open, continue with step c.

Targeting Type: **Static Targeting** **Dynamic Targeting**

Figure 8-17: Targeting Type

- * Otherwise, continue with step e.

Important: The Targeting Type [Radio Buttons](#) will only open if Dynamic Targeting is enabled, and you have been assigned either the `Relate_PromotionDynamicTargetAdmin` or `Relate_SystemAdmin` Role. See the *Implementation Guide* for more information about enabling software features and configuring Roles.

- c. Select the **Targeting Type** for the Promotion.
- * **Static Targeting** - Once the Target is created, the list of Customers in the Target will not change.
Continue with the following step.
 - * **Dynamic Targeting** - After creating the Target, the list of Customers in the Target will be altered each time the [Dynamic Promotions](#) Job runs.

Important: The [Dynamic Promotions](#) Job should not be run on the same day after a Dynamic Promotion is generated. See [“Dynamic Promotions” on page 78](#) for more information.

Dynamic Targeting Option [Radio Buttons](#) open.

Dynamic Targeting Option: **Targets Added Only** **Targets Added and Removed**

Figure 8-18: Dynamic Targeting Option

Continue with step d.

- d. Select the **Dynamic Targeting Option** for the Promotion.
- * **Targets Added Only** - When the [Dynamic Promotions](#) Job runs, any new Customers found that meet the Target criteria are added to the Target. All Customers currently in the Target remain in the Target.
 - * **Targets Added and Removed** - When the [Dynamic Promotions](#) Job runs, only the Customers who meet the Target criteria will be included in the Target. If a Customer is in the Target before the Job runs, but no longer meets the criteria, that Customer is removed from the Target.

e. Define the Segment Targets for the Promotion.

Note: If Franchisee support is enabled, and one or more Franchisees are associated with the Promotion, the Promotion will create a default Target of the Customers associated with the selected Franchisee(s).

- * For instructions on configuring Segment Eligibility Rules, see [“Define Segment Eligibility” on page 28.](#)
- * For more information about Segment Eligibility Rules, see [“Segment/Target Eligibility” on page 27.](#)

32. Click **next**.

- If you selected **Static Filtering** (see above), the Define Target Filtering Step opens. Continue with the next step.
- If you selected **Dynamic Targeting** (see above), the Control Groups step opens. Continue with [step 38 on page 11.](#)

33. Define the Target Filter for each Segment Target:

Target Name	Customer Count	Approx. Household Customer Count	Filter Type	Filtered Count
Birthday Target	9040	9030	None	9040
Combined Target	6659	6655	None	6659

Customer Household Consolidation: None

Target Count Total 15699
Filtered Count Total 15699

Figure 8-19: Define Target Filtering Step

a. Select the **Filter Type** for each Segment:

- * **None - [DEFAULT]** All Customers in the Segment are eligible.
- * **Top Sales** - Customers from the Segment will be chosen for eligibility by the greatest total amount of purchases.
- * **Random** - Customers from the Segment will be chosen randomly for eligibility.

b. If the Filter Type for the Segment is Top Sales or Random, enter the **Filter Count** of Customers eligible for the Promotion.

Filter Type	Filtered Count
Top Sales	0
Random	0

Figure 8-20: Enter Filter Count

Create a Coupon Promotion

34. Use the **Customer Household Consolidation Selection Menu** to indicate whether the Promotion will use household consolidation, and the rule for determining the Customer who is the head of household.

This [Selection Menu](#) has the following options:

- **None** - Do not perform household filtering.
- **LT Sales** - Select head of household based on amount purchased over the lifetime of their account.
- **LT Transaction Count** - Select head of household based on lifetime number of transactions.
- **Last Transaction Date** - Select head of household based on the Customer who performed the most recent transaction.
- **Customer Attributes** - Select head of household based on the Customer's numeric attributes.

35. Click **next**.

The Split Targets step opens.

Target Name	Customer Count	Split Count	%	
Birthday Target	8000		100.00%	Split
Combined Target	5000		100.00%	Split

Figure 8-21: Split Targets Step

36. Filtered Targets can, optionally, be split into smaller, separate Targets. If necessary, create Splits for the filtered Targets in the Promotion:

- a. Click **Split** for each Split to be created in the Target (click **Split** once for two Splits, click twice for three Splits, click three times for four Splits, etc.).

Target Name	Customer Count	Split Count	%	
Birthday Target	8000		100.00%	Split
Birthday Target_1		2666	33.33	Delete
Birthday Target_2		2667	33.34	Delete
Birthday Target_3		2667	33.34	Delete
Combined Target	5000		100.00%	Split
Combined Target_1		2500	50.00	Delete
Combined Target_2		2500	50.00	Delete

Figure 8-22: Splits

- b. Optionally, change the name of the Split in the **Target Name** field for each Split.
- c. Adjust the Split distribution as necessary:
- * Change the number of Customers in each Split in the **Split Count** fields.
 - * Change the percentage of Customers in each Split in the **%** fields.

The total number of Customers in the Splits must equal the number of Customers in the target. If the numbers are not equal, Split Count will display the difference.

Split Count	%
(-67) 0.00%	
2666	33.33
2600	32.50
2667	33.34
(+500) 100.00%	
3000	60.00
2500	50.00

Figure 8-23: Split Counts Incorrect

d. If necessary, remove a Split by clicking the **Delete** [Link](#) for the Split.

37. Click **next**.

The Control Groups step opens.

38. Use the [Radio Buttons](#) to select the type of Control Groups:



Figure 8-24: Control Groups Step

Important: If **Dynamic Targeting** was selected for the Promotion, the Control Groups created cannot be changed. The Customers in the Control Group will remain in the Control Group throughout the Promotion.

- **None** - **[DEFAULT]** The Promotion has no Control Group. Continue with [step 39 on page 12](#).

Create a Coupon Promotion

- **Promotion Level** - The Control Group Customers are pulled from each Split/Target in proportions equal to the size of each Split/Target.

Control Groups			
<input type="radio"/> None <input checked="" type="radio"/> Promotion Level <input type="radio"/> Target Level			
Promotion Targets			
Target Name	Original Count	New Count	%
Birthday Target_1	2666	2666	20.51
Birthday Target_2	2667	2667	20.52
Birthday Target_3	2667	2667	20.52
Combined Target_1	3000	3000	23.08
Combined Target_2	2000	2000	15.38
Iskadjf;iskfjas - Ctl	0	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Total	13000	13000	100%

Figure 8-25: Control Group - Promotion Level

If this option is selected, determine the size of the Control Group by doing one of the following:

- * In the **New Count** field, enter the number of Customers in the Control Group.
 - * In the % field, enter the percentage of the Customers in the Control Group.
- **Target Level** - The Control Group Customers are pulled from each Split/Target in numbers specified individually for each Split/Target.

Control Groups				
<input type="radio"/> None <input type="radio"/> Promotion Level <input checked="" type="radio"/> Target Level				
Promotion Targets			Control Groups	
Target Name	Original Count	New Count	Control Group Count	%
Birthday Target_1	2666	2666	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Birthday Target_2	2667	2667	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Birthday Target_3	2667	2667	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Combined Target_1	3000	3000	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Combined Target_2	2000	2000	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Total	13000	13000	0	

Figure 8-26: Control Group - Target Level

If this option is selected, determine the size of each Control Group by doing one of the following for each Split/Target:

- * In the **Control Group Count** field, enter the number of Customers in the Control Group.
- * In the % field, enter the percentage of the Customers in the Control Group.

39. Click **next**.

The Export Channels step opens.

40. For each Split/Target, select the method used to contact the Customers in each Split/Target.

Target Name	Mail	E-Mail / Batch Exporter	Phone	Channel Filter
ZIP20500_1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ZIP20500_2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Figure 8-27: Export Channels Step

- **Mail** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted by Mail.
- **E-Mail/Batch Exporter** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted by Email or through a separate system, with notification through a batch export.

If this [Check Box](#) has a checkmark () , batch exporter file names are displayed.

Please specify filenames for batch exporter files

Promotion Export filename

Prefix Static Name Suffix

Filename {yyy-MM-dd_HHmss}-PromotionSync

Targets Export filename

Prefix Static Name Suffix

Filename {yyy-MM-dd_HHmss}-PromotionTargetsSync

Deals Export filename

Prefix Static Name Suffix

Filename {yyy-MM-dd_HHmss}-PromotionDealsSync

Deals and Promo-Deals Attributes Export filename

Prefix Static Name Suffix

Filename {yyy-MM-dd_HHmss}-PromotionDealsAttrib...

Serialized Coupons Export filename

Prefix Static Name Suffix

Filename {yyy-MM-dd_HHmss}-PromotionSerializedC...

Figure 8-28: Batch Exporter Filenames Options

The following export filenames are configurable:

- * **Promotion Export filename** - Contains information on the Promotion.
- * **Targets Export filename** - Contains a listing of the Customers selected as Targets for the Promotion. Displayed only if Targets were selected for the Promotion.
- * **Deals Export filename** - Contains information on the Deals associated with the Promotion. Displayed only if Deals have been associated with the Promotion.
- * **Deals and Promo-Deals Attributes Export filename** - Contains information on the Attributes for the Deals associated with the Promotion. Displayed

Create a Coupon Promotion

only if Attributes have been selected for Deals associated with the Promotion.

- * **Serialized Coupons Export filename** - Contains a listing of the Serialized Coupons for the Promotion. Displayed only if Serialized Coupons were enabled for the Promotion.

For each filename, you can override the following defaults:

- * **Prefix** - Indicates the format of the datetime stamp used as a prefix the filename. Optional. Possible settings are yyyyMMdd_HH:mm:ss, yyyy-MM-dd_HH:mm:ss, or none. Defaults from the Responsys Export Filename Default Prefix property setting. See the *Implementation Guide* for more information.
- * **Static Name** - The identifying filename. Defaults from the related property: Responsys Promotion Deals Attributes Sync Default Filename, Responsys Promotion Deals Sync Default Filename, Responsys Promotion Serialized Coupon Sync Default Filename, Responsys Promotion Sync Default Filename, or Responsys Promotion Targets Sync Default Filename. See the *Implementation Guide* for more information.
- * **Suffix** - Indicates the format of the datetime stamp used as a suffix the filename. Optional. Possible settings are yyyyMMdd_HH:mm:ss, yyyy-MM-dd_HH:mm:ss, or none. Defaults from the Responsys Export Filename Default Suffix property setting. See the *Implementation Guide* for more information.

See [“Bulk Export to Batch” on page 7](#) in the [“Promotions”](#) chapter for details on the generated export files.

- **Phone** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted by Phone.
- **Channel Filter** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted through a Channel Filter.

If this [Check Box](#) has a checkmark () , Channel Filter options are displayed.

Target Name	Mail	E-Mail / Batch Exporter	Phone	Channel Filter
ZIP20500	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Location Channel Filter
Associate Channel

Figure 8-29: Channel Filter Options

Channel Filters have the following options:

- * [Radio Buttons](#) that determine the type of Channel.
 - Location Channel** - Customers are contacted by the Location.
 - Associate Channel** - Customers are contacted by their Assigned Associates.

- * **Filter** - This [Check Box](#) determines whether the export channel is filtered. If this [Check Box](#) has a checkmark () , additional Channel Filter options are displayed.




Figure 8-30: Filter Options

- * **Max Count Per <Type>** - Determines the maximum number of target Customers that will be contacted through the channel. This field is only enabled if the **Filter** option was selected.
- * **Method** - Method used to select the Customers contacted. This field is only enabled if the **Filter** option was selected. This [Selection Menu](#) has the following options:

Random - [DEFAULT] Select Customers randomly.

Top - Recent Purchase - Filter the Customers based on the most recent purchases.

Top - LT Sales - Filter the Customers based on the largest amount purchased over the lifetime of their account.

Top - Numeric Attribute - Filter the Customers based on the highest attribute value for a selected numeric attribute. If this option is selected, an additional Channel Filter option is displayed.

- * **Attribute** - The numeric attribute used to determine the customers contacted. This field is only enabled if the **Filter** option was selected and the **Top - Numeric Attribute** was selected as the Method.




Figure 8-31: Numeric Attribute Filter

41. Click next.

- If **Include Social Listening** was selected, the Social Listening step opens. Continue with [step 42 on page 16](#).
- If the **Channel Filter** Export Channel was selected (and **Include Social Listening** was not), the Event Definition step opens. Continue with [step 46 on page 18](#).
- If neither **Include Social Listening** nor the **Channel Filter** Export Channel were selected, the Budget step opens. Continue with [step 48 on page 19](#).

42. Define the keywords used by the Social Listening process:

Target Name	Social Network	Targeted Subscribers	Keyword(s) To Listen For	Copy Keywords
Target Customers	Facebook	7822	Keyword(s): Add Remove	Copy To All Copy To Same Network Only
Target Customers	Twitter	7822	Keyword(s): Add Remove	Copy To All Copy To Same Network Only
LG New Customers	Facebook	2387	Keyword(s): Add Remove	Copy To All Copy To Same Network Only

Figure 8-32: Social Listening Step

In Define Target Social Listening Keywords [List](#), each social network configured for the system is listed once for each Target defined for the Promotion.

- a. Add a keyword set to the social network for a Target:
 - 1) Click the **Add** [Link](#) for a social network.
A [Text Area Field](#) opens.
 - 2) Enter the keyword(s) to listen for into the [Text Area Field](#).
 - 3) Repeat steps 1-2 for each keyword set to enter for the social network.
- b. If necessary, copy the keyword sets to other social networks:

Important: Copying the keyword set(s) will REPLACE (rather than add to) currently configured any keyword set(s).

For example, Network 1 has the keyword set “great item” and Network 2 has the keyword sets “still shopping” and “fantastic experience at the store”. The user then clicks the **Copy To All** [Link](#) for Network 1. The only keyword set for Network 2 is now “great item”.

- * Click the **Copy to Same Network Only** [Link](#) to copy the keyword set to the same social network for each Target.
For example, if you enter “fantastic sale” in one Twitter row, clicking the **Copy to Same Network Only** [Link](#) will create a keyword set “fantastic sale” to the Twitter row for every Target.
 - * Click the **Copy to All** [Link](#) to copy the keyword set(s) to every social network for every Target.
- c. If necessary, remove a set of keyword set from a Target’s social network by clicking the [Text Area Field](#) for the keyword set, then clicking the **Remove** [Link](#).

- d. Repeat steps a-c as necessary for each Target and social network.
43. Click **next**.

The Social Listening Schedule step opens.

44. Configure the frequency at which the Job will check social media:



Figure 8-33: Social Listening Schedule Step

- a. Select the **Job Execution Frequency** using the [Selection Menu](#).
 - * **ONCE_LATER** - Run the Segment Query at a later date or time.
 - * **DAILY** - Run the Segment Query every day.
 - * **WEEKLY** - Run the Segment Query once each week.
 - * **MONTHLY** - Run the Segment Query once each month.
- b. Use the **Start Date** [Calendar Menu](#) to select the start of the time range in which the job will run.

If you selected a Job Execution Frequency of **ONCE_LATER**, continue with step f.
- c. Use the **End Date** [Calendar Menu](#) to select the end of the time range in which the job will run.
 - * If you selected a Job Execution Frequency of **DAILY**, continue with step f.
 - * If you selected a Job Execution Frequency of **WEEKLY**, continue with step d.
 - * If you selected a Job Execution Frequency of **MONTHLY**, continue with step e.
- d. Use the **Day of Week** [Selection Menu](#) to select the day of the week on which the job will run. Continue with step f.
- e. Use the **Day of Month** [Selection Menu](#) to select the day of the month on which the job will run.
- f. Use the **Job Execution Time** [Time Menus](#) to determine the time at which the job will run.

Tip: It is recommended that you select a time that is within the [Job Processing Window](#). If you select a time outside the [Job Processing Window](#), the **Override Job Processing Window** setting (see step g) must be checked () for the job to run.

- g. Use the **Override Job Processing Window** [Check Box](#) to indicate whether the job should run, even if it is scheduled outside the Job Processing Window.
45. Click **next**.



Create a Coupon Promotion

- If the **Channel Filter** Export Channel was selected, the Event Definition step opens. Continue with the next step.
- If the **Channel Filter** Export Channel was not selected, the Budget step opens. Continue with [step 48 on page 19](#).

46. Configure the Event Definition.

The screenshot shows a navigation bar at the top with steps: Split Targets, Control Groups, Export Channels, Event Definition (highlighted), Budget, and Options After Save. Below the navigation bar are three sections: 'Event Description' with a text input field, 'Event Image' with an 'Update Image' link and a placeholder box containing the text 'No image specified', and 'Event Documents' with a message 'There are no documents attached for this event.' and an 'Attach a document' link.

Figure 8-34: Event Definition Step

- Enter a description of the Event in the **Event Description** field.
- If necessary, change the image file for the Event. To change the image:
 - Click the **Update Image** [Link](#).
The Update Image [Window](#) opens.
 - Select the **Action** using the [Radio Buttons](#).
Select **Import Image**, to add or change the image and continue with step 3.
Select **Reset Image** to remove the image and continue with step 4.
 - Use the **File to Import** [File Upload](#) field to select the file to import.
 - Click the **Done** button to save the changes and close the [Window](#).
To close the [Window](#) without saving the changes, click the X () in the top-right corner of the [Window](#).
- If necessary, attach a document to the Event. To upload a document:
 - Click the **Attach a document** [Link](#).
The Attach a Document [Window](#) opens.
 - Use the **Please select file to Upload** [File Upload](#) field to select the file to import. Only files with the file extensions of jpg, jpeg, png, pdf, doc, docx, xls, and xlsx can be uploaded.
 - Click the **Upload file** button to save the changes and close the [Window](#).
To close the [Window](#) without saving the changes, click the X () in the top-right corner of the [Window](#).

- d. To remove a document from the Event Documents [List](#), click the **Remove** [Link](#) for the document.

Event Documents	
Attach a document	
Document name	
Gettysburg_Address.doc	Remove

Figure 8-35: Event Documents List

The document is removed from the [List](#).

- 47. Click **next**.

The Budget step opens.

- 48. Configure the Budget for the Promotion:

- a. In the Promotion Costs [List](#), enter the costs for the Promotion that are not specific to a Target:

Coupon Codes	Define Targets	Budget	Options After Save
previous save cancel next			
Budget			
Promotion Costs			
Description	Budget Amount	Actual Amount	
	0.00	0.00	
Add			

Figure 8-36: Budget Step for an Untargeted Promotion

Control Groups	Export Channels	Budget	Options After Save					
previous save cancel next								
Budget								
Promotion Costs								
Description	Budget Amount	Actual Amount						
	0.00	0.00						
Add								
Target Costs								
Target Name	Channel	Qty	Budget	Actual				
			<i>Fixed</i>	<i>CPM</i>	<i>Total</i>	<i>Fixed</i>	<i>CPM</i>	<i>Total</i>
Birthday Target_1	Mail	2666	<input type="text"/>	<input type="text"/>	0.00	<input type="text"/>	<input type="text"/>	0.00
Birthday Target_2	Email	2067	<input type="text"/>	<input type="text"/>	0.00	<input type="text"/>	<input type="text"/>	0.00
Birthday Target_3	Phone	2667	<input type="text"/>	<input type="text"/>	0.00	<input type="text"/>	<input type="text"/>	0.00
Combined Target_1	Mail	2500	<input type="text"/>	<input type="text"/>	0.00	<input type="text"/>	<input type="text"/>	0.00
Combined Target_2	Phone	2000	<input type="text"/>	<input type="text"/>	0.00	<input type="text"/>	<input type="text"/>	0.00

Figure 8-37: Budget Step for a Targeted Promotion

- 1) Click the **Add** [List](#).

Create a Coupon Promotion

A new Promotion Cost line is added to the [List](#).

Promotion Costs

Description	Budget Amount	Actual Amount	
<input type="text"/>	<input type="text"/>	<input type="text"/>	Delete
	0.00	0.00	

[Add](#)

Figure 8-38: Promotion Costs

- 2) Enter a **Description** of the cost item.
 - 3) Enter the budgeted amount of the item in the **Budget Amount** field.
 - 4) Enter the actual amount of the item in the **Actual Amount** field.
 - 5) Repeat steps 1-4 for each budget line item to add to the Promotion Costs.
 - 6) If necessary, remove a line item by clicking its **Delete Link**.
- b. If Targets are defined for the Promotion, use the Target Costs [List](#) to define the costs for each Target Channel in the Promotion:
- 1) In the **Budget-Fixed** field, enter the fixed cost budgeted for the Channel.
 - 2) In the **Budget-CPM** field, enter the cost budgeted for the Channel for each 1,000 Customers.
 - 3) In the **Actual-Fixed** field, enter the actual fixed cost of the Channel.
 - 4) In the **Actual-CPM** field, enter the actual cost of the Channel for each 1,000 Customers.
 - 5) Repeat steps 1-4 for each Target Channel in the Promotion.
49. Click **next**.

The Generic Attributes step opens if there are any required or optional Promotion Attributes defined.

The screenshot shows a navigation bar with three steps: 'Promotion Franchisees', 'Generic Attributes' (highlighted in blue), and 'Associated Locations'. Below the navigation bar are buttons for 'previous', 'save', 'cancel', and 'next'. The main content area is titled 'Generic Attributes' and is divided into 'Required' and 'Optional' sections. Under the 'Optional' section, there is a field for 'XYZ12345' with a dropdown menu set to 'Yes' and a 'Delete' button.

Figure 8-39: Generic Attributes Step

- a. Configure any required or optional promotion attributes.
 - 1) To add an Attribute, click the **Add** button.
A configuration field opens.
 - 2) Select or enter the configuration value for the Attribute.
 - 3) Repeat until all necessary Attribute(s) are configured.
 - 4) To delete an Attribute, click the **Delete** button.

- 5) To change the configuration value for an Attribute, select or enter the new configuration value.

50. Click **next**.

51. Click **next**.

The Options After Save step opens.

52. In each [Check Box](#) and/or set of [Radio Buttons](#), indicate the steps that the Promotion creation process will perform when the Promotion is saved:

Options After Save

After saving this promotion, also perform the following actions:

Generate
Start a job to generate promotion target data.

Approve
Set this promotion's status to Approved.

Export
Start a job to create files for exporting this promotion to an external/POS/batch system.

Dynamic Promotion Options
Set the export option for the Dynamic Promotion Job processing.

Output Additions Only
Only customers added to the event as a result of segment processing will be exported.

Output All Updates
All customers updated or added to the event as a result of segment processing will be exported.

Figure 8-40: Options After Save Step

- **Generate** - Generate the Promotion Target data. This option only appears if the Promotion is targeted.
- **Approve** - Automatically approve the promotion.
- **Export** - Export the Promotion data to external systems, including POS or marketing systems.
- **Dynamic Promotion Options** - Export options for dynamic Promotions. These options only appear if the Promotion has dynamic Targets. Select the option using the [Radio Buttons](#):
 - * **Output Additions Only** - Customer Engagement will only export the Customers added to the Promotion event by the [Dynamic Promotions](#) Job.
 - * **Output All Updates** - Customer Engagement will export all Customers either added to or updated in the Promotion event by the [Dynamic Promotions](#) Job.

53. Click **next**.

The Review step opens.

54. Review the entered information to ensure that it is correct.

Create a Coupon Promotion

- Click **save** to save the Promotion with its current configuration.
- Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
- Click **cancel** to cancel the changes and return to the [Promotion List](#) without saving the Promotion.

Create a Product Promotion

To create a Product Promotion, do the following:

1. Click **CREATE** in the upper-right corner of the [Promotion List](#) page.
The New Promotion [Wizard](#) opens on the Promotion Type step.

The screenshot shows the 'New Promotion Wizard' interface. The left sidebar contains a navigation menu with the following items: Promotion Type (selected), General Information, Campaign, Start / End Date, Promotion Franchisees (No franchisees defined), Generic Attributes (No attributes defined), Associated Locations, Define Targets, Budget, Options After Save, Review, and Review. The main content area is titled 'Promotion Type' and features a progress bar at the top with steps: Promotion Type (active), General Information, and Campaign. Below the progress bar are navigation buttons: '<< previous', 'save', 'cancel', and 'next >>'. The 'Promotion Type' section contains four radio button options: Coupon (selected), Product, Message, and Award. There is also a checkbox labeled 'Enable Serialized Coupon Management' next to the Coupon option.

Figure 9-1: New Promotion Wizard

2. In the Promotion Type step in the [New Promotion Wizard](#), select **Product**.
3. Click **next**.

The General Information step opens.

4. Configure the General Information for the Promotion:

The screenshot shows the 'General Information' step of the 'New Promotion Wizard'. The progress bar at the top shows the steps: Promotion Type, General Information (active), Campaign, and Start / End Date. Navigation buttons are '<< previous', 'save', 'cancel', and 'next >>'. The form contains a 'Name' text field, a larger 'Description' text area, and an 'Include Social Listening' checkbox which is currently unchecked.

Figure 9-2: General Information Step

- a. Enter the **Name** of the Promotion in the Name [Text Field](#).
- b. Enter a **Description** of the Promotion in the Description [Text Field](#).

Create a Product Promotion

- c. Use the **Social Listening** [Check Box](#) to indicate whether social-media listening features will be enabled for the Promotion.

Note: This [Check Box](#) is only available if social media access has been enabled in **System Configuration**, and the User has been assigned the `Relate_SystemAdmin` and/or `Relate_PromotionSocialListeningAdmin` Role. See the *Implementation Guide* for more information about **System Configuration**, configuring social media access, and User Roles.

5. Click **next**.

The Campaign step opens.

6. Select how the Campaign should be associated with the Promotion:

Promotion Type > General Information > **Campaign** > Start / End Date > General Information

◀ previous save cancel next ▶▶

- Auto create campaign
- Associate promotion with existing campaign
- Create a new campaign for this promotion

Figure 9-3: Campaign Step

- **Auto create campaign** - Customer Engagement will automatically create a new Campaign.
- **Associate promotion with existing campaign** - Select a previously-created Campaign to associate with the Promotion.

If you select this option, a Campaigns [Selection Menu](#) opens.

Associate promotion with existing campaign

Campaigns (Please select) ▼

Figure 9-4: Campaigns Dropdown Menu

Select the Campaign you are associating with this Promotion using the **Campaigns** dropdown menu.

- **Create a new campaign for this promotion** - Manually create a new Campaign that will then be associated with this Promotion.

If you select this option, Name and Description fields open.

Create a new campaign for this promotion

Name

Description

Figure 9-5: Create Campaign Fields

- 1) Enter the **Name** of the Campaign in the Name field.
 - 2) Enter a **Description** of the Campaign in the Description field.
7. Click **next**.
- The Start/End Date step opens.

8. Configure the Start and End Dates for the Promotion:

Figure 9-6: Start/End Date Step

- a. Select the **Start Date** for the Promotion using the Start Date [Calendar Menu](#).
 - b. Select the **Start Time** for the Promotion using the Start Time [Time Menu](#).
 - c. Select the **End Date** for the Promotion using the End Date [Calendar Menu](#).
 - d. Select the **End Time** for the Promotion using the End Time [Time Menu](#).
9. Click **next**.
- If Franchisee support is not enabled, the Generic Attributes step opens. Continue with step 12.
 - If Franchisee support is enabled, the Promotion Franchisees step opens. Continue with the next step.

Note: See the *Implementation Guide* for more information about Franchisee support.

10. Select the Franchisee(s) to associate with the Promotion.

Select	Franchisee ID	Name	Description
<input type="checkbox"/>	2	NY Franchisee	NY Franchisee
<input type="checkbox"/>	1	OH Franchisee	OH Franchisee

Figure 9-7: Promotion Franchisees Step

11. Select **next**.

Create a Product Promotion

The Generic Attributes step opens.

12. Select or enter the configuration values for each of the **Required** Attributes.

The screenshot shows a navigation bar with steps: Campaign, Start / End Date, Generic Attributes (highlighted), Associated Locations, and Associate Deals. Below the navigation bar are navigation buttons: << previous, save, cancel, next >>. The main content area is titled "Generic Attributes" and is divided into two sections: "Required" and "Optional".

Required

Back to School	Back to School
	<input type="text" value="No"/>

Optional

ST LOC ATTRIBUTE	ST LOC ATTRIBUTE	<input type="button" value="Add"/>
st date	st date	<input type="button" value="Add"/>

Figure 9-8: Generic Attributes Step

13. Configure any necessary **Optional** Attribute(s):

- To Add an Attribute:
 - 1) Select the **Add** button for the Attribute.
A configuration field opens.
 - 2) Select or enter the configuration value for the Attribute.
- To delete an Attribute, select the **Delete** button for the Attribute.
The Attribute is deleted.

14. Select **next**.

The Associated Locations step opens.

15. Define the Location Eligibility Rules for the Promotion.

The screenshot shows a navigation bar with steps: Start / End Date, Generic Attributes, Associated Locations (highlighted), and Associate Deals. Below the navigation bar are navigation buttons: << previous, save, cancel, next >>. The main content area is titled "Associated Locations" and contains two sections: "Included Locations" and "Excluded Locations".

Included Locations

All locations are included by default. No specific locations are included. [Click here](#) to add one.

Excluded Locations

No locations are specifically excluded. [Click here](#) to add one.

Figure 9-9: Associated Locations Step

- For instructions on configuring Location Eligibility Rules, see [“Define Location Eligibility” on page 25](#).
- For more information about Location Eligibility Rules, see [“Location Eligibility” on page 24](#).

16. Click **next**.

The Associate Deals step opens.

17. Add the Deal(s) for the Promotion:




Figure 9-10: Associate Deals Step

- a Click the **Add** button.
- A Deal [List Window](#) opens.




Figure 9-11: Deal List Window

- e. If necessary, use the [Filter](#) fields to display a subset of Deals.
 - * **Max Deal Id** - This [Text Field](#) filters the [List](#) with a maximum number for the Deal ID. The [List](#) will only show Deals with an ID less than or equal to the entered value.
 - * **Attribute Type** - This [Selection Menu](#) filters the [List](#) by the type of Attribute assigned to the Deal. Select **All [DEFAULT]** to view Deals with any or no Attribute assigned.

Upon selecting an Attribute Type, another [Filter](#) field opens that can be used to filter the [List](#) by Attribute value. *The type of field depends upon the Attribute's Data Type.*




Figure 9-12: Attribute Value Fields

- * **Deal Type** - This [Selection Menu](#) filters the [List](#) by Deal Type, and contains all the types of Deals that can be created in Customer Engagement. Select **All [DEFAULT]** to view all types of deals.
- * **Intended Use** - This [Selection Menu](#) filters the [List](#) by the Intended Use of the Deal.

Create a Product Promotion

- * **Intended Industry** - This [Selection Menu](#) filters the [List](#) by the intended industry of the Deal: either **Merchandise** or **Culinary**.
- f. Click a Deal to select it. You can select multiple Deals.
- g. Click the **Add** button to add the Deal(s) to the Promotion, or click the **Cancel** button to exit the [Window](#) without changing the [List](#) of Deals associated with the Promotion.

Deal Id	Deal Name	Deal Type	Deal Code	Enabled
260	0907_51	Line Item Discount	<input type="text"/>	<input checked="" type="checkbox"/>

Figure 9-13: Deal Added

- h. If necessary, return to step a to add another Deal to the Promotion.
18. For each Deal in the Associated Deals [List](#) that will have a Deal Code assigned to it, enter that Code in the **Deal Code** [Text Field](#).
 19. For each Deal in the Associated Deals [List](#), use the **Enabled** [Check Box](#) to select whether the Deal will be active in the Promotion.
 20. Click **next**.

The Promo-Deal Attributes step opens.

21. Configure the Promo-Deal Attributes for the Promotion event:

Associated Locations > Associate Deals > **Promo-Deal Attributes** > Define Targets

<< previous save cancel next >>

Promo-Deal Attributes

Bypass deal attributes for this event

Deal 6 - Buy 1 Get 1 Jean Sale

test logic test logic desc

No

Figure 9-14: Promo-Deal Attributes Step

- a. Use the **Bypass deal attributes for this event** [Check Box](#) to determine whether Promo-Deal Attributes will be used for this Promotion event:
 - * **Checked** () - Attributes will NOT be used. The available attributes are removed from the screen. Continue with step 22.
 - * **Unchecked** () - Attributes will be used. The available attributes are displayed. Continue with the next step.
 - b. Configure the Attribute(s) for the Promo-Deal(s).
22. Click **next**.

The Define Targets step opens.

23. Define the Segment Target Eligibility Rules for the Promotion:



Figure 9-15: Define Targets Step

- a. Use the [Radio Buttons](#) to select the type of Targets.
 - * **Untargeted** - **[DEFAULT]** The Promotion has no Segment Targets. If you selected **Include Social Listening**, continue with [step 34 on page 15](#). If you did not select **Include Social Listening**, continue with [step 40 on page 18](#).
 - * **Exclusive** - The Promotion is only limited to Customers within the eligible Segments. Continue with step b.
 - * **Non-exclusive** - The Promotion is directed toward eligible Segments, but other Customers can take advantage of it. Continue with step b.
- b. The next step you perform depends upon the configuration of both your system and your User account:
 - * If the **Targeting Type** [Radio Buttons](#) open, continue with step c.

Targeting Type: Static Targeting Dynamic Targeting

Figure 9-16: Targeting Type

- * Otherwise, continue with step e.

Important: The Targeting Type [Radio Buttons](#) will only open if Dynamic Targeting is enabled, and you have been assigned either the `Relate_PromotionDynamicTargetAdmin` or `Relate_SystemAdmin` Role. See the *Implementation Guide* for more information about enabling software features and configuring Roles.

- c. Select the **Targeting Type** for the Promotion.
 - * **Static Targeting** - Once the Target is created, the list of Customers in the Target will not change. Continue with the following step.
 - * **Dynamic Targeting** - After creating the Target, the list of Customers in the Target will be altered each time the [Dynamic Promotions](#) Job runs.

Important: The [Dynamic Promotions](#) Job should not be run on the same day after a Dynamic Promotion is generated. See [“Dynamic Promotions” on page 78](#) for more information.

Dynamic Targeting Option [Radio Buttons](#) open.

Dynamic Targeting Option: Targets Added Only Targets Added and Removed

Figure 9-17: Dynamic Targeting Option

Continue with step d.

- d. Select the **Dynamic Targeting Option** for the Promotion.
 - * **Targets Added Only** - When the [Dynamic Promotions](#) Job runs, any new Customers found that meet the Target criteria are added to the Target. All Customers currently in the Target remain in the Target.
 - * **Targets Added and Removed** - When the [Dynamic Promotions](#) Job runs, only the Customers who meet the Target criteria will be included in the Target. If a Customer is in the Target before the Job runs, but no longer meets the criteria, that Customer is removed from the Target.
- e. Define the Segment Targets for the Promotion.

Note: If Franchisee support is enabled, and one or more Franchisees are associated with the Promotion, the Promotion will create a default Target of the Customers associated with the selected Franchisee(s).

- * For instructions on configuring Segment Eligibility Rules, see [“Define Segment Eligibility” on page 28.](#)
- * For more information about Segment Eligibility Rules, see [“Segment/Target Eligibility” on page 27.](#)

24. Click **next**.

- If you selected **Static Filtering** (see above), the Define Target Filtering Step opens. Continue with the next step.
- If you selected **Dynamic Targeting** (see above), the Control Groups step opens. Continue with [step 30 on page 11.](#)

25. Define the Target Filter for each Segment Target:

Target Name	Customer Count	Approx. Household Customer Count	Filter Type	Filtered Count
Birthday Target	9040	9030	None	9040
Combined Target	6659	6655	None	6659

Customer Household Consolidation: None

Target Count Total 15699
Filtered Count Total 15699

Figure 9-18: Define Target Filtering Step

- a. Select the **Filter Type** for each Segment:
 - * **None - [DEFAULT]** All Customers in the Segment are eligible.

- * **Top Sales** - Customers from the Segment will be chosen for eligibility by the greatest total amount of purchases.
 - * **Random** - Customers from the Segment will be chosen randomly for eligibility.
- b. If the Filter Type for the Segment is Top Sales or Random, enter the **Filter Count** of Customers eligible for the Promotion.

Filter Type	Filtered Count
Top Sales	0
Random	0

Figure 9-19: Enter Filter Count

26. Use the **Customer Household Consolidation Selection Menu** to indicate whether the Promotion will use household consolidation, and the rule for determining the Customer who is the head of household.

This [Selection Menu](#) has the following options:

- **None** - Do not perform household filtering.
- **LT Sales** - Select head of household based on amount purchased over the lifetime of their account.
- **LT Transaction Count** - Select head of household based on lifetime number of transactions.
- **Last Transaction Date** - Select head of household based on the Customer who performed the most recent transaction.
- **Customer Attributes** - Select head of household based on the Customer's numeric attributes.

27. Click **next**.

The Split Targets step opens.

Target Name	Customer Count	Split Count	%
Birthday Target	8000		100.00%
Combined Target	5000		100.00%

Figure 9-20: Split Targets Step

28. Filtered Targets can, optionally, be split into smaller, separate Targets. If necessary, create Splits for the filtered Targets in the Promotion:

Create a Product Promotion

- a. Click **Split** for each Split to be created in the Target (click **Split** once for two Splits, click twice for three Splits, click three times for four Splits, etc.).

Target Name	Customer Count	Split Count	%	
<i>Birthday Target</i>	8000		100.00%	Split
Birthday Target_1		2666	33.33	Delete
Birthday Target_2		2667	33.34	Delete
Birthday Target_3		2667	33.34	Delete
<i>Combined Target</i>	5000		100.00%	Split
Combined Target_1		2500	50.00	Delete
Combined Target_2		2500	50.00	Delete

Figure 9-21: Splits

- b. Optionally, change the name of the Split in the **Target Name** field for each Split.
 c. Adjust the Split distribution as necessary:

- * Change the number of Customers in each Split in the **Split Count** fields.
- * Change the percentage of Customers in each Split in the **%** fields.

The total number of Customers in the Splits must equal the number of Customers in the target. If the numbers are not equal, Split Count will display the difference.

Split Count	%
(-67)	0.00%
2666	33.33
2600	32.50
2667	33.34
(+500)	100.00%
3000	60.00
2500	50.00

Figure 9-22: Split Counts Incorrect

- d. If necessary, remove a Split by clicking the **Delete** [Link](#) for the Split.
 29. Click **next**.

The Control Groups step opens.

30. Use the [Radio Buttons](#) to select the type of Control Groups:



Figure 9-23: Control Groups Step

Important: If **Dynamic Targeting** was selected for the Promotion, the Control Groups created cannot be changed. The Customers in the Control Group will remain in the Control Group throughout the Promotion.

- **None - [DEFAULT]** The Promotion has no Control Group. Continue with [step 31 on page 12](#).
- **Promotion Level** - The Control Group Customers are pulled from each Split/Target in proportions equal to the size of each Split/Target.

Target Name	Original Count	New Count	%
Birthday Target_1	2666	2666	20.51
Birthday Target_2	2667	2667	20.52
Birthday Target_3	2667	2667	20.52
Combined Target_1	3000	3000	23.08
Combined Target_2	2000	2000	15.38
Iskadjf;Iskfjas - Ctl	0	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Total	13000	13000	100%

Figure 9-24: Control Group - Promotion Level

If this option is selected, determine the size of the Control Group by doing one of the following:

- * In the **New Count** field, enter the number of Customers in the Control Group.
- * In the **%** field, enter the percentage of the Customers in the Control Group.

Create a Product Promotion

- **Target Level** - The Control Group Customers are pulled from each Split/Target in numbers specified individually for each Split/Target.

Control Groups				
<input type="radio"/> None <input type="radio"/> Promotion Level <input checked="" type="radio"/> Target Level				
Promotion Targets		Control Groups		
Target Name	Original Count	New Count	Control Group Count	%
Birthday Target_1	2666	2666	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Birthday Target_2	2667	2667	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Birthday Target_3	2667	2667	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Combined Target_1	3000	3000	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Combined Target_2	2000	2000	<input type="text" value="0"/>	<input type="text" value="0.00"/>
<i>Total</i>	<i>13000</i>	<i>13000</i>	<i>0</i>	

Figure 9-25: Control Group - Target Level

If this option is selected, determine the size of each Control Group by doing one of the following for each Split/Target:

- * In the **Control Group Count** field, enter the number of Customers in the Control Group.
- * In the % field, enter the percentage of the Customers in the Control Group.

31. Click next.

The Export Channels step opens.

32. For each Split/Target, select the method used to contact the Customers in each Split/Target.

Export Channels				
Target Name	Mail	E-Mail / Batch Exporter	Phone	Channel Filter
ZIP20500_1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ZIP20500_2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Figure 9-26: Export Channels Step

- **Mail** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted by Mail.
- **E-Mail/Batch Exporter** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted by Email or through a separate system, with notification through a batch export.

If this [Check Box](#) has a checkmark () , batch exporter file names are displayed.

Please specify filenames for batch exporter files

Promotion Export filename		
Prefix	<input type="text" value="yyyy-MM-dd_HHmss"/>	Static Name <input type="text" value="-PromotionSync"/>
Suffix	<input type="text" value="None"/>	
Filename {yyyy-MM-dd_HHmss}-PromotionSync		
Targets Export filename		
Prefix	<input type="text" value="yyyy-MM-dd_HHmss"/>	Static Name <input type="text" value="-PromotionTargetsSync"/>
Suffix	<input type="text" value="None"/>	
Filename {yyyy-MM-dd_HHmss}-PromotionTargetsSync		
Deals Export filename		
Prefix	<input type="text" value="yyyy-MM-dd_HHmss"/>	Static Name <input type="text" value="-PromotionDealsSync"/>
Suffix	<input type="text" value="None"/>	
Filename {yyyy-MM-dd_HHmss}-PromotionDealsSync		
Deals and Promo-Deals Attributes Export filename		
Prefix	<input type="text" value="yyyy-MM-dd_HHmss"/>	Static Name <input type="text" value="-PromotionDealsAttribute"/>
Suffix	<input type="text" value="None"/>	
Filename {yyyy-MM-dd_HHmss}-PromotionDealsAttrib...		

Figure 9-27: Batch Exporter Filenames Options

The following export filenames are configurable:

- * **Promotion Export filename** - Contains information on the Promotion.
- * **Targets Export filename** - Contains a listing of the Customers selected as Targets for the Promotion. Displayed only if Targets were selected for the Promotion.
- * **Deals Export filename** - Contains information on the Deals associated with the Promotion. Displayed only if Deals have been associated with the Promotion.
- * **Deals and Promo-Deals Attributes Export filename** - Contains information on the Attributes for the Deals associated with the Promotion. Displayed only if Attributes have been selected for Deals associated with the Promotion.

For each filename, you can override the following defaults:

- * **Prefix** - Indicates the format of the datetime stamp used as a prefix the filename. Optional. Possible settings are yyyyMMdd_HHmss, yyyy-MM-dd_HHmss, or none. Defaults from the Responsys Export Filename Default Prefix property setting. See the *Implementation Guide* for more information.
- * **Static Name** - The identifying filename. Defaults from the related property: Responsys Promotion Deals Attributes Sync Default Filename, Responsys Promotion Deals Sync Default Filename, Responsys Promotion Serialized Coupon Sync Default Filename, Responsys Promotion Sync Default Filename, or Responsys Promotion Targets Sync Default Filename. See the *Implementation Guide* for more information.
- * **Suffix** - Indicates the format of the datetime stamp used as a suffix to the filename. Optional. Possible settings are yyyyMMdd_HHmss, yyyy-MM-dd_HHmss, or none. Defaults from the Responsys Export Filename Default Suffix property setting. See the *Implementation Guide* for more information.

Create a Product Promotion

See [“Bulk Export to Batch” on page 7](#) in the [“Promotions”](#) chapter for details on the generated export files.

- **Phone** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted by Phone.
- **Channel Filter** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted through a Channel Filter.

If this [Check Box](#) has a checkmark () , Channel Filter options are displayed.

Target Name	Mail	E-Mail / Batch Exporter	Phone	Channel Filter
ZIP20500	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Location Channel Filter
Associate Channel

Figure 9-28: Channel Filter Options

Channel Filters have the following options:

- * [Radio Buttons](#) that determine the type of Channel.
 - Location Channel** - Customers are contacted by the Location.
 - Associate Channel** - Customers are contacted by their Assigned Associates.
- * **Filter** - This [Check Box](#) determines whether the export channel is filtered. If this [Check Box](#) has a checkmark () , additional Channel Filter options are displayed.

Filter

Max Count Per <Store>

Method

Figure 9-29: Filter Options

- * **Max Count Per <Type>** - Determines the maximum number of target Customers that will be contacted through the channel. This field is only enabled if the **Filter** option was selected.
- * **Method** - Method used to select the Customers contacted. This field is only enabled if the **Filter** option was selected. This [Selection Menu](#) has the following options:
 - Random** - **[DEFAULT]** Select Customers randomly.
 - Top - Recent Purchase** - Filter the Customers based on the most recent purchases.
 - Top - LT Sales** - Filter the Customers based on the largest amount purchased over the lifetime of their account.
 - Top - Numeric Attribute** - Filter the Customers based on the highest attribute value for a selected numeric attribute. If this option is selected, an additional Channel Filter option is displayed.

- * **Attribute** - The numeric attribute used to determine the customers contacted. This field is only enabled if the **Filter** option was selected and the **Top - Numeric Attribute** was selected as the Method.

Method: Top - Numeric Attribute ▾
Attribute: (Please select) ▾

Figure 9-30: Numeric Attribute Filter

33. Click next.

- If **Include Social Listening** was selected, the Social Listening step opens. Continue with [step 34 on page 15](#).
- If the **Channel Filter** Export Channel was selected (and **Include Social Listening** was not), the Event Definition step opens. Continue with [step 38 on page 17](#).
- If neither **Include Social Listening** nor the **Channel Filter** Export Channel were selected, the Budget step opens. Continue with [step 40 on page 18](#).

34. Define the keywords used by the Social Listening process:

Target Name	Social Network	Targeted Subscribers	Keyword(s) To Listen For	Copy Keywords
Target Customers	Facebook	7822	Keyword(s): Add Remove	Copy To All Copy To Same Network Only
Target Customers	Twitter	7822	Keyword(s): Add Remove	Copy To All Copy To Same Network Only
LG New Customers	Facebook	2387	Keyword(s): Add Remove	Copy To All Copy To Same Network Only

Figure 9-31: Social Listening Step

In Define Target Social Listening Keywords [List](#), each social network configured for the system is listed once for each Target defined for the Promotion.

- Add a keyword set to the social network for a Target:
 - Click the **Add** [Link](#) for a social network.
A [Text Area Field](#) opens.
 - Enter the keyword(s) to listen for into the [Text Area Field](#).
 - Repeat steps 1-2 for each keyword set to enter for the social network.

- b. If necessary, copy the keyword sets to other social networks:

Important: Copying the keyword set(s) will REPLACE (rather than add to) currently configured any keyword set(s).

For example, Network 1 has the keyword set “great item” and Network 2 has the keyword sets “still shopping” and “fantastic experience at the store”. The user then clicks the **Copy To All** [Link](#) for Network 1. The only keyword set for Network 2 is now “great item”.

- * Click the **Copy to Same Network Only** [Link](#) to copy the keyword set to the same social network for each Target.

For example, if you enter “fantastic sale” in one Twitter row, clicking the **Copy to Same Network Only** [Link](#) will create a keyword set “fantastic sale” to the Twitter row for every Target.

- * Click the **Copy to All** [Link](#) to copy the keyword set(s) to every social network for every Target.

- c. If necessary, remove a set of keyword set from a Target’s social network by clicking the [Text Area Field](#) for the keyword set, then clicking the **Remove** [Link](#).
- d. Repeat steps a-c as necessary for each Target and social network.

35. Click **next**.

The Social Listening Schedule step opens.

36. Configure the frequency at which the Job will check social media:



Figure 9-32: Social Listening Schedule Step

- a. Select the **Job Execution Frequency** using the [Selection Menu](#).
- * **ONCE_LATER** - Run the Segment Query at a later date or time.
 - * **DAILY** - Run the Segment Query every day.
 - * **WEEKLY** - Run the Segment Query once each week.
 - * **MONTHLY** - Run the Segment Query once each month.
- b. Use the **Start Date** [Calendar Menu](#) to select the start of the time range in which the job will run.
- If you selected a Job Execution Frequency of **ONCE_LATER**, continue with step f.
- c. Use the **End Date** [Calendar Menu](#) to select the end of the time range in which the job will run.
- * If you selected a Job Execution Frequency of **DAILY**, continue with step f.
 - * If you selected a Job Execution Frequency of **WEEKLY**, continue with step d.

- * If you selected a Job Execution Frequency of **MONTHLY**, continue with step e.
- d. Use the **Day of Week Selection Menu** to select the day of the week on which the job will run. Continue with step f.
- e. Use the **Day of Month Selection Menu** to select the day of the month on which the job will run.
- f. Use the **Job Execution Time Time Menus** to determine the time at which the job will run.

Tip: It is recommended that you select a time that is within the [Job Processing Window](#). If you select a time outside the [Job Processing Window](#), the Override Job Processing Window setting (see step g) must be checked () for the job to run.

- g. Use the **Override Job Processing Window Check Box** to indicate whether the job should run, even if it is scheduled outside the Job Processing Window.

37. Click **next**.

- If the **Channel Filter** Export Channel was selected, the Event Definition step opens. Continue with the next step.
- If the **Channel Filter** Export Channel was not selected, the Budget step opens. Continue with [step 40 on page 18](#).

38. Configure the Event Definition.

Figure 9-33: Event Definition Step

- a. Enter a description of the Event in the **Event Description** field.
- b. If necessary, change the image file for the Event. To change the image:
 - 1) Click the **Update Image Link**.
The Update Image [Window](#) opens.
 - 2) Select the **Action** using the [Radio Buttons](#).
Select **Import Image**, to add or change the image and continue with step 3.
Select **Reset Image** to remove the image and continue with step 4.
 - 3) Use the **File to Import File Upload** field to select the file to import.
 - 4) Click the **Done** button to save the changes and close the [Window](#).

Create a Product Promotion

To close the [Window](#) without saving the changes, click the X (✕) in the top-right corner of the [Window](#).

c. If necessary, attach a document to the Event. To upload a document:

1) Click the **Attach a document** [Link](#).


The Attach a Document [Window](#) opens.

2) Use the **Please select file to Upload** [File Upload](#) field to select the file to import. Only files with the file extensions of jpg, jpeg, png, pdf, doc, docx, xls, and xlsx can be uploaded.

3) Click the **Upload file** button to save the changes and close the [Window](#).

To close the [Window](#) without saving the changes, click the X (✕) in the top-right corner of the [Window](#).

d. To remove a document from the Event Documents [List](#), click the **Remove** [Link](#) for the document.



Event Documents	
Attach a document	
Document name	
Gettysburg_Address.doc	Remove

Figure 9-34: Event Documents List


The document is removed from the [List](#).

39. Click **next**.

The Budget step opens.

40. Configure the Budget for the Promotion:

a. In the Promotion Costs [List](#), enter the costs for the Promotion that are not specific to a Target:



Budget			
Promotion Costs			
Description	Budget Amount	Actual Amount	
	0.00	0.00	

[Add](#)

Figure 9-35: Budget Step for an Untargeted Promotion

Control Groups > Export Channels > **Budget** > Options After Save

◀ previous save cancel next ▶

Budget

Promotion Costs

Description	Budget Amount	Actual Amount
	0.00	0.00

[Add](#)

Target Costs

Target Name	Channel	Qty	Budget			Actual		
			Fixed	CPM	Total	Fixed	CPM	Total
Birthday Target_1	Mail	2666			0.00			0.00
Birthday Target_2	Email	2067			0.00			0.00
Birthday Target_3	Phone	2667			0.00			0.00
Combined Target_1	Mail	2500			0.00			0.00
Combined Target_2	Phone	2000			0.00			0.00

Figure 9-36: Budget Step for a Targeted Promotion

- 1) Click the [Add List](#).

A new Promotion Cost line is added to the [List](#).

Promotion Costs

Description	Budget Amount	Actual Amount
<input type="text"/>	<input type="text"/>	<input type="text"/>
	0.00	0.00

[Delete](#)

[Add](#)

Figure 9-37: Promotion Costs

- 2) Enter a **Description** of the cost item.
 - 3) Enter the budgeted amount of the item in the **Budget Amount** field.
 - 4) Enter the actual amount of the item in the **Actual Amount** field.
 - 5) Repeat steps 1-4 for each budget line item to add to the Promotion Costs.
 - 6) If necessary, remove a line item by clicking its [Delete Link](#).
- b. If Targets are defined for the Promotion, use the Target Costs [List](#) to define the costs for each Target Channel in the Promotion:
- 1) In the **Budget-Fixed** field, enter the fixed cost budgeted for the Channel.
 - 2) In the **Budget-CPM** field, enter the cost budgeted for the Channel for each 1,000 Customers.
 - 3) In the **Actual-Fixed** field, enter the actual fixed cost of the Channel.
 - 4) In the **Actual-CPM** field, enter the actual cost of the Channel for each 1,000 Customers.
 - 5) Repeat steps 1-4 for each Target Channel in the Promotion.
41. Click **next**.

Create a Product Promotion

The Generic Attributes step opens if there are any required or optional Promotion Attributes defined.

The screenshot shows a multi-step navigation bar at the top with three steps: 'Promotion Franchisees', 'Generic Attributes' (which is highlighted in blue), and 'Associated Locations'. Below the navigation bar, there are navigation buttons: '<< previous', 'save', 'cancel', 'next >>'. The 'next' button is highlighted with a dashed border. Below the navigation bar, there is a header for the 'Generic Attributes' section. Underneath, there are two sections: 'Required' and 'Optional'. The 'Optional' section contains a table with one row. The first column contains the promotion ID 'XYZ12345'. The second column contains the attribute name 'Northeast Outlet Stores'. The third column contains a dropdown menu with the value 'Yes'. The fourth column contains a 'Delete' button.

Generic Attributes			
Required			
Optional			
XYZ12345	Northeast Outlet Stores	Yes	Delete

Figure 9-38: Generic Attributes Step

- a. Configure any required or optional promotion attributes.
 - 1) To add an Attribute, click the **Add** button.
A configuration field opens.
 - 2) Select or enter the configuration value for the Attribute.
 - 3) Repeat until all necessary Attribute(s) are configured.
 - 4) To delete an Attribute, click the **Delete** button.
 - 5) To change the configuration value for an Attribute, select or enter the new configuration value.
42. Click **next**.
43.
The Options After Save step opens.

44. In each [Check Box](#) and/or set of [Radio Buttons](#), indicate the steps that the Promotion creation process will perform when the Promotion is saved:

Options After Save

After saving this promotion, also perform the following actions:

Generate
Start a job to generate promotion target data.

Approve
Set this promotion's status to Approved.

Export
Start a job to create files for exporting this promotion to an external/POS/batch system.

Dynamic Promotion Options
Set the export option for the Dynamic Promotion Job processing.

Output Additions Only
Only customers added to the event as a result of segment processing will be exported.

Output All Updates
All customers updated or added to the event as a result of segment processing will be exported.

Figure 9-39: Options After Save Step

- **Generate** - Generate the Promotion Target data. This option only appears if the Promotion is targeted.
 - **Approve** - Automatically approve the promotion.
 - **Export** - Export the Promotion data to external systems, including POS or marketing systems.
 - **Dynamic Promotion Options** - Export options for dynamic Promotions. These options only appear if the Promotion has dynamic Targets. Select the option using the [Radio Buttons](#):
 - * **Output Additions Only** - Customer Engagement will only export the Customers added to the Promotion event by the [Dynamic Promotions](#) Job.
 - * **Output All Updates** - Customer Engagement will export all Customers either added to or updated in the Promotion event by the [Dynamic Promotions](#) Job.
45. Click **next**.
The Review step opens.
46. Review the entered information to ensure that it is correct.
- Click **save** to save the Promotion with its current configuration.
 - Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
 - Click **cancel** to cancel the changes and return to the [Promotion List](#) without saving the Promotion.

Create an Award Promotion

Award promotions are based on award card definitions. Awards (EAwards or Entitlement deal awards) are issued when the Promotion is generated. If the Promotion is defined as **Issue to registered cards only**, the awards will be created for cards within the selected program that are associated to a customer when the promotion is generated. This type of promotion is considered exclusively targeted to the customers with those cards. The targeting step will be available to define filters and/or control groups if desired.

A segment can be added to filter the number of awards created. For example, an Award Program has 1,000 customers associated to cards, but this Promotion is only for those customers that live in Ohio. A segment can be defined for Ohio customers within that card program and added to the Promotion as **Included Targets**. In this case, only the customers that live in Ohio are included. An alternative is to add an **Excluded Target** segment, which could exclude all customers that live in New York. The promotion target can also be defined as Dynamic Targeting. If Dynamic Targeting is selected, any new customers that are associated to cards are dynamically added to the promotion target, and awards are issued when the Dynamic Promotion job is run.

If the promotion is defined to **Issue Coupons Dynamically**, the awards are created for activated cards within the selected program when the promotion is generated. The card does not need to be associated to a customer. This type of promotion is considered non-targeted, since a customer association is not required. The promotion targeting step is skipped. This type of promotion is automatically considered a Dynamic Promotion. For a Dynamic Promotion, any new cards within the selected program that are activated will have an award issued when the **Dynamic Promotion** job runs.

Create an Award Promotion

To create an Award Promotion, do the following:

1. Click **CREATE** in the upper-right corner of the [Promotion List](#) page.
The New Promotion [Wizard](#) opens on the Promotion Type step.


The screenshot shows the 'New Promotion Wizard' interface. On the left is a navigation menu with options: Promotion Type (selected), General Information, Campaign, Start / End Date, Promotion Franchisees (No franchisees defined), Generic Attributes (No attributes defined), Associated Locations, Define Targets, Budget, Options After Save, Review, and Review. The main content area is titled 'Promotion Type' and contains four radio button options: Coupon, Product, Message, and Award. The 'Award' option is selected. There is also a checkbox for 'Enable Serialized Coupon Management' which is unchecked. At the top, there are three tabs: 'Promotion Type' (active), 'General Information', and 'Campaign'. Navigation buttons at the top right include '<< previous', 'save', 'cancel', and 'next >>'.

Figure 10-1: New Promotion Wizard

2. In the Promotion Type step in the [New Promotion Wizard](#), select **Award**.
3. Click **next**.

The General Information step opens.

4. Configure the General Information for the Promotion:

The screenshot shows the 'General Information' step of the wizard. The top navigation bar has four tabs: 'Promotion Type', 'General Information' (active), 'Campaign', and 'Start / End Date'. Navigation buttons at the top right include '<< previous', 'save', 'cancel', and 'next >>'. The main form area contains a 'Name' text field, a larger 'Description' text area, and an 'Include Social Listening' checkbox which is currently unchecked.

Figure 10-2: General Information Step

- a. Enter the **Name** of the Promotion in the Name [Text Field](#).
- b. Enter a **Description** of the Promotion in the Description [Text Field](#).
- c. Use the **Social Listening** [Check Box](#) to indicate whether social-media listening features will be enabled for the Promotion.

Note: This [Check Box](#) is only available if social media access has been enabled in **System Configuration**, and the User has been assigned the Relate_SystemAdmin and/or Relate_PromotionSocialListeningAdmin Role. See the *Implementation Guide* for more information about **System Configuration**, configuring social media access, and User Roles.

5. Click **next**.
The Campaign step opens.

6. Select how the Campaign should be associated with the Promotion:

Figure 10-3: Campaign Step

- **Auto create campaign** - Customer Engagement will automatically create a new Campaign.
- **Associate promotion with existing campaign** - Select a previously-created Campaign to associate with the Promotion.

If you select this option, a Campaigns [Selection Menu](#) opens.

Figure 10-4: Campaigns Dropdown Menu

Select the Campaign you are associating with this Promotion using the **Campaigns** dropdown menu.

- **Create a new campaign for this promotion** - Manually create a new Campaign that will then be associated with this Promotion.

If you select this option, Name and Description fields open.

Figure 10-5: Create Campaign Fields

- 1) Enter the **Name** of the Campaign in the Name field.
- 2) Enter a **Description** of the Campaign in the Description field.

7. Click **next**.

The Start/End Date step opens.

8. Configure the Start and End Dates for the Promotion:

Figure 10-6: Start/End Date Step

- a. Select the **Start Date** for the Promotion using the Start Date [Calendar Menu](#).
- b. Select the **Start Time** for the Promotion using the Start Time [Time Menus](#).

Create an Award Promotion

- c. Select the **End Date** for the Promotion using the End Date [Calendar Menu](#).
 - d. Select the **End Time** for the Promotion using the End Time [Time Menus](#).
9. Click **next**.
- If Franchisee support is not enabled, the Award Certificate step opens. Continue with step 12.
 - If Franchisee support is enabled, the Promotion Franchisees step opens. Continue with the next step. See the *Implementation Guide* for more information about Franchisee support.
10. Select the Franchisee(s) to associate with the Promotion.

Select	Franchisee ID	Name	Description
<input type="checkbox"/>	2	NY Franchisee	NY Franchisee
<input type="checkbox"/>	1	OH Franchisee	OH Franchisee

Figure 10-7: Promotion Franchisees Step

11. Select **next**.
- The Award Certificate step opens.
12. Configure the Award Certificate:

Award Certificate Setup

Please select card type and award program

Card Type Name: 12345 : TEST
Award Program: AWARD
Certificate Type: E-Award
Deal Coupon: (Please select)
Coupon Prefix: 123
Amount (GBP):
Issue to registered cards only?
Issue coupons dynamically?

Award Validity Period

Fixed
Start Date: 2016-01-12
End Date: 2017-01-01

Relative
Validity Period: 0
Period Type: Days

Figure 10-8: Award Certificate Step

- a. Use the **Card Type Name Selection Menu** to select the type of Card receiving the award.
The Award Program [Selection Menu](#) is populated.

- b. Use the **Award Program Selection Menu** to select the Award Program associated with the Card.
- c. Select a **Certificate Type** of either E-Award or Entitlement Coupon.
- d. Use the **Deal Coupon Selection Menu** to select an Entitlement Deal associated with the selected Award Program. A Deal is available for selection and required only if the Certificate Type is set to Entitlement Coupon.
- e. Enter a **Coupon Prefix** in the [Text Field](#).

The **Discount Type** is displayed below the Coupon Prefix if the Certificate Type is Entitlement Coupon.

- f. Enter the **Amount** of the award certificate in the [Text Field](#) if the Certificate Type is E-Award. No entry is supported for an Entitlement Coupon. See the *Implementation Guide* for more information about configuring the maximum Award amount.

* If the amount entered is too close, the configured maximum Award amount, Customer Engagement will display a warning message:




Figure 10-9: Award Amount Warning

* If the amount entered is greater than the configured maximum Award amount, Customer Engagement will display an error message and will not allow you to move to the next step.



Figure 10-10: Award Amount Error

13. Select **Issue to registered cards only?** if the promotion should be restricted to cards that are registered to customers. If this option is not selected, coupons will be issued to all active accounts for the selected Award Program, and the option to target the promotion will not be available.
14. Select **Issue coupons dynamically?** to have the option to issue coupons dynamically. If this option is selected, coupons will be issued to all accounts that are activated when the program is generated.
15. Use the **Award Validity Period Radio Buttons** to select the method used to determine how long the award certificate is valid:
 - **Fixed** - The award certificate is valid between specified dates.
After selecting this option, configure the following fields:
 - * **Start Date** - The date on which the award certificate is first valid.
 - * **End Date** - The last date on which the award certificate is valid.
 - **Relative** - The award certificate is valid for a period of time after it is issued.
After selecting this option, configure the following fields:

Create an Award Promotion

- * **Validity Period** - Period during which the award certificate is valid. The type of period is determined by the Period Type configuration.
- * **Period Type** - Units of time used to determine the validity period. Currently, this [Selection Menu](#) can only be set to **Days**.

Click **next**. The Define Targets step opens.

16. Define the Segment Target Eligibility Rules for the Promotion. This step is available only if you select **Issue to registered cards only** at the Award Certificate step.

Define Targets

Untargeted Exclusive Non-exclusive

Targeting Type: Static Targeting Dynamic Targeting

AwardTarget

Target Name	Target Count
AwardTarget	17
Award Program Card Holders	17

Included Targets
There are no included targets. [Click here](#) to add one.

Excluded Targets
There are no excluded targets. [Click here](#) to add one.

Figure 10-11: Define Targets Step

- Targeting is automatically set to **Exclusive**.
- The next step you perform depends upon the configuration of both your system and your User account:
 - * If the **Targeting Type** [Radio Buttons](#) open, continue with step c.

Targeting Type: Static Targeting Dynamic Targeting

Figure 10-12: Targeting Type

- * Otherwise, continue with step e.

Important: The Targeting Type [Radio Buttons](#) will only open if Dynamic Targeting is enabled, and you have been assigned either the `Relate_PromotionDynamicTargetAdmin` or `Relate_SystemAdmin` Role. See the *Implementation Guide* for more information about enabling software features and configuring Roles.

- Select the **Targeting Type** for the Promotion.
 - * **Static Targeting** - Once the Target is created, the list of Customers in the Target will not change.

Continue with the following step.

- * **Dynamic Targeting** - After creating the Target, the list of Customers in the Target will be altered each time the [Dynamic Promotions](#) Job runs.

Important: The [Dynamic Promotions](#) Job should not be run on the same day after a Dynamic Promotion is generated. See [“Dynamic Promotions” on page 78](#) for more information.

Dynamic Targeting Option [Radio Buttons](#) open.

Dynamic Targeting Option: Targets Added Only Targets Added and Removed

Figure 10-13: Dynamic Targeting Option

Continue with step d.

- d. Select the **Dynamic Targeting Option** for the Promotion.
 - * **Targets Added Only** - When the [Dynamic Promotions](#) Job runs, any new Customers found that meet the Target criteria are added to the Target. All Customers currently in the Target remain in the Target.
 - * **Targets Added and Removed** - When the [Dynamic Promotions](#) Job runs, only the Customers who meet the Target criteria will be included in the Target. If a Customer is in the Target before the Job runs, but no longer meets the criteria, that Customer is removed from the Target.
- e. Define the Segment Targets for the Promotion.

Note: If Franchisee suppose is enabled and one more franchisees are defined for the promotion, only card types with the same franchisee ID's associated will be available to select for this promotion.

- * For instructions on configuring Segment Eligibility Rules, see [“Define Segment Eligibility” on page 28](#).
- * For more information about Segment Eligibility Rules, see [“Segment/Target Eligibility” on page 27](#).

Important: The Promotion will only include those Customers who both hold the defined Card with the selected Award program, and meet the criteria of the configured Segment Eligibility Rules.

The Target Count cannot be zero if the Targeting Type is Static Targeting.

Important: If the Target Count is zero and the Targeting Type is Static Targeting, an error message is displayed and the User will not be able to move to the next step.



Figure 10-14: Award Target with Count of Zero

17. Click **next**.

- If you selected **Static Filtering** (see above), the Define Target Filtering Step opens. Continue with the next step.
- If you selected **Dynamic Targeting** (see above), the Control Groups step opens. Continue with [step 23 on page 10](#).

18. Define the Target Filter for each Segment Target:

Target Name	Customer Count	Approx. Household Customer Count	Filter Type	Filtered Count
Birthday Target	9040	9030	None	9040
Combined Target	6659	6655	None	6659

Customer Household Consolidation: None

Target Count Total 15699
Filtered Count Total 15699

Figure 10-15: Define Target Filtering Step

- Select the **Filter Type** for each Segment:
 - * **None - [DEFAULT]** All Customers in the Segment are eligible.
 - * **Top Sales** - Customers from the Segment will be chosen for eligibility by the greatest total amount of purchases.
 - * **Random** - Customers from the Segment will be chosen randomly for eligibility.
- If the Filter Type for the Segment is Top Sales or Random, enter the **Filter Count** of Customers eligible for the Promotion.

Filter Type	Filtered Count
Top Sales	0
Random	0

Figure 10-16: Enter Filter Count

19. Use the **Customer Household Consolidation Selection Menu** to indicate whether the Promotion will use household consolidation, and the rule for determining the Customer who is the head of household.

This [Selection Menu](#) has the following options:

- **None** - Do not perform household filtering.
- **LT Sales** - Select head of household based on amount purchased over the lifetime of their account.
- **LT Transaction Count** - Select head of household based on lifetime number of transactions.
- **Last Transaction Date** - Select head of household based on the Customer who performed the most recent transaction.

- **Customer Attributes** - Select head of household based on the Customer's numeric attributes.

20. Click **next**.

The Split Targets step opens.



Figure 10-17: Split Targets Step

- 21. Filtered Targets can, optionally, be split into smaller, separate Targets. If necessary, create Splits for the filtered Targets in the Promotion:
 - a. Click **Split** for each Split to be created in the Target (click **Split** once for two Splits, click twice for three Splits, click three times for four Splits, etc.).

Target Name	Customer Count	Split Count	%	
<i>Birthday Target</i>	8000		100.00%	Split
Birthday Target_1		2666	33.33	Delete
Birthday Target_2		2667	33.34	Delete
Birthday Target_3		2667	33.34	Delete
<i>Combined Target</i>	5000		100.00%	Split
Combined Target_1		2500	50.00	Delete
Combined Target_2		2500	50.00	Delete

Figure 10-18: Splits

- b. Optionally, change the name of the Split in the **Target Name** field for each Split.
- c. Adjust the Split distribution as necessary:
 - * Change the number of Customers in each Split in the **Split Count** fields.
 - * Change the percentage of Customers in each Split in the **%** fields.

Create an Award Promotion

The total number of Customers in the Splits must equal the number of Customers in the target. If the numbers are not equal, Split Count will display the difference.

Split Count	%
(-67)	0.00%
2666	33.33
2600	32.50
2667	33.34
(+500)	100.00%
3000	60.00
2500	50.00

Figure 10-19: Split Counts Incorrect

d. If necessary, remove a Split by clicking the **Delete** [Link](#) for the Split.

22. Click **next**.

The Control Groups step opens.

23. Use the [Radio Buttons](#) to select the type of Control Groups:

The screenshot shows a navigation bar with four steps: Define Target Filtering, Split Targets, Control Groups (highlighted in blue), and Export Channels. Below the navigation bar are navigation links: << previous, save, cancel, next >>. The main content area is titled 'Control Groups' and contains three radio button options: None (selected), Promotion Level, and Target Level.

Figure 10-20: Control Groups Step

Important: If **Dynamic Targeting** was selected for the Promotion, the Control Groups created cannot be changed. The Customers in the Control Group will remain in the Control Group throughout the Promotion.

- **None** - **[DEFAULT]** The Promotion has no Control Group. Continue with [step 24 on page 11](#).

- **Promotion Level** - The Control Group Customers are pulled from each Split/Target in proportions equal to the size of each Split/Target.

Control Groups			
<input type="radio"/> None <input checked="" type="radio"/> Promotion Level <input type="radio"/> Target Level			
Promotion Targets			
Target Name	Original Count	New Count	%
Birthday Target_1	2666	2666	20.51
Birthday Target_2	2667	2667	20.52
Birthday Target_3	2667	2667	20.52
Combined Target_1	3000	3000	23.08
Combined Target_2	2000	2000	15.38
Iskadjf;Iskfjas - Ctl	0	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Total	13000	13000	100%

Figure 10-21: Control Group - Promotion Level

If this option is selected, determine the size of the Control Group by doing one of the following:

- * In the **New Count** field, enter the number of Customers in the Control Group.
 - * In the **%** field, enter the percentage of the Customers in the Control Group.
- **Target Level** - The Control Group Customers are pulled from each Split/Target in numbers specified individually for each Split/Target.

Control Groups				
<input type="radio"/> None <input type="radio"/> Promotion Level <input checked="" type="radio"/> Target Level				
Promotion Targets			Control Groups	
Target Name	Original Count	New Count	Control Group Count	%
Birthday Target_1	2666	2666	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Birthday Target_2	2667	2667	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Birthday Target_3	2667	2667	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Combined Target_1	3000	3000	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Combined Target_2	2000	2000	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Total	13000	13000	0	

Figure 10-22: Control Group - Target Level

If this option is selected, determine the size of each Control Group by doing one of the following for each Split/Target:

- * In the **Control Group Count** field, enter the number of Customers in the Control Group.
- * In the **%** field, enter the percentage of the Customers in the Control Group.

24. Click next.

The Export Channels step opens.

25. For each Split/Target, select the method used to contact the Customers in each Split/Target.

Target Name	Mail	E-Mail / Batch Exporter	Phone	Channel Filter
ZIP20500_1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ZIP20500_2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Figure 10-23: Export Channels Step

- **Mail** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted by Mail.
- **E-Mail/Batch Exporter** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted by Email or through a separate system, with notification through a batch export.

If this [Check Box](#) has a checkmark () , batch exporter file names are displayed.

Please specify filenames for batch exporter files

Promotion Export filename
 Prefix Static Name Suffix

Filename {yyyy-MM-dd_HHmss}-PromotionSync

Targets Export filename
 Prefix Static Name Suffix

Filename {yyyy-MM-dd_HHmss}-PromotionTargetsSync

Promotion Award Coupons Export filename
 Prefix Static Name Suffix

Filename {yyyy-MM-dd_HHmss}-PromotionAwardCoupon...

Figure 10-24: Batch Exporter Filenames Options

The following export filenames are configurable:

- * **Promotion Export filename** - Contains information on the Promotion.
- * **Targets Export filename** - Contains a listing of the Customers selected as Targets for the Promotion. Displayed only if Targets were selected for the Promotion.
- * **Promotion Award Coupons Export filename** - Contains a listing of award coupon IDs and associated customers.

For each filename, you can override the following defaults:

- * **Prefix** - Indicates the format of the datetime stamp used as a prefix the filename. Optional. Possible settings are yyyyMMdd_HHmss, yyyy-MM-dd_HHmss, or none. Defaults from the Responsys Export Filename Default Prefix property setting. See the *Implementation Guide* for more information.
- * **Static Name** - The identifying filename. Defaults from the related property: Responsys Promotion Sync Default Filename, Responsys Promotion Targets

Sync Default Filename, or Responsys Award Coupon Sync Default Filename. See the *Implementation Guide* for more information.

- * **Suffix** - Indicates the format of the datetime stamp used as a suffix the filename. Optional. Possible settings are yyyyMMdd_HHmms, yyyy-MM-dd_HHmms, or none. Defaults from the Responsys Export Filename Default Suffix property setting. See the *Implementation Guide* for more information.

See [“Bulk Export to Batch” on page 7](#) in the [“Promotions”](#) chapter for details on the generated export files.

- **Phone** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted by Phone.
- **Channel Filter** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted through a Channel Filter.

If this [Check Box](#) has a checkmark () , Channel Filter options are displayed.

Target Name	Mail	E-Mail / Batch Exporter	Phone	Channel Filter
ZIP20500	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Location Channel <input checked="" type="radio"/> Filter <input type="checkbox"/> Associate Channel <input type="radio"/>

Figure 10-25: Channel Filter Options

Channel Filters have the following options:

- * [Radio Buttons](#) that determine the type of Channel.
 - Location Channel** - Customers are contacted by the Location.
 - Associate Channel** - Customers are contacted by their Assigned Associates.
- * **Filter** - This [Check Box](#) determines whether the export channel is filtered. If this [Check Box](#) has a checkmark () , additional Channel Filter options are displayed.

Filter

Max Count Per <Store>

Method

Figure 10-26: Filter Options

- * **Max Count Per <Type>** - Determines the maximum number of target Customers that will be contacted through the channel. This field is only enabled if the **Filter** option was selected.
- * **Method** - Method used to select the Customers contacted. This field is only enabled if the **Filter** option was selected. This [Selection Menu](#) has the following options:
 - Random** - [DEFAULT] Select Customers randomly.
 - Top - Recent Purchase** - Filter the Customers based on the most recent purchases.

Top - LT Sales - Filter the Customers based on the largest amount purchased over the lifetime of their account.

Top - Numeric Attribute - Filter the Customers based on the highest attribute value for a selected numeric attribute. If this option is selected, an additional Channel Filter option is displayed.

- * **Attribute** - The numeric attribute used to determine the customers contacted. This field is only enabled if the **Filter** option was selected and the **Top - Numeric Attribute** was selected as the Method.

Method: Top - Numeric Attribute
Attribute: (Please select)

Figure 10-27: Numeric Attribute Filter

26. Click **next**.

- If **Include Social Listening** was selected, the Social Listening step opens. Continue with [step 27 on page 14](#).
- If the **Channel Filter** Export Channel was selected (and **Include Social Listening** was not), the Event Definition step opens. Continue with [step 31 on page 16](#).
- If neither **Include Social Listening** nor the **Channel Filter** Export Channel were selected, the Budget step opens. Continue with [step 33 on page 17](#).

27. Define the keywords used by the Social Listening process:

Target Name	Social Network	Targeted Subscribers	Keyword(s) To Listen For	Copy Keywords
Target Customers	Facebook	7822	Keyword(s): Add Remove	Copy To All Copy To Same Network Only
Target Customers	Twitter	7822	Keyword(s): Add Remove	Copy To All Copy To Same Network Only
LG New Customers	Facebook	2387	Keyword(s): Add Remove	Copy To All Copy To Same Network Only

Figure 10-28: Social Listening Step

In Define Target Social Listening Keywords [List](#), each social network configured for the system is listed once for each Target defined for the Promotion.

- Add a keyword set to the social network for a Target:
 - Click the **Add** [Link](#) for a social network.
A [Text Area Field](#) opens.
 - Enter the keyword(s) to listen for into the [Text Area Field](#).

- 3) Repeat steps 1-2 for each keyword set to enter for the social network.
- b. If necessary, copy the keyword sets to other social networks:

Important: Copying the keyword set(s) will REPLACE (rather than add to) currently configured any keyword set(s).

For example, Network 1 has the keyword set “great item” and Network 2 has the keyword sets “still shopping” and “fantastic experience at the store”. The user then clicks the **Copy To All** [Link](#) for Network 1. The only keyword set for Network 2 is now “great item”.

- * Click the **Copy to Same Network Only** [Link](#) to copy the keyword set to the same social network for each Target.
For example, if you enter “fantastic sale” in one Twitter row, clicking the **Copy to Same Network Only** [Link](#) will create a keyword set “fantastic sale” to the Twitter row for every Target.
- * Click the **Copy to All** [Link](#) to copy the keyword set(s) to every social network for every Target.
- c. If necessary, remove a set of keyword set from a Target’s social network by clicking the [Text Area Field](#) for the keyword set, then clicking the **Remove** [Link](#).
- d. Repeat steps a-c as necessary for each Target and social network.

28. Click **next**.

The Social Listening Schedule step opens.

29. Configure the frequency at which the Job will check social media:



Figure 10-29: Social Listening Schedule Step

- a. Select the **Job Execution Frequency** using the [Selection Menu](#).
 - * **ONCE_LATER** - Run the Segment Query at a later date or time.
 - * **DAILY** - Run the Segment Query every day.
 - * **WEEKLY** - Run the Segment Query once each week.
 - * **MONTHLY** - Run the Segment Query once each month.
- b. Use the **Start Date** [Calendar Menu](#) to select the start of the time range in which the job will run.
If you selected a Job Execution Frequency of **ONCE_LATER**, continue with step f.
- c. Use the **End Date** [Calendar Menu](#) to select the end of the time range in which the job will run.
 - * If you selected a Job Execution Frequency of **DAILY**, continue with step f.

Create an Award Promotion

- * If you selected a Job Execution Frequency of **WEEKLY**, continue with step d.
- * If you selected a Job Execution Frequency of **MONTHLY**, continue with step e.
- d. Use the **Day of Week Selection Menu** to select the day of the week on which the job will run. Continue with step f.
- e. Use the **Day of Month Selection Menu** to select the day of the month on which the job will run.
- f. Use the **Job Execution Time Time Menus** to determine the time at which the job will run.

Tip: It is recommended that you select a time that is within the [Job Processing Window](#). If you select a time outside the [Job Processing Window](#), the Override Job Processing Window setting (see step g) must be checked () for the job to run.

- g. Use the **Override Job Processing Window Check Box** to indicate whether the job should run, even if it is scheduled outside the Job Processing Window.

30. Click next.

- If the **Channel Filter** Export Channel was selected, the Event Definition step opens. Continue with the next step.
- If the **Channel Filter** Export Channel was not selected, the Budget step opens. Continue with [step 33 on page 17](#).

31. Configure the Event Definition.

The screenshot shows a navigation bar with steps: Split Targets, Control Groups, Export Channels, Event Definition (highlighted), Budget, and Options After Save. Below the navigation bar are three sections: 'Event Description' with a text input field, 'Event Image' with an 'Update Image' link and a placeholder box containing 'No image specified', and 'Event Documents' with a message 'There are no documents attached for this event.' and an 'Attach a document' link.

Figure 10-30: Event Definition Step

- a. Enter a description of the Event in the **Event Description** field.
- b. If necessary, change the image file for the Event. To change the image:
 - 1) Click the **Update Image Link**.
The Update Image [Window](#) opens.
 - 2) Select the **Action** using the [Radio Buttons](#).
Select **Import Image**, to add or change the image and continue with step 3.
Select **Reset Image** to remove the image and continue with step 4.
 - 3) Use the **File to Import File Upload** field to select the file to import.

- 4) Click the **Done** button to save the changes and close the [Window](#).

To close the [Window](#) without saving the changes, click the X (✕) in the top-right corner of the [Window](#).

- c. If necessary, attach a document to the Event. To upload a document:

- 1) Click the **Attach a document** [Link](#).

The Attach a Document [Window](#) opens.

- 2) Use the **Please select file to Upload** [File Upload](#) field to select the file to import. Only files with the file extensions of jpg, jpeg, png, pdf, doc, docx, xls, and xlsx can be uploaded.

- 3) Click the **Upload file** button to save the changes and close the [Window](#).

To close the [Window](#) without saving the changes, click the X (✕) in the top-right corner of the [Window](#).

- d. To remove a document from the Event Documents [List](#), click the **Remove** [Link](#) for the document.




Figure 10-31: Event Documents List

The document is removed from the [List](#).

- 32. Click **next**.

The Budget step opens.

- 33. Configure the Budget for the Promotion:

- a. In the Promotion Costs [List](#), enter the costs for the Promotion that are not specific to a Target:




Figure 10-32: Budget Step for an Untargeted Promotion

[Control Groups](#)
[Export Channels](#)
[Budget](#)
[Options After Save](#)

[previous](#)
[save](#)
[cancel](#)
[next](#)

Budget

Promotion Costs

Description	Budget Amount	Actual Amount
	0.00	0.00

[Add](#)

Target Costs

Target Name	Channel	Qty	Budget		Actual			
			Fixed	CPM	Total	Fixed	CPM	Total
Birthday Target_1	Mail	2666			0.00			0.00
Birthday Target_2	Email	2067			0.00			0.00
Birthday Target_3	Phone	2667			0.00			0.00
Combined Target_1	Mail	2500			0.00			0.00
Combined Target_2	Phone	2000			0.00			0.00

Figure 10-33: Budget Step for a Targeted Promotion

- 1) Click the [Add List](#).

A new Promotion Cost line is added to the [List](#).

Promotion Costs

Description	Budget Amount	Actual Amount
<input type="text"/>	<input type="text"/>	<input type="text"/>
	0.00	0.00

[Delete](#)

[Add](#)

Figure 10-34: Promotion Costs

- 2) Enter a **Description** of the cost item.
 - 3) Enter the budgeted amount of the item in the **Budget Amount** field.
 - 4) Enter the actual amount of the item in the **Actual Amount** field.
 - 5) Repeat steps 1-4 for each budget line item to add to the Promotion Costs.
 - 6) If necessary, remove a line item by clicking its [Delete Link](#).
- b.** If Targets are defined for the Promotion, use the Target Costs [List](#) to define the costs for each Target Channel in the Promotion:
- 1) In the **Budget-Fixed** field, enter the fixed cost budgeted for the Channel.
 - 2) In the **Budget-CPM** field, enter the cost budgeted for the Channel for each 1,000 Customers.
 - 3) In the **Actual-Fixed** field, enter the actual fixed cost of the Channel.
 - 4) In the **Actual-CPM** field, enter the actual cost of the Channel for each 1,000 Customers.
 - 5) Repeat steps 1-4 for each Target Channel in the Promotion.
34. Click [next](#).

The Generic Attributes step opens if there are any required or optional Promotion Attributes defined.

Generic Attributes		
Required		
Optional		
XYZ12345	Northeast Outlet Stores Yes	Delete

Figure 10-35: Generic Attributes Step

- a. Configure any required or optional promotion attributes.
 - 1) To add an Attribute, click the **Add** button.
A configuration field opens.
 - 2) Select or enter the configuration value for the Attribute.
 - 3) Repeat until all necessary Attribute(s) are configured.
 - 4) To delete an Attribute, click the **Delete** button.
 - 5) To change the configuration value for an Attribute, select or enter the new configuration value.
35. Click **next**.
36. Click **next**.
The Options After Save step opens.

Create an Award Promotion

37. In each [Check Box](#) and/or set of [Radio Buttons](#), indicate the steps that the Promotion creation process will perform when the Promotion is saved:

Options After Save

After saving this promotion, also perform the following actions:

Generate
Start a job to generate promotion target data.

Approve
Set this promotion's status to Approved.

Export
Start a job to create files for exporting this promotion to an external/POS/batch system.

Dynamic Promotion Options
Set the export option for the Dynamic Promotion Job processing.

Output Additions Only
Only customers added to the event as a result of segment processing will be exported.

Output All Updates
All customers updated or added to the event as a result of segment processing will be exported.

Figure 10-36: Options After Save Step

- **Generate** - Generate the Promotion Target data.
 - **Approve** - Automatically approve the promotion.
 - **Export** - Export the Promotion data to external systems, including POS or marketing systems.
 - **Dynamic Promotion Options** - Export options for dynamic Promotions. These options only appear if the Promotion has dynamic Targets. Select the option using the [Radio Buttons](#):
 - * **Output Additions Only** - Customer Engagement will only export the Customers added to the Promotion event by the [Dynamic Promotions](#) Job.
 - * **Output All Updates** - Customer Engagement will export all Customers either added to or updated in the Promotion event by the [Dynamic Promotions](#) Job.
38. Click **next**.
The Review step opens.
39. Review the entered information to ensure that it is correct.
- Click **save** to save the Promotion with its current configuration.
 - Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
 - Click **cancel** to cancel the changes and return to the [Promotion List](#) without saving the Promotion.

Create a Message Promotion

To create a Message Promotion, do the following:

1. Click **CREATE** in the upper-right corner of the [Promotion List](#) page.

The New Promotion [Wizard](#) opens on the Promotion Type step.

The screenshot shows the 'New Promotion Wizard' interface. On the left is a navigation menu with options like 'Promotion Type', 'General Information', 'Campaign', 'Start / End Date', 'Promotion Franchisees', 'Generic Attributes', 'Associated Locations', 'Define Targets', 'Budget', 'Options After Save', 'Review', and 'Review'. The main content area is titled 'Promotion Type' and contains four radio button options: 'Coupon', 'Product', 'Message', and 'Award'. The 'Message' option is selected. There is also a checkbox labeled 'Enable Serialized Coupon Management' which is unchecked. At the top right of the main content area, there are navigation buttons: 'previous', 'save', 'cancel', and 'next'.

Figure 11-1: New Promotion Wizard

2. In the Promotion Type step in the [New Promotion Wizard](#), select **Message**.
3. Click **next**.

The General Information step opens.

4. Configure the General Information for the Promotion:

The screenshot shows the 'General Information' step of the 'New Promotion Wizard'. The navigation bar at the top shows four steps: 'Promotion Type', 'General Information', 'Campaign', and 'Start / End Date'. The 'General Information' step is active. Below the navigation bar, there are three input fields: a 'Name' text field, a 'Description' text field, and an 'Include Social Listening' checkbox which is unchecked. At the top right of the main content area, there are navigation buttons: 'previous', 'save', 'cancel', and 'next'.

Figure 11-2: General Information Step

- a. Enter the **Name** of the Promotion in the Name [Text Field](#).
- b. Enter a **Description** of the Promotion in the Description [Text Field](#).

Create a Message Promotion

- c. Use the **Social Listening Check Box** to indicate whether social-media listening features will be enabled for the Promotion.

Note: This [Check Box](#) is only available if social media access has been enabled in **System Configuration**, and the User has been assigned the Relate_SystemAdmin and/or Relate_PromotionSocialListeningAdmin Role. See the *Implementation Guide* for more information about **System Configuration**, configuring social media access, and User Roles.

5. Click **next**.

The Campaign step opens.

6. Select how the Campaign should be associated with the Promotion:




The screenshot shows a wizard interface with five steps: Promotion Type, General Information, Campaign, Start / End Date, and General Information. The 'Campaign' step is currently active and highlighted in blue. Below the steps, there are navigation buttons: '<< previous', 'save', 'cancel', and 'next >>'. Underneath, there are three radio button options:

- Auto create campaign
- Associate promotion with existing campaign
- Create a new campaign for this promotion

Figure 11-3: Campaign Step

- **Auto create campaign** - Customer Engagement will automatically create a new Campaign.
- **Associate promotion with existing campaign** - Select a previously-created Campaign to associate with the Promotion.

If you select this option, a Campaigns [Selection Menu](#) opens.




The screenshot shows the 'Associate promotion with existing campaign' radio button selected. Below it, there is a dropdown menu labeled 'Campaigns' with the text '(Please select)' and a downward arrow.

Figure 11-4: Campaigns Dropdown Menu

Select the Campaign you are associating with this Promotion using the **Campaigns** dropdown menu.

- **Create a new campaign for this promotion** - Manually create a new Campaign that will then be associated with this Promotion.

If you select this option, Name and Description fields open.



The screenshot shows the 'Create a new campaign for this promotion' radio button selected. Below it, there are two input fields: 'Name' and 'Description'. The 'Name' field is a single-line text box, and the 'Description' field is a multi-line text area.

Figure 11-5: Create Campaign Fields

- 1) Enter the **Name** of the Campaign in the Name field.
 - 2) Enter a **Description** of the Campaign in the Description field.
7. Click **next**.
- The Start/End Date step opens.

8. Configure the Start and End Dates for the Promotion:

Figure 11-6: Start/End Date Step

- a. Select the **Start Date** for the Promotion using the Start Date [Calendar Menu](#).
 - b. Select the **Start Time** for the Promotion using the Start Time [Time Menus](#).
 - c. Select the **End Date** for the Promotion using the End Date [Calendar Menu](#).
 - d. Select the **End Time** for the Promotion using the End Time [Time Menus](#).
9. Click **next**.
- If Franchisee support is not enabled, the Generic Attributes step opens. Continue with step 12.
 - If Franchisee support is enabled, the Promotion Franchisees step opens. Continue with the next step.

Note: See the *Implementation Guide* for more information about Franchisee support.

10. Select the Franchisee(s) to associate with the Promotion.

Select	Franchisee ID	Name	Description
<input type="checkbox"/>	2	NY Franchisee	NY Franchisee
<input type="checkbox"/>	1	OH Franchisee	OH Franchisee

Figure 11-7: Promotion Franchisees Step

11. Select **next**.

Create a Message Promotion

The Generic Attributes step opens.

12. Select or enter the configuration values for each of the **Required** Attributes.

The screenshot shows a navigation bar with steps: Campaign, Start / End Date, Generic Attributes (highlighted), Associated Locations, and Associate Deals. Below the navigation bar are navigation buttons: << previous, save, cancel, next >>. The main content area is titled "Generic Attributes" and is divided into two sections: "Required" and "Optional".

Required

Back to School	Back to School
	<input type="text" value="No"/>

Optional

ST LOC ATTRIBUTE	ST LOC ATTRIBUTE	<input type="button" value="Add"/>
st date	st date	<input type="button" value="Add"/>

Figure 11-8: Generic Attributes Step

13. Configure any necessary **Optional** Attribute(s):

- To Add an Attribute:
 - 1) Select the **Add** button for the Attribute.
A configuration field opens.
 - 2) Select or enter the configuration value for the Attribute.
- To delete an Attribute, select the **Delete** button for the Attribute.
The Attribute is deleted.

14. Select **next**.

The Associated Locations step opens.

15. Define the Location Eligibility Rules for the Promotion.

The screenshot shows a navigation bar with steps: Start / End Date, Generic Attributes, Associated Locations (highlighted), and Associate Deals. Below the navigation bar are navigation buttons: << previous, save, cancel, next >>. The main content area is titled "Associated Locations" and contains two sections: "Included Locations" and "Excluded Locations".

Included Locations

All locations are included by default. No specific locations are included. [Click here](#) to add one.

Excluded Locations

No locations are specifically excluded. [Click here](#) to add one.

Figure 11-9: Associated Locations Step

- For instructions on configuring Location Eligibility Rules, see [“Define Location Eligibility” on page 25](#).
- For more information about Location Eligibility Rules, see [“Location Eligibility” on page 24](#).

16. Click **next**.

The Define Targets step opens.

17. Define the Segment Target Eligibility Rules for the Promotion:

Figure 11-10: Define Targets Step

- a. Targeting is automatically set to **Exclusive**.
- b. The next step you perform depends upon the configuration of both your system and your User account:
 - * If the **Targeting Type** [Radio Buttons](#) open, continue with step c.

Targeting Type: Static Targeting Dynamic Targeting

Figure 11-11: Targeting Type

- * Otherwise, continue with step e.

Important: The Targeting Type [Radio Buttons](#) will only open if Dynamic Targeting is enabled, and you have been assigned either the `Relate_PromotionDynamicTargetAdmin` or `Relate_SystemAdmin` Role. See the *Implementation Guide* for more information about enabling software features and configuring Roles.

- c. Select the **Targeting Type** for the Promotion.
 - * **Static Targeting** - Once the Target is created, the list of Customers in the Target will not change.
Continue with the following step.
 - * **Dynamic Targeting** - After creating the Target, the list of Customers in the Target will be altered each time the [Dynamic Promotions](#) Job runs.

Important: The [Dynamic Promotions](#) Job should not be run on the same day after a Dynamic Promotion is generated. See [“Dynamic Promotions” on page 78](#) for more information.

Dynamic Targeting Option [Radio Buttons](#) open.

Dynamic Targeting Option: Targets Added Only Targets Added and Removed

Figure 11-12: Dynamic Targeting Option

Continue with step d.

Create a Message Promotion

- d. Select the **Dynamic Targeting Option** for the Promotion.
 - * **Targets Added Only** - When the [Dynamic Promotions](#) Job runs, any new Customers found that meet the Target criteria are added to the Target. All Customers currently in the Target remain in the Target.
 - * **Targets Added and Removed** - When the [Dynamic Promotions](#) Job runs, only the Customers who meet the Target criteria will be included in the Target. If a Customer is in the Target before the Job runs, but no longer meets the criteria, that Customer is removed from the Target.
- e. Define the Segment Targets for the Promotion.

Note: If Franchisee support is enabled, and one or more Franchisees are associated with the Promotion, the Promotion will create a default Target of the Customers associated with the selected Franchisee(s).

- * For instructions on configuring Segment Eligibility Rules, see [“Define Segment Eligibility” on page 28.](#)
- * For more information about Segment Eligibility Rules, see [“Segment/Target Eligibility” on page 27.](#)

18. Click next.

- If you selected **Static Filtering** (see above), the Define Target Filtering Step opens. Continue with the next step.
- If you selected **Dynamic Targeting** (see above), the Control Groups step opens. Continue with [step 24 on page 9.](#)

19. Define the Target Filter for each Segment Target:

Target Name	Customer Count	Approx. Household Customer Count	Filter Type	Filtered Count
Birthday Target	9040	9030	None	9040
Combined Target	6659	6655	None	6659

Customer Household Consolidation: None

Target Count Total 15699
Filtered Count Total 15699

Figure 11-13: Define Target Filtering Step

- a. Select the **Filter Type** for each Segment:
 - * **None** - **[DEFAULT]** All Customers in the Segment are eligible.
 - * **Top Sales** - Customers from the Segment will be chosen for eligibility by the greatest total amount of purchases.
 - * **Random** - Customers from the Segment will be chosen randomly for eligibility.

- b. If the Filter Type for the Segment is Top Sales or Random, enter the **Filter Count** of Customers eligible for the Promotion.

Filter Type	Filtered Count
Top Sales	0
Random	0

Figure 11-14: Enter Filter Count

20. Use the **Customer Household Consolidation Selection Menu** to indicate whether the Promotion will use household consolidation, and the rule for determining the Customer who is the head of household.

This [Selection Menu](#) has the following options:

- **None** - Do not perform household filtering.
- **LT Sales** - Select head of household based on amount purchased over the lifetime of their account.
- **LT Transaction Count** - Select head of household based on lifetime number of transactions.
- **Last Transaction Date** - Select head of household based on the Customer who performed the most recent transaction.
- **Customer Attributes** - Select head of household based on the Customer's numeric attributes.

21. Click **next**.

The Split Targets step opens.

Target Name	Customer Count	Split Count	%
Birthday Target	8000		100.00% Split
Combined Target	5000		100.00% Split

Figure 11-15: Split Targets Step

22. Filtered Targets can, optionally, be split into smaller, separate Targets. If necessary, create Splits for the filtered Targets in the Promotion:

Create a Message Promotion

- a. Click **Split** for each Split to be created in the Target (click **Split** once for two Splits, click twice for three Splits, click three times for four Splits, etc.).

Target Name	Customer Count	Split Count	%	
<i>Birthday Target</i>	8000		100.00%	Split
Birthday Target_1		2666	33.33	Delete
Birthday Target_2		2667	33.34	Delete
Birthday Target_3		2667	33.34	Delete
<i>Combined Target</i>	5000		100.00%	Split
Combined Target_1		2500	50.00	Delete
Combined Target_2		2500	50.00	Delete

Figure 11-16: Splits

- b. Optionally, change the name of the Split in the **Target Name** field for each Split.
 c. Adjust the Split distribution as necessary:

- * Change the number of Customers in each Split in the **Split Count** fields.
- * Change the percentage of Customers in each Split in the **%** fields.

The total number of Customers in the Splits must equal the number of Customers in the target. If the numbers are not equal, Split Count will display the difference.

Split Count	%
<i>(-67)</i>	<i>0.00%</i>
2666	33.33
2600	32.50
2667	33.34
<i>(+500)</i>	<i>100.00%</i>
3000	60.00
2500	50.00

Figure 11-17: Split Counts Incorrect

- d. If necessary, remove a Split by clicking the **Delete** [Link](#) for the Split.
 23. Click **next**.

The Control Groups step opens.

24. Use the [Radio Buttons](#) to select the type of Control Groups:



Figure 11-18: Control Groups Step

Important: If **Dynamic Targeting** was selected for the Promotion, the Control Groups created cannot be changed. The Customers in the Control Group will remain in the Control Group throughout the Promotion.

- **None - [DEFAULT]** The Promotion has no Control Group. Continue with [step 25 on page 10](#).
- **Promotion Level** - The Control Group Customers are pulled from each Split/Target in proportions equal to the size of each Split/Target.

Target Name	Original Count	New Count	%
Birthday Target_1	2666	2666	20.51
Birthday Target_2	2667	2667	20.52
Birthday Target_3	2667	2667	20.52
Combined Target_1	3000	3000	23.08
Combined Target_2	2000	2000	15.38
Iskadjf;Iskfjas - Ctl	0	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Total	13000	13000	100%

Figure 11-19: Control Group - Promotion Level

If this option is selected, determine the size of the Control Group by doing one of the following:

- * In the **New Count** field, enter the number of Customers in the Control Group.
- * In the **%** field, enter the percentage of the Customers in the Control Group.

Create a Message Promotion

- **Target Level** - The Control Group Customers are pulled from each Split/Target in numbers specified individually for each Split/Target.

Control Groups				
<input type="radio"/> None <input type="radio"/> Promotion Level <input checked="" type="radio"/> Target Level				
Promotion Targets		Control Groups		
Target Name	Original Count	New Count	Control Group Count	%
Birthday Target_1	2666	2666	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Birthday Target_2	2667	2667	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Birthday Target_3	2667	2667	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Combined Target_1	3000	3000	<input type="text" value="0"/>	<input type="text" value="0.00"/>
Combined Target_2	2000	2000	<input type="text" value="0"/>	<input type="text" value="0.00"/>
<i>Total</i>	<i>13000</i>	<i>13000</i>	<i>0</i>	

Figure 11-20: Control Group - Target Level

If this option is selected, determine the size of each Control Group by doing one of the following for each Split/Target:

- * In the **Control Group Count** field, enter the number of Customers in the Control Group.
- * In the % field, enter the percentage of the Customers in the Control Group.

25. Click next.

The Export Channels step opens.

26. For each Split/Target, select the method used to contact the Customers in each Split/Target.

Export Channels				
Target Name	Mail	E-Mail / Batch Exporter	Phone	Channel Filter
ZIP20500_1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ZIP20500_2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Figure 11-21: Export Channels Step

- **Mail** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted by Mail.
- **E-Mail/Batch Exporter** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted by Email or through a separate system, with notification through a batch export.

If this [Check Box](#) has a checkmark () , batch exporter file names are displayed.

Please specify filenames for batch exporter files

Promotion Export filename

Prefix Static Name Suffix

Filename {yyyy-MM-dd_HHmss}-PromotionSync

Targets Export filename

Prefix Static Name Suffix

Filename {yyyy-MM-dd_HHmss}-PromotionTargetsSync

Figure 11-22: Batch Exporter Filenames Options

The following export filenames are configurable:

- * **Promotion Export filename** - Contains information on the Promotion.
- * **Targets Export filename** - Contains a listing of the Customers selected as Targets for the Promotion. Displayed only if Targets were selected for the Promotion.

For each filename, you can override the following defaults:

- * **Prefix** - Indicates the format of the datetime stamp used as a prefix the filename. Optional. Possible settings are yyyyMMdd_HHmss, yyyy-MM-dd_HHmss, or none. Defaults from the Responsys Export Filename Default Prefix property setting. See the *Implementation Guide* for more information.
- * **Static Name** - The identifying filename. Defaults from the related property: Responsys Promotion Sync Default Filename or Responsys Promotion Targets Sync Default Filename. See the *Implementation Guide* for more information.
- * **Suffix** - Indicates the format of the datetime stamp used as a suffix the filename. Optional. Possible settings are yyyyMMdd_HHmss, yyyy-MM-dd_HHmss, or none. Defaults from the Responsys Export Filename Default Suffix property setting. See the *Implementation Guide* for more information.

See [“Bulk Export to Batch” on page 7](#) in the [“Promotions”](#) chapter for details on the generated export files.

- **Phone** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted by Phone.
- **Channel Filter** - This [Check Box](#) determines whether the Customers in the Split/Target will be contacted through a Channel Filter.


If this [Check Box](#) has a checkmark () , Channel Filter options are displayed.

Target Name	Mail	E-Mail / Batch Exporter	Phone	Channel Filter
ZIP20500	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Location Channel <input checked="" type="radio"/> Filter <input type="checkbox"/> Associate Channel <input type="radio"/>

Figure 11-23: Channel Filter Options

Channel Filters have the following options:

- * [Radio Buttons](#) that determine the type of Channel.
 - Location Channel** - Customers are contacted by the Location.
 - Associate Channel** - Customers are contacted by their Assigned Associates.
- * **Filter** - This [Check Box](#) determines whether the export channel is filtered. If this [Check Box](#) has a checkmark (☑), additional Channel Filter options are displayed.




Filter

Max Count Per <Store> 136

Method Random

Figure 11-24: Filter Options

- * **Max Count Per <Type>** - Determines the maximum number of target Customers that will be contacted through the channel. This field is only enabled if the **Filter** option was selected.
- * **Method** - Method used to select the Customers contacted. This field is only enabled if the **Filter** option was selected. This [Selection Menu](#) has the following options:
 - Random** - [DEFAULT] Select Customers randomly.
 - Top - Recent Purchase** - Filter the Customers based on the most recent purchases.
 - Top - LT Sales** - Filter the Customers based on the largest amount purchased over the lifetime of their account.
 - Top - Numeric Attribute** - Filter the Customers based on the highest attribute value for a selected numeric attribute. If this option is selected, an additional Channel Filter option is displayed.
- * **Attribute** - The numeric attribute used to determine the customers contacted. This field is only enabled if the **Filter** option was selected and the **Top - Numeric Attribute** was selected as the Method.



Method Top - Numeric Attribute

Attribute (Please select)

Figure 11-25: Numeric Attribute Filter

27. Click **next**.

- If **Include Social Listening** was selected, the Social Listening step opens. Continue with [step 28 on page 13](#).
- If the **Channel Filter** Export Channel was selected (and **Include Social Listening** was not), the Event Definition step opens. Continue with [step 32 on page 15](#).
- If neither **Include Social Listening** nor the **Channel Filter** Export Channel were selected, the Budget step opens. Continue with [step 34 on page 16](#).

28. Define the keywords used by the Social Listening process:

Target Name	Social Network	Targeted Subscribers	Keyword(s) To Listen For	Copy Keywords
Target Customers	Facebook	7822	Keyword(s): Add Remove	Copy To All Copy To Same Network Only
Target Customers	Twitter	7822	Keyword(s): Add Remove	Copy To All Copy To Same Network Only
LG New Customers	Facebook	2387	Keyword(s): Add Remove	Copy To All Copy To Same Network Only

Figure 11-26: Social Listening Step

In Define Target Social Listening Keywords [List](#), each social network configured for the system is listed once for each Target defined for the Promotion.

- a. Add a keyword set to the social network for a Target:
 - 1) Click the **Add** [Link](#) for a social network.
A [Text Area Field](#) opens.
 - 2) Enter the keyword(s) to listen for into the [Text Area Field](#).
 - 3) Repeat steps 1-2 for each keyword set to enter for the social network.
- b. If necessary, copy the keyword sets to other social networks:

Important: Copying the keyword set(s) will REPLACE (rather than add to) currently configured any keyword set(s).

For example, Network 1 has the keyword set “great item” and Network 2 has the keyword sets “still shopping” and “fantastic experience at the store”. The user then clicks the **Copy To All** [Link](#) for Network 1. The only keyword set for Network 2 is now “great item”.

- * Click the **Copy to Same Network Only** [Link](#) to copy the keyword set to the same social network for each Target.
For example, if you enter “fantastic sale” in one Twitter row, clicking the **Copy to Same Network Only** [Link](#) will create a keyword set “fantastic sale” to the Twitter row for every Target.
 - * Click the **Copy to All** [Link](#) to copy the keyword set(s) to every social network for every Target.
- c. If necessary, remove a set of keyword set from a Target’s social network by clicking the [Text Area Field](#) for the keyword set, then clicking the **Remove** [Link](#).

Create a Message Promotion

d. Repeat steps a-c as necessary for each Target and social network.

29. Click **next**.

The Social Listening Schedule step opens.

30. Configure the frequency at which the Job will check social media:



Figure 11-27: Social Listening Schedule Step

- a. Select the **Job Execution Frequency** using the [Selection Menu](#).
 - * **ONCE_LATER** - Run the Segment Query at a later date or time.
 - * **DAILY** - Run the Segment Query every day.
 - * **WEEKLY** - Run the Segment Query once each week.
 - * **MONTHLY** - Run the Segment Query once each month.
- b. Use the **Start Date** [Calendar Menu](#) to select the start of the time range in which the job will run.

If you selected a Job Execution Frequency of **ONCE_LATER**, continue with step f.
- c. Use the **End Date** [Calendar Menu](#) to select the end of the time range in which the job will run.
 - * If you selected a Job Execution Frequency of **DAILY**, continue with step f.
 - * If you selected a Job Execution Frequency of **WEEKLY**, continue with step d.
 - * If you selected a Job Execution Frequency of **MONTHLY**, continue with step e.
- d. Use the **Day of Week** [Selection Menu](#) to select the day of the week on which the job will run. Continue with step f.
- e. Use the **Day of Month** [Selection Menu](#) to select the day of the month on which the job will run.
- f. Use the **Job Execution Time** [Time Menus](#) to determine the time at which the job will run.

Tip: It is recommended that you select a time that is within the [Job Processing Window](#). If you select a time outside the [Job Processing Window](#), the **Override Job Processing Window** setting (see step g) must be checked () for the job to run.

- g. Use the **Override Job Processing Window** [Check Box](#) to indicate whether the job should run, even if it is scheduled outside the Job Processing Window.

31. Click **next**.


- If the **Channel Filter** Export Channel was selected, the Event Definition step opens. Continue with the next step.
- If the **Channel Filter** Export Channel was not selected, the Budget step opens. Continue with [step 34 on page 16](#).


32. Configure the Event Definition.

The screenshot displays the 'Event Definition' step in a multi-step process. The navigation bar at the top includes 'Split Targets', 'Control Groups', 'Export Channels', 'Event Definition' (the current step), 'Budget', and 'Options After Save'. Below this, the 'Event Description' section has a large text area. The 'Event Image' section features an 'Update Image' link and a placeholder box with the text 'No image specified'. The 'Event Documents' section shows a message: 'There are no documents attached for this event.' with a link to 'Attach a document'.

Figure 11-28: Event Definition Step

- Enter a description of the Event in the **Event Description** field.
- If necessary, change the image file for the Event. To change the image:
 - Click the **Update Image** [Link](#).
The Update Image [Window](#) opens.
 - Select the **Action** using the [Radio Buttons](#).
Select **Import Image**, to add or change the image and continue with step 3.
Select **Reset Image** to remove the image and continue with step 4.
 - Use the **File to Import** [File Upload](#) field to select the file to import.
 - Click the **Done** button to save the changes and close the [Window](#).

To close the [Window](#) without saving the changes, click the X () in the top-right corner of the [Window](#).
- If necessary, attach a document to the Event. To upload a document:
 - Click the **Attach a document** [Link](#).
The Attach a Document [Window](#) opens.
 - Use the **Please select file to Upload** [File Upload](#) field to select the file to import. Only files with the file extensions of jpg, jpeg, png, pdf, doc, docx, xls, and xlsx can be uploaded.
 - Click the **Upload file** button to save the changes and close the [Window](#).

To close the [Window](#) without saving the changes, click the X () in the top-right corner of the [Window](#).

Create a Message Promotion

- d. To remove a document from the Event Documents [List](#), click the **Remove** [Link](#) for the document.

Event Documents	
Attach a document	
Document name	
Gettysburg_Address.doc	Remove

Figure 11-29: Event Documents List

The document is removed from the [List](#).

33. Click **next**.

The Budget step opens.

34. Configure the Budget for the Promotion:

- a. In the Promotion Costs [List](#), enter the costs for the Promotion that are not specific to a Target:

Coupon Codes	Define Targets	Budget	Options After Save
previous save cancel next			
Budget			
Promotion Costs			
Description	Budget Amount	Actual Amount	
	0.00	0.00	
Add			

Figure 11-30: Budget Step for an Untargeted Promotion

Control Groups	Export Channels	Budget	Options After Save					
previous save cancel next								
Budget								
Promotion Costs								
Description	Budget Amount	Actual Amount						
	0.00	0.00						
Add								
Target Costs								
Target Name	Channel	Qty	Budget	Actual				
			<i>Fixed</i>	<i>CPM</i>	<i>Total</i>	<i>Fixed</i>	<i>CPM</i>	<i>Total</i>
Birthday Target_1	Mail	2666	<input type="text"/>	<input type="text"/>	0.00	<input type="text"/>	<input type="text"/>	0.00
Birthday Target_2	Email	2067	<input type="text"/>	<input type="text"/>	0.00	<input type="text"/>	<input type="text"/>	0.00
Birthday Target_3	Phone	2667	<input type="text"/>	<input type="text"/>	0.00	<input type="text"/>	<input type="text"/>	0.00
Combined Target_1	Mail	2500	<input type="text"/>	<input type="text"/>	0.00	<input type="text"/>	<input type="text"/>	0.00
Combined Target_2	Phone	2000	<input type="text"/>	<input type="text"/>	0.00	<input type="text"/>	<input type="text"/>	0.00

Figure 11-31: Budget Step for a Targeted Promotion

- 1) Click the **Add** [List](#).

A new Promotion Cost line is added to the [List](#).

Promotion Costs

Description	Budget Amount	Actual Amount	
<input type="text"/>	<input type="text"/>	<input type="text"/>	Delete
	0.00	0.00	

[Add](#)

Figure 11-32: Promotion Costs

- 2) Enter a **Description** of the cost item.
 - 3) Enter the budgeted amount of the item in the **Budget Amount** field.
 - 4) Enter the actual amount of the item in the **Actual Amount** field.
 - 5) Repeat steps 1-4 for each budget line item to add to the Promotion Costs.
 - 6) If necessary, remove a line item by clicking its **Delete Link**.
- b. If Targets are defined for the Promotion, use the Target Costs [List](#) to define the costs for each Target Channel in the Promotion:
- 1) In the **Budget-Fixed** field, enter the fixed cost budgeted for the Channel.
 - 2) In the **Budget-CPM** field, enter the cost budgeted for the Channel for each 1,000 Customers.
 - 3) In the **Actual-Fixed** field, enter the actual fixed cost of the Channel.
 - 4) In the **Actual-CPM** field, enter the actual cost of the Channel for each 1,000 Customers.
 - 5) Repeat steps 1-4 for each Target Channel in the Promotion.
35. Click **next**.

The Generic Attributes step opens if there are any required or optional Promotion Attributes defined.

Promotion Franchisees **Generic Attributes** Associated Locations

◀◀ previous save cancel next ▶▶

Generic Attributes

Required

Optional

XYZ12345 Northeast Outlet Stores

Yes ▼ [Delete](#)

Figure 11-33: Generic Attributes Step

- a. Configure any required or optional promotion attributes.
 - 1) To add an Attribute, click the **Add** button.
A configuration field opens.
 - 2) Select or enter the configuration value for the Attribute.
 - 3) Repeat until all necessary Attribute(s) are configured.

Create a Message Promotion

- 4) To delete an Attribute, click the **Delete** button.
- 5) To change the configuration value for an Attribute, select or enter the new configuration value.

36. Click **next**.

37. Click **next**.

The Options After Save step opens.

38. In each [Check Box](#) and/or set of [Radio Buttons](#), indicate the steps that the Promotion creation process will perform when the Promotion is saved:

The screenshot shows a navigation bar with three steps: 'Event Definition', 'Budget', and 'Options After Save'. The 'Options After Save' step is currently active and highlighted in blue. Below the navigation bar, there are navigation buttons: 'previous', 'save', 'cancel', and 'next'. The main content area is titled 'Options After Save' and contains the following options:

After saving this promotion, also perform the following actions:

- Generate**
Start a job to generate promotion target data.
- Approve**
Set this promotion's status to Approved.
- Export**
Start a job to create files for exporting this promotion to an external/POS/batch system.

Dynamic Promotion Options
Set the export option for the Dynamic Promotion Job processing.

- Output Additions Only**
Only customers added to the event as a result of segment processing will be exported.
- Output All Updates**
All customers updated or added to the event as a result of segment processing will be exported.

Figure 11-34: Options After Save Step

- **Generate** - Generate the Promotion Target data. This option only appears if the Promotion is targeted.
- **Approve** - Automatically approve the promotion.
- **Export** - Export the Promotion data to external systems, including POS or marketing systems.
- **Dynamic Promotion Options** - Export options for dynamic Promotions. These options only appear if the Promotion has dynamic Targets. Select the option using the [Radio Buttons](#):
 - * **Output Additions Only** - Customer Engagement will only export the Customers added to the Promotion event by the [Dynamic Promotions](#) Job.
 - * **Output All Updates** - Customer Engagement will export all Customers either added to or updated in the Promotion event by the [Dynamic Promotions](#) Job.

39. Click **next**.

The Review step opens.

40. Review the entered information to ensure that it is correct.
 - Click **save** to save the Promotion with its current configuration.
 - Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
 - Click **cancel** to cancel the changes and return to the [Promotion List](#) without saving the Promotion.

Overview

In Customer Engagement, Deals are price incentives given to the customer. These Deals can often be reused in separate Promotions or Card Programs. To facilitate and ease the reuse of existing Deals, a library of Deals can be created in Customer Engagement.

About This Chapter

This chapter contains the following information:

- [“Deal Elements” on page 1](#) - Describes common elements of Deals.
- [“Deal List” on page 2](#) - Describes the Deal List page you use to work with Deals. Options include:
 - [“Actions Menu” on page 3](#)
 - [“Filters” on page 3](#)
 - [“Open a Deal” on page 3](#)
- [“Deal Window” on page 4](#) - Describes the information and options available in the Deal Window. Options include:
 - [“Actions Menu” on page 6](#)
 - [“Edit a Deal” on page 6](#)

Deal Elements

There are some elements of Deals that appear in several locations. The elements have common values that can appear in menus or data fields. Some of these common elements and their possible values are described below.

Deal Types

The Deal Type determines the type of incentive provided by the Deal. Customer Engagement has the following Deal Types:

- **Transaction Discount** - A discount is applied to the subtotal of a transaction.
- **Line Item Discount** - A discount is applied to a specific line item within a transaction.
- **Fixed Quantity/Price** - A fixed price is assigned to defined item quantities within a transaction.
- **Kit** - A certain set of items that, when purchased together, has a certain discount or special price associated with them.

Deal List

- **Gift with Purchase** - A gift is provided to the customer when they purchase certain, defined item(s).
- **Buy X Get X** - The purchase of a certain, defined item allows the customer to receive another of the same item at no cost or a discount.
- **Buy X Get Y** - The purchase of a certain, defined item allows the customer to receive a different item at no cost or a discount.
- **Tiered Discount** - A discount is applied to a defined set of items, where the amount of the discount depends on the quantity of the item in the transaction.

Intended Use

In Customer Engagement, Deals can be assigned an Intended Use. This indicates the manner in which a Deal is likely to be used.

- **Product** - A Deal that is applied directly to an item or transaction.
- **Coupon** - A Deal that is applied to an item or transaction through a Coupon.
- **Entitlement** - A Deal that is applied to an item or transaction as an Entitlement for a Customer, including deals associated with Promotions or Card Programs.
- **Any** - A Deal that can be applied as a Product, Coupon, or Entitlement.

Deal List

The Deal [List](#) page is opened using the **Campaign->Product Deal Definition** menu option, or by clicking the **Product Deal Definition** [Link](#) on the [Main Page](#).

The screenshot shows the Deal List interface. Callout 1 points to the 'Actions' dropdown menu. Callout 2 points to the 'Franchisee ID' search field. Callout 3 points to the 'Deal Type' column header in the table. Callout 4 points to a row in the table with Deal ID 12153.

Deal ID	Deal Name	Deal Type	Intended Use
12647	Deal 1	Transaction Discount	Any
12646	test	Line Item Discount	Any
12645	Franchisee15806	Transaction Discount	Any
12644	Franchisee 19	Line Item Discount	Any
12154	WSDL-FranchiseSecurity-Deal2	Transaction Discount	Any
12153	WSDL-FranchiseSecurity-Deal1	Transaction Discount	Any
12152	Franchisee13286	Transaction Discount	Any
12151	Franchisee13287	Transaction Discount	Any
12147	ST 115 Deal	Tiered Discount	Any
12143	Deal 117	Transaction Discount	Product
12142	Deal 115	Line Item Discount	Any
11646	NthItemFranchisee	Nth item discount	Any

Figure 12-1: Deal List

Table 12-1: Deal List Page Key

Item	Description
1	Actions Menu - Click to open a menu of actions that can be performed in the Deal List page. See "Actions Menu" on page 3 for more information.

Table 12-1: Deal List Page Key (continued)

Item	Description
2	Filters - Select criteria in the Filters to view a subset of the Deals in the Deal List. See “Filters” on page 3 for more information.
3	Page Navigation - Page Navigation for the List.
4	<p>Deal List - A List of Deals currently in the system. The List displays a limited number of Deals; use the Filter Menus to narrow down the List and locate a certain Deal.</p> <p>The following information is displayed for each Deal:</p> <ul style="list-style-type: none"> • Deal ID - Unique ID for the Deal. • Deal Name - Name of the Deal. • Deal Type - The type of Deal. See “Deal Types” on page 1. • Intended Use - Intended Use of the Deal. See “Intended Use” on page 2.

Actions Menu

The [Actions Menu](#) in the Deal List page includes the following options:

- **Create** - Create a new Deal. See [“Create a Deal” on page 7](#).



Filters

The Deal List page includes the following Filter fields:




Figure 12-2: Filter Menus

- **Deal Type** - Filters the List by Deal Type. This Selection Menu includes all possible Deal Types. Select **All [DEFAULT]** to display Deals of all types. See [“Deal Types” on page 1](#) for a list of the possible values.
- **Intended Use** - Filters the List by the Intended Use. See [“Intended Use” on page 2](#) for a list of possible values.
- **Franchisee ID** - This Text Field filters the List by the Franchisee associated with the Deal.
- **Find Specific Deal Id** - This Text Field filters the List to show only the Deal with the specified ID.
- **Attribute Type** - Filters the List by the Attribute assigned to the Deal. This Selection Menu contains the names of all the Attributes that can be assigned to a Deal.

Open a Deal

To open a Deal, click the Deal in the List. The Deal opens in a [Deal Window](#).

Deal Window

The Deal [Window](#) displays information about the selected Deal and provides access to actions that can be performed on the Deal.

The screenshot shows the Deal Window interface with the following sections:

- General:**
 - Deal ID: 9583
 - Name: test
 - POS Name: test
 - Intended Promotion Type: Product
 - Award Value Distribution: Prorate award value across qualifying items
 - Deal Type: Tiered Discount
 - Priority: 1
 - Subtotal Minimum
 - Subtotal Maximum
 - Maximum Award Amount
 - Comments
 - Deal Count Limit
 - Intended Industry: Merchandise
- Qualifying Items:**

Set Seq	Threshold	Discount
1	Quantity, Tiered: 100	Percent Off: 10.00

Details:

Type	Description	Include	Exclude
DEPT	900: Clothing Department	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- Discount Tiers:**

Tier	Buy	Threshold #	Get	Discount %
1	Buy	100	Get	10.00
2	Buy	200	Get	20.00
- Advanced Parameters:**
 - Include Redlines: No
 - Allow Zero Price: No
 - Include Non-Merchandise Charges: No
 - Allow items to be used in other Deals: No

Figure 12-3: Deal Window

The Deal [Window](#) includes the following information:

Note: The information displayed in the [Window](#) will depend upon the configuration of the Deal. Not all of the elements described below will be displayed for all Deals.

- **General** - General information about the Deal. This includes the following information:
 - **Deal ID** - The unique ID for the Deal.
 - **Name** - The name of the Deal.
 - **POS Name** - The name of the Deal displayed on the POS system.
 - **Intended Promotion Type** - The type of use for the Deal. See [“Intended Use” on page 2](#) for a list of possible values.
 - **Award Value Distribution** - Indicates whether the Deal discount applies to each discounted Item (**No**), or to the set of all discounted Items (**Yes**).
 - **Deal Type** - The type of Deal. See [“Deal Types” on page 1](#) for a list of the possible values.
 - **Subtotal Minimum** - Minimum subtotal amount for a transaction to be eligible for the Deal.
 - **Subtotal Maximum** - Maximum subtotal amount for a transaction to be eligible for the Deal.

- **Maximum Award Amount** - The maximum currency amount of the Award.
- **Deal Count Limit** - The maximum number of times the deal can be applied to the same transaction.
- **Comments** - Comments about the Deal.
- **Priority** - The priority given to the Deal, if more than one Deal can be applied to a Transaction.
- **Intended Industry** - The Intended Industry for the Deal.
- **Qualifying Items** - This [List](#) displays the Item Qualifying Rules for the Deal. This [List](#) includes the following information:
 - **Set Seq** - The Set number.
 - **Threshold** - The threshold style, type of threshold, and threshold amount for the Set.
 - **Discount** - The type of discount, the amount of the discount, and the maximum number of times the discount can be applied to a transaction.
 - **Details** - This [List](#) displays the [Item Eligibility](#) Rules for the Set. This [List](#) includes the following information:
 - * **Type** - The type of Hierarchy ID.
 - * **Description** - A description of the Hierarchy element or Attribute value.
 - * **Include** - Indicates whether the Item(s) are included in the eligibility Set.
 - * **Exclude** - Indicates whether the Item(s) are excluded from the eligibility Set.
- **Award Items** - If the Deal Type is Buy X Get X, or Buy X Get Y, this [List](#) is displayed, showing the Awards for the Deal. This [List](#) includes the following information:
 - **Award Quantity** - The number of Items in the Award.
 - **Discount** - The type and amount of the discount, along with the maximum number of times the Award can be given within a transaction.
 - **Award Value Distribution** - Indicates how the award is applied to items.
 - **Details** - This [List](#) displays the Items given as an Award for the Deal. This [List](#) includes the following information:
 - * **Type** - The type of Hierarchy ID.
 - * **Description** - A description of the Hierarchy element.
 - * **Include** - Indicates whether the Item(s) are included in the eligibility Set.
 - * **Exclude** - Indicates whether the Item(s) are excluded from the eligibility Set.
- **Discount Tiers** - If the Deal Type is Tiered Discount, this [List](#) is displayed, showing the tiers of the Deal. This [List](#) includes the following information:
 - **Tier** - Tier number.
 - **Threshold #/Amount** - The number of items that must be purchased to qualify for the tier.
 - **Discount %** - The discount percentage. *This field is only shown if the Discount Type is Percent Off.*
 - **Discount Amount** - The discount amount. *This field is only shown if the Discount Type is Amount Off.*

- **Discount Override Price** - The new price of the item(s). *This field is only shown if the Discount Type is Override Price.*
- **Maximum (To maximum of)** - The maximum quantity available for the discount.
- **Time Rules** - This [List](#) displays the [Time Eligibility](#) rules for the Deal. This [List](#) displays the following information:
 - **Name** - Name of the Rule.
 - **Start Time** - Time of day at which the Rule becomes active.
 - **End Time** - Time of day after which the Rule becomes inactive.
 - **Days of Week** - The days of the week on which the Deal is active.
- **Advanced Parameters** - Advanced configuration parameters for the Deal. This includes the following information:
 - **Include Redlines** - Indicates whether redlines are included in the Deal.
 - **Include Non-Merchandise Charges** - Indicates whether non-merchandise charges are included in the Deal.
 - **Allow Zero Price** - Indicates whether free Items are included in the Deal.
 - **Allow items to be used in other Deals** - Indicates whether the items used by the Deal can be used again in other Deals applied to a transaction.
- **Attributes** - Attributes for the Deal. This includes the following information:
 - Attribute name.
 - Attribute value.
- **Associated Franchisees** - Franchisees associated with the Deal. This includes the following information:
 - ID for the Franchisee.
 - Name of the Franchisee.

Actions Menu

The [Actions Menu](#) for the Deal [Window](#) includes the following option:

- **Edit** - Edit the Deal.



Edit a Deal

To edit a Deal, click **Edit** in the [Actions Menu](#) in the [Deal Window](#).

The Deal is opened in the Deal Creation [Wizard](#), with all of the fields populated with the current Deal configurations.

- Use [Wizard Navigation](#) to move through the [Wizard](#) and make any necessary changes.
- Click **save** when you are finished making changes. The [Wizard](#) closes, saving the entered configurations and returning to the [Deal List](#).
- Click **cancel** to exit the [Wizard](#) and return to the [Deal List](#) without saving the changes.

For more information about the fields and information to be entered, see [“Create a Deal” on page 7](#).

Create a Deal

To create a Deal in Customer Engagement:

1. In the [Deal List](#) page, click **Create** in the [Actions Menu](#).

Tip: If there are no Deals defined, Customer Engagement provides a [Click Here Link](#) for adding a Deal.

The Create Deal [Wizard](#) opens to the Define Name step.

Figure 12-4: Create Deal Wizard

2. Define the basic information about the Deal:
 - **Name** - The name of the Deal.
 - **POS Name** - The name displayed for the Deal on a POS system.
 - **Deal Type** - The type of Deal. This [Selection Menu](#) has the following options:
 - * **Transaction Discount** - [DEFAULT] A discount is applied to the subtotal of a transaction.
 - * **Line Item Discount** - A discount is applied to a specific line item within a transaction.
 - * **Fixed Quantity/Price** - A fixed price is assigned to defined item quantities.
 - * **Kit** - A certain set of items, when purchased together, has a certain discount or special price associated with them.
 - * **Gift with Purchase** - A gift is provided to the customer when they purchase certain, defined item(s).
 - * **Buy X Get X** - The purchase of a certain, defined item allows the customer to receive another of the same item at no cost or a discount.
 - * **Buy X Get Y** - The purchase of a certain, defined item allows the customer to receive a different item at no cost or a discount.
 - * **Tiered Discount** - A discount is applied to a defined set of items, where the amount of the discount depends on the quantity of the item in the transaction.
 - **Intended Promotion Type** - The expected method for applying the Deal. This [Selection Menu](#) has the following options:

Create a Deal

- * **Any** - [DEFAULT] The Deal may be applied either directly to a transaction, or through a Coupon.
 - * **Coupon** - The Deal is applied through a Coupon applied to the transaction.
 - * **Product** - The Deal is applied directly to a transaction.
 - * **Entitlement** - The Deal is given to a Customer as an Entitlement.
 - **Intended Industry** - The intended industry for the Deal. *This [Selection Menu](#) is only available when the Intended Industry Prompt Option is set to SHOW_PROMPT. See the Oracle Retail Customer Engagement Cloud Services Implementation Guide for more information about System Configuration and this property.*
 - **Comments** - Additional comments about the Deal.
3. Click **next**.
The Franchisees step opens.
 4. Select the Franchisees to associate with the Deal.

Select	Franchisee ID	Name	Description
<input type="checkbox"/>	2	NY Franchisee	NY Franchisee
<input type="checkbox"/>	1	OH Franchisee	OH Franchisee

Figure 12-5: Franchisees Step

- Select the **Check All** [Link](#) to associate the Deal with all Franchisees.
 - If only a subset of Franchisees will be associated with the Deal, select the [Check Box](#) for each Franchisee to be included.
 - Select the **Uncheck All** [Link](#) to unselect all selected Franchisees.
5. Click **next**.
The Generic Attributes step opens.

6. Configure the Generic Attributes for the Deal.

Deal Franchisees Generic Attributes Qualifying Items

<< previous save cancel next >>

Generic Attributes

Required

DEAL_CREATED_BY Deal Created By

Optional

NUMBER_OF_ITEMS	Estimated Number of Deal Items	Add
DEAL_COST	Estimated Deal Cost	Add
SEASONAL_DEAL	Is Deal Seasonal?	Add
DEAL_TYPE	Deal Type	Add
DEAL_START_DATE	Deal Start Date	Add
ALL_ITEMS_DEAL	Is deal for ALL Items?	Add
CREATED_BY	Deal Created by	Add

Figure 12-6: Generic Attributes Step

- a. Select or enter the configuration values for each of the **Required** Attributes.
 - b. Add any necessary **Optional** Attribute(s):
 - 1) Click the proper **Add** button.
A configuration field opens.
 - 2) Select or enter the configuration value for the Attribute.
 - 3) Repeat until all necessary Attribute(s) are configured.
 - c. To remove an Attribute, click the **Delete** button for that Attribute.
The Attribute is deleted.
7. Click **next**.

A step opens for configuring settings specific to the selected Deal Type. The next step depends upon the Deal Type selected:

- If the selected Deal Type is **Line Item Discount, Fixed Quantity/Price, Gift with Purchase, Buy X Get X**, or **Transaction Discount**, continue with step 8.
- If the selected Deal Type is **Kit**, or **Buy X Get Y** continue with [step 20 on page 16](#).
- If the selected Deal Type is **Tiered Discount**, continue with [step 26 on page 20](#).

8. Configure the Qualifying Items settings:

Define Name | **Qualifying Items** | Award Items | Advanced Parameters | Review

<< previous | save | cancel | next >>

Define Qualifying Items

Subtotal Minimum Subtotal Maximum

Threshold Style: **Minimum** Threshold Type: **Quantity** Threshold *

[Import Existing Deal](#)

Included Items
No include items currently defined. [Click here](#) to add one. [Click here](#) to import csv file.

Excluded Items
No exclude items currently defined. [Click here](#) to add one. [Click here](#) to import csv file.

Figure 12-7: Qualifying Items Settings

- **Subtotal Minimum** - The minimum subtotal required for the transaction to be eligible for the discount.
- **Subtotal Maximum** - The maximum subtotal required for the transaction to be eligible for the discount.
- **Threshold Style** - The style of threshold to set.

Note: The options available in this [Selection Menu](#) will vary, depending upon the Deal Type selected.

- * **Minimum** - A minimum threshold.
- * **Exact** - The item quantity must exactly match the Threshold.
- **Threshold Type** - The type of threshold. This [Selection Menu](#) has the following options:
 - * **Quantity** - The number of qualifying items.
 - * **Amount** - The total amount of the qualifying items.
- **Threshold** - The amount of the threshold. The type of value depends upon the selected Threshold Type.
- **Included Items** - Determines the items that are included in the Deal. This configuration uses [Item Eligibility](#) entry rules.
- **Excluded Items** - Determines the items that are excluded from the Deal. This configuration uses [Item Eligibility](#) entry rules.

Note: Customer Engagement will only display Items available to the Franchisee(s) selected in [step 4 on page 8](#).

9. Click next.

- If the Deal Type is **Transaction Discount**, continue with step 10.
- If the Deal Type is **Line Item Discount**, continue with [step 12 on page 12](#).
- If the Deal Type is **Fixed Quantity/Price**, continue with [step 14 on page 13](#).

- If the Deal Type is **Gift with Purchase**, continue with [step 16 on page 13](#).
- If the Deal Type is **Buy X Get X**, continue with [step 18 on page 15](#).

10. Define the awards for a Transaction Discount type:

Figure 12-8: Transaction Discount Award Settings

- **Priority** - If more than one Deal can be applied to a Transaction, this [Selection Menu](#) determines the priority given to the Deal.
- **Maximum Award Amount** - The maximum currency amount of the discount.
- **Deal Count Limit** - The maximum number of times the deal can be applied to the same transaction. *Available only if the Intended Use for the Deal is not Entitlement.* Set to **0 [DEFAULT]** for no limit.
- **Discount Type** - The type of discount. This [Selection Menu](#) has the following options:
 - * **Percent Off** - The discount is a certain percentage off of the qualifying item(s). The Discount Value field determines the percentage.
 - * **Amount Off** - The discount is a fixed amount off of the qualifying item(s). The Discount Value field determines the amount.
- **Discount Value** - The amount of the discount (see above).
- **Max Quantity** - Maximum quantity of the matching item(s) that can be used to satisfy the item rule.
- Award application method [Radio Buttons](#) that determine how a discount is applied to the award Items. *These [Radio Buttons](#) are only enabled for Amount Off discount types, and only if the Intended Use for the Deal is not Entitlement.* These [Radio Buttons](#) have the following options:
 - * **Prorate award value across qualifying items** - The amount of the discount is divided by the number of items and then that amount is applied to each Item.
 - * **Issue award to each qualifying items** - The amount of the discount is applied to each Item.

11. Continue with [step 29 on page 22](#).

12. Define the awards for a Line Item Discount type:

Figure 12-9: Line Item Discount Award Settings

- **Priority** - If more than one Deal can be applied to a Transaction, this [Selection Menu](#) determines the priority given to the Deal.
- **Maximum Award Amount** - The maximum currency amount of the discount.
- **Deal Count Limit** - The maximum number of times the deal can be applied to the same transaction. *Available only if the Intended Use for the Deal is not Entitlement.* Set to 0 [DEFAULT] for no limit.
- **Discount Type** - The type of discount. This [Selection Menu](#) has the following options:
 - * **Percent Off** - The discount is a certain percentage off of the qualifying item(s). The Discount Value field determines the percentage.
 - * **Amount Off** - The discount is a fixed amount off of the qualifying item(s). The Discount Value field determines the amount.
- **Discount Value** - The amount of the discount (see above).
- **Max Quantity** - Maximum quantity of the matching item(s) that can be used to satisfy the item rule.
- Award application method [Radio Buttons](#) that determine how a discount is applied to the award Items. *These [Radio Buttons](#) are only enabled for Amount Off discount types, and are available only if the Intended Use for the Deal is not Entitlement.* These [Radio Buttons](#) have the following options:
 - * **Prorate award value across qualifying items** - The amount of the discount is divided by the number of items and then that amount is applied to each Item.
 - * **Issue award to each qualifying items** - The amount of the discount is applied to each Item.

13. Continue with [step 29 on page 22](#).

14. Define the Award for the Fixed Quantity/Price Deal type:

Define Award Items

Priority Maximum Award Amount Deal Count Limit

Discount Type Discount Value * Max Quantity

Prorate award value across qualifying items
 Issue award to each qualifying item

Included Items

Type	Description
DEPT	900: Clothing Department
DEPT	920: Grocery Department

Figure 12-10: Fixed Quantity/Price Award Definition

- **Priority** - If more than one Deal can be applied to a Transaction, this [Selection Menu](#) determines the priority given to the Deal.
- **Maximum Award Amount** - The maximum currency amount that can be discounted from the transaction.
- **Deal Count Limit** - The maximum number of times the deal can be applied to the same transaction. *Available only if the Intended Use for the Deal is not Entitlement.* Set to 0 [DEFAULT] for no limit.
- **Discount Type** - The type of discount. This [Selection Menu](#) has the following options:
 - * **Override Price** - A new price is set for the qualifying Item. The Discount Value field determines the new price.
- **Discount Value** - The new price for the Item(s).
- **Max Quantity** - Maximum quantity of the matching item(s) that can be used to satisfy the item rule.
- Award application method [Radio Buttons](#) that determine how a discount is applied to the award Items. *These [Radio Buttons](#) are never enabled for this Deal type.*

15. Continue with [step 29 on page 22](#).

16. Define the Award for a Gift with Purchase Deal type:

Define Award Items

Priority Maximum Award Amount Deal Count Limit

Discount Type Discount Value * Max Quantity

Prorate award value across qualifying items
 Issue award to each qualifying item

Gift

No include items currently defined. [Click here](#) to add one.

Figure 12-11: Gift with Purchase Award Definition

- **Priority** - If more than one Deal can be applied to a Transaction, this [Selection Menu](#) determines the priority given to the Deal.
- **Maximum Award Amount** - The maximum currency amount that can be discounted from the transaction.


- **Deal Count Limit** - The maximum number of times the deal can be applied to the same transaction. *Available only if the Intended Use for the Deal is not Entitlement.* Set to 0 [DEFAULT] for no limit.
- **Discount Type** - The type of discount used on the Gift. *Not shown until the Gift is selected (see below).*

This [Selection Menu](#) has the following options:

- * **Percent Off** - The discount is a certain percentage of the price of the Gift. The Discount Value field determines the percentage.
- * **Amount Off** - The discount is a fixed amount off of the price of the Gift. The Discount Value field determines the amount.
- * **Override Price** - A new price is set for the Gift. The Discount Value field determines the new price.
- **Discount Value** - The amount of the discount (see above). *Not shown until the Gift is selected (see below).*
- **Max Quantity** - Maximum quantity of the matching item(s) that can be used to satisfy the item rule. *Not shown until the Gift is selected (see below).*
- Award application method [Radio Buttons](#) that determine how a discount is applied to the award Items. *These [Radio Buttons](#) are only enabled for **Amount Off** discount types, and are available only if the Intended Use for the Deal is not Entitlement.* These [Radio Buttons](#) have the following options:
 - * **Prorate award value across qualifying items** - The amount of the discount is divided by the number of items and then that amount is applied to each Item. *Not shown until the Gift is selected (see below).*
 - * **Issue award to each qualifying items** - The amount of the discount is applied to each Item. *Not shown until the Gift is selected (see below).*
- **Gift** - This [List](#) displays the Item that is the Award for the Deal. Perform the following steps to select the Item:

- 1) Click the **Click here** [Link](#).

An Item Hierarchy Search [Window](#) opens.



Click "Search", highlight result row, and click "OK". Note: pressing Enter key following data entry will validate and add item.

Item Hierarchy Search

Hierarchy Level Search Criteria

Figure 12-12: Item Hierarchy Search Window

- 2) Enter the search information:

Hierarchy Level - Use this [Selection Menu](#) to determine the Item Hierarchy Level to search (**Item ID** is the only available option).

Search Criteria - The value to search for in the Hierarchy Level.

- 3) Click **Search**.

A [List](#) of Items matching the search criteria is displayed.

- 4) Click an Item to select it.
- 5) Click OK.

The [Window](#) closes and the Item is displayed in the Gift [List](#).

Define Award Items

Priority Maximum Award Amount Deal Count Limit

Discount Type Discount Value * Max Quantity

Gift

Type	Description
Item ID	1503: \$10 XPay Gift Card

Figure 12-13: Gift Item Selected

- 6) Define the **Discount Type**, **Discount Value**, and **Max Quantity** of the Gift (see above).

17. Continue with [step 29 on page 22](#).

18. Define the Award for a Buy X Get X Deal type:

Define Award Items

Priority Maximum Award Amount Deal Count Limit

Award Quantity * Discount Type Discount Value * Max Quantity

Prorate award value across qualifying items
 Issue award to each qualifying item

Included Items

Type	Description
DEPT	920: Grocery Department
DEPT	925: Accessory Department

Excluded Items

No exclude items currently defined.

Figure 12-14: Buy X Get X Award Definition

- **Priority** - If more than one Deal can be applied to a Transaction, this [Selection Menu](#) determines the priority given to the Deal.
- **Maximum Award Amount** - The maximum currency amount that can be discounted from the transaction.
- **Deal Count Limit** - The maximum number of times the deal can be applied to the same transaction. *Available only if the Intended Use for the Deal is not Entitlement.* Set to **0 [DEFAULT]** for no limit.
- **Award Quantity** - The number of Items that are given in each Award.
- **Discount Type** - The type of discount used on the Award. This [Selection Menu](#) has the following options:
 - * **Percent Off** - The discount is a certain percentage of the price of the Award. The Discount Value field determines the percentage.
 - * **Amount Off** - The discount is a fixed amount off of the price of the Award. The Discount Value field determines the amount.

- * **Override Price** - A new price is set for the Award. The Discount Value field determines the new price.
- **Discount Value** - The amount of the discount (see above).
- **Max Quantity** - Maximum quantity of the matching item(s) that can be used to satisfy the item rule.
- Award application method [Radio Buttons](#) that determine how a discount is applied to the award Items. *These [Radio Buttons](#) are only enabled for **Amount Off** discount types, and only if the Intended Use for the Deal is not Entitlement.* These [Radio Buttons](#) have the following options:
 - * **Prorate award value across qualifying items** - The amount of the discount is divided by the number of items and then that amount is applied to each Item.
 - * **Issue award to each qualifying items** - The amount of the discount is applied to each Item.

19. Continue with [step 29 on page 22](#).

20. Configure the Qualifying Items settings:

The screenshot shows a web interface for configuring deal settings. At the top, there is a navigation bar with tabs: 'Define Name', 'Qualifying Items' (highlighted), 'Award Items', 'Advanced Parameters', and 'Re'. Below the navigation bar are navigation buttons: '<< previous', 'save', 'cancel', 'next >>'. The main content area is titled 'Define Qualifying Items' and contains two input fields: 'Subtotal Minimum' and 'Subtotal Maximum'. Below these fields are three links: 'New Set', 'Import Existing Deal', and 'Import Csv'. At the bottom of the form, there is a message: 'No Set currently defined. [Click here](#) to add one.'

Figure 12-15: Define Qualifying Items Settings

- **Subtotal Minimum** - The minimum subtotal required for the transaction to be eligible for the discount.
- **Subtotal Maximum** - The maximum subtotal required for the transaction to be eligible for the discount.
- **Set #** - In this Deal Type, qualifying Items are organized into Sets. Each Set contains an Item or Items that provide one offer for Items included in the Set.
 - * To add a Set to the Deal, click the **New Set [Link](#)**. If no Sets have been defined, Customer Engagement also provides a **Click here [Link](#)** for creating a new Set.
 - * To import a set of Items in a comma-separated values (CSV) file, click the **Import Csv [Link](#)** and follow the procedure "[Import Item Eligibility Rules](#)" [on page 38](#).

- * To import a set of Item Eligibility Rules from a Deal into a Set, click the **Import Existing Deal** [Link](#) and follow the procedure [“Import Existing Deal” on page 38](#).

Note: If the imported Deal includes Items that are not associated with the Franchisees selected in [step 4 on page 8](#), an error will be displayed, and each invalid Item will be tagged with a red exclamation point.

You must remove each marked Item from the Deal before you can continue or save.

After importing the Item Eligibility Rules for a Deal, the Rules can be altered in the current Deal.

Note: If multiple Deals are imported, the Item Eligibility Rules for each Deal are imported into a separate Set. For example, if three Deals are imported, three new Sets will be created.

Each Set has the following configurations:

Figure 12-16: Set Configuration

- * **Threshold Style** - The style of threshold to set. This [Selection Menu](#) has the following options:
 - Exact** - An exact value.
 - Minimum** - A minimum threshold.
- * **Threshold Type** - The type of threshold. This [Selection Menu](#) has the following options:
 - Quantity** - The number of qualifying items.
 - Amount** - The total currency amount of the qualifying items.
- * **Threshold** - The amount of the threshold. The type of value depends upon the selected Threshold Type.

- * **Included Items** - Determines the items that are included in the Set. This configuration uses [Item Eligibility](#) entry rules.
- * **Excluded Items** - Determines the items that are excluded from the Set. This configuration uses [Item Eligibility](#) entry rules.

21. Click next.

- If the Deal Type is **Kit**, continue with [step 22 on page 18](#).
- If the Deal Type is **Buy X Get Y**, continue with [step 24 on page 19](#).

22. Define the Award(s) for the Kit Deal type:

Figure 12-17: Kit Award Definition

- **Priority** - If more than one Deal can be applied to a Transaction, this [Selection Menu](#) determines the priority given to the Deal.
- **Maximum Award Amount** - The maximum currency amount that can be discounted from the transaction.
- **Deal Count Limit** - The maximum number of times the deal can be applied to the same transaction. *Available only if the Intended Use for the Deal is not Entitlement.* Set to 0 [DEFAULT] for no limit.
- **Sets** - Define the discount given to each Set in the Deal.
 - * **Discount Type** - The type of discount. This [Selection Menu](#) has the following options:
 - Percent Off** - The discount is a certain percentage off the price of the qualifying item(s). The Discount Value field determines the percentage.
 - Amount Off** - The discount is a fixed amount off the price of the qualifying item(s). The Discount Value field determines the amount.
 - Override Price** - The new price for the qualifying Item. The Discount Value field determines the new price.
 - * **Discount Value** - The amount of the discount (see above).
 - * **Max Quantity** - Maximum quantity of the matching item(s) that can be used to satisfy the item rule.

- * Award application method [Radio Buttons](#) that determine how a discount is applied to the award Items. *These [Radio Buttons](#) are only enabled for **Amount Off** discount types, and only if the *Intended Use for the Deal* is not *Entitlement*.* These [Radio Buttons](#) have the following options:

Prorate award value across qualifying items - The amount of the discount is divided by the number of items and then that amount is applied to each Item.

Issue award to each qualifying items - The amount of the discount is applied to each Item.

23. Continue with [step 29 on page 22](#).

24. Define the Award(s) for a Buy X Get Y Deal type:

Figure 12-18: Buy X Get Y Award Definition

- **Priority** - If more than one Deal can be applied to a Transaction, this [Selection Menu](#) determines the priority given to the Deal.
- **Maximum Award Amount** - The maximum currency amount that can be discounted from the transaction.
- **Deal Count Limit** - The maximum number of times the deal can be applied to the same transaction. *Available only if the *Intended Use for the Deal* is not *Entitlement*.* Set to **0 [DEFAULT]** for no limit.

Type	Description
SUB_DEPT	925-BP: Handbags

Figure 12-19: Define Award Items - Award Item Added

Create a Deal

- **Award Quantity** - The number of Items in the Award. *Not shown until the Gift is selected (see below).*
- **Discount Type** - The type of discount used on the Gift. *Not shown until the Gift is selected (see below).*

This [Selection Menu](#) has the following options:

- * **Percent Off** - The discount is a certain percentage of the price of the Gift. The Discount Value field determines the percentage.
- * **Amount Off** - The discount is a fixed amount off of the price of the Gift. The Discount Value field determines the amount.
- * **Override Price** - A new price is set for the Gift. The Discount Value field determines the new price.
- **Discount Value** - The amount of the discount (see above). *Not shown until the Gift is selected (see below).*
- **Max Quantity** - Maximum quantity of the matching item(s) that can be used to satisfy the item rule. *Not shown until the Gift is selected (see below).*
- Award application method [Radio Buttons](#) that determine how a discount is applied to the award Items. *These [Radio Buttons](#) are only enabled for **Amount Off** discount types, and only if the Intended Use for the Deal is not Entitlement. These [Radio Buttons](#) have the following options:*
 - * **Prorate award value across qualifying items** - The amount of the discount is divided by the number of items and then that amount is applied to each Item. *Not shown until the Gift is selected (see below).*
 - * **Issue award to each qualifying items** - The amount of the discount is applied to each Item. *Not shown until the Gift is selected (see below).*
- **Included Items** - Determines the items that are included as Award Items for all Sets. This configuration uses [Item Eligibility](#) entry rules.
- **Excluded Items** - Determines the items that are excluded as Award Items for all Sets. This configuration uses [Item Eligibility](#) entry rules.

25. Continue with [step 29 on page 22](#).

26. Configure the Qualifying Items for the Tiered Deal:

Define Name > **Qualifying Items** > Tiered Discount > Advanced Parameters > Review

◀◀ previous save cancel next ▶▶

Define Qualifying Items

Subtotal Minimum Subtotal Maximum

Threshold Style **Tiered** Threshold Type **Quantity** Discount Type * **Percent Off**

[Import Existing Deal](#)

Included Items
No include items currently defined. [Click here](#) to add one. [Click here](#) to import csv file.

Excluded Items
No exclude items currently defined. [Click here](#) to add one. [Click here](#) to import csv file.

Figure 12-20: Qualifying Items Settings for Tiered Deals

- **Subtotal Minimum** - The minimum subtotal required for the transaction to be eligible for the discount.
- **Subtotal Maximum** - The maximum subtotal required for the transaction to be eligible for the discount.
- **Threshold Style** - The style of threshold to set.
 - * **Tiered** - The thresholds are determined by tiers (see below).
- **Threshold Type** - The type of threshold. This [Selection Menu](#) has the following options:
 - * **Quantity** - The number of qualifying items.
 - * **Amount** - The total amount of the qualifying items.
- **Discount Type** - The type of discount. This [Selection Menu](#) has the following options:
 - * **Percent Off** - [DEFAULT] Item(s) discounted by a percentage of the item price.
 - * **Amount Off** - Item(s) discounted by a currency amount.
 - * **Override Price** - Item(s) set to a new price for each item.
- **Included Items** - Determines the items that are included in the Deal. This configuration uses [Item Eligibility](#) entry rules.
- **Excluded Items** - Determines the items that are excluded from the Deal. This configuration uses [Item Eligibility](#) entry rules.

27. Click **next** to continue.

28. Define the Discount Tiers for the Deal:

Tier	Threshold #	Discount %
1 Buy	[input]	Get [input]
2 Buy	[input]	Get [input]

Figure 12-21: Tiered Discount Definition (Percent Off)

Tier	Threshold #	Discount Amount
1 Buy	[input]	Get [input]
2 Buy	[input]	Get [input]

Figure 12-22: Tiered Discount Definition (Amount Off)

Figure 12-23: Tiered Discount Definition (Price Override)

Note: At least two tiers must be defined for a Tiered Discount Deal.

- Award application method [Radio Buttons](#) that determine how a discount is applied to the award Items. *These [Radio Buttons](#) are only enabled for **Amount Off** discount types, and only if the Intended Use for the Deal is not Entitlement.* These [Radio Buttons](#) have the following options:
 - * **Prorate award value across qualifying items** - The amount of the discount is divided by the number of items and then that amount is applied to each Item.
 - * **Issue award to each qualifying items** - The amount of the discount is applied to each Item.
- For each Tier, enter the following information:
 - * **Buy** - The quantity threshold that must be met or exceeded to qualify for the Tier-level discount.
 - * **Get** - The discount applied to the Items. *This field is only displayed when the discount type selected in step 26 is Percent Off or Amount Off.*
 - * **For** - The price applied to the Items; this quantity is in the **Buy** field. *This field is only displayed if the discount type selected in step 26 is Price Override.*
- Click the **Add** [Link](#) to add a new Tier to the Deal.
- Click the **Remove** [Link](#) for a Tier to remove it from the Deal.

29. Click **next**.

30. Configure the Advanced Parameters:

Click here to add one.'"/>

Figure 12-24: Advanced Parameters Step

- **Include Redlines** - This [Check Box](#) determines whether Redlines will be included in the Deal ([DEFAULT] = Unchecked/No).
Depending upon your system configuration, when this item is checked, any item with a stock status of "Clearance" will be included in the Deal.
 - **Include Non-Merchandise Charges** - This [Check Box](#) determines whether non-merchandise charges are included in the Deal ([DEFAULT] = Unchecked/No).
 - **Allow Zero Price** - This [Check Box](#) determines whether zero-priced items are included in the Deal ([DEFAULT] = Unchecked/No).
 - **Allow items to be used in other Deals** - This [Check Box](#) determines whether the items in the deal can be used in another deal at the POS. If **Unchecked** [DEFAULT], the items can only be used in one deal per transaction. If **Checked**, the items can be used in more than one deal per transaction.
31. If necessary, add Time Rules for the Deal. *Available only if the Intended Use for the Deal is not Entitlement.*
- a. Open the Time Rules editing [Window](#) by doing one of the following:
 - * Click the **Click here** [Link](#) (if no Time Rules are configured).
 - * Click the **Add** [Link](#) to add a new Time Rule to the [List](#).
 The Time Rule Detail [Window](#) opens.


The screenshot shows the 'Time Rule Detail' window. It features a text input field for 'Name'. Below it are two time selection fields: 'Start Time' (12:00 AM) and 'End Time' (11:59 PM). At the bottom, there is a 'Days of Week' section with checkboxes for Sun, Mon, Tue, Wed, Thu, Fri, and Sat, all of which are checked. A 'Save' button is positioned in the bottom right corner of the window.

Figure 12-25: Time Rule Detail Window

- b. Configure the Time Rule parameters:
 - * **Name** - The name of the Time Rule (must be unique).
 - * **Start Time** - These [Time Menus](#) determine the time at which the Deal can be applied on each qualifying day.
 - * **End Time** - These [Time Menus](#) determine the time after which the Deal can no longer be applied.
 - * **Days of Week** - This [Check Box](#) set determines the days of the week on which the Deal can be applied.
 - c. Click the **Save** button.
The Time Rule Detail [Window](#) closes and the configured Time Rule is added to the [List](#).
 - d. Repeat step a-c for each Time Rule to be added to the Deal.
32. If necessary, delete incorrect or unneeded Time Rules by doing the following:
- a. Click a row in the Time Rules [List](#).

Create a Deal

- b. The Time Rule Detail [Window](#) opens.



The screenshot shows a window titled "Time Rule Detail" with a close button (X) in the top right corner. The window contains the following fields and controls:

- Name:** A text input field containing "Hebrides".
- Start Time:** A time selection control with dropdowns for "12", ":00", and "AM".
- End Time:** A time selection control with dropdowns for "11", ":59", and "PM".
- Days of Week:** A row of checkboxes for "Sun", "Mon", "Tue", "Wed", "Thu", "Fri", and "Sat", all of which are checked.
- Delete:** A button located in the bottom right corner of the window.

Figure 12-26: Time Rule Detail Window - Existing Rule

Note: The configuration options in the Time Rule Detail [Window](#) cannot be edited. The Time Rule can only be deleted and, if necessary, a new Time Rule created to replace it (step 31).

- c. Click the **Delete** button.

The Time Rule Detail [Window](#) closes and the Time Rule is removed from the [List](#).

- d. Repeat step a-c for each Time Rule to be deleted from the Deal.

33. Click next.

The Review step opens.

34. Review the entered information to ensure that it is correct.

- Click **save** to save the Deal with its current configuration and return to the [Deal List](#).
- Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
- Click **cancel** to cancel the changes and return to the [Deal List](#) without saving the Promotion.

Card Definitions

Overview

Card Definitions determine the attributes of all the Customer Programs for which Cards are generated and distributed to customers. For example, gift card programs and loyalty programs are configured through Card Definitions.

About this Chapter

This chapter includes the following information:

- [“Card Definitions Page” on page 3](#) - Describes the Card Definitions page and its associated [Layer List](#). Options include:
 - [“Actions Menu” on page 4](#)
 - [“Open Card Definition” on page 4](#)
- [“Card Definition” on page 5](#) - Describes Card Definitions and the procedures for managing them. Options include:
 - [“Card Definition Basics” on page 5](#)
 - [“Programs Tab” on page 6](#)
 - [“Card Series Distribution Tab” on page 7](#)
 - [“Actions Menu” on page 8](#)
 - [“Edit Card Intended Use” on page 9](#)
 - [“Edit Card Definition Basics” on page 9](#)
 - [“Edit Card Type Attributes” on page 10](#)
 - [“Edit Card Vendor Data” on page 11](#)
 - [“View/Edit Franchisees” on page 12](#)
- [“Create New Card Definition” on page 13](#) - Provides the procedure for creating a new Card Definition.
- [“Card Series Distribution” on page 17](#) - Describes Card Series Distributions and the procedures for managing them. Options include:
 - [“Open a Card Series Distribution” on page 17](#)
 - [“Actions Menu” on page 18](#)
 - [“Create a Card Series Distribution” on page 19](#)
 - [“Generate Cards” on page 23](#)
 - [“Activate Cards” on page 23](#)

Overview

- [“Edit Card Type Attributes” on page 10](#)
- [“Deactivate Cards” on page 25](#)
- [“Change Batch Expiration Date” on page 26](#)
- [“Rename Card Series Batches” on page 28](#)

Programs

Programs are closely related to Card Definitions; you can access Programs through the Card Definitions interface. For information about Programs, see [page 1 in Chapter 14, “Programs”](#).

Card Definitions Page

The Card Definitions page is used to search for Card Definitions that can then be viewed or managed, or create a new Card Definition. This page is accessed by selecting the **Account->Card Definition** menu option, or by clicking the **Card Definition Link** on the [Main Page](#).

The Card Definition page displays a [Layer List](#) containing all the Card Definitions that have been created in the system.




Figure 13-1: Card Definitions Page

Table 13-1: Card Definitions List Page Key

Item	Description
1	Actions Menu - Click to open a menu of actions that can be performed in the Card Definitions Layer List page.
2	Card Definitions Layer List - A Layer List of Card Definitions currently in the system. The following information is displayed for each Card Definition:
	<p>The screenshot shows a single card definition entry for 'C&A Brazil'. It includes a play button icon, a description 'C&A Brazil', a list of programs (Loyalty: test, Award: test, Tender: C&A Brazil, and 3 additional programs...), and status information (Series Defined 4, Generated Series 3, Total Cards 150 / 250, Card Serial Number Prefix 00002, Franchisee Count 1, Active Yes).</p>

Figure 13-2: Card Definition in Layer List

- The name of the Card Definition.
- A description of the Card Definition.
- **Programs** - A list of [Programs](#) associated with the Card Definition. *Inactive Programs are displayed in red.* Each Program is listed in the format [Program Type] : [Program Name].


Table 13-1: Card Definitions List Page Key (continued)

Item	Description
<p>2</p> <p>(cont'd)</p>	<ul style="list-style-type: none"> • Status - This area displays the following information about the Card Definition: The Status area displays the following information: <ul style="list-style-type: none"> • Series Defined - Number of Card Series Distribution(s) configured for the Card Definition. • Generated Series - Number of Card Series Distribution(s) generated for the Card Definition. • Total Cards - Total number of cards generated for the Card Definition. • Card Serial Number Prefix - Prefix used on Serial Numbers for Cards in the Card Definition. • Franchisee Count - Number of Franchisees associated with the Card Definition. See the <i>Oracle Retail Customer Engagement Cloud Services Implementation Guide</i> for more information about Franchisees. • Active - Indicates whether the Card Definition is currently active.

Actions Menu

The Actions Menu for the Card Definitions page contains the following action:

- **Create New Card Definition** - Create a new Card Definition. See [“Create New Card Definition” on page 13](#) for a description of this procedure.
- **Refresh** - Refresh/Reload the [Layer List](#) of Card Definitions.



Open Card Definition

Click a Card Definition in the Card Definitions [Layer List](#) to open the Definition in a [Card Definition](#) page.

Card Definition

A Card Definition page displays information about a Card Definition in a [Layer List](#) that provides access to pages where information about the Card Definition can be viewed and updated. Card Definition pages can be accessed through the [Card Definitions Page](#).

Each Card Definition page displays the information described below.

The screenshot shows the 'Loyalty0Decimals' Card Definition page. At the top, there is a header with the card name, a 'Programs' list (Loyalty: Loyalty0Decimals, Award: test, Entitlement: test), and a 'Status' section (Series Defined: 3, Generated Series: 3, Total Cards: 62 / 150, Card Serial Number Prefix: 00009, Franchisee Count: 3, Active: Yes). Below the header, there are two tabs: 'Programs' and 'Card Series Distribution'. The 'Programs' tab is active, showing a table of programs:

Program Name	Type	Active	Create Date	Effective Date	Expiry Date	Allow Foreign Currency	Card required	Program ID
Loyalty0Decimals	Loyalty	Yes	2012-09-17	2010-12-01		Yes	No	2515
test	Award	Yes	2014-07-14	2014-07-14	2019-07-14	Yes	No	18618

Figure 13-3: Card Definition Page

Card Definition Basics

This area is displayed at all times for each Card Definition and contains the following information:

The screenshot shows the 'Test-SWA-UserOrgs' Card Definition Basics section. It includes a header with the card name, a 'Programs' list (Tender: SWA-UserOrgs), and a 'Status' section (Series Defined: 5, Generated Series: 4, Total Cards: 63 / 215, Card Serial Number Prefix: 00050, Franchisee Count: 3, Active: Yes).

Figure 13-4: Card Definition Basics

- **Card Definition Name** - The name of the Card Definition.
- **Programs** - The Programs associated with the Card Definition. *Inactive Programs are displayed in red.*
- **Status** - The current status of the Card Definition. This includes the following:
 - **Series Defined** - The number of Card Series Distributions defined for this Card Definition.
 - **Generated Series** - The number of Card Series Distributions for this Card Definition that have had Cards generated.
 - **Total Cards** - The total number of Cards for this Card Definition (includes generated and non-generated Card Series Distributions).
 - **Card Serial Number Prefix** - The Card Serial Number Prefix for this Card Definition.
 - **Card Prefix** - The Card Prefix, if any, used for this Card Definition.
 - **Franchisee Count** - The number of Franchisees associated with this Card Definition.
 - **Active** - Indicates whether the Card Definition is currently active.

To edit the information above, see [“Edit Card Definition Basics” on page 9](#).

Card Definition

Each Card Definition includes [Tabs](#) for the elements that constitute a Card Definition; the [Programs Tab](#) for Program information and the [Card Series Distribution Tab](#) for Card Series Distribution information.

Programs Tab

The Programs Tab is a [Layer List](#) containing a listing for each Program in the Card Definition.

Programs		Card Distribution	
Programs			
3-GC Pin Reqrd W/out Card	Type Tender	Create Date 2011-04-13	Allow Foreign Currency No
3-GC Pin Reqrd W/out Card	Active Yes	Effective Date 2011-04-13	Card required No
	Currency USD	Expiry Date 2016-04-13	Program ID 370
<hr/>			
Loyalty 0414-1	Type Loyalty	Create Date 2011-04-14	Allow Foreign Currency No
Loyalty 0414-1	Active Yes	Effective Date 2011-04-14	Card required No
	Currency -	Expiry Date 2016-04-14	Program ID 418

Figure 13-5: Programs Tab

Note: For more information about Programs, see [page 1 in Chapter 14, "Programs"](#).

The following information is listed for each program:

- Name of the Program.
- Description of the Program.
- **Type** - Program Type. Can be Tender, Award, or Loyalty.

Note: For a Loyalty Program, if there are Items or Locations in the Program assigned to a different Franchisee than the Franchisee associated with the Program, a red background appears on the left side of the program row.

Loyalty 25411	Type
Loyalty 25411	Active
	Currency

- **Active** - Indicates whether the Program is currently active.
- **Currency** - Currency code for the base currency used by the program.
- **Create Date** - Date on which the Program was created.
- **Effective Date** - Date on which the Program became effective.
- **Expiry Date** - Date on which the Program expires.
- **Allow Foreign Currency** - Indicates whether foreign currency transactions (i.e. transactions performed using a currency other than the base currency) can be applied to this Program.
- **Card Required** - Indicates whether the customer must present a Card during the transaction for the transaction to be applied to the Program.
- **Program ID** - ID of the program.

Card Series Distribution Tab

The Card Series Distribution tab is a [Layer List](#) containing a row for each Card Series Distribution in the Card Definition.





Programs		Card Series Distribution				
Card Series Distribution						
NoGen	Card Serial Number Prefix 00004	Active Yes	Generated Yes	Batch Count 1		
 NoGen	Sequence No. 02	Create Date 2014-07-16	Incremental Generation Yes	Card Count 100		
	Expiry Date none	Start Date	End Date	Generated Card Count 2		
TestEntitlementCards	Card Serial Number Prefix 00004	Active Yes	Generated Yes	Batch Count 1		
 TestEntitlementCards	Sequence No. 01	Create Date 2014-06-05	Incremental Generation No	Card Count 100		
	Expiry Date none	Start Date	End Date	Generated Card Count 100		

Figure 13-6: Card Series Distribution Tab

The following information is displayed for each Card Series Distribution:

- **Card Serial Number Prefix** - Serial Number Prefix for the Card Series.
- **Sequence No.** - Number indicating the sequence in which the Card Series were created.
- **Expiry Date** - Date the Cards in the Series expire.
- **Active** - Indicates whether the Card Series Distribution is currently active.
- **Create Date** - Date on which the Card Series Distribution was created.
- **Start Date** - Date on which the Card Series Distribution was first enabled.
- **Generated** - Indicates whether the Cards in this Distribution have been generated.
- **Incremental Generation** - Indicates whether new Cards will be generated one at a time on demand from the POS (**Yes**), or if the Cards are generated all at once (**No**).


Note: Generally, Cards that are generated incrementally are mailed to customers, while Cards that are generated all at once are given to customers immediately at the POS.

- **End Date** - Date on which the Card Series Distribution is no longer enabled.
- **Batch Count** - Total number of batches in this Distribution.
- **Card Count** - Total number of Cards in all the batches in this Distribution.
- **Generated Card Count** - Number of Cards generated by the Series.

Actions Menu

The [Actions Menu](#) for the [Card Definition](#) page has the following options:

- **Create New Program** - Create a new Program for the Card Definition. See [“Create New Program” on page 39](#) for more information.
- **Create a New Card Series** - Create a new Series for the Card Definition. See [“Create a Card Series Distribution” on page 19](#) for more information.
- **Franchisees** - View or edit the Franchisees associated with the Card Definition. See [“View/Edit Franchisees” on page 12](#) for more information.



Note: This option is only present if Enable Franchise Support is set to **Yes** in System Configuration. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information.

- **Card Intended Use** - Determine the intended use for the Card Definition. See [“Edit Card Intended Use” on page 9](#) for more information.

Note: This option is only present if Enable Card Intended Use is set to **Yes** in System Configuration. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information.

- **Card Definition** - Edit the [Card Definition Basics](#) for the Card Definition. See [“Edit Card Definition Basics” on page 9](#) for more information.
- **Card Vendor Profile** - Edit the Vendor Data for the Card Definition. See [“Edit Card Vendor Data” on page 11](#) for more information.
- **Card Type Attributes** - Edit the Attributes for the Card Definition. See [“Edit Card Type Attributes” on page 10](#) for more information.
- **Refresh** - Refresh/Reload the Card Definition.

Edit Card Intended Use

Important: Intended Use information can only be edited before Cards are generated for the Card Definition. After generating cards, you cannot change the information.

To edit the intended use for a Card Definition:

1. In the [Actions Menu](#), click **Card Intended Use**.

The Edit Card Intended Use screen opens.

Figure 13-7: Edit Card Intended Use

2. Select the **Intended Use** for the Card in the [Selection Menu](#).
3. Click **Save** to save the settings and return to the Card Definition, or click **Cancel** to discard the changes and return to the Card Definition with its current settings.

Edit Card Definition Basics

Note: Card Definition information can only be edited before Cards are generated for the Card Definition. After generating Cards, you cannot change the information.

To edit the basic information for a Card Definition:

1. In the [Actions Menu](#), click **Card Definition**.

The Edit Card Definition Basics screen opens.

Figure 13-8: Edit Card Definition Basics

2. Make changes to the basic Card definition parameters:
 - **Card Type Name** - Name of the Card Definition.
 - **Description** - A description of the Card Definition.
 - **Card Number Prefix** - Prefix used by the Card Numbers for the Card Definition.

Card Definition

- **Card Number Length** - Length of the Card Number (including the Card Prefix).

Tip: As you enter Card Number Prefix and Card Number Length information, Customer Engagement displays the maximum number of cards that can be created for the card definition.

The maximum number of cards that can be created is 100000000000

- **Card Serial Number Prefix** - **The Card Serial Number Prefix is fixed and cannot be changed.**
 - **Generate Pin** - A [Check Box](#) indicating whether Customer Engagement will generate PINs for the Cards.
 - * **Checked** - Customer Engagement will generate a PIN for each Card.
 - * **Unchecked** - PINs will not be generated.
 - **PIN Length** - The length of each PIN. (This field is only visible if the **Generate Pin** [Check Box](#) is checked).

Enter 0 **[DEFAULT]** for Cards that will not have PINs.
 - **PIN Required** - For each [Check Box](#), indicate whether a PIN is required for that situation. (These fields are only visible if the **Generate Pin** [Check Box](#) is checked.)
 - * **Always** - A customer must enter a PIN every time their Card is used.
 - * **Without Card** - A customer must enter a PIN if they do not have their Card.
 - **Active** - Determines whether the Card Definition is active upon creation.
3. Click **Save** to save the settings and return to the Card Definition, or click **Cancel** to discard the changes and return to the Card Definition with its current settings.

Edit Card Type Attributes

To edit the Attributes for a Card Type:

1. In a [Card Definition](#) page, click **Card Type Attributes** in the [Actions Menu](#).

The Card Type Attributes screen opens. All Card Type Attributes are displayed. If the Attribute has already been set for the Card Type, the **Delete** button is displayed for the Attribute; otherwise, the **Add** button is displayed.

Card Type Attributes		
Required		
Character Card Type	test character card type	Add
Multi-Use Card?	Is the card type multi-use?	Add

Figure 13-9: Card Type Attributes Screen

2. If necessary, add or change a required or optional card type attribute:
 - a. To add an Attribute, click the **Add** button.

A configuration field opens.

- b. Select or enter the configuration value for the Attribute.
3. Repeat until all necessary Attribute(s) are configured.
4. To delete an Attribute, click the **Delete** button.
5. To change the configuration value for an Attribute, select or enter the new configuration value.
6. Click **Save** to save the changes and return to the [Card Definition](#) page, or click **Cancel** to discard the changes and return to the [Card Definition](#) page.

Edit Card Vendor Data

To update Card Vendor Data for the Cards generated for a Card Definition:

1. In a [Card Definition](#) page, click **Card Vendor Profile** in the [Actions Menu](#).

The Card Vendor Profile screen opens.

Card Def: 3-GC Pin Reard W/out Card ▶ Vendor Profile

Define optional Card Vendor information.

Vendor Name	<input type="text"/>
Vendor Address	<input type="text"/>
	<input type="text"/>
	<input type="text"/>
Vendor City	<input type="text"/>
Vendor State / Prov	<input type="text"/>
Vendor Postal Code	<input type="text"/>
Vendor Country	<input type="text"/>
Vendor Phone	<input type="text"/>

Figure 13-10: Card Vendor Profile Screen

2. Update the information in each [Text Field](#):
 - **Vendor Name** - Name of the vendor.
 - **Vendor Address** - Address lines 1-3 for the vendor.
 - **Vendor City** - City where the vendor is located.
 - **Vendor State/Prov** - State or province in which the vendor is located.
 - **Vendor Postal Code** - Postal Code or ZIP Code for the vendor.
 - **Vendor Country** - Country where the vendor is located.
 - **Vendor Phone** - Phone number of the vendor.
3. Click **Save** to save the changes and return to the [Card Definition](#) page, or click **Cancel** to discard the changes and return to the [Card Definition](#) page.

View/Edit Franchisees

Note: See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information about Franchisees and their configuration.

To view or edit the Franchisees associated with the [Card Definition](#), click **Franchisees** in the [Actions Menu](#) on the [Card Definition](#) page.

The Franchisees screen opens.




Figure 13-11: Franchisees Screen

Edit Franchisees

To modify the Franchisees associated with a [Card Definition](#):

- In the Franchisees [List](#), use the **Select Check Box** for each Franchisee to determine whether the Franchisee will be associated with the [Card Definition](#).
 - Checked ()** - The Franchisee will be associated with the [Card Definition](#).
 - Unchecked ()** - The Franchisee will not be associated with the [Card Definition](#).

Tip: Click the **Check All Link** to include all Franchisees in the [Card Definition](#).
- Use the Card Administrator [Check Box](#) for each Franchisee to determine whether the Franchisee will have Card Administrator privileges for the [Card Definition](#).
 - Checked ()** - The Franchisee will be a Card Administrator for the [Card Definition](#).
 - Unchecked ()** - The Franchisee will not be a Card Administrator for the [Card Definition](#).
- Click **Save** to save the new configuration and return to the [Card Definition](#), or click **Cancel** to return to the [Card Definition](#) without saving the changes.

Create New Card Definition

Perform the following procedure to create a new Card Definition:

1. Click **Create New Card Definition** in the [Actions Menu](#) for the [Card Definitions Page](#).

The Create Card Definition [Wizard](#) opens. Depending upon the configuration of the Enable Card Intended Use property in System Configuration, the Create Card Definition Wizard will open to one of two steps:

- If the Card Intended Use step opens, continue with the next step.
- If the Card Profile step opens, continue with step 4. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information about System Configuration and the Enable Card Intended Use property.

2. In the Card Intended Use step, select the Intended Use for the Card.

Figure 13-12: Card Intended Use Step

3. Click **next**.
4. In the Card Profile step, enter the Card information:

Figure 13-13: Create Card Definition Wizard

- **Card Type Name** - Name of the Card Definition.
- **Description** - A description of the Card Definition.
- **Card Number Prefix** - The Prefix used for the Card Number for this Card Definition.

Create New Card Definition

- **Card Number Length** - [OPTIONAL] The number of digits in the Card Number (including the Prefix).

Tip: As you enter Card Number Prefix and Card Number Length information, Customer Engagement displays the maximum number of cards that can be created for the card definition.

The maximum number of cards that can be created is 100000000000


- **Card Serial Number Prefix**- [REQUIRED] Prefix used by the serial numbers for the Card Definition.

Important: Once the Card Definition is saved, the Card Serial Number Prefix cannot be changed. Do not save the Card Definition unless you know that the Card Serial Number Prefix you are entering is correct.

- **Generate Pin** - A [Check Box](#) determining whether Customer Engagement will generate PINs for the Cards.

- * **Unchecked** - [DEFAULT] PINs will not be generated.
- * **Checked** - Customer Engagement will generate a PIN for each Card.

When this option is checked, the **PIN Length** and **PIN Required** fields open.



Generate Pin

PIN Length

PIN Required Always

Without Card

Figure 13-14: Generate Pin [Check Box](#) Checked

- * **PIN Length** - The length of each PIN. *This field is only displayed if the Generate Pin [Check Box](#) has a check mark () in it.*

This value must be less than or equal to 8.

- * **PIN Required** - Enter a check mark () in the [Check Box](#) indicating when a PIN is required. Only one [Check Box](#) can be selected. *These fields are only displayed if the Generate Pin [Check Box](#) has a check mark () in it.*

Always - A customer must enter a PIN every time their Card is used.
[DEFAULT] Unchecked/Not Required.

Without Card - A customer must enter a PIN if they do not have their Card.
[DEFAULT] Unchecked/Not Required.

- **Active** - Determines whether the Card Definition will be active upon creation.
[DEFAULT] Unchecked/Not Active.

5. Click **next** when you have finished entering information.

The Card Vendor step is displayed.

Figure 13-15: Card Vendor Step

6. In the Card Vendor step, enter the vendor information:
 - **Vendor Name** - Name of the Card vendor.
 - **Vendor Address** - Address lines 1-3 for the Card vendor.
 - **Vendor City** - City of the vendor.
 - **Vendor State/Prov** - State or province of the vendor.
 - **Vendor Postal Code** - Postal Code (ZIP Code) of the vendor.
 - **Vendor Country** - Country of the vendor.
 - **Vendor Phone** - Phone number of the vendor.

7. Click next when you have finished entering information.

The Card Type Attributes step opens.

Figure 13-16: Card Type Attributes Step

- a. Select or enter the configuration values for each of the **Required** Attributes.
- b. Add any necessary **Optional** Attribute(s):
 - 1) Click the proper **Add** button.
A configuration field opens.

Create New Card Definition

- 2) Select or enter the configuration value for the Attribute.
- c. Repeat until all necessary Attribute(s) are configured.
- d. To remove an Attribute, click the **Delete** button for that Attribute.
The Attribute is deleted.
- e. When you have completed configuring the Attributes, click **next** to continue.
If Franchises are enabled on your system, the Franchisee step opens. Continue with step 8.
If Franchises are not enabled on your system, the Review step opens. Continue with step 10. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information about Franchisees and their configuration.

8. Determine the Franchisees to associate with the Card Definition.



Figure 13-17: Franchisees Step

- Select the **Check All** [Link](#) to associate the Card Definition with all Franchisees.
 - If only a subset of Franchisees will be associated with the Card Definition, select the [Check Box](#) for each Franchisee to be included.
 - Select the **Uncheck All** [Link](#) to unselect all selected Franchisees.
9. Click **next** when you have finished configuring the Franchisees.
The Review step opens.
 10. Review the entered information to ensure that it is correct.
 - Click **save** to save the Card Definition with the current settings and return to the [Card Definitions Page](#).
 - Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
 - Click **cancel** to delete all information and return to the [Card Definitions Page](#).After saving the Card Definition, the Card Definition is created. However, there are additional processes that must be performed before the Card Definition is ready.
 11. Complete the Card Definition by performing the following procedures:
 - *Create a New Program* on [page 39 in Chapter 14, "Programs"](#)
 - ["Create a Card Series Distribution" on page 19](#)
 - ["Edit Card Vendor Data" on page 11](#)

Card Series Distribution

A Card Series Distribution is a set of Cards distributed as part of a Card Definition. Each Card Series Distribution contains one or more batches of Cards to be generated and then distributed to Customers. Each Card Definition can have multiple Card Series Distributions, and each Card Series Distribution can have multiple batches.

Open a Card Series Distribution

To access a Card Series Distribution, click the Series in the [Card Series Distribution Tab](#). The Distribution is opened in the Card Series Distribution screen.

The screenshot shows the 'Card Batch Admin' screen for 'Card Def: 5-GC Initial Balance' and 'Card Series: Series 3'. It displays the following details:

Series Name	Series 3	Generated	Yes
Series Description	Series 3	Incremental Generation	No

Batch	# Cards	Name	Description
001	5	[Batch-001]	[Batch-001]
002	5	[Batch-002]	[Batch-002]

Figure 13-18: Card Series Distribution Screen

The following information is displayed for each open Card Series Distribution:

- **Series Name** - Name of the Card Series Distribution.
- **Series Description** - Description of the Card Series Distribution.
- **Generated** - Indicates whether the Card Series Distribution has been generated.
- **Incremental Generation** - Indicates whether the Card Series Distribution was generated through a Generate Card message.
- **Batch List** - A [List](#) of Batches associated with the Distribution.

The following information is displayed for each Batch:


- **Batch** - The Batch Number.
- **# Cards** - The number of Cards in the Batch.
- **Name** - Name of the Batch.
- **Description** - Description of the Batch.

Actions Menu

The [Actions Menu](#) for each Card Series Distribution has the following options:

Note: The options displayed will depend upon the current status of the Card Series Distribution. Generate Card Series and Edit Card Series are displayed only if a Card Series Distribution has not yet been generated. Activate Batches, Deactivate Batches, and Change Batch Expiry Date are displayed only if a Card Series Distribution has been generated.

- **Generate Card Series** - Generate Cards for the Batch (see [“Generate Cards” on page 23](#) for more information).
- **Rename Batches** - Changes the name of Card Batches (see [“Rename Card Series Batches” on page 28](#)).
- **Edit Card Series** - Edit the Series in the New Card Series Distribution [Wizard](#) (see [“Create a Card Series Distribution” on page 19](#)).
- **Edit Card Series Attributes** - Edit the Attributes for the Card Series (see [“Edit Card Series Attributes” on page 25](#)).
- **Activate Batches** - Activate Cards by Batch or by Card number range (see [“Activate Cards” on page 23](#)).
- **Deactivate Batches** - Deactivates Cards by Batch or by Card number range (see [“Deactivate Cards” on page 25](#)).
- **Change Batch Expiry Date** - Changes the expiration date for Cards by Batch or by Card number range (see [“Change Batch Expiration Date” on page 26](#)).



Create a Card Series Distribution

To add a Card Series Distribution to a Card Definition:

1. In the [Actions Menu](#) for a Card Definition, select **Create A New Card Series**. This option is available only if the Program is Active.

Tip: If there are no Card Series Distributions defined for the Card Definition, Customer Engagement provides a **Click Here [Link](#)** for adding a Distribution.

The New Card Series Distribution [Wizard](#) opens with the Series Definition step.

Figure 13-19: New Card Series Distribution Wizard

2. Enter the information for the Card Series Distribution:
 - **Series Name** - Name of the Card Series Distribution.
 - **Description** - Description of the Card Series Distribution.
 - **Import Card Numbers** - Select the Import Card Numbers [Check Box](#) to import a comma-separated values (CSV) file containing card numbers.
 - **Expiration Dates** - Determines the type of expiration date to use for the Card Series Distribution. This [Selection Menu](#) has the following options:
 - * **Fixed** - Beginning and ending expiration dates will be defined by the User.

If this option is selected, the **Start Date** and **End Date** fields are displayed.
 - * **Variable** - The ending expiration date will be a certain, defined period of time after the initial activation date.

If this option is selected, the Period Type and Number of Periods fields are displayed.
 - * **None** - The beginning and ending expiration date will be defined by the Program.
 - **Start Date** - This [Calendar Menu](#) determines the first date on which the Cards will be active. *This field is only displayed if **Fixed** Expiration Dates are selected.*
 - **End Date** - This [Calendar Menu](#) determines the last date on which the Cards will be active. *This field is only displayed if **Fixed** Expiration Dates are selected.*

Card Series Distribution

- **Period Type** - This [Selection Menu](#) determines the type of time period used to determine the expiration date of the Cards. *This field is only displayed if **Variable Expiration Dates** are selected.*
 - **Number of Periods** - The number of time periods after the activation date that the Cards expire. *This field is only displayed if **Variable Expiration Dates** are selected.*
3. Click **next** to continue.

The Card Series Attribute step opens if there are any card series attributes available for selection.

The screenshot shows the 'Card Series Attributes' step in a multi-step process. The top navigation bar includes 'Series Definition', 'Card Series Attributes' (highlighted), and 'Import Card Numbers'. Below the navigation bar, there are navigation buttons: 'previous', 'save', 'cancel', and 'next'. The main content area is titled 'Card Series Attributes' and is divided into two sections: 'Required' and 'Optional'. Under 'Required', there is a row with 'seasonal' on the left, a dropdown menu with 'seasonal' selected and '(Please select)' below it, and an 'Add' button on the right. Under 'Optional', there is a row with 'Holidays' on the left, 'holiday occasion' in the middle, and an 'Add' button on the right.

Figure 13-20: Card Series Attribute Step

- To add an Attribute, click the **Add** button.
A configuration field opens.
 - Select or enter the configuration value for the Attribute.
 - Repeat until all necessary Attribute(s) are configured.
If an attribute is flagged as Required, you will need to select a value for that attribute.
 - To delete an Attribute, click the **Delete** button.
 - To change the configuration value for an Attribute, select or enter the new configuration value.
4. Click **next** to continue.


If the Import Card Numbers [Check Box](#) was selected, the Import Card Numbers step opens.

The screenshot shows the 'Import Card Numbers' step in a multi-step process. The top navigation bar includes 'Series Definition', 'Card Series Attributes', 'Import Card Numbers' (highlighted), and 'Card / Batches'. Below the navigation bar, there are navigation buttons: 'previous', 'save', 'cancel', and 'next'. The main content area is titled 'Import Card Numbers' and contains a text field with the placeholder 'File to import: (Please select)' and a blue link below it that says 'Select file to import'.

Figure 13-21: Import Card Numbers Step

- Click **Select file to import**.

The Import Card Numbers window opens.



- b. Use the [File Upload](#) (Browse) field to select the CSV file to import.
- c. Click the **Import** button.
- d. The Import CSV [Window](#) closes and the card numbers are listed on the screen.

Card Series Attributes **Import Card Numbers** Card / Batches

File to import: CardsWithAttributes1.csv
[Select file to import](#)

Selected import file contains 6 lines.

Card Number	Serial Number	PIN	Tender Balance	Loyalty Balance	Award Balance	Attribute#1	Attribute#2	Attribute#3
1232267890123456	9999402001000001	123456	10.00	20.00	30.00	CARD_REDEMPTION_INFO = Re...	CARD_MIN_BALANCE = 10.00	CARD_LAST_USED = 201...
2345338901234567	9999402001000002	234567	10.01	20.01	30.01	CARD_REDEMPTION_INFO = Re...	CARD_MIN_BALANCE = 12.00	CARD_LAST_USED = 201...
3456449012345678	9999402001000003	345678	10.25	20.25	30.25	CARD_REDEMPTION_INFO = Re...	CARD_MIN_BALANCE = 10.00	CARD_LAST_USED = 201...

CSV File Format

When importing external card numbers for a card series, the CSV file listing the numbers must have the following fields for each line:

- CARD_NUMBER **[REQUIRED]**
- CARD_PIN_NUMBER **[OPTIONAL]**
- Tender Balance Amount **[OPTIONAL]**
- Loyalty Balance Amount **[OPTIONAL]**
- Award Balance Amount **[OPTIONAL]**
- ATTRIBUTE NAME 1 **[OPTIONAL]**
- ATTRIBUTE VALUE 1 **[OPTIONAL]**, but required if ATTRIBUTE NAME 1 specified
- ATTRIBUTE NAME 2 **[OPTIONAL]**
- ATTRIBUTE VALUE 2 **[OPTIONAL]**, but required if ATTRIBUTE NAME 2 specified
- ATTRIBUTE NAME 3 **[OPTIONAL]**
- ATTRIBUTE VALUE 3 **[OPTIONAL]**, but required if ATTRIBUTE NAME 3 specified
- ATTRIBUTE NAME 4 **[OPTIONAL]**
- ATTRIBUTE VALUE 4 **[OPTIONAL]**, but required if ATTRIBUTE NAME 4 specified
- ATTRIBUTE NAME 5 **[OPTIONAL]**
- ATTRIBUTE VALUE 5 **[OPTIONAL]**, but required if ATTRIBUTE NAME 5 specified

A placeholder must be used for all fields. For example, to include a card number of 1234567890123456 with a PIN of 123456, a Tender Balance Amount of 10, a Loyalty Balance Amount of 20, an Award Balance Amount of 30, and a

Card Series Distribution

CARD_REDEMPTION_INFO attribute of "Redeemed Solon, OH", the following line would be included in the CSV file:

```
1234567890123456,123456,10,20,30,CARD_REDEMPTION_INFO,"Redeemed Solon, OH",,,,,,
```

Note the empty fields for the remaining four attribute names and values in the example.

CSV file validation:

- * The card numbers cannot be duplicates to any cards already in the database.
- * The card number prefixes must be valid for the card definition.
- * The activation amounts must be valid numbers.

Additional information:

- * The card number length does not need to match the length specified for the card definition.
- * If an activation amount is provided in the import file, the card will be activated upon creation. If no amounts are provided the card will remain inactive.
- * The activation amounts are in the program's base currency.

5. Click **next** to continue.

The Card/ Batches step opens.

Series Definition > **Card / Batches** > Batch Labels > Review

<< previous save cancel next >>

Define Number of Cards / Batches

Number Of Cards

Number Of Batches

Figure 13-22: Card / Batches Step

6. Enter the Card and Batch number information:
 - **Number of Cards** - The total number of Cards in the Card Series Distribution (the total for all batches). You can create up to 999,999 Cards.
 - **Number of Batches** - The number of separate Card batches included in the Card Series Distribution.
7. Click **next** to continue.

The Batch Labels step opens.

Series Definition > Card / Batches > **Batch Labels** > Review

<< previous save cancel next >>

Define batch labels and descriptions.

Batch	# Cards	Name	Description
001	200	<input type="text" value="[Batch-001]"/>	<input type="text" value="[Batch-001]"/>
002	200	<input type="text" value="[Batch-002]"/>	<input type="text" value="[Batch-002]"/>
003	200	<input type="text" value="[Batch-003]"/>	<input type="text" value="[Batch-003]"/>

Figure 13-23: Batch Labels Step

8. If necessary, edit the following information for each batch in the Card Series Distribution:

- **Name** - Name of the batch.
- **Description** - Description of the batch.

Note: The Batch ID and Number of Cards (Batch and # Cards columns) cannot be edited. These are configured automatically by Customer Engagement and cannot be changed.

9. Click **next** to continue.

The Review step opens.

10. Review the entered information to ensure that it is correct.


- Click **save** to save the Card Series Distribution with the current settings and return to the [Card Definition](#) page.
- Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
- Click **cancel** to delete all information and return to the [Card Definition](#) page.

Generate Cards

To generate a set of Cards within a Card Definition:

1. Open the Card Series Distribution (see [“Open a Card Series Distribution” on page 17](#)).
2. Click **Generate Card Series** in the [Actions Menu](#).

A notification message is displaying, indicating that a Generate Cards Job has been submitted. See [page 1 in Chapter 19, “Process Queue”](#) for more information.

 Job successfully submitted. Please check the process queue.

You can generate cards only if all Programs for the Card Definition are currently active.

Activate Cards

To activate a set of Cards within a Card Definition:

1. Open the Card Series Distribution (see [“Open a Card Series Distribution” on page 17](#)).
2. Click **Activate Batches** in the [Actions Menu](#).

An Activate Card Series Batches [Window](#) opens.

Activate Card Series Batches

Select Batches Enter Card Ranges

Batch	# Cards	Name	Description
<input type="checkbox"/> 001	10	[Batch-001]	[Batch-001]
<input type="checkbox"/> 002	10	[Batch-002]	[Batch-002]

Enter an activation amount (blank = program default)

Tender Loyalty

Figure 13-24: Activate Card Series Batches

3. Select the method for activating Cards in the [Radio Buttons](#):
 - **Select Batches** - Activate Card Series by batch.

If you select this option, a [List](#) of batches is displayed. Do the following:

 - * Put a check mark () in the [Check Box](#) for each Batch that is being activated.
 - **Enter Card Ranges** - Activate a range of Card numbers regardless of batch.

If you select this option, one [Text Field](#) is displayed for the beginning and one for the end of the Card range. Each [Text Field](#) is preceded by the Card Prefix. Do the following:

Activate Card Series Batches

Select Batches Enter Card Ranges

From 0413904 To 0413904

Enter an activation amount (blank = program default)

Tender Loyalty

Figure 13-25: Activate Card Series Batches by Card Range

- 1) In the **From** [Text Field](#), enter the first Card serial number (without the prefix) to be activated.
- 2) In the **To** [Text Field](#), enter the last Card serial number (without the prefix) to be activated.
4. If the Cards in the Batch will have an initial value other than the default, enter that value into the **Enter an activation amount** [Text Field](#).

To use the default activation amount, leave the field blank.
5. Click **Activate Batches** to activate the selected Cards and return to the Card Series Distribution, or click **Cancel** to discard the information and return to the Card Series Distribution.

Edit Card Series Attributes

To edit the Attributes for a Card Series:

1. Open the Card Series Distribution (see [“Open a Card Series Distribution” on page 17](#)).
2. Click **Edit Card Series Attributes** in the [Actions Menu](#).

The Card Series Attributes screen opens. All Card Series Attributes are displayed. If the Attribute has already been set for the Card Series and is not required, the **Delete** button is displayed for the Attribute; otherwise, the **Add** button is displayed.

Card Series Attributes		
Required		
seasonal	seasonal none	Add
Optional		
Holidays	holiday occasion Christmas	Add Delete

Figure 13-26: Card Series Attributes Screen

3. If necessary, add or change a required or optional card type attribute:
 - a. To add an Attribute, click the **Add** button.
A configuration field opens.
 - b. Select or enter the configuration value for the Attribute.
 - c. Repeat until all necessary Attribute(s) are configured.
 - d. To delete an Attribute, click the **Delete** button.
 - e. To change the configuration value for an Attribute, select or enter the new configuration value.


Click **Save** to save the changes and return to the [Card Definition](#) page, or click **Cancel** to discard the changes and return to the [Card Definition](#) page.

Deactivate Cards

To deactivate a set of Cards within a Card Definition:

1. Open the Card Series Distribution (see [“Open a Card Series Distribution” on page 17](#)).
2. Click **Deactivate Batches** in the [Actions Menu](#).

A Deactivate Card Series Batches [Window](#) opens.



Deactivate Card Series Batches

Select Batches Enter Card Ranges

Batch	# Cards	Name	Description
<input type="checkbox"/> 001	10	[Batch-001]	[Batch-001]
<input type="checkbox"/> 002	10	[Batch-002]	[Batch-002]

Cancel Deactivate Batches

Figure 13-27: Deactivate Card Series Batches Window

3. Select the method for deactivating Cards in the [Radio Buttons](#):


- **Select Batches** - Deactivate Card series by batch.

If you select this option, a [List](#) of batches is displayed. Do the following:

- * Put a check mark () in the [Check Box](#) for each Batch that is being deactivated.

- **Enter Card Ranges** - Deactivate a range of Card numbers regardless of batch.

If you select this option, one [Text Field](#) is displayed for the beginning and one for the end of the Card range. Each [Text Field](#) is preceded by the Card Prefix. Do the following:



Deactivate Card Series Batches

Select Batches Enter Card Ranges

From 0413904 To 0413904

Cancel Deactivate Batches

Figure 13-28: Deactivate Card Series Batches by Card Range

- 1) In the **From** [Text Field](#), enter the first Card serial number (without the prefix) to be deactivated.
 - 2) In the **To** [Text Field](#), enter the last Card serial number (without the prefix) to be deactivated.
4. Click **Deactivate Batches** to deactivate the selected Cards and return to the Card Series Distribution, or click **Cancel** to discard the information and return to the Card Series Distribution.

Change Batch Expiration Date

To change the expiration dates for a set of Cards within a Card Definition:

1. Open the Card Series Distribution (see [“Open a Card Series Distribution” on page 17](#)).
2. Click **Change Batch Expiry Date** in the [Actions Menu](#).

A Change Batch Expiry Date [Window](#) opens.

Change Batch Expiry Date

Select Batches Enter Card Ranges

Batch	# Cards	Name	Description
<input type="checkbox"/> 001	10	[Batch-001]	[Batch-001]
<input type="checkbox"/> 002	10	[Batch-002]	[Batch-002]

Change expiration date to

Figure 13-29: Change Batch Expiry Date Window

3. Select the method for changing the expiry date of the Cards in the [Radio Buttons](#):
 - **Select Batches** - Change the expiration date of batches of Cards.
If you select this option, a [List](#) of batches is displayed. Do the following:
 - * Select the [Check Box](#) for each Batch whose expiration date is being changed.
 - **Enter Card Ranges** - Change the expiration date for a range of Card numbers regardless of batch.
If you select this option, one [Text Field](#) is displayed for the beginning and one for the end of the Card range. Each [Text Field](#) is preceded by the Card Prefix. Do the following:

Change Batch Expiry Date

Select Batches Enter Card Ranges

From 0413904 To 0413904

Change expiration date to

Figure 13-30: Change Batch Expiry Date by Card Range

- 1) In the **From** [Text Field](#), enter the first Card serial number (without the prefix) whose expiration date is changing.
- 2) In the **To** [Text Field](#), enter the last Card serial number (without the prefix) whose expiration date is changing.
4. Select the new expiration date in the **Change expiration date to** [Calendar Menu](#).
5. Click **Change Expiry Date** to change the expiration date for the selected Cards and return to the Card Series Distribution, or click **Cancel** to discard the information and return to the Card Series Distribution.

Rename Card Series Batches

To change the name of a Batch within a Card Definition:

1. Open the Card Series Distribution (see [“Open a Card Series Distribution” on page 17](#)).
2. Click **Rename Batches** in the [Actions Menu](#).

A Rename Card Series Batches [Window](#) opens.

Batch	# Cards	Name	Description
<input type="checkbox"/>	001	10	[Batch-001]
<input type="checkbox"/>	002	10	[Batch-002]

Figure 13-31: Rename Card Series Batches Window

3. Put a check mark () in the [Check Box](#) for each Batch whose name is being changed.
4. Enter the new name for the Batch(es) in the **Rename to** [Text Field](#).
5. Enter a description of the Batch(es) in the **Description** [Text Field](#).
6. Click **Rename Batches** to change the name for the Batch(es) and return to the Card Series Distribution, or click **Cancel** to discard the information and return to the Card Series Distribution.

Overview

A Program is a set of rules and parameters that govern the behavior of an account and turn it into one of several basic program types: Tender, Loyalty, and Award.

Program Types

Customer Engagement has the following types of Programs for Card Definitions:

- **Tender Program** - Tender Programs define rules for gift cards or stored value cards. See [“Tender Program” on page 3](#).
- **Award Program** - Award Programs can define Entitlement Deals offering percentage or dollar discounts, or E-Awards that are distributed to customers electronically. These awards are distributed as part of promotions such as birthday or anniversary awards, or they can be made available to customers who have accumulated a certain number of points as part of a Loyalty Program. See [“Award Program” on page 6](#).
- **Loyalty Program** - Loyalty Programs define the rules used for tracking the purchases of Customers belonging to location loyalty programs, usually through a system of “points”. These points can then be redeemed for discounts of a fixed amount (though the points alone have no intrinsic value). The discounts can be distributed through the mail as paper coupons, or made available to customers as an E-Award coupon or Entitlement coupon associated with an Award Program. See [“Loyalty Program” on page 12](#).

About this Chapter

This chapter includes the following information:

- [“Open a Program” on page 3](#) - Describes how to open an existing Program.
- [“Tender Program” on page 3](#) - Describes working with Tender Programs for gift cards or stored value cards. Options include:
 - [“Actions Menu” on page 5](#)
 - [“Edit a Tender Program” on page 5](#)
- [“Award Program” on page 6](#) - Describes working with Award Programs for Entitlement Deals or E-Awards. Options include:
 - [“Actions Menu” on page 8](#)
 - [“Edit an Award Program” on page 8](#)
 - [“Entitlement Deal” on page 8](#)
 - [“Add an Entitlement Deal” on page 11](#)

- [“Loyalty Program” on page 12](#) - Describes working with Loyalty Programs for tracking customer transactions and earned points. Options include:
 - [“Actions Menu” on page 14](#)
 - [“Edit a Loyalty Program” on page 14](#)
 - [“Loyalty Level” on page 14](#)
 - [“Issue Rule” on page 21](#)
 - [“Award Rule” on page 30](#)
 - [“Movement Rule” on page 34](#)
- [“Create New Program” on page 39](#) - Describes how to create a new program. Options include:
 - [“Create a Tender Program” on page 40](#)
 - [“Create a Loyalty Program” on page 44](#)
 - [“Create an Award Program” on page 47](#)

Open a Program

To open a Program within a [Card Definition](#), open the [Programs Tab](#) in a [Card Definition](#) page. The Program will be opened in the Program screen.

Note: For more information about opening a [Card Definition](#) to access a Program, see [Chapter 13, “Card Definitions” on page 1](#) and the section [“Programs Tab” on page 6](#).

The information displayed for the Program will depend upon the type of Program. The information displayed for each Program type is described in the following sections:

- [“Tender Program” on page 3](#)
- [“Award Program” on page 6](#)
- [“Loyalty Program” on page 12](#)

Tender Program

The following information is displayed for Tender Programs:

Card Def: GC/Loy 0414-1 ▶ Tender Program: GC/Loy 0414-1

General Program Information			
Program Name	GC/Loy 0414-1	Start Date	2011-04-14 Active Yes
Program Description	GC/Loy 0414-1	End Date	2016-04-14
Tender Program Details			
Credit Reversal	Yes	Card required	No Allow Foreign Currency Yes
Debit Reversal	Yes	Card Merge Permitted	No Currency Canada, Dollars
Allow Cash Outs	Yes	Account Level Expiration	Yes Number of Periods 52
Cash Out Limit	999.00	Period Type	Weeks
Tender Balances			

Figure 14-1: Tender Program Screen

- **General Program Information** - General information about the Program. This includes the following information:
 - **Program Name** - Name of the Program.
 - **Program Description** - Description of the Program.
 - **Start Date** - Date on which the Program starts.
 - **End Date** - Date on which the Program ends.
 - **Active** - Indicates whether the Program is currently active.
- **Tender Program Details** - Detailed information specific to Tender Programs. This includes the following information:
 - **Credit Reversal** - Indicates whether credits to the card balance can be reversed.
 - **Debit Reversal** - Indicates whether debits from the card balance can be reversed.
 - **Card Required** - Indicates whether the customer must have the physical card present during the transaction to receive credit for the transaction.
 - **Card Merge Permitted** - Indicates whether the Card can be merged with another Card.

Tender Program



- **Allow Foreign Currency** - Indicates whether foreign currency transactions (i.e. a transaction performed in a currency other than the base currency) are applied to the Program.
- **Currency** - The base currency for the Program.
- **Allow Cash Outs** - Indicates whether the Program allows accounts to be cashed out.
- **Cash Out Limit** - If cash out transactions are allowed, the maximum amount that can be cashed out in a transaction.
- **Account Level Expiration** - Indicates whether the account expires after a certain period of time.
- **Period Type** - If Account Level Expiration is set to Yes, indicates the type of period used for the Account Level Expiration Date.
- **Number of Periods** - If Account Level Expiration is set to Yes, determines the number of periods (from Period Type) that will pass before a Tender Account expires.
- **Tender Balances** - Balance information configured for the Tender Program. This includes the following information:
 - **Initial Account Balance** - Indicates whether there is an initial balance on each account.
 - **Initial Balance Amount** - If Initial Account Balance is set to Yes, the amount of the initial balance.
 - **Initial Book Value** - If Initial Account Balance is set to Yes, the initial book value of the account.
 - **Minimum Activation Amount** - The minimum amount that can be in an Account for it to be activated.
 - **Minimum Balance** - The minimum amount that must be kept in an Account.
 - **Maximum Balance** - The maximum amount that can be put into the Account.
- **Preauthorizations** - Whether and how pre-authorizations are configured in the Program. This includes the following information:
 - **Allow Pre-authorizations** - Indicates whether pre-authorizations are allowed for the Tender Accounts.
 - **Preauth Expirations** - If Preauth Expirations is set to Yes, indicates whether pre-authorizations expire.
 - **Expire Pre-authorizations after (Periods)** - If Allow Pre-authorizations and Preauth Expirations are both set to Yes, indicates the type of period used for the pre-authorization expiration.
 - **Number of Periods** - If Allow Pre-authorizations and Preauth Expirations are both set to Yes, determines the number of periods (from Expire Pre-authorizations after (Periods)) to pass, after which a pre-authorization expires.
- **Advanced Program Details** - Advanced configurations for the Program. This includes the following information:
 - **Allow Reloads** - Indicates whether a Tender Account can be reloaded.
 - **Allow Partial Redemption** - Indicates whether a balance on a Tender Account can be partially redeemed.

- **Max Value of Redemptions per Business Day** - The total amount of all redemptions that can be performed on a Tender Account in one day.
- **Max Daily Uses** - The total number of times that a Tender Account can be used in one day.
- **Maximum lifetime uses** - The total number of times that a Tender Account can be used over the lifetime of the account.

Actions Menu

The Actions Menu for a Tender Program contains the following options:


- **Deactivate Program** - Deactivate the Program (only available for active Programs).
- **Activate Program** - Activate the Program (only available for inactive Programs).



Edit a Tender Program

To edit a Tender Program:

1. Open the Tender Program in the [Programs Tab](#) for the [Card Definition](#).
2. Click the **Edit Program** button next to the Actions Menu.



Note: The Edit Program button will be available only if no Card Series Distributions have been generated for the associated [Card Definition](#). If Cards have been generated, the Program cannot be changed.

The Add Program [Wizard](#) opens with all fields populated with the current information for the Program.

3. Make changes to the Tender Program as described in [“Create New Program” on page 39](#) and [“Create a Tender Program” on page 40](#).

Award Program

The following information is displayed for Award Programs:

Card Def: EZKCard ▶ Award Program: sample program

Program Name	sample program	Card required	Yes	Initial Account Balance	10.00	Account Level Expiration	No	Awards Will Be Expired	None
Program Description	sample program	Card Merge Permitted	Yes	Allow Reloads	Yes	Period Type	-	Award Expiration Period Type	-
Start Date	2015-11-17	Allow Foreign Currency	Yes	Active	Yes	Number of Periods	-	Number of Periods	-
End Date	2020-11-17	Currency	United States of America, Dollars						







Entitlement Deals									
BOGO Clothing									
	Deal ID	503	Unlimited Redemption	Yes	Create Date	2016-01-13	Issue automatically when first activated?	No	
	Priority	1					Issue only when first associated to a customer?	No	
	Active	Yes							
Buy one get one									
	Deal ID	504	Unlimited Redemption	Yes	Create Date	2015-11-17	Issue automatically when first activated?	Yes	
	Priority	1			Start Date	2015-11-17	Issue only when first associated to a customer?	No	
	Active	No			End Date	2015-11-17			
25% off one item at registration									
	Deal ID	530	Unlimited Redemption	No	Create Date	2015-11-17	Issue automatically when first activated?	Yes	
	Priority	1	Maximum Redeemable Count	1	Validity Periods	1	Issue only when first associated to a customer?	No	
	Active	Yes			Period Type	Years			

Figure 14-2: Award Program Screen

- General information about the Award Program. This includes the following information:
 - **Program Name** - Name of the Program.
 - **Program Description** - Description of the Program.
 - **Start Date** - Date on which the Program starts.
 - **End Date** - Date on which the Program ends.
 - **Card Required** - Indicates whether the customer must have the physical card present during the transaction to receive credit for the transaction.
 - **Card Merge Permitted** - Indicates whether the Card can be merged with another Card.
 - **Allow Foreign Currency** - Indicates whether foreign currency transactions (i.e. a transaction performed in a currency other than the base currency) are applied to the Program.
 - **Currency** - The base currency for the Program.
 - **Initial Account Balance** - Indicates whether there is an initial balance on each account.
 - **Allow Reloads** - Indicates whether the Program allows accounts to be reloaded.
 - **Active** - Indicates whether the Program is currently active.
 - **Account Level Expiration** - Indicates whether the account expires after a certain period of time.
 - **Period Type** - If Account Level Expiration is set to Yes, indicates the type of period used for the Account Level Expiration Date.
 - **Number of Periods** - If Account Level Expiration is set to Yes, determines the number of periods (from Period Type) that will pass before an Award Account expires.
 - **Awards Will Be Expired** - Indicates the type of expiration rule used by the Program for award expiration:

- * **None** - Awards earned are retained until removed.
- * **Fixed** - Awards will expire based on a fixed date. If the award hasn't been redeemed before that date it is considered expired.
- * **Rolling X** - The expiration date is defined when the coupon is first created, but as activity is performed on the award account the expiration date is recalculated (rolled ahead) based on the current date (activity). The purpose of this type is, if the customer is still shopping with you, but hasn't got around to using their coupon, the expiration date is extended as a courtesy.
- **Award Expiration Period Type** - If Awards Will Be Expired is set to either Fixed or Rolling X, indicates the type of period used for the Account Level Expiration Date.
- **Number of Periods** - If Awards Will Be Expired is set to either Fixed or Rolling X, determines the number of periods (from Period Type) that will pass before an award expires.
- **Entitlement Deals:** Lists each Entitlement Deal currently associated with the Award Program:
 - The name of the Entitlement Deal.
 - **Deal ID** - The unique ID for the Entitlement Deal.
 - **Priority** - The priority given to the Entitlement Deal, if more than one Deal can be applied to a Transaction.
 - **Active** - Indicates whether the Entitlement Deal is currently active for the Award Program.
 - **Unlimited Redemption** - Indicates whether there is a limit on the number of times the Entitlement Coupon can be redeemed.
 - **Maximum Redeemable Count** - Maximum number of times the Entitlement Coupon can be redeemed by the Customer. This setting is used only if Unlimited Redemption is set to No.
 - **Create Date** - The date when the Entitlement Deal was added to the Award Program.
 - **Start Date** - The date when the Entitlement Deal becomes effective. Displayed only if an Award Validity Period has been set up for the Deal in the Award Program, with the Fixed radio button selected.
 - **End Date** - The last date when the Entitlement Deal is effective. Displayed only if an Award Validity Period has been set up for the Deal in the Award Program, with the Fixed radio button selected.
 - **Validity Periods** - The number of periods when the Entitlement Deal is effective. Displayed only if an Award Validity Period has been set up for the Deal in the Award Program, with the Relative radio button selected.
 - **Period Type** - The type of period to determine when the Entitlement Deal is effective. Possible periods are Days, Weeks, Months, and Years. Displayed only if an Award Validity Period has been set up for the Deal in the Award Program, with the Relative radio button selected.
 - **Issue automatically when first activated?** - Indicates whether to issue the Entitlement Coupon when the account is first activated.


- **Issue only when first associated to a customer?** - Indicates whether to issue the Entitlement Coupon when the Card is first associated with the Customer. Only the first Customer associated with the Card receives the Entitlement Coupon.

Award programs do not require an Entitlement deal. EAwards are still issued and redeemed based on the award program rules. When you add an entitlement deal you can also issue Entitlement coupons (award).

Actions Menu

The Actions Menu for an Award Program contains the following options:


- **New Entitlement Deal** - Add a new Entitlement Deal to the Program. See [“Add an Entitlement Deal” on page 11](#).
- **Deactivate Program** - Deactivate the Program (only available for active Programs).
- **Activate Program** - Activate the Program (only available for inactive Programs).



Edit an Award Program

To edit an Award Program:

1. Open the Award Program in the [Programs Tab](#) for the [Card Definition](#).
2. Click the **Edit Program** button next to the Actions Menu.



Note: The Edit Program button will only be available if no Card Series Distributions have been generated for the associated [Card Definition](#). If Cards have been generated, the Program cannot be changed.

The Add Program [Wizard](#) opens with all fields populated with the current information for the Program.

3. Make changes to the Award Program as described in [“Create New Program” on page 39](#) and [“Create an Award Program” on page 47](#).

Entitlement Deal

Entitlement Deal entries for an [Award Program](#) define the Certificate Details, Time Eligibility rules, and Location Eligibility rules for the Deal.

Open an Entitlement Deal

An Entitlement Deal is opened by clicking on the Deal in the Entitlement Deal [Layer List](#) for the Award Program.

The screen displays a set of [Tabs](#) containing information about the Entitlement Deal for the Award Program: [Certificate Details Tab](#), [Time Eligibility Tab](#), and [Location Eligibility Tab](#).

Card Def: EZKCard ▶ Award Program: sample program ▶ Entitlement Deal: Buy one get one

Certificate Details | Time Eligibility | Location Eligibility

Cancel Save

Entitlement Deal definition

Associated Deal Id: 504 [Select Deal](#) Name: Buy one get one Issue automatically when first activated?

Associated Deal Name: [Buy one get one](#) Description: Buy one get one Issue only when first associated to a customer?

Priority: 1 ▼ Active:

Award Validity Period

Fixed Relative

Start Date: 2015-11-17 Validity Periods: 0

End Date: 2015-11-17 Period Type: (Please select) ▼

Redemption Rules

Unlimited Redemption

Maximum Redeemable Count: 0

Figure 14-3: Entitlement Deal Definition window

Certificate Details Tab

The Certificate Details tab displays basic information about the Entitlement Deal for the Award Program. The following information can be viewed and edited:

Entitlement Deal Definition - This area contains the fields that define the basic parameters of the Deal for the Award Program.

- **Associated Deal Id** - The unique ID for the Entitlement Deal. If the Award Program is currently Active, the Select Deal [Link](#) opens a window where you can select a different Entitlement Deal to associate with the Award Program.
- **Associated Deal Name** - A [Link](#) displaying the name of the currently associated Entitlement Deal, and opens the [Deal Window](#) if clicked.
- **Priority** - Number indicating the order in which the Deal is offered.
- **Name** - Name of the Entitlement Deal. Entering a different name changes the name displayed within the Award Program, but not the Entitlement Deal itself.
- **Description** - Description of the Entitlement Deal. Entering a different description changes the description displayed within the Award Program, but not the Entitlement Deal itself.
- **Active** - Indicates whether the Entitlement Deal is currently active for the Award Program.
- **Issue automatically when first activated?** - Indicates whether to issue the Entitlement Coupon when the account is first activated.
- **Issue only when first associated to a customer?** - Indicates whether to issue the Entitlement Coupon when the Card is first associated with the Customer. Only the first Customer associated with the Card receives the Entitlement Coupon.

Award Validity Period - This area contains the fields that define the period when the Entitlement Deal is valid.

- **Fixed** - The Entitlement Deal is valid for the Award Program between specified dates. After selecting this option, configure the following fields:
 - **Start Date** - The date on which the Entitlement Deal is first valid.
 - **End Date** - The last date on which the Entitlement Deal is valid.
- **Relative** - The Entitlement Deal is valid for a period of time after it is issued. After selecting this option, configure the following fields:
 - **Validity Period** - Period during which the Entitlement Deal is valid. The type of period is determined by the Period Type configuration.
 - **Period Type** - Units of time used to determine the validity period.

Redemption Rules - This area contains the fields that define the how many times the Entitlement Deal Coupon can be redeemed through the Award Program.

- **Unlimited Redemption** - Indicates whether there is a limit on the number of times the Entitlement Deal Coupon can be redeemed.
- **Maximum Redeemable Count** - Maximum number of times the Entitlement Deal Coupon can be redeemed by the Customer. This setting is used only if Unlimited Redemption is set to No.

Time Eligibility Tab

The Time Eligibility tab displays a [List](#) of rules that determine the times at which the Entitlement Deal is effective.

Name	Description	Type
Doorbuster	Six to seven a.m.	Disabled

Figure 14-4: Time Eligibility Tab

Tip: If there are no Time Eligibility rules defined for the Entitlement Deal, Customer Engagement provides a [Click Here Link](#) for adding one.

- For more information about Time Eligibility Rules, see *Time Eligibility* in [Chapter 1, "Introduction" on page 39](#).
- For instruction on configuring Time Eligibility Rules, see *Define Time Eligibility* in [Chapter 1, "Introduction" on page 40](#).

Location Eligibility Tab

The Location Eligibility tab displays a [List](#) of Locations and/or Attributes for Locations that are eligible and/or excluded from the Entitlement Deal through the Award Program.

Card Def: EZKCard ▶ Award Program: sample program ▶ Entitlement Deal: BOGO Clothing

Location Rule definition.

Included Locations [Add Group\(s\)](#)

Location Attribute	Value	
LOCATION_ID	99908	And
LOCATION_ID	99909	
LOCATION_ID	99910	

[Add Location to Group](#)

Excluded Locations

No locations exclusion groups defined. [Click here to add.](#)

Figure 14-5: Location Eligibility Tab

Tip: If there are no Location Eligibility rules defined for the Entitlement Deal, Customer Engagement provides a **Click Here** [Link](#) for adding an Included Location and a **Click Here** [Link](#) for adding an Excluded Location.

- For more information about Location Eligibility Rules, see *Location Eligibility* in [Chapter 1, "Introduction" on page 24](#).
- For instructions on configuring Location Eligibility Rules, see *Define Location Eligibility* in [Chapter 1, "Introduction" on page 25](#).

Add an Entitlement Deal

To create an Entitlement Deal in an Award Program:

1. Select **New Entitlement Deal** in the [Actions Menu](#) for an [Award Program](#).


Tip: If there are no Entitlement Deals defined for the [Award Program](#), Customer Engagement provides a **Click Here** [Link](#) for adding an Entitlement Deal.

Loyalty Program

A blank Entitlement Deal definition window opens.

Card Def: EZKCard ▶ Award Program: sample program ▶ **New Entitlement Deal**

Certificate Details

 No rules have been defined for this entitlement deal Cancel Save

Entitlement Deal definition

Associated Deal Id [Select Deal](#) Name Issue automatically when first activated?

Associated Deal Name Description Issue only when first associated to a customer?

Priority **1** Active

Redemption Rules

Unlimited Redemption

Maximum Redeemable Count

Figure 14-6: Blank Entitlement Deal definition window

2. Enter the information for the Entitlement Deal. See [“Entitlement Deal” on page 8](#) for more information.
3. Click **Save** to save the information and create the [Entitlement Deal](#) in the [Award Program](#).
4. If necessary, use the [Time Eligibility Tab](#) to define Time Eligibility Rules, and/or the [Location Eligibility Tab](#) to define Location Eligibility Rules.
 - For more information about Time Eligibility Rules, see *Time Eligibility* in [Chapter 1, “Introduction” on page 39](#).
 - For instruction on configuring Time Eligibility Rules, see *Define Time Eligibility* in [Chapter 1, “Introduction” on page 40](#).
 - For information about Location Eligibility Rules, see *Location Eligibility* in [Chapter 1, “Introduction” on page 24](#).
 - For instructions on configuring Location Eligibility Rules, see *Define Location Eligibility* in [Chapter 1, “Introduction” on page 25](#).




Loyalty Program

The following information is displayed for Loyalty Programs:

Card Def: WSDL-SoapUI-Cust ▶ **Loyalty Program: WSDL-SoapUI-LOY-Cust**

Program Type	Loyalty	Active	Yes	Points Name	WSDL-SoapUI-LOY-Cust	Points Currency Value	0.00
Program Description	WSDL-SoapUI-LOY-Cust	Effective Date	2009-01-01	POS Points Name	WSDL-SoapUI-LOY-Cust	Points Decimal Precision	2
Allow Foreign Currency	Yes	Expiration	None	Card Merge Permitted	Yes	Currency	United States of Am

Loyalty Levels *-default

*WSDL-SoapUI-LOY-Cust	Active Flag	Yes	Escrow Points	No	Points Aging	Level ID	20143
 WSDL-SoapUI-LOY-Cust	Create Date	2014-08-04	Escrow Period Type	Points Aging Period Type	NeverReset		
	Active Rules	1	Escrow Periods	0	Points Aging Periods	0	





WSDL-SoapUI-LOY-Cust- Lvl 2	Active Flag	Yes	Escrow Points	No	Points Aging	Months	Level ID	21158
 WSDL-SoapUI-LOY-Cust- Lvl 2	Create Date	2014-09-05	Escrow Period Type	Points Aging Period Type	ResetAfterXPeriods			
	Active Rules	4	Escrow Periods	0	Points Aging Periods	3		

Figure 14-7: Loyalty Program Screen

- **Program Type** - The type of Program (i.e. Loyalty).
- **Program Description** - Description of the Program.

- **Allow Foreign Currency** - Indicates whether foreign currency transactions (that is, a transaction performed in a currency other than the base currency) are applied to the Program.
- **Active** - Indicates whether the Program is currently active.
- **Effective Date** - Date on which the Program becomes effective.
- **Expiration** - Date on which the Program expires.
- **Points Name** - Name of the points used by the Program.
- **POS Points Name** - Name displayed for the points on the POS system.
- **Card Merge Permitted** - Indicates whether a Card in this Program can be merged with another Card.
- **Points Currency Value** - Informational and reporting use only.
- **Points Decimal Precision** - The number of decimal points used in tracking points.
- **Currency** - The base currency for the Program.
- **Loyalty Levels** - A [Layer List](#) displaying information for each Level in the Program.

Note: If there are Items or Locations assigned to the Loyalty Level that are associated with a different Franchisee than the Loyalty Program, a red background appears on the left side of the row.



To open a Loyalty Level, click the Loyalty Level in the [Layer List](#).


The following information is displayed for each Level:

- **Active Flag** - Indicates whether the Level is currently active.
- **Create Date** - Date on which the Level was created.
- **Active Rules** - The number of active rules associated with the Loyalty Level. This includes Issue Rules, Award Rules, and Movement Rules.
- **Escrow Points** - Indicates whether points are escrowed before they become available for use as Earned Points.
 - * **Yes** - Points are held as Escrow Points for a define period of time, after which they become available for use as Earned Points.
 - * **No** - Points are immediately available for use as Earned Points.
- **Escrow Period Type** - If Escrow Points is set to Yes, indicates the type of period used to determine the escrow time.
- **Escrow Periods** - If Escrow Points is set to Yes, indicates the number of periods (from Period Type) that will pass before points are made available.
- **Points Aging** - The method used for determining when points are reset:
 - * **Never Reset** - Points earned are retained until removed by an awards process.
 - * **Reset after x periods** - If there is no account activity in the time specified, all points (escrow, earned, and bonus) are expired and points balances reset to zero after a defined period of time.

- * **Reset after x rolling periods** - The expiration date for the points is calculated from the business date they are earned. If these points are not used, they are removed after a defined period of time, regardless of account activity.
- **Points Aging Period Type** - If Points Aging is set to Reset after x periods or Reset after x rolling periods, indicates the type of period used for the Points Aging process.
- **Points Aging Periods** - If Points Aging is set to Reset after x periods or Reset after x rolling periods, indicates the number of periods (from Points Aging Period Type) that will pass before points are reset.

Actions Menu

The [Actions Menu](#) for a Loyalty Program has the following options:



- **Create New Loyalty Level** - Add a new Loyalty Level to the Program.
- **Deactivate Program** - Deactivate the Program (available only for active Programs).
- **Activate Program** - Activate the Program (available only for inactive Programs).

Edit a Loyalty Program

To edit a Loyalty Program:

1. Open the Loyalty Program in the [Programs Tab](#) for the [Card Definition](#).
2. Click the **Edit Program** button next to the Actions Menu.



Note: The Edit Program button will be available only if no Card Series Distributions have been generated for the associated [Card Definition](#). If Cards have been generated, the Program cannot be changed.

The Add Program [Wizard](#) opens with all fields populated with the current information for the Program.

3. Make changes to the Loyalty Program as described in ["Create New Program" on page 39](#) and ["Create a Loyalty Program" on page 44](#).

Loyalty Level

Loyalty Levels define a set of rules that determine how Loyalty Points are earned and managed. Every [Loyalty Program](#) must have at least one Loyalty Level, even if the Program is not a multi-level program.

Open a Loyalty Level

A Loyalty Level is opened by clicking on the Level in a [Loyalty Program Layer List](#).

Each Loyalty Level displays a set of [Tabs](#) containing information about the Loyalty Level: [Level Parameters Tab](#), [Issue Rules Tab](#), [Award Rules Tab](#), and [Movement Rules Tab](#).

Card Def: ALWCard-3 ▶ Loyalty Program: Loyalty 0414-2 ▶ Level: Loyalty 0414-2

Level Parameters | Issue Rules | Award Rules | Movement Rules

Cancel Save

Loyalty Level definition

Level Name: Loyalty 0414-2 Default Level: Active:

Description: Loyalty 0414-2 Negative Balance:

Points Aging

Points Aging: Reset after x rolling periods Aging Period: Weeks Aging Periods: 52

Loyalty Points Escrow

Escrow Points: Escrow Period: Weeks Escrow Periods: 52

Figure 14-8: Loyalty Level Screen

Actions Menu

The [Actions Menu](#) for each Loyalty Level has the following options:

- **Create New Issue Rule** - Creates a new Issue Rule. See [“Add Issue Rule” on page 25](#) for more information.
- **Create New Award Rule** - Creates a new Award Rule. See [“Add Award Rule” on page 33](#) for more information.
- **Create New Movement Rule** - Creates a New Movement Rule. See [“Add Movement Rule” on page 38](#) for more information.



Level Parameters Tab

The Level Parameters tab allows users to view and edit the basic parameters of the Loyalty Level.

Card Def: ALWCard-3 ▶ Loyalty Program: Loyalty 0414-2 ▶ Level: Loyalty 0414-2

Level Parameters | Issue Rules | Award Rules | Movement Rules

Cancel Save

Loyalty Level definition

Level Name: Loyalty 0414-2 Default Level: Active:

Description: Loyalty 0414-2 Negative Balance:

Points Aging

Points Aging: Reset after x rolling periods Aging Period: Weeks Aging Periods: 52

Loyalty Points Escrow

Escrow Points: Escrow Period: Weeks Escrow Periods: 52

Figure 14-9: Level Parameters Tab

The following information can be viewed and edited:

- **Loyalty Level definition** - Basic information about the level. This includes the following information:
 - **Level Name** - The name of the level.
 - **Description** - A description of the level.

- **Default Level** - A [Check Box](#) indicating/determining whether the Level is the Level to which each Customer is assigned upon joining the [Loyalty Program](#).
- **Negative Balance** - A [Check Box](#) indicating/determining whether the Loyalty Level allows Customers to have negative point balances.
- **Active** - A [Check Box](#) indicating/determining whether the level is currently active.
- **Points Aging** - Rules determining how and whether Loyalty points are aged.
 - **Points Aging** - The method used for aging the points. This [Selection Menu](#) has the following options:
 - * **Never Reset** - Points earned are retained until removed by an awards process.
 - * **Reset after x periods** - If there is no account activity in the time specified, all points (escrow, earned, and bonus) are expired and points balances reset to zero after a defined period of time.
 - * **Reset after x rolling periods** - The expiration date for the points is calculated from the business date they are earned. If these points are not used, they are removed after a defined period of time, regardless of account activity.
 - **Aging Period** - Determines the type of period used for the Points Aging process (only active if Points Aging is set to **Reset after x periods** or **Reset after x rolling periods**).
 - **Aging Periods** - Determines the number of periods (selected in Aging Period) that will pass before points are reset (only active if Points Aging is set to **Reset after x periods** or **Reset after x rolling periods**).
- **Loyalty Points Escrow** - Rules determining how and whether Loyalty points are escrowed.
 - **Escrow Points** - Determines whether points are escrowed before they become available for use as Earned Points.
 - * **Checked** () - Points are held as Escrow Points for a define period of time, after which they become available for use as Earned Points.
 - * **Unchecked** () - Points are immediately available for use as Earned Points.
 - **Escrow Period** - Indicates the type of period used to determine the escrow time (only active if Escrow Points is **Checked**).
 - **Escrow Periods** - Determines the number of periods (selected in Period Type) that will pass before points are made available (only active if Escrow Points is **Checked**).

Edit Level Parameters

To edit information in the Level Parameters, make the change in the field, then click the **Save** button to return to the [Loyalty Program](#).

To discard changes and return to the [Loyalty Program](#), click the **Cancel** button.

Issue Rules Tab

The Issue Rules tab contains a [Layer List](#) of rules that determine how points are issued by the Loyalty Level.




Card Def: WSDL-SoapUI-Cust ▶ Loyalty Program: WSDL-SoapUI-LOY-Cust ▶ Level: WSDL-SoapUI-LOY-Cust-Lvl 2			
Level Parameters	Issue Rules	Award Rules	Movement Rules
Issue Rules			
Issue Rule 1  Issue Rule 1  - In Effect	Create Date 2014-09-05 Max Trans Per Day 0 Bonus Points No	Calculation Type The value of each item purchased Fixed Amount 0.000000 Points Multiplier 0.000000	Start Date 2014-08-22 End Date None Min Tran Value 0.000000 Issue Rule ID 21169

Figure 14-10: Issue Rules Tab

Note: If there are Items or Locations associated with the Issue Rule that are assigned to a different Franchisee than the Program, a red background appears on the left side of the Issue Rule row.



The following information is displayed for each Issue Rule:

- Current status of the Issue Rule, shown in the lower left corner of the [Layer List](#) item.
- **Create Date** - Date the Issue Rule was created.
- **Max Trans Per Day** - The maximum number of sales transactions in a single day that will be used to calculate Loyalty points.
- **Bonus Points** - Indicates whether this Issue Rule stipulates that the [Loyalty Program](#) issues points as Bonus Points.
 - **Yes** - Points are issued as Bonus Points.
 - **No** - Points are not issued as Bonus Points.
- **Calculation Type** - Indicates the value that is used as the point-determination method.
 - **The value of each item purchased** - The sale amount of each item purchased in the transaction.
 - **The quantity of each item purchased** - The quantity of each item purchased in the transaction.
 - **The number of qualifying transactions** - The number of qualifying transactions made by the Customer.
 - **The number of qualifying visits** - The number of qualifying visits made by the Customer.
- **Fixed Amount** - The Fixed Amount, if any, assigned to each transaction.
- **Points Multiplier** - The number multiplied by the value indicated in the Calculation Type field (only shown if the selected Calculation Type is either **The value of each item purchased** or **The quantity of each item purchased**).
- **Start Date** - Date on which the Level becomes effective.
- **End Date** - Last date of eligibility for the Level.

- **Min Tran Value** - Minimum amount of a transaction for it to be applied to a Loyalty account.
- **Issue Rule ID** - ID of the Issue Rule.

Award Rules Tab

The Award Rules tab contains a [Layer List](#) of rules that determine how e-award, entitlement, or coupon awards are issued by the Loyalty Level.

Award Rules			
Award Rule 1	Create Date: 2014-09-05	Points Cost Type: Fixed	Coupon Prefix: 10005
Award Rule 1	Award Type: Issue E-Award	Points Cost: 100.00	Start Date: 2014-08-22
In Effect	Point Threshold: 100.00	Award Amount: 25.00	End Date: None
			Award Rule Id: 21162

Figure 14-11: Award Rules Tab

The following information is displayed for each Award Rule:

- Current status of the Award Rule, shown in the lower left corner of the [Layer List](#) item.
- **Create Date** - Date the Award Rule was created.
- **Award Type** - Type of Award issued.
- **Point Threshold** - The number of points the Customer must earn to be eligible for the Award.
- **Points Cost Type** - The manner in which the cost is applied to the points balance. Set to Fixed for an Entitlement Coupon or a Coupon.
- **Points Cost** - The cost of the Award, in points. This is the number of points deducted from the points balance when this Award is issued. Included if the Points Cost Type is Fixed.
- **Award Factor** - The multiplier used to convert points for an E-Award when the Points Cost Type is Cashback.
- **Minimum Award** - Minimum amount of the award when Points Cost Type is Cashback.
- **Award Amount** - The amount of the Award. Applicable only when Points Cost Type is Fixed.
- **Coupon Prefix** - Prefix for the Coupon.
- **Start Date** - Date on which the Rule becomes effective.
- **End Date** - Last date on which the Rule is effective.
- **Award Rule Id** - ID of the Award Rule.

Movement Rules Tab

The Movement Rules tab contains a [Layer List](#) of rules that determine how Customers are moved from their current Loyalty Level to another within the Program.







Card Def: WSDL-SoapUI-Cust ▶ Loyalty Program: WSDL-SoapUI-LOY-Cust ▶ Level: WSDL-SoapUI-LOY-Cust- Lvl 2			
Level Parameters	Issue Rules	Award Rules	Movement Rules
Movement Periods			
Advance Rule			
	Create Date 2014-09-06	(Move to) Loyalty Program Level WSDL-SoapUI-LOY-Cust- Lvl 2	
	Start Date 2014-08-22	Movement Rule Type Advancement	
	End Date	Test Type Points Earned Since ...	
	Movement Rule Id 21163		
Demotion Rule			
	Create Date 2014-09-06	(Move to) Loyalty Program Level WSDL-SoapUI-LOY-Cust	
	Start Date 2014-08-22	Movement Rule Type Demotion	
	End Date	Test Type Time Period Since La...	
	Movement Rule Id 21164	Movement Periods 2	
		Test Period Type Months	

Figure 14-12: Movement Rules Tab

The following information is displayed for each Movement Rule:

- Current status of the Movement Rule, shown in the lower left corner of the [Layer List](#) item.
- **Create Date** - Date the Movement Rule was created.
- **Start Date** - Date the Movement Rule becomes effective.
- **End Date** - Last date on which the Movement Rule is effective.
- **Movement Rule Id** - ID of the Movement Rule.
- **(Move to) Loyalty Program Level** - Level to which a Customer is moved by the Movement Rule.
- **Movement Rule Type** - Type of Movement Rule.
- **Test Type** - Type of test performed to determine whether a Customer should be moved.
- **Movement Periods** - The number of periods (from Test Period Type) used for the movement test. Used only if the Test Type is either Average Points Earned Per Month or Time Period Since Last Level Move.
- **Test Period Type** - The time period used to determine eligibility for the move.


See [“Movement Rule” on page 34](#) for more information on the information displayed for Promotion, Demotion, or Sustain Movement Rules.

Add a Loyalty Level

After you [Create a Loyalty Program](#), the Program will have one Loyalty Level. However, some Loyalty Programs require multiple Loyalty Levels with different [Issue Rule](#) and [Award Rule](#) configurations. [Movement Rule](#) configurations determine how and when Customers are moved between the Levels.

To add a Loyalty Level to a [Loyalty Program](#):

1. In the [Actions Menu](#) for the [Loyalty Program](#), click **Create New Loyalty Level**.
A [Level Parameters Tab](#) tab opens with blank fields and default configurations.




The screenshot shows the 'Level Parameters' tab for a new loyalty level. The breadcrumb trail is 'Card Def: IM Awards > Loyalty Program: IM Loyalty > Level: New Loyalty Level*'. A warning message states 'No rules have been defined for this level.' The form includes sections for 'Loyalty Level definition' (Level Name, Description, Default Level, Active, Negative Balance), 'Points Aging' (Points Aging, Aging Period, Aging Periods), and 'Loyalty Points Escrow' (Escrow Points, Escrow Period, Escrow Periods).

Figure 14-13: Loyalty Level Configuration

2. Make changes to the Level Parameter information. See [“Level Parameters Tab” on page 15](#) for a description of the Level Parameter fields.
3. After making the necessary additions to the Level Parameters, click the **Save** button to create the Loyalty Level and return to the [Loyalty Program](#). To discard changes and return to the [Loyalty Program](#), click the **Cancel** button.
4. In the [Loyalty Program](#), click the newly created Loyalty Level.

The Loyalty Level opens.



The screenshot shows the 'Level Parameters' tab for a loyalty level named 'Loyalty 0414-1'. The breadcrumb trail is 'Card Def: IM Awards > Loyalty Program: IM Loyalty > Level: Loyalty 0414-1*'. The 'Active' checkbox is checked. The 'Points Aging' section is set to 'Reset after x periods'. The 'Loyalty Points Escrow' section has 'Escrow Points' checked.

Figure 14-14: Loyalty Level - No Rules Defined

5. Create the Rules for the Loyalty Level. See the following procedures for instructions:
 - [“Add Issue Rule” on page 25](#)
 - [“Add Award Rule” on page 33](#)
 - [“Add Movement Rule” on page 38](#)
 - [“Add Time Eligibility Rule” on page 40](#)

- [“Add Item Eligibility Rule \(Simple\)” on page 30](#)
 - [“Add Location Eligibility Rule” on page 25](#)
 - [“Add Segment Eligibility Rule” on page 28](#)
 - [“Define Tender Eligibility” on page 42](#)
6. Click the **Save** button to save the new configuration and return to the Loyalty Level, or click the **Cancel** button to discard the changes and return to the Loyalty Level.

Issue Rule

Issue Rules determine how points are earned within a Loyalty Level.

An Issue Rule is opened by clicking on the Issue Rule in the [Issue Rules Tab](#).


Figure 14-15: Issue Rule Screen

In each Issue Rules are a set of [Tabs](#) containing information about the Issue Rule: [Issue Rule Parameters Tab](#), [Time Eligibility Tab](#), [Item Eligibility Tab](#), [Location Eligibility Tab](#), [Tender Eligibility Tab](#), and [Segment Eligibility Tab](#).

Actions Menu

The Actions menu for each Issue Rule has the following option:

- **Delete Issue Rule** - Deletes the open Issue Rule. See [“Delete Issue Rule” on page 30](#) for more information.



Issue Rule Parameters Tab

This tab displays common parameters for the Issue Rule. This tab includes the following sections:

- **Issue Rule Definition** - Basic information about the Issue Rule. This section contains the following fields:
 - **Name** - Name of the Issue Rule.
 - **POS Name** - Name of the Issue Rule displayed on a POS system.
 - **Description** - Description of the Issue Rule.
 - **Start Date** - Date the Issue Rule becomes effective.
 - **Disable End Date** - If checked () , the End Date configuration will be deactivated, allowing the Issue Rule to be effective forever.
 - **End Date** - Last date on which the Issue Rule will be effective.

- **Issue Rule Point Parameters** - Determines how points are earned in the Issue Rule. This section includes the following fields:
 - **Bonus Points** - This [Check Box](#) determines whether the Issue Rule issues bonus points or regular points.
 - * **Checked** - The Issue Rule stipulates that the [Loyalty Program](#) issues points as Bonus Points.
 - * **Unchecked** - The Issue Rule stipulates that the [Loyalty Program](#) does not issue points as Bonus Points.
 - **Fixed Amount** - The Fixed Amount, if any, assigned to each transaction.
 - **Points Multiplier** - The number multiplied by the value indicated in the Calculation Type field (only shown if the Calculation Type is **The value of each item purchased** or **The quantity of each item purchased**).
 - **Calculation Type** - Determines the value that is used as the point-determination method.
 - * **The value of each item purchased** - The sale amount of each item purchased in the transaction.
 - * **The quantity of each item purchased** - The quantity of each item purchased in the transaction.
 - * **The number of qualifying transactions** - The number of qualifying transactions made by the Customer.
 - * **The number of qualifying visits** - The number of qualifying visits by the Customer.
 - **Max Trans Per Day** - The maximum number of transactions per day for which points will be issued by the [Loyalty Program](#).
 - **Transaction Min Value** - Minimum amount of a transaction for it to be applied to a Loyalty account.
 - **Include Non-Physical Charges** - Determines whether points will be issued for non-physical items in a transaction.
- **Customer Eligibility Processing** - [Radio Buttons](#) that determine how Segment Eligibility Rules, Birthday Time Rules, and Signup Anniversary Time Rules are used when processing transactions that use the Card.
 - **Use customer associated to the loyalty card when processing eligibility rules** - Use the primary Customer assigned to the Card.
 - **Use customer associated to the transaction when processing eligibility rules** - Use the Customer assigned to the transaction.

Time Eligibility Tab

The Time Eligibility tab displays a [List](#) of rules that determine the times at which the Issue Rule is effective.

Name	Description	Type
Time Rule 1	Time Rule 1	Bonus Period

Figure 14-16: Time Eligibility Tab

Tip: If there are no Time Eligibility rules defined for the Issue Rule, Customer Engagement provides a **Click Here** [Link](#) for adding one.

- For more information about Time Eligibility Rules, see [“Time Eligibility” on page 39](#).
- For instruction on configuring Time Eligibility Rules, see [“Define Time Eligibility” on page 40](#).

Item Eligibility Tab

The Item Eligibility tab displays a [List](#) of Items and or Attributes for Items that are eligible and/or excluded from the Issue Rule.

Filter	Value	Description
Department	600	Home Furnishings
Department	600	Womens Shoes

Filter	Value	Description
Item Id	230001	SHOE TAN 10.5E

Figure 14-17: Item Eligibility Tab

Tip: If there are no Item Eligibility rules defined for the Issue Rule, Customer Engagement provides a **Click Here** [Link](#) for adding an Included Item and a **Click Here** [Link](#) for adding an Excluded Item.

- For more information about Item Eligibility Rules, see [“Item Eligibility” on page 30](#).
- For instructions on configuring Item Eligibility Rules, see [“Define Item Eligibility” on page 30](#).

Location Eligibility Tab

The Location Eligibility tab displays a [List](#) of Locations and/or Attributes for Locations that are eligible and/or excluded from the Issue Rule.

Location Attribute	Value
STORE_ID	0285

[Add Location to Group](#)

Or

Location Attribute	Value
Country	US

Figure 14-18: Location Eligibility Tab

Tip: If there are no Location Eligibility rules defined for the Issue Rule, Customer Engagement provides a [Click Here Link](#) for adding an Included Location and a [Click Here Link](#) for adding an Excluded Location.

- For more information about Location Eligibility Rules, see [“Location Eligibility” on page 24](#).
- For instructions on configuring Location Eligibility Rules, see [“Define Location Eligibility” on page 25](#).

Tender Eligibility Tab

The Tender Eligibility tab displays a [List](#) of tenders that can be made eligible or ineligible for the Issue Rule.

Tender Types	ID
<input type="checkbox"/> Account Credit	ACCOUNT_CREDIT
<input type="checkbox"/> Accounts Receivable	ACCOUNT_RECEIVABLE
<input type="checkbox"/> American Express cards	AMERICAN_EXPRESS
<input type="checkbox"/> American Express Credit Card	AMERICAN_EXPRESS
<input type="checkbox"/> Canada Cash	CAD_CURRENCY

Figure 14-19: Tender Eligibility Tab

- For more information about Tender Eligibility Rules, see [“Tender Eligibility” on page 42](#).
- For instruction on configuring Tender Eligibility Rules, see [“Define Tender Eligibility” on page 42](#).

Segment Eligibility Tab

The Segment Eligibility tab displays a [List](#) of Segments and/or Segment Strata that are eligible for the Issue Rule. If no Segments are listed, all Segments and Strata are eligible for the Issue Rule.

Name	Description	Customer Count
XST 9.0 Count 321	XST 9.0 Count 321	305
MK Avon OH	MK Avon OH	29
Private Count Open	Private Count Open	1

Figure 14-20: Segment Eligibility Tab

Tip: If there are no Segment Eligibility rules defined for the Issue Rule, Customer Engagement provides a [Click Here Link](#) for adding one.

- For more information about Segment Eligibility Rules, see [“Segment/Target Eligibility” on page 27](#).
- For instructions on configuring Segment Eligibility Rules, see [“Define Segment Eligibility” on page 28](#).

Add Issue Rule

To add an Issue Rule to a Loyalty Level:

1. In the Loyalty Level [Actions Menu](#), click **Create New Issue Rule**.

The New Issue Rule [Wizard](#) opens with the Issue Rule Definition step.

Figure 14-21: Issue Rule Wizard

2. In the Issue Rule Definition step, configure the basic information for the Issue Rule:
 - **Name** - Name of the Issue Rule.
 - **POS Name** - Name of the Issue Rule displayed on a POS system.
 - **Description** - Description of the Issue Rule.
 - **Start Date** - Date the Issue Rule becomes effective.

- **Disable End Date** - If this [Check Box](#) is checked () , the End Date configuration will be deactivated, allowing the Issue Rule to be effective forever. Otherwise, the End Date field will be used to determine the expiration date of the Issue Rule.
 - **End Date** - Last date on which the Issue Rule will be effective.
3. Click **next** to continue.

The Points Definition step opens.

The screenshot shows the 'Points Definition' step of the configuration process. At the top, there are three tabs: 'Issue Rule Definition', 'Points Definition' (which is active and highlighted in blue), and 'Review'. Below the tabs are navigation buttons: 'previous', 'save', 'cancel', and 'next'. The main content area is titled 'Issue Rule Point Parameters' and contains several fields and checkboxes:

- Flag Points as Bonus Points**: A checkbox that is currently unchecked.
- Calculation Type**: A dropdown menu with the text 'Please Make a Selection'.
- Fixed Amount**: A text input field containing the value '0'.
- Points Multiplier**: A text input field containing the value '0'.
- Max Trans Per Day**: A text input field containing the value '0'.
- Transaction Minimum Amount**: A text input field containing the value '0'.
- Include Non-Physical Charges**: A checkbox that is currently unchecked.
- Define Eligibility Rules**: A checkbox that is currently unchecked.

Below the 'Issue Rule Point Parameters' section is a section titled 'Customer Eligibility Processing' with two radio button options:

- Use customer associated to the loyalty card when processing eligibility rules
- Use customer associated to the transaction when processing eligibility rules

Figure 14-22: Points Definition Step

4. In the Points Definition step, define the points used by the [Loyalty Program](#):
- **Flag Points as Bonus Points** - This [Check Box](#) determines whether the [Loyalty Program](#) issues points as bonus points.
 - * **Checked** - Points are issued as bonus points.
 - * **Unchecked** - Points are not issued as bonus points.
 - **Calculation Type** - This field determines the method used to calculate points. This [Selection Menu](#) has the following possible values:
 - * **The value of each item purchased** - The sale amount of each item purchased in the transaction.
 - * **The quantity of each item purchased** - The quantity of each item purchased in the transaction.
 - * **The number of qualifying transactions** - The number of qualifying transactions performed by the Customer.
 - * **The number of qualifying visits** - The number of qualifying visits by the Customer.
 - **Fixed Amount** - The Fixed Amount of points earned by each transaction.
 - **Points Multiplier** - The number multiplied by the value indicated in the Calculation Type field (only shown if the Calculation Type is **The value of each item purchased** or **The quantity of each item purchased**).
 - **Max Trans Per Day** - The maximum number of transactions per day for which points will be issued by the [Loyalty Program](#).

- **Transaction Minimum Amount** - Minimum amount of a transaction for it to be applied to a Loyalty account.
 - **Include Non-Physical Charges** - This [Check Box](#) determines whether points will be issued for non-physical items in a transaction.
 - **Define Eligibility Rules** - This [Check Box](#) indicates whether to configure Eligibility Rules for the Issue Rule.
 - * **Checked** - Eligibility Rules will be defined for the Issue Rule. Continue with step 5.
 - * **Unchecked** - There are no eligibility rules for the Issue Rule. All the points earned by the Loyalty Level are applied to the Customer account. Continue with step 15.
 - **Customer Eligibility Processing** - [Radio Buttons](#) that determine how Segment Eligibility Rules, Birthday Time Rules, and Signup Anniversary Time Rules are used when processing transactions that use the Card.
 - * **Use customer associated to the loyalty card when processing eligibility rules** - Use the primary Customer assigned to the Card.
 - * **Use customer associated to the transaction when processing eligibility rules** - Use the Customer assigned to the transaction.
5. Click **next** to continue.

The Time Eligibility step opens if the Define Eligibility Rules [Check Box](#) was selected at the Points Definition step.





Figure 14-23: Time Eligibility Step

6. Define the Time Eligibility Rules for the Issue Rule.
- For instructions on configuring Time Eligibility Rules, see [“Define Time Eligibility” on page 40](#).
 - For more information about Time Eligibility Rules, see [“Time Eligibility” on page 39](#).
7. Click **next** to continue.

The Item Rules step opens if the Define Eligibility Rules [Check Box](#) was selected at the Points Definition step.




The screenshot shows a navigation bar with four steps: Points Definition, Time Eligibility, Item Rules (highlighted in blue), and Location Rules. Below the navigation bar are buttons for navigation: << previous, save, cancel, next >>. The main content area is titled "Item Rule definition." and contains two sections: "Included Items" with the text "All items are included by default. No include rules currently defined. [Click here](#) to add one." and "Excluded Items" with the text "No item exclusions defined. [Click here](#) to add one."

Figure 14-24: Item Rules Step

8. Define the Item Eligibility Rules for the Issue Rule.
 - For instructions on configuring Item Eligibility Rules, see [“Define Item Eligibility” on page 30](#).
 - For more information about Item Eligibility Rules, see [“Item Eligibility” on page 30](#).
9. Click **next** to continue.

The Location Rules step opens if the Define Eligibility Rules [Check Box](#) was selected at the Points Definition step.



The screenshot shows a navigation bar with five steps: Time Eligibility, Item Rules, Location Rules (highlighted in blue), Tender Rules, and Sec. Below the navigation bar are buttons for navigation: << previous, save, cancel, next >>. The main content area is titled "Location Rule definition." and contains two sections: "Included Locations" with the text "All locations are included by default. No location groups currently defined. [Click here](#) to add one." and "Excluded Locations" with the text "No locations exclusion groups defined. [Click here](#) to add one."

Figure 14-25: Location Rules Step

10. Define the Location Eligibility Rules for the Issue Rule.
 - For instructions on configuring Location Eligibility Rules, see [“Define Location Eligibility” on page 25](#).
 - For more information about Location Eligibility Rules, see [“Location Eligibility” on page 24](#).
11. Click **next** to continue.

The Tender Rules step opens if the Define Eligibility Rules [Check Box](#) was selected at the Points Definition step.

Tender Types	ID
<input type="checkbox"/> Account Credit	ACCOUNT_CREDIT
<input type="checkbox"/> Accounts Receivable	ACCOUNT_RECEIVABLE
<input type="checkbox"/> American Express cards	AMERICAN_EXPRESS
<input type="checkbox"/> American Express Credit Card	AMERICAN_EXPRESS
<input type="checkbox"/> Canada Cash	CAD_CURRENCY
<input type="checkbox"/> Canadian Traveler Cheque	CAD_TRAVELERS_CHECK
<input type="checkbox"/> Cash	Cash
<input type="checkbox"/> Check	CHECK

Figure 14-26: Tender Rules Step

12. Define the Tender Eligibility Rules for the Issue Rule.

- For instructions on configuring Tender Eligibility Rules, see [“Define Tender Eligibility” on page 42.](#)
- For more information about Tender Eligibility Rules, see [“Tender Eligibility” on page 42.](#)

13. Click **next** to continue.

The Segment Eligibility step opens if the Define Eligibility Rules [Check Box](#) was selected at the Points Definition step.

Figure 14-27: Segment Eligibility Step

14. Define the Segment Eligibility Rules for the Issue Rule.

- For instructions on configuring Segment Eligibility Rules, see [“Define Segment Eligibility” on page 28.](#)
- For more information about Segment Eligibility Rules, see [“Segment/Target Eligibility” on page 27.](#)

15. Click **next** to continue.

The Review step opens.

16. Review the entered information to ensure that it is correct.

- Click **save** to save the Rule with the current settings and return to the [Loyalty Level](#) page.

- Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
- Click **cancel** to delete all information and return to the [Loyalty Level](#) page.

Delete Issue Rule

To delete an Issue Rule from a Loyalty Level:

1. Open the [Issue Rule](#) in the Loyalty Level.
2. In the [Actions Menu](#), click **Delete Issue Rule**.

A confirmation prompt opens.




Figure 14-28: Confirmation Prompt

3. Click **OK** to delete the Issue Rule and return to the Loyalty Level. Click **Cancel** to cancel the deletion and return to the Issue Rule.


Award Rule

Award Rules determine how awards are given within a Loyalty Level. Award Rules are accessed through the [Loyalty Level](#) to which they belong.

Actions Menu

The [Actions Menu](#) for the Award Rule includes the following option:

- **Delete Award Rule** - Deletes the Award Rule from the [Loyalty Level](#). See [“Delete Award Rule” on page 34](#) for more information.



View/Edit Award Rule

To open an Award Rule, click the Award Rule in the [Award Rules Tab](#).

The screenshot displays the 'Award Rule Screen' with the following details:

- EZKCard**: Sample Card
- Programs**:
 - Loyalty: loyalty
 - Award: sample program
 - (2 additional programs...)
- Status**:
 - Series Defined: 4
 - Generated Series: 4
 - Total Cards: 20 / 20
 - Card Serial Number Prefix: 23456
 - Card Number Prefix: 12
 - Franchisee Count: 0
 - Active: Yes
- Card Def:** EZKCard ▶ Loyalty Program: loyalty ▶ Level: Level2 ▶ Award Rule: Award Rule w/ Entitlement
- Award Rule Definition**:
 - Name: Award Rule w/ Entitlement
 - Award Type: Issue Entitlement Coupon
 - Issue Immediately Upon Transaction Posting:
 - Deal Coupon: 25% off one item at registration
 - POS Name: Award Rule w/ Entitlement
 - Precedence: 2
 - Description: 25% off
- Award Rule Effective Dates**:
 - Start Date: 2016-01-06
 - Disable End Date:
 - End Date: 2017-01-06
- Award Rule Parameters**:
 - Points Cost Type: Fixed
 - Expiration Period Type: Use Program
 - Discount Type: Percent Off 25.00
 - Award Program: sample program
 - Coupon Prefix: ABC
- Points Cost / Threshold**:
 - Points Cost: 1
 - Point Threshold: 100

Figure 14-29: Award Rule Screen

To edit an open Award Rule, make the change in the field, then click the **Save** button to return to the Loyalty Level. To discard changes and return to the Loyalty Level, click the **Cancel** button.

Each Award Rule contains the following information to view and/or edit:

- **Award Rule Definition** - Basic configurations for the Award Rule. This section contains the following fields:
 - **Name** - Name of the Award Rule.
 - **POS Name** - Name of the Award Rule displayed on a POS system.
 - **Description** - Description of the Award rule.
 - **Award Type** - The type of Award given by the Award Rule. This [Selection Menu](#) has the following options:
 - * **Issue Entitlement Coupon** - An Entitlement Coupon is issued to the Customer through an [Award Program](#).
 - * **Issue E-Award** - An E-Award is issued to the Customer through an [Award Program](#).
 - * **Issue Coupon** - A paper coupon is issued to the customer. Examples of coupons include a discount, free shipping, or a free gift.
 - **Deal Coupon** - The Entitlement Coupon to issue. Displayed only if the Award Type is Issue Entitlement Coupon.

- **Precedence** - Order in which the Award Rule will be applied if more than one Award Rule is effective.
- **Issue Immediately Upon Transaction Posting** - This [Check Box](#) determines whether the award will be issued to the customer immediately upon the transaction posting. *This field only appears for an Award Type of **Issue E-Award** or **Issue Entitlement Coupon**.*
- **Award Rule Effective Dates** - Date range in which the Award Rule will be effective. This section contains the following fields:
 - **Start Date** - Date the Award Rule becomes effective.
 - **Disable End Date** - If checked () , the End Date configuration will be deactivated, allowing the Award Rule to be effective forever.
 - **End Date** - Last date on which the Award Rule will be effective.
- **Points Cost/Threshold** - Configurations for determining the point cost and point threshold for the Award Rule. This section contains the following fields:
 - **Points Cost** - Number of Points consumed by the issuance of the Award and deducted from the Loyalty Account.
 - **Point Threshold** - Number of Points that must be in a Loyalty Account for it to be eligible for the Award.
- **Rule Parameters (Entitlement Coupon)** - Parameters determining the Entitlement Coupon that is given by the [Loyalty Program](#), based on the Award Rule. This section contains the following fields:
 - **Points Cost Type** - Set to Fixed.
 - **Discount Type** - Set to the discount type specified for the selected Entitlement Deal.
 - **Award Program** - Set to the [Award Program](#) for the selected Entitlement Deal.
 - **Coupon Prefix** - The prefix for the Coupon Number.
 - **Expiration Period Type** - Indicates the type of period used in determining when the Entitlement Coupon will expire.
 - **Expiration # of periods** - (not displayed if Expiration Period Type is set to Use Program) Determines the number of periods (from Expiration Period Type) that will pass before an Entitlement Coupon expires.
- **Rule Parameters (E-Award)** - Parameters determining the E-Award that is given by the [Loyalty Program](#), based on the Award Rule. This section contains the following fields:

The fields in the Rule Parameters section for an E-Award will change depending upon the value in the Points Cost Type [Selection Menu](#).

 - If **Points Cost Type = Fixed**, the E-Award is a fixed amount. The following fields will be displayed:
 - * **Award Amount** - The amount (in the base currency of the [Award Program](#)) of the E-Award.
 - * **Award Program** - The [Award Program](#) used by the E-Award. This [Award Program](#) must be defined within the [Card Definition](#).
 - * **Coupon Prefix** - The prefix for the Coupon Number.

- * **Expiration Period Type** - Indicates the type of period used in determining when the E-Award will expire.
 - * **Expiration # of periods** - (not displayed if Expiration Period Type is set to Use Program) Determines the number of periods (from Expiration Period Type) that will pass before an E-Award expires.
- If **Points Cost Type = Cashback**, the E-Award value will depend upon the number of points in the Loyalty Account, which allows for full redemption. The following fields will be displayed:
- * **Minimum Award** - The minimum allowed amount (in the base currency of the [Award Program](#)) of the E-Award.
 - * **Award Program** - The [Award Program](#) used by the E-Award. This [Selection Menu](#) includes each [Award Program](#) defined within the [Card Definition](#).
 - * **Coupon Prefix** - The prefix for the Coupon Number.
 - * **Expiration Period Type** - Indicates the type of period used in determining when the E-Award will expire.
- If **Use Program** is selected in this [Selection Menu](#), the Award Rule will have the same expiration rules as the Program selected in the Award Program field.
- * **Expiration # of periods** - (not displayed if Expiration Period Type is set to Use Program) Determines the number of periods (from Expiration Period Type) that will pass before an E-Award expires.
 - * **Award Factor** - The multiple used to convert points to an E-Award amount (in the base currency of the [Award Program](#)).
 - * **Reset Balance** - Indicates whether the loyalty points balance is reset when the Award is issued.

Add Award Rule

To add an Award Rule to a Loyalty Level, click **Create New Award Rule** in the [Actions Menu](#) for the Loyalty Level. A blank Award Rule opens.

Card Def: IM Awards > Loyalty Program: IM Loyalty > Level: IM Loyalty > Award Rule: New Rule*

Cancel Save

Award Rule definition

Name Award Type

POS Name Precedence

Description

Award Rule Effective Dates

Start Date Disable End Date End Date

Points Cost / Threshold

Points Cost Point Threshold

Figure 14-30: Blank Award Rule

Enter the information for the Award Rule. See [“View/Edit Award Rule” on page 31](#) for a description of each field.

When you have finished entering information, click the **Save** button to return to the Loyalty Level. To discard changes and return to the Loyalty Level, click the **Cancel** button.

Delete Award Rule

To delete an Award Rule from a Loyalty Level:

1. Open the Award Rule in the Loyalty Level.
2. In the Actions menu, click **Delete Award Rule**.

A confirmation prompt opens.




Figure 14-31: Confirmation Prompt

3. Click **OK** to delete the Award Rule and return to the Loyalty Level. Click **Cancel** to cancel the deletion and return to the Award Rule.

Movement Rule

Movement Rules determine how Customers are moved from one Loyalty Level to another. Movement Rules are accessed through the [Loyalty Level](#) to which they belong.

Actions Menu

The [Actions Menu](#) for the Movement Rule includes the following option:

- **Delete Movement Rule** - Deletes the Movement Rule from the [Loyalty Level](#). See [“Delete Movement Rule” on page 38](#) for more information.



View/Edit Movement Rule

To open a Movement Rule, click the Rule in the [Movement Rules Tab](#). The Rule opens in the Movement Rule screen.


A screenshot of the Movement Rule screen. The screen is titled "IM Awards" and shows various settings for a movement rule. The breadcrumb trail is "Card Def: IM Awards > Loyalty Program: IM Loyalty > Level: IM Loyalty > Movement Rule: IM LOY Movement". The screen is divided into several sections: "Movement Rule Definition" with fields for Name, Precedence, POS Name, and Description; "Movement Rule Effective Dates" with fields for Start Date, Disable End Date, and End Date; "Movement Rule Parameters" with dropdowns for (Move to) Loyalty Program Level, Test Type, and Movement Rule Type, and a field for Movement Periods; and "Points Cost / Threshold" with fields for Points Cost and Point Threshold. There are "Cancel" and "Save" buttons at the top right of the main content area.

Figure 14-32: Movement Rule Screen

To edit an open Movement Rule, make the change in the field, then click the **Save** button to return to the Loyalty Level. To discard changes and return to the Loyalty Level, click the **Cancel** button.

Each Movement Rule contains the following information to view and/or edit:

- **Movement Rule Definition** - Basic configurations for the Movement Rule. This section contains the following fields:
 - **Name** - Name of the Movement Rule.
 - **POS Name** - Name of the Movement Rule displayed on a POS system.
 - **Precedence** - Order in which the Movement Rule will be applied if more than one Movement Rule is effective.
 - **Description** - Description of the Movement Rule.
 - **Issue Immediately Upon Transaction Posting** - This [Check Box](#) determines whether the level change will occur immediately upon the transaction posting.
- **Movement Rule Effective Dates** - Date range during which the Movement Rule will be effective. This section contains the following fields:
 - **Start Date** - Date the Movement Rule becomes effective.
 - **Disable End Date** - If checked () , the End Date configuration will be deactivated, allowing the Movement Rule to be effective forever.
 - **End Date** - Last date on which the Movement Rule will be effective.
- **Movement Rule Parameters** - Parameters determining how the Loyalty Level movement is performed. This section contains the following fields:
 - **(Move to) Loyalty Program Level** - The Loyalty Level to which the Customer is moved when the Loyalty Account meets the requirements for level movement.
 - **Movement Rule Type** - The type of action that is performed when the Movement Rule is activated. This [Selection Menu](#) has the following options:
 - * **Advancement** - The Customer Account is moving to a higher level.
 - * **Sustain** - The move is a lateral move.
 - * **Demotion** - The Customer account is moving to a lower level.
 - **Test Type** - Type of test performed to determine whether a Customer should be moved. This [Selection Menu](#) has the following options:
 - * **YTD Points** - Movement depends upon the number of points earned year-to-date in the Customer account.
 - * **LTD Points** - Movement depends upon the number of points earned lifetime-to-date in the Customer account.
 - * **Points Earned Since Last Level Move** - Movement depends upon the number of points earned since the last level move, or the creation of the Customer account.
 - * **Average Points Earned Per Month** - Movement depends upon the average number of points earned per month in a defined number of months.
 - * **Time Period Since Last Level Move** - Movement occurs after a defined period of time has passed since the last level move, or the creation of the Customer account.

- **Movement Periods** - The number of periods (from Test Period Type) used for the movement test (only visible if the Test Type is either **Average Points Earned Per Month** or **Time Period Since Last Level Move**).
- **Test Period Type** - The type of period used for the movement test (only visible if the Test Type is **Time Period Since Last Level Move**).
- **Extend sustain period if customer meets the following criteria** - This [Check Box](#) determines whether the time period (determined by **Movement Periods** and **Test Period Type**) will be extended when the Customer meets certain criteria (only visible if the Movement Rule is **Sustain**, and the Test Type is **Time Period Since Last Level Move**).

See ["Extend a Sustain Period" on page 37](#) for further instructions and information about the fields that open when this [Check Box](#) is checked (.

- **Points Cost/Threshold** - Configurations for determining the point cost and point threshold for the Movement Rule. This section contains the following fields:
 - **Points Cost** - Number of Points consumed for the account movement and deducted from the Loyalty Account.
 - **Point Threshold** - Number of Points used by the Test Type (only visible if the Test Type does **not** equal **Time Period Since Last Level Move**).

Extend a Sustain Period

After a lateral, sustained Movement Rule is performed on an Account, Customer Engagement will not run the same Movement Rule on that Account (unless the Account changes Loyalty Levels). So, to extend the period of time an Account remains at a Loyalty Level following a sustain Movement Rule, the sustain period must be extended.

To extend a sustain period, enter a check mark () in the **Extend sustain period if customer meets the following criteria** [Check Box](#). The following fields open:

Extend sustain period if customer meets the following criteria:

Extension Test Type	(Please select) ▾
Extension Test Periods	0
Test Period Type	(Please select) ▾
Point Threshold	
Extension Periods	0
Extension Period Type	(Please select) ▾

Figure 14-33: Extend Sustain Period Fields

- **Extension Test Type** - The type of test performed used to determine whether to extend the sustain period. This [Selection Menu](#) has the following options:
 - **YTD Points** - The number of points earned year-to-date.
 - **LTD Points** - The number of points earned lifetime-to-date.
 - **Points Earned Since Last Level Move** - The number of points earned since the last time the Account changed its Loyalty Level.
 - **Average Points Earned Per Month** - The average number of points earned per month.
- **Extension Test Periods** - The number of periods (determined by Test Period Type) that the sustain period is extended.
- **Test Period Type** - The type of time period used to change the sustain period.
- **Point Threshold** - The number of points that must be earned to extend the sustain period. Used with **Extension Test Type** (see above).
- **Extension Periods** - This [Selection Menu](#) determines the type of period by which the sustain period is extended.
- **Extension Period Type** - The number of periods (from Extension Periods) by which the sustain period is extended.

Add Movement Rule

To add a Movement Rule to a Loyalty Level, click **Create New Movement Rule** in the [Actions Menu](#) for the Loyalty Level. A blank Movement Rule opens.

Card Def: IM Awards > Loyalty Program: IM Loyalty > Level: IM Loyalty > Movement Rule: New Rule

Cancel Save

Movement Rule Definition

Name Precedence Issue Immediately Upon Transaction Posting

POS Name Description

Movement Rule Effective Dates

Start Date Disable End Date End Date

Movement Rule Parameters

(Move to) Loyalty Program Level Test Type

Movement Rule Type Movement Periods

Points Cost / Threshold

Points Cost Point Threshold

Figure 14-34: Blank Movement Rule

Enter the information for the Movement Rule. See [“View/Edit Movement Rule” on page 34](#) for a description of each field.

When you have finished entering information, click the **Save** button to return to the Loyalty Level. To discard changes and return to the Loyalty Level, click the **Cancel** button.

Delete Movement Rule

To delete a Movement Rule from a Loyalty Level:

1. Open the Movement Rule in the Loyalty Level.
2. In the [Actions Menu](#), click **Delete Movement Rule**.

A confirmation prompt opens.

Delete Movement Rule from Level? Deleting a rule is a permanent operation.

OK Cancel

Figure 14-35: Confirmation Prompt

3. Click **OK** to delete the Movement Rule and return to the Loyalty Level. Click **Cancel** to cancel the deletion and return to the Movement Rule.

Create New Program

To add a new Program to a [Card Definition](#):

1. Select **Create New Program** in the [Actions Menu](#) for a [Card Definition](#) (see [“Actions Menu” on page 8](#)).

Tip: If there are no Programs defined for the [Card Definition](#), Customer Engagement provides a **Click Here** [Link](#) for adding a Program.

The Program Creation [Wizard](#) opens with the Program Type step.

The screenshot shows the 'Program Type' step of the wizard. On the left, a sidebar lists 'Program Definition' and 'Program Type' (selected). The main content area is titled 'Select A Program Type' and contains three radio button options:

- Tender Program**: Tender Programs represent a specific corporate liability with intrinsic value that can be exchanged for merchandise.
- Award Program**: Award Programs contain E-Awards that have a specific dollar value. E-Awards can be created from events such as Loyalty Program point conversion or Birthday / Anniversary rules.
- Loyalty Program**: Loyalty Programs accumulate points by tracking customer purchase activity. Points can be converted to future coupons or E-Awards.

Navigation buttons at the top include 'previous', 'save', 'cancel', and 'next'.

Figure 14-36: Create Program Wizard

If any cards have already been generated for the Card Definition, a warning message indicates that adding a new program will start a background job, so it is advised to start the process during off hours.

2. Using the [Radio Buttons](#), select the type of Program you are creating (see [“Program Types” on page 1](#) for a description of each Type).

If there is already a Tender Program for the Card Definition, the option to create a Tender Program is not displayed.

3. Click **next** to continue.

The General step opens.

The screenshot shows the 'General' step of the wizard. The sidebar has 'Program Type' and 'General' selected. The main content area is titled 'General Program Information' and contains the following fields:

- Program Name:
- Program Description:
- Start Date:
- Disable End Date:
- End Date:
- Active:

Navigation buttons at the top include 'previous', 'save', 'cancel', and 'next'.

Figure 14-37: General Step

4. In the General step, enter the information for the Program.
 - **Program Name** - The name of the Program.
 - **Program Description** - A description of the Program.

Create New Program

- **Start Date** - The date on which the Program starts; uses a [Calendar Menu](#).
 - **Disable End Date** - Determines whether the Program has an end date.
 - * **Unchecked** - The Program has an end date.
 - * **Checked** - The Program has no end date and will be valid forever.
 - **End Date** - The date on which the Program ends; uses a [Calendar Menu](#) (only active if Disable End Date is unchecked).
 - **Active** - Determines whether the Program will be immediately active on the Start Date.
5. Click **next** to continue with the correct procedure for the type of Program (selected in step 2).
- **Tender Program** - Continue with [“Create a Tender Program” on page 40](#).
 - **Loyalty Program** - Continue with [“Create a Loyalty Program” on page 44](#).
 - **Award Program** - Continue with [“Create an Award Program” on page 47](#).

Create a Tender Program

To create a Tender Program:

1. Perform the steps described in [“Create New Program” on page 39](#).

The Card Parameters step opens.




Figure 14-38: Card Parameters Step

2. Define the parameters for the Card:
 - **Credit Reversal** - Indicate whether credit reversals can be performed.
 - **Debit Reversal** - Indicate whether debit reversals can be performed.
 - **Currency** - Select the base currency for the Program.
 - **Card Required** - Indicate whether the customer must have their Card present to receive credit for a transaction.
 - **Card Merge Permitted** - Indicate whether Card merges can be performed.
 - **Allow Foreign Currency** - Indicate whether Customers will receive credit for transactions performed in foreign currencies.
3. Click **next** to continue.

The Tender Program step opens.

Figure 14-39: Tender Program Step

4. Define the parameters for the Tender Program:
 - **Allow Cash Outs** - Indicates whether the account can be redeemed for cash or an equivalent tender.
 - **Cash Out Limit** - Determines the limit for a Cash Out request (only active if Allow Cash Outs is set to **Yes**).
 - **Account Level Expiration Dates** - Determines whether the Tender Accounts will have expiration dates.
 - **Period Type** - Indicates the type of period used for the Account Level Expiration Date (only active if Account Level Expiration Dates is set to **Yes**).
 - **Number of Periods** - Determines the number of periods (selected in Period Type) that will pass before a Tender Account expires (only active if Account Level Expiration Dates is set to **Yes**).
5. Click **next** to continue.

The Tender Balances step opens.

Figure 14-40: Tender Balances Step

6. Define the balance rules for the Tender Program:
 - **Initial Account Balance** - Indicates whether there is an initial balance on each account.
 - **Initial Balance Amount** - The amount of the initial balance (only active if Initial Account Balance is set to **Yes**).
 - **Initial Book Value** - The initial book value of the account (only active if Initial Account Balance is set to **Yes**).

Create New Program

- **Minimum Activation Amount** - The minimum amount that can be in an Account for it to be activated.
 - **Minimum Balance** - The minimum amount that must be kept in an Account.
 - **Maximum Balance** - The maximum amount that can be put into the Account.
7. Click **next** to continue.

The Preauthorizations step opens.

Define Tender account pre-authorization parameters.

Allow Pre-authorizations (Please select) ▾

Pre-authorization Expirations (Please select) ▾

Expire Pre-authorizations after (Periods) (Please select) ▾

Number of Periods 0

Figure 14-41: Preauthorizations Step

8. Define the pre-authorization rules for the Tender Program:
- **Allow Pre-authorizations** - Indicates whether pre-authorizations are allowed for the Tender Accounts.
 - **Preauth Expirations** - Indicates whether pre-authorizations expire (only active if Preauth Expirations is set to **Yes**).
 - **Expire Pre-authorizations after (Periods)** - Indicates the type of period used for the pre-authorization expiration (only active if Allow Pre-authorizations and Preauth Expirations are both set to **Yes**).
 - **Number of Periods** - Determines the number of periods (selected in Expire Pre-authorizations after (Periods)) to pass, after which a pre-authorization expires (only active if Allow Pre-authorizations and Preauth Expirations are both set to **Yes**).
9. Click **next** to continue.

The Advanced Options step opens.

Define advanced Tender Program parameters.

Allow Reloads (Please select) ▾

Allow Partial Redemption (Please select) ▾

Max Value of Redemptions per Business Day

Max Daily Uses 0

Maximum lifetime uses

Figure 14-42: Advanced Options Step

10. Define the Advanced Options for the Tender Program:
- **Allow Reloads** - Indicates whether a Tender Account can be reloaded.
 - **Allow Partial Redemption** - Indicates whether a balance on a Tender Account can be partially redeemed.

- **Max Value of Redemptions per Business Day** - The total amount of all redemptions that can be performed on a Tender Account in one day.
- **Max Daily Uses** - The total number of times that a Tender Account can be used in one day.
- **Maximum Lifetime Uses** - The total number of times that a Tender Account can be used over the lifetime of the account.

11. Click **next** to continue.

The Review step opens.

12. Review the entered information to ensure that it is correct.

- Click **save** to save the Program with the current settings and return to the [Card Definition](#) page.
- Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
- Click **cancel** to delete all information and return to the [Card Definition](#) page.

Create a Loyalty Program

To create a [Loyalty Program](#):

1. Perform the steps described in [“Create New Program” on page 39](#).

The Card Parameters step opens.

The screenshot shows a wizard interface with five steps: Program Type, General, Card Parameters, Points Definition, and Loyalty. The 'Card Parameters' step is currently active and highlighted in blue. Below the step indicators, there are navigation buttons: '<< previous', 'save', 'cancel', 'next >>', and '>>'. The main content area is titled 'Define card parameters related to the program.' and contains six dropdown menus, each with '(Please select)' as the current selection:

- Currency
- Credit Reversal
- Debit Reversal
- Card required
- Card Merge Permitted
- Allow Foreign Currency

Figure 14-43: Card Parameters Step

2. Define the parameters for the Card:
 - **Currency** - Base currency for the Program.
 - **Credit Reversal** - Indicate whether credit reversals can be performed.
 - **Debit Reversal** - Indicate whether debit reversals can be performed.
 - **Card Required** - Indicate whether the customer must have their physical card present to receive credit for a transaction.
 - **Card Merge Permitted** - Indicate whether Card Merges can be performed.
 - **Allow Foreign Currency** - Indicate whether Customers will receive credit for transactions performed in foreign currencies.
3. Click **next** to continue.

The Points Definition step opens.

The screenshot shows the wizard interface with the 'Points Definition' step active and highlighted in blue. Navigation buttons are the same as in the previous step. The main content area is titled 'Define Loyalty Points specific parameters.' and contains four text input fields:

- Points Name
- POS Points Name
- Points Currency Value
- Points Decimal Precision

Figure 14-44: Points Definition Step

4. Define the parameters for the loyalty points:
 - **Points Name** - The name used for the loyalty points.
 - **POS Points Name** - The name for the points displayed on the POS system.
 - **Points Currency Value** - For informational and reporting purposes only.
 - **Points Decimal Precision** - The number of decimal points used in tracking points.

- Click **next** to continue.

The Loyalty Levels step opens.

Figure 14-45: Loyalty Levels Step

- Define the parameters for the initial loyalty level:

Note: Only one loyalty level is created during this process. Further loyalty levels can be created in the procedure [“Add a Loyalty Level” on page 20.](#)

- **Level Name** - The name of the loyalty level.
- **Description** - A description of the loyalty level.
- **Active** - Indicates whether the level will be active upon creation.
- **Negative Balance** - Indicates whether the loyalty level will allow negative balances.

- Click **next** to continue.

The Loyalty Level Points step opens.

Figure 14-46: Loyalty Level Points Step

- Define the parameters for the points issued by the initial loyalty level:

- **Points Aging** - Determines the method used for determining when points are reset. This parameter has the following options:
 - * **Never Reset** - Points earned are retained until removed by an awards process.
 - * **Reset after x periods** - If there is no account activity in the time specified, all points (escrow, earned, and bonus) are expired and points balances reset to zero after a defined period of time.

Create New Program

- * **Reset after x rolling periods** - The expiration date for the points is calculated from the business date they are earned. If these points are not used, they are removed after a defined period of time, regardless of account activity.
 - **Aging Period** - Indicates the type of period used for the Points Aging process (only active if Points Aging is set to **Reset after x periods** or **Reset after x rolling periods**).
 - **Aging Periods** - Determines the number of periods (selected in Aging Period) that will pass before points are reset (only active if Points Aging is set to **Reset after x periods** or **Reset after x rolling periods**).
 - **Escrow Points** - Indicates whether points are escrowed before they become available for use as Earned Points.
 - * **Checked** - Points are held as Escrow Points for a defined period of time, after which they become available for use as Earned Points.
 - * **Unchecked** - Points are immediately available for use as Earned Points.
 - **Escrow Period** - Indicates the type of period used to determine the escrow time (only active if Escrow Points is **Checked**).
 - **Escrow Periods** - Determines the number of periods (selected in Period Type) that will pass before points are made available (only active if Escrow Points is **Checked**).
9. Click **next**.
- The Review Step opens.
10. Review the entered information to ensure that it is correct.
- Click **save** to save the Program with the current settings and return to the [Card Definition](#) page.
 - Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
 - Click **cancel** to delete all information and return to the [Card Definition](#) page.
11. If necessary, add Loyalty Levels to the Program. See [“Add a Loyalty Level” on page 20](#) for more information.
12. Create the Rules for the Loyalty Level(s). See the following procedures for instructions:
- If the Program will have multiple Loyalty Levels, perform [“Add a Loyalty Level” on page 20](#) and [“Add Movement Rule” on page 38](#).
 - [“Add Issue Rule” on page 25](#)
 - [“Add Award Rule” on page 33](#)

Create an Award Program

To create an Award Program:

1. Perform the steps described in [“Create New Program” on page 39](#).

The Card Parameters step opens.

The screenshot shows a navigation bar with steps: Program Type, General, Card Parameters (highlighted), Award Program, and Award. Below the navigation bar are buttons: << previous, save, cancel, next >>. The main content area is titled "Define program card usage parameters." and contains four dropdown menus: Currency (Please select), Card required (Please select), Card Merge Permitted (Please select), and Allow Foreign Currency (Please select).

Figure 14-47: Card Parameters Step

2. Define the parameters for the Card:
 - **Currency** - Select the base currency for the Program.
 - **Card Required** - Indicate whether the customer must have the physical card present to receive credit for a transaction.
 - **Card Merge Permitted** - Indicate whether Card Merges can be performed.
 - **Allow Foreign Currency** - Indicate whether Customers will receive credit for transactions performed in foreign currencies.
3. Click **next** to continue.

The Award Program step opens.

The screenshot shows a navigation bar with steps: General, Card Parameters, Award Program (highlighted), and Award Expiration. Below the navigation bar are buttons: << previous, save, cancel, next >>. The main content area is titled "Define Award Program dates and initial balance parameters." and contains five input fields: Account Level Expiration (Please select), Period Type (Please select), Number of Periods (text input), Initial Account Balance (text input), and Allow Reloads (Please select).

Figure 14-48: Award Program Step

4. Define the Award Program parameters:
 - **Account Level Expiration** - Indicates whether awards will expire after a defined period of time.
 - **Period Type** - Indicates the type of period used to determine the award expiration time (only active if Account Level Expiration is set to **Yes**).
 - **Number of Periods** - Determines the number of periods (selected in Period Type) that will pass before an award expires (only active if Account Level Expiration is set to **Yes**).
 - **Initial Account Balance** - The initial balance of each account.

Create New Program

- **Allow Reloads** - Indicates whether the account can be reloaded.

5. Click **next** to continue.

The Award Expiration step opens.

Card Parameters Award Program **Award Expiration** Review

<< previous save cancel **next** >>

Define Award / Coupon expiration parameters.

Awards Will Be Expired (Please select) ▼

Award Expiration Period Type (Please select) ▼

Number of Periods

Figure 14-49: Award Expiration Step

6. Define the Award Expiration parameters:

- **Awards Will be Expired** - Determines the method used for determining when awards are reset. This parameter has the following options:
 - * **None** - Awards earned are retained until removed.
 - * **Fixed** - Awards will expire based on a fixed date. If the award hasn't been redeemed before that date it is considered expired.
 - * **Rolling X** - The expiration date is defined when the coupon is first created, but as activity is performed on the award account the expiration date is recalculated (rolled ahead) based on the current date (activity). The purpose of this type is, if the customer is still shopping with you, but hasn't got around to using their coupon, the expiration date is extended as a courtesy.
- **Award Expiration Period Type** - Indicates the type of period used for determining the time period of the award expiration (only active if Awards Will be Expired is set to **Fixed** or **Rolling X**).
- **Number of Periods** - Indicates the number of periods (defined in Award Expiration Period Type) that will pass before awards will be expired (only active if Awards Will be Expired is set to **Fixed** or **Rolling X**).

7. Click **next** to continue.

The Review step opens.

8. Review the entered information to ensure that it is correct.

- Click **save** to save the Program with the current settings and return to the [Card Definition](#) page.
- Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
- Click **cancel** to delete all information and return to the [Card Definition](#) page.

See [“Add an Entitlement Deal” on page 11](#) for information on how to specify an Entitlement Deal for the Program.

Card/Account Administration

Overview

The Card/Account Administration page provides Users with access to Cards issued to Customers, and the Accounts associated with those Cards. Users can then view information about that Card or Account, or make any necessary changes to that Card or Account.

About this Chapter

This chapter contains the following information:

- [“Card/Account Search” on page 2](#) - Describes the procedure for searching for a Card and its associated Account(s). Options include:
 - [“Open a Customer Card” on page 3](#)
- [“Card/Account Administration” on page 3](#) - Provides information and procedures for managing Cards and Accounts. Options include:
 - [“Basic Card/Account Information” on page 3](#)
 - [“Actions Menu” on page 6](#)
 - [“Open Customer Record” on page 6](#)
 - [“Activate Card” on page 7](#)
 - [“Deactivate Card” on page 8](#)
 - [“Set New Card Expiration Date” on page 9](#)
 - [“Merge Card” on page 10](#)
 - [“Account Information” on page 11](#)

Card/Account Search

The Card/Account Search page uses Card-specific or Account-specific information to locate a Card to open in Card/Account Administration.

To perform a Card/Account search:

1. Select the **Account->Card/Account Admin** menu option, or select the **Card/Account Admin Link** on the [Main Page](#).

The Card/Account Search page opens.




Figure 15-1: Card/Account Search Page

2. In the Card/Account Search page, enter the search information for the Card or Account:

- **Card Number** - Card Number for the Card.
- **Serial Number** - Serial Number for the Card.
- **Account Number** - Account Number for an Account associated with a Card.

Note: If you enter search criteria in more than one field, the information in the different fields must be associated with the same Card; otherwise, the search fails.

3. Click the **Search** button, or press [Enter].

- If a Card matches the entered criteria, the Card opens in Card/Account Administration.




Figure 15-2: Card/Account Administration

- If no Card is found matching the entered criteria, an error message displays and no Card opens.




Figure 15-3: Card Not Found Error Message

Open a Customer Card

You can also open a Card through a Customer record. See [“Customer Lookup/Edit” on page 3](#) for instructions on opening a Customer record, and [“Open Card” on page 12](#) for instructions on opening a Customer Card in Card Administration.

Card/Account Administration

The Card Administration page displays information about individual Cards and provides access to functions that can be performed on the Card and its associated Account(s), including:

- [“Basic Card/Account Information” on page 3](#)
- [“Card/Account Administration with Attributes” on page 4](#)
- [“Actions Menu” on page 6](#)

Basic Card/Account Information

The upper portion of the Card/Account Administration page displays basic information about the Card and the Accounts associated with the Card. This information is always displayed in Card/Account Administration.




Figure 15-4: Basic Card/Account Information

If there are multiple Card Accounts associated with the customer, the currently displayed Card Account is indicated with a downward-facing arrow, as in the above illustration.

This area displays the following information:

- **Card Information** - Basic information about the Card. This includes the following information:
 - **Card Number** - Card Number for the Card.
 - **Serial Number** - Serial Number for the Card.
 - **Primary holder** - Name of Customer designated as the primary holder of the Card.
 - **Card Status** - Current status of the Card.
 - **Card Holders** - Total number of Customers assigned to this Card.
- **Card Detail** - Detailed information about the Card. This includes the following information:
 - **Card Prefix** - Prefix used for the Serial Number of the Card.
 - **Series Name** - Name of the Card Series to which the Card belongs.
 - **Series/Batch Number** - Series Number for the Card Series to which the Card belongs, and Batch Number for the Batch to which the Card belongs.

Card/Account Administration

- **Card Origin** - Indicates where the Card originated. Set to Relate if the Card originated in Customer Engagement.
- **Card Type** - Type of Card.
- **Activation Date** - Date on which the Card was/is activated.
- **Expiration Date** - Date on which the Card expires.
- **First Used Date** - Date on which the Card was first used.
- **Last Used Date** - Most recent date on which the Card was used.
- **Accounts** - Displays the Accounts associated with the Card.
 - **Account Type** - Type of Account (Tender, Award, or Loyalty).
 - **Account Name** - Name of the Account.
 - **Account Number** - Account Number for the Account.

Card/Account Administration with Attributes

Click Card Attributes to display Attributes for the Card, its Series, and its Type, and optionally to add or modify Attributes for the Card.

The screenshot shows the 'Card Detail' page. At the top right, there are three buttons: 'Add Attribute' (1), 'Accounts' (2), and 'Actions' (3). Below these are sections for 'Card Detail' (with fields like Card Prefix, Activation Date, Expiration Date, etc.), 'Accounts' (showing a Loyalty account), 'Card Type Attributes' (4), 'Card Series Attributes' (5), and 'Card Attributes' (6). The 'Card Attributes' section contains a table with columns: Name, Value, Data Type, Unique, and Description. One row is visible with 'issue_loc', 'online', 'List', 'No', and 'issue location'.

Figure 15-5: Card Account/Administration with Attributes


Item	Description
1	Add Attribute - Click to add a new Card Attribute. See “Add Card Attribute” on page 5 for more information.
2	Accounts - Select to return to hide the Attribute information and return to the basic Card Account/Information screen. See “Basic Card/Account Information” on page 3 for more information.
3	Actions Menu - Click to open a menu of actions that can be performed on the Card. See “Actions Menu” on page 6 for more information.

Item	Description
4	<p>Card Type Attributes - Displays any Attributes assigned to the Card Type, including for each:</p> <ul style="list-style-type: none"> Attribute Name Attribute Value
5	<p>Card Series Attributes - Displays any Attributes assigned to the Card Series, including for each:</p> <ul style="list-style-type: none"> Attribute Name Attribute Value
6	<p>Card Attributes - A List of Card Attributes currently assigned to the Card. See “Work with Card Attribute” on page 6 for information on changing or deleting a Card Attribute.</p> <p>Information displayed for each Card Attribute:</p> <ul style="list-style-type: none"> Name - The Name of the Card Attribute. Value - The current Value of the Card Attribute. Data Type - The Card Attribute Data Type. Possible Data Types are: <ul style="list-style-type: none"> Character - A string of characters entered through a Text Field. Number - A number value entered through a Text Field. Currency - A currency amount entered through a Text Field. Date - A date entered through a Calendar Menu. Logical - A true or false value entered through a Selection Menu. List - One of a number of defined values selected through a Selection Menu. Unique - Indicates whether the Attribute can be assigned more than once: <ul style="list-style-type: none"> Yes - The Attribute can only be assigned to a Card once. No - The Attribute can be assigned to a Card multiple times. Description - The Description of the Card Attribute.

Add Card Attribute

To add a Card Attribute to a Card:

- Click Add Attribute at the [Card/Account Administration with Attributes](#) screen.
An Attribute Detail window opens:



The screenshot shows a window titled "Attribute Detail" with a close button (X) in the top right corner. Inside the window, there is a label "Attribute Type" followed by a dropdown menu with the text "(Please select)". Below that is a label "Value -" followed by a text input field. In the bottom right corner of the window, there is a "Save" button.

Figure 15-6: Attribute Detail Window (New Card Attribute)

- Select the Attribute Type.
- Enter or select the Value for the Attribute.

4. Click **Save**.

Work with Card Attribute

To change or delete an existing Card Attribute for a Card:

1. Click the Attribute from the List at the [Card/Account Administration with Attributes](#) screen.

An Attribute Detail window opens:





Figure 15-7: Attribute Detail Window (Existing Card Attribute)

2. To change the Card Attribute value, select or enter the new value and click **Save**.
3. To delete the Card Attribute value, click **Delete**.

Actions Menu

The [Actions Menu](#) for the Card/Account Administration page has the following options:

- **Activate Card** - Activate an inactive Card (only shown for inactive Cards). See [“Activate Card” on page 7](#).
- **Deactivate Card** - Deactivate an active Card (only shown for active Cards). See [“Deactivate Card” on page 8](#).
- **Reset Card Expiration Date** - Set a new expiration date for the card. See [“Set New Card Expiration Date” on page 9](#).
- **Merge Card** - Merge the Card with another Card. See [“Merge Card” on page 10](#).



Open Customer Record

To open the Customer Record for the Customer associated with the Card, do one of the following:

- Click the name of the **Primary holder**. The Customer Record of the primary holder opens in the [Customer Dashboard](#).
- Click the number of Card Holders to open a menu containing a menu of all of the Customers associated with the Card. Click the name in the menu to open the Customer Record in the [Customer Dashboard](#).



Activate Card

There are two methods for activating an inactive Card:

- [“Through the Actions Menu” on page 7](#)
- [“Using the Card Status Link” on page 7](#)

Through the Actions Menu

1. Click **Activate Card** in the [Actions Menu](#).

A Perform Action: Activate Card [Window](#) opens.

Figure 15-8: Perform Action: Activate Card Window

2. Select the **Franchisee** associated with the card, if Franchises are enabled.
3. Select the **Location** where the activation is being performed.
4. Enter **Comments** describing the reason for activating the Card.
5. Click **OK** to close the [Window](#) and activate the Card, or click **Cancel** to close the [Window](#) and keep the Card inactive.

Using the Card Status Link

1. Click the **Inactive** Card Status [Link](#) to open the Card Status menu.




Figure 15-9: Card Status Menu

2. Click **Activate Card**.

A Perform Action: Activate Card [Window](#) opens (see Figure 15-8).

3. Enter the activation information for the Card:

Note: The fields available in the Activate Card [Window](#) may be different, depending upon the configuration and current status of the Series to which it belongs.

- **Tender Activation Amount** - The amount issued by the activation of the Tender Account.

- **Loyalty Activation Points** - The number of points issued at the activation of the Loyalty Account.
 - **Award Activation Coupon Amount** - The amount of the Coupon issued by the activation of an Award Account.
 - **Currency** - The currency used for the Tender Activation Amount and/or the Award Activation Coupon Amount.
 - **Franchisee** - The Franchisee associated with the Card.
 - **Reason Code** - The reason for activating the Card.
 - **Location** - The Location where the activation is being performed.
 - **Comments** - Comments describing the reason for activating the Card.
4. Click **OK** to close the [Window](#) and activate the Card, or click **Cancel** to close the [Window](#) and keep the Card inactive.

Deactivate Card


There are two methods for deactivating an active Card:

- [“Through the Actions Menu” on page 8](#)
- [“Using the Card Status Link” on page 9](#)

Through the Actions Menu

1. Click **Deactivate Card** in the [Actions Menu](#).

A Perform Action: Deactivate Card [Window](#) opens.



The screenshot shows a dialog box titled "Perform Action: Deactivate Card". It has a white background and a dark border. At the top, the title is in blue. Below the title, there are three dropdown menus: "Franchisee" (with "(Please select)" as the selected option), "Reason Code" (with "None" as the selected option), and "Location" (with "(Please select)" as the selected option). Below these is a large text area for "Comments". At the bottom right, there are two buttons: "Cancel" and "OK".

Figure 15-10: Perform Action: Deactivate Card Window

2. Select the **Franchisee** associated with the card, if Franchises are enabled.
3. Select the **Location** where the deactivation is being performed.
4. Enter **Comments** describing the reason for deactivating the Card.
5. Click **OK** to close the [Window](#) and deactivate the Card, or click **Cancel** to close the [Window](#) and keep the Card active.

Using the Card Status Link

1. Click the **Active** Card Status [Link](#) to open the Card Status menu.




Figure 15-11: Card Status Menu

2. Click **Deactivate Card**.
A Perform Action: Deactivate Card [Window](#) opens (see Figure 15-10).
3. Use the **Franchisee Selection Menu** to select the Franchisee to associate with the Card, if Franchises are enabled.
4. Use the **Reason Code Selection Menu** to select the reason for deactivating the Card.
5. Use the **Location Selection Menu** to select where the deactivation is being performed.
6. Enter **Comments** describing the reason for deactivating the Card.
7. Click **OK** to close the [Window](#) and deactivate the Card, or click **Cancel** to close the [Window](#) and keep the Card active.

Set New Card Expiration Date

Expiration dates can be set on individual Cards in Customer Engagement. To set a new expiration date for an individual Card:

1. Click **Reset Card Expiration Date** in the [Actions Menu](#), or in the [Card Status Menu](#).
A Reset Card Expiration Date [Window](#) opens.




Figure 15-12: Reset Card Expiration Date Window


2. Use the Reset Card Expiration Date [Calendar Menu](#), select the new expiration date for the Card.
3. Click **OK** to change the Card Expiration Date to the new value and close the [Window](#), or click **Cancel** to close the [Window](#) without saving.

Merge Card

To merge a Card with another Card:

1. Click **Merge Card** in the [Actions Menu](#).

A Merge Card [Window](#) opens.



☑ Make Source ☐ Make Target

Merge Card Search

Card Num Serial Num Acct Id

Figure 15-13: Merge Card Window

2. Using the [Radio Buttons](#), select how to merge the Cards:
 - **Make Source** - The current Card will be the source for Card information.
 - **Make Target** - The Card selected for merge will be the target for Card information.
3. Enter the Merge Card Search information:
 - **Card Num** - The Card Number for the Card.
 - **Serial Num** - The Serial Number for the Card.
 - **Acct Id** - The ID for the Account.

Note: If information is entered into more than one field, the information in each field must match the same Card. If the information is associated with different Cards, the search will not return any results.

4. Click **Search**.
 - If a Card matching the search criteria was found, the Card will be displayed in a [List](#). Continue with the next step.
 - If no Cards matching the search criteria are found, an error message appears and no Cards are listed. Return to step 3.
5. To complete the merge, click to put a check mark (☑) in the **Merge Card** [Check Box](#), then click the **Merge** button. The Cards are merged and the [Window](#) closes.
To exit the [Window](#) without merging the Cards, click **Cancel**.

Account Information

Click the Account Number [Link](#) to view information about a specific Account. The information displayed for each Account depends upon its Account type.

Tender Account


The following information is displayed for each Tender Account:

The screenshot shows the 'Tender Account Administration' page. At the top, it displays account details: Account Id 1800, Program Name Test Tender, First Activity Date 2011-08-10, Balance 0.00, Program Currency GBP, Last Used Date 2013-06-19, Frozen Balance 0.00, Program Activation Amount, and Expiration Date. Below this is the 'Tender Account Activity' section with a filter set to 'All'. The activity list shows three rows: 15477 (Activate Card, 2013 Jun 19 16:28:26), 5137 (Un-Block, 2012 Jun 5 19:49:53), and 5100 (Activate Card, 2012 Jun 5 19:49:53). Navigation controls include '1 of 1 Pages', 'Go To Page: GO', and 'Page Size: 50 Items'.

Figure 15-14: Tender Account Information

- **Tender Account Administration** - Displays information about the Tender Account. This area includes the following information:
 - **Account Id** - ID number for the Account.
 - **Balance** - Current tender balance of the Account.
 - **Frozen Balance** - Balance of the Account that is currently frozen.
 - **Program Name** - Name of the Program to which the Account belongs.
 - **Program Currency** - Base currency for the Program.
 - **Program Activation Amount** - Amount required by the Program to activate an Account.
 - **First Activity Date** - Date of the first activity on the Account.
 - **Last Used Date** - Date of the most recent activity on the Account.
 - **Expiration Date** - Date on which the Account expires.

Note: If the Tender Account was merged with another Account, Customer Engagement will display the message "Account has been merged" below the Tender Account Administration area.



- **Tender Account Activity** - A [List](#) displaying each action performed on the Account. The information in the [List](#) is determined by the [Filter Activity Menu](#). This [List](#) uses [Page Navigation](#) to organize the actions. The following information is displayed for each Account action:

- **Activity Id** - ID of the activity on the Account.
- **Location Id** - ID of the location where the activity occurred.
- **Activity Type** - Type of activity performed.
- **Amount** - Amount applied to the Account by the activity.
- **Activity Date/Time** - Date and time of the activity.
- **Void Flag** - Indicates whether the activity was voided.


Filter Activity Menu

The Filter Activity menu is a [Filter](#) for the Tender Account Activity [List](#). This [Selection Menu](#) filters the Tender Account Activity [List](#) by Activity Type.

Actions Menu

The [Actions Menu](#) for Tender Accounts will display the following options:

- **Activate Card** - Activate an inactive Card (only shown for inactive Cards). See [“Activate Card” on page 7](#).
- **Deactivate Card** - Deactivate an active Card (only shown for active Cards). See [“Deactivate Card” on page 8](#).
- **Reset Card Expiration Date** - Set a new expiration date for the card. See [“Set New Card Expiration Date” on page 9](#).
- **Merge Card** - Merge the Card with another Card. See [“Merge Card” on page 10](#).
- **Redeem** - Redeem an existing amount from the balance on the Card. See [“Redeem an Amount” on page 13](#).
- **Reload** - Reload the Card with an additional amount. See [“Reload a Card” on page 14](#).
- **Pre-Authorize** - Pre-authorize an amount on the Card. See [“Pre-Authorize an Amount” on page 15](#).
- **Refresh Account Details** - Refresh/Reload the information displayed for the Account.




Redeem an Amount

To redeem an amount from a Card:

1. Click **Redeem** in the [Actions Menu](#) for a Tender Account.

A Perform Action: Redeem [Window](#) opens.



The screenshot shows a window titled "Perform Action: Redeem". It contains the following fields and controls:

- Amount:** A text input field.
- Reason Code:** A dropdown menu with "None" selected.
- Currency:** A dropdown menu with "Use Program" selected.
- Location:** A dropdown menu with "(Please select)" selected.
- Comments:** A large text area for entering notes.
- Current User ID:** Displayed as "am - am" at the bottom left.
- Buttons:** "Cancel" and "OK" buttons at the bottom right.

Figure 15-15: Perform Action: Redeem Window


2. Enter the information for the redemption:
 - **Amount** - The amount to be redeemed.
 - **Reason Code** - Use the [Selection Menu](#) to select the reason for the redemption.
 - **Currency** - Use the [Selection Menu](#) to select the currency in which to redeem the amount, or select **Use Program [DEFAULT]** to use the base currency for the program. *This field can only be changed in Tender Programs that allow foreign currencies.*
 - **Franchisee** - Use the [Selection Menu](#) to select the Franchisee associated with the action.
 - **Location** - Use the [Selection Menu](#) to select the location where the redemption is being performed.
 - **Comments** - Enter any comments describing the redemption.
3. Click **OK** to perform the redemption and close the [Window](#), or click **Cancel** to close the [Window](#) without redeeming an amount.

Reload a Card

To reload a Card with an amount:

1. Click **Reload** in the [Actions Menu](#) for a Tender Account.

A Perform Action: Reload [Window](#) opens.



The screenshot shows a dialog box titled "Perform Action: Reload". It features a title bar with the text "Perform Action: Reload". Below the title bar, there are four input fields: "Amount" (a text box), "Reason Code" (a dropdown menu with "None" selected), "Currency" (a dropdown menu with "Use Program" selected), and "Location" (a dropdown menu with "(Please select)" selected). Below these fields is a large text area for "Comments". At the bottom left of the dialog, it displays "Current User ID: am - am". At the bottom right, there are two buttons: "Cancel" and "OK".

Figure 15-16: Perform Action: Reload Window

2. Enter the information for the reload:
 - **Amount** - The amount to be loaded onto the Card.
 - **Reason Code** - Use the [Selection Menu](#) to select the reason for the reload.
 - **Currency** - Use the [Selection Menu](#) to select the currency in which to reload the amount, or select **Use Program [DEFAULT]** to use the base currency for the program. *This option can only be changed in Tender Programs that allow foreign currencies.*
 - **Franchisee** - Use the [Selection Menu](#) to select the Franchisee associated with the action.
 - **Location** - Use the [Selection Menu](#) to select the location where the reload is being performed.
 - **Comments** - Enter any comments describing the reload.
3. Click **OK** to perform the reload and close the [Window](#), or click **Cancel** to close the [Window](#) without reloading the Card.

Pre-Authorize an Amount

To pre-authorize an amount on a Card:

1. Click **Pre-Authorize** in the [Actions Menu](#) for a Tender Account.

A Perform Action: Pre-Authorize [Window](#) opens.

Figure 15-17: Perform Action: Pre-Authorize Window

2. Enter the information for the pre-authorization:
 - **Amount** - The amount to be pre-authorized for the Card.
 - **Reason Code** - Use the [Selection Menu](#) to select the reason for the pre-authorization.
 - **Currency** - Use the [Selection Menu](#) to select the currency in which to pre-authorize the amount, or select **Use Program [DEFAULT]** to use the base currency for the program. *This option is only available for Tender Programs that allow foreign currencies.*
 - **Franchisee** - Use the [Selection Menu](#) to select the Franchisee associated with the action.
 - **Location** - Use the [Selection Menu](#) to select the location where the pre-authorization is being performed.
 - **Comments** - Enter any comments describing the pre-authorization.
3. Click **OK** to perform the pre-authorization and close the [Window](#), or click **Cancel** to close the [Window](#) without pre-authorizing an amount.

Activity Detail Window

Click an activity to view detailed information about an activity in the [List](#) of activities displayed for an Account. The activity displays in the Activity Detail [Window](#).




Figure 15-18: Activity Detail Window

The Activity Detail [Window](#) displays the following information for the selected activity:

- **Account Id** - ID number for the Account associated with the activity.
- **Activity Id** - ID of the activity on the Account.
- **Activity Type** - Type of activity performed.
- **Activity Date/Time** - Date and time of the activity.
- **Auth Code** - Authorization Code used by the activity.
- **Amount** - Amount applied to the Card by the activity.
- **Currency** - Currency used for the amount, if different from the base currency.
- **Exchange Rate** - If the transaction was performed in a foreign currency, the exchange rate between the foreign currency and the Account's base currency.
- **Requested Amount** - Requested currency amount.
- **Requested Currency** - Currency used for the requested amount, if different from the base currency.
- **Void Flag** - Indicates whether the activity was voided.
- **Error Description** - If an error occurred during the activity, a description of the error.
- **Franchisee** - Franchisee associated with the activity.
- **Reason Code** - Reason for the activity.
- **Referenced Activity Id** - ID of an activity to which this activity refers.
- **Referenced Auth Code** - Authorization Code used by the Referenced Activity.

- **Merged From Account** - If the Account was moved from another Account by a Card Merge, the ID number of the Account previously associated with the activity.
- **Location Id** - ID of the Location where the activity was performed.
- **Location Name** - Name of the Location where the activity was performed.
- **Franchisee** - Name of the Franchisee.
- **Business Date** - Business date of the activity.
- **Retail Tran Seq** - Sequence number of the activity within a retail transaction.
- **Workstation Id** - ID of the workstation (within the Location) where the activity was performed.
- **Retail Tran Id** - ID of the retail transaction of the activity. This field provides a [Link](#) to the Transaction in the Customer's [Transaction History](#).
- **Create Date** - Date on which the activity was created.
- **Create User Id** - ID of the user who created the activity.
- **Update Date** - Date on which the activity was most recently updated.
- **Update User Id** - ID of the last user to update the activity.
- **Comments** - Additional comments entered about the activity.

Actions Menu

The [Actions Menu](#) in the Activity Detail [Window](#) for a Tender Account has the following options:

- **Void** - Voids the open activity (see [“Void an Activity” on page 18](#)).
- **Reverse** - Reverses the open activity (see [“Reverse an Activity” on page 19](#)).




Void an Activity

To void an activity on an Account:

1. Open the activity in the [Activity Detail Window](#).
2. In the Activity Detail [Window](#), select **Void** in the [Actions Menu](#).

A Perform Action: Void [Window](#) opens.



Perform Action: Void

Amount 50.00

Reason Code None

Currency USD

Location (Please select)

Comments

Current User ID: am - am

Cancel OK

Figure 15-19: Perform Action: Void Window

3. Select the **Reason Code** for the Void in the [Selection Menu](#).
4. Select the **Location** to be used for the Void in the [Selection Menu](#).
5. Enter **Comments** describing the reasons for the Void.
6. Click the **OK** button to void the activity and close the [Window](#), or click the **Cancel** button to close the [Window](#) without voiding the activity.

Reverse an Activity

To reverse an activity on an Account:

1. Open the activity in the [Activity Detail Window](#).
2. In the Activity Detail [Window](#), select **Reverse** in the [Actions Menu](#).

A Perform Action: Reverse [Window](#) opens.

Figure 15-20: Perform Action: Reverse Window

3. Select the **Reason Code** for the Reverse in the [Selection Menu](#).
4. Select the **Location** to be used for the Reverse in the [Selection Menu](#).
5. Select the **Franchisee** in the [Selection Menu](#).
6. Enter **Comments** describing the reasons for the Reverse.
7. Click the **OK** button to reverse the activity and close the [Window](#), or click the **Cancel** button to close the [Window](#) without reversing the activity.

Award Account

The following information is displayed for each Award Account:

Award Account Administration

Account Id 764 Program Name sample program Last Used Date 2016-01-13
 Balance 10.00 First Used Date 2015-11-17 Expiration Date

Award Account Activity

Filter Activity: All

Displaying: 1-9 of 9 1 of 1 Pages Go To Page: Items per page: 50

Awd Tran Id	Act Seq	Location Id	Activity Type	Coupon Id	Coupon Type	Amount	Activity Date/Time	Void Flag
S10621	0	99901	Activate			0.00	2016 Jan 13 11:07:34	
S10619	0	99903	Deactivate				2016 Jan 13 11:06:53	
S10616	0	99913	Issue Entitlement Coupon	0000000000108000000000009556	Entitlement Coupon	0.00	2016 Jan 8 16:58:46	


Figure 15-21: Award Account Information

- **Award Account Administration** - Displays information about the Award Account. This area includes the following information:
 - **Account Id** - ID number for the Account.

Card/Account Administration

- **Balance** - Current award balance of the Account.
- **Program Name** - Name of the Program to which the Account belongs.
- **First Used Date** - Date of the first activity on the Account.
- **Last Used Date** - Date of the most recent activity on the Account.
- **Expiration Date** - Date on which the Account expires.

Note: If the Award Account was merged with another Account, Customer Engagement will display the message "Account has been merged" below the Award Account Administration area.



- **Award Account Activity** - A [List](#) displaying each action performed on the Account. The information in the [List](#) is determined by the [Filter Activity Menu](#). This [List](#) uses [Page Navigation](#) to organize the actions. The following information is displayed for each Account action:
 - **Awd Tran Id** - Transaction ID of the activity on Account.
 - **Act Seq** - Sequence number of the activity within the transaction.
 - **Location Id** - ID of the location where the activity occurred.
 - **Activity Type** - Type of activity performed.
 - **Coupon Id** - ID number for the coupon (if any) created or redeemed by the activity.
 - **Coupon Type** - The coupon type. Included for an Entitlement Coupon or an E-Award.
 - **Amount** - Amount applied to the Account by the activity.
 - **Activity Date/Time** - Date and time of the activity.
 - **Void Flag** - Indicates whether the activity was voided.


Filter Activity Menu

The Filter Activity menu is a [Filter](#) for the Award Account Activity [List](#). This [Selection Menu](#) filters the Award Account Activity [List](#) by Activity Type.

Actions Menu

The [Actions Menu](#) for the Award Account will display the following options:

- **Activate Card** - Activate an inactive Card (only shown for inactive Cards). See [“Activate Card” on page 7](#).
- **Deactivate Card** - Deactivate an active Card (only shown for active Cards). See [“Deactivate Card” on page 8](#).
- **Reset Card Expiration Date** - Set a new expiration date for the card. See [“Set New Card Expiration Date” on page 9](#).
- **Merge Card** - Merge the Card with another Card. See [“Merge Card” on page 10](#).
- **Issue Coupon** - Issue a Coupon to the Customer. See [“Issue a Coupon” on page 21](#).
- **Expire Coupon** - Expire an E-Award or Entitlement Coupon so that it can no longer be redeemed. See [“Expire Coupon” on page 22](#).
- **View Coupons** - View the Coupons that have been issued by the Award Account to the Customer. See [“View Coupons” on page 23](#).
- **Refresh Account Details** - Refresh/Reload the information displayed for the Account.



Issue a Coupon

To issue a Coupon to a Customer through an Award Account:

1. Click **Issue Coupon** in the [Actions Menu](#).

A Perform Action: Issue Coupon [Window](#) opens.

Figure 15-22: Issue Coupon Window

2. Enter the information for the Coupon:
 - **Certificate Type** - Use the [Selection Menu](#) to select either E-Award or Entitlement Coupon.
 - **Deal Coupon** - Use the [Selection Menu](#) to select the Entitlement Deal to issue if the Certificate Type is Entitlement Coupon.

- **Reason Code** - Use the [Selection Menu](#) to select the reason for issuing the Coupon.
 - **Location** - Use the [Selection Menu](#) to select the location where the Coupon is being issued.
 - **Franchisee** - Use the [Selection Menu](#) to select the Franchisee associated with the action.
 - **Amount** - The amount of the Coupon (uses the base currency for the Program). The Amount is displayed if a Certificate Type of E-Award is selected.
 - **Expiration Type** - Use the [Selection Menu](#) to select the type of expiration of the Coupon. This has the following options:
 - * **Use Program** - Coupon expires when the Program expires.
 - * **Specify** - Select a specific date on which the Coupon expires.
 - **Expiration Date** - Use the [Calendar Menu](#) to select the date on which the Coupon will expire (only visible if the Expiration Date is **Specify**).
 - **Comments** - Enter any comments describing the Coupon issue.
3. Click **OK** to issue the Coupon and close the [Window](#), or click **Cancel** to close the [Window](#) without issuing a Coupon.

Expire Coupon

To expire an E-Award or Entitlement Coupon for a Customer that was issued through an Award Account:

1. Click **Expire Coupon** in the [Actions Menu](#).

A Perform Action: Expire Coupon [Window](#) opens.




Figure 15-23: Expire Coupon Window


2. Enter the information for the Coupon:
 - **Certificate Type** - Use the [Selection Menu](#) to select either E-Award or Entitlement Coupon.
 - **Coupon** - Use the [Selection Menu](#) to select the Coupon to expire. The list of Coupons is displayed after you select the Certificate Type.
 - **Reason Code** - Use the [Selection Menu](#) to select the reason for expiring the Coupon.
 - **Location** - Use the [Selection Menu](#) to select the location where the Coupon is being issued.

- **Comments** - Enter any comments describing the Coupon expiration.

Click **OK** to expire the Coupon and close the [Window](#), or click **Cancel** to close the [Window](#) without expiring the Coupon.

View Coupons

To view all of the Coupons issued to a Customer, select **View Coupons** in the [Actions Menu](#) to open a Coupons [Window](#) displaying a [List](#) of E-Award and Entitlement Coupons issued through the Account.



E-Award Coupons			
Coupon Id	Amount	Expiration Date	Create Date
000000000011170000000000006528	10.00	None	2015-11-17

Entitlement Coupons			
Coupon Id	Deal Name	Expiration Date	Create Date
ABC00000001224000000000009060	25% off one item at registration	2016-11-30	2015-12-24
000000000001080000000000009556	25% off one item at registration	None	2016-01-08

Figure 15-24: Coupons Window

E-Award Coupons: The following information is displayed for each E-Award Coupon issued and not expired:

- **Coupon Id** - The ID number for the Coupon.
- **Amount** - The amount of the Coupon (in the base currency of the Program).
- **Expiration Date** - The expiration date of the Coupon.
- **Create Date** - Date the Coupon was created.

Entitlement Coupons: The following information is displayed for each Entitlement Coupon issued and not expired:

- **Coupon Id** - The ID number for the Coupon.
- **Deal Name** - The name of the Deal associated with the Coupon.
- **Expiration Date** - The expiration date of the Coupon.
- **Create Date** - Date the Coupon was created.

Activity Detail Window

Click an activity to view detailed information about an activity in the [List](#) of activities displayed for an Award Account. The activity will be displayed in the Activity Detail [Window](#).




Figure 15-25: Activity Detail Window

The Activity Detail [Window](#) displays detailed information about an activity performed on an Account. The following information is displayed for each activity:

- **Account Id** - ID number for the Account associated with the activity.
- **Awd Tran Id** - Transaction ID of the activity on the Account.
- **Act Seq** - Sequence number of the activity within a transaction.
- **Coupon Id** - ID number for the coupon (if any) created or redeemed by the activity.
- **Activity Type** - Type of activity performed.
- **Activity Date/Time** - Date and time of the activity.
- **Amount** - Amount applied to the Account by the activity.
- **Exchange Rate** - If the transaction was performed in a foreign currency, the exchange rate between the foreign currency and the Account's base currency.
- **Requested Amount** - Requested currency amount.
- **Requested Currency** - Currency used for the requested amount, if different from the base currency.
- **Void Flag** - Indicates whether the activity was voided.
- **Error Description** - If an error occurred during the activity, a description of the error.
- **Reason Code** - Reason for the activity.
- **Coupon Effective Date** - The date when the coupon becomes effective.
- **Referenced Activity Id** - ID of an activity to which this activity refers.

- **Merged From Account** - If the Account was moved from another Account by a Card Merge, the ID number of the Account previously associated with the activity.
- **Location Id** - ID of the Location where the activity was performed.
- **Location Name** - Name of the Location.
- **Franchisee** - Name of the Franchisee.
- **Business Date** - Business date of the activity.
- **Retail Tran Seq** - Sequence number of the activity within a retail transaction.
- **Workstation Id** - ID of the workstation (within the Location) where the activity was performed.
- **Retail Tran Id** - ID of the retail transaction where the activity was performed.
- **Operator Id** - ID of the employee who performed the transaction.
- **Create Date** - Date and time when the activity took place.
- **Create User Id** - ID of the user who created the activity.
- **Update Date** - Date on which the activity was most recently updated.
- **Update User Id** - ID of the last user to update the activity.
- **Coupon Expiration Date** - The date when the coupon expires.
- **Comments** - Additional comments entered about the activity.

Actions Menu

The [Actions Menu](#) in the Activity Detail [Window](#) for the issue of an e-award or entitlement coupon has the following option:



- **Void** - Voids the open activity (see [“Void an Activity” on page 25](#)).

Void an Activity

To void an activity on an Account:

1. Open the activity in the [Activity Detail Window](#).
2. In the Activity Detail [Window](#), select **Void** in the [Actions Menu](#).

A Perform Action: Void [Window](#) opens.




Figure 15-26: Perform Action: Void Window

3. Select the **Reason Code** for the Void in the [Selection Menu](#).
4. Select the **Location** to be used for the Void in the [Selection Menu](#).

5. Select the **Franchisee** in the [Selection Menu](#).
6. Enter **Comments** describing the reasons for the Void.
7. Click the **OK** button to void the activity and close the [Window](#), or click the **Cancel** button to close the [Window](#) without voiding the activity.

Loyalty Account

The following information is displayed for each Loyalty Account:

Loyalty Account Administration

Account Id 1487 Escrow Points 0 Year To Date Points 71 First Activity Date 2011-03-15
 Program Name 2011 Loyalty - LOY Earned Points 71 Lifetime Points 71 Last Used Date 2011-03-15
 Loyalty Program Level 2011 LOY Test Level 1 Program Currency USD Expiration Date

Loyalty Account Activity

Filter Activity: All


Displaying: 1-2 of 2 1 of 1 Pages Go To Page: GO Page Size: 50 Items

Activity Id	Location Id	Activity Type	Amount	Activity Date/Time	Void Flag
79	110	Issue	31	2011 Mar 15 14:08:35	
78	110	Issue	40	2011 Mar 15 14:08:35	
13	99999	Activate	0	2011 Mar 15 12:08:14	

Figure 15-27: Loyalty Account Information

- **Loyalty Account Administration** - Displays information about the Loyalty Account. This area includes the following information:
 - **Account Id** - ID number for the Account.
 - **Program Name** - Name of the Program to which the Account belongs.
 - **Loyalty Program Level** - Name of the Loyalty Level to which the Account currently belongs.
 - **Escrow Points** - Number of points currently escrowed in the Account.
 - **Earned Points** - Current points balance of the Account.
 - **Program Currency** - ID of the currency used for the Loyalty Program.
 - **Year to Date Points** - Number of points earned by the Account in the current year to date.
 - **Lifetime Points** - Number of points earned by the Account during the lifetime of the Account.
 - **First Activity Date** - Date of the first activity on the Account.
 - **Last Used Date** - Date of the most recent activity on the Account.
 - **Expiration Date** - Date on which the Account expires.

Note: If the Loyalty Account was merged with another Account, Customer Engagement will display the message “Account has been merged” below the Loyalty Account Administration area.



- **Loyalty Account Activity** - A [List](#) displaying each action performed on the Account. The information in the [List](#) is determined by the [Filter Activity Menu](#). This [List](#) uses [Page Navigation](#) to organize the actions. The following information is displayed for each Account action:
 - **Activity Id** - ID of the activity on the Account.
 - **Location Id** - ID of the location where the activity occurred.
 - **Activity Type** - Type of activity performed.
 - **Amount** - Number of Points applied to the Account by the activity.
 - **Activity Date/Time** - Date and time of the activity.
 - **Void Flag** - Indicates whether the activity was voided.


Filter Activity Menu

The Filter Activity menu is a [Filter](#) for the Loyalty Account Activity [List](#). This [Selection Menu](#) filters the Loyalty Account Activity [List](#) by Activity Type.

Actions Menu

The [Actions Menu](#) for a Loyalty Account will display the following options:

- **Activate Card** - Activate an inactive Card (only shown for inactive Cards). See [“Activate Card” on page 7](#).
- **Deactivate Card** - Deactivate an active Card (only shown for active Cards). See [“Deactivate Card” on page 8](#).
- **Reset Card Expiration Date** - Set a new expiration date for the card. See [“Set New Card Expiration Date” on page 9](#).
- **Merge Card** - Merge the Card with another Card. See [“Merge Card” on page 10](#).
- **Issue** - Issue points to a Loyalty Account. See [“Issue Points” on page 27](#).
- **Award** - Issue an award to a Customer. See [“Issue an Award” on page 29](#).
- **Change Level** - Change the Loyalty Level of the Loyalty Account. See [“Change Level” on page 30](#).
- **Point Recovery** - Issue points that were not issued to a Customer in a previous transaction. See [“Recover Points” on page 31](#).
- **Refresh Account Details** - Refresh/Reload the information displayed for the Account.




Issue Points

To issue points to a Loyalty Account:

1. Click **Issue** in the [Actions Menu](#) for a Loyalty Account.

A Perform Action: Issue [Window](#) opens.



The screenshot shows a dialog box titled "Perform Action: Issue". It has a title bar with the text "Perform Action: Issue". Below the title bar, there are four input fields: "Number of Points" (a text box), "Issue Rule" (a dropdown menu with "(Please select)" selected), "Reason Code" (a dropdown menu with "None" selected), and "Location" (a dropdown menu with "99999" selected). Below these fields is a large text area for "Comments". At the bottom left of the dialog, it says "Current User ID: am - am". At the bottom right, there are two buttons: "Cancel" and "OK".


Figure 15-28: Perform Action: Issue Window

2. Enter the information for issuing points:
 - **Number of Points** - The number of points to issue.
 - **Issue Rule** - Use the [Selection Menu](#) to select the Loyalty Rule to use for issuing the points. The menu includes those rules that belong to the Loyalty Program.
 - **Reason Code** - Use the [Selection Menu](#) to select the reason for issuing the points.
 - **Location** - Use the [Selection Menu](#) to select the location where the points are being issued.
 - **Franchisee** - Use the [Selection Menu](#) to select the Franchisee associated with the action.
 - **Comments** - Enter any comments describing the points issued.
3. Click **OK** to issue the points and close the [Window](#), or click **Cancel** to close the [Window](#) without issuing points.

Issue an Award

To issue an Award to an Account:

1. Click **Award** in the [Actions Menu](#) for a Loyalty Account.
A Perform Action: Award [Window](#) opens.



The screenshot shows a web-based form titled "Perform Action: Award". The form includes the following fields:

- Points Cost:** A text input field.
- Award Rule:** A dropdown menu with the text "(Please select)".
- Reason Code:** A dropdown menu with the text "None".
- Location:** A dropdown menu with the text "99999".
- Comments:** A large text area for entering notes.

At the bottom left of the window, it displays "Current User ID: am - am". At the bottom right, there are two buttons: "Cancel" and "OK".

Figure 15-29: Perform Action: Award Window

2. Enter the information for issuing the award:
 - **Points Cost** - The number of points to remove from the Loyalty Account as part of issuing the E-Award.
 - **Award Rule** - Use the [Selection Menu](#) to select the Award Rule to use for issuing the Coupon for the Loyalty Account. The menu includes those Award Rules that belong to the [Card Definition](#).
 - **Reason Code** - Use the [Selection Menu](#) to select the reason for awarding the points.
 - **Franchisee** - Use the [Selection Menu](#) to select the Franchisee associated with the action.
 - **Location** - Use the [Selection Menu](#) to select the location where the Award is being issued.
 - **Comments** - Enter any comments describing the issuance of the Award.
3. Click **OK** to issue the Award and close the [Window](#), or click **Cancel** to close the [Window](#) without issuing an Award.

Change Level

To change the Loyalty Level for a Customer:

1. Click **Change Level** in the [Actions Menu](#) for a Loyalty Account.

A Perform Action: Change Level [Window](#) opens.

Perform Action: Change Level

Loyalty Program Level Loyalty - Bronze Level

New Level (Please select)

Points Cost

Reason Code None

Location 99999

Comments

Current User ID: am - am

Cancel OK

Figure 15-30: Perform Action: Change Level Window

2. Enter the information for changing the Loyalty Level:
 - **New Level** - Use the [Selection Menu](#) to select the new Loyalty Level for the Account. The menu includes the Levels in the Loyalty Program.
 - **Points Cost** - The number of points to remove from the Loyalty Account for changing the Loyalty Level.
 - **Reason Code** - Use the [Selection Menu](#) to select the reason for changing the level.
 - **Franchisee** - Use the [Selection Menu](#) to select the Franchisee associated with the action.
 - **Location** - Use the [Selection Menu](#) to select the location where the Loyalty Level change is being performed.
 - **Comments** - Enter any comments describing the change in Loyalty Level.
3. Click **OK** to change the Loyalty Level and close the [Window](#), or click **Cancel** to close the [Window](#) without change the Loyalty Level of the Account.

Recover Points

To issue loyalty points that were earned, but not issued to a Customer for a specific transaction:

1. Click **Point Recovery** in the [Actions Menu](#) for a Loyalty Account.

A Perform Action: Search for Retail Transaction [Window](#) opens.

Figure 15-31: Perform Action: Search for Retail Transaction Window

2. Enter the transaction search information:
 - **Location Id** - ID number for the location where the transaction was performed.
 - **Register Id** - ID number for the register where the transaction was performed.
 - **Business Date** - Use the [Calendar Menu](#) to select business date on which the transaction was performed.
 - **Seq. Number** - The sequence number of the transaction.
3. Click **OK** to search for the transaction and close the [Window](#), or click **Cancel** to close the [Window](#) without searching for the transaction.

If the transaction is found and the loyalty points have not been processed for that line item, a Perform Action: Point Recovery [Window](#) opens.

Figure 15-32: Perform Action: Point Recovery Window


If the transaction is not found, or if the transaction was found, but the loyalty points have already been processed for the transaction, the window will close and an error message will be displayed.

4. Enter the Point Recovery information:
 - **Reason Code** - Use the [Selection Menu](#) to select the reason for performing the point recovery.
 - **Franchisee** - Use the [Selection Menu](#) to select the Franchisee associated with the action.

- **Location** - Use the [Selection Menu](#) to select the Location where the points are being recovered.
 - **Comments** - Enter any comments describing the point recovery.
5. Click **OK** to recover the points and close the [Window](#), or click **Cancel** to close the [Window](#) without recovering the points.

Activity Detail Window

Click an activity to view detailed information about an activity in the [List](#) of activities displayed for an Account. The activity will be displayed in the Activity Detail [Window](#).



The screenshot shows a window titled "Activity Detail" with a dark border and standard window controls (close, up, down). The window contains a list of fields and their values, organized into two columns. At the bottom, there is a "Comments" field with a text area and a small icon in the bottom right corner.

Account Id	1611	Referenced Activity Id	0
Activity Id	2666	Referenced Account Id	0
Activity Type	Activate	Merged From Account	0
Activity Date/Time	2013-03-21T14:50:44.000-04:00	Location Id	99999
Number of Points	0.00	Location Name	test
Requested Currency		Business Date	2013-03-21
Requested Amount		Retail Tran Seq	0
Converted Amount		Workstation Id	0
Exchange Rate		Retail Tran Id	99999000002013032100000000
Loyalty Rule Name		Create Date	2013-03-21T14:50:44.000-04:00
		Create User Id	Is
Pending Pts. Balance	0.00	Update Date	
Earned Pts. Balance	0.00	Update User Id	
Void Flag	No	Error Description	
Customer Id	5463	Franchisee	
		Reason Code	

Comments

Figure 15-33: Activity Detail Window

The Activity Detail [Window](#) displays detailed information about an activity performed on an Account. The following information is displayed for each activity:

- **Account Id** - ID number for the Account associated with the activity.
- **Activity Id** - ID of the activity on the Account.
- **Activity Type** - Type of activity performed.
- **Activity Date/Time** - Date and time of the activity.
- **Number of Points** - Number of points applied to the points balance.
- **Requested Currency** - Type of currency requested.
- **Requested Amount** - Amount of the request.
- **Converted Amount** - Amount of the request in the system's base currency.
- **Exchange Rate** - Exchange rate between the requested currency and the system's base currency.
- **Loyalty Rule Name** - The name of the loyalty rule used by the activity.
- **Pending Flag** - Indicates whether the points are pending (**Yes**) or completed (**No**).
- **Earn Date** - Date a pending activity will complete.

- **Pending Pts. Balance** - Number of points pending at the time of the activity.
- **Earned Pts. Balance** - Earned points balance at the time of the activity.
- **Void Flag** - Indicates whether the activity was voided.
- **Referenced Activity Id** - ID of an activity to which this activity refers.
- **Referenced Account Id** - ID of the Loyalty Account used by the Referenced Activity.
- **Merged From Account** - If the Account was moved from another Account by a Card Merge, the ID number of the Account previously associated with the activity.
- **Location Id** - ID of the Location where the activity was performed.
- **Location Name** - Name of the Location.
- **Business Date** - Business date of the activity.
- **Retail Tran Seq** - Sequence number of the activity on the retail transaction.
- **Workstation Id** - ID of the workstation (within the Location) where the activity was performed.
- **Retail Tran Id** - ID of the retail transaction where the activity was performed.
- **Create Date** - Date on which the activity was created.
- **Create User Id** - ID of the user who created the activity.
- **Update Date** - Date on which the activity was most recently updated.
- **Update User Id** - ID of the last user to update the activity.
- **Error Description** - If an error occurred during the activity, a description of the error.
- **Franchisee** - Name of the Franchisee.
- **Reason Code** - Reason for the activity.
- **Comments** - Additional comments entered about the activity.
- **Actions button** - This button is displayed only for Issue point activities that are still in Escrow. The options are:
 - **Void** - Select this option to void the escrowed points before they are earned.
 - **Change Earn Date** - Select this option to change the date the escrowed points will be moved to earned.

Location Management

Overview

In Customer Engagement, Locations contain information about the locations in the company and chain. These Locations include information about the physical address of the location. Custom attributes can also be created and defined for Locations.

About this Chapter

This chapter contains the following information:

- [“Location Search” on page 2](#) - Provides the procedure for searching for a Location. Options include:
 - [“Location Lookup” on page 2](#)
- [“Location List” on page 3](#) - Describes the Location List page and the functionality available within it. Options include:
 - [“More Actions Menu” on page 4](#)
 - [“Open a Location” on page 4](#)
- [“Location Window” on page 4](#) - Describes the Location Window and its functionality. Options include:
 - [“Open Location Dashboard” on page 5](#)
 - [“More Actions Menu” on page 5](#)
- [“Location Dashboard” on page 5](#) - Describes the Location Dashboard and its functions. Options include:
 - [“Location Actions Menu” on page 6](#)
- [“Edit Location Data” on page 7](#) - Describes the methods for editing information about a Location.
- [“Edit Location Attributes” on page 8](#) - Describes the methods for creating, updating, and deleting Attributes assigned to a Location. Options include:
 - [“Update an Attribute” on page 8](#)
 - [“Add an Attribute” on page 9](#)
 - [“Delete an Attribute” on page 10](#)
- [“Create a Location” on page 10](#) - Provides the procedure for creation a Location in Customer Engagement

Location Search

The Location Search page is used to search for Locations and Location information stored in Customer Engagement. Through the Location Search page, users can find a Location record and make changes to that record.

Use the **Admin->Location** menu option, or click the **Location Definition [Link](#)** on the **Main Page** to open the **[Location Search](#)** page.

Figure 16-1: Location Search Page

Location Lookup

To look up a Location in Customer Engagement:

1. Open the [Location Search](#) page.
 - Use the **Admin->Location** menu option from anywhere in Customer Engagement.
 - Click the **Search** button in the [Location List](#).
2. Enter the search information for the Location.

Tip: Be as specific as possible when entering search information. The more specific the information, the fewer Location records will be returned.

The [Location Search](#) page uses the following [Data Elements](#) for search entry:

- **Attribute** - If a value is selected in this [Selection Menu](#), Customer Engagement will search for Locations that have this Attribute set.
- **Attribute Value** - Data within an Attribute value.
 - * If a specific Attribute is selected in the Attribute [Selection Menu](#), Customer Engagement will only search for the data in the specified Attribute's values.
 - * If **All Attributes** is selected in the Attribute [Selection Menu](#), Customer Engagement will search for the value in all the Attributes.
- **Location Id** - ID number for the Location.
- **Location Name** - Name of the Location.

- **Address** - Address line for the Location.
 - **City** - City of the Location.
 - **State** - State or Province of the Location.
 - **Postal Code** - Postal Code or ZIP Code for the Location.
3. Click **Search** to perform the search.
- Customer Engagement opens the [Location List](#) with a [List](#) of all the Location records that match the entered search criteria.

Location List

The Location [List](#) is accessed through a [Location Lookup](#).




Figure 16-2: Location List

Table 16-1: Location List Page Key

Item	Description
1	Search Button - Click to return to the Location Search page. See “Location Search” on page 2 for more information.
2	More Actions Menu - Click to open a menu of actions that can be performed in the Location List page. See “More Actions Menu” on page 4 for more information.
3	Location List - A List of Locations currently in the system. The List displays a limited number of Locations; use the Filter Menus to narrow down the List and locate a certain Location.

The Location [List](#) displays the following information for each Location:

- **Location Id** - Unique ID for the Location.
- **Location Name** - Name of the Location.
- **Address** - Address Line 1 for the Location.
- **Franchise Location** - Indicates whether the Location is a Franchisee.
- **Active** - Indicates whether the Location is currently active.

More Actions Menu

The More Actions Menu is the [Actions Menu](#) for the Location [List](#). This menu has the following options:

- **Add Location** - Create a new Location in Customer Engagement. See [“Create a Location” on page 10](#).



Open a Location

To open a Location for viewing or updating, click the Location in the [Location List](#). The Location will be displayed in a [Location Window](#).

Location Window

The Location [Window](#) displays information about the selected Location and provides access to actions that can be performed on the Location.




Figure 16-3: Location Window

The Location [Window](#) displays the following information for the Location:

- **Dashboard Button** - Opens the Location in the [Location Dashboard](#).
- **Location Basic Information** - Basic information about the Location. This includes the following information:
 - **Location Name** - Name of the Location.
 - **Location ID** - Unique ID of the Location.
 - **Location Number** - Location Number of the Location.
 - **Create Date** - Date on which the Location was entered into the system.
 - **Create User ID** - ID for the User who created the Location in the system.
 - **Update Date** - Most recent date on which the Location information was changed.
 - **Update User ID** - ID for the User who performed the most recent changes to the Location information.
- **Address** - Address information about the Location. This includes the following information:
 - **Address Line 1** - Line 1 of the Location's address.
 - **Address Line 2** - Line 2 of the Location's address.
 - **Address Line 3** - Line 3 of the Location's address.

- **Address Line 4** - Line 4 of the Location’s address.
- **City** - City of the Location.
- **State** - State or Province of the Location.
- **Postal Code** - Postal Code or ZIP Code of the Location.
- **County** - County of the Location.
- **Country** - Country of the Location.
- **Franchisee** - Name of the Franchisee to which the Location is assigned.

Open Location Dashboard


To open a Location in the Location Dashboard, do one of the following:

- In the [Location Window](#), click the **Dashboard** button.
- Click **Dashboard** in the [Location Actions Menu](#) in the Location Basic Information area.

More Actions Menu

The More Actions Menu is the [Actions Menu](#) for the Location [Window](#). This menu has the following options:

- **Location** - Open the Location in the [Edit Location Data](#) screen. See [“Edit Location Data” on page 7](#).



Location Dashboard

The Location Dashboard allows a user to view all information about a Location.




Figure 16-4: Location Dashboard

The Location Dashboard displays the following information:

- **Location Basic Information** - Basic information about the Location that is also displayed in all areas of Location editing. This includes the following information:
 - **Location Address** - Address of the Location.

Location Dashboard

- **Location Name** - Name of the Location.
- **Location ID** - Unique ID of the Location.
- **Location Number** - Location Number of the Location.
- **Create Date** - Date on which the Location was entered into the system.
- **Create User ID** - ID for the User who created the Location in the system.
- **Update Date** - Most recent date on which the Location information was changed.
- **Update User ID** - ID for the User who performed the most recent changes to the Location information.
- **Location Data** - Contains the same information as the Location Basic Information section.
 - **Location ID** - Unique ID of the Location.
 - **Location Name** - Name of the Location.
 - **Active** - Indicates whether the Location is currently active.
 - **Location Number** - Location Number of the Location.
 - **E-Mail Address** - E-Mail address for the Location.
 - **Address Line 1** - Line 1 of the Location's address.
 - **Address Line 2** - Line 2 of the Location's address.
 - **Address Line 3** - Line 3 of the Location's address.
 - **Address Line 4** - Line 4 of the Location's address.
 - **City** - City of the Location.
 - **State** - State or Province of the Location.
 - **Postal Code** - Postal Code or ZIP Code of the Location.
 - **County** - County of the Location.
 - **Country** - Country of the Location.
 - **Franchisee** - Name of the Franchisee to which the Location is assigned.
- **Location Attributes** - If Attributes are configured for the Location, the following information is displayed for each assigned Attribute:
 - Type of Attribute.
 - Value for the Attribute.

Location Actions Menu

The Location Actions Menu is the [Actions Menu](#) for the Location Dashboard. This menu has the following options:

- **Dashboard** - Return to the [Location Dashboard](#) for the Location.
- **Location** - Edit Location information. See ["Edit Location Data" on page 7](#) for more information.
- **Attributes** - Edit Attribute information for the Location. See ["Edit Location Attributes" on page 8](#) for more information.



Edit Location Data

To edit the information in the Basic Information, Location Data, and/or Address sections for the Location:

1. Open the Edit Location Data screen by doing one of the following:
 - Click the **Edit Link** in the Location Data area of the [Location Dashboard](#) or the [Edit Location Attributes](#) screen.
 - Click **Location** in the [More Actions Menu](#) in the [Location Window](#).
 - Click **Location** in the [Location Actions Menu](#) in the [Location Dashboard](#).

The Edit Location Data screen opens.

The screenshot shows the 'Location Data' form with the following fields and values:

Location Name	Location 10 Westborough
Location Number	10
E-Mail Address	dthomas@example.com
Active	<input checked="" type="checkbox"/>
Address Line 1	5678 Example Street
Address Line 2	Address line 2
Address Line 3	Address line 3
Address Line 4	Address line 4
City	Westborough
State	MA
Postal Code	01581
County	Worcester
Country	US

A 'Save' button is located at the bottom right of the form.

Figure 16-5: Edit Location Data Screen

2. Make any necessary changes to the fields.

This screen includes the following editable fields:

- **Location Name** - Name of the Location.
- **Location Number** - Location Number of the Location.
- **E-Mail Address** - E-Mail address for the Location.
- **Active** - This [Check Box](#) determines whether the Location is currently active.
- **Address Line 1** - Line 1 of the Location's address.
- **Address Line 2** - Line 2 of the Location's address.
- **Address Line 3** - Line 3 of the Location's address.
- **Address Line 4** - Line 4 of the Location's address.
- **City** - City of the Location.
- **State** - State or Province of the Location.
- **Postal Code** - Postal Code or ZIP Code of the Location.
- **County** - County of the Location.
- **Country** - Country of the Location.
- **Franchisee** - This [Selection Menu](#) determines the Franchisee to which the Location is assigned. Select **None** for a Location that will not be assigned to any Franchisee.

Edit Location Attributes

3. Click the **Save** button.


The changes are saved and Customer Engagement returns to the [Location Dashboard](#).

Edit Location Attributes

To edit the Attributes assigned to the Location:

1. Open the Edit Location Attributes screen by doing one of the following:
 - Click the **Edit Link** in the Location Attribute section of the [Location Dashboard](#).
 - Click **Attributes** in the [Location Actions Menu](#) of the [Location Dashboard](#) or the [Edit Location Data](#) screen.

The Edit Location Attributes screen opens.



Name	Value	Data Type	Unique	Description
ADDITIONAL-SERVICES	Alterations	Character	No	Special Services Offered by Store
ADDITIONAL-SERVICES	Delivery	Character	No	Special Services Offered by Store
GRAND-OPENING-DATE	1992-06-15	Date	Yes	Grand Opening Date for Location
ADDITIONAL-DEPARTMENTS	Liquor	Enumerated	No	Additional Store Departments
ADDITIONAL-DEPARTMENTS	Bakery	Enumerated	No	Additional Store Departments


Figure 16-6: Edit Location Attributes Screen

2. Perform the necessary procedure(s):
 - [“Update an Attribute” on page 8](#)
 - [“Add an Attribute” on page 9](#)
 - [“Delete an Attribute” on page 10](#)

Update an Attribute

1. Click the Attribute to update.

The Attribute opens in an Attribute Detail [Window](#).



Attribute Detail

Name District

Description District

Data Type Character

Unique No

Value


Save Delete

Figure 16-7: Attribute Detail Window

2. Change the value of the Attribute.
 - If the Attribute Data Type is **Character**, **Number**, or **Currency**, enter the new value in the [Text Field](#).
 - If the Attribute Data Type is **Date**, select the new value in the [Calendar Menu](#).
 - If the Attribute Data Type is **List** or **Logical**, select the new value in the [Selection Menu](#).
3. Click the **Save** button to save the Attribute with the new value and return to [Edit Location Attributes](#).

Add an Attribute

1. Click the **Add Attribute** button.
A blank Attribute Detail [Window](#) opens.
2. Use the Attribute Type [Selection Menu](#) to select the Attribute to add.
The Attribute Type data populates the Attribute Detail [Window](#) fields.



The screenshot shows a window titled "Attribute Detail" with a close button (X) in the top right corner. The window contains the following fields:

- Attribute Type: Warehouse (dropdown menu)
- Name: Warehouse
- Description: Warehousing on-site
- Data Type: Logical
- Unique: Yes
- Value: (Please select) (dropdown menu)
- Save button: A button labeled "Save" is located in the bottom right corner of the window.


Figure 16-8: Attribute Type Selected

3. Select the value of the Attribute:
 - If the Attribute Data Type is **Character**, **Number**, or **Currency**, enter the new value in the [Text Field](#).
 - If the Attribute Data Type is **Date**, select the new value in the [Calendar Menu](#).
 - If the Attribute Data Type is **List** or **Logical**, select the new value in the [Selection Menu](#).
4. Click the **Save** button to add the new Attribute to the Location and return to [Edit Location Attributes](#).

Delete an Attribute

1. Click the Attribute to delete.

The Attribute opens in an Attribute Detail [Window](#).



Attribute Detail

Name Test List

Description Test

Data Type List

Unique No

Value Test2

Save Delete

Figure 16-9: Attribute Detail Window


2. Click the **Delete** button to delete the Attribute from the Location and return to [Edit Location Attributes](#).

Create a Location

To create a Location in Customer Engagement:

1. Perform a [Location Lookup](#).
A [List](#) of Locations is displayed.
2. Click **Add Location** in the [More Actions Menu](#).

The Create Location page opens.



Location Actions

Location Information

Location Name

Location Id ? Create Date Update Date

Store Number Create User Id Update User Id

Location Data

Location Id

Location Name

Store Number

E-Mail Address

Active

Address Line 1

Address Line 2

Address Line 3

Address Line 4

City

State

Postal Code

Country

Country

Franchisee None

Save

Figure 16-10: Create Location Page

3. Make any necessary entries in the fields.

This screen includes the following editable fields:

- **Location Id** - Unique ID for the Location.
- **Location Name** - Name of the Location.
- **Location Number** - Location Number of the Location.
- **E-Mail Address** - E-Mail address for the Location.

- **Active** - This [Check Box](#) determines whether the Location is currently active.
 - **Address Line 1** - Line 1 of the Location's address.
 - **Address Line 2** - Line 2 of the Location's address.
 - **Address Line 3** - Line 3 of the Location's address.
 - **Address Line 4** - Line 4 of the Location's address.
 - **City** - City of the Location.
 - **State** - State or Province of the Location.
 - **Postal Code** - Postal Code or ZIP Code of the Location.
 - **County** - County of the Location.
 - **Country** - Country of the Location.
 - **Franchisee** - This [Selection Menu](#) determines the Franchisee to which the Location is assigned. Select **None [DEFAULT]** for a Location that will not be assigned to any Franchisee.
4. Click the **Save** button.
The changes are saved and Customer Engagement opens the [Location Dashboard](#) for the new Location.
 5. If necessary, define the Attributes for the Location. See ["Edit Location Attributes" on page 8](#) for a description of the procedure.

Create a Location

Overview

The chapter describes the methods and procedures for creating and managing Attributes in Customer Engagement.

Attributes provide additional, descriptive information about a Customer Engagement element. This information can be used to further define and/or group individual elements within Customer Engagement, beyond what Customer Engagement stores in its base configuration. For example, an Attribute for a Customer could be used to describe the person's job title, school, or their favorite team.

Attributes can be defined for Customers, Items, Locations, Promotions, Gift Registries, Segments, Deals, PromoDeals, Cards, Card Types, or Card Series. Each Attribute can only be assigned to one of these elements; you cannot assign an element to, for example, both an Item and a Location.

Important: The "Relate_AttributeDefinition" role is required to access this area of Customer Engagement and perform the functions available in it. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information.

About this Chapter

This chapter contains the following information:

- ["Attribute Definition List" on page 2](#) - Describes the Attribute Definition List and the functionality available in it. Options include:
 - ["Actions Menu" on page 3](#)
 - ["Filter Menu" on page 3](#)
 - ["Open an Attribute" on page 4](#)
- ["Edit Attribute Definition Window" on page 4](#) - Describes how to use this window to edit an attribute. Options include:
 - ["Edit an Attribute" on page 6](#)
 - ["Delete an Attribute" on page 6](#)
- ["Create a New Attribute" on page 7](#) - Describes how to create a new attribute.

Attribute Definition List

Open the Attribute Definition [List](#) using the **Admin->Attribute Definition** menu option, or by clicking the **Attribute Definition** [Link](#) on the [Main Page](#).





Figure 17-1: Attribute List

Table 17-1: Attribute List Page Key

Item	Description
1	New Attribute Button - Click to create a new Attribute. See “Create a New Attribute” on page 7 for more information.
2	Actions Menu - Click to open a menu of actions that can be performed in the Attribute List page. See “Actions Menu” on page 3 for more information.
3	Filter Menu - Select criteria in the Filter Menus to view a subset of the Attributes in the Attribute List . See “Filter Menu” on page 3 for more information.

Table 17-1: Attribute List Page Key (continued)

Item	Description
	<p>Attributes - A List of Attributes currently in the system. The List displays a limited number of Attributes; use the Filter Menu to narrow down the List and locate a certain Attribute.</p> <p>This List includes the following information for each Attribute:</p> <ul style="list-style-type: none"> • ID - Unique ID for the Attribute. • Name - Name of the Attribute. • Unique - Indicates whether only one of this Attribute can be set for each element it is assigned to. • Description - A description of the Attribute. • Editable - Indicates whether the Attribute can be edited by any User with permission to edit Customer records (Yes), or if the Attribute can only be edited by a User with system administration access (No). <i>This field is only used by Customer Attributes.</i> • OpenAccess - Indicates whether the Attribute has Open Access. <i>This field is only used by Customer Attributes.</i> • Data Type - The type of data stored in the Attribute value. • Last Update - Most recent date on which the Attribute was changed. • Intended Use - The element to which the Attribute is to be assigned. • Attribute Group - The Attribute Group to which the Attribute belongs.

Actions Menu

The [Actions Menu](#) for the Attribute Definition [List](#) page has the following option:

- **Refresh** - Refreshes the list of Attributes, showing any changes made to the list in the time since it was opened.



Filter Menu

The Attribute Definition [List](#) includes the following [Filter](#) menu:




Figure 17-2: Filter Menu

- **Intended Use** - Filters the [List](#) to show only the Attributes with the Intended Use selected. This menu has the following options:
 - **All** - [DEFAULT] Show all Attributes.
 - **Customer** - Show only Customer Attributes.
 - **Item** - Show only Item Attributes.
 - **Location** - Show only Location Attributes.
 - **Promotion** - Show only Promotion Attributes.
 - **Gift Registry** - Show only Gift Registry Attributes.
 - **Wish List** - Show only Wish List Attributes.

Edit Attribute Definition Window


- **Segment** - Show only Segment Attributes.
- **Deal** - Show only Deal Attributes.
- **PromoDeal** - Show only Promo-Deal Attributes.
- **Card Type** - Show only Card Type Attributes.
- **Card Series** - Show only Card Series Attributes.
- **Card** - Show only Card Attributes.

Open an Attribute

To open an Attribute, click the Attribute in the [Attribute Definition List](#). The Attribute opens in an [Edit Attribute Definition Window](#).

Edit Attribute Definition Window

The Edit Attribute Definition [Window](#) allows users to view and edit Attribute information.



The screenshot shows the 'Edit Attribute Definition' window with the following fields and values:

Attribute Id	62	Actively Used	Yes
Name	INCLUDE_INACTIVE?	Create Date	2016-01-13
Intended Use	Segment	Create User Id	Isteiner
Attribute Group		Update Date	
Description	Segment Includes Inactive C	Update User Id	
Unique	Yes		
Required	<input type="checkbox"/>		
Publish To Batch Exporter	<input type="checkbox"/>		
Editable	<input checked="" type="checkbox"/>		
Open Access	<input checked="" type="checkbox"/>		
Data Type	Logical		

A 'Save' button is located at the bottom right of the window.

Figure 17-3: Edit Attribute Definition Window

The Edit Attribute Definition [Window](#) includes the following information:


- **Attribute Id** - Unique ID for the Attribute.
- **Name** - Name of the Attribute.
- **Intended Use** - The element to which the Attribute is to be assigned. This field has the following possible values:
 - **Customer** - Can be assigned to Customer records.
 - **Item** - Can be assigned to Item records.
 - **Location** - Can be assigned to Location records.
 - **Promotion** - Can be assigned to Promotion records.
 - **Gift Registry** - Can be assigned to Customer Gift Registry records.
 - **Wish List** - Can be assigned to Wish Lists.
 - **Segment** - Can be assigned to Segments.
 - **Deal** - Can be assigned to Deals.

- **PromoDeal** - Can be used to categorize Deals within the context of a Promotion.
- **Card Type** - Can be assigned to Card Definitions.
- **Card Series** - Can be assigned to Card Series.
- **Card** - Can be assigned to individual Cards.
- **Attribute Group** - The Attribute Group to which the Attribute belongs.
- **Description** - A description of the Attribute.
- **Unique** - Indicates whether the Attribute can be assigned to an element more than once.
 - **Yes** - The Attribute can only be assigned to an element once.
 - **No** - The Attribute can be assigned to an element multiple times.

If the **Data Type** is set to **Logical**, the element will be unique.
- **Required** - Indicates whether each Intended Use element must be assigned this Attribute. *Only displayed if the Intended Use is **Promotion** or **Gift Registry**.*
 - **Checked** () - The Attribute must be assigned.
 - **Unchecked** () - The Attribute is optional.
- **Publish to Batch Exporter** - Indicates whether the attribute is eligible to be included in a batch export to a Marketing system such as Responsys or a BI/Analytics system such as Retail Insights. Included only for attribute types that support batch export, such as Customer or Segment.
 - **Checked** () - The Attribute value can be included in a batch export.
 - **Unchecked** () - The Attribute value cannot be included in a batch export.
- **Editable** - Indicates whether the value set for the attribute can be edited by a user who does not have system administration access.
 - **Checked** () - The Attribute value can be edited.
 - **Unchecked** () - The Attribute value cannot be edited.
- **OpenAccess** - Indicates whether there is open access to this attribute.
 - **Checked** () - The Attribute has open access.
 - **Unchecked** () - The Attribute does not have open access.
- **Data Type** - The type of data stored in the Attribute value. This field has the following possible values:
 - **Character** - The Attribute stores a string of character data entered through a [Text Field](#).
 - **Number** - The Attribute stores a number value entered through a [Text Field](#).
 - **Currency** - The Attribute stores a currency amount entered through a [Text Field](#).
 - **Date** - The Attribute stores a date entered through a [Calendar Menu](#).
 - **Logical** - The Attribute stores a true or false value selected through a [Selection Menu](#).
 - **List** - The Attribute stores one of a number of defined values selected through a [Selection Menu](#).

Edit Attribute Definition Window

- If the Data Type is **List**, the [Window](#) contains a Value Definition area.



The screenshot shows the 'Edit Attribute Definition' window. The attribute is 'ITEM_SIZE' with ID 88. It is a 'List' data type. The 'Values' section contains a list box with 'Small', 'Medium', 'Large', 'X-Large', and 'XX-Large'. There are 'Add Value >>' and '<< Remove Value' buttons. Other fields include 'Description: Item Sizes', 'Unique: No', 'Editable: [checked]', 'Open Access: [checked]', 'Intended Use: Item', 'Intended Industry: Merchandise', 'Attribute Group', 'Actively Used: Yes', 'Create Date: 2013-09-11', 'Create User Id: Tester', 'Update Date: 2014-09-05', and 'Update User Id: Relate'. A 'Save' button is at the bottom right.

Figure 17-4: Edit Attribute Definition Window - List Value Definition

- **Create Date** - Date the Attribute was created.
- **Create User Id** - ID of the user who created the Attribute.
- **Update Date** - Date the Attribute was last updated.
- **Update User** - ID of the user who performed the last update to the Attribute.

Edit an Attribute

After you [Open an Attribute](#) in an [Edit Attribute Definition Window](#), the Attribute can be edited. Make any changes to the Attribute, then click the **Save** button to save the changes and close the [Window](#).

Delete an Attribute

Note: Attributes can be deleted only if they are not actively used. Once an Attribute has been actively used, it cannot be deleted.

To delete an attribute:

1. [Open an Attribute](#) in an [Edit Attribute Definition Window](#).
2. Click the **Delete** button.

A confirmation prompt opens.




Figure 17-5: Delete Attribute Confirmation

3. Click the **OK** button to delete the Attribute and return to the [Attribute Definition List](#), or click the **Cancel** button to return to the [Edit Attribute Definition Window](#) without deleting the Attribute.

Create a New Attribute

To create a new Attribute:

1. In the [Attribute Definition List](#) page, click the **New Attribute** button.

A Create Attribute Definition [Window](#) opens.

Figure 17-6: Create Attribute Definition Window

2. Enter the configuration information for the new Attribute:
 - **Name** - Name of the Attribute.
 - **Intended Use** - The element to which the Attribute is to be assigned. The [Selection Menu](#) has the following options:
 - * **Customer** - [DEFAULT] The Attribute will be assigned to Customer records.
 - * **Item** - The Attribute will be assigned to Item records.
 - * **Location** - The Attribute will be assigned to Location records.
 - * **Promotion** - The Attribute will be assigned to Promotion records.
 - * **Gift Registry** - The Attribute will be assigned to Customer Gift Registries.
 - * **Wish List** - The Attribute will be assigned to Customer Wish Lists.
 - * **Segment** - The Attribute will be assigned to Segments.
 - * **Deal** - The Attribute will be assigned to Deals.
 - * **PromoDeal** - The Attribute will be used to categorize Deals within the context of a Promotion.
 - * **Card Type** - The Attribute will be assigned to Card Definitions.
 - * **Card Series** - The Attribute will be assigned to Card Series.
 - * **Card** - The Attribute will be assigned to Cards.
 - **Attribute Group** - This [Selection Menu](#) determines the Attribute Group to which the Attribute belongs. Select the Attribute Group, or select **(Add Group)** to create a new Attribute Group.

Create a New Attribute

If you select **(Add Group)**, a [Text Field](#) opens. Enter the name of the new Attribute Group in the [Text Field](#).

Attribute Group

- **Description** - A description of the Attribute.
 - **Unique** - This [Check Box](#) determines whether the Attribute can be assigned to an element more than once.
 - * **Checked ()** - The Attribute can only be assigned to an element once.
-
- Note:** If the **Data Type** is set to **Logical**, the element will be automatically set to be Unique.
-
- * **Unchecked () - [DEFAULT]** The Attribute can be assigned to an element multiple times.
 - **Publish to Batch Exporter** - This [Check Box](#) determines whether each Attribute value can be included in batch export to a Marketing system such as Responsys or a BI/Analytics system such as Retail Insights. *This option is available if Intended Use is set to **Customer** or **Segment**.*
 - * **Checked ()** - The Attribute can be included in batch export.
 - * **Unchecked () - [DEFAULT]** The Attribute cannot be included in batch export.
 - **Required** - This [Check Box](#) determines whether each **Intended Use** element must have a value for this Attribute. *This option is only available if Intended Use is set to **Promotion**, **Gift Registry** or **Card**.*
 - * **Checked ()** - The Attribute must be assigned.
 - * **Unchecked () - [DEFAULT]** The Attribute is optional.
 - **Editable** - This [Check Box](#) determines whether the value set for the attribute can be edited by a user who does not have system administration access. *This option is active only if Intended Use is set to **Customer**, or if the User has the **Relate_SystemAdmin** Role assigned, and the Intended Use is **Card**.*
 - * **Checked () - [DEFAULT]** The Attribute value can be edited.
 - * **Unchecked ()** - The Attribute value cannot be edited.
 - **OpenAccess** - This [Check Box](#) determines whether there is open access to this attribute. *This option is only active if Intended Use is set to **Customer**, or if the User has the **Relate_SystemAdmin** Role assigned, and the Intended Use is **Card**.*
 - * **Checked ()** - The Attribute has open access.
 - * **Unchecked () - [DEFAULT]** The Attribute does not have open access.
 - **Data Type** - The type of data stored in the Attribute value. This [Selection Menu](#) has the following possible values:
 - * **Character** - **[DEFAULT]** The Attribute stores a string of character data entered through a [Text Field](#).
 - * **Number** - The Attribute stores a number value entered through a [Text Field](#).

- * **Currency** - The Attribute stores a currency amount entered through a [Text Field](#).
- * **Date** - The Attribute stores a date entered through a [Calendar Menu](#).
- * **Logical** - The Attribute stores a true or false value selected through a [Selection Menu](#).
- * **List** - The Attribute stores one of a number of defined values selected through a [Selection Menu](#). If this option is selected, a value definition area opens in the [Window](#).

Figure 17-7: List Value Definition

3. If the Data Type selected for the Attribute is **List**, perform the following steps; otherwise, continue with step 4.
 - a. In the **Values** field, enter a new value for the Attribute.
 - b. Click **Add Value >>**.

The value is added to the list of values.

Figure 17-8: New Value Added

- c. Repeat steps a-b for each value to add to the list.
 - d. To remove a value, click the value in the list of current values, then click **<< Remove Value**.

The value is removed from the list.

4. Click **Save**.

The Attribute is added to the [Attribute Definition List](#) and the Create Attribute Definition [Window](#) closes.

Create a New Attribute

Overview

Tasks define responsibilities for Users. Users are expected to log into Customer Engagement each workday to check their Tasks for the day.

About this Chapter

This chapter includes the following information:

- [“My Tasks” on page 3](#) - This screen displays all the Tasks assigned to the current User. This screen allows Users to quickly find and view the Tasks that have been assigned to them. Options include:
 - [“Actions Menu” on page 4](#)
 - [“Filter Menus” on page 4](#)
 - [“Change Task Status” on page 5](#)
 - [“Open/Edit a Task” on page 5](#)
 - [“Reassign a Task” on page 5](#)
- [“Search Tasks” on page 7](#) - This screen is used to search for Tasks throughout Customer Engagement. Depending upon the permissions given to the User, the User can use this screen to search for Tasks assigned to other Users. Options include:
 - [“Search Tasks Screen” on page 7](#)
 - [“Actions Menu” on page 8](#)
 - [“Select Users From Hierarchy” on page 9](#)
- [“Task List” on page 10](#) - Provides more details on the Task List page:
 - [“Actions Menu” on page 11](#)
 - [“Filter Menus” on page 11](#)
- [“Edit Task Window” on page 12](#) - This [Window](#), which is used by both the [My Tasks](#) and the [Search Tasks](#) screen, provides Users with the ability to view details about, and make updates to, individual Tasks. Options include:
 - [“Actions Menu” on page 14](#)
 - [“Open/Edit a Task” on page 14](#)
 - [“Add/Change User” on page 15](#)
 - [“Remove a User” on page 15](#)
 - [“Add/Change Customer” on page 16](#)

Overview

- [“Remove a Customer” on page 16](#)
- [“Add a Note” on page 17](#)
- [“Create a Task” on page 17](#) - Describes how to create a task.

My Tasks

The My Tasks [List](#) screen is opened using the **Admin->My Tasks** menu option, or by clicking the **My Tasks** [Link](#) on the [Main Page](#).




Figure 18-1: My Tasks

Table 18-1: Task List Page Key








Item	Description
	My Associate's Tasks - This Check Box determines whether the Tasks List displays the current User's Tasks, or the Tasks for the associates that the current User manages. <i>This Check Box is only available for Users designated as Managers.</i> See the <i>Oracle Retail Customer Engagement Cloud Services Implementation Guide</i> for more information about configuring Users.
	Add Task Button - Click to create a new Task. See " Create a Task " on page 17 for more information.
	Actions Menu - Click to open a menu of actions that can be performed in the Task List page. See " Actions Menu " on page 4 for more information.
	Filter Menu - Select criteria in the Filter Menus to view a subset of the Tasks in the Task List . See " Filter Menus " on page 4 for more information.
	Check Options - Links to place or remove a check mark (<input checked="" type="checkbox"/>) in each Check Box displayed in the current screen.
	Page Navigation - Page Navigation for the List .

Table 18-1: Task List Page Key (continued)

Item	Description
7	<p>Tasks - A List of Tasks currently in the system. The List displays a limited number of Tasks; use the Filter Menu to narrow down the List and locate a certain Task.</p> <p>This List includes the following information for each Task:</p> <ul style="list-style-type: none"> • Task Id - ID of the Task. • Task Name - Name of the Task. • Start Date - Date on which the Task starts. • End Date - Date on which the Task ends. • Task Type - Type of Task. • Creator - ID of the User who created the Task. • Status - Status of the Task. • Assigned To - ID of the User to whom the Task is assigned. • Customer - Indicates whether the Task is associated with a Customer; if it is, an icon () will appear in this field.

Actions Menu

The [Actions Menu](#) for the Task [List](#) page has the following options:

- **Refresh** - Refreshes the list of Tasks, showing any changes made to the list in the time since it was opened.
- **Re-assign** - Reassign the Task to a different User. See [“Reassign a Task” on page 5](#).



Filter Menus

The Task [List](#) includes the following [Filter](#) menus:



Figure 18-2: Filter Menus

- **Task Type** - Filters the [List](#) to show only the Tasks with the Task Type selected. The options in this [Selection Menu](#) depend upon configuration. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for information about configuring Task types.
- **Task Status** - Filters the [List](#) to show only the Tasks with the Task Status selected. This [Selection Menu](#) has the following options:
 - **All** - [DEFAULT] Show Tasks of all statuses.
 - **OPEN** - Show only open Tasks.
 - **IN_PROGRESS** - Show only Tasks that are in progress.
 - **CANCELLED** - Show only Tasks that have been cancelled.
 - **CLOSED** - Show only Tasks that have been closed.

Change Task Status

The status of a Task can be changed in the [My Tasks List](#).

In the [My Tasks List](#), use the **Status Selection Menu** to select a new status for the Task.

Open/Edit a Task

See [“Open/Edit a Task” on page 14](#).

Reassign a Task

To reassign a Task to a different User, do the following:

1. In the [My Tasks List](#), click to enter a check mark () in the **Task Id Check Box** for each Task being reassigned.
2. Open the [Actions Menu](#) for the [My Tasks List](#).
3. Click **Re-assign** in the [Actions Menu](#).

A Reassign User [Window](#) opens.





Figure 18-3: Reassign User Window

4. In the Select Users area, use the expand buttons () to open the User hierarchy and find the User to be assigned the Task. *A hierarchy will only be available for Users with associates assigned to them.*
5. Click to enter a check mark () in the [Check Box](#) for the appropriate User(s).



- Only one User can be selected for APPOINTMENT, EVENT, TODO, and MEETING, and TASK type Tasks.
- One or more User(s) can be selected for ADMIN Tasks.

The User(s) appears in the Selected Users [List](#).





Figure 18-4: Assign User Window - User Selected

6. Click the **Select Users** button to change the assigned User and close the [Window](#).
 - To replace the User, enter a check mark () in the [Check Box](#) for a different User.
 - To remove a User, click the **Remove** [Link](#).
 - To close the [Window](#) without changing the assigned User, click the X () in the top-right corner of the [Window](#).

Search Tasks

The Search Tasks screen provides Users with the ability to search for Tasks stored in Customer Engagement.

The Search Tasks screen is opened using the **Admin->Search Tasks** menu option, or by clicking the **Search Tasks [Link](#)** on the [Main Page](#).

The screenshot shows the 'Search Tasks' interface. At the top right, there are 'Search' and 'Actions' buttons. The main area contains several search criteria, each with a dropdown menu set to 'Equals' and a corresponding input field:

- Assigned User Id:** Includes a 'Select User From Hierarchy' link and a multi-select menu.
- Assigned User Name:** Text input field.
- Subject:** Text input field.
- Creator:** Text input field.
- Start Date:** 'From' and 'To' date pickers.
- End Date:** 'From' and 'To' date pickers.
- Task Id:** Text input field.
- Task Type:** Dropdown menu (Any).
- Status:** Dropdown menu (Any).
- Priority:** Dropdown menu (Any).
- Location:** Dropdown menu (Any).
- Event:** Dropdown menu (Any).
- Assigned Customer Id:** Text input field.
- First Name:** Text input field.
- Last Name:** Text input field.

A 'Search' button is located at the bottom center of the form.

Figure 18-5: Search Tasks Screen

Search Tasks Screen

The Search Tasks screen includes the following fields:

- **Select User From Hierarchy** - This [Link](#) provides the ability to select a set of Users that are assigned to the current User. These selected Users are then entered into the **Assigned User Id** field (see below). See [“Select Users From Hierarchy” on page 9](#) for more information.
- **Assigned User Id** - A list of IDs of the User to whom the Task is assigned. Uses a [Multi-Select Menu](#) and an inactivated [Matching Rule Menu](#) set only to **In**. *This field is populated through the [Select User From Hierarchy Link](#). It cannot be edited directly.*
- **Assigned User Name** - Name of the User to whom the Task is assigned. Uses a [Matching Rule Menu](#) and [Text Field](#).
- **Subject** - Subject of the Task. Uses a [Matching Rule Menu](#) and [Text Field](#).
- **Creator** - ID of the User who created the Task. Uses a [Matching Rule Menu](#) and [Text Field](#).
- **Start Date** - Sets a date range to search for the Task’s start date.
 - **From** - This [Calendar Menu](#) sets the beginning of the date range.
 - **To** - This [Calendar Menu](#) sets the end of the date range.
- **End Date** - Sets a date range to search for the Task’s end date.
 - **From** - This [Calendar Menu](#) sets the beginning of the date range.
 - **To** - This [Calendar Menu](#) sets the end of the date range.


Search Tasks

- **Task Id** - ID of the Task.
- **Task Type** - Type of Task. The options in this [Selection Menu](#) depend upon configuration. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for information about configuring Task types.
- **Status** - Status of the Task. This [Selection Menu](#) has the following options:
 - **All** - **[DEFAULT]** Show Tasks of all statuses.
 - **OPEN** - Show only open Tasks.
 - **IN_PROGRESS** - Show only Tasks that are in progress.
 - **CANCELLED** - Show only Tasks that have been cancelled.
 - **CLOSED** - Show only Tasks that have been closed.
- **Priority** - Priority of the Task. The options in this [Selection Menu](#) depend upon configuration. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for information about configuring Task priorities.
- **Location** - Location of the Task. This [Selection Menu](#) is populated with Locations.
- **Event** - The Promotion Event associated with the Task. This [Selection Menu](#) is only enabled when the **Task Type** is set to "EVENT".
- **Assigned Customer Id** - ID of the Customer with whom the Task is associated. Uses a [Matching Rule Menu](#) and [Text Field](#).
- **First Name** - First name of the Customer with whom the Task is associated. Uses a [Matching Rule Menu](#) and [Text Field](#).
- **Last Name** - Last name of the Customer with whom the Task is associated. Uses a [Matching Rule Menu](#) and [Text Field](#).

Actions Menu

The [Actions Menu](#) for the [Search Tasks](#) page has the following options:

- **Clear Search** - Remove all information entered into the search criteria fields.
- **Add New Task** - Add a new Task. See "[Create a Task](#)" on [page 17](#).



Select Users From Hierarchy

To select one or more Users from a hierarchy, do the following:

1. Click the **Select User From Hierarchy** [Link](#) in the Search Tasks page.

A Select Users [Window](#) opens.





Figure 18-6: Select Users Window

2. In the Select Users area, use the expand buttons (+) to open the User hierarchy and find the User(s) to be selected. *A hierarchy will only be available for Users with associates assigned to them.*
3. Click to enter a check mark () in the [Check Box](#) for the appropriate User(s).



The User(s) appear in the Selected Users [List](#).





Figure 18-7: Select User Window - Users Selected

4. Click the **Select Users** button to accept the User(s) and close the [Window](#).
 - To remove a User, click the **Remove** [Link](#).
 - To close the [Window](#) without selecting a User, click the X () in the top-right corner of the [Window](#).

Task List

The Task [List](#) page is accessed through the [Search Tasks](#) process.





Figure 18-8: Task Search Results Screen

Table 18-2: Task Search Results Page Key

Item	Description
1	Search Criteria - Displays the search criteria used for the search results displayed in the List .
2	Filter Menus - Select criteria in the Filter Menus to view a subset of the Tasks in the Task List . See “Filter Menus” on page 11 for more information.
3	Search Button - Return to the Search Tasks screen to perform another search.
4	Actions Menu - Click to open a menu of actions that can be performed in the Task List page. See “Actions Menu” on page 11 for more information.
5	Check Options - Links to place or remove a check mark (<input checked="" type="checkbox"/>) in each Check Box displayed in the current screen.
6	Page Navigation - Page Navigation for the List .


Table 18-2: Task Search Results Page Key (continued)

Item	Description
7	<p>Tasks - A List of Tasks that meet the entered search criteria. The List displays a limited number of Tasks; use the Filter Menu to narrow down the List and locate a certain Task. This List includes the following information for each Task:</p> <ul style="list-style-type: none"> • Task Id - ID of the Task. • Task Name - Name of the Task. • Start Date - Date on which the Task starts. • End Date - Date on which the Task ends. • Task Type - Type of Task. • Creator - ID of the User who created the Task. • Status - Status of the Task. • Assigned To - ID of the User to whom the Task is assigned. • Customer - Indicates whether the Task is associated with a Customer; if it is, an icon () will appear in this field.

Actions Menu

The [Actions Menu](#) for the [Task List](#) page has the following options:

- **Add New Task** - Add a new Task. See [“Create a Task” on page 17.](#)
- **Re-assign** - Reassign the Task to a different User. See [“Reassign a Task” on page 5.](#)



Filter Menus

The Task Search Results [List](#) includes the following [Filter](#) menus:



Figure 18-9: Filter Menus

- **Task Type** - Filters the [List](#) to show only the Tasks with the Task Type selected. The options in this [Selection Menu](#) depend upon configuration. To show Tasks of all types, select **All [DEFAULT]**. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for information about configuring Task types.
- **Location** - Filters the [List](#) to show only the Tasks for the selected location. To show Tasks for all locations, select **All [DEFAULT]**.

Edit Task Window

The Edit Task [Window](#) allows Users to view and edit Task information:

Figure 18-10: Edit Task Window

The Edit Task [Window](#) displays the following information:

- **Task Type** - Type of Task. The options in this [Selection Menu](#) depend upon configuration. *This field cannot be edited.* See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for information about configuring Task types.
- **Start Date** - This [Calendar Menu](#) determines the date on which the Task starts.
- **End Date** - This [Calendar Menu](#) determines the date on which the Task ends. *This field is only enabled for ADMIN, TODO, MEETING, or TASK Task Types.*
- **Subject** - This [Text Field](#) contains the subject of the Task.
- **Location** - This [Selection Menu](#) determines the Location where the Task is to be performed.
- **Event** - This [Selection Menu](#) determines the Promotion associated with the Task. *This field is only enabled for EVENT Task Types.*
- **Creator** - ID of the User who created the Task.
- **Start Time** - These [Time Menus](#) determine the time at which the Task starts
- **End Time** - These [Time Menus](#) determine the time at which the Task ends.

Tip: This field can be set using the Duration field.

- **Priority** - The priority assigned to the Task. The options in this [Selection Menu](#) depend upon configuration. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for information about configuring Task priorities.
- **Status** - The status of the Task.
- **Duration** - The duration of the Task.

Tip: Use this field to automatically set the End Time to a time, of the selected duration, after the selected Start Time.

- **Update User Id** - ID of the User who most recently updated the Task. *This field cannot be edited.*
- **Update Date** - Date on which the Task was most recently updated. *This field cannot be edited.*
- **Group Status Summary** - For ADMIN Task Types, this field displays the number of Users at each Status for the Task (see Figure 18-12 below).
- **Assigned User** - A [List](#) of the User(s) assigned to the Task.

Assigned User		
User ID	Name	Email
jmadison	James Madison	james.madison@example.com

Figure 18-11: Assigned User List - APPOINTMENT, EVENT, TODO, MEETING, or TASK

Group Status Summary		Assigned User			
User ID	Name	Email	Status		
CANCELLED : 0		GMundi	Gloria Mundi	gmundi@example.com	OPEN
CLOSED : 0		ktest	K Test	ktest@example.com	OPEN
IN_PROGRESS : 0					
OPEN : 2					

Figure 18-12: Assigned User List - ADMIN

The following information is displayed for the assigned User:

- **User ID** - ID of the User.
- **Name** - Name of the User.
- **Email** - Email of the User.
- **Status** - The status of the Task for the User. *This [Selection Menu](#) is only available for ADMIN Task Types.*

- **Assigned Customer** - A [List](#) containing the Customer assigned to the Task. *This [List](#) is only displayed for APPOINTMENT, EVENT, TODO, MEETING, or TASK Task Types.*

The following information is displayed for the assigned Customer:



- **Customer Id** - ID of the Customer.
- **First Name** - Customer first name.
- **Last Name** - Customer last name.

- **City** - Customer city.
- **State** - Customer state.
- **Home Location** - Home location for the Customer.
- **Notes** - A [List](#) containing Notes added to the Task.
The following information is displayed for the Notes:
 - **Notes** - Text of the Note.
 - **Note Type** - Type of Note.
 - **Create UserId** - ID of the User who entered the Note.
 - **Create Date** - Date the Note was created.

Actions Menu


The [Actions Menu](#) for the Add/Edit Task [Window](#) page can include the following options:

- **Add User** - Assign the Task to a User. This option will only be available for Tasks that do not have a User assigned (see [“Add/Change User” on page 15](#)).
- **Change User** - Change the User to whom the Task is assigned. This option will only be available for Tasks that have a User assigned (see [“Add/Change User” on page 15](#)).
- **Remove User** - Remove the User assigned to the Task. This option will only be available for Tasks that have a User assigned (see [“Remove a User” on page 15](#)).
- **Add Customer** - Associate the Task with a Customer. This option will only be available for Tasks that are not associated with a Customer (see [“Add/Change Customer” on page 16](#)).
- **Change Customer** - Change the Customer with whom the Task is associated. This option will only be available for Tasks that are associated with a Customer (see [“Add/Change Customer” on page 16](#)).
- **Remove Customer** - Remove the association with the Customer. This option will only be available for Tasks that are associated with a Customer (see [“Remove a Customer” on page 16](#)).
- **Add Note** - Add a Note to the Task (see [“Add a Note” on page 17](#)).



Open/Edit a Task

1. Click the Task in the [My Tasks](#) or [Search Tasks](#) screen.
The Task opens in an [Edit Task Window](#).
2. If necessary, make changes to the Task. See [“Edit Task Window” on page 12](#) for a description of the fields that can be changed.
3. Click the **SAVE** button to save any changes and close the [Edit Task Window](#).

To close the [Window](#) without saving changes, click the X () in the top-right corner.

Add/Change User

To add or change the User assigned to a Task:

1. Click **Add User** or **Change User** in the [Actions Menu](#) for the [Edit Task Window](#), or the [Create a Task](#) screen or [Window](#).
2. A [Search User Window](#) opens.

Figure 18-13: Search User Window

3. Use the [Search User Window](#) to enter search information for the User, then click the **Search** button to search for Users matching the search criteria.

A [List](#) of search results is displayed.

Figure 18-14: Search User Results

4. Click to select the User to associate with the Task.
5. Click the **OK** button to associate the User to the Task and close the Search User [Window](#), returning to the [Create a Task](#) or [Open/Edit a Task](#) procedure.

To close the [Window](#) without saving the changes, click the **Cancel** button.

Remove a User

To remove a User assigned to a Task, click **Remove User** in the [Actions Menu](#) for the [Edit Task Window](#) or the [Create a Task](#) screen. The User is removed.

Important: Customer Engagement does not ask for confirmation when removing a User assigned to a Task. **The User will be removed as soon as the option is selected.**

Add/Change Customer

To add or change the Customer associated with a Task:

1. Click **Add Customer** or **Change Customer** in the [Actions Menu](#) for the [Edit Task Window](#), or the [Create a Task](#) screen or [Window](#).

A [Search Customer Window](#) opens.

Figure 18-15: Search Customer Window

2. Use the [Search Customer Window](#) to enter search information for the customer, then click the **Search** button to search for Customers matching the search criteria.

A [List](#) of search results is displayed.

Customer Id	First Name	Last Name	City	State	Home Location
523	James	Madison	WORCESTER	MA	
539	John	Marshall	BOSTON	MA	

Figure 18-16: Search Customer Results

3. Click to select the Customer to associate with the Task.
4. Click the **OK** button to associate the Customer with the Task and close the Search Customer [Window](#), returning to the [Create a Task](#) or [Open/Edit a Task](#) procedure.

To close the [Window](#) without saving the changes, click the **Cancel** button.

Remove a Customer

To remove a Customer associated with a Task, click **Remove Customer** in the [Actions Menu](#) for the [Edit Task Window](#) or the [Create a Task](#) screen. The Customer is removed.

Important: Customer Engagement does not ask for confirmation when removing a Customer association from a Task. **The Customer is removed as soon as this option is selected.**

Add a Note


To add a Note to the Task:

1. Click **Add Note** in the [Actions Menu](#) for the [Edit Task Window](#) or the [Create a Task](#) screen.

An ADD NOTE [Window](#) opens.

Figure 18-17: Add Note Window

2. Select the Note Type in the [Selection Menu](#).
3. Enter the Note in the [Text Field](#).
4. Click **Add** to add the note and close the [Window](#).

To close the [Window](#) without saving the changes, click the X () in the top-right corner of the [Window](#).

Create a Task

To create a Task in Customer Engagement:

1. Start the procedure from the [My Tasks](#) page, the [Task List](#) page, or the [Tasks Screen](#) for a Customer.
 - In the [My Tasks](#) page, click the **Add Task** button.

A Create New Task screen opens.

Figure 18-18: Create New Task Screen

- In the [Task List](#) page, click the **Add New Task** selection [Actions Menu](#), or click the **ADD TASK** button in the Customer [Tasks Screen](#).

Create a Task

A Create New Task [Window](#) opens.

Create New Task [Save] [Actions]

Task Type: ADMIN Creator: auser Status: OPEN

Start Date: 2013-08-06 Start Time: 12:00 AM Duration: []

End Date: [] End Time: 11:59 PM

Subject: [] Priority: LOW

Location: None Event: (Please select)

Group Status Summary

CANCELLED : 0
CLOSED : 0
IN_PROGRESS : 0
OPEN : 0

Assigned User

User ID	Name	Email	Status
---------	------	-------	--------

Notes

Notes	Note Type	Create UserId	Create Date
-------	-----------	---------------	-------------

Figure 18-19: Create New Task Window

2. Select the **Task Type**. The options in the [Selection Menu](#) depend upon configuration. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for information about configuring Task types.
3. Configure the Task. Many of the options available depend upon the Task Type.
 - **Start Date** - This [Calendar Menu](#) determines the date on which the Task starts.
 - **End Date** - This [Calendar Menu](#) determines the date on which the Task ends.
 - **Subject** - This [Text Field](#) contains the subject of the Task.
 - **Location** - This [Selection Menu](#) determines the Location where the Task is to be performed.
 - **Event** - This [Selection Menu](#) determines the Promotion associated with the Task. *This field is only enabled for EVENT Task Types.*
 - **Creator** - ID of the User who created the Task. *This field cannot be edited.*
 - **Start Time** - These [Time Menus](#) determine the time at which the Task starts
 - **End Time** - These [Time Menus](#) determine the time at which the Task ends.


This field can be set using the Duration field.

 - **Priority** - The priority assigned to the Task. *The options in this [Selection Menu](#) depend upon configuration. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for information about configuring Task priorities.*
 - **Status** - The status of the Task. This [Selection Menu](#) has the following options:
 - * **OPEN** - The Task is open, but not started.
 - * **IN_PROGRESS** - The Task has been started, but it not complete.
 - * **CANCELLED** - The Task has been cancelled.

- * **CLOSED** - The Task has been completed.
- **Duration** - This [Selection Menu](#) determines the duration of the Task.

Tip: Use this field to automatically set the End Time to a time, of the selected duration, after the selected Start Time.

4. If necessary, assign a User to the Task (see [“Add/Change User” on page 15](#)). The **Assigned User List** displays the User assigned to the Task.



Assigned User		
User ID	Name	Email

Figure 18-20: Assigned User List - APPOINTMENT, EVENT, TODO, MEETING, or TASK



Group Status Summary		Assigned User			
CANCELLED : 0		User ID	Name	Email	Status
CLOSED : 0					
IN_PROGRESS : 0					
OPEN : 0					

Figure 18-21: Assigned User List - ADMIN

The following information is displayed for the assigned User(s):

- **User ID** - ID of the User.
 - **Name** - Name of the User.
 - **Email** - Email of the User.
 - **Status** - This [Selection Menu](#) determines the status of the Task for the User. *This field, along with the Group Status Summary, is only displayed for ADMIN Task Types.*
5. If necessary, associate a Customer with the Task (see [“Add/Change Customer” on page 16](#)). The **Assigned Customer List** displays the Customer assigned to the Task. *This List is only displayed for APPOINTMENT, EVENT, TODO, MEETING, or TASK Task Types.*



Assigned Customer					
Customer Id	First Name	Last Name	City	State	Home Location

Figure 18-22: Assigned Customer List

The following information is displayed for the assigned Customer:

- **Customer Id** - ID of the Customer.
- **First Name** - Customer first name.
- **Last Name** - Customer last name.
- **City** - Customer city.
- **State** - Customer state.
- **Home Location** - Home location for the Customer.

Create a Task

6. If necessary, add a Note(s) to the Task (see [“Add a Note” on page 17](#)). The **Notes List** displays the Notes added to the Task.

The following information is displayed for the Notes:

- **Notes** - Text of the Note.
 - **Note Type** - Type of Note.
 - **Create UserId** - ID of the User who entered the Note.
 - **Create Date** - Date the Note was created.
7. Click **SAVE** to create the Task and exit the screen.

To exit without saving the changes, click the **X** (⊗) in the Tab, or the **X** (⊗) in the top-right corner of the [Window](#).

Overview

In Customer Engagement, the Process Queue displays information about previously run Jobs.

About this Chapter

This chapter contains the following information:

- [“Process Queue” on page 2](#) - Describes the Process Queue page, including:
 - [“Open Job” on page 3](#)
 - [“Actions Menu” on page 3](#)
 - [“Filter Menus” on page 3](#)
- [“Job Details Window” on page 4](#) - Describes the Job Details [Window](#).

Process Queue

The Process Queue page is opened using the **Admin->Process Queue** menu option, or by clicking the **Process Queue Link** on the **Main Page**.




Figure 19-1: Process Queue Page

Table 19-1: Process Queue Page Key

Item	Description
1	Actions Menu - Click to open a menu of actions that can be performed in the Process Queue page. See “Actions Menu” on page 3 for more information.
2	Filter Menus - Select criteria in the Filter Menus to view a subset of the Jobs in the Process Queue. See “Filter Menus” on page 3 for more information.
3	Process Queue List - A List of Jobs that were run by the system. The List displays a limited number of Jobs; use the Filter Menus to narrow down the List and locate a certain Job.

The Process Queue [List](#) displays the following information for each Job:

- **Job Run ID** - ID Number of the Job.
- **Description** - Description of the Job.
- **Status** - Current status of the Job.
- **Start Time** - The date and time at which the Job started running.
- **End Time** - The date and time at which the Job stopped running.
- **Tasks** - The number of Tasks performed by the Job.
- **Successes** - The number of Tasks completed successfully by the Job.
- **Errors** - The number of Tasks in the Job that resulted in an Error.
- **Canceled** - The number of Tasks in the Job that were canceled.
- **Skipped** - The number of Tasks in the Job that were skipped, possibly because an error occurred in a previous task.

Open Job

To open a Job, click the Job in the [List](#). The Job is displayed in a [Job Details Window](#).

Actions Menu

The [Actions Menu](#) for the Process Queue contains the following option:

- **Refresh** - Refreshes the [List](#) with the most recent Jobs run by the system.



Filter Menus

The Process Queue displays the following [Filter](#) fields:


 A screenshot of a filter menu with a torn paper edge effect. It contains several input fields: 'Task/Group Types' with a dropdown menu set to 'ALL'; 'Start Date' and 'End Date' as empty text boxes; 'Job Status' with a dropdown menu set to 'ALL'; 'Scheduled Jobs' with a dropdown menu set to 'ALL'; and 'Max Records' with a dropdown menu set to '50'.

Figure 19-2: Filter Menus

- **Task/Group Types** - Filters the [List](#) by Task Type.
- **Start Date** - A [Calendar Menu](#) that sets an initial date for a date range filter.
- **End Date** - A [Calendar Menu](#) that sets a final date for a date range filter.
- **Job Status** - Filters the [List](#) by the current status of the Job.
- **Scheduled Jobs** - Filters the [List](#) to show only the previous runs of a specific Scheduled Job.
- **Max Records** - Filters the [List](#) to show only up to the selected number of Jobs.

Job Details Window

The Job Details [Window](#) displays information about Job opened in the [Window](#), and provides the ability to view the results of the Job.



The screenshot shows a window titled "Job Details" with the following content:

Job Details
 ID 5007
 Description EXPORT_PROMOTION, campaign id = 413, promotion id = 490
 Status Complete

Task Run

Task Seq	Task Type	Task Status	Started Time	Stopped Time	Progress
0	Export Promotion	Success	2014 Apr 9 14:05:38	2014 Apr 9 14:05:44	

Task Info

Seq.	Started Time	Info
0	2014 Apr 9 14:05:38	Export Promo Job -> Campaign:OH Customers Promo (413) Promotion:OH Customers Promo (490)
1	2014 Apr 9 14:05:44	PromotionExport-Campaign413-promotion490.xml

Figure 19-3: Job Details Window

The following information is displayed in the Job Details [Window](#):

- **Job Details** - Information about the Job. This section displays the following information:
 - **ID** - ID Number of the Job.
 - **Description** - Description of the Job.
 - **Status** - Current status of the Job.
 - **Task Run** - A [List](#) of Tasks performed by the Job. The following information is displayed for each Task:
 - **Task Seq** - The sequence number of the Task within the set of Tasks performed.
 - **Task Type** - The type of Task.
 - **Task Status** - The current status of the Task.
 - **Started Time** - The date and time at which the Task started running.
 - **Stopped Time** - The date and time at which the Task stopped running.
 - **Progress** - If the Task is still running, the current progress of the Task.
 - **Task Info** - A [List](#) displaying the actions performed by the Task. The following information is displayed for each action:
 - * **Seq** - The sequence number of the action within the set of actions performed by the Task.
 - * **Started Time** - The date and time at which the action started running.

* **Info** - Information about the action. This can be a summary of the results of the action, or a [Link](#) to the export file created by the action.

Tip: To open an Export File from a Job, click the [Link](#) for the Export File in the Info table cell. A new browser window opens and the Export File is downloaded.

Overview

In Customer Engagement, Job Scheduling is used to view and edit Jobs scheduled to be run in Customer Engagement.

About this Chapter

The chapter includes the following information:

- [“Scheduled Jobs List” on page 3](#) - Describes the Scheduled Jobs List and the functions available on it, including:
 - [“Open Scheduled Job” on page 3](#)
 - [“Actions Menu” on page 3](#)
- [“Scheduled Job Window” on page 4](#) - Describes the Scheduled Job Window and its functionality, including:
 - [“Actions Menu” on page 5](#)
 - [“Edit Job” on page 6](#)
 - [“Disable Job” on page 6](#)
 - [“Enable Job” on page 6](#)
 - [“Delete Job” on page 6](#)
 - [“Run Job Immediately” on page 6](#)
 - [“View Job in Process Queue” on page 7](#)
- [“Schedule a Job” on page 7](#) - Provides the procedures for scheduling a Job, including:
 - [“Job Processing Window” on page 11](#)
- [“Jobs and Tasks” on page 12](#) - Provides a brief summary of each task available for scheduling in each of the following areas:
 - [“Customer Tasks” on page 12](#)
 - [“Associate Assignment Tasks” on page 14](#)
 - [“Customer Segment Tasks” on page 14](#)
 - [“Account Tasks” on page 15](#)
 - [“Award Account Tasks” on page 15](#)
 - [“Loyalty Tasks” on page 16](#)

Overview

- [“Housekeeping Tasks” on page 17](#)
- [“OLAP Tasks” on page 18](#)
- [“Campaign Tasks” on page 19](#)
- [“Social Network Integration Tasks” on page 19](#)
- [“Clienteling” on page 19](#)
- [“Configure Job Parameters” on page 20](#) - Describes the parameters that must be configured for each task for a scheduled Job.

Scheduled Jobs List

The Scheduled Jobs [List](#) is opened using the **Job Management->Job Scheduling** menu option, or by clicking the **Job Scheduling** [Link](#) on the [Main Page](#).

ID	Description	Enabled	Frequency	Next Run Time
2403	Query run: WSDL-SoapUI-Customers-Strata	Yes	Daily	
2400	Dynamic Promotions	Yes	Once, Later	2019 Dec 31 01:00:00
2387	HH Identification	No	Once, Later	2019 Dec 11 01:00:00
2386	Duplicate Merge	Yes	Once, Later	2019 Dec 13 01:00:00
2385	Duplicate Search	Yes	Once, Later	2019 Dec 13 01:00:00
2384	HomeLocationReassignment	Yes	Once, Later	2019 Dec 13 01:00:00
2383	StoreMassAssignment	Yes	Once, Later	2019 Dec 27 01:00:00
2377	Create Loyalty Awards Job	Yes	Once, Later	2019 Dec 7 01:00:00
2375	ExpireLoyaltyPoints	Yes	Once, Later	2018 Dec 20 01:00:00
2372	DistributeLoyaltyAwards	Yes	Once, Later	2018 Dec 20 01:00:00
2371	FamLoyaltyPoints	Yes	Once, Later	2018 Dec 20 01:00:00

Figure 20-1: Scheduled Jobs List

Table 20-1: Job Scheduling Page Key

Item	Description
1	Refresh Button - Click to refresh the list.
2	Actions Menu - Click to open a menu of actions that can be performed in the Job Scheduling List page. See "Actions Menu" on page 3 for more information.
3	Scheduled Jobs List - A List of Jobs that are configured to be run by the system.

The Scheduled Jobs [List](#) displays the following information for each Job:

- **ID** - ID Number of the Job.
- **Description** - Description of the Job.
- **Enabled** - Indicates whether the Job is currently enabled.
- **Frequency** - The frequency at which the Job is performed.
- **Next Run Time** - The Time at which the Job will be run next.

Open Scheduled Job

To open a Scheduled Job, click the Job in the [List](#). The Job opens in a [Scheduled Job Window](#).

Actions Menu

The [Actions Menu](#) for the Job Scheduling page contains the following option:

- **Create** - Create a new Job Schedule.



Scheduled Job Window

The Scheduled Job [Window](#) displays information about Job opened in the [Window](#), and provides the ability to update the Job.




Figure 20-2: Scheduled Job Window

The Scheduled Job [Window](#) displays the following information for a Job:


- **General** - General information about the Job. This area displays the following information:
 - **ID** - Unique ID for the Job.
 - **Job Description** - Description of the Job.
 - **Do not process remaining tasks on failure** - Indicates whether the Job will process subsequent Tasks in the Job after an error, or if the Job will end immediately after receiving an error.
 - **Notification Email List** - The email addresses that will receive notification of the results of the job after it completes.
 - **Create User Id** - ID of the user who created the Job.
 - **Update User Id** - ID of the user who last updated the Job.
 - **Create Date** - Date on which the Job was created.
 - **Update Date** - Date on which the Job was last updated.
- **Job Execution Info** - Information about the frequency at which the Job runs.
 - **Job Execution Frequency** - The frequency at which the Job runs. This field has the following possible values:
 - * **Once, Immediately** - The Job runs as soon as it has been created.

- * **Once, Later** - The Job runs once at a later date.
- * **Daily** - The Job runs once every day.
- * **Daily, Business Days Only** - The Job Runs once a day only on business days (i.e. Monday through Friday).
- * **Weekly** - The Job runs once each week.
- * **Monthly** - The Job runs once each month.
- **Start Date** - The start of the date range in which the job will run (only visible if the Job Frequency Execution is NOT **Once, Immediately**).
- **End Date** - The end of the date range in which the job will run (only visible if the Job Frequency Execution is NOT **Once, Immediately** or **Once, Later**).
- **Day of Week** - The day of the week on which the job will run (only visible if the Job Frequency Execution is **Weekly**).
- **Day of Month** - The day of the month on which the job will run (only visible if the Job Frequency Execution is **Monthly**).
- **Job Execution Time** - The time at which the job will run (only visible if the Job Frequency Execution is NOT **Once, Immediately**).
- **Override Job Processing Window** - Indicates whether the Job was configured to run outside the [Job Processing Window](#).
- **Job Processing Window** - Describes the Job Processing [Window](#) for the system (see [“Job Processing Window” on page 11](#) for more information).
- **Task List** - A [List](#) of the Tasks performed by the Job, containing the following information for each Task:
 - **Seq.** - The sequence in which the Task is performed within the Job.
 - **Task Type** - The type of Task performed.
 - **Parameter Name / Value** - Additional parameters and associated values set for the Task.

Actions Menu

The [Actions Menu](#) for the [Scheduled Job Window](#) contains the following options:

- **Disable** - Disable the Job (this option only available if the Job is enabled). See [“Disable Job” on page 6](#).
- **Enable** - Enable the Job (this option only available if the Job is disabled). See [“Enable Job” on page 6](#).
- **Delete** - Remove the Job from the system. See [“Delete Job” on page 6](#).
- **Run Job Immediately** - Run the Job now, regardless of scheduling. See [“Run Job Immediately” on page 6](#).
- **View Job In Process Queue** - Opens the [Process Queue](#) with the Job selected the [Scheduled Jobs Selection Menu](#) (in the [Filter Menus](#)). See [page 1 in Chapter 19, “Process Queue”](#) for more information about the [Process Queue](#).



Edit Job

To edit an existing Job opened in a [Scheduled Job Window](#):

1. Click the **Edit** button in the [Scheduled Job Window](#).

The Job Create [Wizard](#) opens with all fields populated with the current configuration information.



2. Use [Wizard Navigation](#) to make any necessary changes. See [“Schedule a Job” on page 7](#) for a description of the fields and information.
3. When you are finished making changes to the Job, do one of the following:
 - Click **save** to save the Job with the current settings and return to the [Scheduled Jobs List](#).
 - Click **cancel** to delete all changes and return to the [Scheduled Jobs List](#).

Disable Job

Click **Disable** in the [Actions Menu](#) to disable a Job opened in a [Scheduled Job Window](#).

After clicking **Disable**, the [Scheduled Job Window](#) closes and the Enabled field for the Job is set to False in the [Scheduled Jobs List](#).

Note: There is no confirmation prompt when disabling a job.

Enable Job

Click **Enable** in the [Actions Menu](#) to enable a Job opened in a [Scheduled Job Window](#).

After clicking **Enable**, the [Scheduled Job Window](#) closes and the Enabled field for the Job is set to True in the [Scheduled Jobs List](#).

Note: There is no confirmation prompt when enabling a job.

Delete Job

Click **Delete** in the [Actions Menu](#) to delete a Job opened in a [Scheduled Job Window](#).

After clicking **Delete**, the [Scheduled Job Window](#) closes and the Job is deleted from the [Scheduled Jobs List](#).

Note: There is no confirmation prompt when deleting a job.

Run Job Immediately

Click **Run Job Immediately** in the [Actions Menu](#) to immediately run a Job opened in a [Scheduled Job Window](#).

After clicking **Run Job Immediately**, the [Scheduled Job Window](#) closes and the Job runs in Customer Engagement.

Note: There is no confirmation prompt when running a job immediately.

View Job in Process Queue

Click **View Job In Process Queue** in the [Actions Menu](#) to open the [Process Queue](#) and view the previous runs of a Job currently opened in a [Scheduled Job Window](#).

The [Process Queue](#) opens with the Job selected in the [Scheduled Jobs Selection Menu](#) (in the [Filter Menus](#) for the [Process Queue](#)). This shows all of the previous runs of the selected Job in the [Process Queue](#).

Note: See [page 1 in Chapter 19, “Process Queue”](#) for more information about the actions and options available in the [Process Queue](#).

Schedule a Job

To schedule a Job in Customer Engagement:

1. In the [Scheduled Jobs List](#), click **Create** in the [Actions Menu](#).

The Job Create [Wizard](#) opens with the Job Description step.

The screenshot displays the 'Edit Job Definition' wizard. The left sidebar lists the steps: Job Description (selected), Task Configuration, Schedule Definition, Job Parameters, Notification Email List (None), Review, and Review. The main content area shows the 'Job Description' step with a text input field labeled 'Job Description'. At the top right of the main area, there are navigation buttons: 'previous', 'save', 'cancel', and 'next'.

Figure 20-3: Create Job Wizard

2. In the **Job Description** field, enter a description of the Job.
3. When you have finished, click **next** to continue.

The Task Configuration step opens.

The screenshot shows a multi-step process bar at the top with four steps: 'Job Description', 'Task Configuration' (highlighted in blue), 'Schedule Definition', and 'Job Parameters'. Below the bar are navigation buttons: 'previous', 'save', 'cancel', and 'next'. The main content area is titled 'Add and configure tasks for this job.' It features a 'Task Type' section with a dropdown menu containing the text 'Please make a selection and add' and an 'Add' button. A downward arrow points from this section to a 'Task List' section. The 'Task List' section contains a large empty box with the text 'Please add at least one task' at the top and a 'Delete' button at the bottom right.

Figure 20-4: Task Configuration Step

4. Configure the Tasks in the Job:
 - a. Select a Task in the Task Type [Selection Menu](#). See [“Jobs and Tasks” on page 12](#) for a description of each Task.
 - b. Click the **Add** button.
The Task is added to the Task [List](#).
 - c. Configure the parameter(s) for the Task.
If necessary, click a Task in the Task [List](#) to select it for configuration.
The parameters that must be configured for a Task depends upon the Task selected. See [“Configure Job Parameters” on page 20](#) for a description of the parameters to configure for each Task.
 - d. If necessary, delete a Task by doing the following:
 - 1) Click the Task to delete in the Task [List](#).
 - 2) Click the **Delete** button.
The Task is deleted from the Task [List](#).
5. When you have finished, click **next** to continue.

The Schedule Definition step opens.

Figure 20-5: Schedule Definition Step

6. Define the Schedule on which the Job will run:
 - a. Select the Job Execution Frequency. This [Selection Menu](#) has the following options:
 - * **Once, Immediately** - Run the Job as soon as the Job has been completed. If you select this option, continue with step g.
 - * **Once, Later** - Run the Job at a later date.
 - * **Daily** - Run the Job every day.
 - * **Daily, Business Days Only** - Run the Job only on business days (i.e. Monday through Friday).
 - * **Weekly** - Run the Job once each week.
 - * **Monthly** - Run the Job once each month.
 - b. Use the **Start Date** [Calendar Menu](#) to select the start of the date range in which the Job will run.
If you selected a Job Execution Frequency of **Once, Later**, continue with step f.
 - c. Use the **End Date** [Calendar Menu](#) to select the end of the date range in which the Job will run.
 - * If you selected a Job Execution Frequency of **Daily**, or **Daily, Business Days Only**, continue with step f.
 - * If you selected a Job Execution Frequency of **Weekly**, continue with step d.
 - * If you selected a Job Execution Frequency of **Monthly**, continue with step e.
 - d. Use the **Day of Week** [Selection Menu](#) to select the day of the week on which the Job will run. Continue with step f.
 - e. Use the **Day of Month** [Selection Menu](#) to select the day of the month on which the Job will run.

Schedule a Job

- f. Use the **Job Execution Time** [Time Menus](#) to determine the time at which the Job will run.

Tip: It is recommended that you select a time that is within the [Job Processing Window](#). If you select a time outside the [Job Processing Window](#), the **Override Job Processing Window** setting (see step g) must be checked () for the Job to run.

- g. Use the **Override Job Processing Window** [Check Box](#) to indicate whether the Job should run, even if it is scheduled outside the Job Processing Window.
7. When you have finished, click **next** to continue.

The Job Parameters step opens.




Figure 20-6: Job Parameters Step

8. Configure the Job Parameters:
 - a. If necessary, enter an email address in the **Notify Email Address** field.
Customer Engagement will send an email to this address following the completion of the Job.
 - b. Click **Add**.
The email address is added to the Notification Email [List](#).
 - c. Repeat steps a-b for each email address to be added to the Notification Email [List](#).
 - d. To remove an email address from the Notification Email [List](#):
 - 1) Click the email address in the **Notification Email List** to select it.
 - 2) Click **Delete**.
The email address is removed from the Notification Email [List](#).

9. When you have finished, click **next** to continue.
The Review step opens.

10. Review the entered information to ensure that it is correct.
 - Click **save** to save the Job with the current settings and return to the [Scheduled Jobs List](#).
 - Use [Wizard Navigation](#) to return to an earlier step and make any necessary changes.
 - Click **cancel** to delete all information and return to the [Scheduled Jobs List](#).

Job Processing Window

The Job Processing Window field displays the time(s) at which scheduled jobs should run. The Window is intended to indicate times when there will be little processing load on the system, so that Jobs will not interfere with transaction processing.

Job Processing Window

Monday - 16:00, 7 hours
Tuesday - 16:00, 7 hours
Wednesday - 16:00, 7 hours
Thursday - 16:00, 7 hours
Friday - 16:00, 7 hours
Saturday - 16:00, 7 hours
Sunday - 16:00, 7 hours

Figure 20-7: Job Processing Window

Each line in the Job Processing Window defines a portion of the Job Processing Window. These lines have the following format:

[Day of Week] - [Start Time], [Duration]

Where:

- [Day of Week] is a day of the week (e.g. Sunday).
- [Start Time] is the time at which the Window begins, in 24-hour clock time.
- [Duration] is the length of time that the Window is open.

Jobs and Tasks

Jobs include one or more tasks that are chained together to run sequentially.

Note: Each Job has additional parameters that must be configured. For information about these parameters, see [“Configure Job Parameters” on page 20](#).

The type of tasks that can be scheduled within a job are:

Customer Tasks

Location Mass Assignment

This task searches Customer transaction histories in a selected date range and assigns each Customer to a Home Location, based on where the Customer shopped most frequently over the chosen date range.

In the database, there are two location fields: Home Location and Sign-Up Location. The system expects to see the Sign-Up Location populated from the POS or other data entry client. This field is static.

The Home Location field is intended to be the location to which the Customer is assigned as their primary location. As an example; it is possible that a Customer signs up in a location during a trip. However, there is a location in the Customer's neighborhood and subsequent to sign up, the Customer is seen to shop there regularly. As a basic management function, the administrator wants to assign the Customer to this location.

As Customers move around and as a retailer opens and closes locations it is a common, on-going requirement to assign and re-assign Customers to a home location. The Location Mass Assignment task will re-assign Customers to the home location where they shopped most frequently during the selected date range.

See [“Location Mass Assignment” on page 22](#) for job scheduling details.

Duplicate Search

This process allows you to schedule a search for duplicate Customer records. The search will identify potential duplicate Customer records by comparing information in each record and grouping them into Duplicate Sets.

See [“Duplicate Search” on page 22](#) for job scheduling details.

Duplicate Merge

This task performs the process of actually merging duplicate Customer records identified by the Duplicate Search job.

The Merge process that runs on this schedule will merge all duplicate sets that are marked as “Approved”, regardless of the search strategy used to find them. After the merge, Customer Engagement will clean out all duplicate sets (Approved, Not Approved, and Merged) from the database.

Duplicates can be approved through a Duplicate Search job using the Automatic Approval option (see [“Duplicate Search” on page 22](#)), or in the Customer Merge Review procedure.

See [“Duplicate Merge” on page 24](#) for job scheduling details.

Household Identification

The Household Identification task determines which Customers belong to the same household. This is useful when creating mailing lists, as this allows you to limit the number of mailings sent out to one per household. Only primary home addresses are evaluated.

See [“Household Identification” on page 25](#) for job scheduling details.

Home Location Re-Assignment

The Home Location Re-Assignment task changes the Home Locations assigned to Customers.

See [“Home Location Re-Assignment” on page 26](#) for job scheduling details.

Franchisee Assignment

The Franchisee Assignment task assigns Franchisees to Customers.

See [“Franchisee Assignment” on page 27](#) for job scheduling details.

Customer Sync Export

Creates a file of customer data for export to a marketing system or a business intelligence/analytics system. The data includes the customers name, address, email address, phone number, and additional information. *This option is available only if the Supported Batch Exporter Types property in System Configuration specifies a type of batch exporter.* See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information about System Configuration.

Depending on the selected batch export type, the export task may also generate a listing of customer records that have been deleted as a result of Customer Housekeeping or Customer Merge, or include deleted customer records in a single customer export file.

See [“Customer Sync Export” on page 28](#) for job scheduling details and generated files.

Customer Address Sync Export

Create a file for export to a business intelligence/analytics system. The data includes details on the customer’s address. *This option is available only if the Supported Batch Exporter Types property in System Configuration specifies a batch exporter type of BI/Analytics.* See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information about System Configuration.

See [“Customer Address Sync Export” on page 34](#) for job scheduling details and the generated address file.

Customer Attributes Sync Export

Create a file for export to a marketing system or a business intelligence/analytics system. The data includes details on customer attributes. *This option is available only if the Supported Batch Exporter Types property in System Configuration specifies a type of batch exporter.* See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information about System Configuration.

See [“Customer Attributes Sync Export” on page 35](#) for job scheduling details and generated files.

Customer Household Sync Export

Create a file for export to a business intelligence/analytics system. The data includes details on the association of a customer with a household.

See [“Customer Household Sync Export” on page 39](#) for job scheduling details and generated files.

BI/Analytics Package Exporter

The BI/Analytics Package Exporter task enables you to package the export files into a zip file for export to the business intelligence/analytics system. This task should be the last task performed for a single job, running after the individual exports.

See [“BI/Analytics Package Exporter” on page 40](#) for job scheduling details.

Reset Customer YTD Totals

Resets the YTD totals for all Customers to zero.

See [“Reset Customer YTD Totals” on page 41](#) for job scheduling details.

Associate Assignment Tasks

Automated Associate Assignment

This task automatically assigns Associates to Customers, based on a set of selected criteria.

See [“Automated Associate Assignment” on page 41](#) for job scheduling details.

Associate Mass Re-assignment

This task automatically reassigns the Customers assigned to a selected Associate to one or more new Associates.

See [“Associate Mass Re-assignment” on page 42](#) for job scheduling details.

Customer Segment Tasks

Unstratified Segment

This task finds Customers to be entered into an Unstratified Segment and counts the number of Customers in the Segment. For more information on Unstratified Segments, see [“Unstratified Segments” on page 3](#).

See [“Unstratified Segment” on page 44](#) for job scheduling details.

Stratified Segment

This task organizes Customers into user-defined levels and counts the number of Customers in each strata level. For more information on Stratified Segments, see [“Stratified Segments” on page 17](#).

See [“Stratified Segment” on page 45](#) for job scheduling details.

Segment Sync Export

This task generates a CSV file of customers within a stratified, unstratified, or manual segment for export to a marketing system or a business intelligence/analytics system. *This option is available only if the Supported Batch Exporter Types property in System Configuration specifies a type of batch exporter.* See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information about System Configuration.

See [“Segment Sync Export” on page 45](#) for job scheduling details and generated files.

Account Tasks

Export Card Series

This task creates an export file for Cards created using a SOAP Message or batch file.

When a Generate Card message is processed, individual Cards are created and, depending on configuration, assigned to Customers; however, the Card and Customer information is not exported to an XML file. This job will create an export file that includes the Customer Engagement-generated Card numbers and the Customer assigned to each Card.

Note: The export file for this type of job is not compressed.

See [“Export Card Series” on page 51](#) for job scheduling details and generated files.

Release Expired PreAuth

This task releases (removes) expired pre-authorization amounts that have not been settled or post-authorized. It searches Tender Accounts for PreAuth amounts that are older than their configured expiration time and removes them from the associated Tender Account.

See [“Release Expired PreAuth” on page 51](#) for job scheduling details.

Notify Card Renewal

This task notifies Customers that they need to renew Cards that are set to expire within a certain, defined period of time.

See [“Notify Card Renewal” on page 52](#) for job scheduling details.

Tender Sync Export

This task generates a file of tender accounts and tender account activity for export to an external system.

See [“Tender Account Sync” on page 52](#) for job scheduling details and generated files.

Award Account Tasks

Issue Anniversary Awards

This task searches for Customers who have a birthday or signup date anniversary within the time frame specified and issues an eAward.

This process schedules the Issue Anniversary Awards process.

This task will look behind and ahead of the run date for Customers who have birthdays or signup anniversaries within the time period. The Customers that are found will receive an award coupon as created in this process. When this task is run, an export file (birthday or signup anniversary) is created.

See [“Issue Anniversary Awards” on page 55](#) for job scheduling details.

Notify Awards Expire

This task searches for Customers whose awards are scheduled to expire within a defined time window, and creates an export file containing award expiration notification information for those Customers.

See [“Notify Awards Expire” on page 56](#) for job scheduling details.

Award Sync Export

This task generates a file of award accounts and a file of award coupons for export to a marketing system. *This option is available only if Marketing is selected in the Supported Batch Exporter Types property in System Configuration.* See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information about System Configuration.

See [“Award Sync Export” on page 57](#) for job scheduling details and generated files.

Loyalty Tasks

Distribute Loyalty Awards

This task creates an export file for all pending awards.

See [“Distribute Loyalty Awards” on page 60](#) for job scheduling details.

Create Loyalty Awards

This task converts loyalty points into awards, based on the parameters set for the program and program level.

See [“Create Loyalty Awards” on page 60](#) for job scheduling details.

Earn Loyalty Points

This task converts pending (escrow) loyalty points into earned loyalty points.

See [“Earn Loyalty Points” on page 61](#) for job scheduling details.

Expire Loyalty Points

This task expires (deletes) loyalty points based upon parameters in the Program/Level.

See [“Expire Loyalty Points” on page 62](#) for job scheduling details.

Reset Loyalty YTD Points

This task resets the YTD points earned by each Customer. This task should be run at the end of each calendar/fiscal year to reset YTD Points balances to zero. This task is used for reporting purposes only; it does not affect the actual loyalty points on an account. Life-to-date (LTD) points are not affected by this process.

See [“Reset Loyalty YTD Points” on page 62](#) for job scheduling details.

Loyalty Sync Export

This task generates a file of customer loyalty data for export to a marketing system. *This option is available only if Marketing is selected in the Supported Batch Exporter Types property in System Configuration.* See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information about System Configuration.

See [“Loyalty Sync Export” on page 63](#) for job scheduling details and generated files.

Housekeeping Tasks

When a database contains large amounts of old data, database performance and response may be slowed. To prevent the overburdening of the database with old, unneeded information, housekeeping tasks can be performed to remove old information.

Delete Customers

The Delete Customers task removes old Customer records that are no longer needed.

See [“Delete Customers” on page 65](#) for job scheduling details.

Delete Inactive Customers

This task deletes old Customer records that are inactive.

See [“Delete Inactive Customers” on page 65](#) for job scheduling details.

Delete Inactive Customer Addresses

This task deletes Customer addresses that are flagged as inactive.

See [“Delete Inactive Customer Addresses” on page 66](#) for job scheduling details.

Delete Inactive Customer Phone Numbers

This task deletes Customer phone numbers that are flagged as inactive.

See [“Delete Inactive Customer Phone Numbers” on page 67](#) for job scheduling details.

Delete Inactive Customer Email Addresses

This task deletes Customer email addresses that are flagged as inactive.

See [“Delete Inactive Customer Email Addresses” on page 68](#) for job scheduling details.

Delete Transaction History

This task deletes old transaction information.

See [“Delete Transaction History” on page 69](#) for job scheduling details.

Delete Promotion

This task deletes old promotions.

See [“Delete Promotion” on page 69](#) for job scheduling details.

Delete Merged/Archived Customers

This task deletes old Customer records that have been merged into other Customer records and archived.

See [“Delete Merged/Archived Customers” on page 70](#) for job scheduling details.

Delete Loyalty Accounts and Activities

This task deletes old loyalty accounts and activities.

See [“Delete Loyalty Accounts and Activities” on page 70](#) for job scheduling details.

Delete Loyalty Inquiry Activities

This task deletes old loyalty inquiry activities.

See [“Delete Loyalty Inquiry Activities” on page 71](#) for job scheduling details.

Delete Segments

This task deletes old segments.

See [“Delete Segments” on page 72](#) for job scheduling details.

Delete Segment History

This task deletes old segment history information.

See [“Delete Segment History” on page 72](#) for job scheduling details.

Delete Job History

This task deletes old job history information.

See [“Delete Job History” on page 73](#) for job scheduling details.

Delete Gift Registries

This task deletes all database information for Gift Registries that expired prior to a certain, defined period of time in the past.

See [“Delete Gift Registries” on page 74](#) for job scheduling details.

Delete Inactive Item Registries

This task deletes all database information for inactive Wish Lists that have not been updated within a certain, defined period of time.

See [“Delete Inactive Item Registries” on page 74](#) for job scheduling details.

Delete Social Activities

This task deletes all social activities from the database that were posted before a certain number of days in the past.

See [“Delete Social Activity” on page 75](#) for job scheduling details.

Delete Award Inquiry Activities

This task deletes old award inquiry activities.

See [“Delete Award Inquiry Activities” on page 76](#) for job scheduling details.

Delete Web Service Tracking

This task deletes old Web Service Tracking records.

See [“Delete Web Service Tracking” on page 76](#) for job scheduling details.

OLAP Tasks

Aggregate Loyalty Facts

As part of Online Analytical Processing (OLAP), information about the loyalty program must be aggregated into a summary that can then be retrieved. This task aggregates loyalty information into a summary that can be used by OLAP processes.

See [“Aggregate Loyalty Facts” on page 77](#) for job scheduling details.

Aggregate Tender Facts

As part of Online Analytical Processing (OLAP), information about Tender Accounts must be aggregated into a summary that can then be retrieved. This task aggregates Tender Account information into a summary that can be used by OLAP processes.

See [“Aggregate Tender Facts” on page 78](#) for job scheduling details.

Campaign Tasks**Dynamic Promotions**

This task updates the Targets for all dynamic Promotions.

See [“Dynamic Promotions” on page 78](#) for job scheduling details.

Promotion Response Data Import

This task imports customer event data from a marketing system such as Responsys.

See [“Promotion Response Data Import” on page 79](#) for job scheduling details and import file formats.

Social Network Integration Tasks**Social Network Listener**

This task searches social networks for Customer posts that meet search criteria defined by Social Listeners.

See [“Social Network Listener” on page 81](#) for job scheduling details.

Social Network Update

This task checks for new Social Profiles to add to Customer records.

See [“Social Network Update” on page 82](#) for job scheduling details.

Clienteling**Task Generator**

Generate tasks for Segments with Task Generation enabled. See [page 1 in Chapter 6, “Segments”](#).

See [“Task Generator” on page 82](#) for job scheduling details.

Configure Job Parameters

The parameters that must be configured for a given task depend upon the task being defined.

Note: For a description of processes performed by these Jobs, see [“Jobs and Tasks” on page 12](#).

The following sections describe the fields that configure each task:

Customer Tasks

- [“Location Mass Assignment” on page 22](#)
- [“Duplicate Search” on page 22](#)
- [“Duplicate Merge” on page 24](#)
- [“Household Identification” on page 25](#)
- [“Home Location Re-Assignment” on page 26](#)
- [“Franchisee Assignment” on page 27](#)
- [“Customer Sync Export” on page 28](#)
- [“Customer Address Sync Export” on page 34](#)
- [“Customer Attributes Sync Export” on page 35](#)
- [“Customer Household Sync Export” on page 39](#)
- [“BI/Analytics Package Exporter” on page 40](#)
- [“Reset Customer YTD Totals” on page 41](#)

Associate Assignment Tasks

- [“Automated Associate Assignment” on page 41](#)
- [“Associate Mass Re-assignment” on page 42](#)

Customer Segment Tasks

- [“Unstratified Segment” on page 44](#)
- [“Stratified Segment” on page 45](#)
- [“Segment Sync Export” on page 45](#)

Account Tasks

- [“Export Card Series” on page 51](#)
- [“Release Expired PreAuth” on page 51](#)
- [“Notify Card Renewal” on page 52](#)
- [“Tender Account Sync” on page 52](#)

Award Account Tasks

- [“Issue Anniversary Awards” on page 55](#)
- [“Notify Awards Expire” on page 56](#)
- [“Award Sync Export” on page 57](#)

OLAP Tasks

- [“Aggregate Loyalty Facts” on page 77](#)
- [“Aggregate Tender Facts” on page 78](#)

Loyalty Tasks

- [“Distribute Loyalty Awards” on page 60](#)
- [“Create Loyalty Awards” on page 60](#)
- [“Earn Loyalty Points” on page 61](#)
- [“Expire Loyalty Points” on page 62](#)
- [“Reset Loyalty YTD Points” on page 62](#)
- [“Loyalty Sync Export” on page 63](#)

Housekeeping Tasks

- [“Delete Customers” on page 65](#)
- [“Delete Inactive Customers” on page 65](#)
- [“Delete Inactive Customer Addresses” on page 66](#)
- [“Delete Inactive Customer Phone Numbers” on page 67](#)
- [“Delete Inactive Customer Email Addresses” on page 68](#)
- [“Delete Transaction History” on page 69](#)
- [“Delete Promotion” on page 69](#)
- [“Delete Merged/Archived Customers” on page 70](#)
- [“Delete Loyalty Accounts and Activities” on page 70](#)
- [“Delete Loyalty Inquiry Activities” on page 71](#)
- [“Delete Segments” on page 72](#)
- [“Delete Segment History” on page 72](#)
- [“Delete Job History” on page 73](#)
- [“Delete Gift Registries” on page 74](#)

Housekeeping Tasks (cont'd)

- [“Delete Inactive Item Registries” on page 74](#)
- [“Delete Social Activity” on page 75](#)
- [“Delete Award Inquiry Activities” on page 76](#)
- [“Delete Web Service Tracking” on page 76](#)

Campaign

- [“Dynamic Promotions” on page 78](#)
- [“Promotion Response Data Import” on page 79](#)

Social Network Integration

- [“Social Network Listener” on page 81](#)
- [“Social Network Update” on page 82](#)

Clienteling

- [“Task Generator” on page 82](#)

Location Mass Assignment

This Task has the following parameters:

The screenshot displays the configuration for the 'Location Mass Assignment' task. At the top, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing 'Store Mass Assignment' and a 'Delete' button. To the right is a 'Store Mass Assignment' configuration panel with a 'Date Range Type' dropdown menu set to 'Last 6 Months'.

Figure 20-8: Location Mass Assignment Parameters

- **Date Range Type** - This [Selection Menu](#) determines the Date Range used.
- **Start Date** - This [Calendar Menu](#) determines the first date of the Date Range (only available if Date Range Type is set to **Specific Date Range**).
- **End Date** - This [Calendar Menu](#) determines the final date of the Date Range (only available if Date Range Type is set to **Specific Date Range**).

Duplicate Search

This Task has the following parameters:

The screenshot displays the configuration for the 'Duplicate Search' task. At the top, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing 'Duplicate Search' and a 'Delete' button. To the right is a 'Duplicate Search' configuration panel with a 'Search Strategy' dropdown menu set to '(Please select)', and two checkboxes: 'Valid Data Only' and 'Automatic Approval', both of which are unchecked.

Figure 20-9: Duplicate Search Parameters

- **Search Strategy** - This [Selection Menu](#) determines the strategy used to search for duplicate Customers. See [“Search Strategy Field Comparisons” on page 23](#) for a description of search strategies.
- **Valid Data Only** - This [Check Box](#) determines whether the search strategy will only look at addresses, phone number, and/or email addresses that have been validated (see [“Customer Validation” on page 90](#) for more information). If the [Check Box](#) is

unchecked, Customer Engagement will look at all addresses, phone number, and email addresses.

- **Automatic Approval** - This [Check Box](#) determines whether the Duplicate Sets found by the search process will be automatically approved for merging on the next scheduled merge.

Search Strategy Field Comparisons

The following table shows which fields are compared for the search strategy selected.

Field	Search Strategy			
	Name Address	Name Phone	Name Email	Name Address Phone Email
First Name	X	X	X	X
Middle Name	X	X	X	X
Second First Name	X	X	X	X
Second Last Name	X	X	X	X
Last Name	X	X	X	X
Suffix	X	X	X	X
Address 1	X			X
Address 2	X			X
City	X			X
State	X			X
Postal Code	X			X
Area Code		X		X
Phone Number		X		X
Email Address			X	X

Duplicate Merge

This Task has the following parameter:

The screenshot displays the configuration interface for the 'Duplicate Merge' task. At the top, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing 'Duplicate Merge' and a 'Delete' button. To the right is a 'Duplicate Merge' parameter box with a 'Generate customer note' checkbox.

Figure 20-10: Duplicate Merge Parameters

- **Generate customer note** - This [Check Box](#) determines whether a Customer note will be generated when duplicate Customers are merged.

Merge Behavior

Note: The merge behavior described in this section can be overridden through the use of configuration settings. Contact your Project Manager for more information.

When a duplicate set is merged, there are certain checks that are made on each Customer record in the set and specific actions taken based on the results of that check. These duplicate checks are configured through System Configuration. See the *Customer Engagement Implementation Guide* for more information about configuring duplicate checks.

Merge Records Logic

This section describes the new Customer record that results from the merge process. The following table lists information categories and where the information for the new record comes from.

Category	Comes From...
Customer ID	New
Home Location	Source
Personal Preferences	Source
Name	Source
Address(es)	Source
Email Address(es)	Source
Telephone Number(s)	Source

Category	Comes From...
Personal Summary	Source
Socioeconomic Profile	Source
Alternate IDs	All Duplicate records
Customer Attributes	All Duplicate records
Transactions	All Duplicate records
Effective Date	Minimum of all Duplicate Records
Expiry Date	Maximum of all Duplicate Records
Create Date	Minimum of all Duplicate Records
First Transaction Date	Minimum of all Duplicate Records
Last Transaction Date	Maximum of all Duplicate Records
Total Values	Sum of all Duplicate Records
YTD Values	Sum of all Duplicate Records
Signup Date/Location	1) Minimum of duplicate records that have both or 2) source if has both or 3) minimum date of duplicate records and any location.
Birthday	Source or any if source is empty.
Update Date	Current Date
Card Associations	All Cards associated with new Customer ID.

Household Identification

This Task has the following parameters:




Figure 20-11: Household Identification Parameters

Configure Job Parameters

- **Identify Household Strategy** - This [Selection Menu](#) determines the search method used to organize Customers into Households.
 - **PRIMARY HOME ADDRESS** - Customers with the same primary home address will be organized into a Household.
 - **LAST NAME PRIMARY HOME ADDRESS** - Customers with both the same last name and the same primary home address will be organized into a Household.
Business addresses are not evaluated.
- **Valid Data Only** - This [Check Box](#) determines whether the search strategy will only look at addresses and names that have been validated (see [“Customer Validation” on page 90](#) for more information). If the [Check Box](#) is unchecked, Customer Engagement will look at all addresses and names.
- **Reset Prior Run Data** - This [Check Box](#) determines how existing Households will be treated by the Task.
 - **Checked ()** - Existing Households will be ignored and the Households will be created anew each time the Task runs.
 - **Unchecked ()** - **[DEFAULT]** Existing Households will be kept in place.

Home Location Re-Assignment

This task has the following parameters:

The screenshot displays the configuration interface for the 'Home Location Re-Assignment' task. On the left, a 'Task Type' dropdown menu is set to 'Please make a selection and add', with an 'Add' button below it. An arrow points down to a 'Task List' box containing the task name 'Home Location Re-Assignment' and a 'Delete' button. On the right, the configuration panel for 'Home Location Re-Assignment' is shown. It includes an 'Assignment Method' section with radio buttons for 'Re-assign' (selected) and 'Distribute among'. Below this is a 'Currently assigned to' dropdown menu with '(Please select)' and a 'Click here to select' link. The 'Re-Assign to' field is another dropdown menu with '(Please select)'. There is a 'Delete' button below the 'Re-Assign to' field. At the bottom, the 'Lock Until' dropdown menu is set to 'None'.

Figure 20-12: Home Location Re-Assignment Parameters

- **Assignment Method** - These [Radio Buttons](#) determine how Customers are assigned to Locations.
 - **Re-assign** - **[DEFAULT]** Check all Customers for reassignment.
 - **Distribute among** - Assign Customers from one Home Location among a set of Locations.
- **Currently Assigned To** - This [Selection Menu](#) determines which Location's Customers will be reassigned. *This field is only shown when **Distribute among** is selected in the Assignment Method [Radio Buttons](#).*

- **Re-Assign to** - The area displays the set of Locations among which the Customers will be reassigned. *This field is only shown when **Distribute among** is selected in the Assignment Method [Radio Buttons](#).*

- To add a Location:

- 1) Click the **Click here to select** [Link](#).

A Search Home Location [Window](#) opens.




Figure 20-13: Search Home Location Window

- 2) Select the **Location** in the [Selection Menu](#).
- 3) Click the **OK** button.

The Search Home Location [Window](#) closes and the Location is added to the **Re-Assign to** area.

- To delete a Location:

- 1) Click to select the Location in the **Re-Assign to** area.
- 2) Click the **Delete** [Link](#).

The Location is removed.

- **Lock Until** - After a Customer is assigned to a Home Location by this task, that Customer cannot be assigned to a new Home Location during the period of time determined by this [Selection Menu](#).

Franchisee Assignment

This task has the following parameters:




Figure 20-14: Franchisee Assignment Parameters

- **Assignment Method** - These [Radio Buttons](#) determine how Customers are assigned to Franchisees.

Configure Job Parameters

- **Basic Assignment** - **[DEFAULT]** Check whether the Franchisee Assignment for each Customer record needs to be changed.
- **Franchisee Group** - Assign Customers from one Franchisee among a set of Franchisees.
- **Currently Assigned To** - This [Selection Menu](#) determines which Franchisee's Customers will be reassigned. *This field is only shown when **Franchisee Group** is selected in the Assignment Method [Radio Buttons](#).*
- **Franchisee Group** - The area displays the set of Franchisees among which the Customers will be reassigned. *This field is only shown when **Franchisee Group** is selected in the Assignment Method [Radio Buttons](#).*
 - To add a Franchisee:
 - 1) Click the **Click here to select** [Link](#).
A Search Franchisee(s) [Window](#) opens.




Figure 20-15: Search Franchisee(s) Window

- 2) Select the **Franchisee** in [Selection Menu](#).
 - 3) Click the **OK** button.
The Search Franchisee(s) [Window](#) closes and the Franchisee is added to the **Franchisee Group** area.
- To delete a Franchisee:
 - 1) Click to select the Franchisee in the **Franchisee Group** area.
 - 2) Click the **Delete** [Link](#).
The Franchisee is removed.
 - **Lock Until** - After a Customer is assigned to a Franchisee by this task, that Customer cannot be assigned to a new Franchisee during the period of time determined by this [Selection Menu](#).

Customer Sync Export

Before you submit this task, you must select an export target system of either Marketing for a system such as Responsys, or BI/Analytics for a system such as Retail Insights. The Supported Batch Exporter Types property controls which of these options are available.

See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information about System Configuration.

Add and configure tasks for this job.

Task Type
Please make a selection and add

↓

Task List

- Customer Sync Export

Customer Sync Export

Select export target system

Figure 20-16: Customer Sync Export Parameters - Select export target system

Customer Sync Export - Marketing

If you select an export target system of Marketing, the following options are displayed:

Add and configure tasks for this job.

Task Type
Please make a selection and add

↓

Task List

- Customer Sync Export

Customer Sync Export

Select export target system

Export type
 Export all active records
 Export updated records only

Note: All records will be exported the first time this job runs

Specify export filename

Prefix

Static Name

Suffix

Filename {yyyy-MM-dd_HHmss}-CustomerSync

Specify "deletes" export filename

Prefix

Static Name

Suffix

Filename {yyyy-MM-dd_HHmss}-CustomerDeletesSync

Figure 20-17: Customer Sync Export Parameters - Marketing

Configure Job Parameters

With a selection of Marketing as the export target system, this task has the following parameters:

- **Export type** - Controls which records to include in the export file:
 - Export all active records - Include all active customer records.
 - Export updated records only - Include customer records only if they have changed since the last export.

Note: Regardless of your selection here, the first time you run the export all active customer records are included.

- **Specify export filename** - These fields control the creation of the CSV file containing new or updated customer records.

At least one entry (prefix, static name, or suffix) is required:

- **Prefix** - The date and time stamp format to use as a prefix for naming the export file.
 - * no prefix - Do not use a date and time stamp prefix on the file name.
 - * yyyyMMdd_HHmss - Use a date and time stamp prefix in this format (for example, 20160630_123456 where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).
 - * yyyy-MM-dd_HHmss - Use a date and time stamp prefix in this format (for example, 2016-06-30-123456, where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).
 - * MM-dd-yyyy_HHmss - Use the date and time stamp prefix in this format (for example, 06-30-2016_123456, where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).

The setting of the Responsys Export Filename Default Prefix property defaults.

- **Static Name** - The text string to include in the file name between the prefix and suffix, if any. The setting of the Responsys Customer Sync Default Filename property defaults.
- **Suffix** - The date and time stamp format to use as a suffix for naming the export file. The date and time stamp format options for the suffix are the same as for the prefix, described above. The setting of the Responsys Export Filename Default Suffix property defaults.
- **Filename** - Displays an example of the export file name with the prefix and suffix format, if any. This field is blank if you have not yet selected a prefix format, suffix format, or static name.
- **Specify “deletes” export filename** - These fields control the creation of the CSV file listing the customer IDs of customer records that have been deleted through a housekeeping job or a customer merge since the last time you ran the export. At least one entry (prefix, static name, or suffix) is required.
 - **Prefix** - The date and time stamp format to use as a prefix for naming the “deletes” export file:
 - * no prefix - Do not use a date and time stamp prefix on the file name.
 - * yyyyMMdd_HHmss - Use a date and time stamp prefix in this format (for example, 20160630_123456 where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).

- * yyyy-MM-dd_HH:mm:ss - Use a date and time stamp prefix in this format (for example, 2016-06-30-123456, where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).
- * MM-dd-yyyy_HH:mm:ss - Use the date and time stamp prefix in this format (for example, 06-30-2016_123456, where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).

The setting of the Responsys Export Filename Default Prefix property defaults.

- **Static Name** - The text string to include in the file name between the prefix and suffix, if any. The setting of the Responsys Customer Deletes Sync Default Filename property defaults.
- **Suffix** - The date and time stamp format to use as a suffix for naming the “deletes” export file. The date and time stamp format options for the suffix are the same as for the prefix, described above, with a default of no suffix. The setting of the Responsys Export Filename Default Suffix property defaults.
- **Filename** - Displays an example of the “deletes” export file name with the prefix and suffix format, if any. This field is blank if you have not yet selected a prefix format, suffix format, or static name.

Customer Export File - Marketing

The customer export file is a comma-separated values file containing the following information:

- Customer ID and home store code.
- Customer name, including salutation, first name, second first name, middle name, last name, second last name, and suffix.
- Active flag (set to 1 if active).
- Primary address, including address lines 1 through 4, city, state, postal code, and country code.
- Primary email address, including email type code.
- Primary phone number, including phone type code.
- Customer’s mail, email, and phone contact flags, set to 1 if selected and 0 if unselected.

Customer “Delete” Export File - Marketing

The customer export file is a comma-separated values file containing the customer ID of each deleted customer, and the active flag setting of 0.

Customer Sync Export - BI/Analytics

If you select an export target system of BI/Analytics, the following options are displayed:

The screenshot shows a configuration window titled "Add and configure tasks for this job." It is divided into two main sections. On the left, under "Task Type", there is a dropdown menu with the text "Please make a selection and add" and an "Add" button. Below this is a "Task List" box containing a single entry "Customer Sync Export" with a "Delete" button at the bottom right. On the right, the "Customer Sync Export" configuration panel is shown. It includes a dropdown for "Select export target system" set to "BI/Analytics". Under "Export type", there are two radio buttons: "Export all active records" (unselected) and "Export updated records only" (selected). A note below states: "Note: All records will be exported the first time this job runs". At the bottom, there is a field for "Specify export filename" with the value "Filename W-PARTY_PER_DS".

Figure 20-18: Customer Sync Export Parameters - BI/Analytics

With a selection of BI/Analytics as the export target system, this task has the following parameters:

- **Export type** - Controls which records to include in the export file:
 - Export all active records - Include all active customer records.
 - Export updated records only - Include customer records only if they have changed since the last export.

Note: Regardless of your selection here, the first time you run the export all active customer records are included.

- **Specify export filename** - If you selected an Export type of BI/Analytics, the setting of the Retail Insights Customer Sync Default Filename property is displayed and cannot be changed.

Customer Export File - BI/Analytics

The customer export file is a pipe-delimited values file that typically contains the following information:

- Customer ID.
- Postal code.
- City.
- State.
- Country.
- Active flag for the customer.
- Prospect flag indicating if the customer is a prospect.


- Gender.
- Ethnicity.
- Marital status.
- Educational level.
- Effective date for the address.
- Annual income.
- Contact flag setting.
- Organization name, if the customer is an organization.
- Date when customer was added to the system.
- Flag indicating if the customer is an organization.
- Phone contact flag setting.
- Email contact flag setting.
- Fax contact flag setting.
- Mail contact flag setting.
- Birth month.
- Birth date.

The export file does not include a header row. Instead, there is a separate file with the same name as the customer file, but with an extension of .ctx, that includes the titles of each column in the export file. For example, if the customer export file name is W_PARTY_PER_DS.dat, the file containing the header row names is W_PARTY_PER_DS.ctx.

Any customers that have been deleted are included in the customer export file. The only information included for deleted customers is the customer ID, active flag, prospect flag, call flag, delete flag, organization flag, and the contact flag settings.

Customer Address Sync Export

This task has the following parameters:



Add and configure tasks for this job.

Task Type
Please make a selection and add

Task List
Customer Address Sync Export

Customer Address Sync Export
Select export target system
Export type Export all active records
 Export updated records only
Note: All records will be exported the first time this job runs
Specify export filename
Filename W-RTL_CUST_ADDRESS_DS

Figure 20-19: Customer Address Sync Export

- **Batch Exporter Type** - Defaults to BI/Analytics and cannot be changed.
- **Export type** - Defaults to Export all active records and cannot be changed.
- **Customer Address Filename** - The setting of the Retail Insights Customer Address Sync Default Filename property is displayed and cannot be changed.
- **Specify export filename** - The setting of the Retail Insights Customer Address Sync Default Filename property is displayed and cannot be changed.

Customer Address Export File - BI/Analytics

The customer address export file is pipe-delimited, and typically contains the following information:

- Customer ID.
- Sequence number identifying the order in which the customer's addresses were added to the database.
- Primary address flag setting.
- Date when the address became effective.
- Date when the address expired.
- First, second, and third lines of the customer's street address.
- City.
- State.
- Country.
- Postal code.

The export file does not include a header row.

Customer Attributes Sync Export

This task has the following parameters:

The screenshot shows a configuration window for the 'Customer Attributes Sync Export' task. On the left, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below it is a 'Task List' box containing 'Customer Attributes Sync Export' and a 'Delete' button. On the right, the task title 'Customer Attributes Sync Export' is displayed, followed by a 'Batch Exporter Type' dropdown menu set to '(Please select)'.

Figure 20-20: Customer Attributes Sync Export - Batch Exporter Type

- **Batch Exporter Type** - Select either Marketing or BI/Analytics.

Customer Attributes Sync Export - Marketing

If you select a Batch Exporter Type of Marketing, complete the following parameters:

The screenshot shows the configuration window for the 'Customer Attributes Sync Export' task with the 'Batch Exporter Type' set to 'Marketing'. The 'Task Type' dropdown and 'Task List' are identical to Figure 20-20. The 'Batch Exporter Type' dropdown is set to 'Marketing'. Under 'Specify export filename', there are three dropdown menus: 'Prefix' set to 'yyyy-MM-dd_HH:mm:ss', 'Static Name' set to '-CustomerAttributesSync', and 'Suffix' set to 'None'. The resulting 'Filename' is shown as '{yyyy-MM-dd_HH:mm:ss}-CustomerAttributesSy...'. Below this is a table with one row: 'Seq.' followed by 'Attribute'. At the bottom, there is a 'Seq. 1 Attribute' dropdown set to '17-BIRTH_MONTH' and an 'Add' button.

Figure 20-21: Customer Attributes Sync Export - Marketing

- **Specify export filename** - These fields control the creation of the CSV file containing new or updated customer attribute records. At least one entry (prefix, static name, or suffix) is required:

Configure Job Parameters

- **Prefix** - The date and time stamp format to use as a prefix for naming the export file:
 - * no prefix - Do not use a date and time stamp prefix on the file name.
 - * yyyyMMdd_HHmss - Use a date and time stamp prefix in this format (for example, 20160630_123456 where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).
 - * yyyy-MM-dd_HHmss - Use a date and time stamp prefix in this format (for example, 2016-06-30-123456, where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).
 - * MM-dd-yyyy_HHmss - Use the date and time stamp prefix in this format (for example, 06-30-2016_123456, where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).

The setting of the Responsys Export Filename Default Prefix property defaults.

- **Static Name** - The text string to include in the file name between the prefix and suffix, if any. The setting of the Responsys Customer Attributes Sync Default Filename property defaults.
- **Suffix** - The date and time stamp format to use as a suffix for naming the export file. The date and time stamp format options for the suffix are the same as for the prefix, described above. The setting of the Responsys Export Filename Default Suffix property defaults.
- **Filename** - Displays an example of the export file name with the prefix and suffix format, if any. This field is blank if you have not yet selected a prefix format, suffix format, or static name.
- **Seq and Attribute** - Use the dropdown list to select each attribute to include in the export file. Only attributes that have the Publish To Batch Exporter and Open Access flags selected are available for selection from the dropdown.

Customer Attribute Export File - Marketing

The customer attribute export file is comma-separated, and typically contains the following information:

- Customer ID.
- Customer primary email address.
- A column for each attribute selected for inclusion in the export file, and the current setting of that attribute for the customer.

The file includes a header row with the name of each column. The column for each attribute is indicated by the attribute name and ID.

Customer Attributes Sync Export - BI/Analytics

If you select a Batch Exporter Type of BI/Analytics, complete the following parameters:

The screenshot displays the configuration interface for the 'Customer Attributes Sync Export' task. On the left, the 'Task Type' dropdown is set to 'BI/Analytics', and the 'Task List' shows the selected task. The main configuration panel includes the following fields:

- Batch Exporter Type:** BI/Analytics
- Customer Attributes Filename:** W-PARTY_ATTR_DS
- Attribute Metadata Filename:** W-RTL-INT-METADATA-G
- Varchar Type Attribute:** 20-RING_SIZE
- Numeric Type Attribute:** 17-BIRTH_MONTH
- Date Type Attribute:** 78-RI_Date

Figure 20-22: Customer Attributes Sync Export - BI/Analytics

- **Customer Attributes Filename** - The setting of the Retail Insights Customer Attributes Sync Default Filename property is displayed and cannot be changed.
- **Attribute Metadata Filename** - The setting of the Retail Insights Attribute Metadata Sync Default Filename property is displayed and cannot be changed.
- **Seq and Attribute** - Use the dropdown list to select each attribute to include in the export file. Only attributes that have the Publish To Batch Exporter and Open Access flags selected are available for selection from the dropdown. Select from the following types of attributes:
 - **Varchar Type Attribute** - The Retail Insights Varchar Type Attribute Allowed Count property controls the number of varchar type attributes you can select for export.
 - **Numeric Type Attribute** - The Retail Insights Numeric Type Attribute Allowed Count property controls the number of numeric type attributes you can select for export.
 - **Data Type Attribute** - The Retail Insights Date Type Attribute Allowed Count property controls the number of data type attributes you can select for export.

Customer Attribute Metadata Export File - BI/Analytics

The customer attribute export metadata file is pipe-delimited, and indicates how to map the Customer Attribute data from Customer Engagement to the target BI/Analytics system.

For example, a record in the metadata file might be:

Configure Job Parameters

RING_SIZE|CE|PARTY_ATTR1_NAME|W_PARTY_ATTR_DS|Customer Ring
Size|VARCHAR|1|RING_SIZE~CE~PARTY_ATTR1_NAME~W_PARTY_ATTR_DS|

Where:

- RING_SIZE = The attribute's Name, from the DTV_ATTRIBUTE_TYPE table
- CE = Hard-coded to CE
- A physical column name such as:
 - PARTY_ATTR[N]_NUM_VALUE = the [N] numeric attribute passed, or
 - PARTY_ATTR[N]_NAME_VALUE = the [N] name attribute passed, or
 - PARTY_ATTR[N]_DATE_VALUE = the [N] date attribute passed

Where:

- PARTY_ATTR is hard-coded
- [N] indicates the column number for that datatype, and
- VALUE is the type of column (NUMBER, NAME, or DATE)

Since there can be multiple attributes of the same data type passed, such as two date attributes, it is necessary to number the attributes with the same data type.

- W_PARTY_ATTR_DS = the target table in the BI/Analytics system
- Customer's Ring Size = the attribute's Description, from the DTV_ATTRIBUTE_TYPE table
- VARCHAR = the data type of the attribute in the BI/Analytics system; displayed as Character at the Attribute Definition list page
- 1 = Hard-coded to 1
- RING_SIZE~CE~PARTY_ATTR1_NAME~W_PARTY_ATTR_DS = concatenation of the attribute name + CE + ~ + the physical column name + ~ + the target table name

The metadata file name is from the Retail Insights Customer Attribute Metadata Batch Exporter Templates property.

When you use the [BI/Analytics Package Exporter](#) to create a zip file containing the files for export to the BI/Analytics system, the attribute metadata file is merged with the metadata file from the [Segment Sync Export](#).

Customer Attribute Export File - BI/Analytics

The customer attribute export file is pipe-delimited, and typically contains the following information:

- Customer ID.
- Category hard-coded to RETAIL
- Supplier flag hard-coded to N.
- Attribute value setting.

A column for each attribute selected for inclusion in the export file, and the current setting of that attribute for the customer.

Customer Household Sync Export

This task has the following parameters:

The screenshot shows a configuration interface for a job. At the top, it says "Add and configure tasks for this job." Below this, there are two main sections. On the left, under "Task Type", there is a dropdown menu with the text "Please make a selection and add" and an "Add" button. Below this is a "Task List" box containing a single entry: "Customer Household Sync Export", with a "Delete" button at the bottom right. On the right, the configuration panel for "Customer Household Sync Export" is shown. It includes a dropdown for "Select export target system" set to "BI/Analytics", radio buttons for "Export type" (selected: "Export all active records", unselected: "Export updated records only"), a note: "All records will be exported the first time this job runs", and two fields for filenames: "Specify export filename" (W-HOUSEHOLD_DS) and "Specify customer-household association export filename" (W-RTL_CUST_HOUSEHOLD_DS).

Figure 20-23: Customer Household Sync Export

- **Batch Exporter Type** - Defaults to BI/Analytics and cannot be changed.
- **Export type** - Defaults to Export all active records and cannot be changed.
- **Specify export filename** - The setting of the Retail Insights Household Sync Default Filename property is displayed and cannot be changed.
- **Specify customer-household association export filename:** The setting of the Retail Insights Household Customer Association Sync Default Filename is displayed and cannot be changed.

Household Export File - BI/Analytics

The household export file is pipe-delimited, and typically contains the unique identifier for each household, as well as some hard-coded fields that are required by the BI/Analytics system.

Household Customer Association Export File - BI/Analytics

The household customer association export file is pipe-delimited, and typically contains the unique identifier for each household and the customer ID for each customer associated with the household. It also typically contains some hard-coded fields that are required by the BI/Analytics system.

The information in these files are formatted as binary data.

BI/Analytics Package Exporter

This task has no additional parameters.




Figure 20-24: BI/Analytics Package Exporter

This task packages the export files to the BI/Analytics system, and must be the last task in a single job that includes all other exports to the BI/Analytics system, as in the following example.




Figure 20-25: BI/Analytics Package Exporter - Last Task in Job Definition

The package exporter creates a zip file that includes the export files from the sync tasks run within the job, so that the zip file is ready for the BI/Analytics system.

The zip file name is from the Retail Insights Zip Package Default Filename property.

For more information on the export tasks and the generated export files, see [“Customer Sync Export” on page 28](#), [“Customer Address Sync Export” on page 34](#), [“Customer](#)

[“Attributes Sync Export” on page 35](#), [“Customer Household Sync Export” on page 39](#), and [“Segment Sync Export” on page 45](#).

Reset Customer YTD Totals

This task has the following parameters:

Figure 20-26: Reset Customer YTD Totals Parameters

- **Year of data being reset** - This [Selection Menu](#) determines the year for which the YTD data will be reset.

Automated Associate Assignment

This task has the following parameters:

Figure 20-27: Automated Associate Assignment Parameters

- **Date Range Type** - This [Selection Menu](#) determines the Date Range used.
- **Start Date** - This [Calendar Menu](#) determines the first date of the Date Range (only available if Date Range Type is set to **Specific Date Range**).
- **End Date** - This [Calendar Menu](#) determines the final date of the Date Range (only available if Date Range Type is set to **Specific Date Range**).

Configure Job Parameters

- **Assignment Method** - These [Radio Buttons](#) determine the selection method used to assign an Associate to a Customer. These [Radio Buttons](#) have the following options:
 - **Sold most frequently** - The Associate who performed the most sales to each Customer.
 - **Sold largest total amount** - The Associate who sold the largest total amount to each Customer.
- **Assignment Interval** - Number of days between Associate reassignments for a Customer. After the Job assigns an Associate to a Customer, this is the number of days the Job will wait before changing that assignment.
- **Assignment Role** - This [Selection Menu](#) determines the Associate Role used for the Associate assignment.
- **Criteria specification** - Additional criteria to use when assigning the Associate. This [Selection Menu](#) has the following options:
 - **No additional criteria** - This Job will not require any additional criteria.
 - **Select criteria from list** - Add Item or Location criteria to the Job. A transaction must match one of the entered criteria to be used in determining the Associate to be assigned to the Customer.




Figure 20-28: Select Criteria from List

- * Click **Add Item Criteria** to use an [Item Eligibility](#) rule in the Job. See [“Add Item Eligibility Rule \(Simple\)” on page 30](#) for more information.
- * Click **Add Location Criteria** to use a [Location Eligibility](#) rule in the Job. See [“Add Location Eligibility Rule” on page 25](#) for more information.

Associate Mass Re-assignment

This task has the following parameters:




Figure 20-29: Associate Mass Re-assignment

- **Assignment Method** - Method used for reassigning the Customers. These [Radio Buttons](#) have the following options:
 - **Re-assign** - Assign all Customers to one Associate.
 - **Distribute among** - Distribute Customers among all Associates at the current Associate's location.
- **Currently assigned to** - Displays the Associate who is having their Customers reassigned. Perform a [Change/Add Associate](#) procedures to change the Associate.
- [Selection Menu](#) for the Associate Role that will be used for the new Associates.
- **Re-Assign to** - Displays the User ID(s) of the Associate(s) to whom the Customers will be reassigned. Perform a [Change/Add Associate](#) procedures to add an Associate to the field. *Only displayed if the Assignment Method is set to **Re-assign**.*

Note: Associate reassignment selections have the following rules:

- This field is only displayed when **Re-assign** is selected as the **Assignment Method**.
 - The Associates must all belong to the same Location.
 - If a new Associate does not belong to the same Location as previously selected Associates, the previously selected Associates will be removed and the new Associate will be entered.
 - If the Associate selected does not belong to the Location to which the currently assigned Associate, a confirmation response is displayed.
-

Change/Add Associate

To change or add an Associate:

1. Click the **Click here to select** [Link](#).

A Search Associate [Window](#) opens.


The screenshot shows a dialog box titled "Search Associate". Inside the dialog, there is a label "Store." followed by a dropdown menu that currently displays "(Please select)". At the bottom right of the dialog, there are two buttons: "Cancel" and "OK".

Figure 20-30: Search Associate Window

2. Use the **Location** [Selection Menu](#) to select the Location where the new Associate is located.

Configure Job Parameters

A [List](#) is populated with Associates for the location.



The screenshot shows a window titled "Search Associate". At the top, there is a dropdown menu for "Store" with the value "110 - Carson City". Below this is a table with three columns: "User ID", "Name", and "Email". The table contains two rows of data. At the bottom right of the window, there are "Cancel" and "OK" buttons.

User ID	Name	Email
Sales	SalesAssociate	jmadison@example.com
TestAccess	Testing Role Access	jmadison@example.com

Figure 20-31: Search Associate Window - Location Selected


The following information is displayed for each Associate:

- **User ID** - ID of the User.
 - **Name** - Name of the User.
 - **Email** - Email address for the User.
3. Click to select the User to assign as an Associate for the Customer.
 4. Click **OK** to save the changes, or click **Cancel** to exit the [Window](#) without saving.

The Search Associate [Window](#) closes and Customer Engagement returns to the Task Configuration step.

Unstratified Segment

This Task has the following parameter:



The screenshot shows two main sections. The top section is titled "Task Type" and contains a dropdown menu with the text "Please make a selection and add" and an "Add" button. An arrow points down from this section to a "Task List" section. The "Task List" section contains a table with one row: "Segment Count". There is a "Delete" button at the bottom right of the task list. To the right of the task list is a "Segment Count" section with a dropdown menu labeled "Customer Segment" and the text "(Please select)".

Figure 20-32: Unstratified Segment Parameters

- **Customer Segment** - This [Selection Menu](#) determines the Unstratified Segment that will be counted.

Stratified Segment

This Task has the following parameter:

Figure 20-33: Stratified Segment Parameters

- **Customer Segment** - This [Selection Menu](#) determines the Stratified Segment that will be organized and counted.

Segment Sync Export

Before you submit this task, you must select an export target system of either Marketing for a system such as Responsys, or BI/Analytics for a system such as Retail Insights. The Supported Batch Exporter Types property controls which of these options are available. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information about System Configuration.

Figure 20-34: Segment Sync Export - Batch Exporter Type

Segment Sync Export - Marketing

If you select an export target system of Marketing, the following options are displayed:

Figure 20-35: Segment Sync Export - Marketing

- **Specify export filename** - These fields control the creation of the CSV file containing new or updated segment records. At least one entry (prefix, static name, or suffix) is required:
 - **Prefix** - The date and time stamp format to use as a prefix for naming the export file:
 - * no prefix - Do not use a date and time stamp prefix on the file name.
 - * yyyyMMdd_HHmss - Use a date and time stamp prefix in this format (for example, 20160630_123456 where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).
 - * yyyy-MM-dd_HHmss - Use a date and time stamp prefix in this format (for example, 2016-06-30-123456, where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).
 - * MM-dd-yyyy_HHmss - Use the date and time stamp prefix in this format (for example, 06-30-2016_123456, where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).

The setting of the Responsys Export Filename Default Prefix property defaults.

- **Static Name** - The text string to include in the file name between the prefix and suffix, if any. The setting of the Responsys Segment Sync Default Filename defaults.

You can include multiple segments in the same task. However, if you include multiple segment sync tasks to Marketing in the same job, you need to specify a unique static name for each to avoid overwriting one export sync file with another.
- **Suffix** - The date and time stamp format to use as a suffix for naming the export file. The date and time stamp format options for the suffix are the same as for the

prefix, described above. The setting of the Responsys Export Filename Default Suffix property defaults.

- **Filename** - Displays an example of the export file name with the prefix and suffix format, if any. This field is blank if you have not yet selected a prefix format, suffix format, or static name.
- **Strata Type** - Defines the type of Segments that can be included in the export file:
 - Unstratified Segment - Unstratified Segments and Manual Segments are available for selection in the dropdown list.
 - Stratified Segment - Stratified Segments are available for selection in the dropdown list.

Note: A single Job Definition can include either Unstratified/Manual Segments or Stratified Segments, but not both. If you have selected one or more Segments and then change the setting of the Strata Type, the previously selected Segments are cleared from the listing for the Job Definition.

- **Seq N Segment** = Use the dropdown list to select each Segment to include in the export file. Only Segments that have the Publish To Batch Exporter flag selected and that match the selected **Strata Type** are available for selection from the dropdown. As you select each Segment, it is added to the **Seq.** and **Attribute** listing between the Strata Type and the Seq N Segment dropdown.
- **Seq and Attribute** - Use the dropdown list to select each attribute to include in the export file. Only attributes that have the Publish To Batch Exporter and Open Access flags selected are available for selection from the dropdown.

Customer Segment File for Marketing: Stratified Segments

The customer segment export file for one or more stratified segments contains the following information:

- Customer ID.
- Customer primary email address.
- For each Segment included in the Job Definition:
 - * A column with a setting of 1 if the customer is included in the Segment, or a setting of 0 if the customer is not included in the Segment.
 - * The Segment stratification format (RANGE or NTILE).
 - * The Segment strata type (Customer, Loyalty, or Transaction).
 - * The data that the strata is based on (Customer for a Customer strata type; Loyalty Summary or Loyalty Detail for a Loyalty strata type; Header or Detail for a Transaction strata type).
 - * The field to stratify on. See the [“Create Stratified Segment” on page 23](#) of the [Segments](#) chapter for a list of possible fields based on the selected strata type.
 - * The strata ID.
 - * The strata value.

Customer Segment Export File for Marketing: Unstratified Segments

The customer segment export file for one or more unstratified or manual segments contains the following information:

- Customer ID.
- Customer primary email address.
- Segment name.
- A column for each Segment included in the Job Definition, with a setting of 1 if the customer is included in the Segment or a setting of 0 if the customer is not included in the Segment.

Segment Sync Export - BI/Analytics

If you select a Batch Exporter Type of BI/Analytics, the following parameters are displayed:

The screenshot displays the configuration interface for the Segment Sync Export - BI/Analytics task. It features a 'Task Type' dropdown menu with an 'Add' button. Below this is a 'Task List' box containing two items: 'Customer Attributes Sync Export' and 'Segment Sync Export', with a 'Delete' button. The main configuration area is titled 'Segment Sync Export' and includes a 'Batch Exporter Type' dropdown set to 'BI/Analytics'. It lists several filename parameters: 'Segment Filename' (W-RTL_CUSTSEG_DS), 'Segment Attributes Filename' (W-RTL_CUSTSEG_ATTR_DS), 'Customer Segment Association Filename' (W-RTL_CUST_CUSTSEG_DS), 'Attribute Metadata Filename' (W-RTL-INT-METADATA-G), and 'Customer Segment Category Filename' (W-RTL_CUSTSEG_BEHAVIOUR_DS). Below these are sections for adding attributes: 'Segment' (79-PTBE_Strat_Seg_3), 'Varchar Type Attribute' (80-RI_1), 'Numeric Type Attribute', and 'Date Type Attribute'.

Figure 20-36: Segment Sync Export - BI/Analytics

- **Segment Filename** - The setting of the Retail Insights Segment Sync Default Filename property is displayed and cannot be changed.
- **Segment Attributes Filename** - The setting of the Retail Insights Segment Attributes Sync Default Filename property is displayed and cannot be changed.
- **Customer Segment Association Filename** - The setting of the Retail Insights Segment Customer Association Sync Default Filename property is displayed and cannot be changed.

- **Attribute Metadata Filename** - The setting of the Retail Insights Attribute Metadata Sync Default Filename property is displayed and cannot be changed.
- **Customer Segment Category Filename** - The setting of the Retail Insights Customer Segment Category Sync Default Filename property is displayed and cannot be changed.
- **Seq N Segment** = Use the dropdown list to select each Segment to include in the export file. Only Segments that have the Publish To Batch Exporter flag selected are available for selection from the dropdown. As you select each Segment, it is added to the **Seq.** and **Attribute** listing.
- **Seq and Attribute** - Use the dropdown list to select each attribute to include in the export file. Only attributes that have the Publish To Batch Exporter and Open Access flags selected are available for selection from the dropdown. Select from the following types of attributes:
 - **Varchar Type Attribute** - The Retail Insights Varchar Type Attribute Allowed Count property controls the number of varchar type attributes you can select for export.
 - **Numeric Type Attribute** - The Retail Insights Numeric Type Attribute Allowed Count property controls the number of numeric type attributes you can select for export.
 - **Data Type Attribute** - The Retail Insights Date Type Attribute Allowed Count property controls the number of data type attributes you can select for export.
- **Suffix** - The date and time stamp format to use as a suffix for naming the export file. The date and time stamp format options for the suffix are the same as for the prefix, described above, with a default of no suffix.

Segment Export File - BI/Analytics

The customer segment export file contains the following information:

- Segment ID.
- Segment name.
- Datasource, which is hard-coded to 1.

The file also includes the values for attributes whose names match the following, if they exist:

- CUSTSEG_TYPE (if this attribute is not defined, a cluster type of Rule Based is passed)
- AGE_RANGE
- SEX_MF_CODE
- FAMILY_SIZE
- OCCUPATION_CODE
- EDUCATION_BCKGND_CODE
- ETHNICITY_CODE
- NATIONALITY_CODE
- RELIGION_CODE
- SOCAL_CLASS_CODE
- FAMILY_LIFE_CYCL_CODE

Configure Job Parameters

- REGION_CODE
- METRO_AREA_SIZE
- POPULATION_DENSITY
- CLIMATE_CODE
- BENEFIT_SOUGHT_CODE
- USAGE_RATE
- READINESS_TO_BUY_CODE
- OCCASION_CODE
- ACTIVITY_CODE
- INTEREST_CODE
- OPINION_CODE
- ATTITUDE_CODE
- VALUE_CODE
- EFFECTIVE_START
- EFFECTIVE_END
- CUSTSEG_SRC_TYPE
- ANNL_INCOME_RANGE
- CUSTSEG_DESC

The above attributes in Customer Engagement map to segment properties in Retail Insights.

Segment Attributes Export File - BI/Analytics

The customer segment attributes export file contains the following information:

- Segment ID.
- The CUSTSEG_TYPE attribute value. If this attribute is not defined, a cluster type of Rule Based is passed.
- The CUSTSEG_SRC_TYPE attribute value, if any. Typically set to CUSTOMER.
- The value for each attribute assigned to the segment and selected for export.
- Datasource, which is hard-coded to 1.

The attribute mapping is defined in the generated metadata file. The file name for the metadata file is defined in the Retail Insights Attribute Metadata Sync Default Filename property.

Customer Segment Association Export File - BI/Analytics

The segment customer association export file contains the following information for the customers included in a segment:

- Segment ID.
- Customer ID.
- Datasource, which is hard-coded to 1.

Attribute Metadata Export File - BI/Analytics

This export file defines mapping for attributes. See the [Customer Attribute Metadata Export File - BI/Analytics](#) for an example of attribute mapping.

Customer Segment Category - BI/Analytics

Currently, an empty customer segment category export file is created.

Export Card Series

This Task has the following parameters:

Figure 20-37: Export Card Series Parameters

- **Card Prefix** - This [Text Field](#) indicates the Card Prefix of the [Card Definition](#) to be exported.
- **Card Series** - This [Text Field](#) indicates the Card Series of the [Card Definition](#) to be exported.

Release Expired PreAuth

This Task has no additional parameters.

Figure 20-38: Release Expired PreAuth Parameters

Notify Card Renewal

This Task has the following parameters:




Figure 20-39: Notify Card Renewal Parameters

- **Card Program** - This [Selection Menu](#) determines the Card Program for which to notify Customers.
- **Period Type** - This [Selection Menu](#) determines the type of time period used to determine the notification time frame.
- **Number of Periods** - This [Text Field](#) defines the number of periods (from Period Type) before the Card expiration date that a Customer will be notified of their Card's coming expiration.

Tender Account Sync

This Task has the following parameter:




Figure 20-40: Tender Account Sync Parameters

- **Tender Program** - The Tender Program to include in the export files. The Task generates an export file of Tender Accounts and an export file of Tender Account Activity.

Tender Account Export File

The tender account export file contains the following information for each Tender account:

- Tender account ID.
- Last activity date.
- Effective date.
- Account expiry date.
- Card serial number.
- Card number.
- Card activation date.
- Date when card was first used.
- Date when card was last used.
- Card expiry date.
- Date when the card was associated with the customer.
- Start date, if any.
- End date., if any
- Customer ID.
- Primary flag, set to 1 if the customer is the primary account holder.
- Status indicator if Active or Inactive.
- Current balance on the account.
- Book balance for accounting purposes.
- Amount of balance that is frozen or unusable.
- Program ID to uniquely identify the tender program.
- Currency typecode.
- Usage count indicating the total number of times the tender account has been accessed for a transaction.
- Total number of lifetime credits for the account.
- Total number of lifetime debits for the account.
- Date created.
- User who created the account.
- Date updated.
- Use who updated the account.

Tender Account Activity Export File

The tender account activity export files contains the following information:

Configure Job Parameters

- Tender account ID.
- Program ID to uniquely identify the tender program.
- Unique identifier for the account activity record.
- Authorization code.
- Customer ID.
- Card number.
- Flag indicating whether the transaction was voided.
- Code to categorize the type of transaction or activity.
- Date and time when the activity took place.
- Amount of the activity or transaction.
- Currency typecode.
- Operator ID from the POS.
- Transaction ID from the POS.
- Transaction ID generated by Customer Engagement.
- Retail location where the activity took place.
- ID or serial number identifying the workstation where the activity took place.
- Date that corresponds to an accounting period fiscal day at the retail store.
- Account ID affected by the activity.
- ID of the activity.
- Flag indicating if the card was swiped during the activity.
- Error code, if any.
- User comments on the activity, if any.
- Code identifying the currency requested for the activity.
- Amount of currency being exchanged.
- Currency exchange rate.
- If the activity was a Card Merge, the unique ID for the source account of the merge.
- Unique identifier for the franchisee, if any.
- Account adjustment reason code, if any.
- Expiration date for the activity.
- Date created.
- User who created the activity.
- Date updated.
- User who updated the activity.

Issue Anniversary Awards

This Task has the following parameters:

The screenshot displays the configuration interface for 'Issue Anniversary Awards'. On the left, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing the entry 'Issue Anniversary Awards' and a 'Delete' button. On the right, the main configuration panel is titled 'Issue Anniversary Awards' and includes the following fields:

- Award Program:** A dropdown menu with '(Please select)'.
- Coupon Prefix:** A text input field.
- Amount:** A text input field.
- Expiration Period Type:** A dropdown menu with 'Use Program' selected.
- Expiration Number of periods:** A text input field with '0'.
- The Expiration Date is Based On:** A dropdown menu with 'Run Date' selected.
- Anniversary Award Type:** A dropdown menu with 'Birthday' selected.
- Generate customer note:** A checkbox that is currently unchecked.
- Processing Window:** A section containing:
 - Period Type:** A dropdown menu with 'Months' selected.
 - Num of Periods Before Run Date:** A text input field with '0'.
 - Num of Periods After Run Date:** A text input field with '0'.

Figure 20-41: Issue Anniversary Awards Parameters

- **Award Program** - This [Selection Menu](#) determines the Award Program to use for the Anniversary Awards.
- **Coupon Prefix** - This [Text Field](#) indicates the Coupon Prefix for the Coupons generated.
- **Amount** - This [Text Field](#) defines the amount for the Coupons generated.
- **Expiration Period Type** - This [Selection Menu](#) indicates the type of period used in determining when the Coupons will expire.
- **Expiration Number of periods** - This [Selection Menu](#) determines the number of periods (from Expiration Period Type) that will pass before the Coupons expire (not displayed if Expiration Period Type is set to Use Program).
- **The Expiration Date is Based On** - This [Selection Menu](#) determines how the Coupon expiration dates are determined. This [Selection Menu](#) has the following options:
 - **Run Date** - The Coupon expiration dates are calculated from the date the Task runs.
 - **Customer Date** - The Coupon expiration dates are calculated from the anniversary date.
- **Anniversary Award Type** - This [Selection Menu](#) determines the type of anniversary for which Awards will be issued.
 - **Birthday** - Customer birthday.
 - **Signup** - Customer signup.
- **Generate customer note** - This [Check Box](#) determines whether a Customer note will be generated when a Coupon is generated for a Customer.
- **Period Type** - This [Selection Menu](#) indicates the type of period used in determining the window of dates for which Awards will be issued.
- **Num of Periods Before Run Date** - This [Text Field](#) defines the number of periods (from Period Type) before the run date for which Awards will be issued.

Configure Job Parameters

- **Num of Periods After Run Date** - This [Text Field](#) defines the number of periods (from Period Type) after the run date for which Awards will be issued.

Export File

The export file for either a birthday or signup anniversary contains the following information:

- Award Account information including account number, Card number, and Card serial number.
- Customer information including name, address, email, phone, and anniversary date.
- Award information including the amount of coupon, coupon number, and the coupon expiration date. See the *Customer Engagement Implementation Guide* for more information on export templates.

Notify Awards Expire

This Task has the following parameters:

The screenshot displays the configuration interface for the 'Notify Awards Expire' task. At the top left, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing the task name 'Notify Awards Expire' and a 'Delete' button. To the right of the task list is a configuration panel for 'Notify Awards Expire'. This panel includes three fields: 'Award Program' with a dropdown menu showing '(Please select)', 'Period Type' with a dropdown menu showing 'Days', and 'Number of Periods' with a text input field containing the value '1'.

Figure 20-42: Notify Awards Expire Parameters

- **Award Program** - This [Selection Menu](#) determines the Award Program for which notifications will be sent.
- **Period Type** - This [Selection Menu](#) indicates the type of period used for determining the award expiration notification window.
- **Number of Periods** - Defines the number of periods (from Period Type) of the notification window.

Award Sync Export

This task has the following parameters:

Figure 20-43: Award Sync Export Parameters

- **Select target batch exporter system** - Set to Marketing by default.
- **Export type** - Controls which records to include in the export file:
 - Export all active records - Include all active award account and award coupon records.
 - Export updated records only - Include award account and award coupon records only if they have changed since the last export.

Note: Regardless of your selection here, the first time you run the export all active award account and award coupon records are included.

- **Specify export filename** - These fields control the creation of the file containing new or updated award account records.

At least one entry (prefix, static name, or suffix) is required:

- **Prefix** - The date and time stamp format to use as a prefix for naming the export file.
 - * no prefix - Do not use a date and time stamp prefix on the file name.
 - * yyyyMMdd_HHmss - Use a date and time stamp prefix in this format (for example, 20160630_123456 where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).

Configure Job Parameters

- * yyyy-MM-dd_HH:mm:ss - Use a date and time stamp prefix in this format (for example, 2016-06-30-123456, where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).
- * MM-dd-yyyy_HH:mm:ss - Use the date and time stamp prefix in this format (for example, 06-30-2016_123456, where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).

The setting of the Responsys Export Filename Default Prefix property defaults.

- **Static Name** - The text string to include in the file name between the prefix and suffix, if any. The setting of the Responsys Award Account Sync Default Filename property defaults.
- **Suffix** - The date and time stamp format to use as a suffix for naming the export file. The date and time stamp format options for the suffix are the same as for the prefix, described above. The setting of the Responsys Export Filename Default Suffix property defaults.
- **Filename** - Displays an example of the export file name with the prefix and suffix format, if any. This field is blank if you have not yet selected a prefix format, suffix format, or static name.
- **Specify export filename** - These fields control the creation of the file containing new or updated award coupon records.

At least one entry (prefix, static name, or suffix) is required:

- **Prefix** - The date and time stamp format to use as a prefix for naming the export file.
 - * no prefix - Do not use a date and time stamp prefix on the file name.
 - * yyyyMMdd_HH:mm:ss - Use a date and time stamp prefix in this format (for example, 20160630_123456 where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).
 - * yyyy-MM-dd_HH:mm:ss - Use a date and time stamp prefix in this format (for example, 2016-06-30-123456, where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).
 - * MM-dd-yyyy_HH:mm:ss - Use the date and time stamp prefix in this format (for example, 06-30-2016_123456, where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).

The setting of the Responsys Export Filename Default Prefix property defaults.

- **Static Name** - The text string to include in the file name between the prefix and suffix, if any. The setting of the Responsys Award Coupon Sync Default Filename property defaults.
- **Suffix** - The date and time stamp format to use as a suffix for naming the export file. The date and time stamp format options for the suffix are the same as for the prefix, described above. The setting of the Responsys Export Filename Default Suffix property defaults.
- **Filename** - Displays an example of the export file name with the prefix and suffix format, if any. This field is blank if you have not yet selected a prefix format, suffix format, or static name.
- **Award Program** = Use the dropdown list to select an award program to include in the export files.

Award Account Export File

The award account export file contains the following information:

- Customer ID.
- Card number.
- Card active flag (set to 1 if active; if not active, indicates a deactivation or merge).
- Card expiration date.
- First used date.
- Last used date.
- Program name.
- Program ID.
- Update date.
- Currency code.
- Account expiration date.
- Account ID.
- Award balance.
- E-award count.
- Entitlement count.

Award Coupon Export File

The award coupon export file contains the following information:

- Customer ID.
- Card number.
- Account ID.
- Program ID.
- Coupon typecode (e-award or entitlement).
- Coupon ID.
- Coupon balance, if any; for example, an entitlement for a line item discount would not have a balance.
- Currency code.
- Deal name, if any; for example, a deal name is specified for an entitlement.
- Deal ID, if any; for example, a deal ID is specified for an entitlement.
- Expiration date.
- Update date.

Distribute Loyalty Awards

This Task has the following parameter:




Figure 20-44: Distribute Loyalty Awards Parameters

Tip: The [Create Loyalty Awards](#) process should be run before this process.

- **Export File** - This [Text Field](#) defines the name of the export file created by the Task.

Export File

The export file contains information about the Award issued, the Account through which the Award was earned, and the Customer to whom the Award is being issued. See the *Customer Engagement Implementation Guide* for more information on export templates.

Create Loyalty Awards

This Task has the following parameters:




Figure 20-45: Create Loyalty Awards Parameters

- Each [Check Box](#) in the [List](#) indicates whether the associated Loyalty Program or Program Level is included in the Task:

- To select all programs and all levels [DEFAULT], click the [All Link](#).
- To deselect all programs and all levels, click the [Clear Link](#).
- To select or deselect individual program levels, click the **Enabled** [Check Box](#) for the level. If there is a check mark in the box (☑), the level will be included in the task.
- **Generate customer note** - This [Check Box](#) indicates whether a Customer note is generated when a Loyalty Award is generated for a Customer.

Export Files

When the award(s) are exported, three files are created: an E-Award Export File, an Entitlement Coupons File, and a Loyalty Level Movement Export File. See the *Customer Engagement Implementation Guide* for more information on export templates.

Earn Loyalty Points

This Task has no additional parameters.




Figure 20-46: Earn Loyalty Points Parameters

Expire Loyalty Points

This Task has no additional parameters.




Figure 20-47: Expire Loyalty Points Parameters

Reset Loyalty YTD Points

This Task has no additional parameters.




Figure 20-48: Reset Loyalty YTD Points Parameters

Loyalty Sync Export

This task has the following parameters:

Figure 20-49: Loyalty Sync Export Parameters

- **Select target batch exporter system** - Set to Marketing by default.
- **Export type** - Controls which records to include in the export file:
 - Export all active records - Include all active loyalty records.
 - Export updated records only - Include loyalty records only if they have changed since the last export.

Note: Regardless of your selection here, the first time you run the export all active loyalty records are included.

- **Specify export filename** - These fields control the creation of the CSV file containing new or updated loyalty records. At least one entry (prefix, static name, or suffix) is required:
 - **Prefix** - The date and time stamp format to use as a prefix for naming the export file:
 - * None - Do not use a date and time stamp prefix on the file name.
 - * yyyyMMdd_HHmss - Use a date and time stamp prefix in this format (for example, 20160630_123456 where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).
 - * yyyy-MM-dd_HHmss - Use a date and time stamp prefix in this format (for example, 2016-06-30-123456, where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).
 - * MM-dd-yyyy_HHmss - Use the date and time stamp prefix in this format (for example, 06-30-2016_123456, where the year is 2016, the month is June, the date is 30, and the time is 12:34:56).

The setting of the Responsys Export Filename Default Prefix property defaults.

Configure Job Parameters

- **Static Name** - The text string to include in the file name between the prefix and suffix, if any. The setting of the Responsys Loyalty Account Sync Default Filename property defaults.
- **Suffix** - The date and time stamp format to use as a suffix for naming the export file. The date and time stamp format options for the suffix are the same as for the prefix, described above, with a default of no suffix.
- **Filename** - Displays an example of the export file name with the prefix and suffix format, if any. This field is blank if you have not yet selected a prefix format, suffix format, or static name.
- **Loyalty Program** - Select a single loyalty program to include in the export file.

Loyalty Export File

The customer export CSV file contains the following information:

- Customer ID.
- Card number.
- Card active flag (set to 1 if active; if not active, indicates a deactivation or merge).
- Card expiration date.
- First use date.
- Last use date.
- Life-to-date balance.
- Year-to-date balance.
- Earned point balance.
- Escrow point balance.
- Program name.
- Level ID.
- Level name.
- Account expiration date.
- Update date.
- Account ID.

Delete Customers

This Task has the following parameters:

The screenshot displays the configuration for the 'Delete Customers' task. At the top, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing 'Delete Customers' and a 'Delete' button. To the right is a 'Delete Customers' parameter panel with a 'Number of Days' text field set to '0', a 'Based on Last Purchase Date' label, and a 'Report Only' checkbox.

Figure 20-50: Delete Customers Parameters

- **Number of Days** - This [Text Field](#) defines the number of days after a Customer's Last Purchase Date on which a Customer will be deleted.
- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Customers that would be deleted, or if the Customers will be deleted.
 - **Checked ()** - Only a count of the Customers will be reported.
 - **Unchecked ()** - The Customers will be deleted.

Delete Inactive Customers

This Task has the following parameters:

The screenshot displays the configuration for the 'Delete Inactive Customers' task. At the top, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing 'Delete Inactive Customers' and a 'Delete' button. To the right is a 'Delete Inactive Customers' parameter panel with a 'Number of Days' text field set to '0', a 'Based on Last Update Date' label, and a 'Report Only' checkbox.

Figure 20-51: Delete Inactive Customers Parameters

- **Number of Days** - This [Text Field](#) defines the number of days after a Customer's Last Update Date on which a Customer will be deleted.
- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Customers that would be deleted, or if the Customers will be deleted.

Configure Job Parameters

- **Checked ()** - Only a count of the Customers will be reported.
- **Unchecked ()** - The Customers will be deleted.

Delete Inactive Customer Addresses

This Task has the following parameters:

The screenshot displays the configuration interface for the 'Delete Inactive Customer Addresses' task. At the top left, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing the task name 'Delete Inactive Customer Addresses' and a 'Delete' button. To the right of the 'Task List' is a configuration panel for 'Delete Inactive Customer Addresses' with the text 'Based on Active Flag' and a 'Report Only' checkbox.

Figure 20-52: Delete Inactive Customer Addresses Parameters

The deletion is always based on the setting of the Active flag. Customer addresses are flagged as inactive when you select the Delete option for the address.

- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Customer addresses that would be deleted, or if the Customer addresses will actually be deleted.
 - **Checked ()** - Only a count of the Customer addresses will be reported. The listing displayed at the [“Job Details Window” on page 4](#) indicates the total number of inactive addresses that would be deleted for all Customers, and the total number of Customers that would have inactive addresses deleted. These numbers might be different, for example, if you deleted two addresses for the same Customer.
 - **Unchecked ()** - The Customer addresses will be deleted. The listing displayed at the [“Job Details Window” on page 4](#) indicates the total number of inactive addresses that were deleted for all Customers, and the total number of Customers that had inactive addresses deleted. These numbers might be different, for example, if you deleted two addresses for the same Customer.

Delete Inactive Customer Phone Numbers

This Task has the following parameters:

The screenshot displays the configuration interface for the 'Delete Inactive Customer Phone Numbers' task. At the top left, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. An arrow points down from this menu to a 'Task List' window. The 'Task List' window contains a list with one item, 'Delete Inactive Customer Phone Numbers', and a 'Delete' button at the bottom right. To the right of the 'Task List' is a configuration panel for the task. The panel has the title 'Delete Inactive Customer Phone Numbers' and two options: 'Based on Active Flag' and 'Report Only' with an unchecked checkbox.

Figure 20-53: Delete Inactive Customer Phone Numbers Parameters

The deletion is always based on the setting of the Active flag. Customer phone numbers are flagged as inactive when you select the Delete option for the phone number.

- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Customer phone numbers that would be deleted, or if the Customer numbers will actually be deleted.
 - **Checked ()** - Only a count of the Customer phone numbers will be reported. The listing displayed at the [“Job Details Window” on page 4](#) indicates the total number of inactive phone numbers that would be deleted for all Customers, and the total number of Customers that would have inactive phone numbers deleted. These numbers might be different, for example, if you deleted two phone numbers for the same Customer.
 - **Unchecked ()** - The Customer phone numbers will be deleted. The listing displayed at the [“Job Details Window” on page 4](#) indicates the total number of inactive phone numbers that were deleted for all Customers, and the total number of Customers that had inactive phone numbers deleted. These numbers might be different, for example, if you deleted two phone numbers for the same Customer.

Delete Inactive Customer Email Addresses

This Task has the following parameters:

The screenshot displays the configuration interface for the task "Delete Inactive Customer Email Addresses". At the top left, there is a "Task Type" dropdown menu with the text "Please make a selection and add" and an "Add" button. Below this is a "Task List" box containing the task name "Delete Inactive Customer Email Addresses" and a "Delete" button. To the right of the "Task List" is a configuration panel for the task "Delete Inactive Customer Email Addresses". This panel includes the text "Based on Active Flag" and a "Report Only" checkbox.

Figure 20-54: Delete Inactive Customer Email Addresses Parameters

The deletion is always based on the setting of the Active flag. Customer email addresses are flagged as inactive when you select the Delete option for the email address.

- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Customer email addresses that would be deleted, or if the Customer email addresses will actually be deleted.
 - **Checked ()** - Only a count of the Customer email addresses will be reported. The listing displayed at the ["Job Details Window" on page 4](#) indicates the total number of inactive email addresses that would be deleted for all Customers, and the total number of Customers that would have inactive email addresses deleted. These numbers might be different, for example, if you deleted two email addresses for the same Customer.
 - **Unchecked ()** - The Customer email addresses will be deleted. The listing displayed at the ["Job Details Window" on page 4](#) indicates the total number of inactive email addresses that were deleted for all Customers, and the total number of Customers that had inactive email addresses deleted. These numbers might be different, for example, if you deleted two email addresses for the same Customer.

Delete Transaction History

This Task has the following parameters:

Figure 20-55: Delete Transaction History Parameters

- **Number of Days** - This [Text Field](#) defines the number of days after a Transaction Business Date on which a Transaction will be deleted.
- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Transactions that would be deleted, or if the Transactions will be deleted.
 - **Checked ()** - Only a count of the Transactions will be reported.
 - **Unchecked ()** - The Transactions will be deleted.

Delete Promotion

This Task has the following parameters:

Figure 20-56: Delete Promotion Parameters

- **Number of Days** - This [Text Field](#) defines the number of days after a Promotion's End Date on which a Promotion will be deleted.
- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Promotions that would be deleted, or if the Promotions will be deleted.

Configure Job Parameters

- **Checked ()** - Only a count of the Promotions will be reported.
- **Unchecked ()** - The Promotions will be deleted.

Delete Merged/Archived Customers

This Task has the following parameters:

The screenshot displays the configuration for the 'Delete Merged/Archived Customers' task. At the top, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing the task name 'Delete Merged/Archived Customers' and a 'Delete' button. To the right is a parameter configuration panel titled 'Delete Merged/Archived Customers' with the following fields: 'Number of Days' (set to 0), 'Based on Create Date', and a 'Report Only' checkbox.

Figure 20-57: Delete Merged/Archived Customers Parameters

- **Number of Days** - This [Text Field](#) defines the number of days after a merged Customer record's Create Date on which the merged Customer records will be deleted. Any Customer record that was merged and archived before that date will be removed from the system
- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Customers that would be deleted, or if the Customers will be deleted.
 - **Checked ()** - Only a count of the Customers will be reported.
 - **Unchecked ()** - The Customers will be deleted.

Delete Loyalty Accounts and Activities

This Task has the following parameters:

The screenshot displays the configuration for the 'Delete Loyalty Accounts and Activities' task. At the top, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing the task name 'Delete Loyalty Accounts and Activities' and a 'Delete' button. To the right is a parameter configuration panel titled 'Delete Loyalty Accounts and Activities' with the following fields: 'Number of Days' (set to 0), 'Based on Last Update Date', and a 'Report Only' checkbox.

Figure 20-58: Delete Loyalty Accounts and Activities Parameters

- **Number of Days** - This [Text Field](#) defines the number of days after a Loyalty Account's Last Update Date on which a Loyalty Account and its Activities will be deleted.
- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Loyalty Accounts that would be deleted, or if the Loyalty Accounts will be deleted.
 - **Checked ()** - Only a count of the Loyalty Accounts will be reported.
 - **Unchecked ()** - The Loyalty Accounts will be deleted.

Delete Loyalty Inquiry Activities

This Task has the following parameters:

The screenshot displays the configuration interface for the 'Delete Loyalty Inquiry Activities' task. At the top, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this, a 'Task List' box shows 'Delete Loyalty Inquiry Activities' as the selected task, with a 'Delete' button at the bottom right. To the right, a detailed configuration panel for 'Delete Loyalty Inquiry Activities' is shown, featuring a 'Number of Days' text field with the value '0', a 'Based on Last Activity Date' label, and a 'Report Only' checkbox which is currently unchecked.

Figure 20-59: Delete Loyalty Inquiry Activities Parameters

- **Number of Days** - This [Text Field](#) defines the number of days after a Loyalty Inquiry's Last Activity Date on which a Loyalty Inquiry will be deleted.
- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Loyalty Inquiries that would be deleted, or if the Loyalty Inquiries will be deleted.
 - **Checked ()** - Only a count of the Loyalty Inquiries will be reported.
 - **Unchecked ()** - The Loyalty Inquiries will be deleted.

Delete Segments

This Task has the following parameters:

The screenshot displays the configuration for the 'Delete Segments' task. At the top, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing 'Delete Segments' and a 'Delete' button. To the right is a 'Delete Segments' parameter panel with a 'Number of Days' text field set to '0', 'Based on Last Run Date', and a 'Report Only' checkbox.

Figure 20-60: Delete Segments Parameters

- **Number of Days** - This [Text Field](#) defines the number of days after a Segment's Last Run Date on which a Segment will be deleted.
- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Segments that would be deleted, or if the Segments will be deleted.
 - **Checked ()** - Only a count of the Segments will be reported.
 - **Unchecked ()** - The Segments will be deleted.

Delete Segment History

This Task has the following parameters:

The screenshot displays the configuration for the 'Delete Segment History' task. At the top, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing 'Delete Segment History' and a 'Delete' button. To the right is a 'Delete Segment History' parameter panel with a 'Number of Days' text field set to '0', 'Based on Last Run Date', and a 'Report Only' checkbox.

Figure 20-61: Delete Segment History Parameters

- **Number of Days** - This [Text Field](#) defines the number of days after a Segment's Last Run Date on which the History for the Segment will be deleted.

- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Segment Histories that would be deleted, or if the Segment Histories will be deleted.
 - **Checked ()** - Only a count of the Segment Histories will be reported.
 - **Unchecked ()** - The Segment Histories will be deleted.

Delete Job History

This Task has the following parameters:

The screenshot displays the configuration interface for the 'Delete Job History' task. At the top, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this, a 'Task List' box shows 'Delete Job History' as the selected task, with a 'Delete' button at the bottom right. To the right, the 'Delete Job History' parameter form is shown, containing a 'Number of Days' text field with the value '0', a 'Based on End Date' label, and a 'Report Only' checkbox which is currently unchecked.

Figure 20-62: Delete Job History Parameters

- **Number of Days** - This [Text Field](#) defines the number of days after a Job's End Date on which the History for the Job will be deleted.
- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Job Histories that would be deleted, or if the Job Histories will be deleted.
 - **Checked ()** - Only a count of the Job Histories will be reported.
 - **Unchecked ()** - The Job Histories will be deleted.

Delete Gift Registries

This Task has the following parameters:

The screenshot displays the configuration interface for the 'Delete Gift Registries' task. At the top left, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing 'Delete Gift Registries' and a 'Delete' button. To the right is a configuration panel for 'Delete Gift Registries' with fields for 'Number of Days' (set to 0), 'Based on' (set to 'Expiration Date'), and a 'Report Only' checkbox.

Figure 20-63: Delete Gift Registries Parameters

- **Number of Days** - This [Text Field](#) defines the number of days after a Gift Registry's Expiration Date on which the Gift Registry will be deleted.
- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Gift Registries that would be deleted, or if the Gift Registries will be deleted.
 - **Checked ()** - Only a count of the Gift Registries will be reported.
 - **Unchecked ()** - The Gift Registries will be deleted.

Delete Inactive Item Registries

This Task has the following parameters:

The screenshot displays the configuration interface for the 'Delete Inactive Item Registries' task. At the top left, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing 'Delete Inactive Item Registries' and a 'Delete' button. To the right is a configuration panel for 'Delete Inactive Item Registries' with fields for 'Number of Days' (set to 0), 'Based on' (set to 'Last Update Date'), and a 'Report Only' checkbox.

Figure 20-64: Delete Inactive Item Registries

- **Number of Days** - This [Text Field](#) defines the number of days after an Inactive Wish List's or Gift Registry's Last Update Date on which the Wish List will be deleted.
- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Gift Registries that would be deleted, or if the Wish Lists will be deleted.
 - **Checked ()** - Only a count of the Wish Lists will be reported.
 - **Unchecked ()** - The Wish Lists will be deleted.

Delete Social Activity

This Task has the following parameters:

The screenshot displays the configuration interface for the 'Delete Social Activity' task. On the left, a 'Task Type' dropdown menu is set to 'Delete Social Activity', with a 'Task List' below it containing the same task name and a 'Delete' button. On the right, the 'Delete Social Activity' configuration panel includes a 'Search Strategy' dropdown menu (set to '(Please select)'), a 'Number of Days' text field, a 'Based On Last Activity Date' label, and a 'Report Only' checkbox.

Figure 20-65: Delete Social Activity Parameters

- **Search Strategy** - This [Selection Menu](#) determines the social network for which the Social Activity is being deleted.
- **Number of Days** - This [Text Field](#) defines the number of days after a Social Activity item's Last Activity Date on which the item will be deleted.
- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Social Activity items that would be deleted, or if the Social Activity will be deleted.
 - **Checked ()** - Only a count of the Social Activity items that will be reported.
 - **Unchecked ()** - The Social Activity will be deleted.

Delete Award Inquiry Activities

This Task has the following parameters:

The screenshot displays the configuration interface for the 'Delete Award Inquiry Activities' task. At the top, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing 'Delete Award Inquiry Activities' and a 'Delete' button. To the right is a configuration panel for 'Delete Award Inquiry Activities' with a 'Number of Days' text field set to '0', 'Based on Last Activity Date', and a 'Report Only' checkbox.

Figure 20-66: Delete Award Inquiry Activities Parameters

- **Number of Days** - This [Text Field](#) defines the number of days after a Award Inquiry's Last Activity Date on which a Award Inquiry will be deleted.
- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Award Inquiries that would be deleted, or if the Award Inquiries will be deleted.
 - **Checked ()** - Only a count of the Award Inquiries will be reported.
 - **Unchecked ()** - The Award Inquiries will be deleted.

Delete Web Service Tracking

This Task has the following parameters:

The screenshot displays the configuration interface for the 'Delete Web Service Tracking' task. At the top, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this is a 'Task List' box containing 'Delete Web Service Tracking' and a 'Delete' button. To the right is a configuration panel for 'Delete Web Service Tracking' with a 'Number of Days' text field set to '0', 'Based on Last Update Date', and a 'Report Only' checkbox.

Figure 20-67: Delete Web Service Tracking Parameters

- **Number of Days** - This [Text Field](#) defines the number of days after which tracked Web Service activity will be deleted.

- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of Web Service Tracking records that would be deleted, or if the Web Service Tracking records would be deleted.
 - **Checked ()** - Only a count of the Web Service Tracking records will be reported.
 - **Unchecked ()** - The Web Service Tracking records will be deleted.

Aggregate Loyalty Facts

This Task has the following parameters:

Figure 20-68: Aggregate Loyalty Facts Parameters

- **Number of prior years to begin aggregation of loyalty data** - This [Text Field](#) determines the number of years prior to the current date that will be included in the aggregation.
- **Maximum number of months to collect data** - This [Text Field](#) defines the number of months for which data will be aggregated.
If this field is left blank **[DEFAULT]**, the system will aggregate all the data included in the indicated number of years.
- **Reset Prior Run Data** - This [Check Box](#) indicates whether the task will delete the previously aggregated loyalty information and create an entirely new summary, or if the summary information from previous aggregations will be kept
 - **Checked ()** - The task will remove all of the currently existing summary information and create an entirely new summary.
 - **Unchecked ()** - The task will keep the previously collected summary information.

Aggregate Tender Facts

This Task has no additional parameters.




Figure 20-69: Aggregate Tender Facts Parameters

Dynamic Promotions

Tip: This job should be scheduled for the very early morning, before Users will be generating Promotions. This allows the Job to run before any Dynamic Promotions are generated (see below).

This Task has no additional parameters.




Figure 20-70: Dynamic Promotions Parameters

Note: If a Dynamic Promotion was generated earlier in the day, do not run this job on the same day.

Do not run this job more than once per day.

Promotion Response Data Import

This Task has no additional parameters.




Figure 20-71: Promotion Response Data Import

This task processes the following import files to create Customer Notes recording each of the specific customer events. These files are typically submitted by a marketing system such as Responsys.

SENT_EMAILS Promotion Import File

This import file includes the following information:

- Campaign ID.
- Promotion ID.
- Event Type of 1 (sent email).
- Customer ID.
- Event Captured Date.

Each processed record in the import file creates a Customer Note:

- Type - EMAIL_SENT.
- User - OMC.
- Location - The organization's default location.
- Note contents:
 - Campaign ID.
 - Promotion ID.
 - Event Type ID.

CLICK_EMAILS Promotion Import File

This import file includes the following information:

- Event Type of 5 (click email).
- Customer ID.

Configure Job Parameters

- Event Captured Date.
- Campaign ID.
- Promotion ID.
- Offer Name (the name from the marketing system, such as Responsys).
- Offer Category (the category from the marketing system, such as Responsys).
- Offer URL.

Each processed record in the import file creates a Customer Note:

- Type - EMAIL_CLICKED.
- User - OMC.
- Location - The organization's default location.
- Note contents:
 - Campaign ID.
 - Promotion ID.
 - Event Type ID.
 - Offer Name.
 - Offer Number.
 - Offer Category.
 - Offer URL.

OPEN_EMAILS Promotion Import File

This import file includes the following information:

- Event Type of 4 (open email).
- Account ID.
- List ID (the list ID from the marketing system, such as Responsys).
- RIID (ID code from the marketing system, such as Responsys).
- Customer ID.
- Event Captured Date.
- Campaign ID.
- Promotion ID.

Each processed record in the import file creates a Customer Note:

- Type - EMAIL_OPENED
- User - OMC.
- Location - The organization's default location.
- Note contents:
 - Campaign ID.
 - Promotion ID.
 - Event Type ID.

FAIL_EMAILS Promotion Import File

This import file includes the following information:

- Customer ID.
- Event Type of 8 (failed email).
- Event Captured Date.
- Campaign ID.
- Promotion ID.

Each processed record in the import file creates a Customer Note:

- Type - EMAIL_FAILED
- User - OMC.
- Location - The organization's default location.
- Note contents:
 - Campaign ID.
 - Promotion ID.
 - Event Type ID.

Social Network Listener

This task has the following parameters:

The screenshot displays the configuration interface for the Social Network Listener task. At the top, there is a 'Task Type' dropdown menu with the text 'Please make a selection and add' and an 'Add' button. Below this, a 'Task List' box contains the text 'Social Network Listener' and a 'Delete' button. To the right, there is a 'Social Network Listener' panel with a 'Social Network' dropdown menu set to '(Please select)'.

Figure 20-72: Social Network Listener Parameters

- **Social Network** - This [Selection Menu](#) determines the social network to search for social activity matching the entered criteria.

Social Network Update

This task has the following parameters:

The screenshot displays the configuration interface for the 'Social Network Update' task. On the left, a 'Task Type' dropdown menu is shown with 'Please make a selection and add' and an 'Add' button. Below it, a 'Task List' box contains 'Social Network Update' and a 'Delete' button. On the right, the 'Social Network Update' configuration panel includes:

- Search Strategy:** A dropdown menu with '(Please select)'.
- Number of Days:** A text input field.
- Based On:** A dropdown menu set to 'Last Update Date'.
- Report Only:** A checkbox that is currently unchecked.

Figure 20-73: Social Network Update Parameters

- **Search Strategy** - This [Selection Menu](#) determines the social network for which the Social Activity is being deleted.
- **Number of Days** - This [Text Field](#) defines the number of days in the past for which to search for updates.
- **Report Only** - This [Check Box](#) indicates whether the Task will only report the number of updates available, or if the Social Profiles will be updated.
 - **Checked ()** - Only a count of the updates that will be reported.
 - **Unchecked ()** - Social Profiles will be updated.

Task Generator

This task has the following criteria:

The screenshot displays the configuration interface for the 'Task Generator' task. On the left, a 'Task Type' dropdown menu is shown with 'Please make a selection and add' and an 'Add' button. Below it, a 'Task List' box contains 'Task Generator' and a 'Delete' button. On the right, the 'Task Generator' configuration panel includes:

- Select Segment For Task Generator:** A dropdown menu with '(Please select)'.
- Task Detail:**
 - Task Type:** A dropdown menu set to 'TASK'.
 - Subject:** A text input field.
 - End after X days:** A text input field set to '0'.
 - Skip if issued within X days:** A text input field set to '0'.
 - Status:** A dropdown menu set to 'OPEN'.
 - Priority:** A dropdown menu set to 'LOW'.
- Associate Assignment Detail:**
 - Assign to Primary:** A radio button that is selected.
 - Assign to Role:** A radio button that is unselected.
 - Credit Associate:** A dropdown menu.
- Note Detail:**
 - Note Type:** A dropdown menu set to 'COMMENT'.
 - Note:** A text area for entering notes.

Figure 20-74: Task Generator Parameters

- **Select Segment For Task Generator** - This [Selection Menu](#) determines the Segment for which tasks will be generated.

- **Task Type** - This field cannot be edited.
- **Subject** - **[REQUIRED]** This [Text Field](#) defines the subject line for the tasks.
- **End after X days** - This [Text Field](#) defines the number of days from the present day that the task will end.
- **Skip if issued within X days** - This [Text Field](#) defines a number of days before the present date in which, if the customer had a task created within those days, the job will not generate a task for that customer.
- **Status** - This field cannot be edited.
- **Priority** - This [Selection Menu](#) defines the priority for the created tasks.
- **Associate Assignment Detail** - These [Radio Buttons](#) determine the associate role for the associate who will be assigned each task.
 - **Assign to Primary** - Assign each task to the customer's primary associate.
 - **Assign to Role** - Assign each task to the associate assigned to a specified role.
 - * If **Assign to Role** is selected, a [Selection Menu](#) is enabled for determining the associate role to use when assigning the tasks.
- **Note Type** - This [Selection Menu](#) determines the type of note (if any) to add to each task.
- **Note** - This [Text Area Field](#) is used to enter the text of a note (if any) to add to each task.

Overview

Oracle Retail Customer Engagement Cloud Services provides a set of pre-defined reports that cover all aspects of the application. The results can be modified through sorting and filtering.

The use of Oracle BI Publisher provides additional options for converting the reports into different file formats, as well as scheduling reports, reviewing job history, and republishing options.

About this Chapter

This chapter contains the following information:

- [“Reports” on page 2](#) - Describes the Reports page and the procedures for creating a Report, including:
 - [“Run a Report” on page 3](#)
 - [“Refresh Report List” on page 4](#)
 - [“Report Organization” on page 4](#), including:
 - * [“Account Management” on page 5](#)
 - * [“Award Management” on page 5](#)
 - * [“Campaign Management” on page 6](#)
 - * [“Card Management” on page 6](#)
 - * [“Customer Management” on page 6](#)
 - * [“Item Management” on page 7](#)
 - * [“Location Operations” on page 7](#)
 - * [“Loyalty Management” on page 8](#)
 - * [“Registry Management” on page 9](#)
 - * [“Segment Management” on page 9](#)
 - * [“Task Management” on page 10](#)
 - * [“Tender Account Management” on page 10](#)
- [“Displaying Report” on page 11](#) - Describes the Reports display page, including:
 - [“BI Publisher Toolbar” on page 12](#)
 - [“View Report Options” on page 13](#)

Reports

- [“BI Publisher Actions” on page 13](#)
- [“Report Generation Options and Contents” on page 15](#)
 - [“Account Management Report” on page 15](#)
 - [“Award Management Reports” on page 17](#)
 - [“Campaign Management Reports” on page 49](#)
 - [“Card Management Reports” on page 70](#)
 - [“Customer Management Reports” on page 74](#)
 - [“Item Management Reports” on page 91](#)
 - [“Location Operations Reports” on page 91](#)
 - [“Loyalty Management Reports” on page 102](#)
 - [“Registry Management Reports” on page 134](#)
 - [“Segment Management Reports” on page 136](#)
 - [“Task Management Reports” on page 148](#)
 - [“Tender Account Management Reports” on page 153](#)

Reports

The Reports page is opened through the **Analytics->Reports** menu option.




Figure 21-1: Reports Page

Table 21-1: Reports Page Key

Item	Description
1	Refresh Report Button - This button refreshes the displayed report information.
2	Report Selection - This area contains the Report categories and the individual Reports that can be selected to run.

Note: The **More Actions** button is not currently implemented.

Run a Report

To run a report:

1. Click the **Analytics->Reports** menu option.
The Reports page opens (Figure 21-1).
2. Select the Report to run:
 - a. In the Report Selection area, click the expand (+) button to open a Report category (see [“Report Organization” on page 4](#) for a list of Report categories and the Reports within each category).
 - b. Click a Report to select it.
A Report Criteria screen opens.




Figure 21-2: Report Selection Criteria

3. Enter the appropriate information into the criteria fields.

 - Fields can be left blank unless they are required (labeled with *).
 - Blank fields will not be used in the search.

4. Click the **Apply** button.

- While the report is running, its progress is indicated in the central pane.




Figure 21-3: Report Processing

- When processing is complete, the results are displayed in a [Displaying Report](#) page.

Program ID - Name	Activity Typecode	Create User	Reason Code	Total Trans Count	Total Trans Value
1009 - Card 2597 AWARD	Activate Card	afham	Error_Adjustment	20	0.00
	Activate Card	N/A	N/A	13	0.00
	Expire Coupon	afham	Error_Adjustment	1	0.00
	Issue Coupon	afham	Error_Adjustment	21	1,938.39
	Issue Promo Award Coupon	PromotionAward	N/A	28	214.00
	Reset Expiration Date	afham	N/A	1	0.00
Totals for Program 1009				82	1,249.85
1010 - Card 2598 AWARD	Activate Card	afham	Error_Adjustment	211	0.00
	Activate Card	N/A	N/A	13	0.00
	Issue Coupon	afham	Error_Adjustment	211	6,695.00
	Issue Promo Award Coupon	PromotionAward	N/A	13	0.00
Totals for Program 1010				448	6,695.00

Figure 21-4: Report Run Results

Refresh Report List

Click the **Refresh Report List** option in the [Run a Report](#) to refresh the Report [List](#) with any updates or new Custom Reports that have been added to the system.

Report Organization

Almost all reports require additional configuration information that limit the results returned. Most fields allow the user to create [Lists](#) of multiple items to be included on the report.

Note: In most cases, if no information is entered for a configuration field, all results for that field are included on the report (up to the defined **Limit Records** setting).

The reports available for generation are listed below.

Account Management

Account Activity Summary - This report presents transaction count and value summary information about the program activities, segregated by activity typecode, user, and reason code. See [“Account Activity Summary Report” on page 15](#) for more information.

Award Management

Award Account Activity Details - This report presents detailed information about activities performed on one or more given Award Accounts. See [“Award Account Activity Details Report” on page 17](#) for more information.

Award Account Activity Errors - This report presents detailed information about transaction errors associated with Award Accounts. See [“Award Account Activity Errors Report” on page 20](#) for more information.

Award Account Activity Trend - This report presents daily counts of Award Transactions, organized by Activity type, within a Program, and includes charts illustrating award account activity. See [“Award Account Activity Trend Report” on page 24](#) for more information.

Award Account Balance - This report presents the Account balance available at run time for each Account. See [“Award Account Balance Report” on page 28](#) for more information.

Award Account Error Trend - This report presents information about the number of times transaction errors occurred, by date, for each Program, and includes a chart illustrating error incidence. See [“Award Account Error Trend Report” on page 29](#) for more information.

Award Account Last Use - This report presents counts of Accounts within an Award Program, grouped by the number of days between last use date and system date at run time. See [“Award Account Last Use Report” on page 32](#) for more information.

Award Activity By Location - This report presents Award activity within a Program, by Location, for a selected date range. See [“Award Activity By Location Report” on page 33](#) for more information.

Award Activity By Program - This report presents a summary of Account activities, listed by type, for each Program. See [“Award Activity By Program Report” on page 36](#) for more information.

Award Entitlement Expiration - This report presents a listing of the expiration dates of issued Entitlement Coupons, providing information on how many are due to expire or have expired. See [“Award Entitlement Expiration Report” on page 39](#) for more information.

Award Entitlement Redemption - This report presents a count of redeemed Entitlement Coupons for each Entitlement Deal, and includes charts illustrating entitlement redemption activity. See [“Award Entitlement Redemption \(Trend\) Report” on page 40](#) for more information.

Award Entitlement Summary - This report displays the number of Issued Coupons for each deal within an Entitlement program. See [“Award Entitlement Summary Report” on page 44](#) for more information.

Award Program Balance Summary - This report presents summary statistics about current Account balances within each Award Program. See [“Award Program Balance Summary Report” on page 45](#) for more information.

Award Program Definitions - This report presents details about each Award Program definition. See [“Award Program Definition Report” on page 46](#) for more information.

Award Redemption Rate - This report presents information about the number of Award certificates issued & redeemed for each Card Prefix and Card Series by Program. See [“Award Redemption Rate Report” on page 48](#) for more information.

Campaign Management

Promotion Response By Category - This report presents the event response, by Product Hierarchy, for the selected Promotion events, including items purchased. See [“Promotion Response by Category Report” on page 49](#) for more information.

Promotion Response By Date - This report summarizes the value of the response, by business date, to the selected Promotion events. See [“Promotion Response by Date Report” on page 51](#) for more information.

Promotion Response By Deal - This report summarizes the value of the response, by Deal, to the selected Promotion events. See [“Promotion Response by Deal Report” on page 54](#) for more information.

Promotion Response By Location - This report summarizes the value of the response, by Location, to the selected Promotion events. See [“Promotion Response by Location Report” on page 57](#) for more information.

Promotion Response By Target - This report presents response data, by Segment Target, for selected Promotion events. See [“Promotion Response by Target Report” on page 60](#) for more information.

Promotion Response Detail - This report displays information about the Transactions created in response to each Promotion. See [“Promotion Response Detail Report” on page 62](#) for more information.

Promotion Target Detail - This report displays Customer information for the segment targeted in each Promotion. See [“Promotion Target Details Report” on page 65](#) for more information.

Promotion Target List - This report presents information about the Segment Targets associated with each Promotion within a Campaign. See [“Promotion Target List Report” on page 67](#) for more information.

Promotion Target Segment List - This report displays a list of each Target Segment associated with each Promotion within a Campaign. See [“Promotion Target Segment List Report” on page 69](#) for more information.

Card Management

Card Batch Activation Rate - This report displays the activation rate for each Batch within each Card Series on the Card Prefix. See [“Card Batch Activation Rate Report” on page 70](#) for more information.

Card Detail - This report presents detailed information about individual Cards defined in the system. See [“Card Detail Report” on page 71](#) for more information.

Card Series Activation Rate - This report presents the activation rate for each Card Series created for each Card Type. See [“Card Series Activation Rate Report” on page 73](#) for more information.

Customer Management

Address Summary - This report presents a count of Customers by address type, grouped by whether they are primary or valid. See [“Address Summary Report” on page 74](#) for more information.

Birthday Summary - This report presents Customer counts by birth month. See [“Birthday Summary Report” on page 75](#) for more information.

Customer Alt Key Summary - This report presents counts of the number of Customers by Alternate Key Type. See [“Customer Alt Key Summary Report” on page 76](#) for more information.

Customer Assoc Assign By Assoc Role - This report displays contact information for Customers associated to a particular Associate Role. See [“Customer Associate Assignment by Associate and Role Report” on page 77](#) for more information.

Customer Contact Email List - This report presents a listing of Customer names, addresses, and primary emails by Signup Location. See [“Customer Contact Email List Report” on page 79](#) for more information.

Customer Contact Phone List - This report presents a listing of Customer names, addresses, and phone numbers by Signup Location. See [“Customer Contact Phone List Report” on page 80](#) for more information.

Customer Purch By Dept By Year - This report presents a summary of Customer purchase activity by Department and year. See [“Customer Purchase by Department by Year Report” on page 81](#) for more information.

Customer Status Summary - This report presents the number of Customer records grouped by Identified/Unidentified (Anonymous Flag) within Active/Inactive (Status Flag). See [“Customer Status Summary Report” on page 83](#) for more information.

Gender Summary - This report presents the count of Customers grouped by gender. See [“Gender Summary Report” on page 84](#) for more information.

Location Capture Rate - This report presents a count of Customers, by Anonymous Flag, for each signup Location. See [“Location \(Store\) Capture Rate Report” on page 85](#) for more information.

Postal Code Summary - This report presents a count of Customers by Postal Code, filtered on only primary, active, home addresses. See [“Postal Code Summary Report” on page 86](#) for more information.

Social Network Summary - This report displays a count of Customers by Social Network, grouped by the Customer's Home Store. See [“Social Network Summary Report” on page 88](#) for more information.

State Summary - This report presents a count of active primary address records grouped by state. See [“State Summary Report” on page 88](#) for more information.

Summary Report - This report presents totals and percentages of types of addresses, email addresses, and phone numbers for Customers who signed up within a specified date range. See [“Summary Detail Report” on page 89](#) for more information.

Item Management

Item Attribute Summary - This report provides a count of Items that are associated with each given Item Attribute and Attribute value. See [“Item Attribute Summary Report” on page 91](#) for more information.

Location Operations

Capture Quality Report - This report presents the percentage of validated Customer data, organized by Operator ID, within each Location. See [“Capture Quality Summary Report” on page 91](#) for more information.

Customers by Home Location - This report presents a count of Customers for each Home Location. See [“Customer by Home Location Report” on page 94](#) for more information.

Shoppers By Location - This report presents Customer count and purchase statistics for each Location. See [“Shoppers by Location Report” on page 95](#) for more information.

Sign Up Location by Postal Code - This report presents the number of Customers, by Zip Code (or Postal Code) and on a given date, who signed up at the Location. See [“Signup Location \(Store\) by Postal Code Report” on page 96](#) for more information.

Sign Up Location By State - This report presents the number of Customers by state, grouped by signup Location. See [“Signup Location by State Report” on page 98](#) for more information.

Signup Location - This report presents the number of Customers by signup Location. See [“Signup Location Report” on page 99](#) for more information.

Signup Location Daily Trend - This report presents Customer counts by signup date and signup Location, and includes a chart illustrating Customer signups by date. See [“Signup Location Daily Trend Report” on page 100](#) for more information.

Loyalty Management

Loyalty Account Detail - This report presents details of the activities performed on each Loyalty Account. See [“Loyalty Account Detail Report” on page 102](#) for more information.

Loyalty Acct Activity Errors - This report presents details of errors for Loyalty Accounts by Program ID. See [“Loyalty Account Activity Errors Report” on page 104](#) for more information.

Loyalty Acct Level Summary - This report presents account level summaries for Loyalty accounts by Program ID. See [“Loyalty Account Level Summary Report” on page 106](#) for more information.

Loyalty Activity Type Summary - This report presents summary information on accounts and Loyalty activity types associated with Program Levels on Loyalty Programs. See [“Loyalty Activity Type Summary Report” on page 108](#) for more information.

Loyalty Activity Type Trend - This report presents summary information on Accounts by Activity Type by business date, organized by Loyalty Program Level and includes charts summarizing Loyalty activity. See [“Loyalty Activity Type Trend Report” on page 110](#) for more information.

Loyalty Issue Rule Impact - This report displays transaction level counts of merchandise associated with purchases against a Loyalty Issue Rule. See [“Loyalty Issue Rule Impact Report” on page 115](#) for more information.

Loyalty Rules Results Summary - This reports displays summary account information by Activity Type for each Loyalty Rule. It is organized by Program levels within the Loyalty Programs. See [“Loyalty Rules Results Summary Report” on page 117](#) for more information.

Loyalty Rules Results Trend - This report presents summary information on accounts by Activity Type by Activity Date for each Loyalty Rule. It is organized by Loyalty Program Level for each Loyalty Program and also includes summary level charts. See [“Loyalty Rules Results Trend Report” on page 118](#) for more information.

Lyl Accounts - Balance Summary - This report presents summary information about the Loyalty Account balances, by Program Level, within each Program. See [“Loyalty Account Balance Summary Report” on page 123](#) for more information.

Lyl Accounts - Last Use - This report presents Loyalty Account summary information within a Loyalty Program Level, grouped by the number of months since last use date and system date. See [“Loyalty Account Last Use Summary Report” on page 125](#) for more information.

Lyl Accounts - Lifecycle - This report presents Loyalty Account summary information within a Loyalty Program Level, grouped by the number of months the accounts have been in use. See [“Loyalty Account Life Cycle Summary Report” on page 127](#) for more information.

Lyl Acct Act Summary - Award - This report presents the earned points from Award rules, by Loyalty Account, within a given period of time. See [“Loyalty Account Activity Summary Award Report” on page 129](#) for more information.

Lyl Acct Act Summary - Issue - This report presents the earned points from Issue rules, by Loyalty Account, within a given period of time. See [“Loyalty Account Activity Summary Issue Report” on page 130](#) for more information.

Lyl Program Level Summary - This report presents the current balance statistics for Program Levels within Programs. See [“Loyalty Program Level Summary Report” on page 132](#) for more information.

Registry Management

Registry Detail - This report presents detailed information for Gift Registries or Wish Lists. See [“Registry Detail Report” on page 134](#) for more information.

Segment Management

- **N-Tile / Range Strata Summary** - This report presents details on Customer Segments broken out by strata. See [“N-Tile / Range Strata Report” on page 136](#) for more information.
- **Segment By Home Location** - This report presents a count of Customers, by Home Location, for Customer Segments. See [“Segment by Home Location Report” on page 138](#) for more information.
- **Segment By State** - This report presents a count of Customers, by State, for Customer Segment. See [“Segment by State Report” on page 139](#) for more information.
- **Segment Count List** - This report presents the details of each Segment run within a specified time period. See [“Segment Count List Report” on page 140](#) for more information.
- **Segment Customer Master** - This report presents a listing of information about the Customers in each Segment. See [“Segment Customer Master Report” on page 141](#) for more information.
- **Segment Purchase Profile Report** - This report presents counts, by Segment, of individual Items purchased. See [“Segment Purchase Profile Report” on page 143](#) for more information.
- **Segment Trend Analysis** - This report presents trend totals for Segments broken out by Run ID, and includes charts illustrating trend totals for Customer Segments. See [“Segment Trend Analysis Report” on page 145](#) for more information.

Task Management

Associate Task Detail - This report presents details on customer targeted tasks, by the associate assigned to them. See [“Associate Task Details Report” on page 148](#) for more information.

Associate Task Summary - This report presents a summary of the types of Tasks assigned to each Associate, and their current statuses. See [“Associate Task Summary Report” on page 150](#) for more information.

Task Summary - This report presents a summary of types of Tasks by their current statuses. See [“Task Status Summary Report” on page 151](#) for more information.

Tender Account Management

Tender Account Activity Summary - This report displays tender summary information by Activity Type, by Program. See [“Tender \(Account\) Activity Summary Report” on page 153](#) for more information.

Tender Activity Summary - This report is the same as the Tender Account Activity Summary Report.

Tender Activity Summary By Batch - This report displays tender summary information organized by Card Prefix, Series, and Batch, for Activity Types, by Program. See [“Tender Activity Summary by Batch Report” on page 156](#) for more information.

Tender Activity Type Trend - This report displays tender summary information organized by Card Prefix, Series, and Batch, for Activity Types, by Program, and includes charts illustrating Tender Type activity. See [“Tender Activity Type Trend Report” on page 159](#) for more information.

Displaying Report

The Reports page displays the results of a Report run using the specified criteria.




Figure 21-5: Displaying Reports Page

Table 21-2: Displaying Reports Page Key

Item	Description
1	Report Selection - The list of Reports available for generation See “Report Organization” on page 4 for a list of Reports.
2	Selection Criteria - The selection criteria for the displayed Report.
3	Report Contents - The contents of the generated Report.
4	BI Publisher Options - The options available through BI Publisher to refresh, show or hide selection criteria, export the report to different formats, schedule, review job schedules, or share the report. There is also a Help button to open a Help window. See “BI Publisher Toolbar” on page 12 for more information.
5	PDF Options - The options available through the PDF viewer to search, zoom in or out, print, download, rotate, or view document properties. See the documentation for your PDF viewer for more information.

BI Publisher Toolbar

The BI Publisher toolbar is displayed when a Report is generated.




Figure 21-6: BI Publisher Toolbar

Table 21-3: BI Publisher Toolbar Key

Item	Description
1	Refresh - Refresh the data on the displayed Report.
2	Parameters - Show or hide the selection criteria for the Report.
3	View Report - Open the View Report Options list to select an output format for the Report. See “View Report Options” on page 13 for more information.
4	Actions - Select from sending, scheduling, exporting, and job options. See “BI Publisher Actions” on page 13
5	Help - Launch the BI Publisher online help.

View Report Options

The View Report Options list includes the formats available for viewing or saving a Report.




Figure 21-7: View Report Options List

Available options are:

- **HTML** - Display the Report in HTML format.
- **PDF [DEFAULT]** - Display the Report in PDF format.
- **RTF** - Display the Report in Rich Text Format.
- **Excel** - Display the Report in spreadsheet format (.xlsx).
- **PowerPoint** - Display the Report in presentation format (.pptx)

BI Publisher Actions

The BI Publisher Actions list includes the available sharing, scheduling, and publishing options.




Figure 21-8: BI Publisher Actions

Available actions are:

- **Export** - Opens the [View Report Options](#) list.
- **Send** - Enter selection criteria and send the Report for immediate delivery to an email address, printer, or other destination.
- **Schedule** - Schedule generation and distribution of the Report.

Displaying Report

- **Jobs** - View and manage scheduled jobs for the Report.
- **Job History** - View and manage completed and running Report jobs.
- **Republish from History** - Select a previously scheduled, completed Report generation for viewing.
- **Share Report Link** - Generate a link to the currently displayed Report.

See the BI Publisher online help for more information on these options.

Report Generation Options and Contents

The generation options and fields included on each report are described below.

Account Management Report

Account Activity Summary Report

This report presents transaction count and value summary information about the program activities, segregated by activity typecode, user, and reason code.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Program for a Card Definition. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program Name, or remove Programs from the list selected for the report.
- Activity Time Period - Optionally, select a time period to include activities that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of individual Activity Typecodes with unique user IDs and reason codes for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.

Report Generation Options and Contents

- Program ID - The program ID(s) selected when generating the report, or set to ALL if there was no restriction.

Detail Information:

- Account Type Code - AWARD, LOYALTY, or TENDER.
- Program ID - The ID and Name identifying a Program for a Card Definition.
- Activity Typecode - Describes the type of activity that took place for the Program during the date range. Possible types include:
 - Activate Account
 - Activate Card
 - Deactivate
 - Expire Coupon
 - Inquiry
 - Issue Award
 - Issue Coupon
 - Issue Entitlement Coupon
 - Issue Points
 - Issue Promo Award Coupon
 - Post Authorization
 - Pre Authorization
 - Redeem
 - Redemption
 - Release Authorization
 - Reload
 - Reset Expiration Date
 - Return
 - Void Transaction
 - Unblock
- Create User - The ID of the user who performed the activity. May also be set to SYSTEM or POS. Set to N/A if no user ID is specified.
- Reason Code - The reason code passed for the activity. Set to N/A if no reason code is specified. If the same activity typecode occurs for multiple activities for the same Program, user ID, and date range, but with different reason codes, each reason code is listed separately on the report.
- Total Trans Count - The total number of transactions for the particular activity typecode for this Program and date range, and the same user ID and reason code.
- Total Trans Value - The total value of the transactions for the particular activity typecode for this Program and date range, and the same user ID and reason code. Some activities, such as card activation or expiration date reset, may not have a transaction value. Other activities, such as issuing an award, can have a negative transaction value.

- Totals for Program: For all activity for the Program during the date range included on the report:
 - Total Trans Count - The total number of transactions for this Program and date range.
 - Total Trans Value - The total net value of transactions for this Program and date range.
- Totals for Typecode: For each Typecode (AWARD, LOYALTY, or TENDER) included on the report:
 - Total Trans Count - The total number of transactions for this Typecode and date range for all Programs included on the report.
 - Total Trans Value - The total net value of transactions for this Typecode and date range for all Programs included on the report.
- Report Totals:
 - Total Trans Count - The total number of transactions included on the report.
 - Total Trans Value - The total net value of transactions included on the report.

Award Management Reports

Award Account Activity Details Report

This report presents detailed information about activities performed on one or more given Award Accounts.

Selection Criteria:

- Account ID - The ID and Name identifying an Award Account. All Account IDs are selected by default. Optionally, select Search to work with the list of eligible Account IDs, search based on Account ID, or remove Account IDs from the list selected for the report.
- Serial Number - Optionally, enter a card's Serial Number to search for an award account by Serial Number rather than by Account ID.
- Void Flag - Optionally, select Yes or No to select Award Account activity based on whether the activity was voided.
- Activity Type Code - Codes identifying types of activity for an Account. All activity type codes are selected by default. Optionally, select Search to work with the list of eligible Activity Type Codes, search based on Activity Type Code, or remove Activity Type Codes from the list selected for the report. Possible Activity Type Codes include:
 - Account Merge
 - Activate Card
 - Automatic Redeem
 - De-Activate Card
 - Expire Coupon
 - Inquiry
 - Issue Birthday Coupon
 - Issue Coupon

Report Generation Options and Contents

- Issue Entitlement Coupon
- Issue Promo Award Coupon
- Issue Signup Coupon
- Notify Coupon Expire
- Redeem
- Reset Expiration Date
- Void
- Activity Time Period - Optionally, select a time period to include activities that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of activity records for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Activity Type Code - The list of activity type codes selected for the report. Set to ALL if there was no restriction.
- Void Flag - The void flag setting selected for the report. Set to ALL if there was no restriction.
- Account ID - The Account ID(s) selected when generating the report, or set to ALL if there was no restriction.

- Serial Number - The Serial Number(s) selected when generating the report, or set to N/A if there was no restriction.

Detail Information:

Account ID - Indicates the ID number for the account. For each Account ID included on the report, there are two rows of data including the following:

- Workst. ID - Identifies the workstation where the activity took place.
- Award Trans. ID - The transaction ID of the award.
- Void Flag - Set to Yes if the activity was voided; otherwise, set to No.
- Notify Expiry Flag - Set to Yes if an award expiration notification export file has been created that includes the account. Created through the Notify Awards Expire Job.
- Coupon Code - The coupon code affected by the activity, such as a coupon issue or redemption; otherwise, set to N/A.
- Serial Number - Unique serial number for the award.
- Exchange Rate - The rate of exchange between the transaction's original currency and the base currency. Set to 1 if the two currencies are the same. Set to 0 if the activity does not reference a specific amount, such as a card activation.
- Activity Type - Describes the type of activity. Possible types:
 - Account Merge
 - Activate Card
 - Automatic Redeem
 - De-Activate Card
 - Expire Coupon
 - Inquiry
 - Issue Birthday Coupon
 - Issue Coupon
 - Issue Entitlement Coupon
 - Issue Promo Award Coupon
 - Issue Signup Coupon
 - Notify Coupon Expire
 - Redeem
 - Reset Expiration Date
 - Void
- Business Date - The retail business date when the activity occurred.
- Activity Date - The date when the activity took place.
- Loc. ID-Name - The numeric ID and name of the location where the activity occurred.
- Currency Code - The currency code for the transaction. Included only if there is an Activity Amount.
- Ref. Activity ID - The activity ID affected by this activity, if any; otherwise, set to N/A.

Report Generation Options and Contents

- Retail Trans. Seq. - The sequential transaction ID generated by the POS system, if any; otherwise, set to 0 or 1.
- Retail Trans ID - A sequence ID, generated by Customer Engagement, indicating the retail location ID, workstation ID, and transaction sequence number.
- Create User - The ID of the user that created the activity record.
- Create Date - The date when the activity was recorded in the database.
- Comments - The comments entered for the activity, if any; otherwise, set to N/A.
- Error Code - The error code associated with the activity, if any; otherwise, set to N/A.
- Activity Amount - The amount of the activity. Set to 0.00 if there is no associated amount, such as for a card activation.
- Requested Amount - The amount of the transaction in the requested currency. Same as the Activity Amount if there is no currency conversion.
- Totals for the Account ID:
 - Activity Amount - The total amount for activities for the Account ID that are included on the report.
 - Requested Amount - The total requested amount for the Account ID that are included on the report. The same as the total Activity Amount unless any requested amounts were in a different currency.
- Report Totals:
 - Activity Amount - The total amount for activities included on the report.
 - Requested Amount - The total requested amount for activities included on the report. The same as the total Activity Amount unless any requested amounts were in a different currency.

Award Account Activity Errors Report

This report presents detailed information about transaction errors associated with Award Accounts.

Selection Criteria:

- Program ID - The ID and Name identifying a Program for a Card Definition. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program Name, or remove Programs from the list selected for the report.
- Serial Number - Optionally, enter a Card's Serial Number to search for a specific Account by Serial Number rather than by Program ID.
- Error Code - Codes identifying types of errors. All error codes are selected by default. Optionally, select Search to work with the list of eligible Error Codes, search based on Error Code, or remove Error Codes from the list selected for the report. Possible Error Codes include:
 - Account Already Active
 - Account Expired
 - Account Inactive
 - Award Program Expired
 - Award Program Not Effective

- Cannot Void Trans Type
- Card Expired
- Card Inactive
- Coupon ID Invalid for Expire
- Coupon ID Invalid or Expired
- Coupon Request Amount Invalid
- Coupon Request Date Invalid
- Coupon Request Exceeds Balance
- Coupon Request Neg Amt Invalid
- Currency Exchange Rate Not Found
- Currency ID Missing
- General Error
- Invalid Entitlement Deal
- Invalid Pin Provided
- Loyalty Award Account Error
- Minimum Balance Not Met
- Missing Pin Number
- No Physical Card
- Original Transaction Not Found
- Original Transaction Required
- Original Transaction Voided
- Reloads Not Permitted
- Activity Time Period - Optionally, select a time period to include activities that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

Report Generation Options and Contents

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of activity error records for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Program ID - The ID and Name identifying a Program for a Card Definition. Set to ALL if there was no restriction.
- Error Code - The list of error codes selected for the report. Set to ALL if there was no restriction.
- Serial Number - The serial number(s) selected when generating the report. Set to N/A if there was no restriction.

Detail Information:

- Program ID - The program ID and description.
- Acct.ID - Serial Number - Indicates the ID number and Serial Number for the account.

For each Account ID included on the report, there are two rows of data including the following:

- Activity Type - Describes the type of activity. Possible types:
 - Account Merge
 - Activate Card
 - Automatic Redeem
 - De-Activate Card
 - Expire Coupon
 - Inquiry
 - Issue Birthday Coupon
 - Issue Coupon
 - Issue Entitlement Coupon
 - Issue Promo Award Coupon
 - Issue Signup Coupon
 - Notify Coupon Expire
 - Redeem
 - Reset Expiration Date
 - Void

- Currency Code - The currency code for the transaction. Included only if there is an Activity Amount; otherwise, set to N/A.
- Workst. ID - Identifies the workstation where the activity took place.
- Award Trans. ID - The transaction ID of the award.
- Void Flag - Set to Yes if the activity was voided; otherwise, set to No.
- Coupon ID - The unique identifier for the coupon affected by the activity, such as a coupon issue or redemption; otherwise, set to N/A.
- Exchange Rate - The rate of exchange between the transaction's original currency and the base currency. Set to 1 if the two currencies are the same. Set to 0 if the activity does not reference a specific amount, such as a card activation.
- Retail Trans ID - A sequence ID, generated by Customer Engagement, indicating the retail location ID, workstation ID, and transaction sequence number.
- Create User - The ID of the user that created the activity record.
- Activity Date - The date when the activity took place.
- Create Date - The date when the activity was recorded in the database.
- Error Code - The description of the error that occurred. Possible error codes include:
 - Account Already Active
 - Account Expired
 - Account Inactive
 - Award Program Expired
 - Award Program Not Effective
 - Cannot Void Trans Type
 - Card Expired
 - Card Inactive
 - Coupon ID Invalid for Expire
 - Coupon ID Invalid or Expired
 - Coupon Request Amount Invalid
 - Coupon Request Date Invalid
 - Coupon Request Exceeds Balance
 - Coupon Request Neg Amt Invalid
 - Currency Exchange Rate Not Found
 - Currency ID Missing
 - General Error
 - Invalid Entitlement Deal
 - Invalid Pin Provided
 - Loyalty Award Account Error
 - Minimum Balance Not Met
 - Missing Pin Number

Report Generation Options and Contents

- No Physical Card
- Original Transaction Not Found
- Original Transaction Required
- Original Transaction Voided
- Reloads Not Permitted
- Requested Amount - The amount of the transaction in the requested currency. Same as the Activity Amount if there is no currency conversion.
- Activity Amount - The amount of the activity. Set to 0.00 if there is no associated amount, such as a card activation.
- Totals for the Account ID:
 - Requested Amount - The total requested amount for the Account ID included on the report. The same as the total Activity Amount unless any requested amounts were in a different currency.
 - Activity Amount - The total amount for activities for the Account ID included on the report.
- Totals for the Program ID:
 - Requested Amount - The total requested amount for the Program ID that were included on the report. The same as the total Activity Amount unless any requested amounts were in a different currency.
 - Activity Amount - The total amount for activities for the Program ID that were included on the report.
- Report Totals:
 - Activity Amount - The total amount for activities included on the report.
 - Requested Amount - The total requested amount for activities included on the report. The same as the total Activity Amount unless any requested amounts were in a different currency.

Award Account Activity Trend Report

This report presents daily counts of Award Transactions, organized by activity type, within a Program.

The report begins with two charts illustrating award account activity. One chart displays total activity counts for each date in the selected time period, while the other displays total activity amounts.

Note: The charts on this report are useful only if you restrict the selection criteria to a single Program ID and Activity Type Code, so you can identify the totals for the type of activity. Otherwise, it would be difficult to determine the different totals for the same date but a different Program ID and Activity Type Code.

Selection Criteria:

- Program ID / Name - The ID and Name identifying a Program for a Card Definition. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program Name, or remove Programs from the list selected for the report.

- Activity Type Code - Codes identifying types of activity for an account. All activity type codes are selected by default. Optionally, select Search to work with the list of eligible Activity Type Codes, search based on Activity Type Code, or remove Activity Type Codes from the list selected for the report. Possible Activity Type Codes include:
 - Account Merge
 - Activate Card
 - Automatic Redeem
 - De-Activate Card
 - Expire Coupon
 - Inquiry
 - Issue Birthday Coupon
 - Issue Coupon
 - Issue Entitlement Coupon
 - Issue Promo Award Coupon
 - Issue Signup Coupon
 - Notify Coupon Expire
 - Redeem
 - Reset Expiration Date
 - Void
- Activity Time Period - Optionally, select a time period to include activities that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.
- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).

Report Generation Options and Contents

- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of activity records for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Activity Type Code - The Activity Type Code(s) selected when generating the report. Set to ALL if there was no restriction.
- Program ID - The ID and Name identifying the Program(s) selected when generating the report. Set to ALL if there was no restriction.

Activity Count Chart - Displays the total Activity Count for each Activity Type Code and Program ID by date.




Figure 21-9: Award Account Activity Trend Report - Activity Count Chart

Activity Amount Chart - Displays the total Activity Amount for each Activity Type Code and Program ID by date.




Figure 21-10: Award Account Activity Trend Report - Activity Amount Chart

Detail Information:

- Program ID - The Program ID and description. For each Program:
- Activity Type - An entry for each type of activity that occurred for the program in the time period specified for the report. Possible Activity Type Codes include:
 - Account Merge
 - Activate Card
 - Automatic Redeem
 - De-Activate Card
 - Expire Coupon
 - Inquiry
 - Issue Birthday Coupon
 - Issue Coupon
 - Issue Entitlement Coupon
 - Issue Promo Award Coupon
 - Issue Signup Coupon
 - Notify Coupon Expire
 - Redeem
 - Reset Expiration Date
 - Void
- Activity Date - For each date when the Activity Type took place for the program during the date range selected when generating the report:
 - Activity Count - The total number of times the activity took place for that program, Activity Type, and date.

Report Generation Options and Contents

- Activity Amount - The total value for the activity that took place for that program, Activity Type, and date. Set to 0.00 if there is no associated amount, such as for a card activation.
- Totals for program and Activity Type - For each Activity Type and Program during the date range selected when generating the report:
 - Activity Count - The total number of times the activity took place for that program.
 - Activity Amount - The total value for the activity that took place for that program.
- Totals for program - For each program included on the report:
 - Activity Count - The total number of activities of any type that took place during the date range selected when generating the report.
 - Activity Amount - The total value of activities of any type that took place during the date range selected when generating the report.

Report Totals:

- Activity Count - The total number of activities of any type, for any program, during the date range selected when generating the report.
- Activity Amount - The total value of activities of any type, for any program, during the date range selected when generating the report.

Award Account Balance Report

This report presents the Account balance available at run time for each Account.

Selection Criteria:

- Program ID - The ID and Name identifying a Program for a Card Definition. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program Name, or remove Programs from the list selected for the report.
- Serial Number - Optionally, enter a card's Serial Number to search for a particular Serial Number.
- Account ID - The ID identifying an award account. All Account IDs are selected by default. Optionally, enter an account ID to search for a particular account.
- Include Expired Coupons? - Indicates whether to include expired coupons on the report. Set to No by default.
- Limit Records - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of individual Serial Number/Account ID records for the entire report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Include Expired Coupons - Set to Yes if the Include Expired Coupons option was selected when generating the report; otherwise, set to No.

Detail Information:

- Program ID - The ID identifying a Program for a Card Definition.

- Program Name - The name of the Program.
- For each Award Account included on the report:
 - Serial Number - Unique serial number for the Award Account.
 - Account ID - Indicates the ID number for the Account.
 - Number of Coupons - The number of award coupons for the account.
 - Award Balance - The total balance of the coupons.
 - Average Coupon Value - The average value of the coupons (Award Balance / Number of Coupons).
- Program Totals - For each Program included on the report:
 - Number of Coupons - The number of award coupons for the Program.
 - Award Balance - The total balance of the coupons.
 - Average Coupon Value - The average value of the coupons (Award Balance / Number of Coupons).
- Report Totals - For all Award Accounts included on the report:
 - Number of Coupons - The number of award programs included on the report.
 - Award Balance - The total balance of the coupons.
 - Average Coupon Value - The average value of the coupons (Award Balance / Number of Coupons).

Award Account Error Trend Report

This report presents information about the number of times transaction errors occurred, by date, for each Program.

The report begins with a chart illustrating award error frequency.

Note: The chart on this report is useful only if you restrict the selection criteria to a single Error Code, so you can identify the total for dates when this error occurred. Otherwise, it might be difficult to determine the totals for the same date but a different error.

Selection Criteria:

- Program ID / Name - The ID and Name identifying a Program for a Card Definition. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program Name, or remove Programs from the list selected for the report.
- Error Code - Codes identifying types of errors. All error codes are selected by default. Optionally, select Search to work with the list of eligible Error Codes, search based on Error Code, or remove Error Codes from the list selected for the report. Possible Error Codes include:
 - Account Already Active
 - Account Expired
 - Account Inactive
 - Award Program Expired
 - Award Program Not Effective

Report Generation Options and Contents

- Cannot Void Trans Type
- Card Expired
- Card Inactive
- Coupon ID Invalid for Expire
- Coupon ID Invalid or Expired
- Coupon Request Amount Invalid
- Coupon Request Date Invalid
- Coupon Request Exceeds Balance
- Coupon Request Neg Amt Invalid
- Currency Exchange Rate Not Found
- Currency ID Missing
- General Error
- Invalid Entitlement Deal
- Invalid Pin Provided
- Loyalty Award Account Error
- Minimum Balance Not Met
- Missing Pin Number
- No Physical Card
- Original Transaction Not Found
- Original Transaction Required
- Original Transaction Voided
- Reloads Not Permitted
- Activity Time Period - Optionally, select a time period to include errors that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of activity error records for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Error Code - The Error Code(s) selected when generating the report. Set to ALL if there was no restriction.
- Program ID - The ID and Name identifying a Program selected when generating the report. Set to ALL if there was no restriction.

Error Count Chart - Displays the total Error Count for each Error Code and Program ID by date.




Figure 21-11: Award Error Trend Report - Error Count Chart

Report Contents

Detail Information:

- Program ID - The program ID and description.
- Error Code - The description of the error that occurred. Possible error codes include:
 - Account Already Active
 - Account Expired
 - Account Inactive
 - Award Program Expired
 - Award Program Not Effective

Report Generation Options and Contents

- Cannot Void Trans Type
- Card Expired
- Card Inactive
- Coupon ID Invalid for Expire
- Coupon ID Invalid or Expired
- Coupon Request Amount Invalid
- Coupon Request Date Invalid
- Coupon Request Exceeds Balance
- Coupon Request Neg Amt Invalid
- Currency Exchange Rate Not Found
- Currency ID Missing
- General Error
- Invalid Entitlement Deal
- Invalid Pin Provided
- Loyalty Award Account Error
- Minimum Balance Not Met
- Missing Pin Number
- No Physical Card
- Original Transaction Not Found
- Original Transaction Required
- Original Transaction Voided
- Reloads Not Permitted
- For each error included on the report:
 - Activity Date - The date when the error occurred.
 - Error Count - The total number the errors occurred for that program ID and date.
- Total for each program - The total number of errors for the program that were included on the report.
- Report Totals - The total number of errors that were included on the report.

Award Account Last Use Report

This report presents counts of Accounts within an Award Program, grouped by the number of days between last use date and system date at report run time.

Selection Criteria:

- Program ID - The ID and Name identifying a Program for a Card Definition. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program Name, or remove Programs from the list selected for the report.

- Limit Records - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of date intervals for the entire report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Program ID - The ID and Name identifying a Program for a Card Definition. Set to ALL if there was no restriction.

Detail Information:

- Program ID - The Program ID and description.

For each program included on the report:

- Date Interval - The range when accounts were last used. Possible ranges are Never Used, Less Than 30 Days, 31 to 60 Days, 61 to 90 Days, or Over 90 Days.
- Number of Accounts - The total number of Award Accounts that were used during the Date Interval.
- Award Balance - The total balance of Award Accounts that were used during the Date Interval.
- Number of Coupons - The total number of Award Coupons that were used during the Date Interval.
- Average Coupon Value - The average coupon value (Award Balance / Number of Coupons) used during the Date Interval.

Totals for Program - For each program and date interval included on the report, the following totals are included:

- Number of Accounts - The total number of Award Accounts for the program, including those Never Used, included on the report.
- Award Balance - The total balance of Award Accounts for the Program included on the report.
- Number of Coupons - The total number of coupons for the Program included on the report.
- Average Coupon Value - The average coupon value (Award Balance / Number of Coupons) for the program included on the report.

Report Totals:

- Number of Accounts - The total number of Award Accounts included on the report.
- Award Balance - The total balance of Award Accounts included on the report.
- Number of Coupons - The total number of coupons included on the report.
- Average Coupon Value - The average coupon value (Award Balance / Number of Coupons) included on the report.

Award Activity By Location Report

This report presents Award activity within a Program, by Location, for a selected date range.

Selection Criteria:

- Program ID / Name - The ID and Name identifying a Program for a Card Definition. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program Name, or remove Programs from the list selected for the report.

The related Card is not indicated here, but is listed on the generated report.

- Location ID / Name - The ID and Name identifying a retail Location. All Locations are selected by default. Optionally, select Search to work with the list of eligible Locations, search based on Location Name, or remove Locations from the list selected for the report.
- Activity Type - Codes identifying types of activity for an Award Account. All activity type codes are selected by default. Optionally, select Search to work with the list of eligible Activity Type Codes, search based on Activity Type Code, or remove Activity Type Codes from the list selected for the report. Possible Activity Type Codes include:
 - Account Merge
 - Activate Card
 - Automatic Redeem
 - De-Activate Card
 - Expire Coupon
 - Inquiry
 - Issue Birthday Coupon
 - Issue Coupon
 - Issue Entitlement Coupon
 - Issue Promo Award Coupon
 - Issue Signup Coupon
 - Notify Coupon Expire
 - Redeem
 - Reset Expiration Date
 - Void
- Void Flag - Optionally, select Yes or No to select award activity based on whether the activity was voided.
- Activity Time Period - Optionally, select a time period to include activities that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days

- This Week
- This Month
- This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Void Flag - The void flag setting selected for the report. Set to ALL if there was no restriction.

Detail Information:

- Program ID - The ID and Name identifying a Program for a Card Definition.

For each Program ID included on the report:

- Retail Location ID - The ID of the location where the activity occurred.
- Retail Location Name - The name of the location where the activity occurred.
- Activity Type - Describes the type of activity. Possible types:
 - Account Merge
 - Activate Card
 - Automatic Redeem
 - De-Activate Card
 - Expire Coupon
 - Inquiry
 - Issue Birthday Coupon
 - Issue Coupon
 - Issue Entitlement Coupon
 - Issue Promo Award Coupon
 - Issue Signup Coupon
 - Notify Coupon Expire
 - Redeem
 - Reset Expiration Date
 - Void
- Void Flag - Set to Yes if the activity was voided; otherwise, set to No.

Report Generation Options and Contents

- Transaction Count - The total number of transactions for the activity included on the report for the Activity Type, Program ID, and Location ID.
- Activity Amount - The total amount of the activity included on the report for the Activity Type, Program ID, and Location ID. Set to 0.00 if there is no associated amount for the Activity Type, such as for a card activation.
- Average Value - The average value (total Activity Amount / Transaction Count) included on the report for the Activity Type, Program ID, and Location ID.
- Totals for the Location ID:
 - Transaction Count - The total number of transactions included on the report for the Program ID and Location ID.
 - Activity Amount - The total amount of transactions included on the report for the Program ID and Location ID.
 - Average Value - The average value (total Activity Amount / Transaction Count) included on the report for the Program ID and Location ID.
- Totals for the Program ID:
 - Transaction Count - The total number of transactions included on the report for the Program ID.
 - Activity Amount - The total amount of transactions included on the report for the Program ID.
 - Average Value - The average value (total Activity Amount / Transaction Count) included on the report for the Program ID.
- Report Totals:
 - Transaction Count - The total number of transactions included on the report.
 - Activity Amount - The total amount of transactions included on the report.
 - Average Value - The average value (total Activity Amount / Transaction Count) included on the report.

Award Activity By Program Report

This report presents a summary of Account activities, listed by type, for each Program.

Selection Criteria:

- Program ID / Name - The ID and Name identifying a Program for a Card Definition. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program Name, or remove Programs from the list selected for the report.
- Activity Type - Codes identifying types of activity for an award account. All activity type codes are selected by default. Optionally, select Search to work with the list of eligible Activity Type Codes, search based on Activity Type Code, or remove Activity Type Codes from the list selected for the report. Possible Activity Type Codes include:
 - Account Merge
 - Activate Card
 - Automatic Redeem
 - De-Activate Card
 - Expire Coupon

- Inquiry
- Issue Birthday Coupon
- Issue Coupon
- Issue Entitlement Coupon
- Issue Promo Award Coupon
- Issue Signup Coupon
- Notify Coupon Expire
- Redeem
- Reset Expiration Date
- Void
- Void - Optionally, select Yes or No to select award activity based on whether the activity was voided.
- Activity Time Period - Optionally, select a time period to include activities that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of activity records for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.

Report Generation Options and Contents

- The Activity Type Code(s) selected when generating the report. Set to ALL if there was no restriction.
- Program ID - The ID and Name identifying a Program selected when generating the report. Set to ALL if there was no restriction.
- Void Flag - The void flag setting selected for the report. Set to ALL if there was no restriction.

Detail Information:

- Program ID - The ID and Name identifying a Program for a Card Definition.

For each Program ID included on the report:

- Activity Type - Describes the type of activity. Possible types:
 - Account Merge
 - Activate Card
 - Automatic Redeem
 - De-Activate Card
 - Expire Coupon
 - Inquiry
 - Issue Birthday Coupon
 - Issue Coupon
 - Issue Entitlement Coupon
 - Issue Promo Award Coupon
 - Issue Signup Coupon
 - Notify Coupon Expire
 - Redeem
 - Reset Expiration Date
 - Void
- Void Flag - Set to Yes if the activity was voided; otherwise, set to No.
- Transaction Count - The total number of transactions for the activity included on the report for the Activity Type and Program ID.
- Activity Amount - The total amount of the activity included on the report for the Activity Type and Program ID. Set to 0.00 if there is no associated amount for the Activity Type, such as for a card activation or expiration.
- Average Value - The average value (total Activity Amount / Transaction Count) included on the report for the Activity Type and Program ID.
- Totals for the Program ID:
 - Transaction Count - The total number of transactions included on the report for the Program ID.
 - Activity Amount - The total amount of transactions included on the report for the Program ID.
 - Average Value - The average value (total Activity Amount / Transaction Count) included on the report for the Program ID.

- Report Totals:
 - Transaction Count - The total number of transactions included on the report.
 - Activity Amount - The total amount of transactions included on the report.
 - Average Value - The average value (total Activity Amount / Transaction Count) included on the report.

Award Entitlement Expiration Report

This report presents a listing of the expiration dates of issued Entitlement Coupons, providing information on how many are due to expire or have expired.

Selection Criteria:

- Program ID / Name - The ID and Name identifying a Program for a Card Definition. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program Name, or remove Programs from the list selected for the report.
- Include Expired Coupons? - Optionally, select Yes or No to select Entitlement Coupons based on whether the coupons have already expired.
- Row Limit - Optionally, use this field to specify the maximum number of Entitlement Coupons to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Include Expired Coupons - The expiration setting selected for the report. Set to ALL if there was no restriction based on whether the coupons have already expired.
- Program ID - The ID and Name identifying a Program selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Deal ID - The ID identifying a Deal.
- Deal Name - The name of a Deal.

For each Deal included on the report:

- Deal Typecode - Describes the type of Deal. Possible types:
 - Buy X Get Set
 - Buy X Get X
 - Buy X Get Y
 - Fixed Quantity/Price
 - Gift with Purchase
 - Item Price Override
 - Kit
 - Line Item Discount
 - Nth Item Discount

Report Generation Options and Contents

- Transaction Discount
- Tiered Discount
- Expiry Date - The date when the Deal expires.
- Coupon Count - The total number of Coupons for the Deal with the same Expiry Date.
- Totals for the Deal ID:
 - Coupon Count - The total number of Coupons for the Deal.
- Report Totals:
 - Coupon Count - The total number of Coupons included on the report.

Award Entitlement Redemption (Trend) Report

This report presents a count of redeemed Entitlement Coupons for each Entitlement Deal.

The report begins with a series of charts illustrating entitlement redemption activity.

Note: The charts on this report are useful only if you restrict the selection criteria to a single Deal, so you can identify the total dates and activities for the Deal. Otherwise, it might be difficult to determine the different totals for the same dates but for different Deals.

Selection Criteria:

- Deal ID / Name - The ID and Name identifying a Deal. All Deals are selected by default. Optionally, select Search to work with the list of eligible Deals, search based on Deal Name, or remove Deals from the list selected for the report.
- Location ID / Name - The ID and Name identifying a retail Location. All Locations are selected by default. Optionally, select Search to work with the list of eligible Locations, search based on Location Name, or remove Locations from the list selected for the report.
- Activity Time Period - This criterion is not implemented for this report. All redemptions for the selected Deal and/or Location are eligible for inclusion, regardless of activity date.
- Activity Start Date - This criterion is not implemented for this report.
- Activity End Date - This criterion is not implemented for this report.
- Row Limit - Optionally, use this field to specify the maximum number of Deals with redemptions to include on the report.

Select Apply to apply the selected criteria and generate the report.

Entitlement Redemption Count Chart - Displays the total redemption counts for each date.




Figure 21-12: Award Entitlement Redemption Report - Entitlement Redemption Count Chart

Entitlement Redemption Percentage Trend Chart - Displays the percentage of the deal redeemed for each date.




Figure 21-13: Award Entitlement Redemption Report - Entitlement Redemption Percentage Rate Chart

Entitlement Redemption Redeemed Value Trend Chart - Displays the total redeemed value for the deal for each date.




Figure 21-14: Award Entitlement Redemption Report - Entitlement Redemption Redeemed Value Chart

Report Generation Options and Contents

Entitlement Redemption Sales Value Trend Chart - Displays the total sales value for the deal for each date.




Figure 21-15: Award Entitlement Redemption Report - Entitlement Redemption Sales Value Chart

Entitlement Redemption Discount Rate Trend Chart - Displays the discount percentage for the deal for each date.




Figure 21-16: Award Entitlement Redemption Report - Entitlement Redemption Discount Rate Chart

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected for the report; however, the redemptions included on the report are not restricted by date range.
- Location - The ID of the Location(s) selected when generating the report. Set to ALL if there was no restriction.
- Deal ID - The ID of the Deal(s) selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Deal ID - The ID identifying a Deal.
- Deal Name - The name of a Deal.

For each Deal included on the report:

- Deal Type - Describes the type of Deal. Possible types:

- Buy X Get Set
- Buy X Get X
- Buy X Get Y
- Fixed Quantity/Price
- Gift with Purchase
- Item Price Override
- Kit
- Line Item Discount
- Nth Item Discount
- Transaction Discount
- Tiered Discount
- Status - Indicates if the Deal is currently Active or Inactive.
- Redemption Rate - The Redemption Count / the Issue Count for the Deal on the date, presented as a percentage.
- Discount Rate - The average discount applied for the Deal on the date, presented as a percentage.
- Redeemed Value - The total value of the redemptions for the Deal on the date.
- Sales Value - The total value of all sales for the date.
- Issue Count - The number of times the Deal was issued for the date.
- Redemption Count - The number of times the Deal was redeemed for the date.
- Totals for the Deal Type:
 - Redemption Rate - The Redemption Count / the Issue Count for the Deal and Deal Type, presented as a percentage.
 - Discount Rate - The average discount applied for the Deal and Deal Type, presented as a percentage.
 - Redeemed Value - The total value of the redemptions for the Deal and Deal Type.
 - Sales Value - The total value of all sales for the Deal and Deal Type.
 - Issue Count - The number of times the Deal and Deal Type was issued.
 - Redemption Count - The number of times the Deal and Deal Type was redeemed.
- Totals for the Deal:
 - Redemption Rate - The Redemption Count / the Issue Count for the Deal, presented as a percentage.
 - Discount Rate - The average discount applied for the Deal, presented as a percentage.
 - Redeemed Value - The total value of the redemptions for the Deal.
 - Sales Value - The total value of all sales for the Deal.
 - Issue Count - The number of times the Deal was issued.

Report Generation Options and Contents

- Redemption Count - The number of times the Deal was redeemed.
- Report Totals:
 - Redemption Rate - The Redemption Count / the Issue Count included on the report, presented as a percentage.
 - Discount Rate - The average discount applied for data included on the report, presented as a percentage.
 - Redeemed Value - The total value of the redemptions included on the report.
 - Sales Value - The total value of all sales included on the report.
 - Issue Count - The number of times the Deals included on the report were issued.
 - Redemption Count - The number of times the Deals included on the report were redeemed.

Award Entitlement Summary Report

This report displays the number of Issued Coupons for each deal within an Entitlement program.

Selection Criteria:

- Activity Time Period - Optionally, select a time period to include Award Entitlement Programs from this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of Award Entitlement Programs to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.

- Date Range - The date range selected when generating the report.

Detail Information:

- Program ID - The ID and Name identifying an Award Entitlement Program for a Card Definition.

For each Program ID included on the report:

- Deal ID - The ID identifying a Deal.
- Deal Name - The name of a Deal.

For each Deal included on the report:

- Deal Typecode - Describes the type of Deal. Possible types:
 - Buy X Get Set
 - Buy X Get X
 - Buy X Get Y
 - Fixed Quantity/Price
 - Gift with Purchase
 - Item Price Override
 - Kit
 - Line Item Discount
 - Nth Item Discount
 - Transaction Discount
 - Tiered Discount
- Status - Indicates whether the Deal is currently Active.
- Issue Count - The total number of transactions where the award was issued.
- Totals for Program ID: The total number of Issues for the Program.
- Report Totals: The total number of Issues included on the report.

Award Program Balance Summary Report

This report presents summary statistics about current Account balances within each Award Program.

Selection Criterion:

- Program ID / Name - The ID and Name identifying a Program for a Card Definition. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program Name, or remove Programs from the list selected for the report.

Select Apply to apply the selected criterion and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Programs - The ID and Name identifying the Program(s) selected when generating the report. Set to ALL if there was no restriction.

Report Generation Options and Contents

Detail Information:

- Program ID - The ID identifying an Award Program for a Card Definition.
- Program Name - The Name identifying the Program.

For each Program ID included on the report:

- Balance Range - The accounts are broken out into three brackets based on their current values:
 - Balance = 0
 - Between 1 and \$50
 - Greater than 50
- Number of Accounts - The total number of accounts for the Program in each balance range.
- Total Balance - The total current value of the accounts for the Program in each balance range.
- Average Balance - The average balance for the accounts for the Program in each balance range: the Total Balance / Number of Accounts. Set to 0.00 if the balance range is 0.

The Program Totals for each Program included on the report:

- Number of Accounts - The total number of accounts for the Program.
- Total Balance - The total current value of the accounts for the Program.
- Average Balance - The average balance for the accounts for the Program: the Total Balance / Number of Accounts.

Report Totals:

- Number of Accounts - The total number of accounts for the Programs included on the report.
- Total Balance - The total current value of the accounts for the Programs included on the report.
- Average Balance - The average balance for the accounts for the Programs included on the report: the Total Balance / Number of Accounts.

Award Program Definition Report

This report presents details about each Award Program definition.

Selection Criteria:

- Program ID / Name - The ID and Name identifying a Program for a Card Definition. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program Name, or remove Programs from the list selected for the report.
- Activity Time Period - Optionally, select a time period to include Programs active during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month

- Last Year
- Last 30 Days
- Last 60 Days
- Last 90 Days
- This Week
- This Month
- This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of Programs to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Programs - The ID and Name identifying the Program(s) selected when generating the report. Set to ALL if there was no restriction.

Detail Information: Broken out into two rows of data:

- Program ID - The ID and Name identifying a Program for a Card Definition.
- Program Description - The Description of the program.
- Start Date - The start date for the card series.
- End Date - The End Date defined for the program.
- Program Currency Type - The code identifying the currency for the card.
- Initial Balance - The Initial Account Balance defined for the award program for the card.
- Card Required - Set to Yes if Card required was selected for the program; otherwise, set to No.
- Active Flag - Set to Yes if the program is currently active; otherwise, set to No.
- Allow Foreign Currency - Set to Yes if the Allow Foreign Currency was selected for the program; otherwise, set to No.
- Allow Reload - Set to Yes if Allow Reloads is selected for the program; otherwise, set to No.
- Account Expire - Set to 1 if Account Level Expiration is set to Yes for the program; otherwise, set to 0.
- No of Periods - The number of periods, such as months, before the accounts expire.

Report Generation Options and Contents

- Award Expiration - Indicates the criteria, such as Rolling, for expiring the awards for the program; otherwise, set to None.
- No of Periods - The number of periods, such as months, before the awards expire.
- Create Date - The date when the program was created.
- Create User - The user ID of the person who created the program.
- Update Date - The most recent date when the program was updated.
- Update User - The user ID of the person who most recently updated the program.

Award Redemption Rate Report

This report presents information about the number of Award certificates issued & redeemed for each Card Prefix and Card Series by Program.

Selection Criterion:

- Program ID / Name - The ID and Name identifying an Award Program for a Card Definition. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program Name, or remove Programs from the list selected for the report.
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of individual card series for the entire report.

Select Apply to apply the selected criterion and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Program ID - The ID and Name identifying the Program(s) selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Program ID - The ID identifying a Program for a Card Definition.
- Program Name - The Name identifying the Program.

For each Program ID included on the report:

- Card Prefix - The five-digit prefix defined for the prefix identifying a card type.
- Card Series Sequence - The two-digit number identifying a series number for the Card Prefix. For each Card Series:
 - Card Display Name - The name defined for the Card Definition.
 - Redemption Rate - The total redemption rate for the Card Series, calculated as Total Redeemed Value / Total Issued Value. For example, if the Total Redeemed Value is 1000, and the Total Issued Value is 3430, the Redemption rate is .29 (1000/3430).
 - Total Certificates Issued - The total count of certificates issued for the Card Series.
 - Total Issued Value - The total value of the certificates issued for the Card Series.
 - Total Redeemed Value - The total value of certificates redeemed for the Card Series.

The totals for each Card Prefix:

- Total Certificates Issued - The total count of certificates issued for the Card Prefix.
- Total Issued Value - The total value of the certificates issued for the Card Prefix.
- Total Redeemed Value - The total value of certificates redeemed for the Card Prefix.

The totals for each Program:

- Total Certificates Issued - The total count of certificates issued for the Program.
- Total Issued Value - The total value of the certificates issued for the Program.
- Total Redeemed Value - The total value of certificates redeemed for the Program.

Report Totals:

- Total Certificates Issued - The total count of certificates included on the report.
- Total Issued Value - The total value of the issued certificates included on the report.
- Total Redeemed Value - The total value of redeemed certificates included on the report.

Campaign Management Reports

Promotion Response by Category Report

This report presents the event response, by Product Hierarchy, for the selected Promotion events, including items purchased. Only promotions that have had response are included.

Selection Criteria

- Campaign ID / Name - The ID and Name identifying a Campaign. All Campaigns are selected by default. Optionally, select Search to work with the list of eligible Campaigns, search based on Campaign Name, or remove Campaigns from the list selected for the report.
- Promotion ID / Name - The ID and Name identifying a Promotion. All Promotions are selected by default. Optionally, select Search to work with the list of eligible Promotions, search based on Promotion Name, or remove Promotions from the list selected for the report.
- Promotion Time Period - Optionally, select a time period to include Promotions that have Start Dates during this period on the report rather than entering a Promotion Start Date or Promotion End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month

Report Generation Options and Contents

- This Year

If you select a Promotion Time Period, the Promotion Start Date is ignored.

- Promotion Start Date - The first Start Date to include on the report. Defaults to the previous date (yesterday).
- Promotion End Date - The last date to include on the report. Defaults to the current date (today). This criterion is not currently used.
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of individual Items for the entire report. If you specify a Row Limit, any promotions that do not specify items are not included.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Campaign ID - The Campaign ID(s) selected when generating the report, or set to ALL if there was no restriction.
- Program ID - The program ID(s) selected when generating the report, or set to ALL if there was no restriction.

Detail Information:

- Campaign - The unique number identifying the Campaign.
 - Promotion ID - Name - Type - For each Deal for the Promotion included on the report:
 - * Promotion ID - The unique number identifying the Promotion.
 - * Name - The name describing the Promotion.
 - * Type - Possible Promotion Types are AWARD, COUPON, MESSAGE, and PRODUCT.
 - Item Dept ID - Name - The unique number identifying and name describing the item department, if any; otherwise, set to N/A - N/A.
 - Item Sub Dept ID - Name - The unique number identifying and name describing the item subdepartment, if any; otherwise, set to N/A - N/A.
 - Item Class ID - Name - The unique number identifying and name describing the item class, if any; otherwise, set to N/A - N/A.
 - Item Style ID - The unique number identifying the item style, if any; otherwise, set to N/A.
 - Start Date and End Date - The Start Date and End Date specified for the Promotion.
 - Purchase Quantity - The total number of units purchased through the Promotion.
 - Purchase Total - The total revenue (Direct + Indirect) received from the Promotion Target.
 - Customers Responded - The total number of customers who redeemed a coupon for the Promotion.

- Average Spent - The Customers Responded / the Purchase Quantity.
- Totals for Promotion:
 - Purchase Quantity - The total number of units purchased through the Promotion.
 - Purchase Total - The total revenue (Direct + Indirect) received from the Promotion Target.
 - Customers Responded - The total number of customers who redeemed a coupon for the Promotion.
 - Average Spent - The Customers Responded / the Purchase Quantity for the Promotion.
- Totals for Campaign:
 - Purchase Quantity - The total number of units purchased through the Campaign.
 - Purchase Total - The total revenue (Direct + Indirect) received from the Campaign.
 - Customers Responded - The total number of customers who redeemed a coupon for the Campaign.
 - Average Spent - The Customers Responded / the Purchase Quantity for the Campaign.
- Report Totals:
 - Purchase Quantity - The total number of units purchased through all Campaigns on the report.
 - Purchase Total - The total revenue (Direct + Indirect) received from all Campaigns on the report.
 - Customers Responded - The total number of customers who redeemed a coupon for all Campaigns on the report.
 - Average Spent - The Customers Responded / the Purchase Quantity for all Campaigns on the report.

Promotion Response by Date Report

This report summarizes the value of the response, by business date, to the selected Promotion events. Only promotions that have had responses are included.

Selection Criteria

- Campaign ID / Name - The ID and Name identifying a Campaign. All Campaigns are selected by default. Optionally, select Search to work with the list of eligible Campaigns, search based on Campaign Name, or remove Campaigns from the list selected for the report.

If you select a Campaign, one or more Promotions may be selected automatically. If needed, set any remaining criteria to All to avoid restricting the report results to Promotion responses that match the automatically selected criteria.

- Promotion ID / Name - The ID and Name identifying a Promotion. All Promotions are selected by default. Optionally, select Search to work with the list of eligible Promotions, search based on Promotion Name, or remove Promotions from the list selected for the report.

Report Generation Options and Contents

- Promotion Time Period - Optionally, select a time period to include Promotions that have Start Dates during this period on the report rather than entering a Promotion Start Date or Promotion End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select a Promotion Time Period, the Promotion Start Date is ignored.

- Promotion Start Date - The first Start Date to include on the report. Defaults to the previous date (yesterday).
- Promotion End Date - The last date to include on the report. Defaults to the current date (today). This criterion is not currently used.
- Row Limit - Optionally, use this field to specify the maximum number of Promotion Type rows to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Campaign ID - The Campaign ID(s) selected when generating the report, or set to ALL if there was no restriction.
- Program ID - The program ID(s) selected when generating the report, or set to ALL if there was no restriction.

Detail Information:

- Campaign - The unique number identifying the Campaign, and the name of the Campaign.
- For each Promotion included for the Campaign:
 - Promo ID - Name - The unique number identifying the Promotion, and the name describing the Promotion.
 - Promo Type - Possible types are Award, Coupon, Message, and Product.
 - Start Date, End Date, and Business Date - The Promotion's Start Date, End Date, and the first Business Date when a a redemption occurred.
 - Gross Margin (%) - Gross Profit / Revenue.

- Number of Responders - The total number of customers who responded to the Promotion.
- Trans Total - The Total Revenue (Direct + Indirect) received from the Target for the Promotion.
- Direct Revenue - The total extended selling price of all line items sold for the Target that were associated with the Promotion.
- Markdown Total - The total value of markdowns applied to Indirect line items.
- Indirect Revenue - The total extended selling price of all line items that were not associated with the Promotion, but included in the transactions.
- Cost of Goods Sold - Total cost of goods sold to the Target for all line items, whether included in Direct or Indirect Revenue. Based on the item's Unit Cost.
- Gross Profit - Total Revenue - Cost Of Goods Sold.
- Totals for Promotion by Business Date:
 - Number of Responders - The total number of customers who redeemed a coupon for the Promotion on the Business Date.
 - Trans Total - The Total Revenue (Direct + Indirect) received from the Target for the Promotion on the Business Date.
 - Direct Revenue - The total extended selling price of all line items sold on the Business Date for the Target that were associated with the Promotion.
 - Markdown Total - The total value of markdowns applied to Indirect line items.
 - Indirect Revenue - The total extended selling price of all line items that were not associated with the Promotion, but were included in the transactions.
 - Cost of Goods Sold - Total cost of goods sold to the Target for all line items, whether included in Direct or Indirect Revenue. Based on the item's Unit Cost.
 - Gross Profit - Total Revenue - Cost Of Goods Sold.
- Totals for Campaign:
 - Number of Responders - The total number of customers who redeemed a coupon for the Campaign.
 - Trans Total - Total Revenue (Direct + Indirect) received from the Target for the Campaign.
 - Direct Revenue - The total extended selling price of all line items sold for the Target that were associated with the Campaign.
 - Markdown Total - The total value of markdowns applied to Indirect line items.
 - Indirect Revenue - The total extended selling price of all line items that were not associated with the Campaign.
 - Cost of Goods Sold - Total cost of goods sold to the Target for all line items, whether included in Direct or Indirect Revenue.
 - Gross Profit - Total Revenue - Cost Of Goods Sold.
- Report Totals:
 - Number of Responders - The total number of customers who redeemed a coupon for a Promotion included on the report.

Report Generation Options and Contents

- Trans Total - The Total Revenue (Direct + Indirect) received from the Target for a Promotion included on the report.
- Direct Revenue - The total extended selling price of all line items sold for the Target that were associated with a Promotion included on the report.
- Markdown Total - The total value of markdowns applied to Indirect line items.
- Indirect Revenue - The total extended selling price of all line items that were not associated with a Promotion included on the report, but were included in the transactions.
- Cost of Goods Sold - Total cost of goods sold to the Target for all line items, whether included in Direct or Indirect Revenue. Based on the item's Unit Cost.
- Gross Profit - Total Revenue - Cost Of Goods Sold.

Promotion Response by Deal Report

This report summarizes the value of the response, by deal, to the selected Promotion events. Only promotions that have had responses are included.

Selection Criteria

- Campaign ID / Name - The ID and Name identifying a Campaign. All Campaigns are selected by default. Optionally, select Search to work with the list of eligible Campaigns, search based on Campaign Name, or remove Campaigns from the list selected for the report.

If you select a Campaign, one or more Promotions and Deals may be selected automatically. If needed, set any remaining criteria to All to avoid restricting the report results to Promotion responses that match the automatically selected criteria.

- Promotion ID / Name - The ID and Name identifying a Promotion. All Promotions are selected by default. Optionally, select Search to work with the list of eligible Promotions, search based on Promotion Name, or remove Promotions from the list selected for the report.
- Deal ID / Name - The ID and Name identifying a Deal. All Deals are selected by default. Optionally, select Search to work with the list of eligible Deals, search based on Deal Name, or remove Deals from the list selected for the report.
- Promotion Time Period - Optionally, select a time period to include Promotions that have Start Dates during this period on the report rather than entering a Promotion Start Date or Promotion End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select a Promotion Time Period, the Promotion Start Date is ignored.

- Promotion Start Date - The first Start Date to include on the report. Defaults to the previous date (yesterday).
- Promotion End Date - The last date to include on the report. Defaults to the current date (today). This criterion is not currently used.
- Row Limit - Optionally, use this field to specify the maximum number of deals to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Campaign ID - The Campaign ID(s) selected when generating the report, or set to ALL if there was no restriction.
- Program ID - The program ID(s) selected when generating the report, or set to ALL if there was no restriction.
- Deal Name - The deal(s) selected when generating the report, or set to ALL if there was no restriction.

Detail Information:

- Campaign - The unique number identifying the Campaign, and the name describing the Campaign.
- Promo ID - Name - The unique number identifying the Promotion, and the name describing the Promotion.
- For each Deal included for a Promotion:
 - Start Date and End Date - The Start Date and End Date for the Promotion.
 - Target Name - The name describing the Target. Unidentified is displayed as the Target Name for customers who responded to the Promotion, but do not exist in Oracle Retail Customer Engagement Cloud Services.
 - Coupon Code - The related Coupon Code.
 - Deal ID - Name - The unique numeric identifier for the Deal and the name describing the Deal.
 - Deal Type - Possible deal types include:
 - * Transaction Discount
 - * Line Item Discount
 - * Fixed Quantity/Price
 - * Gift with Purchase
 - * Buy X Get X
 - * Buy X Get Y
 - * Tiered Discount
 - * Item Price Override

Report Generation Options and Contents

- * Buy X Get Set
- * Nth Item Discount
- Customers Responded - The total number of customers who responded to the Deal.
- Transaction Count - The total number of transactions using the Deal.
- Direct Revenue - The total extended selling price of all line items sold for the Target that were associated with the Promotion and Deal.
- Total Discount - Total amount of the discounts given through the Deal.
- Average Spent - Direct Revenue / Customers Responded.
- Average Discount - Total Discount / Customers Responded.
- Average Trans - Direct Revenue / Transaction Count.
- Totals for Promotion:
 - Customers Responded - The total number of customers who responded to the Promotion.
 - Transaction Count - The total number of transactions using the Promotion.
 - Direct Revenue - The total extended selling price of all line items sold for the Target that were associated with the Promotion.
 - Total Discount - Total amount of the discounts given through the Promotion.
 - Average Spent - Direct Revenue / Customers Responded.
 - Average Discount - Total Discount / Customers Responded.
 - Average Trans - Direct Revenue / Transaction Count.
- Totals for Campaign:
 - Customers Responded - The total number of customers who responded to the Campaign.
 - Transaction Count - The total number of transactions using the Campaign.
 - Direct Revenue - The total extended selling price of all line items sold for the Target that were associated with the Campaign.
 - Total Discount - Total amount of the discounts given through the Campaign.
 - Average Spent - Direct Revenue / Customers Responded.
 - Average Discount - Total Discount / Customers Responded.
 - Average Trans - Direct Revenue / Transaction Count.
- Report Totals:
 - Customers Responded - The total number of customers who responded to a Promotion included on the report.
 - Transaction Count - The total number of transactions using a Promotion included on the report.
 - Direct Revenue - The total extended selling price of all line items sold for the Target that were associated with a Promotion included on the report.
 - Total Discount - Total amount of the discounts given through a Promotion included on the report.

- Average Spent - Direct Revenue / Customers Responded.
- Average Discount - Total Discount / Customers Responded.
- Average Trans - Direct Revenue / Transaction Count.

Promotion Response by Location Report

This report summarizes the value of the response, by Location, to the selected Promotion events.

Selection Criteria

- Campaign ID / Name - The ID and Name identifying a Campaign. All Campaigns are selected by default. Optionally, select Search to work with the list of eligible Campaigns, search based on Campaign Name, or remove Campaigns from the list selected for the report.

If you select a Campaign, one or more Promotions may be selected automatically. If needed, set any remaining criteria to All to avoid restricting the report results to Promotion responses that match the automatically selected criteria.

- Promotion ID / Name - The ID and Name identifying a Promotion. All Promotions are selected by default. Optionally, select Search to work with the list of eligible Promotions, search based on Promotion Name, or remove Promotions from the list selected for the report.
- Location ID / Name - The ID and Name identifying a Location. All Locations are selected by default. Optionally, select Search to work with the list of eligible Locations, search based on Location Name, or remove Locations from the list selected for the report.
- Promotion Time Period - Optionally, select a time period to include Promotions that have Start Dates during this period on the report rather than entering a Promotion Start Date or Promotion End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select a Promotion Time Period, the Promotion Start Date is ignored.

- Promotion Start Date - The first Start Date to include on the report. Defaults to the previous date (yesterday).
- Promotion End Date - The last date to include on the report. Defaults to the current date (today). This criterion is not currently used.

Report Generation Options and Contents

- Row Limit - Optionally, use this field to specify the maximum number of promotion/location combinations to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Campaign ID - The Campaign ID(s) selected when generating the report, or set to ALL if there was no restriction.
- Program ID - The program ID(s) selected when generating the report, or set to ALL if there was no restriction.
- Location ID - The location(s) selected when generating the report, or set to ALL if there was no restriction.

Detail Information:

- Campaign - The unique number identifying the Campaign, and the name of the Campaign.
- Promo ID - Name - The unique number identifying the Promotion, and the name describing the Promotion.
- Promo Type - Possible types are Award, Coupon, and Product.
- Loc ID - Name - The unique number identifying the Location, and the name describing the Location.
- Start Date - Start Date for the Promotion.
- End Date - End Date for the Promotion.
- Gross Margin (%) - Gross Profit / Revenue for the Promotion in the Location.
- Customers Responded - The total number of customers who responded to the Promotion at the Location.
- Trans Count - The total number of transactions for the Promotion at the Location.
- Trans Total - The Total Revenue (Direct + Indirect) received for the Promotion at the Location.
- Direct Revenue - The total extended selling price of all line items associated with the Promotion sold to the Target at the Location.
- Markdown Total - The total value of markdowns applied to Indirect line items.
- Indirect Revenue - The total extended selling price of all line items not associated with the Promotion sold to the Target at the Location.
- Cost of Goods Sold - Total cost of goods sold to the Target for all line items at the Location, whether the items are included in Direct or Indirect Revenue. Based on the item's Unit Cost.
- Avg Spent - Trans Total / Customers Responded for the Target at the Location.
- Gross Profit - Trans Total - Cost Of Goods Sold for the Target at the Location.
- Totals for Promotion:
 - Customers Responded - The total number of customers who responded to the Promotion at all Locations.

- Trans Count - The total number of transactions for the Promotion at all Locations.
- Trans Total - Total Revenue (Direct + Indirect) received for the Promotion at all Locations.
- Direct Revenue - The total extended selling price of all line items associated with the Promotion sold to the Target at all Locations.
- Markdown Total - The total value of markdowns applied to Indirect line items.
- Indirect Revenue - The total extended selling price of all line items not associated with the Promotion sold to the Target at all Locations.
- Cost of Goods Sold - Total cost of goods sold to the Target for all line items at all Locations, whether included in Direct or Indirect Revenue.
- Avg Spent - Trans Total / Customers Responded for the Target at all Locations.
- Gross Profit - Trans Total - Cost Of Goods Sold for the Target at all Locations.
- Totals for Campaign:
 - Customers Responded - The total number of customers who responded to the Campaign.
 - Trans Count - The total number of transactions for the Campaign.
 - Trans Total - Total Revenue (Direct + Indirect) received for the Campaign.
 - Direct Revenue - The total extended selling price of all line items associated with the Campaign sold to the Target at all Locations.
 - Markdown Total - The total value of markdowns applied to Indirect line items.
 - Indirect Revenue - The total extended selling price of all line items not associated with the Campaign sold to the Target at all Locations.
 - Cost of Goods Sold - Total cost of goods sold to the Target for all line items at the Location, whether included in Direct or Indirect Revenue.
 - Avg Spent - Trans Total / Customers Responded for the Target of the Campaign at all Locations.
 - Gross Profit - Trans Total - Cost Of Goods Sold for the Target of the Campaign at all Locations.
- Report Totals:
 - Customers Responded - The total number of customers who responded to any of the Campaigns included on the report.
 - Trans Count - The total number of transactions for the Campaigns included on the report.
 - Trans Total - Total Revenue (Direct + Indirect) received for the Campaigns included on the report.
 - Direct Revenue - The total extended selling price of all line items associated with a Campaign included on the report sold to the Target at all Locations included on the report.
 - Markdown Total - The total value of markdowns applied to Indirect line items.
 - Indirect Revenue - The total extended selling price of all line items not associated with the Campaign sold to the Target at all Locations.

Report Generation Options and Contents

- Cost of Goods Sold - Total cost of goods sold to the Target for all line items at the Location, whether included in Direct or Indirect Revenue.
- Avg Spent - Trans Total / Customers Responded for the Target of the Campaign at all Locations.
- Gross Profit - Trans Total - Cost Of Goods Sold for the Target of the Campaign at all Locations.

Promotion Response by Target Report

This report includes response data, by Segment Target, for the selected Promotion events.

Selection Criteria

- Campaign ID / Name - The ID and Name identifying a Campaign. All Campaigns are selected by default. Optionally, select Search to work with the list of eligible Campaigns, search based on Campaign Name, or remove Campaigns from the list selected for the report.

If you select a Campaign, one or more Promotions may be selected automatically. If needed, set any remaining criteria to All to avoid restricting the report results to Promotion responses that match the automatically selected criteria.

- Promotion ID / Name - The ID and Name identifying a Promotion. All Promotions are selected by default. Optionally, select Search to work with the list of eligible Promotions, search based on Promotion Name, or remove Promotions from the list selected for the report.
- Promotion Time Period - Optionally, select a time period to include Promotions that have Start Dates during this period on the report rather than entering a Promotion Start Date or Promotion End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select a Promotion Time Period, the Promotion Start Date is ignored.

- Promotion Start Date - The first Start Date to include on the report. Defaults to the previous date (yesterday).
- Promotion End Date - The last date to include on the report. Defaults to the current date (today). This criterion is not currently used.
- Row Limit - Optionally, use this field to specify the maximum number of targets to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Campaign ID - The Campaign ID(s) selected when generating the report, or set to ALL if there was no restriction.
- Program ID - The program ID(s) selected when generating the report, or set to ALL if there was no restriction.

Detail Information:

- Campaign - The unique number identifying the Campaign, and the name of the Campaign.
- Promo ID - Name - The unique number identifying the Promotion, and the name describing the Promotion.
- Promo Type - Possible types are AWARD, COUPON, MESSAGE, and PRODUCT.
- Start - End Date - The Start Date and End Date for the Promotion.
- Target Name - The name describing the customers targeted.
- Target Count - The total number of customers contacted.
- Customers Responded - The total number of customers in the Target who responded to the Promotion.
- Transaction Count - The total number of transactions for the Promotion for the Target.
- Promo Item Count - The number of units sold of items that were eligible for the Promotion.
- Revenue Total - The total extended selling price of all line items for the Target.
- Average Spent - Revenue Total / Customers Responded for the Target.
- Cost of Goods Sold - Total cost of goods sold to the Target for all line items at the Location, whether the items included in Direct or Indirect Revenue. Based on the Unit Cost.
- Markdown Total - The total value of markdowns applied to Indirect line items.
- Totals for Promotion:
 - Target Count - The total number of customers contacted for the Promotion.
 - Customers Responded - The total number of customers in Targets who responded to the Promotion.
 - Transaction Count - The total number of transactions for the Promotion.
 - Promo Item Count - The number of units sold that were eligible for the Promotion.
 - Revenue Total - The total extended selling price of all line items for the Targets for the Promotion.
 - Average Spent - Revenue Total / Customers Responded for the Targets for the Promotion.

Report Generation Options and Contents

- Cost of Goods Sold - Total cost of goods sold to the Targets for all line items associated with the Promotion, whether the items included in Direct or Indirect Revenue. Based on the Unit Cost.
- Markdown Total - The total value of markdowns applied to Indirect line items.
- Totals for Campaign:
 - Target Count - The total number of customers contacted for the Campaign.
 - Customers Responded - The total number of customers in Targets who responded to the Campaign.
 - Transaction Count - The total number of transactions for the Campaign.
 - Promo Item Count - The number of units sold that were eligible for the Campaign.
 - Revenue Total - The total extended selling price of all line items for the Targets for the Campaign.
 - Average Spent - Revenue Total / Customers Responded for the Targets for the Campaign.
 - Cost of Goods Sold - Total cost of goods sold to the Targets for all line items associated with the Campaign, whether the items included in Direct or Indirect Revenue. Based on the Unit Cost.
 - Markdown Total - The total value of markdowns applied to Indirect line items.
- Report Totals:
 - Target Count - The total number of customers contacted for the Promotions included on the report.
 - Customers Responded - The total number of customers in Targets who responded to the Promotions included on the report.
 - Transaction Count - The total number of transactions for the Promotions included on the report.
 - Promo Item Count - The number of units sold that were eligible for the Promotions included on the report.
 - Revenue Total - The total extended selling price of all line items for the Targets for the Promotions included on the report.
 - Average Spent - Revenue Total / Customers Responded for the Targets for the Promotions included on the report.
 - Cost of Goods Sold - Total cost of goods sold to the Targets for all line items associated with the Promotions included on the1, whether the items included in Direct or Indirect Revenue. Based on the Unit Cost.
 - Markdown Total - The total value of markdowns applied to Indirect line items.

Promotion Response Detail Report

This report includes information about the Transactions created in response to Promotions.

Selection Criteria

- Campaign ID / Name - The ID and Name identifying a Campaign. All Campaigns are selected by default. Optionally, select Search to work with the list of eligible

Campaigns, search based on Campaign Name, or remove Campaigns from the list selected for the report.

If you select a Campaign, one or more Promotions may be selected automatically. If needed, set any remaining criteria to All to avoid restricting the report results to Promotion responses that match the automatically selected criteria.

- Promotion ID / Name - The ID and Name identifying a Promotion. All Promotions are selected by default. Optionally, select Search to work with the list of eligible Promotions, search based on Promotion Name, or remove Promotions from the list selected for the report.
- Promotion Time Period - Optionally, select a time period to include Promotions that have Start Dates during this period on the report rather than entering a Promotion Start Date or Promotion End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select a Promotion Time Period, the Promotion Start Date is ignored.

- Promotion Start Date - The first Start Date to include on the report. Defaults to the previous date (yesterday).
- Promotion End Date - The last date to include on the report. Defaults to the current date (today). This criterion is not currently used.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.

Detail Information:

- Campaign - The unique number identifying the Campaign, and the name of the Campaign.
- Promo ID - Name - The unique number identifying the Promotion, and the name describing the Promotion.
- Start Date - Start Date for the Promotion.
- End Date - End Date for the Promotion.
- Promo Type - Possible types are AWARD, COUPON, MESSAGE, and PRODUCT.

Report Generation Options and Contents

- Business Date - The business date when the transaction took place.
- Retail Transaction ID - The transaction ID to reference retail location, workstation and transaction sequence number.
- Customer ID - Unique identifier for the customer.
- Customer Name - The customer's first and last name.
- Transaction Total - The total amount of the transaction, including the extended actual prices of items, but excluding any tax.
- Direct Revenue - The total extended selling price of all line items for the transaction that were associated with the Promotion.
- Indirect Revenue - The total extended selling price of all line items for the transaction that were not associated with the Promotion.
- Markdown Total - The total value of markdowns applied to Indirect line items for the transaction.
- Cost of Goods Sold - Total cost of goods sold for all line items on the transaction, regardless of whether the items are included in Direct or Indirect Revenue. Based on Unit Cost.
- Gross Profit - The Transaction Total - Cost of Goods Sold.
- Gross Margin % - The Gross Profit / Transaction Total, expressed as a percentage. For example, Gross Profit of 18.97 divided by Transaction Total of 56.93 produces a Gross Margin % of .33%.
- Totals for Promotion:
 - Transaction Total - The total amount of the transactions for the Promotion, including the extended actual prices of items, but excluding any tax.
 - Direct Revenue - The total extended selling price of all line items for the transactions that were associated with the Promotion.
 - Indirect Revenue - The total extended selling price of all line items for the transactions that were not associated with the Promotion.
 - Markdown Total - The total value of markdowns applied to Indirect line items for the transactions.
 - Cost of Goods Sold - Total cost of goods sold for all line items on the transactions, regardless of whether the items are included in Direct or Indirect Revenue. Based on Unit Cost.
 - Gross Profit - The Promotion total of The Transaction Total - Cost of Goods Sold.
 - Gross Margin % - The Promotion total Gross Profit / Transaction Total, expressed as a percentage. For example, Gross Profit of 18.97 divided by Transaction Total of 56.93 produces a Gross Margin % of .33%.
- Totals for Campaign:
 - Transaction Total - The total amount of the transactions for the Campaign, including the extended actual prices of items, but excluding any tax.
 - Direct Revenue - The total extended selling price of all line items for the transactions that were associated with a Promotion for the Campaign.
 - Indirect Revenue - The total extended selling price of all line items for the transactions that were not associated with a Promotion for the Campaign.

- Markdown Total - The total value of markdowns applied to Indirect line items for the transactions.
- Cost of Goods Sold - Total cost of goods sold for all line items on the transactions, regardless of whether the items are included in Direct or Indirect Revenue. Based on Unit Cost.
- Gross Profit - The Campaign total of The Transaction Total - Cost of Goods Sold.
- Gross Margin % - The Campaign total Gross Profit / Transaction Total, expressed as a percentage. For example, Gross Profit of 18.97 divided by Transaction Total of 56.93 produces a Gross Margin % of .33%.
- Report Totals:
 - Transaction Total - The total amount of the transactions included on the report, including the extended actual prices of items, but excluding any tax.
 - Direct Revenue - The total extended selling price of all line items for the transactions associated with a Promotion included on the report.
 - Indirect Revenue - The total extended selling price of all line items for the transactions that were not associated with a Promotion.
 - Markdown Total - The total value of markdowns applied to Indirect line items for the transaction.
 - Cost of Goods Sold - Total cost of goods sold for all line items on the transaction, regardless of whether the items are included in Direct or Indirect Revenue. Based on Unit Cost.
 - Gross Profit - The total of The Transaction Total - Cost of Goods Sold that were included on the report.
 - Gross Margin % - The total Gross Profit / Transaction Total included on the report, expressed as a percentage. For example, Gross Profit of 18.97 divided by Transaction Total of 56.93 produces a Gross Margin % of .33%.

Promotion Target Details Report

This report displays Customer information for the segment targeted in each Promotion.

Selection Criteria

- Campaign ID / Name - The ID and Name identifying a Campaign. All Campaigns are selected by default. Optionally, select Search to work with the list of eligible Campaigns, search based on Campaign Name, or remove Campaigns from the list selected for the report.

If you select a Campaign, one or more Promotions, Targets, and Customers may be selected automatically. If needed, set any remaining criteria to All to avoid restricting the report results to data that match the automatically selected criteria.
- Promotion ID / Name - The ID and Name identifying a Promotion. All Promotions are selected by default. Optionally, select Search to work with the list of eligible Promotions, search based on Promotion Name, or remove Promotions from the list selected for the report.
- Target Name - The name describing the group of Customers targeted for a Promotion. All Targets associated with a selected Promotion are selected by default. Optionally, select Search to work with the list of eligible Targets, search based on Target Name, or remove Targets from the list selected for the report.

Report Generation Options and Contents

- Customer ID / Name - The ID and Name identifying a Customer. All Customers that have been included in a selected Target are selected by default. Optionally, select Search to work with the list of eligible Customers, search based on Customer Name, or remove Customers from the list selected for the report.
- Customer Alternate Key Types - The Alternate Key Types identifying a Customer in an integrated system. All Alternate Key Types are selected by default. Optionally, select Search to work with the list of eligible Alternate Key Types, search based on Alternate Key Type Name, or remove Alternate Key Types from the list selected for the report.
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. Each row includes a Customer record and unique Alternate Key Type. For example, if a customer has three Alternate Keys, the customer is included on the report in three separate rows.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Promotion ID / Name - The Program ID(s) selected when generating the report, or set to ALL if there was no restriction.
- Campaign ID / Name - The Campaign ID(s) selected when generating the report, or set to ALL if there was no restriction.
- Customer Alt Key Type - The Customer alt key type(s) selected when generating the report, or set to N/A if there was no restriction.
- Customer ID / Name - The Customer ID / Name(s) selected when generating the report, or set to ALL if there was no restriction.
- Target Name - The Target name(s) selected when generating the report, or set to ALL if there was no restriction.

Detail Information:

- Campaign - The unique number identifying the Campaign, and the name of the Campaign.
- For each unique Customer/Alternate Key included on the report:
 - Promo ID - Name - The unique number identifying the Promotion, and the name describing the Promotion.
 - Target Name - The name describing the customers targeted.
 - Customer ID - Unique identifier for the Customer.
 - Customer Name - Customer Last Name.
 - Alt Key Type - Name identifying the type of Alternate Key. Typically, identifies the integrating system assigning the Alternate Key.
 - Alternate ID - The unique identifier for the Customer in the integrating system.
 - Address - The Customer's primary street address.
 - City - The City for the Customer's primary address.
 - State - The state or province for the Customer's primary address.
 - Postal Code - The postal or ZIP code for the Customer's primary address.

This report does not include any totals.

Promotion Target List Report

This report displays information about the Segment Targets associated with the Promotions within a Campaign.

Selection Criteria

- Campaign ID / Name - The ID and Name identifying a Campaign. All Campaigns are selected by default. Optionally, select Search to work with the list of eligible Campaigns, search based on Campaign Name, or remove Campaigns from the list selected for the report.

If you select a Campaign, one or more Promotions and Targets may be selected automatically. If needed, set any remaining criteria to All to avoid restricting the report results to data that match the automatically selected criteria.

- Promotion ID / Name - The ID and Name identifying a Promotion. All Promotions are selected by default. Optionally, select Search to work with the list of eligible Promotions, search based on Promotion Name, or remove Promotions from the list selected for the report.
- Target Name - The name describing the group of Customers targeted for a Promotion. All Targets are selected by default. Optionally, select Search to work with the list of eligible Targets, search based on Target Name, or remove Targets from the list selected for the report.
- Promotion Time Period - Optionally, select a time period to include Promotions that have Start Dates during this period on the report rather than entering a Promotion Start Date or Promotion End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select a Promotion Time Period, the Promotion Start Date is ignored.

- Promotion Start Date - The first Start Date to include on the report. Defaults to the previous date (yesterday).
- Promotion End Date - The last date to include on the report. Defaults to the current date (today). This criterion is not currently used.
- Row Limit - Optionally, use this field to specify the maximum number of targets to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.

Detail Information:

- Campaign - The unique number identifying the Campaign, and the name of the Campaign.
- Promotion - The unique number identifying the Promotion, and the name describing the Promotion.
- Start Date - The Promotion's Start Date.
- End Date - The Promotion's End Date.
- For each Target included on the report:
 - Target Name - The name describing the customers targeted.
 - Base Target Count - The total number of customers in the Target.
 - Household Filter? - Set to Yes if Customer Household Consolidation was selected for the Target in the Promotion.
 - Household Count - The total number of households in the Target. May be lower than the Base Target Count if Customer Household Consolidation took place for the Target in the Promotion.
 - Filtered? - Set to Yes if filtering took place when selecting members of the Target for the Promotion.
 - Filtered Count - The total number of Customer records from the Target that were selected for the Promotion after filtering.
 - Filter Type - The type of filtering applied, if any. Possible types are Top Sales and Random.
 - Control Group Count - The total number of Customer records from the Target, if any, that were assigned to the Control Group for the Promotion.
 - Control Group Type - The Control Group Type selected, if any. Possible types are Promotion Level and Target Level.
- Totals for Promotion:
 - Base Target Count - The total number of customers for the Promotion.
 - Household Count - The total number of households for the Promotion. May be lower than the Base Target Count if Customer Household Consolidation took place for a Target in the Promotion.
 - Filtered Count - The total number of Customer records that were selected for the Promotion after filtering any of the Targets.
 - Control Group Count - The total number of Customer records that were assigned to a Control Group for the Promotion.
- Totals for Campaign:
 - Base Target Count - The total number of customers for the Campaign.
 - Household Count - The total number of households for the Campaign. May be lower than the Base Target Count if Customer Household Consolidation took place for a Target in the Campaign.

- Filtered Count - The total number of Customer records that were selected for the Promotions in the Campaign after filtering any of the Targets.
- Control Group Count - The total number of Customer records that were assigned to a Control Group for the Campaign.
- Report Totals:
 - Base Target Count - The total number of customers for the Targets included on the report.
 - Household Count - The total number of households for the Targets included on the report. May be lower than the Base Target Count if Customer Household Consolidation took place for a Target.
 - Filtered Count - The total number of Customer records that were selected for the Promotions included on the report after filtering any of the Targets.
 - Control Group Count - The total number of Customer records that were assigned to a Control Group for a Target included on the report.

Promotion Target Segment List Report

This report presents the Target Segments associated with Promotions within a Campaign.

Selection Criteria

- Campaign ID / Name - The ID and Name identifying a Campaign. All Campaigns are selected by default. Optionally, select Search to work with the list of eligible Campaigns, search based on Campaign Name, or remove Campaigns from the list selected for the report.

If you select a Campaign, one or more Promotions may be selected automatically. If needed, set any remaining criteria to All to avoid restricting the report results to data that match the automatically selected criteria.
- Promotion ID / Name - The ID and Name identifying a Promotion. All Promotions are selected by default. Optionally, select Search to work with the list of eligible Promotions, search based on Promotion Name, or remove Promotions from the list selected for the report.
- Promotion Status - The Promotion status to include on the report. All statuses are selected by default. Optionally, select Search to work with the list of eligible statuses, search based on status name, or remove statuses from the list selected for the report.
- Promotion Time Period - Optionally, select a time period to include Promotions that have Start Dates during this period on the report rather than entering a Promotion Start Date or Promotion End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days

Report Generation Options and Contents

- This Week
- This Month
- This Year

If you select a Promotion Time Period, the Promotion Start Date is ignored.

- Promotion Start Date - The first Start Date to include on the report. Defaults to the previous date (yesterday).
- Promotion End Date - The last date to include on the report. Defaults to the current date (today). This criterion is not currently used.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.

Detail Information:

- Campaign - The unique number identifying the Campaign, and the name describing the Campaign.
- Promo ID - The unique number identifying the Promotion.
- Promotion Name - The name describing the Promotion.
- Promotion Type - The type of Promotion. Possible types are AWARD, COUPON, MESSAGE, and PRODUCT.
- Status - The current status of the Promotion. Possible statuses are Approved, Clear, Conflict, Saved, and Terminated.
- Start Date - The Start Date for the Promotion.
- End Date - The End Date for the Promotion.
- For each Target:
 - Target Name - The Name describing the Target.
 - Segment ID - A unique numeric identifier for the Segment used as the Target.
 - Segment Name - The Name describing the Segment used as the Target.

This report does not include any totals.

Card Management Reports

Card Batch Activation Rate Report

This report displays the activation rate for each Batch within each Card Series on the Card Prefix.

Selection Criteria

- Card Prefix - The numeric prefix identifying a Card program. All Card Prefixes are selected by default. Optionally, select Search to work with the list of eligible Card Prefixes, search based on Card Prefix, or remove Card Prefixes from the list selected for the report.

If you select a Card Prefix, one or more Card Series Sequences may be selected automatically. If needed, set any remaining criteria to All to avoid restricting the report results to Card Series Sequences that match the automatically selected criteria.

- Card Series Sequence - The sequence number identifying a generated Card Series.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Card Prefix - The Card Prefix(es) selected when generating the report, or set to ALL if there was no restriction.
- Card Series Sequence - The Card Series Sequence number(s) selected when generating the report, or set to ALL if there was no restriction.

Detail Information:

- Card Prefix - The numeric prefix identifying a Card program.
- Card Series Sequence - The sequence number identifying a generated Card Series.
- Card Series Description - The name describing the Card Series.
- For each Batch in the Card Series Sequence:
 - Batch Number - Batch Name - The unique number identifying a batch, and the name describing the batch.
 - Batch Size - The number of Cards generated in the Batch.
 - Active Flag - Always set to Yes. Batches that are not fully active are not included on the report.
 - Activation Rate - The percentage of the Cards in the Batch that are currently active. For example, if the Batch includes 1000 cards, and 150 are currently active, the Activation Rate is 15%.
 - Card Count - The number of currently active Cards in the Batch.
- Totals for Card Series - The number of currently active Cards in the Series.
- Total for Card Prefix - The number of currently active Cards for the Card Prefix.
- Report Totals - The number of activated Cards for all Card Prefixes on the report.

Card Detail Report

This report presents detailed information about individual Cards defined in the system.

Selection Criteria

- Card Prefix - The numeric prefix identifying a Card program. All Card Prefixes are selected by default. Optionally, select Search to work with the list of eligible Card Prefixes, search based on Card Prefix, or remove Card Prefixes from the list selected for the report.

If you select a Card Prefix, the remaining criteria may be selected automatically. If needed, set any remaining criteria to All to avoid restricting the report results to Cards that match the automatically selected criteria.

Report Generation Options and Contents

- Card Series Sequence - The sequence number identifying a generated Card Series. All Card Series Sequences are selected by default. Optionally, select Search to work with the list of eligible Card Series Sequences, search based on Card Series Sequence, or remove Card Series Sequences from the list selected for the report.
- Batch Number - The system-assigned number identifying a batch for a Card Series. All Batch Numbers are selected by default. Optionally, select Search to work with the list of eligible Batch Numbers, search based on Batch Number, or remove Batch Numbers from the list selected for the report.
- Serial Number - The system-assigned number identifying a card, where the first 5 positions is the Card Prefix, the next 2 positions is the Card Series Sequence, the next 3 positions is the Batch Number, and the remaining positions uniquely identify the Card within the Prefix, Sequence, and Batch. All Serial Numbers are selected by default. Optionally, select Search to work with the list of eligible Serial Numbers, search based on Serial Number, or remove Serial Numbers from the list selected for the report.
- Card Activation Time Period - Optionally, select a time period to include Cards that have been activated during this period on the report rather than entering a Card Activation Start Date or Card Activation End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This YearIf you select a Card Activation Time Period, the Card Activation Start Date is ignored.
- Card Activation Start Date - The first Card Activation Date to include on the report. Defaults to the previous date (yesterday).
- Card Activation End Date - The last date to include on the report. Defaults to the current date (today). This criterion is not currently used.
- Row Limit - Optionally, use this field to specify the maximum number of batches to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Card Prefix - The Card Prefix(es) selected when generating the report, or set to ALL if there was no restriction.

- Card Series Sequence - The Card Series Sequence number(s) selected when generating the report, or set to ALL if there was no restriction.
- Serial Number - The Serial Number(s) selected when generating the report, or set to ALL if there was no restriction.
- Batch Number - The Batch Number(s) selected when generating the report, or set to ALL if there was no restriction.

Detail Information:

- Card Prefix - The numeric prefix identifying a Card program.
- Card Series Sequence - Card Name - Card Series Description:
 - Card Series Sequence - The sequence number identifying a generated Card Series.
 - Card Name - The name describing the Series.
 - Card Series Description - The description of the Card Series.
- Batch Number - Batch Display Name - The unique number identifying a batch, and the name describing the batch. The Batch Number defaults to 001, and the Batch Name defaults to [Batch-001].
- Serial Number - The system-assigned number identifying a Card, where the first 5 positions is the Card Prefix, the next 2 positions is the Card Series Sequence, the next 3 positions is the Batch Number, and the remaining positions uniquely identify the Card within the Prefix, Sequence, and Batch.
- Card Number - The unique card number identifying a Card.
- Active Flag - Set to Yes if the Card is currently active, or set to No if the Card has been deactivated. Only Cards that have been activated are included on the report.
- Activation Date - The date when the Card was first activated. If the Card has been deactivated and then reactivated, the original activation date is displayed.
- First Use Date - The first date when there was any activity on the Card.
- Last Use Date - The most recent date when there was any activity on the Card.

There are no totals on the report.

Card Series Activation Rate Report

This report presents the activation rate for each Card Series created for each Card Type.

Selection Criteria

- Card Prefix - The numeric prefix identifying a Card program. All Card Prefixes are selected by default. Optionally, select Search to work with the list of eligible Card Prefixes, search based on Card Prefix, or remove Card Prefixes from the list selected for the report.

Select Apply to apply the selected criterion and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Card Prefix - The Card Prefix(es) selected when generating the report, or set to ALL if there was no restriction.

Report Generation Options and Contents

Detail Information:

- Card Prefix - The numeric prefix identifying a Card program.
- Card Series - The sequence number identifying a generated Card Series.
- Card Name - The name describing the Card.
- Card Series Description - The description of the Card Series.
- Active Series Flag - Always set to Yes. Series are included on the report only if at least some of the generated cards are active.
- Number of Batches - The total number of batches generated for the Card Series that is at least partially active.
- Total Card Count - The total number of cards generated for a Card Series that is at least partially active.
- Active Card Count - The total number of currently active Cards in the Series.
- Activation Rate - The percentage of Cards in the Series that are currently active: $\text{Active Card Count} / \text{Total Card Count}$.
- Total for Card Prefix - The totals for the Card Series and Card Prefix. Repeats the Number of Batches, Total Card Count, and Active Card Count from the previous line on the report.
- Report Totals:
 - Number of Batches - The total number of batches for all Card Prefixes included on the report.
 - Total Card Count - The total number of Cards in all batches that are at least partially active for all Card Prefixes included on the report.
 - Active Card Count - The total number of currently active Cards included on the report.

Customer Management Reports

Address Summary Report

This report presents a count of Customers by address type, grouped by whether they are primary or valid.

Selection Criteria

- Valid Flag - Indicates whether an address has failed validation, as described under [page 90 in Chapter 2, "Customers"](#). Set to All by default. Optionally, select All to display options, including Yes for only Valid addresses or No for only invalid addresses to include in the totals on the report.
- Activity Start Date - Select the first date to include on the report.
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of unique categories, based on combination of Address Type, Valid Address setting, and Address Status, to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Start Range - The Activity Start Date selected when generating the report.
- Valid Flag Setting - The selected setting of the Valid Flag: Yes, No, or ALL.

Detail Information: For each Address Type, Valid Address setting, and Address Status combination for which any addresses were created since the Activity Start Date:

- Address Type - The user-defined address type that was created.
- Valid Address - If [Customer Validation](#) is enabled, set to No for any addresses that failed validation; otherwise, set to Yes.
- Address Status - Indicates if the addresses are flagged as Primary or Not Primary.
- Customer Count - The total number of customer records that had an address created matching the category of Address Type, Valid Address setting, and Address Status.
- Percentage - The percentage of all customer address activity on the report that is represented by the category of Address Type, Valid Address setting, and Address Status: Customer Count for the category / Customer Count for the entire report.
- Report Totals:
 - Customer Count - The total number of customers who had addresses created since the Activity Start Date.
 - Percentage - Set to 100%.

Birthday Summary Report

This report presents a count of Customers by birth month. Customers are included in the totals only if their birthday months are known.

Selection Criteria

- Time Period - Optionally, select a time period to include Customers whose records were created during this period on the report rather than entering an Customer Sign Up Date From or Customer Sign Up Date To. Customer records created on or after this date, and on or before the Customer Sign Up Date To, are included in the totals, even if their birthdays were not specified until after this range of dates. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select a Time Period, the Customer Sign Up Date From and Customer Sign Up Date To criteria are ignored.

Report Generation Options and Contents

- Customer Sign Up Date From - The first date to include on the report. Customer records created on or after this date, and on or before the Customer Sign Up Date To, are included in the totals, even if their birthdays were not specified until after this range of dates. Defaults to the previous date (yesterday).
- Customer Sign Up Date To - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of months, starting with January, to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Customer Sign Up Date Range - The date range selected when generating the report.

Detail Information:

- Birth Month - The month when the Customers' birthday occurs.
- Customer Count - The total number of Customer records created during the specified date range that have birthdays during this month.
- Percent - The percentage of all Customer records included on the report with birthdays during this month: Customer Count for the month / Customer Count for the entire report.
- Report Totals:
 - Customer Count - The total number of Customers whose birthdays are known that are included on the report.
 - Percentage - Set to 100%.

Customer Alt Key Summary Report

This report presents counts of Customers by Alternate Key Type. Customers are included in the counts on the report only if they are assigned Alternate Keys.

Selection Criteria

- Alt Key Type Code - The code identifying an alternate key used to identify a customer in a different system. All Alt Key Type Codes are selected by default. Optionally, select Search to work with the list of eligible Alt Key Type Codes, search based on Alt Key Type Code, or remove Alt Key Type Codes from the list selected for the report.
- Time Period - Optionally, select a time period to include Customers whose records were created during this period on the report rather than entering an Customer Sign Up Date From or Customer Sign Up Date To, even if their Alt Key Type Codes were not specified during this range of dates. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year

- Last 30 Days
- Last 60 Days
- Last 90 Days
- This Week
- This Month
- This Year

If you select a Time Period, the Customer Sign Up Date From and Customer Sign Up Date To criteria are ignored.

- Customer Sign Up Date From - The first date to include on the report. Customer records created on or after this date, and on or before the Customer Sign Up Date To, are included in the totals, even if their Alt Key Type Codes were not specified during this range of dates. Defaults to the previous date (yesterday).
- Customer Sign Up Date To - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum Alt Key Type Codes to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Alt Key Type Code - The Alt Key Type Code(s) specified when generating the report, or set to ALL if there was no restriction.

Detail Information:

- Alt Key Typecode - The key identifying a Customer in another system.
- Customer Count - The total number of Customer records created during the specified date range that have this type of Alt Key assigned.
- Key Count - The total number of Alt Keys that are assigned to Customers created during the specified date range. This number might be higher than the Customer Count if, for example, a single Customer was assigned multiple Alt Keys for the same external system.
- Report Totals:
 - Customer Count - The total number of Customer records created during the specified date range that are assigned to any type of Alt Key that are included on the report.
 - Key Count - The total number of Alt Keys assigned to Customers that are included in the totals on the report.

Customer Associate Assignment by Associate and Role Report

This report displays contact information for Customers associated to a particular Associate Role.

Report Generation Options and Contents

Selection Criteria

- Associate - The code identifying a Customer Associate. All Associates are selected by default. Optionally, select Search to work with the list of eligible Associates, search based on Associate Name, or remove Associates from the list selected for the report.
- Associate Role - The code and name identifying the role that an Associate performs for Customers. All Associate Roles are selected by default. Optionally, select Search to work with the list of eligible Roles, search based on Role Name, or remove Roles from the list selected for the report.
- Customer ID - The numeric ID uniquely identifying a customer. Optionally, enter a single Customer ID to generate the report for this Customer. Searching for a Customer here is not supported.
- Limit Records - Optionally, use this field to specify the maximum number of Customer Associate assignments to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.

Selected search criteria are not included in the report header area.

Detail Information:

- Associate- The Name identifying an Associate.
- Role - The Role in which the Associate is assigned to the Customer. If the Associate is assigned through multiple Roles, the Customer is listed additional times for the Associate under the most recently assigned Role. For example, an Associate was first assigned to the Customer as a Sales Associate, and then assigned to the same Customer as Suit Buyer. The Associate is listed on the report with a Role of Suit Buyer, with the Customer listed twice under this Role.

For each Associate and Role:

- Customer ID - The unique numeric identifier for the Customer.
- First Name - The Customer's first name.
- Last Name - The Customer's last name.
- Address - The first street address line for the Customer's primary address. All address information is blank if there is no primary address identified for the Customer.
- City - The city for the Customer's primary address.
- State - The state for the Customer's primary address.
- Country - The country for the Customer's primary address.
- Phone - The Customer's primary phone number. Blank if no primary phone number is identified for the Customer.
- Email - The Customer's primary email address. Blank if no primary email address is identified for the Customer.

There are no totals on this report.

Customer Contact Email List Report

This report presents a listing of Customer names, addresses, and primary emails by Signup Location.

Selection Criteria

- Sign Up Location - The location where the Customer was enrolled. Optionally, select Search to work with the list of eligible Locations, search based on Location Name, or remove Locations from the list selected for the report.
- Customer ID - The numeric ID uniquely identifying a customer. Optionally, enter a single Customer ID to generate the report for this Customer. Searching for a Customer here is not supported.
- Sign Up Time Period - Optionally, select a time period to include Customers whose records were created during this period on the report rather than entering an Sign Up Date From or Sign Up Date To. The dates when email addresses were created are not used as criteria. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select a Time Period, the Sign Up Date From and Sign Up Date To criteria are ignored.

- Sign Up Date From - The first date to include on the report. Customer records created on or after this date, and on or before the Sign Up Date To, are included in the totals, even if their primary email addresses were not created or updated during this range of dates. Defaults to the previous date (yesterday).
- Sign Up Date To - The last date to include on the report. Defaults to the current date (today).
- Limit Records - Optionally, use this field to specify the maximum number of records to include on the report. There is a separate entry on the report for each mailing address for a customer, including deleted mailing addresses, if the customer has a primary email address.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Customer Sign Up Date - The date range selected for inclusion on the report.

Any additional selection criteria are not included in the report header area.

Report Generation Options and Contents

Detail Information: For each mailing address created for a Customer with a primary email address, including non-primary mailing addresses and deleted mailing addresses:

- Sign Up Location - The Location where the Customer record was created.
- Customer ID - The unique numeric identifier for the Customer.
- Customer Name - The Customer's first and last name.
- Address - The Address Line 1 for the mailing address.
- City and State - The city and state for the Customer's address.
- Postal Code - The postal code for the Customer's address.
- Email Address - The Customer's current primary email address. The same primary email address is listed for each mailing address listed for the Customer.
- Total Sales Amount - The total extended amount of items and miscellaneous charges in the Customer's transaction history.

There are no totals on the report.

Customer Contact Phone List Report

This report presents a listing of Customer names, addresses, and phone numbers by Signup Location.

Selection Criteria

- Customer ID - The numeric ID uniquely identifying a customer. Optionally, enter a single Customer ID to generate the report for this Customer. Searching for a Customer here is not supported.
- Sign Up Location - The location where the Customer was enrolled. Optionally, select Search to work with the list of eligible Locations, search based on Location Name, or remove Locations from the list selected for the report.
- Time Period - Optionally, select a time period to include Customers whose records were created during this period on the report rather than entering a Customer Sign Up Date From or Customer Sign Up Date To. The dates when phone numbers were created are not used as criteria. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select a Time Period, the Customer Sign Up Date From and Customer Sign Up Date To criteria are ignored.

- Customer Sign Up Date From - The first date to include on the report. Customer records created on or after this date, and on or before the Sign Up Date To, are included in the report. Defaults to the previous date (yesterday).
- Customer Sign Up Date To - The last date to include on the report. Defaults to the current date (today).
- Limit Records - Optionally, use this field to specify the maximum number of records to include on the report. There is a separate entry on the report for each mailing address for a customer, including deleted mailing addresses, regardless of whether the customer has a phone number. If the customer does have a phone number, there is a separate entry on the report for each mailing address/phone number combination. For example, if the customer has two mailing addresses and two phone numbers, there are four entries on the report for the customer.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range- The date range selected for inclusion on the report.
- Customer ID - The customer ID selected for inclusion on the report; otherwise, set to ALL.
- Sign Up Location - The Sign Up Location(s) selected for inclusion on the report; otherwise, set to ALL.

Detail Information: There is a separate entry on the report for each mailing address for a customer, including deleted mailing addresses, regardless of whether the customer has a phone number. If the customer does have a phone number, there is a separate entry on the report for each mailing address/phone number combination. For example, if the customer has two mailing addresses and two phone numbers, there are four entries on the report for the customer:

- Sign Up Location - The Location where the Customer record was created. For each Sign Up Location:
 - Customer ID - Name:
 - * Customer ID - The unique numeric identifier for the Customer.
 - * Customer Name - The Customer's first and last name.
 - Address - The Address Line 1 for the mailing address.
 - City and State - The city and state for the Customer's address.
 - Postal Code - The postal code for the Customer's address.
 - Phone - The phone number for the Customer.
 - Total Sales Amount - The total extended amount of items and miscellaneous charges in the Customer's transaction history.

There are no totals on the report.

Customer Purchase by Department by Year Report

This report presents a summary of Customer purchase activity by Department and year. Customers are included on the report only if they have purchase activity.

Report Generation Options and Contents

Selection Criteria

- Customer ID - The numeric ID uniquely identifying a customer. Optionally, enter a single Customer ID to generate the report for this Customer. Searching for a Customer here is not supported.
- Department ID / Name - The Department associated with items purchased by Customers. Optionally, select Search to work with the list of eligible Departments, search based on Department Name, or remove Departments from the list selected for the report.
- Year - The year when purchases occurred. Optionally, enter a single year to generate the report for purchases that occurred in this year. Searching for a year here is not supported.
- Customer Sign Up Time Period - Optionally, select a time period to include Customers whose records were created during this period on the report rather than entering a Customer Sign Up Date From or Customer Sign Up Date To. Customers are included on the report only if they have purchase activity. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select a Time Period, the Customer Sign Up Date From and Customer Sign Up Date To criteria are ignored.

- Customer Sign Up Date From - The first date to include on the report. Customer records created on or after this date, and on or before the Sign Up Date To, are included in the totals. Only Customers with purchase activity are included on the report. Defaults to the previous date (yesterday).
- Customer Sign Up Date To - The last date to include on the report. Only Customers with purchase activity are included on the report. Defaults to the current date (today).
- Limit Records - Optionally, use this field to specify the maximum number of records to include on the report. There is a separate entry on the report for each Customer, Department, and year. For example, if a Customer has purchases in one Department in 2016 and 2017, and purchases in a different Department in 2017, there are three rows for the Customer on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.

- Date Range- The date range selected for inclusion on the report.
- Customer ID - The customer ID specified for inclusion on the report; otherwise, set to ALL.
- Department ID - The Department ID(s) specified for inclusion on the report; otherwise, set to ALL.

Detail Information: For each Customer included on the report:

- Customer - The Customer ID and Name. For the Customer:
 - Item Dept ID - The unique numeric identifier for a Department.
 - Department Description - The description of the Department.
 - Year - The year when the purchase activity occurred for the Customer in the Department.
 - Total Purchase Amount - The total extended amount of items purchased in the Customer's transaction history.
- Totals for Customer - The Total Purchase Amount for the Customer included on the report.
- Report Totals - The Total Purchase Amount included on the report for all Customers.

Customer Status Summary Report

This report presents a summary of Customers grouped whether they are active or inactive, and identified or unidentified.

Selection Criteria

- Active - Indicates whether the Customer is Active, or has been flagged as Inactive. A customer might be inactive through a customer merge, dynamic target job processing, or customer deletes. Optionally, remove one of the Active Flag settings.
- Anonymous Flag - A Customer submitted by an integrating system is flagged as anonymous when there is no identifying information such as name, address, phone number, or email address. Optionally, remove one of the Anonymous Flag settings.
- Time Period - Optionally, select a time period to include Customers whose records were created during this period on the report rather than entering a Customer Sign Up Date From or Customer Sign Up Date To. Customers are included on the report only if they have purchase activity. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

Report Generation Options and Contents

If you select a Time Period, the Customer Sign Up Date From and Customer Sign Up Date To criteria are ignored.

- Customer Sign Up Date From - The first date to include on the report. Customer records created on or after this date, and on or before the Sign Up Date To, are included in the totals. Only Customers with purchase activity are included on the report. Defaults to the previous date (yesterday).
- Customer Sign Up Date To - The last date to include on the report. Only Customers with purchase activity are included on the report. Defaults to the current date (today).
- Limit Records - Optionally, use this field to specify the maximum number of records to include on the report. There is a separate entry on the report for each combination of Active flag setting / Customer Status setting.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected for inclusion on the report.

Detail Information:

- Active - Set to Yes if the totals are for active Customers, or set to No if the totals are for inactive Customers. A Customer might be flagged as inactive through a customer merge, dynamic target job processing, or customer deletes.
- Customer Status - Possible settings:
 - Identified - The Customer's identity is known.
 - Unidentified - The Customer is anonymous. A Customer submitted by an integrating system is flagged as anonymous when there is no identifying information such as name, address, phone number, or email address.
- Customer Count - The total number of Customer records included on the report with the same Active flag and Status settings.
- Percent - The percentage of the Customers included in the totals on the report represented by the Customer Count for this Status and Active flag.
- Status Totals:
 - Customer Count - The total number of Customer records included on the report with the same Status.
 - Percent - The percentage of the Customers included in the totals on the report represented by the Customer Count for this Status.
- Report Totals
 - Customer Count - The total number of Customers included in the totals on the report.
 - Percent - Set to 100.00%.

Gender Summary Report

This report presents a summary of Customers grouped by gender.

Selection Criteria

- Customer Sign Up Date From - The first date to include on the report. Customer records created on or after this date, and on or before the Customer Sign Up Date To, are included in the totals.
- Customer Sign Up Date To - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of gender categories to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected for inclusion on the report.

Detail Information:

- Gender - The gender identified for a Customer. N/A indicates that no gender was identified.
- Gender Percentage - The percentage of all Customer records, regardless of when they were created, that have been identified as this gender.
- Customer Count - The total number of Customer records identified as this gender created within the date range selected for the report, even if their gender was identified after this date range.
- Report Totals - The total number of Customers included in the report.

Location (Store) Capture Rate Report

This report presents a count of Customers, by Anonymous Flag, for each Sign Up Location. A Customer submitted by an integrating system is flagged as anonymous when there is no identifying information such as name, address, phone number, or email address.

Selection Criteria

- Location ID / Name - The location where the Customer was enrolled. Optionally, select Search to work with the list of eligible Locations, search based on Location Name, or remove Locations from the list selected for the report.
- Customer Sign Up Time Period - Optionally, select a time period to include Customers whose records were created during this period on the report rather than entering a Customer Sign Up Date From or Customer Sign Up Date To. Only Customers with purchase activity are included on the report. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days

Report Generation Options and Contents

- Last 90 Days
- This Week
- This Month
- This Year

If you select a Time Period, the Customer Sign Up Date From and Customer Sign Up Date To criteria are ignored.

- Customer Sign Up Date From - The first date to include on the report. Customer records created on or after this date, and on or before the Customer Sign Up Date To, are included in the totals.
- Customer Sign Up Date To - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. Each Location/Anonymous Status counts as a row.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range- The date range selected for inclusion on the report.
- Location ID - The Location ID(s) selected for inclusion on the report; otherwise, set to ALL.

Detail Information:

- Sign Up Store - The numeric code identifying the Location that originated Customers.
- Store Name - The name describing the Location.
- Anonymous Status - Set to No for the total number of Customers created by the Location with identifying information, such as the Customers' names, addresses, phone numbers, and email addresses; otherwise, set to Yes for the total number of Customers created without this identifying information.
- Customer Count - The total number of Customers created at the Location with the indicated Anonymous Status during the Date Range selected for the report.
- Percent - The percentage of Customers included on the report that are represented by this Customer Count.
- Report Totals:
 - Customer Count - The total number of Customers included on the report.
 - Percent - Set to 100.00%.

Postal Code Summary Report

This report presents a count of Customers by Postal Code, filtered on only primary, active, home addresses.

Selection Criteria

- Postal Code - The Postal Code for a Customer's primary address. Optionally, select Search to work with the list of eligible Postal Codes, search based on Postal Code, or remove Postal Codes from the list selected for the report.
- Address Effective Time Period - Optionally, select a time period to include Customers whose primary addresses became effective during this period on the report rather than entering an Address Effective Date From or Address Effective Date To. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select a Time Period, the Address Effective Date From and Address Effective Date To criteria are ignored.

- Address Effective Date From - The first date to include on the report. Primary Customer addresses created on or after this date, and on or before the Address Effective Date To, are included in the totals.
- Address Effective Date To - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of Postal Codes to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Address Effective Date Range- The date range selected for inclusion on the report.
- Postal Code - The Postal Code(s) selected for inclusion on the report; otherwise, set to ALL.

Detail Information:

- Postal Code - The Postal Code for a Customer's primary address. A blank Postal Code might be used to summarize anonymous Customer records.
- Customer Count - The number of Customers who were created or updated with a primary address in this Postal Code during the date range.
- Percent - The percentage of Customers included on the report who were created or updated with a primary address in this Postal Code.

Report Generation Options and Contents

- Report Totals:
 - Customer Count - The total number of Customers included on the report.
 - Percent - Set to 100.00%.

Social Network Summary Report

This report displays a count of Customers by Social Network, grouped by the Customer's Home Store.

Select Apply to generate the report. There are no selection criteria.

Report Contents

Header Information:

- Organization - The code identifying your organization.

Detail Information:

- Anonymous Flag - The totals are separate based on whether the Anonymous Flag for the Customer is set to Yes or No. A Customer submitted by an integrating system is flagged as anonymous when there is no identifying information such as name, address, phone number, or email address.
- Home Store - The numeric code identifying the Location where the Customer record was created.
- Social Media - The Social Media type, such as FACEBOOK, TWITTER, or LINKEDIN, associated with the Customer through a message from an integrating system.
- Customer Count - The total number of Customers from this Location that are associated with this Social Media type. For example, the report can include a Customer Count of the total number of Customers originating from a specific store Location, associated with TWITTER, that have the Anonymous flag set to No.
- Totals for Anonymous Flag - The total number of Customers from all Locations, associated with all Social Media types, with the same Anonymous Flag setting.

State Summary Report

This report presents a count of active primary address records grouped by state.

Selection Criteria

- Time Period - Optionally, select a time period to include Customers whose primary addresses became effective during this period on the report rather than entering a Customer Address Date From or Customer Address Date To. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week

- This Month
- This Year

If you select a Time Period, the Address Effective Date From and Address Effective Date To criteria are ignored.

- Customer Address Date From - The first date to include on the report. Primary Customer addresses created on or after this date, and on or before the Address Effective Date To, are included in the totals.
- Customer Address Date To - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of states to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range- The date range selected for inclusion on the report.

Detail Information:

- State - The U.S. state for a Customer's primary address.
- Customer Count - The number of Customers who were created or updated with a primary address in this state during the date range.
- Percent - The percentage of Customers included on the report who were created or updated with a primary address in this state.
- Report Totals:
 - Customer Count - The total number of Customers included on the report.
 - Percent - Set to 100.00%.

Summary Detail Report

This report presents totals and percentages of types of addresses, email addresses, and phone numbers for Customers who signed up within a specified date range.

Selection Criteria

- Summary Type - The type of information to summarize: Address, E-mail, or Telephone. Optionally, remove one or more summary types.
- Valid Flag - Indicates whether the mailing address, email address, or telephone number was flagged as valid or invalid. Optionally, remove one of the Valid Flag settings.
- Address Type - The address types, such as Home, Business, Not Defined, or Work. Applies to mailing address, email, and telephone totals included on the report. Optionally, remove one or more address types. Note that all address types used for your organization might not be included in this list.
- Customer Signup Time Period - Optionally, select a time period to include Customers whose records were created during this period on the report rather than entering a Customer Signup Date From or Customer Signup Date To. Only Customers with active mailing addresses, email addresses, or telephone numbers

Report Generation Options and Contents

are included in the totals on the report. Set to None by default. Available time periods are:

- Yesterday
- Last Week
- Last Month
- Last Year
- Last 30 Days
- Last 60 Days
- Last 90 Days
- This Week
- This Month
- This Year

If you select a Time Period, the Customer Signup Date From and Customer Signup Date To criteria are ignored.

- Customer Signup Date From - The first date to include on the report. Customer records created on or after this date, and on or before the Signup Date To, are included in the totals. Only Customers with mailing addresses, email addresses, or telephone numbers are included in the report totals. Defaults to the previous date (yesterday).
- Customer Signup Date To - The last date to include on the report. Only Customers with mailing addresses, email addresses, or telephone numbers are included in the report totals. Defaults to the current date (today).
- Limit Records - Optionally, use this field to specify the maximum number of rows to include on the report. There is a separate row on the report for each combination of mailing address, email, or telephone type and valid flag setting.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected for inclusion on the report.
- Summary Type - The summary type(s) selected for inclusion on the report; otherwise, set to ALL.
- Valid Flag - The Valid Flag setting selected for inclusion on the report; otherwise, set to ALL.
- Type - The mailing address, email, and telephone Type(s) selected for inclusion on the report; otherwise, set to ALL.

Detail Information:

- For each Summary Type (Address, Email, and Telephone):
 - Type - The type of record, such as Home, Business, or Vacation.
 - Valid - Set to Yes if the Customer Count includes valid address, email, or telephone records; otherwise, set to No.

- Percent - The percentage of the Summary Type represented by the Customer Count. For example, if the Summary Type is Address, the Total for the Summary Type is 100, and the Customer Count for valid Work addresses is 20, the Percent is 20%.
- Customer Count - The total number of current primary mailing addresses, email addresses, or telephone numbers of this Type and Valid setting.
- Totals for Summary Type - The total number of current, primary mailing addresses, email addresses, or telephone numbers included on the report.

Item Management Reports

Item Attribute Summary Report

This report provides a count of items that are associated with each given Item Attribute and Attribute value.

Selection Criteria

- Attribute - An Attribute assigned to one or more items. Optionally, select Search to work with the list of eligible Attributes, search based on Attribute, or select all Attributes for the report.
- Value - An Attribute Value setting. Optionally, enter a single Value to generate the report for this Attribute Value. Searching for a Value here is not supported.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.

Detail Information:

- Attribute Code - The ID and Name for an Item Attribute. For each Attribute Code:
 - Attribute Value - A Value assigned to one or more items for an Attribute.
 - Item Count - The total number of items assigned this Attribute Value.
 - Total Item Count - The total number of items assigned a Value for this Attribute.

Location Operations Reports

Capture Quality Summary Report

This report presents the percentage of validated Customer data, organized by Operator ID, within each Location.

This report includes Customer records created by receiving transactions through an integration. Customer records created through Customer Engagement screens are not included in these totals.

Selection Criteria

- Location - A Location in your organization. Optionally, select Search to work with the list of eligible Locations, search based on Location, or select all Locations for the report.

Report Generation Options and Contents

- Operator ID - A unique number identifying an employee. Optionally, enter a single Operator ID to generate the report for this Operator. Searching for an Operator here is not supported.
- Business Date - Optionally, select a time period to include Customers created during this period on the report rather than entering a Business Start Date or Business End Date. Only Customers created by receiving transactions through an integration are included in the totals on the report. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select a Time Period, the Business Start Date and Business End Date criteria are ignored.

- Business Start Date - The first date to include on the report. Customer records created on or after this date, and on or before the Business End Date, are included in the totals. Defaults to the previous date (yesterday).
- Business End Date - The last date to include on the report. Defaults to the current date (today).

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.

Detail Information:

- Location - The ID and Name for a Location. For each Location:
 - Operator ID - A code identifying an employee.
 - Total Trans - The total number of Transactions submitted by the Operator and Location during the date range.
 - Address Valid - The total number of valid addresses for the Total Trans.
 - Address Invalid - The total number of invalid addresses for the Total Trans.
 - Address None - The total number of transactions submitted without addresses.
 - Address % Valid - The Address Valid total / the Total Trans, formatted as a percentage.
 - Phone Valid - The total number of valid phone numbers for the Total Trans.
 - Phone Invalid - The total number of invalid phone numbers for the Total Trans.

- Phone None - The total number of transactions submitted without phone numbers.
- Phone % Valid - The Phone Valid total / the Total Trans, formatted as a percentage.
- Email Valid - The total number of valid email addresses for the Total Trans.
- Email Invalid - The total number of invalid email addresses for the Total Trans.
- Email None - The total number of transactions submitted without email addresses.
- Email % Valid - The Email Valid / the Total Trans, formatted as a percentage.
- Location Totals:
 - Total Trans - The total number of Transactions submitted for the Location during the date range.
 - Address Valid - The total number of valid addresses for the Total Trans.
 - Address Invalid - The total number of invalid addresses for the Total Trans.
 - Address None - The total number of transactions submitted without addresses.
 - Address % Valid - The Address Valid total / the Total Trans, formatted as a percentage.
 - Phone Valid - The total number of valid phone numbers for the Total Trans.
 - Phone Invalid - The total number of invalid phone numbers for the Total Trans.
 - Phone None - The total number of transactions submitted without phone numbers.
 - Phone % Valid - The Phone Valid total / the Total Trans, formatted as a percentage.
 - Email Valid - The total number of valid email addresses for the Total Trans.
 - Email Invalid - The total number of invalid email addresses for the Total Trans.
 - Email None - The total number of transactions submitted without email addresses.
 - Email % Valid - The Email Valid / the Total Trans, formatted as a percentage.
- Report Totals:
 - Total Trans - The total number of Transactions included on the report.
 - Address Valid - The total number of valid addresses for the Total Trans.
 - Address Invalid - The total number of invalid addresses for the Total Trans.
 - Address None - The total number of transactions submitted without addresses.
 - Address % Valid - The Address Valid total / the Total Trans, formatted as a percentage.
 - Phone Valid - The total number of valid phone numbers for the Total Trans.
 - Phone Invalid - The total number of invalid phone numbers for the Total Trans.
 - Phone None - The total number of transactions submitted without phone numbers.

Report Generation Options and Contents

- Phone % Valid - The Phone Valid total / the Total Trans, formatted as a percentage.
- Email Valid - The total number of valid email addresses for the Total Trans.
- Email Invalid - The total number of invalid email addresses for the Total Trans.
- Email None - The total number of transactions submitted without email addresses.
- Email % Valid - The Email Valid / the Total Trans, formatted as a percentage.

Customer by Home Location Report

This report presents a count of Customers for each Home Location.

This report includes Customer records created by transactions received through an integration. Customer records created through Customer Engagement screens are not included in these totals.

Selection Criteria

- Location - A Location in your organization. Optionally, select Search to work with the list of eligible Locations, search based on Location, or select all Locations for the report.
- Signup Date Period - Optionally, select a time period to include Customers created during this period on the report rather than entering a Signup Start Date or Signup End Date. Only Customers created by receiving transactions through an integration are included in the totals on the report. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select a Time Period, the Signup Start Date and Signup End Date criteria are ignored.

- Signup Start Date - The first date to include on the report. Customer records created on or after this date, and on or before the Signup End Date, are included in the totals. Defaults to the previous date (yesterday).
- Signup End Date - The last date to include on the report. Defaults to the current date (today).

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Customer Signup Date Range - The date range selected when generating the report.

Detail Information:

- Home Location - The unique numeric identifier for the Location.
- Location Name - The Name describing the Location.
- Customer Count - The total number of Customers created for the Location through transactions receiving during the date range.
- Report Totals - The total number of Customers included on the report.

Shoppers by Location Report

This report presents Customer count and purchase statistics for each Location.

This report includes Customer records created by transactions received through an integration. Customer records created through Customer Engagement screens are not included in these totals.

Selection Criteria

- Location - A Location in your organization. Optionally, select Search to work with the list of eligible Locations, search based on Location, or select all Locations for the report.
- Business Date - Optionally, select a time period to include Customers created during this period on the report rather than entering a Business Start Date or Business End Date. Only Customers created during this time period on transactions received through an integration are included in the totals on the report. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select a Time Period, the Business Start Date and Business End Date criteria are ignored.

- Business Start Date - The first date to include on the report. Customer records created on or after this date, and on or before the Business End Date, are included in the totals. Defaults to the previous date (yesterday).
- Business End Date - The last date to include on the report. Defaults to the current date (today).

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Business Date - The date range selected when generating the report.

Detail Information:

- Location - The ID and Name for a Location.
- Location Name - The Name describing the Location.
- Customer Count - The total number of Customers created for the Location through transactions received during the date range.
- Total Spent - The total extended amount of items and miscellaneous charges for transactions.
- Number of Transactions - The total number of separate transactions.
- Average Purchase - The Total Spent / the Number of Transactions, presented as a percentage.
- Percent of Total - The Total Spent for the Location / the Total Spent for the report, presented as a percentage.
- Report Totals:
 - Customer Count - The total number of Customers created for the Locations and date range included on the report.
 - Total Spent - The total extended amount of items and miscellaneous charges for transactions included on the report.
 - Number of Transactions - The total number of separate transactions included on the report.
 - Average Purchase - The Total Spent for the report / the Number of Transactions on the report, presented as a percentage.
 - Percent of Total - Set to 100.00%.

Signup Location (Store) by Postal Code Report

This report presents the number of Customers, by date, who signed up at Locations, organized by Postal Code or Zip Code.

If you change a Customer's Signup Location, the Customer is included in the totals for the new Signup Location rather than the original Location, but included in the Date Range for the Customer's original signup date.

Selection Criteria

- Location ID / Name - A Location in your organization. Optionally, select Search to work with the list of eligible Locations, search based on Location, or select all Locations for the report.
- Postal Code - A postal or Zip code for a Location. Optionally, select Search to work with the list of eligible postal codes, search based on postal code, or select all postal codes for the report.
- Signup Time Period - Optionally, select a time period to include Customers whose records were created during this period on the report rather than entering a Signup Start Date or Signup End Date. Only Customers with active primary addresses are

included in the totals on the report. Set to None by default. Available time periods are:

- Yesterday
- Last Week
- Last Month
- Last Year
- Last 30 Days
- Last 60 Days
- Last 90 Days
- This Week
- This Month
- This Year

If you select a Signup Time Period, the Signup Start Date and Signup End Date criteria are ignored.

- Signup Start Date - The first date to include on the report. Customer records created on or after this date, and on or before the Signup End Date, are included in the totals. Defaults to the previous date (yesterday).
- Signup End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. There is a separate row on the report for each Store and Signup Date.

Select Apply to apply the selected criteria and generate the report.

Report Contents

The title listed on the report is Signup Store by Postal Code.

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected for inclusion on the report.
- Location ID - The Location(s) selected for inclusion on the report; otherwise, set to ALL.
- Postal Code - The Postal or Zip Code(s) selected for inclusion on the report; otherwise, set to ALL.

Detail Information:

- Store Name - The Location ID and the Name of the Location. The first Store Name listed might be blank if there were Customers created without assignment to a Location.
- Postal Code - The Postal Code or Zip Code for the Location. Blank if no Postal or ZIP Code is specified for the Location.
- Signup Date - The date when one or more Customer records were created with this store specified as the Signup Location.

Report Generation Options and Contents

- Customer Count - The total number of Customers created for the Store Location on this Signup Date.
- Totals for Location - The total number of Customers created for the Store Location during the date range included on the report.
- Report Totals - The total number of Customers created for the Store Locations and date range included on the report.

Signup Location by State Report

This report presents the number of Customers, by the state or province of the Customers' primary addresses, who signed up at the Location.

If you change a Customer's Signup Location, the Customer is included in the totals for the new Signup Location rather than the original Location, but included in the Date Range for the Customer's original signup date.

Selection Criteria

- Location ID / Name - A Location in your organization. Optionally, select Search to work with the list of eligible Locations, search based on Location, or select all Locations for the report.
- State - The state or province for a Customer's primary address. Optionally, select Search to work with the list of eligible states or provinces, search based on state or province, or select all states or provinces for the report.
- Signup Date Period - Optionally, select a time period to include Customers whose records were originally created during this period on the report rather than entering a Signup Start Date or Signup End Date.

Only Customers with active primary addresses are included in the totals on the report, regardless of whether the active primary addresses were defined during the date range. For example, a Customer signs up last month, and a primary address for the Customer is identified this month. When the report is run for last month, the state for the Customer's primary address is included in the report totals.

Set to None by default. Available time periods are:

- Yesterday
- Last Week
- Last Month
- Last Year
- Last 30 Days
- Last 60 Days
- Last 90 Days
- This Week
- This Month
- This Year

If you select a Signup Date Period, the Signup Start Date and Signup End Date criteria are ignored.

- Signup Start Date - The first date to include on the report. Customer records created on or after this date, and on or before the Signup End Date, are included in the totals. Defaults to the previous date (yesterday).

- **Signup End Date** - The last date to include on the report. Defaults to the current date (today).
- **Row Limit** - Optionally, use this field to specify the maximum number of rows to include on the report. There is a separate row on the report for each Store and State.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- **Organization** - The code identifying your organization.
- **Sign Up Date Range** - The date range selected for inclusion on the report.
- **Location ID** - The Location(s) selected for inclusion on the report; otherwise, set to ALL.
- **State** - The state or province(s) selected for inclusion on the report; otherwise, set to ALL.

Detail Information:

- **Sign Up Store** - The unique numeric identifier for the originating Store Location. The first Sign Up Store listed might be blank if there were Customers created without assignment to a Location.
- **Store Name** - The name identifying the originating Store Location.
- **State** - The state or province for one or more Customers' current primary addresses. A blank State might indicate that a Customer's primary address was created without a state or province.
- **Customer Count** - The total number of Customers originating at this Store Location during the date range with active primary addresses in this State.
- **Report Totals** - The total number of Customers created for the Store Locations during the date range included on the report that have active primary addresses.

Signup Location Report

This report presents a list of Customer totals by Signup Location.

If you change a Customer's Signup Location, the Customer is included in the totals for the new Signup Location rather than the original Location, but included in the Date Range for the Customer's original signup date.

Selection Criteria

- **Location ID / Name** - A Location in your organization. Optionally, select Search to work with the list of eligible Locations, search based on Location, or select all Locations for the report.
- **Signup Date Period** - Optionally, select a time period to include Customers whose records were originally created during this period on the report rather than entering a Signup Start Date or Signup End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year

Report Generation Options and Contents

- Last 30 Days
- Last 60 Days
- Last 90 Days
- This Week
- This Month
- This Year

If you select a Signup Date Period, the Signup Start Date and Signup End Date criteria are ignored.

- Signup Start Date - The first date to include on the report. Customer records created on or after this date, and on or before the Signup End Date, are included in the totals. Defaults to the previous date (yesterday).
- Signup End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. There is a separate row on the report for each Signup Location.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Signup Date Period - The date range selected for inclusion on the report.
- Location - The Location(s) selected for inclusion on the report; otherwise, set to ALL.

Detail Information:

- Signup Location - The ID and Name identifying an originating Store Location.
- Customer Count - The total number of Customers created during the date range and assigned to this Signup Location.
- Signup Percentage - The Customer Count for the Signup Location / the Customer Count for the entire report, presented as a percentage.
- Report Totals:
 - Customer Count - The total number of Customers created during the date range included on the report.
 - Signup Percentage - Set to 100.00%.

Signup Location Daily Trend Report

This report presents Customer counts by signup date and Location, and includes a chart depicting the signup trend over the selected date range.

Note: The chart on this report is useful only if you restrict the selection criteria to a single Location, so you can identify the total signups for these dates for the Location. Otherwise, it might be difficult to determine the totals for the same date but a different Location.

If you change a Customer's Signup Location, the Customer is included in the totals for the new Signup Location rather than the original Location, but included in the Date Range for the Customer's original signup date.

Selection Criteria

- Location ID / Name - A Location in your organization. Optionally, select Search to work with the list of eligible Locations, search based on Location, or select all Locations for the report.
- Signup Time Period - Optionally, select a time period to include Customers whose records were originally created during this period on the report rather than entering a Signup Start Date or Signup End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select a Signup Time Period, the Signup Start Date and Signup End Date criteria are ignored.

- Signup Start Date - The first date to include on the report. Customer records created on or after this date, and on or before the Signup End Date, are included in the totals. Defaults to the previous date (yesterday).
- Signup End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. There is a separate row on the report for each Signup Location and Signup Date.

Select Apply to apply the selected criteria and generate the report.

Report Contents

The title listed on the report is Signup Store Daily Trend.

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected for inclusion on the report.
- Location - The Location(s) selected for inclusion on the report; otherwise, set to ALL.

Report Generation Options and Contents

Number of Customers - Signup Store Daily Trend: Displays the total count of new Customers for each date and Location.



Figure 21-17: Signup Store Daily Trend Report - Number of Customers

Detail Information:

- Signup Location - The Location ID and Name for a Signup Location for one or more Customers. For each Signup Location:
 - Signup Date - The date when one or more Customer records were created.
 - Customer Count - The total number of Customers created on that date and assigned to the Signup Location.
- Totals for Location - The total number of Customers created during the date range and assigned to the Signup Location.
- Report Totals - The total number of Customers created during the date range and included on the report.

Loyalty Management Reports

Loyalty Account Detail Report

This report presents details of the activities performed for individual Loyalty Accounts.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Loyalty Program. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program ID, or remove Programs from the list selected for the report.

After you make a Program ID / Name selection, clear the Program Level ID that is automatically selected as a result and reset Program Level IDs as needed.

- Program Level ID / Name - The ID and Name identifying a Level for a Loyalty Program. Optionally, select Search to work with the list of eligible Levels, search based on Level ID and Name, or remove Levels from the list selected for the report.

- Account ID - Optionally, enter an Account ID to include a specific Loyalty Account on the report based on Account ID. Searching for an Account ID here is not supported.
- Serial Number - Optionally, enter a card's Serial Number to include a specific Loyalty Account on the report based on Serial Number. Searching for a Serial Number here is not supported.
- Void Flag - Optionally, select Yes or No to select Loyalty Account activity based on whether the activity was voided.
- Activity Time Period - Optionally, select a time period to include activities that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of activity records for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.

Detail Information:

- Account ID - The unique identifier for the account associated with the card.
- Serial Number - The unique serial number for the card.
- Loyalty Program - The Loyalty Program for the card.

For each activity included for an Account ID, Serial Number, and Loyalty Program:

- Activity ID - A unique identifier for the activity.

Report Generation Options and Contents

- Activity Type - The type of activity performed. Possible types include:
 - * Account Merge
 - * Activate Account
 - * Change Level
 - * Deactivate
 - * Issue Award
 - * Issue Points
 - * Point Recovery
- Activity Date - The date when the activity took place.
- Void - Set to Yes if the activity has been voided.
- Escrow Xfer - Set to Yes if the points are escrowed.
- Escrow Xfer Date - The date, if any, when escrowed points are converted to earned points.
- Prog Lvl ID - The unique numeric identifier for the Loyalty Program level.
- Prog Lvl Name - The name describing the Loyalty Program level.
- New Prog Lvl ID - The unique numeric identifier of the new Loyalty Program level assigned, if any.
- Loyalty Rule ID - The unique numeric identifier of the Loyalty rule applied.
- Loyalty Rule Name - The name describing the Loyalty rule.
- Business Date - The business date of the activity.
- Location ID - The unique numeric identifier of the Location where the activity took place.
- Sequence ID - The unique numeric sequence identifier, if any, for the activity.
- Comments - The comments, if any, describing the activity.
- Error Codes - The error codes, if any, associated with the activity.
- Register ID - The unique numeric identifier of the register, if any, where the transaction took place.
- Create Date - The date when the activity record was created.
- Create User - The user ID that created the activity record.
- Loyalty Points - The points earned, awarded, or subtracted through the activity.
- Totals for Account - The total net points earned, awarded, or subtracted for the account during the date range included on the report.
- Report Totals - The total net points earned, awarded, or subtracted for all activity included on the report.

Loyalty Account Activity Errors Report

This report presents details of errors for Loyalty Accounts by Program ID.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Loyalty Program. All Programs are selected by default. Optionally, select Search to work with the list of eligible

Programs, search based on Program ID, or remove Programs from the list selected for the report.

- Serial Number - Optionally, enter a card's Serial Number to include a specific Loyalty Account on the report based on Serial Number. Searching for a Serial Number here is not supported.
- Error Code - The code identifying the type of error that occurred. All error codes are selected by default. Optionally, select Search to work with the list of eligible error codes, search based on error code, or remove error codes from the list selected for the report.
- Activity Time Period - Optionally, select a time period to include errors that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of errors for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Error Code - The error code(s) selected for inclusion on the report; otherwise, set to ALL.
- Program ID - The program ID(s) selected for inclusion on the report; otherwise, set to ALL.
- Serial Number - The serial number(s) selected for inclusion on the report; otherwise, set to N/A.

Detail Information:

- Program- The ID and Name of the Loyalty Program.
- Acct ID - The unique identifier for the account associated with the card.
- Program Level ID - Name - The ID and Name of the Loyalty Program level.
- Serial Number - The unique serial number for the card.
 - Activity ID - Type - The unique numeric identifier for the type of activity, and the name of the type. Examples of activity types are Activate or Issue Points.
 - Activity Date - The date when the activity took place.
 - Business Date - The business date when the activity took place.
 - Create Date - The date when the activity record was created.
 - Void Flag - Set to Yes if the transaction was voided.
 - Error Code - The description of the error that occurred.
 - Comments - Any comments entered for the activity.
 - Create User - The user ID that created the activity producing the error.
 - Trans. ID - The unique numeric identifier for the transaction.
 - Loc. ID - The unique identifier for the Location where the activity took place.
 - Number of Points - The number of points associated with the activity.
- Totals for Account - The total net points earned, awarded, or subtracted for activities in error for the account during the date range included on the report.
- Report Totals - The total net points earned, awarded, or subtracted for activities in error included on the report.

Loyalty Account Level Summary Report

This report presents account level summaries for Loyalty accounts by Program ID.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Loyalty Program. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program ID, or remove Programs from the list selected for the report.

After you make a Program ID / Name selection, clear the Program Level ID that is automatically selected as a result and reset Program Level IDs as needed.
- Program Level ID - The ID and Name identifying a Level for a Loyalty Program. Optionally, select Search to work with the list of eligible Levels, search based on Level ID and Name, or remove Levels from the list selected for the report.
- Account - Optionally, enter an account number to include a specific Loyalty account on the report. Searching for an account here is not supported.
- Serial Number - Optionally, enter a card's Serial Number to include a specific Loyalty Account on the report based on Serial Number. Searching for a Serial Number here is not supported.
- Activity Time Period - Optionally, select a time period to include totals for cards created during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:

- Yesterday
- Last Week
- Last Month
- Last Year
- Last 30 Days
- Last 60 Days
- Last 90 Days
- This Week
- This Month
- This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of accounts for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.

Detail Information:

- Program ID - The unique numeric identifier for the Program.
- Program Name - The Name describing the Program.

For each account included on the report:

- Program Level - The unique numeric identifier for the current Program level for the account.
- Program Level Name - The Name describing the current Program level for the account.
- Account ID - The unique numeric identifier for the account.
- Serial Number - The unique serial number for the account.
- Earned Points Balance - The current total net earned points balance for the account.
- Bonus Points Balance - The current total net bonus points balance for the account.
- Escrow Points Balance - The current total net escrow points balance for the account.
- Program Totals:

Report Generation Options and Contents

- Earned Points Balance - The current total net earned points balance for the accounts listed on the report for the Program.
- Bonus Points Balance - The current total net bonus points balance for the accounts listed on the report for the Program.
- Escrow Points Balance - The current total net escrow points balance for the accounts listed on the report for the Program.
- Report Totals:
 - Earned Points Balance - The current total net earned points balance for the accounts listed on the report.
 - Bonus Points Balance - The current total net bonus points balance for the accounts listed on the report.
 - Escrow Points Balance - The current total net escrow points balance for the accounts listed on the report.

Loyalty Activity Type Summary Report

This report presents summary information on accounts and Loyalty activity types associated with Program Levels on Loyalty Programs.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Loyalty Program. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program ID, or remove Programs from the list selected for the report.

After you make a Program ID / Name selection, clear the Program Level ID that is automatically selected as a result and reset Program Level IDs as needed.

- Program Level ID / Name - The ID and Name identifying a Level for a Loyalty Program. Optionally, select Search to work with the list of eligible Levels, search based on Level ID and Name, or remove Levels from the list selected for the report.
- Activity Type - The type of activity performed for a Loyalty account. Optionally, select Search to work with the list of eligible types, search based on type, or remove types from the list selected for the report. Possible Activity Types are:
 - Account Merge
 - Activate Card
 - Award
 - Balance Transfer
 - Change Earn Date
 - Change Level
 - Deactivate Card
 - Earn Points
 - Expire Points
 - Inquiry
 - Point Recovery
 - Reset Expiration Date
 - Return

- Sustain Extension
- Void Transaction
- Activity Time Period - Optionally, select a time period to include totals for activities performed during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of activities performed across all Programs and Levels included on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.

Detail Information:

- Program ID - The unique numeric identifier for the Program.
- Program Name - The Name describing the Program.

For each activity type and Level included on the report:

- Program Level ID - The unique numeric identifier for the Program Level.
- Program Level Name - The Name describing the Program Level.
- Activity Type - The type of activity performed. Possible activity types include:
 - Account Merge
 - Activate Card
 - Award

Report Generation Options and Contents

- Balance Transfer
- Change Earn Date
- Deactivate Card
- Earn Points
- Expire Points
- Inquiry
- Issue
- Point Recovery
- Reset Expiration Date
- Return
- Sustain Extension
- Void Transaction
- Number of Accounts - The total number of accounts that had this type of activity for the Program Level during the date range.
- Number of Points - The total number of points for the activity type. Can be a negative number, such as for an award, or can be 0.00, such as for an inquiry.
- Average Points - The Number of Points / the Number of Accounts.
- Program Totals:
 - Number of Accounts - The total number of accounts that had this type of activity for all Program Levels
 - Number of Points - The total number of points for all included activities for the Program.
 - Average Points - The Number of Points / the Number of Accounts.
- Report Totals:
 - Number of Accounts - The total number of accounts included on the report.
 - Number of Points - The total number of points for all activities included on the report.
 - Average Points - The Number of Points / the Number of Accounts.

Loyalty Activity Type Trend Report

This report presents summary information on Accounts by Activity Type by business date, organized by Loyalty Program Level.

The report begins with three charts summarizing loyalty activity. One chart displays total activity counts for each date in the selected time period, another displays the number of points involved in the activities for each date, and the third displays average points for each date.

Note: The charts on this report are useful only if you restrict the selection criteria to a single Program ID, Program Level ID, and Activity Type, so you can identify the totals for the type of activity. Otherwise, it would be difficult to determine the different totals for the same date but a different Program ID, Program Level ID, and Activity Type.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Loyalty Program for a Card Definition. All Loyalty Programs are selected by default. Optionally, select Search to work with the list of eligible Loyalty Programs, search based on Loyalty Program Name, or remove Loyalty Programs from the list selected for the report.

After you make a Program ID / Name selection, clear the Program Level ID that is automatically selected as a result and reset Program Level IDs as needed.

- Program Level ID / Name - The ID and Name identifying a Level for a Loyalty Program. Optionally, select Search to work with the list of eligible Levels, search based on Level ID and Name, or remove Levels from the list selected for the report.
- Activity Type - Codes identifying types of activity for a Loyalty account. All activity types are selected by default. Optionally, select Search to work with the list of eligible Activity Types, search based on Activity Type, or remove Activity Types from the list selected for the report. Possible Activity Types are:
 - Account Merge
 - Activate Card
 - Award
 - Balance Transfer
 - Change Earn Date
 - Change Level
 - Deactivate Card
 - Earn Points
 - Expire Points
 - Inquiry
 - Point Recovery
 - Reset Expiration Date
 - Return
 - Sustain Extension
 - Void Transaction
- Activity Time Period - Optionally, select a time period to include activities that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month

Report Generation Options and Contents

- This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of records by Business Date, Program Level, Activity Type, and Activity Date for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Program ID - The numeric ID for a Loyalty Program selected when generating the report. Set to ALL if there was no restriction.
- Program Level - The numeric ID for a Loyalty Level selected when generating the report. Set to ALL if there was no restriction.
- Activity Type - The Activity Type(s) selected when generating the report. Set to ALL if there was no restriction.

Number of Accounts Chart - Displays the total number of Loyalty accounts for which there was activity for each date.



Figure 21-18: Loyalty Activity Type Trend Report - Number of Accounts Chart

Number of Points Chart - Displays the total number of points involved in activities for each date.

Negative numbers are presented as absolute values. For example, if the Activity Type is Award, and the amount of Points deducted is 500, the number of points depicted on this graph is 500 rather than -500.

ORACLE Loyalty Activity Type Trend Organization: demo

Number of Points - Loyalty Activity Type Trend





Figure 21-19: Loyalty Activity Type Trend Report - Number of Points Chart

Average Points Chart - Displays the average number of points involved in activities for each date.

Negative numbers are presented as absolute values. For example, if the Activity Type is Award, and the average amount of Points deducted is 100, the average amount of points depicted on this graph is 100 rather than -100.

ORACLE Loyalty Activity Type Trend Organization: demo

Average Points - Loyalty Activity Type Trend



Detail Information:

- Program - The unique numeric identifier for the Loyalty Program, and the Name describing the Loyalty Program.

For each activity type and Level included on the report:

- Program Level ID - Name - The unique numeric identifier for the Program Level, and the Name describing the Program Level.

Report Generation Options and Contents

- Activity Type - The type of activity performed. Possible activity types include:
 - Account Merge
 - Activate Card
 - Award
 - Balance Transfer
 - Change Earn Date
 - Deactivate Card
 - Earn Points
 - Expire Points
 - Inquiry
 - Issue
 - Point Recovery
 - Reset Expiration Date
 - Return
 - Sustain Extension
 - Void Transaction
- Business Date - The business date when the activity type occurred for the Loyalty Program and Level.
- Number of Accounts - The total number of accounts that had this type of activity for the Program Level on this date.
- Number of Points - The total number of points for the activity type on this date. A negative number, such as for an award, is expressed as an absolute value.
- Average Points - The Number of Points / the Number of Accounts.
- Totals for Activity Type:
 - Number of Accounts - The total number of accounts that had this type of activity for the Program Level during this date range.
 - Number of Points - The total number of points for the activity type for this Program Level during this date range. A negative number, such as for an award, is expressed as an absolute value.
 - Average Points - The Number of Points / the Number of Accounts.
- Totals for Program Level:
 - Number of Accounts - The total number of accounts that had activity for the Program Level during this date range.
 - Number of Points - The total number of points for this Program Level during this date range. A negative number, such as for an award, is expressed as an absolute value.
 - Average Points - The Number of Points / the Number of Accounts.
- Totals for Program:
 - Number of Accounts - The total number of accounts that had activity for the Program.

- Number of Points - The total number of points for all included activities for the Program.
- Average Points - The Number of Points / the Number of Accounts.
- Report Totals:
 - Number of Accounts - The total number of accounts included on the report.
 - Number of Points - The total number of points for all activities included on the report. Calculated by adding absolute values.
 - Average Points - The Number of Points / the Number of Accounts.

Loyalty Issue Rule Impact Report

This report displays transaction level counts of merchandise associated with purchases against a Loyalty Issue Rule.

Selection Criteria

- Program Level ID / Name - The ID and Name identifying a Level for a Loyalty Program. Optionally, select Search to work with the list of eligible Levels, search based on Level ID and Name, or remove Levels from the list selected for the report.

After you make a Program ID / Name selection, clear the Loyalty Rule ID that is automatically selected as a result and reset Loyalty Rule IDs as needed.
- Loyalty Rule ID / Name - The ID and Name identifying a Rule that controls issuing points for a Loyalty Level. Optionally, select Search to work with the list of eligible Rules, search based on Rule ID and Name, or remove Rules from the list selected for the report.
- Activity Time Period - Optionally, select a time period to include activities that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.
- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).

Report Generation Options and Contents

- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of transactions that triggered the application of a Rule included on the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Program Level ID - The numeric ID(s) for Loyalty Level(s) selected when generating the report. Set to ALL if there was no restriction.
- Loyalty Rule ID - The numeric ID(s) for Rule(s) selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Program Level ID - The unique identifier for a Loyalty Program Level.
- Loyalty Rule ID - Description - The unique identifier for a Loyalty Rule that controls issuing points, and the Description of the Rule.
- Item Dept ID - The unique identifier for the Department associated with the Item on the transaction.
- Item Class ID - The unique identifier of the Item Class that further defines the Item on the transaction.
- RTL Trans ID - A unique identifier for the retail transaction, referencing the Location and Workstation as well as the transaction sequence number.
- Number of Accounts - The number of Accounts associated with the transaction ID. Typically set to 1.
- Transaction Count - The number of transactions associated with the transaction ID. Typically set to 1.
- Item Extended Amount - The extended selling price of the items on the transaction.
- Totals for Rule:
 - Number of Accounts - The number of Accounts associated with the transactions where the Rule was applied.
 - Transaction Count - The number of transactions where the Rule was applied.
 - Item Extended Amount - The total extended selling price of the items on the transactions.
- Totals for Program Level ID:
 - Number of Accounts - The number of Accounts associated with the transactions where a Rule for the Program Level was applied. If an Account was associated with multiple transactions for the Program, it is included for each transaction.
 - Transaction Count - The number of transactions where a Rule for the Program was applied.
 - Item Extended Amount - The total extended selling price of the items on the transactions.
- Report Total:

- Number of Accounts - The number of Accounts for all transactions included on the report. If an Account was associated with multiple transactions on the report, it is included for each transaction.
- Transaction Count - The number of transactions included on the report.
- Item Extended Amount - The total extended selling price of the items on the transactions.

Loyalty Rules Results Summary Report

This reports displays summary account information by Activity Type for each Loyalty Rule. It is organized by Program levels within the Loyalty Programs.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Loyalty Program for a Card Definition. All Loyalty Programs are selected by default. Optionally, select Search to work with the list of eligible Loyalty Programs, search based on Loyalty Program Name, or remove Loyalty Programs from the list selected for the report.

After you make a Program ID / Name selection, clear the Program Level ID that is automatically selected as a result and reset Program Level IDs as needed.

- Program Level ID / Name - The ID and Name identifying a Level for a Loyalty Program. Optionally, select Search to work with the list of eligible Levels, search based on Level ID and Name, or remove Levels from the list selected for the report.

After you make a Program ID / Name selection, clear the Program Level ID that is automatically selected as a result and reset Program Level IDs as needed.

- Rule ID / Name - The ID and Name identifying a Rule that controls issuing points for a Loyalty Level. Optionally, select Search to work with the list of eligible Rules, search based on Rule ID and Name, or remove Rules from the list selected for the report.

- Activity Time Period - Optionally, select a time period to include activities that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:

- Yesterday
- Last Week
- Last Month
- Last Year
- Last 30 Days
- Last 60 Days
- Last 90 Days
- This Week
- This Month
- This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).

Report Generation Options and Contents

- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of activity types that triggered the application of a Rule included on the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.

Detail Information:

- Program ID - The unique numeric identifier for the Loyalty Program.
- Program Name - The Name describing the Loyalty Program.
- Program Level ID - The unique numeric identifier for the Loyalty Program Level.
- Program Level Name - The name describing the Loyalty Program Level.
- Loyalty Rule ID - The unique numeric identifier for the Loyalty Program Rule.
- Loyalty Rule Name - The name describing the Loyalty Program Rule.
- Activity Type - The type of activity that triggered the application of the Rule.
- Number Of Accounts - The number of Accounts for which the Rule was applied for the Activity Type.
- Number of Points - The total number of points applied through the Rule.
- Average Points - The Number of Points / the Number of Accounts.
- Program Totals:
 - Number of Accounts - The number of Accounts for which the Rule was applied for the Program.
 - Number Of Points - The total number of points applied for the Program.
 - Average Points - The Number Of Points / the Number of Accounts.
- Report Totals:
 - Number of Accounts - The number of Accounts for all activities included on the report.
 - Number Of Points - The number of points for all Accounts and activities included on the report.
 - Average Points - The total Number Of Points / the total Number of Accounts.

Loyalty Rules Results Trend Report

This report presents summary information on accounts by Activity Type by Activity Date for each Loyalty Rule. It is organized by Loyalty Program Level for each Loyalty Program.

The report begins with three charts illustrating loyalty rules results activity. One chart displays total number of accounts with rules activity for each date in the selected time

period, another displays the number of points involved in the rules results activities for each date, and the third displays average points used for rules results for each date.

Note: The charts on this report are useful only if you restrict the selection criteria to a single Program ID, Program Level ID, and Activity Type, so you can identify the totals for the type of activity. Otherwise, it would be difficult to determine the different totals for the same date but a different Program ID, Program Level ID, and Activity Type.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Loyalty Program for a Card Definition. All Loyalty Programs are selected by default. Optionally, select Search to work with the list of eligible Loyalty Programs, search based on Loyalty Program Name, or remove Loyalty Programs from the list selected for the report.

After you make a Program ID / Name selection, clear the Program Level ID that is automatically selected as a result and reset Program Level IDs as needed.

- Program Level ID / Name - The ID and Name identifying a Level for a Loyalty Program. Optionally, select Search to work with the list of eligible Levels, search based on Level ID and Name, or remove Levels from the list selected for the report.
- Activity Type - Codes identifying types of activity for a Loyalty account. All activity types are selected by default. Optionally, select Search to work with the list of eligible Activity Types, search based on Activity Type, or remove Activity Types from the list selected for the report. Possible Activity Types are:
 - Account Merge
 - Activate Card
 - Award
 - Balance Transfer
 - Change Earn Date
 - Change Level
 - Deactivate Card
 - Earn Points
 - Expire Points
 - Inquiry
 - Issue
 - Point Recovery
 - Reset Expiration Date
 - Return
 - Sustain Extension
 - Void Transaction
- Activity Time Period - Optionally, select a time period to include activities that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:

Report Generation Options and Contents

- Yesterday
- Last Week
- Last Month
- Last Year
- Last 30 Days
- Last 60 Days
- Last 90 Days
- This Week
- This Month
- This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of rules applied for all Program Levels, Activity Types, and Activity Dates for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Program - The numeric ID for a Loyalty Program selected when generating the report. Set to ALL if there was no restriction.
- Program Level - The numeric ID for a Loyalty Level selected when generating the report. Set to ALL if there was no restriction.
- Activity Type - The Activity Type(s) selected when generating the report. Set to ALL if there was no restriction.

Number of Accounts Chart - Displays the total number of Loyalty accounts for which rules were applied for each date.



Figure 21-20: Loyalty Rules Results Trend Report - Number of Accounts Chart

Number of Points Chart - Displays the total number of points involved in rules results for each date.

Negative numbers are presented as absolute values. For example, if the Activity Type is Award, and the amount of Points deducted is 500, the number of points depicted on this graph is 500 rather than -500.




Figure 21-21: Loyalty Rules Results Trend Report - Number of Points Chart

Average Points Chart - Displays the average number of points involved in rules results for each date.

Report Generation Options and Contents

Negative numbers are presented as absolute values. For example, if the Activity Type is Award, and the average amount of Points deducted is 100, the average amount of points depicted on this graph is 100 rather than -100.




Figure 21-22: Loyalty Rules Results Trend Report - Average Points Chart

Detail Information:

- Program - The unique numeric identifier for the Loyalty Program, and the Name describing the Loyalty Program.

For each Program Level:

- Program Level ID - Name - The unique numeric identifier for the Program Level, and the Name describing the Level.
- Loyalty Rule ID - The unique numeric identifier for the Loyalty Rule.
- Description - The name describing the Rule.
- Activity Type - The activity associated with the rule result. Possible Activity Types are:
 - Account Merge
 - Activate Card
 - Award
 - Balance Transfer
 - Change Earn Date
 - Change Level
 - Deactivate Card
 - Earn Points
 - Expire Points
 - Inquiry
 - Issue
 - Point Recovery
 - Reset Expiration Date

- Return
- Sustain Extension
- Void Transaction
- Activity Date - The date when the activitie(s) took place.
- Number of Accounts - The number of Accounts involved in the rule results for the date, activity, and rule.
- Number of Points - The net total number of points involved in the rule results for the date, activity, and rule. Expressed as an absolute value.
- Average Points - The Number of Points / the Number of Accounts.
- Totals for Rule:
 - Number of Accounts - The number of Accounts involved in rule results for the rule.
 - Number of Points - The number of points involved in rule results for the rule.
 - Average Points - The Number of Points / the Number of Accounts.
- Totals for Program Level:
 - Number of Accounts - The number of Accounts involved in rule results for the Program Level.
 - Number of Points - The number of points involved in rule results for the Program Level.
 - Average Points - The Number of Points / the Number of Accounts.
- Totals for Program:
 - Number of Accounts - The number of Accounts involved in rule results for the Program.
 - Number of Points - The number of points involved in rule results for the Program.
 - Average Points - The Number of Points / the Number of Accounts.
- Report Totals:
 - Number of Accounts - The total number of Accounts involved in rule results on the report.
 - Number of Points - The total number of points involved in rule results on the report.
 - Average Points - The Number of Points / the Number of Accounts.

An account can be included in the Number of Accounts totals more than once if, for example, multiple rules were applied for the account during the date range on the report.

Loyalty Account Balance Summary Report

This report presents summary information about the Loyalty Account balances, by Program Level, within each Program.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Loyalty Program for a Card Definition. All Loyalty Programs are selected by default. Optionally, select Search to

Report Generation Options and Contents

work with the list of eligible Loyalty Programs, search based on Loyalty Program Name, or remove Loyalty Programs from the list selected for the report.

After you make a Program ID / Name selection, clear the Program Level ID that is automatically selected as a result and reset Program Level IDs as needed.

- Program Level ID / Name - The ID and Name identifying a Level for a Loyalty Program. Optionally, select Search to work with the list of eligible Levels, search based on Level ID and Name, or remove Levels from the list selected for the report.
- Activity Time Period - Optionally, select a time period to include Loyalty Cards generated during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.

Detail Information:

- Program - The unique numeric identifier for the Loyalty Program, and the Name describing the Loyalty Program.
- Program Level ID - The unique numeric identifier for the Loyalty Program Level.
- Program Level Name - The Name describing the Loyalty Program Level.
- Balance Range - The range of balance totals categorizing the Loyalty Accounts for all generated Cards, including Cards not yet activated and Cards that have been activated and then deactivated. Possible ranges are:
 - Balance Less Than 0 - Includes Accounts with negative balances.
 - Balance Equals 0 - Includes Accounts whose balances are exactly 0.00.

- Balance Greater Than .01 - Includes Accounts whose balances are greater than 0.00, including Accounts with balances of .01.
- Rolled-Up Earned Points Balance - The total points balance for all Accounts included in the Balance Range.
- Number Of Accounts - The total number of Loyalty Accounts for all generated Cards in the Balance Range, including Cards not yet activated and Cards that have been activated and then deactivated.
- Totals for Program Level:
 - Rolled-Up Earned Points Balance - The total points balance for all Accounts for the Level.
 - Number of Accounts - The total number of Loyalty Accounts for all generated Cards for the Program Level, including Cards not yet activated and Cards that have been activated and then deactivated.
- Totals for Program:
 - Rolled-Up Earned Points Balance - The total points balance for all Accounts for the Program.
 - Number of Accounts - The total number of Loyalty Accounts for all generated Cards for the Program, including Cards not yet activated and Cards that have been deactivated.
- Report Totals:
 - Rolled-Up Earned Points Balance - The total points balance for all Accounts included in the totals on the report.
 - Number of Accounts - The total number of Loyalty Accounts for all generated Cards included in the totals on the report.

Loyalty Account Last Use Summary Report

This report presents Loyalty Account summary information within Loyalty Program Level, grouped by the number of months since last use date.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Loyalty Program for a Card Definition. All Loyalty Programs are selected by default. Optionally, select Search to work with the list of eligible Loyalty Programs, search based on Loyalty Program Name, or remove Loyalty Programs from the list selected for the report.
- Program Level ID / Name - The ID and Name identifying a Level for a Loyalty Program. Optionally, select Search to work with the list of eligible Levels, search based on Level ID and Name, or remove Levels from the list selected for the report.
- Activity Time Period - Optionally, select a time period to include Loyalty Cards generated during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days

Report Generation Options and Contents

- Last 60 Days
- Last 90 Days
- This Week
- This Month
- This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.

Detail Information:

- Program - The unique numeric identifier for the Loyalty Program, and the Name describing the Loyalty Program.
- Program Level ID - The unique numeric identifier for the Loyalty Program Level.
- Program Level Name - The Name describing the Loyalty Program Level.
- Last Use Interval - The range of dates when there was most recently any activity for the Accounts. Possible intervals are:
 - Less Than 30 Days - Includes Cards that have not yet been activated.
 - 31 to 60 Days
 - 61 to 90 Days
 - Over 90 Days - Includes Cards that have been deactivated.
 - Never Used
- Number Of Accounts - The total number of Loyalty Accounts for all generated Cards for this Level in the Last Use Interval, including Cards not yet activated and Cards that have been deactivated.
- Earned Points Balance - The total points balance for all Accounts included in the Last Use Interval.
- Average Earned Points Balance - The Earned Points Balance / the Number of Accounts.
- Totals for Program Level:
 - Number Of Accounts - The total number of Loyalty Accounts for all generated Cards in the Program Level, including Cards not yet activated and Cards that have been deactivated.
 - Earned Points Balance - The total points balance for all Accounts for the Program Level.

- Average Earned Points Balance - The Earned Points Balance / the Number of Accounts.
- Totals for Program:
 - Number Of Accounts - The total number of Loyalty Accounts for all generated Cards in the Program, including Cards not yet activated and Cards that have been deactivated.
 - Earned Points Balance - The total points balance for all Accounts for the Program.
 - Average Earned Points Balance - The Earned Points Balance / the Number of Accounts.
- Report Totals:
 - Number Of Accounts - The total number of Loyalty Accounts for all generated Cards included in the report totals.
 - Earned Points Balance - The total points balance for all Accounts included in the report totals.
 - Average Earned Points Balance - The Earned Points Balance / the Number of Accounts.

Loyalty Account Life Cycle Summary Report

This report presents summary information within a Loyalty Program Level, grouped by the number of months that the Accounts have been in use.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Loyalty Program for a Card Definition. All Loyalty Programs are selected by default. Optionally, select Search to work with the list of eligible Loyalty Programs, search based on Loyalty Program Name, or remove Loyalty Programs from the list selected for the report.

After you make a Program ID / Name selection, clear the Program Level ID that is automatically selected as a result and reset Program Level IDs as needed.
- Program Level ID / Name - The ID and Name identifying a Level for a Loyalty Program. Optionally, select Search to work with the list of eligible Levels, search based on Level ID and Name, or remove Levels from the list selected for the report.
- Activity Time Period - Optionally, select a time period to include Loyalty Cards with activity or transactions during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week

Report Generation Options and Contents

- This Month
- This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of Activation Intervals for all Programs and Program Levels for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.

Detail Information:

- Program - The unique numeric identifier for the Loyalty Program, and the Name describing the Loyalty Program.
- Program Level ID - Name - The unique numeric identifier for the Loyalty Program Level, and the Name describing the Loyalty Program Level.
- Activation Interval - The time frame when the accounts were created. Possible time frames are:
 - Less Than 30 Days
 - 31 to 60 Days
 - 61 to 90 Days
 - Over 90 Days
- Number of Accounts - The total number of accounts for the Level and Activation Interval that have been activated. Includes accounts that have been activated and then deactivated.
- Earned Points Balance - The total balance of points for the accounts.
- Average Earned Points Balance - The Earned Points Balance / the Number of Accounts.
- Totals for Program Level:
 - Number of Accounts - The total number of accounts for the Program Level that have been activated. Includes accounts that have been activated and then deactivated.
 - Earned Points Balance - The total number of points for the accounts.
 - Average Earned Points Balance - The Earned Points Balance / the Number of Accounts.
- Totals for Program:

- Number of Accounts - The total number of accounts for the Program that have been activated. Includes accounts that have been activated and then deactivated.
- Earned Points Balance - The total number of points for the accounts.
- Average Earned Points Balance - The Earned Points Balance / the Number of Accounts.
- Report Totals:
 - Number of Accounts - The total number of accounts included on the report that have been activated. Includes accounts that have been activated and then deactivated.
 - Earned Points Balance - The total number of points for the accounts.
 - Average Earned Points Balance - The Earned Points Balance / the Number of Accounts.

Loyalty Account Activity Summary Award Report

This report presents the earned points from Award rules, or paid points for Awards, by Loyalty Account, within a given period of time.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Loyalty Program for a Card Definition. All Loyalty Programs are selected by default. Optionally, select Search to work with the list of eligible Loyalty Programs, search based on Loyalty Program Name, or remove Loyalty Programs from the list selected for the report.

After you make a Program ID / Name selection, clear the Program Level ID that is automatically selected as a result and reset Program Level IDs as needed.

- Program Level ID / Name - The ID and Name identifying a Level for a Loyalty Program. Optionally, select Search to work with the list of eligible Levels, search based on Level ID and Name, or remove Levels from the list selected for the report.
- Activity Time Period - Optionally, select a time period to include Loyalty Cards with award transaction dates during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

Report Generation Options and Contents

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of Account IDs for all Programs and Program Levels for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Program ID - The numeric ID for the Loyalty Program(s) selected when generating the report. Set to ALL if there was no restriction.
- Program Level - The numeric ID for the Loyalty Level(s) selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Program - The unique numeric identifier for the Loyalty Program, and the Name describing the Loyalty Program.
- Program Level ID - Name - The unique numeric identifier for the Loyalty Program Level, and the Name describing the Loyalty Program Level.
- Account ID - The unique numeric identifier for the account.
- Earned Points - The current total earned points balance for the account during the activity period, net of points used for awards.
- Totals for Program Level - The total Earned Points for the Program Level during the activity period.
- Totals for Program - The total Earned Points included on the report for the Program during the activity period.
- Report Totals - The total Earned Points included on the report for the activity period.

Loyalty Account Activity Summary Issue Report

This report presents the earned points from Issue rules, by Loyalty Account, within a given period of time.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Loyalty Program for a Card Definition. All Loyalty Programs are selected by default. Optionally, select Search to work with the list of eligible Loyalty Programs, search based on Loyalty Program Name, or remove Loyalty Programs from the list selected for the report.

After you make a Program ID / Name selection, clear the Program Level ID that is automatically selected as a result and reset Program Level IDs as needed.

- Program Level ID / Name - The ID and Name identifying a Level for a Loyalty Program. Optionally, select Search to work with the list of eligible Levels, search based on Level ID and Name, or remove Levels from the list selected for the report.

- Activity Time Period - Optionally, select a time period to include Loyalty Cards with issue transaction dates during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of Account IDs for all Programs and Program Levels for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Program ID - The numeric ID for the Loyalty Program(s) selected when generating the report. Set to ALL if there was no restriction.
- Program Level - The numeric ID for the Loyalty Level(s) selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Program ID - Name - The unique identifier for the Loyalty Program, and the Name describing the Loyalty Program.
- Program Level ID - Name - The unique identifier for the Loyalty Program Level, and the Name describing the Loyalty Program Level.
- Account ID - The unique numeric identifier for an account associated with any issue activity.
- Activity Type - Set to Issue.

Report Generation Options and Contents

- Earned Points - The total points issued for the account for the date range. Not net of points used for level changes or awards.
- Totals for Program Level - The total Earned Points for the Program Level for the date range. Not net of points used for level changes or awards.
- Totals for Program - The total Earned Points included on the report for the Program for the date range. Not net of points used for level changes or awards.
- Report Totals - The total Earned Points included on the report. Not net of points used for level changes or awards.

Loyalty Program Level Summary Report

This report presents the current balance statistics for Program Levels within Programs.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Loyalty Program for a Card Definition. All Loyalty Programs are selected by default. Optionally, select Search to work with the list of eligible Loyalty Programs, search based on Loyalty Program Name, or remove Loyalty Programs from the list selected for the report.

After you make a Program ID / Name selection, clear the Program Level ID that is automatically selected as a result and reset Program Level IDs as needed.

- Program Level ID / Name - The ID and Name identifying a Level for a Loyalty Program. Optionally, select Search to work with the list of eligible Levels, search based on Level ID and Name, or remove Levels from the list selected for the report.
- Activity Time Period - Optionally, select a time period to include Loyalty Cards that were generated during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of Program Levels for all Programs for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.

Detail Information:

- Program - The unique identifier for the Loyalty Program, and the Name describing the Loyalty Program.
- Program Level ID - The unique numeric identifier for the Loyalty Program Level.
- Program Level Name - The Name describing the Loyalty Program Level.
- Number of Accounts - The total number of cards generated during the date range that are currently at this Program Level.
- Total Earned Point Balance - The total current net earned points for all accounts generated during the date range that are currently at this Program Level.
- Total Bonus Point Balance - The total current net bonus points applied for all accounts generated during the date range that are currently at this Program Level.
- Total Escrow Point Balance - The total current net escrow points for all accounts generated during the date range that are currently at this Program Level.
- Average Earned Balance - The Total Earned Point Balance / the Number of Accounts.
- Average Bonus Balance - The Total Bonus Point Balance / the Number of Accounts.
- Average Escrow Balance - The Total Escrow Point Balance / the Number of Accounts.
- Totals for Program:
 - Number of Accounts - The total number of cards generated during the date range for the Program.
 - Total Earned Point Balance - The total current net earned points for all accounts generated during the date range for the Program.
 - Total Bonus Point Balance - The total current net bonus points applied for all accounts generated during the date range for the Program.
 - Total Escrow Point Balance - The total current net escrow points for all accounts generated during the date range for the Program.
 - Average Earned Balance - The Total Earned Point Balance / the Number of Accounts.
 - Average Bonus Balance - The Total Bonus Point Balance / the Number of Accounts.
 - Average Escrow Balance - The Total Escrow Point Balance / the Number of Accounts.
- Report Totals:
 - Number of Accounts - The total number of cards included on the report.
 - Total Earned Point Balance - The total current net earned points for all accounts included on the report.

Report Generation Options and Contents

- Total Bonus Point Balance - The total current net bonus points applied for all accounts included on the report.
- Total Escrow Point Balance - The total current net escrow points for all accounts included on the report.
- Average Earned Balance - The Total Earned Point Balance / the Number of Accounts.
- Average Bonus Balance - The Total Bonus Point Balance / the Number of Accounts.
- Average Escrow Balance - The Total Escrow Point Balance / the Number of Accounts.

Registry Management Reports

Registry Detail Report

This report presents detailed information for Gift Registries or Wish Lists.

Selection Criteria

- Customer ID / Name - The ID and Name identifying a Customer. All Customers are selected by default. Optionally, select Search to work with the list of eligible Customers, search based on Customer Name, or remove Customers from the list selected for the report. Only Customers selected with a Gift Registry or Wish List are available for selection.

After you make a Customer ID / Name selection, clear the Registry ID that is automatically selected as a result and reset Program Level IDs as needed.

- Registry Type - The type of Registry: Gift Registry or Wish List. Both types are selected by default. Optionally, remove a type or Registry to exclude it from the report.

After you make a Registry Type selection, clear the Registry ID / Name that is automatically selected as a result and reset Registry IDs as needed.

- Registry ID / Name - The ID and Name identifying a Gift Registry or Wish List. All Registries and Wish Lists are selected by default. Optionally, select Search to work with the list of Registries and Wish Lists, search based on Registry or Wish List Name, or remove Registries or Wish Lists from the list selected for the report.

- Registry Event Date Range - Optionally, select a time period to include Gift Registries scheduled during this period or Wish Lists created during this period on the report rather than entering an Registry Event Start Date or Registry Event End Date. Set to None by default. Available time periods are:

- Yesterday
- Last Week
- Last Month
- Last Year
- Last 30 Days
- Last 60 Days
- Last 90 Days
- This Week

- This Month
- This Year

Gift Registries scheduled for future dates are not included in any of these time periods. To include Gift Registries for future dates, use the Registry Event Start Date and Registry Event End Date options to select a date range that includes the scheduled date for the future Gift Registry.

If you select a Registry Event Time Period, the Registry Event Start Date and Registry Event End Date criteria are ignored.

- Registry Event Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Registry Event End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of items for all Registries for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Customer ID - The numeric ID for the Customer(s) selected when generating the report. Set to ALL if there was no restriction.
- Registry ID - The numeric ID for the Registry(s) or Wish List(s) selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Primary Customer ID - The unique numeric identifier for a Customer.
- Registry ID - Name - The unique numeric identifier for a Registry or Wish List, and the Name describing the Registry or Wish List.
- Event Date - The date for an Item Registry. Set to N/A for a Wish List. Repeated for each Item for the Registry.
- Venue Name and Venue Address - The Venue Name and Address for an Item Registry. Set to N/A for a Wish List. Repeated for each Item for the Registry.
- First Name and Last Name - The primary Customer's first and last name. Repeated for each Item for the Registry or Wish List.
- Email Address and Phone Number - The primary Customer's email address and phone number, as specified for the Registry or Wish List. Not from the current primary email address and phone from the Customer record. Set to N/A if not specified.
- Address - The primary Customer's address, as specified for the Registry or Wish List. Not from the current primary address from the Customer record. Set to N/A if not specified.
- Item ID - Name - The ID and Name of the Item on the Registry or Wish List.

Report Generation Options and Contents

- Desired Quantity - The desired quantity of the Item. Includes a two-position decimal.
- Purchased Quantity - The purchased quantity of the Item. Includes a two-position decimal.
- Totals for Registry:
 - Desired Quantity - The total desired quantity of all Items on the Registry or Wish List that are included on the report. Includes a two-position decimal.
 - Purchased Quantity - The total purchased quantity of all Items on the Registry or Wish List that are included on the report. Includes a two-position decimal.
- Report Totals:
 - Desired Quantity - The total desired quantity of all Items included on the report. Includes a two-position decimal.
 - Purchased Quantity - The total purchased quantity of all Items included on the report. Includes a two-position decimal.

Segment Management Reports

N-Tile / Range Strata Report

This report presents details on Customer Segments broken out by strata.

Selection Criteria

- Segment ID / Name - The ID and Name identifying a Customer Segment. All eligible Segments are selected by default. Optionally, select Search to work with the list of eligible Segments, search based on Segment Name, or remove Segments from the list selected for the report. Only Public Stratified Segments with a Customer Count > 0 are eligible for selection.
- Save List Flag - Optionally, select Yes or No to have the report include Segments based on whether the Save as List flag was selected at Segment creation. Set to All by default.
- Trended Flag - Optionally, select Yes or No to have the report include Segments based on whether the Trend Results? flag was selected at Segment creation.
- Activity Time Period - Optionally, select a time period to include Segments run during this period on the report rather than entering a Start Segment Run Date or End Segment Run Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Start Segment Run Date and End Segment Run Date criteria are ignored.

- Start Segment Run Date - The first date to include on the report. Defaults to the previous date (yesterday).
- End Segment Run Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of levels for all runs of all Segment Strata for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Segment ID - The numeric ID for the Segment(s) selected when generating the report. Set to ALL if there was no restriction.
- Save List Flag - Indicates if a Save List Flag setting of Yes or No was selected when generating the report. Set to ALL if there was no restriction.
- Trended Flag - Indicates if a Trended Flag setting of Yes or No was selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Segment - The unique numeric identifier for the Segment and the Name describing the Segment.
- Run ID - The unique numeric identifier for a run of the Segment. Each Run is numbered sequentially, starting with a Run ID of 0.
- Strata Type - Either Range Strata or N-Tile.
- Segment Count - The number of Customer records included in the Segment.
- Strata Level ID - Name - The unique numeric identifier of the stratum and the Name describing the stratum.
- Save List Flag and Trended Flag - Indicates the settings of the Save as List flag and the Trend Results? flag specified at Segment creation.
- Min Value and Max Value - Depending on whether this is an N-Tile or Range Strata Segment:
 - N-Tile - The minimum and maximum values determined by the system when splitting the Segment into strata.
 - Range Strata - The Range From and Range To values specified when the Segment was created.

For example, if the Segment is stratified based on Annual Income, these are the minimum and maximum Annual Income totals qualifying Customers for assignment to this stratum.

- Percent Total - The percentage of the Segment Count that consists of the Customers in this stratum: $\text{Stratified Customer Count} / \text{Segment Count}$, presented as a percentage.

Report Generation Options and Contents

- Run Date - The date when the Run took place.
- Stratified Customer Count - The total number of Customer records in the stratum.
- Totals for Run - The total Segment Count for the Run included on the report.
- Totals for Segment - The total Segment Count included on the report.
- Report Totals - The total Segment Count for all Segments included on the report.

Segment by Home Location Report

This report presents a count of Customers, by their Home Locations, for Customer Segments.

Customers who are not assigned to a Home Location are not included in the totals on the report.

Selection Criteria

- Segment ID / Name - The ID and Name identifying a Customer Segment. All eligible Segments are selected by default. Optionally, select Search to work with the list of eligible Segments, search based on Segment Name, or remove Segments from the list selected for the report. Only Segments that have at least one Customer with an address are eligible for selection.
- Time Period - Optionally, select a time period to include Segments run during this period on the report rather than entering a Start Segment Run Date or End Segment Run Date. For manual Segments, the time period applies to when the Customers were added to the Segments. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Start Segment Run Date and End Segment Run Date criteria are ignored.

- Start Segment Run Date - The first date to include on the report. Defaults to the previous date (yesterday).
- End Segment Run Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of home location/segment combinations for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Segment Name - The numeric ID for the Segment(s) selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Segment ID - Name - The unique numeric identifier for the Segment and the Name describing the Segment.
- Home Location - The Home Location specified for any Customers in the Segment, prefixed by "Store Location."
- Location Name - The Name describing the Home Location.
- Customer Count - The number of Customers assigned to this Home Location for the Segment.
- Totals for Segment - The total number of Customers in the Segment assigned to Home Locations.
- Report Totals - The total Customer Count for all Segments included on the report.

Segment by State Report

This report presents a count of Customers, by the states or provinces for each primary or non-primary address, for each Customer Segment.

Customers who are not assigned to any address are not included in the totals on the report.

Selection Criteria

- Segment ID / Name - The ID and Name identifying a Customer Segment. All eligible Segments are selected by default. Optionally, select Search to work with the list of eligible Segments, search based on Segment Name, or remove Segments from the list selected for the report. Only Segments that have at least one Customer with an address are eligible for selection.
- Time Period - Optionally, select a time period to include Segments run during this period on the report rather than entering a Start Segment Run Date or End Segment Run Date. For manual Segments, the time period applies to when the Customers were added to the Segments. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month

Report Generation Options and Contents

- This Year

If you select an Activity Time Period, the Start Segment Run Date and End Segment Run Date criteria are ignored.

- Start Segment Run Date - The first date to include on the report. Defaults to the previous date (yesterday).
- End Segment Run Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of states or provinces for all Segments for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Segment Name - The numeric ID for the Segment(s) selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Segment ID - Name - The unique numeric identifier of the Segment and the Name describing the Segment.
- State - The name of the state or province where Customers in the Segment have addresses.
- Customer Count - The number of Customer addresses in this state for the Segment. Includes both primary and non-primary addresses.
- Totals for Segment - The total number of Customer addresses for the Segment.
- Report Totals - The total Customer Count for all Segments included on the report.

Segment Count List Report

This report presents the details of each Segment run within a specified time period.

Stratified and unstratified Segments that have not been run during the selected time period are not included on the report.

Selection Criteria

- Segment ID / Name - The ID and Name identifying a Customer Segment. All eligible Segments are selected by default. Optionally, select Search to work with the list of eligible Segments, search based on Segment Name, or remove Segments from the list selected for the report. Only Segments that have at least one Customer with an address are eligible for selection.
- Time Period - Optionally, select a time period to include Segments run during this period on the report rather than entering a Start Segment Run Date or End Segment Run Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month

- Last Year
- Last 30 Days
- Last 60 Days
- Last 90 Days
- This Week
- This Month
- This Year

If you select an Activity Time Period, the Start Segment Run Date and End Segment Run Date criteria are ignored.

- Start Segment Run Date - The first date to include on the report. Defaults to the previous date (yesterday).
- End Segment Run Date - The last date to include on the report. Defaults to the current date (today).

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Segment ID - The numeric ID for the Segment(s) selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Segment ID - Name - The unique numeric identifier for the Segment and the Name describing the Segment.
- Save List Option - Indicates the settings of the Save as List flag specified at Segment creation.
- Trended Flag - Indicates the settings of the Trend Results? flag specified at Segment creation.
- Last Run Date - The last date when the Segment was run. Set to N/A for manual Segments.
- Run Count - The number of times when a segment was run. This count does not apply for a manual Segment, although a Run Count might be listed.
- Customer Count - The total number of Customers in the Segment.
- Report Totals:
 - Run Count - The total Run Count for all Segments listed on the report.
 - Customer Count - The total number of Customers in all Segments listed on the report.

Segment Customer Master Report

This report presents a listing of information about the Customers in each Segment. Only Customers that have primary email, phone, and mailing addresses are included on the report.

Selection Criteria

- Segment ID / Name - The ID and Name identifying a Customer Segment. All Segments that include at least one Customer are selected by default. Optionally, select Search to work with the list of Segments, search based on Segment Name, or remove Segments from the list selected for the report. Only Segments that have at least one Customer are eligible for selection.
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of Customers for all Segments for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Segment ID - The numeric ID for the Segment(s) selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Segment ID - The unique numeric identifier for the Segment and the Name describing the Segment.
- Run Id - This field is not currently implemented.
- Cust ID - Name - The unique numeric identifier for the Customer, and the Customer's first and last name.
- Gender - The Customer's gender, if known; otherwise, set to N/A.
- Active Flag - Set to Yes unless the Customer has been flagged as inactive.
- Street, City, State - The street address, city, and state or province for the Customer's primary mailing address.
- Postal Code - The postal or Zip code for the Customer's primary mailing address.
- Phone Number - The Customer's primary phone number.
- Email - The Customer's primary email address.
- Home Location - The unique numeric code for the Customer's Home Location, if any.
- Birth Date - The Customer's birth date, if known.
- SignUp Date - The date when the Customer record was created.
- First Trans Date - The date of the Customer's first recorded transaction, if any; otherwise, set to N/A.
- Last Trans Date - The date of the Customer's most recently recorded transaction, if any; otherwise, set to N/A.
- Total Return Item Count Dollars - The total extended merchandise value of returned items from the Customer's transaction history. Rounded to the nearest whole number.
- Total Sale Item Count Dollars - The total extended merchandise value of sold items from the Customer's transaction history. Rounded to the nearest whole number.
- Total Trans Count - The total number of individual transactions from the Customer's transaction history. Each transaction can include multiple items.

- Total Profit Percent - The total Sale Item Count Dollars - the total extended Unit Cost of the items on the transactions / the total Sale Item Count Dollars. Presented as a percentage with a two-position decimal.
- YTD Return Item Count Dollars - The total extended merchandise value of returned items for the Customer's transactions during the current year. Rounded to the nearest whole number.
- YTD Sale Item Count Dollars - The total extended merchandise value of sold items from the Customer's transactions during the current year. Rounded to the nearest whole number.
- YTD Profit Percent - The total YTD Sale Item Count Dollars - the total extended unit cost of the items on the transactions / the total YTD Sale Item count Dollars. Presented as a percentage with a two-position decimal.

Segment Purchase Profile Report

This report presents counts, by Segment, of individual items purchased.

Segments that have not had purchases during the selected time period are not included on the report.

Selection Criteria

- Segment ID / Name - The ID and Name identifying a Customer Segment. All eligible Segments are selected by default. Optionally, select Search to work with the list of eligible Segments, search based on Segment Name, or remove Segments from the list selected for the report.
- Purchase Activity Time Period - This criterion is not implemented for this report. All purchases for the selected Segment are eligible for inclusion, regardless of activity date.
- Purchase Activity Start Date - This criterion is not implemented for this report.
- Purchase Activity End Date - This criterion is not implemented for this report.
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of items for all Segments for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Segment ID - The numeric ID for the Segment(s) selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Segment ID - Name - The unique numeric identifier of the Segment and the Name describing the Segment.
- Item Class - The code identifying the Class for the item.
- Item Sub Class - The code identifying the Sub Class for the item.
- Item ID - The unique identifier for the item.

Report Generation Options and Contents

- Item Description - The description of the item.
- Customer Count - The number of Customers within the Segment that purchased the item.
- Transaction Count - The total number of transactions in which Customers in the Segment purchased the item.
- Item Quantity - The total quantity of the item purchased by Customers in the Segment.
- Item Extended Amount - The total extended amount paid for all units of the item sold to Customers in the Segment.
- Units per Transaction - The average number of units of the item purchased in a transaction by a Customer in the Segment.
- Totals for Item Class:
 - Customer Count - The total number of Customers within the Segment that purchased any items in the Item Class.
 - Transaction Count - The total number of transactions in which Customers in the Segment purchased items in the Item Class.
 - Item Quantity - The total quantity of items in the Item Class purchased by Customers in the Segment.
 - Item Extended Amount - The total extended amount paid for all items in the Item Class sold to Customers in the Segment.
 - Units per Transaction - The average number of units in the Item Class purchased in a transaction by a Customer in the Segment. Rounded to the nearest whole number.
- Totals for Segment:
 - Customer Count - The total number of Customers within the Segment that purchased any items.
 - Transaction Count - The total number of transactions in which Customers in the Segment purchased items.
 - Item Quantity - The total quantity of items purchased by Customers in the Segment.
 - Item Extended Amount - The total extended amount paid for all items sold to Customers in the Segment.
 - Units per Transaction - The average number of units in purchased in a transaction by a Customer in the Segment. Rounded to the nearest whole number.
- Report Totals:
 - Customer Count - The total number of Customers included on the report.
 - Transaction Count - The total number of transactions included on the report.
 - Item Quantity - The total quantity of purchased items included on the report.
 - Item Extended Amount - The total extended amount paid for all items included on the report.
 - Units per Transaction - The average number of units purchased in a transaction. Rounded to the nearest whole number.

Segment Trend Analysis Report

This report presents trend totals for Customer Segments broken out by Run ID.

The report includes two charts illustrating trend totals for Customer Segments. One chart displays total Customer counts for each Run ID for a Segment, while the other displays total Customer counts for the strata within a Segment.

Note: The charts on this report are useful only if you restrict the selection criteria to a single Customer Segment, so you can identify the totals for the Segment Run IDs and strata. Otherwise, it would be difficult to determine the different totals for multiple Customer Segments.

Selection Criteria

- Segment ID / Name - The ID and Name identifying a Customer Segment. All eligible Segments are selected by default. Optionally, select Search to work with the list of eligible Segments, search based on Segment Name, or remove Segments from the list selected for the report. Only Stratified Segments that have Trend Results? selected and have a Customer Count > 0 are eligible for selection.
- Save List Flag - Optionally, select Yes or No to have the report include Segments based on whether the Save as List flag was selected at Segment creation. Set to All by default.
- Activity Time Period - Optionally, select a time period to include Segments run during this period on the report rather than entering a Start Segment Run Date or End Segment Run Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Start Segment Run Date and End Segment Run Date criteria are ignored.

- Start Segment Run Date - The first date to include on the report. Defaults to the previous date (yesterday).
- End Segment Run Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of Run IDs for the entire report.

Select Apply to apply the selected criteria and generate the report.

Report Generation Options and Contents

The report does not include any content for Customer Segments that do not have the Save as List flag selected.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Segment ID - The numeric ID for the Segment(s) selected when generating the report. Set to ALL if there was no restriction.
- Save List Flag - Indicates if a Save List Flag setting of Yes or No was selected when generating the report. Set to ALL if there was no restriction.

Customer Count - Segment Count Trend Chart - Displays the total number of Customers included in the Segment for each Run ID. The date and Run ID are indicated below.




Figure 21-23: Segment Trend Analysis Report - Customer Count - Segment Count Trend Chart

An additional chart follows the Detail Information for the Segment Count Trend chart.

Detail Information for Segment Count Trend chart:

- Segment ID - Name - The unique numeric identifier for and the Name describing the Segment.

For each Run ID:

- Save List Flag - The setting of the Save List flag for the Segment. Always set to Yes for all Run IDs. The report does not include any data for a Segment that does not have the Save List flag selected.
- Run ID - A sequence number identifying the Run for the Segment. Each Run is numbered sequentially, starting with a Run ID of 0.
- Run Date - The date when the Run was generated.
- Customer Count - The number of Customers in the Segment after processing the Run.
- Totals for Segment - The total number of Customers for all Runs.
- Report Totals - The total number of Customers for all Runs of all Segments included on the report.

An additional chart follows this detail information.

Customer Count - Segment Strata Trend Analysis Chart - Displays the total number of Customers included in each stratum for the Segment for each Run ID. The date and Run ID are indicated below.




Figure 21-24: Segment Trend Analysis Report - Customer Count - Segment Strata Trend Analysis Chart

Detail Information for the Segment Strata Trend Analysis chart: For each Run ID:

- Segment ID - Name - The unique numeric identifier for and the Name describing the Segment.
- Save List Flag - The setting of the Save List flag for the Segment. Always set to Yes. The report does not include any data for a Segment that does not have the Save List flag selected.
- Run ID - A sequence number identifying the Run for the Segment. Each Run is numbered sequentially, starting with a Run ID of 0.

For each stratum in the Segment from the Run ID:

- Run Date - The date when the Run was generated. The same date is listed for all strata in the Run.
- Strata Min Value - The minimum value for a Customer to be included in the stratum. Based on the Field to Stratify On selected for the Segment.
- Strata Max Value - The maximum value for a Customer to be included in the stratum. Based on the Field to Stratify On selected for the Segment.
- Strata Average Value - The average value for all Customers in the stratum: the total Value / the Stratified Customer Count.
- Stratified Customer Count - The total number of Customers in the stratum.

The report may include an extra stratum with a Strata Min Value, Strata Max Value, Strata Average Value, and Stratified Customer Count of 0.

- Totals for Run - The total number of Customers for all Strata in the Run.
- Totals for Segment - The total number of Customers for all Runs for the Segment included on the report.
- Report Totals - The total number of Customers for all Runs for all Segments included on the report.

Task Management Reports

Associate Task Details Report

This report presents details on customer targeted tasks, by the associate assigned to them.

Selection Criteria

- Location ID / Name - The ID and Name identifying a retail Location where Tasks might be assigned. All Locations are selected by default. Optionally, select Search to work with the list of eligible Locations, search based on Location Name, or remove Locations from the list selected for the report.

If you select a Location ID, additional criteria may be selected automatically. If needed, set any remaining criteria to All to avoid restricting the report results to those that match the automatically selected criteria.

- Task Type - Codes identifying types of Tasks. All Task Types are selected by default. Optionally, select Search to work with the list of eligible Task Types, search based on Task Type, or remove Task Types from the list selected for the report. Task Types include:

- ADMIN
- APPOINTMENT
- EVENT
- TASK
- TODO

- Associate ID / Name - The user ID and name of the Associate assigned to the Task. All Associates are selected by default. Optionally, select Search to work with the list of eligible Associates, search based on Associate Name, or remove Associates from the list selected for the report.

- Task Time Period - Optionally, select a time period to include Tasks scheduled for dates in this period on the report rather than entering a Start Segment Run Date or End Segment Run Date. Set to None by default. Available time periods are:

- Yesterday
- Last Week
- Last Month
- Last Year
- Last 30 Days
- Last 60 Days
- Last 90 Days
- This Week (excludes future dates)
- This Month (excludes future dates)
- This Year (excludes future dates)

If you select a Task Time Period, the Task Start Date and Task End Date criteria are ignored.

- Task Start Date - The first date to include on the report. Defaults to the previous date (yesterday).

- Task End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of Tasks to include on the report.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Location ID - The Location ID(s), if any, selected when generating the report. Set to ALL if there was no restriction.
- Task Type - The Task Type(s), if any, selected when generating the report. Set to ALL if there was no restriction.
- Associate ID - The Associate ID(s), if any, selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Task ID - A unique numeric identifier for the Task.
- Task Status - The current status of the Task. Possible statuses are:
 - Open
 - In Progress
 - Cancelled
 - Closed
- Task Priority - The priority of the Task. Possible priorities are:
 - Low
 - Medium
 - High
- Task Loc ID - The unique numeric identifier for the Location, if any, associated with the Task. Otherwise, set to N/A.
- Task Subject - The Subject entered to describe the Task.
- Task Start Date - The Start Date specified for the Task.
- Task End Date - The End Date specified for the Task.
- Customer ID - The unique numeric identifier for the Customer. Set to N/A if there is no Customer associated with the Task.
- Create Date - The date when the Task was created.
- Update Date - The date when the Task was most recently updated. Set to N/A if the Task has not been updated.
- Create User - The user ID of the User who created the Task.
- Update User - The user ID of the User who most recently updated the Task. Set to N/A if the Task has not been updated.

Associate Task Summary Report

This report presents a summary of the types of Tasks assigned to each Associate, and their current statuses.

Selection Criteria

- Location ID / Name - The ID and Name identifying a retail Location that might be associated with assigned Tasks. All Locations are selected by default. Optionally, select Search to work with the list of eligible Locations, search based on Location Name, or remove Locations from the list selected for the report.
- Task Type - Codes identifying types of Tasks. All Task Types are selected by default. Optionally, select Search to work with the list of eligible Task Types, search based on Task Type, or remove Task Types from the list selected for the report. Task Types include:
 - ADMIN
 - APPOINTMENT
 - EVENT
 - TASK
 - TODO
- Associate ID / Name - The user ID and name of the Associate assigned to the Task. All Associates are selected by default. Optionally, select Search to work with the list of eligible Associates, search based on Associate Name, or remove Associates from the list selected for the report.
- Task Time Period - Optionally, select a time period to include Tasks scheduled for dates in this period on the report rather than entering a Start Segment Run Date or End Segment Run Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week (excludes future dates)
 - This Month (excludes future dates)
 - This Year (excludes future dates)

If you select a Task Time Period, the Task Start Date and Task End Date criteria are ignored.

- Task Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Task End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. Each row represents a unique combination of Task Type, Associate ID, and Task Status.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Location ID - The Location ID(s), if any, selected when generating the report. Set to ALL if there was no restriction.
- Task Type - The Task Type(s), if any, selected when generating the report. Set to ALL if there was no restriction.
- Associate ID - The Associate ID(s), if any, selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Task Type - The type of Task. Possible Types are:
 - Admin
 - Appointment
 - Event
 - Task
 - Todo
- Associate ID - The identifier of the Associate assigned to the Task. Set to N/A if no Associate is assigned.
- Associate Name - The name of the Associate assigned to the Task. Set to N/A if no Associate is assigned.
- Task Status - The current status of the Task. Possible statuses are:
 - Open
 - In Progress
 - Cancelled
 - Closed
- Task Count - The total number of Tasks of this Type, assigned to this Associate (or unassigned), and in the same status, included on the report.
- Totals for Task Type - The total number of Tasks of this Type included on the report.
- Report Totals - The total number of Tasks included on the report.

Task Status Summary Report

This report presents a summary of types of Tasks by their current statuses.

Selection Criteria

- Location ID / Name - The ID and Name identifying a retail Location that might be associated with assigned Tasks. All Locations are selected by default. Optionally, select Search to work with the list of eligible Locations, search based on Location Name, or remove Locations from the list selected for the report.

Report Generation Options and Contents

- Task Type - Codes identifying types of Tasks. All Task Types are selected by default. Optionally, select Search to work with the list of eligible Task Types, search based on Task Type, or remove Task Types from the list selected for the report. Task Types include:
 - ADMIN
 - APPOINTMENT
 - EVENT
 - TASK
 - TODO
- Associate ID / Name - The user ID and name of the Associate assigned to the Task. All Associates are selected by default. Optionally, select Search to work with the list of eligible Associates, search based on Associate Name, or remove Associates from the list selected for the report.
- Task Time Period - Optionally, select a time period to include Tasks scheduled for dates in this period on the report rather than entering a Start Segment Run Date or End Segment Run Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week (excludes future dates)
 - This Month (excludes future dates)
 - This Year (excludes future dates)

If you select a Task Time Period, the Task Start Date and Task End Date criteria are ignored.
- Task Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Task End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. Each row represents a unique combination of Task Type and Task Status.

Select Apply to apply the selected criteria and generate the report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Location ID - The Location ID(s), if any, selected when generating the report. Set to ALL if there was no restriction.

- Associate ID - The Associate ID(s), if any, selected when generating the report. Set to ALL if there was no restriction.
- Task Type - The Task Type(s), if any, selected when generating the report. Set to ALL if there was no restriction.

Detail Information:

- Task Type - The type of Task. Possible Types are:
 - Admin
 - Appointment
 - Event
 - Task
 - Todo
- Task Status - The current status of the Task. Possible statuses are:
 - Open
 - In Progress
 - Cancelled
 - Closed
- Task Count - The total number of Tasks of this Type and status that are included on the report.
- Totals for Task Type - The total number of Tasks of this Type included on the report.
- Report Totals - The total number of Tasks included on the report.

Tender Account Management Reports

Tender (Account) Activity Summary Report

This report displays tender summary information by Activity Type, by Program.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Tender Program for a Card Definition. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program Name, or remove Programs from the list selected for the report.
- Transaction Type - Codes identifying types of activity for a Tender account. All Transaction Type codes are selected by default. Optionally, select Search to work with the list of eligible Transaction Type Codes, search based on Transaction Type Code, or remove Transaction Type Codes from the list selected for the report. Possible Transaction Type Codes include:
 - Activate Card
 - Card Merge
 - Cash Out
 - Change Acct Expiration Date
 - Change Pin Authentication
 - Deactivate

Report Generation Options and Contents

- Errors
- Inquiry
- Post Authorization
- Pre Authorization
- Redemption
- Release Authorization
- Reload
- Replace
- Reset Expiration Date
- Return
- Reverse Transaction
- Service Charge
- Unblock
- Verify Pin Authentication
- Void Transaction
- Void Flag - Optionally, select Yes or No to select Tender account activity based on whether the activity was voided.
- Activity Time Period - Optionally, select a time period to include activities that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of Transaction Types and Void Flag settings for any Program ID for the entire report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.

Detail Information:

- Program ID - The unique numeric identifier for the Tender Program.
- Program Name - The Name describing the Tender Program.

For each Transaction Type that occurred for the Program:

- Transaction Type - The type of Transaction performed. Possible Transaction Type Codes:
 - Activate Card
 - Card Merge
 - Cash Out
 - Change Acct Expiration Date
 - Change Pin Authentication
 - Deactivate
 - Errors
 - Inquiry
 - Post Authorization
 - Pre Authorization
 - Redemption
 - Release Authorization
 - Reload
 - Replace
 - Reset Expiration Date
 - Return
 - Reverse Transaction
 - Service Charge
 - Unblock
 - Verify Pin Authentication
 - Void Transaction
- Void Flag - Indicates that a transaction has been voided. The record for the original transaction remains, and separate voided and unvoided totals are listed. For example, if a Card Reload is voided, the totals for unvoided Card Reloads are not increased, but the totals for voided Card Reloads are increased.
- Transaction Count - The total number of transactions for the Transaction Type.
- Activity Amount - The total value of transactions for the Transaction Type.
- Average Amount - The Activity Amount / the Transaction Count.

Report Generation Options and Contents

- Program Totals:
 - Transaction Count - The total of the Transaction Counts for the Program.
 - Activity Amount - The total value of Activity Amounts for the Program.
 - Average Amount - The total Activity Amount / the total Transaction Count for the Program.
- Report Totals:
 - Transaction Count - The total value of Transaction Counts on the report.
 - Activity Amount - The total value of Activity Amounts on the report.
 - Average Amount - The total Activity Amount / the total Transaction Count on the report.

Tender Activity Summary by Batch Report

This report displays tender summary information organized by Card Prefix, Series, and Batch, for Activity Types, by Program.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Tender Program for a Card Definition. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program Name, or remove Programs from the list selected for the report.
- Transaction Type - Codes identifying types of activity for a Tender account. All Transaction Type codes are selected by default. Optionally, select Search to work with the list of eligible Transaction Type Codes, search based on Transaction Type Code, or remove Transaction Type Codes from the list selected for the report. Possible Transaction Type Codes include:
 - Activate Card
 - Card Merge
 - Cash Out
 - Change Acct Expiration Date
 - Change Pin Authentication
 - Deactivate
 - Errors
 - Inquiry
 - Post Authorization
 - Pre Authorization
 - Redemption
 - Release Authorization
 - Reload
 - Replace
 - Reset Expiration Date
 - Return
 - Reverse Transaction

- Service Charge
- Unblock
- Verify Pin Authentication
- Void Transaction
- Card Prefix - The prefix number defined for a Card Definition. All Prefixes are selected by default. Optionally, select Search to work with the list of eligible Prefixes, search based on Prefixes, or remove Prefixes from the list selected for the report.
- Card Series Sequence - The Card Series Sequence defined for a Card Series. All Sequence numbers are selected by default. Optionally, select Search to work with the list of eligible Sequence numbers, search based on Sequence numbers, or remove Sequence numbers from the list selected for the report.
- Batch Number - The Card Generation Batch Number defined for a batch. All Batch Numbers are selected by default. Optionally, select Search to work with the list of eligible Batch Numbers, search based on Batch Numbers, or remove Batch Numbers from the list selected for the report.
- Void Flag - Optionally, select Yes or No to select Tender account activity based on whether the activity was voided.
- Activity Time Period - Optionally, select a time period to include activities that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of Transaction Types for any Program ID, Series, and Batch, for the entire report.

Report Contents

Header Information:

- Organization - The code identifying your organization.

Report Generation Options and Contents

- Date Range - The date range selected when generating the report.

Detail Information:

- Program ID - The unique numeric identifier for the Tender Program.
- Program Name - The Name describing the Tender Program.
- Card Prefix - The Prefix number defined for the Card.
- Card Series - The number identifying the Card Series.
- Card Batch - The number identifying the Card Batch.

For each Transaction Type that occurred for the Program, Card Prefix, Series, and Batch:

- Transaction Type - The type of Transaction performed. Possible Transaction Type Codes:
 - Activate Card
 - Card Merge
 - Cash Out
 - Change Acct Expiration Date
 - Change Pin Authentication
 - Deactivate
 - Errors
 - Inquiry
 - Post Authorization
 - Pre Authorization
 - Redemption
 - Release Authorization
 - Reload
 - Replace
 - Reset Expiration Date
 - Return
 - Reverse Transaction
 - Service Charge
 - Unblock
 - Verify Pin Authentication
 - Void Transaction
- Transaction Count - The total number of transactions for the Transaction Type.
- Activity Amount - The total value of transactions for the Transaction Type.
- Average Amount - The Activity Amount / the Transaction Count.
- Program Totals:
 - Transaction Count - The total of the Transaction Counts for the Program.
 - Activity Amount - The total value of Activity Amounts for the Program.

- Average Amount - The total Activity Amount / the total Transaction Count for the Program.
- Report Totals:
 - Transaction Count - The total value of Transaction Counts on the report.
 - Activity Amount - The total value of Activity Amounts on the report.
 - Average Amount - The total Activity Amount / the total Transaction Count on the report.

Tender Activity Type Trend Report

This report displays tender summary information organized by Card Prefix, Series, and Batch, for Activity Types, by Program.

The totals for all Tender Programs with the same Activity Type, Void Flag setting, and Business Date are combined in the charts at the beginning of the report.

The report begins with three charts illustrating tender type activity. Each chart is described below.

Note: The charts on this report are useful only if you restrict the selection criteria to a single Transaction Type and Void Flag setting, so you can identify the totals for Transaction Type activity. Otherwise, it would be difficult to determine the different totals for the same date but a different Transaction Type or Void Flag setting. You can also restrict the report by Program ID.

Selection Criteria

- Program ID / Name - The ID and Name identifying a Tender Program for a Card Definition. All Programs are selected by default. Optionally, select Search to work with the list of eligible Programs, search based on Program Name, or remove Programs from the list selected for the report.
- Transaction Type - Codes identifying types of activity for a Tender account. All Transaction Type codes are selected by default. Optionally, select Search to work with the list of eligible Transaction Type Codes, search based on Transaction Type Code, or remove Transaction Type Codes from the list selected for the report. Possible Transaction Type Codes include:
 - Activate Card
 - Card Merge
 - Cash Out
 - Change Acct Expiration Date
 - Change Pin Authentication
 - Deactivate
 - Errors
 - Inquiry
 - Post Authorization
 - Pre Authorization
 - Redemption

Report Generation Options and Contents

- Release Authorization
- Reload
- Replace
- Reset Expiration Date
- Return
- Reverse Transaction
- Service Charge
- Unblock
- Verify Pin Authentication
- Void Transaction
- Void Flag - Optionally, select Yes or No to select Tender account activity based on whether the activity was voided.
- Activity Time Period - Optionally, select a time period to include activities that occurred during this period on the report rather than entering an Activity Start Date or Activity End Date. Set to None by default. Available time periods are:
 - Yesterday
 - Last Week
 - Last Month
 - Last Year
 - Last 30 Days
 - Last 60 Days
 - Last 90 Days
 - This Week
 - This Month
 - This Year

If you select an Activity Time Period, the Activity Start Date and Activity End Date criteria are ignored.

- Activity Start Date - The first date to include on the report. Defaults to the previous date (yesterday).
- Activity End Date - The last date to include on the report. Defaults to the current date (today).
- Row Limit - Optionally, use this field to specify the maximum number of rows to include on the report. This limit applies to the total number of Transaction Types, Void Flag settings, and activity dates for the entire report.

Report Contents

Header Information:

- Organization - The code identifying your organization.
- Date Range - The date range selected when generating the report.
- Transaction Type - The transaction type(s) selected when generating the report, or set to ALL if there was no restriction.

- Program ID - The program ID(s) selected when generating the report, or set to ALL if there was no restriction.
- Void Flag - The void flag setting selected for the report. Set to ALL if there was no restriction.

Transaction Count Chart - Displays the total Transaction Count for each Business Date where the Transaction Type and Void Flag setting are the same.




Figure 21-25: Transaction Count - Tender Activity Type Trend Chart

Activity Amount Chart - Displays the total Activity Amount for each Business Date where the Transaction Type and Void Flag setting are the same.




Figure 21-26: Activity Amount - Tender Activity Type Trend Chart

Report Generation Options and Contents

Average Amount Chart - Displays the Average Amount for each Business Date where the Transaction Type and Void Flag setting are the same.




Figure 21-27: Average Amount - Tender Activity Type Trend Chart

Detail Information:

- Program - The unique numeric identifier for the Tender Program, and the Name describing the Tender Program.
- Transaction Type - The type of Transaction performed. Possible Transaction Type Codes:
 - Activate Card
 - Card Merge
 - Cash Out
 - Change Acct Expiration Date
 - Change Pin Authentication
 - Deactivate
 - Errors
 - Inquiry
 - Post Authorization
 - Pre Authorization
 - Redemption
 - Release Authorization
 - Reload
 - Replace
 - Reset Expiration Date
 - Return
 - Reverse Transaction
 - Service Charge
 - Unblock
 - Verify Pin Authentication
 - Void Transaction

- Void Flag - Indicates that a transaction has been voided.
- Business Date - The Business Date when the activity occurred.
- Transaction Count - The total number of transactions for the Transaction Type on the Business Date and the same Void Flag setting.
- Activity Amount - The total value of transactions for the Transaction Type on the Business Date and the same Void Flag setting.
- Average Amount - The Activity Amount / the Transaction Count.
- Totals for Transaction Type:
 - Transaction Count - The total of the Transaction Counts for the Transaction Type.
 - Activity Amount - The total value of Activity Amounts for the Transaction Type.
 - Average Amount - The total Activity Amount / the total Transaction Count for the Transaction Type.
- Totals for Program:
 - Transaction Count - The total of the Transaction Counts for the Program.
 - Activity Amount - The total value of Activity Amounts for the Program.
 - Average Amount - The total Activity Amount / the total Transaction Count for the Program.
- Report Totals:
 - Transaction Count - The total value of Transaction Counts on the report.
 - Activity Amount - The total value of Activity Amounts on the report.
 - Average Amount - The total Activity Amount / the total Transaction Count on the report.

System Menu Options

Overview

The following is a list of options available from the System menu based on user authority, and indicates where to find more information on each option.

- **Users** - *Customer Engagement Implementation Guide*
- **Role Groups** - *Customer Engagement Implementation Guide*
- **Security Groups** - *Customer Engagement Implementation Guide*
- **Import Users CSV File** - Contact your Oracle representative for information.
- **Associate Role Definition** - *Customer Engagement Implementation Guide*
- **Franchisees** - *Customer Engagement Implementation Guide*
- **Preference Types** - *Customer Engagement Implementation Guide*
- **System Configuration** - *Customer Engagement Implementation Guide*
- **Web Service Tracking** - [Chapter 23: “Web Service Tracking”](#)
- **Exchange Rate** - [Chapter 24: “Exchange Rates”](#)
- **Batch Import Overview** - *Customer Engagement Batch Processing and Web Services Guide*
- **About Customer Engagement** - Opens a window that indicates the exact release number for Customer Engagement and provides additional information and notices.

Web Service Tracking

Overview

You can use Web Service Tracking to review the web service requests received and processed by date, week, and month. Totals for the current day are broken out by hourly totals. The screens display the total number of successful requests processed and the number of requests that failed. For each web service, you can display details broken out by the individual operations, and version numbers. The screens also provide average totals by date, week, and month.

Note: This option is available only if the user has been assigned the *Relate_SystemAdmin* role. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information on assigning User Roles.

About this Chapter

This chapter contains the following information:

- [“Daily Activity” on page 2](#) - Describes the Daily Activity page.
- [“Detailed Web Service Tracking Window” on page 3](#) - Describes the Detailed Web Service Tracking [Window](#).
- [“Weekly Activity” on page 4](#) - Describes the Weekly Activity page.
- [“Monthly Activity” on page 6](#) - Describes the Monthly Activity page.

Daily Activity

The Daily Activity page, displaying web service tracking totals for a single day, is opened using the **System->Web Service Tracking** menu option, or by clicking the Daily Activity tab at the [Weekly Activity](#) page or [Monthly Activity](#) page. The current date defaults when you first advance to Web Service Tracking.

The screenshot shows the 'Daily Activity' page for the date 2016-09-2. At the top, there is a date selector (1) with left and right arrow keys, a 'Today' button, and a refresh button (2). Below this, the data is presented in two tables: 'AM' and 'PM'. Each table lists service names and their activity counts for each hour. A third table at the bottom provides a '24 Hour Period Total' and '24 Hour Average' for each service. Red circles with numbers 1 through 4 highlight key UI elements: 1 (date selector), 2 (refresh button), 3 (activity list), and 4 (summary table).

Service Name	12:01-1:00	1:01-2:00	2:01-3:00	3:01-4:00	4:01-5:00	5:01-6:00	6:01-7:00	7:01-8:00	8:01-9:00	9:01-10:00	10:01-11:00	11:01-12:00
AttributesServiceApiService	0	0	0	0	0	0	0	0	0	0	0	0
AwardAccountServiceApiService	0	0	0	0	0	0	0	0	0	0	0	0
CardServiceApiService	0	0	0	0	0	0	0	0	0	80	0	0
CustomerServiceApiService	0	0	0	0	0	0	0	0	0	160	0	0
LoyaltyAccountServiceApiService	0	0	0	0	0	0	0	0	0	10	0	0

Service Name	12:01-1:00	1:01-2:00	2:01-3:00	3:01-4:00	4:01-5:00	5:01-6:00	6:01-7:00	7:01-8:00	8:01-9:00	9:01-10:00	10:01-11:00	11:01-12:00
AttributesServiceApiService	0	0	0	30	0	0	0	0	0	0	0	0
AwardAccountServiceApiService	0	0	0	0	10	490	160	0	0	0	0	0
CardServiceApiService	0	0	0	0	0	0	0	0	0	0	0	0
CustomerServiceApiService	0	0	0	0	0	0	0	0	0	0	0	0
LoyaltyAccountServiceApiService	0	0	0	0	0	0	0	0	0	0	0	0

Service Name	24 Hour Period Total	24 Hour Average
AttributesServiceApiService	30	00
AwardAccountServiceApiService	690	30
CardServiceApiService	80	00
CustomerServiceApiService	160	00
LoyaltyAccountServiceApiService	10	00

Figure 23-1: Daily Activity Page - Web Service Tracking

Table 23-1: Daily Activity Web Service Tracking Page Key

Item	Description
1	Date Selection - Use the left and right arrow keys to display web service activity for an earlier or later date, or click Today to return to the current date. You can also click the displayed date to open a Calendar Menu , where you can select a date.
2	Actions Menu - Click to Actions Menu to refresh the information displayed if you are viewing the current date. The information is updated on an hourly basis.
3	Daily Activity List - A List of web services that had activity on the displayed date, with activity for each hourly period displayed. Only services that had activity on the displayed date are listed. The lists are broken out into AM and PM. All times displayed are in GMT. See below for details.
4	Daily Totals and Averages - A List of the web services that had activity on the displayed date, with daily totals and averages listed.

The Daily Activity [List](#) displays the following information for each web service that had any activity on the displayed date:

- **Service Name** - The name of the web service.
- **Hourly Period Totals** - The total number of successful web service requests processed for the hourly period, with the number of unsuccessful requests followed

by a slash. For example, if there were 120 successful requests in an hourly period, but 25 failed, the numbers displayed are 120/25. An unsuccessful request is one that receives any kind of error. A 0 is displayed if there was no activity for the web service in that hourly period.

For any web service with hourly totals greater than 0, you can click the totals to open the [Detailed Web Service Tracking Window](#), displaying totals for each operation and version for the web service.

The Daily Totals and Averages [List](#) displays the following information for each web service that had any activity on the displayed date:

- **Service Name** - The name of the web service.
- **24 Hour Period Total** - The total number of successful and unsuccessful web service requests processed for the displayed date, or for the date so far if the current date is listed.
- **24 Hour Average** - The average number of successful and unsuccessful web service requests processed for the displayed date, or for the date so far if the current date is listed. Averages are rounded down; for example, if the total number of successful requests divided by 24 hours equals 5.95, an average of 5 is displayed as the average.

Actions Menu

The [Actions Menu](#) for the Web Service Tracking page contains the following option:



- **Refresh** - Refreshes the [List](#) with the most recent totals for web services.

Detailed Web Service Tracking Window

The Detailed Web Service Tracking Window displays the following information about the operations that took place:

Operation	Version	Total Successful	Total Failed
expireCoupons	3_1	0	8
getAwardAccountHistory	3_1	12	8
inquiry	3_1	8	5
issueCoupon	3_1	22	17
redeemCoupons	3_1	6	17

Figure 23-2: Detailed Web Service Tracking Window

- **Operation** - The particular method of the request processed.
- **Version** - The version of the message processed.
- **Total Successful** - The total number of successful requests processed for that operation and version in the selected period.
- **Total Failed** - The total number of unsuccessful requests processed for that operation and version in the selected period.

Weekly Activity

The Weekly Activity page that displays web service tracking totals for a particular week is opened by clicking the Weekly Activity tab at the [Daily Activity](#) page or the [Monthly Activity](#) page. The week associated with the day displayed at the previous page defaults.




Figure 23-3: Weekly Activity Page - Web Service Tracking

Table 23-2: Weekly Activity Web Service Tracking Page Key

Item	Description
1	Date Selection - Use the left and right arrow keys to display web service activity for an earlier or later week, or click This Week to return to the current week. The date of the first day of the week (Monday) is displayed. You can also click the displayed date to open a Calendar Menu , where you can select a date.
2	Actions Menu - Click to Actions Menu to refresh the information displayed if you are viewing the current week. The information is updated on an hourly basis.
3	Weekly Activity List - A List of web services that had activity on the displayed week, with activity for each date displayed. Only services that had activity on the displayed week are listed. The dates displayed are based on GMT. See below for details.
4	Weekly Totals and Averages - A List of the web services that had activity on the displayed week, with weekly totals and averages listed.

The Weekly Activity [List](#) displays the following information for each web service that had any activity on the displayed week:

- **Service Name** - The name of the web service.
- **Daily Totals** - The total number of successful web service requests processed for the date, with the number of unsuccessful requests followed by a slash. For example, if there were 120 successful requests on one date, but 25 failed, the numbers displayed

are 120/25. An unsuccessful request is one that receives any kind of error. A 0 is displayed if there was no activity for the web service on that date.

For any web service with daily totals greater than 0, you can click the totals to open the [Detailed Web Service Tracking Window](#), displaying totals for each operation and version for the web service.

The Weekly Totals and Averages [List](#) displays the following information for each web service that had any activity on the displayed week:

- **Service Name** - The name of the web service.
- **Week Period Total** - The total number of successful and unsuccessful web service requests processed for the displayed week, or for the week so far if the current week is listed.
- **Weekly Average** - The average number of successful and unsuccessful web service requests processed for the displayed week, or for the week so far if the current week is listed. Averages are rounded down; for example, if the total number of successful requests divided by 7 days equals 5.95, an average of 5 is displayed as the average.

Monthly Activity

The Monthly Activity page, displaying web service tracking totals for a particular year, is opened by clicking the Monthly Activity tab at the [Daily Activity](#) page or [Weekly Activity](#) page. The year associated with the date displayed at the previous page defaults.




Figure 23-4: Monthly Activity Page - Web Service Tracking

Table 23-3: Monthly Activity Web Service Tracking Page Key

Item	Description
(1)	Date Selection - Use the left and right arrow keys to display web service activity for an earlier or later year, or click This Year to return to the current year. The date of the first day of the year is displayed. You can also click the displayed date to open a Calendar Menu , where you can select a date.
(2)	Actions Menu - Click to Actions Menu to refresh the information displayed if you are viewing the current year. The information is updated on an hourly basis.
(3)	Monthly Activity List - A List of web services that had activity on the displayed month, with activity for each month displayed. Only services that had activity on the displayed year are listed. See below for details
(4)	Monthly Totals and Averages - A List of the web services that had activity on the displayed year, with monthly totals and averages listed.

The Monthly Activity [List](#) displays the following information for each web service that had any activity on the displayed year:

- **Service Name** - The name of the web service.
- **Monthly Totals** - The total number of successful web service requests processed for the month, with the number of unsuccessful requests followed by a slash. For

example, if there were 120 successful requests in one month, but 25 failed, the numbers displayed are 120/25. An unsuccessful request is one that receives any kind of error. A 0 is displayed if there was no activity for the web service during that month.

For any web service with monthly totals greater than 0, you can click the totals to open the [Detailed Web Service Tracking Window](#), displaying totals for each operation and version for the web service.

The Yearly Totals and Averages [List](#) displays the following information for each web service that had any activity on the displayed year:

- **Service Name** - The name of the web service.
- **Month Period Total** - The total number of successful and unsuccessful web service requests processed for the displayed year, or for the year so far if the current year is listed.
- **Monthly Average** - The average number of successful and unsuccessful web service requests processed for the displayed year by month, or for the year so far if the current year is listed. Averages are rounded down; for example, if the total number of successful requests divided by 12 months equals 5.95, an average of 5 is displayed as the average.

Monthly Activity

Exchange Rates

Overview

You can use the Exchange Rate page to review the most current exchange rates that have been set up for all currency conversions of PosLog transactions, review previous Exchange Rates, and create new Exchange Rates.

Note: This option is available only if the user has been assigned the *Relate_SystemAdmin* role. See the *Oracle Retail Customer Engagement Cloud Services Implementation Guide* for more information on assigning User Roles.

About this Chapter

This chapter contains the following information:

- [“Exchange Rate” on page 2](#) - Describes the Exchange Rate page.
- [“Exchange Rate History Window” on page 3](#) - Describes the Exchange Rate History Window.
- [“Create Exchange Rate Window” on page 4](#) - Describes the Create Exchange Rate Window.

Exchange Rate

The Exchange Rate page, displaying the most current Exchange Rates for all existing currency conversions, is opened using the **System->Exchange Rate** menu option.

Base Currency	Exchange Currency	Exchange Rate	Exchange Rate Date	Create Date	Create User Id
Afghanistan, Afghanis	Albania, Leke	12345678901.123456	2016 Oct 11 00:00:00	2016 Oct 11 11:08:27	gwashington
Ethiopia, Birr	United States of America, Dollars	0.041111	2016 Sep 7 00:01:00	2016 Sep 7 08:24:13	jadams
United States of America, Dollars	Ethiopia, Birr	22.195	2016 Oct 11 00:01:00	2016 Oct 11 11:13:36	gwashington
United States of America, Dollars	Japan, Yen	91.149394	2016 Aug 19 12:49:00	2016 Aug 19 14:03:12	jadams
Vanuatu, Vatu	Serbia, Dinars	11111111111.111111	2016 Sep 7 00:02:00	2016 Sep 7 08:26:48	tjefferson

Figure 24-1: Exchange Rate Page

Table 24-1: Exchange Rate Page Key

Item	Description
1	New Exchange Rate - Click New Exchange Rate to open the Create Exchange Rate Window .
2	Actions Menu - Click to Actions Menu to refresh the information displayed.
3	Exchange Rate List - A List of all currency conversions that have had Exchange Rates created. The most current Exchange Rate that is not in the future is displayed. See below for details. You can highlight an Exchange Rate to open the Exchange Rate History Window .

The Exchange Rate [List](#) displays the following information for each currency conversion that has a current Exchange Rate:

- **Base Currency** - The name of the currency that is being converted (the “from” currency).
- **Exchange Currency** - The name of the currency that is being converted to (the “to” currency).
- **Exchange Rate** - The most current Exchange Rate that has been defined for the currency conversion. Up to 6 decimal positions. Any future Exchange Rates are not displayed.
- **Exchange Rate Date** - The date and time when the Exchange Rate became effective.
- **Create Date** - The date and time when the Exchange Rate was created.
- **Create User Id** - The user ID of the person who created the Exchange Rate.

Actions Menu


The [Actions Menu](#) for the Exchange Rate page contains the following option:

- **Refresh** - Refreshes the [List](#) with the most current Exchange Rates.



Exchange Rate History Window

The Exchange Rate History Window displays the Exchange Rate history for a currency conversion. The window title indicates the Base Currency to be converted and the Exchange Currency.



Exchange Rate	Exchange Rate Date	Create Date	Create User Id
0.003218	2016 Sep 15 12:00:00	2016 Sep 15 09:00:01	jquadams
0.003218	2016 Feb 1 12:00:00	2016 Feb 1 08:30:22	mvanburen
0.003218	2016 Jan 29 12:00:00	2016 Jan 29 10:07:44	mvanburen

Figure 24-2: Exchange Rate History Window

- **Exchange Rate** - The Exchange Rate defined for the conversion of the Base Currency to the Exchange Currency at the effective date. Up to 6 decimal positions.
- **Exchange Rate Date** - The date and time when the Exchange Rate becomes effective. If this is a future date, it is not displayed at the [Exchange Rate](#) page.
- **Create Date** - The date and time when the Exchange Rate was created.
- **Create User Id** - The user ID of the person who created the Exchange Rate.

Create Exchange Rate Window

The Create Exchange window you use to create an Exchange Rate for a currency conversion is opened by using the **New Exchange Rate** menu option.




Figure 24-3: Create Exchange Rate Window

Complete the following fields and click Save to create a new Exchange Rate:

- **Base Currency** - Select the name of the currency that is being converted.
- **Exchange Currency** - Select the name of the currency that is being converted to.
- **Exchange Rate** - Enter the Exchange Rate to use when converting the Base Currency to the Exchange Currency. Can include up to 11 positions before the decimal and up to 6 after.
- **Exchange Rate Date** - The date when the Exchange Rate becomes effective. This date can be in the past or in the future.
- **Exchange Rate Time** - The time on the Exchange Rate Date when the Exchange Rate becomes effective. This time can be in the past or in the future. If there is already an existing Exchange Rate for the Base Currency and Exchange Currency at the specified date and time, the page displays an error.

If the Exchange Rate Date or Exchange Rate Time are in the future, and there is no current Exchange Rate for the Base Currency and the Exchange Currency, then the currency conversion is not listed at the [Exchange Rate](#) page. The [Exchange Rate](#) page lists only currency conversions with current Exchange Rates.

Segment Queries

Overview

When creating an Unstratified or a Stratified Segment, it is important to know what you need to enter/select in each field, whether there is a particular format for the data entered, and what the query is going to return. If you are not sure what Customer Engagement is doing, you may get an error on the query or the results may not be what you expect.

This appendix explains what is required for each query template.

The following conventions apply to data entry when creating a segment:

- Dates must be in the MM/DD/YYYY format.
- When entering numbers, do not use commas, dollar signs, or decimal places unless specifically instructed to do so.
- When entering text, do not use any punctuation unless instructed otherwise.

Segment Queries

The following is a list of the Segment Query categories:

- [“Customer Demographics” on page 2](#)
- [“Customer Contact” on page 4](#)
- [“Customer Attributes” on page 5](#)
- [“Purchase Activity” on page 6](#)
- [“Basic Programs” on page 11](#)
- [“Segment Elements” on page 13](#)
- [“Promotion Activity” on page 13](#)
- [“Strategic Segments” on page 13](#)
- [“Loyalty Segments” on page 14](#)
- [“Social Networks” on page 17](#)
- [“Social Profiles” on page 17](#)

These categories are available at the Segment Query step of the Create Segment wizard, and control the customers selected for the Stratified or Unstratified Segment.

Stratified Queries

The following is a list of the Stratified Query categories:

Segment Queries

- [“Loyalty Summary” on page 18](#)
- [“Transaction Criteria” on page 20](#)
- [“Line Item Detail” on page 21](#)

These categories control how the customers are broken out into strata for a Stratified Segment, and are available at the Strata Query step of the Create Segment Wizard if a Strata Type of Loyalty or Transaction was selected at the Strata Field step.









The Strata Query step is not available when a Strata Type of Customer was selected at the Strata Field step. Also, this step is not available for an Unstratified Segment.

Segment Queries

The following categories are available at the Segment Query step of the Create Segment wizard, and control the customers to select for the Stratified or Unstratified Segment.

Customer Demographics

This category is available at the Segment Query step of the Create Segment wizard, and controls the customers to select for the Stratified or Unstratified Segment.

Customer ID	<p>This query returns active and valid Customers whose Customer ID matches your input.</p> <ul style="list-style-type: none">• Customer whose Customer ID - The Customer ID of the Customer. <p> Customer ID ▼</p> <p>Customer whose Customer ID =  <input type="text"/></p>
Customer City	<p>This query returns active and valid Customers whose primary and active address is in the city you have specified.</p> <ul style="list-style-type: none">• Customer City - The city of the Customer’s primary address. <p> Customer City ▼</p> <p>Customer city of residence =  <input type="text"/></p>
Customer State	<p>This query returns active and valid Customers whose primary and active address is in the state you have specified.</p> <ul style="list-style-type: none">• Customer State - The state or province of the Customer’s primary address. <p> Customer State ▼</p> <p>Customer State =  <input type="text"/></p>
Postal Code	<p>This query returns active and valid Customers whose primary and active address is in the postal code (zip code) you have specified. Use only five digits for US zip codes.</p> <ul style="list-style-type: none">• Postal Code - The Postal Code or ZIP Code of the Customer’s primary address. <p> Postal Code ▼</p> <p>Postal Code =  <input type="text"/></p>

Postal Code Vicinity	<p>This query returns active and valid Customers whose addresses are within a radius of a specified number of miles of a specified location.</p> <ul style="list-style-type: none"> • Customer living within ___ miles - The distance within which to search for Customer addresses. • of location id - The Location ID of the location.
<p>POSTAL CODE VICINITY ▼</p> <p>Customer living within <input type="text"/> miles of store id <input type="text"/></p>	
Customer Birthdate	<p>This query returns Customers whose birthday matches the parameters you input. The date you input must be a valid date ([DEFAULT] = current date).</p> <ul style="list-style-type: none"> • Customer Birthdate - Birthdate of the Customer.
<p>Customer Birthdate ▼</p> <p>Birthday = <input type="text"/></p>	
Customer Birth Month	<p>This query returns active and valid Customers whose birth month matches your selection ([DEFAULT] = "January").</p> <ul style="list-style-type: none"> • Customer Birth Month - Month of the Customer's birthdate.
<p>Customer Birth Month ▼</p> <p>Customer birth month = <input type="text"/> January ▼</p>	
Home Location	<p>This query returns active and valid Customers whose Home Location matches your entry. The Home Location you enter must be a valid location for your organization.</p> <ul style="list-style-type: none"> • Customers with home location - Home location of the Customer.
<p>Home Store ▼</p> <p>Customers with home store = <input type="text"/></p>	
Signup Location	<p>This query returns all Customers whose signup location matches the one you specify. The location you enter must be a valid location for your organization.</p> <ul style="list-style-type: none"> • Signup Location - Location ID of the location where the Customer signed up.
<p>Signup Location ▼</p> <p>Signup location = <input type="text"/></p>	
Customer Last Update Date	<p>This query returns active and valid Customers whose last update date matches what you have entered. The date must be a valid date.</p> <ul style="list-style-type: none"> • Customer Last Update Date - Date of the last update of the Customer record.
<p>Customer Last Update Date ▼</p> <p>Customer Last Update Date = <input type="text"/></p>	

Segment Queries

Signup Date

This query returns active and valid Customers whose signup date matches what you have entered. The date must be a valid date.

- **Customer sign-up date** - Date the Customer signed up.

Signup Date ▼

Customer sign-up date =

Create Date

This query returns active and valid Customers whose create date matches what you have entered. The date must be a valid date.

- **Customer creation date** - Date the Customer record was created.

Create Date ▼

Customer creation date =

Active Customers

This query returns **all** active and valid Customers.

This query has no parameters to configure.

Active Customers ▼

Active Customers

Customer Contact

Mail Contact Permission

This query returns all Customers who have given permission to be contacted by mail.

- **Mail contact** - The mail contact permission for the Customer. The options are **Allowed [DEFAULT]** and **Not Allowed**.

Mail Contact Permission ▼

Mail contact Allowed ▼

Address Type Code

This query returns all Customers whose address type matches what you entered.

- **Address Type Code** - The type of address.

Address Type Code ▼

Address type =

Phone Contact Permission

This query returns all Customers who have given permission to be contacted by telephone.

- **Phone Contact Permission** - The phone contact permission for the Customer. The options are Allowed **[DEFAULT]** and Not Allowed.

Phone Contact Permission ▼

Phone contact Allowed ▼

Phone Type	This query returns all Customers whose phone type matches your selection.
	<ul style="list-style-type: none"> • Phone Type - The type of phone. <div data-bbox="862 296 1227 390"> <p>Phone Type ▼</p> <p>Phone type = <input type="text"/></p> </div>
Email Contact Permission	This query returns all Customers who have given permission to be contacted by email.
	<ul style="list-style-type: none"> • Email Contact Permission - The email contact permission for the Customer. The options are Allowed [DEFAULT] and Not Allowed. <div data-bbox="906 600 1187 695"> <p>Email Contact Permission ▼</p> <p>Email contact Allowed ▼</p> </div>
Valid Email Addresses	This query returns all Customers whose email address has been validated or not validated.
	<ul style="list-style-type: none"> • Valid Email Addresses - Whether the email address has been validated. Your options are True [DEFAULT] or False. <div data-bbox="898 873 1195 968"> <p>Valid Email Addresses ▼</p> <p>Email address that is True ▼</p> </div>
Email Address Type	This query returns all Customers whose email type matches your selection.
	<ul style="list-style-type: none"> • Email Address Type - The type of email address. <div data-bbox="862 1115 1222 1209"> <p>Email Address Type ▼</p> <p>Email type = <input type="text"/></p> </div>

Customer Attributes

This category is available at the Segment Query step of the Create Segment wizard, and controls the customers to select for the Stratified or Unstratified Segment.

String Attribute Values	This query returns all Customers with a string attribute whose value matches your entry.
	<ul style="list-style-type: none"> • Customers with attribute name - The name of the string attribute. • having a string value - The value of the string. <div data-bbox="813 1608 1279 1734"> <p>String Attribute Values ▼</p> <p>Customers with attribute name <input type="text"/></p> <p>having a string value = <input type="text"/></p> </div>

Segment Queries

Logical Attribute Values

This query returns all Customers with a logical attribute that has been assigned the selected value.

- **Customers with attribute name** - The name of the logical attribute.
- **having value** - The value of the attribute. Your options are True [DEFAULT] or False.

Logical Attribute Values ▾

Customers with attribute name
having value

Date Attribute Values

This query returns all Customers with a date attribute that has been assigned a date between the entered values.

- **Customers with attribute name** - The name of the date attribute.
- **having dates between X and Y** - The range of date values to include in the results.

Date Attribute Values ▾

Customers with attribute name
having dates between and

Purchase Activity

This category is available at the Segment Query step of the Create Segment wizard, and controls the customers to select for the Stratified or Unstratified Segment.

Lifetime Sales

This query returns all Customers whose lifetime sales amount matches what you have entered.

- **Total sales** - The amount of lifetime sales. The amount must be an integer between 0 and 1,000,000.

Lifetime Sales ▾

Total sales =

Lifetime Returns

This query returns all Customers whose lifetime returns amount matches what you have entered.

- **Returns total** - The amount of lifetime returns. The amount must be an integer between 0 and 1,000,000.

Lifetime returns ▾

Returns total =

Year-To-Date Sales

This query returns all Customers whose year-to-date sales amount matches what you have entered.


- **YTD Sales** - The amount of sales in the year to date. The amount must be an integer between 0 and 1,000,000.

Year-To-Date Sales ▾

YTD sales =

Year-To-Date Returns This query returns all Customers whose year-to-date returns amount matches what you have entered.


- **YTD returns** - The amount of returns in the year to date. The amount must be an integer between 0 and 1,000,000.

 Year-To-Date Returns ▼

YTD returns =

Customer First Purchase Date This query returns active and valid Customers whose first use date matches the date criteria entered. The date must be a valid date.


- **Customer first purchase date** - The first purchase date for the Customer.

 Customer First Purchase Date ▼

Customer first purchase date =

Customer Last Purchase Date This query returns active and valid Customers whose last use date matches the date criteria entered. The date must be a valid date.


- **Customer last purchase date** - The date of the most recent purchase by the Customer.

 Customer Last Purchase Date ▼

Customer last purchase date =

Number of Visits Between Dates This query returns all active Customers who made x visits between the dates specified. Both dates must be filled in and valid.


- **Number of visits** - The number of visits. Must be a whole number (integer) between 0 and 120.
- **between the dates of** - The first date in the range.
- **and** - The last date in the range. This date **must** come after the first date.

 Number of Visits Between Dates ▼

Number of visits =
between the dates of and

Value of Spending in the Last X Days This query returns all the Customers who have spent a designated amount or more within the last X number of days.

- **Customer spending at least** - The minimum amount spent.
- **in the last X days** - The number of days in the past for which to look for Customers who spent the minimum amount.

 Value of Spending in the Last X Days ▼

Customers spending at least
in the last days

Segment Queries

Value of Spending Between Dates

This query returns all the Customers who have spent a designated amount or more within a designated range of dates.

- **Sum of transactions** - The amount of the transactions.
- **between the dates of** - The first date in the range.
- **and Y** - The end date of the range. This date **must** come after the first date.

Value of Spending Between Dates ▼

Sum of transactions =
between the dates of and

Fixed Period Activity

This query returns active and valid Customers who have completed transactions between the business dates you have specified. Both dates must be filled in and valid.

- **Purchases between the dates of** - The first date in the range.
- **AND** - The end date of the range. This date **must** come after the first date.

Fixed Period Activity ▼

Purchases between the dates of
 AND

Purchase in the Last X Months

This query returns all Customers who have made a purchase within the number of months you specify.

- **Purchases in the last** - The number of months in the range. The number of months must be an integer between 0 and 120.

Purchase in the Last X Months ▼

Purchases in the last months.

Purchase within X Days

This query returns all Customers who have made a purchase within the number of days you specify.

- **Purchase in last** - The number of days in the range. You must enter an integer between 0 and 3600.

Purchase Within X Days ▼

Purchase in last days

Department in X Months

This query returns all Customers who have made a purchase from Department X within Y months.

- **Department** - The Department ID of the Department. The ID can be for any valid Department in your organization.
- **in** - The number of months in the range. The number of months must be an integer between 0 and 3600.

Department in X Months ▼

Department in months

Class in X Months

This query returns all Customers who have purchased an item in the class you specified in the last X months.

- **Class** - The Class ID of the Class. The ID can be for any valid Class in your organization.
- **in** - The number of months in the range. The number of months must be an integer between 0 and 3600.

☐ Class in X Months ▼

Class in months

Returns in X Days

This query returns active and valid Customers who have made one or more returns in the number of days you have specified.

- **Purchases returned in** - The number of days in the range. You must enter a number between 0 and 1000.

☐ Returns In X Days ▼

Purchases returned in days

Transactions from Location Group in last X Days

This query returns the list of Customers who have performed a transaction at a location within a configured location group in the last X days.

- **Transactions From Location Attribute Name** - The name of the location attribute used for the group.
- **Attribute Value** - The value of the Location Attribute. This field cannot be left blank. Entries must be inside single quotes (e.g. 'VALUE'). If entering multiple values, separate values with a comma (e.g. 'VALUE1', 'VALUE2').
- **in last X Days** - The number of days for which to search for matching Customers. Must be a whole number between 1 and 3600.

☐ Transactions from Store Group in Last X Days ▼

Transactions from Location Attribute Name
 Attribute Value
 in last days

Segment Queries

Purchased Item from Location Group in Last X Days

This query returns Customers who have purchased one or more items from a location within a location group in the last X days.

- **Have purchased item level** - Item level to be searched for the Item Value (see below).
- **Item Value** - Value to use for the item level. Entries must be inside single quotes. If entering multiple values, separate values with a comma. This field cannot be left blank.
- **From Location attribute Name** - The name of the location attribute used for the group.
- **Location attribute Value** - The value of the Location Attribute.
- **in last X Days** - The number of days for which to search for matching Customers. Must be a whole number between 1 and 3600.

☐ Purchased Item from Store Group in Last X Days ▼

Have purchased item level ▼
Item Value
From Location attribute Name
Location attribute Value
in last days

Purchased Item with String Type Attribute in Last X Days

This query returns Customers who have purchased, within the last X days, an Item assigned a certain string-type Item Attribute with an indicated value.

- **Purchase from Item Attribute Name** - Attribute to be searched for the Attribute Value (see below).
- **Attribute Value** - Value set for the Attribute.
- **in last X days** - The number of days for which to search for matching Customers. Must be a whole number between 1 and 3600.

☐ PURCHASE ITEM WITH STRING TYPE ATTRIBUTE IN LAST X DAYS ▼

Purchase from Item Attribute Name ▼
Attribute Value
in last days

Purchased Item with Date Type Attribute in Last X Days

This query returns Customers who have purchased, within the last X days, an Item assigned a certain date-type Item Attribute with an indicated value.

- **Purchase from Item Attribute Name** - Attribute to be searched for the Attribute Value (see below).
- **Attribute Value** - Value set for the Attribute.
- **in last X days** - The number of days for which to search for matching Customers. Must be a whole number between 1 and 3600.

☐ PURCHASE ITEM WITH DATE TYPE ATTRIBUTE IN LAST X DAYS ▼

Purchase from Item Attribute Name ▼
Attribute Value
in last days

Purchased Item with Logical Type Attribute in Last X Days

This query returns Customers who have purchased, within the last X days, an Item assigned a certain logical-type Item Attribute with an indicated value.

- **Purchase from Item Attribute Name** - Attribute to be searched for the Attribute Value (see below).
- **Attribute Value** - Value set for the Attribute.
- **in last X days**- The number of days for which to search for matching Customers. Must be a whole number between 1 and 3600.

PURCHASE ITEM WITH LOGICAL TYPE ATTRIBUTE IN LAST X DAYS ▼
 Purchase from Item Attribute Name
 Attribute Value
 in last days

Purchased Item with Numeric Type Attribute in Last X Days

This query returns Customers who have purchased, within the last X days, an Item assigned a certain numeric-type Item Attribute with an indicated value.

- **Purchase from Item Attribute Name** - Attribute to be searched for the Attribute Value (see below).
- **Attribute Value** - Value set for the Attribute.
- **in last X days**- The number of days for which to search for matching Customers. Must be a whole number between 1 and 3600.

PURCHASE ITEM WITH NUMERIC TYPE ATTRIBUTE IN LAST X DAYS ▼
 Purchase from Item Attribute Name
 Attribute Value
 in last days

Basic Programs

This category is available at the Segment Query step of the Create Segment wizard, and controls the customers to select for the Stratified or Unstratified Segment.

Big Spenders

This query returns all active Customers who have spent at least X dollars in at least Y visits. The amount spent must be a number between 0 and 1,000,000. The number of visits must be a number between 0 and 999.

Big Spenders ▼
 Customers who spent at least
 in at least visits

Reactivation Program


This query returns active and valid Customers who have shopped X times but not in the last Y months. The number of times shopped must be a number between 0 and 1000 and the number of months must be a number between 0 and 120.

Reactivation Program ▼
 Customers who've shopped times
 but not in the last months

Segment Queries

Happy Birthday


This query returns all active Customers who have a valid address, have given permission to be contacted by mail, and whose birthday is in the month you selected (**[DEFAULT] = January**).

 Happy Birthday ▼

Birthday Month is

Happy Anniversary


This query returns all active Customers who have a valid address, have given permission to be contacted by mail, and whose sign-up date is in the month you selected (**[DEFAULT] = January**).

 Happy Anniversary ▼

Sign-up Month

Thank You!


This query returns active and valid Customers who have spent at least X dollars in the last Y days. The amount spent must be a number between 1 and 1,000,000 and the number of days must be a number between 1 and 1000 (i.e. 100 dollars in the last 30 days).

 Thank You! ▼

Customers spending at least
in the last days

Cross Sell Program


This query returns active and valid Customers who have purchased item X in the last Y days. The number of days must be a number between 1 and 1000.

 Cross Sell Program ▼

Purchased Item
in last days

Big Spender - Location


This query returns active Customers who have spent at least X dollars in location Y. The amount spent must be a number between 0 and 1,000,000. The location can be any valid location in your organization. You can only specify one (1) location.

 Big Spender - Store ▼

Spent at least
in stores

Anniversary Program

This query returns active Customers who have purchased item X between Y and Z days ago. The **Purchased Item** can be any valid item in your organization. The first number of days (Y) must be an integer between 0 and 1000 and the second number of days (Z) must be an integer between 1 and 1000.

 Anniversary Program ▼

Purchased Item
between AND days ago.

Segment Elements

Customers in Segment	This query returns all Customer who are in the Segment ID specified.
<div style="text-align: center;"> Customers in Segment ▼ Customers in segment <input type="text" value="Equals"/> <input type="text"/> </div>	
Customers in Segment Strata Level	This query returns all Customers in a specified strata level within a Segment.
<ul style="list-style-type: none"> • Customers in Segment ID - The ID for the segment. • with Strata Level - The ID for the strata level within the segment. 	
<div style="text-align: center;"> Customers in Segment Strata Level ▼ Customers in Segment ID <input type="text"/> with Strata Level <input type="text" value="="/> <input type="text"/> </div>	

Promotion Activity

This category is available at the Segment Query step of the Create Segment wizard, and controls the customers to select for the Stratified or Unstratified Segment.







Promotion Responders	This query returns all active Customers who have responded to the promotion specified (if Yes is selected in the dropdown selection) or not responded to the promotion (if No is selected). The promotion can be any valid promotion in your organization.
<div style="text-align: center;"> Promotion Responders ▼ Customers responding to promotion ID <input type="text"/> <input type="text" value="Yes"/> </div>	
Campaign Responders	This query returns all active Customers who have responded to the campaign specified (if Yes is selected in the dropdown selection) or not responded to the campaign (if No is selected). The campaign can be any valid campaign in your organization.
<div style="text-align: center;"> Campaign Responders ▼ Customers responding to campaign ID <input type="text"/> <input type="text" value="Yes"/> </div>	

Strategic Segments

This category is available at the Segment Query step of the Create Segment wizard, and controls the customers to select for the Stratified or Unstratified Segment.

Customer Status	This query returns valid Customers whose status matches the one you have selected. Your options are "Active" [DEFAULT] and "Inactive".
<div style="text-align: center;"> Customer Status ▼ Customer Status: <input type="text" value="Active"/> </div>	

Segment Queries

Mail File	This query returns all active Customers who have given permission to be contacted by mail and have a valid address.
 Mail File ▼	
Active customers in mail file.	
Mail File By Home Location	This query returns all active Customers whose home location is or is not the one you have specified, have given permission to be contacted by mail, and have a valid address.
 Mail File By Home Store ▼	
Mail File By Home Store = ▼ <input type="text"/>	
Phone File	This query returns all active Customers who have given permission to be contacted by telephone and have a valid telephone number that is not their Fax number.
 Phone File ▼	
Active customers in phone file.	
Phone File By Home Location	This query returns all active Customers whose home location is or is not the one you have specified, have given permission to be contacted by phone, and have a valid telephone number that is not their Fax number.
 Phone File By Home Store ▼	
Phone File By Home Store = ▼ <input type="text"/>	
Email File	This query returns all active Customers who have given permission to be contacted by email and have a valid email address.
 Email File ▼	
Active customers in email file.	
Email File By Home Location	This query returns all active Customers whose home location is or is not the one you have specified, have given permission to be contacted by email, and have a valid email address.
 Email File By Home Store ▼	
Email File By Home Store = ▼ <input type="text"/>	

Loyalty Segments


In the following queries, you can find the Program IDs by selecting **Account -> Card Definition** from the Application Menu. The resulting list page will list the Programs. Within the [Card Definition](#), select the Card Prefix associated with the Program; Customer Engagement will then display the associated Programs and Program IDs.

You can find the Level ID by selecting a Loyalty Program from the Program List page (see previous paragraph) and clicking **Edit-Level**. The resulting page will list the levels along with their Level IDs for the selected program.

This category is available at the Segment Query step of the Create Segment wizard, and controls the customers to select for the Stratified or Unstratified Segment.

Program X, Program Level Y, based on First Use Date


This query returns all active Customers who participate in Program X at Level Y and who first used their Loyalty Account within the last Z Days [DEFAULT], Weeks, or Months.

 Program X, Program Level Y, based on first use date ▼

All members of program
 Program Level
 where first use date in the last Days ▼

Program X, Program Level Y, based on Last Use Date


This query returns all active Customers who participate in Program X at Level Y and who last used their Loyalty Account within the last Z Days [DEFAULT], Weeks, or Months.

 Program X, Program Level Y, based on last use date ▼

All members of program
 Program Level
 where last use date in the last Days ▼

Loyalty Points Earned YTD


This query returns all Customers whose year-to-date earned points balance matches the entered data.

 Loyalty Points Earned YTD ▼

Program members with a YTD earned point balance
 =

Loyalty Points Earned LTD


This query returns all Customers whose lifetime-to-date earned points balance matches the entered data.

 Loyalty Points Earned LTD ▼

Program members with a LTD earned point balance
 =

Any Program, Member/Non-Member


This query returns all Customers who have Cards/accounts that are or are not part of any Loyalty Program.

 Any Program, Loyalty Activity by Store In Last X Days ▼

All members of any program
 having activity of type All ▼
 Location Attribute Name
 Location Attribute Value
 Business Date in Last X Days
 Accumulated point value =

Program X, Program Level Y, Member/Non-Member

This query returns all Customers who have Cards/accounts that are part of Program X and Program Level Y. Program Level Y must be an integer between 0 and 99999.

 Program X, Program Level Y, Member/Non-Member ▼

All Members ▼
 of Program
 Program Level

Segment Queries

Program X, Program Level Y, Loyalty Activity by Location in Last Z Days

This query returns all active Customers who have Cards/accounts that are part of Program X and Program Level Y **and** who have a loyalty transaction of the type indicated from the location indicated (Location Attribute Name and Value) within the last number of days indicated **and** whose Loyalty Point total matches your selection.

- **All members of program** - ID for the loyalty program
- **Program Level** - ID for the program level.
- **having an activity of type** - The type of transaction.
- **Location Attribute Name** - The name of a location attribute used by the location.
- **Location Attribute Value** - The value of the location attribute.
- **Business Date in Last Z Days** - The number of days previous in which to look for the indicated activity at the indicated location.
- **Accumulated Point value** - The number of loyalty points currently accumulated by the Customer. Must be an integer.

☐ Program X, Program Level Y, Loyalty Activity by Store In Last Z Days ▾

All members of program	<input type="text"/>
Program Level	<input type="text"/>
having activity of type	All ▾
Location Attribute Name	<input type="text"/>
Location Attribute Value	<input type="text"/>
Business Date in Last Z Days	<input type="text"/>
Accumulated point value	= ▾ <input type="text"/>

Any Program, Loyalty Activity by Location in Last X Days

This query returns all Customers who have Cards/accounts that are part of any Program **and** who have a loyalty transaction of the type indicated from the location indicated (Location Attribute Name and Value) within the last number of days indicated, **and** whose Loyalty Point total matches your selection.

- **All members of any program having activity of type** - The type of transaction.
- **Location Attribute Name** - The name of a location attribute used by the location.
- **Location Attribute Value** - The value of the location attribute.
- **Business Date in Last X Days** - The number of days previous in which to look for the indicated activity at the indicated location.
- **Accumulated Point value** - The number of loyalty points currently accumulated by the Customer. Must be an integer.

☐ Any Program, Loyalty Activity by Store In Last X Days ▾

All members of any program	<input type="text"/>
having activity of type	All ▾
Location Attribute Name	<input type="text"/>
Location Attribute Value	<input type="text"/>
Business Date in Last X Days	<input type="text"/>
Accumulated point value	= ▾ <input type="text"/>

Social Networks

This category is available at the Segment Query step of the Create Segment wizard, and controls the customers to select for the Stratified or Unstratified Segment.

Facebook	<p>This query returns all Customers with a social profile for Facebook. This query has no additional parameters.</p> <p>☐ FACEBOOK ▼</p> <p>Customers with Facebook Social Media Type</p>
Twitter	<p>This query returns all Customers with a social profile for Twitter. This query has no additional parameters.</p> <p>☐ TWITTER ▼</p> <p>Customers with Twitter Social Media Type</p>

Social Profiles

This category is available at the Segment Query step of the Create Segment wizard, and controls the customers to select for the Stratified or Unstratified Segment.

Language	<p>This query returns all Customers who are using the selected language, as specified in their social profile.</p> <ul style="list-style-type: none"> • Customer Who Using Language - The language code. <p>☐ LANGUAGE ▼</p> <p>Customers Who Using Language = ▼ <input type="text"/></p>
Friends Count	<p>This query returns the Customers with a defined number of friends, as specified in their social profile.</p> <ul style="list-style-type: none"> • Customer Friends Count - The number of friends. <p>☐ FRIENDS COUNT ▼</p> <p>Customer Friends Count = ▼ <input type="text"/></p>
Followers Counts	<p>This query returns the Customers with a defined number of followers in their social profile.</p> <ul style="list-style-type: none"> • Customer Friends Count - The number of followers. <p>☐ FOLLOWERS COUNT ▼</p> <p>Customer Followers Count = ▼ <input type="text"/></p>
School Name	<p>This query returns the all Customers who attended a specified school in their social profile.</p> <ul style="list-style-type: none"> • School Name - The name of the school. <p>☐ SCHOOL NAME ▼</p> <p>School Name: <input type="text"/></p>
School Year	<p>This query returns all Customers with a specified graduation date, as specified in their social profile.</p> <ul style="list-style-type: none"> • School Year - The year of graduation. <p>☐ SCHOOL YEAR ▼</p> <p>School Year = ▼ <input type="text"/></p>

Strata Queries

Hometown This query returns all Customers with a specified hometown, as specified in their social profile.

- **Customers hometown** - Name of the hometown.

☒ HOMETOWN ▼

Customers hometown:

Gender This query returns all Customers with a specified gender, as specified in their social profile.

- **Customers Gender** - Gender of the customer.

☒ GENDER ▼

Customers Gender: Male ▼

Location This query returns all Customers living certain location, as specified in their social profile.

- **Customers Location** - Customer location.

☒ LOCATION ▼

Customers Location:

Strata Queries

These categories control how the customers are broken out into strata for a Stratified Segment, and are available at the Strata Query step of the Create Segment Wizard if a Strata Type of Loyalty or Transaction was selected at the Strata Field step.

The Strata Query step is not available when a Strata Type of Customer was selected at the Strata Field step. Also, this step is not available for an Unstratified Segment.

Loyalty Summary

These options are available at the Strata Query step if you select Strata Type = Loyalty at the Strata Field step.

Program Id X Program Level Y Active/Inactive This query returns all the Customers who are members of a Program at a certain Program Level who are either Active or Inactive.

- **All members of Program** - The Program to which the members belong.
- **Program Level** - The Program Level to which the members belong.
- **having an account status of** - Determines whether the members must be Active or Inactive.

☒ Program Id X Program Level Y Active/Inactive ▼

All members of program


Program Level

having an account status of Active ▼

Loyalty Activity Type
by Date Range

This query returns all the Customers who are members of a Program at a certain Program Level who have performed a certain account activity within a specified date range.

- **All members of Program** - The Program to which the members belong.
- **Program Level** - The Program Level to which the members belong.
- **activity type** - The activity performed.
- **with activities between dates of** - The beginning of the date range.
- **AND** - The end of the date range.

 Loyalty Activity Type by Date Range ▼

All members of program

program level

activity type


with activities between the dates of

AND

Loyalty Activity Type
in Last X Days

This query returns all the Customers who are members of a Program at a certain Program Level who have performed a certain account activity within a certain number of days in the past.

- **All members of Program** - The Program to which the members belong.
- **Program Level** - The Program Level to which the members belong.
- **activity type** - The activity performed.
- **with activities in the last** - The number of days in the past for the range.

 Loyalty Activity Type in Last X Days ▼

All members of program

program level

activity type

with activities in the last days

Loyalty Activity Type
YTD

This query returns all the Customers who are members of a Program at a certain Program Level who have performed a certain account activity within the year to date.

- **All members of Program** - The Program to which the members belong.
- **Program Level** - The Program Level to which the members belong.
- **Activity Type** - The activity performed.

 Loyalty Activity Type YTD ▼

All members of program

Program Level

Activity Type

Loyalty Activity Type LTD

This query returns all the Customers who are members of a Program at a certain Program Level who have performed a certain account activity within the lifetime to date of the account.

- **All members of Program** - The Program to which the members belong.
- **Program Level** - The Program Level to which the members belong.
- **Activity Type** - The activity performed.

Loyalty Activity Type LTD ▼

All members of program

Program Level

Activity Type

Transaction Criteria

These options are available at the Strata Query step if you select Strata Type = Transaction and Based on = Header at the Strata Field step.

Location

- This query returns the list of Customers who performed a transaction at a certain location.

Location - Location ID of the location.

Store ▼

Store:

Transactions in last X months

This query returns the list of Customers who performed a transaction within a certain number of days in the past.

- **transactions in the last** - The number of months in the past for the range.

Transactions in last X months ▼

Transactions in last months

Transaction Date Range

This query returns the list of Customers who performed a transaction within a certain date range.

- **From Date:** - The beginning of the date range.
- **TO DATE:** - The end of the date range.

Transaction Date Range ▼

From Date:

TO DATE:

Subtotal Amount

This query returns the list of Customers who have had a subtotal of a certain, defined value.

- **Subtotal** - The amount of the subtotal.

Subtotal Amount ▼

Subtotal =

Transaction from Location Group in Last X Days

This query returns the list of Customers who have performed a transaction at a location within a configured location group in the last X days.

- **Transactions From Location Attribute Name** - The name of the location attribute used for the group.
- **Attribute Value** - The value of the Location Attribute.
- **in last X Days** - The number of days for which to search for matching Customers. Must be a whole number between 1 and 3600.

☐ Transactions from Store Group in Last X Days ▼

Transactions from Location Attribute Name
 Attribute Value
 in last days

Line Item Detail

These options are available at the Strata Query step if you select Strata Type = Transaction and Based on = Detail at the Strata Field step.

Location

This query returns the list of Customers who performed a transaction at a certain location.

- **Location** - Location ID of the location.

☐ Store ▼

Store:

Transactions in last X months

This query returns the list of Customers who performed a transaction within a certain number of days in the past.

- **transactions in the last** - The number of months in the past for the range.

☐ Transactions in last X months ▼

Transactions in last months

Transaction Date Range

This query returns the list of Customers who performed a transaction within a certain date range.

- **From Date:** - The beginning of the date range.
- **TO DATE:** - The end of the date range.

☐ Transaction Date Range ▼

From Date:
 TO DATE:

Strata Queries

Item Department

This query returns the list of Customers who performed a transactions containing an item belonging to a certain item department.

- **Department Id** - The Department ID of the item department.


 Item Department ▼

Department Id =

Item Class

This query returns the list of Customers who performed a transaction containing an item belonging to a certain item class.

- **Item class** - The Class ID of the item class.


 Item Class ▼

Item class =

Item Style

This query returns the list of Customers who performed a transaction containing an item belonging to a certain item style.

- **Style Id** - The Style ID of the item style.


 Item Style ▼

Style Id =

Returned Items

This query returns the list of Customers who have either returned or not returned items in a transaction.

- **Returned Items:** - Whether or not items were returned in the transaction.


 Returned Items ▼

Returned Items: = True ▼

Item Price

This query returns the list of Customers with a transaction containing an item of a certain price.

- **Item Price:** - The price of an item.


 Item Price ▼

Item Price: =

Item Quantity

This query returns the list of Customers with a transaction containing a certain quantity of any item.

- **Item Quantity:** - The item quantity.

 Item Quantity ▼

Item Quantity: =

Item Id

This query returns the list of Customers who performed a transaction containing a certain item.

- **Item Id** - The Item ID of the item.

 Item Id ▼

Item Id =

Purchased Item from
Location Group in Last Y
Days

This query returns the list of Customers who purchased an item within a certain set of items, from a certain set of locations, within a certain number of days in the past.

- **Have purchased item level** - The item level to which the item(s) belongs.
- **Item Value** - The ID of the Item Level to which the item(s) belongs.
- **From Location attribute name** - Name of the Location attribute.
- **Location attribute Value** - The value the Location must have to belong to the set of Locations.
- **in last** - The number of days in the past within which the item must have been purchased.

 Purchased Item from Store Group in Last Y Days ▼

Have purchased item level

Item Value

From Location attribute Name

Location attribute Value

in last days
