

Table of Contents

ps4profitability (Tables).....	4
HPM_ALIAS_TABLE	4
HPM_APPD_DIMMEMBER.....	4
HPM_APPLICATION.....	5
HPM_APPLICATION_PREFERENCE.....	7
HPM_APPLICATION_TYPE.....	8
HPM_APP_PREF_MAP	9
HPM_ASSIGNMENT	10
HPM_ASSIGNMENT_RULE.....	10
HPM_ASSIGNMENT_RULE_TMP_POV	11
HPM_ASSIGNMENT_TMP_POV	12
HPM_BLK_EDT_IMP_PIVOT	12
HPM_BLK_EDT_IMP_T.....	13
HPM_BLK_EDT_IMP_TUPLE.....	14
HPM_BULK_EDIT.....	15
HPM_BULK_EDIT_DEST_ASGN_RULE.....	16
HPM_BULK_EDIT_DEST_DRIVER.....	16
HPM_BULK_EDIT_SOURCE.....	17
HPM_CALCULATION	18
HPM_CALCULATION_DATA_POV	19
HPM_CALCULATION_PROCESS	19
HPM_CALCULATION_PROCESS_S.....	20
HPM_CALCULATION_PROGRAM.....	21
HPM_CALC_CONFIG_DETAIL.....	22
HPM_CALC_CONFIG_DETAIL_S.....	23
HPM_CALC_PROCESS_TASK	24
HPM_CALC_PROCESS_TASK_S	25
HPM_CALC_PROCESS_TYPE.....	26
HPM_CALC_PROC_TASK_MAP.....	26
HPM_CALC_PROC_TASK_MAP_S	27
HPM_CALC_PROC_TEMPLATE.....	28
HPM_CALC_PROC_TEMPLATE_S.....	29
HPM_CALC_PROG_DIM_CONTEXT	30
HPM_CALC_PROG_RULE_SET	30
HPM_CALC_RULE.....	31
HPM_CALC_RULE_ASG_RULE	32
HPM_CALC_RULE_DRIVER.....	33
HPM_CALC_SCRIPT.....	34
HPM_DATA_ENTRY_DIM_MEM_VIEW	35
HPM_DATA_ENTRY_VIEW	35
HPM_DB_TYPE_DESC	36
HPM_DIMENSION	37
HPM_DIMENSION_ALIAS.....	38
HPM_DIMENSION_ATTRIBUTE	39
HPM_DIMENSION_MEMBER	39

HPM_DIMENSION_MEMBER_ATTRIBUTE.....	41
HPM_DIMENSION_MEMBER_PROP	41
HPM_DIMENSION_PROP	42
HPM_DIMENSION_TYPE	43
HPM_DIM_MEM_ALIAS.....	44
HPM_DIM_MEM_GEN_LEV.....	45
HPM_DIM_MEM_GRP.....	45
HPM_DIM_MEM_GRP_MEM	46
HPM_DRIVER.....	47
HPM_DRIVER_ASSOCIATION	49
HPM_DRIVER_ASSOCIATION_TMP_POV	49
HPM_DRIVER_BASIS_TYPE.....	50
HPM_DRIVER_LAYER.....	51
HPM_DRIVER_TYPE.....	51
HPM_DRV_DIMGRP.....	52
HPM_DRV_MSR_DIM_MEM_LOC.....	53
HPM_DRV_MSR_DIM_MEM_MAP	53
HPM_IMP_CONFIG.....	54
HPM_IMP_CONFIG_LOG.....	55
HPM_IMP_CONFIG_MAP	56
HPM_IMP_CONFIG_MAP_ENTRY	56
HPM_IMP_DB_CONN.....	57
HPM_IMP_NEW_TUPLE_T.....	58
HPM_IMP_TUPLE_T.....	58
HPM_INSTALLATION.....	59
HPM_INSTALLATION_PREFERENCE.....	60
HPM_JOB.....	61
HPM_JOB_LOG.....	62
HPM_JOB_LOG_LEVEL.....	63
HPM_LAYER.....	63
HPM_LOOKUP_TYPE.....	64
HPM_LOOKUP_TYPE_VALUE	65
HPM_MDL_SRC_ND_CTX.....	66
HPM_MDL_SRC_ND_CTX_TMP_POV	67
HPM_MODEL_CHANGE_EVENTS.....	67
HPM_MODEL_CONTEXT	68
HPM_MODEL_CONTEXT_TMP_POV	69
HPM_MODEL_VIEW	70
HPM_MODEL_VIEW_DIMENSION.....	70
HPM_OBJECT_USAGE_TYPE.....	71
HPM_POV_DIM_MEM_GRP.....	72
HPM_POV_STATE	73
HPM_PREFERENCE_NAME	74
HPM_PROP.....	74
HPM_PROP_TYPE.....	75
HPM_SERIAL_APP_LOCK.....	76

HPM_SQL_LOG	76
HPM_SQL_SCRIPT	77
HPM_STAGE	77
HPM_STAGE_DIMENSION	78
HPM_STAGE_DIMMEM_POS_MAP_TMP	79
HPM_STAGE_RULE	80
HPM_STATISTIC	81
HPM_STAT_COLLECTION	81
HPM_STAT_DETAIL	82
HPM_STGD_ASGN_RULE_SEL_T	83
HPM_STGD_CALCRULE_CALCMSRS_T	84
HPM_STGD_CALCRULE_COL	85
HPM_STGD_CALCRULE_MULTISRC_T	86
HPM_STGD_CALCRULE_SNGLSRC_T	87
HPM_STGD_DRIVER_EXCEP_T	88
HPM_STGD_DRIVER_SEL_T	89
HPM_STG_ASGN_RULE_SEL_T	90
HPM_STG_ASSIGNMENT_T	91
HPM_STG_ASSIGNMENT_TEMP	92
HPM_STG_DRIVER_EXCEP_T	94
HPM_STG_DRIVER_SEL_T	95
HPM_SV_QUERY	96
HPM_TABLE	96
HPM_TABLE_COLUMN	97
HPM_TABLE_JOINS	98
HPM_TAB_PRIMARY_KEY_COL	99
HPM_TEMP_OBJECT	100
HPM_TEMP_OBJECT_COLUMN	101
HPM_UPDATED_COLUMN	102
HPM_USER_APP_PREFERENCE	103

ps4profitability (Tables)

HPM_ALIAS_TABLE

HPM_ALIAS_TABLE is a child table which has a mapping of application id to the languages in which member aliases are defined. Data in this table is populated during application deployment.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
HPM_APPLICATION_ID	NUMBER (38)	No
DISPLAY_ORDER	NUMBER (38)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_USERID	VARCHAR2 (32)	No
IS_DEFAULT	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XIE2HPM_ALIAS_TABLE	NORMAL	Yes	HPM_APPLICATION_ID, NAME
XPKAPM_ALIAS	NORMAL	Yes	ID
XIE1HPM_ALIAS_TABLE	NORMAL	No	HPM_APPLICATION_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_ALIAS_TABLE2HPM_APP	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_DIMMEM_ALIAS2ALIAS_TABLE	PS4PROFITABILITY	HPM_DIM_MEM_ALIAS	HPM_ALIAS_TABLE_ID
HPM_DIM_ALIAS2HPM_ALIAS_TABLE	PS4PROFITABILITY	HPM_DIMENSION_ALIAS	HPM_ALIAS_TABLE_ID

No Enabled Triggers

HPM_APPD_DIMMEMBER

Primary Key(s): DIMENSION_TYPE, FULLY_QUALIFIED_NAME

Field	Type	Nulls?
DIMENSION_TYPE	VARCHAR2 (80)	No
FULLY_QUALIFIED_NAME	VARCHAR2 (2000)	No
MEMBER_NAME	VARCHAR2 (80)	No
PARENT_MEMBER_NAME	VARCHAR2 (80)	Yes
CONSOLIDATION	VARCHAR2 (30)	Yes
BSO_DATA_STORAGE	VARCHAR2 (30)	Yes
BSO_FORMULA	VARCHAR2 (255)	Yes
TWO_PASS_CALCULATION	VARCHAR2 (1)	No
ASO_DATA_STORAGE	VARCHAR2 (30)	Yes
ASO_FORMULA	VARCHAR2 (255)	Yes
DIMENSION_HIERARCHY_TYPE	VARCHAR2 (80)	Yes
MEMBER_DISPLAY_ORDER	NUMBER (4)	Yes
MEMBER_ID	NUMBER	No
PARENT_MEMBER_ID	NUMBER	Yes
PARENT_MEMBER_DISPLAY_ORDER	NUMBER	Yes

Index Name	Type	Unique	Fields
HPM_APPD_DIMMEMBER_PK	NORMAL	Yes	DIMENSION_TYPE, FULLY_QUALIFIED_NAME

No Check Constraints**No Internal Foreign Keys****No External Foreign Keys****No Enabled Triggers*****HPM_APPLICATION***

HPM_APPLICATION table stores details of all applications deployed to Hyperion Profitability and Cost Management. Data in this table is populated during application deployment.

Primary Key(s): ID

Field	Type	Default	Nulls?
ID	NUMBER (38)		No
NAME	VARCHAR2 (80)		No
DESCRIPTION	VARCHAR2 (255)		Yes
CREATED_TIMESTAMP	TIMESTAMP(6)		No
MODIFIED_TIMESTAMP	TIMESTAMP(6)		No
CREATED_USERID	VARCHAR2 (32)		No

Field	Type	Default	Nulls?
MODIFIED_USERID	VARCHAR2 (32)		No
DISPLAY_ORDER	NUMBER (38)		Yes
HPM_INSTALLATION_ID	NUMBER (38)		No
HPM_APPLICATION_TYPE_ID	NUMBER (38)	1	No
GUID	VARCHAR2 (36)		No

Index Name	Type	Unique	Fields
XPKHPM_APPLICATION	NORMAL	Yes	ID
XAK1HPM_APPLICATION	NORMAL	Yes	GUID
XIE1HPM_APPLICATION	NORMAL	No	NAME

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_APP2HPM_APP_TYPE	HPM_APPLICATION_TYPE_ID	PS4PROFITABILITY	HPM_APPLICATION_TYPE
INST2APP	HPM_INSTALLATION_ID	PS4PROFITABILITY	HPM_INSTALLATION

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
APP2APPPREF	PS4PROFITABILITY	HPM_APPLICATION_PREFERENCE	HPM_APPLICATION_ID
APP2DIM	PS4PROFITABILITY	HPM_DIMENSION	HPM_APPLICATION_ID
APP2DMG	PS4PROFITABILITY	HPM_DIM_MEM_GRP	HPM_APPLICATION_ID
APP2DRIVER	PS4PROFITABILITY	HPM_DRIVER	HPM_APPLICATION_ID
APP2IMPCFG	PS4PROFITABILITY	HPM_IMP_CONFIG	HPM_APPLICATION_ID
APP2STG	PS4PROFITABILITY	HPM_STAGE	HPM_APPLICATION_ID
CALC_CONF_DTL2HPM_APPLICATION	PS4PROFITABILITY	HPM_CALC_CONFIG_DETAIL	HPM_APPLICATION_ID
CALC_PROGRAM2APPLICATION	PS4PROFITABILITY	HPM_CALCULATION_PROGRAM	HPM_APPLICATION_ID
HPM_ALIAS_TABLE2HPM_APP	PS4PROFITABILITY	HPM_ALIAS_TABLE	HPM_APPLICATION_ID
HPM_BULK_EDIT2HPM_APPLICATION	PS4PROFITABILITY	HPM_BULK_EDIT	HPM_APPLICATION_ID
HPM_CALC2HPM_APPLICATION	PS4PROFITABILITY	HPM_CALCULATION	HPM_APPLICATION_ID
HPM_CALCPROC_TASK_MAP2HPM_APP	PS4PROFITABILITY	HPM_CALC_PROC_TASK_MAP	HPM_APPLICATION_ID

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
		AP	ID
HPM_CALC_PROCESS2HPM_APP	PS4PROFITABILITY	HPM_CALCULATION_PROCESS	HPM_APPLICATION_ID
HPM_CALC_PROC_TASK2HPM_APP	PS4PROFITABILITY	HPM_CALC_PROCESS_TASK	HPM_APPLICATION_ID
HPM_CALC_PROC_TEMPLATE2HPM_APP	PS4PROFITABILITY	HPM_CALC_PROC_TEMPLATE	HPM_APPLICATION_ID
HPM_CALC_RULE2HPM_APPLICATION	PS4PROFITABILITY	HPM_CALC_RULE	HPM_APPLICATION_ID
HPM_JOB2HPM_APPLICATION	PS4PROFITABILITY	HPM_JOB	HPM_APPLICATION_ID
HPM_SV_QUERY2HPM_APPLICATION	PS4PROFITABILITY	HPM_SV_QUERY	HPM_APPLICATION_ID
HPM_TABLE2HPM_APPLICATION	PS4PROFITABILITY	HPM_TABLE	HPM_APPLICATION_ID
HPM_TABLE_COL2HPM_APPLICATION	PS4PROFITABILITY	HPM_TABLE_COLUMN	HPM_APPLICATION_ID
HPM_TAB_PK_COL2HPM_APPLICATION	PS4PROFITABILITY	HPM_TAB_PRIMARY_KEY_COL	HPM_APPLICATION_ID
HPM_TBLE_JOINS2HPM_APPLICATION	PS4PROFITABILITY	HPM_TABLE_JOINS	HPM_APPLICATION_ID
HPM_TEMP_OBJ2APP	PS4PROFITABILITY	HPM_TEMP_OBJECT	HPM_APPLICATION_ID
HPM_UPD_COL2HPM_APPLICATION	PS4PROFITABILITY	HPM_UPDATED_COLUMN	HPM_APPLICATION_ID
MODEL_VIEW2APPLICATION	PS4PROFITABILITY	HPM_MODEL_VIEW	HPM_APPLICATION_ID
STAT_COLLECTION2APPLICATION	PS4PROFITABILITY	HPM_STAT_COLLECTION	HPM_APPLICATION_ID
USER_APP_PREF2APPLICATION	PS4PROFITABILITY	HPM_USER_APP_PREFERENCE	HPM_APPLICATION_ID

No Enabled Triggers

HPM_APPLICATION_PREFERENCE

HPM_APPLICATION_PREFERENCE table has a mapping of application to the preference values assigned to it. Data in this table is initially populated during application deploy. Modifications for some preferences can be done using Model Summary > Model Level Preferences screen.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
HPM_APPLICATION_ID	NUMBER (38)	No
HPM_PREFERENCE_NAME_ID	NUMBER (38)	No

Field	Type	Nulls?
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
DISPLAY_ORDER	NUMBER (38)	Yes
VALUE	VARCHAR2 (255)	Yes

Index Name	Type	Unique	Fields
XPKHPM_APPLICATION_PREFERENCE	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
APP2APPPREF	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
PREFNAME2APPPREF	HPM_PREFERENCE_NAME_ID	PS4PROFITABILITY	HPM_PREFERENCE_NAME

No External Foreign Keys

No Enabled Triggers

HPM_APPLICATION_TYPE

HPM_APPLICATION_TYPE table has details of application types Hyperion Profitability and Cost Management supports. Data in this table is seeded during install/config.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_USERID	VARCHAR2 (32)	No
DISPLAY_ORDER	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XPKHPM_APPLICATION_TYPE	NORMAL	Yes	ID

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_APP2HPM_APP_TYPE	PS4PROFITABILITY	HPM_APPLICATION	HPM_APPLICATION_TYPE_ID
HPM_APP_PREF_MAP2HPM_APP_TYPE	PS4PROFITABILITY	HPM_APP_PREF_MAP	HPM_APPLICATION_TYPE_ID

No Enabled Triggers***HPM_APP_PREF_MAP***

HPM_APP_PREF_MAP table has a mapping of application type to the preferences that can be associated with it. Data in this table is seeded during install/config.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
DESCRIPTION	VARCHAR2 (255)	Yes
HPM_APPLICATION_TYPE_ID	NUMBER (38)	No
HPM_PREFERENCE_NAME_ID	NUMBER (38)	No
DISPLAY_ORDER	NUMBER (38)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_APP_PREF_MAP	NORMAL	Yes	ID
XIE1HPM_APP_PREF_MAP	NORMAL	No	HPM_APPLICATION_TYPE_ID
XIE2HPM_APP_PREF_MAP	NORMAL	No	HPM_PREFERENCE_NAME_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_APP_PREF_MAP2HPM_APP_TYPE	HPM_APPLICATION_TYPE_ID	PS4PROFITABILITY	HPM_APPLICATION_TYPE
HPM_APP_PREF_MAP2HPM_PREF_NAME	HPM_PREFERENCE_NAME_ID	PS4PROFITABILITY	HPM_PREFERENCE_NAME

No External Foreign Keys**No Enabled Triggers**

HPM_ASSIGNMENT

HPM_ASSIGNMENT table has details of all explicit assignments defined in all applications. Data in this table is created/modified/deleted depending on the operations performed in the Assignments screen.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_STAGE_ID_DST	NUMBER (38)	No
HPM_MDL_SRC_ND_CTX_ID	NUMBER (38)	No
HPM_DIM_MEM_GRP_ID_DST	NUMBER (38)	No

Index Name	Type	Unique	Fields
XIE3HPM_ASSIGNMENT	NORMAL	Yes	HPM_STAGE_ID_DST, HPM_MDL_SRC_ND_CTX_ID, HPM_DIM_MEM_GRP_ID_DST
XIE2HPM_ASSIGNMENT	NORMAL	No	HPM_DIM_MEM_GRP_ID_DST
XPKHPM_ASSIGNMENT	NORMAL	Yes	ID
XIE1HPM_ASSIGNMENT	NORMAL	No	HPM_MDL_SRC_ND_CTX_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
STG2ADST	HPM_STAGE_ID_DST	PS4PROFITABILITY	HPM_STAGE
MSNC2ASRC	HPM_MDL_SRC_ND_CTX_ID	PS4PROFITABILITY	HPM_MDL_SRC_ND_CTX
DMG2ADST	HPM_DIM_MEM_GRP_ID_DST	PS4PROFITABILITY	HPM_DIM_MEM_GRP

No External Foreign Keys

No Enabled Triggers

HPM_ASSIGNMENT_RULE

HPM_ASSIGNMENT_RULE table has details of assignment rules defined in all applications. Data in this table is created/modified/deleted depending on the operations performed in the Assignments screen.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_STG_RULE_ID	NUMBER (38)	No
HPM_MDL_SRC_ND_CTX_ID	NUMBER (38)	No
HPM_BULK_EDIT_ID	NUMBER (38)	Yes
HPM_SOURCE_STG_RULE_ID	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XIE1HPM_ASSIGNMENT_RULE	NORMAL	Yes	HPM_MDL_SRC_ND_CTX_ID, HPM_STG_RULE_ID
XIE2HPM_ASSIGNMENT_RULE	NORMAL	No	HPM_BULK_EDIT_ID
XIE3HPM_ASSIGNMENT_RULE	NORMAL	No	HPM_SOURCE_STG_RULE_ID
XIE4HPM_ASSIGNMENT_RULE	NORMAL	No	HPM_STG_RULE_ID
XIE5HPM_ASSIGNMENT_RULE	NORMAL	No	HPM_MDL_SRC_ND_CTX_ID
XPKHPM_ASSIGNMENT_RULE	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
SR2AR	HPM_STG_RULE_ID	PS4PROFITABILITY	HPM_STAGE_RULE
SSC2AR	HPM_MDL_SRC_ND_CTX_ID	PS4PROFITABILITY	HPM_MDL_SRC_ND_CTX
HPM_ASGN_RULE2HPM_BULK_EDIT	HPM_BULK_EDIT_ID	PS4PROFITABILITY	HPM_BULK_EDIT
HPM_ASGN_RULE2HPM_STAGE_RULE	HPM_SOURCE_STG_RULE_ID	PS4PROFITABILITY	HPM_STAGE_RULE

No External Foreign Keys

No Enabled Triggers

HPM_ASSIGNMENT_RULE_TMP_POV

Primary Key(s):

Field	Type	Nulls?
DST_ASGN_RULE_ID	NUMBER (38)	Yes
HPM_STG_RULE_ID_DST	NUMBER (38)	Yes

Field	Type	Nulls?
SRC_MDL_SRC_ND_CTX_ID	NUMBER (38)	Yes
DST_MDL_SRC_ND_CTX_ID	NUMBER (38)	Yes
EXECUTION_ID	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
HPM_ASSIGN_RULE_TMP_POV_I1	NORMAL	No	SRC_MDL_SRC_ND_CTX_ID

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_ASSIGNMENT_TMP_POV

Table used for caching rows during PL/SQL based POV copy of assignments.

Primary Key(s):

Field	Type	Nulls?
DST_ASGN_ID	NUMBER (38)	Yes
HPM_STAGE_ID_DST	NUMBER (38)	Yes
HPM_DIM_MEM_GRP_ID_DST	NUMBER (38)	Yes
SRC_MDL_SRC_ND_CTX_ID	NUMBER (38)	Yes
DST_MDL_SRC_ND_CTX_ID	NUMBER (38)	Yes
EXECUTION_ID	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
HPM_ASSIGNMENT_TMP_POV_I1	NORMAL	No	SRC_MDL_SRC_ND_CTX_ID

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_BLK_EDT_IMP_PIVOT

Primary Key(s):

Field	Type	Nulls?
HPM_DIM_MEM_GRP_ID	NUMBER (38)	No
HPM_SRC_DIM1_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM2_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM3_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM4_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM5_MEM_ID	NUMBER (38)	Yes
HPM_APPLICATION_ID	NUMBER (38)	No
CREATED_USERID	VARCHAR2 (32)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	Yes
MODIFIED_USERID	VARCHAR2 (32)	Yes
MODIFIED_TIMESTAMP	TIMESTAMP(6)	Yes

Index Name	Type	Unique	Fields
HPM_BLK_EDT_IMP_PIVOT_UK1	NORMAL	Yes	HPM_APPLICATION_ID, HPM_SRC_DIM1_MEM_ID, HPM_SRC_DIM2_MEM_ID, HPM_SRC_DIM3_MEM_ID, HPM_SRC_DIM4_MEM_ID, HPM_SRC_DIM5_MEM_ID

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_BLK_EDT_IMP_T

Primary Key(s): HPM_DIM_MEM_GRP_ID

Field	Type	Nulls?
HPM_DIM_MEM_GRP_ID	NUMBER (38)	No
HPM_SRC_DIM1_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM2_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM3_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM4_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM5_MEM_ID	NUMBER (38)	Yes
HPM_BULK_EDIT_ID	NUMBER (38)	Yes
HPM_SOURCE_STG_RULE_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_BLK_EDT_IMP_T	NORMAL	Yes	HPM_DIM_MEM_GRP_ID
HPM_BLK_EDT_IMP_T_UK1	NORMAL	Yes	HPM_BULK_EDIT_ID, HPM_SRC_DIM1_MEM_ID, HPM_SRC_DIM2_MEM_ID, HPM_SRC_DIM3_MEM_ID, HPM_SRC_DIM4_MEM_ID, HPM_SRC_DIM5_MEM_ID

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_BLK_EDT_IMP_TUPLE

Primary Key(s):

Field	Type	Nulls?
HPM_BULK_EDIT_ID	NUMBER (38)	No
HPM_SRC_DIM1_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM2_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM3_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM4_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM5_MEM_ID	NUMBER (38)	Yes
HPM_SOURCE_STG_RULE_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
HPM_BLK_EDT_IMP_TUPLE_UK1	NORMAL	Yes	HPM_BULK_EDIT_ID, HPM_SRC_DIM1_MEM_ID, HPM_SRC_DIM2_MEM_ID, HPM_SRC_DIM3_MEM_ID, HPM_SRC_DIM4_MEM_ID, HPM_SRC_DIM5_MEM_ID

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_BULK_EDIT

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_POV_DIM_MEM_GRP_ID	NUMBER (38)	No
HPM_APPLICATION_ID	NUMBER (38)	No
HPM_JOB_ID	NUMBER (38)	Yes
EDIT_OPERATION	VARCHAR2 (80)	No
REMOVE_FROM_ALL_SOURCES_FLG	VARCHAR2 (1)	No
REMOVE_ALL_RULES_FLG	VARCHAR2 (1)	No
NUMBER_OF_RULES	NUMBER (38)	Yes
TOTAL_DISTINCT_SOURCES	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XIE1HPM_BULK_EDIT	NORMAL	No	HPM_APPLICATION_ID
XIE2HPM_BULK_EDIT	NORMAL	No	HPM_POV_DIM_MEM_GRP_ID
XPKHPM_BULK_EDIT	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_BULK_EDIT2HPM_APPLICATION	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
HPM_BULK_EDIT2POV_DIM_MEM_GRP	HPM_POV_DIM_MEM_GRP_ID	PS4PROFITABILITY	HPM_POV_DIM_MEM_GRP
HPM_BULK_EDIT2HPM_JOB	HPM_JOB_ID	PS4PROFITABILITY	HPM_JOB

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_ASGN_RULE2HPM_BULK_EDIT	PS4PROFITABILITY	HPM_ASSIGNMENT_RULE	HPM_BULK_EDIT_ID
HPM_BE_DST_AR2HPM_BULK_EDIT	PS4PROFITABILITY	HPM_BULK_EDIT_DEST_ASGN_RULE	HPM_BULK_EDIT_ID
HPM_BE_DST_DRV2HPM_BULK_EDIT	PS4PROFITABILITY	HPM_BULK_EDIT_DEST_DRIVER	HPM_BULK_EDIT_ID
HPM_BE_SRC2HPM_BULK_EDIT	PS4PROFITABILITY	HPM_BULK_EDIT_SOURCE	HPM_BULK_EDIT_ID
HPM_DRV_ASSOC2HPM_BULK_EDIT	PS4PROFITABILITY	HPM_DRIVER_ASSOCIATIO	HPM_BULK_EDIT_ID

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
		N	

No Enabled Triggers

HPM_BULK_EDIT_DEST_ASGN_RULE

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_BULK_EDIT_ID	NUMBER (38)	No
HPM_STG_RULE_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_BULK_EDIT_DST_ASGN_RULE	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_BE_DST_AR2HPM_BULK_EDIT	HPM_BULK_EDIT_ID	PS4PROFITABILITY	HPM_BULK_EDIT

No External Foreign Keys

No Enabled Triggers

HPM_BULK_EDIT_DEST_DRIVER

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No

Field	Type	Nulls?
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_BULK_EDIT_ID	NUMBER (38)	No
HPM_DRIVER_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_BULK_EDIT_DEST_DRIVE R	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_BE_DST_DRV2HPM_BULK_EDIT	HPM_BULK_EDIT_ID	PS4PROFITABILITY	HPM_BULK_EDIT

No External Foreign Keys

No Enabled Triggers

HPM_BULK_EDIT_SOURCE

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_BULK_EDIT_ID	NUMBER (38)	No
HPM_SOURCE_STG_RULE_ID	NUMBER (38)	No
DISPLAY_ORDER	NUMBER (38)	No
NUMBER_OF_SOURCES_THIS_RULE	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XPKHPM_BULK_EDIT_SOURCE	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_BE_SRC2HPM_BULK_EDIT	HPM_BULK_EDIT_ID	PS4PROFITABILITY	HPM_BULK_EDIT

No External Foreign Keys

No Enabled Triggers

HPM_CALCULATION

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_POV_DIM_MEM_GRP_ID	NUMBER (38)	Yes
HPM_APPLICATION_ID	NUMBER (38)	No
HPM_JOB_ID	NUMBER (38)	Yes
ABORT_ON_ERROR_FLG	VARCHAR2 (1)	Yes
CLEAR_DATA_FLG	VARCHAR2 (1)	Yes
CALCULATE_FLG	VARCHAR2 (1)	Yes
CONTRIBUTION_OPTION	VARCHAR2 (80)	Yes
PRE_SCRIPT_NAME	VARCHAR2 (80)	Yes
POST_SCRIPT_NAME	VARCHAR2 (80)	Yes
CREATE_STG_BAL_FLG	VARCHAR2 (1)	Yes
KEEP_CDV_TABLES_FLG	VARCHAR2 (1)	Yes
DATA_TRANSFER_SRC_FLG	VARCHAR2 (1)	Yes
DATA_TRANSFER_CONTRIB_FLG	VARCHAR2 (1)	Yes
DATA_TRANSFER_DEST_FLG	VARCHAR2 (1)	Yes
PREVIEW_SEQ	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XPKHPM_CALCULATION	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_CALC2HPM_APPLICATION	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
HPM_CALC2HPM_POV_DIM_MEM_GRP	HPM_POV_DIM_MEM_GRP_ID	PS4PROFITABILITY	HPM_POV_DIM_MEM_GRP

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_CALC2HPM_JOB	HPM_JOB_ID	PS4PROFITABILITY	HPM_JOB

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_CALC_DATA_POV2HPM_CALC	PS4PROFITABILITY	HPM_CALCULATION_DATA_POV	HPM_CALCULATION_ID

No Enabled Triggers

HPM_CALCULATION_DATA_POV

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
DISPLAY_ORDER	NUMBER (38)	No
HPM_CALCULATION_ID	NUMBER (38)	No
HPM_DATA_POV_DIM_MEM_GRP_ID	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XPKHPM_CALCULATION_DATA_POV	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_CALC_DATA_POV2HPM_CALC	HPM_CALCULATION_ID	PS4PROFITABILITY	HPM_CALCULATION
HPM_CALC_DATA_POV2HPM_POV_DIMG	HPM_DATA_POV_DIM_MEM_GRP_ID	PS4PROFITABILITY	HPM_POV_DIM_MEM_GRP

No External Foreign Keys

No Enabled Triggers

HPM_CALCULATION_PROCESS

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
PROCESS_VALUE	LONG	Yes
DB_TYPE	VARCHAR2 (80)	No
HPM_CALC_PROCESS_TYPE_ID	NUMBER (38)	No
HPM_APPLICATION_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_CALCULATION_PROCESS	NORMAL	Yes	ID
XAK1HPM_CALCULATION_PROCESSES	NORMAL	Yes	NAME, HPM_APPLICATION_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_CALC_PROCESS2HPM_APP	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
CALC_PROCESS2CALC_PROC_TYPE	HPM_CALC_PROCESS_TYPE_ID	PS4PROFITABILITY	HPM_CALC_PROCESS_TYPE

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
CALC_CONF_DTL2CALC_PROCESS	PS4PROFITABILITY	HPM_CALC_CONFIG_DETAIL	HPM_CALC_PROCESS_ID
HPM_CALCPROC_TASKMAP_CP_ID_FK	PS4PROFITABILITY	HPM_CALC_PROC_TASK_MAP	HPM_CALC_PROCESS_ID

No Enabled Triggers***HPM_CALCULATION_PROCESS_S*****Primary Key(s): ID**

Field	Type	Nulls?
-------	------	--------

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
PROCESS_VALUE	LONG	Yes
DB_TYPE	VARCHAR2 (80)	No
HPM_CALC_PROCESS_TYPE_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_CALCULATION_PROCESS_S	NORMAL	Yes	ID
XAK1HPM_CALCULATION_PROCES_S_S	NORMAL	Yes	NAME

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
CALC_PROCESS_S2CALC_PROC_TYPE	HPM_CALC_PROCESS_TYPE_ID	PS4PROFITABILITY	HPM_CALC_PROCESS_TYPE

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
CALC_CONF_DTL_S2CALC_PROC_S	PS4PROFITABILITY	HPM_CALC_CONFIG_DETAIL_S	HPM_CALC_PROCESS_ID
HPM_CALCPROC_TASKMAP_CP_ID_F_S	PS4PROFITABILITY	HPM_CALC_PROC_TASKMAP_S	HPM_CALC_PROCESS_ID

No Enabled Triggers

HPM_CALCULATION_PROGRAM

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
HPM_APPLICATION_ID	NUMBER (38)	No
HPM_POV_DIM_MEM_GRP_ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No

Field	Type	Nulls?
DESCRIPTION	VARCHAR2 (4000)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_CALCULATION_PROGRAM	NORMAL	Yes	ID
XAK1HPM_CALCULATION_PROGRAM	NORMAL	Yes	HPM_APPLICATION_ID, HPM_POV_DIM_MEM_GRP_ID
XIE1HPM_CALCULATION_PROGRAM	NORMAL	No	HPM_POV_DIM_MEM_GRP_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
CALC_PROGRAM2APPLICATION	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
CALC_PROGRAM2POV_DIM_MEM_GRP	HPM_POV_DIM_MEM_GRP_ID	PS4PROFITABILITY	HPM_POV_DIM_MEM_GRP

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
DIM_CONTEXT2CALC_PROGRAM	PS4PROFITABILITY	HPM_CALC_PROG_DIM_CONTEXT	HPM_CALC_PROGRAM_ID
RULE_SET2CALC_PROGRAM	PS4PROFITABILITY	HPM_CALC_PROG_RULE_SET	HPM_CALC_PROGRAM_ID

No Enabled Triggers

HPM_CALC_CONFIG_DETAIL

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
IS_SEEDED	VARCHAR2 (1)	No
HPM_APPLICATION_ID	NUMBER (38)	No
HPM_CALC_PROCESS_TYPE_ID	NUMBER (38)	No

Field	Type	Nulls?
HPM_CALC_PROCESS_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_CALC_CONFIG_DETAIL	NORMAL	Yes	ID
XAK1HPM_CALC_CONFIG_DETAIL	NORMAL	Yes	NAME, HPM_APPLICATION_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
CALC_CONF_DTL2HPM_APPLICATION	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
CALC_CONF_DTL2CALC_PROC_TYPE	HPM_CALC_PROCESS_TYPE_ID	PS4PROFITABILITY	HPM_CALC_PROCESS_TYPE
CALC_CONF_DTL2CALC_PROCESS	HPM_CALC_PROCESS_ID	PS4PROFITABILITY	HPM_CALCULATION_PROCESS

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_DRIVER2HPM_CALC_CONF_DTL	PS4PROFITABILITY	HPM_DRIVER	HPM_CALC_CONFIG_DETAIL_ID

No Enabled Triggers

HPM_CALC_CONFIG_DETAIL_S

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
IS_SEEDED	VARCHAR2 (1)	No
HPM_CALC_PROCESS_TYPE_ID	NUMBER (38)	No
HPM_CALC_PROCESS_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No

Field	Type	Nulls?
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_CALC_CONFIG_DETAIL_S	NORMAL	Yes	ID
XAK1HPM_CALC_CONFIG_DETAIL_S	NORMAL	Yes	NAME

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
CALC_CONF_DTL_S2CALC_PROC_T YP	HPM_CALC_PROCESS_ TYPE_ID	PS4PROFITABILITY	HPM_CALC_PROCESS_TYPE
CALC_CONF_DTL_S2CALC_PROC_S	HPM_CALC_PROCESS_ ID	PS4PROFITABILITY	HPM_CALCULATION_PROCE SS_S

No External Foreign Keys

No Enabled Triggers

HPM_CALC_PROCESS_TASK

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
HPM_CALC_PROC_TEMPLATE_ID	NUMBER (38)	Yes
HPM_CALC_PROCESS_TYPE_ID	NUMBER (38)	No
HPM_APPLICATION_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_CALC_PROCESS_TASK	NORMAL	Yes	ID
XAK1HPM_CALC_PROCESS_TASK	NORMAL	Yes	NAME, HPM_APPLICATION_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_CALC_PROC_TASK2HPM_APP	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
CALC_PROC_TASK2CALC_PROC_TYPE	HPM_CALC_PROCESS_TYPE_ID	PS4PROFITABILITY	HPM_CALC_PROCESS_TYPE

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_CALCPROC_TASKMAP_CTASK_FK	PS4PROFITABILITY	HPM_CALC_PROC_TASK_MAP	HPM_CALC_PROCESS_TASK_ID

No Enabled Triggers

HPM_CALC_PROCESS_TASK_S

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
HPM_CALC_PROC_TEMPLATE_ID	NUMBER (38)	Yes
HPM_CALC_PROCESS_TYPE_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_CALC_PROCESS_TASK_S	NORMAL	Yes	ID
XAK1HPM_CALC_PROCESS_TASK_S	NORMAL	Yes	NAME

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
CALC_PROC_TASK_S2CALCPROCTYPE	HPM_CALC_PROCESS_TYPE_ID	PS4PROFITABILITY	HPM_CALC_PROCESS_TYPE

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_CALCPROC_TASKMAP_CTASK_F_S	PS4PROFITABILITY	HPM_CALC_PROC_TASK_MAP_S	HPM_CALC_PROCESS_TASK_ID

No Enabled Triggers

HPM_CALC_PROCESS_TYPE

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
CALC_PROCESS_CATEGORY	VARCHAR2 (80)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_CALC_PROCESS_TYPE	NORMAL	Yes	ID

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
CALC_CONF_DTL2CALC_PROC_TYPE	PS4PROFITABILITY	HPM_CALC_CONFIG_DETAIL	HPM_CALC_PROCESS_TYPE_ID
CALC_CONF_DTL_S2CALC_PROC_TYP	PS4PROFITABILITY	HPM_CALC_CONFIG_DETAIL_S	HPM_CALC_PROCESS_TYPE_ID
CALC_PROCESS2CALC_PROC_TYPE	PS4PROFITABILITY	HPM_CALCULATION_PROCESS	HPM_CALC_PROCESS_TYPE_ID
CALC_PROCESS_S2CALC_PROC_TYPE	PS4PROFITABILITY	HPM_CALCULATION_PROCESS_S	HPM_CALC_PROCESS_TYPE_ID
CALC_PROC_TASK2CALC_PROC_TYPE	PS4PROFITABILITY	HPM_CALC_PROCESS_TASK	HPM_CALC_PROCESS_TYPE_ID
CALC_PROC_TASK_S2CALCPROCTYPE	PS4PROFITABILITY	HPM_CALC_PROCESS_TASK_S	HPM_CALC_PROCESS_TYPE_ID

No Enabled Triggers

HPM_CALC_PROC_TASK_MAP

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
HPM_CALC_PROCESS_ID	NUMBER (38)	No
HPM_CALC_PROCESS_TASK_ID	NUMBER (38)	No
HPM_APPLICATION_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_CALC_PROC_TASK_MAP	NORMAL	Yes	ID
X1E1HPM_CALC_PROC_TASK_MAP	NORMAL	Yes	HPM_CALC_PROCESS_ID, HPM_CALC_PROCESS_TASK_ID, HPM_APPLICATION_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_CALCPROC_TASKMAP_CTASK_FK	HPM_CALC_PROCESS_TASK_ID	PS4PROFITABILITY	HPM_CALC_PROCESS_TASK
HPM_CALCPROC_TASKMAP_CP_ID_FK	HPM_CALC_PROCESS_ID	PS4PROFITABILITY	HPM_CALCULATION_PROCESS
HPM_CALCPROC_TASK_MAP2HPM_APP	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION

No External Foreign Keys**No Enabled Triggers*****HPM_CALC_PROC_TASK_MAP_S*****Primary Key(s): ID**

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	Yes

Field	Type	Nulls?
DESCRIPTION	VARCHAR2 (255)	Yes
HPM_CALC_PROCESS_ID	NUMBER (38)	No
HPM_CALC_PROCESS_TASK_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_CALC_PROC_TASK_MAP_S	NORMAL	Yes	ID
X1E1HPM_CALC_PROC_TASK_MAP_S	NORMAL	Yes	HPM_CALC_PROCESS_ID, HPM_CALC_PROCESS_TASK_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_CALCPROC_TASKMAP_CTASK_F_S	HPM_CALC_PROCESS_TASK_ID	PS4PROFITABILITY	HPM_CALC_PROCESS_TASK_S
HPM_CALCPROC_TASKMAP_CP_ID_F_S	HPM_CALC_PROCESS_ID	PS4PROFITABILITY	HPM_CALCULATION_PROCESSES_S

No External Foreign Keys

No Enabled Triggers

HPM_CALC_PROC_TEMPLATE

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
TEMPLATE_VALUE	LONG	No
HPM_APPLICATION_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_CALC_PROC_TEMPLATE	NORMAL	Yes	ID
XAK1HPM_CALC_PROC_TEMPLAT E	NORMAL	Yes	NAME, HPM_APPLICATION_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_CALC_PROC_TEMPLATE2HPM _APP	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION

No External Foreign Keys

No Enabled Triggers

HPM_CALC_PROC_TEMPLATE_S

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
TEMPLATE_VALUE	LONG	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_CALC_PROC_TEMPLATE_ S	NORMAL	Yes	ID
XAK1HPM_CALC_PROC_TEMPLAT E_S	NORMAL	Yes	NAME

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_CALC_PROG_DIM_CONTEXT

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
HPM_CALC_PROGRAM_ID	NUMBER (38)	No
HPM_RULE_SET_ID	NUMBER (38)	Yes
HPM_DIMENSION_ID	NUMBER (38)	No
HPM_DIM_MEM_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_CALC_PROG_DIM_CONTEXT	NORMAL	Yes	ID
XAK1HPM_CALC_PROG_DIM_CONTEXT	NORMAL	Yes	HPM_CALC_PROGRAM_ID, HPM_DIMENSION_ID, HPM_RULE_SET_ID
XIE1HPM_CALC_PROG_DIM_CONTEXT	NORMAL	No	HPM_RULE_SET_ID
XIE2HPM_CALC_PROG_DIM_CONTEXT	NORMAL	No	HPM_DIMENSION_ID
XIE3HPM_CALC_PROG_DIM_CONTEXT	NORMAL	No	HPM_DIM_MEM_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
DIM_CONTEXT2CALC_PROGRAM	HPM_CALC_PROGRAM_ID	PS4PROFITABILITY	HPM_CALCULATION_PROGRAM
DIM_CONTEXT2RULE_SET	HPM_RULE_SET_ID	PS4PROFITABILITY	HPM_CALC_PROG_RULE_SET

No External Foreign Keys

No Enabled Triggers

HPM_CALC_PROG_RULE_SET

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
HPM_CALC_PROGRAM_ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (4000)	Yes
ENABLED_FLG	VARCHAR2 (1)	No
CALCULATION_SEQUENCE	NUMBER (4)	No
USE_GLOBAL_CONTEXT_FLG	VARCHAR2 (1)	No
ITERATIVE_EXECUTION_FLG	VARCHAR2 (1)	No
NUMBER_OF_EXECUTIONS	NUMBER (2)	Yes
DISABLE_PARALLEL_EXEC_FLG	VARCHAR2 (1)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_CALC_PROG_RULE_SET	NORMAL	Yes	ID
XAK1HPM_CALC_PROG_RULE_SET	NORMAL	Yes	NAME, HPM_CALC_PROGRAM_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
RULE_SET2CALC_PROGRAM	HPM_CALC_PROGRAM_ID	PS4PROFITABILITY	HPM_CALCULATION_PROGR AM

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
DIM_CONTEXT2RULE_SET	PS4PROFITABILITY	HPM_CALC_PROG_DIM_CO NTEXT	HPM_RULE_SET_ID

No Enabled Triggers

HPM_CALC_RULE

Primary Key(s): ID

Field	Type	Default	Nulls?
ID	NUMBER (38)		No
NAME	VARCHAR2 (80)		No
HPM_POV_DIM_MEM_GRP_ID	NUMBER (38)		No

Field	Type	Default	Nulls?
DESCRIPTION	VARCHAR2 (255)		Yes
HPM_CALC_RULE_TYPE	VARCHAR2 (80)		No
CALCULATION_SEQUENCE	NUMBER (4)		No
TAG	VARCHAR2 (255)		Yes
ENABLED_FLG	VARCHAR2 (1)		No
FIRST_SEQUENCE_PRIORITY	NUMBER (38)		Yes
LAST_SEQUENCE_PRIORITY	NUMBER (38)		Yes
ALL_DRIVERS_FLG	VARCHAR2 (1)		No
CREATED_TIMESTAMP	TIMESTAMP(6)		No
CREATED_USERID	VARCHAR2 (32)		No
MODIFIED_TIMESTAMP	TIMESTAMP(6)		No
MODIFIED_USERID	VARCHAR2 (32)		No
HPM_APPLICATION_ID	NUMBER (38)		No
RULE_SQL_EXECUTION_MODE	VARCHAR2 (80)	'USE_MODEL_PREFERENCE'	No
RULE_PARALLEL_DEGREE	NUMBER (38)		Yes

Index Name	Type	Unique	Fields
XPKHPM_CALC_RULE	NORMAL	Yes	ID
XIE1HPM_CALC_RULE	NORMAL	Yes	NAME, HPM_POV_DIM_MEM_GRP_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_CALC_RULE2HPM_POV_DMG	HPM_POV_DIM_MEM_GRP_ID	PS4PROFITABILITY	HPM_POV_DIM_MEM_GRP
HPM_CALC_RULE2HPM_APPLICATION	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_CALC_RULE_AR2HPM_CALC_RULE	PS4PROFITABILITY	HPM_CALC_RULE_ASG_RULE	HPM_CALC_RULE_ID
HPM_CALC_RULE_DRV2HPM_CALC_RULE	PS4PROFITABILITY	HPM_CALC_RULE_DRIVER	HPM_CALC_RULE_ID

No Enabled Triggers

HPM_CALC_RULE_ASG_RULE

Primary Key(s): HPM_CALC_RULE_ID, HPM_STG_RULE_ID

Field	Type	Nulls?
HPM_CALC_RULE_ID	NUMBER (38)	No
HPM_STG_RULE_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_CALC_RULE_ASG_RULE	NORMAL	Yes	HPM_CALC_RULE_ID, HPM_STG_RULE_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_CALC_RULE_AR2HPM_CALC_RULE	HPM_CALC_RULE_ID	PS4PROFITABILITY	HPM_CALC_RULE
HPM_CALC_RULE_AR2HPM_STG_RULE	HPM_STG_RULE_ID	PS4PROFITABILITY	HPM_STAGE_RULE

No External Foreign Keys

No Enabled Triggers

HPM_CALC_RULE_DRIVER**Primary Key(s): HPM_CALC_RULE_ID, HPM_DRIVER_ID**

Field	Type	Nulls?
HPM_CALC_RULE_ID	NUMBER (38)	No
HPM_DRIVER_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_CALC_RULE_DRIVER	NORMAL	Yes	HPM_CALC_RULE_ID, HPM_DRIVER_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_CALC_RULE_DRV2HPM_CALC_RULE	HPM_CALC_RULE_ID	PS4PROFITABILITY	HPM_CALC_RULE
HPM_CALC_RULE_DRV2HPM_DRIVER	HPM_DRIVER_ID	PS4PROFITABILITY	HPM_DRIVER

No External Foreign Keys

No Enabled Triggers

HPM_CALC_SCRIPT

HPM_CALC_SCRIPT table has details of Calculation Scripts for all applications.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
SCRIPT_NAME	VARCHAR2 (80)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HAS_MODEL_CHANGED	VARCHAR2 (1)	Yes
EXECUTED_TIMESTAMP	TIMESTAMP(6)	Yes
EXECUTED_USERID	VARCHAR2 (32)	Yes
SCRIPT_TYPE_ID	NUMBER (38)	No
ASSIGNMENT_TYPE_ID	NUMBER (38)	No
SCRIPT	LONG	Yes
HPM_MDL_CTX_ID	NUMBER (38)	No
DISPLAY_ORDER	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XIE2HPM_CALC_SCRIPT	NORMAL	No	SCRIPT_TYPE_ID
XIE1HPM_CALC_SCRIPT	NORMAL	No	HPM_MDL_CTX_ID
XIE3HPM_CALC_SCRIPT	NORMAL	No	ASSIGNMENT_TYPE_ID
XIE4HPM_CALC_SCRIPT	NORMAL	No	SCRIPT_NAME
XPKHPM_CALC_SCRIPT	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
LTV2CSAT	SCRIPT_TYPE_ID	PS4PROFITABILITY	HPM_LOOKUP_TYPE_VALUE
LTV2CSFT	ASSIGNMENT_TYPE_ID	PS4PROFITABILITY	HPM_LOOKUP_TYPE_VALUE
CTX2CS	HPM_MDL_CTX_ID	PS4PROFITABILITY	HPM_MODEL_CONTEXT

No External Foreign Keys

No Enabled Triggers

HPM_DATA_ENTRY_DIM_MEM_VIEW

HPM_DATA_ENTRY_DIM_MEM_VIEW table has a mapping of data entry view to the dimension member, including the display order associated with it.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
HPM_DATA_ENTRY_VIEW_ID	NUMBER (38)	No
HPM_DIM_MEM_ID	NUMBER (38)	No
DISPLAY_ORDER	NUMBER (38)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_DATAENTRY_DIMMEM_VIEW	NORMAL	Yes	ID
XIE1HPM_DATAENTRY_DIMMEM_VIEW	NORMAL	No	HPM_DATA_ENTRY_VIEW_ID
XIE2HPM_DATAENTRY_DIMMEM_VIEW	NORMAL	No	HPM_DIM_MEM_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_DE_DIMMEM2HPM_DE_VIEW	HPM_DATA_ENTRY_VIEW_ID	PS4PROFITABILITY	HPM_DATA_ENTRY_VIEW
HPM_DE_DIMMEM2HPM_DIM_MEM	HPM_DIM_MEM_ID	PS4PROFITABILITY	HPM_DIMENSION_MEMBER

No External Foreign Keys

No Enabled Triggers

HPM_DATA_ENTRY_VIEW

HPM_DATA_ENTRY_VIEW table has details of all data entry views defined in Hyperion Profitability and Cost Management.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No

Field	Type	Nulls?
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
DISPLAY_ORDER	NUMBER (38)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_DATA_ENTRY_VIEW	NORMAL	Yes	ID

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_DE_DIMMEM2HPM_DE_VIEW	PS4PROFITABILITY	HPM_DATA_ENTRY_DIM_M EM_VIEW	HPM_DATA_ENTRY_ VIEW_ID

No Enabled Triggers

HPM_DB_TYPE_DESC

HPM_DB_TYPE_DESC is a description table which defines that type of database used.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_DB_TYPE_DESC	NORMAL	Yes	ID
X1E1HPM_DB_TYPE_DESC	NORMAL	Yes	NAME

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_DIMENSION

HPM_DIMENSION table has details of dimensions available in each application. Data in this table is populated during application deployment.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
DISPLAY_ORDER	NUMBER (38)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_APPLICATION_ID	NUMBER (38)	No
HPM_DIM_TYPE_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XIE1HPM_DIMENSION	NORMAL	No	HPM_APPLICATION_ID, HPM_DIM_TYPE_ID, NAME
XPKHPM_DIMENSION	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
APP2DIM	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
DIMTYPE2DIM	HPM_DIM_TYPE_ID	PS4PROFITABILITY	HPM_DIMENSION_TYPE

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
DIM2ATTR	PS4PROFITABILITY	HPM_DIMENSION_ATTRIBUTE	HPM_DIMENSION_ID
DIM2DIMATTRPROP	PS4PROFITABILITY	HPM_DIMENSION_ATTRIBUTE	HPM_DIMENSION_ID_ATTR
DIM2DIMMEM	PS4PROFITABILITY	HPM_DIMENSION_MEMBER	HPM_DIMENSION_ID
DIM2DIMMEMGENLEV	PS4PROFITABILITY	HPM_DIM_MEM_GEN_LEV	HPM_DIMENSION_ID
DIM2DIMPROP	PS4PROFITABILITY	HPM_DIMENSION_PROP	HPM_DIMENSION_ID
DIM2STGDIM	PS4PROFITABILITY	HPM_STAGE_DIMENSION	HPM_DIMENSION_ID
HPM_DIM_ALIAS2HPM_DIM	PS4PROFITABILITY	HPM_DIMENSION_ALIAS	HPM_DIMENSION_ID

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_TABLE_COL2HPM_DIMENSION	PS4PROFITABILITY	HPM_TABLE_COLUMN	HPM_DIMENSION_ID

No Enabled Triggers

HPM_DIMENSION_ALIAS

HPM_DIMENSION_ALIAS is a child table which has a mapping of data between HPM_ALIAS_TABLE and HPM_DIMENSION tables. Data in this table is populated during application deployment.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
HPM_ALIAS_TABLE_ID	NUMBER (38)	No
HPM_DIMENSION_ID	NUMBER (38)	No
DISPLAY_ORDER	NUMBER (38)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_DIMENSION_ALIAS	NORMAL	Yes	ID
XIE1HPM_DIMENSION_ALIAS	NORMAL	No	HPM_ALIAS_TABLE_ID
XIE2HPM_DIMENSION_ALIAS	NORMAL	No	HPM_DIMENSION_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_DIM_ALIAS2HPM_ALIAS_TABLE	HPM_ALIAS_TABLE_ID	PS4PROFITABILITY	HPM_ALIAS_TABLE
HPM_DIM_ALIAS2HPM_DIM	HPM_DIMENSION_ID	PS4PROFITABILITY	HPM_DIMENSION

No External Foreign Keys

No Enabled Triggers

HPM_DIMENSION_ATTRIBUTE

HPM_DIMENSION_ATTRIBUTE table has details of dimension to attribute mapping. Data in this table is populated during application deployment.

Primary Key(s):

Field	Type	Nulls?
ID	NUMBER (38)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_DIMENSION_ID	NUMBER (38)	No
HPM_DIMENSION_ID_ATTR	NUMBER (38)	No

Index Name	Type	Unique	Fields
XIE1HPM_DIMENSION_ATTRIBUTE	NORMAL	No	HPM_DIMENSION_ID, HPM_DIMENSION_ID_ATTR

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
DIM2ATTR	HPM_DIMENSION_ID	PS4PROFITABILITY	HPM_DIMENSION
DIM2DIMATTRPROP	HPM_DIMENSION_ID_ATTR	PS4PROFITABILITY	HPM_DIMENSION

No External Foreign Keys

No Enabled Triggers

HPM_DIMENSION_MEMBER

HPM_DIMENSION_MEMBER table has details of all dimension members for all applications. Data in this table is populated during application deployment.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
PARENT_ID	NUMBER (38)	Yes
NAME	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No

Field	Type	Nulls?
MODIFIED_USERID	VARCHAR2 (32)	No
DISPLAY_ORDER	NUMBER (38)	No
HPM_DIMENSION_ID	NUMBER (38)	No
FULLY_QUALIFIED_NAME	VARCHAR2 (2000)	Yes

Index Name	Type	Unique	Fields
XIE6HPM_DIMENSION_MEMBER	NORMAL	No	HPM_DIMENSION_ID, FULLY_QUALIFIED_NAME
XIE7HPM_DIMENSION_MEMBER	NORMAL	No	ID, NAME
XIE8HPM_DIMENSION_MEMBER	NORMAL	No	NAME
XIE5HPM_DIMENSION_MEMBER	NORMAL	No	DISPLAY_ORDER
XPKHPM_DIMENSION_MEMBER	NORMAL	Yes	ID
XIE1HPM_DIMENSION_MEMBER	NORMAL	No	HPM_DIMENSION_ID, NAME, PARENT_ID
XIE2HPM_DIMENSION_MEMBER	NORMAL	No	HPM_DIMENSION_ID, PARENT_ID
XIE3HPM_DIMENSION_MEMBER	NORMAL	No	PARENT_ID
XIE4HPM_DIMENSION_MEMBER	NORMAL	No	HPM_DIMENSION_ID, NAME, ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
DIM2DIMMEM	HPM_DIMENSION_ID	PS4PROFITABILITY	HPM_DIMENSION
DIMMEM2PARENT	PARENT_ID	PS4PROFITABILITY	HPM_DIMENSION_MEMBER

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
DIMMEM2APA	PS4PROFITABILITY	HPM_DIMENSION_MEMBER_ATTRIBUTE	HPM_DIM_MEM_ID
DIMMEM2DIMMEMAP	PS4PROFITABILITY	HPM_DIMENSION_MEMBER_ATTRIBUTE	HPM_DIM_MEM_ID_ATTR
DIMMEM2DIMMEMGENLEV	PS4PROFITABILITY	HPM_DIM_MEM_GEN_LEV	HPM_DIM_MEM_ID
DIMMEM2DMGM	PS4PROFITABILITY	HPM_DIM_MEM_GRP_MEM	HPM_DIM_MEM_ID
DIMMEM2DMP	PS4PROFITABILITY	HPM_DIMENSION_MEMBER_PROP	HPM_DIMENSION_MEMBER_ID
DM2DMDMM	PS4PROFITABILITY	HPM_DRV_MSR_DIM_MEM_MAP	HPM_DIM_MEM_ID
HPM_DE_DIMMEM2HPM_DIM_MEM	PS4PROFITABILITY	HPM_DATA_ENTRY_DIM_MEM_VIEW	HPM_DIM_MEM_ID
HPM_DIM_MEM_ALIAS2HPM_DIM	PS4PROFITABILITY	HPM_DIM_MEM_ALIAS	HPM_DIM_MEM_ID
HPM_DRIVER2HPM_DIM_MEMBER2	PS4PROFITABILITY	HPM_DRIVER	DST_MEASURE_MEMBER_ID
HPM_DRIVER2HPM_DIM_MEMBER3	PS4PROFITABILITY	HPM_DRIVER	TDV_MEASURE_MEMBER_ID

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_TABLE_COL2HPM_DIM_MEMBER	PS4PROFITABILITY	HPM_TABLE_COLUMN	HPM_MEASURE_DIM_MEM_ID

No Enabled Triggers

HPM_DIMENSION_MEMBER_ATTRIBUTE

HPM_DIMENSION_MEMBER_ATTRIBUTE table has details of dimension members to their attributes mapping. Data in this table is populated during application deployment.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_DIM_MEM_ID	NUMBER (38)	No
HPM_DIM_MEM_ID_ATTR	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_DIMENSION_MEMBER_ATTRIB	NORMAL	Yes	ID
XIE1HPM_DIMENSION_MEMBER_ATTRI	NORMAL	No	HPM_DIM_MEM_ID, HPM_DIM_MEM_ID_ATTR

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
DIMMEM2APA	HPM_DIM_MEM_ID	PS4PROFITABILITY	HPM_DIMENSION_MEMBER
DIMMEM2DIMMEMAP	HPM_DIM_MEM_ID_ATTR	PS4PROFITABILITY	HPM_DIMENSION_MEMBER

No External Foreign Keys

No Enabled Triggers

HPM_DIMENSION_MEMBER_PROP

HPM_DIMENSION_MEMBER_PROP is a child table having mapping information of HPM_DIMENSION_MEMBER to HPM_PROP. Data in this table is populated during application deployment.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
VALUE	CLOB	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_DIMENSION_MEMBER_ID	NUMBER (38)	No
HPM_PROP_ID	NUMBER (38)	No
STORAGE_TYPE_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHHPM_DIMENSION_MEMBER_P ROP	NORMAL	Yes	ID
XIE1HPM_DIMENSION_MEMBER_P ROP	NORMAL	No	HPM_DIMENSION_MEMBER_ID, STORAGE_TYPE_ID, HPM_PROP_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
DIMMEM2DMP	HPM_DIMENSION_ME MBER_ID	PS4PROFITABILITY	HPM_DIMENSION_MEMBER
PROP2DMP	HPM_PROP_ID	PS4PROFITABILITY	HPM_PROP
LTV2DMP	STORAGE_TYPE_ID	PS4PROFITABILITY	HPM_LOOKUP_TYPE_VALUE

No External Foreign Keys

No Enabled Triggers

HPM_DIMENSION_PROP

HPM_DIMENSION_PROP is a child table having mapping information of HPM_DIMENSION to HPM_PROP. Data in this table is populated during application deployment.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
VALUE	VARCHAR2 (80)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_DIMENSION_ID	NUMBER (38)	No

Field	Type	Nulls?
HPM_PROP_ID	NUMBER (38)	No
STORAGE_TYPE_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_DIMENSION_PROP	NORMAL	Yes	ID
XIE1HPM_DIMENSION_PROP	NORMAL	No	HPM_DIMENSION_ID, STORAGE_TYPE_ID, HPM_PROP_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
DIM2DIMPROP	HPM_DIMENSION_ID	PS4PROFITABILITY	HPM_DIMENSION
PROP2DIMPROP	HPM_PROP_ID	PS4PROFITABILITY	HPM_PROP
LTV2DP	STORAGE_TYPE_ID	PS4PROFITABILITY	HPM_LOOKUP_TYPE_VALUE

No External Foreign Keys

No Enabled Triggers

HPM_DIMENSION_TYPE

HPM_DIMENSION_TYPE is a description table which stores types of dimensions supported by Hyperion Profitability and Cost Management. Data in this table is seeded during install/config.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_DIMENSION_TYPE	NORMAL	Yes	ID

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
---------------------------------------	-----------------	----------------	----------------

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
DIMTYPE2DIM	PS4PROFITABILITY	HPM_DIMENSION	HPM_DIM_TYPE_ID
DIMTYPE2DMG	PS4PROFITABILITY	HPM_DIM_MEM_GRP	HPM_DIM_TYPE_ID

No Enabled Triggers

HPM_DIM_MEM_ALIAS

HPM_DIM_MEM_ALIAS is a child table which has a mapping of data between HPM_ALIAS_TABLE and HPM_DIMENSION_MEMBER tables. Data in this table is populated during application deployment.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
HPM_ALIAS_TABLE_ID	NUMBER (38)	No
HPM_DIM_MEM_ID	NUMBER (38)	No
DISPLAY_ORDER	NUMBER (38)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XIE2HPM_DIM_MEM_ALIAS	NORMAL	No	HPM_DIM_MEM_ID
XPKHPM_DIM_MEM_ALIAS	NORMAL	Yes	ID
XIE1HPM_DIM_MEM_ALIAS	NORMAL	No	HPM_ALIAS_TABLE_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_DIMMEM_ALIAS2ALIAS_TABLE	HPM_ALIAS_TABLE_ID	PS4PROFITABILITY	HPM_ALIAS_TABLE
HPM_DIM_MEM_ALIAS2HPM_DIM	HPM_DIM_MEM_ID	PS4PROFITABILITY	HPM_DIMENSION_MEMBER

No External Foreign Keys

No Enabled Triggers

HPM_DIM_MEM_GEN_LEV

HPM_DIM_MEM_GEN_LEV table has details of which dimension member of which dimension has what branch number, generation number and level number. Data in this table is populated during application deployment.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
BRANCH_NUMBER	NUMBER (38)	Yes
GENERATION_NUMBER	NUMBER (38)	Yes
LEVEL_NUMBER	NUMBER (38)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_DIMENSION_ID	NUMBER (38)	No
HPM_DIM_MEM_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XIE4HPM_DIM_MEM_GEN_LEV	NORMAL	No	LEVEL_NUMBER, HPM_DIMENSION_ID, BRANCH_NUMBER, HPM_DIM_MEM_ID
XPKHPM_DIM_MEM_GEN_LEV	NORMAL	Yes	ID
XIE1HPM_DIM_MEM_GEN_LEV	NORMAL	No	HPM_DIMENSION_ID, BRANCH_NUMBER, GENERATION_NUMBER
XIE2HPM_DIM_MEM_GEN_LEV	NORMAL	No	HPM_DIMENSION_ID, HPM_DIM_MEM_ID, BRANCH_NUMBER, LEVEL_NUMBER
XIE3HPM_DIM_MEM_GEN_LEV	NORMAL	No	HPM_DIM_MEM_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
DIM2DIMMEMGENLEV	HPM_DIMENSION_ID	PS4PROFITABILITY	HPM_DIMENSION
DIMMEM2DIMMEMGENLEV	HPM_DIM_MEM_ID	PS4PROFITABILITY	HPM_DIMENSION_MEMBER

No External Foreign Keys

No Enabled Triggers

HPM_DIM_MEM_GRP

HPM_DIM_MEM_GRP is a parent table which has dimension memeber grouping id. Details are available in HPM_DIM_MEM_GRP_MEM table.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_DIM_TYPE_ID	NUMBER (38)	No
HPM_APPLICATION_ID	NUMBER (38)	No
SOURCE_TYPE_CODE	VARCHAR2 (30)	Yes
DIM_MEM_TUPLE_ID	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XIE2HPM_DIM_MEM_GRP	NORMAL	No	HPM_APPLICATION_ID
XIE3HPM_DIM_MEM_GRP	NORMAL	No	HPM_DIM_TYPE_ID
XI1HPM_DIM_MEM_GRP	NORMAL	No	SOURCE_TYPE_CODE, DIM_MEM_TUPLE_ID
XPKHPM_DIM_MEM_GRP	NORMAL	Yes	ID
XIE1HPM_DIM_MEM_GRP	NORMAL	No	HPM_APPLICATION_ID, HPM_DIM_TYPE_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
DIMTYPE2DMG	HPM_DIM_TYPE_ID	PS4PROFITABILITY	HPM_DIMENSION_TYPE
APP2DMG	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
DIMMEMGRP2DMGM	PS4PROFITABILITY	HPM_DIM_MEM_GRP_MEM	HPM_DIM_MEM_GRP_ID
DMG2ADST	PS4PROFITABILITY	HPM_ASSIGNMENT	HPM_DIM_MEM_GRP_ID_DST
DMG2MSNC	PS4PROFITABILITY	HPM_MDL_SRC_ND_CTX	HPM_DIM_MEM_GRP_ID
DMG2PDMG	PS4PROFITABILITY	HPM_POV_DIM_MEM_GRP	HPM_DIM_MEM_GRP_ID

No Enabled Triggers

HPM_DIM_MEM_GRP_MEM

HPM_DIM_MEM_GRP_MEM is a child table which has details of dimension members which are grouped and the group id is stored in the parent table HPM_DIM_MEM_GRP.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
HPM_DIM_MEM_ID	NUMBER (38)	No
HPM_DIM_MEM_GRP_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XIE3HPM_DIM_MEM_GRP_MEM	NORMAL	No	HPM_DIM_MEM_ID
XPKHPM_DIM_MEM_GRP_MEM	NORMAL	Yes	ID
XIE1HPM_DIM_MEM_GRP_MEM	NORMAL	No	HPM_DIM_MEM_ID, HPM_DIM_MEM_GRP_ID
XIE2HPM_DIM_MEM_GRP_MEM	NORMAL	No	HPM_DIM_MEM_GRP_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
DIMMEM2DMGM	HPM_DIM_MEM_ID	PS4PROFITABILITY	HPM_DIMENSION_MEMBER
DIMMEMGRP2DMGM	HPM_DIM_MEM_GRP_ID	PS4PROFITABILITY	HPM_DIM_MEM_GRP

No External Foreign Keys

No Enabled Triggers

HPM_DRIVER

HPM_DRIVER table has details of Drivers defined in the Driver editor.

Primary Key(s): ID

Field	Type	Default	Nulls?
ID	NUMBER (38)		No
NAME	VARCHAR2 (80)		No
DESCRIPTION	VARCHAR2 (255)		Yes
CREATED_TIMESTAMP	TIMESTAMP(6)		No
CREATED_USERID	VARCHAR2 (32)		No
MODIFIED_TIMESTAMP	TIMESTAMP(6)		No
MODIFIED_USERID	VARCHAR2 (32)		No
DISPLAY_ORDER	NUMBER (38)		No
HPM_DRIVER_TYPE_ID	NUMBER (38)		No
HPM_APPLICATION_ID	NUMBER (38)		No

Field	Type	Default	Nulls?
FORMULA	VARCHAR2 (4000)		Yes
ALLOW_IDLE_COST	VARCHAR2 (1)		Yes
HPM_DRIVER_BASIS_TYPE_ID	NUMBER (38)	1	Yes
PRIORITY	NUMBER (38)	100	No
HPM_CALC_CONFIG_DETAIL_ID	NUMBER (38)		Yes
VOLUME_FORMULA	VARCHAR2 (4000)		Yes
DST_MEASURE_MEMBER_ID	NUMBER (38)		Yes
TDV_MEASURE_MEMBER_ID	NUMBER (38)		Yes
COMPRESSIBLE_FLG	VARCHAR2 (1)		Yes

Index Name	Type	Unique	Fields
XIE1HPM_DRIVER	NORMAL	No	HPM_APPLICATION_ID, HPM_DRIVER_TYPE_ID, NAME
XPKHPM_DRIVER	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_DRIVER2DRIVER_BASIS_TYPE	HPM_DRIVER_BASIS_TYPE_ID	PS4PROFITABILITY	HPM_DRIVER_BASIS_TYPE
DRIVERTYPE2DRV	HPM_DRIVER_TYPE_ID	PS4PROFITABILITY	HPM_DRIVER_TYPE
APP2DRIVER	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
HPM_DRIVER2HPM_DIM_MEMBER2	DST_MEASURE_MEMBER_ID	PS4PROFITABILITY	HPM_DIMENSION_MEMBER
HPM_DRIVER2HPM_DIM_MEMBER3	TDV_MEASURE_MEMBER_ID	PS4PROFITABILITY	HPM_DIMENSION_MEMBER
HPM_DRIVER2HPM_CALC_CONFIG_DETAIL	HPM_CALC_CONFIG_DETAIL_ID	PS4PROFITABILITY	HPM_CALC_CONFIG_DETAIL

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
DRIVER2DA	PS4PROFITABILITY	HPM_DRIVER_ASSOCIATION	HPM_DRIVER_ID
DRIVER2DDM	PS4PROFITABILITY	HPM_DRV_MSR_DIM_MEMBER_MAP	HPM_DRIVER_ID
DRIVER2DRVLAYER	PS4PROFITABILITY	HPM_DRIVER_LAYER	HPM_DRIVER_ID
HPM_CALC_RULE_DRV2HPM_DRIVER	PS4PROFITABILITY	HPM_CALC_RULE_DRIVER	HPM_DRIVER_ID

No Enabled Triggers

HPM_DRIVER_ASSOCIATION

HPM_DRIVER_ASSOCIATION is a child table which stores mapping information between HPM_MDL_SRC_ND_CTX and HPM_DRIVER.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
HPM_DRIVER_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_MDL_SRC_ND_CTX_ID	NUMBER (38)	No
HPM_BULK_EDIT_ID	NUMBER (38)	Yes
HPM_SOURCE_STG_RULE_ID	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XIE3HPM_DRIVER_ASSOCIATION	NORMAL	Yes	HPM_DRIVER_ID, HPM_MDL_SRC_ND_CTX_ID
XPKHPM_DRIVER_ASSOCIATION	NORMAL	Yes	ID
XIE1HPM_DRIVER_ASSOCIATION	NORMAL	No	HPM_MDL_SRC_ND_CTX_ID
XIE2HPM_DRIVER_ASSOCIATION	NORMAL	No	HPM_DRIVER_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
DRIVER2DA	HPM_DRIVER_ID	PS4PROFITABILITY	HPM_DRIVER
SCN2DA	HPM_MDL_SRC_ND_CTX_ID	PS4PROFITABILITY	HPM_MDL_SRC_ND_CTX
HPM_DRV_ASSOC2HPM_BULK_EDIT	HPM_BULK_EDIT_ID	PS4PROFITABILITY	HPM_BULK_EDIT
HPM_DRV_ASSOC2HPM_STAGE_RULE	HPM_SOURCE_STG_RULE_ID	PS4PROFITABILITY	HPM_STAGE_RULE

No External Foreign Keys

No Enabled Triggers

HPM_DRIVER_ASSOCIATION_TMP_POV

Primary Key(s):

Field	Type	Nulls?
DST_DRIVER_ASSOC_ID	NUMBER (38)	Yes
HPM_DRIVER_ID_DST	NUMBER (38)	Yes
SRC_MDL_SRC_ND_CTX_ID	NUMBER (38)	Yes
DST_MDL_SRC_ND_CTX_ID	NUMBER (38)	Yes
EXECUTION_ID	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
HPM_DRIVER_ASSOC_TMP_POV_I1	NORMAL	No	SRC_MDL_SRC_ND_CTX_ID

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_DRIVER_BASIS_TYPE

HPM_DRIVER_BASIS_TYPE is a description table which has supported Driver Basis types listed. Data in this table is seeded during install/config.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
DISPLAY_ORDER	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XPKHPM_DRIVER_BASIS_TYPE	NORMAL	Yes	ID
X1E1HPM_DRIVER_BASIS_TYPE	NORMAL	Yes	NAME

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
---------------------------------------	-----------------	----------------	----------------

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_DRIVER2DRIVER_BASIS_TYPE	PS4PROFITABILITY	HPM_DRIVER	HPM_DRIVER_BASIS_TYPE_ID

No Enabled Triggers

HPM_DRIVER_LAYER

HPM_DRIVER_LAYER is a child table which is a mapping between HPM_LAYER and HPM_DRIVER tables.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_LAYER_ID	NUMBER (38)	No
HPM_DRIVER_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_DRIVER_LAYER	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
LAYER2DRVLAYER	HPM_LAYER_ID	PS4PROFITABILITY	HPM_LAYER
DRIVER2DRVLAYER	HPM_DRIVER_ID	PS4PROFITABILITY	HPM_DRIVER

No External Foreign Keys

No Enabled Triggers

HPM_DRIVER_TYPE

HPM_DRIVER_TYPE is a description table which has a list of all supported Driver types. Data in this table is seeded during install/config.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes

Field	Type	Nulls?
CREATED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_USERID	VARCHAR2 (32)	No
DISPLAY_ORDER	NUMBER (38)	Yes
FORMULA	VARCHAR2 (255)	Yes

Index Name	Type	Unique	Fields
XPKHPM_DRIVER_TYPE	NORMAL	Yes	ID

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
DRIVERTYPE2DRV	PS4PROFITABILITY	HPM_DRIVER	HPM_DRIVER_TYPE_ID

No Enabled Triggers

HPM_DRV_DIMGRP

Primary Key(s):

Field	Type	Nulls?
HPM_DIM_MEM_GRP_ID	NUMBER (38)	No
HPM_SRC_DIM_MEM_ID	NUMBER (38)	No
HPM_SRC_DIM_MEM_NAME	VARCHAR2 (80)	No
HPM_APPLICATION_ID	NUMBER (38)	No
HPM_DIMENSION_ID	NUMBER (38)	No
CREATED_USERID	VARCHAR2 (32)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	Yes
MODIFIED_USERID	VARCHAR2 (32)	Yes
MODIFIED_TIMESTAMP	TIMESTAMP(6)	Yes

Index Name	Type	Unique	Fields
HPM_DRV_DIMGRP_UK1	NORMAL	Yes	HPM_APPLICATION_ID, HPM_SRC_DIM_MEM_ID

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_DRV_MSR_DIM_MEM_LOC

HPM_DRV_MSR_DIM_MEM_LOC is a descriptive table which has a list of Driver Measure Dimension Member location references. Data in this table is seeded during install/config.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
DISPLAY_ORDER	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XPKHPM_DRV_MSR_DIM_MEM_LO C	NORMAL	Yes	ID

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
DMDMVL2DMDMV	PS4PROFITABILITY	HPM_DRV_MSR_DIM_MEM _MAP	HPM_DRV_MSR_DIM _MEM_LOC_ID

No Enabled Triggers

HPM_DRV_MSR_DIM_MEM_MAP

HPM_DRV_MSR_DIM_MEM_MAP is a child table having mapping information of HPM_DRIVER, HPM_DIMENSION_MEMBER and HPM_DRV_MSR_DIM_MEM_LOC.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No

Field	Type	Nulls?
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_DRIVER_ID	NUMBER (38)	No
HPM_DRV_MSR_DIM_MEM_LOC_ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
HPM_DIM_MEM_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_DRV_MSR_DIM_MEM_M AP	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
DRIVER2DDM	HPM_DRIVER_ID	PS4PROFITABILITY	HPM_DRIVER
DMDMVL2DMDMV	HPM_DRV_MSR_DIM_MEM_LOC_ID	PS4PROFITABILITY	HPM_DRV_MSR_DIM_MEM_L OC
DM2DMDMM	HPM_DIM_MEM_ID	PS4PROFITABILITY	HPM_DIMENSION_MEMBER

No External Foreign Keys

No Enabled Triggers

HPM_IMP_CONFIG

HPM_IMP_CONFIG table has details of Import configurations defined to import data from staging tables.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
LAST_RUN	TIMESTAMP(6)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_APPLICATION_ID	NUMBER (38)	No
HPM_IMP_DB_CONN_ID	NUMBER (38)	No

Field	Type	Nulls?
HPM_IMP_CONFIG_MAP_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XAK1HPM_IMP_CONFIG	NORMAL	Yes	NAME, HPM_APPLICATION_ID
XPKHPM_IMP_CONFIG	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
APP2IMPCFG	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
IDC2IC	HPM_IMP_DB_CONN_ID	PS4PROFITABILITY	HPM_IMP_DB_CONN
ICM2IC	HPM_IMP_CONFIG_MAP_ID	PS4PROFITABILITY	HPM_IMP_CONFIG_MAP

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
IC2ICR	PS4PROFITABILITY	HPM_IMP_CONFIG_LOG	HPM_IMP_CONFIG_ID

No Enabled Triggers

HPM_IMP_CONFIG_LOG

HPM_IMP_CONFIG_LOG is a child table which has log details and status of rows created in HPM_IMP_CONFIG.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
STATUS	VARCHAR2 (30)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_IMP_CONFIG_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_IMP_CONFIG_LOG	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
---------------------------------	----------------	---------------	--------------

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
IC2ICR	HPM_IMP_CONFIG_ID	PS4PROFITABILITY	HPM_IMP_CONFIG

No External Foreign Keys

No Enabled Triggers

HPM_IMP_CONFIG_MAP

HPM_IMP_CONFIG_MAP is a parent table which has details of Import configurations.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_IMP_CONFIG_MAP	NORMAL	Yes	ID

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
ICM2IC	PS4PROFITABILITY	HPM_IMP_CONFIG	HPM_IMP_CONFIG_MAP_ID
ICM2ICME	PS4PROFITABILITY	HPM_IMP_CONFIG_MAP_ENTRY	HPM_IMP_CONFIG_MAP_ID

No Enabled Triggers

HPM_IMP_CONFIG_MAP_ENTRY

HPM_IMP_CONFIG_MAP_ENTRY is a child table which has itemized details of rows in HPM_IMP_CONFIG_MAP.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No

Field	Type	Nulls?
HPM_SYS_TAB_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_IMP_CONFIG_MAP_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_IMP_CONFIG_MAP_ENTR Y	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
LTV2ICM	HPM_SYS_TAB_ID	PS4PROFITABILITY	HPM_LOOKUP_TYPE_VALUE
ICM2ICME	HPM_IMP_CONFIG_MA P_ID	PS4PROFITABILITY	HPM_IMP_CONFIG_MAP

No External Foreign Keys

No Enabled Triggers

HPM_IMP_DB_CONN

HPM_IMP_DB_CONN table has database connection details of staging areas from which import configurations are processed.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_DB_TYPE_ID	NUMBER (38)	No
LOGIN_NAME	VARCHAR2 (80)	No
LOGIN_PASSWORD	VARCHAR2 (80)	No
HOST	VARCHAR2 (80)	No
PORT	NUMBER (38)	No
DB_NAME	VARCHAR2 (80)	No

Index Name	Type	Unique	Fields
XPKHPM_IMP_DB_CONN	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
LTV2IDC	HPM_DB_TYPE_ID	PS4PROFITABILITY	HPM_LOOKUP_TYPE_VALUE

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
IDC2IC	PS4PROFITABILITY	HPM_IMP_CONFIG	HPM_IMP_DB_CONN_ID

No Enabled Triggers

HPM_IMP_NEW_TUPLE_T

Primary Key(s): HPM_DIM_MEM_GRP_ID

Field	Type	Nulls?
EXECUTION_ID	NUMBER (38)	No
HPM_DIM_MEM_GRP_ID	NUMBER (38)	No
HPM_SRC_DIM1_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM2_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM3_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM4_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM5_MEM_ID	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XPKHPM_IMP_NEW_TUPLE_T	NORMAL	Yes	HPM_DIM_MEM_GRP_ID
HPM_IMP_NEW_TUPLE_T_UK1	NORMAL	Yes	EXECUTION_ID, HPM_DIM_MEM_GRP_ID

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_IMP_TUPLE_T

Primary Key(s):

Field	Type	Nulls?
HPM_SRC_DIM1_MEM_ID	NUMBER (38)	No
HPM_SRC_DIM2_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM3_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM4_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM5_MEM_ID	NUMBER (38)	Yes
HPM_SRC_DIM1_MEM_NAME	VARCHAR2 (80)	No
HPM_SRC_DIM2_MEM_NAME	VARCHAR2 (80)	Yes
HPM_SRC_DIM3_MEM_NAME	VARCHAR2 (80)	Yes
HPM_SRC_DIM4_MEM_NAME	VARCHAR2 (80)	Yes
HPM_SRC_DIM5_MEM_NAME	VARCHAR2 (80)	Yes
EXECUTION_ID	NUMBER (38)	No
STAGE_NAME	VARCHAR2 (80)	Yes
IS_INTRA_STAGE	VARCHAR2 (1)	Yes

Index Name	Type	Unique	Fields
HPM_IMP_TUPLE_T_PK	NORMAL	Yes	EXECUTION_ID, HPM_SRC_DIM1_MEM_ID, HPM_SRC_DIM2_MEM_ID, HPM_SRC_DIM3_MEM_ID, STAGE_NAME, IS_INTRA_STAGE

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_INSTALLATION

HPM_INSTALLATION is a system table which has installation related details. Data in this table is seeded during install/config.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No

Field	Type	Nulls?
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_INSTALLATION	NORMAL	Yes	ID

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
INST2APP	PS4PROFITABILITY	HPM_APPLICATION	HPM_INSTALLATION_ID
INST2INSTPREF	PS4PROFITABILITY	HPM_INSTALLATION_PREFERENCE	HPM_INSTALLATION_ID

No Enabled Triggers

HPM_INSTALLATION_PREFERENCE

HPM_INSTALLATION_PREFERENCE is a system table which has installation related details. Data in this table is seeded during install/config.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (255)	No
VALUE	VARCHAR2 (255)	Yes
HPM_INSTALLATION_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
DISPLAY_ORDER	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XPKHPM_INSTALLATION_PREFERENCE	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
INST2INSTPREF	HPM_INSTALLATION_I	PS4PROFITABILITY	HPM_INSTALLATION

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
	D		

No External Foreign Keys

No Enabled Triggers

HPM_JOB

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
JOB_COMMENT	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_APPLICATION_ID	NUMBER (38)	Yes
HPM_POV_DIM_MEM_GRP_ID	NUMBER (38)	Yes
POV_NAME	VARCHAR2 (4000)	Yes
HPM_EXECUTION_TYPE_ID	NUMBER (38)	No
HPM_JOB_TYPE_ID	NUMBER (38)	No
START_TIME	TIMESTAMP(6)	Yes
END_TIME	TIMESTAMP(6)	Yes
HPM_JOB_STATUS_ID	NUMBER (38)	No
INTERRUPT_FLG	VARCHAR2 (1)	Yes
JOB_PROPERTIES	VARCHAR2 (4000)	Yes
JOB_ERRORS	NUMBER (38)	Yes
JOB_WARNINGS	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XPKHPM_JOB	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_JOB2HPM_APPLICATION	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
HPM_JOB2HPM_LKP_TYPE_VALUE1	HPM_EXECUTION_TYP	PS4PROFITABILITY	HPM_LOOKUP_TYPE_VALUE

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
	E_ID		
HPM_JOB2HPM_LKP_TYPE_VALUE2	HPM_JOB_TYPE_ID	PS4PROFITABILITY	HPM_LOOKUP_TYPE_VALUE
HPM_JOB2HPM_LKP_TYPE_VALUE3	HPM_JOB_STATUS_ID	PS4PROFITABILITY	HPM_LOOKUP_TYPE_VALUE

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_BULK_EDIT2HPM_JOB	PS4PROFITABILITY	HPM_BULK_EDIT	HPM_JOB_ID
HPM_CALC2HPM_JOB	PS4PROFITABILITY	HPM_CALCULATION	HPM_JOB_ID
J2JL	PS4PROFITABILITY	HPM_JOB_LOG	HPM_JOB_ID

No Enabled Triggers

HPM_JOB_LOG

HPM_JOB_LOG is a child table which has detailed log status of jobs in HPM_JOB table.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
MESSAGE_TYPE	VARCHAR2 (80)	Yes
MESSAGE	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_JOB_ID	NUMBER (38)	No
LEVEL_ID	NUMBER (38)	No
FORMAT_TYPE	VARCHAR2 (30)	No
FORMAT_GROUP	NUMBER (38)	No
FORMAT_ORDER	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_JOB_LOG	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
LTV2JLL	LEVEL_ID	PS4PROFITABILITY	HPM_JOB_LOG_LEVEL
J2JL	HPM_JOB_ID	PS4PROFITABILITY	HPM_JOB

No External Foreign Keys

No Enabled Triggers

HPM_JOB_LOG_LEVEL

HPM_JOB_LOG_LEVEL is a descriptive table which has supported log levels for a job. Data in this table is seeded during install/config.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_JOB_LOG_LEVEL	NORMAL	Yes	ID

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
LTV2JLL	PS4PROFITABILITY	HPM_JOB_LOG	LEVEL_ID

No Enabled Triggers

HPM_LAYER

HPM_LAYER table has details of layers that are supported by Hyperion Profitability and Cost Management. Data in this table is seeded during install/config.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
DISPLAY_ORDER	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No

Field	Type	Nulls?
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_LAYER	NORMAL	Yes	ID

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
LAYER2DRV_LAYER	PS4PROFITABILITY	HPM_DRIVER_LAYER	HPM_LAYER_ID
LYR2CTX	PS4PROFITABILITY	HPM_MODEL_CONTEXT	HPM_LAYER_ID

No Enabled Triggers

HPM_LOOKUP_TYPE

HPM_LOOKUP_TYPE is a descriptive table which has a list of lookup types used in Hyperion Profitability and Cost Management. Data in this table is seeded during install/config.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
PARENT_ID	NUMBER (38)	Yes
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
ENBL_FLG	VARCHAR2 (1)	Yes

Index Name	Type	Unique	Fields
XUK1HPM_LOOKUP_TYPE	NORMAL	Yes	NAME
XPKHPM_LOOKUP_TYPE	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
LT2LT	PARENT_ID	PS4PROFITABILITY	HPM_LOOKUP_TYPE

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
---------------------------------------	-----------------	----------------	----------------

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
LT2LTV	PS4PROFITABILITY	HPM_LOOKUP_TYPE_VALUE	HPM_LOOKUP_TYPE_ID

No Enabled Triggers

HPM_LOOKUP_TYPE_VALUE

HPM_LOOKUP_TYPE_VALUE is a descriptive table which has a list of lookup type values which are used in Hyperion Profitability and Cost Management. Data in this table is seeded during install/config.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DISPLAY_NAME	VARCHAR2 (120)	No
DESCRIPTION	BLOB	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
ENBL_FLG	VARCHAR2 (1)	Yes
DEFAULT_FLG	VARCHAR2 (1)	Yes
HPM_LOOKUP_TYPE_ID	NUMBER (38)	No
DISPLAY_ORDER	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XPKHPM_LOOKUP_TYPE_VALUE	NORMAL	Yes	ID
XUK1HPM_LOOKUP_TYPE_VALUE	NORMAL	Yes	HPM_LOOKUP_TYPE_ID, NAME

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
LT2LTV	HPM_LOOKUP_TYPE_ID	PS4PROFITABILITY	HPM_LOOKUP_TYPE

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_JOB2HPM_LKP_TYPE_VALUE1	PS4PROFITABILITY	HPM_JOB	HPM_EXECUTION_TYPE_ID
HPM_JOB2HPM_LKP_TYPE_VALUE2	PS4PROFITABILITY	HPM_JOB	HPM_JOB_TYPE_ID
HPM_JOB2HPM_LKP_TYPE_VALUE3	PS4PROFITABILITY	HPM_JOB	HPM_JOB_STATUS_ID

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
LTV2CSAT	PS4PROFITABILITY	HPM_CALC_SCRIPT	SCRIPT_TYPE_ID
LTV2CSFT	PS4PROFITABILITY	HPM_CALC_SCRIPT	ASSIGNMENT_TYPE_ID
LTV2DMP	PS4PROFITABILITY	HPM_DIMENSION_MEMBER_PROP	STORAGE_TYPE_ID
LTV2DP	PS4PROFITABILITY	HPM_DIMENSION_PROP	STORAGE_TYPE_ID
LTV2ICM	PS4PROFITABILITY	HPM_IMP_CONFIG_MAP_ENTRY	HPM_SYS_TAB_ID
LTV2IDC	PS4PROFITABILITY	HPM_IMP_DB_CONN	HPM_DB_TYPE_ID

No Enabled Triggers

HPM_MDL_SRC_ND_CTX

HPM_MDL_SRC_ND_CTX table is a child table having mapping information of HPM_MODEL_CONTEXT and Source node details on which the explicit assignment is defined.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CREATED_USERID	VARCHAR2 (32)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
NAME	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
HPM_MDL_CTX_ID	NUMBER (38)	No
HPM_DIM_MEM_GRP_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XIE2HPM_MDL_SRC_ND_CTX	NORMAL	No	HPM_DIM_MEM_GRP_ID
XIE3HPM_MDL_SRC_ND_CTX	NORMAL	No	HPM_MDL_CTX_ID
XPKHPM_MDL_SRC_ND_CTX	NORMAL	Yes	ID
XIE1HPM_MDL_SRC_ND_CTX	NORMAL	No	HPM_DIM_MEM_GRP_ID, HPM_MDL_CTX_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
CTX2SNC	HPM_MDL_CTX_ID	PS4PROFITABILITY	HPM_MODEL_CONTEXT
DMG2MSNC	HPM_DIM_MEM_GRP_ID	PS4PROFITABILITY	HPM_DIM_MEM_GRP

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
MSNC2ASRC	PS4PROFITABILITY	HPM_ASSIGNMENT	HPM_MDL_SRC_ND_CTX_ID
SCN2DA	PS4PROFITABILITY	HPM_DRIVER_ASSOCIATION	HPM_MDL_SRC_ND_CTX_ID
SSC2AR	PS4PROFITABILITY	HPM_ASSIGNMENT_RULE	HPM_MDL_SRC_ND_CTX_ID

No Enabled Triggers

HPM_MDL_SRC_ND_CTX_TMP_POV

Table used for caching rows during PL/SQL based POV copy of assignments.

Primary Key(s):

Field	Type	Nulls?
SRC_MDL_SRC_ND_CTX_ID	NUMBER (38)	Yes
DST_MDL_SRC_ND_CTX_ID	NUMBER (38)	Yes
SRC_MC_ID	NUMBER (38)	Yes
DST_MC_ID	NUMBER (38)	Yes
HPM_DIM_MEM_GRP_ID	NUMBER (38)	Yes
EXISTING_MDL_SRC_ND_CTX_ID	NUMBER (38)	Yes
EXECUTION_ID	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
HPM_MDL_SRC_ND_CTX_TMP_POV_I1	NORMAL	No	SRC_MDL_SRC_ND_CTX_ID

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_MODEL_CHANGE_EVENTS

HPM_MODEL_CHANGE_EVENTS is a log table which stores the details of changes done to the model. This includes time of operation and operation type.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No

Field	Type	Nulls?
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
HPM_MDL_CTX_ID	NUMBER (38)	No
EVENT_TIME	TIMESTAMP(6)	No
DISPLAY_ORDER	NUMBER (38)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_MODEL_CHANGE_EVENTS	NORMAL	Yes	ID
XIE1HPM_MODEL_CHANGE_EVENTS	NORMAL	No	HPM_MDL_CTX_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_MDL_CHG_EVT2MDL_CTX	HPM_MDL_CTX_ID	PS4PROFITABILITY	HPM_MODEL_CONTEXT

No External Foreign Keys

No Enabled Triggers

HPM_MODEL_CONTEXT

HPM_MODEL_CONTEXT is a child table containing a mapping of Stage, Layer and POV combination on which the explicit assignment is made.

Primary Key(s): ID

Field	Type	Nulls?
NAME	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_USERID	VARCHAR2 (32)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	Yes
MODIFIED_USERID	VARCHAR2 (32)	Yes
MODIFIED_TIMESTAMP	TIMESTAMP(6)	Yes
ID	NUMBER (38)	No
HPM_STAGE_ID	NUMBER (38)	No
HPM_POV_DIM_MEM_GRP_ID	NUMBER (38)	No

Field	Type	Nulls?
HPM_LAYER_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_MODEL_CONTEXT	NORMAL	Yes	ID
XIE1HPM_MODEL_CONTEXT	NORMAL	No	HPM_POV_DIM_MEM_GRP_ID, HPM_STAGE_ID, HPM_LAYER_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
STG2CTX	HPM_STAGE_ID	PS4PROFITABILITY	HPM_STAGE
PDMG2CTX	HPM_POV_DIM_MEM_GRP_ID	PS4PROFITABILITY	HPM_POV_DIM_MEM_GRP
LYR2CTX	HPM_LAYER_ID	PS4PROFITABILITY	HPM_LAYER

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
CTX2CS	PS4PROFITABILITY	HPM_CALC_SCRIPT	HPM_MDL_CTX_ID
CTX2SNC	PS4PROFITABILITY	HPM_MDL_SRC_ND_CTX	HPM_MDL_CTX_ID
HPM_MDL_CHG_EVT2MDL_CTX	PS4PROFITABILITY	HPM_MODEL_CHANGE_EVENTS	HPM_MDL_CTX_ID

No Enabled Triggers

HPM_MODEL_CONTEXT_TMP_POV

Table used for caching rows during PL/SQL based POV copy of assignments.

Primary Key(s):

Field	Type	Nulls?
SRC_MC_ID	NUMBER (38)	Yes
DST_MC_ID	NUMBER (38)	Yes
SRC_HPM_POV_DIM_MEM_GRP_ID	NUMBER (38)	Yes
DST_HPM_POV_DIM_MEM_GRP_ID	NUMBER (38)	Yes
HPM_STAGE_ID	NUMBER (38)	Yes
HPM_LAYER_ID	NUMBER (38)	Yes
EXISTING_MC_ID	NUMBER (38)	Yes
EXECUTION_ID	NUMBER (38)	Yes

No Indexes

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_MODEL_VIEW

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
HPM_APPLICATION_ID	NUMBER (38)	No
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_MODEL_VIEW	NORMAL	Yes	ID
XAK1HPM_MODEL_VIEW	NORMAL	Yes	HPM_APPLICATION_ID, NAME

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
MODEL_VIEW2APPLICATION	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
MODEL_VIEW_DIM2_MODEL_VIEW	PS4PROFITABILITY	HPM_MODEL_VIEW_DIMENSION	HPM_MODEL_VIEW_ID

No Enabled Triggers

HPM_MODEL_VIEW_DIMENSION

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
HPM_MODEL_VIEW_ID	NUMBER (38)	No

Field	Type	Nulls?
HPM_DIMENSION_ID	NUMBER (38)	No
HPM_DIM_MEM_ID	NUMBER (38)	Yes
DISPLAY_ORDER	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_MODEL_VIEW_DIM	NORMAL	Yes	ID
XAK1HPM_MODEL_VIEW_DIM	NORMAL	Yes	HPM_MODEL_VIEW_ID, HPM_DIMENSION_ID
XIE1HPM_MODEL_VIEW_DIMENSIONV1	NORMAL	No	HPM_DIMENSION_ID
XIE2HPM_MODEL_VIEW_DIMENSION	NORMAL	No	HPM_DIM_MEM_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
MODEL_VIEW_DIM2_MODEL_VIEW	HPM_MODEL_VIEW_ID	PS4PROFITABILITY	HPM_MODEL_VIEW

No External Foreign Keys

No Enabled Triggers

HPM_OBJECT_USAGE_TYPE

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CLEAR_CALC_ACTION	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
------------	------	--------	--------

Index Name	Type	Unique	Fields
XPKHPM_OBJECT_USAGE_TYPE	NORMAL	Yes	ID

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_TEMP_OBJ2HPM_OBJ_USAGE_TYP	PS4PROFITABILITY	HPM_TEMP_OBJECT	OBJECT_USAGE_TYP E

No Enabled Triggers

HPM_POV_DIM_MEM_GRP

HPM_POV_DIM_MEM_GRP is a parent table which stores group id, whose details are stored as part of HPM_DIM_MEM_GRP_MEM.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_POV_STATE_ID	NUMBER (38)	No
HPM_DIM_MEM_GRP_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_POV_DIM_MEM_GRP	NORMAL	Yes	ID
XIE1HPM_POV_DIM_MEM_GRP	NORMAL	No	HPM_DIM_MEM_GRP_ID, HPM_POV_STATE_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
POVSTATE2PDMG	HPM_POV_STATE_ID	PS4PROFITABILITY	HPM_POV_STATE
DMG2PDMG	HPM_DIM_MEM_GRP_I D	PS4PROFITABILITY	HPM_DIM_MEM_GRP

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
CALC_PROGRAM2POV_DIM_MEM_GRP	PS4PROFITABILITY	HPM_CALCULATION_PROG RAM	HPM_POV_DIM_ME M_GRP_ID
HPM_BULK_EDIT2POV_DIM_MEM_GRP	PS4PROFITABILITY	HPM_BULK_EDIT	HPM_POV_DIM_ME M_GRP_ID

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_CALC2HPM_POV_DIM_MEM_GRP	PS4PROFITABILITY	HPM_CALCULATION	HPM_POV_DIM_ME M_GRP_ID
HPM_CALC_DATA_POV2HPM_POV_DM G	PS4PROFITABILITY	HPM_CALCULATION_DATA _POV	HPM_DATA_POV_DI M_MEM_GRP_ID
HPM_CALC_RULE2HPM_POV_DMG	PS4PROFITABILITY	HPM_CALC_RULE	HPM_POV_DIM_ME M_GRP_ID
HPM_TEMP_OBJ2POV_GRP	PS4PROFITABILITY	HPM_TEMP_OBJECT	HPM_POV_DIM_GRP _ID
HPM_UPD_COL2POV_DIM_MEM_GRP	PS4PROFITABILITY	HPM_UPDATED_COLUMN	HPM_POV_DIM_ME M_GRP_ID
PDMG2CTX	PS4PROFITABILITY	HPM_MODEL_CONTEXT	HPM_POV_DIM_ME M_GRP_ID
STAT_COLLECT2POV_DIM_MEM_GRP	PS4PROFITABILITY	HPM_STAT_COLLECTION	HPM_POV_DIM_ME M_GRP_ID

No Enabled Triggers

HPM_POV_STATE

HPM_POV_STATE is a descriptive table which lists supported POV states in Hyperion Profitability and Cost Management. Data in this table is seeded during install/config.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	Yes
DISPLAY_ORDER	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_POV_STATE	NORMAL	Yes	ID

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
POVSTATE2PDMG	PS4PROFITABILITY	HPM_POV_DIM_MEM_GRP	HPM_POV_STATE_ID

No Enabled Triggers

HPM_PREFERENCE_NAME

HPM_PREFERENCE_NAME is a descriptive table which list supported preference names in Hyperion Profitability and Cost Management. Data in this table is seeded during install/config.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
DISPLAY_ORDER	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XPKHPM_PREFERENCE_NAME	NORMAL	Yes	ID

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_APP_PREF_MAP2HPM_PREF_NAME	PS4PROFITABILITY	HPM_APP_PREF_MAP	HPM_PREFERENCE_NAME_ID
PREFNAME2APPPREF	PS4PROFITABILITY	HPM_APPLICATION_PREFERENCE	HPM_PREFERENCE_NAME_ID
USER_APP_PREF2PREFERENCE_NAME	PS4PROFITABILITY	HPM_USER_APP_PREFERENCE	HPM_PREFERENCE_NAME_ID

No Enabled Triggers

HPM_PROP

HPM_PROP is a descriptive table which lists all supported properties in Hyperion Profitability and Cost Management. Data in this table is seeded during install/config. Alias language names are added dynamically during application deploy.

Primary Key(s): ID

Field	Type	Nulls?
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
DISPLAY_ORDER	NUMBER (38)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No

Field	Type	Nulls?
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
ID	NUMBER (38)	No
HPM_PROP_TYPE_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_PROP	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
PROPTYPE2P	HPM_PROP_TYPE_ID	PS4PROFITABILITY	HPM_PROP_TYPE

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
PROP2DIMPROP	PS4PROFITABILITY	HPM_DIMENSION_PROP	HPM_PROP_ID
PROP2DMP	PS4PROFITABILITY	HPM_DIMENSION_MEMBER_PROP	HPM_PROP_ID

No Enabled Triggers

HPM_PROP_TYPE

HPM_PROP_TYPE is a descriptive table which lists all supported property types in Hyperion Profitability and Cost Management. Data in this table is seeded during install/config.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_PROP_TYPE	NORMAL	Yes	ID

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
PROPTYPE2P	PS4PROFITABILITY	HPM_PROP	HPM_PROP_TYPE_ID

No Enabled Triggers

HPM_SERIAL_APP_LOCK

Primary Key(s): HPM_APPLICATION_ID

Field	Type	Nulls?
HPM_APPLICATION_ID	NUMBER (38)	No
PROF_CLUSTER_SERVER	VARCHAR2 (80)	No
HPM_APP_MODULE_NAME	VARCHAR2 (80)	Yes
HPM_POV_DIM_GRP_ID	NUMBER (38)	Yes
THREAD	NUMBER	Yes

Index Name	Type	Unique	Fields
XPKHPM_SERIAL_APP_LOCK	NORMAL	Yes	HPM_APPLICATION_ID

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_SQL_LOG

Primary Key(s):

Field	Type	Nulls?
LOG_LEVEL	VARCHAR2 (10)	Yes
MESSAGE	CLOB	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	Yes
EXECUTION_ID	NUMBER (38)	Yes

No Indexes

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_SQL_SCRIPT

Primary Key(s):

Field	Type	Nulls?
NAME	VARCHAR2 (80)	No
APPLICATION_NAME	VARCHAR2 (7)	No
MODEL_POV_NAME	VARCHAR2 (80)	Yes
SCRIPT_TYPE	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
SCRIPT	LONG	No

Index Name	Type	Unique	Fields
XAKHPM_SQL_SCRIPT	NORMAL	Yes	NAME, APPLICATION_NAME

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_STAGE

HPM_STAGE table has details of various stages defined in all applications. Data in this table can be created/modified/deleted using Stage editor.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
CREATED_USERID	VARCHAR2 (32)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
HPM_APPLICATION_ID	NUMBER (38)	No

Field	Type	Nulls?
DISPLAY_ORDER	NUMBER (38)	No
STAGE_PREFIX	VARCHAR2 (80)	Yes
IS_INTRA	VARCHAR2 (1)	Yes
PRE_SCRIPT_NAME	VARCHAR2 (80)	Yes
POST_SCRIPT_NAME	VARCHAR2 (80)	Yes
HPM_TABLE_ID	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XIE1HPM_STAGE	NORMAL	Yes	HPM_APPLICATION_ID, NAME
XPKHPM_STAGE	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
APP2STG	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
STG2ADST	PS4PROFITABILITY	HPM_ASSIGNMENT	HPM_STAGE_ID_DST
STG2CTX	PS4PROFITABILITY	HPM_MODEL_CONTEXT	HPM_STAGE_ID
STG2R	PS4PROFITABILITY	HPM_STAGE_RULE	HPM_STAGE_ID
STG2STGDIM	PS4PROFITABILITY	HPM_STAGE_DIMENSION	HPM_STAGE_ID

No Enabled Triggers

HPM_STAGE_DIMENSION

HPM_STAGE_DIMENSION is a child table which has a mapping of HPM_STAGE to HPM_DIMENSION with the display order in which they are associated. Data in this table can be created/modified/deleted using Stage editor.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
HPM_STAGE_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
HPM_DIMENSION_ID	NUMBER (38)	No
DISPLAY_ORDER	NUMBER (38)	Yes

Field	Type	Nulls?
IS_DRIVER	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_STAGE_DIMENSION	NORMAL	Yes	ID
XIE1HPM_STAGE_DIMENSION	NORMAL	No	HPM_STAGE_ID, HPM_DIMENSION_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
STG2STGDIM	HPM_STAGE_ID	PS4PROFITABILITY	HPM_STAGE
DIM2STGDIM	HPM_DIMENSION_ID	PS4PROFITABILITY	HPM_DIMENSION

No External Foreign Keys

No Enabled Triggers

HPM_STAGE_DIMMEM_POS_MAP_TMP

Primary Key(s):

Field	Type	Nulls?
HPM_STAGE_ID	NUMBER (38)	Yes
HPM_DIM_MEM_NAME	VARCHAR2 (80)	Yes
POSITION	NUMBER (38)	Yes
HPM_DIM_MEM_ID	NUMBER (38)	Yes
HPM_APPLICATION_ID	NUMBER (38)	Yes

Index Name	Type	Unique	Fields
XIE1HPM_STG_DIMMEM_POS_MAP_TMP	NORMAL	No	HPM_STAGE_ID, HPM_DIM_MEM_NAME, POSITION
XIE2HPM_STG_DIMMEM_POS_MAP_TMP	NORMAL	No	HPM_APPLICATION_ID
XIE3HPM_STG_DIMMEM_POS_MAP_TMP	NORMAL	No	HPM_DIM_MEM_ID
XIE4HPM_STG_DIMMEM_POS_MAP_TMP	NORMAL	Yes	HPM_STAGE_ID, HPM_DIM_MEM_NAME, POSITION, HPM_APPLICATION_ID

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_STAGE_RULE

HPM_STAGE_RULE is a child table table which has rule information corresponding to a stage stored in HPM_STAGE. These rules can be tagged and the information is saved in the tag column.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
VALUE	LONG	No
HPM_STAGE_ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
TAG	VARCHAR2 (255)	Yes
USES_SAME_AS_SOURCE_FLG	VARCHAR2 (1)	Yes

Index Name	Type	Unique	Fields
XIE3HPM_STAGE_RULE	NORMAL	No	ID, HPM_STAGE_ID, USES_SAME_AS_SOURCE_FLG
XPKHPM_STAGE_RULE	NORMAL	Yes	ID
XIE1HPM_STAGE_RULE	NORMAL	No	HPM_STAGE_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
STG2R	HPM_STAGE_ID	PS4PROFITABILITY	HPM_STAGE

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_ASGN_RULE2HPM_STAGE_RULE	PS4PROFITABILITY	HPM_ASSIGNMENT_RULE	HPM_SOURCE_STG_RULE_ID
HPM_CALC_RULE_AR2HPM_STG_RULE	PS4PROFITABILITY	HPM_CALC_RULE_ASG_RULE	HPM_STG_RULE_ID
HPM_DRV_ASSOC2HPM_STAGE_RULE	PS4PROFITABILITY	HPM_DRIVER_ASSOCIATION	HPM_SOURCE_STG_RULE_ID
SR2AR	PS4PROFITABILITY	HPM_ASSIGNMENT_RULE	HPM_STG_RULE_ID

No Enabled Triggers

HPM_STATISTIC

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER	No
NAME	VARCHAR2 (80)	No
DISPLAY_NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
RUNTIME_USAGE_FLG	VARCHAR2 (1)	No
STATIC_MODEL_USAGE_FLG	VARCHAR2 (1)	No
HPM_STAT_VALUE_TYPE	VARCHAR2 (80)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_STATISIC	NORMAL	Yes	ID
XAK1HPM_STATISTIC	NORMAL	Yes	NAME

No Check Constraints

No Internal Foreign Keys

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
STAT_DETAIL2STATISTIC	PS4PROFITABILITY	HPM_STAT_DETAIL	HPM_STATISTIC_ID

No Enabled Triggers

HPM_STAT_COLLECTION

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER	No
HPM_APPLICATION_ID	NUMBER (38)	No
HPM_POV_DIM_MEM_GRP_ID	NUMBER (38)	No
HPM_JOB_ID	NUMBER	No

Field	Type	Nulls?
HPM_STAT_SOURCE	VARCHAR2 (80)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_STAT_COLLECTION	NORMAL	Yes	ID
XAK1HPM_STAT_COLLECTION	NORMAL	Yes	HPM_APPLICATION_ID, HPM_POV_DIM_MEM_GRP_ID, HPM_JOB_ID
XIE1HPM_STAT_COLLECTION	NORMAL	No	HPM_POV_DIM_MEM_GRP_ID
XIE2HPM_STAT_COLLECTION	NORMAL	No	HPM_JOB_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
STAT_COLLECT2POV_DIM_MEM_GRP	HPM_POV_DIM_MEM_GRP_ID	PS4PROFITABILITY	HPM_POV_DIM_MEM_GRP
STAT_COLLECTION2APPLICATION	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
STAT_DETAIL2STAT_COLLECTION	PS4PROFITABILITY	HPM_STAT_DETAIL	HPM_STAT_COLLECTION_ID

No Enabled Triggers

HPM_STAT_DETAIL

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER	No
HPM_STAT_COLLECTION_ID	NUMBER	No
HPM_STATISTIC_ID	NUMBER	No
JAVA_THREAD	NUMBER	Yes
HPM_STAT_USAGE_CATEGORY	VARCHAR2 (80)	No
HPM_STAT_USAGE_LEVEL	VARCHAR2 (80)	No
MODEL_ARTIFACT_NAME	VARCHAR2 (80)	Yes
MODEL_ARTIFACT_ID	NUMBER	Yes

Field	Type	Nulls?
GROUP_ID	NUMBER	Yes
COUNT_VALUE	NUMBER	Yes
TIMESTAMP_VALUE	TIMESTAMP(6)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_STAT_DETAIL	NORMAL	Yes	ID
XIE1HPM_STAT_DETAIL	NORMAL	No	HPM_STAT_COLLECTION_ID
XIE2HPM_STAT_DETAIL	NORMAL	No	HPM_STATISTIC_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
STAT_DETAIL2STATISTIC	HPM_STATISTIC_ID	PS4PROFITABILITY	HPM_STATISTIC
STAT_DETAIL2STAT_COLLECTION	HPM_STAT_COLLECTION_ID	PS4PROFITABILITY	HPM_STAT_COLLECTION

No External Foreign Keys

No Enabled Triggers

HPM_STGD_ASGN_RULE_SEL_T

Primary Key(s): ID, EXECUTION_ID

Field	Type	Nulls?
ID	NUMBER (38)	No
EXECUTION_ID	NUMBER (38)	No
POV_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
POV_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM4_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
SRC_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM4_MEMBER_NAME	VARCHAR2 (80)	Yes

Field	Type	Nulls?
SRC_DIM5_MEMBER_NAME	VARCHAR2 (80)	Yes
RULE_NAME	VARCHAR2 (80)	No
LAST_UPLOAD_DATE	TIMESTAMP(6)	Yes
ROW_STATUS	VARCHAR2 (255)	Yes
SOURCE_CREATED_USERID	VARCHAR2 (32)	Yes
SOURCE_CREATED_TIMESTAMP	TIMESTAMP(6)	Yes
SOURCE_MODIFIED_USERID	VARCHAR2 (32)	Yes
SOURCE_MODIFIED_TIMESTAMP	TIMESTAMP(6)	Yes

Index Name	Type	Unique	Fields
XPKHPM_STGD_ASGN_RULE_SEL_T	NORMAL	Yes	ID, EXECUTION_ID
XUK1HPM_STGD_ASGN_RULE_SEL_T	NORMAL	Yes	EXECUTION_ID, SRC_DIM1_MEMBER_NAME, SRC_DIM2_MEMBER_NAME, SRC_DIM3_MEMBER_NAME, SRC_DIM4_MEMBER_NAME, SRC_DIM5_MEMBER_NAME, POV_DIM1_MEMBER_NAME, POV_DIM2_MEMBER_NAME, POV_DIM3_MEMBER_NAME, POV_DIM4_MEMBER_NAME, RULE_NAME

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_STGD_CALCRULE_CALCMSRS_T

Primary Key(s): ID, EXECUTION_ID

Field	Type	Nulls?
ID	NUMBER (38)	No
EXECUTION_ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
POV_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
POV_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM4_MEMBER_NAME	VARCHAR2 (80)	Yes

Field	Type	Nulls?
DESCRIPTION	VARCHAR2 (255)	Yes
CALCULATION_SEQUENCE	NUMBER (4)	No
TAG	VARCHAR2 (255)	Yes
ENABLED_FLAG	VARCHAR2 (1)	No
DRIVER_NAME1	VARCHAR2 (80)	No
DRIVER_NAME2	VARCHAR2 (80)	Yes
DRIVER_NAME3	VARCHAR2 (80)	Yes
DRIVER_NAME4	VARCHAR2 (80)	Yes
DRIVER_NAME5	VARCHAR2 (80)	Yes
DEST_ASSIGN_RULE_NAME1	VARCHAR2 (80)	No
DEST_ASSIGN_RULE_NAME2	VARCHAR2 (80)	Yes
DEST_ASSIGN_RULE_NAME3	VARCHAR2 (80)	Yes
DEST_ASSIGN_RULE_NAME4	VARCHAR2 (80)	Yes
DEST_ASSIGN_RULE_NAME5	VARCHAR2 (80)	Yes
LAST_UPLOAD_DATE	TIMESTAMP(6)	Yes
ROW_STATUS	VARCHAR2 (255)	Yes
SOURCE_CREATED_USERID	VARCHAR2 (32)	Yes
SOURCE_CREATED_TIMESTAMP	TIMESTAMP(6)	Yes
SOURCE_MODIFIED_USERID	VARCHAR2 (32)	Yes
SOURCE_MODIFIED_TIMESTAMP	TIMESTAMP(6)	Yes

Index Name	Type	Unique	Fields
XPHPM_STGD_CALCRULE_CALCM SRS_T	NORMAL	Yes	ID, EXECUTION_ID
XUHPM_STGD_CALCRULE_CALCM SRS_T	NORMAL	Yes	EXECUTION_ID, NAME, POV_DIM1_MEMBER_NAME, POV_DIM2_MEMBER_NAME, POV_DIM3_MEMBER_NAME, POV_DIM4_MEMBER_NAME

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_STGD_CALCRULE_COL

Primary Key(s):

Field	Type	Nulls?
TABLE_NAME	VARCHAR2 (30)	No
COLUMN_NAME	VARCHAR2 (30)	No
COLUMN_TYPE	VARCHAR2 (30)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XUK1HPM_STGD_CALCRULE_COL	NORMAL	Yes	TABLE_NAME, COLUMN_NAME

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_STGD_CALCRULE_MULTISRC_T**Primary Key(s): ID, EXECUTION_ID**

Field	Type	Nulls?
ID	NUMBER (38)	No
EXECUTION_ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
POV_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
POV_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM4_MEMBER_NAME	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
CALCULATION_SEQUENCE	NUMBER (4)	No
TAG	VARCHAR2 (255)	Yes
ENABLED_FLAG	VARCHAR2 (1)	No
DRIVER_NAME	VARCHAR2 (80)	No
SRC_ASSIGN_RULE_NAME1	VARCHAR2 (80)	No
SRC_ASSIGN_RULE_NAME2	VARCHAR2 (80)	Yes

Field	Type	Nulls?
SRC_ASSIGN_RULE_NAME3	VARCHAR2 (80)	Yes
SRC_ASSIGN_RULE_NAME4	VARCHAR2 (80)	Yes
SRC_ASSIGN_RULE_NAME5	VARCHAR2 (80)	Yes
DEST_ASSIGN_RULE_NAME1	VARCHAR2 (80)	No
DEST_ASSIGN_RULE_NAME2	VARCHAR2 (80)	Yes
DEST_ASSIGN_RULE_NAME3	VARCHAR2 (80)	Yes
DEST_ASSIGN_RULE_NAME4	VARCHAR2 (80)	Yes
DEST_ASSIGN_RULE_NAME5	VARCHAR2 (80)	Yes
LAST_UPLOAD_DATE	TIMESTAMP(6)	Yes
ROW_STATUS	VARCHAR2 (255)	Yes
SOURCE_CREATED_USERID	VARCHAR2 (32)	Yes
SOURCE_CREATED_TIMESTAMP	TIMESTAMP(6)	Yes
SOURCE_MODIFIED_USERID	VARCHAR2 (32)	Yes
SOURCE_MODIFIED_TIMESTAMP	TIMESTAMP(6)	Yes

Index Name	Type	Unique	Fields
XPHPM_STGD_CALCRULE_MULTISRC_T	NORMAL	Yes	ID, EXECUTION_ID
XUHPM_STGD_CALCRULE_MULTISRC_T	NORMAL	Yes	EXECUTION_ID, NAME, POV_DIM1_MEMBER_NAME, POV_DIM2_MEMBER_NAME, POV_DIM3_MEMBER_NAME, POV_DIM4_MEMBER_NAME

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_STGD_CALCRULE_SNGLSRC_T

Primary Key(s): ID, EXECUTION_ID

Field	Type	Nulls?
ID	NUMBER (38)	No
EXECUTION_ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
POV_DIM1_MEMBER_NAME	VARCHAR2 (80)	No

Field	Type	Nulls?
POV_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM4_MEMBER_NAME	VARCHAR2 (80)	Yes
DESCRIPTION	VARCHAR2 (255)	Yes
CALCULATION_SEQUENCE	NUMBER (4)	No
TAG	VARCHAR2 (255)	Yes
ENABLED_FLAG	VARCHAR2 (1)	No
FIRST_SEQUENCE_PRIORITY	NUMBER (38)	No
LAST_SEQUENCE_PRIORITY	NUMBER (38)	No
ALL_DRIVERS_FLAG	VARCHAR2 (1)	No
LAST_UPLOAD_DATE	TIMESTAMP(6)	Yes
ROW_STATUS	VARCHAR2 (255)	Yes
SOURCE_CREATED_USERID	VARCHAR2 (32)	Yes
SOURCE_CREATED_TIMESTAMP	TIMESTAMP(6)	Yes
SOURCE_MODIFIED_USERID	VARCHAR2 (32)	Yes
SOURCE_MODIFIED_TIMESTAMP	TIMESTAMP(6)	Yes

Index Name	Type	Unique	Fields
XPKHPM_STGD_CALCRULE_SNGLS RC_T	NORMAL	Yes	ID, EXECUTION_ID
XUKHPM_STGD_CALCRULE_SNGL SRC_T	NORMAL	Yes	EXECUTION_ID, NAME, POV_DIM1_MEMBER_NAME, POV_DIM2_MEMBER_NAME, POV_DIM3_MEMBER_NAME, POV_DIM4_MEMBER_NAME

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_STGD_DRIVER_EXCEP_T

Primary Key(s): ID, EXECUTION_ID

Field	Type	Nulls?
ID	NUMBER (38)	No
EXECUTION_ID	NUMBER (38)	No

Field	Type	Nulls?
POV_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
POV_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM4_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
SRC_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM4_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM5_MEMBER_NAME	VARCHAR2 (80)	Yes
DRIVER_NAME	VARCHAR2 (80)	No
LAST_UPLOAD_DATE	TIMESTAMP(6)	Yes
ROW_STATUS	VARCHAR2 (255)	Yes
SOURCE_CREATED_USERID	VARCHAR2 (32)	Yes
SOURCE_CREATED_TIMESTAMP	TIMESTAMP(6)	Yes
SOURCE_MODIFIED_USERID	VARCHAR2 (32)	Yes
SOURCE_MODIFIED_TIMESTAMP	TIMESTAMP(6)	Yes

Index Name	Type	Unique	Fields
XPKHPM_STGD_DRIVER_EXCEP_T	NORMAL	Yes	ID, EXECUTION_ID
XUK1HPM_STGD_DRIVER_EXCEP_T	NORMAL	Yes	EXECUTION_ID, SRC_DIM1_MEMBER_NAME, SRC_DIM2_MEMBER_NAME, SRC_DIM3_MEMBER_NAME, SRC_DIM4_MEMBER_NAME, SRC_DIM5_MEMBER_NAME, POV_DIM1_MEMBER_NAME, POV_DIM2_MEMBER_NAME, POV_DIM3_MEMBER_NAME, POV_DIM4_MEMBER_NAME

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_STGD_DRIVER_SEL_T

Primary Key(s): ID, EXECUTION_ID

Field	Type	Nulls?
-------	------	--------

Field	Type	Nulls?
ID	NUMBER (38)	No
EXECUTION_ID	NUMBER (38)	No
POV_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
POV_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM4_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
DRIVER_NAME	VARCHAR2 (80)	No
LAST_UPLOAD_DATE	TIMESTAMP(6)	Yes
ROW_STATUS	VARCHAR2 (255)	Yes
SOURCE_CREATED_USERID	VARCHAR2 (32)	Yes
SOURCE_CREATED_TIMESTAMP	TIMESTAMP(6)	Yes
SOURCE_MODIFIED_USERID	VARCHAR2 (32)	Yes
SOURCE_MODIFIED_TIMESTAMP	TIMESTAMP(6)	Yes

Index Name	Type	Unique	Fields
XPKHPM_STGD_DRIVER_SEL_T	NORMAL	Yes	ID, EXECUTION_ID
XUK1HPM_STGD_DRIVER_SEL_T	NORMAL	Yes	EXECUTION_ID, SRC_DIM1_MEMBER_NAME, POV_DIM1_MEMBER_NAME, POV_DIM2_MEMBER_NAME, POV_DIM3_MEMBER_NAME, POV_DIM4_MEMBER_NAME

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_STG_ASGN_RULE_SEL_T

Primary Key(s): ID, EXECUTION_ID

Field	Type	Nulls?
ID	NUMBER (38)	No
EXECUTION_ID	NUMBER (38)	No
POV_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
POV_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes

Field	Type	Nulls?
POV_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM4_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
SRC_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
LAYER_NAME	VARCHAR2 (80)	Yes
SRC_STAGE_NAME	VARCHAR2 (80)	Yes
RULE_NAME	VARCHAR2 (80)	No
LAST_UPLOAD_DATE	TIMESTAMP(6)	Yes
ROW_STATUS	VARCHAR2 (255)	Yes
SOURCE_CREATED_USERID	VARCHAR2 (32)	Yes
SOURCE_CREATED_TIMESTAMP	TIMESTAMP(6)	Yes
SOURCE_MODIFIED_USERID	VARCHAR2 (32)	Yes
SOURCE_MODIFIED_TIMESTAMP	TIMESTAMP(6)	Yes

Index Name	Type	Unique	Fields
XPKHPM_STG_ASGN_RULE_SEL_T	NORMAL	Yes	ID, EXECUTION_ID
XUK1HPM_STG_ASGN_RULE_SEL_T	NORMAL	Yes	EXECUTION_ID, SRC_DIM1_MEMBER_NAME, SRC_DIM2_MEMBER_NAME, SRC_DIM3_MEMBER_NAME, LAYER_NAME, SRC_STAGE_NAME, POV_DIM1_MEMBER_NAME, POV_DIM2_MEMBER_NAME, POV_DIM3_MEMBER_NAME, POV_DIM4_MEMBER_NAME, RULE_NAME

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_STG_ASSIGNMENT_T

Primary Key(s): ID, EXECUTION_ID

Field	Type	Nulls?
ID	NUMBER (38)	No
EXECUTION_ID	NUMBER (38)	No
POV_DIM1_MEMBER_NAME	VARCHAR2 (80)	No

Field	Type	Nulls?
POV_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM4_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
SRC_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
LAYER_NAME	VARCHAR2 (80)	No
SRC_STAGE_NAME	VARCHAR2 (80)	No
DST_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
DST_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
DST_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
DST_STAGE_NAME	VARCHAR2 (80)	Yes
LAST_UPLOAD_DATE	TIMESTAMP(6)	Yes
ROW_STATUS	VARCHAR2 (255)	Yes
SOURCE_CREATED_USERID	VARCHAR2 (32)	Yes
SOURCE_CREATED_TIMESTAMP	TIMESTAMP(6)	Yes
SOURCE_MODIFIED_USERID	VARCHAR2 (32)	Yes
SOURCE_MODIFIED_TIMESTAMP	TIMESTAMP(6)	Yes

Index Name	Type	Unique	Fields
XPKHPM_STG_ASSIGNMENT_T	NORMAL	Yes	ID, EXECUTION_ID
XUK1HPM_STG_ASSIGNMENT_T	NORMAL	Yes	EXECUTION_ID, SRC_DIM1_MEMBER_NAME, SRC_DIM2_MEMBER_NAME, SRC_DIM3_MEMBER_NAME, LAYER_NAME, SRC_STAGE_NAME, POV_DIM1_MEMBER_NAME, POV_DIM2_MEMBER_NAME, POV_DIM3_MEMBER_NAME, POV_DIM4_MEMBER_NAME, DST_DIM1_MEMBER_NAME, DST_DIM2_MEMBER_NAME, DST_DIM3_MEMBER_NAME, DST_STAGE_NAME

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_STG_ASSIGNMENT_TEMP

Primary Key(s): ID, EXECUTION_ID

Field	Type	Nulls?
ID	NUMBER (38)	No
POV_DIM1_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM4_MEMBER_NAME	VARCHAR2 (80)	Yes
HPM_POV_DIM_MEM_GRP_ID	NUMBER (38)	Yes
LAYER_NAME	VARCHAR2 (80)	Yes
HPM_LAYER_ID	NUMBER (38)	Yes
SRC_STAGE_NAME	VARCHAR2 (80)	Yes
HPM_SRC_STAGE_ID	NUMBER (38)	Yes
SRC_DIM1_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM1_MEM_ID	NUMBER (38)	Yes
SRC_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM2_MEM_ID	NUMBER (38)	Yes
SRC_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM3_MEM_ID	NUMBER (38)	Yes
DST_STAGE_NAME	VARCHAR2 (80)	Yes
HPM_DST_STAGE_ID	NUMBER (38)	Yes
DST_DIM1_MEMBER_NAME	VARCHAR2 (80)	Yes
DST_DIM1_MEM_ID	NUMBER (38)	Yes
DST_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
DST_DIM2_MEM_ID	NUMBER (38)	Yes
DST_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
DST_DIM3_MEM_ID	NUMBER (38)	Yes
MODIFIED_TIMESTAMP	TIMESTAMP(6)	Yes
ROW_STATUS	VARCHAR2 (255)	Yes
EXECUTION_ID	NUMBER (38)	No

Index Name	Type	Unique	Fields
XPKHPM_STG_ASSIGNMENT_TEMP	NORMAL	Yes	ID, EXECUTION_ID
XIE2HPM_STG_ASSIGNMENT_TEMP	NORMAL	No	EXECUTION_ID
XIE3HPM_STG_ASSIGNMENT_TEMP	NORMAL	No	EXECUTION_ID, ROW_STATUS

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_STG_DRIVER_EXCEP_T

Primary Key(s): ID, EXECUTION_ID

Field	Type	Nulls?
ID	NUMBER (38)	No
EXECUTION_ID	NUMBER (38)	No
POV_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
POV_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM4_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
SRC_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
LAYER_NAME	VARCHAR2 (80)	Yes
SRC_STAGE_NAME	VARCHAR2 (80)	Yes
DRIVER_NAME	VARCHAR2 (80)	No
LAST_UPLOAD_DATE	TIMESTAMP(6)	Yes
ROW_STATUS	VARCHAR2 (255)	Yes
SOURCE_CREATED_USERID	VARCHAR2 (32)	Yes
SOURCE_CREATED_TIMESTAMP	TIMESTAMP(6)	Yes
SOURCE_MODIFIED_USERID	VARCHAR2 (32)	Yes
SOURCE_MODIFIED_TIMESTAMP	TIMESTAMP(6)	Yes

Index Name	Type	Unique	Fields
XPKHPM_STG_DRIVER_EXCEP_T	NORMAL	Yes	ID, EXECUTION_ID
XUK1HPM_STG_DRIVER_EXCEP_T	NORMAL	Yes	EXECUTION_ID, SRC_DIM1_MEMBER_NAME, SRC_DIM2_MEMBER_NAME, SRC_DIM3_MEMBER_NAME, POV_DIM1_MEMBER_NAME, POV_DIM2_MEMBER_NAME, POV_DIM3_MEMBER_NAME, POV_DIM4_MEMBER_NAME, LAYER_NAME, SRC_STAGE_NAME

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_STG_DRIVER_SEL_T

Primary Key(s): ID, EXECUTION_ID

Field	Type	Nulls?
ID	NUMBER (38)	No
EXECUTION_ID	NUMBER (38)	No
POV_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
POV_DIM2_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM3_MEMBER_NAME	VARCHAR2 (80)	Yes
POV_DIM4_MEMBER_NAME	VARCHAR2 (80)	Yes
SRC_DIM1_MEMBER_NAME	VARCHAR2 (80)	No
LAYER_NAME	VARCHAR2 (80)	Yes
SRC_STAGE_NAME	VARCHAR2 (80)	Yes
DRIVER_NAME	VARCHAR2 (80)	No
LAST_UPLOAD_DATE	TIMESTAMP(6)	Yes
ROW_STATUS	VARCHAR2 (255)	Yes
SOURCE_CREATED_USERID	VARCHAR2 (32)	Yes
SOURCE_CREATED_TIMESTAMP	TIMESTAMP(6)	Yes
SOURCE_MODIFIED_USERID	VARCHAR2 (32)	Yes
SOURCE_MODIFIED_TIMESTAMP	TIMESTAMP(6)	Yes

Index Name	Type	Unique	Fields
XPKHPM_STG_DRIVER_SEL_T	NORMAL	Yes	ID, EXECUTION_ID
XUK1HPM_STG_DRIVER_SEL_T	NORMAL	Yes	EXECUTION_ID, SRC_DIM1_MEMBER_NAME, POV_DIM1_MEMBER_NAME, POV_DIM2_MEMBER_NAME, POV_DIM3_MEMBER_NAME, POV_DIM4_MEMBER_NAME, LAYER_NAME, SRC_STAGE_NAME

No Check Constraints

No Internal Foreign Keys

No External Foreign Keys

No Enabled Triggers

HPM_SV_QUERY

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
TAG	VARCHAR2 (255)	Yes
HPM_APPLICATION_ID	NUMBER (38)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
QUERY_XML	XMLTYPE	No
CUBE_TYPE	VARCHAR2 (80)	No

Index Name	Type	Unique	Fields
XPKHPM_SV_QUERY	NORMAL	Yes	ID
XIE1HPM_SV_QUERY	NORMAL	Yes	NAME, HPM_APPLICATION_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_SV_QUERY2HPM_APPLICATION	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION

No External Foreign Keys

No Enabled Triggers

HPM_TABLE

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
TABLE_NAME	VARCHAR2 (30)	No
DESCRIPTION	VARCHAR2 (255)	Yes

Field	Type	Nulls?
HPM_APPLICATION_ID	NUMBER (38)	No
HPM_TABLE_TYPE	VARCHAR2 (80)	No
SYN_REF_TABLE	VARCHAR2 (30)	No
SYN_REF_TABLE_SCHEMA	VARCHAR2 (30)	No
VIEW_REF_TABLE	VARCHAR2 (30)	Yes
VIEW_REF_TABLE_SCHEMA	VARCHAR2 (30)	Yes
MEASURE_VALUE_COLUMN	VARCHAR2 (30)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_TABLE	NORMAL	Yes	ID
XAK1HPM_TABLE	NORMAL	Yes	NAME, HPM_APPLICATION_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_TABLE2HPM_APPLICATION	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_TABLE_COL2HPM_TABLE	PS4PROFITABILITY	HPM_TABLE_COLUMN	HPM_TABLE_ID
HPM_TABLE_JOINS2HPM_TABLE1	PS4PROFITABILITY	HPM_TABLE_JOINS	HPM_FACT_TABLE_ID
HPM_TABLE_JOINS2HPM_TABLE2	PS4PROFITABILITY	HPM_TABLE_JOINS	HPM_LOOKUP_TABLE_ID
HPM_TAB_PK_COL2HPM_TABLE	PS4PROFITABILITY	HPM_TAB_PRIMARY_KEY_COL	HPM_TABLE_ID

No Enabled Triggers

HPM_TABLE_COLUMN

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No

Field	Type	Nulls?
DESCRIPTION	VARCHAR2 (255)	Yes
HPM_APPLICATION_ID	NUMBER (38)	No
HPM_TABLE_ID	NUMBER (38)	No
COLUMN_NAME	VARCHAR2 (30)	No
HPM_COL_USAGE	VARCHAR2 (80)	No
HPM_DIMENSION_ID	NUMBER (38)	Yes
MATCH_TO_DIM_MEMBER_ID	VARCHAR2 (30)	Yes
HPM_MEASURE_DIM_MEM_ID	NUMBER (38)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XAK2HPM_TABLE_COLUMN	NORMAL	Yes	NAME, HPM_TABLE_ID, HPM_APPLICATION_ID
XPKHPM_TABLE_COLUMN	NORMAL	Yes	ID
XAK1HPM_TABLE_COLUMN	NORMAL	Yes	NAME, HPM_APPLICATION_ID, HPM_TABLE_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_TABLE_COL2HPM_APPLICATION	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
HPM_TABLE_COL2HPM_TABLE	HPM_TABLE_ID	PS4PROFITABILITY	HPM_TABLE
HPM_TABLE_COL2HPM_DIMENSION	HPM_DIMENSION_ID	PS4PROFITABILITY	HPM_DIMENSION
HPM_TABLE_COL2HPM_DIM_MEMBER	HPM_MEASURE_DIM_MEMBER_ID	PS4PROFITABILITY	HPM_DIMENSION_MEMBER

No External Foreign Keys

No Enabled Triggers

HPM_TABLE_JOINS

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
HPM_APPLICATION_ID	NUMBER (38)	No

Field	Type	Nulls?
DISPLAY_ORDER	NUMBER (38)	No
HPM_FACT_TABLE_ID	NUMBER (38)	No
HPM_LOOKUP_TABLE_ID	NUMBER (38)	No
DESCRIPTION	VARCHAR2 (255)	Yes
FACT_COLUMN_NAME	VARCHAR2 (30)	No
LOOKUP_COLUMN_NAME	VARCHAR2 (30)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_TABLE_JOINS	NORMAL	Yes	ID
XAK1HPM_TABLE_JOINS	NORMAL	Yes	HPM_FACT_TABLE_ID, HPM_LOOKUP_TABLE_ID, FACT_COLUMN_NAME, LOOKUP_COLUMN_NAME, HPM_APPLICATION_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_TBLE_JOINS2HPM_APPLICATION	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
HPM_TABLE_JOINS2HPM_TABLE1	HPM_FACT_TABLE_ID	PS4PROFITABILITY	HPM_TABLE
HPM_TABLE_JOINS2HPM_TABLE2	HPM_LOOKUP_TABLE_ID	PS4PROFITABILITY	HPM_TABLE

No External Foreign Keys

No Enabled Triggers

HPM_TAB_PRIMARY_KEY_COL

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
HPM_APPLICATION_ID	NUMBER (38)	No
HPM_TABLE_ID	NUMBER (38)	No
COLUMN_NAME	VARCHAR2 (30)	No

Field	Type	Nulls?
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_TAB_PRIMARY_KEY_COL	NORMAL	Yes	ID
XAK1HPM_TAB_PRIMARY_KEY_C OL	NORMAL	Yes	HPM_APPLICATION_ID, HPM_TABLE_ID, COLUMN_NAME

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_TAB_PK_COL2HPM_APPLICATION	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
HPM_TAB_PK_COL2HPM_TABLE	HPM_TABLE_ID	PS4PROFITABILITY	HPM_TABLE

No External Foreign Keys

No Enabled Triggers

HPM_TEMP_OBJECT

HPM_TEMP_OBJECT table stores the names of database objects that store the calculation results, store intermediate calculation results, or facilitate the calculation of results.

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
HPM_POV_DIM_GRP_ID	NUMBER (38)	Yes
HPM_APPLICATION_ID	NUMBER (38)	No
NAME	VARCHAR2 (80)	No
DESCRIPTION	VARCHAR2 (255)	Yes
OBJECT_TYPE	NUMBER (38)	No
OBJECT_USAGE_TYPE	NUMBER (38)	Yes
HPM_DRIVER_ID	NUMBER (38)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_TEMP_OBJECT	NORMAL	Yes	ID
XAK1HPM_TEMP_OBJECT	NORMAL	Yes	NAME
XIE1HPM_TEMP_OBJECT	NORMAL	No	HPM_APPLICATION_ID, NAME, HPM_POV_DIM_GRP_ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_TEMP_OBJ2HPM_OBJ_USAGE_TYP	OBJECT_USAGE_TYPE	PS4PROFITABILITY	HPM_OBJECT_USAGE_TYPE
HPM_TEMP_OBJ2APP	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
HPM_TEMP_OBJ2POV_GRP	HPM_POV_DIM_GRP_ID	PS4PROFITABILITY	HPM_POV_DIM_MEM_GRP

Primary Key as Foreign Key Constraint	Affected Schema	Affected Table	Affected Field
HPM_TEMP_OBJ_COL2HPM_TEMP_OBJ	PS4PROFITABILITY	HPM_TEMP_OBJECT_COLUMN	HPM_TEMP_OBJECT_ID

No Enabled Triggers

HPM_TEMP_OBJECT_COLUMN

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
HPM_TEMP_OBJECT_ID	NUMBER (38)	No
COLUMN_NAME	VARCHAR2 (30)	No
HPM_TEMP_OBJ_COL_USAGE	VARCHAR2 (80)	Yes
HPM_DIMENSION_ID	NUMBER (38)	Yes
HPM_MEASURE_DIM_MEM_ID	NUMBER (38)	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_TEMP_OBJECT_COLUMN	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_TEMP_OBJ_COL2HPM_TEMP_OBJ	HPM_TEMP_OBJECT_ID	PS4PROFITABILITY	HPM_TEMP_OBJECT

No External Foreign Keys

No Enabled Triggers

HPM_UPDATED_COLUMN

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
HPM_POV_DIM_MEM_GRP_ID	NUMBER (38)	No
HPM_APPLICATION_ID	NUMBER (38)	No
TABLE_NAME	VARCHAR2 (30)	No
COLUMN_NAME	VARCHAR2 (30)	No
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No

Index Name	Type	Unique	Fields
XPKHPM_UPDATED_COLUMN	NORMAL	Yes	ID
XAK1HPM_UPDDATED_COLUMN	NORMAL	Yes	HPM_POV_DIM_MEM_GRP_ID, HPM_APPLICATION_ID, TABLE_NAME, COLUMN_NAME

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
HPM_UPD_COL2POV_DIM_MEM_GRP	HPM_POV_DIM_MEM_GRP_ID	PS4PROFITABILITY	HPM_POV_DIM_MEM_GRP
HPM_UPD_COL2HPM_APPLICATION	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION

No External Foreign Keys

No Enabled Triggers

HPM_USER_APP_PREFERENCE

Primary Key(s): ID

Field	Type	Nulls?
ID	NUMBER (38)	No
HPM_APPLICATION_ID	NUMBER (38)	No
HPM_PREFERENCE_NAME_ID	NUMBER (38)	No
HPM_USERID	VARCHAR2 (32)	No
HPM_POV_DIM_MEM_GRP_ID	NUMBER	Yes
CREATED_TIMESTAMP	TIMESTAMP(6)	No
CREATED_USERID	VARCHAR2 (32)	No
MODIFIED_TIMESTAMP	TIMESTAMP(6)	No
MODIFIED_USERID	VARCHAR2 (32)	No
VALUE	VARCHAR2 (1000)	Yes

Index Name	Type	Unique	Fields
XAK1HPM_USER_APP_PREFERENC E	NORMAL	Yes	HPM_APPLICATION_ID, HPM_PREFERENCE_NAME_ID, HPM_USERID, HPM_POV_DIM_MEM_GRP_ID
XPKHPM_USER_APP_PREFERENCE	NORMAL	Yes	ID

No Check Constraints

Internal Foreign Key Constraint	Affected Field	Source Schema	Source Table
USER_APP_PREF2APPLICATION	HPM_APPLICATION_ID	PS4PROFITABILITY	HPM_APPLICATION
USER_APP_PREF2PREFERENCE_NA ME	HPM_PREFERENCE_N AME_ID	PS4PROFITABILITY	HPM_PREFERENCE_NAME

No External Foreign Keys

No Enabled Triggers