

JD Edwards EnterpriseOne Applications

Localizations for Portugal Implementation Guide

Release 9.2

E63979-11

February 2019

Describes the Localizations for Portugal, and discusses how to set up and use the country-specific software for Portugal.

Copyright © 2018, 2019, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface	ix
Audience	ix
JD Edwards EnterpriseOne Products	ix
JD Edwards EnterpriseOne Application Fundamentals	ix
Documentation Accessibility	ix
Related Information	x
Conventions	x
1 Setting Up the System for Country-Specific Functionality	
1.1 Understanding Translation Considerations for Multilingual Environments	1-1
1.2 Understanding Translation Routines	1-2
1.3 Setting Up User Display Preferences	1-3
1.3.1 Understanding User Display Preferences	1-3
1.3.2 Form Used to Set Up User Display Preferences	1-4
1.3.3 Setting Processing Options for User Profile Revisions (P0092)	1-4
1.3.3.1 A/B Validation	1-4
1.3.3.2 PIM Server Setup	1-4
1.3.4 Setting Up User Display Preferences	1-4
2 Setting Up Legal Numbering for Legal Documents	
2.1 Understanding Legal Numbering for Legal Documents	2-1
2.2 Setting Up UDCs to Number Legal Documents	2-1
2.2.1 (CZE, HUN, and PRT) Generate Contact Information (70/CI)	2-1
2.2.2 Legal Document Type Group (74/DG)	2-2
2.2.3 Discriminate Taxes (74/DL)	2-2
2.2.4 Number of Copies Source (74/NC)	2-2
2.2.5 Print Line Types for Legal Documents (74/PL)	2-2
2.2.6 VAT Condition (74/VC)	2-3
2.2.7 Tax Exemption Reasons (74L/ER)	2-3
2.3 Setting Up Legal Document Types	2-3
2.3.1 Understanding Legal Document Types	2-3
2.3.2 Forms Used to Enter Legal Document Types	2-4
2.3.3 Entering Legal Document Types	2-4
2.4 Associating Legal Document Types with Document Types	2-7
2.4.1 Understanding How to Associate Legal Document Types with Document Types...	2-7

2.4.2	Forms Used to Associate Legal Document Types with Document Types	2-8
2.4.3	Associating Legal Document Types with Document Types	2-8
2.5	Setting Up Legal Documents Issue Places.....	2-8
2.5.1	Understanding Issue Places	2-8
2.5.2	Forms Used to Set Up Legal Document Issue Places	2-9
2.5.3	Entering Issue Places.....	2-9
2.6	Setting Up Next Numbers for Legal Documents	2-9
2.6.1	Understanding Next Numbers for Legal Documents	2-9
2.6.2	Forms Used to Set Up Next Numbers for Legal Documents	2-10
2.6.3	Setting Up Next Numbers for Legal Documents	2-10
2.7	Setting Up Print Template Definitions for Legal Documents	2-10
2.7.1	Understanding Print Template Definitions	2-10
2.7.2	Forms Used to Set Up Print Template Definitions	2-11
2.7.3	Setting Up Print Template Definitions	2-11
2.8	Associating Legal Document Types with Print Templates.....	2-13
2.8.1	Forms Used to Associate Legal Document Types with Print Templates	2-13
2.8.2	Associating Legal Document Types with Print Templates	2-13
2.9	Specifying Programs and Versions to Print Legal Documents	2-14
2.9.1	Understanding Versions for Legal Documents.....	2-14
2.9.2	Understanding How to Set Up Corresponding Versions.....	2-15
2.9.3	Forms Used to Specify Versions and Print Programs	2-15
2.9.4	Specifying Versions and Print Programs	2-15

3 Setting Up Functionality for Portugal

3.1	Setting Up Corresponding Versions for Portugal.....	3-1
3.2	Setting Up Legal Companies for Portugal	3-1
3.2.1	Understanding Legal Companies.....	3-1
3.2.2	Form Used to Set Up a Legal Company	3-2
3.2.3	Associating Transactional Companies with a Legal Company for Portugal.....	3-2
3.3	Setting Up Charts of Accounts for Portugal	3-2
3.3.1	Understanding Charts of Accounts.....	3-2
3.3.1.1	Assumptions.....	3-2
3.3.2	Forms Used to Set Up Referential Charts of Accounts	3-3
3.3.3	Setting Up Referential Charts of Accounts	3-3
3.4	Setting Up Account Mapping for Portugal	3-3
3.4.1	Understanding Account Mapping	3-3
3.4.2	Forms Used to Set Up Account Mapping	3-4
3.4.3	Setting up Account Mapping.....	3-4
3.5	Setting Up Tax Rate/Area Additional Information for Portugal	3-5
3.5.1	Understanding Tax Rate/Area Additional Information	3-5
3.5.2	Form Used to Set Up Tax Rate/Area Additional Information	3-5
3.5.3	Setting up Additional Tax Information for Portugal.....	3-5

4 Working with Invoices and Other Legal Documents for Portugal

4.1	Understanding Invoices for Portugal.....	4-1
4.1.1	Prerequisites	4-3
4.2	Entering Credit and Debit Notes	4-3

4.2.1	Understanding Credit and Debit Notes	4-3
4.2.1.1	Additional Processing Options for Sales Order Entry (P4210).....	4-4
4.2.1.2	Additional Processing Options for Standard Invoice Entry (P03B11).....	4-4
4.2.2	Forms Used to Work with Debit and Credit Notes	4-4
4.2.3	Running the PO - Sales Order Entry Program	4-4
4.2.4	Setting Processing Options for PO - Sales Order Entry (P7424210)	4-4
4.2.4.1	Related Invoices	4-5
4.2.5	Running the PO - Invoice Entry Program	4-5
4.2.6	Setting Processing Options for PO - Invoice Entry (P7433B11)	4-5
4.2.6.1	General	4-5
4.2.6.2	Legal Number	4-6
4.2.6.3	Related Invoices	4-6
4.2.7	Entering Additional Information for Invoices.....	4-6
4.2.8	Adding Related Invoices	4-6
4.3	Processing Batch Invoices for Portugal.....	4-7
4.3.1	Understanding Batch Invoices for Portugal	4-7
4.3.2	Forms Used to Process Batch Invoices for Portugal	4-8
4.3.3	Entering Signed Batch Invoices for Portugal.....	4-8
4.3.4	Understanding the Batch Invoice Processor	4-8
4.3.4.1	Prerequisites	4-9
4.3.5	Setting Processing Options for Signed Batch Invoice Entry - POR - 74L (P74L03BZ).....	4-9
4.3.5.1	Default.....	4-9
4.4	Entering Manual Invoices for Portugal	4-9
4.4.1	Forms Used to Enter Manual Invoices for Portugal	4-10
4.4.2	Entering Manual Invoice Number	4-10
4.4.3	Entering Multiple Manual Invoice Numbers	4-10
4.5	Printing Invoices	4-11
4.5.1	Understanding the Print Process for Legal Documents.....	4-11
4.5.1.1	Printing Invoices from the Sales Order Management System	4-12
4.5.1.2	Printing Invoices from the Accounts Receivable System	4-12
4.5.1.3	Printing Invoices from the AM/PM Modules of JD Edwards EnterpriseOne System	4-12
4.5.1.4	Reprinting Invoices	4-13
4.5.2	Print Invoice - Portugal SOP/AR (R74L3030)	4-13
4.5.3	Setting Processing Options for Print Invoice - Portugal SOP/AR program (R74L3030)	4-14
4.5.3.1	General	4-14
4.5.4	Printing Invoices from the Sales Order Management System	4-14
4.5.5	Printing Invoices from the Accounts Receivable System.....	4-14
4.5.6	Printing Invoices from AM/PM Modules in JD Edwards EnterpriseOne System .	4-14
4.5.7	Reprinting Invoices.....	4-14
4.5.8	Setting Processing Options for PO - Print Legal Document from Sales Order (P7420565)	4-15
4.5.8.1	General	4-15
4.5.8.2	Shipment Notes.....	4-15
4.5.8.3	Error Processing.....	4-15

4.5.9	Setting Processing Options for Legal Document Print Process (R7430030).....	4-16
4.5.9.1	General	4-16
4.5.10	Setting Processing Options for Generate Legal Document Header (R7430020).....	4-16
4.5.10.1	Versions.....	4-16
4.6	Printing Shipping Documents.....	4-16
4.6.1	Understanding the Process of Printing Shipping Documents for Portugal	4-17
4.6.1.1	Prerequisites	4-17
4.6.2	Printing Shipping Documents for Portugal	4-18
4.6.3	Forms Used to Print Shipping Documents for Portugal.....	4-18
4.6.4	Setting Processing Options for Legal Shipping Document Print - Portugal program (R74L3035)	4-18
4.6.4.1	General	4-18
4.7	Reviewing Legal Documents.....	4-19
4.7.1	Understanding How to Review Legal Documents.....	4-19
4.7.2	Forms Used to Review Legal Documents	4-19
4.8	Reviewing Unsigned Invoices for Portugal	4-19
4.8.1	Understanding Invoice Signatures.....	4-19
4.8.2	Forms Used to Review Invoice Signatures	4-19
4.8.3	Reviewing Invoice Signatures.....	4-20
4.9	Documenting Unused Legal Numbers for Portugal.....	4-20
4.9.1	Understanding Unused Legal Numbers	4-20
4.9.2	Forms Used to Determine Unused Legal Numbers	4-20
4.9.3	Documenting Unused Legal Numbers.....	4-20

5 Working with SAFT-PT XML

5.1	Understanding SAFT-PT.....	5-1
5.1.1	Prerequisites	5-2
5.1.2	Form Used to Generate SAFT-PT	5-2
5.2	Setting Up UDCs to Generate SAFT-PT XML	5-2
5.2.1	JE Transaction Type (74L/JT)	5-2
5.2.2	Invoice Type (74L/IT).....	5-3
5.2.3	Ledger Types - SAFT Reporting (74L/LT).....	5-4
5.2.4	Product Type (74L/PT).....	5-4
5.2.5	Taxonomy Reference (74L/TA).....	5-4
5.2.6	Taxonomy Code for Taxonomy S (74L/TB)	5-5
5.2.7	Taxonomy Code for Taxonomy M (74L/TO).....	5-5
5.3	Setting Processing Options for SAFT Extractor (R74L30001).....	5-5
5.3.1	General	5-5
5.3.2	Process.....	5-5
5.3.3	Company.....	5-6
5.3.4	Software Provider.....	5-6
5.3.5	Default	5-6
5.4	Generating the SAFT-PT Report.....	5-6
5.5	Understanding the Portugal Legal Number Requirement (Release 9.2 Updates)	5-7
5.6	Working with the Movement of Goods Extract Report (R74L3002) (Release 9.2 Updates)	5-8

5.6.1	Setting Processing Options for the Movement of Goods Information Extract Report (R74L3002)	5-8
5.6.1.1	General	5-8
5.6.1.2	Process.....	5-8
5.6.1.3	Company.....	5-9
5.6.1.4	Software Provider.....	5-9
5.6.1.5	Default.....	5-9
5.6.2	Generating the Movement of Goods Information Extract Report.....	5-9
5.7	Working with the Parse XML Response Report (R74L3003) (Release 9.2 Updates)	5-10
5.7.1	Setting Processing Options for the Parse XML Response Report (R74L3003)	5-10
5.7.2	Generating the Parse XML Response Report (R74L3003).....	5-10
5.8	Reprinting Invoices (Release 9.2 Updates).....	5-10
5.8.1	Reprinting an Invoice.....	5-10
5.9	Reviewing the Exported Transactions Information (Release 9.2 Updates)	5-11
5.10	Deleting Exported Transactions Information (Release 9.2 Updates)	5-11

A Invoice Samples for Portugal

A.1	Invoice Print Portugal - SOP/ AR	A-1
A.1.1	AR Invoice for Portugal - Sample.....	A-1
A.1.2	Imported AR Invoice for Portugal - Sample.....	A-2
A.1.3	Manual AR Invoice for Portugal - Sample	A-3
A.1.4	SOP Invoice for Portugal - Sample.....	A-5

B Shipping Document Samples for Portugal

B.1	Legal Shipping Document Print	B-1
B.1.1	Return of Goods Document Print.....	B-2

Preface

Welcome to the JD Edwards EnterpriseOne Applications Localizations for Portugal Implementation Guide.

Audience

This guide is intended for implementers and end users of the JD Edwards EnterpriseOne systems for Portugal localizations.

JD Edwards EnterpriseOne Products

This implementation guide refers to the following JD Edwards EnterpriseOne products from Oracle:

- JD Edwards EnterpriseOne Accounts Payable.
- JD Edwards EnterpriseOne Accounts Receivable.
- JD Edwards EnterpriseOne Address Book.
- JD Edwards EnterpriseOne Sales Order Management.

JD Edwards EnterpriseOne Application Fundamentals

Additional, essential information describing the setup and design of your system appears in a companion volume of documentation called *JD Edwards EnterpriseOne Applications Financial Management Fundamentals Implementation Guide*.

Customers must conform to the supported platforms for the release as detailed in the JD Edwards EnterpriseOne minimum technical requirements. See document 745831.1 (JD Edwards EnterpriseOne Minimum Technical Requirements Reference) on My Oracle Support:

<https://support.oracle.com/epmos/faces/DocumentDisplay?id=745831.1>

In addition, JD Edwards EnterpriseOne may integrate, interface, or work in conjunction with other Oracle products. Refer to the cross-reference material in the Program Documentation at <http://oracle.com/contracts/index.html> for Program prerequisites and version cross-reference documents to assure compatibility of various Oracle products.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

See Also:

- "Introduction to JD Edwards EnterpriseOne Financial Management Fundamentals" in the *JD Edwards EnterpriseOne Applications Financial Management Fundamentals Implementation Guide*.

Related Information

For additional information about JD Edwards EnterpriseOne applications, features, content, and training, visit the JD Edwards EnterpriseOne pages on the JD Edwards Resource Library located at:

<http://learnjde.com>

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Setting Up the System for Country-Specific Functionality

This chapter contains the following topics:

- [Section 1.1, "Understanding Translation Considerations for Multilingual Environments"](#)
- [Section 1.2, "Understanding Translation Routines"](#)
- [Section 1.3, "Setting Up User Display Preferences"](#)

1.1 Understanding Translation Considerations for Multilingual Environments

The system can display menus, forms, and reports in different languages. All software is shipped with the base language of English. You can install other languages as needed. For example, if you have multiple languages installed in one environment to enable different users to display different languages, each user can work in the preferred language by setting up user preferences accordingly.

In addition to the standard menus, forms, and reports, you might want to translate other parts of the software. For example, you might want to translate the names of the accounts that you set up for the company or translate the values in some user-defined codes (UDCs).

This table illustrates common software elements that you might want to translate if you use the software in a multinational environment:

Common Software Elements	Translation Considerations
Business unit descriptions	<p>You can translate the descriptions of the business units that you set up for the system.</p> <p>The system stores translation information for business units in the Business Unit Alternate Description Master table (F0006D).</p> <p>Print the Business Unit Translation report (R00067) to review the description translations in the base language and one or all of the additional languages that the business uses.</p>

Common Software Elements	Translation Considerations
Account descriptions	<p>You can translate the descriptions of the accounts into languages other than the base language.</p> <p>After you translate the chart of accounts, you can print the Account Translation report. You can set a processing option to show account descriptions in both the base language and one or all of the additional languages that the business uses.</p>
Automatic accounting instruction (AAI) descriptions	You can translate the descriptions of the AAIs that you set up for the system.
UDC descriptions	You can translate the descriptions of the UDCs that you set up for the system.
Delinquency notice text	<p>Specify a language preference for each customer when you create customer master records. The language preference field on the Address Book - Additional Information form determines the language in which the delinquency notice and the text on the notice should appear when you use final mode. (In proof mode, the statements print in the language preference that is assigned to the client in the JD Edwards EnterpriseOne Address Book system.)</p> <p>The base software includes the delinquency notice translated into German, French, and Italian. You should translate any text that you add to the bottom of the notice. To do this translation, follow the instructions for setting up text for delinquency notices, and verify that you have completed the Language field on the Letter Text Identification form.</p>

The translations that you set up for the system also work with the language that is specified in the user profile for each person who uses the system. For example, when a French-speaking user accesses the chart of accounts, the system displays the account descriptions in French, rather than in the base language.

1.2 Understanding Translation Routines

The system provides several translation routines to convert amounts to words. These translation routines are generally used by payment formats, draft formats, and check-writing programs that produce numerical output in both numeric and text form. You specify the translation routine that you want to use in the processing options for these programs.

The system provides these translation routines:

- X00500 - English.
- X00500BR - Brazilian Portuguese.
- X00500C - Including cents.
- X00500CH - Chinese.
- X00500D - German (mark).
- X00500ED - German (euro).

- X00500FR - French (franc).
- X00500EF - French (euro).
- X00500I - Italian (lira).
- X00500EI - Italian (euro).
- X00500S1 - Spanish (female).
- X00500S2 - Spanish (male).
- X00500S3 - Spanish (female, no decimal).
- X00500S4 - Spanish (male, no decimal).
- X00500S5 - Spanish (euro).
- X00500U - United Kingdom.
- X00500U1 - United Kingdom (words in boxes).

In some cases, the translation routine that you use depends on the currency that you are using. For example, if you are converting euro amounts to words, you should use a translation routine that has been set up to handle euro currencies. In Spanish, the gender of the currency determines the translation routine that you choose.

1.3 Setting Up User Display Preferences

This section provides an overview of user display preferences and discusses how to:

- Set processing options for the User Profiles program (P0092).
- Set up user display preferences.

1.3.1 Understanding User Display Preferences

Some JD Edwards EnterpriseOne localized software uses country-server technology to isolate country-specific features from the base software. For example, if during normal transaction processing, you record additional information about a supplier or validate a tax identification number to meet country-specific requirements, you enter the additional information by using a localized program; the tax validation is performed by a localized program instead of by the base software. The country server indicates that this localized program should be included in the process.

To take full advantage of localized solutions for the business, you must set up the user display preferences to specify the country in which you are working. The country server uses this information to determine which localized programs should be run for the specified country.

You use localization country codes to specify the country in which you are working. The system supplies localization country codes in UDC table 00/LC. This table stores both two-digit and three-digit localization country codes.

You can also set up user display preferences to use other features. For example, you can specify how the system displays dates (such as DDMMYY, the typical European format) or specify a language to override the base language.

See Also:

- JD Edwards EnterpriseOne Tools System Administration Guide.

1.3.2 Form Used to Set Up User Display Preferences

Form Name	FormID	Navigation	Usage
User Profile Revisions	W0092A	From the list for your user ID in the Oracle JD Edwards banner, select My System Options, and then User Profile Revisions.	Set display preferences.

1.3.3 Setting Processing Options for User Profile Revisions (P0092)

Processing options enable you to set default values for processing.

1.3.3.1 A/B Validation

Address Book Number

Enter 1 to enable editing on address book number against the Address Book Master table (F0101).

1.3.3.2 PIM Server Setup

PIM Server

Enter D if you use an IBM Domino Server. Enter X if you use a Microsoft Exchange Server.

1.3.4 Setting Up User Display Preferences

Access the User Profile Revisions form.

Localization Country Code

Enter a UDC (00/LC) that identifies a localization country. It is possible to attach country-specific functionality based on this code by using the country server methodology in the base product.

Language

Enter a UDC (01/LP) that specifies the language to use on forms and printed reports. Before you specify a language, a code for that language must exist at either the system level or in the user preferences. Additionally, you must have the language CD installed.

Date Format

Enter the format of a date as it is stored in the database.

If you leave this field blank, the system displays dates based on the settings of the operating system on the workstation. With NT, the Regional Settings in the Control Panel control the settings for the operating system of the workstation. Values are:

Blank: Use the system date format.

DME: Day, month, four-digit year

DMY: Day, month, year (DDMMYY)

EMD: Four-digit year, month, day

MDE: Month, day, four-digit year

MDY: Month, day, year (MMDDYY)

YMD: Year, month, day (YYMMDD)

Date Separator Character

Enter the character to use when separating the month, day, and year of a given date. If you enter an asterisk (*), the system uses a blank for the date separator. If you leave the field blank, the system uses the system value for the date separator.

Decimal Format Character

Enter the number of positions to the right of the decimal that you want to use. If you leave this field blank, the system value is used as the default.

Setting Up Legal Numbering for Legal Documents

This chapter contains the following topics:

- [Section 2.1, "Understanding Legal Numbering for Legal Documents"](#)
- [Section 2.2, "Setting Up UDCs to Number Legal Documents"](#)
- [Section 2.3, "Setting Up Legal Document Types"](#)
- [Section 2.4, "Associating Legal Document Types with Document Types"](#)
- [Section 2.5, "Setting Up Legal Documents Issue Places"](#)
- [Section 2.6, "Setting Up Next Numbers for Legal Documents"](#)
- [Section 2.7, "Setting Up Print Template Definitions for Legal Documents"](#)
- [Section 2.8, "Associating Legal Document Types with Print Templates"](#)
- [Section 2.9, "Specifying Programs and Versions to Print Legal Documents"](#)

2.1 Understanding Legal Numbering for Legal Documents

You set up legal numbering so that invoices that you print from the JD Edwards EnterpriseOne Accounts Receivable and JD Edwards EnterpriseOne Sales Order Management systems contain information that is required for tax reporting. You follow the process to set up legal numbering for each type of document that uses a legal numbering scheme.

2.2 Setting Up UDCs to Number Legal Documents

Set up these UDCs to work with legal documents.

2.2.1 (CZE, HUN, and PRT) Generate Contact Information (70/CI)

JD Edwards EnterpriseOne software provides hard-coded values for this UDC. You use these values when you set up document types in the Legal Document Types program (P7400002). Verify that these values exist in your system:

Codes	Description
blank	Do not generate Contact Information
1	Generate from Transaction Orig
2	Generate from User ID

2.2.2 Legal Document Type Group (74/DG)

JD Edwards EnterpriseOne provides hard-coded values for this UDC. You use these values when you set up document types in the Legal Document Types program. Verify that these values exist in your system:

Codes	Description
(blank)	Not Applicable/Other
IN	Invoice
CD	Credit Note/ Debit Note
SN	Shipment Note
ED	Exchange Rate Difference

2.2.3 Discriminate Taxes (74/DL)

JD Edwards EnterpriseOne software provides hard-coded values for this UDC table. Select a value from this UDC table when you set up legal document types in the Legal Document Types program. Values are:

Codes	Description
0	Do not discriminate
1	Discriminate by detail line
2	Discriminate by Tax Code
3	Total Taxes by Tax Code / Rate
4	Discriminate by Tax Code and Total
5	Total Tax by Group
6	Total by Tax Authority

2.2.4 Number of Copies Source (74/NC)

JD Edwards EnterpriseOne software provides hard-coded values for this UDC table. If you select L (legal document type) when you set up legal document types, you must provide additional information for the legal document type. Values are:

Codes	Description
(blank)	Billing information
L	Legal Document Type

2.2.5 Print Line Types for Legal Documents (74/PL)

JD Edwards EnterpriseOne software provides hard-coded values for this UDC that the system uses to specify the types of lines that the system can print on legal documents. You use the values in this UDC when you set up print templates for legal documents in the Print Template Def Legal Doc program (P7430021).

Note: Values exist in this UDC table are used only in India localization.

Verify that these values exist in the system:

Code	Description
I01	Internal Text Code 1 Line
IAR	Invoice Line AR
ID1	India Dealer 1st Stage Details
IMD	India Manufacturer Details
ISO	Invoice Line SOP
PA2	Price Adjustment Type 2
PA6	Price Adjustment Type 6
SHP	Shipment Guide Line
TLC	Tax Line by Tax Rate
TMC	Text Message Coded
TR2	Abatement
TR3	Assessable Value
TR4	Exception
TR5	Exemption
TXL	Tax Line

2.2.6 VAT Condition (74/VC)

JD Edwards EnterpriseOne software provides hard-coded values for this UDC. The system uses the values in this UDC to associate legal document types with document types when you use the Legal Documents Types/Document Types Relationships program (P7400003). Verify that these values exist in the system:

Code	Description
Y	Registered
N	Not registered

2.2.7 Tax Exemption Reasons (74L/ER)

JD Edwards EnterpriseOne software uses the values in Tax Exemption Reasons (74L/ER) UDC to store possible tax exemption reasons associated with the Tax Rate/Area Additional Information program (P74L4008). You can set up the UDC values as per your requirements.

2.3 Setting Up Legal Document Types

This section provides an overview of legal document types and discusses how to enter legal document types.

2.3.1 Understanding Legal Document Types

You set up legal document types to specify how the system handles taxes for a type of document, whether the system must print the document on one page, and whether multiple payment terms are allowed for a document. You use the Legal Document

Types program (P7400002) to associate the legal document types that you create with the legal document type groups that exist in the Legal Document Type Group (74/DG) UDC table.

When you create legal document types, you assign a legal document type group to each document type by selecting a value from the Legal Document Type Group UDC table.

Set up legal document types for:

- Standard invoices
- Prepayment invoices
- Value-added tax (VAT)
- Invoices
- Credit and debit notes

The system stores the legal document types that you create in the Legal Document Types table (F7400002).

2.3.2 Forms Used to Enter Legal Document Types

Form Name	FormID	Navigation	Usage
Work With Legal Document Types	W7400002A	(PRT) Set Up Legal Documents (G74LDOC), Legal Document Type	Review or select an existing legal document type.
Legal Document Type Revision	W7400002B	On the Work With Legal Document Types form, click Add.	Enter legal document types.

2.3.3 Entering Legal Document Types

Access the Legal Document Type Revision form.

Legal Document Type

Enter the name that you assign to a legal document type.

Legal Document Type Group

Enter a value that exists in the Legal Document Type Group (74/DG) UDC table to specify the group to which the legal document type belongs. Values are:

Blank: Not Applicable / Other

CD: Credit note / Debit note

CI: Correction Invoice

ED: Exchange Rate Difference

IN: Invoice

SN: Shipment Note.

(CZE) Use **IN** for invoices, prepayment invoices, and VAT accounting invoices. Use **CD** for credit and debit notes.

(HUN) Use **IN** for invoices, **CI** for correction invoices, and **CD** for reverse invoices (storno).

(RUS) Use **IN** for tax invoices and **SN** for the Goods Dispatch Note and Stock Delivery Note.

(POL) Use **IN** for invoices, prepayment invoices, and VAT accounting invoices. Use **CD** for credit and debit notes.

Calculate Taxes

Select to have the system calculate taxes. The system enables the Discriminate Taxes field when you select this option.

(CZE) Select this option when processing invoices, prepayment invoices, VAT accounting invoices, and credit and debit notes.

(HUN) Select this option when processing correction invoices.

(RUS) Select this option when processing tax invoices, goods dispatch notes, and stock delivery notes.

(POL) Select this option when processing invoices and correction invoices.

Discriminate Taxes

Enter a value that exists in the Discriminate Taxes (74/DL) UDC table to specify whether the system prints the value of the goods or services and the tax amounts separately (discriminates the taxes). The system summarizes the tax in the invoice print based on the option selected in the Discriminate Taxes field. The system enables the Discriminate Taxes field only when you select the Calculate Taxes option.

Values are:

0: Do not discriminate. The taxes are included in the unit and extended prices.

1: Discriminate by detail line. The taxes are not included in the price. The total tax rate and total tax amount of a line are printed in each detail line.

2: Discriminate by tax code. The taxes are not included in the price; they are printed separately below each detail line. This option is not applicable when you select the One Page Document check box.

3: Total taxes by tax code and rate. The taxes are not included in the price; they are grouped by tax rate at the end of the document. This option is not applicable when you select the One Page Document check box.

4: Discriminate by tax code and total. The taxes are not included in the price; they are printed separately below each detail line and also grouped by tax rate at the end of the document. This option is not applicable when you select the One Page Document check box.

5: Total tax by Group. The taxes are not included in the price; total tax of all the lines is printed at the end of the document.

6: Total by tax Authority. The taxes are not included in the price; they are grouped by Tax Rate/Area and by Tax Authority.

Summarization requirement	Values in UDC 74/DL
No Summarization of Taxes	0: Do not discriminate.
No Summarization of Taxes	1: Discriminate on detail line.
No Summarization of Taxes	2: Discriminate by tax code.
Summarize Taxes by Area	3: Total taxes by tax code / rate.
Summarize Taxes by Area	4: Discriminate by tax code and total.

Summarization requirement	Values in UDC 74/DL
Summarize Taxes by Group	5: Total by Tax Group.
Summarize Taxes by Authority	6: Total by Tax Authority.

One Page Document

Select to have the system print the legal document on one page.

(CZE and HUN) Do not select this check box for invoices, credit and debit notes, or correction invoices.

Break on Payment Term

Select to have the system print the detail lines for only one payment term. If you do not select this check box, the system does not create a page break based on payment terms.

(CZE) Select this check box for invoices, prepayment invoices, VAT accounting invoices, and credit and debit notes.

(HUN) Select this check box for invoices, correction invoices, and reverse invoices.

(RUS) Do *not* select this check box for goods dispatch notes and stock delivery notes.

Number of Copies Source

Enter a value that exists in the Number of Copies Source (74/NC) UDC table. Values are:

Blank: Use the customer billing instructions that exist in the Customer Master Information (P03013) program to specify the number of copies.

L: Legal document. The system prints the number of copies that you specify in the Number of Legal Document Copies field.

Number of Legal Document Copies

Enter the number of copies to print. The system enables this field only when the value in Number of Copies Source field is L.

Supplier Address Source

Enter a value that exists in the Supplier Address Source (74/SC) UDC table to specify the source that the system uses for the entity that prints the document. Values are:

Blank: Legal company

B: Business Unit C: Company

S: Country-Specific

(CZE and HUN) Leave this field blank to specify that the system uses the legal company.

Generate Bank Connection Information

(POL and RUS) The system does not print banking information on legal documents for India, Poland, or Russia, so you can leave this field blank. The system ignores any value that you enter in this field when you print Indian, Polish, or Russian legal documents.

(CZE, HUN) Select this check box to have the system include banking information on the legal document. You specify the details of the banking information in the Bank Connections for Legal Document program (P700050).

Generate Contact Information

(POL and RUS) The system does not print contact information on the legal documents for Poland and Russia, so you can leave this field blank. The system ignores any value that you enter in this field when you print Polish or Russian legal documents.

(CZE and HUN) Enter a value that exists in the Generate Contact Information (70/CI) UDC table to specify whether the system includes contact information in the footer of the legal document. Values are:

Blank: Do not generate contact information

1: Generate from transaction originator. The system uses the address number of the user who generates the transaction to generate the contact information.

2: Generate from user ID. The system uses the address number of the user who prints the transaction to generate the contact information. The system prints the mailing name, professional title, phone number, and mailing address used from the Who's Who table (F0111) for the address number used for the contact information.

The system uses information in the Contact Information Address Number processing option in the P7420565 program as well as the value in this field to determine the contact information to print.

If you complete the Contact Information Address Number processing option in the P7420565 program or the Invoice Print – PO (R7430030) program, the system uses the specified address number to generate the contact information of the legal documents, even if you leave the Generate Contact Information field blank in the legal document setup. The processing option value overrides the value in the Generate Contract Information field of the setup.

2.4 Associating Legal Document Types with Document Types

This section provides an overview of the association of legal document types with document types and discusses how to associate legal document types with document types.

2.4.1 Understanding How to Associate Legal Document Types with Document Types

Before you can generate legal documents, you must set up document types (internal document types) in the Document Type (00/DT) UDC table for each legal document that you use. You associate the values in the 00/DT UDC table with the values that you create for legal document types.

You use the Legal Document Types program to create legal document types, then use the Legal Doc. Type / Doc Type Relation program (P7400003) to create the relationships between legal document types and internal document types. When you create the relationships, you also specify the company for which the relationship applies and the VAT Register VAT Condition for which the relationship applies.

The system stores the relationships in the Legal Document Types / Document Types Relationship (F7400003) table.

2.4.2 Forms Used to Associate Legal Document Types with Document Types

Form Name	FormID	Navigation	Usage
Work with Legal Document Types/Document Types Relationship	W7400003A	(CZE and HUN) Legal Document Setup (G70LD00), Legal Doc. Type / Doc Type Relation (POL) Set Up Legal Documents (G74PDOC), Legal Doc. Type / Doc Type Relation (RUS) Set Up Legal Documents (G74RDOC), Legal Doc. Type / Doc Type Relation (PRT), Legal Doc. Type / Doc Type Relation (G74LDOC)	Select an existing record.
Legal Document Types/Document Types Relationship Revision	W7400003B	Click Add on the Work with Legal Document Types/Document Types Relationship form.	Associate legal document types with document types.

2.4.3 Associating Legal Document Types with Document Types

Access the Legal Document Types/Document Types Relationship Revision form.

Legal Company

Enter the company for which the association applies.

Document Type

Enter the document type that you want to associate with the legal document type. You must enter a value that exists in the Document Type (00/DT) UDC table and the Document Types - Invoices Only (00/DI) UDC table.

VAT Condition

Enter a VAT condition code that exists in the VAT Condition (74/VC) UDC table. The system associates this code with the legal document type.

Legal Document Type

Enter the legal document type that you want to associate with the document type. The legal document type that you enter must exist in the F7400002 table.

2.5 Setting Up Legal Documents Issue Places

This section provides an overview of legal-document issue-places and discusses how to enter legal document issue places.

2.5.1 Understanding Issue Places

You use the Issue Place (P7400004) program to set up codes to represent the locations where legal documents are issued. For example, if the company issues documents

from a general office and from a warehouse, you set up codes to represent each of these locations. You do not need to set up issue places unless you issue legal documents from more than one location.

The system stores the codes that you set up in the Legal Document Issue Places table (F7400004).

2.5.2 Forms Used to Set Up Legal Document Issue Places

Form Name	FormID	Navigation	Usage
Work With Legal Documents Issue Places	W7400004A	(PRT) Set Up Legal Documents (G74LDOC), Issue Places	Review or select an existing record.
Legal Documents Issue Places Revision	W7400004B	On the Work With Legal Documents Issue Places form, click Add.	Enter issue places.

2.5.3 Entering Issue Places

Access the Legal Documents Issue Places Revision form.

Issue Place

Enter a code that represents the location where the document is issued.

Note: You cannot enter spaces or special characters when you enter the code. However, you can enter spaces after the last character. When you click the OK button, the system validates whether the characters are valid. If the validation fails, the system generates an error.

2.6 Setting Up Next Numbers for Legal Documents

This section provides an overview of next numbers for legal documents and discusses how to set up next numbers.

2.6.1 Understanding Next Numbers for Legal Documents

The numbering for each type of legal document must be consecutive. Because you can print some of the legal documents from more than one JD Edwards EnterpriseOne program, you set up next numbers for legal documents so that the system assigns a valid next number no matter which program you use to print a document.

You use the Legal Document Next Number program (P7400001) to set up different next numbering schemes for each type of legal document. For example, you might set up a next numbering scheme for standard invoices and a different next numbering scheme for VAT invoices.

The system stores the next numbering schemes in the Legal Document Next Numbers table (F7400001).

2.6.2 Forms Used to Set Up Next Numbers for Legal Documents

Form Name	FormID	Navigation	Usage
Work with Next Legal Document Numbers	W7400001A	Legal Document Set Up (G74LDOC), Legal Document Next Number	Review or select an existing numbering scheme.
Next Legal Document Numbers Revision	W7400001B	On the Work with Next Legal Document Numbers form, click Add.	Set up next numbers for legal documents.

2.6.3 Setting Up Next Numbers for Legal Documents

Access the Next Legal Document Numbers Revision form.

Legal Company

Enter the company for which you set up the next numbers.

Legal Document Type

Enter the legal document type for which you set up next numbers. The value that you enter must exist in the F7400002 table.

Issue Place

Enter the code that represents the place of issue for the legal document. The value that you enter must exist in the F7400004 table.

Legal Document Type Same As

Enter the legal document types that share the same next numbering scheme. The value that you enter must exist in the F7400002 table.

Next Legal Number

Enter the number that precedes the number that the system uses as the first number in the next numbering scheme. For example, if you enter 99, the system uses 100 as the first number in the next numbering scheme for the legal document type that you specify.

2.7 Setting Up Print Template Definitions for Legal Documents

This section provides an overview of print template definitions and discusses how to set up print template definitions.

2.7.1 Understanding Print Template Definitions

You use the Print Template Definition program (P7430021) to set up print templates to define the number of rows and the types of information that print in the detail section of legal documents. After you set up the print template definitions, you assign legal document types to the definitions so that the system uses the correct template for each legal document type.

The system stores information about print templates in the Print Template Definition of Legal Documents table (F7430021), the Print Line Types Definition for Legal Documents table (F7430022), and the Legal Document Types / Print Templates Relationship table (F7430023).

Note: Print Template Definition of Legal Documents is not used for generating the output for Portugal legal documents. For Portugal, Print Template Definition of Legal Documents record is created only to assign its value in Print Templates Relationship form. Hence, there are no specific values to consider when you setup Portugal Print Template Definition of Legal Documents form.

2.7.2 Forms Used to Set Up Print Template Definitions

Form Name	FormID	Navigation	Usage
Work With Print Templates Definition for Legal Documents	W7430021A	Legal Document Set Up (G74LDOC), Print Template Definition	Review or select an existing print template.
Print Templates Definition for Legal Documents Revision	W7430021B	On the Work With Print Templates Definition for Legal Documents form, click Add.	Set up print template definitions for legal documents.

2.7.3 Setting Up Print Template Definitions

Access the Print Templates Definition for Legal Documents Revision form.

Print Template

Enter a code that you assign to the print template. You must complete this field.

Detail Section Total Number of Rows

Enter the total number of rows that fit in the detail section of a document page, assuming that every page of the document has the same quantity of rows available for printing or the document has just one page. You enter the number of rows so that the system can calculate the total number of pages used to print a document.

(CZE) Enter 7 if you use the R7430040 program to print legal documents.

(HUN) Enter 7 if you use the Print Invoice - Hungary - SOP/AR program (R74H3040) to print legal documents.

(POL and RUS) The system does not print the total number of pages on the legal documents for Poland and Russia, so you can leave this field blank. The system ignores any value that you enter in this field when you print Polish or Russian legal documents.

(PRT) You do not need to consider any specific values to setup Portugal Print Template Definition of Legal Documents form, as this form is not used to generate the output for Portugal legal documents.

Print SO Attachments in Detail Section (print sales order attachments in detail section)

Select to have the system print the sales order header attachment in the detail section of the document.

Nbr of Rows for SO Attachments (number of rows for sales order attachments)

This field is enabled only when you select the Print SO Attachments in Detail Section check box.

Enter the maximum number of rows that are available to print the sales order header attachment. If the document is defined as a one-page document, then the value that you enter here must be less than the value entered in the Detail Section Total Number of Rows field.

Print Line Attachments

Select to have the system print the sales order line attachments in the detail section of the document.

Nbr of Rows for Line Attachments (number of rows for line attachments)

This field is enabled only when you select the Print Line Attachments check box.

Enter the maximum number of rows that are available to print the sales order detail attachment. If the document is defined as a one-page document, then the value that you enter here must be less than the value entered in the Detail Section Total Number of Rows field.

Attachment Line Length

Enter the maximum number of characters to print in an attachment line. If the attachment line has fewer characters than the value that you enter, the system prints the attachment text on one line. If the attachment line has more characters than the value that you enter, the system prints the attachments on multiple lines, up to the number of lines that you specify in the Nbr of Rows for SO Attachments field or the Nbr of Rows for Line Attachments field.

Detail Section Total Number of Rows on First Page

Enter the total number of rows that fit in the detail section of the document's first page when you print a multipage document. You specify this value so that the system calculates the total number of pages used to print a document. If you do not complete this field, the system uses the value that you enter in the Detail Section Total Number of Rows field as the number of rows for the first page.

(CZE) Enter 7 if you use the R7430040 program to print the legal document.

(HUN) Enter 7 if you use the Print Invoice - Hungary - SOP/AR program (R74H3040) to print the legal document

(POL and RUS) The system ignores any value that you enter in this field when you print Polish or Russian legal documents. You do not need to complete this field for Polish or Russian transactions.

(PRT) You do not need to consider any specific values to setup Portugal Print Template Definition of Legal Documents form, as this form is not used to generate the output for Portugal legal documents.

Detail Section Total Number of Rows on Middle Pages

Enter the total number of rows that fit in the detail section of the document's middle pages when you print a document with more than two pages. You specify this value so that the system calculates the total number of pages used to print a document. If you do not complete this field, the system uses the value that you enter in the Detail Section Total Number of Rows field as the number of rows for the first page.

(CZE) Enter 34 if you use the R7430040 program to print the legal document.

(HUN) Enter 34 if you use the Print Invoice - Hungary - SOP/AR program to print the legal document.

(POL and RUS) The system ignores any value that you enter in this field when you print Polish or Russian legal documents. You do not need to complete this field for Polish or Russian transactions.

(PRT) You do not need to consider any specific values to set up the Portugal Print Template Definition of Legal Documents form, as this form is not used to generate the output for Portugal legal documents.

Detail Section Total Number of Rows on Last Page

Enter the total number of rows that fit in the detail section of the document's final page when you print a multipage document. You specify this value so that the system calculates the total number of pages used to print a document. If you do not complete this field, the system uses the value that you enter in the Detail Section Total Number of Rows field as the number of rows for the first page.

(CZE) Enter **34** if you use the R7430040 program to print the legal document.

(HUN) Enter **34** if you use the Print Invoice - Hungary - SOP/AR program to print the legal document.

(POL and RUS) The system ignores any value that you enter in this field when you print Polish or Russian legal documents. You do not need to complete this field for Polish or Russian transactions.

(PRT) You do not need to consider any specific values to set up the Portugal Print Template Definition of Legal Documents form, as this form is not used to generate the output for Portugal legal documents.

2.8 Associating Legal Document Types with Print Templates

You use the Print Template/Legal Doc. Type Relation program (P7430023) to associate a legal document type with a print template.

This section discusses how to associate legal document types with print templates.

2.8.1 Forms Used to Associate Legal Document Types with Print Templates

Form Name	FormID	Navigation	Usage
Work with Legal Document Types / Print Templates	W7430023A	(PRT) Set Up Legal Documents (G74LDOC), Print Template Def. Relationship	Review or select an existing record.
Legal Document Types / Print Templates Relationship Revision	W7430023B	On the Work with Legal Document Types / Print Templates form, click Add.	Associate legal document types with print templates.

2.8.2 Associating Legal Document Types with Print Templates

Access the Legal Document Types / Print Templates Relationship Revision form.

Legal Company

Enter the company for which you set up the association between a legal document type and a print template.

Legal Document Type

Enter the legal document type with which you associate a print template. The value that you enter must exist in the F7400002 table.

Print Template

Enter the print template that you associate with the legal document type. The value that you enter must exist in the F7430021 table.

2.9 Specifying Programs and Versions to Print Legal Documents

This section provides overviews of versions for legal documents and corresponding versions and discusses how to specify versions and print programs.

2.9.1 Understanding Versions for Legal Documents

You use the Legal Document / Print UBEs Relation program (P7430024) to associate legal document types with versions of print programs that generate legal documents. For example, to set up a version for invoices:

- Specify the legal company.
- Specify in the Legal Document Type field the document type that you set up for invoices.
- Specify the issue place and user ID (optional).
- (CZE) Specify **R7430040** (Print Legal Document) in the UBE field of the Legal Document / Print UBEs Relation program.
- (HUN) Specify **R74H3040** (Print Invoice - Hungary - SOP/AR) in the UBE field of the Legal Document / Print UBEs Relation program if you selected the Calculate Taxes option in the Legal Document Types program (P7400002).
- (HUN) Specify **R7430040** (Print Legal Document) in the UBE field of the Legal Document / Print UBEs Relation program if you did not select the Calculate Taxes option in the Legal Document Types program.
- (POL) Specify **R74P3030** (Print Invoice / Invoice Correction) in the UBE field of the Legal Documents Print UBEs & Versions program.
- (PRT) Specify **R74L3030** (Print Invoice / Invoice Correction) in the UBE field of the Legal Documents Print UBEs & Versions program.
- (RUS) Specify the program number in the UBE field of the Legal Document / Print UBEs Relation program:
 - R74R3030 (Invoice)
 - R74R3031 (Goods Dispatch Note)
 - R74R3032 (Stock Delivery Note)
 - R74R3033 (Outbound Stock Movement Note)
- Specify the version of the print program that you set up for invoices in the Version field of the Legal Document / Print UBEs Relation program.

The ZJDE0001 version is the default version.
- Complete other fields on the Legal Documents Print UBEs & Versions Revision form.

The system stores the information for versions and programs in the F7430024 table.

2.9.2 Understanding How to Set Up Corresponding Versions

For legal documents that you printed from the JD Edwards EnterpriseOne Sales Order Management system, you must set up corresponding versions for the legal documents in the country-specific programs for the legal documents, and in the Print Invoices (R42565) program. A corresponding version is a version with an identical name. You set up the corresponding versions in addition to completing the steps to set up legal numbering and associate print templates with legal document types.

(CZE) You use the P7420565 program to set up versions for:

- Standard invoices
- Prepayment invoices
- VAT invoices

(HUN) You use the P7420565 program to set up versions for:

- Standard invoices
- Correction invoices
- VAT invoices

(POL) You use the P7420565 program to set up versions for:

- Invoices
- Correction invoices

(RUS) You use the P7420565 program to set up versions for:

- Goods dispatch note
- Stock movement note (outbound)
- Stock delivery note
- Invoices

2.9.3 Forms Used to Specify Versions and Print Programs

Form Name	FormID	Navigation	Usage
Work With Legal Documents Print UBEs & Versions	W7430024A	(PRT) Set Up Legal Documents (G74LDOC), Legal Document / UBE Relationship	Select an existing record.
Legal Documents Print UBEs & Versions Revision	W7430024B	On the Work With Legal Documents Print UBEs & Version form, click Add.	Specify the versions and print programs that the system uses to print legal documents.

2.9.4 Specifying Versions and Print Programs

Access the Legal Documents Print UBEs & Versions Revision form.

Legal Company

Enter the company for which you set up the association between a print program and a version for the print program.

Legal Document Type

Enter the legal document type for which you associate a print program and a version of the print program. The value that you enter must exist in the F7400002 table.

Issue Place

Enter the place of issue of the legal document. This field is optional. The value that you enter must exist in the F7400004 table.

User ID

Enter a user ID to confine permission to print the document to the specified person. This field is optional.

UBE (universal batch engine)

Enter the print program to which you want to associate a version.

Version

Enter the version of the program that you specified in the UBE field that you want the system to use when you run the specified program.

Setting Up Functionality for Portugal

This chapter contains the following topics:

[Section 3.1, "Setting Up Corresponding Versions for Portugal"](#)

[Section 3.2, "Setting Up Legal Companies for Portugal"](#)

[Section 3.3, "Setting Up Charts of Accounts for Portugal"](#)

[Section 3.4, "Setting Up Account Mapping for Portugal"](#)

[Section 3.5, "Setting Up Tax Rate/Area Additional Information for Portugal"](#)

3.1 Setting Up Corresponding Versions for Portugal

Some country-specific functionality requires that you create versions of the same name for a country-specific program and a base software program. For example, to have the system access the processing options for a country-specific voucher program, you might need to set up a version named XYZ for the country-specific voucher program, and a version named XYZ of the Standard Voucher Entry (P0411) program.

Set up corresponding versions for these programs:

Portuguese Program	Base Software Program
Sales Order - PO (P7424210)	Sales Order Entry (P4210)
See Understanding Invoices for Portugal .	
See Entering Credit and Debit Notes	
Print Invoice/Invoice Correction - PO (P7420565)	Standard Invoice Print (R42565)
See Printing Invoices	
Add Invoice - PO (P7433B11)	Standard Invoice Entry (P03B11)
See Entering Credit and Debit Notes .	

3.2 Setting Up Legal Companies for Portugal

This section provides an overview of legal companies and discusses how to associate transactional companies with a legal company.

3.2.1 Understanding Legal Companies

Legal company and transactional company relationships enable many companies to be unified in one legal company and to produce combined accounts payable reports. You can associate the companies that you use for transaction processing (transactional

companies) with companies that you use for legal reporting (legal companies) so that legal reports can contain data for more than one transactional company. At a minimum, a legal company and a transactional company relationship must exist for the default company.

To associate transaction companies with legal companies, you use the Company Localized Data form. The system stores information about the association in the Company Additional Information table (F7400010).

3.2.2 Form Used to Set Up a Legal Company

Form Name	FormID	Navigation	Usage
Company Localized Data	W7400010A	Organization & Account Setup (G09411), Company Names & Numbers On the Work With Companies form, select Regional Info from the Row menu.	Associate transactional companies with legal companies.

3.2.3 Associating Transactional Companies with a Legal Company for Portugal

Access the Company Localized Data form.

Company

Enter the legal company.

Legal Company

Enter the legal company with which to associate a transactional company.

3.3 Setting Up Charts of Accounts for Portugal

This section provides an overview of Charts of Accounts and discusses how to set up a referential chart of accounts.

3.3.1 Understanding Charts of Accounts

You must map the chart of accounts that are setup in the JD Edwards EnterpriseOne software to the chart of accounts required for the Portugal government. To do so, use the Referential Chart of Accounts program (P74L920) to enter the accounts as required by the government, then use the Account Mapping program (P74L921) to associate the legal accounts in the Referential Chart of Account program to the chart of accounts you have in the JD Edwards EnterpriseOne software. In the Referential Chart of Accounts program, you must set up these fields according to Portuguese law. You can also set up Taxonomy Reference and Taxonomy Code based on the Taxonomy Reference you selected in this program. Referential Chart of Accounts application is based on the Referential Chart of Account table (F74L920).

3.3.1.1 Assumptions

You must consider the following assumptions when setting up the chart of accounts:

- The chart of accounts must comply with the SNC accounting standards.

- All accounts from 1% to 8% are considered as belonging to SNC, and all other accounts are considered analytical accounts.
- 1st degree General Ledger accounts are represented by two digits. You can exclude single-digit General Ledger parent accounts.
- 1st degree analytical accounts are considered the top-level account.
- Hierarchies are defined for all accounts.
- For every account that has more than one parent account, a DFF is populated with the parent account chosen to be reported in SAFT.

3.3.2 Forms Used to Set Up Referential Charts of Accounts

Form Name	FormID	Navigation	Usage
Work with Referential Chart Accounts	W74L920A	General Accounting System Setup (G74L0941), Referential Chart of Accounts	Locate and select existing referential chart of accounts.
Referential Chart Accounts Revisions	W74L920B	Select a record on the Work with Referential Chart Accounts form and then click Select.	Review a referential chart of accounts record.
Multiple Add Referential Chart Accounts	W74L920C	On the Work with Referential Chart Accounts form, click Add.	Set up a referential chart of accounts

3.3.3 Setting Up Referential Charts of Accounts

Access the Multiple Add Referential Chart Accounts form.

Chart of Account Responsible

Enter the code of the institution responsible for the referential chart of accounts.

Referential Account

Enter an account code, which follows a referential chart of accounts specified by Portuguese Government. This account code must be related to each company account.

Referential Account Description

Enter an account description for the referential chart of accounts.

Grouping Category

Enter a code that indicates the account type.

3.4 Setting Up Account Mapping for Portugal

This section provides an overview of account mapping and discusses how to set up account mapping.

3.4.1 Understanding Account Mapping

Use the Account Mapping program (P74L921) to associate the legal accounts in the Referential Chart of Accounts program (P74L920) to the chart of accounts you have in

the JD Edwards EnterpriseOne software.

3.4.2 Forms Used to Set Up Account Mapping

Form Name	FormID	Navigation	Usage
Work with Referential Accounts by Account	W74L921A	General Accounting System Setup (G74L0941), Account Mapping	Locate and select an existing referential accounts by account record.
Referential Accounts by Account Revision	W74L921C	Select a record on the Work with Referential Accounts by Account form and then click Select.	Associate the legal accounts from the referential charts of accounts to the charts of accounts in the Account Master table (F0901).

3.4.3 Setting up Account Mapping

Access the Referential Accounts by Account Revision form.

Account ID

A number that the system assigns to each general ledger account in the Account Master table (F0901) to uniquely identify it.

Business Unit

The field displays the alphanumeric code that identifies a separate entity within a business for which you want to track costs. For example, a business unit might be a warehouse location, job, project, work center, branch, or plant. You can assign a business unit to a document, entity, or person for purposes of responsibility reporting. For example, the system provides reports of open accounts payable and accounts receivable by business unit to track equipment by responsible department. Business unit security might prevent you from viewing information about business units for which you have no authority.

Object Account

Object Account is a portion of a general ledger account that refers to the division of the Cost Code (for example, labor, materials, and equipment) into subcategories. For example, you can divide the Cost Code for labor into regular time, premium time, and burden.

If you use a flexible chart of accounts and the object account is set to 6 digits, Oracle recommends that you use all 6 digits. For example, entering 000456 is not the same as entering 456 because if you enter 456 the system enters three blank spaces to fill a 6-digit object.

Subsidiary

Subsidiary account is a subset of an object account. Subsidiary accounts include detailed records of the accounting activity for an object account.

Description

A user defined name or remark.

Chart of Account Responsible

The system displays the code of the institution responsible for the referential chart of account.

Referential Account

Enter an account code for the referential chart of accounts as specified by Portuguese Government. This account code must be related to the company account.

Grouping Category

The system displays the code that indicates the account type.

3.5 Setting Up Tax Rate/Area Additional Information for Portugal

This section provides an overview of tax rate/area additional information for Portugal and discusses how to set up the additional tax information for Portugal.

3.5.1 Understanding Tax Rate/Area Additional Information

The Tax Rate/ Area Additional Information program (P74L4008) provides additional information for the Work With Tax Rate/ Areas program (P4008). The system saves the data that you enter to the Tax Rate / Area Additional Information table (F74L4008). The F74L4008 table is a tag table of the Tax Areas table (F4008).

Note: When you want to do a tax exempt transaction, use the Tax Rate/Area that has the Tax Exempt option selected. You must specify a tax exempt reason too. You must set up the correct tax rate in the Work With Tax Rate/ Areas program (P4008). Set the tax rate as 0%, if you require an exempt tax rate.

3.5.2 Form Used to Set Up Tax Rate/Area Additional Information

Form Name	FormID	Navigation	Usage
Additional Tax Information - Portugal	W74L4008A	Work With Tax Rate/ Areas (P4008) On the Work With Tax Rate/ Areas form, select Regional Info from the Row menu.	Set up additional tax information.

3.5.3 Setting up Additional Tax Information for Portugal

Access the Additional Tax Information-Portugal form.

Tax Rate/Area

The system displays the code that identifies a tax or geographic area that has common tax rates and tax authorities. The system validates the tax rate/area code you enter against the Tax Areas table (F4008). The system uses the tax rate area in conjunction with the tax explanation code and tax rules to calculate tax and G/L distribution amounts when you create an invoice or voucher.

Expiration Date

The system displays the date when a transaction, contract, obligation, preference, or policy rule ceases to be in effect.

Item Number

This number identifies either a group of items or a single item. Items that are assessed VAT generally use the group code number. Items that are assessed a luxury tax generally use a specific item number.

Note: Only sales order and purchase order processing use this field. You can suppress this field with processing options.

Tax Exempt

Select tax exempt to indicate that the tax rate/area is tax exempted. If you select tax exempt, tax exemption reason must be provided.

Tax Exemption Reason

Enter a value that exists in the 74L/ER UDC table to specify the tax exemption reason associated with the tax rate/area. You need to enter the tax exemption reason if the tax rate/area is marked as tax exempt.

Tax Type

Enter a value that exists in 74L/TT UDC table to specify the tax type. Tax Type is categorization of a tax.

Stamp Duty

If the Tax Type is IS (Stamp Duty), then enter the stamp duty in this field. This field is enabled only when the tax type is IS. The SAFT report includes the tax amount if the tax type is IS, otherwise it includes the tax percentage.

Tax Country Region

Enter a value that exists in 74L/TR UDC table to specify the classified tax region of the country.

Tax Code

Enter a value that exists in 74L/TC UDC table to specify the tax code as required by Portuguese tax authorities.

Working with Invoices and Other Legal Documents for Portugal

This chapter contains the following topics:

- Section 4.1, "Understanding Invoices for Portugal"
- Section 4.2, "Entering Credit and Debit Notes"
- Section 4.3, "Processing Batch Invoices for Portugal"
- Section 4.4, "Entering Manual Invoices for Portugal"
- Section 4.5, "Printing Invoices"
- Section 4.6, "Printing Shipping Documents"
- Section 4.7, "Reviewing Legal Documents"
- Section 4.8, "Reviewing Unsigned Invoices for Portugal"
- Section 4.9, "Documenting Unused Legal Numbers for Portugal"

4.1 Understanding Invoices for Portugal

When working with sales and purchase transactions in Portugal, you might need to produce several types of invoices. The JD Edwards EnterpriseOne software for Portugal enables you to work with these types of invoices:

- Portugal-specific invoices for goods and services.
You can print Portugal-specific invoices from the JD Edwards EnterpriseOne Sales Order Management system and the JD Edwards EnterpriseOne Accounts Receivable system.
- Invoices to account for prepayments.
- Invoices for value-added tax (VAT).

When you run the Print Invoices program (R42565) or the Print Legal Documents from A/R program (R7430030), the system calls the Print Legal Document program (R7430040) to print information on the invoice that is required for Portugal. The invoice for Portugal includes:

- Identifying number.
- Name, address, and VAT registration number of the company that generates the invoice.
- Date of issue of the invoice, or the date that the goods or services were supplied, if different.

- Date of taxable fulfillment (service tax date).
- Payment due date.
- Bank account information including:
 - Name
 - Address
 - Postal code
 - Bank account number
 - IBAN (International Bank Account Number)
 - SWIFT (Society for Worldwide Interbank Financial Telecommunications) number
- Customer's name and address.
- Description identifying the goods or services that are supplied including:
 - Quantity of goods or extent of the services.
 - VAT amount and rate.
Only one VAT rate is applied to a specific item or to one line of the invoice.
 - Amount due, excluding VAT.
 - Total amount, including VAT.
- Unit price.
- Rate of any cash discount offered.
- Total amount of VAT charged.
- Gross total amount payable, excluding VAT.
- Total payable amount.
- Tax exemption reason.
When you use an exempt tax code, tax exemption reason appears in the description field of the recap section, or else tax rate/area appears.
- Summary section.
Based on the setup done in Legal Document Types program (P7400002), you can summarize the tax by area, group, and authority.

You cannot use these programs to print invoices for Portuguese transactions.

- R03B505 - Invoice Print
- R03B5051 - Invoice Print with Draft
- R03B5052 - Invoice Group by Draft
- R03B5053 - Invoice Print with International Payment Instruction
- R74W0030 - Interest Invoice Print
- R15500 - Real Estate Management Invoices
- R48504 - Invoice Print Selection - Contract & Service Billing
- R48506 - Invoice Print - Contract & Service Billing
- R48507 - Invoice Print with Smart Fields - Contract & Service Billing

- R7430040 - Print Legal Document - COMM - 03B

These reports do not generate common invoice header and invoice signatures that are mandatory for Portuguese transactions. If you run the above mentioned programs, the system prints an error message using the Invoice Print - Error - POR program (R74L3040). The error message states that these UBEs are not legal in Portugal and you must use the Generate Legal Document Header program (R7430020) to generate the legal document header.

The system writes a record to the Signed Invoices table (F743011) for the invoice for which the system generates a signature, and writes a record to the Unsigned Invoices table (F743012) for invoices for which no signature is generated. The F743012 table also includes the reason that the signature was not generated.

4.1.1 Prerequisites

Before you complete the tasks in this chapter:

- Verify that numbering for legal documents is set up.
See [Setting Up Legal Numbering for Legal Documents](#).
- Verify that user-defined codes (UDCs) for legal documents are set up.

4.2 Entering Credit and Debit Notes

This section provides an overview of credit and debit notes and discusses how to:

- Run the PO - Sales Order Entry program.
- Set processing options for PO - Sales Order Entry (P7424210).
- Run the PO - Invoice Entry program.
- Set processing options for PO - Invoice Entry (P7433B11).
- Enter additional information for invoices.
- Add related invoices.

4.2.1 Understanding Credit and Debit Notes

You can use a credit note (credit memo) to reduce the VAT that is charged and reclaimed on goods or services sold. You can reduce the value of the goods or service only if an order is canceled or returned, or if a contractual price reduction occurs. You can use a debit note (debit memo) to increase the value of the goods or service if a price increase occurs, or if based on agreed contractual terms, the final payment is higher than the price that was quoted on the original VAT invoice. The amount of VAT credited or debited must be separately itemized on the credit or debit note. You must associate the original VAT invoice to the credit or debit note.

When you delete an invoice from P03B2002, EnterpriseOne deletes the record from the table.

Note: When printing or reprinting credit memos for Portugal, if these credit memos are directly crediting invoices, or are being applied to credit invoices, a reference to all the invoices to which the credit memo refers must be printed on the credit memo.

4.2.1.1 Additional Processing Options for Sales Order Entry (P4210)

If you enter credit and debit notes from the JD Edwards EnterpriseOne Sales Order Management system, you use the PO - Sales Order Entry program (P7424210) to set additional processing options. The system uses these processing options to enable or disable an option to enter related invoices to credit notes or debit notes.

You must set up corresponding versions for the Sales Order Entry program (P4210) and the PO - Sales Order Entry program.

4.2.1.2 Additional Processing Options for Standard Invoice Entry (P03B11)

If you enter credit and debit notes from the JD Edwards EnterpriseOne Accounts Receivable system, you use the PO - Invoice Entry program (P7433B11) to set additional processing options. The system uses these processing options to enable or disable an option to enter related invoices to credit notes or debit notes.

You must set up corresponding versions for the Standard Invoice Entry program and the PO - Invoice Entry program.

4.2.2 Forms Used to Work with Debit and Credit Notes

Form Name	FormID	Navigation	Usage
Work With Customer Ledger Inquiry	W03B2002A	Customer Invoice Entry (G03B11), Standard Invoice Entry	Select or review invoices from the Accounts Receivable system.
Standard Invoice Entry	W03B11A	On the Work With Customer Ledger Inquiry form, click Add.	Enter invoices.
Invoice Related Information	W7430011A	After completing the Company and Address Number fields on the Standard Invoice Entry form, select Regional Info from the Form menu.	Enter additional information for Czech Republic and Portugal invoices.
Invoices Related to DN/CN	W7430015A	On the Invoice Related Information form, select Invoice Related on the Form menu.	Enter one or more legal documents related to a credit or debit memo.

4.2.3 Running the PO - Sales Order Entry Program

Select Sales Legal Document Processing (G74L42), PO - Sales Order Entry.

When you launch this program, you add or select a version. When you select a version, the system displays the processing options.

4.2.4 Setting Processing Options for PO - Sales Order Entry (P7424210)

You use the standard Sales Order Entry program (P4210) to generate sales orders. Before you generate sales orders, you set the processing options for the PO - Sales Order Entry program (P7424210). This program exists solely to contain processing options. The system uses the processing options that you set for the PO - Sales Order Entry program as additional parameters for the Sales Order Entry program.

4.2.4.1 Related Invoices

Although processing options are set up during JD Edwards EnterpriseOne implementation, you can change processing options each time you run a program.

1. Related Invoices

Specify whether the system enables the entry of related invoices for a debit or credit note. Values are:

Blank: Disallow the entry of related invoices.

1: Enable the entry of related invoices for a debit or credit note.

2. Multiple Related Invoices

Specify whether the system enables the entry of multiple related invoices for a credit or debit note. Complete this processing option if you entered 1 in the Related Invoices processing option. Values are:

Blank: Enable the entry of only one related invoice.

1: Enable the entry of multiple related invoices for a credit or debit note.

3. Require Entry of Related Invoices

Specify whether the system displays an error or warning message when no related invoice is entered. Values are:

Blank: Display a warning message when no related invoice is entered. The warning message enables the user to continue without entering a related invoice.

1: Display an error message and do not allow the user to continue until a related invoice is entered.

4. Allow Different Address Number

Specify whether the system allows the entry of a related invoice that has a different address book number from the credit or debit note. Values are:

Blank: Display an error message if the user enters a related invoice with a different address book number.

1: Allow the entry of a related invoice that has a different address book number from the credit or debit note.

4.2.5 Running the PO - Invoice Entry Program

Select A/R Legal Document Processing (G74L03B), PO - Invoice Entry.

When you launch this program, you add or select a version. When you select a version, the system displays the processing options.

4.2.6 Setting Processing Options for PO - Invoice Entry (P7433B11)

These processing options are used by the Standard Invoice Entry program (P03B11) to enable or disable an option to enter related invoices to credit notes or debit notes.

4.2.6.1 General

1. Shipment Mandatory Date

Enter 1 to require entry of the shipping date. Leave this option blank or enter 0 to allow, but not require, the entry of the shipping date.

4.2.6.2 Legal Number

1. Issue Place

Specify the issue place for the legal document number.

4.2.6.3 Related Invoices

1. Related Invoices

Enter **1** to allow the entry of related invoices for a debit or credit note. Leave this processing option blank to prohibit entry of related invoices.

2. Multiple Related Invoices

Enter **1** to allow the entry of multiple related invoices for a credit or debit note. Leave this processing option blank to allow the entry of only one related invoice.

Complete this processing option if you entered **1** in the Related Invoices processing option.

3. Require Entry of Related Invoices

Enter **1** to require the entry of a related invoice. If no related invoice is entered, the system displays an error message and does not allow the user to continue until a related invoice is entered.

Leave this processing option blank to have the system display a warning message when no related invoice is entered. The warning message allows the user to continue without entering a related invoice.

4. Allow Different Address Number

Enter **1** to allow the entry of a related invoice with a different address book number from the credit or debit note. Leave this processing option blank to have the system display an error message if the user enters a related invoice with a different address book number.

5. Allow Different Issue Place

Enter **1** to allow the entry of a related invoice with a different issue place from the credit or debit note. Leave this processing option blank to have the system display an error message if the user enters a related invoice with a different issue place.

4.2.7 Entering Additional Information for Invoices

Access the Invoice Related Information form.

Actual Ship Date

Enter the date on which the shipment to the customer is confirmed. The system updates the Sales Order Detail table (F4211) with this date.

Approval Date

Enter the date on which the invoice was approved.

4.2.8 Adding Related Invoices

Access the Invoices Related to DN/CN form.

Legal Company

Enter the legal company to which you add related invoices. The value that you enter must exist in the F7400010 table.

Legal Document Type

Enter the legal document type of related invoices. The value that you enter must exist in the F7400002 table.

Issue Place

Enter the place of issue of the legal document to which you add related invoices. The value that you enter must exist in the F7400004 table.

Legal Number

Enter the legal number that is assigned to the invoice.

Address Number

Enter the address number of the company to which you add related invoices.

4.3 Processing Batch Invoices for Portugal

This section provides an overview of batch invoices for Portugal and discusses how to enter signed batch invoices.

4.3.1 Understanding Batch Invoices for Portugal

To process batch invoices for Portugal, run the standard processes for batch invoice processing, and then copy data to country-specific tables.

When you create invoices using an external system, you can transfer them to the JD Edwards EnterpriseOne Accounts Receivable system using the Batch Invoice Processor program (R03B11Z1A). Before you perform batch invoice processing, you need to write a custom program to copy the data from the external system to these tables:

- Batch Invoices (F03B11Z1).
- Journal Entry Transactions - Batch File (F0911Z1).
- Signed Batch Invoice - Tag Table -74 (F743011Z)

See Also: "Processing Batch Invoices" in the *JD Edwards EnterpriseOne Applications Accounts Receivable Implementation Guide*.

You use the Signed Batch Invoice Entry program (P74L03BZ) to enter the signed batch invoices for Portugal. The system stores the signed batch invoices in the Signed Batch Invoice - Tag Table -74 (F743011Z). You can navigate to Signed Batch Invoice Entry program through the form menu of the Invoice Entry - Batch Invoices program (P03B11Z1).

Note: If the batch invoice is a signed invoice, you need to enter the legal invoice number in the Reference field of the Invoice Entry - Batch Invoices program (P03B11Z1). If the invoice is not signed, leave the Reference field blank.

If you populate the data using a custom program, ensure that reference fields F03B11Z1.VR01 and F743011Z.K74FLEN include the legal invoice number.

You can set the processing options for the Signed Batch Invoice Entry - POR - 74L program (P74L03BZ) to specify the values for the certification number and private key version for Portugal batch invoices.

4.3.2 Forms Used to Process Batch Invoices for Portugal

Form Name	FormID	Navigation	Usage
Work With Batch Invoices	W03B11Z1C	Batch Invoice Processing (G03B311), Batch Invoice Revisions	Add a new batch invoice or select an existing batch invoice.
Invoice Entry - Batch Invoices	W03B11Z1D	Click Add on the Work With Batch Invoices form. Or, select a batch invoice, and click Select on the Work With Batch Invoices form.	Review and revise batch invoices, and create invoices in a new batch.
Signed Batch Invoice Entry	W74L03BZA	Select Regional Info on the Form menu of the Invoice Entry - Batch Invoices form.	Enter the invoice signature, private key version, certificate number, legal number and audit fields for Portugal.

4.3.3 Entering Signed Batch Invoices for Portugal

Access the Signed Batch Invoice Entry form.

Certification Number

Specify the certification number obtained from the Portuguese tax authorities for the program that was used to create the signature.

Private Key Version

Specify the version of the private key used in the third-party system for creating the digital signature for an invoice.

System Entry Date

Specify the date when the digital signature for the record was created.

Digital Signature

Specify the digital signature generated for an invoice using the RSA-SHA1 encryption algorithm.

4.3.4 Understanding the Batch Invoice Processor

After you convert the external invoices and transfer them to the batch processing tables (F03B11Z1, F0911Z1 and F743011Z), run the Batch Invoice Processor program (R03B11Z1A). Running this program processes the information from the batch tables and creates records in the Account Ledger (F03B11), Customer Ledger (F0911), Legal Document Header (F7430010), and Signed Invoice (F743011) tables.

Note: Invoices already signed in the third-party system should have a different legal document type that should not be used for other invoice that you create in the JD Edwards EnterpriseOne system.

To ensure proper reporting, you must import all of the documents in the series.

The system creates the record in the F743011 table only when the Reference field of the Invoice Entry - Batch Invoices program (P03B11Z1) contains a valid legal invoice number and the related record exists in the Signed Batch Invoice - Tag Table -74 (F743011Z). The Reference field contains a valid invoice number when the signature is already generated in third-party system. The system stores the signature, the private key version and the certificate number of the batch invoice in the F743011 table.

You can run the Batch Invoice Processor program in either proof or final mode.

In proof mode, the system verifies the data, but does not write to the F03B11, F0911, F7430010, or F743011 tables.

In final mode, the system performs the validations, and after successful validations, it writes data to the tables.

After the batch is successfully processed, the system updates the Processed field (VJEDSP). These records remain in the F03B11Z1, F0911Z1 and F743011Z tables until they are purged. Alternatively, you can set up a processing option to purge these tables automatically.

4.3.4.1 Prerequisites

Before you complete the task in this section, do the following:

- Verify that issue places exist for the invoices.
See [Setting Up Legal Documents Issue Places](#)
- Verify that separate legal document types exist for the signed batch invoices in the Portugal Signed Invoice Legal Doc Type UDC (74L/SI).
See [Setting Up Legal Document Types](#)

4.3.5 Setting Processing Options for Signed Batch Invoice Entry - POR - 74L (P74L03BZ)

Processing options enable you to specify the default values for certain fields of the application.

4.3.5.1 Default

These processing options specify default values that the system uses when you add a signed invoice for Portugal.

Certification Number

Specify the certification number obtained from the Portuguese tax authorities. The certification number is obtained from the Portuguese tax authorities for the program that was used to create the signature.

Private Key Version

Specify the version of the private key used in the third-party system for creating the digital signature for an invoice.

4.4 Entering Manual Invoices for Portugal

A manual or paper invoice is issued only in exceptional case when the electronic system for entering the invoice is not functioning. The manual invoice number is the sequence number as printed on your manual invoice book printed from an authorized printing press. You can use the Manual Invoice Entry Process application (P74L3011) to enter the manual invoice into the application when the system is up again.

You can use the Manual Invoice Entry Process application (P74L3011) to review the manual invoice information associated with a standard invoice. You can also use the program to update the manual invoice number for an existing standard invoice.

When you enter an invoice, the system launches the Manual Invoice Number Update form if the document type exists in UDC 74L/MI.

4.4.1 Forms Used to Enter Manual Invoices for Portugal

Form Name	FormID	Navigation	Usage
Work with Manual Invoice Number	W74L3011A	Accounts Receivable (G74L03B), Manual Invoice Entry.	Review the manual invoice details associated with a particular standard invoice.
Manual Invoice Number Update	W74L3011B	Select a record on the Work With Manual Invoice Number form.	Associate a manual invoice number to a standard invoice.
Multiple Manual Invoice Number Entry	W74L3011C	Click Add in the Work With Manual Invoice Number form.	Add manual invoices to multiple standard invoices, which already exist in the system.

4.4.2 Entering Manual Invoice Number

Access the Manual Invoice Number Update form.

Document Number

Displays the number that identifies the original document, such as a voucher, invoice, or journal entry.

Document Type

Displays the user defined code (00/DT) that identifies the origin and purpose of the transaction.

Document Company

Displays the Document Company. Document Company number along with the Document Number and the Document Type uniquely identifies an original document, such as invoice, voucher, or journal entry.

Manual Invoice Number

Enter the manual invoice number as printed on the manual, or paper, invoice book. You issue the manual invoice number when the electronic system is out of order. You enter the manual invoice information in the system and cross-reference the manual invoice number to the standard invoice number created.

4.4.3 Entering Multiple Manual Invoice Numbers

Access the Multiple Manual Invoice Number Entry form.

Manual Invoice Number

Enter the manual invoice number as printed on the manual, or paper, invoice book. You issue the manual invoice number when the electronic system is out of order. You enter the manual invoice information in the system and cross-reference the manual

invoice number to the standard invoice number created.

Document Number

Displays the number that identifies the original document, such as a voucher, invoice, or journal entry.

Doc Type

Displays the user defined code (00/DT) that identifies the origin and purpose of the transaction.

Document Type

Displays the description of Document Type.

Doc Co

Displays the Document Company. Document Company number along with the Document Number and the Document Type uniquely identifies an original document, such as invoice, voucher, or journal entry.

Document Company

Displays the description of Document Company.

Invoice Date

Displays the date that either you or the system assigns to an invoice or voucher. This can be either the date of the supplier's invoice to you or the date of your invoice to the customer.

Customer Number

Displays the address book number of the customer.

Customer Number

Displays the description of Customer Number.

4.5 Printing Invoices

This section provides an overview of the print process for legal documents and discusses how to:

- Print Invoice - Portugal SOP / AR (R74L3030)
- Print invoices from the Sales Order Management system.
- Print invoices from the Accounts Receivable system.
- Print invoices from the AM/PN Modules in JD Edwards EnterpriseOne system.
- Reprint invoices.
- Set processing options for PO - Print Legal Document from Sales Order (P7420565).
- Set processing options for Legal Document Print Process (R7430030).
- Set processing options for Generate Legal Document Header (R7430020).

4.5.1 Understanding the Print Process for Legal Documents

When you print legal documents for the Czech Republic and Portugal, the system uses the legal numbering setup to determine the print format, attachments, and legal number to print legal documents.

You use the PO - Print Legal Documents from Sales Orders program to set up versions for each of the legal documents that you print. For example, you might set up a version for a standard invoice and set up a version for an invoice to account for VAT for a prepayment.

For each version that you set up in the PO - Print Legal Documents from Sales Orders program, you must set up a corresponding version in the Print Invoices program (R42565). For example, if you set up a version named *VAT Pre* in the PO - Print Legal Documents from Sales Orders program, you must set up a version named *VAT Pre* in the Print Invoices program. When you run the Print Invoices program, the system uses the document type that you specified in the processing options for the PO - Print Legal Documents from Sales Orders program to determine which legal document to print.

Set the processing options for the Print Invoice program as shown in this table:

Processing Option	Value for Proof Mode	Value for Final Mode
Prevent A/R Number Assignment	1	blank
Prevent Next Status Update	1	blank
Invoice Document Type	any	any

4.5.1.1 Printing Invoices from the Sales Order Management System

Run the Print Invoices program to print invoices from the Sales Order Management system. When you run the Print Invoices program, the system:

- Uses the criteria that is set up in data selection to select the sales orders to process.
- Makes the standard validations and calculations.
- Reads the processing options for the corresponding version of the PO - Print Legal Documents from Sales Orders program (P7420565).
- Launches the Print Legal Document program (R74L3030) to assign the legal number and internal document number.

You can print invoices in proof or final mode. When you print in proof mode, the system does not generate a legal number and does not update tables.

4.5.1.2 Printing Invoices from the Accounts Receivable System

Run the Print Legal Documents from A/R program (R7430030) to print invoices from the JD Edwards EnterpriseOne Accounts Receivable system. When you run the Print Legal Documents from A/R program, the system:

- Reads invoices from the Customer Ledger table (F03B11) that were posted to the general ledger.
- Launches the Print Legal Document program (R74L3030) to assign the legal number and internal document number.

You can print invoices in proof or final mode. When you print in proof mode, the system does not generate a legal number and does not update tables.

4.5.1.3 Printing Invoices from the AM/PM Modules of JD Edwards EnterpriseOne System

Run the Generate Legal Document Header program (R7430020) to print invoices from the Asset Management (AM) and Project Management (PM) modules of the JD Edwards EnterpriseOne system, such as real-estate, contract service billing, and

warranty management. You must run the Generate Legal Document Header program to populate legal document header and then run the Print Legal Document program (R7430040) to print and generate the Invoice Print program (R74L3030). When you run the Generate Legal Document Header program, the system:

- Processes invoice records at header level and inserts records into the Legal Document header table (F7430010).
- Writes a record to the Unsigned Invoices table (F743012) for invoices for which no signature is generated.
- Displays errors on the following instances and sends the error messages to the Work Center:
 - Legal document header has already been generated.
 - Does not find the legal document type.
 - Value in VR01 field is not blank and its format is incorrect.

4.5.1.4 Reprinting Invoices

Use the Reprint Legal Document program (P7430031) to reprint selected documents. When you reprint a document, the system prints the same legal number as was used on the original legal document. When you select to reprint, the system verifies whether the record is included in the Legal Document Header table (F7430030). If the record is not in the F7430030 table, the system adds the record to the table as well as to the Legal Document Detail table (F7430032).

4.5.2 Print Invoice - Portugal SOP/AR (R74L3030)

The system launches the Print Invoice - Portugal SOP/AR program (R74L3030) when you print the invoices for Portugal from the JD Edwards EnterpriseOne Accounts Receivable system or from the JD Edwards EnterpriseOne Sales Order Management system.

When you print or reprint credit memos, the system prints on the credit memo a reference to all of the invoice to which the credit memo refers. For example, the text *Nota de Crédito referente às Facturas: 9, 10* is printed on the credit memo where, Credit Note 8 was applied to Invoices 9 and 10.

You can specify the number of copies to be printed using the legal document type setup. You can print three copies of the invoice the first time that you print an invoice. On the first copy, the system prints the text *Original*. On the second copy, the system prints the text *Duplicado*, and on the third copy it prints *Triplicado*. If you reprint the invoice for the second time and onwards, the system prints only one copy. When the system prints the invoice for the second and third time, it prints the text *2ª via* and *3ª via* respectively. When the system prints the invoice for the fourth time and onwards, it prints the text *Reimpressão*.

The Invoice Print Portugal - SOP/AR program prints the tax summary based on the setup in the Legal Document Types program (P7400002) and the tax exemption reason from the Tax Rate / Area Additional Information table (F74L4008). See [Appendix A, "Invoice Samples for Portugal"](#).

If you print the invoice for test or training purpose, then the printed document must contain the expression identifying that it is a document for training purposes. For example, the print *Documento emitido para fins de Formação* is printed as the watermark.

When you print a signed batch invoice for Portugal, the Portugal Invoice Print program prints the text *Cópia do documento original* on the invoice. If the invoice is a

signed batch invoice, then the legal document type must exist in the Portugal Signed Invoice Legal Doc Type UDC (74L/SI).

When you print a manual invoice for Portugal, the Portugal Invoice Print program (R74L3030) prints the text *Cópia do documento original-FTM abc/201200001* on the invoice, where,

- FT is the acronym defined in the 4.1.4.7 - Invoice Type field of the SAFT-PT, followed by letter M,
- abc is the series of the place of issue of the manual document
- 201200001 is the number of the manual document

If the invoice is a manual invoice, then the document type must exist in the Portugal Manual Invoice Document Type UDC (74L/MI).

When the customer's tax identification is not provided, the system prints the text Consumidor Final in the place of Tax id on the invoice.

4.5.3 Setting Processing Options for Print Invoice - Portugal SOP/AR program (R74L3030)

Use these processing options to specify the default values for the Portugal SOP/AR program (R74L3030).

4.5.3.1 General

1. Document is printed for Training Purpose

Specify a value for the flag to identify whether the document being printed is for training purpose. Set the value as 1, if the document being printed is intended for training purposes.

2. Software Provider Address Number

Specify the address book number of the software provider.

4.5.4 Printing Invoices from the Sales Order Management System

Select Invoice Processing (G74LDOC), Invoice Print.

4.5.5 Printing Invoices from the Accounts Receivable System

Select A/R Legal Document Processing (G74L03B), Print Legal Documents from A/R.

4.5.6 Printing Invoices from AM/PM Modules in JD Edwards EnterpriseOne System

Select Invoice Processing (G74LDOC), Generate Legal Document Header

4.5.7 Reprinting Invoices

Select one of these navigations:

- A/R Legal Document Processing (G74L03B), Reprint Legal Document
- Sales Legal Document Processing (G74L42), Reprint Legal Document

4.5.8 Setting Processing Options for PO - Print Legal Document from Sales Order (P7420565)

Use these processing options to specify default values for the Czech Republic and Portugal that the system uses when you run the Print Invoices (R42565) program to print legal documents.

4.5.8.1 General

1. Document Issue Place

Specify the legal document issue place. The value that you enter must exist in the F7400004 table.

2. Internal Document Type for Invoices

Specify the document type that you use for the business purposes to identify invoices. The value that you enter must exist in the Document Type (00/DT) UDC table and should be the document type that you specified for invoices in the Legal Doc. Types Relationship program (R74R0003).

You must set up same document type for the Print Invoices program (R42565) and the Print Invoice/Invoice Correction - PO program (P7420565).

3. Internal Document Type for Shipment Notes

This processing option is not used for the Czech Republic and Portugal.

4. Mode

Enter **1** to print in final mode. Leave this processing option blank to print in proof mode.

5. Summarize Sales Order Lines by Item

Enter **1** to summarize sales order lines by item. Leave this processing option blank to have the system print all sales order lines.

6. Automatic Printing

Oracle recommends that you suppress the automatic printing for invoices for the Czech Republic and Portugal.

Enter **1** to suppress printing.

4.5.8.2 Shipment Notes

The processing options on this tab are not used for invoices for the Czech Republic and Portugal.

4.5.8.3 Error Processing

1. Last Status Code for Invoices

Specify the last status code that invoices should have attained. The value that you enter must exist in the Activity/Status Codes (40/AT) UDC table. If the invoice has not attained the status code that you specify, the system displays an error message.

If you leave this processing option blank, the system uses **931** as the last status code.

2. Next Status Code for Invoices

Specify the next status code to which invoices will be moved. The value that you enter must exist in the Activity/Status Codes (40/AT) UDC table. If the invoice does not move to the status code that you specify, the system displays an error message.

If you leave this processing option blank, the system uses **831** as the last status code.

3. Last Status Code for Shipment Notes

This processing option is not used for the Czech Republic and Portugal.

4. Next Status Code for Shipment Notes

This processing option is not used for the Czech Republic and Portugal.

4.5.9 Setting Processing Options for Legal Document Print Process (R7430030)

Use these processing options to specify additional parameters for invoices that you print from the JD Edwards EnterpriseOne Accounts Receivable system.

4.5.9.1 General

1. Mode

Enter **1** to process records in final mode. Leave this processing option blank to process records in proof mode.

2. Print Currency

Enter **D** to print the invoice in domestic currency. If the invoice was entered in a foreign currency, enter **F** to print the invoice in the foreign currency.

3. Launch UBE Automatically (launch universal batch engine automatically)

Leave this processing option blank to automatically launch the Print Invoice - PO program (R7430030). Enter **1** to suppress the automatic launch of this program.

4. Print Line Attachment

Enter **1** to print the attachment that you specified when you entered the invoice. Leave this processing option blank to suppress printing of the attachment.

5. Contact Information Address Number

Enter the address book number of the person who is the contact person. If you leave this processing option blank, the system uses the contact person who is associated with the legal document type.

4.5.10 Setting Processing Options for Generate Legal Document Header (R7430020)

Processing options enable you to specify the default values for certain fields of the application.

4.5.10.1 Versions

1. PO - Localization Invoice Entry (P7433B11)

Use this processing option to identify the version of the PO - Localization invoice Entry (P7433B11) that the system uses while generating the Legal Document Header. You must ensure to specify the version that is set up for the PO - Localization invoice Entry (P7433B11). Otherwise, the system uses the ZJDE0001 version.

4.6 Printing Shipping Documents

This section provides an overview of printing shipping documents for Portugal and discusses how to:

- Print the shipping documents for Portugal.

- Set the processing options for Legal Shipping Document Print - Portugal - SOP -74L program (R74L3035).

4.6.1 Understanding the Process of Printing Shipping Documents for Portugal

You use the Legal Shipping Document Print - Portugal - SOP -74L program (R74L3035) to print the electronically signed Portugal shipping documents.

Note: The following consolidation modes are not supported in the Legal Shipping Document Print program for Portugal:

- No Consolidation
 - Multiple Order Consolidation
-

Note: When the information on the lines is different, following consolidation modes have limited support in Legal Shipping Document Print program for Portugal:

- Sales Order Level Consolidation
- Transaction Level Consolidation

When the information on the lines is different, you must manually run the generic invoice print process to create separate shipping documents for each line. You can also group the detail lines based on the difference in the information using the data selection and run the invoice print for each group of lines. For example, you can group the detail lines with same delivery dates or transportation mode before running the common invoice shipping document from the data selection of the Print Invoices program (R42565).

After setting the localization country as Portugal, if you print the base shipping documents, the system prints a warning message on the base shipping document. The system prints the following message on the base shipping document: *The shipping document being printed is not legally allowed, please use legally approved common invoice shipping document R74L3035.* The system prints the warning message on the following shipping documents:

- Bill of Lading (R42530)
- Delivery Notes Print (R42535)
- Transportation Bill of Lading (R49115)
- Shipment Manifest Print (R49135)
- Master Bill of Lading Print (R49137)
- Transportation Bill of Lading Print (R49118)
- EDI Advanced Ship Notice Extraction (R47032)

4.6.1.1 Prerequisites

The setup required for the Legal Shipping Document Print - Portugal - SOP -74L program is similar to the setup required for the Legal Invoice program. Before you complete the task in this section, verify the following setup:

- Verify that the document type is set up for the Legal Shipping Document Print program. Set the Legal Document Type Group (74/DG) value as *SHP*. See [Setting Up Legal Document Types](#).
- Verify that the relationship for the document type is set up for the Legal Shipping Document Print program. See [Associating Legal Document Types with Document Types](#).
- Verify that the next numbering is set up for the Legal Shipping Document Print program. See [Setting Up Next Numbers for Legal Documents](#).
- Verify that the issue place exists for the Legal Shipping Document Print program. See [Setting Up Legal Documents Issue Places](#).
- Verify that the relationship for the print template is set up for the Legal Shipping Document Print program. See [Associating Legal Document Types with Print Templates](#).
- Verify that the Legal Document - UBE relationship is set up for the Legal Shipping Document Program. See [Specifying Programs and Versions to Print Legal Documents](#).

4.6.2 Printing Shipping Documents for Portugal

Run the Print Invoices program (R42565) from the Batch Version program. The Print Invoices program runs the Legal Shipping Document Print - Portugal - SOP -74L program (R74L3035) when the Localization Country Code in your user profile is set to Portugal.

4.6.3 Forms Used to Print Shipping Documents for Portugal

Form Name	FormID	Navigation	Usage
Work with Legal Documents Reprint	W7430031A	Sales Order (G74L42), Reprint Legal Document	Reprint shipping documents for Portugal.

4.6.4 Setting Processing Options for Legal Shipping Document Print - Portugal program (R74L3035)

Use these processing options to specify the values for the Legal Shipping Document Print - Portugal - SOP -74L program (R74L3035).

4.6.4.1 General

Document is printed for Training Purpose

Specify a value for the flag to identify whether the document being printed is for training purpose. Enter 1 if you print the document for training purposes.

Software Provider Address Number

Specify the address book number of the software provider.

Shipping Document Type

Specify whether to print a shipping document or a return document. Values are:

- Blank: Print a shipping document
- 1: Print the document for the return of goods.

4.7 Reviewing Legal Documents

This section provides an overview of how to review legal documents and lists the forms used to review legal documents.

4.7.1 Understanding How to Review Legal Documents

You use the Sales Legal Doc. Inquiry by Int. Doc (Sales Legal Document Inquiry by Internal Document) program (P7420001) to locate information about sales orders using the document type.

You use the Sales Legal Doc. Inquiry by Legal Number program (P7420002) to locate information about sales orders by using the legal document number.

4.7.2 Forms Used to Review Legal Documents

Form Name	FormID	Navigation	Usage
Sales Legal Document Inquiry by Internal Document	W7420001A	Sales Legal Document Processing (G74L42), Sales Legal Doc. Inquiry by Int. Doc	Review information about sales orders using the document type.
Sales Legal Document Inquiry by Legal Number	W7420002A	Sales Legal Document Processing (G74L42), Sales Legal Doc. Inquiry by Legal Number Select a version on the Work with Versions form, and click Select.	Review information about sales orders by using the legal document number.

4.8 Reviewing Unsigned Invoices for Portugal

This section provides an overview of unsigned invoices and discusses how to review unsigned invoices.

4.8.1 Understanding Invoice Signatures

When a legal document number is attached to an invoice, the system generates a signature. The signature is created using the formatted legal document number as element 4.1.4.1 of SAF-T PT. Once a signature is generated it will be saved in the database with a direct link to the document to which it refers. For each signature the system saves the version in the database of the private key used to generate the signature. No unsigned invoices are allowed in the system. You are not allowed to assign a new signature to an existing document.

To verify information for unsigned invoices, access the Work with Unsigned Invoices program by typing P743012 in the Fast Path.

4.8.2 Forms Used to Review Invoice Signatures

Form Name	FormID	Navigation	Usage
Work With Unsigned Invoices	W743012B	G74L03B	Review information about unsigned invoices.

4.8.3 Reviewing Invoice Signatures

Access the Work With Unsigned Invoices program (P743012). Enter information into the following fields and click Find to search for and review unsigned invoices:

Legal Number

Enter the legal number that is assigned to the invoice.

Legal Document

Enter the legal document number that is assigned to the invoice.

Legal Company

Enter the legal company to which you add related invoices. The value that you enter must exist in the F7400010 table.

Document Number

Enter the place of issue of the legal document to which you add related invoices. The value that you enter must exist in the F7400004 table.

Document Type

Enter the address number of the company to which you add related invoices.

Document

Enter the document number, or use the Search button to locate the one you need.

4.9 Documenting Unused Legal Numbers for Portugal

This section provides an overview of unused legal numbers and discusses how to document unused legal numbers.

4.9.1 Understanding Unused Legal Numbers

Unused legal numbers are a break in the sequence of invoice numbers. In Portugal, all invoices have to be numbered in sequential order. Companies have to account for every number. If any interferes with that sequencing, such as a print error, system crash, or void of a document, EnterpriseOne must maintain a record of what happened. This record is stored in a log of unused numbers.

You can determine if there are gaps in legal numbers by accessing Work with Unused Legal Numbers program (P74L002).

4.9.2 Forms Used to Determine Unused Legal Numbers

Form Name	FormID	Navigation	Usage
Work with Unused Legal Numbers	W74L002A	G74L09	Review information about unused legal numbers.

4.9.3 Documenting Unused Legal Numbers

Access the Work With Unused Legal Numbers program (P743012). Enter information into the following fields and click Find to search for and document unused legal numbers:

1. Enter search criteria into the fields listed below, and then click Find:

Legal Number

Enter the legal number that is assigned to the invoice.

Legal Company

Enter the legal company to which you add related invoices. The value that you enter must exist in the F7400010 table.

Legal Document Type

Enter the document type or click the Search button to select one from the list.

Issue Place

Enter where the invoice was issued, or click the Search button to select one from the list.

2. Select the legal number you want to document, and then click Select.
3. On Select User Define Code, enter a reason for the unused legal numbers.
4. In the Records grid, select a reason for the unused legal numbers, and click Select.
5. Click OK.

Working with SAFT-PT XML

This chapter contains the following topics:

- Section 5.1, "Understanding SAFT-PT"
- Section 5.2, "Setting Up UDCs to Generate SAFT-PT XML"
- Section 5.3, "Setting Processing Options for SAFT Extractor (R74L30001)"
- Section 5.4, "Generating the SAFT-PT Report"
- Section 5.5, "Understanding the Portugal Legal Number Requirement (Release 9.2 Updates)"
- Section 5.6, "Working with the Movement of Goods Extract Report (R74L3002) (Release 9.2 Updates)"
- Section 5.7, "Working with the Parse XML Response Report (R74L3003) (Release 9.2 Updates)"
- Section 5.8, "Reprinting Invoices (Release 9.2 Updates)"
- Section 5.9, "Reviewing the Exported Transactions Information (Release 9.2 Updates)"
- Section 5.10, "Deleting Exported Transactions Information (Release 9.2 Updates)"

5.1 Understanding SAFT-PT

The Standard Audit File for Tax Purposes - Portuguese version (SAFT-PT) is a standardized XML file used for exporting the accounting information of a company to the tax authorities. SAFT-PT complies with the Portuguese law of a directive from the Organization for Economic Co-operation and Development (OECD) and is applied to all information registered after January 1, 2008. The system generates the SAFT-PT report in a normalized format for XML documents, complying with the SAFT-PT.xsd validation schema available on <http://www.portaldasfinancas.gov.pt>.

The system generates the SAFT-PT XML using the following steps:

- The SAFT -PT Extractor program (R74L3001) extracts the required information and produces the intermediate XML.
- The Business Intelligence Publisher (BIP) XSL transformation and report definition converts the intermediate XML to the legal SAFT-PT XML.

See [Portuguese Tax Authority published Administrative Rule no. 302/2016 XML Format \(Doc ID 2275987.1\)](#)

5.1.1 Prerequisites

Before you generate the SAFT-PT report:

- Verify that the taxpayer ID is assigned for the customers and suppliers. Verify that the taxpayer ID is stored in the Tax ID field of the Address Book Master table (F0101).
- Verify that the GL Date of the journal entries and source documents matches the period specified in the processing options *Period Start Date* and *Period End Date*.
- Verify that when a generic customer is used (for example, for counter sales customers) the name must be *Consumidor final* and the taxpayer ID must be 999999990.
- Verify the following set up in additional information programs:

- The product type and product group in the Additional Item Master Information program (P704101).

You also specify the Product Type (74L/PT) UDC and the Product Group (74L/PG) UDC in the processing option of the Item Master Additional Information program. Verify that the version of the Item Master Additional Information program is same as of the Item Master program (P4101) used.

- The chart of accounts responsible in the Referential Chart of Accounts program (P74L920) and the Accounts Mapping program (P74L921).

See "[Understanding Charts of Accounts](#)".

- The self billing indicator in the Address Book Additional Information program (P74L101). Select **1** from the Billing Indicator (74L/BI) UDC value if the self billing agreement exists or else select **0**. The Address Book Additional Information program (P74L101) provides the additional regional information of the Address Book program (P01012).

- The tax types, tax country region, and tax code in the Tax Rate/ Area Additional Information program (P74L4008). The Tax Rate/ Area Additional Information program (P74L4008) provides the additional regional information of the Work With Tax Rate/ Areas program (P4008).

See "[Understanding Tax Rate/ Area Additional Information](#)".

5.1.2 Form Used to Generate SAFT-PT

Form Name	Form ID	Navigation	Usage
SAFT Extractor (R74L3001)	W98305WD	SAFT-PT (G74LSAFT), SAFT Extractor (R74L3001)	Extracts the required information and produces the intermediate XML file.

5.2 Setting Up UDCs to Generate SAFT-PT XML

This section discusses the UDCs that you set up to generate SAFT-PT XML.

5.2.1 JE Transaction Type (74L/JT)

Set up this UDC to map the JE document type to the legal SAFT values. The system uses this value to generate the SAFT-PT XML.

You set up a JE Transaction Type (74L/JT) UDC value by associating it to a special handling code. The SAFT values are stored in the special handling code. For example, you set up the UDC value, **AE**, using the special handling code, **J**:

UDC Codes	Description 01	Special Handling
AE	Adjustment transactions	J

The following SAFT values are stored in the special handling code.

SAFT Values	Description
R	Regularizations in the taxation period
A	Results assessment
J	Adjustment transactions

5.2.2 Invoice Type (74L/IT)

Set up this UDC to map the internal invoice document type to the legal SAFT document type. The system uses this value to generate the SAFT-PT XML.

You define the Invoice Type (74L/IT) UDC values by mapping to a special handling code. The SAFT values are stored in the special handling code. For example, you set up the UDC value, **PI**, using the special handling code, **FT**:

UDC Codes	Description 01	Special Handling
PI	Imported Invoices	FT

The following SAFT values are stored in the special handling code.

SAFT Values	Description
FT	Invoice
ND	Debit note
NC	Credit note
VD	Sale for cash and invoice/sales ticket
TV	Sale ticket
TD	Devolution ticket
AA	Assets alienation
DA	Assets devolution
RP	Premium or premium receipt
RE	Return insurance or receipt of return insurance

SAFT Values	Description
CS	Imputation to co-insurance companies
LD	Imputation to a leader coinsurance company
RA	Accepted re-insurance

5.2.3 Ledger Types - SAFT Reporting (74L/LT)

Set up this UDC to specify the additional ledger types that you need to report in the SAFT-PT reporting. You use the mandatory ledger type, **AA**, in SAFT-PT reporting.

Values are:

Codes	Description
AA	General Ledger. This ledger type is a hardcoded value.
AZ	Cash Basis
CA	Foreign Currency

5.2.4 Product Type (74L/PT)

Select a hard-coded value from the 74L/PT UDC table when you set up the product type in the Item Master Additional Information program (P704101).

Values are:

Codes	Description
E	Special Consumption Taxes
I	Taxes
O	Others
P	Products
S	Services

5.2.5 Taxonomy Reference (74L/TA)

Select a hard-coded value from the 74L/TA UDC table to set up the taxonomy reference code required for the SAFT-PT reporting.

Values are:

Codes	Description
S	SNC Base Accounts - Taxonomy S
N	Interntl Acc Rules-Taxonomy S
M	SNC Microentities - Taxonomy M
O	No Taxonomy Coded

5.2.6 Taxonomy Code for Taxonomy S (74L/TB)

Select a value from the 74L/TB UDC table to specify the taxonomy code for the taxonomy reference codes S and N, as required by the Portuguese tax authorities.

The taxonomy codes for taxonomy reference codes S and N are described in Law 302/2016 - Anexo II.

5.2.7 Taxonomy Code for Taxonomy M (74L/TO)

Select a value from the 74L/TO UDC table to specify the taxonomy code for the taxonomy reference code M, as required by the Portuguese tax authorities.

The taxonomy codes for taxonomy reference code M are described in Law 302/2016 - Anexo III.

5.3 Setting Processing Options for SAFT Extractor (R74L30001)

Before you generate the SAFT-PT report, you set the processing options for the SAFT Extractor program (R74L30001).

5.3.1 General

1. Audit File Version

Specify the version of XML Schema to be used for the SAFT-PT reporting. It can be found at <http://www.portaldasfinancas.gov.pt>

2. Work Type

Specify the work type to be exported in the XML file.

5.3.2 Process

1. Accounting System

Specify the accounting system to be used for reporting the SAFT-PT. Certain sections of the SAFT -PT report are generated based on this processing option. Values are:

- C: Accounting
- E: Billing, Shipping and Working Documents Issued By Others
- F: Invoicing
- I: Integrated Invoices and Accounts
- S: Self Billing
- P: Partial Data

2. Integrated Accounting Invoice

Enter **1** if you want the accounting system to produce invoicing and accounting integrated data. This processing option is applicable only when the value of the Accounting System processing option is **P** (Partial Data).

3. Period Start Date

Specify the start date of the period for which you need to generate the SAFT-PT report.

4. Period End Date

Specify the end date of the period for which you need to generate the SAFT-PT report.

5. Taxonomy Reference

Specify the taxonomy reference required for generating the SAFT-PT report. Only those accounts entered in the Referential Chart of Accounts program (P74L920) based on the taxonomy reference selected will be exported in the general ledger section of the XML file.

6. WO Status From

Specify the start range of service work order status that the system uses to select service work orders to generate the SAFT-PT report. The value that you specify must exist in the Work Order Status UDC table (00/SS). The values in the 00/SS UDC table describe the status of a work order, rate schedule, or engineering change order.

7. WO Status To

Specify the end range of service work order status that the system uses to select service work orders to generate the SAFT-PT report. The value that you specify must exist in the Work Order Status UDC table (00/SS). The values in the 00/SS UDC table describe the status of a work order, rate schedule, or engineering change order.

8. Part List Material Status

Specify the material status from the Material Status UDC table (31/MS) for which the system generates the SAFT-PT report.

5.3.3 Company

1. Legal Company

Specify the legal company code of the company.

2. Commercial Registry Office

Specify the name of the Commercial Registry Office.

3. Commercial Registration Number

Specify the Commercial Registration Number allotted by the Commercial Registry Office.

5.3.4 Software Provider

1. Software Provider Address Number

Specify the address book number of the software provider.

5.3.5 Default

1. Enter the Item Number to be used for the A/R invoices without sales information.

Specify the item number to be used for the A/R invoices without sales information.

5.4 Generating the SAFT-PT Report

Select SAFT-PT (G74LSAFT), SAFT Extractor (R74L3001).

You run the SAFT -PT Extractor program (R74L3001) to generate the SAFT-PT report. When you run the SAFT -PT Extractor program, the system validates and generates the SAFT-PT XML file.

The JD Edwards EnterpriseOne system populates three sections of the SAFT-PT report:

1. Sales Invoices

2. Movement of Goods
3. Working Documents

If there is any error, system terminates the extraction and generates a PDF listing the errors and also lists the errors in the Work Center.

The R74L3001 program prints the working document details for the service work orders that are marked as payable and issued. The program includes only the service work orders that you have selected based on the work order status date range and part list material status specified in the processing options.


Note: The JD Edwards EnterpriseOne software only encrypts the Commercial Invoice and Shipping documents since these are the only document types that have been certified. You must not print working documents such as packing slips because they are not encrypted and certified.

5.5 Understanding the Portugal Legal Number Requirement (Release 9.2 Updates)

Taxpayers are required to submit information related to shipping documents issued to the tax authorities in order to obtain an identification code for each transaction reported. The identification code must be obtained before shipping the goods.

The following illustration describes the sales order process.

Figure 5–1 Process Flow for Sales



To obtain the AT identification code for transportation documents:

1. Create the sales order in the standard Sales Order Entry program (P4210).
2. Confirm that the goods are ready for shipping using the Confirm Shipment program (P4205).
 - a. Print shipping documents using the Legal Shipping Document Print - Portugal report (R74L3035).
 - b. Extract information related to the shipping documents using the Movement of Goods Extract report (R74L3002).
 - c. You submit information related to the shipping documents to the tax authority.
 - d. You receive the response XML file from the tax authority.
 - e. Parse the response XML file to extract the AT identification code for approved transactions using the Parse XML Response report (R74L3003).

- f. Update the legal document number and transmission status in the Exported Transactions File table (F74L3002).
- g. Print the AT identification code in the invoices using the Reprint Legal Document program (P7430031).
3. Print the invoice for the customer using the Print Legal Documents from Sales Orders program (P7420565).
4. Run the Sales Update program (R42800) to record and maintain accurate records.

5.6 Working with the Movement of Goods Extract Report (R74L3002) (Release 9.2 Updates)

You generate the Movement of Goods Extract report (R74L3002) to retrieve data for the transactions related to the shipping documents. You can submit the information to the tax authorities to obtain the AT identification code for each transaction reported.

5.6.1 Setting Processing Options for the Movement of Goods Information Extract Report (R74L3002)

Processing options enable you to specify the default processing for programs and reports.

5.6.1.1 General

1. Audit File Version

Specify the version of XML Schema to be used for the SAFT-PT reporting. It can be found at <http://www.portaldasfinancas.gov.pt>

5.6.1.2 Process

1. Accounting System

Specify the accounting system to be used for reporting transactions related to shipping documents. Certain sections of the Movement of Goods Extract report are generated based on this processing option. Values are:

- C: Accounting
The transactions related to shipping documents are not included in the report when you specify this value in the processing option.
- E: Billing, Shipping, and Working Documents Issued By Others
- F: Invoicing
- I: Integrated Invoices and Accounts
- S: Self Billing
- P: Partial Data

2. Integrated Accounting Invoice

Enter **1** if you want the accounting system to produce invoicing and accounting integrated data. This processing option is applicable only when the value of the Accounting System processing option is **P** (Partial Data).

3. Period Start Date

Specify the start date of the period for which you need to generate the Movement of Goods Extract report.

4. Period End Date

Specify the end date of the period for which you need to generate the Movement of Goods Extract report.

5. Include Processed Transactions

Specify whether you want to include the processed transactions in the report. Processed transactions are the transactions that are available in the Exported Transaction File table (F74L3002) and do not have a value in the ATDocCodeID field.

6. Exclude Foreign Customers

Specify whether you want to exclude the transactions of foreign customers in the report. Values are:

- **Y:** Enter Y if you want to exclude the transactions of foreign customers in the report.
- **N or Blank:** Enter N or leave this option blank if you do not want to exclude the transaction of foreign customers in the report.

5.6.1.3 Company**1. Legal Company**

Specify the legal company code.

2. Commercial Registry Office

Specify the name of the Commercial Registry Office.

3. Commercial Registration Number

Specify the Commercial Registration Number allotted by the Commercial Registry Office.

5.6.1.4 Software Provider**1. Software Provider Address Number**

Specify the address book number of the software provider.

5.6.1.5 Default**1. Enter the Item Number to be used for the A/R invoices without sales information.**

Specify the item number to be used for the A/R invoices without sales information.

5.6.2 Generating the Movement of Goods Information Extract Report

Select Portugal Localization module (G74L), SAFT - Shipping Documents, Shipping Documents Information Extract (R74L3002).

The system retrieves information for the relevant transactions and stores that information in the Exported Transactions File table (F74L3002). The value for the Transaction Status field in the table is set to Submitted for all transactions included in the report.

To reprint shipping documents with the AT identification codes, use the Print Shipping Documents with ATDocCodeID button on the Work With Exported

Transactions program (P74L3002). You can reprint shipping documents for single or multiple transactions to view the AT identification codes. The system only reprints the transactions with ATDocCodeID.

5.7 Working with the Parse XML Response Report (R74L3003) (Release 9.2 Updates)

You generate the Parse XML Response report (R74L3003) to retrieve information from the response XML file you have received from the tax authority. The response XML file contains information about transactions related to shipping documents that you submitted previously to the tax authority. The tax authority can approve or reject a transaction and provide a value for the ATDocCodeID field for each approved transaction.

5.7.1 Setting Processing Options for the Parse XML Response Report (R74L3003)

Processing options enable you to specify the default processing for programs and reports.

Response XML Path

Specify the location of the response XML file from which you want to retrieve information.

Legal Company

Specify the name of the company for which you want to run the report.

5.7.2 Generating the Parse XML Response Report (R74L3003)

Select Portugal Localization module (G74L), SAFT - Shipping Documents, Parse XML Response (R74L3003).

The system retrieves the information from the response XML file and updates the Exported Transaction File table (F74L3002) with the ATDocCodeID, Job ID, Transaction Status, and Job Process Date for each transaction.

5.8 Reprinting Invoices (Release 9.2 Updates)

Use the Reprint Legal Document program (P7430031) to reprint selected documents. When you reprint a document, the system prints the same legal number as was used on the original legal document. When you select to reprint, the system verifies whether the record is included in the Legal Document Header table (F7430030). If the record is not in the F7430030 table, the system adds the record to the table as well as to the Legal Document Detail table (F7430032).

You must reprint the invoices to include the AT identification code received for transactions related to the shipping documents.

5.8.1 Reprinting an Invoice

Select Portugal Localization module (G74L), SAFT - Shipping Documents, Reprint Legal Document.

Alternatively, you can click Legal Doc Reprint on the Form menu in the Work With Exported Transactions program (P74L3002) to reprint invoices.

5.9 Reviewing the Exported Transactions Information (Release 9.2 Updates)

You use the Work With Exported Transactions program (P74L3002) to view information about transactions related to the movement of goods that are submitted to the tax authority.

Complete the following steps to view the details of the exported transactions:

1. Select Portugal Localization module (G74L), SAFT - Shipping Documents, Shipping Documents Status.
2. Complete the header section, and then click Search.
3. Review the transaction details available in the grid.

5.10 Deleting Exported Transactions Information (Release 9.2 Updates)

You use the Work With Exported Transactions program (P74L3002) to delete information about transactions related to the movement of goods that are submitted to the tax authority. Transactions that have a value in the ATCodeDocID field cannot be deleted.

Complete the following steps to delete information of the exported transactions:

1. Select Portugal Localization module (G74L), SAFT - Shipping Documents, Shipping Documents Status.
2. Complete the header section, and then click Search.
3. Select the transaction you want to delete from the grid, and then click Delete.
The system deletes the transaction after confirmation.

Invoice Samples for Portugal

This appendix contains the samples of accounts receivables and sales invoices.

A.1 Invoice Print Portugal - SOP/ AR

You can print Portugal-specific invoices from the JD Edwards EnterpriseOne Sales Order Management system and the JD Edwards EnterpriseOne Accounts Receivable system. The Invoice Print Portugal - SOP/ AR program (R74L3030) prints the invoices for Portugal. The Invoice Print Portugal - SOP/ AR program prints the tax summary based on the setup in the Legal Document Types program (P7400002) and the Tax Exemption Reason from the Tax Rate /Area Additional Information table (F74L4008).

A.1.1 AR Invoice for Portugal - Sample

The following figure is a sample of an AR invoice for Portugal. Based on the values set up for the Discriminate Taxes UDC 74/DL, you can print an invoice recap section after the invoice detail section.

Figure A-1 Sample AR Invoice Print for Portugal

ORACLE
JD EDWARDS
ENTERPRISEONE

Fatura

04/02/2013 8:50:25
 Página 1 of 1

3ª via
 Fatura
 Número Legal da Fatura: 1P 1234.0000000012
 Número Transação: 1001/R1
 Data Emissão: 2013-01-28
 Moeda: EUR - Euro

Vendido por:
 Endereço n.º: 12412
 Portugal MailingName AB
 First Address Line
 Second Address Line
 A2 ----XXXXXXXXXXXXXXXXXXXX
 A4-YYYYYYYYYYYYYYYYYYYY
 Lisboa
 CA- 1234-123
 PT
 Número Contribuinte: 980020891

Vendido a:
 Endereço n.º: 12410
 Customer for portugal-Polonia
 Test 1
 Line 2
 Line 3
 Address Line 4
 City Detail
 AB - 9876
 PT
 Número Contribuinte: 123466789

Item Pagamento	Descrição	Valor	IVA %
001		95.24	5.000
002		190.48	5.000
003		285.71	5.000

Sumarização do IVA

IVA %	Descrição	IVA %	Valor Tributável	Valor IVA	Valor Não Tributável	Total
POLA	20 % Portugal Tax Area IMS RS	5.000	95.24	4.76	.00	100.00
POR1	Portugal Tax Area 1	5.000	476.19	23.81	.00	500.00

Valor Tributável 571.43
 Valor Não Tributável .00
 Valor IVA 28.57
Valor Total 600.00

www-Processado por programa certificado n.º X YZ/AT

R74L3030 / XJDE0001 / TP74L3030TR

A.1.2 Imported AR Invoice for Portugal - Sample

The following figure is a sample of an imported invoice for Portugal.

Figure A-2 Sample Imported Invoice Print for Portugal



Fatura

06/25/2013 4:29:13
Página 1 of 1

JD EDWARDS
ENTERPRISEONE

3ª via
Fatura
Cópia do documento original
Número Legal da Fatura: 2P 2323.0000000003
Número Transação: 33036/PI
Data Emissão: 2013-06-17
Moeda: EUR - Euro

Vendido por
Endereço n.º: 12412
Portugal MailingName AB
First Address Line
Second Address Line
AQ -----XXXXXXXXXXXXXXXXXXXX
AA-YYYYYYYYYYYYYYYYYYYYYYYY
Lisboa
CA- 1234-123
PT
Nº Contribuinte: 980020891

Vendido a
Endereço n.º: 12410
Customer for portugal-Polonia
Test 1
Line 2
Line3
Address Line 4
City Detail
AB - 9878
PT
Nº Contribuinte: Consumidor final

Item	Descrição	Valor	IVA %
Pagamento			
001		360.98	23.000

Sumarização do IVA

Área IVA	Descrição	IVA %	Valor Tributável	Valor IVA	Valor Não Tributável	Total
POLA	20 % Portugal Tax Area MS RS	23.000	360.98	83.02	0.00	444.00
			Valor Tributável			360.98
			Valor Não Tributável			0.00
			Valor IVA			83.02
			Valor Total			444.00

MP2-Processado por programa certificado n.º C2/AT


R74L3030 / XJDE0001 / TP74L3030TR

When you print a signed batch invoice for Portugal, the Portugal Invoice Print program prints the text *Cópia do documento original* on the invoice. If the invoice is a signed batch invoice, then the legal document type must exist in the Portugal Signed Invoice Legal Doc Type UDC (74L/SI).

A.1.3 Manual AR Invoice for Portugal - Sample

The following figure is a sample of a manual invoice for Portugal.

Figure A-3 Sample Manual Invoice Print for Portugal



**JD EDWARDS
ENTERPRISEONE**

3ª via
Fatura
Cópia do documento original-FTM 1234/53_MAN_004
Número Legal da Fatura: 3P 1234.0000000018
Número Transação: 33028/RN
Data Emissão: 2013-06-14
Moeda: EUR - Euro

Vendido por
Endereço n.º: 12412
Portugal MailingName AB
First Address Line
Second Address Line
AQ -----XXXXXXXXXXXXXXXXXXXX
AA-YYYYYYYYYYYYYYYYYYYYYYYY
Lisboa
CA- 1234-123
PT
Nº Contribuinte: 980020891

Fatura

06/25/2013 4:23:27
Página 1 of 1

Vendido a
Endereço n.º: 12415
Customer for portugal-Polonia
Test 1
Line 2
Line 3
Address Line 4
City Detail
AB - 9878
PT
Nº Contribuinte: 00000033004944

Item	Descrição	Valor	IVA %
001	Pagamento	632.33	23.000
002		722.67	23.000

Sumarização do IVA						
Área IVA	Descrição	IVA %	Valor Tributável	Valor IVA	Valor Não Tributável	Total
POLA	20 % Portugal Tax Area MS RS	23.000	1355.00	311.65	0.00	1666.65

Valor Tributável	1355.00
Valor Não Tributável	0.00
Valor IVA	311.65
Valor Total	1666.65

DY8+ Processado por programa certificado n.º XYZ/AT

R74L3030 / XJDE0001 / TP74L3030TR

When you print a manual invoice for Portugal, the Portugal Invoice Print program (R74L3030) prints the text *Cópia do documento original-FTM abc/201200001* on the invoice, where,


- FT is the acronym defined in the 4.1.4.7 - Invoice Type field of the SAFT-PT, followed by letter M,
- abc is the series of the place of issue of the manual document
- 201200001 is the number of the manual document

If the invoice is a manual invoice, then the document type must exist in the Portugal Manual Invoice Document Type UDC (74L/MI).

A.1.4 SOP Invoice for Portugal - Sample

The following figure is a sample of a SOP invoice for Portugal. Based on the values set up for the Discriminate Taxes UDC 74/DL, you can print an invoice recap section after the invoice detail section.

Figure A-4 Sample SOP Invoice Print for Portugal



**JD EDWARDS
ENTERPRISEONE**

Original
Fatura
Número Legal da Fatura : 1P 2225.0000000018
Número Transação: 1073/R1 368/S0
Data Transação: 2013-06-14
Data de Envio: 2013-06-14
Moeda: EUR - Euro

Vendido por
Endereço n.º: 12412
Portugal MailingName: AB
First Address Line
Second Address Line
AQ -----XXXXXXXXXXXXXXXXXXXX
A4-YYYYYYYYYYYYYYYYYYYYYYYYYYYY
Lisboa
CA- 1234-123
PT
N.º Contribuinte: 980020891

Local de Carga
Endereço n.º: 12415
Customer for portugal-Polonia
Test 1
Line 2
Line3
Address Line 4
City Detail
AB - 9876
PT
N.º Contribuinte: 00000033004944

Fatura

06/14/2013 3:18:01
Página 1 of 6

Linha	Artigo	Descrição	UM	Quantidade	Preço Unitário	Preço Total	IVA %
1.000	210 P2	Portugal Item2	EA	4.0000	150.0000	600.00	23.000
2.000	210 P	Portugal Item	EA	4.0000	100.0000	400.00	23.000

Sumarização do IVA							
Área IVA	Descrição	IVA %	Valor Tributável	Valor IVA	Valor Não Tributável	Total	
POLA	20 % Portugal Tax Area MRS	23.000	1000.00	230.00	0.00	1230.00	
			Valor Tributável			1000.00	
			Valor Não Tributável			0.00	
			Valor IVA			230.00	
			Valor Total			1230.00	

XPr4-Processado por programa certificado n.º XYZ/AT
 Portugal MailingName: AB
 Telefone: 0151 2232800
 Capital Social: EUR - N.º Contribuinte: 980020891 - Mat. Reg. Com.: MAT_TRAIN
 Número de Conta Bancária: 12412.1.SKPRUEBA
 SWIFT: 1234IT12
 IBAN: IT40S054281110100000123456

R74L3030 / XJDE0001 / TP74L3030TR

B

Shipping Document Samples for Portugal

This appendix contains the samples of legal shipping documents of Portugal.

B.1 Legal Shipping Document Print

You use the Legal Shipping Document Print - Portugal - SOP -74L program (R74L3035) to print the electronically signed Portugal shipping documents. The following image is a sample of a legal shipping document.

Figure B-1 Legal Shipping Document Sample



Guia de Transporte

06/17/2013 2:00:01
Página 1 of 2

Original
Número Legal da Guia Transporte: G2 2323:0000000000
Número da Transação: 37280
Data Transação: 2013-06-17
Data de Solicitação: 2013-06-17
Data de Entrega Prometida: 2013-06-17
Data de Envio: 2013-06-17
Moeda: EUR - Euro

Vendido por
Endereço n.º: 12412
Portugal MailingName AB
First Address Line
Second Address Line
AQ ----XXXXXXXXXXXXXXXXXXXX
AA-YYYYYYYYYYYYYYYYYYYY
Lisboa
CA- 1234-123
PT
Nº Contribuinte: 980020891

Vendido a
Endereço n.º: 12415
Customer for portugal:Polonia
Test 1
Line 2
Line 3
Address Line 4
City Detail
AB - 9876
PT
Nº Contribuinte: 00000033004944

Local de Carga
Endereço n.º: 12415
Customer for portugal:Polonia
Test 1
Line 2
Line 3
Address Line 4
City Detail
AB - 9876
PT
Nº Contribuinte: 00000033004944

Local de Entrega
Endereço n.º: 12415
Customer for portugal:Polonia
Test 1
Line 2
Line 3
Address Line 4
City Detail
AB - 9876
PT
Nº Contribuinte: 00000033004944

Detalhes do Transporte

Linha	Artigo	Descrição	Quantidade Pedida	Quantidade Enviada	UM	Volume	UM	Peso	UM	Preço Unitário	Preço Total	IVA %
1.000	210 P	Portugal Item	2.0000	2.0000	EA	30.0000	FC	80.0000	LB	100.0000	200.00	23.000

Valor IVA	Valor Tributável	Valor Não Tributável	Valor Total	Volume Total	UM	Peso Total	UM
46.00	200.00	.00	246.00	30.0000	FC	80.0000	LB

Local de Carga: _____
Data: ____/____/____ Hora: _____ Vistura: _____ Marca da Vistura: _____
Identificação do Condutor: _____
Local Descarga: _____

Assinatura do Condutor: _____

Assinatura do Cliente: _____

JGgq-Processado por programa certificado n.º XYZ/AT

R74L3035 / XJDE0001 / TP74L3035TRA1

B.1.1 Return of Goods Document Print

In the processing options of Legal Shipping Document Print - Portugal program (R74L3035), set the value of Shipping Document Type option as 1 to print the document for return of goods. The following image is a sample of a return of goods document.

Figure B-2 Return of Goods Document Sample



JD EDWARDS
ENTERPRISEONE

Devolução de Mercadorias

06/17/2013 3:11:25
Página 1 of 1

Original
Número Legal da Guia Transporte: G2 2323:0000000001
Número da Transação: 37180
Data Transação: 2013-06-17
Data de Envio: 2013-06-17
Moeda: EUR - Euro

Vendido por
Endereço n.º: 12412
Portugal MailingName AB
First Address Line
Second Address Line
A3 -----XXXXXXXXXXXXXXXXXXXX
A4-YYYYYY YYYYY YYYYY YYYYY YYYYY
Usboa
CA- 1234-123
PT
Nº Contribuinte: 980020891

Vendido a
Endereço n.º: 12410
Customer for portugal-Polonia
Test 1
Line 2
Line3
Address Line 4
City Detail
AB - 9876
PT
Nº Contribuinte: Consumidor Final

Local de Carga
Endereço n.º: 12415
Customer for portugal-Polonia
Test 1
Line 2
Line3
Address Line 4
City Detail
AB - 9876
PT
Nº Contribuinte: 00000033004944

Local de Entrega
Endereço n.º: 12410
Customer for portugal-Polonia
Test 1
Line 2
Line3
Address Line 4
City Detail
AB - 9876
PT
Nº Contribuinte: Consumidor Final

Detalhes do Transporte

Linha	Artigo	Descrição	Quantidade Pedida	Quantidade Enviada	UM	Volume	UM	Peso	UM	Preço Unitário	Preço Total	IWA %
1.000	210 P	Portugal Item	3.0000	.0000	EA					100.0000	300.00	23.000
2.000	210 P2	Portugal Item2	4.0000	.0000	EA					150.0000	600.00	23.000

Valor IVA	Valor Tributável	Valor Não Tributável	Valor Total	Volume Total	UM	Peso Total	UM
207.00	900.00	.00	1107.00				

Local de Carga: _____
Data: ____/____/____ Hora: _____ Viatura: _____ Marca da Viatura: _____
Identificação do Condutor: _____
Local Descarga: _____

Assinatura do Condutor: _____

Assinatura do Cliente: _____

T-kt-Processado por programa certificado n.º XYZ/AT
Portugal MailingName AB
Telefone: 0161 2232800
Capital Social: EUR1 - Nº Contribuinte: 980020891 - Mat. Reg. Com.: MAT-SHP001
Número de Conta Bancária: 12412.1.S KPRUEBA
SWIFT: 1234IT12
IBAN: IT40S0542811101000000123456

R74L3035 / XJDE0001 / TP74L3035TRA1

