

Oracle® Retail MICROS Stores2

Release Note

Release 1.18

September 2015

Oracle® Retail MICROS Stores2 Release Note, Release 1.18

Copyright © 2015, Oracle and/or its affiliates. All rights reserved.

Primary Author: Alessio Ossola

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Stores2

Release History ver. 1.18

Report developed by:

Fortech Italia srl

Q.A. Department

Version 1.14 of 27/11/2008

Table of contents

1	Introduction	4
2	Useful Information	4
2.1	External Modules	4
2.2	Host data interchange tracks	4
3	List of modifications	4
3.1	Service Pack 1.18.0 release on 01/02/2008	4
3.1.1	<i>Addition of new functionalities</i>	5
3.1.2	<i>Optimizations</i>	7
3.1.3	<i>Improvements</i>	7
3.1.4	<i>Corrections</i>	8
3.2	1.18.1 release on 19/02/2008	10
3.2.1	<i>Addition of new functionalities</i>	10
3.2.2	<i>Optimizations</i>	10
3.2.3	<i>Corrections</i>	11
3.3	1.18.2 release on 28/02/2008	11
3.3.1	<i>Addition of new functionalities</i>	12
3.3.2	<i>Corrections</i>	12
3.4	1.18.3 release on 28/03/2008	13
3.4.1	<i>Addition of new functionalities</i>	13
3.4.2	<i>Optimizations</i>	14
3.4.3	<i>Improvements</i>	14
3.4.4	<i>Corrections</i>	14
3.5	1.18.4 release on 07/04/2008	16
3.5.1	<i>Correction</i>	16
3.6	1.18.5 release on 16/04/2008	17
3.6.1	<i>Addition of new functionalities</i>	17
3.6.2	<i>Corrections</i>	17
3.7	1.18.6 release on 28/04/2008	18
3.7.1	<i>Addition of new functionalities</i>	18
3.7.2	<i>Corrections</i>	18
3.8	1.18.7 release on 15/05/2008	19
3.8.1	<i>Optimizations</i>	19
3.8.2	<i>Corrections</i>	19
3.9	1.18.8 release on 12/06/2008	20
3.9.1	<i>Optimizations</i>	20
3.9.2	<i>Corrections</i>	21
3.10	1.18.9 release on 02/07/2008	22
3.10.1	<i>Corrections</i>	23
3.11	Fix 1.18.10 release on 16/07/2008	23
3.11.1	<i>Addition of new functionalities</i>	23
3.11.2	<i>Corrections</i>	24
3.12	Fix 1.18.11 release on 31/07/2008	25
3.12.1	<i>Corrections</i>	25
3.13	Fix 1.18.12 release on 16/10/2008	25
3.13.1	<i>Corrections</i>	25
3.14	Fix 1.18.13 release on 27/11/2008	26

3.14.1 Corrections26

Note: The rebranding for the latest version of this documentation set is in development as part of post MICROS acquisition activities. References to former MICROS product names may exist throughout this existing documentation set.

1 Introduction

This document contains all the modifications made to Stores2 with the 1.18.0 version.

2 Useful Information

N.B.:

The fixes include all previous fixes starting from the Service Pack (i.e. the fix 1.18.3 will include all the fixes released starting from Service Pack 1.18.0).

2.1 External Modules

IMPORTANT: the following external modules must also be released with sp 1.18.0:

- S2_UC00.exe
- S2_UC02.exe
- S2_UC06.exe
- S2_UC15.exe replaces S2_UC13.exe
- S2_UC14.exe
- S2_UC16.exe (if you want to perform the archiving function on access databases)

so check which ones are already present in the installation and release the remaining ones.

The setup of this version already contains all these components.

2.2 Host data interchange tracks

Make sure that the host data interchange tracks are always updated to the version in question (see document DOC.06.0145).

3 List of modifications

3.1 Service Pack 1.18.0 release on 01/02/2008

This update brings the database level to version 1636.

3.1.1 Addition of new functionalities

- Addition of transfer management between internal warehouses in goods transfers (for additional details see doc. DOC.08.0150.0.AO-(it) - Stores2 - 1.18.0 - Magazzini - Trasferimenti tra magazzini interni nei giroconti.doc);
- Addition of Stores2 test environment management (for additional details see doc. DOC.08.0115.0.AO-(it) - Stores2 - 1.18.0 - Parametri generali - Utilizzo Stores2 in ambiente di test.doc);
- Addition of minimum stock management in orders (for additional details see doc. DOC.08.0132.0.AO-(it) - Stores2 - 1.18.0 - Ordini - Gestione del sottoscorta.doc);
- Addition of authorization management for end of season returns (for additional details see doc. DOC.08.0124.0.AO-(it) - Stores2 - 1.18.0 - Magazzini - Gestione autorizzazione documenti da host.doc);
- Addition of tax percentage assignment management on receipts after their issue (for additional details see doc. DOC.08.0131.0.AO-(it) - Stores2 - 1.18.0 - Vendite - Attribuzione percentuale tassa su scontrini.doc);
- Addition of automatic migration management from access to SQL server (for additional details see doc. DOC.08.0109.0.AO-(it) - Stores2 - 1.18.0 - Parametri generali - Migrazione da Access a Sql Server.doc);
- Addition of category management for warehouse motives (for additional details see doc. DOC.08.0105.0.AO-(it) - Stores2 - 1.18.0 - Magazzini - Gestione categorie di causali di magazzino.doc);
- Addition of monthly automatic activations in automatic activations (for additional details see doc. DOC.08.0104.0.AO-(it) - Stores2 - 1.18.0 - Attivazioni automatiche - Schedulazioni mensili.doc);
- Addition of limit management to reassortment orders (for additional details see doc. DOC.08.0164.0.MM-(it) - Stores2 - 1.18.0 - Ordini - Limitazioni agli ordini di riassortimento.doc);
- Addition of the possibility to display the product code assigned to a supplier, as well as the internal code of the product itself in a warehouse document (for additional details see doc. DOC.08.0108.0.MM-(it) - Stores2 - 1.18.0 - Magazzini - Visualizzazione codice prodotto fornitore in manutenzione documenti di magazzino.doc);

- Addition of the possibility to display suspended quantities on the stock search screen, with the same procedure used for the ordered quantities (for additional details see doc. DOC.08.0616.0.MM-(it) - Stores2 - 1.18.0 - Vendite - Visualizzazione quantità sospesa in ricerca giacenze.doc);
- Addition of the possibility of saving the quantities of the reorder proposals (for additional details see doc. DOC.08.0103.0.MM-(it) - Stores2 - 1.18.0 - Ordini - Salvataggio della quantità della proposta di riordino.doc);
- Addition of the possibility of applying the system date to suspended documents on which to go in revision (for additional details see doc. DOC.08.0112.0.MM-(it) - Stores2 - 1.18.0 - Magazzini - Flag 'imposta data del giorno' su nodi geografici.doc);
- Addition of the possibility to enter customers using the reference node associated to a head office user, so that the customer node created is the reference one and not the head office one (for additional details see doc. DOC.08.0114.0.MM-(it) - Stores2 - 1.18.0 - Anagrafiche - Attribuzione nodo in codifica clienti.doc);
- Addition of the possibility of displaying a new column on the warehouse movement list screen containing the confirmation date of movements (for additional information see doc. DOC.08.0116.0.MM-(it) - Stores2 - 1.18.0 - Magazzini - Visualizzazione data di conferma nell'elenco movimenti.doc);
- Addition of the possibility of performing a date/time alignment between server and client (for additional details see doc. DOC.08.0120.0.MM-(it) - Stores2 - 1.18.0 - Generale - Allineamento data e ora tra server e client.doc);
- Addition of the possibility of storing possibly incorrect data in the data from host import database, in order to later attempt reacquisition in the future (for additional details see doc. DOC.08.0121.0.MM-(it) - Stores2 - 1.18.0 - Collegamenti - Conservazione dati errati in acquisizione da host.doc);
- Addition of the possibility to constrain the nodes to send messages only to preset nodes (for example the head office node) see doc. DOC.08.0122.0.MM-(it) - Stores2 - 1.18.0 - Messaggi - Limitazione ai destinatari dei messaggi.doc);
- Addition of a function on the receipt management screen able to provide data related to the total of the receipts from the day, the pieces sold and the value (for additional details see doc. DOC.08.0163.0.MM-(it) - Stores2 - 1.18.0 - Vendite - Visualizzazione informazioni sul venduto in gestione scontrini.doc);

- Addition of the possibility of filtering the supplier list according to whether you are working on an order or on a warehouse movement (for additional details see doc. DOC.08.0165.0.MM-(it) - Stores2 - 1.18.0 - Magazzini - Filtro fornitori in ordini e movimenti.doc);
- Addition of the possibility of being able to more completely use the tool used to enter uncoded products in a warehouse document (for additional details see doc. DOC.08.0166.0.MM-(it) - Stores2 - 1.18.0 - Magazzini - Gestione articoli non previsti nei carichi di magazzino.doc);
- Addition of the possibility of being able to change a suspended load document which an adjustment is associated to (having enabled the "carico con rettifica" flag on the desired warehouse motive);
- Addition of the customer parameter selection function using the barcode in the receipt management screen;
- Addition of management to determine the type of receipt barcode printing with RCH Nucleo cash registers;
- With this version customers with code greater than "99" will no longer be able to select and use the Sweda cash register, since it is not longer supported;

3.1.2 Optimizations

- Optimization of line and heading discount management in sales to calculate all the information each time (percentage discount, discount amount and discounted amount) in order to have a better idea of the amount of the discount you are applying;
- Optimization of the data distribution function to make its reading and configuration easier (for additional details see doc. DOC.08.0146.0.AO-(it) - Stores2 - 1.18.0 - Collegamenti - Modifica funzione di distribuzione dati.doc);
- Optimization and dynamic and customized return of the list of movements in the stock form of a product (for additional details see doc. DOC.08.0113.0.MM-(it) - Stores2 - 1.18.0 - Giacenze - Parametrizzazione elenco movimenti prodotto.doc);

3.1.3 Improvements

- Improvement of the parcel barcode printing function to make it possible to use key fields of the document (for additional details see doc. DOC.08.0111.0.AO-(it) - Stores2 - 1.18.0 - Magazzini - Estesa gestione di stampa barcode collo.doc);

- Improvement of the control for exclusively using the program when Stores2 is started;
- Improvement of the "NodiGeografici" table structure. Unmanaged fields have been eliminated;
- Improvement of the heading discount calculation in the American management. The confirmation key at the end of the recalculation operation has been disabled;
- Improvement of log writing. Addition of saving in logs for "S2_AutostartAvvio" file activation/deactivation messages;

3.1.4 Corrections

- Correction of expected presence extraction to host. Integration of missing fields;
- Correction of the Stores2 data elimination function. New inserted tables managed;
- Correction of the geographic node recoding function. New inserted tables and unmanaged tables managed;
- Correction of VAT number and fiscal code management for sole proprietorship;
- Correction of some functions and improvements performed for "Utility" tool;
- Correction of an error which could occur when acquiring type "E" packets;
- Correction of information saving in the "log.txt" file, by excluding saving of queries (to be sent only to log_ado);
- Correction of deposit management and its adequate management if deposits are created with incorrect data;
- Correction of the node employee deletion function, so that the employee barcode is deleted as well;
- Correction of some problems in fidelity management with suspended receipts;

- Correction of an error which could occur in the receipt list due to an incorrect filter;
- Correction of the "Method of '~'" error which could appear in various program screens;
- Correction of correct fidelity barcode retrieval if there were two identical barcodes with one of the two deleted;
- Correction of the warehouse emptying function since it could incorrectly indicate that some quantities would be negative;
- Correction of various managements related to the "Expected presences" function;
- Correction and optimization of the management of warnings in the receipt management opening phase if the operating codes for the cash register were not set correctly;
- Correction of data re-extraction if the "fidelitymovimenti" table had "fidelity" set as sorting type;
- Correction of an overflow type error during the taxfree list display phase if taxfree codes greater than 8 characters were inserted manually;
- Correction of a problem in suspended receipt management, where stock updating was not performed;
- Correction of various translations in French;
- Correction and optimization of flow node management;
- Correction of "default" flag saving settable via "Authorizations" management of the operator classes;
- Correction of a problem regarding failure to clean references on an associated document in the event of deletion of an adjustment, if work is done on other stores movements from the head office;
- Correction of the change to the "automatic" field description once a parcel is confirmed;

- Correction of the "Used" parameter reconstruction for products and variants in the data receiving phase;
- Correction of stock display for articles without size scale if the head office is set as "Order management node";
- Correction of the display of many buttons on various program screens;
- Correction of the transmission of the denso portable scanner version to the head office if it is retrieved automatically during the data unloading procedure;
- Correction of reference node management on price lists and faster quick price list saving routine;

3.2 1.18.1 release on 19/02/2008

This update brings the database level to version 1637.

3.2.1 Addition of new functionalities

- Addition of logs to track data downloading operations from portable scanner;
- Addition of NodoRiferimento management in Products Prices tab and warehouse movement form;
- Addition of asterisk character management in the product code and in the barcode;

3.2.2 Optimizations

- Optimization of geographic node elimination management. Now the default key becomes 'NO' instead of 'YES' and if you select 'YES' you get a new message that warns you that the data will be physically deleted if you continue (again in this case the default key will be 'NO');
- Optimization of deleted fidelity barcode management.

3.2.3 Corrections

- Correction of a minor problem on value assignment of the sales data source: if there was a sale and a return of the same article they were assigned a 0 value even if the data was grouped for month and the sale and return were in two different months;
- Correction of the 'Field not required' error which occurred by selecting the `ScalarinoTaglieCodice` field in the 'Inventory' statistical data Source.
- Correction of the start day management for fidelity validity months;
- Correction of the character number control for EAN13 type barcodes;
- Correction of `presenzepreviste` acquisition from other stores to set the `DataOraTrasmissioneAdHost` for data already sent to host;
- Correction of the elimination of previously allocated product sales lines;
- Correction of the retransmission of the `ParametreProdottoCodici` table by other stores. This operation must only be done by the head office;
- Correction of parcel barcode modification in the data download from portable scanner phase;
- Correction and optimization of loading the fidelity customer list, which could be very slow based on the amount of data to load;
- Correction of the translation in English of some deposit management items;
- Correction of printing block management for DDT, invoices, tax frees and invoices from suspended documents;
- Correction of a barcode reading error for customers with associated customer parameters;
- Correction of an 'H' type packet acquisition error;
- Correction of some problems which could cause the creation of warehouse documents with duplicate key;

3.3 1.18.2 release on 28/02/2008

This update brings the database level to version 1641.

3.3.1 Addition of new functionalities

- Addition of Epson TMT 260F cash register management for Serbia;

3.3.2 Corrections

- Correction of field terminator management in data downloading with PS;
- Correction of the error in data acquisition from host phase with the Bulk Insert flag;
- Correction of the S2_ProdottiGriglia module to increase the maximum price field value from 9,999,999 to 99,999,999;
- Correction of the receipt list and users to remove use of the copy tool (which was displayed but not supported);
- Correction of the record closing error which occurred in movement extraction to host;
- Correction of bulk insert management in data acquisition from host phase;
- Correction of the control in the phase for quick price list creation with the same start date;
- Correction of customer form saving;
- Correction of the parameter grid filter operation on the S2_FonteObbiettivi.dll module;
- Correction of invoice numbering. We have expanded the range of compatible values;
- Correction of manual line addition to a parcel in the confirmation phase;
- Correction of the scrollbar on the user screen. It was off center and half hidden;
- Correction of translation management of the various 'Tipi Prezzi' and 'Tipi Listini' fields;
- Correction of cost reconstruction routines;
- Correction of the price display if the purchase price node class is set;
- Correction of an error in centralized stock extraction phase;
- Correction of the creation of statistics with value assignments;

- Correction of Stores2 update packet acquisition if the Stores2CE server is installed as service on the pc;
- Correction of a problem which could cause Stores2 to crash during the receipt management exit phase, using the Fasy Zephyr cash register;

3.4 1.18.3 release on 28/03/2008

This update brings the database level to version 1647.

3.4.1 Addition of new functionalities

- Addition of management of cancelled inventory adjustment document creation. Set the "Generate cancelled document" flag on the "Positive inventory adjustment" motive (the one that is set on the document heading). When closing the inventory the adjustment document will be generated cancelled;
- Addition of wizard transfer management for parcel (see doc. DOC.08.0223.0.AO-(it) - Stores2 - 1.18.3 - Magazzini - Gestione colli.doc);
- Addition of missing translations in Geographic Nodes, Workstation Nodes and General Parameters;
- Addition of writing of a specific log in acquisition phase and file extraction from host on the used module (for example, for host00 the log "Log_Exchange_Fortech.TXT" will be written, and also the respective log_exchange_err);
- Addition of the possibility of constraining the use of a portable scanner or barcode reader in order to be able to confirm a warehouse document (load/transfer);
- Addition of the possibility of being able to register deposits at zero. This implementation can be applied both to stores which have enabled deposit management, and those which do not use it;
- Addition of interfacing of Olivetti Open cash register (Romania) with Stores2;
- Addition of interfacing of Fasy Smile Graphic cash register with Stores2;
- Addition of interfacing of FM3000 cash register (FMU Slovakia) with Stores2;
- Addition of priority barcode printing management for products which have an EAN type barcode. If a product has an EAN barcode and a non-EAN barcode, Stores2 prints the label with the EAN barcode;

3.4.2 Optimizations

- Optimization of order import from host management to make it faster;
- Optimization of the reconstruction function of a node: at the end of the procedure an option is proposed to the user used to automatically clean the node data transmission folder;

3.4.3 Improvements

- Improvement of the statistic import function to manage the presence of various languages;
- Improvement of parcel management to make it consistent with all the applications that use it (Stores2 and Stores2CE);

3.4.4 Corrections

- Correction of retransmission of the "FidelityPunteggiBase" table in the modification phase of the "FidelityPunteggi" table;
- Correction of transfer wizard management for products which do not manage sizes;
- Correction of the display of the filter line on prices in the product form;
- Correction of the clerk change function on already issued receipts containing departments;
- Correction of the management of the "DescAzienda" and "DescNodo" fields in label printing;
- Correction of the tools in the warehouse movement list to prevent copying of a sales movement;
- Correction of the update acquisition management to be acquired in version and not name order;
- Correction of closing management by an owner node of an inventory in confirmed status;
- Correction of size management in deposits;
- Correction of management of documents already confirmed by host;

- Correction of configuration tool POS 07 pinpad NCR;
- Correction of the filter for node in customer source;
- Correction of the document value assignment;
- Correction of the Compact Lines function in warehouse documents; Management of the presence of parcel number and barcode as well;
- Correction of the display of products in stock and suspended products on the lines of a new order;
- Correction of cash register closing management in test environment. Reading and closing will be enabled, but the obligatory managements of closing will also be displayed and managed;
- Correction of the management of the maximum number (integer) of barcodes which can be downloaded from PS;
- Correction of a problem in apostrophe management in variant codes;
- Correction of the management of date/time separators for Prglog.exe;
- Correction of a problem which did not make it possible to correctly assign a value to prices in statistics (including inventory ones);
- Correction of the stock reconstruction function if subnodes are present;
- Correction of the registration of sales with automatic discounts (fidelity) in the presence of lines with departments;
- Correction of some acquisition from host and extraction from host problems;
- Correction of a problem which could occur when performing a clerk change in a receipt, if the lines of the receipt were not sequential;
- Correction of an error which occurred on sql server 2000 installations by performing the average cost consolidation procedure;
- Correction of the control on the database name in the Store2.ini file: any letters present in the node code are no longer key sensitive;

3.5 1.18.4 release on 07/04/2008

This update brings the database level to version 1648.

3.5.1 Correction

- Correction of the error which occurred in the inventory cancellation phase;
- Correction of the block on modification of customers not belonging to your node;
- Correction of price modification management with user enabled only for value modification;
- Correction of cost reconstruction management. Now the costs will be reconstructed only if price management is imported on the motive;
- Correction of missing translations in Greek;
- Addition of logs in receipt management to monitor discounting;
- Correction of the error in fraud control phase during database compacting. Addition of a control on the database status before writing the event on the database;
- Correction of an error in the printing phase from the list of transferred products in stock;
- Correction of sending receipts with negative total to host;
- Correction of the passage between statistics. By clicking on two statistics quickly the program generated an error;
- Correction of data loading in the grid in the parcel confirmation from PS phase;
- Correction of original document confirmation in parcel management. The data which were left incorrectly suspended will be automatically confirmed and retransmitted;
- Correction of stock sorting for non-automated nodes;
- Correction of DDT elimination management on unload documents (the DDT can only be eliminated by the load document);
- Correction of a problem regarding updating at head office of a time belonging to expected presences created by a store;

- Correction of a problem which did not allow entry of more than one week in expected presences;
- Correction of the calculation of ricavonetto and ricavolordo fields in warehouse movements based on two decimals instead of three;
- Correction of an error which could create values not aligned with the gross cost and net cost between original document and adjustment.

3.6 1.18.5 release on 16/04/2008

This update brings the database level to version 1649.

3.6.1 Addition of new functionalities

- Addition of the reference to orders in the wizard transfer screens;
- Addition of a control on the supply in the product loading phase in the order and warehouse document grid (see doc. DOC.08.0294.0.AO-(it) - Stores2 - 1.18.5 - Ordini-Magazzini - Controllo fornitore in fase di caricamento prodotti nella griglia.doc);
- Addition of controls in the differential update acquisition phase;
- Addition of possibility of downloading parcels to transfer with PS for storage warehouses, replacing those already present;
- Addition of the possibility of using the subset of nodes dependent on reference node including in the stock search phase;

3.6.2 Corrections

- Correction of the S2_FonteDocumenti module for the correct extraction of data related to the supplier on the document avoiding the transfer of alternative suppliers;
- Correction of the value assignment function;
- Correction of stock printing with the option of displaying the ordered quantity as well;
- Correction of the barcode display on the product form in the presence of cancelled barcodes;
- Correction of the retrieval and display of categories un the creation phase of a new warehouse document;

- Correction of the filter on the collection in the customer order list;
- Correction of "ParametriProdottiVarianti" host importing;
- Correction and elimination of the display of cancelled lines of a receipt if the barcode of an issued receipt is beeped;
- Correction of Stores2 update packet acquisition if it is enabled as service;
- Correction of some duplicate key errors which could appear in the confirmation phase of a warehouse document or parcel;
- Correction of a problem which could cause Stores2 to block by trying to delete a suspended receipt registered with Stores2CE;
- Correction of the S2_ProdottiGriglia module to increase the maximum price field value from 9,999,999 to 99,999,999;
- Correction of the receipt list and users to remove use of the copy tool (which was displayed but not supported);
- Correction of the record closing error which occurred in movement extraction to host;

3.7 1.18.6 release on 28/04/2008

This update brings the database level to version 1649.

3.7.1 Addition of new functionalities

- Addition of the monthly closing function for FMU3000 cash register;

3.7.2 Corrections

- Correction of a problem where in the weighted average cost calculation in document source the second date of the selected range was not taken into consideration;
- Correction of the retrieval query of nodes in sql in the stock search phase for various nodes;
- Correction of default management on fields if they were incorrectly set in the database update phase;
- Correction of the statistics source used for the returnability lists;

- Correction of update acquisition in presence of Stores2CE service without administrator rights;
- Correction of management of use of currencies different than that of the node in parcel management;
- Correction of saving of the discount on a company employee form;
- Correction of a problem in login activation via initials;
- Correction of a problem in stock search if no node was selected;

3.8 1.18.7 release on 15/05/2008

This update brings the database level to version 1651.

3.8.1 Optimizations

- Modification of the 'az' type packet sorting logic to decrease execution times of the S2_Delivery module;
- Modification of the "NodiAllineamentoGiacenze" table and addition of the "DataUltimaRicezioneGiacenze" field to save the date of last reception of the stock alignment packet;
- A modification has been made whereby after performing data archiving each node has to send its archiving status to all nodes so that nodes which are no longer parallel can clean the data;

3.8.2 Corrections

- Correction of a problem which could cause retransmission of unedited products to host;
- Correction of a problem that could cause errors in the label printing phase;
- Correction of price list file importation per node;
- Correction and insertion of translation in different languages on various program screens;
- Correction of a problem in currency conversion in the generation phase of a purchase price list;

- Correction of a problem whereby in the retrieval phase of a suspended receipt the VAT associated with a customer was not considered;
- Correction of the warehouse movement management to prevent modification of the suspended state on movements with 'receipt sale' motive.
- Correction of the fidelity movement retrieval function, which did not disable cancelled receipts;
- Correction of a problem in customer privacy management, so that the request for authorization to process data was not performed by entering in the property of a customer;
- Correction of the label printing management in the event that the 'product node' field is enabled;
- Correction of an error which could appear in price extraction by node class phase;
- Correction of the entire retransmission of master data of a product in the event that a secondary table is edited;
- Correction of a problem whereby the first letter of the entered password could be overwritten;
- Correction of the adjustment creation procedure for a warehouse document using Greek taxes;
- Correction of some controls used to check parcel barcode unequivocalness;
- Correction of a new key enabling in the geographic node after having changed the default VAT rate of the node:
- Correction of an error which could occur in price fidelity data to other stores extraction phase;

3.9 1.18.8 release on 12/06/2008

This update brings the database level to version 1651.

3.9.1 Optimizations

- Sales: optimization of the graphics of the customer entry window in receipt management.

3.9.2 Corrections

- Warehouses: correction of an error which could appear in the barcode printing from warehouse document phase;
- Warehouses: correction of a duplicate key error in confirming parcels with Unitech portable scanner;
- Warehouses: correction of the 'check by parcel' management using the Denso portable scanner;
- Warehouses: correction of the management and possibility to use the Compact lines tool in a warehouse document;
- Warehouses: correction of setting of "NodoDocumentoAssociato" field in the event of change of node for a transfer;
- Warehouses: correction of the confirmation of various parcels at the same time linked to different warehouse documents;
- Sales: correction of an error which could occur by entering receipt management due to an incorrect configuration of the display standby state;
- Sales: correction of the control on the cashier timer when the cash drawer open request screen is in the foreground.
- Sales: correction of some managements of errors which could occur in the printing phase of a tax-free;
- Sales: correction of price retrieval in the event of presence of price lists by node for dependent nodes;
- Connections: correction of field importation related to fiscal codes of customer master data;
- Connections: correction of sales extraction to host to correctly format the 'NumeroVersamento' field;
- Connections: correction of exportation to host for changed data regarding expected presences;
- Connections: correction of the archiving packet acquisition procedure;

- Connections: correction of exportation to host of 'CodiceFiscale' field in 'MovimentiCassa' table;
- Connections: correction of the stock alignment function so that dummy products are not considered;
- Connections: correction of the control on the performance state in delivery double opening phase;
- Connections: correction of the creations and sorting of master data packets;
- Connections: addition of 'OK' key description in the data archiving pop up at the end of data transmission/reception;
- Connections: correction of the product barcode cancellation during the data archiving phase: before all the barcodes were cancelled regardless of the type, now only type=1 (products);
- General: correction of a Prglog tool error due to the log date formatted with the '-' character;
- Orders: correction of the shipping date display in the lines of customer orders;
- Orders: correction of received value reconstruction in orders in the presence of parcel management;
- Expenses: correction of the display on the subconcentrator and supplier head office associated to a subnode expense;
- Invoices: correction of invoice printing from the warehouse movement list;
- Inventories: correction of generation of inventories with goods transfer;
- Geographic Nodes: correction of data distribution field filling in during the opening phase of various nodes at the same time.

3.10 1.18.9 release on 02/07/2008

This update brings the database level to version 1651.

3.10.1 Corrections

- Warehouses: correction of an error which could appear in the barcode printing from warehouse document phase;
- Warehouses: correction of a duplicate key error in confirming parcels with Unitech portable scanner;
- Warehouses: correction of the 'check by parcel' management using the Denso portable scanner;
- Warehouses: correction of the management and possibility to use the Compact lines tool in a warehouse document;
- Warehouses: correction of setting of "NodoDocumentoAssociato" field in the event of change of node for a transfer;
- Warehouses: correction of the confirmation of various parcels at the same time linked to different warehouse documents;
- Sales: correction of an error which could occur by entering receipt management due to an incorrect configuration of the display standby state;
- Sales: correction of the control on the cashier timer when the cash drawer open request screen is in the foreground.
- Sales: correction of some managements of errors which could occur in the printing phase of a tax-free;
- Sales: correction of price retrieval in the event of presence of price lists by node for dependent nodes;
- Connections: correction of field importation related to fiscal codes of customer master data;

3.11 Fix 1.18.10 release on 16/07/2008

This update brings the database level to version 1652.

3.11.1 Addition of new functionalities

- Other: Addition of exportation to SAFT tool (see doc. DOC.08.0323.0.AO-(it) - Stores2 - 1.18.10_1.19.3 - Fiscalita portoghese - Export verso SaftPt.doc).

3.11.2 Corrections

- Operators: correction of stamping in retrieval phase for the last operation performed by employee;
- Warehouses: correction of a problem in the document value recalculation phase on the heading during confirmation of a document with adjustment;
- Warehouses: correction of the document date block also in movement editing;
- Geographic nodes: correction of the data distribution function for node in the event of selection of a different distribution (for example by parameter) and then exiting node master data without confirming;
- Sales: correction of the invoice print function from receipt list: now it retrieves the associated customer like from direct printing from receipt management;
- Sales: correction of tax free printing;
- Sales: correction of data display on Epson display in standby phase;
- Connections: correction of stock extraction in the event of cancelled records in NodiDistribuzioneDatiParm;
- Connections: change of incorrect record management in extraction for host phase. The records which are not extracted are not deleted but remain saved in dbexchange_output;
- Connections: correction of reconstruction of used product parameters and used variant parameters;
- Connections: correction of log_exchange saving in network paths;
- Connections: correction of a problem in acquisition of the "ProdottiCodiciIva" table from host, based on which the host size was set and not the internal size of Stores;
- Connections: correction of ordered reconstruction;
- Node employees: correction of the change for node employee from head office for nodes not belonging to the same island;
- Customer orders: correction of the quantity entry block on lines without price;

- Master data: correction of user code entry. Now special characters are blocked.

3.12 Fix 1.18.11 release on 31/07/2008

3.12.1 Corrections

- cost consolidation: correction of average cost value assignment routine in the event of stock=0 in the previous year;
- warehouses: blocking of supplier change of a load document from supplier order if the document is generated by host;
- warehouses: correction of error management in a new warehouse document registered to a supplier if the supplier has not been indicated and you want to display the document line section;
- warehouses: correction of portable scanner use control management in the DDT confirmation phase on documents with load motives with mandatory portable scanner use;
- price lists: correction of nodoriferimento management associated to the user in the creation phase of a new price list;
- price lists: correction of price list acquisition from excel for products without variants in the prodottivarianti table;
- inventories: correction of an error in inventory closing phase with goods transfer generation flag enabled;
- archiving: correction of an error in the stock archiving phase.

3.13 Fix 1.18.12 release on 16/10/2008

3.13.1 Corrections

- Master data: correction of a problem which could cause saving host sizes at blank;
- Inventories: correction of the warning in the head office reopening phase of an inventory closed by another node;

- Connections: correction of an error which could occur during the 'Used variant parameter reconstruction' phase;
- Connections: correction of the writing of movement acquisition details so that they are written on a new list line instead of on the exchange rate acquisition line;
- Connections: correction of a problem in the import phase for S2_FDCON file with .txt extension in the event of other files without extension;
- Users: addition of invoice list management to the subset creation function;
- Customers: correction of the possibility to make a customer a fidelity customer after he/she has been created;
- Statistics: correction of a module linked to statistics processing due to a problem on value assignment;
- Warehouses: modification of the 'ProdottiCodici' field length in the TP_Movimenti table;
- Customers: correction of the fidelity customer search query in customer list.

3.14 Fix 1.18.13 release on 27/11/2008

3.14.1 Corrections

- Master data: Modification of the database reconstruction routine to manage node reconstruction with customers (or other tables) sorted by fidelity with the same prefixes but with different codiceparametro (fidelity master data configured with parameter type and parameter code);
- Master data: Correction of size code saving in prodottiprezzi in the manual creation phase of a price by size on the product master data form;
- Connections: Correction of the transmission and display of the outgoing transfer DDT number on the incoming transfer;
- Connections: Correction of customer fiscal code exporting to host;
- Sales: Correction of tax free display;