

Oracle® Retail MICROS Stores2

Functional Document

Fidelity - Management of Fidelity Conditions by Parameter

Release 1.33

September 2015

Oracle® Retail MICROS Stores2 Functional Document, Fidelity - Management of Fidelity Conditions by Parameter, Release 1.33

Copyright © 2015, Oracle and/or its affiliates. All rights reserved.

Primary Author: Alessio Ossola

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

MICROS-Retail Italia Srl

Con socio unico

Sede Legale

Via Locarno, 1

I-20900 MONZA

Tel. +39.039/2364.1

Fax +39.039/2364.310

TECHNICAL DOCUMENTATION

Stores2 - 1.33.0 - Fidelity - Management of fidelity conditions by parameter

Report developed by:

MICROS-Retail srl with sole shareholder

Alessio Ossola

Version 1.00 of 06/09/2013

Table of contents

1 Introduction	3
2 Management of fidelity conditions by parameter	3
2.1 Configuration.....	3
2.2 Operation.....	4

Note: The rebranding for the latest version of this documentation set is in development as part of post MICROS acquisition activities. References to former MICROS product names may exist throughout this existing documentation set.

1 Introduction

This function is used to differentiate the discount to apply to employees based on the type of store where they are located, but still managing a single plafond.

2 Management of fidelity conditions by parameter

2.1 Configuration

The fidelity master data will be a normal configuration which includes the use of the plafond.

The screenshot shows the 'Fidelity' configuration window. The 'Parametro nodo fidelity' field is highlighted with a red box and contains the value 'AR Sconto dipendenti'. Other fields include 'Codice' (03), 'Descrizione' (Sconto dipendenti), 'Formato fidelity' (3 CODE128 - Privilege Card), 'Prefisso' (215), 'Data inizio' (01/01/2013), 'Data fine', 'Mesi validita'' (6), 'Tipo sconto' (1 Riga), 'Fidelity ONE' (0 Gestione non attiva), 'Codice parametro', 'Parametro prodotto', 'Lista sconti', 'Valuta' (EUR Euro), 'Motivazione sconto', 'Tipo prezzo', 'In presenza di sconti riga' (3 Scegli lo sconto più vantaggioso), 'Regola selezione tipi riga', 'Catalogo premi', and 'Insegna'. The window also features 'Conferma' and 'Annulla' buttons on the right.

The fidelity node parameter in this case is very important because it makes it possible to differentiate the advantages the employee will have based on the store parameter.

Fidelity

Anagrafiche | **Gestione fidelity** | Gestione scadenza tessere

Scrivi movimenti fidelity
 Consenti selezione in periferia
 Consenti modifica sconto riga
 Non calcolare lo sconto di riga sui resi.
 Crea fidelity condizioni alla conferma della scheda cliente
 Gestione on-line

Stampa barcode (Intermec EasyCoder E4)
 Tipo fidelity di default in anagrafica clienti
 Impedisci sconto testata
 Anagrafica non associata
 Crea condizioni fidelity solo per nuova tessera
 Verifica E-mail

Gestione plafond | Gestione scala sconti | Gestione accumulo | Gestione compleanno | Promozione per parametro

Plafond: 1.000
 Motivazione sconto 2: ?
 Valore: 2 Lordo
 Calcola importo utilizzato: 1 Lordo
 Non specificare tipo listino
 Percentuale superamento plafond: 50
 Obbligo reso con il barcode scontrino

Conferma
Annulla

For each fidelity condition you will need to create a record for each node parameter used.

	Barcode	Sconto	Plafond	CodiceParametroFidelity
1	21590002	35.00	-1.00	
2	21590002	70.00	-1.00	MC
3	21590002	50.00	-1.00	OUT

2.2 Operation

In the configuration example there are three records for the same employee ("**21590002**").

During the sales phase the record with CodiceParametroFidelity will be used which corresponds to the parameter of the geographic node.

The plafond value will be determined by the web service.