

Oracle® Retail MICROS Stores2

Functional Document

PC to Cash Tax Alignment

Release 1.38

March 2016

Copyright © 2016, Oracle and/or its affiliates. All rights reserved.

Primary Author: Alessio Ossola

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Technical Documentation:

Stores2 - 1.38.0 - Casse - Allineamento ora PC-
Cassa fiscale

Indice degli argomenti

1	Introduzione	3
2	Allineamento ora PC-Cassa Epson FP81-90	3
2.1	Configurazione	3
2.2	Funzionamento	4

Note: The rebranding for the latest version of this documentation set is in development as part of post MICROS acquisition activities. References to former MICROS product names may exist throughout this existing documentation set.

1 Introduzione

Questa modifica permette di personalizzare il divario per gestire la sincronizzazione dell'orario tra PC e Cassa fiscale Epson FP81/90 e Data Process 270GE/M, ad oggi fisso a 15 minuti.

2 Allineamento ora PC-Cassa Epson FP81-90

2.1 Configurazione

È stato introdotto un nuovo parametro nella scheda della postazione. Nel caso in cui venga indicata una cassa che gestisce la sincronizzazione, oltre alla modalità di sincronizzazione sarà possibile gestire il numero di minuti per il controllo del divario.

Gestione Nodo Postazione

Ambiente operativo | Pos | Allarme acustico | Emergenza | Importazione dati

Anagrafico | **Cassa** | Terminale - Penna ottica | RFID | Display e stampantina

Cassa

Cassa: E01 EPSON FP81/FP90

COM (selezionato) | TCP/IP

Porta: 1 - COM1 | Indirizzo IP: 0 . 0 . 0 . 0 : 0

Baud rate: 9600 | Parity: | Data bit: | Stop bit: |

Formato scontrino: 0 Nessun formato

Formato Scontrino Reso: 0 Nessun formato

Formato Chiusura: 0 Nessun formato

Formato lettura: 0 Nessun formato

Formato gift receipt: 0 Nessun formato

Formato gift certificate: 0 Nessun formato

Formato Gift Card: 0 Nessun formato

Formato Instant Win: 0 Nessun formato

Sincronizzazione data-ora: 1 - Non bloccante | Minuti: 15

Rapporto Z on-line: 0 - Disabilitato

Numero copie: 1 | Numero copie resi: 0

Numero copie sospesi: 0 | Numero copie buoni: 0

Rotoli: 1 | Prefisso postazione: |

Display su cassa: | Controllo stato stampante seriale:

CRC: | Stampa percentuale sconto:

Apertura cassetto: | Stampa prezzo netto:

Stampa intestazione: | Stampa barcode grafico:

Consenti logo: | Reperisci giornale elettronico:

Ablitazione Logo

Modello: |

Numero logo: 0 | Dimensione doppia:

Forza stampa logo:

OK

Annulla

Il range andrà da un minimo di 1 minuto ad un max di 30. Per default i minuti verranno impostati a 15.

2.2 Funzionamento

In fase di attivazione del driver di cassa, oltre alla verifica della modalità impostata, verrà letto il nuovo parametro per determinare la sincronizzazione. Le operazioni eseguite dal driver saranno le stesse previste oggi.

L'intervento sarà effettuato sui driver di cassa della Epson FP81/90 e della Data Process 270GE/M interfacciate con il driver seriale.