

**Oracle® Retail Brand Compliance Management
Cloud Service**

User Guide

Release 17.0

E93606-02

April 2020

Copyright © 2020, Oracle and/or its affiliates. All rights reserved.

Primary Author: Bernadette Goodman

Contributing Author: Simon Tucker, Aidan Ratcliffe

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Value-Added Reseller (VAR) Language

Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

- (i) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (ii) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.
- (iii) the software component known as **Access Via**™ licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (iv) the software component known as **Adobe Flex**™ licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR

Applications. For purposes of this section, "alteration" refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle's licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.

Contents

Send Us Your Comments	xi
Preface	xiii
Audience.....	xiii
Documentation Accessibility	xiii
Related Documents	xiii
Improved Process for Oracle Retail Documentation Corrections	xiv
Oracle Retail Documentation on the Oracle Technology Network	xiv
Conventions	xiv
 1 Introduction	
Passwords.....	1-1
Language Support	1-2
 2 Getting Started	
Login	2-1
Registering your User Account.....	2-2
Changing your Password during Login.....	2-2
Home Page	2-4
Navigation Bar.....	2-5
Apps Available on the Home Page	2-6
Manage Apps Link	2-6
Create a New App	2-7
Manage News Link.....	2-8
Refresh Workspace	2-8
Changing the Layout of the Home Page	2-9
Session Timeout	2-9
Logout	2-10
 3 User Information	
Changing your Password.....	3-1
Editing your Profile	3-1
Editing your Preferences.....	3-2

4 News App	
Personalize the News App.....	4-2
5 Managing Actions	
Urgent Items Manager.....	5-1
Using the UIM	5-1
Working with Urgent Item Categories	5-3
Alert Response Items.....	5-3
Audit/Visit Items.....	5-3
Document Items	5-4
News Items	5-4
Project Items.....	5-5
Scorecard Items	5-6
Supplier and Site Management Items.....	5-6
User Items	5-6
Tasks App	5-7
Supplier Tasks	5-7
Alerts.....	5-7
Audits and Visits.....	5-7
Scorecards	5-7
Sites	5-8
Product Tasks	5-8
Product Specifications at Status	5-8
Produce Specifications	5-8
Surveillance.....	5-8
Project Tasks	5-9
Library Tasks	5-9
6 List Views	
Changing the List View	6-2
Searches.....	6-3
Simple Search.....	6-3
Advanced Search.....	6-4
7 Change History Logs	
Table	7-2
Status.....	7-3
Attachment Manager	7-3
Product Specification.....	7-4
8 Library	
Locating a Document	8-2
Reading a Document	8-3
Marking a Document.....	8-3
Marking a Document as Read	8-3

Marking a Document as Accepted 8-4

Viewing the Reader Log..... 8-5

Viewing the Accept Log 8-6

List of Figures

2-1	Login Page.....	2-1
2-2	Terms and Conditions Page	2-2
2-3	Register your User Page.....	2-2
2-4	Expired Password Page.....	2-3
2-5	Forgotten Password Page	2-3
2-6	Home Page.....	2-4
2-7	Legal Notices	2-4
2-8	Example of Legal Notices	2-5
2-9	Example of Build Tag	2-5
2-10	Apps Manager Dialog Box.....	2-7
2-11	New HTML App Page	2-8
2-12	Session Timeout Warning.....	2-9
2-13	Session Expired	2-9
2-14	Confirm Log Off.....	2-10
2-15	Confirm Log Off with Open Records.....	2-10
2-16	Save Changes to Open Records when Logging Out.....	2-10
3-1	Confirm Password Change Dialog Box.....	3-1
3-2	User Record.....	3-2
3-3	Preferences Page.....	3-3
4-1	Example of News App	4-1
4-2	News Item Opened for Reading	4-2
4-3	Maintain News Items	4-3
5-1	UIM Band	5-1
5-2	Expanded UIM Content	5-2
5-3	UIM Band with Maximum Number of Items Exceeded	5-2
5-4	Document Items	5-4
5-5	News Items	5-5
5-6	Confirm Dialog Box	5-5
5-7	Project Items.....	5-5
5-8	User Items	5-7
5-9	Tasks App on the Home Page.....	5-7
5-10	Documents Tab.....	5-9
6-1	List View Example	6-1
6-2	Options for Changing the List View	6-2
6-3	Choose Column to Add Dialog Box.....	6-2
6-4	Simple Search Results Example	6-3
6-5	Advanced Search Criteria Example	6-4
6-6	Advanced Search Results Example	6-5
7-1	Change History Log for a Record.....	7-1
7-2	Change History or a Selected Entry	7-2
7-3	Change History Log for a Table.....	7-3
7-4	Change History Log for Status.....	7-3
7-5	Change History Log for an Attachments Record	7-3
7-6	Change History for a Selected Row for an Attachment	7-4
7-7	Change History Log for Product Specification.....	7-4
8-1	Library Tab.....	8-1
8-2	Folder Content Display	8-2
8-3	Mark as Read Error Dialog for Document Not Opened	8-4
8-4	Mark as Read Error Dialog for Not All Documents Marked	8-4
8-5	Accept this Document Dialog Box.....	8-5
8-6	Mark as Accept Error Dialog for Document Not Opened	8-5
8-7	Mark as Accept Error Dialog for Not All Documents Marked	8-5
8-8	Reader Log Page.....	8-6
8-9	Accept Log Page.....	8-7

List of Tables

2-1	Icons on Home Page	2-5
4-1	Columns for News Item Attachments	4-2
6-1	List View Icons	6-2
7-1	Layout of Change History Log	7-1
7-2	Layout of Change History for a Selected Entry.....	7-2
7-3	Layout of Change History Log for Status.....	7-3
7-4	Layout of Change History Log for Attachment Record.....	7-4
7-5	Layout of Change to Attachments Section.....	7-4
7-6	Layout of Change History Log for Product Specification.....	7-5
7-7	Section Changes Layout of Change History Log for Product Specification	7-5
8-1	Columns Displayed for a Selected Folder	8-2

Send Us Your Comments

Oracle Retail Brand Compliance Management Cloud Service User Guide, Release 17.0

Oracle welcomes customers' comments and suggestions on the quality and usefulness of this document.

Your feedback is important, and helps us to best meet your needs as a user of our products. For example:

- Are the implementation steps correct and complete?
- Did you understand the context of the procedures?
- Did you find any errors in the information?
- Does the structure of the information help you with your tasks?
- Do you need different information or graphics? If so, where, and in what format?
- Are the examples correct? Do you need more examples?

If you find any errors or have any other suggestions for improvement, then please tell us your name, the name of the company who has licensed our products, the title and part number of the documentation and the chapter, section, and page number (if available).

Note: Before sending us your comments, you might like to check that you have the latest version of the document and if any concerns are already addressed. To do this, access the Online Documentation available on the Oracle Technology Network web site. It contains the most current Documentation Library plus all documents revised or released recently.

Send your comments to us using the electronic mail address: retail-doc_us@oracle.com

Please give your name, address, electronic mail address, and telephone number (optional).

If you need assistance with Oracle software, then please contact your support representative or Oracle Support Services.

If you require training or instruction in using Oracle software, then please contact your Oracle local office and inquire about our Oracle University offerings. A list of Oracle offices is available on our web site at <http://www.oracle.com>.

Preface

This document describes the Oracle Retail Brand Compliance Management Cloud Service user interface. It provides step-by-step instructions to complete most tasks that can be performed through the user interface.

Audience

This document is intended for users of the Oracle Retail Brand Compliance Management Cloud Service modules.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Related Documents

For more information, see the following documents in the Oracle Retail Brand Compliance Management Cloud Service Release 17.0 documentation set:

- *Oracle Retail Brand Compliance Management Cloud Service Administration Guide*
- *Oracle Retail Brand Compliance Management Cloud Service Implementation Guide*
- *Oracle Retail Brand Compliance Management Cloud Service Release Notes*

For information on the Oracle Retail Brand Compliance Management Cloud Service modules, see the following documents:

- *Oracle Retail Brand Compliance Management Cloud Service Product User Guide*
- *Oracle Retail Brand Compliance Management Cloud Service Project User Guide*
- *Oracle Retail Brand Compliance Management Cloud Service Reports User Guide*
- *Oracle Retail Brand Compliance Management Cloud Service Supplier User Guide*

Improved Process for Oracle Retail Documentation Corrections

To more quickly address critical corrections to Oracle Retail documentation content, Oracle Retail documentation may be republished whenever a critical correction is needed. For critical corrections, the republication of an Oracle Retail document may at times **not** be attached to a numbered software release; instead, the Oracle Retail document will simply be replaced on the Oracle Technology Network Web site, or, in the case of Data Models, to the applicable My Oracle Support Documentation container where they reside.

Oracle Retail documentation is available on the Oracle Technology Network at the following URL:

<http://www.oracle.com/technetwork/documentation/oracle-retail-100266.html>

An updated version of the applicable Oracle Retail document is indicated by Oracle part number, as well as print date (month and year). An updated version uses the same part number, with a higher-numbered suffix. For example, part number E123456-02 is an updated version of an document with part number E123456-01.

If a more recent version of the document is available, that version supersedes all previous versions.

Oracle Retail Documentation on the Oracle Technology Network

Oracle Retail product documentation is available on the following web site:

<http://www.oracle.com/technetwork/documentation/oracle-retail-100266.html>

(Data Model documents are not available through Oracle Technology Network. You can obtain these documents through My Oracle Support.)

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Introduction

Oracle Retail Brand Compliance Management Cloud Service is an application designed to meet all aspects of sourcing, developing, and protecting retailer brands. The application provides solutions for product development, compliance, quality, and traceability. It is designed specifically for retail, food service, and manufacturing businesses to develop and protect their brands, manage their suppliers, and ensure full end-to-end product lifecycle management.

Oracle Retail Brand Compliance Management Cloud Service is composed of the following modules:

- Library enables the issue, receipt, and acceptance of policies, guidelines, and key working documents.
- Product supports the development of products and production specifications.
- Project supports the development of project briefs, plans, and workflow management.
- Supplier enables the identification, selection, and approval of suppliers.

For more information on any of these modules, see the module User Guide. For information on Library, see [Chapter 8](#).

Note: Technologist is the default name for that Retailer role across the entire application. Each portal may configure an alternative to suit their business if required.

Passwords

Passwords are used to restrict access to Oracle Retail Brand Compliance Management Cloud Service. The requirements for passwords are defined by the system administrator. Requirements can include the definition of password length and content. For example, you may need to enter a password that is at least five characters and includes at least one numeric character. For information on your password requirements, consult your system administrator.

Passwords can be set to expire within a specific number of days after being set. During login, if you are warned that your password is about to expire, you can choose to change your password at that time. If you do not change your password before it expires, you may be locked out from logging into the application. You may also be locked out after a specific number of invalid login attempts. If you are locked out, a system administrator must reset your password. When your password is reset, you are assigned a temporary password that you must change immediately following your next login.

For information on changing your password, see ["Changing your Password during Login."](#)

Language Support

Oracle Retail Brand Compliance Management Cloud Service supports multiple languages. The Login page is displayed in the language derived from the user's browser settings. Once logged in, the pages are displayed in the language selected for the user. For information on selecting the language, see ["Editing your Profile."](#) The system supports the UTF-8 character set.

Getting Started

This chapter provides an introduction to accessing and using Oracle Retail Brand Compliance Management Cloud Service. The following topics are covered in this chapter:


- [Login](#)
- [Home Page](#)
- [Session Timeout](#)
- [Logout](#)

Login

To log in to Oracle Retail Brand Compliance Management Cloud Service:


1. To start the application, open a web browser. Enter the URL for your Oracle Retail Brand Compliance Management Cloud Service application. The login page appears.

Figure 2–1 Login Page

The screenshot shows the login page for the Oracle Retail Brand Compliance Management Cloud Service. The page has a dark blue background with white text. At the top left is the Oracle logo. Below it, the text 'Brand Compliance Management Cloud Service' is displayed, followed by 'Build Tag : 15.0.0.6-15.0.0.6'. A paragraph of text provides instructions for users: 'Enter your user name and password for entry into the Oracle Retail Brand Compliance Management Cloud Service website. If you do not have access details and need to register, please call Oracle UK Ltd on +44 845 602 9736. If you already have access details but are having trouble logging in, please call Oracle UK Ltd on +44 845 120 8498'. On the right side, there are two input fields for 'Username:' and 'Password:'. Below these fields is a blue 'Log In' button. At the bottom right, there are two links: 'Forgotten your password?' and 'Register your user'.

2. Enter your user name and password and select **Log In**.
3. If the Terms and Conditions page appears, you must accept the Terms and Conditions. Read the terms and conditions. You may choose to view the terms and conditions in any of the supported languages. To continue with the login, select **Accept**.

Figure 2–2 Terms and Conditions Page



The Home page appears. See ["Home Page."](#)

Registering your User Account

To register your user account and set your password for the first time:

1. Select the Register your user link. You are prompted to enter your user name (an email message will have been sent to you when your account was created) and your email address.

Figure 2–3 Register your User Page

The screenshot shows the Oracle Brand Compliance Management Cloud Service 'Register your User' page. The Oracle logo is at the top. Below it, the text 'Brand Compliance Management Cloud Service' is displayed. A message on the left says: 'Please enter your username and email address to confirm the registration request'. On the right, there are three input fields labeled 'Username:', 'Email Address:', and 'Confirm Email:'. Below these fields are two buttons: 'Register' and 'Cancel'.

2. Enter your user name and email address. Select **Confirm**. An email message is sent to this address. The email message contains a link you can use to set your password.

Note: If the link is not used within 24 hours, it will expire and these steps will need to be repeated.

Changing your Password during Login

If your password will expire soon, the Password Expiry dialog box appears. It displays how many days are left until your password expires:

- If you want to change the password, select **Change Password**. You are prompted to change the password. See [Figure 2–4](#). Enter your current and new passwords. Select **Ok**. The Home page appears.
- If you want to change the password at a later time, select **Change Later**. The Home page appears.

If your password has expired, you are prompted to enter a new password before you can log in. Enter your current password and the new password. Reenter your new password to confirm the change. Select **Ok**. The Home page appears.

Figure 2–4 Expired Password Page

The screenshot shows the Oracle Brand Compliance Management Cloud Service login page. The page has a dark blue background with the Oracle logo at the top left. Below the logo, the text "Brand Compliance Management Cloud Service" is displayed, followed by "Build Tag : :15.0.0.6-15.0.0.6". A red-bordered box contains the following text: "Sorry, the details entered could not be recognised or you have reached the maximum number of login attempts. If you have forgotten your password then please select the Forgot Your Password link below." To the right of this box are two input fields labeled "Username:" and "Password:". Below these fields are three links: "Log In", "Forgotten your password?", and "Register your user".

To change your password if you cannot remember the password:

1. Select the **Forgotten your password** link. You are prompted to enter an email address.

Figure 2–5 Forgotten Password Page

The screenshot shows the Oracle Brand Compliance Management Cloud Service forgotten password page. The page has a dark blue background with the Oracle logo at the top left. Below the logo, the text "Brand Compliance Management Cloud Service" is displayed. Below this text, it says "Please enter your username and email address to confirm the password change request". To the right of this text are three input fields labeled "Username:", "Email Address:", and "Confirm Email:". Below these fields are two buttons: "Confirm" and "Cancel".

2. Enter your user name and email address. Select **Confirm**. An email message to sent to the address. The email message contains a link you can use to reset your password.


Note: If the link is not used within 24 hours, it will expire and these steps will need to be repeated. The system automatically sends you an email message as a confirmation whenever you change your password.

Note: If the administrator changes the rules that control the format and minimum strength of passwords, your password is automatically expired. You are prompted to set a new password the next time you log in.

Home Page


After successfully logging in, the Home page appears.

Figure 2–6 Home Page




Clicking the Legal Notices link at the bottom of the page displays a message box containing options to display details of all third-party software components that are used within the system.

Figure 2–7 Legal Notices




To view the legal notices, click a link. A PDF appears which lists the third-party software components. An example is shown in [Figure 2–8](#).

Figure 2–8 Example of Legal Notices



Clicking the Build Tag link at the bottom of the home page displays a message box containing the full Oracle Retail Brand Compliance Management Cloud Service release version that the portal is currently running.

Figure 2–9 Example of Build Tag



Navigation Bar

The navigation bar shows the Oracle Retail Brand Compliance Management Cloud Service modules that you can access. To access a module, select the icon in the navigation bar or an option from the actions available for the module. A new tab is opened to enable you to access the module.

A retailer or supplier user can also view their company details. Select the Company icon. The following actions are available:

- **Company Details.** The details, such as contact name and address, can be viewed and edited.
- **Users.** The Company Users tab opens. For more information on working with user information, see the *Oracle Retail Brand Compliance Management Cloud Service Administration Guide*.
- **Admin.** For more information on administration functionality, see the *Oracle Retail Brand Compliance Management Cloud Service Administration Guide*.

[Table 2–1](#) describes the icons that appear on the Home page.

Table 2–1 Icons on Home Page

Icon	Description
	Open online help, if available. For some icons and fields, tooltips are available. A tooltip is displayed when you place the mouse over the icon or field.

Table 2–1 (Cont.) Icons on Home Page

Icon	Description
	Display the list of recent items you have accessed. Select an item from the list and the item opens. User: Michael Smith Company: Micros Retail App: Favourites News: Grocery shopping is changing App: New User Training Preferences: Preferences Supplier: Test Supplier
	Minimize the navigation bar.
	Maximize the navigation bar.
	Add this item to your favorites list.
	Open this tab in a window.

Apps Available on the Home Page

The following Apps are available on the home page:

Welcome

Displays a welcome message.

Links

Displays a set of icons that link to web sites. When you select an icon, the web site opens in a new browser window or tab.

Tasks

Displays any actions that need to be performed. For more information on the Tasks App, see [Chapter 5](#).

Support

Displays information on how to contact customer support if you require assistance or encounter a problem.

Favourites

Use to bookmark records, documents within the document library, or an area of the system, for example, Site Approvals. New bookmarks are added at the top of the list. The items can be moved up and down the list.

News

Lists available news items. Archived news items can also be accessed. For more information on the News App, see [Chapter 4](#).

Manage Apps Link

Select the Manage Apps link. The Apps Manager dialog box opens. There is an entry for each App shown on the Home page.

Figure 2–10 Apps Manager Dialog Box

If there is checkbox next to the App name, you can add or remove the App from your Home page. To add the App, check the box. To remove the App, uncheck the box. Mandatory Apps cannot be removed.

The following functionality is available for System Administrators:

- The title and other details for the App can be edited. Click the link and a tab opens. For an example of the content, see [Figure 2–11](#).
- If a delete icon is displayed for the App, click the icon to delete the App. The Confirm Delete dialog box appears. Select **Ok**.
- A new App can be created. For more information, see "[Create a New App](#)."

When you have made all your updates, select **Save**.

Create a New App

To create a new App:

1. Select **New App**. The New HTML App tab opens.

Figure 2–11 New HTML App Page
Training Department.'"/>

Home Page | New HTML App

Actions

Details | Attachments

HTML Application Details

User Cannot Hide: ☐ Published: ☐

Title (Default): *

Title (Australia and New Zealand):

Title (English (American)):

Title (French):

Title (German):

Title (Italian):

Title (Spanish):

Body

HTML (Default):

Training course available for new users of this application. For more information on this course, contact the [Training Department](#).

2. Enter the details:
 - If the User Cannot Hide field is checked, the App will not appear in a user's Apps Manager panel. This prevents a user from removing this App from the Home page.
 - If the Published field is checked, all users will see this App when they next log in.
 - A default title is required. You can also enter a title for each available language.
 - In the Body section, enter any content to be displayed. Content can be added for each available language.
3. To save the new App, select **Save**.

Manage News Link

For information on this functionality, see [Chapter 4](#).

Refresh Workspace

Refresh Workspace refreshes the contents of your Task, UIM, and News apps, and the Favorites and Recent Items lists.

Note: Automatic refreshing of these items may have been disabled in order to reduce unnecessary server workload.

If your portal has been configured to not perform refreshes automatically, the contents will only refresh when you log in or click Refresh Workspace; otherwise, they will be automatically refreshed whenever the contents change.

The refresh option is hidden if auto-refresh is enabled for the portal.


Changing the Layout of the Home Page

To move an App to a different place on the Home page, move the cursor over the title bar of the App. Hold down the left mouse button and move the App. Release the button when it is at the place where you want it on the Home page. If you place it in a position already occupied by another App, the App already in that position moves down one position in the page.

Session Timeout


The system can define a timeout interval for sessions. If a user does not interact with the session within that interval, the user is logged out. The system monitors how close a user is to the session expiration time. A warning appears as the limit approaches.

Figure 2–12 Session Timeout Warning



If you interact with the application before the time limit occurs, the timeout is reset. If you do not interact with the system within the time limit, you are logged out of the application. A link is provided to log back in.

Figure 2–13 Session Expired




Logout

To log out of Oracle Retail Brand Compliance Management Cloud Service, select **Log Off**. The Confirm Log Off dialog box appears.


- If you do not have any open records, you are prompted to confirm. Select **OK**. You are logged out of the application.

Figure 2–14 Confirm Log Off




- If you have any open records, you are prompted on how to handle the open records:

Figure 2–15 Confirm Log Off with Open Records



- If you select **Discard Changes and Log Off**, any pending changes for the open records are discarded and you are logged out.
- If you select **Save All Changes and Log Off**, your updates to all open records are saved and you are logged out.
- To handle each open record individually, select **Prompt**. A dialog box is displayed for each open record. For each open record, select whether to save or discard the changes. You are then logged out.

Figure 2–16 Save Changes to Open Records when Logging Out



User Information

You can manage your user profile and preferences from the Home page. Changes made to user information take effect immediately.

The following topics are covered in this chapter:

- [Changing your Password](#)
- [Editing your Profile](#)
- [Editing your Preferences](#)

Changing your Password

To change your password:

1. On the Home page, select **Edit Profile**. Your user record opens in edit mode.
2. Select the Change Password action. The Confirm dialog box appears.

Figure 3–1 Confirm Password Change Dialog Box

A screenshot of a 'Confirm' dialog box. The title bar is blue with the word 'Confirm' in white. Inside the dialog, there is a light blue background. On the left, there is a circular icon with a question mark. To the right of the icon, there are three text input fields labeled 'Current Password:', 'New Password:', and 'Confirm New Password:'. At the bottom right of the dialog, there are two buttons: 'Ok' and 'Cancel'.

3. Enter your current password. Enter your new password. Enter your new password again to confirm the change.
4. Select **Ok**. The new password is validated. If there are no errors, your password is changed.

Note: The system automatically sends you an email message as a confirmation whenever you change your password.

Editing your Profile

To edit your user profile, select **Edit Profile**. Your user record opens in edit mode. You can edit any of the fields except for the following:

- Login Id
- Logon id Disabled?
- Password Expired
- External Authentication
- Roles and Permissions fields

The following actions are available on this page:

- Validate. The values on the page are validated.
- Save. The user record is saved.
- Save & Exit. The changes are saved and the tab is closed.
- Exit. In the Save dialog box, select if you want to save or discard the changes.
- Change password. For more information, see "[Changing your Password.](#)"

Figure 3–2 User Record

The screenshot shows the 'User Record' form for Michael Smith. The form is organized into three main sections: Details, Address, and Roles and Permissions. The Details section contains fields for Name (Michael Smith), Login Id (michael smith), Login id Disabled? (No), Password Expired? (No), Job Title, Department, Team Manager, Delegates, Language (English (British)), Time Zone (Greenwich Mean Time (Europe/London)), Comments, and External Authentication (No). The Address section contains fields for Local Address, Country, Address 1, Address 2, City, County, Post Code, GPS latitude, and GPS longitude. The Roles and Permissions section contains fields for User Roles (System Administrator), Show in List of Audit People Present, Show in Lists of Approved Auditor, Show in Lists of Assistant Technologist, Show in Lists of Product Technologists, and Authority Profiles.

Editing your Preferences

To edit your preferences, select **Preferences**. The Preferences tab opens. You can edit all of the details on this page.

The following actions are available on this page:

- Validate. The values on the page are validated.
- Save. The user record is saved.
- Save & Exit. The changes are saved and the tab is closed.
- Exit. In the Save dialog box, select if you want to save or discard the changes.
- Restore default settings.
- Restore specification status settings.

Figure 3–3 *Preferences Page*

Home Page Preferences

Actions

Preferences

Details

How many documents to display per page in lists: 30

How many recent items to display: 10

Open all documents in new browser windows?: ☐

Display Help Tip Location Ids?: ☐

Product Specification statuses to show in Task list:

- Retailer Draft
- Collaborative Draft
- Gate Step
- Part Pack Copy Sent
- Pack Copy Sent
- Ready For Authorisation
- Supplier Authorised

Produce Specification statuses to show in Task list: -

Temporary Specification statuses to show in Task list:

- Awaiting Approval
- Awaiting Corrective Action

Switch on auto refresh of list views: ☐

Note: The Switch on auto refresh of list views option will only appear if the feature is enabled for the portal. If used, it potentially improves performance by eliminating the constant rebuilding of lists.


If it is enabled, check the option if you wish to have the contents of list automatically refreshed each time you open the list during the session.

If unchecked, the contents of list views will be automatically refreshed when you initially open the list during the session, but if you switch to another page and return to the list, the contents will only refresh if you use the Refresh action (or close and reopen the list view).

This chapter covers the News App on the Home page.

A user can see the news items that are available to be read. Any archived news items can also be accessed from the App.

Figure 4–1 Example of News App



The following information is displayed for each news item:

- Title
 - If a news item is deemed to be important, the title is preceded by an icon with an exclamation point.
- Date of publication
- Description
- Link to read the item:
 - Read


- Read and confirm

If this read and confirm option is shown, you must confirm that you have read the news item. After reading the news item, select the Mark as Read action. The date that the item was read is recorded in the Reader log.

Note: The Mark as Read action cannot be taken on an archived News item.

To read an item, select the link. The news item opens in a new tab.

Figure 4–2 News Item Opened for Reading




If attachments are included with the news item, the information shown in [Table 4–1](#) appears.

Table 4–1 Columns for News Item Attachments

Column	Description
Download	Double-click the icon to download the file.
File Name or URL	File name or the URL to the file.
Description	Description of the file.
Bytes	Number of bytes in the file.
Attached By	User name of the person who attached the file to the news item.
Attached On	Date and time the file was attached to the news item.

Personalize the News App

To personalize the view of news items, select the icon in the upper right of the App. A tab opens with the list of news items.

Figure 4–3 Maintain News Items

For information on working with lists, see [Chapter 6](#). Select an item in the list and then select an action:

- View: The item opens in a new tab.
- Open in new window: The item opens in a new window.
- Download: Select to download as an Excel, CSV, or XML file.
- Print
- Save View: The Confirm View Change dialog box opens. Select **Ok**. This view will be used the next time you open the Maintain News Items view. To reset to the default view, select the Reset View action.

Managing Actions

This chapter covers the Urgent Items Manager (UIM) and Tasks App on the Home page.

Note: If an item appears in both the UIM and Tasks App, the user can resolve the item either using the UIM or Tasks App. Completion of the work for an item results in it being removed from both the UIM and Tasks App.

Urgent Items Manager

The UIM enables a user to deal with any urgent issues that require the user's attention. The UIM deals with many types of items including the following:


- Audit and visit issues that are overdue
- Audits and visits that are overdue
- Documents
- Mandatory contacts
- Mandatory user details
- News
- Password expiration
- Supplier and site details confirmation

For information on handling the different types of urgent items, see "[Working with Urgent Item Categories](#)."

Using the UIM

As soon as there is more than one urgent item for a user, a band appears at the top of the user's screen.


Figure 5–1 UIM Band



The band shows the number of items that require the user's attention. In this example, there are 79 items. This number is updated when items are added or completed.

To see the list of items, select **VIEW**. The UIM expands over the underlying screen to display the list of items.

Figure 5–2 Expanded UIM Content




Note the following:

- All urgent items are displayed in categories.
- Category names are shown in upper case, for example, SITE MANDATORY ITEMS.
- For each category, the total number of items in that category is shown in parentheses.
- When the UIM view is opened, all categories are expanded.
- The user can expand a category by selecting the plus sign (+) or minimize it by selecting the minus sign (-).
- To collapse the entire UIM, select **HIDE**.
- If there are no actions required for a particular category, the category is not shown.

The maximum number of items that are displayed is set by an Administrator. If the number of items for a user exceeds the maximum, the maximum number is displayed in the band with a plus sign.

Figure 5–3 UIM Band with Maximum Number of Items Exceeded



In this example, 99 is the maximum number of items that are displayed. The user actually has more than 99 assigned urgent items.

When the necessary work on an urgent item is completed:

- The UIM total displayed in the band is decremented by one.
- The urgent item is removed from the list in the UIM.
- The category total is decremented by one.
- If there are no more items left in a category, the category is no longer shown.

Working with Urgent Item Categories

This section covers the following categories of items:

- [Alert Response Items](#)
- [Audit/Visit Items](#)
- [Document Items](#)
- [News Items](#)
- [Project Items](#)
- [Scorecard Items](#)
- [Supplier and Site Management Items](#)
- [User Items](#)

Alert Response Items

Alerts are assigned to the person who is associated to the alert's supplier, site, and contact role combination. For users who have visibility across sites for which responses are required, these items remain in the UIM until the user responds on behalf of all those sites or the sites respond.

An alert item appears in the user's UIM when any of the following criteria is met:

- An alert response is overdue.
- An urgent alert response is required.

The alert item is added to the ALERT RESPONSE ITEMS category. Under that category, the following items may appear:

- Overdue Responses
- Urgent Alert Responses

The items are listed in order by the required date for a response, with the oldest item at the top.

To resolve an alert, click the item. The alert response record opens.

An alert item is removed from the list when any of the following criteria is met:

- The Alert Administrator has updated the alert so that a response is no longer required.
- A supplier user has sent a response to the alert.
- The Alert Administrator has blocked responses to the alert.

Audit/Visit Items

An audit/visit item appears in the user's UIM when any of the following criteria is met:

- The audit/visit has issues that have corrective action due dates that are reached or exceeded or issues that do not have corrective action due dates. These issues appear in the UIM list for the assignee of the issue.

To resolve this item, click the item. The audit/visit record opens at the issues.

- The audit/visit due date has been reached or exceeded. Overdue issues appear in the UIM for the lead technologist responsible for the site.

To resolve an issue, click the issue. The audit/visit record opens.

The audit/visit item is added to the AUDITS & VISITS category.

Audit/visit items are removed from the list when the issue or audit/visit status is progressed or the due date is adjusted.


Document Items

A document item appears in the user's UIM when the following criteria are met:

- The document is published.
- The document is not archived.
- The document is available to suppliers.
- The document is mandatory.
- The document has a read-by date and that date has been reached.
- The user is an external (supplier) user.
- The user has not already confirmed that the document has been read.
- If contact roles have been specified, the user is associated to one of the contact roles.
- If sites have been specified for external readers of the document, the user has visibility to one of the sites.

The document item is added to the DOCUMENTS YOU NEED TO CONFIRM YOU HAVE READ category. The items are shown with the oldest at the top of the list.

Figure 5–4 Document Items



To read an item, click the item. The document item is opened in a new tab in read mode.

A document item is removed from the list when it meets any of the following criteria:

- The item is marked as read by the user.
- The document has been archived by the Administrator.
- The document has been deleted by the Administrator.

News Items

A news item appears in the user's UIM when all of the following criteria are met:

- The news item is set as Mandatory.
- The Contact Role has not been set or the user is assigned to the selected Contact Roles.
- The user has not read the news item.

The news item is added to the NEWS ITEMS category. The items are shown with the oldest at the top of the list.

Figure 5–5 News Items

NEWS ITEMS (3)	
27/09/11	Give blood: donor sessions next week
27/09/11	Miradin and Fortodol recalled
11/10/11	Bakers Policy


News items may be visible to Retailer and Supplier users depending on how the News Administrator has set it up.

To read an item, click the item. The news item is opened in a new tab in read mode.

A news item is removed from the list when it meets any of the following criteria:

- The item is marked as read by the user.
- The document has been archived by the Administrator.
- The document has been unpublished by the Administrator.
- The document has been deleted by the Administrator.

If the user attempts to close the tab without having selected Mark as Read, the Confirm dialog box is displayed.

Figure 5–6 Confirm Dialog Box

If the user selects **Yes**, the new item is marked as read by this user. If the user selects **No**, the dialog box and tab are closed.

Project Items

A project item appears in the user's UIM when all of the following criteria are met:

- Activities for which the user is designated as responsible.
- Activities that are overdue based on the end date of the activity.

The project item is added to the PROJECTS category. The items are shown with the oldest at the top of the list.

Figure 5–7 Project Items

PROJECTS (3)	
03/01/11	Activity A, Project A is overdue
20/01/11	Activity B, Project B is overdue
10/03/11	Activity C, Project A is overdue

To see the activity details, click the item. The project item is opened in a new tab in read mode.

A project item is removed from the list when the status for the activity is set to Completed.

Scorecard Items

Scorecard items appear in the UIM of the supplier site user if the user is assigned the role that has been designated as the contact role for that type of scorecard.

A scorecard item appears when the scorecard has a status other than Completed or Awaiting Approval and the Overdue flag is set. Scorecards become overdue when the due date is exceeded, taking into account any grace period that may have been permitted.

If the criteria are met, the scorecard item is added to the SCORECARD OVERDUE category. The items are shown with the oldest at the top of the list.

To complete the scorecard, select the link for the item. The scorecard record opens.

A scorecard item is removed from the list when the scorecard is completed or submitted for approval.

Supplier and Site Management Items

A supplier or site management item appears in a user's UIM when any of the following criteria is met:

- Supplier or site contact information is missing.
- Company or site information needs to be checked.

The items are only available for supplier users.

There are two categories of supplier and site management items that can appear in the UIM, COMPANY and SITES. Under those categories, the following items may appear:

- Mandatory Contacts

This item appears if any mandatory contacts are missing. To add a contact, click this item. The supplier or site contact record opens so the missing contact can be added.

- Supplier & Site Details Confirmation

This item appears to remind the user to check the supplier or site address and contact details. To check the details, click this item. The supplier or site record opens so the information can be verified.

A supplier or site management item is removed when it meets any of the following criteria:


- The mandatory contact has been added.
- The Confirm Details action has been selected for the supplier or site record.

User Items

A user item appears in the user's UIM when any of the following criteria is met:

- There is mandatory user information missing.
- The user's password is due to expire.

There are two categories of user items that can appear in the UIM, YOUR PASSWORD WILL EXPIRE and YOUR PROFILE.

Figure 5–8 User Items

To change the password or add missing information, click the item. For information on how to change a password or update the profile details, see [Chapter 3](#).

A user item is removed when it meets any of the following criteria:


- The mandatory user details have been updated.
- The password has been changed.

Tasks App

The Tasks App on the Home page enables a user to deal with the following categories of tasks:

- [Supplier Tasks](#)
- [Product Tasks](#)
- [Project Tasks](#)
- [Library Tasks](#)

If any tasks are assigned to you, the number of tasks for each category is shown:

Figure 5–9 Tasks App on the Home Page

To complete the work for a task, select the task from the list. A list view specific to the task opens in a new tab.

Supplier Tasks

Tasks may be created for the following:

Alerts

If any alerts require your attention, an alert task is assigned to you. If you select a task, the list of alerts appears. To remove a task from the list, respond as needed to the alerts.

Audits and Visits

A task is created when an audit/visit is due with the next x number of days and when an audit/visit is in progress, but is awaiting corrective action, amendment, or sign-off.

Scorecards

A task is created if the scorecard becomes due or overdue, or if awaiting amendment or approval.

Sites

A task is created for the Technologist responsible for the approval of any sites awaiting approval.

Product Tasks

You can choose which statuses of product and produce specifications to show in your Task App by updating your preferences. For information on changing your preferences, see [Chapter 3](#).

The Product tasks do not appear in the UIM.

Product Specifications at Status

The following tasks can be assigned. Each task includes the number of product specifications that require your attention:

- You have 4 Product Specifications requiring review
- There are 5 Product Specifications at status xxx

If you select one of these tasks, a list of the product specifications grouped by status appears. The xxx can be any of the following statuses: Retailer Draft, Supplier Draft, Collaborative Draft, Gate Step, Pack Copy Sent, Part Pack Copy Sent, Ready For Authorisation, Supplier Authorised.

To remove a task from the list, the status for the product specification must be updated to the next step in the acceptance process. For more information on product specifications, see the *Oracle Retail Brand Compliance Management Cloud Service Product User Guide*.

Produce Specifications

If any produce specification tasks are assigned to you, you see a task that includes how many specifications require your attention:

You have 3 produce specs at draft
You have 2 produce specs at active
You have 2 product specs awaiting supplier approval

To remove a task from the list, a produce specification must be accepted or rejected.

Surveillance

The following tasks can be assigned. Each task includes the number of test reports that require your attention:

- There are 2 product surveillance test reports awaiting supplier action
A list of the test reports awaiting supplier action appears. To remove the task from the list, the test report must be accepted or rejected.
- There are 4 product surveillance test reports awaiting approval
A list of the test reports awaiting approval appears. To remove a task from the list, the test report must be accepted or rejected.
- There are 2 imported test reports awaiting review
A list of the test reports at imported status appears. To remove a task from the list, the test report must be accepted or rejected.

Project Tasks

The following tasks can be assigned. Each task includes the number of projects, products, or activities that require your attention:

- Projects:

You have 2 projects which you are responsible for

You have 3 projects which you are the owner for

If you select one of these tasks, a list of the projects for which you are responsible or own appears. To remove a task from the list, the project status must be set to completed or cancelled.

- Products:

You have 4 products which you are responsible for

You have 2 products which you are the owner for

If you select one of these tasks, a list of the products for which you are responsible or own appears. To remove a task from the list, the project status must be set to completed or cancelled.

- Activities:

You have 2 activities which you are responsible for

You have 3 activities which you are the owner for

If you select one of these tasks, a list of the activities for which you are responsible or own appears. To remove a task from the list, the activity status must be set to completed or the project status must be set to completed or cancelled.


Library Tasks

If any document tasks are assigned to you, you see a task that includes how many documents require your attention:

You have 3 document(s) requiring attention

Select the task and the Documents tab opens. The list of documents is sorted by title.

Figure 5–10 Documents Tab



In the Open column, you can select to open a document. To mark the document as read or accepted, select the Mark as Read or Mark as Accepted action.

To remove a task from the list, the document must be marked as needed, that is, read or accepted.

List Views

This chapter describes the functionality available for list views including adding and removing columns, sorting, and advanced searching. [Figure 6–1](#) shows an example of a list.

Figure 6–1 List View Example

Site Name	Site Code	Supplier Name	Country	Lead Technologist	Site Status	Last Audit
DB Test Supplier A - Site 1	A0002-0001	DB Test Supplier A	United Kingdom	Product Technologist	Active	-
DB Test Supplier A - Site 2	A0002-0002	DB Test Supplier A	United Kingdom	Product Technologist	Active	-
DB Test Supplier A - Site 3	A0002-0003	DB Test Supplier A	United Kingdom	Product Technologist	Active	-
Test Site	A0005-0001	Test Supplier	-	Julian	Awaiting Registration	-
TM Site	A0001-0001	TM Supplier	-	Angelo	Awaiting Approval	-
TM Site 2	A0001-0002	TM Supplier	-	TM Tech	Awaiting Approval	-
TM Site 3	A0001-0003	TM Supplier	-	TM Tech	Awaiting Approval	-
VH Test Supplier 1 - Site 1	A0003-0001	VH Test Supplier 1	United Kingdom	Vikas	Active	10/12/14

Note the following about views:

- The system default view is the initial view displayed the first time a tab is opened.
- When you close the tab, the view being displayed is remembered. The next time you open the tab, that view appears.
- In the View Selector drop-down list, you can select a view. When you click a view in the list, the page is updated. The available list view names appear in alphabetical order.
- The rows per page is initially set from the value in the user preferences. The number of rows per page can be changed while viewing the list, but the value in the user preferences is used the next time the tab is opened.
- The options to search and change list views are not available for those list views that are embedded within a record, such as, the list of Sites within the Supplier records, list of Scorecards within the Site record, and so on.


[Table 6–1](#) describes the icons are available for lists.

Table 6–1 List View Icons


Icon	Description
	Select this icon to search the list based on the search criteria.
	Select this icon to clear the search criteria and reset the list.
	Select this icon to refresh the list.

Changing the List View

Options are available to change how columns and rows displayed in the list view.

Figure 6–2 Options for Changing the List View

- To sort the order of the rows, select either Sort Ascending or Sort Descending.
- To select the columns for the view, select **Columns**. Check the box for each column that you want in the view.
- To remove a column from the view, select the column and then select **Remove Column**.
- To add a column to the view, select **Add Column**.

Figure 6–3 Choose Column to Add Dialog Box

Select a group from the drop-down list. Select a column to add from the drop-down list. The choices available in this list are dependent on the value selected for the group. Select **Add**. The column is added to the list as the right-most column.

Resize Column Width

You can also resize the width of a column. Place the mouse on the right-hand side of the column. When the cursor appears, move it to the left or right to change the width of the column.

Export a View

To export the list view, select the Download action. The following export options are available:

- Export to Excel
- Export to CSV
- Export to XML

Only the columns shown in the view are exported.

View or Edit a Record

To view or edit the record for an entry in the list, select the row and select the Edit action. The record is opened in a new tab.

Searches


There are two types of searches, simple and advanced.

Simple Search

To perform a simple search, select the column to be searched, enter the search text, and select the search icon. The list is updated to only include those entries that contain the text entered as the search criteria in the specified column.

For example, if the Supplier Name column is selected and db is entered as the search criteria, the list shown in [Figure 6–4](#) now only shows those entries that contain the text db.

Figure 6–4 Simple Search Results Example



The screenshot shows a web application interface with a search bar at the top. The search bar has 'Supplier Name' selected as the search column and 'db' entered as the search text. To the right of the search bar are icons for search, refresh, and a link to 'Advanced Search'. Below the search bar is a table with the following columns: Site Name, Site Code, Supplier Name, Country, Lead Technologist, Site Status, and Last. The table contains three rows of data, all of which include 'DB Test Supplier A' in the Supplier Name column. At the bottom of the table, there is a pagination bar showing 'Page: 1 of 1', 'Rows per page: 30', and 'Displaying items 1 to 3 of 3'.

Site Name	Site Code	Supplier Name	Country	Lead Technologist	Site Status	Last
DB Test Supplier A - Site 1	A0002-0001	DB Test Supplier A	United Kingdom	Product Technologist	Active	-
DB Test Supplier A - Site 2	A0002-0002	DB Test Supplier A	United Kingdom	Product Technologist	Active	-
DB Test Supplier A - Site 3	A0002-0003	DB Test Supplier A	United Kingdom	Product Technologist	Active	-

Search Results appears at the top of the page to indicate the list content is the result of running a search.

Note: The search is only applied to the selected column. If columns are added or removed, the list of selectable columns is adjusted accordingly.

The following columns are excluded:

- Columns that are derived from other records.

Note that although the Product Specification's product coverage fields (Variant Name, Quantity, and Product Number) are derived from the associated Product Record, it is possible to search these values by adding columns to the list view from either the Header or Product Record groups of fields.

The product coverage values in the Product Record group reflect the values on the Product Record. The values in the Header group are a snapshot of the Product Record's values at the time the specification progressed past Collaborative Draft status.

Therefore, for specifications at a draft status, the snapshot values will not be searchable (because they are empty); for specifications beyond Collaborative Draft status, the snapshot values are searchable, but may not necessarily be the same as the Product Record's current values (because the Product Record may have been edited since the snapshot was taken).

- Date columns - the Advanced Search must be used, which has a specific date picker.
- Boolean (yes/no or true/false) columns - the Advanced Search must be used, which has a specific Boolean type selector.

The search is not applied if:

- Either the search column or the search criteria is missing.
 - Text search criteria is entered for a numeric column (such as searching for Spec Number xyz).
-

Advanced Search

Advanced search enables you build an expression to be used to determine what entries are included in the list. You can group rows in the search criteria by using parentheses and also use logical operators (And, Or).

To perform an advanced search:

1. Select **Advanced Search**. The Search Criteria opens.

Figure 6–5 Advanced Search Criteria Example

Search Criteria					
	Group	Field	Operator	Value	
	(	Site Details	Site Name	Contains	☒ Ignore Case? supplier)
	(	Site Details	Site Code	Starts With	☒ Ignore Case? a0003)
					☒ and ☐ Or
					☐ And ☒ Or
Search					

2. Enter the search criteria:
 - Group: Select a group from the drop-down list.

- **Field:** Select a field from the drop-down list. The choices available in this list are dependent on the value selected from the Group list.
- **Operator:** Select an operator from this list. This sets how the Value field is used in the search. The available options in this list are dependent on the selection in the Field list.
- Select the search option. The selection is dependent on the selection in the Field list. For example, you may select whether the case should be ignored for any text fields or if the current date should be used.
- **Value:** Enter the value for the search based on the selection from the Field list.
- Select open and closing parentheses as needed.
- Select a logical operator.

To add a row to the search criteria below the current row, select the icon with the plus sign. To delete a row, select the icon with the x on that line.

3. Select **Search**. The list is updated to only include those entries that meet the search criteria.

Figure 6–6 shows the list with only those entries that meet the search criteria shown in Figure 6–5.

Figure 6–6 Advanced Search Results Example

Enter search criteria		Advanced Search		Search Results...			
☐	Site Name ^	Site Code	Supplier Name	Country	Lead Technologist	Site Status	Last Audit...
☐	VH Test Supplier 1 - Site 1	A0003-0001	VH Test Supplier 1	United Kingdom	Vikas	Active	10/12/14
Page: 1 of 1		Rows per page 30		Displaying items 1 to 1 of 1			

Change History Logs

When the following occurs for a record, the name of the user and the date and time of the change are logged:

- When a new record is created and saved, either as a the result of a New or Copy action within a wizard or automated task.
- When a field within a record is changed and saved either as a result of a manual edit or update within a wizard or automated task.

When a record is physically deleted, the change history is also deleted. If a record is *soft deleted* by changing the status or moving it to an archive area, the event is recorded as an update transaction if the record is set to record such events.

When displaying a record, the Change History subtab is available. To see the change history for the record, select this subtab.

Figure 7–1 Change History Log for a Record

User Details	Change History	Attachments
Change History Created On: 08/03/12 07:48 Created By: Super User (root@example.com) Changed On: 23/04/12 10:15 Changed By: Angelo Squitieri (asquitieri@micros.com)		
Changed On ▼	Changed By	No. Changed Fields
23/04/12 10:15	Angelo Squitieri (asquitieri@micros.com)	2
20/04/12 07:50	SYSTEM	1
20/04/12 07:50	SYSTEM	1
16/03/12 07:34	SYSTEM	1
16/03/12 07:34	SYSTEM	1
08/03/12 07:49	Angelo Squitieri (asquitieri@micros.com)	1
08/03/12 07:48	Super User (root@example.com)	1

Table 7–1 describes the layout of this view. A field with multiple values is displayed as a comma-separated list.

Table 7–1 Layout of Change History Log

Information	Description
Creation Details	■ Date and time the record was created. ■ User name and email address of the person who created the record or SYSTEM if the record was created by a system process.
Change Details	■ Date and time the record was last changed. ■ User name and email address of the person who last changed the record or SYSTEM if the record was modified by a system process.

Table 7–1 (Cont.) Layout of Change History Log

Information	Description
Changes	Table that lists all changes in descending order by date and time, that is, the latest change is at the top of the table.

If a row is selected in the list, the details of the change appear.

Figure 7–2 Change History or a Selected Entry




Table 7–2 describes the layout of this view.

Table 7–2 Layout of Change History for a Selected Entry

Information	Description
Details	- Modified: Date and time the record was created. - Modified by: User name and email address of the person who created the record or SYSTEM if the record was created by a system process. - Revision Type: Modification is always displayed.
Field Changes	List of fields that were changed. For each change, the field label and before and after values are shown.
Table Changes	This section is only included when the changes include modifications to a table that is part of the record. For more information, see "Table."

Table

Changes to values within tables are logged in the same way as individual fields and are presented in the Change History view as a table. A separate log is shown for each table that was updated during the transaction. The name of the changed table and changes by row number are shown. If the table was changed due to the Add or Delete table actions, the values of all columns are shown. For modifications, only the values for changed columns are shown. An example of a modification is shown in Figure 7–2.

Figure 7–3 Change History Log for a Table

Table Changes								
Change to Billing Details								
Type	From/To?	Business Unit	Currency	Further Information	Invoicing Ref	Invoicing System	Sequence	
Added row 3		Republic Of Ireland			423 342342	Oracle	2	
Change to References								
Type	From/To?	Country	Expiry Date	Certificate No.	Certifier	Type	Sequence	Status
Added row 1				121`		Organic Certification		PENDING
Removed row 1			2012-03-07	KJ-1231	Third party	Organic Certification		CERTIFIED

Status

Certain record types, such as sites, alerts, or audits, require a specific log of changes to the status of the record to be recorded. For these record changes, a Status Change History log is included.

Figure 7–4 Change History Log for Status

Product Record Details

Linked Product Records

Specifications

Pack Copy Files

Project Links

Change History

Attachments

Status Change History

Status Before	Status After	Changed On	Changed By	Comments
Archived	Active	23/04/12 14:56	Angelo Squitieri	-
Active	Archived	23/04/12 14:56	Angelo Squitieri	No longer required
Draft	Active	23/04/12 14:56	Angelo Squitieri	-

Change History

Created On:

23/04/12 14:55

Created By:

Angelo Squitieri (asquitieri@micros.com)

Changed On:

23/04/12 14:56

Changed By:

Angelo Squitieri (asquitieri@micros.com)

Changed On ▼	Changed By	No. Changed Fields
23/04/12 14:56	Angelo Squitieri (asquitieri@micros.com)	1

The entries are listed in descending order by transaction date and time. The most recent change is listed at the top. [Table 7–3](#) describes the layout of this log.

Table 7–3 Layout of Change History Log for Status

Column	Description
Status Before	The status before the change was made.
Status After	The status after the transaction was made.
Changed On	Date and time the change was made.
Changed By	Name of the user who made the change.
Comments	Any comments entered by the user.

Attachment Manager

All changes made through a record's Attachment Manager, that is, file attachments or URL links are added, changed, or deleted, are reflected in the change history log.

Figure 7–5 Change History Log for an Attachments Record

Changed On ▼	Changed By	No. Changed Fields
04/25/12 09:31 AM	Angelo Squitieri (asquitieri@micros.com)	0
04/25/12 09:31 AM	Angelo Squitieri (asquitieri@micros.com)	0
04/25/12 09:31 AM	Angelo Squitieri (asquitieri@micros.com)	0

Table 7–4 describes the columns in this log.

Table 7–4 Layout of Change History Log for Attachment Record

Column	Description
Changed On	Date and time the change was made.
Changed By	Name of the user who made the change.
No. Changed Fields	Number of fields in the section that were changed.

Figure 7–6 Change History for a Selected Row for an Attachment

Table Changes					
Change to Attachments					
Type	From/To?	Attached By	Attached On	Description	File Name or URL
Added row 1		Angelo Squitieri	04/25/12 08:25 AM	Word doc example	Word Doc Example.docx

Table 7–5 describes the columns in this log.

Table 7–5 Layout of Change to Attachments Section

Column	Description
Type	Indicates if an addition or deletion was made for the attachment.
From/To?	If a row was modified, the before and after values are shown.
Attached By	Name of the user who attached the file.
Attached On	Date and time the file was attached.
Description	Description of the attachment.
File Name or URL	Name of the file or the URL to the file.

Product Specification

The Change History log for the Product Specification record groups changes by specification section. Section Changes shows a summary of the sections that have been added or removed since the initial creation of the specification.

Figure 7–7 Change History Log for Product Specification

Change History Revisions					
Created On:	04/10/12 01:29 PM	Created By:	Angelo Squitieri (asquitieri@micros.com)		
Changed On:	04/23/12 03:58 PM	Changed By:	Angelo Squitieri (asquitieri@micros.com)		
Modified ▼	Modified by	Section	Spec Status	No. Of Field Changes	
04/23/12 03:58 PM	Angelo Squitieri (asquitieri@micros.com)	Formulation and RM	Retailer Draft	1	
04/23/12 03:57 PM	Angelo Squitieri (asquitieri@micros.com)			1	
04/23/12 03:57 PM	Angelo Squitieri (asquitieri@micros.com)	Main Details	Retailer Draft	2	
04/13/12 03:34 PM	Super User (root@example.com)	Allergy and Dietary Advice	Retailer Draft	0	
04/13/12 03:13 PM	Super User (root@example.com)	Other Labeling Copy	Retailer Draft	1	
04/13/12 03:13 PM	Super User (root@example.com)	Allergy and Dietary Advice	Retailer Draft	0	

Section Changes					
Changed On ▼	Changed By	Section	Spec Status	Change	
24/04/12 09:40	Angelo Squitieri	Other Labelling Copy - New	Retailer Draft	REMOVE	
24/04/12 09:40	Angelo Squitieri	Other Labelling Copy - New	Retailer Draft	ADD	
24/04/12 09:39	Angelo Squitieri	Allergy and Dietary Advice - New	Retailer Draft	ADD	
24/04/12 09:38	Angelo Squitieri	Packaging - New	Retailer Draft	ADD	

Table 7–6 describes the columns in this log. Table 7–7 describes the columns in the Section Changes.

Table 7–6 Layout of Change History Log for Product Specification

Column	Description
Modified	Date and time the change was made.
Modified by	Name of the user who made the change.
Section	Title of the section that was changed.
Spec Status	Status of the product specification.
No. of Field Changes	Number of fields in the section that were changed.

Table 7–7 Section Changes Layout of Change History Log for Product Specification

Column	Description
Changed On	Date and time the change was made.
Changed By	Name of the user who made the change.
Section	Title of the section that was changed.
Spec Status	Status of the product specification.
Change	Indicates whether the section was added or removed.

To access Library, select Library on the main navigation bar. The list of published documents that can be accessed by the user is shown. [Figure 8–1](#) shows an example of this page.

Figure 8–1 Library Tab




Document Folder Pane

The contents of the document library are presented as a structured hierarchy where documents are organized within a tree of libraries that contain any number of folders and sub-folders.

A user only sees the folders and sub-folders that contain documents to which the user has access. Clicking a folder or sub-folder name displays the list of all documents in the folder or sub-folder and all its sub-folders.

When a user puts focus on the lowest level folder, the number of documents is shown in brackets:



Archive shows the folder and sub-folder structure of archived documents. It is only available to users with the Library Administrator authority profile.

Permissions

Permissions control whether a user has access to the document library. Generally, all users are granted access. Access to individual documents can be granted or refused on a user basis. The Library Reader authority profile provides reader access to the library.

Locating a Document

To display all the documents within and beneath a folder, click the folder name in the Document Folder pane area. Only those documents to which the user has access are shown.

Figure 8–2 Folder Content Display




Table 8–1 describes the columns displayed for the selected folder.

Table 8–1 Columns Displayed for a Selected Folder

Column	Icons	Description
First		This document is only visible to internal users, that is, the retailer's users. The document title in the next column is shown in red.
		This document is mandatory. This icon is only shown for supplier users.
		This document has not been published and is therefore only visible to users with the Library Administrator authority profile.
Document Title	The list of document titles is sorted by the icon in the first column. Clicking a document title opens the summary document as a new tab.	
Open	Indicates the type of attachments to the document, if any. If there are more than three attachments, an ellipsis is appended to the icon for the third attachment.	
		Microsoft Excel spreadsheet
		Microsoft Word document
		Portable Document Format (PDF) file
		Text Document

Table 8–1 (Cont.) Columns Displayed for a Selected Folder

Column	Icons	Description
Read		Indicates if this document has been read by the user.
	✗	User has not read the document.
	n\ a	Indicates the document has Log Readership set to NO.
	✓	User has marked the document as read.
Accepted		Indicates the acceptance of the document by the user.
	✗	User has not accepted the document.
	n\ a	Indicates the document has Log Readership set to NO.
	✓	User has accepted the document.

The following actions are available in this pane:

- Mark as read
- Mark as accepted

Reading a Document

To read a document:

1. Click a document folder. The list of available documents in the folder appears. See [Figure 8–2](#).
2. To read a document, click the document title. A new tab opens for the document.
3. If there are any attachments available, an icon is shown in the Open column. Click the icon to open the attachment.
4. If you are required to mark the document as read when you complete reading it, select the Mark as Read action. If you are required to mark the document as accepted when you complete reading it, select the Mark as Accepted action.

Marking a Document

The Library Administrator can require that a user confirm that a document has been read and approved.

Marking a Document as Read


The read confirmation action is only applicable for mandatory' documents It can only be selected if the user has at some point opened the document or one of its attachments.

To mark a document as read, do one of the following:

- Select the document in the left-hand pane and select the Mark as Read action from the Actions menu in the right-hand pane.
- Select the document in the left-hand column. Right-click and select the Mark as Read action.
- Open the Summary document and select the Mark as Read action.


If the Mark as Read action is selected, but the document has not been opened the following error dialog box appears.

Figure 8–3 Mark as Read Error Dialog for Document Not Opened



If the Mark as Read action is selected, but the document has not been opened within a multiple selection of documents, the following error dialog box appears. Some documents are marked as read, but the rest of the documents are not marked.

Figure 8–4 Mark as Read Error Dialog for Not All Documents Marked




Marking a Document as Accepted

The accept confirmation action is only applicable for mandatory documents. It can only be selected if the user has at some point opened the document or one of its attachments.


To mark a document as accepted, do one of the following:

- Select the document in the left-hand column and select the Mark as Accepted action from the Actions menu in the right-hand pane.
- Select the document in the left-hand column. Right-click and select the Mark as Accepted action.
- Open the Summary document and select the Mark as Accepted action.


A dialog box appears to enable the user to confirm the acceptance. Select **Ok**.

Figure 8–5 Accept this Document Dialog Box

If the Mark as Accept action is selected, but the document has not been opened the following error dialog box appears.

Figure 8–6 Mark as Accept Error Dialog for Document Not Opened

If the Mark as Accept action is selected, but the document has not been opened within a multiple selection of documents, the following error dialog box appears. Some documents are marked as accepted, but the rest of the documents are not marked.

Figure 8–7 Mark as Accept Error Dialog for Not All Documents Marked

Viewing the Reader Log

The Reader Log page enables users to see who has read the document.

Figure 8–8 Reader Log Page

The screenshot shows a web application interface for viewing document logs. At the top, there are tabs for 'Home Page', 'Library', and 'Guide to Nutrition'. Below these is an 'Actions' menu. The main content area has tabs for 'Document Details', 'Reader log', 'Accept Log', and 'Change History'. The 'Reader log' tab is active, displaying two sections: 'INTERNAL USERS' and 'EXTERNAL USERS'.

INTERNAL USERS

User name	Date read
A. Dministrator	16/02/10 03:09:53 GMT
A. Einstein	16/02/10 03:09:54 GMT
A. Techle	16/02/10 03:09:54 GMT
B. Quire	16/02/10 03:09:54 GMT
I. Gadget	16/02/10 03:09:54 GMT

Navigation: Page: 1 of 5, Rows per page: 5, Displaying items 1 to 5 of 24

EXTERNAL USERS

Supplier name	User name	Site name	Site code	Supplier code	Date read
Supplier name: Abacus (5 Items)					
Abacus	Andrew Quire			110368	16/02/10 03:09:54 GMT
Abacus	P. Cockle			110368	16/02/10 03:09:54 GMT
Abacus	R. Site	Abacus	C3-0750	110368	16/02/10 03:09:54 GMT
Abacus	S. Ite	Abacus	C3-0750	110368	16/02/10 03:09:54 GMT
Abacus	S. Upplier			110368	16/02/10 03:09:54 GMT

Navigation: Page: 1 of 20, Rows per page: 5, Displaying items 1 to 5 of 97

The list of internal users is sorted by the user name in ascending order. The list of external users is sorted by the supplier name and then user name, both in ascending order.

Supplier users have visibility to mandatory documents so they can see who else within their organization has read the document (restricted to only being able to see information relating to their organization). They are not able to see the Internal Users field set.

Users are able to perform a Quick Search on the full contents of the log and export the log to Microsoft Excel.

Note: The Site code and Site Name columns are populated if the user is assigned to one or more individual sites. If the user is an All Sites user or is a Supplier user, they will not appear in the Read and Accept logs.

Viewing the Accept Log

The Accept Log page enables users to see who has accepted the document.

Figure 8–9 Accept Log Page

The screenshot shows a web application interface for the 'Accept Log' page. At the top, there are tabs for 'Home Page', 'Library', and 'Guide to Nutrition'. Below these is a navigation bar with 'Actions', 'Document Details', 'Reader log', 'Accept Log' (selected), and 'Change History'. The main content area is divided into two sections: 'INTERNAL USERS' and 'EXTERNAL USERS'. The 'INTERNAL USERS' section has a search bar and a table with columns 'User name' and 'Date read'. The 'EXTERNAL USERS' section also has a search bar and a table with columns 'Supplier name', 'User name', 'Site name', 'Site code', 'Supplier code', and 'Date read'. Both sections include pagination controls at the bottom.

INTERNAL USERS	
User name	Date read
A. Dministrator	16/02/10 03:09:53 GMT
A. Einstein	16/02/10 03:09:54 GMT
A. Techle	16/02/10 03:09:54 GMT
B. Quire	16/02/10 03:09:54 GMT
I. Gadget	16/02/10 03:09:54 GMT

EXTERNAL USERS					
Supplier name	User name	Site name	Site code	Supplier code	Date read
Supplier name: Abacus (5 Items)					
Abacus	Andrew Quire			110368	16/02/10 03:09:54 GMT
Abacus	P. Cockle			110368	16/02/10 03:09:54 GMT
Abacus	R. Site	Abacus	C3-0750	110368	16/02/10 03:09:54 GMT
Abacus	S. Ite	Abacus	C3-0750	110368	16/02/10 03:09:54 GMT
Abacus	S. Upplier			110368	16/02/10 03:09:54 GMT

The list of internal users is sorted by the user name in ascending order. The list of external users is sorted by the supplier name and then user name, both in ascending order.

Supplier users have visibility to mandatory documents so they can see who else within their organization has accepted the document (restricted to only being able to see information relating to their organization). They are not able to see the Internal Users field set.

Users are able to perform a Quick Search on the full contents of the log and export the log to Microsoft Excel.

Note: The Site code and Site Name columns are populated if the user is assigned to one or more individual sites. If the user is an All Sites user or is a Supplier user, they will not appear in the Read and Accept logs.
