

Oracle® Retail Brand Compliance Management Cloud Service

Release Notes

Release 18.2

F21668-05

June 2021

This document highlights the major changes for Release 18.2 of Oracle Retail Brand Compliance Management Cloud Service.

Overview

Oracle Retail Brand Compliance Management Cloud Service is an application designed to meet all aspects of sourcing, developing, and protecting retailer brands. The application provides solutions for product development, compliance, quality, and traceability. It is designed specifically for retail, food service, and manufacturing businesses to develop and protect their brands, manage their suppliers, and ensure full end-to-end product lifecycle management.

Oracle Retail Brand Compliance Management Cloud Service is composed of the following modules:

- Library enables the issue, receipt, and acceptance of policies, guidelines, and key working documents.
- Product supports the development of products and production specifications.
- Project supports the development of project briefs, plans, and workflow management.
- Supplier enables the identification, selection, and approval of suppliers.
- Reports - reporting tool for reporting across the system, using standard templates and custom reports.

Oracle Retail Cloud Services and Business Agility

Oracle Retail Brand Compliance Management Cloud Service is hosted in the Oracle Retail Cloud with the security features inherent to Oracle technology and a robust data center classification, providing significant uptime. The Oracle Cloud team is responsible for installing, monitoring, patching, and upgrading retail software.

Included in the service is continuous technical support, access to software feature enhancements, hardware upgrades, and disaster recovery. The Cloud Service model helps to free customer IT resources from the need to perform these tasks, giving retailers greater business agility to respond to changing technologies and to perform more value-added tasks focused on business processes and innovation.

Oracle Retail Software Cloud Service is acquired exclusively through a subscription service (SaaS) model. This shifts funding from a capital investment in software to an operational expense. Subscription-based pricing for retail applications offers flexibility and cost effectiveness.

ORACLE®

Client System Requirements

Note: Oracle Retail assumes that the retailer has ensured its Operating System has been patched with all applicable updates.

The following web browsers are supported:

- Mozilla Firefox
- Microsoft Edge
- Google Chrome (Desktop)

Microsoft has deprecated Internet Explorer 11 in Windows 10 and recommends using Edge as the default browser. Refer to the [Oracle Software Web Browser Support Policy](#) for additional information.

Functional Enhancements

Note: Where new fields, User Interface (UI) changes, or glossary entries are introduced as part of a change, the portal owner may need to apply their own translations of the core system text.

The following functional enhancements are included in this release:

- [Product Specification: Advanced Packaging Section](#)
- [IDCS Integration for Authentication](#)

Product Specification: Advanced Packaging Section

To assist retailers with reducing packaging waste and single use plastics, and increasing recycled and recyclable packaging, a new Advanced Packaging specification section has been made available for all the existing specification types including Produce Specifications. This new section provides an alternative option to the existing packaging section allowing for the capture of more packaging and recycling information with supporting reports.

As part of the new section, additional packaging information can also be captured through the use of specification type configurable questions.

More of the packaging data fields are glossary controlled, per specification type which also provides more effective reporting. Recycling Icons are automatically generated based on the configuration of components and associated attributes.

Impact on Existing Installation

There is no change to the existing packaging section. The advanced packaging section is a completely distinct, and optional specification section, thus allowing for a controlled transition to utilizing the Advanced Packaging section should a client choose to do so.

IDCS Integration for Authentication

The means of authenticating identity for access to Brand Compliance moves to Oracle Identity Cloud Service (IDCS).

This is part of a strategic initiative to align with the technology used by other Oracle Retail cloud-based products, establishing a centralized identity management service, with increased security and authentication functionality.

Ultimately, this could facilitate a standard for single sign-on across the Oracle Retail product suite. However, until IDCS can support the organizational structure used by Brand Compliance for self-administration of supplier users, and access control by organization/regional area, Brand Compliance will operate as a standalone IDCS tenant solution for authentication.

Note: When IDCS integration is implemented for a Brand Compliance portal, the authentication of all the portal users and external systems will be through IDCS. There is not a fallback option of using the current local login.

Also, see the *Oracle Retail Brand Compliance Management Cloud Service Administration Guide* and *Oracle Retail Brand Compliance Management Cloud Service User Guide* for details on the use of IDCS in Brand Compliance.

The data passed to IDCS includes personal information (user name and email address). The user may also manually enter personal contact information in IDCS.

The Brand Compliance *Right to Access* and *Right to Erase/Right to be Forgotten* data privacy services are not extended to access IDCS, so the retailer must also check for a corresponding user profile in IDCS and, where necessary, remove the personal information from IDCS.

When a new user is created in Brand Compliance, the User record has a flag set to indicate that its data has been passed to IDCS.

The enhancements include the removal of certain aspects of the current Brand Compliance user authentication and registration processes.

The key features of the introduction of IDCS for authentication are:

- All users and external systems log in to Brand Compliance using an individual IDCS profile.
- Each Brand Compliance portal instance has its own dedicated IDCS tenants, one for its production and one for its STAGE/UAT environments.

The IDCS tenants are installed and configured by Oracle Application Management Services (AMS). An *IDCS Administrator* IDCS profile is created for the on-going administration by a retailer administrator.

- A migration tool allows for the mass creation of IDCS user profiles. This facility allows user accounts to be provisionally created, then enabled as part of the launch. External System accounts will also have an IDCS profile created automatically (providing an email address is present in Brand Compliance). The migration tool is run by Oracle AMS as part of the portal upgrade process; it may be run multiple times.

Note: During the migration, the automated sending of email notifications to migrated users from IDCS will be temporarily disabled. This is to prevent users being notified of the new environment as part of the migration until the client is at a position when they are ready to invite their users back onto the portal.

The notification emails may be manually sent from IDCS, post migration.

The migration tool can also be used to create IDCS user profiles when refreshing a STAGE/UAT environment with data from the production environment.

- When a new user or external system is created in Brand Compliance (whether manually, as part of a bulk upload, or by the Users API), a corresponding user profile is automatically created and activated in IDCS. The IDCS profile is automatically assigned to a group that represents its Brand Compliance user role access rights.

The login id becomes the unique reference that links the Brand Compliance and IDCS accounts. Validation prevents the user account being created if another User or External System record has the same login id.

The user receives an email notification from IDCS. The email templates are configurable, and the emails can be resent by the retailer administrator, within IDCS.

- An hourly batch job automatically synchronizes changes between Brand Compliance and IDCS.

The user maintains their password and email address in IDCS. Changes to the email address are automatically synchronized with Brand Compliance, where the email address is read-only. The login id cannot be changed.

The user maintains all other account details in Brand Compliance. Any changes to their user roles are automatically synchronized with IDCS, ensuring they are assigned to the appropriate groups for their level of access.

- In the event of the IDCS tenant not being accessible when a new user account is created, the IDCS profile will be subsequently created automatically on completion of the next hourly synchronization job.
- The rules for password strength and reuse are configured in IDCS.
- If a user or external system is deleted, the corresponding IDCS profile is automatically deleted.
- External systems accounts, used to access the Brand Compliance APIs, are treated the same as users.

Note: IDCS does not issue email notification prior to a password expiring, so in order to ensure continued access to the Brand Compliance APIs, plan for the external system passwords to be changed periodically.

- An attribute is added to the Brand Compliance Users REST API, allowing for suppression of the IDCS profile. This is of use where users may be referenced in a system, but do not log in to that system; for example, for test environments, or for

the synchronization of data in a Global Network Bus (GNB) environment, between satellite and hub portals.

- The Users REST API has also been changed to prevent the update of login id and email address. If these values are supplied in a PUT update message, they are ignored.
- As part of the IDCS enhancements, the legacy Orders facility is removed, as it is no longer used. The Order record is removed and the billing code assigned to suppliers becomes optional.

Impact on Existing Installation

The introduction of IDCS for user identity authentication results in the following changes in an existing Brand Compliance system:

- All login, logout, and timeout are now handled by IDCS.

A new Brand Compliance Landing page is introduced, which the user can bookmark.

The standard default timeout is 480 minutes (8 hours) and is configurable. Once the time limit is reached, the user is automatically logged out, regardless of their interaction with the system.

Note: IDCS does not issue a warning prior to session timeout. Any unsaved edits will be lost.

- Various changes are made to the maintenance of User and External System records.

Note: The passwords of all existing users and external systems will need to be reset (see the IDCS Migration Checklist).

The password related fields and the option to change password are removed.

Email address is added to the External System record as a mandatory field.

Login id and email address cannot be changed in Brand Compliance once the record has been created.

Validation prevents the account being created if another user or external system has the same login id.

When the new account is saved, the creation of a corresponding IDCS profile is triggered. An email message is automatically generated from IDCS, instructing the user to set their password and activate their profile. The administrator may re-send the emails from within IDCS.

The user maintains their Password and Email address in IDCS.

Changes to email address and user roles are automatically synchronized between Brand Compliance and IDCS.

The flag in Brand Compliance that disables the login has no effect on the IDCS profile, however it will prevent the user accessing Brand Compliance if the account has been set as disabled.

- The *Open Identity Management* link in the Brand Compliance navigation bar open the user's IDCS profile.
- New (read-only) system parameters are introduced for the IDCS integration:
 - Identity Cloud Service URL*
 - Identity Cloud Service Client ID*
 - Identity Cloud Service Last Synchronization*
 - Identity Cloud Service Environment*
 - Identity Cloud Service Brand Compliance App ID*
- Also, system parameters relating to passwords and registration are removed.
- New user registration email templates (IDCS1 and IDCS2) are introduced.
 - Also, the following email templates are removed:
 - EXTERNAL SYSTEM PASSWORD EXPIRED - Notify user that an external system's password has expired
 - FORGOT EMAIL PASSWORD - Email to facilitate the resetting of password
 - NEW USER EMAIL - You have been registered as a new user
 - PASSWORD CHANGED - Notify user of their password changing
 - REG1 - Registration Request raised by Retailer
 - REG3 - Supplier Registration Order
 - REGISTER EMAIL PASSWORD - Email to register a user
 - SSOOFF - Email sent to users using Single Sign On to access single sign on is disabled
 - SSOON - Email sent to users using Single Sign On to access when single sign on is enabled
- User Management, Network Bus task, and UIM entries relating to expired passwords are removed.
- The *Re-send New User Notification* action is removed from the Users list view.
- A new batch job, *ORBC-IDCS User Synchronization*, is introduced.
- Changes are made to Permissions:
 - Order Reader, Account Administrator, and Password Administrator are removed (deactivated).
 - Surveillance Administrator can create new Test Disciplines.
 - Project Administrator can create new Project Sub Statuses.
 - Oracle Authorized Administrator has additional access rights:
 - View Static Settings system parameters.
 - Edit the *Allow Creation of Multiple Products* system parameter.
 - Edit *Supplier & Site Coding* system parameters.
 - Create new Test Disciplines.
- The Order record is removed and a billing code is no longer mandatory when registering a new supplier.

- Authentication with the Artwork module will be achieved using IDCS, instead of calling the current SSO service for authentication. The retailer will need to configure the necessary External System accounts, and assign them to the appropriate IDCS group. The SSO REST API that provides single sign-on from Brand Compliance is removed/deprecated.
- When retrieving WADL and WSDL files from Brand Compliance, it is no longer possible to save directly from the /services page, so a Windows curl command must be used instead. The steps for achieving this can be found in the *Oracle Retail Brand Compliance Management Cloud Service Implementation Guide*.
- Calling a service using a web browser does not generate the necessary header for IDCS authentication, thus resulting in a 401 or 407 authorization error. Instead, a web service tool should be used.

Prior to 18.2, access was direct from the browser through the load balancer/firewall, into the application. After the first call, a session was established with the application for the authenticated user (the external system), and was used thereafter. From 18.2 onwards, all requests are guarded by IDCS and CloudGate. Using Basic authentication, no user session is established with IDCS and CloudGate. Subsequent requests will need to continue sending the Basic authentication header. Web browsers do not re-send this authentication header.

A web service tool such as PostMan, SoapUI, or a lower-level tool such as curl or wget must be used in order to be able to send the authentication header for each request while using Basic authentication.

To avoid sending the credentials on each request, the use of OAuth 2 / OpenID Connect is suggested; establish identity with IDCS to get back an access bearer token and then supply that token on each request to the application's web services.

Post Release Tasks

The following post release tasks are available:

- [Advanced Packaging Specification Section](#)
- [IDCS Migration Checklist](#)
- [Enabling Artwork with SSO](#)

Advanced Packaging Specification Section

The following post release tasks may be necessary for the introduction of the new Advanced Packaging section.

System Text

For the new Advanced Packaging Section, there are new system text entries which will be automatically uploaded with this release. If there are any client-specific overrides or language translations required, they must be manually applied as a post-release task.

The new system text entries cover the following areas:

Admin: Administration records, views, and options

Key	Core Text
specificationSectionType.advancedPackaging	Advanced Packaging
advancedPackagingAdditionalInformationQuestion.plural	Additional Information Questions
advancedPackagingBaseMaterial.plural	Base Material
packagingAdditionalInformationQuestionView.listActionsButton.editAdvancedPackagingAdditionalInformationQuestion	Edit
packagingAdditionalInformationQuestionView.newVersion	New Version
advancedPackagingColour.plural	Colour
advancedPackagingLevel.plural	Levels
AdvancedPackagingColour.plural	Colour
AdvancedPackagingLevel.plural	Levels
advancedPackagingRecyclingAdviceIcon.plural	Recycling Advice Icon
AdvancedPackagingRecyclingAdviceIcon.plural	Recycling Advice Icon
advancedPackagingMaterial.plural	Material
AdvancedPackagingMaterial.plural	Material
advancedPackagingTypeOfPrint.plural	Type Of Print
AdvancedPackagingTypeOfPrint.plural	Type Of Print
advancedPackagingInkType.plural	Ink Type
AdvancedPackagingInkType.plural	Ink Type
baseMaterial	Base Material
applyRecyclingAdviceIcon	Apply Recycling Advice Icon
recyclingAdviceIcon	Recycling Advice Icon
advancedPackagingMouldType.plural	Mould Type
advancedPackagingPrintMethod.plural	Print Method
advancedPackagingConstruction.plural	Construction
advancedPackagingAdhesiveType.plural	Adhesive Type
advancedPackagingAdditive.plural	Additive
advancedPackagingAttributeStandard.plural	Attribute Standard
advancedPackagingComponent.plural	Component
advancedPackagingAdditionalInformationQuestionPage.fieldSet.details.componentMandatory	Component Mandatory
advancedPackagingSupplierCertification.plural	Supplier Certification
advancedPackagingFinish.plural	Finish
advancedPackagingRecyclingSupportingText.plural	Recycling Supporting Text
enableAdvancedPackagingComponentImportExport	Enable Advanced Packaging Component Detail Import/Export

Key	Core Text
advancedPackagingRecyclingIconEditableText.plural	Recycling Icon Editable Text
AdvancedPackagingAdditionalInformationQuestionGlossarylistTitle	Additional Information Questions
advancedPackagingAdditionalInformationQuestionGlossary	Additional Information Questions
AdvancedPackagingAdditive.plural	Additive
AdvancedPackagingAdhesiveType.plural	Adhesive Type
AdvancedPackagingAttributeStandard.plural	Attribute Standard
AdvancedPackagingBaseMaterial.plural	Base Material
AdvancedPackagingComponent.plural	Component
AdvancedPackagingConstruction.plural	Construction
AdvancedPackagingFinish.plural	Finish
AdvancedPackagingMouldType.plural	Mould Type
AdvancedPackagingPrintMethod.plural	Print Method
AdvancedPackagingRecyclingIconEditableText.plural	Recycling Icon Editable Text
AdvancedPackagingRecyclingSupportingText.plural	Recycling Supporting Text
AdvancedPackagingSupplierCertification.plural	Supplier Certification
newAdvancedPackagingAdditionalInformationQuestionGlossary	New Additional Information Question
AdvancedPackagingAdditionalInformationQuestionGlossary list	Additional Information Questions
AdvancedPackagingColour list	Colours
AdvancedPackagingLevel list	Levels
AdvancedPackagingRecyclingAdviceIcon list	Recycling Advice Icons
AdvancedPackagingMaterial list	Materials
AdvancedPackagingTypeOfPrint list	Types Of Prints
AdvancedPackagingBaseMaterial list	Base Materials
AdvancedPackagingAdditive list	Additives
AdvancedPackagingAdhesiveType list	Adhesive Types
AdvancedPackagingAttributeStandard list	Attribute Standards
AdvancedPackagingComponent list	Components
AdvancedPackagingConstruction list	Construction
AdvancedPackagingFinish list	Finishes
AdvancedPackagingMouldType list	Mould Types
AdvancedPackagingPrintMethod list	Print Methods
AdvancedPackagingRecyclingIconEditableText list	Recycling Icon Editable Texts
AdvancedPackagingRecyclingSupportingText list	Recycling Supporting Texts
AdvancedPackagingSupplierCertification list	Supplier Certifications
AdvancedPackagingInkType list	Ink Types

Key	Core Text
advancedPackagingAttributeDetailsColumnLimit	Advanced Packaging Component Attribute Table Column Limit
advancedPackagingCrateShipperDollyType.plural	Crate Shipper Dolly Type
AdvancedPackagingCrateShipperDollyType.plural	Crate Shipper Dolly Type
AdvancedPackagingConstruction	Construction
AdvancedPackagingComponent	Component
AdvancedPackagingColour	Colour
AdvancedPackagingBaseMaterial	Base Material
AdvancedPackagingAttributeStandard	Attribute Standard
AdvancedPackagingAdhesiveType	Adhesive Type
AdvancedPackagingAdditive	Additive
AdvancedPackagingAdditionalInformationQuestionGlossary	Additional Information Questions
AdvancedPackagingTypeOfPrint	Type Of Print
AdvancedPackagingRecyclingAdviceIcon	Recycling Advice Icon
AdvancedPackagingPrintMethod	Print Method
AdvancedPackagingMouldType	Mould Type
AdvancedPackagingMaterial	Material
AdvancedPackagingLevel	Level
AdvancedPackagingInkType	Ink Type
AdvancedPackagingFinish	Finish
AdvancedPackagingCrateShipperDollyType	Crate Shipper Dolly Type
AdvancedPackagingRecyclingAdviceIcon	Recycling Advice Icon
AdvancedPackagingRecyclingSupportingText	Recycling Supporting Text
AdvancedPackagingSupplierCertification	Supplier Certification
AdvancedPackagingTypeOfPrint	Type Of Print
AdvancedPackagingRecyclingIconEditableText	Recycling Icon Editable Text
mandatorySpecificationSectionTypeDetails.specificationSectionTypeDetailDuplicate	The Mandatory Specification Section Types must not contain duplicates
optionalSpecificationSectionTypeDetails.specificationSectionTypeDetailDuplicate	The Optional Specification Section Types must not contain duplicates
mandatorySpecificationSectionTypeDetails.table	Mandatory Specification Sections table
optionalSpecificationSectionTypeDetails.table	Optional Specification Sections table

Reports: Report Query column names

Key	Core Text
reportQuery.advancedPackagingComponent	Advanced Packaging Component
reportQuery.advancedPackagingRecycleAdvice	Advanced Packaging Recycle Advice
reportQuery.advancedPackagingRecycleIcon	Advanced Packaging Recycle Icon
reportQuery.advancedPackagingInformation	Advanced Packaging Additional Info
reportQueryColumn.ADV_PACKAGING_INFORMATION_ANSWER	Advanced Packaging Information Answer
reportQueryColumn.ADV_PACKAGING_INFORMATION_COMMENT	Advanced Packaging Information Comments
reportQueryColumn.ADV_PACKAGING_INFORMATION_COMPONENT	Advanced Packaging Information Component
reportQueryColumn.ADV_PACKAGING_INFORMATION_QUESTION	Advanced Packaging Information Question
reportQueryColumn.ADV_PACKAGING_ICON	Advanced Packaging Icon
reportQueryColumn.ADV_PACKAGING_ICON_SUPPORTING_TEXT	Advanced Packaging Icon Supporting Text
reportQueryColumn.ADV_PACKAGING_ICON_USE_ON_PACK	Advanced Packaging Icon Use On Pack
reportQueryColumn.ADV_PACKAGING_COMPONENT	Packaging Component
reportQueryColumn.ADV_PACKAGING_COMPONENT_ADDITIVE	Packaging Component Additive
reportQueryColumn.ADV_PACKAGING_COMPONENT_ADHESIVE_TYPE	Packaging Component Adhesive Type
reportQueryColumn.ADV_PACKAGING_COMPONENT_ATTRIBUTES_STANDARDS	Packaging Component Attributes Standards
reportQueryColumn.ADV_PACKAGING_COMPONENT_BASE_MATERIAL	Packaging Component Base Material
reportQueryColumn.ADV_PACKAGING_COMPONENT_BIODEGRADABLE_PERCENT	Packaging Component Biodegradable Percent
reportQueryColumn.ADV_PACKAGING_COMPONENT_CERTIFICATION	Packaging Component Certification
reportQueryColumn.ADV_PACKAGING_COMPONENT_CERT_NUMBER	Packaging Component Certificate Number
reportQueryColumn.ADV_PACKAGING_COMPONENT_COLOUR	Packaging Component Colour
reportQueryColumn.ADV_PACKAGING_COMPONENT_COMPOSTABLE	Packaging Component Compostable
reportQueryColumn.ADV_PACKAGING_COMPONENT_CONSTRUCTION	Packaging Component Construction
reportQueryColumn.ADV_PACKAGING_COMPONENT_COUNTRY	Packaging Component Country

Key	Core Text
reportQueryColumn.ADV_PACKAGING_COMPONENT_DEPTH_CRUSHED	Packaging Component Depth Crushed
reportQueryColumn.ADV_PACKAGING_COMPONENT_FINISH	Packaging Component Finish
reportQueryColumn.ADV_PACKAGING_COMPONENT_FLEXIBLE_THICKNESS	Packaging Component Flexible Thickness
reportQueryColumn.ADV_PACKAGING_COMPONENT_FOOD_CONTACT	Packaging Component Food Contact
reportQueryColumn.ADV_PACKAGING_COMPONENT_HEIGHT	Packaging Component Height
reportQueryColumn.ADV_PACKAGING_COMPONENT_INK_TYPE	Packaging Component Ink Type
reportQueryColumn.ADV_PACKAGING_COMPONENT_LENGTH	Packaging Component Length
reportQueryColumn.ADV_PACKAGING_COMPONENT_LEVEL	Packaging Component Level
reportQueryColumn.ADV_PACKAGING_COMPONENT_MATERIAL	Packaging Component Material
reportQueryColumn.ADV_PACKAGING_COMPONENT_MOULD_TYPE	Packaging Component Mould Type
reportQueryColumn.ADV_PACKAGING_COMPONENT_PACKAGING_RIGID_WEIGHT	Packaging Component Packaging Rigid Weight
reportQueryColumn.ADV_PACKAGING_COMPONENT_PACKAGING_WEIGHT	Packaging Component Packaging Weight
reportQueryColumn.ADV_PACKAGING_COMPONENT_PERCENT_RECYCLED	Packaging Component Percent Recycled
reportQueryColumn.ADV_PACKAGING_COMPONENT_POST_CONSUMER_PERCENT_RECYCLED	Packaging Component Post Consumer Percent Recycled
reportQueryColumn.ADV_PACKAGING_COMPONENT_PRINT_METHOD	Packaging Component Print Method
reportQueryColumn.ADV_PACKAGING_COMPONENT_RECYCLE_WEIGHT	Packaging Component Recycle Weight
reportQueryColumn.ADV_PACKAGING_COMPONENT_RENEWABLE	Packaging Component Renewable
reportQueryColumn.ADV_PACKAGING_COMPONENT_SINGLE_USE_PLASTIC	Packaging Component Single Use Plastic
reportQueryColumn.ADV_PACKAGING_COMPONENT_SPECIFICATION	Packaging Component Specification
reportQueryColumn.ADV_PACKAGING_COMPONENT_SUPPLIER	Packaging Component Supplier
reportQueryColumn.ADV_PACKAGING_COMPONENT_TAMPER_EVIDENT_FACTOR	Packaging Component Tamper Evident Factor
reportQueryColumn.ADV_PACKAGING_COMPONENT_TYPE_OF_PRINT	Packaging Component Type Of Print
reportQueryColumn.ADV_PACKAGING_COMPONENT_WIDTH	Packaging Component Width

Key	Core Text
reportQueryColumn.ADV_PACKAGING_COMPONENT_WIDTH_CRUSHED	Packaging Component Width Crushed
reportQueryColumn.ADV_PACKAGING_SECTION_CASE_UNITS	Packaging Section Units per Crate
reportQueryColumn.ADV_PACKAGING_SECTION_COMMENTS	Packaging Section Comments
reportQueryColumn.ADV_PACKAGING_SECTION_CONSUMER_UNITS	Packaging Section Units per Consumer Pack
reportQueryColumn.ADV_PACKAGING_SECTION_DESCRIPTION	Packaging Section Description
reportQueryColumn.ADV_PACKAGING_SECTION_DOLLY_TYPE	Packaging Section Dolly Type
reportQueryColumn.ADV_PACKAGING_SECTION_LAYER_CASES	Packaging Section Cases per Pallet Layer
reportQueryColumn.ADV_PACKAGING_SECTION_MAX_STACK	Packaging Section Max Stack
reportQueryColumn.ADV_PACKAGING_SECTION_PALLET_HEIGHT	Packaging Section Pallet Height
reportQueryColumn.ADV_PACKAGING_SECTION_PALLET_LAYERS	Packaging Section Layers per Pallet
reportQueryColumn.ADV_PACKAGING_SECTION_SHIPPER_STATEMENT	Packaging Section Shipper Statement
reportQueryColumn.ADV_PACKAGING_SECTION_TOTAL_CASES	Packaging Section Total Cases per Pallet
reportQueryColumn.ADV_PACKAGING_ADVICE_ICON	Advanced Packaging Advice Icon
reportQueryColumn.ADV_PACKAGING_ADVICE_USE_ON_PACK	Advanced Packaging Advice Use On Pack
reportQueryColumn.ADV_PACKAGING_BASE_MATERIAL	Advanced Packaging Base Material
reportQueryColumn.ADV_PACKAGING_MATERIAL	Advanced Packaging Material
reportQueryColumn.ADV_PACKAGING_MULTIPACK_COMPONENT	Advanced Packaging Multipack Component
reportQueryColumn.ADV_PACKAGING_USE_BASE_MATERIAL	Advanced Packaging Use Base Material
reportQueryColumn.ADV_PACKAGING_USE_COMPONENT	Advanced Packaging Use Component
reportQueryColumn.ADV_PACKAGING_ADVICE_SUPPORTING_TEXT	Supporting Text
reportQueryColumn.ADV_PACKAGING_ICON_TEXT	Recycling Icon Text

Pack copy report: Pack copy report output text

Key	Core Text
packCopyReport.otherRecyclingIconsHeader	Other Recycling Icons

Key	Core Text
packCopyReport.otherRecyclingIcons	Other Recycling Icons:
packCopyReport.otherRecyclingIcons.recyclingIcon	Other Recycling Icon
packCopyReport.otherRecyclingIcons.supportingText	Supporting Text
packCopyReport.otherRecyclingIcons.useOnPack	Use On Pack
packCopyReport.advancedPackagingRecyclingAdvice	Recycling Advice:
packCopyReport.advancedPackagingRecyclingAdviceHeader	Recycling Advice
packCopyReport.advancedPackagingRecyclingAdvice.advancedPackagingComponent	Component
packCopyReport.advancedPackagingRecyclingAdvice.advancedPackagingMaterial	Material
packCopyReport.advancedPackagingRecyclingAdvice.advancedPackagingRecyclingAdviceIcon	Recycling Icon
packCopyReport.advancedPackagingRecyclingAdvice.advancedPackagingRecyclingSupportingText	Supporting Text
packCopyReport.advancedPackagingRecyclingAdvice.useOnPack	Use On Pack

Report templates: Report output text

Key	Core Text
orbcmReports.year	Year
orbcmReports.singleUsePlastic	Single-Use Plastic
orbcmReports.colour	Colour
orbcmReports.additives	Additives
orbcmReports.attributesStandards	Attributes & Standards
orbcmReports.percentPCRecycledContent	% Post-Consumer Recycled Content
orbcmReports.compostable	% Compostable
orbcmReports.percentBiodegradable	% Biodegradable
orbcmReports.renewable	Renewable
orbcmReports.baseMaterial	Base Material
orbcmReports.recAdviceIcon	Recycling Advice Icon
orbcmReports.useComponent	Use Component
orbcmReports.useBaseMaterial	Use Base Material
orbcmReports.response	Response
orbcmReports.advancedPackagingComponents	Advanced Packaging Components
orbcmReports.advancedPackagingRecyclingAdvice	Advanced Packaging Recycling Advice
orbcmReports.advancedPackagingOtherRecyclingIcons	Advanced Packaging Other Recycling Icons

Key	Core Text
orbcmReports.advancedPackagingAdditionalInfo	Advanced Packaging Additional Info

Specification: Specification page, field names, options, and so on

Key	Core Text
action.okNext	Ok. Go to Next
action.okPrevious	Ok. Go to Previous
AdvancedPackagingAdditionalInformationQuestionlistTitle	Addition Information Questions
advancedPackagingAdditives	Additives
advancedPackagingAdditives.columnTitle	Packaging Additive
advancedPackagingAdditives.selectionTitle	Select Additives
advancedPackagingAdhesiveType	Adhesive Type
advancedPackagingAdhesiveType.columnTitle	Packaging Adhesive Type
advancedPackagingAdhesiveType.selectionTitle	Select Adhesive Type
advancedPackagingAttributeDetail	Attribute Detail
advancedPackagingAttributesPage	Packaging Attributes
advancedPackagingAttributesPage.advancedPackagingAttributeDetail	Attribute Detail
advancedPackagingAttributesPage.advancedPackagingWidth	Width(mm)
advancedPackagingAttributesPage.biodegradable	Biodegradable
advancedPackagingAttributesPage.classifiedAsSingleUseOfPlastic	Classified as Single Use Plastic
advancedPackagingAttributesPage.compostable	Compostable
advancedPackagingAttributesPage.depthWhenCrushed	Depth When Crushed (mm)
advancedPackagingAttributesPage.percentBiodegradable	% Biodegradable
advancedPackagingAttributesPage.percentRecycledContent	% Recycled Content
advancedPackagingAttributesPage.postConsumerRecycledContent	Post-Consumer Recycled Content
advancedPackagingAttributesPage.renewable	Renewable
advancedPackagingAttributesPage.tamperEvident	Tamper Evident
advancedPackagingAttributesPage.tamperEvidentFactor	Tamper Evident Factor
advancedPackagingAttributesPage.weightOfRecycled	Weight of Recycled (g)
advancedPackagingAttributesPage.widthWhenCrushed	Width When Crushed (mm)
advancedPackagingAttributeStandard	Attributes & Standards
advancedPackagingAttributeStandard.columnTitle	Packaging Attributes & Standards
advancedPackagingAttributeStandard.selectionTitle	Select Attributes & Standards

Key	Core Text
advancedPackagingBaseMaterial	Base Material
advancedPackagingBaseMaterial.columnTitle	Packaging Base Material
advancedPackagingBaseMaterial.selectionTitle	Select Base Material
advancedPackagingCalculateMessage	Continuing with this action will overwrite packaging data
advancedPackagingCalculateTitle	Warning
advancedPackagingColour	Colour
advancedPackagingColour.columnTitle	Packaging Colour
advancedPackagingColour.selectionTitle	Select Colour
advancedPackagingComponent	Component
advancedPackagingComponent.columnTitle	Packaging Component
advancedPackagingComponent.selectionTitle	Select Component
advancedPackagingComponentDetails	Advanced Packaging Details
advancedPackagingComponentDetailsTableAPI.calculateButtonText	Refresh Packaging Data
advancedPackagingComponentDetailsTableConfirmDialog.title	Packaging Component Import
advancedPackagingComponentDetailsTableSelectFileDialog.message	Clicking Ok will overwrite the existing Packaging Component table in this section. Are you sure you wish to continue?
advancedPackagingComponentDetailsTableSelectFileDialog.title	Packaging Component Import
advancedPackagingComponentsMultiPack	Multi-pack Component
advancedPackagingComponentsPage	Packaging Component
advancedPackagingComponentsPage.biodegradable	Biodegradable
advancedPackagingComponentsPage.canNotCopyBetweenSpecTypesDialog.subject	You cannot copy a row or table from a different Specification Type into this table. Your data will not be pasted.
advancedPackagingComponentsPage.classifiedAsSingleUseOfPlastic	Classified as Single Use Plastic
advancedPackagingComponentsPage.compostable	Compostable
advancedPackagingComponentsPage.depthWhenCrushed	Depth When Crushed (mm)
advancedPackagingComponentsPage.otherRecyclingIcon	Other Recycling Icons
advancedPackagingComponentsPage.percentRecycledContent	% Recycled Content
advancedPackagingComponentsPage.percentBiodegradable	% Biodegradable
advancedPackagingComponentsPage.postConsumerRecycledContent	% Post-Consumer Recycled Content
advancedPackagingComponentsPage.recyclingAdvice	Recycling Advice
advancedPackagingComponentsPage.renewable	Renewable

Key	Core Text
advancedPackagingComponentsPage.tamperEvident	Tamper Evident
advancedPackagingComponentsPage.tamperEvidentFactor	Tamper Evident Factor
advancedPackagingComponentsPage.weightOfRecycled	Weight of Recycled (g)
advancedPackagingComponentsPage.widthWhenCrushed	Width When Crushed (mm)
advancedPackagingComponentWeight	Component Weight(g)
advancedPackagingComponentWeight.columnTitle	Packaging Weight
advancedPackagingComponentWeight.selectionTitle	Select Weight
advancedPackagingConstruction	Construction
advancedPackagingCountryOfOrigin	Country Of Origin
advancedPackagingCountryOfOrigin.columnTitle	Packaging Country Of Origin
advancedPackagingCountryOfOrigin.selectionTitle	Select Country Of Origin
advancedPackagingDescription	Description
advancedPackagingFinish	Finish
advancedPackagingFinish.columnTitle	Packaging Finish
advancedPackagingFinish.selectionTitle	Select Finish
advancedPackagingFlexibleComponentThickness	Flexible Component Thickness
advancedPackagingFlexibleComponentThickness.columnTitle	Packaging Thickness
advancedPackagingFlexibleComponentThickness.selectionTitle	Select Thickness
advancedPackagingFoodContact	Food Contact
advancedPackagingFoodContact.columnTitle	Packaging Food Contact
advancedPackagingFoodContact.selectionTitle	Select Food Contact
advancedPackagingHeight	Height(mm)
advancedPackagingHeight.columnTitle	Packaging Height
advancedPackagingHeight.selectionTitle	Select Height
advancedPackagingInkType	Ink Type
advancedPackagingInkType.columnTitle	Packaging Ink Type
advancedPackagingInkType.selectionTitle	Select Ink Type
advancedPackagingLength	Length(mm)
advancedPackagingLength.columnTitle	Packaging Length
advancedPackagingLength.selectionTitle	Select Length
advancedPackagingLevel	Level
advancedPackagingLevel.columnTitle	Packaging Level
advancedPackagingLevel.selectionTitle	Select Level
advancedPackagingMaterial	Material
advancedPackagingMaterial.columnTitle	Packaging Material
advancedPackagingMaterial.selectionTitle	Select Material

Key	Core Text
advancedPackagingMouldType	Mould Type
advancedPackagingMouldType.columnTitle	Packaging Mould Type
advancedPackagingMouldType.selectionTitle	Select Mould Type
advancedPackagingPrintMethod	Print Method
advancedPackagingRecyclingAdviceIcon	Recycling Advice Icon
advancedPackagingRigidComponentWeight	Rigid Component Weight(g)
advancedPackagingRigidComponentWeight.columnTitle	Packaging Rigid Component Weight
advancedPackagingRigidComponentWeight.selectionTitle	Select Rigid Component Weight
advancedPackagingSection.page.advancedPackagingSection	Advanced Packaging
advancedPackagingSection.page.palletisationPage	Palletisation
advancedPackagingSupplier	Packaging Supplier
advancedPackagingSupplierCertificateNo	Supplier Certificate Numbers
advancedPackagingSupplierCertification	Supplier Certifications
advancedPackagingTableMore	More
advancedPackagingTypeOfPrint	Type of Print
advancedPackagingWidth	Width(mm)
advancedPackagingWidth.columnTitle	Packaging Width
advancedPackagingWidth.selectionTitle	Select Width
canNotCopyBetweenSpecTypesDialog.title	Specification Type Incompatibility
exportAdvancedPackagingComponentDetails	Export Packaging Component
importAdvancedPackagingComponentDetails	Import Packaging Component
otherRecyclingIcon.advancedPackagingRecyclingIconEditableText	Text
recyclingAdvice.advancedPackagingRecyclingSupportingText	Supporting Text
recyclingAdvice.useBaseMaterial	Use Base Material
recyclingAdvice.useComponent	Use Component
recyclingAdvice.useOnPack	Use On Pack
recyclingAdvice.advancedPackagingMultiPackComponents	Multi-pack Component
SpecKeywordEntityColumn.invalidCodeForSpecType	Row {0} "{1}" is an invalid code for Specification Type "{2}"
SpecTypeColumn.invalidSpecType	Row {0} "{1}" is not a valid Specification Type for this section, which is a "{2}" section.
useAdvancedPackagingRecyclingAdvice	Use Advanced Packaging Recycling Advice
palletisationPage.palletisation	Palletisation
SelectAdvancedPackagingRecyclingAdviceIcon.single.title	Select Recycling Advice Icon

Key	Core Text
SelectAdvancedPackagingRecyclingSupportingText.multipletitle	Select Supporting Text
SelectAdvancedPackagingColour.single.title	Select Colour
SelectAdvancedPackagingAdditive.multiple.title	Select Additives
SelectAdvancedPackagingAttributeStandard.multiple.title	Select Attributes & Standards
SelectAdvancedPackagingConstruction.single.title	Select Construction
SelectAdvancedPackagingAdhesiveType.single.title	Select Adhesive Type
SelectAdvancedPackagingMouldType.single.title	Select Mould Type
SelectAdvancedPackagingSupplierCertification.multiple.title	Select Supplier Certifications
SelectAdvancedPackagingPrintMethod.single.title	Select Print Method
SelectAdvancedPackagingTypeOfPrint.single.title	Select Type of Print
SelectAdvancedPackagingInkType.single.title	Select Ink Type
SelectAdvancedPackagingFinish.multiple.title	Select Finish
advancedPackagingSectionRequiresCalc	The Advanced Packaging Section has not be recalculated since the Component Details have changed
productSpecification.page.advancedPackagingSection	Advanced Packaging
otherRecyclingIcon.advancedPackagingMultiPackComponents	Multi-pack Component
SelectProductSpecificationComponent.multiple.title	Select Multi-pack Component
advancedPackagingAttributesPage.editAttribute	More
advancedPackagingAdditionalInformationQuestionPage	Additional Packaging Information
advancedPackagingAdditionalInformationQuestion	Additional Packaging Information
advancedPackagingAdditionalInformationQuestionGlossary	Question
SelectAdvancedPackagingComponent.multiple.title	Select Component
AdvancedPackagingAdditionalInformationQuestionGlossaryinstanceTitle	Additional Information Question
editAdvancedPackagingAdditionalInformationQuestionGlossary	Edit
SelectAdvancedPackagingComponent.multiple.title	Select Component
advancedPackagingRecyclingIconTable	Other Recycling Icons
advancedPackagingComponentDetailsTableConfirmDialog.title	Packaging Component Import
advancedPackagingComponentDetailsTableConfirmDialog.message	Clicking Ok will overwrite the Packaging Component tables in the current section. Are you sure that you wish to continue?
advancedPackagingComponent.widthWhenCrushed	Width When Crushed (mm)

Key	Core Text
advancedPackagingComponent.depthWhenCrushed	Depth When Crushed (mm)
advancedPackagingComponent.postConsumerRecycledContent	Post-Consumer Recycled Content
advancedPackagingComponent.percentRecycledContent	% Recycled Content
advancedPackagingComponent.weightOfRecycled	Weight of Recycled (g)
advancedPackagingComponent.percentBiodegradable	% Biodegradable
advancedPackagingComponent.biodegradable	Biodegradable
advancedPackagingComponent.compostable	Compostable
advancedPackagingComponent.renewable	Renewable
advancedPackagingComponent.tamperEvident	Tamper Evident
advancedPackagingComponent.tamperEvidentFactor	Tamper Evident Factor
SelectAdvancedPackagingBaseMaterial.single.title	Select Advanced Packaging Base Material
SelectAdvancedPackagingRecyclingAdviceIcon.multiple.title	Select Recycling Advice Icons
advancedPackagingComponentDetailsInvalidFileTypeDialog.title	Invalid File Type
SelectAdvancedPackagingCrateShipperDollyType.multiple.title	Select Crate Shipper Dolly Type
advancedPackagingComponentDetailsInvalidFileTypeDialog.message	The Component Details import file must be an XLS or CSV file
advancedPackagingComponent.classifiedAsSingleUseOfPlastic	Classified as single use plastic
advancedPackagingAdditionalInformationQuestionPage.answer	Response

User defined fields

Key	Core Text
userDefinedFieldsRecordType.ADVANCED_PACKAGING_BWS	Advanced Packaging - BWS
userDefinedFieldsRecordType.ADVANCED_PACKAGING_CNF	Advanced Packaging - CNF
userDefinedFieldsRecordType.ADVANCED_PACKAGING_FNF	Advanced Packaging - FNF
userDefinedFieldsRecordType.ADVANCED_PACKAGING_FOOD	Advanced Packaging - Food
userDefinedFieldsRecordType.ADVANCED_PACKAGING_PRODUCE	Advanced Packaging - Produce

To update system text manually:

1. Select Admin > System Text > System Text.
2. Expand the Active list and select the appropriate area, such as, Admin or Product.

3. Identify and open the system text to be edited.
4. From the Actions menu, select *Edit* and then update the required Override fields.
5. From the Actions menu, select *Save and Exit*.

System can also be managed using an export and import process from the Actions menu under Admin > System Text > System Text.

Permissions

Note: In the following steps, only the columns that have required content are shown.

For a new install the following permissions will be added automatically. However for an upgrade, these Permissions need to be added to the Permissions spreadsheet, to provide the required permissions for managing the Advanced Packaging:

1. Add the following rows to the end of the Admin page:

Record	Authority Profile	Functionality Menu Option	Sub Menu Option	Action	Data Record	User Mode	Access Level
Admin	Product Administrator	Admin	ADVANCED PACKAGING BASE MATERIAL			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING BASE MATERIAL	NORMAL	F
Admin	Product Administrator	Admin	ADVANCED PACKAGING ADDITIONAL INFORMATION QUESTION			NORMAL	Y
Admin	Configuration Editor			NEW VERSION	ADVANCED PACKAGING ADDITIONAL INFORMATION QUESTION	NORMAL	Y

Record	Authority Profile	Functionality Menu Option	Sub Menu Option	Action	Data Record	User Mode	Access Level
Admin	Configuration Editor			SET TO ACTIVE	ADVANCED PACKAGING ADDITIONAL INFORMATION QUESTION	NORMAL	Y
Admin	Configuration Editor			SET TO INACTIVE	ADVANCED PACKAGING ADDITIONAL INFORMATION QUESTION	NORMAL	Y
Admin	Product Administrator			NEW VERSION	ADVANCED PACKAGING ADDITIONAL INFORMATION QUESTION	NORMAL	Y
Admin	Product Administrator			SET TO ACTIVE	ADVANCED PACKAGING ADDITIONAL INFORMATION QUESTION	NORMAL	Y
Admin	Product Administrator			SET TO INACTIVE	ADVANCED PACKAGING ADDITIONAL INFORMATION QUESTION	NORMAL	Y

Record	Authority Profile	Functionality Menu Option	Sub Menu Option	Action	Data Record	User Mode	Access Level
Admin	Product Administrator				ADVANCED PACKAGING ADDITIONAL INFORMATION QUESTION	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Colour			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING COLOUR	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Level			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING LEVEL	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Additive			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING ADDITIONAL	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Recycling Advice Icon			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING RECYCLING ADVICE ICON	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Material			NORMAL	Y

Record	Authority Profile	Functionality Menu Option	Sub Menu Option	Action	Data Record	User Mode	Access Level
Admin	Product Administrator				ADVANCED PACKAGING MATERIAL	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Attribute Standard			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING ATTRIBUTESTANDARD	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Construction			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING CONSTRUCTION	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Adhesive Type			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING ADHESIVE TYPE	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Component			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING COMPONENT	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Type Of Print			NORMAL	Y

Record	Authority Profile	Functionality Menu Option	Sub Menu Option	Action	Data Record	User Mode	Access Level
Admin	Product Administrator				ADVANCED PACKAGING TYPE OF PRINT	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Ink Type			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING INK TYPE	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Mould Type			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING MOULD TYPE	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Print Method			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING PRINT METHOD	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Supplier Certification			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING SUPPLIER CERTIFICATION	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Finish			NORMAL	Y

Record	Authority Profile	Functionality Menu Option	Sub Menu Option	Action	Data Record	User Mode	Access Level
Admin	Product Administrator				ADVANCED PACKAGING FINISH	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Recycling Icon Editable Text			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING RECYCLING ICON EDITABLE TEXT	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Recycling Supporting Text			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING RECYCLING SUPPORTING TEXT	NORMAL	F
Admin	Product Administrator	Admin	Advanced Packaging Crate Shipper Dolly Type			NORMAL	Y
Admin	Product Administrator				ADVANCED PACKAGING CRATE SHIPPER DOLLY TYPE	NORMAL	F

2. Add the following rows to the end of the Specification page:

Record	Authority Profile	Data Record	User Mode	Access Level
Product	Retailer Specification Editor	ADVANCED PACKAGING RECYCLING ICON DETAIL	NORMAL	F
Product	Supplier Specification Editor	ADVANCED PACKAGING RECYCLING ICON DETAIL	NORMAL	F

To download the permissions spreadsheet:

1. Select Admin > Roles & Permissions > Permissions and select the row with *true* Active Permissions.
2. Select Download Selected from the action options and save the Permissions spreadsheet (.xls) when prompted to a suitable location for editing.
3. The updated Permissions spreadsheet can be uploaded utilizing the Upload Permissions action.
4. Apply the changes by selecting the uploaded spreadsheet row, select Process Selected, and then click Ok to confirm.

Mandatory Field Rules

Note: In the following table, only the columns with required content are shown.

For the new Advanced Packaging Section, there are the following mandatory field rules (the Rule Id is not populated as the table is only for reference). These will be included automatically with this release. If there are any client-specific overrides required, they can be updated as a post-release task either manually or by importing updated rules.

Path	Active	Specification Type	Section	Mandatory Status To
advancedPackagingComponentDetails.advancedPackagingComponent	TRUE		ADVANCED_PACKAGING	ACTIVE~READY_FOR_AUTHORISATION~SUPPLIER_AUTHORISED
advancedPackagingComponentDetails.advancedPackagingLevel	TRUE		ADVANCED_PACKAGING	ACTIVE~READY_FOR_AUTHORISATION~SUPPLIER_AUTHORISED
advancedPackagingComponentDetails.advancedPackagingMaterial	TRUE		ADVANCED_PACKAGING	ACTIVE~READY_FOR_AUTHORISATION~SUPPLIER_AUTHORISED

Path	Active	Specification Type	Section	Mandatory Status To
advancedPackagingComponentDetails.advancedPackagingComponentWeight	TRUE		ADVANCED_PACKAGING	ACTIVE~READY_FOR_AUTHORISATION~SUPPLIER_AUTHORISED
advancedPackagingComponentDetails.percentRecycledContent	TRUE		ADVANCED_PACKAGING	ACTIVE~READY_FOR_AUTHORISATION~SUPPLIER_AUTHORISED
advancedPackagingComponentDetails.advancedPackagingSupplier	TRUE		ADVANCED_PACKAGING	ACTIVE~READY_FOR_AUTHORISATION~SUPPLIER_AUTHORISED
advancedPackagingComponentDetails.advancedPackagingRecyclingAdviceDetails.useOnPack	TRUE		ADVANCED_PACKAGING	ACTIVE~READY_FOR_AUTHORISATION~SUPPLIER_AUTHORISED
advancedPackagingAdditionalInformationQuestion.answer	TRUE		ADVANCED_PACKAGING	ACTIVE~READY_FOR_AUTHORISATION~SUPPLIER_AUTHORISED
advancedPackagingRecyclingIconDetails.useOnPack	TRUE		ADVANCED_PACKAGING	ACTIVE~PRODUCED_APPROVED~READY_FOR_AUTHORISATION~SUPPLIER_AUTHORISED
description	TRUE		ADVANCED_PACKAGING	ACTIVE~READY_FOR_AUTHORISATION~SUPPLIER_AUTHORISED
advancedPackagingRecyclingIconDetails.useOnPack	TRUE	PRODUCE	ADVANCED_PACKAGING	PRODUCE_APPROVED
advancedPackagingAdditionalInformationQuestion.answer	TRUE	PRODUCE	ADVANCED_PACKAGING	PRODUCE_APPROVED
advancedPackagingComponentDetails.advancedPackagingRecyclingAdviceDetails.useOnPack	TRUE	PRODUCE	ADVANCED_PACKAGING	PRODUCE_APPROVED
advancedPackagingComponentDetails.advancedPackagingComponent	TRUE	PRODUCE	ADVANCED_PACKAGING	PRODUCE_APPROVED
advancedPackagingComponentDetails.advancedPackagingLevel	TRUE	PRODUCE	ADVANCED_PACKAGING	PRODUCE_APPROVED

Path	Active	Specification Type	Section	Mandatory Status To
advancedPackagingComponentDetails.advancedPackagingMaterial	TRUE	PRODUCE	ADVANCED_PACKAGING	PRODUCE_APPROVED
advancedPackagingComponentDetails.advancedPackagingComponentWeight	TRUE	PRODUCE	ADVANCED_PACKAGING	PRODUCE_APPROVED
advancedPackagingComponentDetails.percentRecycledContent	TRUE	PRODUCE	ADVANCED_PACKAGING	PRODUCE_APPROVED
advancedPackagingComponentDetails.advancedPackagingSupplier	TRUE	PRODUCE	ADVANCED_PACKAGING	PRODUCE_APPROVED
description	TRUE	PRODUCE	ADVANCED_PACKAGING	PRODUCE_APPROVED

To update mandatory configuration rules manually:

1. Select Admin > Products > Spec Configuration > Mandatory Field Rules.
2. Expand the Active list and select the appropriate area, which is Advanced Packaging.
3. Identify and open the rule to be edited.
4. From the Actions menu, select *Edit* and then update the required fields.
5. From the Actions menu, select *Save and Exit*.

Rules can also be managed using an import process from the Manage Mandatory Field Rules option under the Admin > Products > Spec Configuration.

IDCS Migration Checklist

The following post release tasks may be necessary for the IDCS integration:

- The portal upgrade project will require a task to communicate to users what to expect following the upgrade, with regard to initially setting their IDCS password, and logging in to IDCS rather than directly into Brand Compliance. For this, it may be feasible to utilize the Brand Compliance communication facilities such as News Items, Alerts, or Library Documents.
- The passwords of all existing users and external systems need to be reset in IDCS. Instructions can be found at the Oracle Identity Cloud Service password administration page:
<https://docs.oracle.com/en/cloud/paas/identity-cloud/uaids/reset-passwords-user-accounts.html>.
- Ensure the login ids of external systems are not the same as any user accounts.
- Ensure all users and external systems have a valid email address.
- Configure External System records for any external systems that call the existing Single Sign-on (SSO) API, such as the Artwork module.
- Make any changes to the new Brand Compliance and IDCS notification email templates (including any language translations).

- Enable the required email notification templates in IDCS. Instructions can be found at the Oracle Identity Cloud Service notification administration page: <https://docs.oracle.com/en/cloud/paas/identity-cloud/uaids/activate-notifications.html>.
- Remove redundant roles and authority profiles from any user accounts that reference them.

Style Sheets

The Open Identity Management link in the navigation bar has an icon to indicate that it will open IDCS in a pop-up window. In order to display the icon, the system administrator should edit the *orbc.theme* style sheet as follows:

1. Select Company > Admin > System Control.
2. Select the Branding item from the left-hand menu.
3. Click the link to download the *orbc.theme.css* style sheet.
4. Edit the downloaded file, insert this new class beneath the /*Home Page*/ section header:

```
button.open-identity-management-button {
    background-image:
        url("../images/creations/toolbar%20icons/newWindowTBI.png") !important;
    background-position-y: 0px !important;
    color: #fff !important;
    height: 25px !important;
    margin-right: 25px;
}
```

5. In the Branding section, select *Edit* from the Actions menu.
6. Click the Browse button next to *orbc.theme.css*.
7. Select the modified *orbc.theme.css* file on your computer and click *Open*. This should upload the modified style sheet into the application.
8. Click *Save and Exit* from the Actions menu.
9. Refresh the browser page using *F5*. The changes made to the style sheet should now be in effect.

Permissions

Note: In the following steps, only the columns that have required content are shown.

The following changes should be made in the Admin tab of the Permissions spreadsheet, to permit the Oracle Authorized Administrator to cancel batch jobs:

1. Add the following row to the end of the Admin page:

Record	Authority Profile	Action	Data Record	User Mode	Access Level
Admin	ORACLE AUTHORIZED ADMINISTRATOR	CANCEL	BATCH JOB	NORMAL	Y

- Amend the following row within the Admin page, changing the Access Level to F (full access):

Record	Authority Profile	Data Record	User Mode	Access Level
Admin	ORACLE AUTHORIZED ADMINISTRATOR	BATCH JOB	NORMAL	F

The instructions for downloading and uploading the amended Permissions spreadsheet are as follows:

- Log in as an Oracle Authorized Administrator user and go to Company > Admin > Roles & Permissions.
- Open the Permissions page.
- Download the active spreadsheet by selecting the row with *true* in the Active Permissions column, click *Download Selected*, and save locally.
- Edit the downloaded spreadsheet, make the changes described above, then save the spreadsheet.
- Upload the edited spreadsheet by clicking *Upload Permissions*, select the spreadsheet, and click *Ok*.
- Apply the changes by selecting the uploaded spreadsheet row and click *Process Selected*, then *Ok* to confirm.

Enabling Artwork with SSO

Artwork is not a core Brand Compliance module, but a third-party add-on application. This process enables the integration with the third-party Artwork application, where it is used.

For existing installations that use the Artwork module, in order to configure single sign on (SSO) between Brand Compliance and the Artwork solution (using IDCS authentication), the following steps must be taken by the Customer or their Partner:

- Ensure the MYARTWORK external system has been created in Brand Compliance PROD and STAGE.
- Raise an SR service request for creation of the Artwork application for PROD and STAGE. The call back URLs and IDCS URLs must be provided in the SR.
- Once created, you will be able to gather the Client ID and Client Secret from IDCS.

Refer to the Artwork chapter in the *Oracle Retail Brand Compliance Management Cloud Service Administration Guide* for the full process for enabling Artwork with SSO.

Related Documentation

For more information, see the following documents in the Oracle Retail Brand Compliance Management Cloud Service Release 18.2 documentation set:

- *Oracle Retail Brand Compliance Management Cloud Service Administration Guide*
- *Oracle Retail Brand Compliance Management Cloud Service Implementation Guide*
- *Oracle Retail Brand Compliance Management Cloud Service User Guide*
- *Oracle Retail Brand Compliance Management Cloud Service Product User Guide*
- *Oracle Retail Brand Compliance Management Cloud Service Project User Guide*
- *Oracle Retail Brand Compliance Management Cloud Service Reports User Guide*
- *Oracle Retail Brand Compliance Management Cloud Service Supplier User Guide*

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Copyright © 2021, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD Opteron logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Value-Added Reseller (VAR) Language

Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

(i) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.

(ii) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.

(iii) the software component known as **Access Via™** licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.

(iv) the software component known as **Adobe Flex™** licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR Applications. For purposes of this section, "alteration" refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle's licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.

