

Application Administration Guide 16 R1

December 2016

Contents

Administration Overview	9
Getting Around in the Administration Module	9
Sorting	. 10
Resource and Security Admin	. 11
Resource Administration	. 11
Creating Application Administrators	. 11
Unlocking a Resource	
Assigning Permissions to System Access Profiles and Roles	
Editing Administration Permissions	
Editing Dashboard Permissions	
Editing Finance Permissions	
Editing Ideas Permissions	
Editing Project Permissions	
Editing Programs Permissions	
Editing Navigation Permissions Editing Reports Permissions	
Editing Status Report Permissions	
Editing Resource Permissions	
Resource Configuration	
_	
Managing Resources	
Entering Resources Details	
Selecting an Organization	
Selecting Time Reporting, Calendar, and Rates	
Selecting Initiatives and Roles	
Adding Additional Information, Selecting Preferences and Areas of Expertise	
Adding Resource Custom Fields	
Editing Resources	
Managing Certifications	
Managing Assets	
Changing Passwords	
Deleting Resources	
Using Search, Advanced Search, and Saved Search	
Creating Resource System Access Profiles	
Editing Resource System Access Profiles	
Configure Default Project Listing Columns	
Specifying Home Page by System Access Profile	
Managing Resource Roles	
Creating Resource Roles	
Editing Resource Roles	
Editing Labor Rates for Roles	
Viewing Rate Change History	
Managing Resource Status	
Managing Resource Rate Default Rule	. 33

Setting TBD Capacity in Resource Modules	33
Setting Default Percentage Utilization	34
Resource Admin Reports	34
Usage Statistics Report	34
Permissions Report	
Last Login Report	
Scheduled Reports by Resource Report	35
Confidential Project Count by Resource Report	36
Setting Resource Heat Map Thresholds	36
Timesheet Settings	36
Configuring Time Reporting Categories	37
Configuring Categories for Project Related Time Reporting	37
Configuring Categories for Non-Project Time Reporting	
Configuring Categories for Non-Working Time Reporting	
Resource Admin Reports	
Usage Statistics Report	
Permissions ReportLast Login Report	
Scheduled Reports by Resource Report	
Confidential Project Count by Resource Report	
Setting Resource Heat Map Thresholds	40
Timesheet Settings	
Configuring Timesheet Creation Defaults	
Configuring Time Reporting Categories	
Configuring Categories for Project Related Time Reporting	
Configuring Categories for Non-Project Time Reporting	42
Configuring Categories for Non-Working Time Reporting	42
Managing Estimated Time to Complete for Timesheet Settings	
Manage Allowed Grace Period in Days for Activities in Timesheet	
Security Administration	
Managing Resource Password Hint Questions	43
Managing Portal Settings	44
Managing Login Warning Message	44
Temporary Administrator Settings	44
Application Configuration	45
Configuring Roadmaps	45
Creating Activity Sub Types	
Working with Activity Templates	
Creating Activity Templates	
Editing Activity Templates	
Copying Activity Templates	
Deleting Activity Templates	
Adding Deliverables and Tasks to Activity Templates	
Adding deliverables and tasks	
Editing Activities and Tasks	
Working with Roadmaps	
··	

	Creating Roadmaps	
	Editing Roadmaps	
	Deleting Roadmaps	
	Changing Status	
	Adding Activity Templates to a Roadmap	
	Editing MS Project Import and Export	
	Working with Non-WBS roadmaps	55
	Creating a Non-WBS Roadmap	
	Managing Non-WBS Roadmaps	
	Working with Dependency Types	
	Working with Project Types	
	Working with Resource Assignment Types	
	Configuring Status Indicator	
_	Creating a Status Indicator	
	oject Settings	
	Configuring Percentage Completion	
	Auto Close Parent Activity	
	Official Phase Start and Close Defaults	
	Manage Detail Section Display Preference	
	Specify Levels to Pre-fill	
	Manage Project Cycle Time Mode	
	Set Minimum Slacks for Critical Path	
	nfiguring Organizational Hierarchy	
	Adding New Values	
	Editing Existing Values	
	Deleting Values	
	Reassigning Relationships	
	Creating Hierarchical Relationships	
Co	nfiguring Status Reports	64
	Managing Status Reports	64
	Configuring Custom Sections for Project Status Report	65
	Managing Key Statuses	65
	Managing Keys	65
Cal	lendars	66
	Managing Calendars	66
	Creating a New Calendar	
	Managing Calendar Field	
	uting	
	Configuring Idea Routing	
	Configuring Approver Routing	
	nfiguring Custom fields	
	Editing Pre-defined Custom Fields	
	Configuring User Defined Custom Fields	
	nfiguring Pulldown values	
	Configuring Global Pull Down Values	
	Configuring Initiative-Specific Pull-down Values	75

	Configuring Classification Fields, Resource Pulldown Values and Alignment Pulldown Va	
		76
Fi	nance Management	76
	Managing Currencies	77
	Creating Currencies	77
	Editing and Deleting Currencies	78
	Deleting a currency	
	Managing Conversion Rates	
	Managing Finance Templates	79
	Editing Finance Templates	
	Copying a Finance Template	
	Viewing and Editing Finance Categories within a Template	
	Managing the MS Excel Import and Export Template	
	Managing Finance Approval Templates	
	Working with Finance Approval Templates	
	Creating a New Finance Approval Template	
	Viewing and Editing Finance Approval Definitions	
	Managing Finance Element Types	
	Managing Labor Expense Types	
	Creating Labor Expense Types	
	Editing Labor Expense Types	
	Managing Activity Labor Cost Capitalization Settings	
	Updating Global Finance Constants	
	About Finance Locking	
	Setting Global Finance Locks	
	Setting Bulk Finance Locks	
	Using Bulk Finance Snapshots	
	Managing Finance Lock Enforcement Settings	
Ge	eneral Settings	
	Company Settings	
	Viewing Account Properties	
	Managing Company Information	
	Managing Company Logo	
	Managing Default Date Format	
	Internationalism	
	Working with the Language Catalog	
	Help Settings	
	Managing Evaluation and Fields Help	
	Managing User Productivity Kit	
	Specifying Online Help URL	
	Notifications/Emails	96
	Configuring Notifications	96

97
97
97
98
98
98
98
99
99
99
.100
. 101
. 101
. 102
. 102
. 102
. 102
. 103
103
. 103
. 104
. 104
105
. 105
. 106
. 106
. 107
. 107
108
. 108
108

Administration Overview

The Administration module in EnterpriseTrack allows you to manage your deployment by changing various aspects of the application. Access to the administration and configuration UI is controlled through permissions. The Administration link is displayed only if you have permissions to access at least one administration section. You can use following tabs on the System Administration module to set and manage EnterpriseTrack:

- ▶ **Application Configuration**: From this tab you can access links to configure the following: projects, project settings, organizational hierarchy, status reports, calendars, routing, custom fields, classification fields, resource pulldown, alignment pulldown, global pulldown, and initiative pulldown.
- Resource & Security Admin: From this tab you can access links to resource administration, resource configuration, resource admin reports, timesheet settings, security administration, and configuring temporary administrators.
- **Finance**: From this tab you access all finance management links.
- General Settings: From this tab you can access links to configure you company settings, help settings, notifications/emails, storyboard, mobile, and report, listing page, and search settings.
- Data Import & Export: From this tab you can access links to data import, data export, and download integration templates
- ▶ **Background Jobs:** From this tab you can view the submission status of all rate change requests.
- ▶ **Updates:** From this tab you can view the updates that were made to the system. You can view a list of release upgrades, hot patches, and service packs that were applied. It also displays the mode changes, customizations, and the new initiatives that were added. This is a ready-only tab.

Getting Around in the Administration Module

Access

To Access the Administration module, click on the **Administration** link in the Left navigation bar or select **Go To > Administration** from the Top Navigation Bar to access the Administration User Interface (UI).

Navigation

Using the Top Navigation Bar

The Top Navigation bar is active when you log into the system. It contains the Application Level menu and depending on the context, a Module Level menu.

- ▶ The **Home** button takes you to your default home page. When the Left Navigation bar is hidden, it is displayed on the blue banner. When the Left Navigation bar is displayed, the **Home** button is displayed on the Left Navigation bar.
- ▶ The **Go To** menu provides access to all major modules within the EnterpriseTrack system. The items displayed in this menu depend on the features enabled for your deployment and your permissions.
- ▶ The **Create** menu displays menu options to create a new project, proposal, idea, program, resource or message, etc.
- ▶ The **My EnterpriseTrack** (terminology is configurable) menu displays options that take you to your specific actions and settings. It shows your work (all open actions on Projects, Proposals, Ideas etc. that are assigned to you), your messages, certifications, permission, profile, preferences and passwords.
- ▶ The **View** menu allows you to display toolbars at the Top banner, and Left Navigation bar. You can also save your settings.
- ▶ The project type ahead text box provides easy navigation to any project in the system. In the text box **Type Project ID or name**, you can type the Project ID or any part of the name and as you type, the system gives you project choices that match the ID or name you are typing.
- ▶ The **Advanced Search** menu gives you different ways for searching the system. You can search on projects, proposals, documents, etc.
- From the **Help** menu, you can launch the online help in a new window, or launch UPK.
- Click on the Logout button at any time to log out.

Using the Left Navigation Bar

To display the Left Navigation bar, from the Top Navigation Bar select the **View** menu and choose **Display Left Navigation**. Select if you want to display icons only or icons and text. The Left Navigation bar provides access to all modules in the EnterpriseTrack system. The list of menu items displayed depends on the features enabled for your deployment and your permissions. As you drag the mouse over these items, you will see the clickable items change color. Current selections are always highlighted. Clicking on any of these options typically takes you to a listing page with summary information.

Use the icon on top of the Left Navigation bar to expand and collapse the Left Navigation bar. To return to the main **Administration** menu from any of the above sections, click the **Administration** link in the Left Navigation bar.

Important!

Do not use the browser's **Back** and **Forward** buttons to navigate to a different page. Use the left navigation bar and/or the buttons provided within Enterprise Track. When you first log into the system, the left and top navigation bars will be active. Once you enter a specific page within a module, you will find that all the navigation buttons are disabled.

Sorting

There are several pages within the Administration module where lists of items are displayed. The lists within EnterpriseTrack can be sorted by clicking the column title.

Resource and Security Admin

In This Section

Resource Administration	11
Resource Configuration	
Resource Admin Reports	
Timesheet Settings.	
Security Administration	43
Temporary Administrator Settings	44

Resource Administration

In This Section

Creating Application Administrators	11
Unlocking a Resource	12
Assigning Permissions to System Access Profiles and Roles	

Creating Application Administrators

Application Administrators perform various administrative functions to ensure that the system runs smoothly. They set up and manage the application, and assign access rights or permissions for resources to access the system.

Application Administrators are associated with initiatives and have access to all projects within their initiative, including confidential project. They can also access all modules within EnterpriseTrack.

Note: You cannot assign administrators to any projects.

To create an application administrator:

- 1) Click the Resource & Security Admin tab.
- 2) Select the **Application Administrators** link. The *Application Administrator List* page is displayed.
- 3) Click the Add Application Administrator button.
- 4) Enter a Login ID.
- 5) Enter the first name, last name and email address.

Note: Passwords in the EnterpriseTrack system have to be a minimum of 8 characters and must contain both alpha and numeric values and at least one special character like *, \$, or an underscore.

- 6) Select a status. Specify when the selected status should become effective.
- 7) Select the type of labor rate.
- 8) If your system is configured with multiple initiatives, select all initiatives that this application administrator is associated with from the **Associated Initiatives** field.
- 9) Enter any additional information under the Resource Details, Contact Info, Organizations, Preferences, and the Additional Resource Details sections.
- 10) Click Add Application Administrator.

Unlocking a Resource

You can use the Resource Locks page to view and unlock all resources that are currently locked out.

To unlock a resource:

- 1) Click the **Resource & Security Admin** tab.
- 2) Select Login Locks.
- 3) In the **Action** column for the appropriate resource, click **Unlock**.

Assigning Permissions to System Access Profiles and Roles

Resources within EnterpriseTrack are assigned permissions based on their resource access profiles and the roles that they are allowed to perform. Before assigning permissions, it is important to understand how resource access profiles and roles are defined within the system.

System Access Profiles

Each resource in the EnterpriseTrack system must be assigned a system access profile. The system access profile determines a resource's global permissions. A resource can have only one system access profile.

Roles

Each resource in the EnterpriseTrack system can be assigned multiple roles. The roles determine the project specific permissions for any given resource in the system. Only resources that have at least one role assigned to them are available as potential team members of projects.

Editing Permissions

To begin managing permissions based on system access profiles and roles:

- 1) Click the **Resource & Security Admin** tab.
- 2) Click the Edit Permissions link.
- 3) In an installation with multiple initiatives on one system, you must first select the initiative that you want to modify.

- 4) Select the module you wish to modify.
- 5) Click the **Edit Permissions** button.
- 6) You will see a break-down of the various actions that can be performed within the selected module and a grid displaying the various system access profiles and roles that are available in the system. Use the check boxes to modify the permissions.

	Project Manager	Champion	Master Black Belt
Ideas			
Modify Idea			▽
View Confidential Submitter Details			✓
Accept/Reject Idea			▽
Delete Idea			~

7) Click Save.

Notes:

- When an action cannot be performed based upon a system access profile or role, the system will not display a check box. An n/a sign will be displayed instead.
- All actions with the Knowledge Base have to be based on system access profiles, not roles, so there will be no check boxes in the Roles section of the page.

In This Section

Editing Administration Permissions	13
Editing Dashboard Permissions	
Editing Finance Permissions	14
Editing Ideas Permissions	16
Editing Project Permissions	
Editing Programs Permissions	19
Editing Navigation Permissions	19
Editing Reports Permissions	20
Editing Status Report Permissions	20
Editing Resource Permissions	

Editing Administration Permissions

You can use the **Edit Permissions** page to edit role-based and access profile-based permissions related to the Administration module. The list below describes the permissions you can select.

Configure Application

Access the Administration module to configure EnterpriseTrack. This permission is typically given to administrators.

Manage Messages

Manage the Messages module. From the Messages module users can send system-wide messages or send messages to a select group of users.

Create/Modify Resources

Add, edit and delete resources. The Manage Resources link is enabled and displayed only if users have this permission.

Manage Languages

Modify the language catalog.

Manage Survey Administration

Manage and administer the Survey module.

Manage Survey Instances

Create and edit surveys.

Save Layout For Access Profile

Manage and save the layout (Home Page, Project Landing page, and Project Listing Columns) for each access profile.

Share Saved Search

Select to allow users to share saved searches.

Execute APIs

Execute integrations APIs. Typically this permission is given only to users who are integrating EnterpriseTrack with other programs or application.

Execute APIs as Proxy

Execute integration APIs on behalf of others.

Manage Reference Calendars

Create, edit, and delete Reference Calendars.

Manage Labor Expense Type Mapping

Manage the Labor Expense Types. The Manage Labor Expense Types link is displayed only if users have this permission.

Modify Evaluation Weights

Configure evaluation weights for proposals and ideas.

Editing Dashboard Permissions

You can use the **Edit Permissions** page to edit role-based and access profile-based permissions related to the Dashboard module. Click to select the dashboard components you want a particular role or access profile to be able to access. Only the dashboard components you select here are editable through the Dashboard module.

Editing Finance Permissions

You can use the **Edit Permissions** page to edit role-based and access profile-based permissions related to the Finance module. The list below describes the permissions you can select.

Manage Global Financial Settings

Modify all setting under the Finance Management section. This permission is typically given to administrators.

Manage all Finance Templates and Finance Approval Templates

Modify all finance templates and finance approval templates. The Manage Finance Template and the Mange Finance Approval Template are displayed only if this permission is enabled.

Manage Finance Templates and Finance Approval Templates for resource Initiative
Manage finance templates and finance approval templates for resource initiative.

Update Inputs for Finance Fields (NPV, IRR etc)

Update the finance fields within a project. This permission is typically given to a role, for example Project Finance Administrator.

Update Project Lock Month - Single View

Update the lock month associated with a project. This permission is typically given to a role, for example Project Finance Administrator. This permission is applicable only for projects using a finance template with the Data Entry Mode set to Single View (Basic Only).

Update Project Lock Month - Plan

Update the project lock month associated with the Plan view. This permission is typically given to a role, for example Project Finance Administrator. This permission is applicable only for projects using a finance template with the Data Entry Mode set to Double View (Plan and Actual).

Update Project Lock Month - Actual

Update the project lock month associated with the Actual view. This permission is typically given to a role, for example Project Finance Administrator. This permission is applicable only for projects using a finance template with the Data Entry Mode set to Double View (Plan and Actual).

Update the Use Global Lock Month - Single View

Update or delete the global finance lock month. This permission is typically given to a role, for example Project Finance Administrator. This permission is applicable only for projects using a finance template with the Data Entry Mode set to Single View (Basic Only).

Update the Use Global Lock Month - Plan

Update or delete the global finance lock month associated with the Plan view. This permission is typically given to a role, for example Project Finance Administrator. This permission is applicable only for projects using a finance template with the Data Entry Mode set to Double View (Plan and Actual).

Update the Use Global Lock Month - Actual

Update or delete the global finance lock month associated with the Actual view. This permission is typically given to a role, for example Project Finance Administrator. This permission is applicable only for projects using a finance template with the Data Entry Mode set to Double View (Plan and Actual).

Project Finance Administrator

Allow a particular role to be the designated project Finance Administrator. It allows them to update lock months at the project level.

Update Finance Tracking Start Date

Update the finance tracking start date associated with a project.

Update Project's Finance and Approval Templates

Update the project finance template and the project finance approval template.

Update Finance Snapshot Data

Update and delete project finance snapshot data. The Snapshot button on the Detailed Finances tab is visible only if users have this permission.

Update Finance Data - Single

Update finance data for projects. This permission is applicable only for projects using a finance template with the Data Entry Mode set to Single View (Basic Only).

Update Finance Data - Plan

Update the finance (Plan view) data for projects. This permission is applicable only for projects using a finance template with the Data Entry Mode set to Double View (Plan and Actual).

Update Finance Data - Actual

Update the finance (Actual view) data for projects. This permission is applicable only for projects using a finance template with the Data Entry Mode set to Double View (Plan and Actual).

Update Project Currency

Update the project currency.

Manage Currencies and Conversion Rates

Manage the currencies and conversion rates. The Manage Currencies and Manage Conversion Rates links are displayed in the Administration module when this permission is enabled.

Manage Group Finance Validation

Validate finances across all projects. The Finance Validation button is displayed on the Project Listing page only if the permission is enabled.

Manage Project Finance Setting Excel Import/Export

Manage the import/export of project finance setting using Microsoft Excel.

Editing Ideas Permissions

You can use the **Edit Permissions** page to edit role-based and access profile-based permissions related to the Ideas module. The list below describes the permissions you can select.

Modify Idea

Modify ideas.

View Confidential Submitter Details

View confidential submitter details.

Accept/Reject Idea

Accept or reject ideas.

Delete Idea

Delete ideas.

Route Idea

Route an idea for approval.

Own Idea

Own ideas.

Editing Project Permissions

You can use the **Edit Permissions** page to edit role-based and access profile-based permissions related to the Projects. The list below describes the permissions you can select.

Create Confidential Documents

Create confidential documents.

Create Quick Projects

Create projects without starting from a proposal.

Manage Project Notifications

Edit email notification settings at the project level using the Project Settings page.

Modify Project Basics

Modify project basics.

Modify Project Manager

Modify the Project Manager associate with a Project.

Modify Confidentiality

Modify project confidentiality settings.

Modify Dates

Modify project dates.

Modify Other Resource Tollgate

Modify tollgates associated with other resources.

Modify Baseline Dates and Efforts Activities

Modify an activity's baseline date and efforts.

Create Documents

Create project documents.

Modify Documents

Modify project documents.

Send Email to Project Members

Email project team members.

Create Issues

Create project issues.

Modify Issues

Modify project issues.

Create Metrics

Create project metrics.

Modify Metrics

Modify project metrics.

Create Notes

Create project notes.

Create Confidential Notes

Create confidential notes.

Create Team Members

Add project team members.

Modify Team Members

Modify project team members.

Set Project On-Hold/Off-Hold

Set a project on-hold or off-hold.

Close Projects

Close projects.

Complete Projects

Mark projects as complete.

Reopen Projects

Reopen closed projects.

Request Approval for an Activity

Request approval for an activity.

Approve Activity for Others

Approve activity for others.

Create/Modify/Delete Activity at Top-Level for Roadmap

Create, modify and delete top-level activities for roadmaps.

Create/Modify/Delete Activity Other Level for Roadmap

Create, modify and delete activities for roadmaps.

Create/Modify/Delete Activity at the Top-Level for Non Roadmap

Create, modify and delete top-level activities for non-WBS roadmaps.

Create/Modify/Delete Activity at Other Level for Non Roadmap

Create, modify and delete activities for non-WBS roadmaps.

► Reopen Top Level Activity

Reopen a top level activity.

Advance Top Level Activity

Advance top level activity.

Copy Projects

Copy projects.

Delete Projects

Delete projects.

Change Roadmap

Change a project's roadmap.

Cancel/Reactivate Project

Cancel or reactivate projects.

Export Microsoft Project Plan

Export a Microsoft Project Plan.

Release Lock or Import MSP by Others

Release lock and import from MS Project.

Manage Computation Mode

Manage the computational Mode.

View Team Member Rate

View team member rate.

Modify Team Member Rate

Modify team member rate.

Override Team Member Rate

Override a team member's rate.

Manage Labor Expense Type

Manage Labor Expense Types.

Create Risks

Create project risks.

Modify Risks

Modify project risks.

Editing Programs Permissions

You can use the **Edit Permissions** page to edit role-based and access profile-based permissions related to programs. The list below describes the permissions you can select.

Create/Modify Program

Create and modify programs.

Delete Program

Delete programs.

Editing Navigation Permissions

You can use the **Edit Permissions** page to edit role-based and access profile-based permissions related to the Navigation module. You can enable the following modules:

- My Work
- My Preferences
- ▶ Ideas, Programs
- Knowledge Base
- Resources
- Timesheets
- Reports

- Proposals
- Surveys
- My Messages

Within each project, you can also set permissions to view the following: project dates, project documents, project finances, project import/export, project issues, project metrics, project notes, project reports, project settings, project status report, project team, linked project, WBS work items, and non-WBS work items.

Editing Reports Permissions

You can use the **Edit Permissions** page to edit role-based and access profile-based permissions related to the Reports module. Click to select the reports you want a particular role or access profile to be able to access. Only the reports you select here are editable through the Reports module.

Editing Status Report Permissions

You can use the **Edit Permissions** page to edit role-based and access profile-based permissions related to status reports. The list below describes the permissions you can select.

Create/Edit Status Reports

Create and edit status reports.

Approve/Reject Status Report

Approve or reject status reports that were submitted.

Edit Approved Status Reports

Make changes to approved status reports.

Delete Status Report

Delete status reports.

Editing Resource Permissions

You can use the **Edit Permissions** page to edit role-based and access profile-based permissions related to resources. The list below describes the permissions you can select.

View Resource Assignments

View all resource assignments.

View Resource Utilization Chart

View the resource utilization chart for all resources.

Create and Edit Timesheet

Create and edit timesheets.

▶ Enter Non-Project Time

Enter non-project time in timesheets.

Enter Non-Working Time

Enter non-working time in timesheets.

▶ Enter Project Level Time

Enter project level time in timesheets.

Enter Activity Level Time

Enter time at the activity level in timesheets.

Delete Timesheet

Delete their timesheets if the timesheet status is Open, Submitted, or Rejected during the Timesheet Open Period.

View Other Resource Timesheets

View all resource timesheets.

▶ Re-open Approved Timesheet

Edit all approved timesheets.

Delete Other Resource Timesheet

Delete timesheets submitted by other resources, if the timesheet status is Open, Submitted, or Rejected during the Timesheet Open Period.

▶ Allow Resource Manager to Approve (or Reject) Project Line Items

Allow the Resource Manager of the timesheet submitter to also approve/reject project line items.

Manage Timesheet Periods

Set a timesheet close period, reopen timesheets for correction, and run timesheet status reports.

Approve Resource Requests for all Roles

Approve project resource requests for all roles.

▶ Approve Resource Requests for Allowed Roles

Approve resource requests for allowed roles. You can only approve requests for roles that you are assigned to.

Approve Resource Requests for other Approvers

Approve resource requests for approvers.

View Resource Utilization Tab, View Resource-Gantt Tab, View Resource-Heatmap Tab, View Resource-Assignments Tab, View Resource-Rate Tab, View Resource-Expertise Tab. View Resource-Certifications Tab

View the Resource Utilization, Resource-Gantt, Resource-Heatmap, Resource-Assignments, Resource-Rate, Resource Expertise, and the Resource-Certification tabs on the Resource Listing page.

Edit All Resource Certifications

Allow resource to create and edit certifications.

▶ Edit All Resource Assets

Allow resource to create and edit assets.

Allow user to view/Search login ID

View and search login IDs.

View All Resource Calendars

View all resource calendars.

Edit All Resource Calendars

Edit all resource calendars.

- Edit My Resource Calendar Edit only their calendar.
- Modify Resource Confidentiality Modify confidentiality for resources.

Resource Configuration

In This Section

Managing Resources	22
Managing Resource System Access Profiles	
Managing Resource Roles	
Managing Resource Status	33
Managing Resource Rate Default Rule	33
Setting TBD Capacity in Resource Modules	
Setting Default Percentage Utilization	34

Managing Resources

A resource is any person or equipment that you can track and assign to project activities. Resources perform roles within projects. Each resource is associated with an Access Profile and at least one role.

From the **Resources** link, you can add, edit, and delete resources. You can also manage their profile, area of expertise, certification, assets, calendar, rate, and password.

In This Section

Adding Resources	22
Editing Resources	
Managing Certifications	
Managing Assets	26
Changing Passwords	
Deleting Resources	27
Using Search, Advanced Search, and Saved Search	28

Adding Resources

You can use the **Add New Resource** page to add resources to your system. You must have the appropriate permissions to add resources. Once you have created a new resource, you can use the **Edit** option to update a resource profile to include certifications and assets.

Note: You must complete all mandatory fields highlighted in red.

To create a new resource:

- From the Top Navigation bar, select Go To > Resources > Listing. The Resource Listing screen is displayed.
- 2) Select **Create > Resource**. The *Add New Resource* screen is displayed.

Entering Resource Details

- 1) Choose the type of resource: **Equipment** (if enabled) or **Person**. The information fields change depending on the resource type you selected.
- 2) If you selected resource type **Person**, enter a Login ID, First Name, and Last Name. If you selected resource type **Equipment**, enter a Login ID, the Make, Resource Name, Owner First Name and Owner Last Name.
- 3) Select an Access Profile. All resources in the system must have an Access Profile.
- 4) Select a status. The default status is **Active**. Only resources with status Active can access the EnterpriseTrack system. Resources with the status Inactive cannot access the EnterpriseTrack system, but can still be assigned to projects. A resource with the status **Disabled**, cannot access the EnterpriseTrack system and cannot be assigned to projects.
- 5) Specify when this resource status should become effective.
- 6) Enter the user authentication mode. This field displays only if the default user authentication mode was set to LDAP or SSO.
- 7) Enter a password. This field appears only if the user authentication mode is set to User Password.
- 8) Enter an Email address.

Selecting an Organization

- 1) Select a division. The other fields are populated based on the value you select here.
- 2) Enter a business unit and business subunit.

Selecting Time Reporting, Calendar, and Rates

1) Select a calendar. The default calendar is the Standard Calendar.

Note: You must associate a resource with a calendar. The resource calendar is used to calculate resource utilizations.

2) Select the type of labor rate. If you select **Use Role Rate**, then the labor rate for this resource is based on the rate associated with their role. If you select **Use Resource Rate**, enter the standard, overtime, or setup labor rates.

Selecting Initiatives and Roles

- From the Associated Initiatives selection box, select all initiatives associated with this
 resource.
- 2) From the Roles selection box, select the roles this resource can perform within each initiative. You can select multiple roles for a user. In single initiative systems, you must select at least one role.

3) From the Access selection box, select the access this resource has. This field is displayed only if the selected initiative has user based confidentiality.

Adding Additional Information, Selecting Preferences and Areas of Expertise

- 1) Click the **Additional Information** tab.
- 2) Enter any additional information under the Contact Information and Additional Resource Details sections.
- 3) Select default preferences for this resource.
 - Date Format: Select how you want dates to be displayed.
 - **Date Separator**: Select how you want the date, month, and year to be separated.
 - **Time Format**: Select how you want the time to be displayed.
 - **Language**: Select your language. All system-generated emails are also displayed in the language you select here.
 - ▶ **Use Browser Language**: Select this check box to make the language displayed by EnterpriseTrack match your browser's language setting. When the Use Browser Language check box is not selected, EnterpriseTrack is displayed in the language selected in the Language drop-down list.
 - Include Archived Pull Downs in Filter: Select this check box if you want to view archived pull-down values in filters.
 - Include Invalid Pull Downs in Filter: Select this check box if you want to view invalid pull-down values in filters.
- 4) From the list of Available Areas box, select the areas of expertise.
 - a. To add an area of expertise to the list, click the **Add** link next the *Selected Areas* label.
 - b. Enter a name and click **OK**.

Adding Resource Custom Fields

- 1) Click the **Resource Custom Fields** tab.
- 2) Enter values for any custom fields that are configured. If your administrator has configured a tool tip, you can mouse over the **Information** icon to view the help text.
- 3) Click Add Resource.

Editing Resources

You can edit a resource profile to:

- Update personal information.
- Manage certifications and assets.
- Update area of expertise.
- Change passwords. The Change Password button is displayed only if the authentication mode is User Password.

To edit a resource profile:

1) From the Top Navigation bar, select **Go To > Resources > Listing**. The *Resource Listing* screen is displayed.

- 2) Locate the resource profile you want to edit and select **Actions** > **Edit**. You can choose to edit the Details, Area of Expertise, Certification, Assets, Calendar, and Rates.
- 3) From the Edit Resource page, make all the necessary changes.
- 4) Click Update.

Managing Certifications

From the *Resource List* page, you can view, add, edit, and delete certifications associated with a resource profile. Adding certification information to a resource's profile is one way to ensure that a resource's skills are appropriately matched with a project's requirements.

Viewing Certifications

To view certifications:

- 1) From the Top Navigation bar, select **Go To > Resources > Listing**. The *Resource Listing* screen is displayed.
- 2) Locate the resource.
- 3) From the Actions menu, choose Select.
- 4) Click the **Certifications** tab.

Adding Certifications

To add certifications:

- 1) From the Top Navigation bar, select **Go To > Resources > Listing**. The *Resource Listing* screen is displayed.
- 2) Locate the resource.
- 3) From the Actions menu, select Edit > Certifications.
- 4) Click the **Add Cert** button. The *Add New Certifications* page is displayed.
- 5) Enter all the relevant information.
- 6) Click Add Cert.

Editing Certifications

To edit the details of an existing certificate:

- 1) From the Top Navigation bar, select **Go To > Resources > Listing**. The *Resource Listing* screen is displayed.
- 2) Locate the resource.
- 3) From the **Actions** menu, select **Edit** > **Certifications**.
- 4) Click the **Certification ID** link to select the certification you want to edit. The *Edit Certification Info* page is displayed.
- 5) Make the necessary changes and click **Update**.

Deleting Certifications

To delete an existing certification:

- 1) From the Top Navigation bar, select **Go To > Resources > Listing**. The *Resource Listing* screen is displayed.
- Locate the resource.
- 3) From the **Actions** menu, select **Edit** > **Certifications**.
- 4) Click the **Certification ID** link to select the certification.
- 5) Click Delete.
- 6) Click **OK** to confirm the deletion.

Managing Assets

You can use the *Resource Listing* page to view, add, edit, or delete assets associated with a resource. An asset may include items like laptop, pager, cell phone etc.

Viewing Assets

To view assets associated with a resource:

- 1) From the Top Navigation bar, select **Go To > Resources > Listing**. The *Resource Listing* screen is displayed.
- 2) Locate the resource.
- 3) From the **Actions** menu, choose **Select**.
- 4) Click the **Assets** tab.

Adding Assets

To add assets:

- From the Top Navigation bar, select Go To > Resources > Listing. The Resource Listing screen is displayed.
- Locate the resource.
- 3) From the **Actions** menu, select **Edit** > **Assets**.
- 4) Click the **Add Asset** button. The *Add New Asset* page is displayed.
- 5) Enter a serial number for the asset.
- 6) Select the type of asset.
- 7) Enter a description for this asset.
- 8) Click Add Asset.

Editing Assets

- From the Top Navigation bar, select Go To > Resources > Listing. The Resource Listing screen is displayed.
- 2) Locate the resource.
- 3) From the **Actions** menu, select **Edit** > **Assets**.
- 4) Click on the **Asset ID** link to select the asset you want to edit. The *Edit Asset Info* page is displayed.
- 5) Make the necessary changes and click **Update**.

Deleting Assets

- 1) From the Top Navigation bar, select **Go To > Resources > Listing**. The *Resource Listing* screen is displayed.
- Locate the resource.
- 3) From the **Actions** menu, select **Edit** > **Assets**.
- 4) Click on the **Asset ID** link to select the asset you want to delete. The *Edit Asset Info* page is displayed.
- 5) Click **Delete** to remove the asset.
- 6) Select **OK** to confirm the deletion.

Changing Passwords

To change a resource password:

- From the Top Navigation bar, select Go To > Resources > Listing. The Resource Listing screen is displayed.
- 2) Locate the resource.
- 3) From the **Actions** menu, select **Edit** > **Details.** The *Edit Resource Info* page is displayed.
- 4) Click the Change Password button.
- 5) Enter a new password.
- 6) Enter the same password in the Confirm Password field.
- 7) Click Change.

Note: A password must be at least 8 characters long and contain at least one character that is not alphanumeric, an underscore or white-space. E.g. *, %, \$ etc.

Deleting Resources

To delete a resource:

- From the Top Navigation bar, select Go To > Resources > Listing. The Resource Listing screen is displayed.
- 2) Locate the resource profile you want to delete. You can use the **Quick Filter** to help you find a resource.
- 3) From the **Actions** column, select **Delete**.
- 4) Click **OK** to confirm the deletion.

Notes:

- The system may require you to delete a resource's assets and certifications before deleting a resource.
- You cannot delete a resource that is currently assigned to a project.
 You have to reassign the project to another resource.

Using Search, Advanced Search, and Saved Search

EnterpriseTrack allows you to filter your resource list in multiple ways. You can search for a specific name, view all last names beginning with a particular letter or filter by other criteria using the sophisticated filtering engine.

Searching for a Resource

To search for a specific name, enter the appropriate letter in the Last Name Starts with field and click the **Go** icon. You will see a list of resources matching the search criteria you entered.

Modifying Advanced Search

To modify the advanced search setting:

- 1) Click the Advanced Search link.
- 2) On the Advanced Search page, enter the appropriate values, check the appropriate boxes or choose from the pull-down menus.
- 3) You can view the current search criteria by clicking the **Show Current Search Criteria** field.
- 4) Enter your selection criteria in the relevant fields. In most systems, you will be able to filter by Initiative, title, location or work address and organizational unit.
- 5) Click the **Search** button to apply the search and return to the list of projects.

Note: When you choose to include the documents field in the keyword definition, the system will search through the text of the uploaded project documents.

Managing Saved Search Criteria

To save a new search:

- 1) From the **Manage** pull-down menu select **Create**.
- 2) Enter a new name in the Filter name field and enter a description.
- 3) Select if you want to make this the default search.
- 4) Select if you want to share this search with other users.
- 5) Specify the appropriate values, check the appropriate boxes or choose from the pull-down menus.
- 6) Click the Save Search button.

To edit an existing search:

- 1) From the **Saved Search: View** menu select the search you want to edit.
- 2) From the **Manage** pull-down menu select **Edit**.
- 3) Select the search you want to modify from the Load a Saved Search pull-down menu.
- 4) Make the required changes in the various fields used to specify the search criteria.
- 5) Click the Save Search button.

To delete an existing search:

1) From the Saved Search: View menu select the search you want to delete.

- 2) From the Manage pull-down menu select Edit.
- 3) Click the **Delete Search** button.

Note: Only user-defined searches can be deleted.

To reset filters to default values:

From the *Advanced search* page, click the **Reset Filter** button.

Managing Resource System Access Profiles

Resource access profiles allow you to define global (non-project specific) permissions within the system. All resources assigned to a resource system access profile have all the global permissions associated with their selected access profile. You can use the *Manage Resource Access Profile* page to create and manage all access profiles defined in your system. You can also define the default project listing columns, and the project landing page that will display for each resource access profile. All resources in the system must have an access profile and each resource can have only one access profile.

In This Section

Creating Resource System Access Profiles	. 29
Editing Resource System Access Profiles	. 30
Configure Default Project Listing Columns	. 30
Specifying Home Page by System Access Profile	

Creating Resource System Access Profiles

To create a resource system access profile:

- 1) Select the **Resource & Security Admin** tab.
- 2) Select the **Resource System Access Profile** link. The *Resource Access Profiles List* page displays.
- 3) Click Create a New Resource Access Profile.
- 4) Enter a name for this access profile.
- 5) Choose a homepage for this profile. All resources with this system access profile will be taken to this page when they log in.
- 6) Specify a project landing page. When a resource accesses a particular project, they will be taken to the page specified here.
- 7) Click Add Access Profile.

Editing Resource System Access Profiles

To edit a resource access profile:

- 1) Click the Resource & Security Admin tab.
- 2) Select the **Resource System Access Profiles** link. The *Resource Access Profiles List* page displays all existing access profiles.
- 3) Click on the name of the resource profile you want to edit.
- 4) Modify the name of this profile.
- 5) Click Update.

Configure Default Project Listing Columns

You can use the *Resource Access Profiles List* page to customize columns on the Project Listing page.

To configure default project listing columns:

- 1) Click the **Resource & Security Admin** tab.
- 2) Select the **Resource System Access Profiles** link. The *Resource Access Profiles List* page displays a list of all existing system access profiles.
- 3) Click the Configure Default Project Listing Columns button.
- 4) Use the > and < buttons to add and remove columns. Use the **Up** and **Down** buttons to move the selected columns to the left or right. The topmost column is displayed on the farthest left of the screen.
- 5) Click Update.

Specifying Home Page by System Access Profile

To specify the home page by resource access profile:

- 1) Click the **Resource & Security Admin** tab.
- 2) Click the **Resource System Access Profiles** link. The *Resource Access Profiles List* page displays all existing system access profiles.
- 3) Select an access profile by clicking on its name.
- 4) Select a home page from the pull-down menu. All resources with this access profile will be taken to this page when they log in.
- 5) Specify a project landing page. When a resource accesses a particular project, they will be taken to the page specified here.
- 6) Click Update.

Note: For more information on removing certain menu items from the Left Navigation bar for users with specific access profiles and for specific roles, see topic **Assigning Permissions to System Access Profiles and Roles** (on page 12).

Managing Resource Roles

Roles represent job titles or skills needed to execute project tasks. Manager, Finance Representative, Engineer, Architect, IT Manager, Network Administrator are all examples of possible roles. You will see a standard set of roles that are applicable to your organization already defined for you. You can create as many roles as you need. You can also assign resource to one or more roles. Roles also determine the project specific permissions for each resource in the system. Only resources with at least one role assigned to them are available as potential team members of projects.

You can use the **Resource Roles** link, to add, edit, or delete resource roles. You can also edit labor rates associated with a role and view the rate change history.

In This Section

Creating Resource Roles	31
Editing Resource Roles	
Editing Labor Rates for Roles	
Viewing Rate Change History	

Creating Resource Roles

To create a resource role:

- 1) Click the **Resource & Security Admin** tab.
- 2) Click the **Resource Roles** link. The *Team Composition Settings* page displays all the existing resource roles.
- 3) Click Add a New Role.
- 4) Select an initiative for this role
- 5) Enter a name for this role.
- 6) Enter the Sort Order ID. This defines the order in which it displays on listing pages.
- 7) Select the type of proposal sign off you require for this role (**Context-Sensitive**, **Signoff Not Required**, **Signoff Required**, and **Signoff Optional**).
 - If you selected the Context-Sensitive option, enter the conditions when signoff is required. You can choose to require signoffs only when the selected value in a particular field is equal to, is not equal to, includes, or does not include a particular value. The Context-Sensitive option displays only if the role is part of the initial project team.
- 8) Enter the standard labor, overtime labor, and setup labor rates associated with this role.
- 9) Enter the number of hours per week this role will spend of different project categories. For example: Project Management, Team Meetings, etc.

10) Click Create.

Editing Resource Roles

To edit a resource role:

- 1) Click the **Resource & Security Admin** tab.
- 2) Select the **Resource Roles** link. The *Team Composition* page displays all the existing resource roles.
- 3) Click **[Edit]** next to the name of the resource role you want to edit. The *Edit Role* page displays.
- 4) Edit the resource role.
 - a. Modify the name for this role.
 - b. Change the Sort Order ID. This defines the order in which it displays on listing pages.
 - c. Select if you want this role to be part of the initial proposal team.
 - d. Select if this role is required for the entire project duration.
 - e. Select the type of proposal sign off you require for this role (Context-Sensitive, Signoff Not Required, Signoff Required, and Signoff Optional).
 - If you select the Context-Sensitive option, enter the conditions when signoff is required. You can choose to require signoffs only when the selected value in a particular field is equal to, is not equal to, includes, or does not include a particular value. The Context Sensitive option displays only if the role is part of the initial proposal team.
 - f. Modify the number of hours per week this role will spend of different project categories. For example: Project Management, Team Meetings, etc.
- 5) Click Update.

Editing Labor Rates for Roles

To edit labor rates for all resources associated with a role:

- 1) Click the **Resource & Security Admin** tab.
- 2) Select the **Resource Roles** link. The *Team Composition Settings* page displays all the existing resource roles.
- 3) Select a role and click the [Edit Rate] link next it.
- 4) Edit the current Standard, Overtime, and Setup rates, or click **[Add Row]** to add a new row to the rate table.
- 5) Click the **Calendar** icon and select the effective start date.
- 6) Click Update.

Viewing Rate Change History

To view all the labor rate changes associated with a role:

- 1) Click the **Resource & Security Admin** tab.
- 2) Click **Resource Roles**. The *Team Composition Settings* page is displayed.
- 3) Select a role and click the [Edit Rate] link next it.

4) Click the [View rate change history] link.

Managing Resource Status

Use the *Resource Status* screen to create and manage multiple resource statuses. For example, you can create a status called *Inactive Transferred*, for resources that no longer work for your organization, or *Resource Active* for resources that are currently employed.

Note: Once you create a status, you cannot delete it. You can only change the status to Inactive, or Archived.

To add a new resource status:

- 1) Click the Resource & Security Admin tab.
- 2) Click the **Resource Status** link. The *Resource Status List* screen is displayed.
- 3) Click the Create a New Resource Status button.
- 4) Enter a name for this status.
- 5) Click Create.

To manage resource statuses:

- 1) Click the Resource & Security Admin tab.
- 2) Click the **Resource Status** link. The *Resource Status List* screen is displayed.
- 3) Select a resource status from the list.
- 4) Change the status to Valid, Invalid, or Archived.
- 5) Click Update.

Managing Resource Rate Default Rule

You can specify the default resource or role rate that the system displays when creating new resources or roles.

To set the resource or role rate default rule:

- 1) Click the **Resource & Security Admin** tab.
- Click the Resource or Role Rate Default Rule link.
- 3) Select Resource labor rate or Role labor rate.
- 4) Click Update.

Setting TBD Capacity in Resource Modules

Use the **Include TBD Capacity in Resource Modules** link to select if you want to include or exclude TBD (To Be Decided) resource when calculating role capacity. If set to **Yes**, then TBD capacity is included when calculating capacity. If set to **NO**, then TBD capacity is not included when calculating capacity, only the demand is included.

To set TBD capacity:

1) Select the **Resource & Security Admin** tab.

- 2) Click the Include TBD Capacity in Resource Modules link.
- 3) From the Value pull-down menu, choose Yes or No.
- 4) Click **Update**.

Setting Default Percentage Utilization

Use the **Set Default Percentage Utilization** link to select the default resource/role percentage utilization for each initiative configured in your system. The default value you set here is used to pre-fill the percentage utilization for all resource or role allocations.

To set the default percentage utilization:

- 1) Select the Resource and Security Admin tab.
- 2) Click the **Default Percentage Utilization** link.
- 3) Enter a value for each initiative configured in your system.
- 4) Click Update.

Resource Admin Reports

In This Section

Usage Statistics Report	34
Permissions Report	
Last Login Report	
Scheduled Reports by Resource Report	
Confidential Project Count by Resource Report	
Setting Resource Heat Map Thresholds	

Usage Statistics Report

Use the **Usage Statistics Report** to view account usage. This report displays the following information:

- ▶ The number of initiatives loaded.
- A count of resources that accessed the system in the past 7 to 180 days.
- ▶ A count of projects updated in the past 7 to 180 days by initiative.
- The number of Ideas created.
- A count of proposals by initiative and status.
- Project Information
 - A count of projects by initiative.
 - A count of projects by initiative and status.
 - A count of project components
- Resource Information
 - The total number of active resources across all projects, realization projects, and completed projects.

- The number of Project Managers with active projects grouped by initiative and access profile.
- The number of Project Managers with active projects.
- The number of resources with Project Leader/Project Manager role by initiative and access profile.
- The number of active resources by initiative and access profile.
- The number of active resources by initiative.
- The total number of resources by initiative.
- System Information
 - A count of system components

To view the Usage Statistics Report:

- 1) Click the Resource & Security Admin tab.
- 2) Click the **Usage Statistics Report** link.

Permissions Report

Use the **Permissions Report** to view all resource access profiles and roles with their permissions.

To view the Permissions Report:

- 1) Click the Resource & Security Admin tab.
- 2) Click the **Permissions Report** link.

Last Login Report

Use the **Last Login Report** to view a log of all users who attempted to log into the system, login date, user ID, login ID, email address, first name, last name and the success of the login.

To view the Last Login Report:

- 1) Click the Resource & Security Admin tab.
- 2) Click the Last Login Report link.

Scheduled Reports by Resource Report

Use the Scheduled Reports By Resource Report to view a list of reports scheduled by resources. This report is generated in CSV format and includes the following information:

- user report name
- standard report name
- if the report is emailed
- email address (To, CC, and BCC) of the resources it is sent to
- day of the week, day, month, and year the report is scheduled to run
- scheduler's email address
- scheduler's name

Application Administration Guide

- scheduler's status
- date of the last report run attempt

To view the Last Login Report:

- 1) Click the **Resource & Security Admin** tab.
- 2) Click the Scheduled Reports by Resource Report link.

Confidential Project Count by Resource Report

Use the Confidential Project Count by Resource Report to view a list of all confidential projects in the system. This report is generated in CSV format and includes the following information:

- count of confidential projects
- project manager's email address
- project manager's first name and last name
- project manager's status

To view the Confidential Project Count by Resource Report:

- 1) Click the **Resource & Security Admin** tab.
- 2) Click the Confidential Project Count by Resource Report link.

Setting Resource Heat Map Thresholds

Use the **Set Resource Heat Map Thresholds** link to edit the thresholds that control the colors in heat maps, including the Resource Planning List page, What-if View Scenario page, and all heat map reports.

To set the heat map thresholds:

- 1) Select the **Resource & Security Admin** tab.
- 2) Click the Resource Heat Map Thresholds link.
- 3) Edit the default Upper Threshold % column value for the Green, Amber and Red rows. The Lower Threshold % column value is automatically set based on the Upper Threshold %.
- 4) Click Update.

Timesheet Settings

In This Section

Configuring Time Reporting Categories	37
Resource Admin Reports	
Timesheet Settings	41

Configuring Time Reporting Categories

In This Section

Configuring Categories for Project Related Time Reporting	37
Configuring Categories for Non-Project Time Reporting	37
Configuring Categories for Non-Working Time Reporting	38

Configuring Categories for Project Related Time Reporting

EnterpriseTrack allows users to complete and submit timesheets for reporting the time spent on various project related and non-project related activities. The different categories for reporting time have to be created within the Time Reporting Categories section in the Administration module.

- 1) Click the Resource & Security Admin tab.
- 2) Click the **Project Time Reporting Categories** link. All the available categories are listed, by initiative.
- 3) To modify an existing category, click the name of the category.
- 4) To create a new category, click the **Create** button.
- 5) Specify whether it is a global category which will be available to users across initiatives. If not, you must choose the initiative with which it is to be associated.
- 6) Enter a category name and an order ID.
- 7) Click **Update** or **Create** as appropriate to save your changes.

Note: Once a category is associated with a specific initiative it cannot be made a global category. You can create a new global category with the same name.

Configuring Categories for Non-Project Time Reporting

EnterpriseTrack allows users to complete and submit timesheets for reporting the time spent on various project related and non-project related activities. The different categories for reporting time have to be created within the Time Reporting Categories section in the Administration module.

To create and manage non-project related time reporting categories:

- 1) Click the **Resource & Security Admin** tab.
- 2) Click the **Non-Project Time Reporting Categories** link. All the available categories are listed, by initiative.
- 3) To modify an existing category, click the name of the category.
- 4) To create a new category, click the **Create** button.
- 5) Specify whether it is a global category which will be available to users across initiatives. If not, you must choose the initiative with which it is to be associated.
- 6) Enter a category name and an order ID.

7) Click **Update** or **Create** as appropriate to save your changes.

Note: Once a category is associated with a specific initiative it cannot be made a global category. You can create a new global category with the same name.

Configuring Categories for Non-Working Time Reporting

EnterpriseTrack allows users to complete and submit timesheets for reporting the time spent on various project related and non-project related activities. The different categories for reporting time have to be created within the Time Reporting Categories section in the Administration module.

To create and manage non-project related time reporting categories:

- 1) Click the Resource & Security Admin tab.
- 2) Click the **Non-Working Time Reporting Categories** link. All the available categories are listed, by initiative.
- 3) To modify an existing category, click the name of the category.
- 4) To create a new category, click the **Create** button.
- 5) Specify whether it is a global category which will be available to users across initiatives. If not, you must choose the initiative with which it is to be associated.
- 6) Enter a category name and an order ID.
- 7) Click **Update** or **Create** as appropriate to save your changes.

Note: Once a category is associated with a specific initiative it cannot be made a global category. You can create a new global category with the same name.

Resource Admin Reports

In This Section

Usage Statistics Report	38
Permissions Report	
Last Login Report	
Scheduled Reports by Resource Report	
Confidential Project Count by Resource Report	
Setting Resource Heat Map Thresholds	

Usage Statistics Report

Use the **Usage Statistics Report** to view account usage. This report displays the following information:

- The number of initiatives loaded.
- A count of resources that accessed the system in the past 7 to 180 days.

- ▶ A count of projects updated in the past 7 to 180 days by initiative.
- The number of Ideas created.
- A count of proposals by initiative and status.
- Project Information
 - A count of projects by initiative.
 - A count of projects by initiative and status.
 - A count of project components
- Resource Information
 - The total number of active resources across all projects, realization projects, and completed projects.
 - The number of Project Managers with active projects grouped by initiative and access profile.
 - The number of Project Managers with active projects.
 - The number of resources with Project Leader/Project Manager role by initiative and access profile.
 - The number of active resources by initiative and access profile.
 - The number of active resources by initiative.
 - The total number of resources by initiative.
- System Information
 - A count of system components

To view the Usage Statistics Report:

- 1) Click the Resource & Security Admin tab.
- 2) Click the Usage Statistics Report link.

Permissions Report

Use the **Permissions Report** to view all resource access profiles and roles with their permissions.

To view the Permissions Report:

- 1) Click the **Resource & Security Admin** tab.
- 2) Click the **Permissions Report** link.

Last Login Report

Use the **Last Login Report** to view a log of all users who attempted to log into the system, login date, user ID, login ID, email address, first name, last name and the success of the login.

To view the Last Login Report:

- 1) Click the **Resource & Security Admin** tab.
- 2) Click the Last Login Report link.

Scheduled Reports by Resource Report

Use the Scheduled Reports By Resource Report to view a list of reports scheduled by resources. This report is generated in CSV format and includes the following information:

- user report name
- standard report name
- if the report is emailed
- email address (To, CC, and BCC) of the resources it is sent to
- day of the week, day, month, and year the report is scheduled to run
- scheduler's email address
- scheduler's name
- scheduler's status
- date of the last report run attempt

To view the Last Login Report:

- 1) Click the Resource & Security Admin tab.
- 2) Click the Scheduled Reports by Resource Report link.

Confidential Project Count by Resource Report

Use the Confidential Project Count by Resource Report to view a list of all confidential projects in the system. This report is generated in CSV format and includes the following information:

- count of confidential projects
- project manager's email address
- project manager's first name and last name
- project manager's status

To view the Confidential Project Count by Resource Report:

- 1) Click the Resource & Security Admin tab.
- 2) Click the Confidential Project Count by Resource Report link.

Setting Resource Heat Map Thresholds

Use the **Set Resource Heat Map Thresholds** link to edit the thresholds that control the colors in heat maps, including the Resource Planning List page, What-if View Scenario page, and all heat map reports.

To set the heat map thresholds:

- 1) Select the **Resource & Security Admin** tab.
- 2) Click the Resource Heat Map Thresholds link.
- 3) Edit the default Upper Threshold % column value for the Green, Amber and Red rows. The Lower Threshold % column value is automatically set based on the Upper Threshold %.
- 4) Click Update.

Timesheet Settings

In This Section

Configuring Timesheet Creation Defaults	. 41
Configuring Time Reporting Categories	. 41
Managing Estimated Time to Complete for Timesheet Settings	
Manage Allowed Grace Period in Days for Activities in Timesheet	. 43

Configuring Timesheet Creation Defaults

Use the *Timesheet Creation Defaults* page to set the default display of the *Timesheet Create* page for all timesheet users. The default timesheet categories you select here are displayed when new timesheets are created by users. Users have the option to modify these default settings.

To select the timesheet creation defaults:

- 1) Click the **Resource & Security Admin** tab.
- 2) Click the Timesheet Creation Defaults link.
- 3) For the Display Project Time Reporting category, select from one of the following options: Show All Projects, Show Zero Projects, or Show Projects from Previous Period.
- 4) Select the check boxes Display Non-Project Time Reporting Categories and Display Non-Working Time Reporting Categories to display these categories when new timesheets are created.
- 5) Click Save.

Configuring Time Reporting Categories

In This Section

Configuring Categories for Project Related Time Reporting	41
Configuring Categories for Non-Project Time Reporting	
Configuring Categories for Non-Working Time Reporting	42

Configuring Categories for Project Related Time Reporting

EnterpriseTrack allows users to complete and submit timesheets for reporting the time spent on various project related and non-project related activities. The different categories for reporting time have to be created within the Time Reporting Categories section in the Administration module.

- 1) Click the Resource & Security Admin tab.
- Click the Project Time Reporting Categories link. All the available categories are listed, by initiative.
- 3) To modify an existing category, click the name of the category.
- 4) To create a new category, click the **Create** button.
- 5) Specify whether it is a global category which will be available to users across initiatives. If not, you must choose the initiative with which it is to be associated.

- 6) Enter a category name and an order ID.
- 7) Click **Update** or **Create** as appropriate to save your changes.

Note: Once a category is associated with a specific initiative it cannot be made a global category. You can create a new global category with the same name.

Configuring Categories for Non-Project Time Reporting

EnterpriseTrack allows users to complete and submit timesheets for reporting the time spent on various project related and non-project related activities. The different categories for reporting time have to be created within the Time Reporting Categories section in the Administration module.

To create and manage non-project related time reporting categories:

- 1) Click the Resource & Security Admin tab.
- 2) Click the **Non-Project Time Reporting Categories** link. All the available categories are listed, by initiative.
- 3) To modify an existing category, click the name of the category.
- 4) To create a new category, click the **Create** button.
- 5) Specify whether it is a global category which will be available to users across initiatives. If not, you must choose the initiative with which it is to be associated.
- 6) Enter a category name and an order ID.
- 7) Click **Update** or **Create** as appropriate to save your changes.

Note: Once a category is associated with a specific initiative it cannot be made a global category. You can create a new global category with the same name.

Configuring Categories for Non-Working Time Reporting

EnterpriseTrack allows users to complete and submit timesheets for reporting the time spent on various project related and non-project related activities. The different categories for reporting time have to be created within the Time Reporting Categories section in the Administration module.

To create and manage non-project related time reporting categories:

- 1) Click the **Resource & Security Admin** tab.
- 2) Click the **Non-Working Time Reporting Categories** link. All the available categories are listed, by initiative.
- 3) To modify an existing category, click the name of the category.
- 4) To create a new category, click the **Create** button.
- 5) Specify whether it is a global category which will be available to users across initiatives. If not, you must choose the initiative with which it is to be associated.
- 6) Enter a category name and an order ID.
- 7) Click **Update** or **Create** as appropriate to save your changes.

Note: Once a category is associated with a specific initiative it cannot be made a global category. You can create a new global category with the same name.

Managing Estimated Time to Complete for Timesheet Settings

To enable the Estimated Time to Complete (ETC) field for timesheets:

- 1) Click the **Resource & Security Admin** tab.
- 2) Select the Manage Estimated Time To Complete For Timesheet Settings link.
- 3) Choose an initiative and click the **[Edit]** link next to it. The *Edit Estimated Time to Complete for Timesheet Settings* screen is displayed.
- 4) Choose if you want to enable the ETC field for timesheets.
- 5) Choose if you require resources to enter their ETC for activities before submitting their timesheets.
- 6) Click Update.

Manage Allowed Grace Period in Days for Activities in Timesheet

To change the grace period for timesheet reporting:

- 1) Click the **Resource & Security Admin** tab.
- 2) Select the Manage Allowed Grace Period In Days For Activities in Timesheet Settings link.
- 3) Choose an initiative and click the **[Edit]** link next to it. The *Edit Allowed Grace Period In Days For Activities In Timesheet Settings* screen is displayed.
- 4) Specify how many days past the activity completion date can team members continue to report effort.
- 5) Specify how many days before the activity start date can team members start reporting effort.
- 6) Click Update.

Security Administration

In This Section

Managing Resource Password Hint Questions	43
Managing Portal Settings	44
Managing Login Warning Message	

Managing Resource Password Hint Questions

You can use the *Manage Resource Password Hint Questions* page to create and manage hint questions. The questions are emailed to a resource when they forget their password.

To manage password hint questions:

- 1) Click the Resource & Security Admin tab.
- 2) Select the Manage resource password hint questions link.
- 3) Click the Create Question button.
- 4) Enter a question.
- 5) Click Create.

To edit a question:

- 1) Click the **Resource & Security Admin** tab.
- Select the Manage resource password hint questions link.
- 3) From the **Actions** column, click **Edit**.
- 4) Make the required changes on the *Edit Question* page and click **Update**.

To delete a question:

From the **Actions** column, click the **Delete**.

Managing Portal Settings

You can use the *Portal Settings* page to create a user ID and password to access the Idea Portal. Users can use this ID and password to enter the Idea Portal without to logging into EnterpriseTrack.

- 1) Select the Resource & Security Admin tab.
- 2) Click the **Portal Settings** link. The *Edit Portal Settings* screen is displayed.
- 3) Enter a portal ID and Password.
- 4) Click Update.

Managing Login Warning Message

You can use the *Login Warning Message* page to add any warning message or terms of use you would like displayed on the Login screen.

To edit the login warning message:

- Select the Resource & Security Admin tab.
- 2) Click the **Login Warning Message** link. The *Edit Login Warning Message* screen is displayed.
- 3) Enter the message.
- 4) Click Update.

Temporary Administrator Settings

To activate a temporary administrator:

- 1) Select the Resource & Security Admin tab.
- 2) Click the **Temporary Administrator Settings** link.
- 3) Select **Activate** from the **Temporary Administrator State** option.

- 4) Click the Calendar picker and select a deactivation date.
- 5) Enter the first name and last name of the temporary administrator.
- 6) Enter an email address.
- 7) Select when you want the temporary password to expire.
- 8) Click Update.

To deactivate a temporary administrator:

- 1) Select the **Resource & Security Admin** tab.
- 2) Click the **Temporary Administrator Settings** link.
- 3) Select **Deactivate** from the **Temporary Administrator State** option.

Application Configuration

In This Section

Configuring Roadmaps	45
Project Settings	
Configuring Organizational Hierarchy	
Configuring Status Reports	
Calendars	
Routing	68
Configuring Custom fields	
Configuring Pulldown values	74
Configuring Classification Fields, Resource Pulldown Values and Alignment Pullo	
Values	76

Configuring Roadmaps

A roadmap or WBS (Work-breakdown Structures) is a hierarchical arrangement of activities, tasks or milestones that are required to complete a project. A roadmap divides a project into discrete phases or top-level activities and each phase is further broken down into multiple work elements or tasks. A roadmap is associated with one or more activity templates or phases and each activity template contains one or more activities. These activities can be tasks, deliverables, milestones, or tollgates.

The process of configuring roadmap involves the following steps:

- Creating activity subtypes. Typically, these are defined only for top-level activities or phases.
 Activity subtype is the name that displays in the User Interface for a phase or a top-level activity.
- Configuring an activity template for each phase or top-level activity you have defined in your system.

- 3) Populating an activity template with work elements or activities. An activity template contains multiple activities like tasks, deliverables, tollgates, etc.
- 4) Configuring a roadmap (WBS).
- 5) Populating a roadmap with phases or activity templates.
- 6) Associating a roadmap with project types.
- 7) Creating resource assignment types

Once you have configured roadmaps, Project Managers can use these pre-defined roadmaps to quickly plan and execute projects.

You can also create non-WBS roadmaps, which are a set of activities that are associated with a project but are not part of the project WBS. For example, change requests, issues, notes, etc.

Note: Some of the choices you see while creating activity templates and roadmaps are determined during the initial system configuration.

In This Section

Creating Activity Sub Types	.46
Norking with Activity Templates	.47
Norking with Roadmaps	.50
Norking with Non-WBS roadmaps	.55
Norking with Dependency Types	.56
Norking with Project Types	.56
Norking with Resource Assignment Types	
Configuring Status Indicator	

Creating Activity Sub Types

Activity sub types are the user visible names for the phases or activity templates you have defined. For example for the activity template *Phase*, you can have a sub type called *Planning*, or *Testing*.

To create activity sub types:

- 1) Click the **Application Configuration** tab.
- 2) Select the Activity Sub Types/ Phase Name link.
- 3) Click the Create a New Activity Sub Type button.
- 4) Select the activity type from the drop-down menu. For example, Phase.
- 5) Enter a name for this activity sub type. For example, you could create a sub type called Requirements Analysis, Planning, Designing, or Testing.
- 6) Enter the lower and upper cycle time range (in days). This is the upper and lower duration range for this activity sub type.
- 7) Click Create.

Working with Activity Templates

You can create activity templates for each phase of your project, and each activity template can be configured to have an ordered list of tasks and deliverables. You can specify tools, create tollgates, set approvers, and set resources.

You can set tollgates to be effort-based or duration based:

- Effort-based
 - This is based on the effort required to get a job done. For example, a paint job may require 40 hours for 4 people working for 5 hours every day to complete the job.
- Duration-based

If there is a required time for the job to be completed. For example, in the instance of the paint job above, it may take a certain amount of time for the paint job to dry up. The lead time cannot be reduced by putting more people to dry the paint.

Activity templates are used in roadmaps and changes made to an activity template affect all roadmaps that refer to the template. Existing projects are not affected, only future projects are affected by the template changes.

In This Section

Creating Activity Templates	47
Editing Activity Templates	
Copying Activity Templates	48
Deleting Activity Templates	
Adding Deliverables and Tasks to Activity Templates	
Adding Dependencies between Activities	
Editing Activities and Tasks	

Creating Activity Templates

To create a new activity template:

- 1) Click the **Application Configuration** tab.
- 2) Select the Activity Templates link.
- 3) Click the **Create a New Activity Template** button. The *Create Activity Template* page is displayed.
- 4) In installations that have multiple initiatives configured within the same system, select the appropriate initiative from the Initiative pull-down menu.
- 5) Based on the initiative, the Roadmap family pull-down will be populated. Choose the appropriate roadmap family for your new activity template.
- 6) Select the activity type for which this template is being created.
- 7) Select the Activity Sub Type for this activity template.
- 8) Enter a name for the activity template. This name will be used within the system and will not be visible to any user other than the administrator.

- 9) From the drop-down list select if this activity template will be used as a template or as creation_defaults. You can choose to use this as a template for creating activities on roadmaps, or as creation_defaults. Creation_defaults are used to set default field values so new activities on the Roadmap appear as in-line rows.
- 10) You can also enter a description and the estimated time duration (in days) for this activity. This will be the default duration for this particular activity in every project that uses this activity template.
- 11) Select a default Labor Expense Type (LET) from the drop-down list.
- 12) From the drop-down menu select the Plan Effort Type and Actual Effort Type.
- 13) Select if you want to enforce resources. If you select **Yes**, then select the mandatory resources. You can also the select if all resources are required for this activity type.
- 14) From the *Approvers* pane, you can manage permissions for the approvers and you can also choose to enforce approvals and approvers for the activity template.
- 15) From the *Percentage Completion* pane, you can select how you want the percentage complete to be calculated.
- 16) Click Create to save your changes.

Editing Activity Templates

Editing an activity template consists of modifying its name, description and time duration.

To edit an existing activity template:

- 1) Click the **Application Configuration** tab.
- 2) Click the **Activity Templates** link. You will see a list of all the existing activity templates.
- 3) Locate the template you want to edit and click the [Edit] link in the Action column.
- 4) Make the necessary changes in the Edit Activity Template page.
- 5) Click **Update** to save your changes.

Copying Activity Templates

If you want to create multiple activity templates that are only slightly different from each other, you can use the copy function. After you are done copying the new activity template, you can modify the deliverables and tasks. See topic *Editing Activities and Tasks* (on page 50).

To copy an existing activity template:

- 1) Click the **Application Configuration** tab.
- 2) Click the **Activity Templates** link. You will see a list of all the existing activity templates.
- 3) Locate the template you want to copy and click the [Copy] link in the Action column.
- 4) Enter a name.
- 5) Click **Copy**. A complete copy of the activity template is created.

Deleting Activity Templates

To delete an existing activity template:

1) Click the **Application Configuration** tab.

- 2) Click the **Activity Templates** link. You will see a list of all the existing activity templates.
- 3) Locate the template you want to delete and click the [Delete] link in the Action column.
- 4) Click **OK** in the pop-up dialog box to confirm the deletion.

Adding Deliverables and Tasks to Activity Templates

For an activity template to be meaningful, each activity must have its own set of deliverables, which can be broken down further into tasks. Since EnterpriseTrack allows you to create multiple activity templates for an activity, you can define deliverables and tasks for each activity template.

Adding deliverables and tasks

Once the template has been created, you can continue to add the deliverables and tasks.

To add deliverables and tasks to an activity template:

- 1) Click the **Application Configuration** tab.
- 2) Click the **Activity Templates** link to view a list of all the existing activity templates.
- 3) Locate the template and click on its name. The Activity Template Explorer page is displayed.
- 4) Click the 🗉 icon to view the contents of the template.
- 5) Add peer or child activities.
 - a. Click the icon to add a peer activity. You can add gates, tollgates, deliverables, phases, and tasks to the activity template.
 - b. Click the icon to add a child activity. You can add gates, tollgates, deliverables, phases, and tasks to the activity template.

Note: You cannot add peer activities to a top level activity. However, you can add child or peer level activities to a child activity.

- 6) Enter a name, sub type and description for this activity.
- 7) You can enter the number of estimated hours for this activity and this will be carried forward when the roadmap is used for a project. Projects Managers can check the available hours for each user and make sure it is in line with the estimated hours for an activity before assigning the deliverable.
- 8) Set the initial status, select which roles will be allowed to own this activity, and whether ownership should be enforced or not.
- 9) You can also choose tools that are associated with this activity. The system allows you to enter the names of tools that have not yet been uploaded into the Knowledge Base under **Tool Templates**. Click the **Add** link next to the **All Available Tools** field and enter a name in the pop-up dialog box.

Note: You must upload this tool in the Knowledge Base.

10) Click the **Save** button to save your changes.

Adding Dependencies between Activities

To add dependencies between activities:

- 1) Click the **Application Configuration** tab.
- 2) Click the **Activity Templates** link to view a list of all the existing activity templates.
- 3) Locate the template and click on its name. The Activity Template Explorer page is displayed.
- 4) Select an activity. The *Details* pane is displayed.
- 5) Select the **Dependencies** tab.
- 6) Click the Add New icon.
- 7) Add a predecessor by entering the activity name. You can also click the **View** link to find the dependent activity.
- 8) Enter the type of dependency. Choose from Start to Start, Start to Finish, Finish to Finish, or Finish to Start. The start date is computed from the completion date of the predecessor tasks and the completion date is calculated from the start date and the duration of the predecessor activity.
- 9) Click Save.

Note: The Dependencies tab is displayed only if the initiative of the activity template has the *Enable Activity Level Dependencies* feature enabled, and the Activity type has Dependencies enabled.

Editing Activities and Tasks

To edit activities and tasks on an activity template:

- 1) Click the **Application Configuration** tab.
- 2) Click the **Activity Templates** link to view a list of existing activities templates.
- 3) Locate the template you want to edit and click on the name of the activity template. The *Activity Template Explorer* page is displayed.
- 4) Click the **■** icon to view the contents of the activity template.
- 5) Click on the name of the deliverable or task you want to modify.
- Make the necessary changes.
- 7) Click **Update** to save the changes.

Working with Roadmaps

Project Managers can use these pre-determined roadmaps to quickly create projects. Roadmaps are made up of activity templates, which in turn are made up of deliverables that are broken down into tasks.

In This Section

Creating Roadmaps	51
Editing Roadmaps	
Copying Roadmaps	
Deleting Roadmaps	
Changing Status	
Adding Activity Templates to a Roadmap	
Editing MS Project Import and Export	

Creating Roadmaps

To create a new roadmap:

- 1) Click the **Application Configuration** tab.
- 2) Select the **Roadmaps** link. The *Roadmap List* page is displayed.
- 3) Click the Create New Roadmap button.
- 4) Select an initiative.
- 5) Enter a name for the roadmap. This name is used within the system and is not visible to any user other than the administrator.
- 6) Select an activity template from the *Mandatory Activity Template* pull-down menu. All roadmaps must have at least one activity template.
- 7) Enter the Mandatory Realization Activity Template.
- 8) Enter other relevant information pertaining to this roadmap. See table below for a description of these fields.

9) Click Create Roadmap.

Field	Description
Roadmap Family	The options you can choose are based on the initiative you selected.
Is Phase Gated Roadmap?	Select Yes if you want each phase on the roadmap to be completed before starting the next phase.
Show Stages as Tabs?	Select Yes to have top-level activities appear as separate tabs on the Project Roadmap page.
	Select No to have all the top-level activities appear on the same tab.
Enable WBS Code on Activity	Select Yes if you want to the WBS to have a hierarchical numbering structure, for example 1, 1.1, 1.1.1, etc. for activities displayed on a project roadmap.
Allow Template Generated Activities to be	Select Yes if you want users to modify or delete the name of a template generated activity. Other attributes within the

Modified?	template can also be modified.
Scheduling Mode	Select Manual or Semi-Automatic Manual: EnterpriseTrack does not update the dates on the project roadmap when dependent activities are rescheduled or modified. When dependent activities are rescheduled, you have to manually update the activity dates on the Project Roadmap page. Semi-Automatic: EnterpriseTrack updates the dates when dependent activities are rescheduled. When dependent activities are rescheduled. When dependent activities are rescheduled in the Project Roadmap page for EnterpriseTrack to update the activity dates.
Resource Required to Complete Activities at Top Level?	Select Yes if you require resources to be assigned to top-level activities in order to close them. Select No if you do not require a resource to be assigned to top-level activities. Select Activity Type Specific if you want this value to be the
Resource Required to Complete Activities at Other Level?	Select Yes if you require resources to be assigned to activities at other levels in order to close them. Select No if you require no resource to be assigned.
	Select Activity Type Specific if you want this value to be the same as the Activity Type setting.
Allowed Activity Types at Other Levels	Choose the Activity Types allowed at other levels.
Activity Type to Creation-Default Mappings	If activity type to creation default mapping exists, you can select it from the pull-down menu. This mapping allows you to set default field values for roadmap activities so new activities appear on the roadmap as in-line rows.
Is MSP Integration Allowed?	Select Yes if you want to allow MSP (Microsoft Project) integration. You must select a template file before you can export or import data. Click the Browse button and select a template.
Computation mode for dates and duration	Internal: EnterpriseTrack computes the dates and duration. External read-only: The calculation for dates and duration comes from MS Project. Project Managers cannot edit the values in EnterpriseTrack. External read-write: The calculation for dates and duration comes from MS Project. Project Managers can change the values in EnterpriseTrack.

Computation mode for duration and efforts	Internal: EnterpriseTrack computes the duration and effort. External read-only: The calculation for duration and effort comes from MS Project. Project Managers cannot edit the values in EnterpriseTrack. External read-write: The calculation for duration and effort comes from MS Project. Project Managers can change the values in EnterpriseTrack.
Computation mode for efforts and cost	Internal: EnterpriseTrack computes the effort and cost. External read-only: The calculation for effort and cost comes from MS Project. Project Managers cannot edit the values in EnterpriseTrack. External read-write: The calculation for effort and cost comes from MS Project. Project Managers can change the values in EnterpriseTrack.

Editing Roadmaps

To edit a roadmap:

- 1) Click the Application Configuration tab.
- 2) Click the **Roadmaps** link. The *Roadmap List* page is displayed.
- 3) Locate the roadmap you want to edit and click the **[Edit] link in the Action** column.
- 4) Make the necessary changes.
- 5) Click **Update** to save your changes.

Copying Roadmaps

If you want to create multiple roadmaps that are only slightly different from each other, you can use the copy function. When you have finished creating a new roadmap, you can modify its activity template. See topic *Adding Activity Templates to a Roadmap* (on page 54).

To copy an existing roadmap:

- 1) Click the **Application Configuration** tab.
- 2) Click the **Roadmaps** link. The *Roadmap List* page is displayed.
- 3) Locate the roadmap you want to copy and click the [Copy] link in the Action column.
- 4) Enter a name, and click **Copy**. A complete copy of the roadmap is created.
- 5) Locate the new roadmap and go on to modify its activity templates by clicking on the name of the roadmap.

Deleting Roadmaps

To delete an existing roadmap:

1) Click the **Application Configuration** tab.

- 2) Click the **Roadmaps** link. The *Roadmap List* page is displayed.
- 3) Locate the roadmap you want to delete and click the [Delete] link in the Action column.
- 4) Click **Ok** in the pop-up dialog box to confirm the deletion.

Changing Status

To edit the status of a roadmap:

- 1) Click the **Application Configuration** tab.
- 2) Click the **Roadmaps** link. The *Roadmap List* page is displayed.
- 3) Locate the roadmap you want to edit and click the [Change] link in the Status column.
- 4) Change the status of the roadmap. Select **Invalid** if you do not want users to use obsolete roadmaps when creating or editing projects. You cannot create, or edit the roadmap if the status is *Invalid*. If the status is **Valid**, users can use this roadmap. If you select **Archived**, the roadmap cannot be used while creating projects but can be used to edit or filter.
- 5) Click **Update** to save your changes.

Note: In read-only pages, the Archived roadmaps are suffixed with ^ and Invalid roadmaps are marked with x. While creating projects only valid roadmaps are displayed and while editing, the current roadmap is displayed, but only valid roadmaps are displayed in the drop down option. Archived roadmaps do not cause any validation errors.

Adding Activity Templates to a Roadmap

To add activity templates to a roadmap,

- 1) Click the **Application Configuration** tab.
- 2) Click the **Roadmaps** link. The *Roadmap List* page is displayed.
- 3) Locate the roadmap to which you want to add an activity template.
- 4) Click on its name. You will see all the activities that are currently part of the roadmap.
- 5) Click the **Add Activity Template** button.
- 6) Select the activity templates you want to add from the **Activity Templates** pull-down menu.
- 7) Enter the Order ID for this new activity to tell the system where it should be located in the roadmap. You can click the **Existing Order IDs** link to view the existing list before entering a number in this field.
- 8) Click Add Activity Template.

Editing MS Project Import and Export

To edit a roadmap to allow MS Project import/export:

- 1) Click the Application Configuration tab.
- 2) Click the **Roadmaps** link. The *Roadmap List* page is displayed.
- 3) Locate the roadmap you want and click the [MS Project] link in the Action column.

- 4) Select Yes if you want to allow MS Project integration.
- 5) Click the **Browse** button to select a MS Project template file (. mpt).
- 6) Click Update.

Working with Non-WBS roadmaps

In This Section

Creating a Non-WBS Roadmap	. 55
Managing Non-WBS Roadmaps	. 55

Creating a Non-WBS Roadmap

You can define a list of activities that are outside of the project roadmap. These activities are defined as non-WBS activities. This may be a list of change requests, discussions, risks, etc. These activities are not tied to the project roadmap, but are associated with a project and are displayed on the Left Navigation Bar.

To create a non-WBS roadmap:

- 1) Click the **Application Configuration** tab.
- 2) Select **Non-WBS Roadmaps** link. The *Non-WBS Roadmap List* screen is displayed.
- 3) Click the Create a New Non-WBS Roadmap button.
- 4) Select an initiative from the drop-down list.
- 5) Based on the initiative, the **Roadmap family** pull-down will be populated. Choose the appropriate roadmap family.
- 6) Enter a name for this roadmap.
- 7) Click the **Change** button and select an icon for this roadmap. This icon will be displayed in Left Navigation Bar.
- 8) Enter a left navigation menu name for this roadmap.
- 9) Choose if you want to enable WBS code on activity.
- 10) Select an Activity Type for this roadmap.
- 11) If activity type to creation default mapping exists, you can select it from the pull-down menu. This mapping allows you to set default field values for roadmap activities so new activities appear on the roadmap as in-line rows. For more information, see *Creating Activity Templates* (on page 47).
- 12) Click the Create Non-WBS Roadmap button.

Managing Non-WBS Roadmaps

Editing a Non-WBS Roadmap

To edit a non-WBS roadmap:

- 1) Click the **Application Configuration** tab.
- 2) Select **Non-WBS Roadmaps** link. The *Non-WBS Roadmap List* screen is displayed.

- 3) Click the [Edit] link next to the roadmap you want to edit.
- 4) Click **Update** after you have made changes to roadmap.

Deleting a Non-WBS Roadmap

To delete a non-WBS roadmap:

- 1) Click the **Application Configuration** tab.
- 2) Select **Non-WBS Roadmaps** link. The *Non-WBS Roadmap List* screen is displayed.
- 3) Click the [Delete] link next to the roadmap you want to delete.
- 4) Click **OK** to confirm the deletion.

Changing the Status

To change the status of a non-WBS roadmap:

- 1) Click the **Application Configuration** tab.
- 2) Select **Non-WBS Roadmaps** link. The *Non-WBS Roadmap List* screen is displayed.
- 3) Select a roadmap and click the **[Change]** link under the *Status* column.
- 4) Choose a status (Valid, Invalid, or Archived) for this roadmap.
- 5) Click **Update** to save your changes.

Working with Dependency Types

To view the current dependency types:

- 1) Click the **Application Configuration** tab.
- 2) Select the **Dependency Types** link. A list of all dependency types is displayed.

Editing Dependency Types

To edit dependency types:

- 1) Click the **Application Configuration** tab.
- 2) Select the **Dependency Types** link. You will see a list of all the existing dependency types.
- 3) Click the **Edit** link associated with the dependency type you want to modify. The *Edit Dependency Types* page is displayed.
- 4) Enter the new Dependency Type Name and the Dependency Type Code.
- 5) Click the **Update** button to make the changes.

Note: There are four different predecessor types. You can change the default display name at the initiative level.

Working with Project Types

Project types are a way of classifying projects for reporting purposes. A project type may be associated with one or more roadmaps. For example, you may have a project type called Baseline associated with DMAIC and DMADV roadmaps, and another project type called Just Do It associated with the DMAIC-Short and DMADV roadmaps.

Adding a Project Type

To create a new project type:

- 1) Click the **Application Configuration** tab.
- 2) Click the **Project Type** link. You will see a list of all the existing project types.
- 3) Click the **Create New Project Type** button. The *Pulldown Values for Project Type* page is displayed.
- 4) In installations that have multiple initiatives configured within the same system, select the appropriate initiative from the **Initiative** pull-down menu.
- 5) Enter a name for the roadmap. This name will be used within the system and will not be visible to any user other than the administrator.
- 6) Based on the initiative, the Roadmap family pull-down will be populated. Choose the appropriate roadmap family for your new project type.
- 7) Select the roadmaps that are to be associated with this project type. Hold down the **Control** key and click to select multiple values.
- 8) Click **Create** to save the new project type.

Editing a Project Type

To edit a project type:

- 1) Click the **Application Configuration** tab.
- 2) Click the **Project Type** link. You will see a list of all the existing project types.
- 3) Click the name of the project type to be edited.
- 4) Make the required changes and click **Update** to save your changes.

Working with Resource Assignment Types

Resource Assignment allows you to manage responsibility charting. You can identify functional areas, key activities, and decision points by defining roles and responsibilities. There are four different types of resource types (RACI) that you can assign in a project:

- Accountable (A): Individual who is ultimately responsible for a project with a yes/no authority. One function can have only one accountable person.
- Responsible (R): Individual working on the activity and responsible for action and execution of the plan.
- Consult (C): Individual who must be consulted prior to a final decision or action. This involves a two-way communication.
- Inform (I): Individual that needs to know of the decision or action. This is usually a one-way communication.

Adding a Resource Assignment Type

To create a new resource assignment type:

1) Click the **Application Configuration** tab.

- 2) Select the **Resource Assignment Types/ RACI** link. You will see a list of all the existing resource assignment types.
- 3) Click the **Create New Assignment Type** button. The *Create Resource Assignment Type* page is displayed.
- 4) In installations that have multiple initiatives configured within the same system, select the appropriate initiative from the Initiative pull-down menu.
- 5) Enter a name and a short name for the new assignment type.
- 6) Select **Yes** to enable this assignment type.
- 7) Select **Yes** to add this type towards project finance calculation.
 - If **Consider for Project Finances** setting is **Yes**, then AET effort flows to finances. If set to **No**, then users assigned with this assignment type will not have their effort on the activity monetized into the project finances
- 8) Enter the Sort Order for this new assignment type. You can click the **Order of Existing Types** link to view the existing list before entering a number in this field.
- 9) Click Save.

Editing a Resource Assignment Type

To edit an existing resource assignment type:

- 1) Click the **Application Configuration** tab.
- 2) Select the **Resource Assignment Types/ RACI** link. You will see a list of all the existing resource assignment types.
- 3) Click the **Edit** link associated with the resource assignment type you want to modify. The *Edit* Resource Assignment Type page is displayed.
- 4) Make the required changes and click **Update** to save your changes.

Configuring Status Indicator

You must configure and manage the status indicators displayed in the Tree pane within the Strategy section of EnterpriseTrack. You can create multiple status indicator lists. Each status indicator list can have a number of items, each with its own color and value assigned to it. You can also choose to have the indicator icon blink.

Creating a Status Indicator

To create a new status indicator:

- 1) Click the **Application Configuration** tab.
- 2) Select the Status Indicator link.
- 3) Click the Create a New Status Indicator button.
- 4) Add items as required and specify the color and value for each one
- 5) Click the **Add Status Indicator** button to add this configuration to the list of status indicators in the system.

Project Settings

In This Section

Configuring Percentage Completion	59
Auto Close Parent Activity	
Official Phase Start and Close Defaults	
Manage Detail Section Display Preference	
Specify Levels to Pre-fill	60
Manage Project Cycle Time Mode	
Set Minimum Slacks for Critical Path	

Configuring Percentage Completion

Use the *Percent Completion Type* page to select how EnterpriseTrack should calculate the percentage complete for projects. For each initiative defined in your system, you can select a default from the following choices:

- Manual Mode: Users can manually enter a number from the Project Basics page.
- ▶ Effort-based (Actual vs Planned Effort for Immediate Children): Percentage complete is calculated based on the actual effort and the planned effort of all top-level tasks.
- ▶ Effort-based (Actual vs Planned Effort for All Children): Percentage complete is calculated based on the actual effort and the planned effort of all tasks.
- Duration-based (Actual vs Planned Duration for Immediate Children): Percentage complete is calculated based on the duration and the planned duration of all top-level tasks.
- ▶ Duration-based (Actual vs Planned Duration for All Children): Percentage complete is calculated based on the duration and the planned duration of all tasks.
- ▶ Count-based (Completed vs Total Count for Immediate Children): Percentage complete is calculated based on the number of completed tasks and the total number of top-level tasks.
- ▶ Count-based (Completed vs Total Count for All Children): Percentage complete is calculated based on the number of completed tasks and the total number of all tasks.

To configure the percent completion type:

- 1) Click the **Application Configuration** tab.
- 2) Select the **Percent Completion Type** link.
- 3) Click the **[Edit]** link next to your initiative.
- 4) From the drop-down menu, select the percent completion type.
- 5) Click **Update** to save your changes.

Auto Close Parent Activity

Use the *Auto Close Parent Activity* page to automatically close parent activities when all tasks and deliverables associated with the parent activity are complete. For each initiative you can choose to auto close parent activities.

If you select **Yes**, then the parent activity is automatically closed when the last deliverable in current phase is marked complete. The project phases automatically advance till the project is in the last phase. After all deliverables in the last phase are closed, the last phase remains open till the Project Lead or a user with project close permission clicks on the **Close Project** button and closes the project.

If you select **No**, you must manually close each phase to move to the next phase.

To modify the auto-close feature:

- 1) Click the **Application Configuration** tab.
- 2) Select the Auto Close Parent Activity link.
- 3) Click the **[Edit]** link next to your initiative.
- 4) Select Yes or No.
- 5) Click the **Update** button to save your changes.

Official Phase Start and Close Defaults

Use the Official Phase Start and Close Defaults page to choose how you want the phase start date and the phase close date to be calculated.

To set the official phase start and close defaults:

- 1) Click the **Application Configuration** tab.
- 2) Select the Official Phase Start and Close Defaults link.
- 3) Click the **[Edit]** link next to default you want to change.
- 4) Make your selection.
- 5) Click the **Update** button to save your changes.

Manage Detail Section Display Preference

You can set how you want the detail section to display. You can choose to have it in the main page, as a pop-up or as a split pane.

To modify the detail section display mode:

- 1) Click the **Application Configuration** tab.
- 2) Select the **Detail Section Display Preference** link.
- 3) Click the **[Edit]** link next to the initiative.
- 4) From the pull-down menu select from Split Pane Screen, Pop-up Screen, or Main Screen.
- 5) Click the **Update** button to save your changes.

Specify Levels to Pre-fill

Use the *Specify Levels to Pre-fill* page to select the organizational levels you want to pre-populate. The levels are pre-filled in the Ideas, Proposals, and Projects pages based on the profile of the user that is logged in.

To choose a level:

- 1) Click the Application Configuration tab.
- 2) Select the Org Levels to Pre-fill link.
- 3) Click the **Edit** link next to your initiative.
- 4) Specify a level from the drop-down menu.
- 5) Click Update.

Manage Project Cycle Time Mode

To manage the project cycle time mode:

- 1) Click the Application Configuration tab.
- 2) Select the Project Cycle Time Mode link.
- 3) Click the **[Edit]** link next to the initiative.
- 4) From the pull-down menu select from Compute Cycle Time from Project Duration, or Compute Cycle Time from Summation of Cycle Times of Top Level Activities.
- 5) Click the **Update** button to save your changes.

Set Minimum Slacks for Critical Path

Slack is the amount of time a task can be delayed without impacting the start date of a subsequent task. Use the **Minimum Slack for Critical Path** link to enter the minimum slack (in days) after which a task will be on the critical path.

To set the minimum slack:

- 1) Click the **Application Configuration** tab.
- 2) Click Minimum Slack for Critical Path.
- 3) Enter the minimum slack.
- 4) Click Update.

Configuring Organizational Hierarchy

Oracle recommends that you create an organizational hierarchy to ensure that all your resources, ideas, proposals and projects are associated with appropriate units within your organization. You can specify five levels in your organization hierarchy; the first two levels are always displayed, the other three are displayed only if it was set up during the initial configuration of your system. Your system may be configured to require you to enter values for each of the five levels.

The default levels, hierarchies and the dependencies between the levels are created during the initial configuration of the system. A sample system might contain the following levels:

- 1) Division
- 2) Business Unit
- 3) Business Sub-unit
- 4) Location
- 5) Regions

You can add, edit, and delete values within each level using the links under **Organization Hierarchy**.

In This Section

Adding New Values	. 62
Editing Existing Values	
Deleting Values	
Reassigning Relationships	
Creating Hierarchical Relationships	

Adding New Values

To add new values to each level of your organization hierarchy:

- 1) Select the Application Configuration tab.
- Select a level from the Organizational Hierarchy section. For example Division, Business Unit, Business Subunit, Location, or Regions. The names of these levels may vary depending on your configuration.
- 3) Click **Create a New Division**. The name of this button is based on the level you selected in the previous step.
- 4) Select the **Bulk Insert** checkbox to add multiple values at the same time.
- 5) Enter a name.
- 6) Enter a charge back code. This field is optional.
- 7) Click Create.

Editing Existing Values

You can change the name, charge back code, and status of any of the existing values. You can modify the status of any of the five levels of your organization hierarchy to:

- **Valid:** Users can use this level when adding or editing resources, ideas, proposals, or projects.
- Invalid: Users cannot use this level.
- Archived: Users can use this level when editing or filtering existing resources, ideas, proposals or projects. The historic value is preserved but it cannot be used when creating new projects.

Changing the status on one level of the hierarchy can indirectly affect the other four levels. For example, if you mark BU1 as Archived and Europe is Invalid then the overall relationship status for:

- ▶ Division1 \rightarrow BU2 \rightarrow Asia \rightarrow China \rightarrow Shanghai is Valid.
- Division1 → BU1[^]→ Asia → China → Shanghai is Archived.
- Division1 → BU1[^]→ Europe ^x→ England → London is Invalid.

In read-only pages, the archived hierarchies are suffixed with ^ and invalid hierarchies are marked with an*. When creating new projects only valid hierarchies are displayed in the drop-down option. When editing existing projects, the current hierarchy is displayed and only valid hierarchies are displayed in the drop-down option. Archived hierarchies do not cause any validation errors.

To edit the existing values for each level of your organization hierarchy:

- 1) Select the Application Configuration tab.
- 2) Select the appropriate level from the Organizational Hierarchy section, for example **Division**, **Business Unit**, **Business Subunit**, **Location**, or **Regions**. The names of these levels may vary depending on your configuration.
- 3) Click the **Create a New Division** button. The name of this button varies based on the level you selected in the previous step.
- 4) Locate the value you want to edit and click the [Edit] link.
- 5) Modify the name, charge back code, or status.
- 6) Click the **Update** button.

Deleting Values

To delete existing values in your organizational hierarchy:

- 1) Select the **Application Configuration** tab.
- Select the appropriate level from the Organizational Hierarchy section, for example **Division**.
 The names of these levels may vary depending on your configuration. A list of values for the level you selected displays.
- 3) Click the [Delete] link next to value you want to delete.
- 4) Click **OK** to confirm the deletion.

Note: Deleted values are not available anywhere in the system. If there are hierarchies and dependencies, you must first resolve these before deleting the values.

Reassigning Relationships

You can reassign all resources, ideas, proposals, and projects belonging to one Business Unit to another Business Unit within your organization hierarchy.

To reassign relationships:

- 1) Select the **Application Configuration** tab.
- Select the appropriate level from the Organizational Hierarchy section, for example **Division**, **Business Unit**, **Business Subunit**, **Location**, or **Regions**. The names of these levels may vary depending on your configuration.
- 3) Click the [Reassign] link next to the Business Unit you want to reassign.
- 4) Select a new Business Unit from the drop-down menu.

5) Click Reassign.

Creating Hierarchical Relationships

You can create and manage the relationships between the levels in your organization hierarchy. For example, you could create a hierarchical relationship between Division, Business unit and Location. You cannot edit these relationships, but you can delete and create new relationships.

Note: The options you see are set during the initial configuration of your system.

To create a new hierarchical relationship:

- 1) Select the Application Configuration tab.
- 2) Click the Hierarchical Relationships link.
- 3) Click the Create new Hierarchical Relationship button.
- 4) Enter a name.
- 5) Click to select the combination of levels you want to include in this hierarchical relationship.
- 6) Click Create.

Configuring Status Reports

In This Section

Managing Status Reports	64
Configuring Custom Sections for Project Status Report	
Managing Key Statuses	
Managing Keys	

Managing Status Reports

You can use the *Manage Status Report* page to configure status reports. You can choose the sections you want displayed, change the section names, change the name of the submit button, and also set the frequency of status reports

To manage status reports:

- 1) Select the Application Configuration tab.
- 2) Click the **Status Reports** link. The *Manage Status Report* page is displayed.
- 3) Select the status report you want to edit.
- 4) Make the necessary changes and click the **Save** button.

Configuring Custom Sections for Project Status Report

EnterpriseTrack allows users to complete and submit status reports for each project. Some of the fields included in the status report are pre-defined within the system, but as an Administrator, you can specify additional fields that should be part of the weekly status reports. These additional fields are added as text boxes to the status report.

To create and manage project related status reports sections:

- 1) Select the Application Configuration tab.
- 2) Click the **Status Report Sections** link. All the available sections are listed.
- 3) To modify an existing section, click the **Edit** link.
- 4) To create a new section, click the **Create New Section** button.
- 5) To delete an existing section, click the **Delete** link.

Managing Key Statuses

You can use the *Key Statuses* page to set status descriptions for the keys. For each initiative, you can create multiple statuses. For example, you can create a status called *On Time*, or *Red*, or any numeric value that describes the status of keys.

To create a status for keys:

- 1) Select the **Application Configuration** tab.
- 2) Click the Key Statuses link.
- 3) Click the Add a New Key Status button.
- 4) Enter a description of the status.
- 5) Select if you require users to add an explanation for this status.
- 6) Click **Update**.

To manage statuses:

- 1) Select the **Application Configuration** tab.
- 2) Click the **Key Statuses** link.
- 3) To edit the status:
- 4) Click the **[Edit]** link next to the status you want to edit.
- 5) Make the necessary changes and click the Update button
- 6) To delete a status:
- 7) Click the [Delete] link next to the status you want to delete.
- 8) Click OK to confirm the deletion.

Managing Keys

You can use the *Status Report Keys* page to create and manage keys that appear on status reports. For each initiative, you can configure multiple keys. For example, you can create a key called *Time* or *Budget*.

To create a key:

- 1) Select the **Application Configuration** tab.
- 2) Click the **Keys** link. The *Status Report Keys* page is displayed.
- 3) Click the **Add a New Status Report Key** button. The *Create Status Report Key* page is displayed.
- 4) Select an initiative from the drop-down menu.
- 5) Enter a name for this key.
- 6) Select if you want this to be an aggregate key.
- 7) Enter an order ID. This determines where it is displayed in status reports.
- 8) Click Create.

To manage keys:

- 1) Select the **Application Configuration** tab.
- 2) Click the Keys link.
- 3) To edit the status:
- 4) Click the [Edit] link next to the key you want to edit.
- 5) Make the necessary changes and click the Update button
- 6) To delete a status:
- 7) Click the [Delete] link next to the key you want to delete.
- 8) Click **OK** to confirm the deletion.

Calendars

In This Section

Managing Calendars	66
Creating a New Calendar	67
Managing Calendar Field	68

Managing Calendars

The *Calendars* section allows you to manage calendars by editing a calendar, copying a calendar, viewing calendar usage, and viewing the exception list of a selected calendar. You can also create a new calendar from this section, see topic *Creating a New Calendar* (on page 67).

Edit a Calendar

To edit a calendar, follow the steps below:

- 1) Click the **Application Configuration** tab.
- 2) Select the **Calendars** link. The main *Calendars* page is displayed.
- 3) Click the **View** link next to the calendar you want to edit. The *Manage Calendars* page is displayed.

- 4) You can edit the calendar by making changes to the number of working days, the number of working hours, or by adding/deleting exceptions.
- 5) To delete an exception, click on a date to select it. The *Manage Exception* pop-up window is displayed. Click **Delete**.
- 6) Click **Save** to save this calendar, or click **Save and Close** to save and return the main *Calendar* page.

Copy a Calendar

To copy an existing calendar, follow the steps below:

- 1) Click the **Application Configuration** tab.
- 2) Select the **Calendars** link. The main *Calendars* page is displayed.
- 3) Click the **Edit** link next to the calendar you want to copy. The *Manage Calendars* page is displayed.
- 4) Click the **Copy** button on the top right corner of the screen.
- 5) A pop-up window is displayed. Enter a name for this copy.
- 6) Select if you want to copy the exceptions.
- 7) Click OK.

View Usage

To view the calendar usage, do the following:

- 1) Click the **Application Configuration** tab.
- 2) Select the **Calendars** link. The main *Calendars* page is displayed.
- 3) Click the **Edit** link next to the calendar you want to view. The *Manage Calendars* page is displayed.
- 4) Click the **View Usage** button on the top right corner of the screen. A list of projects and proposals that use this calendar are displayed.

View Exceptions List

To view the exception list of a calendar, do the following:

- 1) Click the **Application Configuration** tab.
- 2) Select the **Calendars** link. The main *Calendars* page is displayed.
- 3) Click the **Edit** link next to the calendar you want to view. The *Manage Calendars* page is displayed.
- 4) From the *Exceptions List* tab on the bottom of screen, click the calendar icons to select a *From date* and *To date*.
- 5) Click **Apply** to view all exceptions in the selected date range. You can click the **Reset** button to reset to a selected month.

Creating a New Calendar

To create a new calendar for your organization, follow the steps below:

- 1) Click the **Application Configuration** tab.
- 2) Select the **Calendars** link. The main *Calendars* page is displayed.
- 3) Click the Create button.
- 4) A pop-up window is displayed. Enter a name for your calendar and click **OK**. The *Manage Calendars page* is displayed.
- 5) Enter the number of working hours per day.
- 6) Choose the status Valid, Invalid, or Archived.
- 7) Select **Yes** you want this to be the default calendar.
- 8) Click to select the working days. From the calendar you can click the tab for each month and year. Click on any date to set an exception. The *Manage Exceptions* pop-up window displays. Enter the name for the exception and choose if you want it to be considered a working day or a non-working day. Click **Save**.
- 9) Click **Save** to save this calendar, or click **Save and Close** to save and return the main *Calendar* page.

Managing Calendar Field

Use the **Manage Calendar Field** link to set a default calendar to use for each initiative configured in your system. You can also choose to allow users to change the type of calendar they want to use when they create or update a project or proposal.

To manage the calendar field:

- 1) Click the **Application Configuration** tab.
- 2) Click the Calendar Field link. The Manage Calendar Field page is displayed.
- 3) Click the [Edit] link next to your initiative.
- 4) For the field **Allow Calendar to be Updated on Proposal or Project Creation?**, select **Yes** if you want to allow users to change the default calendar. Select **No**, if you want users to only use the default calendar.
- 5) Click Update.

Routing


In This Section

Configuring Idea Routing	68
Configuring Approver Routing	70

Configuring Idea Routing

EnterpriseTrack allows users to quickly create new ideas and convert them into proposals and projects. To ensure that the appropriate users get to view idea before they are assigned to an owner, the system allows the administrator to create an idea routing scheme.

When a user creates a new idea, it can automatically be routed to an "Idea router" or "Idea Assigner". This individual will have the responsibility to review the idea and assign it to an "Idea Owner" or "Idea Assignee".



This functionality becomes infinitely more useful with the ability to create multiple routing schemes based on your organizational hierarchy. You can create one global routing scheme and then create specific routing schemes for each of your departments. The routing scheme based on the units of the organizational hierarchy will override the global settings.

For example, let us assume that the global settings specify an Idea Router, but routing scheme for the Denver, CO division in the Finance department has a routing scheme that allows ideas to be routed directly to an Idea Owner. When a member of the Denver, CO division in the Finance department creates an idea, it will get routed directly to the idea owner. All other ideas will get routed to the global default Idea Router.

Create Idea Routing

Important!

Ensure that you have created users who will be Idea Routers and Idea Owners before proceeding with the creation of a new idea routing.

To create a new idea routing scheme:

- 1) Click the **Application Configuration** tab.
- 2) Click the **Idea Routing** link. You will see a list of all the existing idea routing schemes.
- 3) Click the Create a New Idea Routing button.
- 4) Select the appropriate organizational units for which this idea routing scheme will be applicable from the pull-down menus.
- 5) Select whether you want the idea to be routed to an Idea Router or directly to an Idea Owner.
- 6) Select the user who will fulfill the position you chose in the previous step.
- 7) Enter an Order ID for this idea routing. This will determine the order in which the idea routing rules are evaluated. The Order ID should be less than the default global routing scheme. You can click the **View Existing Order IDs** link to view the existing list before entering a number in this field.
- 8) Click **Create** to save the new idea routing scheme.

Editing Idea Routing

To edit an idea routing:

- 1) Click the **Application Configuration** tab.
- 2) Click the **Idea Routing** link. You will see a list of all the existing idea routing schemes. Locate the idea routing you want to edit and click the **[Edit]** link in the *Action* column.
- 3) Make the required changes.
- 4) Click **Update** the save the changes.

Deleting Idea Routing

The Global idea routing cannot be deleted. To delete one of the other idea routings:

- 1) Click the **Application Configuration** tab.
- 2) Click the **Idea Routing** link. You will see a list of all the existing idea routing schemes.
- 3) Locate the idea routing you want to delete and click the [Delete] link in the Action column.
- 4) You may be required to confirm the delete action.
- 5) Click **Ok** to delete the selected idea routing.

Configuring Approver Routing

Create New Approver Routing

To create a new approver routing scheme, do the following:

- 1) Click the **Application Configuration** tab.
- 2) Click the **Approver Routing** link. You will see a list of all the existing approval routing schemes.
- 3) Click the **Create New Approver Routing button** to display the Create Approval Routing page.
- 4) From the pull-down menus, select the Initiative, Division, Business Unit, Location, Regions, Role and Approver.
- 5) Enter an Order ID for this approval routing. This will determine the order in which the approval routing rules are evaluated. The Order ID should be less than the default global routing scheme. You can click the **View Existing Order IDs** link to view the existing list before entering a number in this field.
- 6) Click **Create** to create a new approver routing scheme. Click **Cancel** to leave the page without saving your changes.

Edit Approver Routing

To edit approver routing scheme, do the following:

- 1) Click the **Application Configuration** tab.
- Click the Approver Routing link. You will see a list of all the existing approval routing schemes.

- 3) Locate the approver routing you want to edit and click the **Edit** link in the Action column.
- 4) On the **Edit Approval Routing** page make the required changes.
- 5) Click **Update** the save the changes. Click **Cancel** to leave the page without saving your changes.

Delete Approver Routing

- 1) Click the **Application Configuration** tab.
- 2) Click the **Approver Routing** link. You will see a list of all the existing approval routing schemes.
- 3) Locate the approver routing you want to delete and click the **Delete** link in the Action column.
- 4) You may be required to confirm the delete action.
- 5) Click **Ok** to delete the selected approver routing. Click **Cancel** to retain the approver routing in the system.

Configuring Custom fields

In This Section

Editing Pre-defined Custom Fields	71
Configuring User Defined Custom Fields	72

Editing Pre-defined Custom Fields

Pre-defined custom fields are created during the initial configuration your system. You cannot create new fields or delete existing fields. As an application administrator, you can only edit the existing fields.

To edit the pre-defined custom fields:

- 1) Click the **Application Configuration** tab.
- 2) Click the **Custom Fields** link. The *Manage Custom Fields* page is displayed. The fields are organized by section e.g., Ideas, Proposal, Project, Program and Resource.
- 3) Click the link associated with the section you want to edit, for example *Manage Custom Fields* for *Ideas*. The *Manage Custom Field* for *Ideas* page is displayed. You can use the **Set Quick Filters for Custom Fields** to select if you want to only display fields that are set to visible.
- 4) Click the [Edit] link next to the field you want to modify.
- 5) You can edit the following fields:
 - Field Name: The name for this custom field.
 - ▶ **UI Section:** Select the section within which this field should display. For example, you can choose to display a project custom field under Basics, Classification, or Organization. This field displays only if you are configuring custom fields for Ideas, Proposals or Projects.
 - **Visible**: Select **Yes**, if this custom field should be visible to users.
 - **Display on List Pages**: Select **Yes** if you want this field to appear on List pages.

- Display in Filters: Select Yes if want this field to display as an option in the Filter dialog box
- Possible Values: Enter the possible values for this field.
- Sort Possible Values Alphabetically: Select Yes if you want the possible values alphabetically sorted when displayed in the UI.
- **Tool Tip**: Enter help text. The text you enter is displayed next to the custom field. Users can mouse over the **Information** icon to view the help text.
- Update Status and Order of Possible Values: For each value select Valid, Invalid, or Archived. Values that are marked Valid are displayed in the UI as valid field options; invalid field values are not displayed in the system and cannot be used. Archived field values are maintained in the system, but are not displayed as valid field options. You can also enter a sort order for each value. This order determines the order in which these values are displayed in UI.
- Idea Custom Field Mapping for Proposals or Proposal Custom Field Mapping for Projects: Select the Idea or Proposal/Charter field that it maps to. When a proposal is accepted and a project is created, the proposal custom fields are copied into the project custom fields based on this mapping.
- 6) Click Update.

Notes:

- You can have one custom proposal/charter field map to multiple project custom fields.
- The following custom field attributes can be changed in Reconfigure mode: Initiative, Field Type, Required, Default Value, Sort Order, and Configured. Contact your system administrator, if you need to change these fields.

Configuring User Defined Custom Fields

To create user-defined custom fields:

- 1) Click the **Application Configuration** tab.
- 2) Click the **Custom Fields** link. The *Manage Custom Fields* page is displayed. The fields are organized by section e.g., Ideas, Proposal, Project, Program and Resource.
- 3) Click the link associated with the section you want to edit, for example Manage Custom Fields for Ideas. The Manage Custom Field for Ideas page is displayed.
- 4) Click the Create a New User Defined Field button.
- 5) Enter a field name.
- 6) Choose the type of field you are creating. You can select one of the following types: Unassigned, Float (a number with a decimal point), Integer, List, Multi List, Text, Date, Currency, Boolean, Notes, Global Resource, Label, Calculated Expression, or Link.
- 7) Configure the following optional field setting:

- ▶ **UI Section**: Select a section within which this field should display. For example, you can choose to display a project custom field under Basics, Classification, or Organization. This field displays only if you are configuring custom fields for Ideas, Proposals or Projects.
- Initiative: Select the initiative that this field belongs to.
- If you selected **Calculated Expression** as the Field Type, enter an expression. Use the **Insert** drop-down list, to select currency type fields associated with the selected entity, and click **Add**. You can enter field names, select operators or symbols to create your custom expression. Click **Validate**, to ensure that the expression is valid.
- Visible: Select Yes, No, or Context-Sensitive. If you select context-sensitive, then enter the conditions when this field should be displayed. The Context Sensitive option displays only if you are configuring custom fields for Ideas, Charters, and Projects.
- Display on List Page: Select Yes if you want this field to appear on list pages.
- Display in Filter: Select Yes if you want this field to appear as an option in the Filters dialog box.
- **Required**: Select **Yes** if you require users to enter a value for this field.
- Default Value: Enter the default value for this field.
- Minimum: Enter the minimum value for this field.
- Maximum: Enter the maximum value for this field.
- Valid Values: Enter the valid values for this field. To enter multiple values in the Valid Values field, enter one value per line.
- Sort Possible Values Alphabetically: Select Yes if you want the possible values alphabetically sorted when displayed in the UI.
- Update Status and Order of Possible Values: For each value select Valid, Invalid, or Archived. Values that are marked Valid are displayed in the UI as valid field options; invalid field values are not displayed in the system and cannot be used. Archived field values are maintained in the system, but are not displayed as valid field options. You can also enter a sort order for each value. This order determines the order in which these values are displayed in UI.
- ▶ **Tool Tip**: Enter help text. The text you enter is displayed next to the custom field. Users can mouse over the **Information** icon to view the help text.
- Idea Custom Field Mapping for Proposals or Proposal Custom Field Mapping for Projects: Select an Idea or Proposal/Charter field that maps to this Project or Proposal. When a Proposal is accepted and a project is created, or when an Idea is accepted and a Proposal is created, the custom fields are copied to the Project or Proposal custom field based on this mapping.

Notes:

- You can have one custom proposal/charter field map to multiple project custom fields.
- When the Context Sensitive option is chosen, the default field value is used for Ideas and Projects that already exist in the system.

- For custom field values to be maintained when Ideas move to Charters, or when Charters move to Projects, the target custom field needs to be set to be visible. In addition, for field type List or Multi List, the target field (Proposal or Project) must also contain the values that are in the source (Idea or Proposal).
- The following custom field attributes can be changed in Reconfigure mode: Initiative, Field Type, Required, Default Value, Sort Order, and Configured. Contact your system administrator, if you need to change these fields.
- 8) Enter a Sort ID. This ID tells the system where it should be located in the list of user defined fields. You can click the **Order of Existing Fields** link to view the existing list before entering a number in this field.
- 9) Click Create.

Important: You cannot delete custom fields after they are created. You can hide the field by selecting **No** in the **Visible** field.

Configuring Pulldown values

You can use the **Pulldown Values** section of the **Administration** module to define various items that are displayed in pull down menus throughout the system. Within Enterprise Track there can be two types of pull-down values, Global and Initiative-specific. In systems that have a single initiative, the 'global' fields will not be distinguished from the initiative specific ones.

Global

In installations that support multiple initiatives within the same system global fields will remain the same across initiatives. To configure these values, refer to the topic *Configuring Global Pull Down Values* (on page 74).

Initiative-Specific

These fields are initiative specific and can be different for different initiatives within the system. To configure these values, refer to the topic *Configuring Initiative-Specific Pull-down Values* (on page 75).

In This Section

Configuring Global Pull Down Values	74
Configuring Initiative-Specific Pull-down Values	75

Configuring Global Pull Down Values

Within EnterpriseTrack there can be two types of pull-down values, Global and Initiative-specific. In systems that have a single initiative, the global fields will not be distinguished from the initiative specific ones.

Creating global pull down values

- 1) Click the **Application Configuration** tab.
- 2) In the **Global Pull down Values** section, click on the type of global pull down value you want to create.
- 3) You will see a list of the existing values for that category.
- 4) Click the Create a New button.
- 5) Enter a name for the value.
- 6) Enter an order ID.
- 7) Click Create.

Editing global pull down values

- 1) Click the **Application Configuration** tab.
- 2) In the **Global Pulldown Values** section, click on the type of global pull down value you want to edit.
- 3) You will see a list of the existing values for that category.
- 4) Click on the name of the value you want to edit.
- 5) In the Edit Pulldown Value for Functional Area page make the required changes.
- 6) Click Update.

Deleting global pull down values

Once created, the Global pull down values cannot be deleted through the user interface. Contact Oracle Customer Support for more information.

Configuring Initiative-Specific Pull-down Values

Within EnterpriseTrack there can be two types of pull-down values, global and initiative specific. In systems that have a single initiative, the global fields are not distinguished from the initiative specific ones.

Creating Initiative-Specific Pull-down Values

- 1) Click the **Application Configuration** tab.
- In the Pulldown Values section, click on the type of pull-down value you want to create.
 Choose from Note Type, Task Type, Tool Type, Document Type and Metric Type.
- 3) Click the Create a New button.
- 4) Choose an initiative.
- 5) Enter a name for the value. This name will be displayed in the pull-down menus across the system.
- 6) For Metric Type values:
 - a. Select if you want this metric to be the default primary metric.
 - b. Enter a low value.
 - c. Enter a high value.
- 7) If applicable, enter a sort ID for this value. The sort ID determines the order in which the values are displayed in the pull-down menu.

8) Click Create.

Editing initiative-specific pull-down values

- 1) Click the **Application Configuration** tab.
- 2) In the **Pulldown Values** section, click on the type of initiative pull-down value you want to edit. Choose from **Note type**, **Task Type**, **Tool Type**, **Metric Type** and **Document Type**.
- 3) You will see a list of existing values for each initiative in the system. For example, if you selected Task Type you will see a list of the task types that have already been defined in the system for each initiative.
- 4) Click on the name of the value you want to edit.
- 5) In the **Edit** page make the required changes.
- 6) For each value select **Valid**, **Invalid**, or **Archived**. Values that are marked **Valid** are displayed in the UI as valid options; invalid values are not displayed in the system and users will be forced to pick a valid value when the entity is edited. Archived values are maintained in the system, but are not displayed as valid options. Users can continue to use archived values until they change it.
- 7) Click Update.

Deleting initiative-specific pull-down values

Once created, initiative pull-down values cannot be deleted. They can only be marked as **Invalid** or **Archived**.

Configuring Classification Fields, Resource Pulldown Values and Alignment Pulldown Values

- 1) Click the **Application Configuration** tab.
- 2) In the Classification Fields, Resource Pulldown Values, or Alignment Pulldown Values section, click the value you want to create.
- 3) You will see a list of the existing values for that category. For example, if you chose Functional Area, you will see a list of the functional areas that have already been defined in the system.
- 4) Click the Create a New Functional Area button.
- 5) Select the **Bulk Insert** checkbox to add multiple values at the same time.
- 6) Enter a name for the value.
- 7) Select the status (Valid, Archived or Invalid).
- 8) Click Create.

Finance Management

In This Section

Managing Currencies	77
Managing Conversion Rates	78
Managing Finance Templates	79
Managing Finance Approval Templates	
Managing Finance Element Types	85
Managing Labor Expense Types	85
Managing Activity Labor Cost Capitalization Settings	
Updating Global Finance Constants	87
About Finance Locking	87
Using Bulk Finance Snapshots	
Managing Finance Lock Enforcement Settings	89

Managing Currencies

EnterpriseTrack allows you to configure your system to work with multiple currencies. A list of required currencies should be specified during initial system configuration. You can then manage these currencies and make them available for use within projects through the user interface.

In This Section

Creating Currencies	77
Editing and Deleting Currencies	78

Creating Currencies

When you create a new currency through the user-interface, you are, in fact adding a currency from the configuration file to the list of currencies available for use within projects.

To create a new currency:

- 1) Click the Finance tab.
- 2) Select the **Currencies** link. The *Manage Currency* page displays a list of all the existing currencies.
- 3) Click the **Create a New Currency** button.
- 4) Select the appropriate currency from the **Currency** pull down menu. The page will refresh to pre-populate the other fields with all the available information about that particular currency.
- 5) Make the appropriate changes to the pre-populated information. You can change the names the conversion rate as well as the symbol. For some currencies, you may want to enter a multiplier. (For E.g., if we assume 1.00 USD = 5000 ZMK, if the US dollar is your base currency, you may want to enter 5 in the Conversion rate field and 1000 in the multiplier field. This way, users will only need to enter smaller numbers in the conversion rate field and are less likely to make mistakes while entering data)

6) Click Create.

Editing and Deleting Currencies

To edit an existing currency:

- 1) Click the Finance tab.
- 2) Select the **Currencies** link. The *Manage Currency* page displays a list of all the existing currencies.
- 3) Click the **Edit** link next to the name of the currency you wish to edit.
- 4) On the **Edit Currency** page, make the required changes. The available fields may vary from currency to currency and determined by the fields defined within the configuration file.
- 5) Click **Update** to save your changes.
- 6) Click **Cancel** to leave the page without saving any changes.

Deleting a currency

To delete an existing currency:

- 1) Click the Finance tab.
- 2) Select the **Currencies** link. The *Manage Currency* page displays a list of all the existing currencies.
- 3) Click the **Delete** link next to the name of the currency you wish to edit.
- 4) Click **Ok** in the dialog box to continue with the deletion. Click **Cancel** if you want to retain the currency in your system.

Note: When you delete a currency though the User-Interface, you are not deleting it from the configuration file. You can add this currency to the system by using the *Creating Currencies* (on page 77) link.

Managing Conversion Rates

To set monthly conversion rates for currencies that have been created in your system:

- 1) Click the **Finance** tab.
- 2) Click the Conversion Rates link.
- 3) Select the appropriate currency from the pull-down menu.
- 4) Select the year for which the conversion rates are being entered.
- 5) Click **Add Year** to add an additional year of conversion rate values. The default conversion rate values are used initially, but you can modify these values.
- 6) Enter the correct rates for each month. To copy the value for a particular month to all the subsequent months, you can click the copy forward button
- 7) Click Update.

Managing Finance Templates

The Default Global Finance Template is installed when the system is first deployed. You can create new global or initiative-specific finance templates by copying and making changes to the default finance template. From the Finance Templates section, you can:

- View details of the finance template. The finance categories and subcategories are displayed. You can change the display name, enable or disable finance categories, change the multiplication type, and the multiplication factor value.
- ▶ Edit a finance template.
- Copy a finance template to create a new finance template.
- Add or update an Import/Export MS Excel template.

In This Section

Editing Finance Templates	79
Copying a Finance Template	
Viewing and Editing Finance Categories within a Template	82
Managing the MS Excel Import and Export Template	83

Editing Finance Templates

To edit a finance template:

- 1) Select the Finance tab.
- 2) Click the **Finance Templates** link. All finance templates that are enabled are displayed. You can narrow the list by selecting an initiative check box and clicking **Go**.
- 3) Click the **Edit** link next to the template you want to edit.
- 4) Update the template.
- 5) Click Update.

The following settings are displayed on the Finance Template page:

Finance Template Name: Enter a name for this template.

Description: Enter a description for this template.

Finance Tracking Months: Enter the number of months for which financial data is to be tracked.

Default Finance Tracking Start Date: The date from which financial tracking should begin. E.g. the Project Start Date or the Planned Project Close Date.

Use Global Finance Lock Month: Select if you want to lock finances using the global finance lock month. To set the default global lock month, see topic *About Finance Locking*.

Finance Edit Mode: Select the default mode for tracking financial data. You can choose from **Monthly, Yearly** or **Aggregate**.

If you choose to allow users to enter an aggregate value for finances, you must specify the Finance Distribution Months (i.e., the entered lump sum value to be distributed over X months). You can also set a Finance Distribution Repeat Frequency.

The system will allow you to switch from the Monthly mode to Yearly or Aggregate. You cannot switch from Yearly mode to Aggregate.

Additional Finance Timescale Display: Select Yearly, Monthly, or Aggregate. This setting controls the additional timescale options available in the Timescale field on the Detailed Finances tab. If the Finance Edit Mode is Monthly, you can select Yearly or Aggregate; if the Finance Edit Mode is set to Yearly or Aggregate, you can only select Monthly.

Data Entry Mode: You cannot make changes to this field if the template is in use. Select **Single View (Basic Only)** or **Double View (Plan and Actual)**. If you select Double View, two finance tables or views are displayed per project: one view for Plan and one for Actual. In Single View, only one finance table or view is displayed per project.

Default Forecast (Forecast) Cutoff Date: Select from **Finance Lock Month (from Actual)** or **Current Month**. This field sets the default cutoff date that is used as a separator between actual values and plan values.

Proposal Finances Enabled: This field is available only if the Data Entry Mode is set to Double View (Plan and Actual). Select **Yes** or **No**. If you select **Yes**, you can edit and view a detailed finance table at the proposal level.

Finance Distribution Months: This field is displayed only if the Finance Edit Mode is set to Aggregate. Enter the number of months the lump sum value is to be distributed over.

Resource Computation Enabled: Select if you want to enable resource computation. When you enable resource computation, the effort data flows from the activities into the Project Finance template. Select **No**, if you want to import finances from MS Excel.

Resource Computation Mechanism: Select if you want to convert currency values or non-currency values.

Locked Finance for Open/Closed Projects: The name of the column header for the field that displays the financial details for open/closed projects.

Unlocked Finances for Open Projects: The name of the column header for the field that displays the unlocked financial details for open projects.

Unlocked Finances for Closed Projects: The name of the column header for the field that displays the unlocked financial details for closed projects.

Net Present Value (NPV): Enter a display name and select if you want to enable this field. If enabled, these fields appear in the Finance Summary page for each project. This field measures the excess or shortfall of cash flows, in present value (PV) terms, once financing charges are met. By definition, NPV = Present value of net cash flows.

Formula for NPV: value * (1 + (monthly wacc/100)) ^ (-months))

Where wacc is the cost_of_capital months. The number of months between the fin track start date and the month_date for each of the rows returned by the query.

Example:

Fin edit mode: Monthly.

NPV Finance Category: Total = 150

Saving = 300Cost = 150

Finance Tracking Months: 24

Finance Track Start Date: Jan/08/2007

Wacc (cost of capital): 7.5%

NPV = 1,583.98

NPV for the Finance Edit mode Aggregate is 0.

Internal rate of Return (IRR): Enter a display name and select if you want to enable this field. If enabled, these fields appear in the Finance Summary page for each project. This field represents the return rate which can be earned on the invested capital, i.e. the yield on the investment. It is defined as any discount rate that results in a net present value of zero of a series of cash flows.

Formula for IRR: value * (1 + (monthly wacc/100)) ^ (-months))

Examples:

Fin edit mode: Monthly.

NPV Finance Category: Total = 150

Saving = 300Cost = 150

Finance Tracking Months: 24

Finance Track Start Date: Jan/08/2007

Wacc (cost_of_capital): 7.5%

IRR= 1,583.98

Fin edit mode: Yearly.

NPV Finance Category: Total = 150

Saving = 300

Cost = 150

Finance Tracking Months: 24

Finance Track Start Date: Jan/08/2007

Wacc (cost_of_capital): 7.5%

IRR=269.33

IRR for the Finance Edit mode Aggregate is 0.

Return on Investment (ROI): Enter a display name and select if you want to enable this field. If enabled, these fields appear in the Finance Summary page for each project. This field is the ratio of money gained or lost on an investment relative to the amount of money invested.

Application Administration Guide

Formula for ROI:(Savings ROI - Cost ROI)/ Cost ROI)*100

Example:

ROI-1 Saving = 300

ROI-2 Cost = 150

Finance Tracking Months: 24

Finance Track Start Date: Jan/08/2007

Wacc (cost_of_capital): 7.5%

ROI=1

Note: These settings are only defaults and can be changed at the project level.

Copying a Finance Template

To copy a finance template:

- 1) Click the **Finance** tab.
- 2) Click the **Finance Templates** link.
- 3) Click the **Copy** link next to the template you want to copy.
- 4) On the Copy Finance Template page enter a new name for the template in the Copy To field.
- 5) Select the initiative to associate with this template.
- 6) Click Copy.
- 7) To make changes to this template, see topic *Editing Finance Templates*.

Viewing and Editing Finance Categories within a Template

Viewing Finance Categories

To view the details of the finance template:

- 1) Click the **Finance** tab.
- 2) Select the **Finance Templates** link.
- 3) From the **Action** column, click the **View details** link. All the finance categories and subcategories are displayed.

Editing Finance Categories

To edit the finance categories

- 1) Locate the finance category you want to modify and click the **Edit** link.
- 2) The following fields can be edited:

- **Display Name**: The name that is displayed in the user interface.
- Visible?: Select whether this category should be available for use through the user interface.
- Parent Category: The parent category for this category.
- **Sort ID**: The sort order number. This number decides where this category is displayed under the parent category.
- Multiplication Factor Type: You can choose from Static or Expression.
- Multiplication Factor Value: The multiplication factor applied to the category value when data is rolled up to obtain the category totals.
 - If you selected the multiplication factor type to be static, this value should be a number, typically between 0 and 1.0. If you selected the type to be an expression, the value should be an expression in terms of the configured finance constants for your system. E.g. cost_of_capital, 1- cost_of_capital.
- **Element Type**: The type of element. By default, this is set to Currency. You can also use this field to indicate non-currency items, for example: Employee Count or Computers.
- 3) Click Update.

Managing the MS Excel Import and Export Template

To edit the Excel import and export template:

- 1) Select the **Finance** tab.
- 2) Click the **Finance Templates** link. All finance templates that are enabled are displayed. You can narrow the list by selecting an initiative check box and clicking **Go**.
- 3) Click the **MS Excel** link next to the template you want to edit.
- 4) Select if you want to import finances from MS Excel.
- 5) Click **Browse** and select a template file to use.
- 6) For the field **Excel template file in sync?**, select **Yes** or **No**. This Excel template file is associated with the finance template within EnterpriseTrack. When you modify your finance template you should modify the associated Excel template file and upload it to this page.
- 7) Click Update.

Notes:

- If the finance template is set up to import from MS Excel, users cannot manually add or edit finance data.
- If the Excel file is not in sync, users cannot import and export financial information from their projects.

Managing Finance Approval Templates

In This Section

Working with Finance Approval Templates	. 84
Creating a New Finance Approval Template	. 84
Viewing and Editing Finance Approval Definitions	. 84

Working with Finance Approval Templates

Finance approval templates can be used to dictate the finance approval workflow for projects. Finance Approval Templates allow you to configure the approval workflow with greater flexibility.

There can be multiple financial approval workflows associated with an initiative. If there is only one approval workflow template for an initiative, all projects within that initiative will use that workflow by default. If more than one approval workflow template exists, users will see a Finance Approval Workflow Template pull-down menu when they create a project.

Creating a New Finance Approval Template

To create a new finance approval template:

- 1) Click the **Finance** tab.
- 2) Select the **Finance Approval Templates** link. You will see a list of the available approval templates.
- 3) Click the **Create New Finance Approval Template** button.
- 4) In systems with multiple initiatives, you must select the initiative with which the template is to be associated.
- 5) Enter a name and description for the template.
- 6) Set the **Sequential** flag to **Yes** to make the application enforce sequential approvals.
- 7) If the Enforcement Status is set to **Enforce required finance validations on project close** the application will not allow the project manager to close the project until all the required finance approvals are granted.

Viewing and Editing Finance Approval Definitions

Viewing Finance Approval Template definitions

To view the details of a finance approval template:

- 1) Click the **Finance** tab.
- 2) Select the **Finance Approval Templates** link. You will see a list of the available approval templates.
- 3) Click the **View details** link. From the Finance approval definitions page you can add new steps, edit or delete existing steps.

Editing Finance Approval Template Definitions

- 1) On the Finance approval definitions page click the **Edit** to edit details of a finance approval step. You can edit the name and description of the approval step.
- 2) The Request Optional setting controls how the Request and Approve buttons are displayed. If the request is set to optional, approvers can approve without having to wait for a request for approval. In this case both Request and Approve buttons are displayed in the project finance validation screen.
- 3) The **Approval Optional** setting controls how the Request and Approve buttons are displayed. If a particular approval step is required and the approval has to be done is a particular sequence then this approval needs to be granted before the **Request** and **Approves** button for subsequent steps are displayed.
- 4) Select the roles that can perform Request, Approve and Undo actions for the particular approval step. Multiple roles can be selected by holding the Control key while clicking the name of the role.

Managing Finance Element Types

Finance element types allow you to define various financial elements and assign a rate per unit for that element. For example, you could define an Element type called Man-Hours and assign it a rate of \$20 per unit.

This ability to create finance element types allows you to use financial and non-financial inputs to calculate financial savings.

Note: These setting are defaults and can be modified from the Financial Settings page for each project.

Managing Labor Expense Types

In This Section

Creating Labor Expense Types	85
Editing Labor Expense Types	86

Creating Labor Expense Types

You can create multiple Labor Expense Types (LETs) based on your business needs. The LETs you create are associated with a finance expense category (Capital Expense or Operational Expense). Project Managers can use these LETs to label project activities. For example, you can create an LET called *Training*, and associate it with the finance expense category *Operational Expense*. Project Managers can mark activities that relate to training expenses under the LET *Training*.

To create Labor Expense Types (LETs):

1) Click the **Finance** tab.

- 2) Click the **Labor Expense Types** link. The *Labor Expense Type List* screen is displayed.
- 3) Click the **Create a New Expense Type** button. The *Create Labor Expense Type* screen is displayed.
- 4) Enter a name for the LET
- 5) Select an expense category from the drop-down list.
- 6) Click Add to add a new LET.

Editing Labor Expense Types

You can edit Labor Expense Types (LETs) by changing its status and its association with an expense category.

To edit Labor Expense Types (LETs):

- 1) Click the Finance tab.
- 2) Click the **Labor Expense Types** link. The *Labor Expense Type List* screen is displayed.
- 3) From the **Actions** menu, select the **Edit** link next to the LET you want to edit. The *Edit Labor Expense Type* screen is displayed.
- 4) You can change the LET and the expense category from the drop-down list.
- 5) Choose the status of the LET. You can select Active, Invalid, or Archived.
- 6) Click **Update** to save your changes.

Note: You cannot modify an LET that is currently in use. To deactivate an LET, you have to change the status to Invalid.

Managing Activity Labor Cost Capitalization Settings

Enabling Activity Labor Cost Capitalization allows you to select a Labor Expense Type (LET) attribute for each activity. Activity labor costs are properly rolled up into finance under appropriate expense category (Capital Expense, or Operational Expense) based on its LET.

For each initiative, you can choose to enable or disable Activity Labor Cost Capitalization, and select if you require Project Managers to enter the LET for each activity. You can also set a default LET.

To manage the Activity Labor Cost Capitalization Settings:

- 1) Click the **Finance** tab.
- 2) Select the Activity Labor Cost Capitalization Settings link.
- 3) Click the **[Edit]** link next to the initiative you want to modify.
- 4) Select if you want to enable labor cost capitalization.
- 5) Select if you require Project Managers to enter the LET for each activity.
- 6) Select a default LET. Project Managers can override the default values only if *Labor Cost Capitalization* is enabled.
- 7) Click **Update** to save your changes.

Updating Global Finance Constants

The default financial settings are created when your system is first configured. Use the **Global Finance Constants** link to modify the finance constants that were configured for your system.

To update global finance constants:

- 1) Click the **Finance** tab.
- Select the Global Finance Constants link.
- 3) Update the global finance settings.
- 4) Click Update.

About Finance Locking

You can lock finances to prevent changes to project-level finances for auditing, reporting or compliance purposes. These locks can be set at the global level, at the initiative level, or at the organization hierarchy level. At the individual project level, users can override this lock if they have either the Project Finance Administrator or the Update Project Lock Month permissions.

Use the Bulk Finance Locking page to:

- Set the global finance lock month and finance view to lock.
- Set bulk finance locks for all projects and proposals associated with an initiative or organization hierarchy.
- View, edit, and delete the active finance locks.
- > set temporary finance locks at the global, initiative, or organization hierarchy level.

Setting Global Finance Locks

When you set a finance lock, all finance data for all periods up to the lock month will be locked. The finances are displayed in read-only mode and users cannot make changes to any value within that period. In addition, you can also create a temporary lock for all finance months with immediate effect. To view, edit, or delete finance locks, see topic *Viewing, Editing, or Deleting Finance Locks*.

To create a global finance lock:

- 1) Click the **Finance** tab.
- 2) Select the Bulk Finance Locking link.
- 3) From the Global Finance Locking section, select the finance view to lock. You can select to the **Actual**, **Plan**, **Basic** or **All**.
 - If your finance template is configured with the Data View Mode set to Single View Basic, you can only select Basic as the finance view to lock. You can use Actual, Plane or All if your finance template is configured with the Data View Mode set to Double View.
- 4) Select the **Set Global Finance Lock Month** check box.
- 5) Select the lock month and enter the year.
- 6) Click Update.

To create a temporary global finance lock:

- 1) Click the **Finance** tab.
- 2) Select the Bulk Finance Locking link.
- 3) From the Global Finance Locking section, select the **Set Temporary Global Lock for All Finance Months Now** check box.
- 4) Click Update.

Setting Bulk Finance Locks

You can set a bulk finance lock for all projects associated with an initiative or organization hierarchy. All finance data for all periods up to the lock month will be locked. The finances are displayed in read-only mode and users cannot make changes to any value within that period. In addition, you can also create a temporary lock for all finance months with immediate effect. To view, edit, or delete finance locks, see topic *Viewing, Editing, or Deleting Finance Locks*.

Note: If you have multiple finance locks, then the smallest lock will have the highest priority. Organization hierarchy locks will have a higher priority than initiative locks, which in turn will have a higher priority than global locks. For example, if a project is affected by an organization hierarchy lock month and an initiative lock month, then only the organization hierarchy lock month will affect the project.

To create a bulk finance lock:

- 1) Click the **Finance** tab.
- 2) Select the Bulk Finance Locking link.
- 3) From the Bulk Finance Locking section, select the finance view to lock. You can select to the Actual, Plan, Basic or All.
- 4) Select an initiative or organization hierarchy.
- 5) Select the **Set Bulk Finance Lock Month** check box.
- 6) Select the lock month and enter the year.
- 7) Click Update.

To create a temporary bulk finance lock:

- 1) Click the Finance tab.
- Select the Bulk Finance Locking link.
- 3) From the Global Finance Locking section, select the **Set Temporary Global Lock for All Finance Months Now** check box.
- 4) Click Update.

Viewing, Editing, or Deleting Finance Locks

To view the active finance locks:

Click the Finance tab.

 Select the Bulk Finance Locking link. The active locks are displayed under the Active Global and Bulk Finance Locks section.

To edit a finance lock:

- 1) Click the **Finance** tab.
- Select the Bulk Finance Locking link.
- From the Active Global and Bulk Finance Locks section, click the Edit link next to the lock you want to modify.
- 4) Modify the lock settings.
- 5) Click Update.

To delete a finance lock:

- 1) Click the Finance tab.
- 2) Select the Bulk Finance Locking link.
- 3) From the **Active Global and Bulk Finance Locks** section, click the **Delete** link next to the lock you want to delete.
- 4) Click **Ok** to confirm the deletion.
- 5) Click Update.

Using Bulk Finance Snapshots

You can capture finance snapshots for all projects or for projects associated with a specific initiative or organization hierarchy. For projects that have that the Data Edit mode set to Double View, a snapshot of both plan and actual finances are taken.

To create bulk finance snapshots:

- 1) Click the **Finance** tab.
- 2) Select the **Bulk Finance Snapshots** link.
- 3) Select a snapshot type. You can select the **Global**, **Initiative**, or the **Org Hierarchy** checkbox. If you select Initiative, select an initiative from the drop-down menu. If you select Org Hierarchy, select a hierarchy level.
- 4) Enter a name for this snapshot.
- 5) Enter a description for this snapshot.
- 6) Click Create Snapshot.

Managing Finance Lock Enforcement Settings

To configure the finance lock settings:

- 1) Click the Finances tab.
- Select Finance Lock Enforcement Settings link.
- 3) Select an initiative and click the [Edit] link next to it.
- 4) Select **Strict** or **Limited**.
- 5) Click the **Update** button to save you changes.

Important!

Oracle recommends not changing the enforcement mode on a live production system. When the mode is changed, it takes effect only for new projects created from that point of time. Old projects continue in the previous enforcement mode and cannot be changed.

Notes:

- In the Limited mode, the finance lock/close period enforcement is guaranteed only when roadmap activities are used with Actual Effort Type (AET) set to Effort from Finances. Finance lock enforcement is not guaranteed when used with any other AET.
- If finance lock is set to Strict, you cannot change the currency exchange rate or labor rates for locked/closed financial periods. For roadmap activities, the Actual Effort Type (AET) is restricted to Effort at Resource Level (Detail), Effort from Timesheet, and Effort from Finances.

The following table lists the supported options for both the Strict and Limited modes.

Supported Options	Strict	Limited
Enforcement	Always Guaranteed	Not Guaranteed. Guaranteed only when used with AET set to Effort from Finances, finances are edited in the monthly mode, and resource rates are explicitly overridden at the project level. Enforcement is through manual process.
Resource labor rate, role, labor rate changes	Not allowed if it can affect a finance lock/close period in any project.	System does not check for violation and finance lock/close period integrity is not protected.
Currency conversion rate (exchange rate) changes	Not allowed if it can affect a finance lock/close period in any project.	System does not check for violation and finance lock/close period integrity is not protected.
Supported AETs	Effort at Resource Level (Detail), Effort from Timesheet, and Effort from Finances	All AET options
Unsupported AETs	Duration& Resource %	None

	availability, Effort at Activity Level- Equal % Distribution, Effort at Activity Level- Unequal % Distribution, and Effort at Resource Level (Summary)	
Editing finances in yearly or aggregate (annualized) mode	Not allowed	Allowed. Finance lock may not be protected.

General Settings

In This Section

Company Settings	91
Help Settings	94
Notifications/Emails	
Report, Listing Page, and Search Settings	98
Storyboard Reports	
Mobile Error Logs	102
Portal	102
Scheduled Reports	103

Company Settings

In This Section

Viewing Account Properties	91
Managing Company Information	92
Managing Company Logo	
Managing Default Date Format	92
Managing Default Time Format	92
Internationalism	

Viewing Account Properties

Use the *Account Properties* link to view the account name, SiteWand version, account character encoding type, account authentication type, and account time zone.

To view your account properties:

- 1) Click the **General Settings** tab.
- 2) Select the **Account Properties** link.

Managing Company Information

You can use the *Company Information* page to add your company name, company URL, product name and footer.

To edit your company information:

- 1) Select the **General Settings** tab.
- 2) Click the **Company Information** link. The *Edit Company Information* screen is displayed.
- 3) Enter the appropriate values.
- 4) Click **Update**.

Managing Company Logo

Use the *Company Logos* page to upload your company logo. You can add a logo to the EnterpriseTrack header and the login page.

To upload you company logo:

- Select the General Settings tab.
- 2) Click the **Company Logos** link. The *Edit Company logo* page is displayed.
- 3) Click **Browse** to find the image. The preferred image formats are JPEG, GIF, PNG and BMP. The logo size on the login page is 278 x 80 pixels and the header logo size is 232 x 18 pixels.
- 4) Click Update.

Managing Default Date Format

Use the *Default Date Format* page to select a default date format to use in EnterpriseTrack.

To select a default date format:

- 1) Click the **General Settings** tab.
- 2) Select the **Default Date Format** link. The *Edit Default Date Format screen* is displayed.
- 3) Select a format from the drop-down list.
- 4) Click Update

Managing Default Time Format

Use the *Default Time Format* page to select a default time format to use in EnterpriseTrack.

To select a default time format:

- 1) Click the **General Settings** tab.
- 2) Select the **Default Time Format** link. The *Edit Default Time Format screen* is displayed.
- 3) Select a format from the drop-down list.
- 4) Click Update

Internationalism

In This Section

Working with the Language Catalog......93

Working with the Language Catalog

You can use the Language Catalog page to edit the language catalog. If you have customized EnterpriseTrack with custom terms or configuration data, you can add or edit the translations using the Language Catalog page. If you have a large number of custom strings that require translation, you can export the language catalog as an XLIFF file, translate the strings and import it into EnterpriseTrack.

Notes:

- Oracle recommends that you save a copy of your language catalog in each language before you modify the catalog or before you import a new language catalog.
- You must first click the Scan Language Catalog button to ensure that the catalog has all static strings that contain the customized terms before you begin modifying the language catalog.

Using the Language Catalog Filter

To use the language catalog filter:

- 1) Select the **General Settings** tab.
- 2) Click the **Language Catalog** link. The *Language Catalog Filter* page is displayed.
- 3) Click the Scan Language Catalog button.
- 4) When the scan is complete, select the filtering criteria from the *Language Catalog Filter* page. Since the catalog can contain thousands of terms, it is recommended that you set some high level filtering options (e.g. by language, or category) for ease of use.
- 5) Choose the number of results you want displayed on each page.
- 6) Choose the status (Translated or Not yet Translated).
- 7) Click **Apply**. The *Language Catalog* page displays a list of terms that meet your criteria.

Tip: When the list is displayed, you can view the details of the current filter by clicking the **Show Current Filters** icon. You can also filter by selecting a language from the displayed options.

Editing the Language Catalog

To edit the language catalog:

 From the Language Catalog page, click the Edit link next to the term you wish to edit. The Edit Language Catalog page is displayed. You may have to navigate through multiple pages using the << < >>> keys to locate the correct page.

- 2) Make the appropriate changes.
- 3) Click the **Update** button to save your changes.

Exporting and Importing the Language Catalog

- 1) From the Language Catalog page, click the **Export** button and click **OK** to save the XLIFF file.
- 2) From the *Language Catalog Filter* page, click the **Browse** button and select the translated XLIFF file, and click **Import**.

Notes:

- PDF reports in Russian, Korean, Japanese, and Chinese are displayed correctly only if they are run by users in corresponding locales.
- No user data is translated. For example, project names and descriptions are not automatically translated; they are displayed in the language of the user that created them.
- Administration and configuration can only be done in English.

Help Settings

In This Section

Managing Evaluation and Fields Help	94
Managing User Productivity Kit	
Specifying Online Help URL	

Managing Evaluation and Fields Help

You can choose to leave the initial configuration setup help as is or you can attach a help document (Word, Excel, HTML, PDF etc.), or point users to an URL address (internet, intranet, SharePoint, Wiki, etc.).

To select the type of help you will provide for configuration setup:

- 1) Click the **General Settings** tab.
- 2) Select the **Evaluation and Fields Help** link.
- 3) Select an entity (for example, Proposal/Project fields or Idea Evaluation) and click the **Edit** link next to it. The *Edit Help Type* screen is displayed.
- 4) Choose the type of help you will provide:
 - > Select **Initial Deployment Setup** to use the initial configuration help.
 - Select Document and click the Browse button to select and upload a document.
 - Select URL and type the address.
- 5) Click Update.

Managing User Productivity Kit

To manage the User Productivity Kit:

- 1) Click the General Settings tab.
- 2) Select the **User Productivity Kit** link. The *Administration: Manage User Productivity Kit* page is displayed.

To change the base URL:

- 1) Click the Edit link next to User Productivity Kit Content Base URL.
- Select the location of the UPK content: External or Local. Select External, if you want to host it from your own server. Select Local, if you want the UPK content to be hosted from the same location that the EnterpriseTrack application is hosted.
- 3) If you selected External, enter the Base URL of the server hosting the UPK content.
- 4) If you selected Local:
 - a. Click Browse, and select the published UPK file.
 - b. Select if you want only authenticated users to access the UPK content.
 - c. Click Upload.
 - d. Click Done.
- 5) Click Update.

To change the application identifier:

- 1) Click the Edit link next to User Productivity Kit Application Identifier.
- 2) Update the identifier and click **Update**.

Specifying Online Help URL

Use the *Online Help URL* page to specify a new URL location to launch the Online Help when Help is selected from the application. If you choose to deploy a local version of the help you can enter the URL in the following format: :port/help/">http://chostname>:port/help/. You can also leave the default URL to launch the online help from the Oracle Technology Network (OTN) site. Using OTN ensures that you always have the most current help content.

To change the default Online Help URL:

- 1) Click the **General Settings** tab.
- 2) Select the Online Help URL link.
- 3) Specify a new URL location to launch Online Help.
- 4) Click Validate.
- 5) Click **Update**.

Notifications/Emails

In This Section

Configuring Notifications	96
Setting Measure Data due Reminder Notification	
Managing Default Email Addresses	97
Setting Stream Ticker Refresh Interval	

Configuring Notifications

EnterpriseTrack can be configured to send informational and warning notifications to its users. As an administrator, you can manage who these notifications are sent to, the reason for the notification, and if any action needs to be taken by the recipient. These settings can be overwritten at the project level by users with appropriate permissions.

To manage notifications:

- 1) Click the **General Settings** tab.
- 2) Click the **Notification Configuration** link. You will see a list of notifications that have been configured in your system.
- 3) Click the [Edit] link next to the notification you want to modify.
- 4) From the **Edit Notification** page, modify the following fields:
 - a. **Enable Social Stream:** Select this check box if you want the notification to be posted to the social stream.
 - b. **Enable Email Notification:** Select this check box if you want the notification to be sent via email.
 - c. **Display Login link:** Select this check box if you want to display a login link in the email notification. This option is displayed only for some notifications.
 - d. **Display Contact Me link:** Select this check box if you want to display a contact me link in the email notification. This option is displayed only for some notifications.
 - e. **Email To**, **Email CC**, and **Email BCC**: Click in the appropriate field and select the roles from the **Email List** menu on the right. You can select multiple entries by holding down the **Ctrl** key on your keyboard. You can also select the roles one at a time and separate the values with a comma.
 - f. **Email Subject:** Modify the default text.
 - g. Email Body Text: Modify the default message associated with this notification
- 5) Click **Preview** to view the email notification that will be sent out.
- 6) Click **Update**.

Note: Some notifications are visible only if the associated feature is enabled. You cannot add custom notifications.

Setting Measure Data due Reminder Notification

Use the *Measure Data Due Reminder Notification* page to set when notification needs to be sent out to remind users that measure data is due.

- 1) To set the data due reminder notification:
- 2) Click the **General Settings** tab.
- 3) Select the Measure Data due Reminder Notification link.
- 4) Click the [Edit] link next to the frequency you want to change.
- 5) Enter the number of days.
- 6) Click the **Update** button to save your changes.

Managing Default Email Addresses

You can use the *Default Email Addresses* link to configure default Email addresses. You can set a *From* address for emails sent by the system, and a *Do not reply* address.

To add general Email default addresses:

- 1) Click the General Settings tab.
- 2) Click the **Default Email Addresses** link.
- 3) Enter the default addresses.
- 4) Click **Update**.

Setting Stream Ticker Refresh Interval

To set the refresh interval of the Stream Ticker:

- 1) Click the **General Settings** tab.
- 2) Select the Stream Ticker Refresh Interval link.
- 3) Click the [Edit] link.
- 4) Enter the Refresh Interval in minutes.
- 5) Click the **Update** button to save your changes.

Report, Listing Page, and Search Settings

In This Section

Managing Max Rows for Reports	98
Managing Max Rows for My Work	
Restricting Document Sizes	
Configuring Report Attachment Max Size	
Selecting Display Mode for Filter Page Sections	99
Setting Max Cache Size for Listing Pages	
Managing Static Application Settings	
Configuring Integration Settings	

Managing Max Rows for Reports

Use the Max Rows For Reports page to limit the number of rows to display in reports.

To edit the settings:

- 1) Click the **General Settings** tab.
- 2) Select the **Max Rows for Reports** link. The *Edit Max Rows for Reports screen* is displayed.
- 3) Enter the value.
- 4) Click Update

Managing Max Rows for My Work

Use the Max Rows For My Work page to limit the number of rows to display on the My Work page.

To edit the settings:

- 1) Click the **General Settings** tab.
- 2) Select the Max Rows for My Work link. The Edit Max Rows for My Work screen is displayed.
- 3) Enter the value.
- 4) Click Update

Restricting Document Sizes

To restrict document sizes by initiative:

- 1) Click the **General Settings** tab.
- Select the **Document Size Restriction** link. You will see a list of the current document sizes allowed for each initiative.
- 3) Click the [Edit] link next to your initiative.
- 4) Enter a new value. The sizes are in kilobytes. You can leave the field blank if you do not want to restrict the size of the documents.
- 5) Click **Update** to save your changes.

Configuring Report Attachment Max Size

To restrict attachment size:

- 1) Click the General Settings tab.
- 2) Select the Report Attachment Max Size link.
- 3) Click the **[Edit]** link next to your initiative.
- 4) Enter a new value. The sizes are in kilobytes.
- 5) Click **Update** to save your changes.

Selecting Display Mode for Filter Page Sections

You can set how you want the filter pages to display. You can choose to have the filter section all expanded, or all collapsed, or Keep the filter section as is. If you choose *Keep The Filter Sections As Is*, then some of the filter sections are expanded and some collapsed based on your earlier settings. All users in the system will see this change.

To modify the display mode for filter pages:

- 1) Click the General Settings tab.
- 2) Select the **Display Mode for Filter Page Sections** link.
- 3) Click the [Edit] link.
- 4) From the pull-down menu select from **Keep The Filter Sections As Is**, **Collapsed All**, or **Expanded All**.
- 5) Click the **Update** button to save your changes.

Setting Max Cache Size for Listing Pages

The cache size refers to the number of rows, or entities (projects, proposal, or resources) displayed in listing pages.

To select the maximum cache size for listing pages:

- 1) Click the **General Settings** tab.
- 2) Select the **Max Cache Size for Listing Pages** link. The *Administration: Max cache size for listing pages* screen is displayed.
- 3) Click the **Edit** link. The *Edit max cache size for listing pages* screen is displayed.
- 4) Enter the cache size. The recommended default value is 1000 rows and the maximum is 3000 rows.
- 5) Click Update.

Managing Static Application Settings

Use the *Static Application Settings* page to modify the following settings:

- Maximum number of rows to show in filter box
 Enter the maximum number of rows to show in the filter box throughout the application.
- Maximum number of projects to show in filter box

Enter the maximum number of projects to show in the Available Projects filter box.

Default number of rows per page

Enter the default number of rows to display per page on listing pages.

Limit maximum number of rows per page to

Enter the maximum number of rows to display per page on listing pages.

Default working hours per day

Enter the default working hours per day.

Display string for TBD user

Enter a display name for TBD user roles yet to be defined.

Maximum social stream events to display

Enter the maximum number of social stream events to display on the social stream ticker.

Maximum social stream events to display per page

Enter the maximum number of social stream events to display per page on the Social Stream listing page.

Maximum number of characters in social stream comment

Enter the maximum number of characters allowed in the social stream comment box.

Maximum number of social stream comments to display

Enter the maximum number of social stream comments to display. To view all the comments, users can click the View all comments link.

Maximum number of time units for scenario

Enter the maximum number of time units to use for scenarios.

To set the static application settings:

- 1) Click the **General Settings** tab.
- 2) Click the Static Application Settings (Max / Min Rows etc) link.
- 3) Enter the values.
- 4) Click Update.

Configuring Integration Settings

Use the *Max Records to Retrieve in Integration Searches* link to select the maximum number of records to retrieve when an external application makes API calls.

To set the maximum number of records to retrieve:

- 1) Click the **General Settings** tab.
- 2) Select the Max Records to Retrieve in Integration Searches link.
- 3) Enter the maximum number of records to retrieve.
- 4) Click Update.

Storyboard Reports

In This Section

Managing Storyboard Templates	101
Adding Storyboard Document Labels	102

Managing Storyboard Templates

Use the *Manage Storyboard Templates* page to download, add, edit or delete storyboard templates. You can download the default template files and customize it by adding your company logo, changing fonts, or changing the background color. A storyboard template contains a set of style rules that users can apply to their report to format and customize their PowerPoint presentations.

Adding Templates

To upload your updated or new storyboard templates:

- 1) Select the **General Settings** tab.
- 2) Click the Storyboard Templates link.
- 3) Enter a display name for this template.
- 4) Click **Browse** to find your template.
- 5) Click Add.

Downloading Templates

To download and customize an existing storyboard template:

- 1) Select the **General Settings** tab.
- 2) Click the Storyboard Templates link.
- 3) Click on the **Template File** to download it onto your computer.

Uploading an Edited Templates

You can change the template display name, replace the associated template file, or enable/disable the template. The templates you enable here are available as template options when users create project storyboard reports. The templates are edited in Microsoft PowerPoint.

Note: You cannot edit or disable the default template file.

To upload an edited template:

- 1) Select the **General Settings** tab.
- 2) Click the Storyboard Templates link.
- 3) Select the template by clicking on its Template Display Name.
- 4) Update the Template Display Name, or click **Browse** to select and upload a new template file, or select the **Enable/Disable** flag to enable or disable the use of this template.

5) Click Update.

Deleting Templates

To delete a template:

- 1) Select the **General Settings** tab.
- 2) Click the Storyboard Templates link.
- 3) Click the **Delete** link associated with the template you want to delete.
- 4) Click **Ok** to confirm the deletion.

Adding Storyboard Document Labels

To customize your storyboard document labels:

- 1) Select the **General Settings** tab.
- 2) Click the Storyboard Document Labels link.
- 3) Edit the description for each of the labels you want displayed on your storyboard.
- 4) Click Update.

Mobile Error Logs

To view and download mobile error logs:

- 1) Click the **General Settings** tab.
- 2) Select the **Mobile Errors** link.
- 3) Click Download.

Portal

In This Section

Configuring the Welcome Page102

Configuring the Welcome Page

Use the **Welcome Page** link to customize the **Idea Portal Welcome** page. You can add a logo, modify the banner, and message.

To modify the Welcome page:

- 1) Click the General Settings tab.
- 2) Click the Welcome Page link.
- 3) Click **Browse** and select a custom logo.
- 4) Modifying the default banner, message, thank you banner and thank you message.
- 5) Click Update.

Scheduled Reports

Use the **Scheduled Reports** link to view all reports that are scheduled to run. From this page, you can enable or disable any of the scheduled reports and set the order of report execution.

To enable or disable scheduled reports or change the order of execution:

- 1) Click the **General Settings** tab.
- 2) Click Scheduled Reports.
- 3) Enter an order number to set the order in which reports are run.
- 4) Select the **Enabled** check box to enable or deselect to disable a scheduled report.

Data Import and Export

You can use the Data Import and Export function to initially populate your account with relevant information, import information from your legacy project management tool, and to perform recurring updates.

The high-level steps to import data are:

- 1) Download template from EnterpriseTrack for the object you want to import.
- 2) Format and enter data into the template.
- 3) Upload the template.
- 4) Validate the data.
- 5) Import the data.

In This Section

Downloading Data Import Templates	103
Modifying Metadata for File Upload	
Importing Data	
Common Validation Errors	105
Unlocking a Data Import Process	
Exporting Data	
Downloading Data Integration Templates	107
Populate Resource Commitment Cache	

Downloading Data Import Templates

Importing data into EnterpriseTrack is a multi-step process. EnterpriseTrack comes with pre-defined . csv templates which you must use to format the data to be imported. The system will validate the data before it is imported into the system, and check for duplicate records.

To download the templates:

- 1) Click the **Data Import & Export** tab.
- 2) Select the **Download Data Import Templates** link.
- 3) Depending on the primary object (Ideas, Project or User) for which you want to import data, click on the appropriate [**Download**] link.
- 4) When the file download dialog box opens up, choose the **Save File** option and save the file to your desktop.
- 5) Enter the data to be uploaded in the . csv file. The fields marked with an asterisk (*) are required fields and must be entered.

Once you have completed the template, you are ready to import data into EnterpriseTrack.

Note: The .csv files needs to be encoded as UTF8, only if the data in file is not in ASCII format. UTF8 file formats are generally not compatible with MS Excel.

Modifying Metadata for File Upload

To modify the metadata details:

- 1) Click the **Data Import & Export** tab.
- 2) Select the Modify Metadata for File Upload link.
- 3) Choose the type of encoding, delimiter and decimal symbol.
- 4) Select if you want to trim trailing and leading spaces.
- 5) Enter the path delimiter and click the **Update** button to modify the metadata.

Importing Data

Importing data into EnterpriseTrack is a multi-step process. EnterpriseTrack comes with pre-defined MS Excel templates which you must use to format the data to be imported. You must download the template and enter the data into the template before it can be imported into EnterpriseTrack. Once you have completed the templates, you can upload it to the system, validate the data and then import it into EnterpriseTrack.

Note: When updating entities, a null value will override an existing value.

To begin importing data:

- 1) Click the **Data Import & Export** tab.
- 2) Select the **Import Data** link.
- 3) Depending on the primary object for which you are importing data, select from Import Ideas, Import Project or Import Users.

Note: If you are importing projects, there are different templates for the different sub-sections of the project. You can upload data for each section independent of each other.

- 4) On the Import (Object) page, click the [Upload Files] link.
- 5) Click **Browse** and select the completed . csv file.
- 6) Enter additional attributes associated with the file you are uploading. If you are importing finances, select the Finance View (Plan or Actual) to upload.
- 7) Click the **Upload**. The system will tell you how many records were successfully uploaded.
- 8) Once the file has been uploaded, click the **Validate Data** button. On the Validate Data page, you can specify whether you want to allow changes to be made to the existing data or not. Click the **Validate Data** button. The system will work though the records and display a count of the records that have errors. All errors have to be fixed before the data can be imported.
- 9) Click the **Delete Files** button to delete an existing file and import a new one. Once data has been validated, you will have to delete the file before uploading a new one (even if you are only fixing errors).
- 10) Click the **Import Data** button to import the data. On the *Import Data* page, you can specify whether you want to allow changes to be made to the existing data or not. Click the **Import Data** button.
- 11) The imported objects should be visible in the appropriate listing pages.

Notes:

- You cannot import finances for projects using a finance template that have the setting Resource Computation Enabled set to Yes.
- When uploading incremental finances, you must set the field Allow
 Updates to Existing Data to Yes for the values to get updated.

Viewing Error Records

- 1) Click the [View Error Records] link to view a list of the records with errors.
- 2) A dialog box will ask you if you want to open a file. This file will give you the name of the record as well as the column that has the erroneous data. E.g. If the contact information has not been formatted properly for a particular idea, the Error Message will say *Contact*.

Common Validation Errors

The following table lists some common validation errors that may occur when importing or exporting entities.

Validation Error	Description
Role Import - Role is not part of the initial project team	The roles you want to import must be part of the initial project team for team members to be imported into the role on the project.
	The template to import team members is et_dataimport_csvtemplate_project_tea m and it requires a minimum of 3 columns: project_key[*], role_desc[*Role Description], login_id[*Login Id]

Project Import – Duplicate Project Names or IDs are not allowed	There is already a project in the system with this name, and the setting Allow updates to existing data is turned off for this project.
	The Project Key should be unique across all projects.
Project Import – Calendar Column is missing	Calendar is a required field for project import. Add this field before importing.
Project Import – Mandatory Data is missing	Finance Approval Template and Project Validate Date are required fields. Specify a valid financial approval template and a project validate date for this project.

Unlocking a Data Import Process

Use the *Unlock Data Import Process* page to unlock an import process that is locked. An import process can get locked if you navigated to another screen, closed the window, the session timed out, or the connection failed during an import.

Notes:

- The Unlock Import Data Process link is visible only when a data import process is locked.
- Only the administrator that initiated the import process and the system administrator can unlock it.

To unlock a data import process:

- 1) Click the **Data Import & Export** tab.
- 2) Select the Unlock Import Data Process link.
- 3) Click **Yes** to unlock the process.

Exporting Data

To export data:

- 1) Click the **Data Import & Export** tab.
- 2) Click the **Export Data** link.
- 3) From the **Action** column associated with the primary object (Idea, Project, Resource, etc.) you want to export, select the **[Export Data]** link.
- 4) For Monthly Finance and Annual Finance, enter the project IDs or a range of project IDs and click **Export**. If no project IDs are specified, a maximum of 100 projects are exported.
- 5) Select if you want to open or save the file. Choose the location and click **OK**.

Downloading Data Integration Templates

You to download two types of templates in real-time for a project, finance, resource, team member, WBS, non_WBS, and assignment entities, based on your EnterpriseTrack account configuration. They are:

- Templates for the CRUD functions.
- ▶ Templates for request data for the CRUD functions.

To download the CRUD templates:

- 1) Click the **Data Import & Export** tab.
- 2) Select the **Download Data Integration Templates** link.
- 3) Select values for the following fields from the corresponding drop-down list:
 - **Languages**: Select your language. English is displayed by default.
 - Data Format: Select the data format in which the function is to be rendered. Choices include: JSON, and XML.
 - **Type**: Select the type of template that is to be downloaded. Choices include:
 - Download Template: Generates CRUD templates in XML and JSON formats.
 - Download Request for Template: Generates a request template in XML and JSON formats for each CRUD function. These request templates can be used to specify input data in the relevant CRUD function.
 - Initiative: Select the initiative, if you are downloading a template for project, team member, activity WBS or activity non WBS entities.
 - Finance Template: Select the finance template, if you are downloading a template for Project Finance Data or Project Finance Snapshot Data entities.
 - Activity Type Name: Select the activity type, if you are downloading a template for Activity WBS or Activity Non WBS entities.
- 4) Click the **Download** button for the corresponding function.

If you chose **Download Template**, a create_request, update_request, search_request and delete_request file will be generated.

If you chose **Download Request for Template**, the following files will be generated: create_request_template, update_request_template, search_request_template and delete_request_template. You can use these files to specify input data for the relevant CRUD function.

Populate Resource Commitment Cache

Use the *Populate Resource Commitment Cache* link to clear and repopulate the resource allocation commitment cache. To use this, you must have the following settings enabled: Enable Allocation Units for Resources and Enable Effort Caching For Resource.

To populate the resource commitment cache:

- 1) Click the **Data Import & Export** tab.
- 2) Click the Populate Resource Commitment Cache link.

3) Click Start Processing.

Background Jobs

In This Section

Viewing Rate Change Status......108

Viewing Rate Change Status

The *Rate Change Submission Status* page displays the status of all rate change requests in the last 7 days.

To view the submission status of all rate change requests in the last 7 days:

- 1) Click the **Background Jobs** tab.
- 2) Select the View Rate Change Submission Status link.

Using Activity Labor Cost Capitalization

The Activity Labor Cost Capitalization feature allows you to add Labor Expense Type (LET) attributes to project activities. These LETs are mapped to finance expense categories like (Capital Expense or Operational Expense). Activity labor cost is properly rolled up into finance under appropriate expense category based on its LET.

Important!

Follow the configuration steps carefully to ensure proper labor cost roll-up from activities to finance. Please contact Oracle Customer Support if you have any questions.

Set up the Finance Template to include all the sub-categories like standard effort, overtime effort, timesheet effort and timesheet overtime effort even if you are not currently using these categories. Labor cost data may not roll-up properly if the template is not set up as per the recommendations.

To setup and configure Activity Labor Cost Capitalization:

- 1) Modify the Finance Template.
 - 1. Ensure that the Finance Template has a separate category for **Capital Expense** and **Operational Expense**.

- The Capital parent category should include a sub-category Resource Capital Expense of type Capital Expense-Resource Activity based Finance Category. It should include all standard effort, overtime effort, timesheet effort and timesheet overtime effort.
- 3. The **Expense** parent category should include a **Resource Operation Expense** sub-category of type *Operational Expense-Resource Activity based Finance Category*. It should include all standard effort, overtime effort, timesheet effort and timesheet overtime effort.
- 4. The Expense parent category should include a Resource Neutral Expense sub-category of type Resource based Finance Category. It should include all standard effort, overtime effort, timesheet effort and timesheet overtime effort.
- 5. Set the field Resource Computation Enabled to Yes.
- 2) Create Labor Expense Types (LETs) based on your company's business needs. See topic *Creating Labor Expense Types* (on page 85).
- 3) Set a default LET in the activity template. For more information, see topic *Creating Activity Templates* (on page 47).
- 4) Manage the Activity Labor Cost Capitalization Settings. For more information, see topic *Managing Activity Labor Cost Capitalization Settings* (on page 86).
 - 1. Select Yes for the field Labor Cost Capitalization Enabled.
 - 2. Select **Yes** for the field *Is Labor Expense Type required for Activities*. Oracle recommends that you mark **Yes** for this field if you have enabled Labor Cost Capitalization.
- 5) Enable Project Level Efforts. Contact your System Administrator to ensure that the **Display Project Level Efforts** feature settings has been enabled for your initiative.
- 6) Edit project finance settings. Ensure that the Project Manager has enabled these settings.
 - 1. The *Finance Tracking Start Date* should be the same date as the project start date. The actuals will not flow if they are not the same.
 - 2. Select **Yes** for Resource Computation Enabled.

Legal Notices

Oracle Instantis EnterpriseTrack Application Administration Guide

Copyright © 2000, 2016, Oracle and/or its affiliates. All rights reserved. Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software or hardware and documentation may provide access to or information on content, products and services from third-parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.