

PeopleSoft Enterprise Learning Management 9.2 (through Update Image 12) Installation

March 2016



PeopleSoft Enterprise Learning Management 9.2 (through Update Image 12) Installation

Copyright © 2016, Oracle and/or its affiliates. All rights reserved.

Trademark Notice

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

License Restrictions Warranty/Consequential Damages Disclaimer

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

Warranty Disclaimer

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS:

Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

Hazardous Applications Notice

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Third Party Content, Products, and Services Disclaimer

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.

Contents

rretace	
About This Documentation	7
Understanding This Documentation	7
Audience	7
Typographical Conventions	8
Products	9
Related Information	10
Comments and Suggestions	10
Chapter 1	
Preparing for Installation of PeopleSoft Enterprise Learning Management 9.2	11
Prerequisites	11
Using Oracle Software Delivery Cloud to Obtain Installation Files	12
Reviewing Licensing Notes	12
Using Fluid User Interface	12
Chapter 2	
Installing PeopleSoft Enterprise Learning Management 9.2	
Installing PeopleSoft PeopleTools	
Understanding the PeopleSoft PeopleTools Installation	
Installing Application Files to the Custom PS_APP_HOME Location	
Creating the PeopleSoft ELM Database	
Configuring the System for File Attachments	
Configuring Enterprise Integration Points	
Running LMOPRD.DMS to Clear Sample User Profiles	
Configuring Global Search Using Oracle Secure Enterprise Search	
Understanding Configuring Global Search Using Oracle Secure Enterprise Search	
Defining New Roles for Global Search	
Defining Search Group Display in Global Search Header	
Verifying the Portal Node for PeopleSoft ELM 9.2	
Deploying Searches	
Creating Search Indexes	
Accessing PeopleSoft Applications	20

About This Documentation

This preface discusses:

- Understanding This Documentation
- Audience
- Typographical Conventions
- Products
- Related Information
- Comments and Suggestions

Understanding This Documentation

This documentation is designed to direct you through a basic PeopleSoft installation. It is not a substitute for the database administration documentation provided by your relational database management system (RDBMS) supplier, the network administration documentation provided by your network supplier, or the installation and configuration documentation for additional software components that are used with PeopleSoft products.

Required updates to this installation documentation are provided in the form of "Required for Install" incidents, which are available on My Oracle Support.

Instructions for installing Oracle's PeopleSoft PeopleTools are provided in PeopleSoft PeopleTools installation guides. Application-specific installation instructions are provided in a separate document for the PeopleSoft application. For instance, if you are installing Oracle's PeopleSoft Customer Relationship Management (CRM), you need both the PeopleSoft PeopleTools installation guide and the additional instructions provided for installing PeopleSoft CRM.

To find the installation documentation for PeopleSoft PeopleTools or for your PeopleSoft application, go to My Oracle Support and search for the installation guide for your product and release.

Note. Before proceeding with your installation, check My Oracle Support to ensure that you have the latest version of this installation guide for the correct release of the PeopleSoft product that you are installing.

Audience

This documentation is written for the individuals responsible for installing and administering the PeopleSoft environment. This documentation assumes that you have a basic understanding of the PeopleSoft system. One of the most important components in the installation and maintenance of your PeopleSoft system is your on-site expertise.

You should be familiar with your operating environment and RDBMS and have the necessary skills to support that environment. You should also have a working knowledge of:

- SQL and SQL command syntax.
- PeopleSoft system navigation.
- PeopleSoft windows, menus, and pages, and how to modify them.
- Microsoft Windows.

Oracle recommends that you complete training, particularly the PeopleSoft Server Administration and Installation course, before performing an installation.

See Oracle University http://education.oracle.com.

Typographical Conventions

To help you locate and understand information easily, the following conventions are used in this documentation:

Convention	Description
Monospace	Indicates a PeopleCode program or other code, such as scripts that you run during the install. Monospace is also used for messages that you may receive during the install process.
Italics	Indicates field values, emphasis, and book-length publication titles. Italics is also used to refer to words as words or letters as letters, as in the following example: Enter the letter <i>O</i> .
	Enter the letter O.
Initial Caps	Field names, commands, and processes are represented as they appear on the window, menu, or page.
lower case	File or directory names are represented in lower case, unless they appear otherwise on the interface.
Menu, Page	A comma (,) between menu and page references indicates that the page exists on the menu. For example, "Select Use, Process Definitions" indicates that you can select the Process Definitions page from the Use menu.
Cross-references	Cross-references that begin with <i>See</i> refer you to additional documentation that will help you implement the task at hand. We highly recommend that you reference this documentation.
	Cross-references under the heading <i>See Also</i> refer you to additional documentation that has more information regarding the subject.
" " (quotation marks)	Indicate chapter titles in cross-references and words that are used differently from their intended meaning.
⇒ (line-continuation arrow)	A line-continuation arrow inserted at the end of a line of code indicates that the line of code has been wrapped at the page margin. The code should be viewed or entered as a continuous line of code, without the line-continuation arrow.
Note. Note text.	Text that begins with <i>Note</i> . indicates information that you should pay particular attention to as you work with your PeopleSoft system.

Convention	Description	
Important! Important note text.	A note that begins with <i>Important!</i> is crucial and includes information about what you need to do for the system to function properly.	
Warning! Warning text.	A note that begins with <i>Warning!</i> contains critical configuration information or implementation considerations; for example, if there is a chance of losing or corrupting data. Pay close attention to warning messages.	

Products

This documentation may refer to these products and product families:

- Oracle® BPEL Process Manager
- Oracle® Enterprise Manager
- Oracle® Tuxedo
- Oracle® WebLogic Server
- Oracle's PeopleSoft Application Designer
- Oracle's PeopleSoft Change Assistant
- Oracle's PeopleSoft Change Impact Analyzer
- Oracle's PeopleSoft Data Mover
- Oracle's PeopleSoft Process Scheduler
- Oracle's PeopleSoft Pure Internet Architecture
- Oracle's PeopleSoft Customer Relationship Management
- Oracle's PeopleSoft Financial Management
- Oracle's PeopleSoft Human Capital Management
- Oracle's PeopleSoft Enterprise Learning Management
- Oracle's PeopleSoft Pay/Bill Management
- Oracle's PeopleSoft PeopleTools
- Oracle's PeopleSoft Enterprise Performance Management
- Oracle's PeopleSoft Interaction Hub
- · Oracle's PeopleSoft Staffing Front Office
- Oracle's PeopleSoft Supply Chain Management

See http://www.oracle.com/us/products/applications/peoplesoft-enterprise/index.html for a list of PeopleSoft Enterprise products.

Related Information

Oracle provides reference information about PeopleSoft PeopleTools and your particular PeopleSoft application. The following documentation is available on My Oracle Support:

- Product documentation for PeopleTools: Getting Started with PeopleTools for your release. This documentation provides a high-level introduction to PeopleSoft PeopleTools technology and usage.
- Product documentation for PeopleSoft Application Fundamentals for your PeopleSoft application and release.
 This documentation provides essential information about the setup, design, and implementation of your PeopleSoft application.

To access documentation on My Oracle Support, go to https://support.oracle.com.

To access PeopleSoft Online Help (PeopleBooks), go to the Oracle PeopleSoft Online Help site:

www.peoplesoftonlinehelp.com

To install additional component software products for use with PeopleSoft products, including those products that are packaged with your PeopleSoft products, you should refer to the documentation provided with those products, as well as this documentation.

Comments and Suggestions

Your comments are important to us. We encourage you to tell us what you like, or what you would like changed about our documentation, PeopleSoft Online Help (PeopleBooks), and other Oracle reference and training materials. Please send your suggestions to:

PSOFT-Infodev US@oracle.com

While we cannot guarantee to answer every email message, we will pay careful attention to your comments and suggestions. We are always improving our product communications for you.

Chapter 1

Preparing for Installation of PeopleSoft Enterprise Learning Management 9.2

This chapter discusses:

- Prerequisites
- Using Oracle Software Delivery Cloud to Obtain Installation Files
- Reviewing Licensing Notes
- Using Fluid User Interface

Prerequisites

The following requirements must be met before you install PeopleSoft Enterprise Learning Management (ELM) 9.2:

• PeopleSoft PeopleTools version.

To run PeopleSoft ELM 9.2, you must use PeopleSoft PeopleTools 8.55.01 or higher. PeopleSoft PeopleTools patches are available in My Oracle Support.

See My Oracle Support.

Space requirements for the PeopleSoft ELM 9.2 Demo database

The following table lists the approximate PeopleSoft ELM 9.2 Demo database size for each platform:

Platform	Approximate Database Size for ANSI	Approximate Database Size for Unicode
DB2 UNIX	8.7 GB	12 GB
DB2 z/OS	5.4 GB (EBCDIC)	5.4 GB
Microsoft SQL Server	2.2 GB	1.4 GB
Oracle	7.7 GB	7.7 GB

Oracle Secure Enterprise Search (SES) engine

Several features in PeopleSoft ELM make use of SES, a search engine product that is delivered with PeopleSoft PeopleTools.

For details and more information on the installation and configuration of SES, consult the appropriate PeopleTools documentation for your database platform.

See PeopleTools: System and Server Administration.

Task 1-1: Using Oracle Software Delivery Cloud to Obtain Installation Files

Before beginning the installation, you must obtain the PeopleSoft Enterprise Learning Management 9.2 installation software by downloading the necessary zip files from the Oracle Software Delivery Cloud portal (formerly Oracle E-Delivery). Use the documentation available on Oracle Software Delivery Cloud to ensure that you obtain all of the zip files required for your environment.

See Oracle Software Delivery Cloud, http://edelivery.oracle.com.

Task 1-2: Reviewing Licensing Notes

Review the licensing notes for PeopleSoft ELM 9.2. These licensing notes contain supplemental licensing information related to the licensing of PeopleSoft products and products from other vendors that PeopleSoft uses as part of our infrastructure.

See My Oracle Support (Doc Id 1921543.1), for Licensing Notes for Oracle's Enterprise Learning Management 9.2.

Task 1-3: Using Fluid User Interface

When you sign in to your PeopleSoft application, you may see the PeopleSoft Fluid User Interface by default. To access the menu items, as seen in the classic user interface, from the PeopleSoft Fluid User Interface:


1. On the PeopleSoft Fluid User Interface, shown in this example, select (press) the NavBar button at the top right, which looks like a compass.



PeopleSoft Fluid User Interface home page

The Navigation bar (NavBar) side page appears.


2. Select (press) Navigator.



NavBar side page

The menu structure appears.

3. Navigate to the desired item, such as Set Up ELM or PeopleTools.



Navigator side page with PeopleSoft menu items

See PeopleTools: Applications User's Guide, Working With Fluid Homepages

See PeopleTools: Fluid User Interface Developer's Guide

Chapter 2

Installing PeopleSoft Enterprise Learning Management 9.2

This chapter discusses:

- Installing PeopleSoft PeopleTools
- Creating the PeopleSoft ELM Database
- Configuring the System for File Attachments
- Configuring Enterprise Integration Points
- Running LMOPRD.DMS to Clear Sample User Profiles
- Configuring Global Search Using Oracle Secure Enterprise Search
- Accessing PeopleSoft Applications

Task 2-1: Installing PeopleSoft PeopleTools

Understanding the PeopleSoft PeopleTools Installation

PeopleSoft PeopleTools documentation contains the details on how to install PeopleTools 8.55.

For more information on PeopleSoft PeopleTools installation, refer to *PeopleSoft PeopleTools 8.55 Installation < for your database platform>* guide.

This documentation is available on My Oracle Support.

Task 2-1-1: Installing Application Files to the Custom PS_APP_HOME Location

Beginning with PeopleSoft PeopleTools 8.52, you can elect to install your PeopleSoft application files into a custom location that is identified by the *PS APP HOME* environment variable.

You can continue to install applications into *PS_HOME* using the traditional approach, or you can install to the custom location *PS_APP_HOME*. Electing to continue using the traditional *PS_HOME* structure brings no impact to your implementation, and you can carry on the same as before. However, if you are seeking further modularity and more streamlined implementations, then installing your PeopleSoft application into a separate *PS_APP_HOME* location is an attractive alternative.

For more information about *PS_APP_HOME* and the corresponding instructions to configure and implement this option, you can refer to the following documentation that is available on My Oracle Support, the Oracle Technology Network and the PeopleSoft Hosted Documentation website:

See Oracle's PeopleSoft PeopleTools 8.55 Release Notes.

See PeopleSoft PeopleTools Installation for your database platform and current PeopleTools release.

See PeopleTools: System and Server Administration.

Note. For the purposes of this installation document, use the reference <*PS_APP_HOME*> as the location where the application files will reside. If you are not implementing the split location, then this variable will be equal to < *PS_HOME*>.

Task 2-2: Creating the PeopleSoft ELM Database

The PeopleSoft PeopleTools installation process creates the PeopleSoft ELM database. The PeopleSoft Hosted Documentation website contain the details on how to create the PeopleSoft ELM database, including the installation of languages other than English.

See the chapters on creating a database in the *PeopleSoft PeopleTools 8.55 Installation < for your database platform >*.

This documentation is available on My Oracle Support.

Task 2-3: Configuring the System for File Attachments

The File Attachments feature allows you to store documents and other files in your database for users to download. If you are using multiple application servers to support file attachment functionality, you may need to modify the security configuration on your application servers to accommodate this feature. For more information on how to configure application servers to support file attachments, consult the PeopleSoft PeopleTools documentation.

See *PeopleTools: PeopleCode Developer's Guide*, "Application Deployment and System Configuration Considerations."

Task 2-4: Configuring Enterprise Integration Points

The PeopleSoft Integration Broker and Enterprise Integration Points (EIP) provide a flexible and robust way for you to integrate multiple PeopleSoft databases or additional component systems. For a detailed technical discussion of the configuration and use of EIPs in PeopleSoft ELM, refer to *PeopleSoft ELM 9.2 Enterprise Learning Management*, available on My Oracle Support.

Task 2-5: Running LMOPRD.DMS to Clear Sample User Profiles

Running the LMOPRD.DMS script clears sample user profiles from the PeopleSoft PeopleTools security tables in preparation for live implementation. This is helpful for security reasons and also minimizes the maintenance of user profiles that are not in active use.

Warning! The LMOPRD.DMS script must only be run in the .SYS database, not in the .DMO database.

Use PeopleSoft Data Mover to run the following script, located in the <PS_APP_HOME>\scripts directory: LMOPRD.DMS

Task 2-6: Configuring Global Search Using Oracle Secure Enterprise Search

This section discusses:

- Understanding Configuring Global Search Using Oracle Secure Enterprise Search
- Defining New Roles for Global Search
- Defining Search Group Display in Global Search Header
- Verifying the Portal Node for PeopleSoft ELM 9.2
- Deploying Searches
- Creating Search Indexes

Understanding Configuring Global Search Using Oracle Secure Enterprise Search

PeopleSoft Search Framework is a PeopleSoft PeopleTools indexed search technology that relies on the Oracle Secure Enterprise Search (SES) engine by way of PeopleSoft Integration Broker. PeopleSoft Integration Broker provides the interface between PeopleSoft Search Framework and the Oracle SES engine to deploy the search definitions, build the indexes, and return the search results.

Important! Before installing Oracle's Secure Enterprise Search (SES) we highly recommend that you review our deployment and sizing recommendations provided in "Oracle Secure Enterprise Search Deployment Considerations for PeopleSoft 9.2" (Document ID:1684035.1) found on My Oracle Support. This article provides information regarding the essential hardware for SES and information to help ensure capacity for peak concurrent usage of your PeopleSoft 9.2 environment. Failing to follow these recommendations can impact the performance and stability of your PeopleSoft 9.2 environment.

Note. You should only perform these steps if you have completed the tasks discussed in the *PeopleSoft PeopleTools 8.55 Installation*, "Configuring Integration Between PeopleSoft PeopleTools and Oracle SES."

See *PeopleSoft PeopleTools 8.55 Installation < for your database platform>*, "Configuring Integration Between PeopleSoft PeopleTools and Oracle SES."

For Oracle Secure Enterprise Search configuration for PeopleSoft:

See PeopleTools: PeopleSoft Search Technology.

Task 2-6-1: Defining New Roles for Global Search

The following roles for the Global Search and Search Pages are provided. Your PeopleSoft administrator needs to complete the steps below to add roles.

To add new roles for the Global Search:

- 1. Select PeopleTools, Security, User Profiles, User Profiles.
- 2. On the User Profiles page, select the Roles tab.

3. Add the following roles, as listed in this table:

Role	Permission List	Search
Search- Learning	LMLELM0810	ELM Global Search

In addition, you can create roles for users who access the Search Definitions and are allowed to run and schedule the search indexes.

Create the following roles, as listed in this table:

Role	Permission List	Description
Search Administrator	PTPT3100	Managing SES Indexes

Task 2-6-2: Defining Search Group Display in Global Search Header

For the Search Group to display in the Global Search Header and drop-down list, you must add the Search Group to the Home Page Search Context, before you can enable the Global Search box in the header.

To add the Search Group to the Home Page Search Context:

- 1. Select PeopleTools, Search Framework, Search Administrator, Administration, Define Search Context.
- 2. On the Define Search Context page, open the Search Context for Context Type "Home Page".
- 3. Verify the Search Groups as shown in this table.

The following table lists the fields and values in the Define Search Context page, for example for Home Page:

Default	Sequence	Search Category Name	Description
Checked	1	LS_LM_LEARNING	Learning

To enable the Global Search box in the header:

- 1. Select PeopleTools, Portal, General Settings.
- 2. Select Display Global Search in Header check box.
- 3. Click Save.

Task 2-6-3: Verifying the Portal Node for PeopleSoft ELM 9.2

In this step you will verify the setup of the Portal Node in your PeopleSoft ELM environment.

To verify the Portal Node in your PeopleSoft ELM 9.2 environment:

- 1. Select PeopleTools, Integration Broker, Integration Setup, Nodes.
- 2. On the Nodes search page, search for and select the Portal node ELM.
- The Node Definitions page appears.
- 3. On the Node Definitions page, select the Portal tab to access the Portal page.
- 4. On the Portal page, in the Content URI field, verify that you have entered an address that corresponds to your PeopleSoft ELM environment.

For example: http://<server>:<port>/psc/pshome/

In the Portal URI field, verify that you have entered an address that corresponds to your PeopleSoft ELM environment.

For example: http://<server>:<port>/psp/pshome/

- 6. Click Save.
- 7. Click Return to Search (optional).

Task 2-6-4: Deploying Searches

Oracle delivers PeopleSoft HCM search modules for which predefined global searches and search page keyword searches are provided.

Note. You must verify that the roles are assigned to the user, before you deploy a search definition.

To verify that the necessary roles are assigned to the user:

- 1. Select PeopleTools, Security, User Profiles, User Profiles.
- 2. On the User Profiles page, select the Roles tab.
- 3. Verify that the following roles are assigned to the user:

Search Query Administrator.

The following table lists the PeopleSoft ELM search modules for which predefined global searches and search page keyword searches are provided:

Search Module	Search Type	Category Name
ELM	Global Search	LS_LM_LEARNING

For each of the Search definitions that Oracle delivers:

- 1. Select PeopleTools, Search Framework, Search Administrator, Administration, Deploy/Delete Object.
- 2. Select Deploy Search Definition tab. This is the default tab when navigating to this page.
- 3. Select Deploy in the check box column for the following search definitions:
 - *LS_LM_ACT_CI* (Courses)
 - LS_LM_OBJV (Objectives)
 - *LS_LM_PRG* (Programs)
- 4. Click Deploy button. The column Deploy Status changes to *Deployed* for all the three search definitions.
- 5. Select Deploy Search Category tab.
- 6. Select the search category, *LS_LM_LEARNING* (Learning).
- 7. Select Deploy. The column Deploy Status changes to *Deployed* for *LS_LM_LEARNING* (Learning).

Note. The ELM Search will only be available from HCM database if an ELM database has been configured to use the same instance of Oracle SES.

Task 2-6-5: Creating Search Indexes

In this step you will create search indexes.

To create search indexes:

- 1. Select Enterprise Learning, Catalog, Rebuild Indexes.
- 2. Create a new run control ID.
- 3. Select Search Definition LS_LM_ACT_CI.
- 4. Select Full index on Indexing type.
- 5. Select Base Language on Language Option.
- 6. Click Run.
- 7. Select SES Feed Generation Process (PTSF_GENFEED).
- 8. Process must run to success.

Repeat steps 1 through 8 with Search Definitions LS LM OBJV and LS LM PRG.

Task 2-7: Accessing PeopleSoft Applications

Perform this task only if you use the PeopleSoft Portal Solutions product and want to access your application from within the PeopleSoft Interaction Hub database.

The installation phase of your PeopleSoft application should only entail setting up a single link to the PeopleSoft application content provider. To set up the single link and the single sign-on, see the *Portal Solutions 9.1 Revision 3 Installation* guide on My Oracle Support.

The chapter "Installing PeopleSoft Single Sign-On" discusses setting up single sign-on to your application database.

The chapter "Accessing PeopleSoft Content Providers" discusses accessing the PeopleSoft content providers.

The appendix chapters discuss additional product-specific steps that you may need to perform for fully functional navigation within the PeopleSoft Interaction Hub database.

See Portal Solutions 9.1 Revision 3 Installation.