

# Oracle® Tuxedo® Mainframe Adapter for TCP

Release Notes

12c Release 2 (12.2.2)

August 2016

ORACLE®

---

Oracle Tuxedo® Mainframe Adapter for TCP Release Notes, 12c Release 2 (12.2.2)

Copyright © 2007, 2016, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

# Contents

## Oracle Tuxedo Mainframe Adapter for TCP 12c Release 2 (12.1.3) Release Notes

- About Oracle Tuxedo Mainframe Adapter for TCP 12c Release 2 (12.1.3) . . . . . 1
  - What's New . . . . . 1
- Installation Notes . . . . . 2
- Upgrading from eLink TCP 3.x . . . . . 2
  - Upgrading from eLink TCP 3.x to Support Data-Dependent Routing . . . . . 2
- Known Problems . . . . . 3
- Fixed Problems . . . . . 4



# Oracle Tuxedo Mainframe Adapter for TCP 12c Release 2 (12.2.2) Release Notes

The following topics are discussed in this document.

- [About Oracle Tuxedo Mainframe Adapter for TCP 12c Release 2 \(12.2.2\)](#)
- [Installation Notes](#)
- [Upgrading from eLink TCP 3.x](#)
- [Known Problems](#)

## About Oracle Tuxedo Mainframe Adapter for TCP 12c Release 2 (12.2.2)

Oracle Tuxedo Mainframe Adapter for TCP 12c Release 2 (12.2.2) provides Oracle Tuxedo applications transparent non-transactional, request-response connectivity to mainframe-based applications.

### What's New

In this release, the original user name and password validation mechanism for TMA TCP connection is obsoleted. The magic number is used instead to enhance the connection validation for TMA TCP, including for z/CICS and z/IMS.

# Installation Notes

Oracle Tuxedo Mainframe Adapter for TCP 12c Release 2 (12.2.2) is supported for the following Oracle Tuxedo releases:

- Oracle Tuxedo 12c Release 2 (12.2.2)

For more information, see "[Oracle Tuxedo Mainframe Adapter for TCP Supported Platforms, Hardware Requirements, and Software Requirements](#)" in *Installing the Oracle Tuxedo Mainframe Adapter for TCP*.

## Upgrading from eLink TCP 3.x

If you are upgrading to Oracle Tuxedo Mainframe Adapter for TCP 12c Release 2 (12.2.2) from eLink TCP 3.x, perform a new product installation. You will need to edit the `UBBCONFIG`, `DMCONFIG`, and `GWICONFIG` files. Refer to configuration information in the [Oracle Tuxedo Mainframe Adapter for TCP Online Documentation](#).

**Note:** Make certain you have already installed Tuxedo 12c Release 2 (12.2.2), which requires you to set up a new directory for the installation.

## Upgrading from eLink TCP 3.x to Support Data-Dependent Routing

To support data-dependent routing, some additional restrictions are placed on the contents of the `GWICONFIG` file.

In prior releases, no restrictions were placed on the naming of the entries in the `NATIVE` and `FOREIGN` sections of the `GWICONFIG` file. Beginning with the eLink TCP 3.2, each entry in the `NATIVE` section of the `GWICONFIG` files must have a corresponding entry with an identical name in the `DM_LOCAL_DOMAINS` of the `DMCONFIG` file. Each entry in the `FOREIGN` section of the `GWICONFIG` file must have a corresponding entry with an identical name in the `DM_REMOTE_DOMAINS` section of the `DMCONFIG` file.

Because service routing is now determined by the contents of the `DMCONFIG` file, services in the `LOCAL_SERVICES` section of the `GWICONFIG` file no longer need to be tied to `NATIVE` entries in that file. As a result, the `NATIVE` keyword is no longer valid for entries in the `LOCAL_SERVICES` section. Services are now tied to local domains in the `DMCONFIG` file, by specifying the corresponding `LDOM` in the service entry in the `DM_LOCAL_SERVICES` section, or by applying default service assignment rules.

For the same reasons, services in the `REMOTE_SERVICES` section of the `GWICONFIG` file no longer need to be tied to `FOREIGN` entries in that file. As a result, the `FOREIGN` keyword is no longer valid for entries in the `REMOTE_SERVICES` section. Services are now tied to remote domains in the `DMCONFIG` file by specifying the corresponding `RDOM` in the service entry in the `DM_REMOTE_SERVICES` section, or by using a routing statement to specify data-dependent routing, or by applying default service assignment rules. For more information, see Oracle Tuxedo documentation.

## Known Problems

The JCL provided for linking the CICS requester (`LNKIBM`, `LNKINT`) may cause problems on some system configurations. In IBM APARs II10227 and PQ19993, it is recommended that when linking with the `SEZACMTX` and `SCEELKED` libraries, `SEZACMTX` be placed ahead of `SCEELKED` in the `SYSLIB` statements, as follows:

```
//SYSLIB      DD ...
//            DD DSNNAME=h1q.SEZACMTX,DISP=SHR
//            DD ...
//            DD DSNNAME=h1q.SCEELKED,DISP=SHR
//            DD ...
```

The JCL provided does not conform to this recommendation. You may need to edit the provided JCL before linking the requester, as shown in the following example `SYSLIB` section:

```
//SYSLIB      DD DSN=CICS.SDFHLOAD,DISP=SHR
//            DD DSN=&TCPLIB,DISP=SHR
//            DD DSN=SYS1.SEZACMTX,DISP=SHR
//            DD DSN=SYS1.SCEELKED,DISP=SHR
```

