Oracle® Hospitality RES 3700 Enterprise Management

Release Notes

Release 5.5

E76058-02

January 2017



Oracle Hospitality RES 3700 Enterprise Management Release Notes, Release 5.5

E76058-02

Copyright © 1998, 2017, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface	
Audience	1-1
Customer Support	1-1
Documentation	1-1
Revision History	1-1
Features and Updates	
Performance Improvements	2-1
Complex Security Backwards Compatibility	2-1
Security Compliance	2-1
Supported POS Configurator Options	2-1
Sales	2-2
Employees	2-3
Revenue Center	2-3
System	2-5
EMCC	2-7
Cash Management	2-8
Installation and Upgrade	
RES Compatibility	3-1
	3-1
Upgrading a Concept Database	3-2
Resolved Issues	
Enterprise Management	4-1
	Audience

Preface

This document describes the features and fixes included in this RES 3700 Enterprise Management release.

Audience

Customer Support

Documentation

Revision History

Audience

This document is intended for all RES 3700 Enterprise Management technicians, administrators, and users.

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:

https://support.oracle.com

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

Documentation

Oracle Hospitality product documentation is available on the Oracle Help Center at http://docs.oracle.com/en/industries/hospitality/

Revision History

Table 1-1 Revision History

Date	Description of Change	
May 2016	Initial Publication	

Table 1-1 (Cont.) Revision History

Date	Description of Change	
January 2017	Added information regarding RES compatibility.	

Features and Updates

This chapter describes the new features and functionality updates contained in this release.

Performance Improvements

Complex Security Backwards Compatibility

Security Compliance

Supported POS Configurator Options

Performance Improvements

This release addresses performance issues related to menus and subscription conversions.

Complex Security Backwards Compatibility

Complex security in RES 3700 Enterprise Management now only manages user names for older RES 3700 Enterprise Management versions. You can no longer manage complex security passwords for stores using older versions.

Security Compliance

This release addresses compliance with Oracle security requirements. As part of the enhanced security protocols, employees must enter a new password when logging in to the system for the first time after the version upgrade.

Supported POS Configurator Options

This release of RES 3700 Enterprise Management adds support for the following options. You can use the database table and column information for performing the User Coltrans.

Sales

Employees

Revenue Center

System

EMCC

Cash Management

Sales

Table 2-1 Sales Options

Table 2-1 Sales Options		
Location	Option	Database Column
Menu Item Classes General Options	Limit quantity to 1	<pre>mi_type_class_def.o b_limit_qty_to_1</pre>
Menu Item Classes Print	Use alternate order routing	<pre>mi_type_class_def.o b_force_alt_order_r outing</pre>
Condiments Condiment Selection	Roll up	<pre>cond_grp_sel_ext_de f.ob_roll_up</pre>
Condiments Condiment Selection	Display Priority	<pre>cond_grp_sel_ext_de f. display_priority</pre>
Discounts General	Grace Periods Start	<pre>dsvc_def.effective_ grace_period_start</pre>
Discounts General	Grace Periods End	<pre>dsvc_def.effective_ grace_period_end</pre>
Discounts Discounts	Apply to combo meal savings	<pre>dsvc_def.ob_apply_t o_combo_meal_saving s</pre>
Tender/Media CC Tender	Do not mask the first 6	<pre>tmed_def.ob_donot_m ask_first_6</pre>
Tender/Media PMS	Linked Tenders	<pre>tmed_def.tmed_link1 _seq tmed_def.tmed_link2 _seq tmed_def.tmed_link3 _seq tmed_def.tmed_link4 _seq</pre>
Tender/Media Service Total	Mark Checks Pending Payment	<pre>tmed_def.ob_svc_ttl _put_away_chk</pre>
Tender/Media Service Total	Active Async Payment Mode	<pre>tmed_def.ob_activat e_async_pay_mode</pre>
Tender/Media Printing	Eco print mode	<pre>tmed_def. ob_eco_print_chk</pre>
Component Sets	Number	<pre>component_set_def.o bj_num</pre>
Component Sets	Name	component_set_def.n ame
Component Sets	Preparation Time	<pre>component_set_def.p rep_time</pre>

Table 2-1 (Cont.) Sales Options

Location	Option	Database Column
Component Sets	Print Class	component_set_def.P rint_class_seq
Component Sets	Display All Condiments	<pre>component_set_def.o b_display_all_condi ments</pre>
Component Sets	Display Name	<pre>component_set_def.d isplay_name</pre>
Component Sets	Number	<pre>component_set_mem_d ef.order_num</pre>
Component Sets	Linked Condiment	<pre>component_set_mem_d ef.mi_seq</pre>

Employees

Table 2-2 Employee Options

Location	Option	Database Column
Employee Classes Guest Checks Guest Check Control	Reopen closed checks for discount	emp_class_def.ob_tp riv_reopen_clsd_chc k_dscnt
Employee Classes Guest Checks Guest Check Control	Allow Zero Value Changes to Previous Round Item	emp_class_def.ob_ze ro_value_prev_round _change

Revenue Center

Table 2-3 Revenue Center Options

Location	Option	Database Column
RVC Discount/Service	Automatic discount effectiveness	<pre>rvc_def.ob_auto_dis count_effectiveness</pre>
RVC Table Management	Require table during seating	<pre>tms_rvc_def.ob_req_ tbl_during_seating</pre>
RVC Posting Options	Post split total to new check	<pre>rvc_def.ob_post_spl it_ttls_to_new_chk</pre>
RVC Print Design Guest Checks	Print tax rate indicator	<pre>rvc_add_def.ob_tax_ print_indicator_w_i tem</pre>
RVC Print Design Guest Checks	Beverage only indicator	<pre>rvc_add_def.ob_beve rage_only_indicator</pre>

Table 2-3 (Cont.) Revenue Center Options

Location	Option	Database Column
RVC Print Design Options	Suppress table printing	<pre>rvc_add_def.ob_supp ress_table_printing</pre>
RVC Seats	Do not hide trays/seats when filtering	<pre>rvc_def.ob_dont_hid e_seats_when_filter</pre>
RVC Seats	Display the total by seat	<pre>rvc_def.ob_display_ total_by_seat</pre>
RVC Seats	Single tray tendering	<pre>rvc_def.ob_single_t ray_tendering</pre>
RVC Touchscreens Touchscreens Workstation	Active Order Lists Screen	<pre>rvc_add_def.active_ order_list_ts</pre>
RVC Touchscreens Touchscreens Workstation	Dispatched Order List Screen	<pre>rvc_add_def.dispatc hed_order_list_ts</pre>
RVC Touchscreens Touchscreens Workstation	Async Payment Screen	<pre>rvc_add_def.async_c hk_payment_ts</pre>
RVC Touchscreens Touchscreens Workstation	Payment Screen	<pre>rvc_add_def.payment _ts_scrn_seq</pre>
RVC Touchscreens Touchscreens Hand-Held	Active Order Lists Screen	<pre>rvc_add_def.hht_act ive_order_list_ts</pre>
RVC Touchscreens Touchscreens Hand-Held	Dispatched Order List Screen	<pre>rvc_add_def.hht_dis patched_order_list_ ts</pre>
RVC Touchscreens Touchscreens Hand-Held	Async Payment Screen	<pre>rvc_add_def.hht_asy nc_chk_payment_ts</pre>
RVC Touchscreens Touchscreens Hand-Held	Payment Screen	<pre>rvc_add_def.hht_pay ment_ts_scrn_seq</pre>
RVC Touchscreens Touchscreens Checks Check SLU Icons	Beverage Only	<pre>rvc_add_def.bev_onl y_slu_icon</pre>
RVC Touchscreens Touchscreens Checks Check SLU Icons	Electronic Payment	<pre>rvc_add_def.epay_sl u_icon</pre>
VC Touchscreens Touchscreens Checks Table Object Icons	Beverage Only	<pre>rvc_add_def.bev_onl y_tbl_icon</pre>
VC Touchscreens Touchscreens Checks Table Object Icons	Electronic Payment	<pre>rvc_add_def.epay_tb l_icon</pre>
RVC Touchscreens Touchscreens Early DT delivery	Early DT Expo Allowed	<pre>rvc_add_def.early_d t_expo_allowed_icon</pre>

Table 2-3 (Cont.) Revenue Center Options

Location	Option	Database Column
RVC Touchscreens Touchscreens Early DT delivery	Early DT Expo Done	rvc_add_def.early_d t_expo_done_icon
RVC Touchscreens Touchscreens Early DT delivery	Early DT Expo Missed	<pre>rvc_add_def.early_d t_expo_missed_icon</pre>
RVC Touchscreens Touchscreens Menu Item Keys Ordered	Indicator Icon	<pre>rvc_add_def.ordered _mi_indicator_icon</pre>
RVC Touchscreens Touchscreens Menu Item Keys Ordered	Stretch to Fit	<pre>rvc_add_def.ob_orde red_mi_indicator_st retch</pre>
RVC Touchscreens Touchscreens Menu Item Keys Ordered	Icon Pos	<pre>rvc_add_def.ordered _mi_indicator_place ment</pre>
RVC Touchscreens Touchscreens Menu Item Keys Current	Indicator Icon	<pre>rvc_add_def.current _mi_indicator_icon</pre>
RVC Touchscreens Touchscreens Menu Item Keys Current	Stretch to Fit	<pre>rvc_add_def.ob_curr ent_mi_indicator_st retch</pre>
RVC Touchscreens Touchscreens Menu Item Keys Current	Icon Pos	<pre>rvc_add_def.current _mi_indicator_place ment</pre>
RVC Touchscreens Touchscreens Menu Item Keys	Show Ordered Count	<pre>rvc_add_def.ob_show _ts_key_ordered_mi_ cnt</pre>
RVC Touchscreens Touchscreens Menu Item Keys	Show Price	<pre>rvc_add_def.ob_show _ts_key_mi_price</pre>
RVC Touchscreens Touchscreens Menu Item Keys	Show Currency Symbol	<pre>rvc_add_def.ob_show _ts_key_mi_price_cc y_sym</pre>

System

Table 2-4 System Options

Location	Option	Database Column
Restaurant Options General	Auto reset check number	rest_def.ob_reset_c hk_num_with_bus_dat e

Location	Option	Database Column
Restaurant Options Others	Net weight label	rest_def.weighed_mi _net_weight_label
Restaurant Options Others	Enable early drive thru delivery	rest_def.ob_enable_ early_drive_thru_ex po
Restaurant Options Others	Start time	rest_def.rest_def.e arly_drive_thru_exp o_start_tm
Restaurant Options Others	End time	rest_def.early_drive_thru_expo_end_tm
Restaurant Options Others	Min position	rest_def.early_drive_thru_expo_min_pos
Restaurant Options Others	Seconds to keep order	rest_def.early_drive_thru_expo_keep_sec
Restaurant Options Others	Periods disabled, allows four to be selected	rest_def.early_dt_ xpo_period1_seq
		rest_def.early_dt_ xpo_period2_seq
		rest_def.early_dt_ xpo_period3_seq
		rest_def.early_dt_ xpo_period4_seq
Restaurant Options Others	Assign expo tray at check start	rest_def.ob_assign expo_tray_at_start
Time Periods	Display in KPI dashboard	time_period_def.ob kpi
Order Types General	Display future orders before fire	order_type_def.ob_oisplay_future_orders
Order Types General	Require Dispatch	order_type_def.ob_ equire_dispatch
Order Types General	Transfer Check During Pickup	order_type_def.ob_ fer_chk_during_pic up
Order Types General	Stall Type	order_type_def.ob_ tall_ot
Order Types General	Display delayed orders before fire	order_type_def.ob_o isplay_delayed_ordors

Table 2-4 (Cont.) System Options

Location	Option	Database Column
Order Types General	Abbreviation	order_type_def.abbr ev
Order Types General	Dispatch bonus seconds	order_type_def.disp atch_bonus_secs
Order Types General	Dispatch lockout seconds	order_type_def.disp atch_lockout
Order Types General	Dispatch bonus seconds for drink only	<pre>order_type_def.disp atch_bonus_secs_bev _only</pre>
Order Types General	Alternate, 1-32	order_type_def.ob_e nable_ordr_dev_alt_ 01
		order_type_def.ob_e nable_ordr_dev_alt_ 32

EMCC

Table 2-5 EMCC Options

Location	Option	Database Column	
Menu Items Definition Components	Number	<pre>mi_component_set_ln k_def.order_num</pre>	
Menu Items Definition Components	Component Set	<pre>mi_component_set_ln k_def.component_set _seq</pre>	
Combo Meals Combo Groups	Combo Group Extension	<pre>combo_grp_def.combo _grp_ext_seq</pre>	
Combo Meals Combo Groups Combo Group Extensions	Number	<pre>combo_grp_ext_def.o bj_num</pre>	
Combo Meals Combo Groups Combo Group Extensions	Name combo_grp_ext_def.n ame		
Combo Meals Combo Groups Combo Group Extensions	Extension Name	<pre>combo_grp_ext_def.n ame</pre>	
Combo Meals Combo Groups Revenue Center	Prorate Items by Food Cost	<pre>rvc_add_def.ob_pror ate_combo_by_food_c ost</pre>	

Table 2-5 (Cont.) EMCC Options

Location	Option	Database Column
Combo Meals Combo Groups Revenue Center	Apply Mixed Size Upcharge	<pre>rvc_def.ob_mixed_lv l_upchg_combo_price s</pre>
Combo Meals Combo Groups Revenue Center	Apply savings as a discount	<pre>rvc_def.ob_use_comb o_savings_discount</pre>

Cash Management

Table 2-6 Cash Management Options

Location	Option	Database Column	
Enterprise Configuration Options Others	Require Cash Pull Deposit Before Close	cm_option_def.req_c ashpull_deposit	
Enterprise Configuration Options Others	View Report Before Finalizing Count	<pre>cm_option_def.view_ report_before_final ize_counting cm_option_def.autos eq_before_finalize_ counting</pre>	
Enterprise Configuration Options Others	Require Invoice Description	<pre>cm_option_def.req_i nvoice_description</pre>	
Enterprise Configuration Options Others	Require Reference Document	<pre>cm_option_def.req_r eference_document</pre>	
Enterprise Configuration Options Others	VAT Enabled	cm_option_def.vat_e nabled	

Installation and Upgrade

- Activating New Features
- Upgrading a Concept Database

RES Compatibility

Activating New Features

Upgrading a Concept Database

RES Compatibility

This release of Enterprise Management is compatible with the following versions of RES for Corporate locations and for Store locations:

Table 3-1 RES Enterprise Management Compatibility

Corporate	Store	
• 5.5	5.0 or later4.5 or later4.3 Hotfix 2 or later	

Activating New Features

Perform the following steps to activate newly purchased features for your system:

- 1. Run License Manager.
- **2.** For each Installed Product (POS 3700, Kitchen Display System, RES Platform, Enterprise Office, Enterprise Management, Guest Services Solution):
 - **a.** Select the product tab.
 - **b.** Select the **Product/Features** tab under the Activation group.
 - **c.** Select all **Product Activation** items.
 - **d.** Select the purchased features in the **Feature Activation** group.
 - e. Click Reload.
 - **f.** Verify the selected features show a check mark under the product tab.

Upgrading a Concept Database

If your environment uses concept databases, perform the following steps to upgrade:

- 1. Make sure:
 - The concept database files are configured and placed in the correct location.
 - The HKLM\Software\Micros\Enterprisemanagement\Userdata registry key and the encryption key files, such as concept.dat are configured and functional in the previous version.
- 2. Copy EmDbUpdate.mbz3 from \Tools\ to \micros\Database\Data\.
- **3.** Install RES and upgrade the master database.
- 4. Install Enterprise Management.
- **5.** Launch the MECU, navigate to **Concept Setup**, right-click the concept, and click **Set Available**.
- 6. Launch Database Manager.
- **7.** Click **Rebuild\Update**, then click **Select Database**, then select the concept database. Do not select the master database.
- 8. Select Update\Upgrade Database, then click Run.

Resolved Issues

This chapter describes the issues resolved in this release.

• Enterprise Management

Enterprise Management

Enterprise Management

This chapter describes the Enterprise Management issues resolved in this release.

Table 4-1 Enterprise Management Resolved Issues

CRID	TPID	Description
N/A	104664	When you send out a Component Set update to stores, the Preparation Time and Print Class fields for now correctly change.