

Installation User Manual  
Version 12.2.0.0.0  
FLEXCUBE KERNEL  
[May] [2016]



## Contents

---

<b>Resource Adapter Deployment Steps</b> .....	<b>2</b>
1.1 Prerequisite .....	2
1.2 Resource Adapter Deployment.....	2

## Resource Adapter Deployment Steps

### 1.1 Prerequisite

Ensure that the modification has been done in Resource Adapter (used to connect to IBM WebSphere MQ) related files located at

<KERNEL\_INSTALL\_DIR>\SSIAD\_MDB\config\OC4J

- ✓ oc4j-connectors.xml
- ✓ oc4j-ra.xml
- ✓ orion-application.xml
- ✓ orion-ejb-jar.xml
- ✓ ra.xml
- ✓

[Please refer [OC4J SSIAD MDB Installation.doc.](#)]

### 1.2 Resource Adapter Deployment

1. Navigate to the “Application screen” as shown below.

The screenshot displays the Oracle Enterprise Manager 10g Application Server Control interface. The top navigation bar includes "ORACLE Enterprise Manager 10g" and "Application Server Control". The breadcrumb trail shows "Cluster Topology > Application Server: oracle.DDTD0270.i-flex.com > OC4J: home". The "Applications" tab is selected and highlighted with a red box. The main content area is divided into two sections: "General" and "Response and Load".

**General**

- Status: Up
- Start Time: Jun 27, 2007 1:12:30 PM IST
- Oracle Home: D:\OracleAS\_1
- Host: DDTD0270.i-flex.com
- Notifications: 0

**Response and Load**

The graph shows two metrics over time: Request Processing Time (seconds) and Requests per second. The y-axis ranges from 0.00 to 0.20. The x-axis shows time intervals: 7:41, 8:208, 409, 009, 209, 40. The legend indicates that the blue area represents Request Processing Time (seconds) and the light blue area represents Requests per second.

Copyright © 1996, 2005, Oracle. All rights reserved.

2. The following screen is displayed.

- ✓ Select “Standalone Resource Adapters” from drop down list.
- ✓ Click on “Deploy”.

This page shows the J2EE applications and application components (EJB Modules, WAR Modules, Resource Adapter Modules) deployed to this OC4J instance.

View **Standalone Resource Adapters**

[Expand All](#) | [Collapse All](#)

Select	Name	Status	Start Time	Active Requests	Request Processing Time (seconds)	Active EJB Methods	Application Defined MBeans
<input type="radio"/>	▼ All Applications						
<input type="radio"/>	ascontrol	↑	Jun 27, 2007 1:13:06 PM IST	1	0.00	0	
<input checked="" type="radio"/>	▼ default	↑	Jun 27, 2007 1:13:06 PM IST	0	0.00	0	
<input type="radio"/>	▼ GW_EJB_Bean	↑	Jun 27, 2007 1:13:07 PM IST	0	0.00	0	
<input type="radio"/>	GW_HTTP_Servlet	↑	Jun 27, 2007 1:13:07 PM IST	0	0.00	0	
<input type="radio"/>	GW MDB_Bean	↑	Jun 27, 2007 1:13:16 PM IST	0	0.00	0	
<input type="radio"/>	SSIAD_Client_Servlet	↑	Jun 27, 2007 1:13:17 PM IST	0	0.00	0	
<input type="radio"/>	SSIAD_EJB_ACK_Bean	↑	Jun 27, 2007 3:56:43 PM IST	0	0.00	0	
<input type="radio"/>	SSIAD_EJB_Bean	↑	Jun 27, 2007 2:54:11 PM IST	0	0.00	0	
<input type="radio"/>	bc4j	↑	Jun 27, 2007 1:13:06 PM IST	0	0.00	0	

3. The following screen is displayed:

- ✓ Click on "Deploy".

ORACLE Enterprise Manager 10g  
Application Server Control

Cluster Topology > Application Server: oracle.DDTD0270.i-flex.com >  
OC4J: home

Page Refreshed Jun 28, 2007 9:52:35 AM IST

Home Applications Web Services Performance Administration

This page shows the J2EE applications and application components (EJB Modules, WAR Modules, Resource Adapter Modules) deployed to this OC4J instance.

View Standalone Resource Adapters

Start Stop Undeploy Redeploy **Deploy**

Select Resource Adapter	Resource Adapter Module	Status	EIS Type
<input checked="" type="radio"/> GenericJMS	WebSphereMQ	↑	OC4J JMS
<input type="radio"/> OracleASjms	OracleASjms	↑	OracleAS JMS

Home Applications Web Services Performance Administration

Setup | Logs | Help | Logout

Copyright © 1996, 2005, Oracle. All rights reserved.

2. The following screen is displayed.

- ✓ Click **Browse**
- ✓ Specify the local path of the resource adapter archive file:  
<KERNEL\_INSTALL\_DIR>/SSIAD\_MDB/build/ **WebSphereMQS.rar**
- ✓ Click **Next**.

ORACLE Enterprise Manager 10g  
Application Server Control

Setup Logs Help Logout

Select Archive Application Attributes Deployment Settings

Deploy: Select Archive

Cancel Step 1 of 3 **Next**

**Archive**

The following types of archives can be deployed: J2EE application (EAR files), Web Modules (WAR files), EJB Modules (EJB JAR files) and Resource Adapter Modules (RAR files).

Archive is present on local host. Upload the archive to the server where Application Server Control is running.  
Archive Location: D:\KERNEL\_SSIAD\_OC4J\SSIAD\_MDB\build\WebSphereMQS.rar **Browse...**

Archive is already present on the server where Application Server Control is running.  
Location on Server:   
The location on server must be the absolute path or the relative path from j2ee/home

**Deployment Plan**

The deployment plan is an XML file that contains the deployment settings for an application. If you do not have a deployment plan, one will be created automatically during the deployment process. Later in the deployment process, you can optionally edit the deployment plan and save it for a future deployment of this application.

Automatically create a new deployment plan.  
The deployment plan settings will be based on OC4J defaults and information contained in the archive

Deployment plan is present on local host. Upload the deployment plan to the server where Application Server Control is running.  
Plan Location:  **Browse...**

Deployment plan is already present on server where Application Server Control is running.  
Location on Server:   
The location on server must be the absolute path or the relative path from j2ee/home

Cancel Step 1 of 3 **Next**

Setup | Logs | Help | Logout

Copyright © 1996, 2005, Oracle. All rights reserved.

4. The following screen is displayed.

- ✓ Enter the resource adapter name: WebsphereMQS.

**[Note: This name must be same as defined as *resource-adapter* tag in orion-ejb-jar.xml**

```
<message-driven-deployment name="SSIAD_MDB_Bean"  
    resource-adapter="WebSphereMQS"  
    listener-threads="100"  
    subscription-name="SSIAD_MDB_Bean_Sub"  
    transaction-timeout="172800">]
```

- ✓ Click on Next

The screenshot shows the Oracle Enterprise Manager 10g Application Server Control interface. At the top, there is a navigation bar with 'ORACLE Enterprise Manager 10g' and 'Application Server Control' on the left, and 'Help' and 'Logout' on the right. Below this is a progress indicator with three steps: 'Select Archive', 'Application Attributes' (which is the current step and highlighted in blue), and 'Deployment Settings'. The main content area is titled 'Deploy: Application Attributes'. It contains the following information: 'Archive Type: Resource Adapter Module (RAR file)', 'Archive Location: D:\KERNEL\_SSIAD\_OC4J\SSIAD\_MDB\build\WebSphereMQS.rar', and 'Deployment Plan: Creating a new plan'. There are 'Cancel', 'Back', 'Step 2 of 3', and 'Next' buttons. The 'Resource Adapter Name' field is highlighted with a red box and contains the text 'WebSphereMQS'. At the bottom of the page, there is a copyright notice: 'Copyright © 1996, 2005, Oracle. All rights reserved.' and 'Help | Logout' links.

5. The following screen will be displayed.

- ✓ Click on Deploy.



**Deploy: Deployment Settings**

**Step 3 of 3**

Archive Type **Resource Adapter Module (RAR file)** Application Name **WebSphereMQS**  
 Archive Location **D:\KERNEL\_SSIAD\_OC4J\SSIID\_MDB\build\WebSphereMQS.rar**  
 Deployment Plan **Creating a new plan**

**Deployment Tasks**

The table below provides a set of common deployment tasks you might want to perform for this application. Only those tasks that apply to the current application are enabled.

Task Name	Go To Task	Description
Map Environment References		Map any environment references in your application (for example, data sources) to physical entities currently present on the operational environment.
Select Security Provider		A security provider acts as the source for available users and groups when mapping security roles.
Map Security Roles		Map any security roles exposed by your application to existing users and groups. The list of users and groups is obtained from the security provider you selected for this application.
Configure EJBs		Configure the Enterprise JavaBeans in your application.
Configure Clustering		Configure clustering of your application.
Configure Class Loading		Manipulate the classpath of your application.

**Advanced Deployment Plan Editing**

Click Edit Deployment Plan to set more advanced deployment options.

**Save Deployment Plan**

After you make changes, you can save the deployment plan to your local disk. You can then use the saved deployment plan to redeploy this application later.

**Step 3 of 3**



6. The following screen will be displayed.
  - ✓ Click on Return.
  - ✓ Make sure that **The Resource Adapter "WebSphereMQS" has been successfully deployed. Message must be there.**

ORACLE Enterprise Manager 10g  
Application Server Control [Help](#) [Logout](#)

---

[Confirmation](#) Return

**The Resource Adapter "WebSphereMQS" has been successfully deployed.**

**Progress Messages**

```
[Jun 28, 2007 10:18:02 AM] Connector Module Deployer for WebSphereMQS STARTS.
[Jun 28, 2007 10:18:02 AM] Copy the archive to D:\OracleAS_1\2ee\home\connectors\WebSphereMQS\WebSphereMQS.rar
[Jun 28, 2007 10:18:02 AM] Unpacking WebSphereMQS.rar
[Jun 28, 2007 10:18:02 AM] Done unpacking WebSphereMQS.rar
[Jun 28, 2007 10:18:02 AM] Starting up resource adapter
[Jun 28, 2007 10:18:03 AM] Connector Module Deployer for WebSphereMQS COMPLETES. Operation time: 1031 msec
```

Return

[Help](#) | [Logout](#)

Copyright © 1996, 2005, Oracle. All rights reserved.

7. The following screen will be displayed.

ORACLE Enterprise Manager 10g  
Application Server Control [Setup](#) [Logs](#) [Help](#) [Logout](#)

---

[Cluster Topology](#) > [Application Server: oracle.DDTD0270.i-flex.com](#) >  
**OC4J: home** Page Refreshed Jun 28, 2007 10:21:04 AM IST

[Home](#) [Applications](#) [Web Services](#) [Performance](#) [Administration](#)

This page shows the J2EE applications and application components (EJB Modules, WAR Modules, Resource Adapter Modules) deployed to this OC4J instance.

View:     |

Select	Resource Adapter	Resource Adapter Module	Status	EIS Type
<input checked="" type="radio"/>	GenericJMS	WebSphereMQ	↑	OC4J JMS
<input type="radio"/>	GenericJMS	WebSphereMQS	↑	OC4J JMS
<input type="radio"/>	OracleASjms	OracleASjms	↑	OracleAS JMS

[Home](#) [Applications](#) [Web Services](#) [Performance](#) [Administration](#)

[Setup](#) | [Logs](#) | [Help](#) | [Logout](#)

Copyright © 1996, 2005, Oracle. All rights reserved.



Installation User Manual  
[May] [2016]  
Version 12.2.0.0.0

Oracle Financial Services Software Limited  
Oracle Park  
Off Western Express Highway  
Goregaon (East)  
Mumbai, Maharashtra 400 063  
India

Worldwide Inquiries:  
Phone: +91 22 6718 3000  
Fax: +91 22 6718 3001  
[www.oracle.com/financialservices/](http://www.oracle.com/financialservices/)

Copyright © [2007], [2016], Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

**U.S. GOVERNMENT END USERS:** Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.