

Oracle® Hospitality Suites Management
Installation Guide
Release 3.6
E80154-02

December 2016

Copyright © 2001, 2016, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Tables	v
Figures	vi
Preface	vii
Audience	vii
Customer Support	vii
Documentation	vii
Revision History	vii
1 Getting Started	1-1
Before You Start	1-1
How Suites Management Works	1-1
System Requirements	1-2
Deployment Scenarios	1-2
Database User Passwords	1-3
2 Pre-Installation Tasks	2-1
Installing Microsoft Internet Information Services (IIS) 7	2-1
Installing a Point-of-Sale (POS) Application	2-5
Setting Up the POS Application Server	2-6
Setting Up the Suites Management Application Server	2-7
Installing and Settings Up a Web Browser	2-7
3 Installing Suites Management	3-1
4 Installing Suites Services	4-1
5 Post Installation Tasks	5-1
Post Installation Security Setup	5-1
Validating IIS Settings	5-1
Validating the Suites Settings	5-1
Adding Network Service Access to the Suites Folder	5-1
Validating LSM Closed Check Client Settings	5-1
Mapping Tender Media Records to Suites	5-2
Password security	5-2
Configuring the Browser to Trust the SSL Certificate	5-3
Setting Up the Symphony First Edition (FE) Server	5-3
Validating ISL Script Settings	5-3
Creating Suites CAL Packages on the Server	5-4
Configuring Symphony FE and Symphony	5-5
6 Upgrading Suites Management	6-1
7 Uninstalling Suites Management	7-1

8 Troubleshooting 8-1
 Troubleshooting Symphony8-1
 POS Client Shows an Error after Entering Suite Number8-1

Tables

Table 1-1 – Suites Levels and Components Installed	1-2
Table 1-2 – System Requirements	1-2
Table 2-1 – Pre-Requisite - Setting Up the POS Application Server.....	2-6
Table 2-2 – Pre-Requisite - Setting Up the Suites Management Application Server	2-7
Table 4-1 – Required Configuration Fields	4-1

Figures

Figure 1-1 – How Suites Management Works	1-1
Figure 2-1 Server Manager – Adding Roles and Features	2-1
Figure 2-2 Server Manager – Select Server	2-2
Figure 2-3 Server Manager – Web Server Role Services	2-2
Figure 2-4 Server Manager – Performance and Security Role Services.....	2-3
Figure 2-5 Server Manager – Application Development Role Services	2-4
Figure 2-6 Server Manager – Management Tools.....	2-5

Preface

The Oracle Hospitality Suites Management Installation Guide explains the installation and setup of Suites Management for sites running:

- Oracle Hospitality Symphony First Edition (FE) 1.7.1 and higher
- Oracle Hospitality Symphony 2.9 and higher

Audience

This document is intended for all users of Suites Management.

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:
<https://support.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received and any associated log files
- Screen shots of each step you take

Documentation

Oracle Hospitality product documentation is available on the Oracle Help Center at
<http://docs.oracle.com/en/industries/hospitality/>

Revision History

Date	Description of Change
October 2016	<ul style="list-style-type: none">• Initial publication
November 2016	<ul style="list-style-type: none">• Updated reference to Symphony 2.9 for pre-installation tasks
December 2016	<ul style="list-style-type: none">• Updated the supported operating systems section• Updated the pre-installation tasks• Updated the supported version for Symphony First Edition in the Preface

1 Getting Started

This guide provides instructions on how to install, upgrade, and configure Suites Management version 3.6 for Microsoft Windows Server 2008, Microsoft Windows Server 2008 R2, and Microsoft Windows Server 2012 R2.

Before You Start

Make sure you have an operational understanding of:

- PCs and a working knowledge of the Microsoft Windows interface
- POS terminology and concepts
- Microsoft Windows administrative privileges

How Suites Management Works

The following diagram illustrates the information flow through the Suites Management application and the communication flow from the enterprise to the workstation level.




Figure 1-1 – How Suites Management Works

The Enterprise and Property levels contain different components as described in the following table:

Table 1-1 – Suites Levels and Components Installed

Level	Components Installed
Enterprise	<ul style="list-style-type: none">• Suites Management application• Suites website• Suites Management database creation
Property	<ul style="list-style-type: none">• Suites Web Service• Transaction Services• LSMSimService
Workstation	<ul style="list-style-type: none">• Suites SIM scripts

System Requirements

Suites Management is compatible with the following platforms:

Table 1-2 – System Requirements

Category	Supported Platforms
Operating Systems	<ul style="list-style-type: none">• Microsoft Windows Server 2008 64-bit (with 32-bit applications enabled)• Microsoft Windows Server 2008 R2 64-bit (with 32-bit applications enabled)• Microsoft Windows Server 2012 R2 (with 32-bit applications enabled)
Databases	<ul style="list-style-type: none">• Microsoft SQL Server 2008• Microsoft SQL Server 2008 R2• Microsoft SQL Server 2012 R2

Deployment Scenarios

Suites Management contains two virtual directories in its components. One virtual directory is installed when the application is installed – typically at the enterprise level. The other virtual directory is installed with the Suites Management Service – typically on the local property level. Suites Management supports different configuration options, as listed in the following installation scenarios.

- **All in One Server** – The POS application, Suites Management, and the databases are installed on the same computer.
- **Multiple Servers** – The POS application is installed on one computer, the databases are installed on another computer, and Suites Management is installed on another computer at the enterprise level with the Suites Service installed at the property level.

There are other potential installation scenarios. The example used in this document reviews the All in One Server installation scenario. The All-in-One Server type of installation is not recommended for sites that use Suites Management at multiple properties.

Database User Passwords

When creating database credentials, passwords must adhere to the following guidelines:

- Must not contain the username
- Must have an uppercase letter
- Must have a lowercase letter
- Must have a digit
- Must have a special character
- Must have a length between 8 to 20 characters

2 Pre-Installation Tasks

This chapter describes the tasks that you must complete before installing or upgrading to Suites Management version 3.6.

Installing Microsoft Internet Information Services (IIS) 7

For more information about the Server Manager - Add Roles and Features Wizard, refer to the Microsoft TechNet Library at <https://technet.microsoft.com/en-us/>.

Perform the following steps:

1. Use the Server Manager – Select 2, **Add roles and features**.




Figure 2-1 Server Manager – Adding Roles and Features

2. Select **Role-based or feature-based installation**, and then click **Next**.
3. Choose **Select a server from the server pool**.
4. Select the server you are configuring, and then click **Next**.




Figure 2-2 Server Manager – Select Server

5. Expand the Web Server Role (IIS).




Figure 2-3 Server Manager – Web Server Role Services

6. Expand the **Web Server** options and select the following **Common HTTP Features**:

- **Default Document**
 - **Directory Browsing**
 - **HTTP Errors**
 - **Static Content**
7. Select the following **Health and Diagnostics** options:
- **HTTP Logging**
 - **Request Monitor**
8. Select the **Performance** option **Static Content Compression**.
9. Select the **Security** option **Request Filtering**.




Figure 2-4 Server Manager – Performance and Security Role Services

10. Select and expand **Application Development**, and then select the following options:
- **.NET Extensibility 3.5**
 - **.NET Extensibility 4.5**
 - **ASP**
 - **ASP .NET 3.5**
 - **ASP .NET 4.5**
 - **ISAPI Extensions**
 - **ISAPI Filters**




Figure 2-5 Server Manager – Application Development Role Services

11. Select and expand **Management Tools**, and then select the following options:
 - **IIS Management Console**
 - **IIS Management Scripts and Tools**
12. Select **IIS 6 Management Compatibility**, and then select the following options:
 - **IIS 6 Metabase Compatibility**
 - **IIS 6 Management Console**
 - **IIS 6 Scripting Tools**
 - **IIS 6 WMI Compatibility**




Figure 2-6 Server Manager – Management Tools

13. Click **Next** as needed, and then click **Install**.

For more information about the Server Manager - Add Roles and Features Wizard, refer to the Microsoft TechNet Library at <https://technet.microsoft.com/en-us/>.

Installing a Point-of-Sale (POS) Application

Install one of the following POS applications:

- Symphony FE 1.6.9 (or higher)
- Symphony 2.9 (or higher)

The *Simphony First Edition Installation Guide* and the *Simphony Installation Guide* in the Oracle Help Center contain more information on installing Simphony First Edition and Simphony respectively.

Setting Up the POS Application Server

Perform the following tasks on the POS application server:

Table 2-1 – Pre-Requisite - Setting Up the POS Application Server

Pre-Installation Task	Instructions
Install the latest version of the Transaction Services (see Installing Microsoft Internet Information Services (IIS) 7)	To install Suites Management 3.6 services, you must have the latest version of the Transaction Services installed. <ul style="list-style-type: none">• If you are using Suites with Symphony First Edition, refer to the <i>Symphony First Edition Installation Guide</i>.• If you are using Suites with Symphony, refer to the <i>Symphony Installation Guide</i>.
Make note of the configuration in the Enterprise Management Console (EMC)	The following details are prompted when installing Suites services: <ul style="list-style-type: none">• Workstation ID for the POSAPI client that will run Suites• Revenue center (RVC) number of the RVC that will connect with Suites• Property ID of the RVC that will connect with Suites

Setting Up the Suites Management Application Server

Perform the following tasks on the Suites Management application server:

Table 2-2 – Pre-Requisite - Setting Up the Suites Management Application Server

Pre-Installation Task	Instructions
Install Internet Information Services (IIS) version 7 (or higher)	Use the Server Manager - Add Roles and Features Wizard on your sever to install IIS on your server. For more information about the Server Manager - Add Roles and Features Wizard, refer to the Microsoft TechNet Library at https://technet.microsoft.com/en-us/ .
Create an SSL certificate	The Suites web page needs a server certificate to access the Suites application. Each customer that uses Suites is required to purchase a SSL Certificate from an authorized certificate issuing authority. A self-signed certificate should not be used longer than absolutely necessary. After creating an SSL Certificate, make sure that the certificate's Issued To and Issued From values are set to the server's hostname. Refer to the Microsoft TechNet Library at https://technet.microsoft.com/en-us/ for instructions on creating an SSL certificate.
Install the latest version of Adobe Acrobat Reader to view Suites reports	Refer to the Adobe Acrobat Reader official website at https://get.adobe.com/reader/ .
Install a supported web browser	See Installing and Settings Up a Web Browser .

Installing and Settings Up a Web Browser

Suites Management is a web-based application that users access through a web browser from client computers on the same network. A client computer accessing the Suites Management website must minimally have the following installed:

Suites Management only requires one browser. Install one (or more) of the following:

- Microsoft Internet Explorer 11 (or later)
- Firefox 45 (or later)
- Google Chrome 49 (or later)

Verify the browser settings outlined below to prevent possible browser-based issues.

Microsoft Internet Explorer

1. Click **Tools** on the browser's toolbar, and then select **Internet options**.
2. Click **Delete** under Browsing history on the **General** tab.
3. Deselect **Preserve Favorites website data**, select **Temporary Internet website data** and click **Delete**.
4. Click **Apply**.

-
5. Click the **Security** tab.
 6. Click the **Local intranet** icon (if the Suites Management server is on property) or click **Trusted Sites** (if the Suites Management server is not on property).
 - Add the URL you need in the **Sites** area under the **Privacy** tab.
 - Click **Trusted Sites** and using the slider, ensure that the zone is set to a **Low** security level setting.
 - Click **Apply**.
 7. Click the **Privacy** tab.
 8. Click **Sites** and enter the URL of the Suites Management install, not the IP address nor the host computer's name. The entry should include the domain name that matches the SSL certificate.
 9. Click **Allow**.
 10. Click **OK**.
 11. Click **Advanced** and set the following options:
 - Select **Override automatic cookie handling**.
 - Click **Accept** under First-party Cookies.
 - Click **Block** under Third-party Cookies.
 - Select **Always allow session cookies**.
 12. Click **OK**.
 13. Click **Settings**.
 14. Add the same URL that you added under **Sites** (see step 6 above) to the exempted Pop-up Blocker Settings. This enables popups for the Suites Management application, which are required. It also ensures that you use the correct site based on the provided URL.
 15. Click **Close**.
 16. Click the **Connections** tab.
 17. Click **LAN Settings**.
 - Deselect Automatically Detect Settings (unless required).
 - Disable the Proxy Server (unless required by the site).
 18. Click **OK**.
 19. Click the **Advanced** tab.
 20. Select the following options:
 - Browsing section:**
 - Go to intranet site when a single word is entered in the Address bar
 - Underline links – select **Always**
 - Enable third party browser extensions*

Multimedia section:

Show pictures

Security section:

Empty Temp Internet Folder on Exiting Browser

21. Deselect the following options:

Security section:

- Do not save encrypted pages to disk
- Block unsecured images with other mixed content

Browsing section:

Enable Suggested Sites

22. Click **Apply**.

23. Click **OK**.

Mozilla Firefox

1. Click the Menu bar icon on the browser's toolbar.
2. Click **Options**.
3. Click **Content** on the toolbar.
4. Deselect **Block pop-up windows**.
5. Click **Privacy** on the toolbar.
6. Under History and Firefox will, select **Use custom settings for history**.
7. Select **Accept Cookies from sites**.
8. Select **Never** from the **Accept third-party cookies** options.
9. Click **Advanced** on the toolbar.
10. Click the **Network** tab.
11. Click **Settings** under Connection.
12. Select **No proxy** (unless required by the site).
13. Deselect **Auto-detect proxy settings for this network** (unless required).
14. Click **OK**.

Google Chrome

1. Click the Menu bar icon on the browser's toolbar.
2. Click **Settings**.
3. Scroll to the bottom of the page and click **Show advanced settings...**
4. Click **Content settings** under Privacy.
5. Select **Allow local data to be set (recommended)**.
6. Select **Block third-party cookies and site data**.
7. Scroll further down to **Pop-ups** and select **Allow all sites to show pop-ups**.
8. Click **Done**.
9. Click **Change proxy settings...** under Network.
10. Click **LAN Settings**.
 - Deselect **Automatically Detect Settings** (unless required)
 - Disable the **Proxy Server** (unless required by the site)
11. Click **OK**.
12. Click the **Advanced** tab.
13. Select the following options:

Browsing section:

- Go to intranet site when a single word is entered in the Address bar
- Underline links
- Enable Third Party Extensions

Multimedia section:

Show pictures

Security section:

Empty Temp Internet Folder on Exiting Browser

14. Deselect the following options:

Security section:

- Do not save encrypted web pages to disk
- Block unsecured messages with other content

Browsing section:

Enable suggested sites

15. Click **Apply**.

16. Click **OK**.

3 Installing Suites Management

1. Download the Suites Management version 3.6 installation files from the Oracle Technology Network (OTN) website at <https://edelivery.oracle.com/> and place it on the computer that is designated as the Suites Management application server.
2. Double-click the **SUITESSetup.exe** file to begin the installation on the server that houses the Suites Management application and database. The SuitesSetup.exe installs the Suites Management application and database.
3. Click **Install** when prompted to install Microsoft .NET Framework 4.6.1 and Microsoft Visual C++ 2015 Redistributable, and then follow the instructions on screen.
4. Click **Yes** when prompted to restart the server.
5. Once the server restarts and the install wizard re-launches, click **Next** to resume the installation.
6. Enter a **Login ID** and **Password** for the LSM database, and then click **Next**.
7. Enter a **Login ID** and **Password** for the LSMCACHE database, and then click **Next**.
8. Select the **Database server that you are installing to**.

This is the server name or IP address of the computer running the Microsoft SQL Server where the Suites Management database resides. If you are installing Suites in an all-in-one environment, the database name can remain **(local)** or **local host**.
9. Select a connection method.
10. If you selected **SQL Server authentication...**, enter a **Login ID** and **Password**.
11. Click **Next**.
12. Select the destination folder for the Suites Management web files, and then click **Next**.

The default path is <Drive letter>:\MICROS\LES\Suites. Oracle Hospitality recommends installing Suites Management web files in the default folder
13. Enter the following details, and then click **Next**:
 - **SSLPort#**: Enter the unique Port number that is used by the SSL.

The port number selected for Suites Management and the SSL port number that the SUITES website is bound to, must match. If a binding is made to a different port, the installer must edit the SUITES Web.config file and set the value of the **DefaultHttpsPort** tag to match the https binding. See the [Install server certificate](#) section for more information.
 - **Virtual**: Name the Suites Management virtual directory.

The default name for the Suites Management virtual directory is **SUITES**. A website named **SUITES** will be created during the installation. Enter this name in the address bar of a browser to access the Suites Management website. If the virtual directory name is SUITES, the URL for the Suites Management website is `http://ServerName:8001/SUITES/frmlogin.aspx`.
14. Review the settings in the **Start Copying Files** screen, and then click **Next**.

For all-in-one server installation scenarios, when using Microsoft SQL Server 2008 R2, the SQL Server Maintenance Plan writes the Suites database backup tasks to the C:\Program Files\Microsoft SQL Server\MSSQL10_50.MSSQLSERVER\MSSQL\Backup folder.

For multiple server installation scenarios, after installing the Suites database, it is strongly recommended to access the database server and manually configure and schedule periodic Microsoft SQL Server backup tasks for the Suites database. Here is an example of a backup task path:

\\<ServerName or IP address>:<Drive letter>\Program Files\Microsoft SQL Server\MSSQL10_50.MSSQLSERVER\MSSQL\Backup

15. On the Security Enforcement screen:
 - a. To add a new certificate, select **New**, click **Select**, enter or select the certificate location, and then enter the **Password** for the certificate.
 - b. To add an existing certificate, select **Existing**, and then select the certificate from the drop-down list,
 - c. Click **Add TLS Certificate to Binding**, and then click **Next**.
16. Click **OK** to run the Database Configuration Utility.
17. On the Database Configuration dialog box, click **Read DB Config**, select **default LSM** in the bottom left pane, and then enter the credentials that you created in Step 6 in the **DB Username** and **DB Password** fields on the right.
18. Click **Test Connection**, and then click **OK** when you receive a success message.
19. On the **Administrative Account** tab, enter the **Administrator Username** and **Administrator Password** for Suites, and then click **Save Credentials**.

This is the administrative account that will be used for logging into Suites.
20. Click **OK** to verify the credentials for the LSMCACHE database.
21. On the **Database** tab, select **compliance LSMCACHE** in the bottom left pane, and then enter the credentials that you created in Step 7 in the **DB Username** and **DB Password** fields on the right.
22. Click **Test All Connections** to verify both the LSM and LSMCACHE database connections, and then click **OK** when you receive a success message.
23. Click **Save Password(s)**, and then click **Yes** to encrypt the passwords.
24. Close the Database Configuration utility.
25. Click **OK** when prompted to run the Key Manager, enter the Suites administrator credentials that you created in Step 19, and then click **OK**.
26. Enter the new **Passphrase**, and then click **Update**.
27. Click **Yes** when prompted to exist the Key Manager utility.
28. Click **Yes** when prompted to configure the A/R Export file.
29. Enter the **POSAPI Workstation Name**, click **OK**, click **Yes**, and then click **OK** again.

The POSAPI is the POS client that will communicate with Suites.
30. If you receive a message stating that you must install a PDF reader in order to view Suites reports, click **OK**.
31. Click **Finish** to exit the Suites Management Install Shield Wizard.

4 Installing Suites Services

The **SuitesServiceSetup.exe** installs the Suites Service, which communicates with Transaction Services during the Go Live process. It also installs the **LSMWinService** that communicates with the Point-of-Sale (POS). In an Enterprise environment where there is one Suites Management server and multiple properties, you must install this service on-site at the property level. You must install Transaction Services on the property's POS application server before running the SuitesServiceSetup.exe installation.

For Symphony FE 1.6 MR 10 (or higher), you must install the Suites Service on the Suites application server in order to utilize a PC Autosequence to execute the Check Regen process (which is an external program). See the Configure computer Autosequence section for more information.

1. From the POS application server, double-click SuitesServiceSetup.exe to begin the installation, and then click **Next**.
2. Select **Simphony** or **Simphony First Edition** to identify the POS application communicating with Suites.
3. Enter the **Name** for the virtual directory used by the Suites service. The default virtual directory name is **SUITESSERVICE**. The virtual directory automatically installs under the **SUITES** website on IIS.
4. Click **Next**.
5. Select the installation folder for the Suites Services, and then click **Next**.
Oracle Hospitality recommends installing Suites Services in the default folder.
6. Enter the following information according to your selection in Step 2. You can find the required Interface information in the EMC and the Transaction Services Web.config file.

Table 4-1 – Required Configuration Fields

Field	POS Version	Description
Transaction Srv	Simphony FE and Simphony	This is the web address for Transaction Services. The default is <code>http://localhost/TSWebService/TSWebService_1_0.asmx</code> . This may be different depending on the site. You must add the port number that Transaction Services is using to the web address. For example, if you are using Simphony: <code>http://IPAddress:PortNumber/EGateway/SimphonyPosApiWeb.asmx</code>
RVC Number (RVC ID number)	Simphony FE and Simphony	Prompted only if you select Simphony First Edition or Simphony as the POS application to communicate with Suites. This is the Suites revenue center number (RVC ID value).
Workstation ID	Simphony FE	This is the Workstation ID number of the POSAPI client (required for Simphony 1.6 sites only). To find the Workstation ID number in the EMC, select the property, and then click the Workstations module.

Field	POS Version	Description
LSM WS	Simphony FE and Simphony	Enter the URL of the LSMWebService. For example, <code>https://ServerName:Port/SUITESSERVICE/ConfigLSMService.aspx</code> . Replace localhost with the server name and the port number.
Property ID	Simphony FE and Simphony	The Property ID is the location ID number of the Suites Location configured in the Suites database (System Setup à Location). This must have a Location ID value of 1. During installation, a default sample Suites property (with a Location ID = 1) is created in the Suites database.
(Optional) Interface	Simphony FE	Enter the record number for the Suites interface that you configured in the EMC Interfaces module. The default value is 1
(Optional) Bill TMED	Simphony FE	This is the Enter the object number of the Suites Billing Tender Media record for PMS (default value = 105).
(Optional) ST_PRT	Simphony FE	This is the service total Print key. The first value, ST, stands for the Touchscreen Key Type, which is 7 for a Tender Media key in the EMC, Touchscreen Design module. The second value, PRT, stands for the Print Check Service Total Tender Media record number used by the Suites revenue center. The default values are 7, 52.
(Optional) ST_NPRT	Simphony FE	This is the service total no print key. The first value, ST, stands for the Touchscreen Key Type, which is 7 for a Tender Media key in the EMC, Touchscreen Design module. The second value, NPRT, stands for the NO Print Check Service Total Tender Media record number used by the Suites revenue center. The default values is 7, 51.

1. Click **Next**.
2. On the LSMSimService Setup Wizard, click Next, and then change the default LSM SIM Service install folder to <Drive Letter>:\MICROS\LES\Suites\Suites\LSMSimService.
3. Click **Next**, and then click **Next** again to confirm the LSM SIM Service installation.
4. Click **Close** to exist the LSMSimService Setup Wizard once the installation completes.
5. Click **Finish** once the Suites Service installation completes.

5 Post Installation Tasks

Post Installation Security Setup

The Suites Management application and database has a default employee, employee role, and location pre-programmed in the system. You cannot delete the default location record. The best practice procedure is to rename the default Suites location by accessing the Suites Management website and to change the location name to that of the property.

Validating IIS Settings

The following steps confirm that 32-bit applications are enabled on the Suites Application Pool.

1. Open the IIS Manager and select Application Pools.
2. Right-click Suites and select Advanced Settings.
3. Verify that the Enable 32-Bit Applications setting is set to **True**.

Validating the Suites Settings

1. Open the IIS Manager, and select Application Pools.
2. Right-click Suites and select Basic Settings.
3. Verify that the Suites settings are as follows:
 - **.NET Framework version:** .Net framework v4.0.30319
 - **Managed pipeline mode:** Integrated
 - **Start application pool immediately:** Make sure that this option is enabled.

Adding Network Service Access to the Suites Folder

To allow proper logging and access required in Suites Management, you must grant the NETWORK SERVICE user full permissions to the Suites folder. The Suites folder is located in the path specified during the installation process. Typically the path to the Suites folder is <Drive Letter>:\MICROS\LES\Suites.

1. Right-click the **Suites** folder, and then click **Properties**.
2. Click the **Security** tab, click **Edit**, and then click **Add**.
3. Enter NETWORK SERVICE in the **object names to select** pane and click **OK**.
4. Select the check box in the **Allow** column adjacent to **Full Control**, click **Apply** and **OK**.

Validating LSM Closed Check Client Settings

1. Browse to and open the <Drive Letter>:\MICROS\LES\Suites\Suites\Utilities file.
2. Validate that the following settings in the LSMClosedCheckClient.exe.config file are correct:

```
<add key="LocationId" value="1"/>
<add key="LSMClosedCheckServiceUrl"
value="http://localhost:8000/Suites/LSMWebService.asmx"/>
<add key="SymphonyTSWebServiceUrl"
value="http://localhost:8000/TSWebService/TSWebService_1_0.asmx"/>
<add key="WSId" value="80"/>
```

```
<add key="LSMRvcMaster" value="20"/>
```

- **LocationId:** Record number for the Suites property. You can find this value on the Location page under the System Setup portlet in Suites.
- **LSMClosedCheckServiceUrl:** URL for the Suites Management Service. Replace localhost:8000 with the Suites application server IP and port. You can find this URL on the System Parameters page under the System Setup portlet in Suites. For example,
`https://HostName:8001/SUITES/LSMWebService.asmx/`.
- **SimphonyTSWebServiceUrl:** URL for Transaction Services. Replace localhost:8000 with the IP and port number of the workstation that will communicate with Suites. You can find this URL on the System Parameters page under the System Setup portlet in Suites. For example,
`http://HostName:8080/EGateway/SimphonyPosApiWeb.asmx/`
- **WSId:** Workstation ID for the POSAPI client.
- **ClosedDays:** This setting controls the amount of time that Transaction Services returns checks. The configurable values are 0 for all checks or 2 for the current business date's checks. The default and recommended value is 2.
- **LSMRvcMaster:** Record number for the Suites revenue center. You can find the revenue center number from the RVC Configurations module in the Enterprise Management Console (EMC).

Mapping Tender Media Records to Suites

1. Browse to and open the <Drive Letter>:\MICROS\LES\Suites\web.config file.
2. For the value parameter of each tender type, enter the corresponding record number in the Tender Media module in Symphony FE or Symphony.

For example,

```
<add key="ServiceTotal" value="51" />
  <add key="Cash" value="2" />
  <add key="Visa" value="11" />
  <add key="Amex" value="14" />
  <add key="MasterCard" value="12" />
  <add key="Discover" value="13" />
  <add key="DinersClub" value="15" />
</appSettings>
```

3. Click **Save**.

Password security

As a Suites Management post-installation step and prior to going live at the property, it is crucial to change the default user's password in order to comply with Payment Card Industry (PCI) Standards. When creating a strong password, it is highly recommended to use the following standards:

Include at least one character from at least three of the following classes: lowercase letters, uppercase letters, numerals, punctuation (for example, #, |, \$, %, and spaces).

Configuring the Browser to Trust the SSL Certificate

If you are using a self-signed certificate, when you try to access Suites for the first time, your browser could prevent you from accessing it with an untrusted certificate warning. To bypass this warning:

- If you are using Microsoft Internet Explorer, refer to the Microsoft TechNet Library at <https://technet.microsoft.com/en-us/> for instructions on installing a self-signed certificate as a Trusted Root Certificate Authority.
- If you are using Mozilla Firefox, refer to *Bypassing the warning* under “*This Connection is Untrusted*” error message appears - *What to do* help article in Mozilla Support at <https://support.mozilla.org/en-US/products/firefox>.
- If you are using Google Chrome, click **Proceed Anyway**.

Setting Up the Symphony First Edition (FE) Server

Validating ISL Script Settings

If Suites and Symphony FE are installed on the same server, during the initial Suites Service installation, four ISL files are copied to the following path:

<Drive Letter>:\MICROS\LES\Suites\Suites\SuitesSERVICE\SIMScripts

The path is configurable, but could change depending on the path entered when [Installing Suites Services](#).

When upgrading Suites, any new ISL scripts are written to this path:

<Drive Letter>:\MICROS\LES\Suites\Suites\SuitesSERVICE\SIMScripts folder.

1. Browse to and open the <Drive Letter>:\MICROS\LES\Suites\Suites\SuitesSERVICE\SIMScripts folder.
2. Open the file named SuiteEnv.isl.
3. Change these lines in the Start user configuration section to match the information in the EMC and save the changes:

```
//-----  
// Start user configuration section  
//-----  
var LSM_INTFC : n3 = 1  
var LSM_RVC : n9 = 2
```

Obtain the LSM_INTFC number by looking in the Interfaces tab in the RVC Parameters module. Enter the position to which the Suites interface is assigned. For example, if the Suites interface is assigned to interface #2, update the line to var LSM_INTFC : n3 = 2

Obtain the LSM_RVC number by looking in the RVC Configuration module on the property level in the EMC. This field requires the RVC object number. For example, if the object number for the Suites revenue center is 404, update the line to var LSM_RVC : n9 = 404

4. Validate that the following lines in the SuiteMgt.isl file are correct. If the workstations at the site are Win32 clients, you must update the paths to reflect the proper location for the directories.

Example: %AppRoot%\POSClient\sim is the directory for the var custom_dir.

```
//-----  
// Start user configuration section  
//-----  
var LSM_INTFC : n3 = 1  
var LSM_RVC : n9 = 2
```

```

var micros_drv : a3 = "M:"
var custom_dir : a100 = "CF\POSClient\sim"
var import_dir : a100 = "CF\POSClient\sim"
var log_dir : a100 = "CF\POSClient\log"
var bin_dir : a100 = "CF\POSClient\bin"
var AlphaTouch : n3 = 64

//-----
// New log directory 4 Simphony
//-----
var log_dir_simphony : a100 = "CF\POSClient\log"

```

5. Browse to <Drive Letter>:\MICROS\Simphony\EGatewayService\CAL\WS5A\Packages.
For this example, we are creating the folder for a CE WS5a. This may differ depending on the workstation model that is being used at the site.
6. Create a Suites folder.
7. Copy the files from <Drive Letter>:\MICROS\LES\Suites\Suites\SuitesSERVICE\SIMScripts folder and paste them in the Suites folder <Drive Letter>:\MICROS\Simphony\EGatewayService\CAL\WS5A\Packages\Suites.
8. Create a setup.dat file for this folder. Continuing with the CE example, the Setup.dat should look like this:


```

NAME,Suites,
VERSION,1.6.2.2,
TRANSFERFILE,SuiteMgt.isl,\CF\POSClient\sim\SuiteMgt.isl,
TRANSFERFILE,SuiteMgtPrt.isl,\CF\POSClient\sim\SuiteMgtPrt.isl,
TRANSFERFILE,SuiteMgtScreen.isl,\CF\POSClient\sim\SuiteMgtScreen.isl

```

Creating Suites CAL Packages on the Server

You must create CAL Packages on the Simphony FE application server to download the Suites ISL files to each workstation in the Suites revenue center.

1. Copy the following files from the <Drive Letter>:\MICROS\LES\Suites\Suites\SuitesSERVICE\SIMScripts folder:
 - SuiteEnv.isl
 - SuiteMgt.isl
 - SuiteMgtPrt.isl
 - SuiteMgtScreen.isl
2. Create a CAL Package for each workstation type the site is using (for example, WS5, WS5A, KW270) in each workstation directory on the server. Create the CAL packages at the following location:


```

<Drive Letter>:\MICROS\Simphony\EGatewayService\CAL\Workstation Type\Packages

```

 For example, if the workstations in use at the site are WS5, the path is <Drive Letter>:\MICROS\Simphony\EGatewayService\CAL\WS5\Packages
2. In each directory, create a folder called Suites. Copy the ISL files listed above to the newly created Suites folder.
3. Copy the setup.dat file included with the installation to the Suites CAL Package folder.
4. The setup.dat should read as follows for CE workstations:


```

NAME,Suites,
VERSION,1.6.2.1,
TRANSFERFILE,SuiteEnv.isl,\CF\POSClient\sim\SuiteEnv.isl

```

```
TRANSFERFILE,SuiteMgt.isl,\CF\POSClient\sim\SuiteMgt.isl,  
TRANSFERFILE,SuiteMgtPrt.isl,\CF\POSClient\sim\SuiteMgtPrt.isl,  
TRANSFERFILE,SuiteMgtScreen.isl,\CF\POSClient\sim\SuiteMgtScreen.isl
```

5. Modify the setup.dat for Win32 clients to read as follows:

```
NAME,Suites,
```

```
VERSION,1.6.2.1,
```

```
TRANSFERFILE,SuiteMgt.isl,%AppRoot%\POSClient\sim\SuiteMgt.isl,
```

```
TRANSFERFILE,SuiteMgtPrt.isl, %AppRoot%\POSClient\sim\SuiteMgtPrt.isl,
```

```
TRANSFERFILE,SuiteMgtScreen.isl, %AppRoot%\POSClient\sim\SuiteMgtScreen.isl
```

6. Save the changes.

Configuring Symphony FE and Symphony

The *POS Application Configuration* chapter in the *Oracle Hospitality Suites Management User Guide* provides instructions for configuring Symphony FE and Symphony for interfacing with Suites Management.

6 Upgrading Suites Management

1. Make sure that your Suites application and database servers meet the requirements listed in [Pre-Installation Tasks](#).
2. Download the Suites Management version 3.6 installation files from the Oracle Technology Network (OTN) website at <https://edelivery.oracle.com/> and place it on the computer that is designated as the Suites Management application server.
3. Double-click the **SuitesSetup.exe** file to begin the installation, and then click **Next**.
4. Enter the Database Server information.

The **Database server that you are installing to** is the server name or IP address of the computer running the Microsoft SQL Server where the Suites Management database resides. If you are installing Suites in an all-in-one environment, the database name can remain **(local)** or **local host**.
5. Select a connection method.
6. If you selected **SQL Server authentication...**, enter a **Login ID** and **Password**.
7. Click **Next**, and then click **Next** again to begin the upgrade.
8. Click **Finish** once the upgrade completes.
9. From the POS application server, double-click **SuitesServiceSetup.exe** to begin the installation, and then click **Next**.
10. Select **Simphony** or **Simphony First Edition** to identify the POS application communicating with Suites, and then click **Next**.
11. Click **Next** to begin the upgrade.
12. Click **Yes** when prompted to install a newer version of the LSMWin Service.
13. Click **Next** on the LSMWin Service Setup Wizard.
14. Change the default LSM SIM Service install folder to <Drive Letter>:\Micros\LES\Suites\Suites\LSMSimService.
15. Click **Next**, and then click **Next** again to start the LSMWin Service installation.
16. Click **Close** once the LSMWin service installation completes.
17. Click **Finish**.
18. If you have the Suites Service installed on a sever separate from the Suites Management application, perform the following:
 - a. Log on to Suites Management.
 - b. On the Suites Management home page, click **System Setup**, and then click **System Parameters**.
 - c. Scroll down to the POS Settings section, and then in the **URL for Config. Web Service** field, enter the host name or IP address and the port number for the Suites application server. For example,

`https://192.168.1.1:8001/SUITESSERVICE/ConfigLSMService.asmx.`
 - d. Click **Save**.

7 Uninstalling Suites Management

To remove Suites completely from your server, use the Add or Remove feature in the Control Panel and uninstall **MICROS Suites Management** and **MICROS Suites Service**. For more information on uninstalling programs on Microsoft Windows servers, refer to the Microsoft Support at <https://support.microsoft.com/en-in>.

8 Troubleshooting

This section describes common problems you might encounter when installing Suites version 3.6 and explains how to solve them.

Troubleshooting Symphony

POS Client Shows an Error after Entering Suite Number

If you receive the error message **Error when sending messages to the POS computer** after you enter a suite number and press **OK**, make sure that:

- The Interface Service Host (the service host selected on the Interface module Service Host tab in the EMC) is able to access the LSMWinService running on the specified TCP Host Name and TCP Port. You can check the connection using telnet.
- The POS client is able to access the Interface Service Host by entering the Service Host EGateway URL in a web browser or by using App Ping in the Services tool on the Support | Network section of the PMC. In the PMC look for *Intfc* listed as a service on the correct Service Host ID (far left column).