

Oracle® Retail Advanced Inventory Planning

Release Notes

Release 14.1.1

August 2015

This document highlights the major changes for Release 14.1.1 of Oracle Retail Advanced Inventory Planning (AIP).

Overview

Oracle Retail Advanced Inventory Planning is a suite of modules designed to manage the supply chains of large retailers at the supplier, warehouse, store, and e-commerce levels. The system couples time-phased replenishment and allocation algorithms to produce an actionable receipt plan over time. This plan is based on demand forecasts, replenishment parameters, and inventory availability at the numerous supply points within the supply chain.

The user interacts with the AIP system through a number of modules:

- Store Replenishment Planning (SRP) Workbooks are used to maintain the replenishment characteristics for stores. These workbooks allow the user to analyze system output and perform what-if style analysis when replenishment parameters are changed.
- Warehouse Replenishment Planning (WRP) Workbooks are used to maintain the replenishment characteristics for warehouses. These workbooks allow the user to analyze system output and perform What-if style analysis when replenishment parameters are changed.
- Data Management is used to maintain the supply chain and network flow information. Sourcing links, lead times, and other data are managed in this module.
- Using the receipt plan, Order Management formally prepares those orders that need to be fulfilled. This preparation includes the assignment of an order number.

Note: AIP Java/Oracle, AIP on Oracle, and AIP Oracle are often used interchangeably to refer to those parts of AIP that access the Oracle relational database. This includes the Data Management and Order Management GUI components and a host of UNIX shell scripts and PL/SQL modules.

AIP Within the Oracle Retail Suite

AIP is one of several integrated applications within the Oracle Retail Suite. The suite allows a retailer to manage its supply chain from demand forecasting to the generation of orders, which can then be shared with collaborative planning partners.

ORACLE®

Viewed at a high level, the process across the Oracle Retail Suites takes the following form:

1. Oracle Retail Demand Forecasting (RDF) provides a forecast of consumer demand. This data is made available to AIP.
2. The AIP batch run produces an actionable receipt plan using replenishment parameters maintained inside AIP. Hierarchy and inventory data are provided by a merchandising system such as Oracle Retail Merchandising System (RMS).
3. The receipt plan is then sent to the Order Management module within AIP, where those orders that need to be fulfilled are formally prepared for execution. This preparation includes the assignment of an order number.
4. Order Management then submits the appropriate orders to the merchandising system, where purchase orders and transfers are communicated to other systems. These orders are returned to AIP in subsequent batch runs as on-order or in-transit quantities.
5. Sales forecasts and order plans can then be shared at the appropriate level with suppliers by using a collaborative planning, forecasting, and replenishment (CPFR) product, so that trading partners can prepare for the forthcoming orders.

AIP Versions and Corresponding RPAS Versions

The following table provides a history of AIP since the 13.0 release. The table lists each version of AIP together with the version of the Retail Predictive Application Server (RPAS) foundation to which it is tied.

Date	Version Category	AIP Version	RPAS Version
June 9, 2008	Full Release	13.0	12.1.2.21
August 15, 2008	Patch Update (AIX, HP-UX)	13.0.1 Patch	13.0.1.2
August 22, 2008	Full Release (Solaris)	13.0.1	13.0.1.2
October 31, 2008	Patch Update (AIX)	13.0.1.1	13.0.1.11
December 19, 2008	Patch Update (AIX)	13.0.2	13.0.2.1
August 7, 2009	Full Release (Solaris, OEL, AIX, HP-UX)	13.1.1	13.0.4
March 31, 2010	Full Release and Patch Update (AIX 5.3, AIX 6.1, HP-UX 11.31, OEL 5.2, Solaris 10)	13.1.2	13.1.2.3
August 31, 2010	Patch Update (AIX 5.3, AIX 6.1, HP-UX 11.31, Linux 5.2, Solaris 10)	13.1.3	13.1.2.19
October 29, 2010	Full Release (AIX 5.3, AIX 6.1, HP-UX 11.31, OEL 5.3, Solaris 10)	13.2	13.2

Date	Version Category	AIP Version	RPAS Version
January 31, 2011	Hot Fix (AIX 5.3, AIX 6.1, HP-UX 11.31, OEL 5.3, Solaris 10)	13.2.0.2	13.2.1
July 8, 2011	Full Release (AIX 5.3, AIX 6.1, HP-UX 11.31, OEL 5.3, Solaris 10)	13.2.2	13.2.2.9
November 4, 2011	Patch Update (AIX 6.1, HP-UX 11.31, OEL 5.5, Solaris 10)	13.2.3	13.2.3
April 13, 2012	Patch Update (AIX 6.1, HP-UX 11.31, OEL 5.5, Solaris 10)	13.2.4	13.3
May 3, 2012	Full Release (AIX 6.1, HP-UX 11.31, OEL 5.5, Solaris 10)	13.3	13.3
December 21, 2012	Full Release (AIX 6.1, HP-UX 11.31, OEL 5.8, Solaris 10)	13.4	13.4.0.1
August 23, 2013	Patch Update (AIX 6.1, HP-UX 11.31, OEL 5.8, Solaris 10)	13.4.1	13.4.1
December 14, 2013	Full Release (AIX 6.1, 7.1, HP-UX 11.31, OEL 6.3, Solaris 11)	14.0	14.0
August 15, 2014	Patch Update (AIX 6.1, 7.1, HP-UX 11.31, OEL 6.3, Solaris 11)	14.0.1	14.0
December 19, 2014	Full Release (AIX 7.1, HP-UX 11.31, OEL 6.3, Solaris 11)	14.1	14.1
August 21, 2015	Patch Update (AIX 7.1, HP-UX 11.31, OEL 6.3, Solaris 11)	14.1.1	14.1.1

Hardware and Software Requirements

See the *Oracle Retail Advanced Inventory Planning Installation Guide* for information about the following:

- Hardware and software requirements
- Oracle Retail application software compatibility information

Noteworthy Defect Fixes

The following table contains issues that have been fixed for the current release.

Affected Component	Fixed Issue/Defect	Defect Number
Installer	AIP -RPAS is not installing in GUI mode. Text mode functions and install correctly.	20360958
Installer	AIP Online database installer displays errors in the install lo due to missing TABLESPACE LOB_DATA	20360917
Performance	Commits or calculations are slow in AIP worksheets.	20277485
Performance	Error when running the generate_pre_alloc_dcrp.sh script.	20974017
Performance	The Cross Dock Schedule runs for over 13 hours in the online schedule.	20995340

Known Issues

The following table contains known issues for the current release.

Known Issue/Defect	Defect Number
In AIP Online, some of the foreign language translations are too long for the current fields and are being truncated. This is occurring for different fields depending upon the language it is translated into.	15986091
Language Bundle files for AIP Fusion clients are in Native character encoding. After configuring the AIP-RPAS Fusion Client solutions, use the following steps and command for conversion from Native to ASCII. <ol style="list-style-type: none"> 1. Create a directory and copy all the language aipBundle_xx.properties files (where xx=language extensions). 2. Ensure that environment variable JAVA_HOME is pointing to JDK instead of JRE. 3. Navigate to the new directory created in Step 1. 4. Use the following command per language to convert Native to ASCII: <pre>native2ascii -encoding UTF8 aipBundle_xx.properties multisolutionBundle_xx.properties</pre> 5. Copy the new ASCII converted language files (multisolutionBundle_xx.properties) to the <code>#{FUSION_CLIENT_INSTALL_DIR}/config/MultiSolution/resources</code> directory. 6. Restart the Web Logic server. 	21614034

Related Documents

For more information, see the following documents in the Oracle Retail Advanced Inventory Planning Release 14.1.1 documentation set:

- *Oracle Retail Advanced Inventory Planning Implementation Guide*
- *Oracle Retail Advanced Inventory Planning Installation Guide*
- *Oracle Retail Advanced Inventory Planning Operations Guide*

The following documentation may also be needed when implementing AIP:

- Oracle Retail Planning Batch Script Architecture (BSA) Implementation Guide
- Oracle Retail Integration Bus (RIB) documentation, based on type of deployment
- Oracle Retail Extract Transform and Load (RETL) documentation
- Oracle Retail Predictive Application Server (RPAS) documentation

My Oracle Support Documents

These Oracle Retail Advanced Inventory Planning Release 14.1 documents are available on My Oracle Support:

<https://support.oracle.com>

- *Oracle Advanced Inventory Planning Calculations for Store and Warehouse Replenishment Planning*
- *Oracle Retail Commerce Anywhere AIP White Paper*
- *Oracle Retail Supply Chain Creation AIP White Paper*

Supplemental Documentation on My Oracle Support

The following documents are available through My Oracle Support. Access My Oracle Support at the following URL:

<https://support.oracle.com>

Enterprise Integration Guide (located in the Oracle Retail Integration Suite Library on the Oracle Technology Network)

The Enterprise Integration Guide is an HTML document that summarizes Oracle Retail integration. This version of the Integration Guide is concerned with the two integration styles that implement messaging patterns: Asynchronous JMS Pub/Sub Fire-and-Forget and Web Service Request Response. The Enterprise Integration Guide addresses the Oracle Retail Integration Bus (RIB), a fully distributed integration infrastructure that uses Message Oriented Middleware (MOM) to integrate applications, and the Oracle Retail Service Backbone (RSB), a productization of a set of Web Services, ESBs and Security tools that standardize the deployment.

Supplemental Training on My Oracle Support

The following document is available on the My Oracle Support Web site. Access My Oracle Support at the following URL:

<https://support.oracle.com>

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Oracle Retail Advanced Inventory Planning Release Notes, 14.1.1

Copyright © 2015, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Value-Added Reseller (VAR) Language

Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

- (i) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (ii) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.
- (iii) the software component known as **Access Via™** licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (iv) the software component known as **Adobe Flex™** licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR Applications. For purposes of this section, "alteration" refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle's licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.